

NORTH DAKOTA

2004 Codebook Report

Behavioral Risk Factor Surveillance System

April 26, 2005



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**State FIPS Code**

**Section:** 0.01 Record Identification

**Type:** Num

**Column:** 1-2

**SAS Variable Name:** \_STATE

**Prologue:**

**Description:** State FIPS Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
38	North Dakota	3,045	100.00	100.00

---

**Geographic Stratum Code**

**Section:** 0.02 Record Identification

**Type:** Num

**Column:** 3-4

**SAS Variable Name:** \_GEOSTR

**Prologue:**

**Description:** Geographic Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Notes: For states with geographic stratification, strata should be numbered sequentially (with no gaps) starting with number 1. Otherwise geographic stratification = 1.	3,045	100.00	100.00

---

**Household Density Stratum Code**

**Section:** 0.03 Record Identification

**Type:** Num

**Column:** 5

**SAS Variable Name:** \_DENSTR2

**Prologue:**

**Description:** Household Density Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Listed	2,582	84.79	78.02
2	Unlisted	463	15.21	21.98

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Pre-Call Status Code**

**Section:** 0.04 Record Identification

**Type:** Num

**Column:** 6

**SAS Variable Name:** PRECALL

**Prologue:**

**Description:** Pre-Call Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To be called	3,025	99.34	99.12
3	Pre-screened as non-working number	12	0.39	0.54
5	Pre-screened as business number	8	0.26	0.34

---

**Replicate Number**

**Section:** 0.05 Record Identification

**Type:** Num

**Column:** 7-11

**SAS Variable Name:** REPNUM

**Prologue:**

**Description:** Replicate Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

---

**Replicate Depth**

**Section:** 0.06 Record Identification

**Type:** Num

**Column:** 12-13

**SAS Variable Name:** REPDEPTH

**Prologue:**

**Description:** Replicate Depth

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**File Month**

**Section:** 0.07 Record Identification

**Type:** Num

**Column:** 14-15

**SAS Variable Name:** FMONTH

**Prologue:**

**Description:** File Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	298	9.79	9.59
2	February	264	8.67	8.53
3	March	266	8.74	8.95
4	April	224	7.36	7.58
5	May	209	6.86	6.95
6	June	220	7.22	7.70
7	July	253	8.31	8.14
8	August	247	8.11	8.01
9	September	245	8.05	8.03
10	October	270	8.87	9.07
11	November	275	9.03	8.73
12	December	274	9.00	8.72

---

**Interview Date**

**Section:** 0.08 Record Identification

**Type:** Char

**Column:** 16-23

**SAS Variable Name:** IDATE

**Prologue:**

**Description:** Interview Date

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Interview Month**

**Section:** 0.09 Record Identification

**Type:** Char

**Column:** 16-17

**SAS Variable Name:** IMONTH

**Prologue:**

**Description:** Interview Month

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1	January	298	9.79	9.59
2	February	264	8.67	8.53
3	March	266	8.74	8.95
4	April	222	7.29	7.54
5	May	211	6.93	6.99
6	June	220	7.22	7.70
7	July	253	8.31	8.14
8	August	247	8.11	8.01
9	September	245	8.05	8.03
10	October	270	8.87	9.07
11	November	275	9.03	8.73
12	December	274	9.00	8.72

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Interview Day**

**Section:** 0.10 Record Identification

**Type:** Char

**Column:** 18-19

**SAS Variable Name:** IDAY

**Prologue:**

**Description:** Interview Day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		307	10.08	9.15
2		265	8.70	9.01
3		147	4.83	4.33
4		129	4.24	4.11
5		155	5.09	4.90
6		159	5.22	5.10
7		158	5.19	5.22
8		214	7.03	7.21
9		155	5.09	5.40
10		138	4.53	4.48
11		174	5.71	5.80
12		162	5.32	5.28
13		77	2.53	2.64
14		85	2.79	2.64
15		89	2.92	3.06
16		99	3.25	3.95
17		47	1.54	1.89
18		73	2.40	2.48
19		71	2.33	2.05
20		62	2.04	2.00
21		54	1.77	1.75
22		47	1.54	1.45
23		42	1.38	1.44
24		26	0.85	0.82
25		35	1.15	1.19
26		15	0.49	0.51
27		26	0.85	0.95
28		17	0.56	0.66
29		6	0.20	0.19
30		9	0.30	0.28
31		2	0.07	0.05

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Interview Year**

**Section:** 0.11 Record Identification

**Type:** Char

**Column:** 20-23

**SAS Variable Name:** IYEAR

**Prologue:**

**Description:** Interview Year

Value	Value Label	Frequency	Percentage	Weighted Percentage
2004		3,045	100.00	100.00

---

**Interviewer Identification**

**Section:** 0.12 Record Identification

**Type:** Char

**Column:** 24-26

**SAS Variable Name:** INTVID

**Prologue:**

**Description:** Interviewer Identification

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

---

**Phone Number**

**Section:** 0.13 Record Identification

**Type:** Char

**Column:** 27-34

**SAS Variable Name:** PHONENUM

**Prologue:**

**Description:** Phone Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Phone Number Area Code**

**Section:** 0.14 Record Identification

**Type:** Char

**Column:** 27-29

**SAS Variable Name:** AREACODE

**Prologue:**

**Description:** Phone Number Area Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

---

**Phone Number Prefix**

**Section:** 0.15 Record Identification

**Type:** Char

**Column:** 30-32

**SAS Variable Name:** PREFIX

**Prologue:**

**Description:** Phone Number Prefix

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

---

**Phone Number Suffix**

**Section:** 0.16 Record Identification

**Type:** Char

**Column:** 33-34

**SAS Variable Name:** SUFFIX

**Prologue:**

**Description:** Phone Number Suffix

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Final Disposition**

**Section:** 0.17 Record Identification

**Type:** Num

**Column:** 35-37

**SAS Variable Name:** DISPCODE

**Prologue:**

**Description:** Final Disposition

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Completed Interview	2,896	95.11	94.75
120	Partial Complete Interview	149	4.89	5.25

---

**Annual Sequence Number**

**Section:** 0.18 Record Identification

**Type:** Num

**Column:** 38-47

**SAS Variable Name:** SEQNO

**Prologue:**

**Description:** Annual Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Value should be unique for a state for a year.	3,045	100.00	100.00

---

**Primary Sampling Unit**

**Section:** 0.19 Record Identification

**Type:** Num

**Column:** 38-47

**SAS Variable Name:** \_PSU

**Prologue:**

**Description:** Primary Sampling Unit (Equal to Annual Sequence Number)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Value should be unique for a state for a year.	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Number of Attempts**

**Section:** 0.20 Record Identification

**Type:** Num

**Column:** 48-49

**SAS Variable Name:** NATTMPTS

**Prologue:**

**Description:** Number of Attempts

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

---

**Number of Sample Records Selected from Stratum**

**Section:** 0.21 Record Identification

**Type:** Num

**Column:** 50-55

**SAS Variable Name:** NRECSEL

**Prologue:**

**Description:** Number of Sample Records Selected from Stratum

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

---

**Number of Telephone Numbers in Stratum from Which Sample Was Selected**

**Section:** 0.22 Record Identification

**Type:** Num

**Column:** 56-64

**SAS Variable Name:** NRECSTR

**Prologue:**

**Description:** Number of Telephone Numbers in Stratum from Which Sample Was Selected

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Correct telephone number?**

**Section:** 0.23 Record Identification

**Type:** Num

**Column:** 65

**SAS Variable Name:** CTELENUM

**Prologue:**

**Description:** Correct Telephone Number?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,045	100.00	100.00

---

**Private Residence?**

**Section:** 0.24 Record Identification

**Type:** Num

**Column:** 66

**SAS Variable Name:** PVTRESID

**Prologue:**

**Description:** Private Residence?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,045	100.00	100.00

---

**Number of Adults in Household**

**Section:** 0.25 Record Identification

**Type:** Num

**Column:** 67-68

**SAS Variable Name:** NUMADULT

**Prologue:**

**Description:** Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	969	31.82	18.51
2		1,772	58.19	62.57
3		249	8.18	13.72
4		46	1.51	4.19
5		9	0.30	1.01

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Number of Adult men in Household**

**Section:** 0.26 Record Identification

**Type:** Num

**Column:** 69-70

**SAS Variable Name:** NUMMEN

**Prologue:**

**Description:** Number of Adult Men in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	657	21.58	13.48
1		2,175	71.43	72.70
2		194	6.37	11.56
3		13	0.43	1.33
4		6	0.20	0.92

---

**Number of Adult women in Household**

**Section:** 0.27 Record Identification

**Type:** Num

**Column:** 71-72

**SAS Variable Name:** NUMWOMEN

**Prologue:**

**Description:** Number of Adult Women in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	410	13.46	10.60
1		2,439	80.10	78.34
2		166	5.45	8.57
3		28	0.92	2.35
4		2	0.07	0.15

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**General Health**

**Section:** 1.01 Health Status

**Type:** Num

**Column:** 73

**SAS Variable Name:** GENHLTH

**Prologue:**

**Description:** Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	558	18.33	19.08
2	Very good	1,094	35.93	36.21
3	Good	984	32.32	32.40
4	Fair	292	9.59	9.02
5	Poor	112	3.68	3.13
7	Do not know/Not Sure	3	0.10	0.11
9	Refused	2	0.07	0.05

---

**Number of Days Physical Health Not Good**

**Section:** 2.01 Healthy Days - Health-Related Quality of Life

**Type:** Num

**Column:** 74-75

**SAS Variable Name:** PHYSHLTH

**Prologue:**

**Description:** Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	970	31.86	32.01
88	None	2,016	66.21	66.16
77	Do not know/Not sure	46	1.51	1.46
99	Refused	13	0.43	0.38

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Number of Days Mental Health Not Good**

**Section:** 2.02 Healthy Days - Health-Related Quality of Life

**Type:** Num

**Column:** 76-77

**SAS Variable Name:** MENTHLTH

**Prologue:**

**Description:** Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	917	30.11	32.65
88	None - If Section 2.01, PHYSHLTH, is also None, go to Section 3.01 HLTHPLAN	2,079	68.28	66.10
77	Do not know/Not sure	36	1.18	0.94
99	Refused	13	0.43	0.31

**Poor Physical Health**

**Section:** 2.03 Healthy Days - Health-Related Quality of Life

**Type:** Num

**Column:** 78-79

**SAS Variable Name:** POORHLTH

**Prologue:**

**Description:** During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	502	33.11	33.12
88	None	994	65.57	65.82
77	Do not know/Not sure	13	0.86	0.64
99	Refused	7	0.46	0.42
BLANK	Missing Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	1,529		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Have any health care coverage**

**Section:** 3.01 Health Care Access

**Type:** Num

**Column:** 80

**SAS Variable Name:** HLTHPLAN

**Prologue:**

**Description:** Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,688	88.28	85.83
2	No	342	11.23	13.35
7	Do not know/Not Sure	8	0.26	0.62
9	Refused	7	0.23	0.20

---

**Multiple Health Care Professionals**

**Section:** 3.02 Health Care Access

**Type:** Num

**Column:** 81

**SAS Variable Name:** PERSDOC2

**Prologue:**

**Description:** Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	2,088	68.57	65.11
2	More than one	329	10.80	11.36
3	No	617	20.26	23.27
7	Do not know/Not Sure	7	0.23	0.20
9	Refused	4	0.13	0.07

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Could Not See Dr. Because of Cost**

**Section:** 3.03 Health Care Access

**Type:** Num

**Column:** 82

**SAS Variable Name:** MEDCOST

**Prologue:**

**Description:** Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	210	6.90	6.74
2	No	2,828	92.87	93.01
7	Do not know/Not sure	4	0.13	0.10
9	Refused	3	0.10	0.15

---

**Exercise in Past 30 Days**

**Section:** 4.01 Exercise

**Type:** Num

**Column:** 83

**SAS Variable Name:** EXERANY2

**Prologue:**

**Description:** During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,335	76.68	78.62
2	No	707	23.22	21.31
7	Do not know/Not Sure	2	0.07	0.04
9	Refused	1	0.03	0.03

**Has bad air made you ill in the past 12 months?**

**Section:** 5.01 Environmental Factors

**Type:** Num

**Column:** 84

**SAS Variable Name:** EFILLAIR

**Prologue:** If you are experiencing an illness or symptom within the past 12 months that was caused by something in the air you encountered over 12 months ago, the answer is 'Yes'.

**Description:** Things like dust, mold, and chemicals inside the home or office can cause poor indoor air quality. In the past 12 months have you had an illness or symptoms that you think was caused by something in the air inside a home, office, or other building?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	573	18.82	19.18
2	No	2,447	80.36	80.17
7	Don't know/Not Sure	23	0.76	0.60
9	Refused	2	0.07	0.05

**Has air pollution made you ill in the past 12 months?**

**Section:** 5.02 Environmental Factors

**Type:** Num

**Column:** 85

**SAS Variable Name:** EFILLPOL

**Prologue:** This question does not refer to natural agents like pollen or dust in outdoor air. If respondent is experiencing an illness or symptom within the past 12 months that was caused by something in the air they encountered over 12 months ago, the answer is 'Yes'.

**Description:** Things like smog, automobile exhaust, and chemicals can cause outdoor air pollution. In the past 12 months have you had an illness or symptom that you think was caused by pollution in the air outdoors?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	196	6.44	6.35
2	No	2,830	92.94	92.82
7	Don't know/Not Sure	16	0.53	0.75
9	Refused	3	0.10	0.09

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Had a sunburn in the past 12 months**

**Section:** 6.01 Excess Sun Exposure

**Type:** Num

**Column:** 86

**SAS Variable Name:** SUNBURN

**Prologue:** The next question is about sunburns including anytime that even a small part of your skin was red for more than 12 hours.

**Description:** Have you had a sunburn within the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,170	38.42	43.48
2	No - Go to Section 7.01 SMOKE100	1,870	61.41	56.35
7	Don't know/Not Sure - Go to Section 7.01 SMOKE100	5	0.16	0.17

---

**Number Of Sunburns In Past 12 Months**

**Section:** 6.02 Excess Sun Exposure

**Type:** Num

**Column:** 87

**SAS Variable Name:** NUMBURN

**Prologue:**

**Description:** Including times when even a small part of your skin was red for more than 12 hours, how many sunburns have you had within the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One	380	32.48	30.19
2	Two	395	33.76	31.96
3	Three	180	15.38	16.58
4	Four	57	4.87	4.88
5	Five	55	4.70	6.31
6	Six or more	89	7.61	8.89
7	Don't know/Not Sure	14	1.20	1.19
BLANK	Missing Notes: Section 13.01, SUNBURN, is coded 2,7,9 or missing	1,875		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Smoked at Least 100 Cigarettes**

**Section:** 7.01 Tobacco Use

**Type:** Num

**Column:** 88

**SAS Variable Name:** SMOKE100

**Prologue:**

**Description:** Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,362	44.73	43.33
2	No - Go to Section 8.01 ALCDAY3	1,676	55.04	56.21
7	Do not know/Not Sure - Go to Section 8.01 ALCDAY3	5	0.16	0.42
9	Refused - Go to Section 8.01 ALCDAY3	2	0.07	0.04

**Frequency of Days Now Smoking**

**Section:** 7.02 Tobacco Use

**Type:** Num

**Column:** 89

**SAS Variable Name:** SMOKEDAY

**Prologue:**

**Description:** Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	429	31.50	34.02
2	Some days	151	11.09	11.68
3	Not at all - Go to Section 8.01 ALCDAY3	782	57.42	54.30
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing	1,683		

**Stopped Smoking in past 12 months**

**Section:** 7.03 Tobacco Use

**Type:** Num

**Column:** 90

**SAS Variable Name:** STOPSMK2

**Prologue:**

**Description:** During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	286	49.31	51.48
2	No	294	50.69	48.52
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing or Section 07.02, SMOKEDAY, is coded 3, 9, or Missing	2,465		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Frequency of Alcoholic Drinks in Past 30 Days**

**Section:** 8.01 Alcohol Consumption

**Type:** Num

**Column:** 91-93

**SAS Variable Name:** ALCDAY3

**Prologue:** A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor.

**Description:** During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1_ _ = Days per week	376	12.35	12.80
201 - 299	Days in past 30 Notes: 2_ _ = Days in past 30	1,450	47.62	49.41
777	Do not know/Not sure	9	0.30	0.36
888	No drinks in past 30 days - Go to Section 9.01 ASTHMA2	1,205	39.57	37.31
999	Refused - Go to Section 9.01 ASTHMA2	5	0.16	0.13

**Average Drinks per Session**

**Section:** 8.02 Alcohol Consumption

**Type:** Num

**Column:** 94-95

**SAS Variable Name:** AVEDRNK

**Prologue:**

**Description:** On the days when you drank, about how many drinks did you drink on the average?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: _ _ Number of drinks	1,817	99.02	98.84
77	Do not know/Not sure	13	0.71	0.98
99	Refused	5	0.27	0.18
BLANK	Not asked or Missing Notes: Section 8.01, ALCDAY3, is coded 888, 999, or Missing	1,210		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Binge Drinking**

**Section:** 8.03 Alcohol Consumption

**Type:** Num

**Column:** 96-97

**SAS Variable Name:** DRNK2GE5

**Prologue:**

**Description:** Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	500	27.25	32.65
88	None	1,315	71.66	66.47
77	Do not know/Not Sure	19	1.04	0.85
99	Refused	1	0.05	0.03
BLANK	Not asked or Missing Notes: Section 8.01, ALCDAY3, is coded 888, 999, or Missing	1,210		

**Did you drive after having too much to drink in the past 30 days?**

**Section:** 8.04 Alcohol Consumption

**Type:** Num

**Column:** 98-99

**SAS Variable Name:** DRINKDRI

**Prologue:**

**Description:** During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times	110	5.99	7.17
88	None	1,724	93.95	92.78
99	Refused	1	0.05	0.05
BLANK	Not asked or Missing Notes: Section 8.01, ALCDAY3, is coded 888, 999, or Missing	1,210		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Ever Told Had Asthma**

**Section:** 9.01 Asthma

**Type:** Num

**Column:** 100

**SAS Variable Name:** ASTHMA2

**Prologue:**

**Description:** Have you ever been told by a doctor, nurse, or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	323	10.61	11.03
2	No - Go to Section 10.01 DIABETE2	2,716	89.20	88.80
7	Do not know/Not Sure - Go to Section 10.01 DIABETE2	6	0.20	0.17

---

**Still Have Asthma**

**Section:** 9.02 Asthma

**Type:** Num

**Column:** 101

**SAS Variable Name:** ASTHNOW

**Prologue:**

**Description:** Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	231	71.52	69.58
2	No	84	26.01	28.17
7	Do not know/Not Sure	8	2.48	2.25
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing	2,722		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Ever Told by Doctor You Have Diabetes**

**Section:** 10.01 Diabetes

**Type:** Num

**Column:** 102

**SAS Variable Name:** DIABETE2

**Prologue:**

**Description:** Have you ever been told by a doctor that you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or boarderline diabetes, code as no.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	213	7.00	5.85
2	Yes, but female told only during pregnancy	30	0.99	0.81
3	No	2,780	91.30	92.71
4	No, pre-diabetes or boarderline diabetes	21	0.69	0.60
9	Refused	1	0.03	0.03

---

**Last Visited Dentist or Dental Clinic**

**Section:** 11.01 Oral Health

**Type:** Num

**Column:** 103

**SAS Variable Name:** LASTDEN2

**Prologue:**

**Description:** How long has it been since you last visited a dentist or a dental clinic for any reason?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	2,074	68.11	68.13
2	Within the past 2 years (1 year but < 2 years ago)	371	12.18	12.65
3	Within the past 5 years (2 years but < 5 years ago)	292	9.59	9.38
4	5 or more years ago	286	9.39	9.22
7	Do not know/Not sure	11	0.36	0.26
8	Never	7	0.23	0.22
9	Refused	4	0.13	0.15

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Number of Permanent Teeth Removed**

**Section:** 11.02 Oral Health

**Type:** Num

**Column:** 104

**SAS Variable Name:** RMVTEETH

**Prologue:**

**Description:** How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. [Include teeth lost due to "infection."]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 5	884	29.03	26.62
2	6 or more, but not all	334	10.97	9.08
3	All - If Section 11.01, LASTDEN2, is NEVER, go to Section 12.01 FLUSHOT2	247	8.11	6.72
7	Do not know/Not sure	43	1.41	1.24
8	None	1,527	50.15	56.03
9	Refused	10	0.33	0.31

**When Teeth Last Cleaned by Dentist or Hygienist**

**Section:** 11.03 Oral Health

**Type:** Num

**Column:** 105

**SAS Variable Name:** DENCLEAN

**Prologue:**

**Description:** How long has it been since you had your teeth cleaned by a dentist or dental hygienist?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	1,882	67.33	66.83
2	Within the past 2 years (1 year but < 2 years ago)	349	12.49	12.42
3	Within the past 5 years (2 years but < 5 years ago)	260	9.30	9.65
4	5 or more years ago	222	7.94	8.04
7	Do not know/Not sure	22	0.79	1.06
8	Never	56	2.00	1.92
9	Refused	4	0.14	0.08
BLANK	Not asked or Missing Notes: Module 2.01, LASTDEN2, is coded 8; or Module 2.02, RMVTEETH, is coded 3, or Missing	250		

**Had Flu Shot in Past 12 Months**

**Section:** 12.01 Immunization

**Type:** Num

**Column:** 106

**SAS Variable Name:** FLUSHOT2

**Prologue:**

**Description:** During the past 12 months, have you had a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,262	41.44	38.09
2	No	1,777	58.36	61.70
7	Do not know/Not Sure	5	0.16	0.13
9	Refused	1	0.03	0.08

**Had Nasal Flu Vaccine in Past 12 months**

**Section:** 12.02 Immunization

**Type:** Num

**Column:** 107

**SAS Variable Name:** FLUSPRAY

**Prologue:**

**Description:** During the past 12 months, have you had a flu vaccine that was sprayed in your nose.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.43	0.46
2	No	3,029	99.47	99.47
7	Do not know/Not Sure	3	0.10	0.07

**Pneumonia Shots**

**Section:** 12.03 Immunization

**Type:** Num

**Column:** 108

**SAS Variable Name:** PNEUVAC2

**Prologue:**

**Description:** Have you ever had a pneumonia shot? This shot is usually given only once or twice in a persons lifetime and is different from the flu shot. It is also called the pneumococcal vaccine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	759	24.93	23.01
2	No	2,032	66.73	67.01
7	Do not know/Not Sure	254	8.34	9.99

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Reported Age in Years**

**Section:** 13.01 Demographics

**Type:** Num

**Column:** 109-110

**SAS Variable Name:** AGE

**Prologue:**

**Description:** What is your age?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	17	0.56	0.45
18 - 24	Age 18 - 24 Notes: _ _ Code age in years	200	6.57	15.56
25 - 34	Age 25 - 34	422	13.86	15.66
35 - 44	Age 35 - 44	576	18.92	18.16
45 - 54	Age 45 - 54	663	21.77	18.51
55 - 64	Age 55 - 64	461	15.14	12.29
65 - 99	Age 65 or older	706	23.19	19.36

**Hispanic/Latino**

**Section:** 13.02 Demographics

**Type:** Num

**Column:** 111

**SAS Variable Name:** HISPANC2

**Prologue:**

**Description:** Are you Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	1.18	1.34
2	No	2,994	98.33	98.26
7	Do not know/Not Sure	11	0.36	0.29
9	Refused	4	0.13	0.10

**Multiple Race**

**Section:** 13.03 Demographics

**Type:** Char

**Column:** 112-117

**SAS Variable Name:** MRACE

**Prologue:**

**Description:** Which one or more of the following would you say is your race? [Mark all that apply.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Refer to _MRACE, MRACEORG, MRACEASC	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Respondent Race Choice**

**Section:** 13.04 Demographics

**Type:** Num

**Column:** 118

**SAS Variable Name:** ORACE2

**Prologue:**

**Description:** Which one of these groups would you say best represents your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	21	67.74	68.88
3	Asian	1	3.23	2.56
5	American Indian, Alaska Native	8	25.81	23.74
7	Do not know/Not sure	1	3.23	4.82
BLANK	Not asked or Missing Notes: Only one race was selected in Section 14.03, MRACE	3,014		

---

**Marital Status**

**Section:** 13.05 Demographics

**Type:** Num

**Column:** 119

**SAS Variable Name:** MARITAL

**Prologue:**

**Description:** Are you: (marital status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	1,812	59.51	62.79
2	Divorced	371	12.18	8.03
3	Widowed	354	11.63	7.23
4	Separated	25	0.82	0.46
5	Never married	418	13.73	18.29
6	A member of an unmarried couple	57	1.87	3.01
9	Refused	8	0.26	0.20

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Number of Children in Household**

**Section:** 13.06 Demographics

**Type:** Num

**Column:** 120-121

**SAS Variable Name:** CHILDREN

**Prologue:**

**Description:** How many children less than 18 years of age live in your household?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	1,043	34.25	38.33
88	None	2,000	65.68	61.61
99	Refused	2	0.07	0.06

---

**Education Level**

**Section:** 13.07 Demographics

**Type:** Num

**Column:** 122

**SAS Variable Name:** EDUCA

**Prologue:**

**Description:** What is the highest grade or year of school you completed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	1	0.03	0.02
2	Grades 1 - 8 (Elementary)	129	4.24	3.81
3	Grades 9 - 11 (Some high school)	130	4.27	4.53
4	Grade 12 or GED (High school graduate)	901	29.59	29.70
5	College 1 year to 3 years (Some college or technical school)	996	32.71	33.59
6	College 4 years or more (College graduate)	882	28.97	28.20
9	Refused	6	0.20	0.15

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Employment Status**

**Section:** 13.08 Demographics

**Type:** Num

**Column:** 123

**SAS Variable Name:** EMPLOY

**Prologue:**

**Description:** Are you currently: (employment status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	1,657	54.42	55.25
2	Self-employed	378	12.41	12.91
3	Out of work for more than 1 year	31	1.02	1.10
4	Out of work for less that 1 year	42	1.38	1.53
5	A homemaker	188	6.17	6.01
6	A student	92	3.02	5.56
7	Retired	563	18.49	15.20
8	Unable to work	84	2.76	2.17
9	Refused	10	0.33	0.28

**Income Level**

**Section:** 13.09 Demographics

**Type:** Num

**Column:** 124-125

**SAS Variable Name:** INCOME2

**Prologue:**

**Description:** Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	115	3.78	3.87
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	149	4.89	4.42
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	217	7.13	6.88
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	276	9.06	8.59
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	450	14.78	14.73
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	571	18.75	18.42
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	503	16.52	17.23
8	\$75,000 or more	393	12.91	13.34
77	Do not know/Not sure	136	4.47	5.77
99	Refused	235	7.72	6.76

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Reported Weight in Pounds**

**Section:** 13.10 Demographics

**Type:** Num

**Column:** 126-129

**SAS Variable Name:** WEIGHT2

**Prologue:**

**Description:** About how much do you weigh without shoes? [Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0776	Weight (pounds)	2,895	95.07	95.88
7777	Do not know/Not sure	37	1.22	1.07
9000 - 9776	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	1	0.03	0.05
9999	Refused	112	3.68	2.99

---

**Reported Height in Feet and Inches**

**Section:** 13.11 Demographics

**Type:** Num

**Column:** 130-133

**SAS Variable Name:** HEIGHT2

**Prologue:**

**Description:** About how tall are you without shoes? [Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 776	Height (ft/inches)	3,030	99.51	99.49
7777	Do not know/Not sure	4	0.13	0.13
9000 - 9776	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value. The decimal is implied between the second and thrid character.	1	0.03	0.04
9999	Refused	10	0.33	0.34

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**County Code**

**Section:** 13.12 Demographics

**Type:** Num

**Column:** 134-136

**SAS Variable Name:** CTYCODE

**Prologue:**

**Description:** What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Do not know/Not sure	14	0.46	0.49
999	Refused	19	0.62	0.58
UNUSED	Suppressed	3,012	98.92	98.92

**Household Telephones**

**Section:** 13.13 Demographics

**Type:** Num

**Column:** 137

**SAS Variable Name:** NUMHHOL2

**Prologue:**

**Description:** Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	156	5.12	3.95
2	No - Go to Section 13.15 TELESERV	2,887	94.81	95.99
9	Refused - Go to Section 13.15 TELESERV	2	0.07	0.05

**Residential Phones**

**Section:** 13.14 Demographics

**Type:** Num

**Column:** 138

**SAS Variable Name:** NUMPHON2

**Prologue:**

**Description:** How many of these are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	58	37.18	50.16
2	Residential telephone numbers	93	59.62	47.59
3	Residential telephone numbers	4	2.56	2.08
4	Residential telephone numbers	1	0.64	0.17
BLANK	Not asked or Missing Notes: Section 14.14, NUMHHOL2, is coded 2, 7, 9, or Missing	2,889		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Household been without Phone Service in Last 12 months**

**Section:** 13.15 Demographics

**Type:** Num

**Column:** 139

**SAS Variable Name:** TELSERV

**Prologue:**

**Description:** During the Past 12 months, has your household been without telephone service for 1 week or more?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	83	2.73	3.81
2	No	2,958	97.14	96.02
7	Don't know/Not Sure	2	0.07	0.06
9	Refused	2	0.07	0.10

**Respondents Sex**

**Section:** 13.16 Demographics

**Type:** Num

**Column:** 140

**SAS Variable Name:** SEX

**Prologue:**

**Description:** Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male - Go to Section 14.01 VETERAN	1,310	43.02	49.52
2	Female	1,735	56.98	50.48

**Pregnancy Status**

**Section:** 13.17 Demographics

**Type:** Num

**Column:** 141

**SAS Variable Name:** PREGNANT

**Prologue:**

**Description:** To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	4.28	4.71
2	No	646	95.42	95.00
7	Do not know/Not Sure	2	0.30	0.29
BLANK	Not asked or Missing Notes: Section 13.17, SEX, is coded 1; or Section 13.01, AGE is greater than 44	2,368		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Are You A Veteran**

**Section:** 14.01 Veterans Status

**Type:** Num

**Column:** 142

**SAS Variable Name:** VETERAN

**Prologue:** The next question relates to military service in the United States Armed Forces, either in the regular military or in a National Guard or Reserve unit.

**Description:** Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	482	15.89	15.40
2	No - Go to Section 15.01 HADMAM	2,548	84.01	84.48
7	Don't know/Not Sure - Go to Section 15.01 HADMAM	2	0.07	0.08
9	Refused - Go to Section 15.01 HADMAM	1	0.03	0.03
BLANK	Missing	12		

**Current Veteran Status**

**Section:** 14.02 Veterans Status

**Type:** Num

**Column:** 143

**SAS Variable Name:** VETSTAT2

**Prologue:**

**Description:** Which of the following best describes your service in the United States military?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Currently on active duty - Go to Section 15.01 HADMAM	35	7.26	9.78
2	Currently in a National Guard or Reserve unit - Go to Section 15.01 HADMAM	14	2.90	4.15
3	Retired from military service	42	8.71	8.12
4	Medically discharged from military service	11	2.28	2.11
5	Discharged from military service	380	78.84	75.85
BLANK	Not asked or Missing Notes: Section 14.01, VETERAN, is coded 2, 7, 9 or Missing	2,563		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Received some or all of your health care from VA facilities in the last 12 months**

**Section:** 14.03 Veterans Status

**Type:** Num

**Column:** 144

**SAS Variable Name:** VACARE

**Prologue:**

**Description:** In the last 12 months have you received some or all of your health care from VA facilities? [If "yes" probe for "all" or "some" of the health care.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, all of my health care	36	8.31	8.30
2	Yes, some of my health care	69	15.94	16.21
3	No, no VA health care received	327	75.52	75.35
9	Refused	1	0.23	0.14
BLANK	Not asked or Missing Notes: Section 19.01, VETERAN, is coded 2, 7, 9 or Missing; or Section 19.02, VETSTAT2, is coded 1, 2, 7, 9 or Missing	2,612		

**Have You Ever Had a Mammogram**

**Section:** 15.01 Women's Health

**Type:** Num

**Column:** 145

**SAS Variable Name:** HADMAM

**Prologue:**

**Description:** A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,213	70.28	63.08
2	No - Go to Section 15.03 PROFEXAM	510	29.55	36.79
7	Do not know/Not sure - Go to Section 15.03 PROFEXAM	3	0.17	0.13
BLANK	Not asked or Missing Notes: Section 13.17, SEX, is coded 1	1,319		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**How Long since Last Mammogram**

**Section:** 15.02 Women's Health

**Type:** Num

**Column:** 146

**SAS Variable Name:** HOWLONG

**Prologue:**

**Description:** How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (<12 months ago)	736	60.73	60.93
2	Within the past 2 years (1 year but < 2 years ago)	207	17.08	16.33
3	Within the past 3 years (2 years but < 3 years ago)	99	8.17	8.75
4	Within the past 5 years (3 years but < 5 years ago)	64	5.28	5.46
5	5 or more years ago	97	8.00	7.68
7	Do not know/Not sure	8	0.66	0.80
9	Refused	1	0.08	0.06
BLANK	Not asked or Missing Notes: Section 13.17, SEX, is coded 1; or Module 3.01, HADMAM, is coded 2, 7, 9, or Missing	1,833		

**Ever Had Breast Physical Exam by Doctor**

**Section:** 15.03 Women's Health

**Type:** Num

**Column:** 147

**SAS Variable Name:** PROFEXAM

**Prologue:**

**Description:** A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,596	92.58	90.89
2	No - Go to Section 15.05 HADPAP	123	7.13	8.89
7	Do not know/Not sure - Go to Section 15.05 HADPAP	5	0.29	0.22
BLANK	Not asked or Missing Notes: Section 13.17, SEX, is coded 1	1,321		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**How Long since Last Breast Physical Exam**

**Section:** 15.04 Women's Health

**Type:** Num

**Column:** 148

**SAS Variable Name:** LENGEXAM

**Prologue:**

**Description:** How long has it been since your last breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	1,047	65.64	66.79
2	Within the past 2 years (1 year but < 2 years ago)	278	17.43	17.25
3	Within the past 3 years (2 years but < 3 years ago)	81	5.08	5.08
4	Within the past 5 years (3 years but < 5 years ago)	61	3.82	3.83
5	5 or more years ago	104	6.52	5.51
7	Do not know/Not sure	24	1.50	1.55
BLANK	Not asked or Missing Notes: Section 14.71, SEX, is coded 1; or Module 3.05, PROFEXAM, is coded 2, 7, 9, or Missing	1,450		

**Ever Had a Pap Test**

**Section:** 15.05 Women's Health

**Type:** Num

**Column:** 149

**SAS Variable Name:** HADPAP2

**Prologue:**

**Description:** A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,644	95.47	94.00
2	No - Go to Section 15.07 HADHYST2	73	4.24	5.79
7	Do not know/Not sure - Go to Section 15.07 HADHYST2	5	0.29	0.21
BLANK	Not asked or Missing Notes: Section 13.17, SEX, is coded 1	1,323		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**How Long Since Last Pap Test**

**Section:** 15.06 Women's Health

**Type:** Num

**Column:** 150

**SAS Variable Name:** LASTPAP2

**Prologue:**

**Description:** How long has it been since you had your last Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	912	55.51	58.14
2	Within the past 2 years (1 year but less than 2 years ago)	308	18.75	18.95
3	Within the past 3 years (2 years but less than 3 years ago)	105	6.39	6.04
4	Within the past 5 years (3 years but less than 5 years ago)	94	5.72	4.87
5	5 or more years ago	192	11.69	10.32
7	Do not know/Not sure	29	1.77	1.55
9	Refused	3	0.18	0.14
BLANK	Not asked or Missing Notes: Section 13.17, SEX, is coded 1; or Module 3.07, HADPAP, is coded 2, 7, 9, or Missing	1,402		

**Had Hysterectomy**

**Section:** 15.07 Women's Health

**Type:** Num

**Column:** 151

**SAS Variable Name:** HADHYST2

**Prologue:**

**Description:** Have you had a hysterectomy? [A hysterectomy is an operation to remove the uterus (womb).]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	444	26.26	23.42
2	No	1,247	73.74	76.58
BLANK	Not asked or Missing Notes: Section 13.17, SEX, is coded 1; or Section 13.18, PREGNANT, is coded 1	1,354		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Ever Had PSA Test**

**Section:** 16.01 Prostate Cancer Screening

**Type:** Num

**Column:** 152

**SAS Variable Name:** PSATEST

**Prologue:**

**Description:** A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	516	56.70	56.18
2	No - Go to Module 16.03 DIGRECEX	361	39.67	40.18
7	Do not know/Not Sure - Go to Module 16.03 DIGRECEX	33	3.63	3.64
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is less than 40; or Section 13.17, SEX, is coded 2	2,135		

**Time Since Last PSA Test**

**Section:** 16.02 Prostate Cancer Screening

**Type:** Num

**Column:** 153

**SAS Variable Name:** PSATIME

**Prologue:**

**Description:** How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	299	57.95	58.29
2	Within the past 2 years (1 year but < 2 years ago)	104	20.16	19.79
3	Within the past 3 years (2 years but < 3 years ago)	43	8.33	9.26
4	Within the past 5 years (3 years but < 5 years ago)	40	7.75	7.35
5	5 or more years ago	29	5.62	5.13
7	Do not know/Not Sure	1	0.19	0.18
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is less than 40; or Section 13.17, SEX, is coded 2; or Module 14.01, PSATEST, is coded, 2, 7, 9, or Missing	2,529		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Ever Had Digital Rectal Exam**

**Section:** 16.03 Prostate Cancer Screening

**Type:** Num

**Column:** 154

**SAS Variable Name:** DIGRECEX

**Prologue:**

**Description:** A digital rectal exam is an exam in which a doctor, nurse or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you ever had a digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	676	74.29	74.94
2	No - Go to Module 16.05 PROSTATE	230	25.27	24.72
7	Do not know/Not Sure - Go to Module 16.05 PROSTATE	3	0.33	0.25
9	Refused - Go to Module 16.05 PROSTATE	1	0.11	0.08
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is less than 40; or Section 13.17, SEX, is coded 2	2,135		

**Time Since Last Digital Rectal Exam**

**Section:** 16.04 Prostate Cancer Screening

**Type:** Num

**Column:** 155

**SAS Variable Name:** DRETIME

**Prologue:**

**Description:** How long has it been since your last digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months)	312	46.15	47.00
2	Within the past 2 years (1 year but < 2 years ago)	122	18.05	17.94
3	Within the past 3 years (2 years but < 3 years ago)	77	11.39	12.02
4	Within the past 5 years (3 years but < 5 years ago)	63	9.32	8.48
5	5 or more years ago	93	13.76	13.54
7	Do not know/Not sure	9	1.33	1.01
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is less than 40; or Section 13.16, SEX, is coded 2; or Module 16.03, DIGRECEX, is coded 2, 7, 9, or Missing	2,369		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Ever Told You Had Prostate Cancer**

**Section:** 16.05 Prostate Cancer Screening

**Type:** Num

**Column:** 156

**SAS Variable Name:** PROSTATE

**Prologue:**

**Description:** Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	4.62	5.02
2	No	866	95.27	94.88
7	Do not know/Not sure	1	0.11	0.10
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is less than 40; or Section 13.16, SEX, is coded 2	2,136		

**Ever Had Blood Stool Test Using Home Kit**

**Section:** 17.01 Colorectal Cancer Screening

**Type:** Num

**Column:** 157

**SAS Variable Name:** BLDSTOOL

**Prologue:**

**Description:** A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	591	39.56	38.98
2	No - Go to Module 17.03 HADSIGM3	892	59.71	60.27
7	Do not know/Not Sure - Go to Module 17.03 HADSIGM3	10	0.67	0.69
9	Refused - Go to Module 17.03 HADSIGM3	1	0.07	0.05
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is less than 50	1,551		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Time Since Last Blood Stool Test**

**Section:** 17.02 Colorectal Cancer Screening

**Type:** Num

**Column:** 158

**SAS Variable Name:** LSTBLDS2

**Prologue:**

**Description:** How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	203	34.35	32.60
2	Within the past 2 years (1 year but < 2 years ago)	116	19.63	20.14
3	Within the past 5 years (2 years but < 5 years ago)	160	27.07	28.07
4	5 or more years ago	105	17.77	18.00
7	Do not know/Not sure	6	1.02	1.11
9	Refused	1	0.17	0.09
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is less than 50; or 17.01, BLDSTOOL, is coded 2, 7, 9, or Missing	2,454		

**Ever Had Sigmoidoscopy/Colonoscopy**

**Section:** 17.03 Colorectal Cancer Screening

**Type:** Num

**Column:** 159

**SAS Variable Name:** HADSIGM3

**Prologue:**

**Description:** Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	787	52.68	53.16
2	No - Go to Module 18.01 BIRTHCNT3	693	46.39	45.92
7	Do not know/Not Sure - Go to Module 18.01 BIRTHCNT3	14	0.94	0.91
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is less than 50	1,551		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Time Since Last Sigmoidoscopy/Colonoscopy**

**Section:** 17.04 Colorectal Cancer Screening

**Type:** Num

**Column:** 160

**SAS Variable Name:** LASTSIG2

**Prologue:**

**Description:** How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	200	25.41	26.16
2	Within the past 2 years (1 year but < 2 years ago)	136	17.28	16.45
3	Within the past 5 years (2 years but < 5 years ago)	296	37.61	36.99
4	Within the past 10 years (5 years but < 10 years ago)	86	10.93	11.00
5	10 or more years ago	59	7.50	7.98
7	Do not know/Not Sure	10	1.27	1.41
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is less than 50; or 17.03, HADSIGM3, is coded 2, 7, 9, or Missing	2,258		

**Are You Doing Anything to Keep From Getting Pregnant?**

**Section:** 18.01 Family Planning

**Type:** Num

**Column:** 161

**SAS Variable Name:** BRTHCNT3

**Prologue:** Some things people do to keep from getting pregnant include not having sex at certain times, using birth control methods such as the pill, implants, shots, condoms, diaphragm, foam, IUD, having their tubes tied, or having a vasectomy.

**Description:** Are you or your [if female, insert husband/partner, if male, insert wife/partner] doing anything now to keep [if female, insert husband/partner, if male, insert wife/partner] from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	903	60.04	60.89
2	No - Go to Section 18.03 NOBCUSE2	308	20.48	20.00
3	No partner/not sexually active - Go to Section 19.01 QLACTLM2	263	17.49	17.28
4	Same sex partner - Go to Section 19.01 QLACTLM2	6	0.40	0.40
7	Do not know/Not sure - Go to Section 19.01 QLACTLM2	1	0.07	0.05
9	Refused - Go to Section 19.01 QLACTLM2	23	1.53	1.37
BLANK	Not asked or Missing Notes: Section 13.16, SEX, is 2 and Section 13.01, AGE, is greater than 44 or Section 13.17, PREGNANT, is 1 or Section 13.16, SEX, is 1 and Section 13.01, AGE, is greater than 59	1,541		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**What method are you using?**

**Section:** 18.02 Family Planning

**Type:** Num

**Column:** 162-163

**SAS Variable Name:** TYP CNTR3

**Prologue:**

**Description:** What are you or your [if female, insert husband/partner, if male, insert wife/partner] doing now to keep [if female, insert husband/partner, if male, insert wife/partner] from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Tubes tied - Go to Section 19.01 QLACTLM2	173	19.29	17.04
2	Hysterectomy (female sterilization) - Go to Section 19.01 QLACTLM2	32	3.57	3.26
3	Vasectomy (sterilization) - Go to Section 19.01 QLACTLM2	212	23.63	20.53
4	Pill - Go to Section 18.04 FPCHLDFT	228	25.42	29.00
5	Condoms - Go to Section 18.04 FPCHLDFT	126	14.05	15.00
6	Contraceptive implants (Jadelle or Implants) - Go to Section 18.04 FPCHLDFT	2	0.22	0.21
7	Shots (Depo-Provera) - Go to Section 18.04 FPCHLDFT	20	2.23	2.19
8	Shots (Lunelle) - Go to Section 18.04 FPCHLDFT	2	0.22	0.15
9	Contraceptive Patch - Go to Section 18.04 FPCHLDFT	11	1.23	1.72
10	Diaphragm, cervical ring, or cap (Nuvaring or others) - Go to Section 18.04 FPCHLDFT	8	0.89	0.99
11	IUD (including Mirena) - Go to Section 18.04 FPCHLDFT	12	1.34	1.42
13	Withdrawal - Go to Section 18.04 FPCHLDFT	1	0.11	0.04
14	Not having sex at certain times (rhythm) - Go to Section 18.04 FPCHLDFT	33	3.68	3.92
15	Other method (foam, jelly, cream, etc.) - Go to Section 18.04 FPCHLDFT	10	1.11	1.05
77	Don't know / Not sure - Go to Section 18.04 FPCHLDFT	2	0.22	0.72
99	Refused - Go to Section 18.04 FPCHLDFT	25	2.79	2.75
BLANK	Not asked or Missing Notes: Section 13.16, SEX, is 2 and Section 13.01, AGE, is greater than 44 or Section 13.17, PREGNANT, is 1 or Section 13.16, SEX, is 1 and Section 13.01, AGE, is greater than 59 or Section 18.01, BIRTHCNT3,	2,148		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**What is Main Reason for Not Using Birth Control?**

**Section:** 18.03 Family Planning

**Type:** Num

**Column:** 164-165

**SAS Variable Name:** NOBCUSE2

**Prologue:**

**Description:** What is the main reason for not doing anything to keep [if female, insert you, if male, insert your wife/partner] from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Didn't think was going to have sex/no regular partner	8	2.61	1.69
2	You want a pregnancy	49	15.96	18.58
3	You or your partner don't want to use birth control	3	0.98	1.03
4	You or your partner don't like birth control/fear side effects	5	1.63	1.55
7	Don't think you or your partner can get pregnant	25	8.14	7.70
8	You or your partner had tubes tied (sterilization) - Go to Section 19.01 QLACTLM2	27	8.79	7.99
9	You or your partner had a vasectomy (sterilization) - Go to Section 19.01 QLACTLM2	15	4.89	4.51
10	You or your partner had a hysterectomy - Go to Section 19.01 QLACTLM2	24	7.82	6.87
11	You or your partner are too old	39	12.70	11.93
13	You or your partner just had a baby/postpartum	7	2.28	2.88
14	Other reason	48	15.64	15.93
15	Don't care if get pregnant	11	3.58	4.06
16	Partner is pregnant now - Go to Section 19.01 QLACTLM2	4	1.30	1.41
77	Do not know/Not sure	20	6.51	7.12
99	Refused	22	7.17	6.75
BLANK	Not asked or Missing Notes: Section 13.16, SEX, is 2 and Section 13.01, AGE, is greater than 44 or Section 13.17, PREGNANT, is 1 or Section 13.16, SEX, is 1 and Section 13.01, AGE, is greater than 59 or Section 18.01, BIRTHCNT3,	2,738		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**How do you feel about having a child sometime in the future?**

**Section:** 18.04 Family Planning

**Type:** Num

**Column:** 166

**SAS Variable Name:** FPCHLDFT

**Prologue:**

**Description:** How do you feel about having a child sometime in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	You don't want to have one - Go to Section 19.01 QLACTLM2	262	36.59	31.48
2	You do want to have one - Go to Section 18.05 FPCHLDHS	278	38.83	44.83
3	You're not sure if you do or don't - Go to Section 19.01 QLACTLM2	164	22.91	22.42
7	Do not know/Not sure - Go to Section 19.01 QLACTLM2	7	0.98	0.77
9	Refused - Go to Section 19.01 QLACTLM2	5	0.70	0.50
BLANK	Not asked, or Missing Notes: Section 13.16, SEX, is 2 and Section 13.01, AGE, is greater than 44 or Section 13.17, PREGNANT, is 1 or Section 13.16, SEX, is 1 and Section 13.01, AGE, is greater than 59 or Section 18.01, BIRTHCNT3,	2,329		

**How soon would you want to have a child?**

**Section:** 18.05 Family Planning

**Type:** Num

**Column:** 167

**SAS Variable Name:** FPCHLDHS

**Prologue:**

**Description:** How soon would you want to have a child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 12 months from now	79	28.52	23.77
2	Between 12 months to less than two years from now	84	30.32	27.19
3	Between two years to less than 5 years from now	80	28.88	33.79
4	5 or more years from now	23	8.30	12.21
7	Do not know/Not sure	8	2.89	1.63
9	Refused	3	1.08	1.42
BLANK	Not asked, or Missing Notes: Section 13.16, SEX, is 2 and Section 13.01, AGE, is greater than 44 or Section 13.17, PREGNANT, is 1 or Section 13.16, SEX, is 1 and Section 13.01, AGE, is greater than 59 or Section 18.01, BIRTHCNT3,	2,768		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Activity Limitation Due to Health Problems**

**Section:** 19.01 Disability

**Type:** Num

**Column:** 168

**SAS Variable Name:** QLACTLM2

**Prologue:** The following questions are about health problems or impairments you may have.

**Description:** Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	503	16.82	14.77
2	No	2,475	82.75	84.90
7	Do not know/Not Sure	7	0.23	0.21
9	Refused	6	0.20	0.12
BLANK	Missing	54		

---

**Health Problems Requiring Special Equipment**

**Section:** 19.02 Disability

**Type:** Num

**Column:** 169

**SAS Variable Name:** USEEQUIP

**Prologue:**

**Description:** Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? [Include occasional use or use in certain circumstances.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	179	5.99	5.27
2	No	2,808	93.94	94.66
9	Refused	2	0.07	0.07
BLANK	Missing	56		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Pregnancy and AIDS Knowledge**

**Section:** 20.01 HIV/AIDS

**Type:** Num

**Column:** 170

**SAS Variable Name:** HIVTF1A

**Prologue:** The next few questions are about the national health problem of HIV, the virus that causes AIDS. Please remember that your answers are strictly confidential and that you do not have to answer every question if you do not want to. I am going to read two statements about HIV, the virus that causes AIDS. After I read each one, please tell me whether you think it is true or false, or if you do not know.

**Description:** A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	True	1,104	48.51	48.89
2	False	365	16.04	17.60
7	Do not know/Not Sure	803	35.28	33.37
9	Refused	4	0.18	0.14
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is greater than 64	769		

**Medical Treatment and HIV Infection**

**Section:** 20.02 HIV/AIDS

**Type:** Num

**Column:** 171

**SAS Variable Name:** HIVTF1B

**Prologue:** I am going to read two statements about HIV, the virus that causes AIDS. After I read each one, please tell me whether you think it is true or false, or if you do not know.

**Description:** There are medical treatments available that are intended to help a person who is infected with HIV to live longer.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	True	2,041	89.71	89.56
2	False	41	1.80	2.61
7	Do not know/Not Sure	190	8.35	7.71
9	Refused	3	0.13	0.12
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is greater than 64	770		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Ever Tested for HIV - Excluding Blood Donations**

**Section:** 20.03 HIV/AIDS

**Type:** Num

**Column:** 172

**SAS Variable Name:** HIVTST4

**Prologue:**

**Description:** Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	581	25.54	26.23
2	No - Go to Section 20.10 HIVRISK2	1,640	72.09	71.74
7	Do not know/Not Sure - Go to Section 20.10 HIVRISK2	52	2.29	1.98
9	Refused - Go to Section 20.10 HIVRISK2	2	0.09	0.05
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is greater than 64	770		

**How Many Times Tested for HIV in Past 12 Months?**

**Section:** 20.04 HIV/AIDS

**Type:** Num

**Column:** 173-174

**SAS Variable Name:** HIVTSTNM

**Prologue:**

**Description:** In the past 12 months, how many times have you been tested for HIV, including times you did not get your results?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Times Notes: = Times	167	28.79	32.57
88	None	407	70.17	65.54
77	Do not know/Not sure	5	0.86	1.50
99	Refused	1	0.17	0.40
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is greater than 64 or Section 20.03, HIVTST4, is coded 2, 7, 9, or Missing	2,465		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Month and Year of Last HIV Test**

**Section:** 20.05 HIV/AIDS

**Type:** Num

**Column:** 175-180

**SAS Variable Name:** HIVTSTD2

**Prologue:**

**Description:** Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777").[Include saliva tests.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 772004	Code month and year Notes: _ _/_ _ _ _ month and year	503	86.87	87.27
777777	Do not know/Not sure	73	12.61	11.96
999999	Refused	3	0.52	0.77
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is greater than 64 or Section 20.03, HIVTST4, is coded 2, 7, 9, or Missing	2,466		

**Main Reason Blood Tested for HIV**

**Section:** 20.06 HIV/AIDS

**Type:** Num

**Column:** 181-182

**SAS Variable Name:** RSNTST4

**Prologue:**

**Description:** I am going to read you a list of reasons why some people have been tested for HIV. Not including blood donations, which of these would you say was the main reason for your last HIV test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	It was required	137	23.66	23.54
2	Someone suggested you should be tested	20	3.45	2.66
3	You thought you may have gotten HIV through sex or drug use	8	1.38	1.31
4	You just wanted to find out whether you had HIV	53	9.15	7.51
5	You were worried that you could give HIV to someone	1	0.17	0.14
6	You were pregnant Notes: (IF FEMALE)	122	21.07	20.75
7	It was done as part fo a routine medical check-up	140	24.18	26.42
8	Some other reason	92	15.89	16.59
77	Do not know/Not sure	2	0.35	0.27
99	Refused	4	0.69	0.80
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is greater than 64 or Section 20.03, HIVTST4, is coded 2, 7, 9, or Missing	2,466		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Where Last Tested for HIV**

**Section:** 20.07 HIV/AIDS

**Type:** Num

**Column:** 183-184

**SAS Variable Name:** WHRTST6

**Prologue:**

**Description:** Where did you have your last HIV test-at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	117	20.24	17.94
2	Counceling and testing site	15	2.60	2.35
3	Hospital	114	19.72	19.26
4	Clinic	226	39.10	39.15
5	In a jail or prison	7	1.21	1.65
6	Drug treatment facility	2	0.35	0.46
7	At home	30	5.19	6.48
8	Somewhere else	61	10.55	11.57
77	Do not know/Not sure	3	0.52	0.49
99	Refused	3	0.52	0.65
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is greater than 64 or Section 20.03, HIVTST4, is coded 2, 7, 9, or Missing	2,467		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Type of Clinic Last Tested for HIV**

**Section:** 20.08 HIV/AIDS

**Type:** Num

**Column:** 185

**SAS Variable Name:** HIVTSTCL

**Prologue:**

**Description:** What type of clinic did you go to for your last HIV test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Family planning clinic	38	16.89	17.58
2	STD clinic	1	0.44	0.18
3	Prenatal clinic	20	8.89	8.18
4	Public health clinic	35	15.56	14.87
5	Community health clinic	27	12.00	13.78
6	Hospital clinic	69	30.67	29.83
7	Do not know/Not Sure	6	2.67	2.71
8	Other	28	12.44	12.52
9	Refused	1	0.44	0.35
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is greater than 64 or Section 20.03, HIVTST4, is coded 2, 7, 9, or Missing or Section 20.7, WHRTST6, is not 4.	2,820		

**How Was Last HIV Test Done?**

**Section:** 20.09 HIV/AIDS

**Type:** Num

**Column:** 186

**SAS Variable Name:** HIVTSTBY

**Prologue:**

**Description:** Was this test done by a nurse or other health worker, or with a home testing kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Nurse or health worker	28	93.33	94.92
2	A test kit	2	6.67	5.08
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is greater than 64 or Section 20.03, HIVTST4, is coded 2, 7, 9, or Missing or Section 20.7, WHRTST6, is not 4, or 7.	3,015		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Do Any High Risk Situations Apply**

**Section:** 20.10 HIV/AIDS

**Type:** Num

**Column:** 187

**SAS Variable Name:** HIVRISK2

**Prologue:**

**Description:** I am going to read you a list. When I am done, please tell me if any of the situations apply to you. You do not need to tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in the past year. You had anal sex without a condom in the past year. Do any of these situations apply to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	2.38	2.89
2	No	2,208	97.44	96.93
9	Refused	4	0.18	0.18
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is greater than 64.	779		

---

**Talk to Professional About STDs and Condom Use**

**Section:** 20.11 HIV/AIDS

**Type:** Num

**Column:** 188

**SAS Variable Name:** PCSAIDS2

**Prologue:** The next question is about sexually transmitted diseases other than HIV such as syphilis, gonorrhea, chlamydia, or genital herpes.

**Description:** In the past 12 months has a doctor, nurse or other health professional talked to you about preventing sexually transmitted diseases through condom use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	144	6.37	9.36
2	No	2,109	93.32	90.35
7	Do not know/Not sure	2	0.09	0.06
9	Refused	5	0.22	0.23
BLANK	Not asked or Missing Notes: Section 13.01, AGE, is greater than 64	785		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Any Firearms in Home**

**Section:** 21.01 Firearms

**Type:** Num

**Column:** 189

**SAS Variable Name:** FIREARM4

**Prologue:**

**Description:** Are any firearms kept in or around your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,545	52.53	55.21
2	No - Go to modules or closing statement	1,342	45.63	42.98
7	Do not know/Not Sure - Go to modules or closing statement	5	0.17	0.15
9	Refused - Go to modules or closing statement	49	1.67	1.66
BLANK	Missing	104		

---

**Any Firearms Loaded**

**Section:** 21.02 Firearms

**Type:** Num

**Column:** 190

**SAS Variable Name:** GUNLOAD

**Prologue:**

**Description:** Are any of these firearms now loaded?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	110	7.12	6.63
2	No - Go to modules or closing statement	1,418	91.78	92.17
7	Do not know/Not sure - Go to modules or closing statement	16	1.04	1.15
9	Refused - Go to modules or closing statement	1	0.06	0.05
BLANK	Not asked or Missing Notes: Section 21.01, FIREARM4, is coded 2,7, or 9	1,500		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Any Loaded Firearms Also Unlocked**

**Section:** 21.03 Firearms

**Type:** Num

**Column:** 191

**SAS Variable Name:** LOADULK2

**Prologue:**

**Description:** Are any of these loaded firearms also unlocked? [By "unlocked" we mean you do not need a key or a combination to get the gun or to fire it. We don't count safety as a lock]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes - Go to modules or closing statement	81	73.64	75.67
2	No - Go to modules or closing statement	29	26.36	24.33
BLANK	Not asked or Missing - Go to modules or closing statement Notes: Section 21.01, FIREARM4, is coded 2,7, or 9 or Section 21.02, GUNLOAD, is coded 2,7, or 9.	2,935		

---

**Age When Told Diabetic**

**Module:** 1.01 Diabetes

**Type:** Num

**Column:** 195-196

**SAS Variable Name:** DIABAGE2

**Prologue:**

**Description:** How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing	3,045		

---

**Now Taking Insulin**

**Module:** 1.02 Diabetes

**Type:** Num

**Column:** 197

**SAS Variable Name:** INSULIN

**Prologue:**

**Description:** Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Now Taking Diabetes Pills**

**Module:** 1.03 Diabetes

**Type:** Num

**Column:** 198

**SAS Variable Name:** DIABPILL

**Prologue:**

**Description:** Are you taking diabetes pills?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing	3,045		

---

**How Often Check Blood for Glucose**

**Module:** 1.04 Diabetes

**Type:** Num

**Column:** 199-201

**SAS Variable Name:** BLDSUGAR

**Prologue:**

**Description:** About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do not include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing	3,045		

---

**How Often Check Feet for Sores or Irritations**

**Module:** 1.05 Diabetes

**Type:** Num

**Column:** 202-204

**SAS Variable Name:** FEETCHK2

**Prologue:**

**Description:** About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do not include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Ever Had Feet Sores or Irritations Lasting More Than Four Weeks**

**Module:** 1.06 Diabetes

**Type:** Num

**Column:** 205

**SAS Variable Name:** FEETSORE

**Prologue:**

**Description:** Have you ever had any sores or irritations on your feet that took more than four weeks to heal?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing	3,045		

---

**Times Seen Health Professional for Diabetes**

**Module:** 1.07 Diabetes

**Type:** Num

**Column:** 206-207

**SAS Variable Name:** DOCTDIAB

**Prologue:**

**Description:** About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing	3,045		

---

**Times Checked for Glycosylated Hemoglobin**

**Module:** 1.08 Diabetes

**Type:** Num

**Column:** 208-209

**SAS Variable Name:** CHKHEMO3

**Prologue:**

**Description:** A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for hemoglobin "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Times Feet Check for Sores/Irritations**

**Module:** 1.09 Diabetes

**Type:** Num

**Column:** 210-211

**SAS Variable Name:** FEETCHK

**Prologue:**

**Description:** About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing; or Module 1.05, FEETCHK2, is coded 555	3,045		

---

**Last Eye Exam Where Pupils Were Dilated**

**Module:** 1.10 Diabetes

**Type:** Num

**Column:** 212

**SAS Variable Name:** EYEEXAM

**Prologue:**

**Description:** When was the last time you had eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing	3,045		

---

**Ever Told Diabetes Has Affected Eyes**

**Module:** 1.11 Diabetes

**Type:** Num

**Column:** 213

**SAS Variable Name:** DIABEYE

**Prologue:**

**Description:** Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

### Ever Taken Class in Managing Diabetes

**Module:** 1.12 Diabetes

**Type:** Num

**Column:** 214

**SAS Variable Name:** DIABEDU

**Prologue:**

**Description:** Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 4.01, DIABETES, is coded 2, 3, 7, 9, or Missing	3,045		

### How Many Sexual Partners

**Module:** 2.01 Sexual Behavior

**Type:** Num

**Column:** 215-216

**SAS Variable Name:** SEXINTMN

**Prologue:**

**Description:** During the past twelve months, with how many people have you had sexual intercourse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number	1,213	82.57	82.88
88	None	214	14.57	14.76
77	Do not know/Not sure - Go to next module	2	0.14	0.06
99	Refused	40	2.72	2.30
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is greater than 49, or Module not used	1,576		

### Used Condom During Last Sexual Intercourse

**Module:** 2.02 Sexual Behavior

**Type:** Num

**Column:** 217

**SAS Variable Name:** SEXCONDM

**Prologue:**

**Description:** Was a condom used the last time you had sexual intercourse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	235	18.73	21.32
2	No - Go to Module 02.04 CONEFF2	975	77.69	75.42
7	Do not know/Not sure - Go to Module 02.04 CONEFF2	2	0.16	0.11
9	Refused - Go to Module 02.04 CONEFF2	43	3.43	3.15
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is greater than 49, or Module 02.01, SEXINTMN, is 88, or Module not used	1,790		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Why Was Condom Used**

**Module:** 2.03 Sexual Behavior

**Type:** Num

**Column:** 218

**SAS Variable Name:** CONDLAST

**Prologue:**

**Description:** The last time you had sexual intercourse, was the condom used...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To prevent pregnancy	124	52.99	54.87
2	To prevent syphilis, gonorrhea, and AIDS, etc.	8	3.42	2.58
3	For both of these reasons	88	37.61	38.18
4	For some other reason	13	5.56	4.25
9	Refused	1	0.43	0.12
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is greater than 49, or Module 02.01, SEXINTMN, is 88, or Module not used	2,811		

**How Effective Are Condoms at Preventing Spread of HIV**

**Module:** 2.04 Sexual Behavior

**Type:** Num

**Column:** 219

**SAS Variable Name:** CONEFF2

**Prologue:** Some people use condoms to keep from getting infected with HIV through sexual activity.

**Description:** How effective do you think a properly use condom is for this purpose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very effective	571	45.53	45.33
2	Somewhat effective	562	44.82	44.29
3	Not at all effective	71	5.66	6.71
4	Do not know how effective	41	3.27	3.11
5	Do not know method	4	0.32	0.22
9	Refused	5	0.40	0.33
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is greater than 49, or Module 02.01, SEXINTMN, is 88, or Module not used	1,791		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Number of Hew Partners in Past 12 Months**

**Module:** 2.05 Sexual Behavior

**Type:** Num

**Column:** 220-221

**SAS Variable Name:** NEWPARTN

**Prologue:**

**Description:** How many new sex partners did you have during the past twelve months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number	240	19.15	21.19
88	None	981	78.29	76.60
77	Do not know/Not sure	1	0.08	0.04
99	Refused	31	2.47	2.18
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is greater than 49, or Module 02.01, SEXINTMN, is 88, or Module not used	1,792		

---

**Been Treated for Sexually Transmitted Disease in Past 5 Years**

**Module:** 2.06 Sexual Behavior

**Type:** Num

**Column:** 222

**SAS Variable Name:** STD TREAT

**Prologue:**

**Description:** In the past five years, have you been treated for a sexually transmitted or venereal disease?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	2.63	3.27
2	No - Go to next module	1,218	97.21	96.58
9	Refused - Go to next module	2	0.16	0.15
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is greater than 49, or Module 02.01, SEXINTMN, is 88, or Module not used	1,792		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Was Treatment at STD Clinic**

**Module:** 2.07 Sexual Behavior

**Type:** Num

**Column:** 223

**SAS Variable Name:** STDCLIN

**Prologue:**

**Description:** Were you treated at a health department STD clinic?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	51.52	57.10
2	No	15	45.45	41.97
7	Do not know/Not sure	1	3.03	0.93
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is greater than 49, or Module 02.01, SEXINTMN, is 88, or Module 02.06, STD TREAT, is 2, 7, or 9, or Module not used	3,012		

**Ever Told Blood Pressure High**

**Module:** 3.01 Hypertension Awareness

**Type:** Num

**Column:** 224

**SAS Variable Name:** BPHIGH3

**Prologue:**

**Description:** Have you ever been told by a doctor, nurse or other health professional that you have high blood pressure? (If "Yes" and respondent is female, ask "Was this only when you were pregnant?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

**Currently Taking Blood Pressure Medication**

**Module:** 3.02 Hypertension Awareness

**Type:** Num

**Column:** 225

**SAS Variable Name:** BPMEDS

**Prologue:**

**Description:** Are you currently taking medicine for your high blood pressure?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used or Missing Notes: Module 3.01, BPHIGH3, is coded 2, 3, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Ever Had Blood Cholesterol Checked**

**Module:** 4.01 Cholesterol Awareness

**Type:** Num

**Column:** 226

**SAS Variable Name:** BLOODCHO

**Prologue:**

**Description:** Blood cholesterol is a fatty substance found in the blood. Have you ever had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**How Long since Cholesterol Checked**

**Module:** 4.02 Cholesterol Awareness

**Type:** Num

**Column:** 227

**SAS Variable Name:** CHOLCHK

**Prologue:**

**Description:** About how long has it been since you last had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used or Missing Notes: Module 4.01, BLOODCHO, is coded 2, 7, 9, or Missing	3,045		

---

**Ever Told Blood Cholesterol High**

**Module:** 4.03 Cholesterol Awareness

**Type:** Num

**Column:** 228

**SAS Variable Name:** TOLDHI2

**Prologue:**

**Description:** Have you ever been told by a doctor, nurse or other health professional that your blood cholesterol is high?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used or Missing Notes: Module 4.01, BLOODCHO, is coded 2, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**How many days hard to do usual activities in past 30 days**

**Module:** 5.01 Healthy Days (Symptoms)

**Type:** Num

**Column:** 229-230

**SAS Variable Name:** PAINACT2

**Prologue:**

**Description:** During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**How many days depressed in past 30 days**

**Module:** 5.02 Healthy Days (Symptoms)

**Type:** Num

**Column:** 231-232

**SAS Variable Name:** QLMENTL2

**Prologue:**

**Description:** During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**How many days felt anxious in past 30 days**

**Module:** 5.03 Healthy Days (Symptoms)

**Type:** Num

**Column:** 233-234

**SAS Variable Name:** QLSTRES2

**Prologue:**

**Description:** During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**How many days did you get enough sleep in past 30 days**

**Module:** 5.04 Healthy Days (Symptoms)

**Type:** Num

**Column:** 235-236

**SAS Variable Name:** QLREST2

**Prologue:**

**Description:** During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**How many days full of energy in past 30 days**

**Module:** 5.05 Healthy Days (Symptoms)

**Type:** Num

**Column:** 237-238

**SAS Variable Name:** QLHLTH2

**Prologue:**

**Description:** During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Is home heated with a furnace that burns oil, gas, coal, or other fuel?**

**Module:** 6.01 Indoor Air Quality

**Type:** Num

**Column:** 239

**SAS Variable Name:** IAQHTSRC

**Prologue:**

**Description:** Is your home heated with a furnace or boiler that burns oil, gas, coal, or other fuel?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Does your home have any natural gas powered appliances?**

**Module:** 6.02 Indoor Air Quality

**Type:** Num

**Column:** 240

**SAS Variable Name:** IAQGASAP

**Prologue:**

**Description:** Does your home have any of the following appliances powered by natural gas: a stove, an oven, a water heater, or a clothes dryer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**How many days did you used fireplace or kerosene heater in past 12 months?**

**Module:** 6.03 Indoor Air Quality

**Type:** Num

**Column:** 241-243

**SAS Variable Name:** IAQHTDYS

**Prologue:**

**Description:** During the past 12 months, on how many days have you used a wood or coal stove, fireplace, or kerosene heater inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Do you have a CO detector in your home?**

**Module:** 6.04 Indoor Air Quality

**Type:** Num

**Column:** 244

**SAS Variable Name:** IAQCODTR

**Prologue:** A carbon monoxide or CO detector checks the level of carbon monoxide in your home. It is not a smoke detector.

**Description:** Do you have a CO detector in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Currently have mold in home on an area greater than the size of a dollar bill?**

**Module:** 6.05 Indoor Air Quality

**Type:** Num

**Column:** 245

**SAS Variable Name:** IAQMOLD

**Prologue:**

**Description:** Do you currently have mold in your home on an area greater than the size of a dollar bill?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**What is the main source of home water supply?**

**Module:** 7.01 Home Environment

**Type:** Num

**Column:** 246

**SAS Variable Name:** HEWTRSRC

**Prologue:**

**Description:** What is the main source of your home water supply?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Which best describes the water that you drink at home most often?**

**Module:** 7.02 Home Environment

**Type:** Num

**Column:** 247

**SAS Variable Name:** HEWTRDRK

**Prologue:**

**Description:** Which of the following best describes the water that you drink at home most often?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**How many days were chemicals applied inside your home to kill pests in past 12 months?**

**Module:** 7.03 Home Environment

**Type:** Num

**Column:** 248-250

**SAS Variable Name:** HECHMHOM

**Prologue:**

**Description:** During the past 12 months, on how many days were pesticides, sprays, or chemicals applied inside your home to kill bugs, mice, or other pests?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**How many days were chemicals applied in your lawn to kill pests in past 12 months?**

**Module:** 7.04 Home Environment

**Type:** Num

**Column:** 251-253

**SAS Variable Name:** HECHMYRD

**Prologue:**

**Description:** During the past 12 months, on how many days were pesticides or chemicals applied in your yard to kill plant, animal, or insect pests, including applications by lawn care services?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Where You Received Flu Shot**

**Module:** 8.01 Influenza

**Type:** Num

**Column:** 254-255

**SAS Variable Name:** FLUPRO2

**Prologue:**

**Description:** At what kind of place did you get your last flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 12.01, FLUSHOT, is coded 2, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

### Age at Asthma Diagnosis

**Module:** 9.01 Adult Asthma History

**Type:** Num

**Column:** 256-257

**SAS Variable Name:** ASTHMAGE

**Prologue:** Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

**Description:** How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing	3,045		

---

### Asthma During Past 12 Months

**Module:** 9.02 Adult Asthma History

**Type:** Num

**Column:** 258

**SAS Variable Name:** ASATTACK

**Prologue:**

**Description:** During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	3,045		

---

### Emergency Asthma Care During Past 12 Months

**Module:** 9.03 Adult Asthma History

**Type:** Num

**Column:** 259-260

**SAS Variable Name:** ASERVIST

**Prologue:**

**Description:** During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Urgent Asthma Treatment During Past 12 Months**

**Module:** 9.04 Adult Asthma History

**Type:** Num

**Column:** 261-262

**SAS Variable Name:** ASDRVIST

**Prologue:**

**Description:** [If one or more visits to module Q9.3, fill in (Besides those emergency room visits,)] During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	3,045		

---

**Routine Asthma Care During Past 12 Months**

**Module:** 9.05 Adult Asthma History

**Type:** Num

**Column:** 263-264

**SAS Variable Name:** ASRCHKUP

**Prologue:**

**Description:** During the past 12 months, how many times did you see a doctor or other nurse for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	3,045		

---

**Activities Limited Due to Asthma During Past 12 Months**

**Module:** 9.06 Adult Asthma History

**Type:** Num

**Column:** 265-267

**SAS Variable Name:** ASACTLIM

**Prologue:**

**Description:** During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Asthma Symptoms During Past 30 Days**

**Module:** 9.07 Adult Asthma History

**Type:** Num

**Column:** 268

**SAS Variable Name:** ASYMPTOM

**Prologue:**

**Description:** Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you do not have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	3,045		

---

**Sleep Difficulty Due to Asthma During Past 30 Days**

**Module:** 9.08 Adult Asthma History

**Type:** Num

**Column:** 269

**SAS Variable Name:** ASNOSLEP

**Prologue:**

**Description:** During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 6.07, ASYMPTOM, is coded 8, or Missing	3,045		

---

**Asthma Medication During PAsT 30 Days**

**Module:** 9.09 Adult Asthma History

**Type:** Num

**Column:** 270

**SAS Variable Name:** ASTHMEDS

**Prologue:**

**Description:** During the past 30 days how often did you take asthma medication that was prescribed or given to you by a doctor? This includes using an inhaler.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Household Children with Asthma**

**Module:** 10.01 Childhood Asthma

**Type:** Num

**Column:** 271-272

**SAS Variable Name:** CASTHDX

**Prologue:**

**Description:** Earlier you said there were [fill in number from core Q13.06] children age 17 or younger living in your household. How many of these children have ever been diagnosed with asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 13.06, CHILDREN, is coded 88	3,045		

---

**Children Have Asthma Now**

**Module:** 10.02 Childhood Asthma

**Type:** Num

**Column:** 273-274

**SAS Variable Name:** CASTHNOW

**Prologue:**

**Description:** [Fill in (Does this child/How many of these children) from module Q10.01] still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 13.06, CHILDREN, is coded 88 or Module 10.01, CASTHDX, is coded 77, 88, 99, or Missing	3,045		

---

**Heart Attack Symptoms - Jaw/Back/Neck Pain**

**Module:** 11.01 Heart Attack and Stroke

**Type:** Num

**Column:** 275

**SAS Variable Name:** HASYMP1

**Prologue:** Now I would like to ask you about your knowledge of the signs and symptoms of a heart attack and stroke.

**Description:** Do you think pain or discomfort in the jaw, neck, or back are symptoms of a heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Heart Attack Symptoms - Weak/Light-headed/Faint**

**Module:** 11.02 Heart Attack and Stroke

**Type:** Num

**Column:** 276

**SAS Variable Name:** HASYMP2

**Prologue:**

**Description:** Do you think feeling weak, lightheaded, or faint are symptoms of a heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Heart Attack Symptoms - Chest Pain/Discomfort**

**Module:** 11.03 Heart Attack and Stroke

**Type:** Num

**Column:** 277

**SAS Variable Name:** HASYMP3

**Prologue:**

**Description:** [Do you think] chest pain or discomfort [are symptoms for a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Heart Attack Symptoms - Vision Problems**

**Module:** 11.04 Heart Attack and Stroke

**Type:** Num

**Column:** 278

**SAS Variable Name:** HASYMP4

**Prologue:**

**Description:** [Do you think] sudden trouble seeing in one or both eyes [is a symptom of a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Heart Attack Symptoms - Pain or Discomfort in Arms/Shoulder**

**Module:** 11.05 Heart Attack and Stroke

**Type:** Num

**Column:** 279

**SAS Variable Name:** HASYMP5

**Prologue:**

**Description:** [Do you think] pain or discomfort in the arms or shoulder [are symptoms of a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Heart Attack Symptoms - Shortness of Breath**

**Module:** 11.06 Heart Attack and Stroke

**Type:** Num

**Column:** 280

**SAS Variable Name:** HASYMP6

**Prologue:**

**Description:** [Do you think] shortness of breath [is a symptom of a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Stroke Symptoms - Confusion/Trouble speaking**

**Module:** 11.07 Heart Attack and Stroke

**Type:** Num

**Column:** 281

**SAS Variable Name:** STRSYMP1

**Prologue:** Which of the following do you think is a symptom of a stroke? For each, tell me yes, no, or you are not sure.

**Description:** Do you think sudden confusion or trouble speaking are symptoms of a stroke?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Stroke Symptoms - Numbness or Weakness of Face/Arm/Leg**

**Module:** 11.08 Heart Attack and Stroke

**Type:** Num

**Column:** 282

**SAS Variable Name:** STRSYMP2

**Prologue:**

**Description:** Do you think sudden numbness or weakness of face, arm, or leg, especially on one side are symptoms of a stroke?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Stroke Symptoms - Vision Problems**

**Module:** 11.09 Heart Attack and Stroke

**Type:** Num

**Column:** 283

**SAS Variable Name:** STRSYMP3

**Prologue:**

**Description:** [Do you think] sudden trouble seeing in one or both eyes [is a symptom of a stroke]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Stroke Symptoms - Chest Pain/Discomfort**

**Module:** 11.10 Heart Attack and Stroke

**Type:** Num

**Column:** 284

**SAS Variable Name:** STRSYMP4

**Prologue:**

**Description:** [Do you think] sudden chest pain or discomfort [are symptoms of a stroke]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Stroke Symptoms - Trouble Walking/Dizziness/Loss of Balance**

**Module:** 11.11 Heart Attack and Stroke

**Type:** Num

**Column:** 285

**SAS Variable Name:** STRSYMP5

**Prologue:**

**Description:** [Do you think] sudden trouble walking, dizziness, or loss of balance [are symptoms of a stroke]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Stroke Symptoms - Severe Headache**

**Module:** 11.12 Heart Attack and Stroke

**Type:** Num

**Column:** 286

**SAS Variable Name:** STRSYMP6

**Prologue:**

**Description:** [Do you think] severe headache with no known cause [is a symptom of a stroke]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**First Aid for Heart Attack and Stroke**

**Module:** 11.13 Heart Attack and Stroke

**Type:** Num

**Column:** 287

**SAS Variable Name:** FIRSTAID

**Prologue:**

**Description:** If you thought someone was having a heart attack or a stroke, what is the first thing you would do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Are You Eating Fewer Fat/Cholesterol Foods**

**Module:** 12.01 Cardiovascular Disease

**Type:** Num

**Column:** 288

**SAS Variable Name:** CVDFAT02

**Prologue:** To lower your risk of developing heart disease or stroke, are you...

**Description:** Eating fewer high fat or high cholesterol foods?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Eating More Fruits and Vegetables**

**Module:** 12.02 Cardiovascular Disease

**Type:** Num

**Column:** 289

**SAS Variable Name:** CVDFVG01

**Prologue:**

**Description:** [To lower your risk of developing heart disease or stroke are you...] Eating more fruits and vegetables?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**More Physically Active**

**Module:** 12.03 Cardiovascular Disease

**Type:** Num

**Column:** 290

**SAS Variable Name:** CVDEXR03

**Prologue:**

**Description:** [To lower your risk of developing heart disease or stroke are you...] More physically active?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Health Advice on Fat/Cholesterol During Past 12 Months**

**Module:** 12.04 Cardiovascular Disease

**Type:** Num

**Column:** 291

**SAS Variable Name:** CVDFATR2

**Prologue:** Within the past 12 months, has a doctor, nurse, or other health professional told you to...

**Description:** Eat fewer high fat or high cholesterol foods?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Eat More Fruits and Vegetables**

**Module:** 12.05 Cardiovascular Disease

**Type:** Num

**Column:** 292

**SAS Variable Name:** CVDFVEG

**Prologue:**

**Description:** [Within the past 12 months, has a doctor, nurse, or other health professional told you to...] Eat more fruits and vegetables?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**More Physically Active**

**Module:** 12.06 Cardiovascular Disease

**Type:** Num

**Column:** 293

**SAS Variable Name:** CVDEXRS2

**Prologue:**

**Description:** [Within the past 12 months, has a doctor, nurse, or other health professional told you to...] Be more physically active?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Ever Diagnosed with Heart Attack**

**Module:** 12.07 Cardiovascular Disease

**Type:** Num

**Column:** 294

**SAS Variable Name:** CVDINFR2

**Prologue:** Has a doctor, nurse, or other health professional ever told you that you had any of the following?

**Description:** A heart attack, also called a myocardial infraction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Angina or coronary heart disease**

**Module:** 12.08 Cardiovascular Disease

**Type:** Num

**Column:** 295

**SAS Variable Name:** CVDCRHD2

**Prologue:**

**Description:** [Has a doctor, nurse or other health professional ever told you that you had any of the following...] Angina or coronary heart disease.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Ever Diagnosed with a Stroke**

**Module:** 12.09 Cardiovascular Disease

**Type:** Num

**Column:** 296

**SAS Variable Name:** CVDSTRK2

**Prologue:**

**Description:** [Has a doctor, nurse or other health professional ever told you that you had any of the following...] A stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Age at Heart Attack**

**Module:** 12.10 Cardiovascular Disease

**Type:** Num

**Column:** 297-298

**SAS Variable Name:** HATTKAGE

**Prologue:**

**Description:** At what age did you have your first heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 12.07, CVDINFR2, is coded 2, 7, 9, or Missing	3,045		

---

**Age at Stroke**

**Module:** 12.11 Cardiovascular Disease

**Type:** Num

**Column:** 299-300

**SAS Variable Name:** STROKAGE

**Prologue:**

**Description:** At what age did you have your first stroke?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 12.09, CVDSTRK2, is coded 2, 7, 9, or Missing	3,045		

---

**Rehabilitation After Cardiovascular Illness**

**Module:** 12.12 Cardiovascular Disease

**Type:** Num

**Column:** 301

**SAS Variable Name:** CVDREHAB

**Prologue:**

**Description:** After you left the hospital following your [fill in (heart attack) if "Yes" to M9.07 or to M9.07 and M9.09, fill in (stroke) if "Yes" to M9.09 and "No" to M9.07], did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 12.07, CVDINFR2, is coded 2, 7, 9, or Missing and Module 12.09, CVDSTRK2, is coded 2, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Take Aspirin Daily or Every Other Day**

**Module:** 12.13 Cardiovascular Disease

**Type:** Num

**Column:** 302

**SAS Variable Name:** CVDASPRN

**Prologue:**

**Description:** Do you take aspirin daily or every other day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is less than 35	3,045		

---

**Health Makes Taking Aspirin Unsafe**

**Module:** 12.14 Cardiovascular Disease

**Type:** Num

**Column:** 303

**SAS Variable Name:** ASPUNSAF

**Prologue:**

**Description:** Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a stomach condition?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is less than 35; or Module 12.13, CVDASPRN, is coded 1 or Missing	3,045		

---

**Take Aspirin to Relieve Pain**

**Module:** 12.15 Cardiovascular Disease

**Type:** Num

**Column:** 304

**SAS Variable Name:** WHYASPAN

**Prologue:**

**Description:** Why do you take aspirin...to relieve pain?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is less than 35; or Module 12.13, CVDASPRN, is coded 2, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Take Aspirin to Reduce Heart Attack**

**Module:** 12.16 Cardiovascular Disease

**Type:** Num

**Column:** 305

**SAS Variable Name:** WHYASPHA

**Prologue:**

**Description:** [Why do you take aspirin]...to reduce the chance of a heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is less than 35; or Module 12.13, CVDASPRN, is coded 2, 7, 9, or Missing	3,045		

---

**Take Aspirin to Reduce Stroke**

**Module:** 12.17 Cardiovascular Disease

**Type:** Num

**Column:** 306

**SAS Variable Name:** WHYASPSK

**Prologue:**

**Description:** [Why do you take aspirin]...to reduce the chance of a stroke?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is less than 35; or Module 12.13, CVDASPRN, is coded 2, 7, 9, or Missing	3,045		

---

**Current Vitamin User**

**Module:** 13.01 Folic Acid

**Type:** Num

**Column:** 307

**SAS Variable Name:** VITAMINS

**Prologue:**

**Description:** Do you currently take any vitamin pills or supplements?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,962	66.49	62.46
2	No - Go to Module 13.05 RECOMMEN	987	33.45	37.49
7	Do not know/Not sure - Go to Module 13.05 RECOMMEN	2	0.07	0.05
BLANK	Module not used or Missing	94		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Multivitamin User**

**Module:** 13.02 Folic Acid

**Type:** Num

**Column:** 308

**SAS Variable Name:** MULTIVIT

**Prologue:**

**Description:** Are any of these a multivitamin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes - Go to Module 13.04 TAKEVIT	1,638	83.49	84.17
2	No	303	15.44	14.78
7	Do not know/Not sure	19	0.97	0.99
9	Refused	2	0.10	0.06
BLANK	Not asked, Module not used, or Missing Notes: Module 13.01, VITAMINS, is coded 2, 7, 9, or Missing	1,083		

---

**Vitamins with Folic Acid**

**Module:** 13.03 Folic Acid

**Type:** Num

**Column:** 309

**SAS Variable Name:** FOLICACD

**Prologue:**

**Description:** Do any of the vitamin pills or supplements you take contain folic acid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	20.99	22.02
2	No - Go to Module 13.05 RECOMMEN	161	49.69	49.96
7	Do not know/Not sure - Go to Module 13.05 RECOMMEN	95	29.32	28.01
BLANK	Not asked, Module not used, or Missing Notes: Module 13.01, VITAMINS, is coded 2, 7, 9, or Missing; or Module 13.02, MULTIVIT, is coded 1 or Missing	2,721		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Time frequency vitamin use**

**Module:** 13.04 Folic Acid

**Type:** Num

**Column:** 310-312

**SAS Variable Name:** TAKEVIT

**Prologue:**

**Description:** How often do you take this vitamin pill or supplement?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day	1,531	89.74	88.29
201 - 299	Times per week	147	8.62	10.10
301 - 399	Times per month	23	1.35	1.35
777	Do not know/Not sure	5	0.29	0.26
BLANK	Not asked, Module not used, or Missing Notes: Module 13.01, VITAMINS, is coded 2, 7, 9, or Missing; or Module 13.03, FOLICACD, is coded 2, 7, 9, or Missing	1,339		

**Reason to take Folic Acid**

**Module:** 13.05 Folic Acid

**Type:** Num

**Column:** 313

**SAS Variable Name:** RECOMMEN

**Prologue:**

**Description:** Some health experts recommend that women take 400 micrograms of the B vitamin folic acid, for which one of the following reasons...?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To make strong bones	106	9.11	10.15
2	To prevent birth defects	524	45.06	43.71
3	To prevent high blood pressure	34	2.92	3.70
4	Some other reason	123	10.58	10.64
7	Do not know/Not sure	373	32.07	31.56
9	Refused	3	0.26	0.24
BLANK	Not asked, Module not used, or Missing Notes: Section 13.01, AGE, is greater than 44	1,882		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Ever Used Smokeless Tobacco Products**

**Module:** 14.01 Other Tobacco Products

**Type:** Num

**Column:** 314

**SAS Variable Name:** USEEVER2

**Prologue:**

**Description:** Have you ever used or tried any smokeless tobacco products such as chewing tobacco or snuff?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

---

**Use of Smokeless Tobacco Products**

**Module:** 14.02 Other Tobacco Products

**Type:** Num

**Column:** 315

**SAS Variable Name:** USENOW2

**Prologue:**

**Description:** Do you currently use chewing tobacco or snuff every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 14.01, USEEVER2, is coded 2, 7, 9, or Missing	3,045		

---

**Do you currently use any tobacco products other than cigarettes?**

**Module:** 14.03 Other Tobacco Products

**Type:** Num

**Column:** 316

**SAS Variable Name:** USEOTHNW

**Prologue:**

**Description:** Do you currently use any tobacco products other than cigarettes, such as cigars, pipes, bidis, kreteks, or any other tobacco product?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Interval Since Last Smoked**

**Module:** 15.01 Smoking Cessation

**Type:** Num

**Column:** 317-318

**SAS Variable Name:** SCLSTSMK

**Prologue:**

**Description:** About how long has it been since you last smoked cigarettes regularly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago) - Go to Module 15.02 SCGETCAR	25	3.29	4.14
2	Within the past 3 months (1 month but less than 3 months ago) - Go to Module 15.02 SCGETCAR	2	0.26	0.31
3	Within the past 6 months (3 months but less than 6 months ago) - Go to Module 15.02 SCGETCAR	12	1.58	1.61
4	Within the past year (6 months but less than 1 year ago) - Go to Module 15.02 SCGETCAR	12	1.58	1.85
5	Within the past 5 years (1 year but less than 5 years ago) - Go to next module	111	14.59	15.45
6	Within the past 10 years (5 years but less than 10 years ago) - Go to next module	89	11.70	11.32
7	10 or more years ago - Go to next module	509	66.89	65.17
77	Do not know/Not sure - Go to next module	1	0.13	0.14
BLANK	Not asked, Module not used or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 07.02, SMOKEDAY, is coded 1, 2, 9, or Missing.	2,284		

**Number of times saw a doctor for care in last 12 months?**

**Module:** 15.02 Smoking Cessation

**Type:** Num

**Column:** 319-320

**SAS Variable Name:** SCGETCAR

**Prologue:**

**Description:** In the last 12 months, how many times have you seen a doctor, nurse or other health professional to get any kind of care for yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times (01-76)	457	74.31	73.51
88	None - Go to next module	145	23.58	24.71
77	Do not know/Not sure	13	2.11	1.78
BLANK	Not asked, Module not used or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing; or Module 15.01, SCLSTSMK, is coded 5, 6, 7, 77, 99 or Missing.	2,430		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Number of visits advised to quit smoking in last 12 months?**

**Module:** 15.03 Smoking Cessation

**Type:** Num

**Column:** 321-322

**SAS Variable Name:** SCQITSMK

**Prologue:**

**Description:** In the last 12 months, on how many visits were you advised to quit smoking by a doctor or other health provider?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of visits (01-76)	287	61.06	57.90
88	None	176	37.45	41.00
77	Do not know/Not sure	7	1.49	1.10
BLANK	Not asked, Module not used or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing; or Module 15.01, SCLSTSMK, is coded 5, 6, 7, 77, 99 or Missing; or Module 15.02, SCGETCAR, is coded 88.	2,575		

**Number of visits doctor discussed medication to assist quitting smoking?**

**Module:** 15.04 Smoking Cessation

**Type:** Num

**Column:** 323-324

**SAS Variable Name:** SCDSMED

**Prologue:**

**Description:** On how many visits did your doctor, nurse or other health professional recommend or discuss medication to assist you with quitting smoking, such as nicotine gum, patch, nasal spray, inhaler, lozenge, or prescription medication such as Wellbutrin/Zyban/Bupropion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of visits (01-76)	140	29.79	27.54
88	None	324	68.94	71.37
77	Do not know/Not sure	5	1.06	0.92
99	Refused	1	0.21	0.17
BLANK	Not asked, Module not used or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing; or Module 15.01, SCLSTSMK, is coded 5, 6, 7, 77, 99 or Missing; or Module 15.02, SCGETCAR, is coded 88.	2,575		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Number of visits doctor discussed methods to quit smoking?**

**Module:** 15.05 Smoking Cessation

**Type:** Num

**Column:** 325-326

**SAS Variable Name:** SCDSCMTH

**Prologue:**

**Description:** On how many visits did your doctor or health provider recommend or discuss methods and strategies other than medication to assist you with quitting smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of visits (01-76)	92	19.57	18.50
88	None	368	78.30	78.75
77	Do not know/Not sure	9	1.91	2.58
99	Refused	1	0.21	0.17
BLANK	Not asked, Module not used or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing; or Module 15.01, SCLSTSMK, is coded 5, 6, 7, 77, 99 or Missing; or Module 15.02, SCGETCAR, is coded 88.	2,575		

**Smoking Policy at Home**

**Module:** 16.01 Secondhand Smoke Policy

**Type:** Num

**Column:** 327

**SAS Variable Name:** HOUSESMK

**Prologue:**

**Description:** Which statement best describes the rules about smoking inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Smoking is not allowed anywhere inside your home	2,098	71.24	73.17
2	Smoking is allowed in some places or at some times	259	8.79	8.96
3	Smoking is allowed anywhere inside the home	62	2.11	2.15
4	There are no rules about smoking inside the home	516	17.52	15.43
7	Do not know/Not sure	9	0.31	0.28
9	Refused	1	0.03	0.01
BLANK	Module not used or Missing	100		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Indoor work location**

**Module:** 16.02 Secondhand Smoke Policy

**Type:** Num

**Column:** 328

**SAS Variable Name:** INDOORS

**Prologue:**

**Description:** While working at your job, are you indoors most of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,453	73.98	72.55
2	No - Go to next module	500	25.46	27.02
7	Do not know/Not sure - Go to next module	9	0.46	0.35
9	Refused - Go to next module	2	0.10	0.08
BLANK	Not asked, Module not used, or Missing Notes: Section 13.08, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9	1,081		

**Work Smoking Policy for Indoor Common Areas**

**Module:** 16.03 Secondhand Smoke Policy

**Type:** Num

**Column:** 329

**SAS Variable Name:** SMKPUBLIC

**Prologue:**

**Description:** Which of the following best describes your place of works official smoking policy for indoor public or common areas, such as lobbies, rest rooms, and lunch rooms? (For workers who visit clients, "place of work" means their base location.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not allowed in any public areas	1,154	79.59	77.72
2	Allowed in some public areas	154	10.62	11.95
3	Allowed in all public areas	34	2.34	2.45
4	No official policy	94	6.48	7.07
7	Do not know/Not sure	11	0.76	0.68
9	Refused	3	0.21	0.13
BLANK	Not asked, Module not used, or Missing Notes: Section 13.08, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing; or Module 16.02, INDOORS, is coded 2, 7, 9	1,595		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Smoking Policy for Work Areas**

**Module:** 16.04 Secondhand Smoke Policy

**Type:** Num

**Column:** 330

**SAS Variable Name:** SMKWORK

**Prologue:**

**Description:** Which of the following best describes your place of works official smoking policy for work areas?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not allowed in any work areas	1,191	82.25	80.85
2	Allowed in some work areas	134	9.25	9.88
3	Allowed in all work areas	33	2.28	3.00
4	No official policy	79	5.46	5.68
7	Do not know/Not sure	8	0.55	0.48
9	Refused	3	0.21	0.11
BLANK	Not asked, Module not used, or Missing Notes: Section 13.08, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing; or Module 16.02, INDOORS, is coded 2, 7, 9	1,597		

**Had Pain, Aching, Stiffness, Swelling**

**Module:** 17.01 Arthritis Burden

**Type:** Num

**Column:** 331

**SAS Variable Name:** PAIN30DY

**Prologue:** The next questions refer to your joints. Please do not include the back or neck.

**Description:** During the past 30 days, have you had any symptoms of pain, aching, or stiffness in or around a joint?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used, or Missing	3,045		

**Joint Symptoms Three Months Old**

**Module:** 17.02 Arthritis Burden

**Type:** Num

**Column:** 332

**SAS Variable Name:** JOINTSYM

**Prologue:**

**Description:** Did your joint symptoms first begin more than 3 months ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 17.01, PAIN30DY, is coded 2, 7, 9	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Treated For Joint Symptoms**

**Module:** 17.03 Arthritis Burden

**Type:** Num

**Column:** 333

**SAS Variable Name:** JOINTRT2

**Prologue:**

**Description:** Have you ever seen a doctor or other health professional for these joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 17.01, PAIN30DY, is coded 2, 7, 9, or Missing or Module 17.02, JOINTSYM, is coded 2, 7, 9	3,045		

---

**Told Have Arthritis**

**Module:** 17.04 Arthritis Burden

**Type:** Num

**Column:** 334

**SAS Variable Name:** HAVARTH2

**Prologue:**

**Description:** Have you ever been told by a doctor or other health professional that you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc. (See Questionnaire for Complete List))

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used, or Missing	3,045		

---

**Limited Because of Joint Symptoms**

**Module:** 17.05 Arthritis Burden

**Type:** Num

**Column:** 335

**SAS Variable Name:** LMTJOIN2

**Prologue:**

**Description:** Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms? (Note: If a respondent question arises about medication, then the interviewer should reply: "Please answer the question based on how you are when you are taking any of the medications or treatments you might use.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 17.02, JOINTSYM, and Module 17.04, HAVARTH2, are coded 2, 7, 9	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Does Arthritis Affect Whether You Work**

**Module:** 17.06 Arthritis Burden

**Type:** Num

**Column:** 336

**SAS Variable Name:** ARTHDISB

**Prologue:** In this next questions we are referring to work for pay.

**Description:** Do arthritis or joint symptoms now affect whether you work, the type of work you do or the amount of work you do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 17.02, JOINTSYM, and Module 17.04, HAVARTH2, are coded 2, 7, 9, or Missing; or Section 13.01, AGE, is less than 18, or greater than 64	3,045		

---

**What Can You Do Because of Arthritis or Joint Symptoms**

**Module:** 18.01 Arthritis Management

**Type:** Num

**Column:** 337

**SAS Variable Name:** ARTTODAY

**Prologue:**

**Description:** Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 17.02, JOINTSYM, is coded 2, 7, 9, or Missing; and Module 17.04, HAVARTH2, is coded 2, 7, 9, or Missing	3,045		

---

**Dr. Suggest Lose Weight for Arthritis or Joint Symptoms**

**Module:** 18.02 Arthritis Management

**Type:** Num

**Column:** 338

**SAS Variable Name:** ARTHWGT

**Prologue:**

**Description:** Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 17.02, JOINTSYM, is coded 2, 7, 9, or Missing; and Module 17.04, HAVARTH2, is coded 2, 7, 9, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Dr. Suggest Use of Physical Activity or Exercise for Arthritis or Joint Symptoms**

**Module:** 18.03 Arthritis Management

**Type:** Num

**Column:** 339

**SAS Variable Name:** ARTHEXER

**Prologue:**

**Description:** Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms? (Note: If the respondent is unclear about whether this means an increase or decrease in physical activity, this means increase.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 17.02, JOINTSYM, is coded 2, 7, 9, or Missing; and Module 17.04, HAVARTH2, is coded 2, 7, 9, or Missing	3,045		

**Ever Taken Class in Managing Arthritis or Joint Symptoms**

**Module:** 18.04 Arthritis Management

**Type:** Num

**Column:** 340

**SAS Variable Name:** ARTHEDU

**Prologue:**

**Description:** Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 17.02, JOINTSYM, is coded 2, 7, 9, or Missing; and Module 17.04, HAVARTH2, is coded 2, 7, 9, or Missing	3,045		

**How Many Beers Consumed When Binge Drinking**

**Module:** 19.01 Binge Drinking

**Type:** Num

**Column:** 341-342

**SAS Variable Name:** DRNKBEER

**Prologue:**

**Description:** During the most recent occasion when you had 5 or more alcoholic beverages, about how many beers, including malt liquor, did you drink?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of beers	413	86.58	86.61
88	None	55	11.53	11.14
77	Do not know/Not Sure	9	1.89	2.26
BLANK	Not asked, Module not used, or Missing Notes: Section 8.03, DRNK2GE5, is coded 77,88, 99 or Missing	2,568		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**How Many Glasses Of Wine Consumed When Binge Drinking**

**Module:** 19.02 Binge Drinking

**Type:** Num

**Column:** 343-344

**SAS Variable Name:** DRNKWINE

**Prologue:**

**Description:** During the same occasion, about how many glasses of wine, including wine coolers, hard lemonade, or hard cider, did you drink? (Note: Flavored malt beverages other than hard lemonade or hard cider (e.g., Smirnoff Ice and Zima, etc.) should be counted as wine.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of glasses of wine	66	13.84	12.86
88	None	408	85.53	86.64
77	Do not know/Not Sure	3	0.63	0.50
BLANK	Not asked, Module not used, or Missing Notes: Section 8.03, DRNK2GE5, is coded 77,88, 99 or Missing	2,568		

---

**How Many Drinks Of Liquor Consumed When Binge Drinking**

**Module:** 19.03 Binge Drinking

**Type:** Num

**Column:** 345-346

**SAS Variable Name:** DRNKLIQR

**Prologue:**

**Description:** During the same occasion, about how many drinks of liquor, including cocktails, did you have?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks of liquor	139	29.14	31.39
88	None	333	69.81	67.51
77	Do not know/Not Sure	3	0.63	0.90
99	Refused	2	0.42	0.20
BLANK	Not asked, Module not used, or Missing Notes: Section 8.03, DRNK2GE5, is coded 77,88, 99 or Missing	2,568		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Where Were You When You Binge Drank**

**Module:** 19.04 Binge Drinking

**Type:** Num

**Column:** 347

**SAS Variable Name:** DRNKLOC

**Prologue:**

**Description:** During this most recent occasion, where were you when you did most of your drinking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	At your home, for example, your house, apartment, condominium, or dorm room	119	25.00	24.75
2	At another person's home	47	9.87	11.31
3	At a restaurant or banquet hall	33	6.93	6.98
4	At a bar or club	216	45.38	43.63
5	At a public place, such as at a park, concert, or sporting event	19	3.99	3.69
6	Other	42	8.82	9.64
BLANK	Not asked, Module not used, or Missing Notes: Section 8.03, DRNK2GE5, is coded 77,88, 99 or Missing	2,569		

**Module:** 19.05 Binge Drinking

**Type:** Num

**Column:** 348

**SAS Variable Name:** BUYALCH

**Prologue:**

**Description:** During this most recent occasion, how did you get most of the alcohol?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Someone else bought it for me or gave it to me	62	13.03	17.44
2	I bought it at a store, such as a liquor store, convenience store, or grocery store	154	32.35	28.74
3	I bought it at a restaurant, bar or public place	247	51.89	51.20
4	Other	12	2.52	2.48
9	Refused	1	0.21	0.15
BLANK	Not asked, Module not used, or Missing Notes: Section 8.03, DRNK2GE5, is coded 77,88, 99 or Missing	2,569		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Module:** 19.06 Binge Drinking

**Type:** Num

**Column:** 349

**SAS Variable Name:** BINGEDRV

**Prologue:**

**Description:** Did you drive a motor vehicle, such as a car, truck, or motorcycle during or within a couple of hours after this occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85	17.86	16.31
2	No	388	81.51	83.23
9	Refused	3	0.63	0.46
BLANK	Not asked, Module not used, or Missing Notes: Section 8.03, DRNK2GE5, is coded 77,88, 99 or Missing	2,569		

---

**How do other people usually classify you in this country?**

**Module:** 20.01 Reactions to Race

**Type:** Num

**Column:** 350

**SAS Variable Name:** RRCLASS2

**Prologue:**

**Description:** How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, multiracial or some other group?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used, or Missing	3,045		

---

**How often do you think about your race?**

**Module:** 20.02 Reactions to Race

**Type:** Num

**Column:** 351

**SAS Variable Name:** RRCOGNT2

**Prologue:**

**Description:** How often do you think about your race? Would you say:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used, or Missing	3,045		

---

**How do you feel you were treated at work compared to people of other races in past 12 months?**

**Module:** 20.03 Reactions to Race

**Type:** Num

**Column:** 352

**SAS Variable Name:** RRATWORK

**Prologue:**

**Description:** Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used, or Missing	3,045		

---

**When seeking health care, how do you feel compared to people of other races in the past 12 months?**

**Module:** 20.04 Reactions to Race

**Type:** Num

**Column:** 353

**SAS Variable Name:** RRHCARE2

**Prologue:**

**Description:** Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used, or Missing	3,045		

---

**Did you felt upset as a result of how you were treated based on your race in the past 30 days?**

**Module:** 20.05 Reactions to Race

**Type:** Num

**Column:** 354

**SAS Variable Name:** RREMTSYM

**Prologue:**

**Description:** During the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used, or Missing	3,045		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Have you experienced any physical symptoms as a result of how you were treated based on your race in the past 30 days?**

**Module:** 20.06 Reactions to Race

**Type:** Num

**Column:** 355

**SAS Variable Name:** RRPHYSYM

**Prologue:**

**Description:** Within the past 30 days, have you experienced any physical symptoms, for example headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used, or Missing	3,045		

---

**State Added Questions**

**State:** 1.01 StateQuestions

**Type:** Char

**Column:** 361-610

**SAS Variable Name:** STATEQUE

**Prologue:**

**Description:** State Added Questions

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

---

**Questionnaire Version Identifier**

**State:** 1.01 Questionnaire Version

**Type:** Num

**Column:** 701

**SAS Variable Name:** QSTVER

**Prologue:**

**Description:** Questionnaire Version Identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Version 1	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Language identifier**

**State:** 1.01 Questionnaire Language

**Type:** Num

**Column:** 702-703

**SAS Variable Name:** QSTLANG

**Prologue:**

**Description:** Language identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	3,041	99.87	99.91
2	Spanish	4	0.13	0.09

---

**Sample Design Stratification Variable**

**Weighting:** 1.01 Weighting And Stratification Variables

**Type:** Num

**Column:** 715-719

**SAS Variable Name:** \_STSTR

**Prologue:**

**Description:** Sample Design Stratification Variable (A five digit number that combines the values for \_STATE (first two characters), \_GEOSTR (third and fourth character), and \_DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

---

**Stratum weight**

**Weighting:** 1.02 Weighting And Stratification Variables

**Type:** Num

**Column:** 720-729

**SAS Variable Name:** \_STRWT

**Prologue:**

**Description:** Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Raw weighting factor**

**Weighting:** 1.03 Weighting And Stratification Variables

**Type:** Num

**Column:** 730-739

**SAS Variable Name:** \_RAW

**Prologue:**

**Description:** Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (\_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

---

**Design weight**

**Weighting:** 1.04 Weighting And Stratification Variables

**Type:** Num

**Column:** 740-749

**SAS Variable Name:** \_WT2

**Prologue:**

**Description:** Design weight (Stratum weight (\_STRWT) multiplied by the raw weighting factor (\_RAW).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

---

**Post-stratification weight**

**Weighting:** 1.05 Weighting And Stratification Variables

**Type:** Num

**Column:** 750-759

**SAS Variable Name:** \_POSTSTR

**Prologue:**

**Description:** Post-stratification weight (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Final weight**

**Weighting:** 1.06 Weighting And Stratification Variables

**Type:** Num

**Column:** 760-769

**SAS Variable Name:** \_FINALWT

**Prologue:**

**Description:** Final weight assigned to each respondent (Post-stratification weight (\_POSTSTR) multiplied by design weight (\_WT2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

**Region**

**Weighting:** 1.07 Weighting And Stratification Variables

**Type:** Num

**Column:** 770-771

**SAS Variable Name:** \_REGION

**Prologue:**

**Description:** Geographic region within a state, imputed from CTYCODE, \_IMPCTY, or \_GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		3,045	100.00	100.00

**Age group codes used in post-stratification.**

**Weighting:** 1.08 Weighting And Stratification Variables

**Type:** Num

**Column:** 772-773

**SAS Variable Name:** \_AGEG\_

**Prologue:**

**Description:** Age groups used in post-stratification (\_AGEG\_ is calculated by \_REGION. For states using more than one \_REGION, there could be more than one response for a given \_AGEG\_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	200	6.57	15.56
2	Age 25 to 34	422	13.86	15.66
3	Age 35 to 44	576	18.92	18.16
4	Age 45 to 54	680	22.33	18.96
5	Age 55 to 64	461	15.14	12.29
6	Age 65 to 74	382	12.55	9.23
7	Age 75 or older	324	10.64	10.14

**Gender group codes used in post-stratification.**

**Weighting:** 1.09 Weighting And Stratification Variables

**Type:** Num

**Column:** 774

**SAS Variable Name:** \_SEXG\_

**Prologue:**

**Description:** Gender categories used in post-stratification (\_SEXG\_ is calculated by \_REGION. For states using more than one \_REGION, there could be more than one response for a given \_SEXG\_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	1,310	43.02	49.52
2	Female	1,735	56.98	50.48

**Race group codes used in post-stratification.**

**Weighting:** 1.10 Weighting And Stratification Variables

**Type:** Num

**Column:** 775

**SAS Variable Name:** \_RACEG3\_

**Prologue:**

**Description:** Post-stratification race group codes used in weighting (\_RACEG3\_ is calculated by \_REGION. For states using more than one \_REGION, there could be more than one response for a given \_RACEG3\_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Any race and ethnicity	3,045	100.00	100.00

**Age value used to determine age groups**

**Weighting:** 1.11 Weighting And Stratification Variables

**Type:** Num

**Column:** 776-777

**SAS Variable Name:** \_IMPAGE

**Prologue:**

**Description:** Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	200	6.57	15.56
25 - 34	Age 25 to 34	422	13.86	15.66
35 - 44	Age 35 to 44	576	18.92	18.16
45 - 54	Age 45 to 54	680	22.33	18.96
55 - 64	Age 55 to 64	461	15.14	12.29
65 - 99	Age 65 or older	706	23.19	19.36

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Imputed number of phones**

**Weighting:** 1.12 Weighting And Stratification Variables

**Type:** Num

**Column:** 778

**SAS Variable Name:** \_IMPNPB

**Prologue:**

**Description:** Imputed number of phones used in weighting

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	2,947	96.78	98.03
2		93	3.05	1.88
3		4	0.13	0.08
4		1	0.03	0.01

**Interruption in Telephone Service Correction Factor**

**Weighting:** 1.13 Weighting And Stratification Variables

**Type:** Num

**Column:** 779-788

**SAS Variable Name:** \_ITSCF1

**Prologue:**

**Description:** Interruption in Telephone Service Correction Factor (CPS number of adults in households with telephones divided by CPS total number of adults, then multiplied by BRFSS adult population estimate)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

**Interruption in Telephone Service Correction Factor (Adjusted \_WT2)**

**Weighting:** 1.14 Weighting And Stratification Variables

**Type:** Num

**Column:** 789-798

**SAS Variable Name:** \_ITSCF2

**Prologue:**

**Description:** Interruption in Telephone Service Correction Factor (Adjusted \_WT2) (Adjusted design weight using TELSERV response and the number of adults in households without telephones.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Interruption in Telephone Service Post Stratification Correction Factor**

**Weighting:** 1.15 Weighting And Stratification Variables

**Type:** Num

**Column:** 799-808

**SAS Variable Name:** \_ITSPPOST

**Prologue:**

**Description:** Interruption in Telephone Service Post Stratification Correction Factor (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

---

**Interruption in Telephone Service Final Weighting Factor**

**Weighting:** 1.16 Weighting And Stratification Variables

**Type:** Num

**Column:** 809-818

**SAS Variable Name:** \_ITSFINL

**Prologue:**

**Description:** Interruption in Telephone Service Final Weighting Factor (ITS design weight (\_ITSDCF2) multiplied by the ITS post stratification weight (\_ITSPPOST).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

---

**Metropolitan Statistical Area Code.**

**Weighting:** 1.18 Weighting And Stratification Variables

**Type:** Char

**Column:** 822-826

**SAS Variable Name:** \_MSACODE

**Prologue:**

**Description:** FIPS Metropolitan Statistical Area Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Risk Factor for Fair and Poor Health**

**Calculated Variables:** 1.01 Calculated Variables

**Type:** Num

**Column:** 827

**SAS Variable Name:** \_RFHLTH

**Prologue:**

**Description:** Risk Factor for Fair and Poor health

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: GENHLTH = 1 or 2 or 3	2,636	86.57	87.69
2	At Risk Notes: GENHLTH = 4 or 5	404	13.27	12.15
9	Do not Know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	5	0.16	0.16

**Leisure Time Physical Activity**

**Calculated Variables:** 4.01 Calculated Variables

**Type:** Num

**Column:** 828

**SAS Variable Name:** \_TOTINDA

**Prologue:**

**Description:** No leisure time physical activity or exercise during the past 30 days other than the respondents regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	2,335	76.68	78.62
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	707	23.22	21.31
9	Do not know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	3	0.10	0.07

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Computed smoking status (2)**

**Calculated Variables:** 7.01 Calculated Variables

**Type:** Num

**Column:** 829

**SAS Variable Name:** \_SMOKER2

**Prologue:**

**Description:** Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: (SMOKE100 = 1) AND (SMOKEDAY = 1)	429	14.09	14.74
2	Current smoker - now smokes some days Notes: (SMOKE100 = 1) AND (SMOKEDAY = 2)	151	4.96	5.06
3	Former smoker Notes: (SMOKE100 = 1) AND (SMOKEDAY = 3)	782	25.68	23.53
4	Never smoked Notes: (SMOKE100 = 2)	1,676	55.04	56.21
9	Do not know/Refused/Missing Notes: (SMOKE100 = 1) AND ((SMOKEDAY = 9) OR (SMOKE100 = (. OR 7 OR 9))	7	0.23	0.46

**At risk for smoking (2) (all current smokers)**

**Calculated Variables:** 7.02 Calculated Variables

**Type:** Num

**Column:** 830

**SAS Variable Name:** \_RFSMOK2

**Prologue:**

**Description:** Current smoking status risk factor: Smoked at least 100 cigarettes in their lifetime and may or may not currently smoke)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk (former or non-smoker) Notes: (_SMOKER2 = (3 OR 4))	2,458	80.72	79.74
2	At risk (current smoker) Notes: (_SMOKER2 = (1 OR 2))	580	19.05	19.80
9	Do not know/Refused/Missing Notes: (_SMOKER2 = 9)	7	0.23	0.46

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Drink-occasions-per-day**

**Calculated Variables:** 8.01 Calculated Variables

**Type:** Num

**Column:** 831-833

**SAS Variable Name:** DROCCDY\_

**Prologue:**

**Description:** Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY3 = 888	1,205	39.57	37.31
1 - 899	Drink-Occasions per day Notes: ALCDAY3 <= 231	1,826	59.97	62.20
900	Do not Know/Not Sure Or Refused/Missing Notes: ALCDAY3 = 777 or 999 or Missing	14	0.46	0.49

**Drink any alcoholic beverages in past 30 days**

**Calculated Variables:** 8.02 Calculated Variables

**Type:** Num

**Column:** 834

**SAS Variable Name:** DRNKANY3

**Prologue:**

**Description:** Risk factor for respondents having had at least one drink of alcohol in the past 30 days.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: ALCDAY3 <= 231	1,826	59.97	62.20
2	No Notes: ALCDAY3 = 888	1,205	39.57	37.31
7	Do not know/Not Sure Notes: ALCDAY3 = 777	9	0.30	0.36
9	Refused/Missing Notes: ALCDAY3 = 999 or Missing	5	0.16	0.13

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**At risk for binge drinking (greater than or equal to 5 drinks or more consumed on one or more occasion)**

**Calculated Variables:** 8.03 Calculated Variables

**Type:** Num

**Column:** 835

**SAS Variable Name:** \_RFBING2

**Prologue:**

**Description:** Risk factor for binge drinking where binge drinking is defined as having 5 or more drinks on 1 occasion

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk for Binge Drinking Notes: ALCDAY3 < 300 and DRNK2GE5 = 0 or ALCDAYS = 888	2,514	82.56	78.74
2	At risk for Binge Drinking Notes: ALCDAY3 < 300 and DRNK2GE5 = 1	498	16.35	20.24
9	Do not know/Refused/Missing Notes: DRNK2GE5 = 7 or 9 or Missing or ALCDAY3 = 777 or 999 or Missing	33	1.08	1.01

**Number of Drinks of alcohol beverages per day**

**Calculated Variables:** 8.04 Calculated Variables

**Type:** Num

**Column:** 836-839

**SAS Variable Name:** \_DRNKDY2

**Prologue:**

**Description:** Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY3 = 888	1,205	39.57	37.31
1 - 9899	Number of drinks per day Notes: ALCDAY3 / 7 per week or ALCDAY3 / 30 per month * AVEDRNK [2 implied decimal places] (also =_DRNKMO2 / 30)	1,809	59.41	61.62
9900	Do not know/Not sure/Refused/Missing Notes: ALCDAY3 = 777 or 999 or Missing	31	1.02	1.07

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Total number drinks a month**

**Calculated Variables:** 8.05 Calculated Variables

**Type:** Num

**Column:** 840-843

**SAS Variable Name:** \_DRNKMO2

**Prologue:**

**Description:** Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: _DRNKDY2 = 0	1,205	39.57	37.31
1 - 9998	Number of Drinks Notes: _DRNKDY2 * 30	1,809	59.41	61.62
9999	Do not know/Refused/Missing Notes: _DRNKDY2 = 900	31	1.02	1.07

**At risk for heavy alcohol consumption (greater than two drinks per day for men, or greater than 1 drink per day for women)**

**Calculated Variables:** 8.06 Calculated Variables

**Type:** Num

**Column:** 844

**SAS Variable Name:** \_RFDRHV2

**Prologue:**

**Description:** Risk factor for heavy drinking (Note: Heavy drinking is defined as having greater than 2 drinks per day for men, and 1 drink per day for women)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk for heavy drinking Notes: SEX = 1 and _DRNKDY2 <= 2 or SEX = 2 and _DRNKDY2 <= 1 or ALCDAY3 = 888	2,896	95.11	93.89
2	At risk for heavy drinking Notes: SEX = 1 and _DRNKDY2 > 2 or SEX = 2 and _DRNKDY2 > 1	118	3.88	5.04
9	Do not know/Refused/Missing Notes: _DRNKDY2 = 900	31	1.02	1.07

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**At risk for heavy alcohol consumption in men (greater than two drinks per day)**

**Calculated Variables:** 8.07 Calculated Variables

**Type:** Num

**Column:** 845

**SAS Variable Name:** \_RFDRMN2

**Prologue:**

**Description:** Risk factor for heavy drinking among men (Note: Heavy drinking is defined as having an average of more than 2 drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Men not at risk for heavy drinking Notes: SEX = 1 and _DRNKDY2 <= 2 or ALCDAY3 = 888	1,226	93.59	92.30
2	Men at risk for heavy drinking Notes: SEX = 1 and _DRNKDY2 > 2	66	5.04	6.17
9	Do not know/Refused/Missing Notes: _DRNKDY2 = 900	18	1.37	1.53
BLANK	Respondent is female Notes: SEX = 2	1,735		

**At risk for heavy alcohol consumption in women (greater than one drink per day)**

**Calculated Variables:** 8.08 Calculated Variables

**Type:** Num

**Column:** 846

**SAS Variable Name:** \_RFDRWM2

**Prologue:**

**Description:** Risk factor for heavy drinking among women (Note: Heavy drinking is defined as having an average of more than 1 drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Women not at risk for heavy drinking Notes: SEX = 2 and _DRNKDY2 <= 1 or ALCDAY3 = 888	1,670	96.25	95.45
2	Women at risk for heavy drinking Notes: SEX = 2 and _DRNKDY2 > 1	52	3.00	3.94
9	Do not know/Refused/Missing Notes: _DRNKDY2 = 900	13	0.75	0.61
BLANK	Respondent is male Notes: SEX = 1	1,310		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Risk Factor for Lifetime Asthma Prevalence**

**Calculated Variables:** 9.01 Calculated Variables

**Type:** Num

**Column:** 847

**SAS Variable Name:** \_LTASTHM

**Prologue:**

**Description:** Risk factor for lifetime asthma prevalence

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not At Risk Notes: ASTHMA2 = 2	2,716	89.20	88.80
2	At Risk Notes: ASTHMA2 = 1	323	10.61	11.03
9	Do not Know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or missing	6	0.20	0.17

---

**Risk Factor for Current Asthma Prevalence**

**Calculated Variables:** 9.02 Calculated Variables

**Type:** Num

**Column:** 848

**SAS Variable Name:** \_CASTHMA

**Prologue:**

**Description:** Risk factor for current asthma prevalence

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not At Risk Notes: ASTHMA2 = 2 or ASTHMA2 = 1 and ASTHNOW = 2	2,800	91.95	91.91
2	At Risk Notes: ASTHMA2 = 1 and ASTHNOW = 1	231	7.59	7.68
9	Do not Know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or ASTHNOW = 7 or 9	14	0.46	0.42

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Computed Asthma Status**

**Calculated Variables:** 9.03 Calculated Variables

**Type:** Num

**Column:** 849

**SAS Variable Name:** \_ASTHMST

**Prologue:**

**Description:** Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA2 = 1 and ASTHNOW = 1	231	7.59	7.68
2	Former Notes: ASTHMA2 = 1 and ASTHNOW = 2	84	2.76	3.11
3	Never Notes: ASTHMA2 = 2	2,716	89.20	88.80
9	Do not Know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or ASTHNOW = 7 or 9	14	0.46	0.42

**Risk factor for having had permanent teeth extracted**

**Calculated Variables:** 11.01 Calculated Variables

**Type:** Num

**Column:** 850

**SAS Variable Name:** \_EXTEETH

**Prologue:**

**Description:** Risk factor for having had permanent teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: RMVTEETH = 8	1,527	50.15	56.03
2	At risk Notes: RMVTEETH = 1 or 2 or 3	1,465	48.11	42.42
9	Do not Know/Not Sure Or Refused/Missing Notes: RMVTEETH = 7 or 9	53	1.74	1.55

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Risk factor for having had all permanent teeth extracted**

**Calculated Variables:** 11.02 Calculated Variables

**Type:** Num

**Column:** 851

**SAS Variable Name:** \_ALTEETH

**Prologue:**

**Description:** Risk factor for having had all permanent teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: AGE >= 65 and RMVTEETH = 1 or 2 or 8	503	69.57	70.09
2	At risk Notes: AGE >= 65 and RMVTEETH = 3	171	23.65	23.31
9	Do not Know/Not Sure Or Refused/Missing Notes: AGE >= 65 and and RMVTEETH = 7 or 9 or AGE = 7 or 9 or missing	49	6.78	6.60
BLANK	Missing or Age Less Than 65 Notes: 18 <= AGE <= 64	2,322		

**Risk factor for having visited a dentist, dental hygienist or dental clinic within the past year**

**Calculated Variables:** 11.03 Calculated Variables

**Type:** Num

**Column:** 852

**SAS Variable Name:** \_DENTVST

**Prologue:**

**Description:** Risk factor for having visited a dentist, dental hygienist or dental clinic within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: LASTDEN2 = 1 or DENCLEAN = 1	2,106	69.16	69.44
2	At risk Notes: LASTDEN2 = 8 or LASTDEN2 = 2 or 3 or 4 and DENCLEAN = 2 or 3 or 4 or 7 or 8 or 9 or missing or LASTDEN2 = 7 or 9 or missing and DENCLEAN = 2 or 3 or 4 or 8	931	30.57	30.39
9	Do not Know/Not Sure Or Refused/Missing Notes: LASTDEN2 = 7 or 9 or missing and DENCLEAN = 7 or 9 or missing	8	0.26	0.17

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Risk factor for respondents aged 65+ that had a flu shot in the past 12 months.**

**Calculated Variables:** 12.01 Calculated Variables

**Type:** Num

**Column:** 853

**SAS Variable Name:** \_FLSHOT2

**Prologue:**

**Description:** Risk factor for respondents aged 65 or older that have had a flu shot within the past 12 months

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: AGE>=65 AND FLUSHOT=1	510	70.54	72.42
2	At risk Notes: AGE>=65 AND FLUSHOT=2	194	26.83	25.07
9	Do not Know/Not Sure Or Refused/Missing Notes: AGE=(7,9) OR FLUSHOT=(7,9)	19	2.63	2.51
BLANK	Missing or Age Less Than 65 Notes: AGE<65	2,322		

**Risk factor for respondents aged 65+ that have ever had a pneumonia shot.**

**Calculated Variables:** 12.02 Calculated Variables

**Type:** Num

**Column:** 854

**SAS Variable Name:** \_PNEUMOC

**Prologue:**

**Description:** Risk factor for respondents aged 65 or older that have ever had a pneumonia shot

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: AGE>=65 AND PNEUVAC2=1	469	64.87	66.35
2	At risk Notes: AGE>=65 AND PNEUVAC2=2	210	29.05	27.99
9	Do not Know/Not Sure Or Refused/Missing Notes: AGE=(7,9) OR PNEUVAC2=(7,9)	44	6.09	5.66
BLANK	Missing or Age Less Than 65 Notes: AGE<65	2,322		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**MRACE with trailing 7,8,9s removed**

**Calculated Variables:** 13.01 Calculated Race Variables

**Type:** Char

**Column:** 855-860

**SAS Variable Name:** MRACEORG

**Prologue:**

**Description:** MRACE with trailing 7,8,9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

---

**MRACEORG with responses in ascending order**

**Calculated Variables:** 13.02 Calculated Race Variables

**Type:** Char

**Column:** 861-866

**SAS Variable Name:** MRACEASC

**Prologue:**

**Description:** MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Preferred Race**

**Calculated Variables:** 13.03 Calculated Race Variables

**Type:** Num

**Column:** 867-868

**SAS Variable Name:** \_PRACE

**Prologue:**

**Description:** Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACEASC = 1	2,904	95.37	94.17
2	Black or African American Notes: MRACEASC = 2	10	0.33	0.46
3	Asian Notes: MRACEASC = 3	9	0.30	0.44
4	Native Hawaiian or other Pacific Islander Notes: MRACEASC = 4	2	0.07	0.10
5	American Indian or Alaskan Native Notes: MRACEASC = 5	92	3.02	3.97
6	Other race Notes: MRACEASC = 6	12	0.39	0.43
7	No preferred race Notes: MRACEASC >= 12 and ORACE2 = 7 or 9	1	0.03	0.05
77	Do not know/Not sure Notes: MRACEASC = 7	3	0.10	0.10
99	Refused Notes: MRACEASC = 9	12	0.39	0.27

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Non-Hispanic Race including Multiracial**

**Calculated Variables:** 13.04 Calculated Race Variables

**Type:** Num

**Column:** 869-870

**SAS Variable Name:** \_MRACE

**Prologue:**

**Description:** Multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACEASC = 1	2,883	94.68	93.39
2	Black or African American only Notes: MRACEASC = 2	10	0.33	0.46
3	Asian Only Notes: MRACEASC = 3	8	0.26	0.41
4	Native Hawaiian or other Pacific Islander only Notes: MRACEASC = 4	2	0.07	0.10
5	American Indian or Alaskan Native only Notes: MRACEASC = 5	84	2.76	3.70
6	Other race only Notes: MRACEASC = 6	12	0.39	0.43
7	Multiracial Notes: MRACEASC >= 12	31	1.02	1.13
77	Do not know/Not sure Notes: MRACEASC = 7	3	0.10	0.10
99	Refused Notes: MRACEASC = 9	12	0.39	0.27

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Race-Ethnicity grouping**

**Calculated Variables:** 13.05 Calculated Race Variables

**Type:** Num

**Column:** 871

**SAS Variable Name:** RACE2

**Prologue:**

**Description:** Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 1	2,843	93.37	92.07
2	Black only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 2	10	0.33	0.46
3	Asian only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 3	8	0.26	0.41
4	Native Hawaiian or other Pacific Islander only, No Notes: HISPANC2 = 2 and _MRACE = 4	2	0.07	0.10
5	American Indian or Alaskan Native only, Non-Hispan Notes: HISPANC2 = 2 and _MRACE = 5	80	2.63	3.59
6	Other race only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 6	8	0.26	0.21
7	Multiracial, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 7	30	0.99	1.08
8	Hispanic Notes: HISPANC2 = 1	36	1.18	1.34
9	Do not know/Not sure/Refused component question Notes: HISPANC2 = 7 or 9 or _MRACE = 77 or 99 and HISPANC2 = 2	28	0.92	0.73

**Non-Hispanic Whites/All Others race categories Race/ethnic group codes used in post-stratification.**

**Calculated Variables:** 13.06 Calculated Race Variables

**Type:** Num

**Column:** 872

**SAS Variable Name:** \_RACEG2

**Prologue:**

**Description:** White/Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: RACE2 = 1	2,843	93.37	92.07
2	Non-White or Hispanic Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8	174	5.71	7.20
9	Do not know/Not sure/Refused Missing component question Notes: RACE2 = 9	28	0.92	0.73

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**5 level race/ethnicity category.**

**Calculated Variables:** 13.07 Calculated Race Variables

**Type:** Num

**Column:** 873

**SAS Variable Name:** \_RACEGR2

**Prologue:**

**Description:** Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic Notes: RACE2 = 1	2,843	93.37	92.07
2	Black only, Non-Hispanic Notes: RACE2 = 2	10	0.33	0.46
3	Other race only, Non-Hispanic Notes: RACE2 = 3 or 4 or 5 or 6	98	3.22	4.31
4	Multiracial, Non-Hispanic Notes: RACE2 = 7	30	0.99	1.08
5	Hispanic Notes: RACE2 = 8	36	1.18	1.34
9	Do not know/Not sure/Refused component question Notes: RACE2 = 9	28	0.92	0.73

**Race groups used for internet prevalence tables**

**Calculated Variables:** 13.08 Calculated Race Variables

**Type:** Num

**Column:** 874

**SAS Variable Name:** \_RACE\_G

**Prologue:**

**Description:** Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic Notes: _RACEGR2 = 1	2,843	94.23	92.75
2	Black - Non-Hispanic Notes: _RACEGR2 = 2	10	0.33	0.47
3	Hispanic Notes: _RACEGR2 = 5	36	1.19	1.35
4	Other race only, Non-Hispanic Notes: _RACEGR2 = 3	98	3.25	4.35
5	Multiracial, Non-Hispanic Notes: _RACEGR2 = 4	30	0.99	1.09
BLANK	Do not know/Not sure/Refused component question Notes: _RACEGR2 = 9 or missing	28		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Number of Census Race Categories Chosen**

**Calculated Variables:** 13.09 Calculated Race Variables

**Type:** Num

**Column:** 875

**SAS Variable Name:** \_CNRACE

**Prologue:**

**Description:** Number of census race categories chosen

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Other/do not know/refused Notes: 6 <= MRACEASC <= 9	27	0.89	0.80
1	1 category chosen Notes: MRACEASC had one race category	2,993	98.29	98.33
2	2 category chosen Notes: MRACEASC had two race categories	25	0.82	0.87

**Number of Census Race Categories Chosen, Collapsed**

**Calculated Variables:** 13.10 Calculated Race Variables

**Type:** Num

**Column:** 876

**SAS Variable Name:** \_CNRACEC

**Prologue:**

**Description:** Number of census race categories chosen, collapsed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One category chosen Notes: _CNRACE = 1	2,993	99.17	99.13
2	Two or more categories chosen Notes: _CNRACE > 1	25	0.83	0.87
BLANK	_CNRACE = 0 or missing Notes: _CNRACE = 0	27		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Reported age in five-year age categories.**

**Calculated Variables:** 13.11 Calculated Variables

**Type:** Num

**Column:** 877-878

**SAS Variable Name:** \_AGEG5YR

**Prologue:**

**Description:** Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24 Notes: 18 LE AGE LE 24	200	6.57	15.56
2	Age 25 to 29 Notes: 25 LE AGE LE 29	207	6.80	7.85
3	Age 30 to 34 Notes: 30 LE AGE LE 34	215	7.06	7.81
4	Age 35 to 39 Notes: 35 LE AGE LE 39	260	8.54	8.20
5	Age 40 to 44 Notes: 40 LE AGE LE 44	316	10.38	9.96
6	Age 45 to 49 Notes: 45 LE AGE LE 49	333	10.94	9.70
7	Age 50 to 54 Notes: 50 LE AGE LE 54	330	10.84	8.81
8	Age 55 to 59 Notes: 55 LE AGE LE 59	275	9.03	7.57
9	Age 60 to 64 Notes: 60 LE AGE LE 64	186	6.11	4.72
10	Age 65 to 69 Notes: 65 LE AGE LE 69	187	6.14	4.72
11	Age 70 to 74 Notes: 70 LE AGE LE 74	195	6.40	4.51
12	Age 75 to 79 Notes: 75 LE AGE LE 79	154	5.06	5.05
13	Age 80 or older Notes: 80 LE AGE LE 99	170	5.58	5.09
14	Do not know/Refused/Missing Notes: 7 LE AGE LE 9	17	0.56	0.45

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Reported age in two age groups**

**Calculated Variables:** 13.12 Calculated Variables

**Type:** Num

**Column:** 879

**SAS Variable Name:** \_AGE65YR

**Prologue:**

**Description:** Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 LE AGE LE 64	2,322	76.26	80.19
2	Age 65 or older Notes: 65 LE AGE LE 99	706	23.19	19.36
3	Do not know/Refused/Missing Notes: 7 LE AGE LE 9	17	0.56	0.45

**Imputed age in six groups**

**Calculated Variables:** 13.13 Calculated Variables

**Type:** Num

**Column:** 880

**SAS Variable Name:** \_AGE\_G

**Prologue:**

**Description:** Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24 Notes: 18 LE AGE LE 24	200	6.57	15.56
2	Age 25 to 34 Notes: 25 LE AGE LE 34	422	13.86	15.66
3	Age 35 to 44 Notes: 35 LE AGE LE 44	576	18.92	18.16
4	Age 45 to 54 Notes: 45 LE AGE LE 54	680	22.33	18.96
5	Age 55 to 64 Notes: 55 LE AGE LE 64	461	15.14	12.29
6	Age 65 or older Notes: AGE GE 65	706	23.19	19.36

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Height in Inches**

**Calculated Variables:** 13.14 Calculated Variables

**Type:** Num

**Column:** 881-883

**SAS Variable Name:** HTIN3

**Prologue:**

**Description:** Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in inches Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)	3,031	99.54	99.53
999	Do not know/Refused/Missing Notes: HEIGHT3 = 7777 or 9999	14	0.46	0.47

**Height in Meters**

**Calculated Variables:** 13.15 Calculated Variables

**Type:** Num

**Column:** 884-886

**SAS Variable Name:** HTM3

**Prologue:**

**Description:** Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in meters [2 implied decimal places] Notes: (HTIN3*2.54)/100 or Metric HEIGHT3 value	3,031	99.54	99.53
999	Do not know/Refused/Missing Notes: HEIGHT3 = 7777 or 9999	14	0.46	0.47

**Weight in Kilograms**

**Calculated Variables:** 13.16 Calculated Variables

**Type:** Num

**Column:** 887-891

**SAS Variable Name:** WTKG2

**Prologue:**

**Description:** Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 99998	Weight in kilograms [2 implied decimal places] Notes: WEIGHT2/2.2 or WEIGHT2 - 9000 for metric values	2,896	95.11	95.93
99999	Do not know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999	149	4.89	4.07

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Body mass index**

**Calculated Variables:** 13.17 Calculated Variables

**Type:** Num

**Column:** 892-895

**SAS Variable Name:** \_BMI4

**Prologue:**

**Description:** Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9998	1 or greater Notes: WTKG2/(HTM3*HTM3) (Has 2 implied decimal places)	2,893	95.01	95.81
9999	Do not know/Refused/Missing Notes: WTKG2 = 777 or 999 or HTM3 = 777 or 999	152	4.99	4.19

**\_BMI3 Categorized**

**Calculated Variables:** 13.18 Calculated Variables

**Type:** Num

**Column:** 896

**SAS Variable Name:** \_BMI4CAT

**Prologue:**

**Description:** Three-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Neither overweight nor obese Notes: _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	1,040	34.15	35.56
2	Overweight Notes: 2500 <= _BMI4 < 3000	1,119	36.75	36.70
3	Obese Notes: 3000 <= _BMI4 < 9999	734	24.11	23.56
9	Do not know/Refused/Missing Notes: _BMI4 = 9999	152	4.99	4.19

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Risk Factor for being overweight or obese**

**Calculated Variables:** 13.19 Calculated Variables

**Type:** Num

**Column:** 897

**SAS Variable Name:** \_RFBMI4

**Prologue:**

**Description:** Risk factor for overweight or obese

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not At Risk For Overweight Or Obese Notes: 0 <= _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	1,040	34.15	35.56
2	At Risk For Overweight Or Obese Notes: 2500 <= _BMI4 < 9999	1,853	60.85	60.26
9	Do not know/Refused/Missing Notes: _BMI4 = 9999	152	4.99	4.19

**Number of children in household**

**Calculated Variables:** 13.20 Calculated Variables

**Type:** Num

**Column:** 898

**SAS Variable Name:** \_CHLDCNT

**Prologue:**

**Description:** Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	2,000	65.68	61.61
2	One child in household Notes: CHILDREN = 01	384	12.61	14.63
3	Two children in household Notes: CHILDREN = 02	411	13.50	14.42
4	Three children in household Notes: CHILDREN = 03	170	5.58	6.30
5	Four children in household Notes: CHILDREN = 04	55	1.81	1.91
6	Five or more children in household Notes: 05 <= CHILDREN < 88	23	0.76	1.07
9	Do not know/Not sure/Missing Notes: CHILDREN = 99	2	0.07	0.06

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Level of education completed**

**Calculated Variables:** 13.21 Calculated Variables

**Type:** Num

**Column:** 899

**SAS Variable Name:** \_EDUCAG

**Prologue:**

**Description:** Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	260	8.54	8.35
2	Graduated High School Notes: EDUCA = 4	901	29.59	29.70
3	Attended College or Technical School Notes: EDUCA = 5	996	32.71	33.59
4	Graduated from College or Technical School Notes: EDUCA = 6	882	28.97	28.20
9	Do not know/Not sure/Missing Notes: EDUCA = 9 or missing	6	0.20	0.15

**Income categories**

**Calculated Variables:** 13.22 Calculated Variables

**Type:** Num

**Column:** 900

**SAS Variable Name:** \_INCOMG

**Prologue:**

**Description:** Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	264	8.67	8.29
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	493	16.19	15.46
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	450	14.78	14.73
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	571	18.75	18.42
5	\$50,000 or more Notes: INCOME2 = 7 or 8	896	29.43	30.57
9	Do not know/Not sure/Missing Notes: INCOME2 = 77 or 99 or missing	371	12.18	12.53

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Women respondents aged 40+ that have not had a mammogram in the past two years**

**Calculated Variables:** 15.01 Calculated Variables

**Type:** Num

**Column:** 901

**SAS Variable Name:** \_RFMAM2Y

**Prologue:**

**Description:** Women respondents aged 40+ that have not had a mammogram in the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 1 or 2	882	71.24	70.87
2	At Risk Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 3 or 4 or 5	333	26.90	27.26
9	Do not Know/Not Sure/Refused Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	23	1.86	1.87
BLANK	Missing or Age less than 40 or Male Notes: SEX = 1 or SEX = 2 and AGE < 40 or SEX = 2 and AGE => 40 and HADMAM = missing	1,807		

**Women respondents aged 18+ that have not had a pap test in the past three years**

**Calculated Variables:** 15.02 Calculated Variables

**Type:** Num

**Column:** 902

**SAS Variable Name:** \_RFPAP32

**Prologue:**

**Description:** Women respondents aged 18+ that have not had a pap test in the past three years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 1 or 2 or 3	1,047	81.92	81.93
2	At Risk Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 4 or 5 or 6 or SEX = 2 and AGE => 18 and HADPAP2 = 2	206	16.12	16.43
9	Do not Know/Not Sure/Refused Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 7 or 9 or SEX = 2 and AGE => 18 and HADPAP2 = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	25	1.96	1.64
BLANK	Missing or Male Notes: SEX = 2 and HADHYST2 = 1 and PREGNANT = 2 or 7 or 9 or missing or SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = missing or SEX = 2 and AGE => 18 and HADPAP2 = missing or SEX = 1	1,767		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Male respondents aged 40+ that have not had a PSA test in the past 2 years**

**Calculated Variables:** 16.01 Calculated Variables

**Type:** Num

**Column:** 903

**SAS Variable Name:** \_RFPSA2Y

**Prologue:**

**Description:** Male respondents aged 40+ that have not had a PSA test in the past 2 years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = 1 or 2	401	44.02	43.54
2	At Risk Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = 3 or 4 or 5 or SEX = 1 and AGE => 40 and PSATEST = 2	471	51.70	52.17
9	Do not Know/Not Sure/Refused Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = 7 or 9 or SEX = 1 and AGE => 40 and PSATEST = 7 or 9 or SEX = 1 and AGE = 7 or 9 or missing	39	4.28	4.29
BLANK	Missing or Age less than 40 or Female Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = missing or SEX = 1 and AGE => 40 and PSATEST = missing or SEX = 1 and AGE = < 40 or SEX = 2	2,134		

**Respondents aged 50+ that have not had a blood stool test within the past two years**

**Calculated Variables:** 17.01 Calculated Variables

**Type:** Num

**Column:** 904

**SAS Variable Name:** \_RFBLDST

**Prologue:**

**Description:** Respondents aged 50+ that have not had a blood stool test within the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS2 = 1 or 2	318	21.24	20.44
2	At Risk Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS2 = 3 or 4 or AGE => 50 and BLDSTOOL = 2	1,145	76.49	77.33
9	Do not Know/Not Sure/Refused Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS2 = 7 or 9 or AGE => 50 and BLDSTOOL = 7 or 9 or AGE = 7 or 9 or missing	34	2.27	2.23
BLANK	Missing or Age less than 50 Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS2 = missing or AGE => 50 and BLDSTOOL = missing or AGE < 50	1,548		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Respondents aged 50 or older that never had a sigmoidoscopy or colonoscopy**

**Calculated Variables:** 17.02 Calculated Variables

**Type:** Num

**Column:** 905

**SAS Variable Name:** \_RFSIGM2

**Prologue:**

**Description:** Respondents aged 50 or older that never had a sigmoidoscopy or colonoscopy

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: AGE => 50 and HADSIGM3 = 1	784	52.37	52.83
2	At Risk Notes: AGE => 50 and HADSIGM3 = 2	683	45.62	45.18
9	Do not Know/Not Sure/Refused Notes: AGE => 50 and HADSIGM3 = 7 or 9	30	2.00	1.99
BLANK	Missing or Age less than 50 Notes: AGE => 50 and HADSIGM3 = missing or AGE = 7 or 9 or missing or AGE < 50	1,548		

**Ever been tested for HIV risk factor.**

**Calculated Variables:** 20.01 Calculated Variables

**Type:** Num

**Column:** 906

**SAS Variable Name:** \_AIDTST2

**Prologue:**

**Description:** Respondents less than 65 years old that have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: 18 <= AGE <= 64 and HIVTST4 = 1	579	25.41	26.12
2	At Risk Notes: 18 <= AGE <= 64 and HIVTST4 = 2	1,630	71.52	71.33
9	Do not Know/Not Sure/Refused Notes: 18 <= AGE <= 64 and HIVTST4 = 7 or 9 or AGE = 7 or 9 or missing	70	3.07	2.54
BLANK	Missing or Age greater than 64 Notes: 18 <= AGE <= 64 and HIVTST4 = missing or AGE > 64	766		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Ever participated in high-risk behavior risk factor.**

**Calculated Variables:** 20.02 Calculated Variables

**Type:** Num

**Column:** 907

**SAS Variable Name:** \_HIGHRSK

**Prologue:**

**Description:** Respondents less than 65 years old that have ever participated in high-risk behavior

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: 18 <= AGE <= 64 AND HIVRISK2 = 2	2,196	96.70	96.36
2	At Risk Notes: 18 <= AGE <= 64 AND HIVRISK2 = 1	54	2.38	2.88
9	Do not Know/Not Sure/Refused Notes: (AGE=7 OR 9) OR (18 <= AGE <= 64 AND HIVRISK2 = 7 OR 9)	21	0.92	0.76
BLANK	Missing or Age greater than 64 Notes: (AGE > 64) OR (18 <= AGE <= 64 AND HIVRISK2 = .)	774		

**Risk factor for having been counseled by a doctor, nurse, or other health professional on prevention of sexually transmitted diseases through condom use.**

**Calculated Variables:** 20.03 Calculated Variables

**Type:** Num

**Column:** 908

**SAS Variable Name:** \_STDCND2

**Prologue:**

**Description:** Risk factor for respondents less than 65 years old that have ever been counseled by a doctor, nurse, or other health professional on prevention of sexually transmitted diseases though condom use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: 18 <= AGE <= 64 AND PCSAIDS2=1	144	6.35	9.33
2	At Risk Notes: 18 <= AGE <= 64 AND PCSAIDS2=2	2,098	92.59	89.80
9	Do not Know/Not Sure/Refused Notes: (18 <= AGE <= 64 AND PCSAIDS2=7 OR 9) OR (AGE=. OR 7 OR 9)	24	1.06	0.86
BLANK	Missing or Age greater than 64 Notes: (18 <= AGE <= 64 AND PCSAIDS2=.) OR (AGE>64)	779		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Risk factor for respondents living in a home with a loaded firearm**

**Calculated Variables:** 21.01 Calculated Variables

**Type:** Num

**Column:** 909

**SAS Variable Name:** \_RFFRARM

**Prologue:**

**Description:** Risk factor for respondents living in a home with a loaded firearm

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: FIREARM4 = 1 and GUNLOAD = 1 or FIREARM4 = 2	2,760	93.85	93.87
2	At Risk Notes: FIREARM4 = 1 and GUNLOAD = 2	110	3.74	3.66
9	Do not Know/Not Sure/Refused Notes: FIREARM4 = 1 and GUNLOAD = 7 or 9 or FIREARM4 = 7 or 9	71	2.41	2.47
BLANK	Missing Notes: FIREARM4 = 1 and GUNLOAD = missing or FIREARM4 = missing	104		

**Risk factor for respondents living in a home with a loaded and unlocked firearm**

**Calculated Variables:** 21.02 Calculated Variables

**Type:** Num

**Column:** 910

**SAS Variable Name:** \_RFFRAR2

**Prologue:**

**Description:** Risk factor for respondents living in a home with a loaded and unlocked firearm

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: FIREARM4 = 1 and GUNLOAD = 1 and LOADULK2 = 2 or FIREARM4 = 1 and GUNLOAD = 2 or FIREARM4 = 2	2,789	94.83	94.76
2	At Risk Notes: FIREARM4 = 1 and GUNLOAD = 1 and and LOADULK2 = 1	81	2.75	2.77
9	Do not Know/Not Sure/Refused Notes: FIREARM4 = 1 and GUNLOAD = 1 and LOADULK2 = 7 or 9 or missing or FIREARM4 = 1 and GUNLOAD = 7 or 9 or FIREARM4 = 7 or 9	71	2.41	2.47
BLANK	Missing Notes: FIREARM4 = 1 and GUNLOAD = 1 and LOADULK2 = missing or FIREARM4 = 1 and GUNLOAD = missing or FIREARM4 = missing	104		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Raw weighting factor questionnaire version 1**

**Weighting:** 1.19 Weighting And Stratification Variables

**Type:** Num

**Column:** 911-920

**SAS Variable Name:** \_RAWQ1

**Prologue:**

**Description:** Raw weighting factor questionnaire version 1 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (\_IMPMPH) questionnaire version 1.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

**Design weight questionnaire version 1. The product of the preceding four factors**

**Weighting:** 1.20 Weighting And Stratification Variables

**Type:** Num

**Column:** 921-930

**SAS Variable Name:** \_WT2Q1

**Prologue:**

**Description:** Design weight questionnaire version 1 (Stratum weight (\_STRWT) multiplied by the raw weighting factor (\_RAWQ1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

**Post-stratification weight questionnaire version 1 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).**

**Weighting:** 1.21 Weighting And Stratification Variables

**Type:** Num

**Column:** 931-940

**SAS Variable Name:** \_POSTQ1

**Prologue:**

**Description:** Post-stratification weight questionnaire version 1 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 1.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

**Final weight questionnaire version 1: Post-stratification weight multiplied by \_WT2**

**Weighting:** 1.22 Weighting And Stratification Variables

**Type:** Num

**Column:** 941-950

**SAS Variable Name:** \_FINALQ1

**Prologue:**

**Description:** Final weight assigned to each respondent questionnaire version 1 (Post-stratification weight (\_POSTQ1) multiplied by design weight (\_WT2Q1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

**Raw weighting factor questionnaire version 2**

**Weighting:** 1.23 Weighting And Stratification Variables

**Type:** Num

**Column:** 951-960

**SAS Variable Name:** \_RAWQ2

**Prologue:**

**Description:** Raw weighting factor questionnaire version 2 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (\_IMPMPH) questionnaire version 2.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

**Design weight questionnaire version 2. The product of the preceding four factors**

**Weighting:** 1.24 Weighting And Stratification Variables

**Type:** Num

**Column:** 961-970

**SAS Variable Name:** \_WT2Q2

**Prologue:**

**Description:** Design weight questionnaire version 2 (Stratum weight (\_STRWT) multiplied by the raw weighting factor (\_RAWQ2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CODEBOOK REPORT, 2004

---

**Post-stratification weight questionnaire version 2 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).**

**Weighting:** 1.25 Weighting And Stratification Variables

**Type:** Num

**Column:** 971-980

**SAS Variable Name:** \_POSTQ2

**Prologue:**

**Description:** Post-stratification weight questionnaire version 2 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 2.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00

---

**Final weight questionnaire version 2: Post-stratification weight multiplied by \_WT2**

**Weighting:** 1.26 Weighting And Stratification Variables

**Type:** Num

**Column:** 981-990

**SAS Variable Name:** \_FINALQ2

**Prologue:**

**Description:** Final weight assigned to each respondent questionnaire version 2 (Post-stratification weight (\_POSTQ2) multiplied by design weight (\_WT2Q2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	3,045	100.00	100.00