

NORTH DAKOTA

2005 Core Variables Report

Behavioral Risk Factor Surveillance System

April 7, 2006



SECTION 1: HEALTH STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4000	486,789	768	20.0	18.6-21.5	1441	38.5	36.6-40.4	1232	29.4	27.8-31.1	422	9.2	8.22-10.1	137	2.8	2.31-3.37
Male	1626	241,557	312	20.4	18.1-22.7	578	38.6	35.8-41.5	502	29.3	26.8-31.8	179	9.2	7.76-10.6	55	2.5	1.77-3.23
Female	2374	245,232	456	19.7	17.8-21.6	863	38.3	35.9-40.8	730	29.6	27.4-31.8	243	9.2	7.88-10.5	82	3.2	2.41-3.93
Native	108	17,264	11	10.6	2.55-18.6							21	15.4	7.59-23.3	9	7.1	1.63-12.6
Non-Native	3856	465,629	753	20.4	18.9-22.0	1405	38.8	36.9-40.7	1177	29.2	27.5-30.9	394	8.8	7.89-9.81	127	2.7	2.18-3.20
18-24	212	74,659	53	23.6	17.5-29.7	100	49.2	41.8-56.6	53	24.8	18.5-31.2	6	2.4	0.35-4.43			
25-34	498	79,626	125	24.8	20.9-28.8	217	44.0	39.4-48.6	130	26.3	22.2-30.4	22	4.2	2.33-6.13	4	0.6	0.00-1.36
35-44	719	82,001	168	22.7	19.5-26.0	288	40.9	37.0-44.7	212	29.8	26.2-33.4	41	5.4	3.67-7.19	10	1.2	0.41-1.93
45-54	872	90,266	161	18.8	15.9-21.6	349	41.3	37.7-44.9	273	30.3	27.0-33.6	68	7.1	5.17-9.13	21	2.5	1.35-3.67
55-64	649	63,219	134	21.9	18.5-25.3	204	30.6	26.8-34.4	205	31.9	28.0-35.8	73	10.3	7.91-12.8	33	5.3	3.33-7.29
65+	1012	93,971	116	10.5	8.56-12.5	271	26.4	23.4-29.3	348	33.2	30.1-36.3	209	23.1	20.1-26.0	68	6.8	5.12-8.56
Less Than H.S.	355	40,637	28	7.4	4.12-10.8	58	20.3	13.9-26.8	144	40.4	33.9-47.0	89	23.1	18.1-28.2	36	8.6	5.47-11.8
H.S. or G.E.D.	1160	139,532	149	13.8	11.3-16.2	390	36.1	32.6-39.6	405	34.0	30.7-37.3	164	12.5	10.4-14.6	52	3.6	2.52-4.72
Some Post-H.S.	1246	154,803	242	20.8	18.0-23.7	472	40.3	37.0-43.7	400	30.0	27.0-33.0	103	6.8	5.36-8.22	29	2.0	1.24-2.84
College Graduate	1232	151,192	347	28.4	25.5-31.3	517	43.6	40.4-46.9	283	21.8	19.2-24.4	65	4.7	3.43-6.05	20	1.4	0.72-2.06
Less than \$15,000	344	40,441	37	12.7	7.60-17.8	69	30.9	23.2-38.6	112	30.1	23.9-36.3	80	16.1	12.0-20.3	46	10.1	6.82-13.4
\$15,000- 24,999	634	69,555	70	12.2	8.76-15.6	186	31.0	26.3-35.7	244	36.2	31.6-40.8	105	16.1	12.8-19.4	29	4.6	2.80-6.36
\$25,000- 34,999	533	64,738	87	17.0	13.1-20.8	194	38.3	33.0-43.5	179	32.6	27.6-37.5	57	9.8	6.99-12.6	16	2.5	1.18-3.76
\$35,000- 49,999	714	90,134	135	18.7	15.5-21.9	291	42.0	37.8-46.2	234	32.3	28.5-36.2	44	5.6	3.87-7.35	10	1.4	0.39-2.35
\$50,000- 74,999	660	82,520	170	26.7	22.9-30.5	273	41.9	37.7-46.0	175	25.8	22.1-29.6	32	4.2	2.65-5.71	10	1.4	0.51-2.31
\$75,000+	584	75,053	183	31.5	27.2-35.8	247	42.3	37.8-46.8	124	20.8	17.2-24.5	25	4.5	2.49-6.57	5	0.8	0.08-1.54

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1626	241,557	312	20.4	18.1-22.7	578	38.6	35.8-41.5	502	29.3	26.8-31.8	179	9.2	7.76-10.6	55	2.5	1.77-3.23
Non-Native	1576	232,864	305	20.7	18.3-23.0	564	38.8	35.9-41.7	488	29.4	26.8-32.0	168	8.8	7.44-10.3	51	2.3	1.62-2.92
18-24	103	39,393	30	27.0	18.0-36.0				22	21.3	12.7-29.9	1	0.4	0.00-1.10			
25-34	235	41,912	68	27.6	21.7-33.5	94	41.0	34.3-47.6	63	27.4	21.4-33.4	10	4.0	1.27-6.83			
35-44	301	41,550	60	20.2	15.4-25.0	127	42.4	36.5-48.3	93	30.7	25.2-36.2	19	6.0	3.16-8.80	2	0.7	0.00-1.65
45-54	365	46,485	63	17.5	13.4-21.7	142	40.2	34.8-45.6	117	31.2	26.1-36.3	30	8.3	4.93-11.6	13	2.8	1.25-4.35
55-64	270	31,733	52	19.6	14.6-24.6	77	29.1	23.3-34.8	96	36.0	29.9-42.1	31	10.3	6.63-14.0	14	5.0	2.14-7.78
65+	344	39,638	37	10.2	6.88-13.5	85	25.6	20.7-30.5	109	30.5	25.4-35.6	88	27.1	22.1-32.2	25	6.5	3.85-9.19
Less Than H.S.	153	20,730	14	7.7	2.68-12.8				57	35.0	25.7-44.2	39	23.0	15.6-30.4	15	7.7	3.35-12.1
H.S. or G.E.D.	488	72,369	67	14.9	11.2-18.7	158	35.2	30.0-40.4	171	34.9	29.9-39.8	70	11.5	8.65-14.3	22	3.5	1.94-5.16
Some Post-H.S.	479	73,292	97	23.4	18.7-28.0	180	40.0	34.8-45.2	152	28.3	23.8-32.8	38	6.6	4.37-8.77	12	1.8	0.73-2.85
College Graduate	502	74,725	133	26.3	22.0-30.5	210	43.9	39.0-48.8	122	23.5	19.4-27.5	31	5.6	3.38-7.80	6	0.8	0.12-1.38
Less than \$15,000	95	13,359							28	25.4	15.6-35.2	26	21.0	11.8-30.2	14	10.2	4.52-15.8
\$15,000- 24,999	223	29,588	27	14.1	8.26-20.0	52	27.7	19.8-35.6	79	33.0	25.8-40.2	48	18.9	13.4-24.3	17	6.3	3.13-9.45
\$25,000- 34,999	238	36,867	40	17.9	12.1-23.6	73	34.3	26.5-42.0	87	35.5	28.0-43.0	31	10.6	6.73-14.5	7	1.8	0.41-3.15
\$35,000- 49,999	327	50,081	51	15.3	11.1-19.5	133	43.0	36.8-49.2	114	33.6	27.9-39.3	24	6.8	4.02-9.50	5	1.3	0.00-2.63
\$50,000- 74,999	297	43,040	75	26.2	20.8-31.7	126	43.1	37.1-49.2	78	25.2	20.1-30.4	16	4.8	2.40-7.10	2	0.6	0.00-1.55
\$75,000+	291	43,210	86	29.7	23.7-35.6	117	40.3	33.9-46.6	72	24.6	19.2-30.1	12	4.4	1.48-7.40	4	1.0	0.00-2.02

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2374	245,232	456	19.7	17.8-21.6	863	38.3	35.9-40.8	730	29.6	27.4-31.8	243	9.2	7.88-10.5	82	3.2	2.41-3.93
Native	73	10,483										15	15.9	6.45-25.3	5	4.4	0.00-8.90
Non-Native	2280	232,765	448	20.2	18.2-22.1	841	38.8	36.4-41.2	689	29.0	26.8-31.3	226	8.9	7.57-10.2	76	3.1	2.33-3.89
18-24	109	35,266	23	19.8	11.8-27.8				31	28.8	19.4-38.2	5	4.6	0.45-8.83			
25-34	263	37,714	57	21.8	16.6-27.0	123	47.3	41.0-53.7	67	25.0	19.6-30.5	12	4.4	1.85-7.03	4	1.4	0.00-2.87
35-44	418	40,451	108	25.3	21.0-29.7	161	39.3	34.3-44.3	119	28.9	24.2-33.5	22	4.8	2.77-6.93	8	1.7	0.44-2.88
45-54	507	43,781	98	20.2	16.3-24.0	207	42.4	37.8-47.1	156	29.2	25.1-33.4	38	6.0	3.92-8.04	8	2.2	0.46-3.94
55-64	379	31,486	82	24.1	19.5-28.8	127	32.1	27.1-37.0	109	27.7	23.0-32.5	42	10.4	7.23-13.5	19	5.7	2.91-8.43
65+	668	54,333	79	10.8	8.35-13.2	186	26.9	23.3-30.5	239	35.2	31.2-39.1	121	20.1	16.6-23.6	43	7.1	4.83-9.33
Less Than H.S.	202	19,907	14	7.1	2.84-11.5	30	13.9	8.71-19.0	87	46.1	37.3-54.9	50	23.3	16.5-30.1	21	9.6	5.06-14.1
H.S. or G.E.D.	672	67,163	82	12.5	9.34-15.7	232	37.0	32.4-41.7	234	33.1	28.9-37.3	94	13.7	10.6-16.8	30	3.7	2.26-5.16
Some Post-H.S.	767	81,511	145	18.6	15.3-21.8	292	40.6	36.3-45.0	248	31.5	27.5-35.5	65	7.0	5.08-8.88	17	2.3	1.05-3.49
College Graduate	730	76,467	214	30.5	26.6-34.4	307	43.4	39.2-47.6	161	20.2	16.9-23.6	34	3.9	2.49-5.31	14	2.0	0.87-3.15
Less than \$15,000	249	27,082	27	11.7	6.07-17.4	52	32.0	22.7-41.3	84	32.5	24.6-40.3	54	13.7	9.68-17.8	32	10.1	6.02-14.1
\$15,000- 24,999	411	39,966	43	10.8	6.68-14.8	134	33.4	27.6-39.2	165	38.5	32.6-44.5	57	14.0	9.86-18.2	12	3.3	1.24-5.40
\$25,000- 34,999	295	27,870	47	15.8	11.0-20.5	121	43.5	36.8-50.2	92	28.7	22.9-34.5	26	8.6	4.69-12.6	9	3.4	1.02-5.72
\$35,000- 49,999	387	40,053	84	22.9	18.0-27.9	158	40.8	35.3-46.3	120	30.7	25.7-35.7	20	4.2	2.28-6.08	5	1.4	0.02-2.88
\$50,000- 74,999	363	39,480	95	27.2	21.9-32.5	147	40.5	34.9-46.2	97	26.5		16	3.5	1.67-5.43	8	2.3	0.66-3.84
\$75,000+	293	31,843	97	34.0	28.0-40.1	130	45.1	38.8-51.3	52	15.7	11.5-19.9	13	4.6	2.04-7.26	1	0.5	0.00-1.60

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7	MALES AND FEMALES	13
8	MALES ONLY	14
9	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3928	478,685	2623	65.8	64.0-67.6	470	13.5	12.1-14.9	383	10.5	9.25-11.7	277	6.4	5.57-7.33	175	3.7	3.10-4.32
Male	1601	237,963	1118	68.3	65.5-71.0	186	13.1	11.0-15.2	142	10.2	8.29-12.1	83	4.8	3.65-5.97	72	3.6	2.71-4.55
Female	2327	240,723	1505	63.4	61.0-65.8	284	13.9	12.1-15.8	241	10.8	9.22-12.3	194	8.1	6.74-9.40	103	3.8	3.00-4.60
Native	103	16,705				11	10.6	3.49-17.8	18	13.8	6.73-21.0	14	13.7	5.64-21.7	6	4.9	0.08-9.64
Non-Native	3792	458,437	2547	66.2	64.3-68.0	457	13.6	12.3-15.0	361	10.3	9.10-11.6	260	6.2	5.29-7.05	167	3.7	3.05-4.27
18-24	210	73,952	130	60.9	53.6-68.2	39	17.8	12.1-23.4	25	13.8	8.47-19.2	15	7.0	3.35-10.6	1	0.6	0.00-1.75
25-34	492	78,631	333	66.8	62.4-71.3	85	18.4	14.7-22.2	51	10.9	7.92-13.9	21	3.5	1.89-5.03	2	0.3	0.00-0.82
35-44	714	81,462	506	71.3	67.7-74.8	106	14.9	12.1-17.8	53	7.0	5.00-8.92	35	4.8	3.14-6.40	14	2.1	0.92-3.20
45-54	866	89,793	599	68.8	65.4-72.3	107	12.7	10.2-15.3	81	9.9	7.59-12.2	50	5.3	3.75-6.89	29	3.2	1.91-4.53
55-64	637	62,088	430	67.4	63.5-71.4	58	9.1	6.70-11.6	61	10.6	7.93-13.3	46	6.6	4.50-8.66	42	6.2	4.28-8.20
65+	971	89,712	597	60.0	56.7-63.4	75	8.7	6.55-10.8	107	11.1	8.94-13.2	108	11.3	9.10-13.5	84	8.9	6.92-10.9
Less Than H.S.	330	38,105	181	48.2	41.3-55.2	32	14.9	8.23-21.7	46	17.3	11.6-23.0	38	10.8	6.91-14.6	33	8.8	5.35-12.2
H.S. or G.E.D.	1139	137,156	743	66.0	62.7-69.3	114	11.6	9.28-14.0	116	9.8	7.74-11.8	104	8.1	6.34-9.82	62	4.5	3.25-5.83
Some Post-H.S.	1229	152,388	842	68.4	65.2-71.6	145	12.1	9.92-14.2	113	10.3	7.94-12.7	80	6.0	4.44-7.54	49	3.2	2.21-4.13
College Graduate	1223	150,410	851	67.5	64.4-70.6	179	16.4	13.8-19.0	108	9.6	7.64-11.6	55	4.4	2.96-5.78	30	2.1	1.29-2.93
Less than \$15,000	332	39,474	149	47.0	39.5-54.4	33	14.4	8.89-19.9	48	13.6	9.00-18.2	50	13.5	8.55-18.4	52	11.6	8.02-15.1
\$15,000- 24,999	619	67,624	380	58.4	53.4-63.4	80	15.7	11.6-19.7	72	13.7	9.74-17.6	52	7.3	5.12-9.44	35	5.0	3.22-6.78
\$25,000- 34,999	522	63,167	348	65.3	60.0-70.5	56	12.2	7.89-16.4	57	11.4	8.00-14.7	45	8.6	5.70-11.5	16	2.6	1.22-4.00
\$35,000- 49,999	704	88,841	488	67.0	62.9-71.1	91	14.1	11.1-17.1	71	11.6	8.65-14.6	43	5.8	3.96-7.72	11	1.4	0.50-2.34
\$50,000- 74,999	655	82,075	468	71.7	67.9-75.5	91	14.8	11.6-17.9	55	8.2	5.95-10.4	22	2.9	1.65-4.19	19	2.4	1.30-3.58
\$75,000+	585	75,196	436	72.4	68.1-76.7	76	13.7	10.6-16.8	45	9.3	6.02-12.6	18	2.7	1.43-4.05	10	1.8	0.42-3.28

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1601	237,963	1118	68.3	65.5-71.0	186	13.1	11.0-15.2	142	10.2	8.29-12.1	83	4.8	3.65-5.97	72	3.6	2.71-4.55
Non-Native	1552	229,454	1092	68.8	66.0-71.6	181	13.1	11.0-15.2	134	10.0	8.08-12.0	76	4.5	3.39-5.67	69	3.6	2.64-4.48
18-24	102	38,959				18	17.3	9.10-25.4	14	16.5	8.26-24.8	5	4.5	0.30-8.62	1	1.1	0.00-3.29
25-34	231	41,178	170	72.3	66.2-78.5	37	16.7	11.5-21.9	17	8.0	4.13-11.9	6	2.4	0.47-4.43	1	0.4	0.00-1.33
35-44	299	41,298	221	73.8	68.5-79.1	41	13.9	9.66-18.1	19	6.5	3.58-9.50	10	3.3	1.28-5.36	8	2.4	0.66-4.22
45-54	363	46,355	258	69.7	64.5-75.0	42	12.1	8.24-15.9	30	9.7	6.10-13.3	21	5.3	3.01-7.67	12	3.2	1.32-5.00
55-64	267	31,293	190	70.4	64.5-76.3	22	9.0	5.25-12.9	29	11.4	7.22-15.5	10	3.9	1.27-6.57	16	5.2	2.56-7.90
65+	331	38,035	210	62.3	56.8-67.9	26	8.8	5.39-12.3	32	9.9	6.51-13.3	30	9.4	6.04-12.7	33	9.5	6.17-12.8
Less Than H.S.	145	19,797							18	16.3	7.91-24.6	15	8.4	4.01-12.8	12	6.7	2.35-11.0
H.S. or G.E.D.	479	71,130	324	67.8	62.9-72.7	51	11.6	8.28-15.0	44	9.7	6.45-12.9	31	5.8	3.65-7.97	29	5.1	2.99-7.19
Some Post-H.S.	473	72,074	346	72.3	67.4-77.2	52	11.2	7.96-14.5	37	9.8	5.90-13.7	19	3.6	1.87-5.31	19	3.1	1.65-4.55
College Graduate	500	74,521	364	70.4	65.7-75.1	64	14.2	10.6-17.7	43	9.6	6.52-12.7	18	4.1	1.82-6.44	11	1.7	0.60-2.80
Less than \$15,000	90	12,905							14	16.9	7.21-26.7	10	11.5	2.20-20.8	15	12.0	5.48-18.6
\$15,000- 24,999	217	28,668	126	54.3	46.2-62.4	28	15.5	9.27-21.7	23	15.0	7.59-22.5	19	7.1	3.79-10.5	21	8.1	4.44-11.7
\$25,000- 34,999	230	35,620	163	68.5	60.7-76.4	28	15.4	8.40-22.4	18	8.9	4.23-13.6	14	5.1	2.26-7.86	7	2.1	0.43-3.73
\$35,000- 49,999	323	49,413	230	68.2	62.3-74.1	37	12.4	8.25-16.5	34	12.6	8.07-17.1	18	5.8	3.01-8.53	4	1.0	0.00-2.09
\$50,000- 74,999	296	42,896	223	75.2	70.0-80.5	33	12.0	7.83-16.1	25	8.3	5.02-11.6	7	2.1	0.49-3.79	8	2.3	0.69-3.99
\$75,000+	291	43,210	222	73.1	66.9-79.2	39	14.1	9.65-18.6	18	8.6	3.95-13.3	6	1.8	0.31-3.29	6	2.3	0.04-4.62

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2327	240,723	1505	63.4	61.1-65.8	284	13.9	12.1-15.8	241	10.8	9.22-12.3	194	8.1	6.74-9.40	103	3.8	3.00-4.60
Native	69	10,108				7	9.5	1.69-17.4	13	13.7	5.31-22.2				5	5.1	0.00-10.8
Non-Native	2240	228,983	1455	63.5	61.1-66.0	276	14.2	12.4-16.0	227	10.7	9.09-12.2	184	7.8	6.51-9.13	98	3.8	2.95-4.59
18-24	108	34,993				21	18.3	10.5-26.1	11	10.8	4.38-17.2	10	9.7	3.72-15.8			
25-34	261	37,454	163	60.8	54.5-67.1	48	20.4	15.1-25.7	34	14.1	9.53-18.7	15	4.6	2.10-7.04	1	0.2	0.00-0.59
35-44	415	40,164	285	68.6	63.9-73.4	65	16.0	12.2-19.8	34	7.4	4.80-9.98	25	6.3	3.73-8.79	6	1.7	0.28-3.06
45-54	503	43,439	341	67.8	63.4-72.3	65	13.4	10.2-16.7	51	10.1	7.32-12.8	29	5.3	3.23-7.39	17	3.3	1.42-5.18
55-64	370	30,795	240	64.4	59.2-69.6	36	9.2	6.17-12.2	32	9.8	6.47-13.2	36	9.3	6.12-12.4	26	7.3	4.39-10.2
65+	640	51,677	387	58.4	54.1-62.6	49	8.5	5.92-11.2	75	11.9	9.21-14.7	78	12.7	9.84-15.5	51	8.5	6.04-10.9
Less Than H.S.	185	18,307	100	49.1	40.0-58.2	13	8.0	2.88-13.2	28	18.4	10.7-26.0	23	13.3	7.00-19.7	21	11.1	5.74-16.5
H.S. or G.E.D.	660	66,026	419	64.1	59.6-68.5	63	11.6	8.31-14.9	72	9.9	7.50-12.2	73	10.5	7.76-13.3	33	3.9	2.51-5.37
Some Post-H.S.	756	80,314	496	64.9	60.7-69.1	93	12.9	10.0-15.7	76	10.8	7.90-13.7	61	8.1	5.65-10.6	30	3.2	1.95-4.53
College Graduate	723	75,890	487	64.7	60.5-68.8	115	18.6	15.0-22.2	65	9.6	7.12-12.1	37	4.6	2.97-6.27	19	2.5	1.29-3.73
Less than \$15,000	242	26,568	109	48.1	39.2-57.1	22	14.1	7.62-20.6	34	12.0	7.10-16.9	40	14.4	8.65-20.2	37	11.3	7.15-15.5
\$15,000- 24,999	402	38,956	254	61.4	55.2-67.5	52	15.9	10.5-21.2	49	12.6	8.68-16.6	33	7.4	4.56-10.2	14	2.8	1.22-4.28
\$25,000- 34,999	292	27,547	185	61.1	54.4-67.7	28	7.9	4.77-11.1	39	14.5	9.76-19.3	31	13.2	7.84-18.5	9	3.3	0.90-5.68
\$35,000- 49,999	381	39,428	258	65.5	60.0-71.0	54	16.3	11.9-20.7	37	10.4	6.82-14.0	25	5.9	3.47-8.37	7	1.9	0.32-3.50
\$50,000- 74,999	359	39,179	245	67.8	62.3-73.3	58	17.8	13.0-22.6	30	8.1	5.02-11.1	15	3.8	1.82-5.74	11	2.5	1.00-4.10
\$75,000+	294	31,986	214	71.5	65.6-77.4	37	13.1	8.87-17.3	27	10.2	5.77-14.7	12	4.0	1.67-6.33	4	1.2	0.00-2.52

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3938	480,554	2815	70.7	69.0-72.5	401	10.6	9.36-11.8	348	8.9	7.83-9.95	249	6.8	5.71-7.79	125	3.1	2.42-3.76
Male	1612	239,645	1226	74.5	71.9-77.1	151	10.3	8.40-12.1	100	6.2	4.91-7.57	90	6.5	4.87-8.09	45	2.5	1.65-3.33
Female	2326	240,908	1589	66.9	64.5-69.3	250	10.9	9.34-12.4	248	11.5	9.88-13.2	159	7.0	5.70-8.32	80	3.7	2.67-4.71
Native	102	16,559				12	11.8	4.08-19.6	8	7.6	1.87-13.4	13	8.7	3.21-14.1	6	5.9	0.78-11.1
Non-Native	3803	460,358	2730	70.9	69.1-72.7	386	10.5	9.28-11.7	337	8.9	7.83-10.0	233	6.7	5.60-7.72	117	3.0	2.30-3.64
18-24	209	73,884	126	61.4	54.1-68.6	26	12.2	7.21-17.1	30	12.3	7.81-16.7	20	10.3	5.58-15.1	7	3.8	0.93-6.77
25-34	494	79,070	326	65.9	61.4-70.3	65	14.2	10.8-17.6	45	8.8	6.23-11.4	41	8.2	5.68-10.7	17	2.9	1.46-4.36
35-44	713	81,306	457	66.5	62.8-70.2	82	11.4	8.85-13.9	96	12.1	9.66-14.6	56	7.1	5.16-9.00	22	2.9	1.66-4.16
45-54	857	88,868	573	68.5	65.0-71.9	99	10.9	8.71-13.2	84	9.6	7.45-11.8	62	7.3	5.19-9.31	39	3.7	2.46-5.00
55-64	642	62,625	495	78.2	74.8-81.6	58	8.8	6.42-11.2	36	5.1	3.35-6.87	32	4.5	2.82-6.12	21	3.4	1.86-5.00
65+	986	91,839	807	83.0	80.5-85.5	70	6.6	4.95-8.21	55	5.3	3.82-6.84	35	3.0	1.97-4.09	19	2.0	1.02-3.06
Less Than H.S.	335	38,754	247	67.9	60.7-75.0	21	10.0	3.73-16.2	27	8.6	4.77-12.4	23	9.5	5.18-13.9	17	4.1	1.95-6.19
H.S. or G.E.D.	1139	137,525	831	73.1	70.0-76.2	93	7.9	6.13-9.69	92	8.1	6.16-10.0	82	7.4	5.42-9.34	41	3.5	2.22-4.80
Some Post-H.S.	1231	153,009	866	70.2	67.0-73.4	130	10.0	8.03-12.0	116	9.6	7.56-11.6	80	6.6	4.68-8.52	39	3.6	2.16-5.02
College Graduate	1226	150,639	865	69.8	66.8-72.8	157	13.7	11.4-16.0	112	8.9	7.13-10.7	64	5.6	3.98-7.28	28	2.0	1.18-2.74
Less than \$15,000	331	38,974	208	65.9	59.2-72.6	31	9.2	5.11-13.3	30	9.6	5.21-14.0	32	8.7	5.07-12.2	30	6.6	3.97-9.31
\$15,000- 24,999	620	68,159	434	66.2	61.2-71.2	52	8.6	5.88-11.3	59	10.3	7.25-13.4	52	11.1	7.01-15.2	23	3.8	2.02-5.50
\$25,000- 34,999	526	64,022	369	67.4	62.0-72.7	55	12.2	7.87-16.5	48	8.5	5.79-11.3	42	9.3	5.92-12.7	12	2.6	0.88-4.40
\$35,000- 49,999	712	89,835	503	71.3	67.6-75.1	82	11.1	8.48-13.8	70	9.9	7.36-12.4	38	5.1	3.29-7.01	19	2.5	1.32-3.64
\$50,000- 74,999	654	81,869	463	71.8	68.0-75.5	85	13.1	10.3-15.9	62	8.9	6.60-11.2	30	4.4	2.78-6.12	14	1.8	0.78-2.74
\$75,000+	582	74,955	440	75.4	71.2-79.5	54	8.7	6.28-11.1	49	8.2	5.72-10.7	27	5.1	2.73-7.55	12	2.6	0.64-4.60

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1612	239,645	1226	74.5	72.0-77.1	151	10.3	8.40-12.1	100	6.2	4.91-7.57	90	6.5	4.87-8.09	45	2.5	1.65-3.33
Non-Native	1562	230,953	1199	75.1	72.5-77.8	141	9.9	8.00-11.8	96	6.2	4.88-7.58	84	6.3	4.69-7.95	42	2.4	1.59-3.27
18-24	102	38,959				12	12.0	4.55-19.4	13	9.3	4.05-14.5	7	9.5	2.51-16.4	2	2.2	0.00-5.29
25-34	234	41,728	169	71.2	65.0-77.4	31	14.6	9.53-19.7	11	4.2	1.67-6.69	20	8.7	4.91-12.5	3	1.3	0.00-2.81
35-44	299	41,262	211	71.5	66.2-76.9	30	10.5	6.74-14.2	31	9.4	6.02-12.8	17	5.5	2.87-8.13	10	3.1	1.14-4.98
45-54	359	45,899	257	72.3	67.3-77.3	41	10.8	7.54-14.2	21	6.4	3.65-9.25	28	7.9	4.63-11.3	12	2.5	0.97-3.99
55-64	268	31,544	222	81.7	76.7-86.8	20	7.8	4.27-11.3	12	4.5	1.92-7.06	7	2.8	0.61-4.97	7	3.2	0.76-5.62
65+	342	39,407	293	85.8	81.9-89.7	17	5.2	2.68-7.74	11	3.3	1.28-5.32	10	2.8	1.04-4.64	11	2.9	1.01-4.73
Less Than H.S.	149	20,299							11	9.3	3.15-15.3	10	8.0	2.83-13.3	11	5.2	1.86-8.60
H.S. or G.E.D.	483	71,711	378	77.1	72.7-81.6	37	7.9	5.21-10.6	23	5.2	2.86-7.56	30	6.6	3.69-9.57	15	3.1	1.29-4.93
Some Post-H.S.	475	72,600	354	74.4	69.7-79.2	44	9.1	6.11-12.2	37	6.6	4.38-8.92	27	7.2	3.79-10.7	13	2.5	0.90-4.12
College Graduate	501	74,595	386	75.3	71.0-79.6	58	12.6	9.23-16.0	28	5.8	3.49-8.11	23	5.2	2.91-7.49	6	1.1	0.18-2.06
Less than \$15,000	92	12,650				8	11.5	2.35-20.6	5	4.5	0.11-8.93	7	6.2	1.38-10.9	11	8.6	3.23-14.0
\$15,000- 24,999	218	29,089	158	68.4	60.4-76.4	18	9.7	4.72-14.6	17	7.6	3.72-11.4	19	11.6	4.75-18.4	6	2.8	0.33-5.19
\$25,000- 34,999	236	36,621	179	70.0	62.1-77.9	23	13.2	6.56-19.9	14	5.8	2.31-9.33	15	9.2	3.98-14.4	5	1.8	0.11-3.49
\$35,000- 49,999	325	49,825	240	73.2	67.7-78.6	37	11.3	7.47-15.2	22	7.7	4.27-11.1	18	5.6	2.76-8.36	8	2.2	0.64-3.82
\$50,000- 74,999	296	42,910	234	79.0	74.0-83.9	32	10.5	6.87-14.1	18	6.4	3.39-9.47	9	3.2	0.98-5.38	3	0.0	0.00-2.05
\$75,000+	290	43,145	239	80.9	75.4-86.4	20	6.3	3.43-9.07	17	6.2	3.02-9.40	10	5.0	1.28-8.80	4	1.6	0.00-3.71

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2326	240,908	1589	66.9	64.5-69.3	250	10.9	9.34-12.4	248	11.5	9.88-13.2	159	7.0	5.70-8.32	80	3.7	2.67-4.71
Native	67	9,778				4	6.0	0.00-14.3	5	8.6	0.43-16.8	9	7.7	2.19-13.2	5	8.2	0.28-16.0
Non-Native	2241	229,405	1531	66.7	64.3-69.1	245	11.1	9.55-12.7	241	11.6	9.96-13.3	149	7.0	5.64-8.38	75	3.5	2.51-4.55
18-24	107	34,925				14	12.4	5.96-18.8	17	15.6	8.28-22.9	13	11.3	4.83-17.8	5	5.7	0.56-10.8
25-34	260	37,342	157	60.0	53.7-66.2	34	13.6	9.19-18.1	34	14.0	9.43-18.6	21	7.7	4.38-11.0	14	4.7	2.11-7.25
35-44	414	40,044	246	61.3	56.4-66.3	52	12.3	8.91-15.6	65	14.9	11.3-18.6	39	8.7	5.90-11.5	12	2.8	1.14-4.36
45-54	498	42,969	316	64.4	59.8-68.9	58	11.0	8.06-14.0	63	13.0	9.73-16.2	34	6.5	4.18-8.84	27	5.1	3.01-7.13
55-64	374	31,081	273	74.6	70.0-79.2	38	9.8	6.60-13.0	24	5.8	3.34-8.16	25	6.2	3.68-8.66	14	3.7	1.72-5.64
65+	644	52,431	514	80.9	77.7-84.2	53	7.6	5.47-9.75	44	6.9	4.72-9.00	25	3.2	1.90-4.44	8	1.4	0.31-2.51
Less Than H.S.	186	18,455	142	72.9	64.3-81.5	9	5.3	0.56-10.1	16	7.8	3.51-12.1	13	11.2	4.13-18.2	6	2.8	0.32-5.26
H.S. or G.E.D.	656	65,814	453	68.7	64.4-73.0	56	7.9	5.64-10.2	69	11.3	8.17-14.3	52	8.2	5.65-10.7	26	3.9	2.11-5.75
Some Post-H.S.	756	80,409	512	66.3	62.1-70.6	86	10.8	8.20-13.5	79	12.2	9.02-15.4	53	6.0	4.13-7.93	26	4.6	2.25-6.87
College Graduate	725	76,045	479	64.4	60.2-68.5	99	14.8	11.6-18.0	84	11.9	9.26-14.6	41	6.0	3.68-8.42	22	2.8	1.54-4.04
Less than \$15,000	239	26,324	147	64.3	56.1-72.5	23	8.1	3.99-12.2	25	12.1	6.00-18.2	25	9.9	5.10-14.6	19	5.7	2.70-8.70
\$15,000- 24,999	402	39,071	276	64.5	58.3-70.8	34	7.8	4.83-10.7	42	12.4	7.93-16.9	33	10.8	5.72-15.8	17	4.5	2.08-6.94
\$25,000- 34,999	290	27,401	190	63.9	57.2-70.5	32	10.7	6.21-15.3	34	12.2	7.85-16.5	27	9.5	5.66-13.3	7	3.8	0.36-7.18
\$35,000- 49,999	387	40,010	263	69.1	64.0-74.2	45	10.9	7.42-14.3	48	12.6	8.88-16.4	20	4.6	2.35-6.93	11	2.8	1.07-4.49
\$50,000- 74,999	358	38,959	229	63.8	58.3-69.4	53	16.0	11.7-20.3	44	11.6	8.09-15.2	21	5.9	3.33-8.39	11	2.7	1.00-4.34
\$75,000+	292	31,811	201	67.9	61.8-74.0	34	12.0	7.87-16.1	32	10.9	7.01-14.7	17	5.3	2.74-7.80	8	4.0	0.28-7.68

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1920	236,054	1227	64.1	61.5-66.8	226	13.0	11.0-14.9	211	11.4	9.61-13.1	159	7.1	5.80-8.50	97	4.4	3.34-5.38
Male	698	107,915	452	64.0	59.7-68.3	89	14.6	11.3-18.0	68	10.4	7.73-13.1	52	6.7	4.46-8.86	37	4.3	2.60-5.98
Female	1222	128,139	775	64.3	61.1-67.5	137	11.5	9.36-13.7	143	12.1	9.84-14.5	107	7.6	5.88-9.26	60	4.4	3.20-5.66
Native	67	9,832				7	9.6	2.24-17.0				11	11.8	3.70-19.8	5		0.00-9.64
Non-Native	1835	224,220	1184	64.5	61.8-67.2	218	13.2	11.2-15.2	198	11.1	9.33-12.9	144	6.8	5.47-8.21	91	4.3	3.31-5.39
18-24	117	40,600	79	62.1	52.3-71.9	18	18.0	10.0-26.0	10	10.5	4.13-16.9	8	7.8	2.40-13.2	2	1.6	0.00-3.86
25-34	243	39,177	162	69.2	63.2-75.2	37	14.4	9.92-18.9	31	12.8	8.42-17.2	13	3.6	1.43-5.75			
35-44	356	39,584	225	63.5	58.1-68.9	55	15.3	11.3-19.3	42	12.1	8.40-15.8	23	6.1	3.48-8.70	11	3.0	1.20-4.80
45-54	421	42,719	268	63.5	58.3-68.7	56	14.2	10.5-17.9	43	11.1	7.56-14.7	35	6.6	4.30-8.84	19	4.5	1.79-7.31
55-64	291	27,788	190	66.4	60.5-72.3	23	7.2	4.04-10.3	32	10.6	6.80-14.4	26	9.0	5.21-12.7	20	6.9	3.75-10.0
65+	479	44,749	293	61.2	56.4-66.0	36	7.7	5.06-10.4	51	10.5	7.53-13.5	54	10.3	7.47-13.1	45	10.3	7.14-13.5
Less Than H.S.	190	23,883	99	58.7	49.9-67.5	19	9.7	4.59-14.7	26	14.1	8.21-20.0	24	9.9	5.52-14.3	22	7.6	4.08-11.1
H.S. or G.E.D.	547	65,015	354	65.4	60.5-70.2	51	11.2	7.61-14.9	58	9.5	6.77-12.3	54	8.6	5.75-11.5	30	5.3	3.05-7.47
Some Post-H.S.	608	74,498	395	62.6	57.6-67.5	64	12.7	8.92-16.5	67	12.7	9.03-16.4	55	8.1	5.46-10.8	27	3.9	2.27-5.45
College Graduate	574	72,462	378	66.4	61.9-70.9	92	15.9	12.5-19.3	60	10.8	7.83-13.7	26	3.9	2.14-5.74	18	3.0	1.26-4.78
Less than \$15,000	222	24,893	111	55.5	47.2-63.8	9	6.5	1.39-11.6	28	12.5	6.71-18.3	36	12.3	7.88-16.8	38	13.1	8.59-17.7
\$15,000- 24,999	333	38,699	200	60.5	53.6-67.3	35	12.8	6.99-18.6	46	12.8	8.56-17.0	35	9.0	5.53-12.5	17	4.9	2.34-7.56
\$25,000- 34,999	270	33,879	177	64.9	57.6-72.2	31	11.8	6.92-16.6	23	7.7	4.24-11.2	29	12.5	6.78-18.1	10	3.1	1.01-5.17
\$35,000- 49,999	326	41,604	216	67.8	62.1-73.5	46	13.3	9.35-17.2	41	12.8	8.62-17.0	16	4.3	1.83-6.77	7	1.8	0.27-3.29
\$50,000- 74,999	306	37,841	218	71.3	65.5-77.1	41	14.2	9.33-19.0	25	8.5	4.98-12.0	10	2.5	0.89-4.07	12	3.6	1.50-5.66
\$75,000+	235	30,707	159	63.0	55.4-70.7	37	17.0	11.2-22.7	23	12.6	6.60-18.5	11	3.3	1.21-5.33	5	4.2	0.00-8.44

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	698	107,915	452	64.0	59.7-68.3	89	14.6	11.3-18.0	68	10.4	7.73-13.1	52	6.7	4.45-8.87	37	4.3	2.60-5.98
Non-Native	668	102,654	436	64.1	59.7-68.5	85	14.8	11.3-18.3	64	10.3	7.56-13.1	48	6.4	4.17-8.63	35	4.4	2.62-6.10
18-24	54	20,870							4	8.7	0.23-17.1	4	8.7	0.23-17.1	1	2.1	0.00-6.12
25-34	102	18,685	68	69.0	59.9-78.2	17	15.2	8.34-22.1	13	12.8	5.4	4	2.9	0.00-5.97			
35-44	131	17,945	86	66.5	58.0-74.9	17	12.8	6.85-18.8	17	12.8	6.87-18.8	8	5.6	1.74-9.50	3	2.2	0.00-4.72
45-54	161	20,507	101	62.4	54.0-70.7	24	15.1	9.20-21.0	13	10.0	4.34-15.7	13	5.5	2.43-8.67	10	7.0	1.61-12.4
55-64	101	12,242	74	73.3	63.9-82.6	6	6.2	1.02-11.3	7	7.7	1.99-13.4	6	6.9	1.04-12.8	8	5.9	1.68-10.1
65+	146	17,276	87	60.8	52.5-69.2	14	10.5	5.11-16.0	13	8.5	3.89-13.1	17	10.6	5.54-15.7	15	9.5	4.41-14.6
Less Than H.S.	80	12,463				12	11.0	4.32-17.7	9	13.5	4.59-22.5	10	8.4	2.80-13.9	9	6.1	1.77-10.5
H.S. or G.E.D.	208	31,449	142	66.9	59.2-74.7	21	12.1	6.17-18.0	16	7.2	3.54-10.8	15	7.8	2.85-12.7	14	6.0	2.28-9.76
Some Post-H.S.	204	31,411	136	61.4	52.9-69.9	24	17.4	9.74-25.1	17	10.0	4.30-15.7	17	7.3	3.24-11.4	10	3.9	1.37-6.47
College Graduate	205	32,397	133	64.5	57.1-72.0	32	16.0	10.5-21.4	26	12.9	7.79-18.0	10	4.3	1.06-7.60	4	2.3	0.00-5.34
Less than \$15,000	61	8,434				4	8.6	0.00-19.0	7	10.7	2.55-18.8	10	12.2	4.26-20.1	13	15.1	6.29-24.0
\$15,000- 24,999	115	16,475							13	11.2	4.87-17.6	16	10.3	5.00-15.5	9	5.8	1.55-10.1
\$25,000- 34,999	101	17,622				10	12.4	4.23-20.7	4	3.5	0.00-7.02	10	12.1	3.11-21.1	2	1.1	0.00-2.64
\$35,000- 49,999	140	22,522	93	67.5	59.0-76.1	23	13.4	7.82-19.0	17	13.7	7.13-20.3	4	3.8	0.00-7.67	3	1.5	0.00-3.39
\$50,000- 74,999	116	16,858	83	72.6	63.8-81.4	15	15.2	7.52-22.8	10	6.8	2.29-11.3	4	2.1	0.00-4.27	4	3.4	0.10-6.64
\$75,000+	103	16,282				20	21.9	12.4-31.4				2	1.3	0.00-3.13	4	6.8	0.00-14.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1222	128,139	775	64.3	61.1-67.5	137	11.5	9.36-13.7	143	12.1	9.84-14.5	107	7.6	5.88-9.26	60	4.4	3.20-5.66
Non-Native	1167	121,565	748	64.9	61.6-68.2	133	11.8	9.52-14.0	134	11.8	9.46-14.2	96	7.2	5.50-8.92	56	4.3	3.09-5.59
18-24	63	19,729				7	11.7	2.92-20.6	6	12.4	2.91-22.0	4	6.9	0.25-13.6	1	1.0	0.00-3.08
25-34	141	20,493	94	69.3	61.4-77.2	20	13.6	7.83-19.4	18	12.9	7.00-18.8	9	4.2	1.09-7.25			
35-44	225	21,638	139	61.0	54.1-67.9	38	17.4	12.0-22.7	25	11.5	6.81-16.2	15	6.5	2.96-9.98	8	3.6	1.06-6.24
45-54	260	22,212	167	64.6	58.3-70.9	32	13.4	8.78-18.0	30	12.2	7.69-16.7	22	7.5	4.21-10.8	9	2.3	0.72-3.90
55-64	190	15,546	116	60.9	53.5-68.4	17	8.0	4.13-11.8	25	12.9	7.79-17.9	20	10.6	5.71-15.4	12	7.7	3.17-12.1
65+	333	27,473	206	61.4	55.6-67.2	22	5.9	3.36-8.50	38	11.8	7.88-15.6	37	10.1	6.80-13.4	30	10.8	6.78-14.9
Less Than H.S.	110	11,420				7	8.2	0.36-16.0	17	14.8	7.17-22.4	14	11.6	4.82-18.3	13	9.2	3.70-14.7
H.S. or G.E.D.	339	33,566	212	63.9	57.8-69.9	30	10.4	6.10-14.8	42	11.7	7.62-15.8	39	9.4	6.24-12.6	16	4.5	2.08-7.02
Some Post-H.S.	404	43,087	259	63.4	57.6-69.3	40	9.3	6.22-12.4	50	14.7	9.88-19.5	38	8.7	5.22-12.2	17	3.8	1.80-5.84
College Graduate	369	40,065	245	67.9	62.4-73.3	60	15.8	11.5-20.2	34	9.0	5.74-12.4	16	3.6	1.71-5.55	14	3.6	1.58-5.66
Less than \$15,000	161	16,459	84	56.6	46.9-66.4	5	5.4	0.00-11.0	21	13.4	5.82-21.1	26	12.4	7.04-17.7	25	12.1	6.95-17.3
\$15,000- 24,999	218	22,223	132	62.0	53.8-70.2	26	11.6	6.39-16.9	33	13.9	8.33-19.5	19	8.1	3.39-12.8	8	4.3	1.04-7.58
\$25,000- 34,999	169	16,257	102	58.5	49.7-67.3	21	11.0	6.23-15.9	19	12.3	6.36-18.2	19	12.9	6.06-19.7	8	5.3	1.41-9.17
\$35,000- 49,999	186	19,082	123	68.2	60.8-75.5	23	13.2	7.60-18.7	24	11.7	6.95-16.5	12	4.9	2.01-7.73	4	2.0	0.00-4.48
\$50,000- 74,999	190	20,983	135	70.3	62.7-77.9	26	13.4	7.21-19.6	15	9.8	4.68-14.9	6	2.8	0.53-5.07	8	3.7	1.05-6.43
\$75,000+	132	14,425	92	72.1	64.1-80.2	17	11.4	6.05-16.7	13	9.8	4.37-15.2	9	5.5	1.69-9.33	1	1.2	0.00-3.50

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4002	485,857	3584	88.5	87.2-89.8	418	11.5	10.2-12.8
Male	1625	240,619	1430	86.9	84.9-89.0	195	13.0	11.0-15.1
Female	2377	245,239	2154	90.0	88.5-91.5	223	10.0	8.54-11.5
Non-Native	3858	464,853	3482	89.3	88.0-90.5	376	10.7	9.46-12.0
18-24	209	73,501	165	80.0	74.1-85.9	44	20.0	14.1-25.9
25-34	498	79,626	432	86.8	83.6-90.1	66	13.2	9.93-16.4
35-44	719	81,930	617	86.1	83.4-88.8	102	13.9	11.2-16.6
45-54	873	90,351	782	89.6	87.4-91.8	91	10.4	8.16-12.6
55-64	650	63,267	573	89.0	86.4-91.5	77	11.0	8.51-13.6
65+	1015	94,136	980	97.0	95.9-98.1	35	3.0	1.94-4.14
Less Than H.S.	353	40,361	302	80.9	74.3-87.5	51	19.1	12.5-25.7
H.S. or G.E.D.	1158	138,597	996	84.8	82.2-87.4	162	15.2	12.6-17.8
Some Post-H.S.	1250	154,890	1114	88.3	86.0-90.5	136	11.8	9.52-14.0
College Graduate	1234	151,383	1168	94.3	92.7-95.9	66	5.7	4.12-7.30
Less than \$15,000	345	40,501	262	74.4	68.3-80.6	83	25.6	19.4-31.7
\$15,000- 24,999	633	69,248	514	77.8	73.6-81.9	119	22.2	18.1-26.4
\$25,000- 34,999	534	64,785	471	85.6	81.2-90.0	63	14.4	9.99-18.8
\$35,000- 49,999	713	89,602	662	92.7	90.6-94.8	51	7.3	5.19-9.43
\$50,000- 74,999	661	82,606	632	95.1	93.0-97.1	29	4.9	2.87-6.99
\$75,000+	585	75,196	564	95.7	93.4-98.0	21	4.3	2.01-6.59

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1625	240,619	1430	86.9	84.9-89.0	195	13.0	11.0-15.1
Non-Native	1574	231,866	1393	87.5	85.4-89.6	181	12.5	10.4-14.6
18-24	100	38,235	74	75.5	66.3-84.7	26	24.5	15.3-33.7
25-34	235	41,912	204	86.5	81.7-91.4	31	13.5	8.63-18.3
35-44	301	41,550	252	84.8	80.6-89.0	49	15.2	11.0-19.4
45-54	365	46,485	319	88.2	84.7-91.7	46	11.8	8.32-15.3
55-64	270	31,733	236	88.5	84.6-92.4	34	11.5	7.58-15.4
65+	346	39,858	337	97.7	96.1-99.3	9	2.3	0.68-3.94
H.S. or G.E.D.	487	71,561	411	83.0	78.9-87.1	76	17.0	12.9-21.1
Some Post-H.S.	480	73,222	418	86.9	83.3-90.5	62	13.1	9.46-16.7
College Graduate	502	74,725	468	92.9	90.3-95.6	34	7.1	4.42-9.72
\$15,000- 24,999	221	29,239	172	76.4	69.6-83.1	49	23.6	16.9-30.4
\$25,000- 34,999	238	36,867	195	80.2	73.1-87.3	43	19.8	12.7-26.9
\$35,000- 49,999	326	49,647	300	92.4	89.3-95.5	26	7.6	4.53-10.7
\$50,000- 74,999	297	43,040	279	93.1	89.5-96.7	18	6.9	3.29-10.5
\$75,000+	291	43,210	278	94.1	90.3-97.9	13	5.9	2.10-9.66

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2377	245,239	2154	90.0	88.5-91.5	223	10.0	8.54-11.5
Non-Native	2284	232,987	2089	91.0	89.6-92.4	195	9.0	7.58-10.4
18-24	109	35,266	91	84.9	78.1-91.8	18	15.1	8.23-21.9
25-34	263	37,714	228	87.2	83.0-91.4	35	12.8	8.61-17.0
35-44	418	40,380	365	87.4	84.0-90.9	53	12.6	9.14-16.0
45-54	508	43,866	463	91.2	88.5-93.8	45	8.8	6.17-11.5
55-64	380	31,534	337	89.4	86.2-92.6	43	10.6	7.40-13.8
65+	669	54,278	643	96.4	95.0-97.9	26	3.6	2.11-5.05
Less Than H.S.	201	19,691	172	81.9	74.3-89.6	29	18.0	10.4-25.7
H.S. or G.E.D.	671	67,037	585	86.7	83.7-89.7	86	13.3	10.3-16.3
Some Post-H.S.	770	81,667	696	89.4	86.7-92.1	74	10.6	7.86-13.3
College Graduate	732	76,658	700	95.6	93.9-97.3	32	4.4	2.66-6.14
Less than \$15,000	249	27,082	194	78.5	71.8-85.2	55	21.5	14.8-28.2
\$15,000- 24,999	412	40,009	342	78.8	73.5-84.0	70	21.2	16.0-26.5
\$25,000- 34,999	296	27,918	276	92.7	89.4-95.9	20	7.3	4.07-10.6
\$35,000- 49,999	387	39,955	362	93.1	90.3-95.9	25	6.9	4.10-9.74
\$50,000- 74,999	364	39,566	353	97.2	95.4-99.0	11	2.8	1.05-4.57
\$75,000+	294	31,986	286	97.8	96.2-99.4	8	2.2	0.59-3.77

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3997	485,970	2838	67.1	65.3-68.9	400	10.4	9.25-11.6	759	22.5	20.9-24.1
Male	1624	240,844	972	57.4	54.6-60.3	160	10.2	8.43-11.9	492	32.4	29.7-35.1
Female	2373	245,126	1866	76.5	74.4-78.7	240	10.7	9.11-12.2	267	12.8	11.0-14.6
Native	106	17,088				13	12.2	4.68-19.7			
Non-Native	3855	465,085	2761	67.8	65.9-69.6	381	10.3	9.13-11.5	713	21.9	20.2-23.5
18-24	211	74,225	111	52.7	45.3-60.0	27	13.5	8.46-18.5	73	33.8	26.9-40.8
25-34	495	79,165	287	55.3	50.6-59.9	43	8.9	6.11-11.6	165	35.8	31.3-40.4
35-44	720	82,145	477	65.8	62.0-69.5	70	9.5	7.21-11.7	173	24.8	21.4-28.2
45-54	872	90,266	628	71.5	68.2-74.9	77	8.8	6.78-10.9	167	19.6	16.7-22.6
55-64	648	63,156	487	73.8	70.0-77.5	71	11.4	8.72-14.0	90	14.9	11.8-17.9
65+	1013	93,967	821	80.7	78.0-83.3	111	11.3	9.18-13.5	81	8.0	6.16-9.84
Less Than H.S.	350	40,234	253	71.5	65.4-77.5	39	9.1	5.94-12.3	58	19.4	13.9-25.0
H.S. or G.E.D.	1159	138,878	810	65.6	62.2-69.0	111	10.7	8.44-13.0	238	23.7	20.6-26.8
Some Post-H.S.	1247	154,849	870	64.0	60.7-67.4	131	11.5	9.22-13.8	246	24.5	21.4-27.6
College Graduate	1234	151,383	899	70.3	67.3-73.4	119	9.5	7.56-11.4	216	20.2	17.4-23.0
Less than \$15,000	342	40,330	243	60.9	53.6-68.3	31	11.3	6.65-16.0	68	27.7	20.7-34.8
\$15,000- 24,999	632	69,258	437	65.8	61.0-70.5	59	8.6	6.11-11.1	136	25.6	21.0-30.2
\$25,000- 34,999	534	64,785	376	63.2	57.9-68.6	56	11.9	8.14-15.6	102	24.9	20.0-29.7
\$35,000- 49,999	715	90,177	502	68.1	64.2-72.0	70	10.0	7.50-12.6	143	21.8	18.4-25.3
\$50,000- 74,999	661	82,606	464	68.5	64.5-72.5	77	12.0	9.13-14.8	120	19.5	16.1-23.0
\$75,000+	585	75,196	441	74.3	70.1-78.4	53	8.4	5.87-10.9	91	17.3	13.7-21.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1624	240,844	972	57.4	54.6-60.3	160	10.2	8.43-11.9	492	32.4	29.7-35.1
Non-Native	1574	232,251	956	58.2	55.4-61.1	151	9.9	8.19-11.7	467	31.8	29.1-34.6
18-24	102	38,959				13	12.1	5.37-18.8			
25-34	234	41,636	89	36.5	30.1-42.9	21	9.8	5.44-14.2	124	53.7	47.0-60.4
35-44	301	41,550	164	56.8	50.9-62.7	23	7.8	4.67-10.9	114	35.4	29.8-41.0
45-54	365	46,485	230	64.8	59.5-70.1	29	8.2	5.11-11.3	106	27.0	22.1-31.9
55-64	269	31,670	186	69.0	63.1-74.9	30	10.9	7.05-14.8	53	20.1	14.9-25.3
65+	345	39,698	258	76.2	71.5-80.9	44	13.1	9.28-16.8	43	10.7	7.45-14.0
Less Than H.S.	151	20,510	99	66.4	57.0-75.7	22	11.5	6.28-16.8	30	22.1	13.7-30.5
H.S. or G.E.D.	487	71,720	276	54.7	49.5-60.0	49	11.1	7.70-14.6	162	34.1	29.1-39.1
Some Post-H.S.	480	73,449	270	52.0	46.8-57.3	47	11.3	7.74-14.8	163	36.7	31.5-41.8
College Graduate	502	74,725	324	62.8	58.0-67.7	42	7.8	5.27-10.4	136	29.3	24.7-34.0
\$15,000- 24,999	222	29,429	119	50.4	42.5-58.4	20	8.7	4.67-12.7	83	40.9	32.9-49.0
\$25,000- 34,999	238	36,867	138	52.1	44.3-59.9	20	10.7	5.26-16.2	80	37.2	29.6-44.8
\$35,000- 49,999	327	50,081	205	62.8	57.1-68.6	26	7.9	4.79-11.0	96	29.3	23.8-34.7
\$50,000- 74,999	297	43,040	190	62.6	56.7-68.6	38	12.7	8.67-16.7	69	24.7	19.2-30.1
\$75,000+	291	43,210	189	64.8	58.5-71.1	24	8.1	4.37-11.8	78	27.1	21.3-33.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2373	245,126	1866	76.5	74.4-78.7	240	10.7	9.11-12.2	267	12.8	11.0-14.6
Native	71	10,307				9	11.1	3.00-19.3			
Non-Native	2281	232,834	1805	77.3	75.2-79.5	230	10.7	9.09-12.3	246	11.9	10.2-13.7
18-24	109	35,266	72	63.7	53.7-73.6	14	15.1	7.52-22.6	23	21.3	12.9-29.6
25-34	261	37,528	198	76.1	70.7-81.5	22	7.8	4.60-11.1	41	16.0	11.3-20.8
35-44	419	40,595	313	74.9	70.5-79.3	47	11.1	7.96-14.3	59	13.9	10.4-17.5
45-54	507	43,781	398	78.7	74.8-82.5	48	9.5	6.80-12.2	61	11.8	8.81-14.8
55-64	379	31,486	301	78.6	74.1-83.1	41	11.8	8.21-15.4	37	9.6	6.42-12.8
65+	668	54,269	563	83.9	80.8-87.0	67	10.1	7.59-12.6	38	6.0	3.89-8.13
Less Than H.S.	199	19,724	154	76.8	69.1-84.4	17	6.6	3.12-10.1	28	16.6	9.42-23.9
H.S. or G.E.D.	672	67,158	534	77.2	73.1-81.3	62	10.3	7.27-13.3	76	12.5	9.30-15.7
Some Post-H.S.	767	81,400	600	74.8	70.8-78.9	84	11.7	8.75-14.6	83	13.5	10.2-16.8
College Graduate	732	76,658	575	77.6	73.9-81.3	77	11.0	8.23-13.9	80	11.3	8.51-14.2
Less than \$15,000	248	27,034	198	73.5	65.5-81.6	19	9.0	4.24-13.7	31	17.5	10.1-24.8
\$15,000- 24,999	410	39,829	318	77.1	72.0-82.2	39	8.6	5.40-11.8	53	14.3	9.91-18.7
\$25,000- 34,999	296	27,918	238	78.0	72.1-83.8	36	13.4	8.54-18.3	22	8.6	4.59-12.7
\$35,000- 49,999	388	40,096	297	74.7	69.6-79.8	44	12.7	8.57-16.8	47	12.6	8.85-16.3
\$50,000- 74,999	364	39,566	274	74.9	69.7-80.0	39	11.2	7.17-15.2	51	14.0	10.1-17.8
\$75,000+	294	31,986	252	87.1	83.2-90.9	29	8.8	5.63-12.1	13	4.1	1.80-6.38

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4001	486,438	266	7.0	6.02-8.02	3735	93.0	92.0-94.0
Male	1625	241,459	89	5.6	4.26-6.88	1536	94.4	93.1-95.7
Female	2376	244,978	177	8.4	6.96-9.94	2199	91.5	90.1-93.0
Native	106	16,784	17	13.6	6.24-21.0	89	86.4	79.0-93.8
Non-Native	3858	465,698	247	6.8	5.81-7.81	3611	93.2	92.2-94.2
18-24	211	74,250	22	9.9	5.63-14.2	189	90.1	85.8-94.4
25-34	497	79,515	45	9.6	6.79-12.5	452	90.4	87.5-93.2
35-44	720	82,145	53	6.1	4.37-7.75	667	93.9	92.3-95.6
45-54	873	90,351	70	7.9	5.91-9.95	803	92.1	90.1-94.1
55-64	644	62,723	39	5.2	3.52-6.96	605	94.8	93.0-96.5
65+	1018	94,408	36	3.8	2.48-5.22	982	96.1	94.8-97.5
Less Than H.S.	351	39,968	31	9.8	5.70-13.9	320	90.2	86.1-94.3
H.S. or G.E.D.	1161	139,551	97	8.9	6.89-11.0	1064	91.0	89.0-93.1
Some Post-H.S.	1250	155,068	87	6.8	5.12-8.46	1163	93.2	91.5-94.9
College Graduate	1232	151,225	50	4.6	3.03-6.25	1182	95.4	93.8-97.0
Less than \$15,000	343	40,319	60	18.0	12.8-23.3	283	82.0	76.7-87.2
\$15,000- 24,999	632	69,290	87	15.9	12.1-19.6	545	84.1	80.4-87.9
\$25,000- 34,999	534	64,785	36	7.5	4.69-10.3	498	92.5	89.7-95.3
\$35,000- 49,999	715	90,177	33	4.6	2.88-6.26	682	95.4	93.7-97.1
\$50,000- 74,999	661	82,606	18	3.0	1.28-4.70	643	97.0	95.3-98.7
\$75,000+	585	75,196	10	2.6	0.51-4.63	575	97.4	95.4-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1625	241,459	89	5.6	4.26-6.88	1536	94.4	93.1-95.7	
Non-Native	1574	232,707	84	5.5	4.14-6.80	1490	94.5	93.2-95.9	
18-24	103	39,393	7	6.3	1.45-11.1	96	93.8	88.9-98.6	
25-34	235	41,912	18	8.3	4.48-12.2	217	91.7	87.8-95.5	
35-44	301	41,550	16	4.6	2.33-6.87	285	95.4	93.1-97.7	
45-54	365	46,485	26	7.0	4.12-9.88	339	93.0	90.1-95.9	
55-64	266	31,355	9	2.8	0.83-4.79	257	97.2	95.2-99.2	
65+	347	39,918	13	3.7	1.52-5.80	334	96.3	94.2-98.5	
Less Than H.S.	151	20,541	14	8.2	3.32-13.1	137	91.8	86.9-96.7	
H.S. or G.E.D.	488	72,303	35	8.2	5.20-11.3	453	91.8	88.7-94.8	
Some Post-H.S.	481	73,512	27	5.1	2.86-7.32	454	94.9	92.7-97.1	
College Graduate	501	74,662	12	2.5	1.02-4.00	489	97.5	96.0-99.0	
Less than \$15,000	96	13,419	19	16.7	8.19-25.2	77	83.3	74.8-91.8	
\$15,000- 24,999	219	29,211	27	13.2	8.06-18.3	192	86.8	81.7-91.9	
\$25,000- 34,999	238	36,867	16	7.0	3.16-10.8	222	93.0	89.2-96.8	
\$35,000- 49,999	327	50,081	9	2.9	0.88-4.84	318	97.1	95.2-99.1	
\$50,000- 74,999	297	43,040	5	1.4	0.14-2.76	292	98.5	97.2-99.9	
\$75,000+	291	43,210	5	3.2	0.00-6.61	286	96.8	93.4-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2376	244,978	177	8.4	6.96-9.94	2199	91.5	90.1-93.0
Non-Native	2284	232,991	163	8.1	6.63-9.65	2121	91.9	90.4-93.4
18-24	108	34,857	15	14.1	6.85-21.3	93	85.9	78.7-93.2
25-34	262	37,603	27	11.1	6.85-15.3	235	88.9	84.7-93.2
35-44	419	40,595	37	7.5	5.06-10.0	382	92.4	90.0-94.9
45-54	508	43,866	44	8.9	6.09-11.7	464	91.1	88.3-93.9
55-64	378	31,367	30	7.7	4.89-10.5	348	92.3	89.5-95.1
65+	671	54,490	23	4.0	2.18-5.78	648	96.0	94.2-97.8
Less Than H.S.	200	19,427	17	11.5	4.92-18.1	183	88.5	81.9-95.1
H.S. or G.E.D.	673	67,247	62	9.7	6.98-12.5	611	90.3	87.5-93.0
Some Post-H.S.	769	81,556	60	8.3	5.92-10.7	709	91.7	89.3-94.1
College Graduate	731	76,563	38	6.7	3.96-9.48	693	93.3	90.5-96.0
Less than \$15,000	247	26,900	41	18.7	12.2-25.3	206	81.3	74.7-87.8
\$15,000- 24,999	413	40,080	60	17.8	12.5-23.1	353	82.2	76.9-87.5
\$25,000- 34,999	296	27,918	20	8.2	4.05-12.4	276	91.8	87.6-96.0
\$35,000- 49,999	388	40,096	24	6.7	3.83-9.55	364	93.3	90.4-96.2
\$50,000- 74,999	364	39,566	13	4.7	1.48-7.86	351	95.3	92.1-98.5
\$75,000+	294	31,986	5	1.7	0.05-3.27	289	98.3	96.7-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3971	482,107	2615	62.0	60.1-63.9	535	14.3	13.0-15.6	374	11.7	10.4-13.1	411	11.2	10.0-12.3	36	0.8	0.52-1.14
Male	1611	239,030	870	51.6	48.8-54.5	242	14.9	12.9-16.9	218	16.8	14.4-19.2	262	15.7	13.8-17.7	19	1.0	0.47-1.49
Female	2360	243,077	1745	72.2	70.0-74.5	293	13.7	11.9-15.5	156	6.7	5.49-7.93	149	6.7	5.43-7.93	17	0.7	0.33-1.03
Native	104	16,236							15	12.5	5.29-19.6	9	7.8	2.12-13.5	1	1.2	0.00-3.49
Non-Native	3831	462,075	2535	62.2	60.3-64.1	508	14.0	12.7-15.4	356	11.7	10.3-13.1	398	11.3	10.1-12.5	34	0.8	0.51-1.13
18-24	208	73,322	112	53.5	46.1-60.9	33	16.5	10.9-22.0	40	20.6	14.5-26.7	21	8.7	4.84-12.5	2	0.8	0.00-1.89
25-34	490	78,512	277	53.9	49.2-58.6	65	14.1	10.7-17.4	76	16.4	12.8-20.0	67	14.7	11.3-18.1	5	1.0	0.10-1.90
35-44	713	81,185	394	53.5	49.5-57.4	115	15.6	12.8-18.4	73	11.2	8.62-13.8	121	18.3	15.2-21.4	10	1.4	0.53-2.33
45-54	869	90,050	537	59.6	55.9-63.2	145	16.9	14.2-19.6	88	11.5	8.96-14.0	93	11.5	9.11-13.9	6	0.6	0.07-1.13
55-64	646	62,840	461	69.9	66.1-73.8	76	12.9	10.0-15.7	47	7.6	5.36-9.94	56	8.9	6.46-11.3	6	0.7	0.11-1.21
65+	1008	93,443	806	79.6	76.9-82.3	98	10.3	8.22-12.4	48	4.4	3.07-5.73	50	5.2	3.60-6.74	6	0.5	0.09-0.95
Less Than H.S.	349	39,420	254	70.1	63.9-76.3	46	15.4	10.2-20.6	19	5.5	2.51-8.51	28	8.6	5.15-12.0	2	0.4	0.00-0.95
H.S. or G.E.D.	1149	137,974	734	60.8	57.3-64.3	155	14.7	12.2-17.3	105	11.3	8.73-13.8	139	12.2	10.0-14.3	16	1.0	0.50-1.56
Some Post-H.S.	1239	153,490	828	62.1	58.7-65.5	155	12.8	10.5-15.0	122	13.0	10.5-15.6	125	11.2	9.12-13.4	9	0.8	0.23-1.45
College Graduate	1227	150,597	793	60.8	57.6-64.0	178	15.2	12.8-17.6	128	12.4	10.0-14.8	119	10.8	8.73-13.0	9	0.8	0.19-1.33
Less than \$15,000	339	39,756	218	57.9	50.6-65.3	39	14.3	8.89-19.7	31	12.5	6.90-18.2	47	13.5	8.74-18.3	4	1.7	0.00-3.55
\$15,000- 24,999	628	68,258	411	63.6	58.9-68.4	82	14.5	10.8-18.1	63	11.5	8.28-14.7	63	9.1	6.62-11.6	9	1.3	0.24-2.36
\$25,000- 34,999	529	64,318	323	57.3	52.0-62.6	82	14.7	11.3-18.1	53	13.4	9.15-17.7	69	14.1	10.5-17.7	2	0.5	0.00-1.17
\$35,000- 49,999	712	89,882	483	64.1	59.9-68.2	89	13.4	10.3-16.5	69	11.6	8.79-14.5	64	10.0	7.56-12.5	7	0.8	0.16-1.54
\$50,000- 74,999	660	82,520	433	62.1	57.9-66.3	85	12.9	10.2-15.7	72	12.0	9.18-14.9	66	12.4	9.38-15.5	4	0.5	0.00-0.96
\$75,000+	581	74,607	363	59.6	55.0-64.1	98	17.3	13.8-20.8	53	11.4	8.06-14.8	62	10.9	8.23-13.7	5	0.7	0.05-1.43

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1611	239,030	870	51.6	48.8-54.5	242	14.9	12.9-16.9	218	16.8	14.4-19.2	262	15.7	13.8-17.7	19	1.0	0.47-1.49
Non-Native	1562	230,730	849	51.8	48.9-54.7	229	14.5	12.5-16.5	210	16.8	14.4-19.3	255	15.9	13.9-17.9	19	1.0	0.49-1.55
18-24	101	38,669				15	14.6	7.34-21.8	31	32.3	22.3-42.2	14	10.3	4.70-15.9	2	1.5	0.00-3.58
25-34	234	41,728	93	39.3	32.7-45.8	39	16.4	11.4-21.3	49	21.8	16.1-27.5	50	21.6	16.0-27.1	3	1.0	0.00-2.15
35-44	296	40,901	116	41.1	35.1-47.0	38	12.3	8.47-16.2	45	15.8	11.4-20.2	89	28.5	23.1-33.8	8	2.4	0.69-4.07
45-54	363	46,355	183	50.6	45.0-56.1	73	18.9	14.8-23.0	49	14.9	10.7-19.1	54	15.1	11.1-19.1	4	0.6	0.01-1.11
55-64	269	31,544	173	63.3	57.1-69.4	39	15.6	10.9-20.2	24	9.4	5.54-13.2	31	11.4	7.35-15.4	2	0.4	0.00-0.95
65+	341	39,279	263	77.9	73.3-82.5	37	11.0	7.46-14.5	19	5.4	2.91-7.89	22	5.7	3.24-8.18			
Less Than H.S.	151	20,357	97	61.2	51.2-71.1	22	17.8	9.44-26.1	11	7.4	2.20-12.7	21	13.6	7.54-19.7			
H.S. or G.E.D.	480	71,276	258	53.6	48.3-58.8	74	14.8	11.2-18.4	55	13.8	9.60-17.9	84	16.7	13.1-20.4	9	1.2	0.34-2.02
Some Post-H.S.	476	72,564	248	48.5	43.3-53.8	67	13.9	10.4-17.5	70	19.8	15.1-24.4	86	16.7	13.0-20.3	5	1.1	0.04-2.12
College Graduate	500	74,392	264	50.0	45.1-54.9	78	15.1	11.7-18.5	82	19.5	15.2-23.8	71	14.5	11.0-18.0	5	1.0	0.02-1.94
Less than \$15,000	94	13,156												3	3.7	0.00-8.44	
\$15,000- 24,999	218	28,516	115	52.0	44.1-60.0	36	17.5	11.6-23.4	24	13.0	7.28-18.7	39	15.7	10.5-20.9	4	1.7	0.00-3.86
\$25,000- 34,999	236	36,730	117	49.3	41.5-57.2	39	14.9	9.95-19.9	35	18.1	11.4-24.9	44	17.4	11.9-22.9	1	0.2	0.00-0.59
\$35,000- 49,999	326	50,009	191	55.5	49.4-61.6	43	14.1	9.58-18.7	45	16.3	11.6-20.9	43	13.0	9.20-16.8	4	1.1	0.00-2.17
\$50,000- 74,999	297	43,040	162	52.9	46.8-59.0	36	12.0	8.16-15.8	50	17.4	12.7-22.1	47	17.2	12.6-21.9	2	0.5	0.00-1.21
\$75,000+	288	42,770	144	49.9	43.4-56.3	52	17.3	12.6-22.0	40	16.5	11.1-21.9	47	15.0	10.8-19.3	5	1.3	0.10-2.50

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2360	243,077	1745	72.2	70.0-74.5	293	13.7	11.9-15.5	156	6.7	5.49-7.93	149	6.7	5.43-7.93	17	0.7	0.33-1.03
Native	70	9,747							8	8.2	1.26-15.2	5	6.3	0.19-12.4	1	2.0	0.00-5.81
Non-Native	2269	231,345	1686	72.5	70.2-74.8	279	13.6	11.7-15.4	146	6.6	5.36-7.82	143	6.7	5.42-8.00	15	0.6	0.28-0.94
18-24	107	34,653	73	67.0	57.2-76.9	18	18.6	10.1-27.0	9	7.5	2.45-12.5	7	6.9	1.62-12.2			
25-34	256	36,784	184	70.5	64.5-76.5	26	11.4	7.12-15.7	27	10.2	6.27-14.1	17	6.9	3.60-10.1	2	1.0	0.00-2.42
35-44	417	40,284	278	66.0	61.2-70.9	77	18.9	14.8-22.9	28	6.5	4.03-9.05	32	8.1	5.18-10.9	2	0.5	0.00-1.15
45-54	506	43,695	354	69.1	64.7-73.5	72	14.7	11.2-18.1	39	7.9	5.33-10.5	39	7.7	5.17-10.2	2	0.6	0.00-1.58
55-64	377	31,296	288	76.7	72.1-81.3	37	10.1	6.80-13.5	23	5.9	3.41-8.39	25	6.4	3.72-9.06	4	0.9	0.00-1.85
65+	667	54,165	543	80.8	77.4-84.2	61	9.8	7.24-12.4	29	3.7	2.26-5.08	28	4.8	2.78-6.78	6	0.9	0.16-1.64
Less Than H.S.	198	19,063	157	79.6	72.8-86.5	24	12.9	6.94-18.9	8	3.5	0.87-6.05	7	3.2	0.38-5.98	2	0.8	0.00-1.96
H.S. or G.E.D.	669	66,698	476	68.5	64.1-72.9	81	14.6	11.0-18.2	50	8.6	5.86-11.4	55	7.4	5.23-9.51	7	0.9	0.22-1.52
Some Post-H.S.	763	80,926	580	74.3	70.3-78.2	88	11.7	8.80-14.6	52	7.0	4.81-9.27	39	6.4	4.03-8.69	4	0.6	0.00-1.32
College Graduate	727	76,205	529	71.4	67.4-75.4	100	15.3	11.9-18.7	46	5.5	3.80-7.24	48	7.3	4.90-9.72	4	0.5	0.00-1.15
Less than \$15,000	245	26,601	168	66.9	58.6-75.1	28	13.8	7.44-20.1	23	8.9	4.38-13.5	25	9.7	4.60-14.8	1	0.7	0.00-2.13
\$15,000- 24,999	410	39,742	296	72.0	66.3-77.6	46	12.3	7.65-16.9	39	10.4	6.76-14.0	24	4.4	2.36-6.36	5	1.0	0.04-1.96
\$25,000- 34,999	293	27,588	206	68.0	61.6-74.4	43	14.4	9.86-18.9	18	7.1	3.25-11.0	25	9.7	5.45-13.9	1	0.8	0.00-2.38
\$35,000- 49,999	386	39,873	292	74.8	69.8-79.8	46	12.5	8.53-16.6	24	5.8	3.40-8.22	21	6.3	3.53-9.01	3	0.6	0.00-1.25
\$50,000- 74,999	363	39,480	271	72.1	66.7-77.6	49	14.0	10.0-17.9	22	6.2	3.23-9.19	19	7.2	3.41-11.0	2	0.5	0.00-1.11
\$75,000+	293	31,838	219	72.6	66.7-78.5	46	17.3	12.0-22.5	13	4.7	2.09-7.27	15	5.4	2.61-8.29			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3994	485,215	2986	76.9	75.4-78.4	1008	23.1	21.6-24.6
Male	1619	240,023	1217	77.9	75.7-80.1	402	22.1	19.9-24.3
Female	2375	245,192	1769	75.9	73.9-77.9	606	24.1	22.1-26.1
Non-Native	3852	464,305	2889	77.3	75.8-78.8	963	22.7	21.2-24.2
18-24	211	74,225	182	86.6	81.6-91.5	29	13.4	8.52-18.4
25-34	495	79,093	414	83.5	80.0-86.9	81	16.5	13.1-20.0
35-44	719	82,001	581	80.6	77.5-83.7	138	19.4	16.3-22.5
45-54	872	90,223	676	78.5	75.5-81.4	196	21.5	18.6-24.5
55-64	649	63,219	456	69.5	65.7-73.4	193	30.5	26.6-34.3
65+	1010	93,407	647	63.8	60.5-67.0	363	36.2	33.0-39.5
Less Than H.S.	353	40,486	177	53.6	46.9-60.2	176	46.4	39.8-53.1
H.S. or G.E.D.	1152	137,972	779	69.6	66.5-72.7	373	30.4	27.3-33.5
Some Post-H.S.	1250	155,051	966	78.8	76.2-81.4	284	21.2	18.6-23.8
College Graduate	1232	151,080	1059	87.8	85.8-89.7	173	12.2	10.3-14.2
Less than \$15,000	344	40,421	193	64.2	57.6-70.7	151	35.8	29.3-42.4
\$15,000- 24,999	633	69,482	428	71.0	66.9-75.1	205	29.0	24.9-33.1
\$25,000- 34,999	533	64,665	399	75.8	71.5-80.0	134	24.3	20.0-28.5
\$35,000- 49,999	710	89,135	551	78.0	74.6-81.4	159	22.0	18.6-25.4
\$50,000- 74,999	661	82,606	528	80.9	77.8-84.1	133	19.1	15.9-22.2
\$75,000+	584	75,068	511	89.4	86.9-91.9	73	10.6	8.06-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1619	240,023	1217	77.9	75.7-80.1	402	22.1	19.9-24.3
Non-Native	1569	231,430	1179	77.8	75.6-80.1	390	22.1	19.9-24.4
18-24	102	38,959	90	89.8	83.9-95.7	12	10.2	4.35-16.1
25-34	233	41,453	192	81.9	76.8-87.1	41	18.0	12.9-23.2
35-44	301	41,550	248	82.6	78.1-87.1	53	17.4	12.9-21.9
45-54	365	46,485	274	76.6	72.0-81.2	91	23.4	18.8-28.0
55-64	270	31,733	182	66.4	60.4-72.4	88	33.6	27.6-39.6
65+	340	38,997	224	67.3	62.0-72.5	116	32.8	27.5-38.0
Less Than H.S.	153	20,730	72	56.2	46.4-65.9	81	43.8	34.1-53.6
H.S. or G.E.D.	480	70,775	332	71.3	66.8-75.8	148	28.7	24.2-33.2
Some Post-H.S.	481	73,512	368	79.1	75.2-82.9	113	20.9	17.1-24.8
College Graduate	501	74,565	442	88.9	86.0-91.9	59	11.0	8.07-14.0
Less than \$15,000	95	13,339	59	72.8	63.1-82.5	36	27.2	17.5-36.9
\$15,000- 24,999	223	29,588	147	70.2	63.6-76.8	76	29.8	23.2-36.4
\$25,000- 34,999	237	36,747	171	75.5	69.4-81.6	66	24.5	18.4-30.6
\$35,000- 49,999	323	49,183	248	77.2	72.3-82.1	75	22.8	17.9-27.7
\$50,000- 74,999	297	43,040	232	79.6	74.9-84.3	65	20.4	15.7-25.1
\$75,000+	291	43,210	251	88.9	85.4-92.4	40	11.1	7.56-14.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2375	245,192	1769	75.9	73.9-77.9	606	24.1	22.1-26.1
Non-Native	2283	232,875	1710	76.7	74.7-78.7	573	23.3	21.3-25.3
18-24	109	35,266	92	83.0	75.0-91.0	17	17.0	9.02-25.0
25-34	262	37,640	222	85.2	80.7-89.6	40	14.8	10.4-19.3
35-44	418	40,451	333	78.6	74.4-82.9	85	21.4	17.1-25.6
45-54	507	43,738	402	80.5	76.8-84.1	105	19.5	15.9-23.2
55-64	379	31,486	274	72.7	68.0-77.5	105	27.3	22.5-32.0
65+	670	54,410	423	61.3	57.2-65.4	247	38.7	34.6-42.8
Less Than H.S.	200	19,756	105	50.8	42.1-59.5	95	49.2	40.5-57.9
H.S. or G.E.D.	672	67,196	447	67.8	63.5-72.0	225	32.3	28.0-36.5
Some Post-H.S.	769	81,539	598	78.6	75.1-82.1	171	21.4	17.9-24.9
College Graduate	731	76,515	617	86.6	84.1-89.2	114	13.3	10.8-15.9
Less than \$15,000	249	27,082	134	59.9	51.6-68.2	115	40.1	31.8-48.4
\$15,000- 24,999	410	39,893	281	71.6	66.4-76.8	129	28.4	23.2-33.6
\$25,000- 34,999	296	27,918	228	76.1	70.5-81.7	68	23.9	18.3-29.5
\$35,000- 49,999	387	39,952	303	79.0	74.5-83.5	84	21.0	16.5-25.5
\$50,000- 74,999	364	39,566	296	82.3	78.2-86.5	68	17.7	13.5-21.8
\$75,000+	293	31,858	260	90.1	86.7-93.6	33	9.9	6.44-13.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005

SECTION 5: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 5: DIABETES**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4009	487,378	311	6.7	5.82-7.54	27	0.6	0.34-0.82	3642	92.2	91.3-93.1	29	0.5	0.31-0.75
Male	1628	241,642	126	6.5	5.17-7.83				1491	92.9	91.5-94.3	11	0.6	0.23-0.93
Female	2381	245,736	185	6.9	5.76-7.96	27	1.1	0.68-1.62	2151	91.5	90.3-92.7	18	0.5	0.25-0.73
Native	108	17,264	17	13.8	6.42-21.1	2	1.9	0.00-4.66	88	84.0	76.2-91.8	1	0.3	0.00-0.83
Non-Native	3864	466,158	288	6.4	5.51-7.23	25	0.5	0.29-0.77	3523	92.5	91.6-93.4	28	0.5	0.33-0.77
18-24	212	74,659	5	2.4	0.00-4.92	1	0.4	0.00-1.08	206	97.3	94.6-99.9			
25-34	498	79,626	6	1.1	0.18-2.06	5	0.8	0.10-1.58	487	98.0	96.8-99.2			
35-44	720	82,145	20	3.5	1.87-5.13	7	0.8	0.19-1.45	690	95.4	93.7-97.2	3	0.2	0.00-0.50
45-54	872	90,156	43	4.9	3.29-6.51	6	0.6	0.04-1.14	818	94.0	92.2-95.7	5	0.5	0.02-1.04
55-64	650	63,267	71	10.6	7.98-13.2	4	0.6	0.01-1.11	570	88.3	85.6-91.0	5	0.5	0.04-1.02
65+	1019	94,478	163	16.4	13.9-19.0	4	0.3	0.00-0.71	836	81.5	78.9-84.2	16	1.7	0.80-2.60
Less Than H.S.	355	40,637	50	13.0	8.96-17.1	4	1.0	0.00-1.99	298	85.1	80.8-89.4	3	0.9	0.00-2.01
H.S. or G.E.D.	1163	139,748	106	7.6	6.05-9.23	5	0.4	0.02-0.72	1041	91.3	89.6-92.9	11	0.7	0.27-1.21
Some Post-H.S.	1251	155,179	90	6.1	4.45-7.71	6	0.5	0.03-0.89	1146	92.9	91.2-94.6	9	0.5	0.15-0.89
College Graduate	1233	151,188	65	4.7	3.44-6.02	11	0.8	0.28-1.26	1151	94.2	92.8-95.6	6	0.3	0.04-0.48
Less than \$15,000	345	40,501	54	11.1	7.85-14.4	1	0.5	0.00-1.39	283	87.2	83.7-90.8	7	1.1	0.23-2.07
\$15,000- 24,999	636	69,668	67	10.6	7.24-14.0	4	0.3	0.00-0.58	557	88.1	84.7-91.6	8	1.0	0.20-1.72
\$25,000- 34,999	534	64,785	59	8.8	6.30-11.3	5	1.1	0.02-2.10	468	89.7	87.0-92.5	2	0.4	0.00-0.92
\$35,000- 49,999	715	90,177	39	4.9	3.19-6.61	5	0.7	0.05-1.27	668	94.1	92.2-95.9	3	0.4	0.00-0.81
\$50,000- 74,999	661	82,606	32	4.9	3.11-6.63	7	0.9	0.21-1.63	620	93.8	91.9-95.8	2	0.3	0.00-0.84
\$75,000+	584	75,001	26	3.8	2.26-5.44	3	0.4	0.00-0.78	552	95.5	93.8-97.1	3	0.3	0.00-0.65

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 5: DIABETES**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1628	241,642	126	6.5	5.17-7.83	1491	92.9	91.5-94.3	11	0.6	0.23-0.93
Non-Native	1577	232,889	117	6.3	4.92-7.62	1449	93.1	91.7-94.5	11	0.6	0.23-0.97
18-24	103	39,393	2	2.8	0.00-7.12	101	97.3	92.9-0100			
25-34	235	41,912	1	0.4	0.00-1.30	234	99.6	98.7-0100			
35-44	301	41,550	10	4.2	1.49-6.83	291	95.8	93.2-98.5			
45-54	364	46,290	18	4.8	2.41-7.15	343	94.4	91.8-96.9	3	0.8	0.00-1.80
55-64	270	31,733	35	12.0	7.83-16.2	234	87.7	83.5-91.9	1	0.3	0.00-0.89
65+	347	39,918	59	16.7	12.5-20.8	281	81.0	76.6-85.4	7	2.3	0.55-4.07
Less Than H.S.	153	20,730	21	11.3	6.01-16.6	130	87.3	81.6-92.9	2	1.4	0.00-3.49
H.S. or G.E.D.	489	72,429	45	7.2	4.95-9.41	439	92.0	89.6-94.3	5	0.8	0.09-1.57
Some Post-H.S.	481	73,512	32	6.3	3.36-9.16	446	93.2	90.2-96.1	3	0.6	0.00-1.19
College Graduate	501	74,530	28	4.8	2.82-6.74	472	95.1	93.1-97.1	1	0.1	0.00-0.38
Less than \$15,000	96	13,419	14	9.9	4.28-15.6	81	89.2	83.3-95.1	1	0.9	0.00-2.66
\$15,000- 24,999	223	29,588	21	9.9	3.70-16.2	200	89.0	82.7-95.4	2	1.0	0.00-2.52
\$25,000- 34,999	238	36,867	30	9.2	5.53-12.8	206	90.2	86.4-93.9	2	0.7	0.00-1.62
\$35,000- 49,999	327	50,081	16	4.5	2.12-6.86	309	94.9	92.5-97.4	2	0.6	0.00-1.34
\$50,000- 74,999	297	43,040	20	6.3	3.51-9.15	275	93.0	90.0-96.0	2	0.7	0.00-1.61
\$75,000+	290	43,014	15	4.5	2.13-6.91	274	95.3	92.8-97.7	1	0.2	0.00-0.65

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 5: DIABETES**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2381	245,736	185	6.9	5.76-7.96	27	1.1	0.68-1.62	2151	91.5	90.3-92.7	18	0.5	0.25-0.73
Native	73	10,483	11	14.7	5.06-24.4	2	3.2	0.00-7.67				1	0.5	0.00-1.36
Non-Native	2287	233,269	171	6.5	5.40-7.56	25	1.1	0.60-1.54	2074	92.0	90.8-93.1	17	0.5	0.24-0.74
18-24	109	35,266	3	1.9	0.00-4.20	1	0.8	0.00-2.28	105	97.3	94.6-100			
25-34	263	37,714	5	1.9	0.15-3.59	5	1.8	0.19-3.37	253	96.3	94.0-98.7			
35-44	419	40,595	10	2.8	1.01-4.65	7	1.6	0.40-2.90	399	95.0	92.8-97.3	3	0.5	0.00-1.02
45-54	508	43,866	25	5.0	2.86-7.18	6	1.2	0.10-2.34	475	93.6	91.2-96.0	2	0.2	0.00-0.46
55-64	380	31,534	36	9.2	6.08-12.4	4	1.1	0.01-2.25	336	88.9	85.5-92.3	4	0.8	0.00-1.54
65+	672	54,560	104	16.2	13.0-19.5	4	0.6	0.00-1.25	555	81.9	78.6-85.2	9	1.3	0.39-2.11
Less Than H.S.	202	19,907	29	14.8	8.72-20.9	4	2.0	0.00-4.07	168	82.8	76.4-89.2	1	0.3	0.00-1.04
H.S. or G.E.D.	674	67,319	61	8.1	5.90-10.4	5	0.8	0.05-1.47	602	90.5	88.1-92.9	6	0.6	0.07-1.21
Some Post-H.S.	770	81,667	58	5.9	4.28-7.54	6	0.9	0.05-1.69	700	92.7	90.9-94.6	6	0.5	0.08-0.90
College Graduate	732	76,658	37	4.7	2.98-6.40	11	1.5	0.57-2.45	679	93.4	91.5-95.4	5	0.4	0.04-0.74
Less than \$15,000	249	27,082	40	11.7	7.66-15.8	1	0.7	0.00-2.10	202	86.3	81.8-90.7	6	1.3	0.22-2.34
\$15,000- 24,999	413	40,080	46	11.1	7.44-14.8	4	0.5	0.00-1.02	357	87.4	83.6-91.3	6	0.9	0.16-1.64
\$25,000- 34,999	296	27,918	29	8.3	5.00-11.7	5	2.5	0.07-4.85	262	89.2	85.2-93.2			
\$35,000- 49,999	388	40,096	23	5.4	2.99-7.81	5	1.5	0.14-2.84	359	93.0	90.3-95.7	1	0.1	0.00-0.36
\$50,000- 74,999	364	39,566	12	3.3	1.29-5.29	7	1.9	0.47-3.37	345	94.8	92.4-97.2			
\$75,000+	294	31,986	11	2.9	1.05-4.85	3	0.9	0.00-1.85	278	95.8	93.6-98.0	2	0.4	0.00-1.03

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005

SECTION 6: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	41
5	MALES ONLY	42
6	FEMALES ONLY	43

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 6: HYPERTENSION AWARENESS**

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, Told borderline high or prehypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4004	486,701	1130	23.3	21.9-24.8	29	0.8	0.49-1.11	2782	74.4	72.9-75.9	63	1.4	1.06-1.84
Male	1626	241,292	434	22.1	20.0-24.3				1159	72.8	73.8-78.2	33	1.8	1.18-2.52
Female	2378	245,409	696	24.5	22.6-26.4	29	1.6	0.96-2.22	1623	72.8	70.9-74.8	30	1.0	0.65-1.43
Native	108	17,264	32	22.9	14.0-31.8	3	2.8	0.00-6.41	72	73.9	64.3-83.4	1	0.4	0.00-1.12
Non-Native	3859	465,481	1078	23.2	21.7-24.6	26	0.7	0.44-1.02	2693	74.6	73.1-76.1	62	1.5	1.09-1.91
18-24	211	74,370	11	4.7	1.67-7.75	2	0.6	0.00-1.54	198	94.6	91.5-97.8			
25-34	497	79,442	27	4.8	2.96-6.64	11	2.3	0.90-3.60	454	91.8	89.4-94.3	5	1.1	0.13-2.09
35-44	719	82,073	79	10.7	8.27-13.1	4	0.6	0.00-1.17	626	87.1	84.5-89.8	10	1.6	0.57-2.61
45-54	873	90,351	232	25.9	22.7-29.1	8	1.0	0.28-1.76	615	71.0	67.7-74.3	18	2.1	1.05-3.13
55-64	649	63,124	235	34.8	30.9-38.7	1	0.1	0.00-0.44	402	63.3	59.4-67.3	11	1.7	0.61-2.85
65+	1017	94,294	536	54.2	50.9-57.5	3	0.2	0.00-0.37	459	43.7	40.3-47.0	19	2.0	1.00-2.96
Less Than H.S.	354	40,496	156	38.9	32.7-45.0	1	0.2	0.00-0.50	193	60.0	53.8-66.2	4	0.9	0.00-1.93
H.S. or G.E.D.	1161	139,415	376	26.3	23.6-29.0	7	0.8	0.17-1.35	758	71.5	68.7-74.4	20	1.4	0.73-2.03
Some Post-H.S.	1248	154,781	325	20.6	18.2-23.0	12	1.1	0.39-1.73	890	76.8	74.3-79.3	21	1.6	0.84-2.30
College Graduate	1234	151,383	270	19.2	16.7-21.6	9	0.8	0.23-1.29	937	78.6	76.0-81.1	18	1.5	0.77-2.25
Less than \$15,000	344	40,358	130	26.1	21.0-31.3	2	1.2	0.00-2.83	207	71.5	66.1-76.9	5	1.2	0.07-2.31
\$15,000- 24,999	635	69,484	238	32.3	28.1-36.6	1	0.1	0.00-0.33	387	66.5	62.2-70.8	9	1.0	0.31-1.77
\$25,000- 34,999	534	64,785	164	25.6	21.5-29.7	3	0.4	0.00-0.79	358	72.7	68.5-76.9	9	1.4	0.39-2.39
\$35,000- 49,999	714	89,887	186	21.5	18.4-24.6	11	1.8	0.69-2.89	506	75.1	71.8-78.5	11	1.6	0.61-2.61
\$50,000- 74,999	661	82,606	130	17.6	14.6-20.6	6	1.2	0.24-2.20	517	80.1	77.0-83.3	8	1.1	0.26-1.86
\$75,000+	584	75,124	104	16.8	13.5-20.2	4	0.5	0.00-1.06	462	80.4	76.9-83.9	14	2.3	1.03-3.49

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 6: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, Told borderline high or prehypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1626	241,292	434	22.1	20.0-24.3	1159	76.0	73.8-78.2	33	1.8	1.18-2.52
Non-Native	1575	232,539	415	21.9	19.7-24.0	1128	76.2	74.0-78.4	32	1.9	1.21-2.59
18-24	102	39,104	5	4.3	0.34-8.18	97	95.7	91.8-99.7			
25-34	234	41,728	14	5.4	2.55-8.23	216	92.8	89.6-96.1	4	1.8	0.05-3.47
35-44	300	41,478	32	10.6	6.93-14.3	260	86.7	82.7-90.7	8	2.7	0.79-4.59
45-54	365	46,485	108	28.8	23.8-33.9	247	68.6	63.4-73.7	10	2.6	0.92-4.26
55-64	270	31,733	100	34.1	28.2-40.1	167	64.7	58.7-70.6	3	1.2	0.00-2.64
65+	347	39,918	171	51.1	45.6-56.7	168	46.3	40.7-51.8	8	2.6	0.66-4.54
Less Than H.S.	153	20,730	61	33.6	25.0-42.3	89	64.8	56.0-73.7	3	1.5	0.00-3.29
H.S. or G.E.D.	488	72,140	135	22.5	18.7-26.4	344	76.0	72.1-80.0	9	1.4	0.44-2.40
Some Post-H.S.	479	73,256	108	18.7	15.1-22.4	361	79.2	75.4-83.0	10	2.1	0.76-3.42
College Graduate	502	74,725	127	21.7	17.9-25.5	364	76.1	72.2-80.0	11	2.1	0.82-3.48
Less than \$15,000	96	13,419	31	21.7	13.3-30.1	62	75.5	66.6-84.5	3	2.8	0.00-5.87
\$15,000- 24,999	222	29,405	77	29.1	22.7-35.6	142	70.1	63.7-76.6	3	0.7	0.00-1.58
\$25,000- 34,999	238	36,867	70	23.4	17.6-29.1	165	75.3	69.4-81.2	3	1.3	0.00-2.75
\$35,000- 49,999	326	49,791	85	21.8	17.2-26.3	235	76.2	71.5-81.0	6	2.0	0.36-3.58
\$50,000- 74,999	297	43,040	68	20.1	15.6-24.6	224	78.5	73.9-83.2	5	1.4	0.08-2.70
\$75,000+	290	43,138	61	20.3	15.2-25.4	220	76.9	71.6-82.3	9	2.8	0.92-4.60

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 6: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, Told borderline high or prehypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2378	245,409	696	24.5	22.6-26.4	29	1.6	0.96-2.22	1623	72.8	70.9-74.8	30	1.0	0.65-1.43
Native	73	10,483				3	4.7	0.00-10.5						
Non-Native	2284	232,942	663	24.4	22.5-26.3	26	1.5	0.86-2.08	1565	73.0	71.0-75.0	30	1.1	0.67-1.53
18-24	109	35,266	6	5.2	0.56-9.88	2	1.3	0.00-3.23	101	93.4	88.4-98.4			
25-34	263	37,714	13	4.1	1.85-6.43	11	4.7	1.91-7.55	238	90.7	87.1-94.4	1	0.4	0.00-1.15
35-44	419	40,595	47	10.8	7.67-13.9	4	1.2	0.00-2.36	366	87.6	84.2-90.9	2	0.5	0.00-1.12
45-54	508	43,866	124	22.8	18.9-26.6	8	2.1	0.56-3.62	368	73.6	69.5-77.7	8	1.6	0.36-2.76
55-64	379	31,391	135	35.4	30.3-40.6	1	0.3	0.00-0.89	235	62.0	56.8-67.2	8	2.3	0.59-3.97
65+	670	54,376	365	56.4	52.4-60.5	3	0.3	0.00-0.62	291	41.8	37.7-45.8	11	1.5	0.62-2.42
Less Than H.S.	201	19,766	95	44.3	35.9-52.8	1	0.4	0.00-1.07	104	54.9	46.5-63.4	1	0.4	0.00-1.07
H.S. or G.E.D.	673	67,276	241	30.4	26.5-34.2	7	1.6	0.35-2.79	414	66.7	62.7-70.7	11	1.3	0.49-2.17
Some Post-H.S.	769	81,524	217	22.3	19.2-25.4	12	2.0	0.78-3.24	529	74.6	71.3-77.9	11	1.1	0.42-1.80
College Graduate	732	76,658	143	16.7	13.6-19.7	9	1.5	0.44-2.56	573	80.9	77.7-84.2	7	0.9	0.17-1.63
Less than \$15,000	248	26,939	99	28.3	21.9-34.7	2	1.8	0.00-4.22	145	69.5	62.7-76.3	2	0.4	0.00-1.03
\$15,000- 24,999	413	40,080	161	34.7	29.1-40.3	1	0.2	0.00-0.56	245	63.9	58.2-69.5	6	1.3	0.17-2.37
\$25,000- 34,999	296	27,918	94	28.5	22.8-34.2	3	0.8	0.00-1.84	193	69.2	63.3-75.0	6	1.5	0.26-2.80
\$35,000- 49,999	388	40,096	101	21.1	17.0-25.2	11	4.0	1.59-6.45	271	73.7	69.1-78.3	5	1.1	0.09-2.21
\$50,000- 74,999	364	39,566	62	14.9	11.2-18.6	6	2.5	0.50-4.58	293	81.9	77.7-86.1	3	0.7	0.00-1.58
\$75,000+	294	31,986	43	12.1	8.49-15.7	4	1.2	0.01-2.45	242	85.0	81.0-89.1	5	1.6	0.12-3.06

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 6: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1130	113,590	987	84.4	81.7-87.1	143	15.6	12.9-18.3
Male	434	53,431	364	80.9	76.5-85.3	70	19.1	14.7-23.5
Female	696	60,160	623	87.5	84.1-90.9	73	12.5	9.11-15.9
Non-Native	1078	107,783	944	84.9	82.2-87.7	134	15.1	12.3-17.8
45-54	232	23,390	199	85.2	80.1-90.3	33	14.8	9.72-19.9
55-64	235	21,963	211	90.6	86.8-94.4	24	9.4	5.63-13.2
65+	536	51,100	511	95.0	92.9-97.1	25	5.0	2.94-7.14
Less Than H.S.	156	15,738	133	82.6	75.5-89.7	23	17.4	10.3-24.5
H.S. or G.E.D.	376	36,692	344	89.8	85.9-93.7	32	10.2	6.34-14.1
Some Post-H.S.	325	31,897	283	83.6	78.3-88.8	42	16.4	11.2-21.7
College Graduate	270	29,018	224	79.4	73.0-85.8	46	20.6	14.2-27.0
Less than \$15,000	130	10,543	117	86.9	79.5-94.3	13	13.1	5.65-20.5
\$15,000- 24,999	238	22,466	216	87.3	80.6-94.0	22	12.7	5.98-19.4
\$25,000- 34,999	164	16,569	141	80.4	72.2-88.6	23	19.6	11.4-27.8
\$35,000- 49,999	186	19,320	161	85.6	79.9-91.2	25	14.4	8.77-20.1
\$50,000- 74,999	130	14,542	109	83.4	76.6-90.2	21	16.6	9.83-23.4
\$75,000+	104	12,629	86	82.8	73.9-91.6	18	17.3	8.41-26.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 6: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	434	53,431	364	80.9	76.5-85.3	70	19.1	14.7-23.5
Non-Native	415	50,890	351	82.0	77.5-86.4	64	18.0	13.6-22.5
45-54	108	13,411	89	81.8	73.9-89.7	19	18.2	10.3-26.1
55-64	100	10,837	88	90.1	84.5-95.8	12	9.9	4.23-15.5
65+	171	20,417	160	92.6	88.3-97.0	11	7.3	3.02-11.7
H.S. or G.E.D.	135	16,250	122	87.6	80.5-94.8	13	12.4	5.19-19.5
College Graduate	127	16,235	103	79.7	72.0-87.4	24	20.3	12.6-28.0
\$15,000- 24,999	77	8,561	68	87.0	78.6-95.4	9	13.0	4.63-21.4
\$35,000- 49,999	85	10,847	72	82.2	73.3-91.2	13	17.8	8.83-26.7
\$50,000- 74,999	68	8,647	53	79.0	69.1-88.9	15	21.0	11.1-30.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 6: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	696	60,160	623	87.5	84.1-90.9	73	12.5	9.11-15.9
Non-Native	663	56,893	593	87.6	84.1-91.0	70	12.4	8.97-15.9
45-54	124	9,979	110	89.7	84.3-95.2	14	10.3	4.83-15.7
55-64	135	11,126	123	91.0	85.9-96.1	12	9.0	3.87-14.1
65+	365	30,682	351	96.5	94.6-98.4	14	3.5	1.56-5.44
Less Than H.S.	95	8,763	83	85.5	76.7-94.4	12	14.5	5.62-23.3
H.S. or G.E.D.	241	20,442	222	91.4	87.5-95.4	19	8.6	4.58-12.5
Some Post-H.S.	217	18,171	197	90.1	85.6-94.5	20	9.9	5.45-14.4
Less than \$15,000	99	7,627	90	89.1	81.4-96.8	9	10.9	3.16-18.6
\$15,000- 24,999	161	13,905	148	87.5	78.0-97.1	13	12.5	2.94-22.0
\$35,000- 49,999	101	8,473	89	89.8	84.1-95.6	12	10.2	4.40-15.9
\$50,000- 74,999	62	5,895	56	89.9	82.0-97.8	6	10.1	2.24-18.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 7: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1	MALES AND FEMALES	45
2	MALES ONLY	46
3	FEMALES ONLY	47
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4	MALES AND FEMALES	48
5	MALES ONLY	49
6	FEMALES ONLY	50
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7	MALES AND FEMALES	51
8	MALES ONLY	52
9	FEMALES ONLY	53

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3908	469,560	3282	77.3	75.4-79.1	626	22.7	20.9-24.6
Male	1584	232,517	1271	74.3	71.5-77.2	313	25.7	22.8-28.5
Female	2324	237,043	2011	80.2	77.8-82.5	313	19.8	17.5-22.2
Non-Native	3769	449,231	3179	77.8	76.0-79.7	590	22.2	20.3-24.0
18-24	184	65,092	66	33.5	26.0-40.9	118	66.5	59.1-74.0
25-34	475	75,981	299	62.3	57.7-67.0	176	37.7	33.0-42.3
35-44	701	80,082	545	78.5	75.2-81.7	156	21.5	18.3-24.8
45-54	864	89,488	771	88.9	86.6-91.2	93	11.1	8.81-13.4
55-64	645	62,760	607	94.0	92.0-96.0	38	6.0	3.95-7.99
65+	1001	93,110	958	96.0	94.8-97.3	43	4.0	2.71-5.21
Less Than H.S.	347	39,646	296	74.8	67.1-82.4	51	25.2	17.6-32.9
H.S. or G.E.D.	1135	135,279	926	73.7	70.0-77.3	209	26.3	22.7-30.0
Some Post-H.S.	1210	147,489	999	75.4	72.1-78.8	211	24.6	21.2-27.9
College Graduate	1209	146,519	1055	83.1	80.3-85.9	154	16.9	14.1-19.7
Less than \$15,000	333	37,799	264	69.3	62.0-76.6	69	30.7	23.4-38.0
\$15,000- 24,999	619	67,232	493	72.8	68.0-77.6	126	27.2	22.4-32.0
\$25,000- 34,999	516	61,765	420	70.8	65.0-76.6	96	29.2	23.4-35.0
\$35,000- 49,999	697	86,903	575	76.9	72.8-81.0	122	23.1	19.0-27.2
\$50,000- 74,999	653	81,489	563	81.2	77.3-85.1	90	18.8	14.9-22.7
\$75,000+	573	73,645	517	88.4	84.8-91.9	56	11.6	8.06-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1584	232,517	1271	74.3	71.5-77.2	313	25.7	22.8-28.5
Non-Native	1535	224,214	1236	74.9	72.1-77.8	299	25.1	22.2-27.9
25-34	221	39,754	140	62.4	55.5-69.2	81	37.6	30.8-44.5
35-44	294	40,613	215	75.2	70.0-80.3	79	24.8	19.7-30.0
45-54	360	45,964	304	85.5	81.7-89.4	56	14.4	10.6-18.3
55-64	269	31,607	251	93.7	90.7-96.8	18	6.3	3.23-9.31
65+	343	39,478	325	95.2	93.0-97.5	18	4.8	2.50-7.04
H.S. or G.E.D.	475	69,264	367	69.7	64.1-75.2	108	30.3	24.8-35.9
Some Post-H.S.	462	69,635	364	73.8	68.7-78.9	98	26.2	21.1-31.3
College Graduate	491	72,577	415	81.0	76.7-85.3	76	19.0	14.7-23.3
\$15,000- 24,999	218	28,886	160	69.2	61.5-76.9	58	30.8	23.1-38.5
\$25,000- 34,999	228	34,974	170	63.5	54.9-72.0	58	36.5	28.0-45.1
\$35,000- 49,999	319	48,325	255	74.8	68.7-80.9	64	25.2	19.1-31.3
\$50,000- 74,999	294	42,586	248	81.3	76.0-86.7	46	18.6	13.3-24.0
\$75,000+	282	41,946	255	88.1	83.0-93.3	27	11.9	6.70-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2324	237,043	2011	80.2	77.8-82.5	313	19.8	17.5-22.2	
Non-Native	2234	225,017	1943	80.7	78.3-83.1	291	19.3	16.9-21.7	
25-34	254	36,227	159	62.3	56.1-68.6	95	37.7	31.4-43.9	
35-44	407	39,469	330	81.9	78.0-85.8	77	18.1	14.2-22.0	
45-54	504	43,524	467	92.4	89.9-94.9	37	7.6	5.08-10.1	
55-64	376	31,153	356	94.3	91.7-97.0	20	5.7	3.01-8.31	
65+	658	53,632	633	96.6	95.2-98.0	25	3.4	1.96-4.78	
Less Than H.S.	195	19,046	175	82.1	72.7-91.5	20	17.9	8.45-27.3	
H.S. or G.E.D.	660	66,015	559	77.9	73.3-82.5	101	22.1	17.5-26.7	
Some Post-H.S.	748	77,854	635	76.8	72.5-81.2	113	23.1	18.8-27.5	
College Graduate	718	73,942	640	85.2	81.7-88.7	78	14.8	11.3-18.3	
Less than \$15,000	239	25,248	198	74.8	66.5-83.2	41	25.2	16.8-33.5	
\$15,000- 24,999	401	38,345	333	75.5	69.3-81.7	68	24.5	18.3-30.7	
\$25,000- 34,999	288	26,791	250	80.3	73.9-86.7	38	19.7	13.3-26.1	
\$35,000- 49,999	378	38,578	320	79.6	74.4-84.7	58	20.4	15.3-25.6	
\$50,000- 74,999	359	38,903	315	81.0	75.3-86.8	44	18.9	13.2-24.7	
\$75,000+	291	31,699	262	88.7	84.0-93.4	29	11.3	6.62-16.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3247	359,297	2211	65.5	63.6-67.4	465	15.5	14.1-17.0	365	12.5	11.1-13.8	206	6.5	5.55-7.39
Male	1260	171,492	826	63.0	60.0-66.0	190	16.2	13.8-18.5	150	13.6	11.3-15.9	94	7.2	5.72-8.70
Female	1987	187,806	1385	67.8	65.4-70.2	275	15.0	13.1-16.8	215	11.4	9.87-13.0	112	5.8	4.65-6.93
Native	71	10,190				10	14.4	4.81-24.0	5	4.6	0.14-9.04	2	2.4	0.00-5.72
Non-Native	3146	346,216	2134	65.1	63.2-67.0	453	15.6	14.1-17.1	357	12.7	11.3-14.1	202	6.6	5.64-7.52
18-24	66	21,782										1	0.6	0.00-1.86
25-34	296	46,811	134	44.8	38.8-50.7	66	22.6	17.6-27.7	68	24.0	18.8-29.1	28	8.6	5.39-11.7
35-44	540	62,195	282	51.8	47.3-56.3	106	19.7	16.0-23.3	91	16.3	13.1-19.6	61	12.1	9.14-15.1
45-54	768	79,301	486	62.7	59.0-66.5	132	17.5	14.5-20.4	92	12.1	9.59-14.6	58	7.7	5.61-9.73
55-64	600	58,397	448	74.0	70.2-77.8	66	11.3	8.52-14.0	52	8.6	6.22-11.0	34	6.1	3.94-8.26
65+	941	87,893	798	85.4	82.9-87.8	73	7.6	5.77-9.49	48	5.0	3.52-6.58	22	1.9	1.07-2.83
Less Than H.S.	286	28,778	234	80.1	74.6-85.6	18	6.7	3.35-9.97	23	9.8	5.26-14.2	11	3.5	1.34-5.62
H.S. or G.E.D.	916	98,644	646	69.0	65.5-72.4	126	15.7	12.9-18.5	92	9.7	7.60-11.8	52	5.6	4.00-7.30
Some Post-H.S.	991	110,567	676	63.9	60.3-67.5	156	17.2	14.3-20.2	100	12.4	9.79-15.0	59	6.5	4.73-8.21
College Graduate	1048	120,755	649	60.6	57.3-63.9	165	16.0	13.6-18.5	150	15.5	13.0-18.0	84	7.9	6.15-9.59
Less than \$15,000	259	25,665	192	68.1	60.1-76.0	28	17.3	9.91-24.8	24	8.8	4.92-12.7	15	5.8	2.56-8.98
\$15,000- 24,999	489	48,519	358	71.6	66.7-76.5	58	13.6	9.61-17.5	47	9.9	6.86-12.9	26	5.0	2.93-7.01
\$25,000- 34,999	416	43,219	284	65.6	60.4-70.8	66	16.4	12.3-20.4	40	11.6	7.81-15.3	26	6.4	3.89-8.99
\$35,000- 49,999	572	66,520	371	63.0	58.6-67.5	81	15.0	11.7-18.4	79	14.5	11.2-17.8	41	7.4	5.10-9.80
\$50,000- 74,999	560	65,936	340	59.2	54.8-63.6	103	19.0	15.4-22.6	71	13.1	10.1-16.1	46	8.6	6.07-11.2
\$75,000+	513	64,518	326	61.5	56.8-66.2	88	17.3	13.8-20.8	65	14.7	10.9-18.5	34	6.5	4.30-8.80

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1260	171,492	826	63.0	60.0-66.0	190	16.2	13.8-18.5	150	13.6	11.3-15.9	94	7.2	5.72-8.70
Non-Native	1225	166,625	800	62.7	59.6-65.7	187	16.3	14.0-18.7	147	13.8	11.5-16.1	91	7.2	5.71-8.77
25-34	139	24,607	65	45.9	37.3-54.5	32	22.4	15.3-29.5	29	23.9	16.3-31.5	13	7.8	3.55-12.1
35-44	213	30,163	100	47.8	40.8-54.8	38	17.9	12.5-23.3	38	17.4	12.2-22.7	37	16.8	11.6-22.1
45-54	304	39,323	182	60.6	54.7-66.5	57	18.4	13.8-23.0	44	14.0	9.87-18.1	21	7.0	3.98-10.1
55-64	249	29,435	179	71.3	65.4-77.3	33	13.7	9.14-18.2	20	7.8	4.35-11.2	17	7.2	3.73-10.6
65+	319	36,954	283	89.4	85.9-92.9	19	6.0	3.26-8.82	12	3.4	1.42-5.46	5	1.1	0.08-2.20
Less Than H.S.	118	13,686	95	77.9	68.8-87.0	6	4.9	0.76-9.14	13	13.7	5.52-21.9	4	3.5	0.00-6.98
H.S. or G.E.D.	363	47,803	235	64.6	59.2-69.9	66	19.5	14.9-24.0	36	9.3	6.15-12.5	26	6.7	3.99-9.33
Some Post-H.S.	362	51,193	229	58.8	53.0-64.6	55	17.2	12.6-21.8	44	14.8	10.3-19.4	34	9.1	6.02-12.2
College Graduate	413	58,369	263	61.7	56.6-66.9	63	15.3	11.6-19.0	57	16.1	11.9-20.2	30	6.9	4.40-9.46
Less than \$15,000	65	7,215							7	8.5	2.05-15.0	4	6.8	0.00-13.7
\$15,000- 24,999	158	19,748	113	68.4	59.6-77.3	21	16.5	8.92-24.1	13	9.0	3.93-14.1	11	6.1	2.27-9.87
\$25,000- 34,999	167	21,854	108	63.2	55.1-71.2	27	17.6	11.2-24.0	18	11.5	6.04-17.0	14	7.7	3.64-11.8
\$35,000- 49,999	255	36,152	167	63.6	57.1-70.1	35	14.4	9.54-19.3	34	14.8	9.79-19.9	19	7.2	3.89-10.5
\$50,000- 74,999	248	34,643	149	58.9	52.5-65.3	45	18.1	13.1-23.1	30	12.6	8.19-16.9	24	10.5	6.35-14.6
\$75,000+	252	36,487	156	59.5	52.8-66.3	45	17.9	12.8-22.9	36	17.0	11.1-22.8	15	5.6	2.70-8.50

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1987	187,806	1385	67.8	65.4-70.2	275	15.0	13.1-16.8	215	11.4	9.87-13.0	112	5.8	4.65-6.93
Non-Native	1921	179,590	1334	67.3	64.9-69.8	266	15.0	13.1-16.9	210	11.7	10.1-13.3	111	6.0	4.79-7.15
25-34	157	22,205	69	43.5	35.4-51.7	34	22.9	15.7-30.2	39	24.1	17.3-31.0	15	9.4	4.72-14.0
35-44	327	32,032	182	55.7	50.0-61.4	68	21.3	16.5-26.2	53	15.3	11.4-19.3	24	7.7	4.66-10.7
45-54	464	39,977	304	64.9	60.2-69.6	75	16.6	12.9-20.3	48	10.3	7.33-13.2	37	8.3	5.53-11.1
55-64	351	28,961	269	76.8	72.1-81.4	33	8.8	5.80-11.9	32	9.4	6.15-12.6	17	5.0	2.43-7.61
65+	622	50,939	515	82.5	79.1-85.8	54	8.8	6.31-11.2	36	6.2	4.07-8.39	17	2.5	1.20-3.86
Less Than H.S.	168	15,091	139	82.1	75.7-88.6	12	8.2	3.19-13.2	10	6.2	2.21-10.1	7	3.5	0.90-6.04
H.S. or G.E.D.	553	50,841	411	73.1	68.8-77.4	60	12.2	8.85-15.5	56	10.0	7.28-12.8	26	4.7	2.73-6.69
Some Post-H.S.	629	59,374	447	68.3	63.9-72.6	101	17.3	13.5-21.0	56	10.3	7.55-13.1	25	4.2	2.40-6.00
College Graduate	635	62,386	386	59.6	55.3-63.9	102	16.7	13.5-19.9	93	14.9	11.9-18.0	54	8.8	6.40-11.1
Less than \$15,000	194	18,450	146	70.2	61.0-79.4	20	15.5	7.25-23.8	17	8.9	4.17-13.7	11	5.4	1.80-8.94
\$15,000- 24,999	331	28,771	245	73.8	68.3-79.3	37	11.6	7.46-15.7	34	10.4	6.77-14.1	15	4.2	2.01-6.43
\$25,000- 34,999	249	21,365	176	68.1	61.4-74.8	39	15.1	10.3-20.0	22	11.6	6.47-16.8	12	5.1	2.07-8.19
\$35,000- 49,999	317	30,368	204	62.4	56.5-68.3	46	15.7	11.2-20.2	45	14.1	9.97-18.2	22	7.8	4.41-11.1
\$50,000- 74,999	312	31,293	191	59.6	53.6-65.6	58	20.1	14.8-25.3	41	13.8	9.69-17.8	22	6.6	3.74-9.42
\$75,000+	261	28,031	170	64.0	57.7-70.3	43	16.5	11.7-21.4	29	11.7	7.49-15.8	19	7.8	4.23-11.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3257	360,161	1239	35.0	33.1-36.8	2018	65.0	63.2-66.9
Male	1261	171,549	482	35.2	32.4-38.0	779	64.8	62.0-67.6
Female	1996	188,612	757	34.8	32.4-37.1	1239	65.2	62.9-67.6
Native	73	10,362	14	16.6	7.19-26.1	59	83.4	73.9-92.8
Non-Native	3154	346,908	1214	35.5	33.7-37.3	1940	64.5	62.7-66.3
18-24	66	21,782	7	11.8	2.81-20.8	59	88.2	79.2-97.2
25-34	299	47,367	35	10.8	7.23-14.4	264	89.2	85.6-92.8
35-44	543	62,675	129	24.4	20.5-28.3	414	75.6	71.7-79.5
45-54	770	79,405	279	36.8	33.0-40.5	491	63.2	59.5-67.0
55-64	598	58,036	297	48.2	43.9-52.5	301	51.8	47.5-56.1
65+	945	87,977	481	51.2	47.7-54.7	464	48.8	45.3-52.3
Less Than H.S.	293	29,361	135	40.7	34.5-46.9	158	59.3	53.1-65.5
H.S. or G.E.D.	923	99,454	376	38.4	34.9-41.9	547	61.6	58.1-65.1
Some Post-H.S.	989	110,298	378	34.0	30.8-37.3	611	66.0	62.7-69.2
College Graduate	1046	120,494	346	31.4	28.2-34.6	700	68.6	65.4-71.8
Less than \$15,000	263	26,047	124	39.2	31.8-46.6	139	60.8	53.4-68.2
\$15,000- 24,999	491	48,848	206	39.5	34.2-44.7	285	60.5	55.3-65.8
\$25,000- 34,999	418	43,504	157	32.8	27.9-37.7	261	67.2	62.3-72.1
\$35,000- 49,999	572	66,473	203	33.3	29.1-37.4	369	66.7	62.6-70.9
\$50,000- 74,999	559	65,682	201	35.0	30.7-39.2	358	65.0	60.8-69.3
\$75,000+	513	64,508	161	29.6	25.4-33.8	352	70.4	66.2-74.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1261	171,549	482	35.2	32.4-38.0	779	64.8	62.0-67.6
Non-Native	1226	166,683	473	35.6	32.7-38.5	753	64.4	61.5-67.3
25-34	140	24,790	17	11.1	5.96-16.3	123	88.9	83.7-94.0
35-44	214	30,451	55	25.9	19.8-32.1	159	74.1	67.9-80.2
45-54	303	39,193	126	41.0	35.1-46.9	177	59.0	53.1-64.9
55-64	246	28,932	124	48.0	41.4-54.6	122	52.0	45.4-58.6
65+	322	37,174	155	50.1	44.4-55.9	167	49.9	44.1-55.6
Less Than H.S.	121	14,006	49	36.5	27.3-45.8	72	63.5	54.2-72.7
H.S. or G.E.D.	367	48,250	155	40.0	34.7-45.4	212	59.9	54.6-65.3
Some Post-H.S.	360	50,990	130	31.6	26.5-36.6	230	68.4	63.4-73.5
College Graduate	409	57,862	145	33.6	28.7-38.5	264	66.4	61.5-71.3
\$15,000- 24,999	160	19,988	62	35.9	27.2-44.6	98	64.1	55.4-72.8
\$25,000- 34,999	169	22,077	59	32.4	24.9-39.8	110	67.6	60.2-75.1
\$35,000- 49,999	253	35,866	92	33.2	27.1-39.2	161	66.8	60.8-72.9
\$50,000- 74,999	246	34,386	100	38.8	32.5-45.0	146	61.3	55.0-67.5
\$75,000+	251	36,391	97	34.4	28.2-40.6	154	65.6	59.4-71.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1996	188,612	757	34.8	32.4-37.1	1239	65.2	62.9-67.6
Non-Native	1928	180,225	741	35.4	33.0-37.8	1187	64.6	62.2-67.0
25-34	159	22,577	18	10.5	5.53-15.6	141	89.4	84.4-94.5
35-44	329	32,224	74	23.0	18.1-27.9	255	77.0	72.1-81.9
45-54	467	40,212	153	32.6	28.0-37.2	314	67.4	62.8-72.0
55-64	352	29,104	173	48.4	42.9-53.9	179	51.6	46.1-57.1
65+	623	50,804	326	52.0	47.7-56.3	297	48.0	43.7-52.3
Less Than H.S.	172	15,355	86	44.5	36.3-52.7	86	55.5	47.3-63.7
H.S. or G.E.D.	556	51,204	221	36.8	32.3-41.4	335	63.2	58.6-67.7
Some Post-H.S.	629	59,307	248	36.1	32.0-40.3	381	63.9	59.7-68.0
College Graduate	637	62,632	201	29.4	25.4-33.4	436	70.6	66.6-74.6
Less than \$15,000	197	18,753	96	40.8	31.8-49.8	101	59.2	50.2-68.2
\$15,000- 24,999	331	28,860	144	41.9	35.5-48.4	187	58.1	51.6-64.5
\$25,000- 34,999	249	21,428	98	33.2	27.0-39.4	151	66.8	60.6-73.0
\$35,000- 49,999	319	30,607	111	33.4	27.8-39.0	208	66.6	61.0-72.2
\$50,000- 74,999	313	31,295	101	30.8	25.3-36.3	212	69.2	63.7-74.7
\$75,000+	262	28,116	64	23.3	18.0-28.7	198	76.7	71.3-82.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3)	
1	MALES AND FEMALES	55
2	MALES ONLY	56
3	FEMALES ONLY	57
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3)	
4	MALES AND FEMALES	58
5	MALES ONLY	59
6	FEMALES ONLY	60
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	61
8	MALES ONLY	62
9	FEMALES ONLY	63

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3985	484,998	190	4.4	3.72-5.06	3795	95.6	94.9-96.3
Male	1613	239,819	116	6.0	4.86-7.14	1497	94.0	92.9-95.1
Female	2372	245,179	74	2.8	2.09-3.51	2298	97.2	96.5-97.9
Native	108	17,264	6	3.8	0.48-7.22	102	96.1	92.8-99.5
Non-Native	3843	464,218	178	4.3	3.63-5.01	3665	95.7	95.0-96.4
18-24	211	74,370				211	100.0	0100-0100
25-34	498	79,626	1	0.3	0.00-1.02	497	99.6	99.0-0100
35-44	719	82,097	5	0.6	0.05-1.15	714	99.4	98.9-99.9
45-54	870	89,993	17	2.2	1.03-3.35	853	97.8	96.7-99.0
55-64	647	63,030	31	5.7	3.58-7.78	616	94.3	92.2-96.4
65+	1002	92,835	134	15.9	13.2-18.5	868	84.1	81.5-86.8
Less Than H.S.	346	39,816	38	9.3	6.12-12.4	308	90.7	87.6-93.9
H.S. or G.E.D.	1152	138,476	74	5.9	4.48-7.34	1078	94.1	92.7-95.5
Some Post-H.S.	1249	155,006	42	3.3	2.25-4.37	1207	96.7	95.6-97.7
College Graduate	1231	151,074	35	2.8	1.76-3.80	1196	97.2	96.2-98.2
Less than \$15,000	340	40,142	25	5.2	3.01-7.47	315	94.8	92.5-97.0
\$15,000- 24,999	629	68,943	48	7.0	4.89-9.21	581	92.9	90.8-95.1
\$25,000- 34,999	531	64,492	31	5.3	3.30-7.38	500	94.7	92.6-96.7
\$35,000- 49,999	714	89,887	30	4.6	2.89-6.31	684	95.4	93.7-97.1
\$50,000- 74,999	660	82,480	18	2.6	1.36-3.82	642	97.4	96.2-98.6
\$75,000+	582	75,015	14	2.8	1.28-4.38	568	97.2	95.6-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1613	239,819	116	6.0	4.86-7.14	1497	94.0	92.9-95.1
Non-Native	1565	231,507	110	6.0	4.78-7.14	1455	94.0	92.9-95.2
18-24	102	39,104				102	100.0	0100-0100
25-34	235	41,912	1	0.7	0.00-1.93	234	99.3	98.1-0100
35-44	301	41,550	4	0.9	0.00-1.93	297	99.0	98.1-0100
45-54	362	46,127	14	3.8	1.65-5.97	348	96.2	94.0-98.3
55-64	268	31,544	22	9.0	5.17-12.9	246	91.0	87.1-94.8
65+	337	38,737	74	23.2	18.4-28.1	263	76.8	71.9-81.6
Less Than H.S.	147	20,109	19	9.8	5.19-14.5	128	90.1	85.5-94.8
H.S. or G.E.D.	483	71,472	46	8.2	5.77-10.6	437	91.8	89.4-94.2
Some Post-H.S.	480	73,382	27	4.7	2.89-6.57	453	95.3	93.4-97.1
College Graduate	499	74,416	24	4.1	2.33-5.97	475	95.8	94.0-97.7
Less than \$15,000	95	13,322	13	9.2	3.79-14.7	82	90.8	85.3-96.2
\$15,000- 24,999	218	28,997	26	9.6	5.68-13.4	192	90.4	86.6-94.3
\$25,000- 34,999	236	36,617	20	6.8	3.65-10.0	216	93.2	90.0-96.4
\$35,000- 49,999	326	49,791	23	7.0	4.13-9.81	303	93.0	90.2-95.9
\$50,000- 74,999	296	42,914	15	4.0	1.94-6.02	281	96.0	94.0-98.1
\$75,000+	290	43,147	10	3.6	1.30-5.92	280	96.4	94.1-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2372	245,179	74	2.8	2.09-3.51	2298	97.2	96.5-97.9
Native	73	10,483	4	4.3	0.00-9.07	69	95.7	90.9-0100
Non-Native	2278	232,711	68	2.7	1.99-3.41	2210	97.3	96.6-98.0
18-24	109	35,266				109	100.0	0100-0100
25-34	263	37,714				263	100.0	0100-0100
35-44	418	40,547	1	0.2	0.00-0.71	417	99.8	99.3-0100
45-54	508	43,866	3	0.5	0.00-1.06	505	99.5	98.9-0100
55-64	379	31,486	9	2.3	0.74-3.96	370	97.6	96.0-99.3
65+	665	54,098	60	10.6	7.76-13.4	605	89.4	86.6-92.2
Less Than H.S.	199	19,707	19	8.6	4.46-12.8	180	91.3	87.2-95.5
H.S. or G.E.D.	669	67,004	28	3.5	2.05-4.87	641	96.5	95.1-98.0
Some Post-H.S.	769	81,624	15	2.0	0.91-3.15	754	98.0	96.9-99.1
College Graduate	732	76,658	11	1.5	0.48-2.44	721	98.5	97.6-99.5
Less than \$15,000	245	26,820	12	3.3	1.29-5.21	233	96.8	94.8-98.7
\$15,000- 24,999	411	39,946	22	5.2	2.82-7.64	389	94.8	92.4-97.2
\$25,000- 34,999	295	27,875	11	3.4	1.13-5.59	284	96.6	94.4-98.9
\$35,000- 49,999	388	40,096	7	1.6	0.28-3.02	381	98.3	97.0-99.7
\$50,000- 74,999	364	39,566	3	1.1	0.00-2.36	361	98.9	97.6-0100
\$75,000+	292	31,868	4	1.8	0.00-3.61	288	98.2	96.4-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 4: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3956	482,057	182	4.3	3.60-4.94	3774	95.7	95.1-96.4
Male	1602	238,482	99	5.2	4.10-6.22	1503	94.8	93.8-95.9
Female	2354	243,575	83	3.4	2.58-4.22	2271	96.6	95.8-97.4
Native	106	17,136	6	4.0	0.30-7.70	100	96.0	92.3-99.7
Non-Native	3815	461,146	171	4.2	3.53-4.91	3644	95.8	95.1-96.5
18-24	211	74,370	1	0.3	0.00-0.86	210	99.7	99.1-0100
25-34	497	79,403	2	0.5	0.00-1.14	495	99.5	98.9-0100
35-44	717	81,881	3	0.3	0.00-0.62	714	99.7	99.4-0100
45-54	864	89,541	24	3.0	1.72-4.38	840	96.9	95.6-98.3
55-64	641	62,280	34	5.8	3.77-7.89	607	94.2	92.1-96.2
65+	989	91,600	116	14.4	11.8-17.0	873	85.6	83.0-88.2
Less Than H.S.	341	39,371	27	7.8	4.50-11.0	314	92.3	89.0-95.5
H.S. or G.E.D.	1138	137,334	58	4.7	3.43-5.97	1080	95.3	94.0-96.6
Some Post-H.S.	1242	154,138	58	4.4	3.18-5.62	1184	95.6	94.4-96.8
College Graduate	1228	150,588	38	2.8	1.86-3.78	1190	97.2	96.2-98.1
Less than \$15,000	332	39,591	22	5.6	2.91-8.39	310	94.3	91.6-97.1
\$15,000- 24,999	626	68,673	41	6.4	4.22-8.62	585	93.6	91.4-95.8
\$25,000- 34,999	526	63,969	31	5.1	3.20-7.00	495	94.9	93.0-96.8
\$35,000- 49,999	709	89,198	28	4.2	2.62-5.84	681	95.8	94.2-97.4
\$50,000- 74,999	658	82,311	18	2.7	1.41-3.99	640	97.3	96.0-98.6
\$75,000+	582	74,915	17	2.9	1.50-4.40	565	97.0	95.6-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 5: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1602	238,482	99	5.2	4.10-6.22	1503	94.8	93.8-95.9
Non-Native	1553	229,910	94	5.1	4.05-6.21	1459	94.9	93.8-95.9
18-24	102	39,104	1	0.5	0.00-1.65	101	99.4	98.4-0100
25-34	235	41,912				235	100.0	0100-0100
35-44	299	41,334	1	0.2	0.00-0.50	298	99.8	99.5-0100
45-54	360	45,932	15	3.9	1.84-5.96	345	96.1	94.0-98.2
55-64	265	31,104	21	8.3	4.75-11.8	244	91.7	88.2-95.2
65+	334	38,316	60	19.6	15.0-24.3	274	80.4	75.7-85.0
Less Than H.S.	144	19,891	13	7.6	3.35-11.8	131	92.4	88.2-96.7
H.S. or G.E.D.	481	71,257	32	5.9	3.80-8.00	449	94.1	92.0-96.2
Some Post-H.S.	476	72,894	30	5.1	3.22-7.02	446	94.9	93.0-96.8
College Graduate	497	74,000	24	3.9	2.26-5.48	473	96.1	94.5-97.7
Less than \$15,000	90	12,920	6	5.3	0.68-9.94	84	94.7	90.1-99.3
\$15,000- 24,999	220	29,285	18	7.2	3.73-10.6	202	92.8	89.4-96.3
\$25,000- 34,999	234	36,321	17	5.4	2.71-8.01	217	94.6	92.0-97.3
\$35,000- 49,999	323	49,283	22	6.4	3.74-9.14	301	93.6	90.9-96.3
\$50,000- 74,999	295	42,788	14	4.1	1.90-6.22	281	95.9	93.8-98.1
\$75,000+	289	43,014	13	3.8	1.71-5.99	276	96.1	94.0-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 6: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2354	243,575	83	3.4	2.58-4.22	2271	96.6	95.8-97.4
Native	71	10,354	5	5.5	0.00-11.1	66	94.5	88.9-0100
Non-Native	2262	231,236	77	3.3	2.49-4.13	2185	96.7	95.9-97.5
18-24	109	35,266				109	100.0	0100-0100
25-34	262	37,491	2	1.0	0.00-2.38	260	99.0	97.6-0100
35-44	418	40,547	2	0.4	0.00-0.98	416	99.6	99.0-0100
45-54	504	43,610	9	2.1	0.50-3.80	495	97.8	96.2-99.5
55-64	376	31,177	13	3.4	1.32-5.40	363	96.6	94.6-98.7
65+	655	53,284	56	10.6	7.68-13.6	599	89.4	86.4-92.3
Less Than H.S.	197	19,481	14	7.9	3.01-12.8	183	92.1	87.2-97.0
H.S. or G.E.D.	657	66,077	26	3.4	1.96-4.82	631	96.6	95.2-98.0
Some Post-H.S.	766	81,245	28	3.8	2.22-5.28	738	96.3	94.7-97.8
College Graduate	731	76,588	14	1.8	0.77-2.85	717	98.2	97.2-99.2
Less than \$15,000	242	26,671	16	5.8	2.41-9.23	226	94.2	90.8-97.6
\$15,000- 24,999	406	39,388	23	5.9	3.02-8.70	383	94.1	91.3-97.0
\$25,000- 34,999	292	27,648	14	4.8	2.04-7.48	278	95.2	92.5-98.0
\$35,000- 49,999	386	39,915	6	1.5	0.23-2.77	380	98.5	97.2-99.8
\$50,000- 74,999	363	39,523	4	1.2	0.00-2.53	359	98.8	97.5-0100
\$75,000+	293	31,901	4	1.7	0.00-3.52	289	98.3	96.5-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 7: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3998	486,239	95	2.0	1.56-2.42	3903	98.0	97.6-98.4
Male	1621	240,802	40	1.9	1.30-2.56	1581	98.1	97.4-98.7
Female	2377	245,437	55	2.0	1.46-2.64	2322	97.9	97.4-98.5
Native	108	17,264	2	1.1	0.00-2.74	106	98.9	97.3-100
Non-Native	3853	465,019	92	2.0	1.56-2.46	3761	98.0	97.5-98.4
18-24	211	74,370				211	100.0	0100-0100
25-34	498	79,626	1	0.2	0.00-0.56	497	99.8	99.4-100
35-44	718	81,929	3	0.4	0.00-0.91	715	99.6	99.1-100
45-54	871	90,156	8	1.0	0.28-1.76	863	99.0	98.2-99.7
55-64	649	63,141	18	2.7	1.37-3.99	631	97.3	96.0-98.6
65+	1013	93,971	65	7.0	5.22-8.78	948	93.0	91.2-94.8
Less Than H.S.	351	40,249	21	4.4	2.42-6.38	330	95.6	93.6-97.6
H.S. or G.E.D.	1160	139,318	39	3.0	1.98-3.98	1121	97.0	96.0-98.0
Some Post-H.S.	1248	154,930	17	1.2	0.57-1.83	1231	98.8	98.2-99.4
College Graduate	1232	151,116	18	1.3	0.63-1.89	1214	98.7	98.1-99.4
Less than \$15,000	340	40,076	23	4.1	2.33-5.81	317	95.9	94.2-97.7
\$15,000- 24,999	632	69,255	23	3.4	1.85-4.87	609	96.6	95.1-98.1
\$25,000- 34,999	533	64,705	13	2.3	0.96-3.54	520	97.8	96.5-99.0
\$35,000- 49,999	714	89,887	9	1.3	0.43-2.19	705	98.7	97.8-99.6
\$50,000- 74,999	660	82,480	8	1.1	0.30-1.98	652	98.9	98.0-99.7
\$75,000+	585	75,196	5	0.9	0.10-1.70	580	99.1	98.3-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 8: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1621	240,802	40	1.9	1.30-2.56	1581	98.1	97.4-98.7
Non-Native	1570	232,049	38	1.9	1.28-2.54	1532	98.1	97.5-98.7
18-24	102	39,104				102	100.0	0100-0100
25-34	235	41,912				235	100.0	0100-0100
35-44	300	41,406	2	0.6	0.00-1.45	298	99.4	98.5-0100
45-54	363	46,290	7	1.9	0.45-3.35	356	98.1	96.6-99.6
55-64	269	31,607	8	2.8	0.75-4.83	261	97.2	95.2-99.2
65+	344	39,638	23	6.7	3.89-9.45	321	93.3	90.5-96.1
Less Than H.S.	150	20,385	9	4.2	1.32-7.12	141	95.8	92.9-98.7
H.S. or G.E.D.	487	72,042	15	2.6	1.24-3.94	472	97.4	96.1-98.8
Some Post-H.S.	479	73,335	5	0.8	0.05-1.51	474	99.2	98.5-99.9
College Graduate	501	74,599	11	1.8	0.67-2.95	490	98.2	97.1-99.3
Less than \$15,000	93	13,080	7	4.5	1.02-8.00	86	95.5	92.0-99.0
\$15,000- 24,999	221	29,388	10	4.0	1.38-6.56	211	96.0	93.4-98.6
\$25,000- 34,999	237	36,787	5	1.4	0.14-2.64	232	98.6	97.4-99.9
\$35,000- 49,999	326	49,791	6	1.8	0.34-3.16	320	98.3	96.8-99.7
\$50,000- 74,999	296	42,914	6	1.4	0.25-2.65	290	98.5	97.4-99.7
\$75,000+	291	43,210	4	1.3	0.01-2.67	287	98.7	97.3-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 9: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2377	245,437	55	2.0	1.46-2.64	2322	97.9	97.4-98.5
Native	73	10,483	1	1.2	0.00-3.64	72	98.8	96.4-0100
Non-Native	2283	232,970	54	2.1	1.50-2.72	2229	97.9	97.3-98.5
18-24	109	35,266				109	100.0	0100-0100
25-34	263	37,714	1	0.4	0.00-1.15	262	99.6	98.8-0100
35-44	418	40,523	1	0.2	0.00-0.71	417	99.8	99.3-0100
45-54	508	43,866	1	0.1	0.00-0.30	507	99.9	99.7-0100
55-64	380	31,534	10	2.6	0.94-4.20	370	97.4	95.8-99.1
65+	669	54,333	42	7.3	4.92-9.58	627	92.8	90.4-95.1
Less Than H.S.	201	19,864	12	4.6	1.89-7.27	189	95.4	92.7-98.1
H.S. or G.E.D.	673	67,276	24	3.4	1.92-4.86	649	96.6	95.1-98.1
Some Post-H.S.	769	81,595	12	1.6	0.58-2.58	757	98.4	97.4-99.4
College Graduate	731	76,517	7	0.7	0.18-1.28	724	99.3	98.7-99.8
Less than \$15,000	247	26,996	16	3.8	1.87-5.83	231	96.1	94.2-98.1
\$15,000- 24,999	411	39,867	13	2.9	1.11-4.71	398	97.1	95.3-98.9
\$25,000- 34,999	296	27,918	8	3.4	0.91-5.85	288	96.6	94.2-99.1
\$35,000- 49,999	388	40,096	3	0.8	0.00-1.67	385	99.2	98.3-0100
\$50,000- 74,999	364	39,566	2	0.8	0.00-1.96	362	99.2	98.0-0100
\$75,000+	294	31,986	1	0.3	0.00-0.89	293	99.7	99.1-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005

SECTION 9: ASTHMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)	
1	MALES AND FEMALES	65
2	MALES ONLY	66
3	FEMALES ONLY	67
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
4	MALES AND FEMALES	68
5	MALES ONLY	69
6	FEMALES ONLY	70

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 9: ASTHMA**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3999	486,559	404	11.1	9.86-12.4	3595	88.9	87.6-90.1
Male	1625	241,306	149	10.5	8.51-12.4	1476	89.5	87.6-91.5
Female	2374	245,253	255	11.8	10.2-13.4	2119	88.2	86.6-89.8
Native	108	17,264	22	16.5	8.60-24.5	86	83.5	75.5-91.4
Non-Native	3854	465,339	378	10.9	9.65-12.2	3476	89.1	87.8-90.4
18-24	212	74,659	38	18.4	12.6-24.2	174	81.6	75.8-87.4
25-34	498	79,626	70	13.8	10.6-17.0	428	86.2	83.0-89.4
35-44	719	82,049	62	8.9	6.56-11.2	657	91.1	88.8-93.4
45-54	870	90,114	71	8.1	6.06-10.1	799	91.9	89.9-93.9
55-64	648	63,100	53	8.3	5.97-10.6	595	91.7	89.4-94.0
65+	1014	93,964	108	10.0	8.03-12.0	906	90.0	88.0-92.0
Less Than H.S.	353	40,523	49	16.2	9.88-22.5	304	83.8	77.5-90.1
H.S. or G.E.D.	1162	139,618	107	10.4	8.14-12.8	1055	89.5	87.2-91.9
Some Post-H.S.	1246	154,810	130	11.2	9.01-13.4	1116	88.8	86.6-91.0
College Graduate	1231	150,982	118	10.4	8.33-12.4	1113	89.6	87.6-91.7
Less than \$15,000	344	40,458	59	15.0	10.4-19.6	285	85.0	80.4-89.6
\$15,000- 24,999	633	69,437	70	14.9	10.9-18.8	563	85.1	81.2-89.1
\$25,000- 34,999	533	64,743	62	14.6	9.96-19.2	471	85.4	80.8-90.0
\$35,000- 49,999	712	89,766	58	8.5	6.17-10.8	654	91.5	89.2-93.8
\$50,000- 74,999	660	82,510	56	8.7	6.30-11.1	604	91.3	88.9-93.7
\$75,000+	585	75,196	50	9.6	6.54-12.7	535	90.4	87.3-93.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 9: ASTHMA**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1625	241,306	149	10.5	8.51-12.4	1476	89.5	87.6-91.5
Non-Native	1574	232,553	140	10.2	8.23-12.2	1434	89.8	87.8-91.8
18-24	103	39,393	16	18.0	9.41-26.6	87	82.0	73.4-90.6
25-34	235	41,912	27	11.9	7.47-16.4	208	88.1	83.6-92.5
35-44	301	41,550	22	7.5	4.17-10.8	279	92.5	89.2-95.8
45-54	364	46,355	26	7.3	4.38-10.2	338	92.7	89.8-95.6
55-64	270	31,733	23	8.6	5.02-12.2	247	91.4	87.8-95.0
65+	344	39,517	34	9.6	6.30-13.0	310	90.3	87.0-93.7
H.S. or G.E.D.	488	72,299	43	9.5	6.33-12.6	445	90.5	87.4-93.7
Some Post-H.S.	481	73,512	43	9.9	6.48-13.3	438	90.1	86.7-93.5
College Graduate	499	74,324	42	9.5	6.45-12.6	457	90.4	87.4-93.5
Less than \$15,000	96	13,419	15	14.9	6.17-23.6	81	85.1	76.4-93.8
\$15,000- 24,999	223	29,588	22	12.7	6.92-18.6	201	87.3	81.4-93.1
\$25,000- 34,999	238	36,867	31	16.8	9.62-24.0	207	83.2	76.0-90.4
\$35,000- 49,999	324	49,670	25	7.4	4.45-10.4	299	92.6	89.6-95.5
\$50,000- 74,999	297	43,040	22	7.8	4.31-11.2	275	92.2	88.8-95.7
\$75,000+	291	43,210	19	8.5	3.95-13.0	272	91.5	87.0-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 9: ASTHMA**

**TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2374	245,253	255	11.8	10.2-13.4	2119	88.2	86.6-89.8
Native	73	10,483	16	16.2	6.71-25.7	57	83.8	74.3-93.3
Non-Native	2280	232,786	238	11.7	9.99-13.3	2042	88.3	86.7-90.0
18-24	109	35,266	22	18.8	11.2-26.5	87	81.2	73.5-88.8
25-34	263	37,714	43	15.9	11.4-20.4	220	84.1	79.6-88.6
35-44	418	40,499	40	10.3	7.07-13.6	378	89.7	86.4-92.9
45-54	506	43,759	45	8.9	6.14-11.7	461	91.1	88.3-93.9
55-64	378	31,367	30	8.0	5.01-10.9	348	92.0	89.1-95.0
65+	670	54,446	74	10.3	7.86-12.7	596	89.7	87.3-92.1
Less Than H.S.	200	19,793	28	12.7	7.10-18.2	172	87.3	81.8-92.9
H.S. or G.E.D.	674	67,319	64	11.5	8.10-14.9	610	88.5	85.1-91.9
Some Post-H.S.	765	81,298	87	12.4	9.56-15.3	678	87.6	84.7-90.4
College Graduate	732	76,658	76	11.1	8.48-13.8	656	88.8	86.2-91.5
Less than \$15,000	248	27,039	44	15.1	9.70-20.4	204	84.9	79.6-90.3
\$15,000- 24,999	410	39,848	48	16.4	11.1-21.8	362	83.6	78.2-88.9
\$25,000- 34,999	295	27,875	31	11.6	6.99-16.3	264	88.4	83.7-93.0
\$35,000- 49,999	388	40,096	33	9.8	6.19-13.3	355	90.2	86.7-93.8
\$50,000- 74,999	363	39,470	34	9.7	6.37-13.1	329	90.3	86.9-93.6
\$75,000+	294	31,986	31	11.2	7.24-15.2	263	88.8	84.8-92.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 9: ASTHMA**

TABLE 4: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	394	52,772	280	67.1	61.2-73.0	114	32.9	27.0-38.8
Male	145	24,750	96	66.1	56.9-75.4	49	33.8	24.6-43.1
Female	249	28,022	184	68.0	60.4-75.5	65	32.0	24.5-39.6
Non-Native	368	49,535	260	67.6	61.5-73.6	108	32.4	26.4-38.5
65+	103	8,882	81	76.8	67.3-86.2	22	23.2	13.8-32.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 9: ASTHMA**

TABLE 5: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	145	24,750	96	66.1	56.8-75.5	49	33.8	24.5-43.2
Non-Native	136	23,282	91	67.9	58.5-77.3	45	32.1	22.7-41.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 9: ASTHMA**

TABLE 6: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	249	28,022	184	68.0	60.4-75.5	65	32.0	24.5-39.6
Non-Native	232	26,253	169	67.3	59.4-75.1	63	32.7	24.9-40.6
65+	71	5,267	57	81.4	72.0-90.8	14	18.6	9.23-28.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 10: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A FLU SHOT IS AN INFLUENZA VACCINE INJECTED IN YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)	
1	MALES AND FEMALES	72
2	MALES ONLY	73
3	FEMALES ONLY	74
	DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE THAT IS SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)	
4	MALES AND FEMALES	75
5	MALES ONLY	76
6	FEMALES ONLY	77
	HAVE YOU EVER HAD A PNEUMONIA SHOT? A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7	MALES AND FEMALES	78
8	MALES ONLY	79
9	FEMALES ONLY	80

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

**TABLE 1: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED IN YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4002	486,706	1364	30.3	28.7-31.9	2638	69.7	68.1-71.3	
Male	1627	241,577	454	24.9	22.6-27.2	1173	75.1	72.8-77.4	
Female	2375	245,129	910	35.6	33.3-37.9	1465	64.4	62.1-66.7	
Non-Native	3858	465,597	1311	30.0	28.3-31.6	2547	70.0	68.4-71.7	
18-24	212	74,659	37	17.7	12.0-23.5	175	82.3	76.5-88.0	
25-34	495	79,217	95	18.4	14.8-21.9	400	81.6	78.1-85.2	
35-44	719	82,097	129	18.3	15.2-21.4	590	81.7	78.6-84.8	
45-54	870	90,005	180	19.0	16.2-21.8	690	81.0	78.2-83.8	
55-64	650	63,267	215	32.0	28.2-35.9	435	68.0	64.1-71.8	
65+	1018	94,413	695	70.1	67.1-73.1	323	29.9	26.9-32.9	
Less Than H.S.	355	40,637	180	42.8	36.4-49.2	175	57.2	50.8-63.6	
H.S. or G.E.D.	1159	139,272	387	31.2	28.0-34.5	772	68.8	65.5-72.0	
Some Post-H.S.	1248	154,873	418	28.1	25.3-30.9	830	71.9	69.1-74.7	
College Graduate	1233	151,298	375	28.2	25.4-31.1	858	71.8	68.9-74.6	
Less than \$15,000	344	40,453	143	35.5	28.6-42.4	201	64.5	57.6-71.4	
\$15,000- 24,999	635	69,557	269	36.2	31.8-40.6	366	63.8	59.4-68.2	
\$25,000- 34,999	532	64,572	188	31.4	26.8-36.0	344	68.6	64.0-73.2	
\$35,000- 49,999	715	90,177	216	27.6	24.0-31.2	499	72.4	68.8-76.0	
\$50,000- 74,999	661	82,606	165	23.5	20.0-27.1	496	76.5	72.9-80.0	
\$75,000+	582	74,850	149	26.4	22.2-30.6	433	73.6	69.4-77.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 2: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED IN YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1627	241,577	454	24.9	22.6-27.2	1173	75.1	72.8-77.4
Non-Native	1576	232,824	439	24.9	22.6-27.3	1137	75.1	72.7-77.4
18-24	103	39,393	14	13.0	6.24-19.8	89	87.0	80.2-93.8
25-34	235	41,912	36	14.7	9.98-19.4	199	85.3	80.6-90.0
35-44	301	41,550	40	15.8	11.1-20.4	261	84.2	79.6-88.9
45-54	363	46,224	51	13.4	9.59-17.3	312	86.5	82.7-90.4
55-64	270	31,733	74	25.9	20.5-31.3	196	74.1	68.7-79.5
65+	347	39,918	238	69.2	64.0-74.3	109	30.8	25.7-36.0
Less Than H.S.	153	20,730	69	37.1	28.1-46.2	84	62.9	53.8-71.9
H.S. or G.E.D.	488	72,299	135	25.3	20.9-29.6	353	74.7	70.4-79.1
Some Post-H.S.	480	73,382	124	22.8	18.7-27.0	356	77.1	73.0-81.3
College Graduate	502	74,725	124	23.1	19.1-27.1	378	76.9	72.9-80.9
\$15,000- 24,999	223	29,588	80	30.4	23.7-37.0	143	69.6	63.0-76.3
\$25,000- 34,999	238	36,867	75	29.2	22.6-35.9	163	70.8	64.1-77.4
\$35,000- 49,999	327	50,081	91	24.3	19.4-29.1	236	75.8	70.9-80.6
\$50,000- 74,999	297	43,040	62	18.7	14.2-23.2	235	81.3	76.8-85.8
\$75,000+	289	42,949	66	24.8	18.8-30.8	223	75.2	69.2-81.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

**TABLE 3: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED IN YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2375	245,129	910	35.6	33.3-37.9	1465	64.4	62.1-66.7	
Non-Native	2282	232,773	872	35.0	32.7-37.2	1410	65.0	62.8-67.3	
18-24	109	35,266	23	23.0	13.8-32.2	86	77.0	67.8-86.2	
25-34	260	37,305	59	22.5	17.2-27.8	201	77.5	72.2-82.8	
35-44	418	40,547	89	20.8	16.8-24.9	329	79.1	75.1-83.2	
45-54	507	43,781	129	24.8	20.8-28.9	378	75.2	71.1-79.2	
55-64	380	31,534	141	38.2	33.0-43.5	239	61.8	56.5-67.0	
65+	671	54,495	457	70.8	67.1-74.4	214	29.2	25.6-32.9	
Less Than H.S.	202	19,907	111	48.7	40.1-57.3	91	51.3	42.7-59.9	
H.S. or G.E.D.	671	66,973	252	37.7	33.0-42.3	419	62.3	57.7-67.0	
Some Post-H.S.	768	81,491	294	32.9	29.1-36.6	474	67.1	63.4-70.9	
College Graduate	731	76,573	251	33.2	29.3-37.2	480	66.8	62.8-70.7	
Less than \$15,000	248	27,034	110	39.2	30.5-47.9	138	60.8	52.1-69.5	
\$15,000- 24,999	412	39,968	189	40.5	34.7-46.2	223	59.5	53.8-65.3	
\$25,000- 34,999	294	27,705	113	34.3	28.2-40.3	181	65.7	59.7-71.8	
\$35,000- 49,999	388	40,096	125	31.8	26.5-37.1	263	68.2	62.9-73.5	
\$50,000- 74,999	364	39,566	103	28.8	23.4-34.2	261	71.2	65.8-76.6	
\$75,000+	293	31,901	83	28.5	22.9-34.1	210	71.5	65.9-77.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE THAT IS SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4003	486,841	43	1.4	0.94-1.88	3960	98.6	98.1-99.1
Male	1625	241,487	29	2.2	1.38-3.10	1596	97.8	96.9-98.6
Female	2378	245,355	14	0.6	0.25-0.95	2364	99.4	99.0-99.8
Native	108	17,264				108	100.0	0100-0100
Non-Native	3858	465,621	43	1.5	0.99-1.97	3815	98.5	98.0-99.0
18-24	212	74,659	7	2.5	0.64-4.36	205	97.5	95.6-99.4
25-34	497	79,552	12	2.6	1.07-4.13	485	97.4	95.9-98.9
35-44	720	82,145	12	2.1	0.85-3.35	708	97.9	96.6-99.2
45-54	872	90,221	6	0.6	0.10-1.08	866	99.4	98.9-99.9
55-64	649	63,172				649	100.0	0100-0100
65+	1015	94,046	6	0.7	0.11-1.37	1009	99.3	98.6-99.9
Less Than H.S.	354	40,557	3	1.1	0.00-2.47	351	98.9	97.5-0100
H.S. or G.E.D.	1159	139,236	14	1.6	0.70-2.50	1145	98.4	97.5-99.3
Some Post-H.S.	1249	155,039	14	1.5	0.64-2.32	1235	98.5	97.7-99.4
College Graduate	1234	151,383	12	1.3	0.50-2.06	1222	98.7	97.9-99.5
Less than \$15,000	344	40,421	3	0.5	0.00-1.18	341	99.4	98.8-0100
\$15,000- 24,999	633	69,287	9	2.0	0.49-3.43	624	98.0	96.6-99.5
\$25,000- 34,999	534	64,785	10	3.0	1.07-4.91	524	97.0	95.1-98.9
\$35,000- 49,999	715	90,177	9	1.8	0.59-3.09	706	98.2	96.9-99.4
\$50,000- 74,999	661	82,606	3	0.6	0.00-1.29	658	99.4	98.7-0100
\$75,000+	584	75,066	5	0.9	0.06-1.78	579	99.1	98.2-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE THAT IS SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1625	241,487	29	2.2	1.40-3.08	1596	97.8	96.9-98.6
Non-Native	1574	232,734	29	2.3	1.45-3.21	1545	97.7	96.8-98.6
18-24	103	39,393	6	4.0	0.81-7.27	97	96.0	92.7-99.2
25-34	235	41,912	9	4.0	1.35-6.75	226	95.9	93.2-98.7
35-44	301	41,550	7	3.1	0.81-5.43	294	96.9	94.6-99.2
45-54	364	46,355	3	0.6	0.00-1.37	361	99.4	98.6-0100
55-64	270	31,733				270	100.0	0100-0100
65+	344	39,698	4	1.4	0.00-2.73	340	98.6	97.3-0100
Less Than H.S.	152	20,650				152	100.0	0100-0100
H.S. or G.E.D.	488	72,299	12	2.8	1.12-4.46	476	97.2	95.5-98.9
Some Post-H.S.	479	73,372	10	2.7	0.97-4.35	469	97.3	95.7-99.0
College Graduate	502	74,725	7	1.9	0.46-3.44	495	98.0	96.6-99.5
Less than \$15,000	95	13,339				95	100.0	0100-0100
\$15,000- 24,999	223	29,588	7	4.3	0.92-7.66	216	95.7	92.3-99.1
\$25,000- 34,999	238	36,867	8	4.3	1.27-7.35	230	95.7	92.7-98.7
\$35,000- 49,999	327	50,081	6	2.6	0.47-4.67	321	97.4	95.3-99.5
\$50,000- 74,999	297	43,040	2	0.8	0.00-1.97	295	99.2	98.0-0100
\$75,000+	290	43,080	2	0.9	0.00-2.22	288	99.1	97.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE THAT IS SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2378	245,355	14	0.6	0.25-0.95	2364	99.4	99.0-99.8
Native	73	10,483				73	100.0	0100-0100
Non-Native	2284	232,887	14	0.6	0.26-1.00	2270	99.4	99.0-99.7
18-24	109	35,266	1	0.8	0.00-2.28	108	99.2	97.7-0100
25-34	262	37,640	3	1.0	0.00-2.15	259	99.0	97.9-0100
35-44	419	40,595	5	1.1	0.12-2.00	414	98.9	98.0-99.9
45-54	508	43,866	3	0.5	0.00-1.21	505	99.5	98.8-0100
55-64	379	31,439				379	100.0	0100-0100
65+	671	54,349	2	0.3	0.00-0.68	669	99.7	99.3-0100
Less Than H.S.	202	19,907	3	2.2	0.00-5.02	199	97.8	95.0-0100
H.S. or G.E.D.	671	66,937	2	0.3	0.00-0.79	669	99.7	99.2-0100
Some Post-H.S.	770	81,667	4	0.4	0.00-0.85	766	99.6	99.1-0100
College Graduate	732	76,658	5	0.6	0.04-1.22	727	99.4	98.8-0100
Less than \$15,000	249	27,082	3	0.8	0.00-1.75	246	99.2	98.2-0100
\$15,000- 24,999	410	39,698	2	0.2	0.00-0.54	408	99.8	99.5-0100
\$25,000- 34,999	296	27,918	2	1.2	0.00-3.20	294	98.8	96.8-0100
\$35,000- 49,999	388	40,096	3	0.9	0.00-1.99	385	99.1	98.0-0100
\$50,000- 74,999	364	39,566	1	0.4	0.00-1.12	363	99.6	98.9-0100
\$75,000+	294	31,986	3	0.9	0.00-1.92	291	99.1	98.1-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 7: HAVE YOU EVER HAD A PNEUMONIA SHOT? A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3677	433,319	1100	26.6	24.9-28.2	2577	73.4	71.8-75.1
Male	1421	207,442	384	24.7	22.1-27.2	1037	75.3	72.8-77.9
Female	2256	225,877	716	28.3	26.2-30.4	1540	71.7	69.6-73.8
Native	96	15,733	26	23.1	13.1-33.1	70	76.9	66.9-86.9
Non-Native	3547	414,044	1056	26.5	24.8-28.2	2491	73.5	71.8-75.2
18-24	164	58,329	25	17.0	10.5-23.5	139	83.0	76.5-89.5
25-34	398	63,637	40	10.2	6.91-13.5	358	89.8	86.5-93.1
35-44	652	73,567	60	9.2	6.76-11.6	592	90.8	88.4-93.2
45-54	819	83,836	104	12.0	9.66-14.4	715	88.0	85.6-90.3
55-64	612	58,798	155	25.4	21.7-29.1	457	74.6	70.9-78.3
65+	997	92,289	707	71.6	68.6-74.7	290	28.3	25.3-31.4
Less Than H.S.	340	38,203	179	44.6	38.0-51.2	161	55.4	48.8-62.0
H.S. or G.E.D.	1070	125,159	364	29.6	26.5-32.7	706	70.4	67.3-73.5
Some Post-H.S.	1149	137,298	321	25.8	22.8-28.9	828	74.2	71.1-77.2
College Graduate	1112	132,154	234	19.3	16.7-21.9	878	80.7	78.1-83.3
Less than \$15,000	321	37,228	151	35.8	29.2-42.5	170	64.2	57.5-70.8
\$15,000- 24,999	583	60,301	241	38.0	33.2-42.8	342	62.0	57.2-66.8
\$25,000- 34,999	492	57,383	157	27.1	22.7-31.5	335	72.9	68.5-77.3
\$35,000- 49,999	651	80,216	160	23.8	20.0-27.5	491	76.3	72.5-80.0
\$50,000- 74,999	598	73,060	95	15.8	12.6-19.1	503	84.2	80.9-87.4
\$75,000+	534	67,542	80	15.5	11.8-19.2	454	84.5	80.8-88.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 8: HAVE YOU EVER HAD A PNEUMONIA SHOT? A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1421	207,442	384	24.7	22.1-27.2	1037	75.3	72.8-77.9
Non-Native	1374	199,194	373	24.9	22.3-27.5	1001	75.1	72.5-77.7
18-24	81	31,651	14	20.3	10.4-30.2	67	79.7	69.8-89.6
25-34	172	31,353	15	10.1	4.95-15.3	157	89.9	84.7-95.1
35-44	260	35,784	27	10.1	6.09-14.0	233	89.9	86.0-93.9
45-54	326	41,146	40	11.3	7.80-14.8	286	88.7	85.2-92.2
55-64	241	28,145	60	24.1	18.4-29.8	181	75.9	70.2-81.6
65+	335	38,615	227	68.3	63.0-73.6	108	31.7	26.4-37.0
Less Than H.S.	144	19,227	65	38.6	29.0-48.2	79	61.4	51.8-71.0
H.S. or G.E.D.	432	62,778	121	25.2	20.6-29.8	311	74.8	70.2-79.4
Some Post-H.S.	415	61,870	102	24.1	19.1-29.2	313	75.9	70.8-80.9
College Graduate	427	63,248	95	20.4	16.2-24.6	332	79.6	75.4-83.8
\$15,000- 24,999	197	25,673	73	34.3	26.2-42.5	124	65.7	57.5-73.8
\$25,000- 34,999	214	32,531	59	22.9	16.7-29.0	155	77.1	71.0-83.3
\$35,000- 49,999	287	43,258	82	27.1	21.4-32.8	205	72.9	67.2-78.6
\$50,000- 74,999	247	34,985	46	18.7	13.4-24.0	201	81.3	76.0-86.6
\$75,000+	254	37,496	43	18.2	12.4-24.0	211	81.8	76.0-87.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 10: IMMUNIZATION**

TABLE 9: HAVE YOU EVER HAD A PNEUMONIA SHOT? A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2256	225,877	716	28.3	26.2-30.4	1540	71.7	69.6-73.8
Non-Native	2173	214,850	683	28.0	25.9-30.1	1490	72.0	69.9-74.1
18-24	83	26,678	11	13.0	5.11-20.9	72	87.0	79.1-94.9
25-34	226	32,284	25	10.3	6.19-14.3	201	89.8	85.7-93.8
35-44	392	37,782	33	8.4	5.49-11.3	359	91.6	88.7-94.5
45-54	493	42,691	64	12.7	9.53-15.9	429	87.3	84.1-90.5
55-64	371	30,653	95	26.6	21.8-31.5	276	73.4	68.5-78.2
65+	662	53,673	480	74.1	70.4-77.7	182	25.9	22.3-29.6
Less Than H.S.	196	18,976	114	50.6	41.9-59.4	82	49.3	40.6-58.1
H.S. or G.E.D.	638	62,381	243	34.0	29.8-38.2	395	66.0	61.8-70.2
Some Post-H.S.	734	75,428	219	27.2	23.5-31.0	515	72.8	69.0-76.5
College Graduate	685	68,906	139	18.3	15.2-21.4	546	81.7	78.6-84.8
Less than \$15,000	236	25,675	117	36.0	28.3-43.6	119	64.0	56.4-71.7
\$15,000- 24,999	386	34,628	168	40.7	35.0-46.5	218	59.3	53.5-65.0
\$25,000- 34,999	278	24,851	98	32.6	26.6-38.7	180	67.3	61.3-73.4
\$35,000- 49,999	364	36,958	78	19.9	15.5-24.2	286	80.1	75.8-84.5
\$50,000- 74,999	351	38,075	49	13.2	9.48-16.9	302	86.8	83.1-90.5
\$75,000+	280	30,046	37	12.0	8.08-16.0	243	88.0	84.0-91.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 11: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	82
2 MALES ONLY	83
3 FEMALES ONLY	84
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	85
5 MALES ONLY	86
6 FEMALES ONLY	87
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	88
8 MALES ONLY	89
9 FEMALES ONLY	90

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 11: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3996	485,949	1858	45.6	43.8-47.5	2138	54.4	52.5-56.2
Male	1623	240,998	900	51.1	48.2-53.9	723	48.9	46.1-51.8
Female	2373	244,952	958	40.3	37.9-42.7	1415	59.7	57.3-62.1
Non-Native	3851	464,729	1765	44.8	42.9-46.7	2086	55.2	53.3-57.1
18-24	211	74,370	87	37.8	30.8-44.9	124	62.1	55.1-69.2
25-34	498	79,626	205	41.0	36.5-45.6	293	58.9	54.4-63.5
35-44	718	81,857	286	40.3	36.5-44.2	432	59.7	55.8-63.5
45-54	869	89,940	422	48.8	45.2-52.5	447	51.1	47.5-54.8
55-64	647	62,981	349	54.7	50.6-58.8	298	45.3	41.2-49.4
65+	1016	94,214	489	50.7	47.3-54.0	527	49.3	46.0-52.7
Less Than H.S.	355	40,637	189	59.1	52.6-65.5	166	40.9	34.5-47.4
H.S. or G.E.D.	1159	139,119	670	57.2	53.6-60.7	489	42.8	39.3-46.4
Some Post-H.S.	1245	154,599	594	45.2	41.9-48.5	651	54.8	51.5-58.1
College Graduate	1230	150,969	400	31.7	28.7-34.7	830	68.3	65.3-71.3
Less than \$15,000	344	40,360	192	52.9	45.6-60.2	152	47.1	39.8-54.4
\$15,000- 24,999	632	69,334	344	52.4	47.5-57.3	288	47.6	42.7-52.5
\$25,000- 34,999	533	64,496	276	52.1	46.8-57.4	257	47.9	42.6-53.2
\$35,000- 49,999	712	89,867	336	47.5	43.3-51.8	376	52.4	48.2-56.7
\$50,000- 74,999	658	82,285	279	42.1	37.9-46.3	379	57.9	53.7-62.1
\$75,000+	584	75,053	206	34.4	30.1-38.7	378	65.6	61.3-69.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 11: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1623	240,998	900	51.1	48.2-53.9	723	48.9	46.1-51.8
Non-Native	1572	232,245	862	50.3	47.4-53.1	710	49.7	46.9-52.6
18-24	102	39,104	33	30.2	20.4-39.9	69	69.8	60.1-79.6
25-34	235	41,912	100	43.5	36.8-50.1	135	56.5	49.9-63.2
35-44	300	41,406	127	42.5	36.6-48.4	173	57.5	51.7-63.4
45-54	362	46,159	211	57.0	51.5-62.5	151	43.0	37.5-48.5
55-64	270	31,733	174	64.1	58.0-70.2	96	35.9	29.8-42.0
65+	346	39,838	248	70.5	65.4-75.7	98	29.5	24.3-34.6
Less Than H.S.	153	20,730	106	69.8	60.6-79.0	47	30.2	21.0-39.4
H.S. or G.E.D.	485	71,800	324	62.3	56.9-67.6	161	37.7	32.4-43.1
Some Post-H.S.	480	73,382	266	49.3	44.1-54.5	214	50.7	45.5-55.9
College Graduate	501	74,645	200	36.6	32.0-41.3	301	63.4	58.7-68.0
\$15,000- 24,999	221	29,393	141	55.6	47.4-63.8	80	44.4	36.2-52.6
\$25,000- 34,999	237	36,578	141	56.2	48.4-64.0	96	43.8	36.0-51.6
\$35,000- 49,999	325	49,857	179	54.3	48.1-60.4	146	45.8	39.6-51.9
\$50,000- 74,999	296	42,910	157	51.0	44.9-57.1	139	49.0	42.9-55.1
\$75,000+	291	43,210	123	39.5	33.2-45.7	168	60.5	54.3-66.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 11: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2373	244,952	958	40.3	37.9-42.7	1415	59.7	57.3-62.1
Non-Native	2279	232,484	903	39.4	37.0-41.8	1376	60.6	58.2-63.0
25-34	263	37,714	105	38.4	32.2-44.5	158	61.6	55.5-67.8
35-44	418	40,451	159	38.2	33.2-43.1	259	61.8	56.9-66.8
45-54	507	43,781	211	40.3	35.7-44.9	296	59.7	55.1-64.3
55-64	377	31,248	175	45.1	39.8-50.4	202	54.9	49.6-60.2
65+	670	54,376	241	36.1	32.1-40.1	429	63.9	59.9-67.9
Less Than H.S.	202	19,907	83	48.0	39.4-56.6	119	52.0	43.4-60.6
H.S. or G.E.D.	674	67,319	346	51.8	47.1-56.4	328	48.3	43.6-52.9
Some Post-H.S.	765	81,217	328	41.6	37.3-45.8	437	58.4	54.2-62.7
College Graduate	729	76,324	200	26.8	23.0-30.7	529	73.2	69.3-77.0
Less than \$15,000	248	26,941	124	51.6	42.9-60.4	124	48.3	39.6-57.1
\$15,000- 24,999	411	39,941	203	50.0	43.9-56.1	208	50.0	43.9-56.1
\$25,000- 34,999	296	27,918	135	46.6	40.0-53.3	161	53.3	46.7-60.0
\$35,000- 49,999	387	40,010	157	39.2	33.8-44.6	230	60.8	55.4-66.2
\$50,000- 74,999	362	39,375	122	32.4	27.0-37.8	240	67.6	62.2-73.0
\$75,000+	293	31,843	83	27.5	22.0-33.0	210	72.5	67.0-78.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 11: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1857	221,737	587	32.8	30.2-35.3	179	11.3	9.35-13.3	1091	55.9	53.2-58.6
Male	899	123,055	255	30.3	26.7-33.9	90	11.9	9.10-14.8	554	57.8	54.0-61.5
Female	958	98,682	332	35.8	32.1-39.6	89	10.6	7.88-13.3	537	53.6	49.7-57.5
Non-Native	1764	208,185	551	32.2	29.6-34.8	161	10.4	8.48-12.2	1052	57.4	54.7-60.2
18-24	87	28,147							27	27.3	17.5-37.1
25-34	205	32,689	82	40.2	33.0-47.4	37	16.1	10.9-21.2	86	43.8	36.5-51.0
35-44	286	33,020	119	40.9	34.8-47.0	35	13.5	9.04-18.0	132	45.6	39.4-51.7
45-54	422	43,932	166	37.1	32.0-42.1	36	8.2	5.39-11.1	220	54.7	49.4-60.0
55-64	348	34,370	110	31.1	25.8-36.4	24	5.9	3.31-8.57	214	63.0	57.5-68.5
65+	489	47,729	62	11.5	8.48-14.6	25	3.9	2.26-5.52	402	84.6	81.2-87.9
Less Than H.S.	189	24,011	61	38.0	28.4-47.6	16	10.2	4.52-15.8	112	51.8	42.6-61.0
H.S. or G.E.D.	670	79,555	256	39.3	34.9-43.7	59	10.6	7.31-13.9	355	50.1	45.7-54.6
Some Post-H.S.	594	69,903	191	32.4	28.1-36.8	64	12.1	8.70-15.5	339	55.5	50.8-60.2
College Graduate	399	47,755	76	19.4	14.7-24.1	40	12.1	7.47-16.8	283	68.4	62.7-74.2
Less than \$15,000	192	21,339	79	41.2	32.3-50.2	25	16.2	8.72-23.7	88	42.6	33.7-51.5
\$15,000- 24,999	343	36,263	133	38.4	32.3-44.6	39	14.6	9.13-20.1	171	47.0	40.7-53.3
\$25,000- 34,999	276	33,584	94	40.3	32.5-48.0	22	8.8	4.26-13.4	160	50.9	43.4-58.4
\$35,000- 49,999	336	42,736	98	29.1	23.7-34.6	31	10.9	6.00-15.7	207	60.0	53.9-66.1
\$50,000- 74,999	279	34,640	80	30.1	24.1-36.1	16	5.3	2.61-8.05	183	64.5	58.4-70.7
\$75,000+	206	25,818	50	24.0	17.5-30.5	18	9.3	4.45-14.2	138	66.7	59.4-74.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 11: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	899	123,055	255	30.3	26.8-33.8	90	11.9	9.10-14.8	554	57.8	54.0-61.5
Non-Native	861	116,667	243	30.1	26.5-33.8	84	11.2	8.53-13.8	534	58.7	54.9-62.5
25-34	100	18,222				19	17.4	9.83-24.9			
35-44	127	17,585	50	39.5	30.6-48.5	17	13.9	7.40-20.5	60	46.5	37.5-55.6
45-54	211	26,302	79	34.6	27.8-41.5	20	9.5	5.36-13.7	112	55.8	48.6-63.1
55-64	173	20,277	44	26.4	19.3-33.5	16	7.1	3.42-10.9	113	66.5	59.0-74.0
65+	248	28,096	27	10.5	6.42-14.6	8	2.8	0.72-4.84	213	86.7	82.2-91.2
Less Than H.S.	106	14,460				9	7.3	1.76-12.7			
H.S. or G.E.D.	324	44,719	112	35.1	29.3-41.0	32	12.3	7.24-17.4	180	52.6	46.4-58.8
Some Post-H.S.	266	36,149	80	31.7	25.4-37.9	28	13.0	7.76-18.3	158	55.3	48.6-62.1
College Graduate	199	27,286	33	17.8	11.6-24.0	21	12.6	6.44-18.8	145	69.6	61.9-77.2
\$15,000- 24,999	140	16,288	50	35.2	26.5-43.9	16	13.0	6.43-19.6	74	51.8	42.7-60.9
\$25,000- 34,999	141	20,562				15	12.0	4.90-19.1			
\$35,000- 49,999	179	27,049	50	28.5	21.1-35.9	17	12.0	4.88-19.1	112	59.5	51.2-67.9
\$50,000- 74,999	157	21,869	38	26.1	18.7-33.6	10	6.2	2.36-10.0	109	67.6	59.8-75.5
\$75,000+	123	17,049	29	24.1	15.6-32.6	12	10.4	3.81-17.1	82	65.4	55.9-75.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 11: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	958	98,682	332	35.8	32.1-39.6	89	10.6	7.88-13.3	537	53.6	49.8-57.4
Non-Native	903	91,518	308	34.8	31.1-38.6	77	9.3	6.65-12.0	518	55.8	51.9-59.8
25-34	105	14,467	46	41.9	31.9-51.9	18	14.4	7.76-21.0			
35-44	159	15,435	69	42.5	34.2-50.8	18	13.0	7.03-19.0	72	44.5	36.2-52.7
45-54	211	17,629	87	40.7	33.4-47.9	16	6.3	2.91-9.69	108	53.0	45.7-60.4
55-64	175	14,093	66	37.8	30.0-45.5	8	4.2	0.68-7.78	101	58.0	50.1-65.9
65+	241	19,634	35	13.0	8.47-17.4	17	5.5	2.82-8.16	189	81.5	76.5-86.6
H.S. or G.E.D.	346	34,836	144	44.6	38.2-51.1	27	8.4	4.73-12.1	175	46.9	40.6-53.3
Some Post-H.S.	328	33,755	111	33.2	27.2-39.3	36	11.1	6.87-15.3	181	55.7	49.3-62.1
College Graduate	200	20,469	43	21.6	14.4-28.7	19	11.5	4.32-18.7	138	66.9	58.2-75.6
Less than \$15,000	124	13,915				16	16.3	6.79-25.7			
\$15,000- 24,999	203	19,975	83	41.1	32.4-49.8	23	15.9	7.59-24.2	97	43.0	34.5-51.6
\$25,000- 34,999	135	13,023	50	38.6	28.8-48.5	7	3.8	0.88-6.72	78	57.6	47.7-67.4
\$35,000- 49,999	157	15,687	48	30.2	22.5-37.9	14	8.9	4.01-13.8	95	60.9	52.5-69.2
\$50,000- 74,999	122	12,771	42	36.9	27.0-46.8	6	3.8	0.53-7.15	74	59.2	49.3-69.2
\$75,000+	83	8,769	21	23.9	13.9-33.8	6	7.1	1.08-13.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 11: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	762	97,409	362	51.4	47.0-55.8	400	48.6	44.2-53.0
Male	343	51,776	159	49.9	43.5-56.3	184	50.1	43.7-56.5
Female	419	45,633	203	53.1	47.1-59.0	216	46.9	41.0-52.9
Non-Native	708	88,247	337	51.4	46.9-55.9	371	48.6	44.1-53.1
25-34	118	18,305	68	58.3	48.7-67.8	50	41.8	32.2-51.3
35-44	153	17,832	71	48.5	39.9-57.1	82	51.5	42.9-60.1
45-54	201	19,816	87	42.2	34.7-49.6	114	57.8	50.4-65.3
55-64	134	12,717	55	37.4	28.6-46.3	79	62.6	53.7-71.4
H.S. or G.E.D.	313	39,555	129	44.8	38.0-51.6	184	55.2	48.4-62.0
Some Post-H.S.	253	30,879	123	49.8	42.5-57.1	130	50.2	42.9-57.5
\$15,000- 24,999	170	19,096	82	58.5	49.8-67.3	88	41.4	32.7-50.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 11: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	343	51,776	159	49.9	43.5-56.3	184	50.1	43.7-56.5
Non-Native	325	47,992	149	50.0	43.5-56.5	176	50.0	43.5-56.5
H.S. or G.E.D.	143	21,147	61	44.7	35.1-54.3	82	55.3	45.7-64.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 11: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	419	45,633	203	53.1	47.1-59.0	216	46.9	41.0-52.9
Non-Native	383	40,254	188	53.0	46.8-59.2	195	47.0	40.8-53.2
H.S. or G.E.D.	170	18,408	68	44.9	35.3-54.4	102	55.1	45.6-64.7
Some Post-H.S.	146	14,876	75	55.0	45.3-64.6	71	45.0	35.4-54.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 12: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)	
1	MALES AND FEMALES	92
2	MALES ONLY	93
3	FEMALES ONLY	94
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)	
4	MALES AND FEMALES	95
5	MALES ONLY	96
6	FEMALES ONLY	97
	ONE DRINK IS EQUIVALENT TO A 12 OUNCE BEER, A 4 OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. ON THE DAYS WHEN YOU DRANK, DURING THE PAST 30 DAYS, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
7	MALES AND FEMALES	98
8	MALES ONLY	99
9	FEMALES ONLY	100
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION? (DRNK2GE5)	
10	MALES AND FEMALES	101
11	MALES ONLY	102
12	FEMALES ONLY	103
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
13	MALES AND FEMALES	104
14	MALES ONLY	105
15	FEMALES ONLY	106

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4001	486,651	2275	59.6	57.7-61.4	1726	40.4	38.6-42.3
Male	1624	241,297	1079	67.6	65.0-70.3	545	32.3	29.7-35.0
Female	2377	245,353	1196	51.6	49.2-54.0	1181	48.4	46.0-50.8
Non-Native	3856	465,430	2221	60.4	58.6-62.3	1635	39.6	37.7-41.4
18-24	212	74,659	135	62.4	55.2-69.6	77	37.6	30.4-44.8
25-34	498	79,626	344	68.1	63.8-72.5	154	31.8	27.5-36.2
35-44	720	82,145	481	67.1	63.4-70.8	239	32.9	29.2-36.6
45-54	872	90,223	544	64.6	61.2-68.0	328	35.4	32.0-38.8
55-64	650	63,267	361	59.3	55.3-63.3	289	40.7	36.7-44.7
65+	1011	93,684	391	39.3	36.0-42.6	620	60.7	57.4-64.0
Less Than H.S.	353	40,523	135	42.5	35.7-49.3	218	57.5	50.7-64.3
H.S. or G.E.D.	1159	139,288	614	55.1	51.6-58.6	545	44.9	41.4-48.4
Some Post-H.S.	1249	154,958	731	60.4	57.2-63.7	518	39.5	36.3-42.8
College Graduate	1233	151,255	791	67.4	64.5-70.3	442	32.6	29.7-35.5
Less than \$15,000	342	40,228	131	46.1	38.8-53.3	211	53.9	46.7-61.2
\$15,000- 24,999	634	69,447	297	47.7	42.8-52.6	337	52.3	47.4-57.2
\$25,000- 34,999	534	64,785	280	56.4	51.2-61.5	254	43.6	38.5-48.8
\$35,000- 49,999	715	90,177	466	66.4	62.4-70.3	249	33.6	29.7-37.6
\$50,000- 74,999	660	82,478	437	66.9	62.9-70.9	223	33.1	29.1-37.1
\$75,000+	584	75,116	427	73.3	69.2-77.4	157	26.7	22.6-30.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1624	241,297	1079	67.6	65.0-70.3	545	32.3	29.7-35.0	
Non-Native	1573	232,545	1054	68.2	65.5-70.9	519	31.8	29.1-34.5	
18-24	103	39,393	75	70.8	61.3-80.3	28	29.2	19.7-38.7	
25-34	235	41,912	184	75.7	69.7-81.7	51	24.3	18.3-30.3	
35-44	301	41,550	208	68.8	63.2-74.3	93	31.2	25.7-36.8	
45-54	365	46,485	251	69.7	64.6-74.7	114	30.3	25.3-35.4	
55-64	270	31,733	188	71.2	65.6-76.9	82	28.8	23.1-34.4	
65+	342	39,378	168	49.7	44.1-55.4	174	50.3	44.6-55.9	
H.S. or G.E.D.	485	71,970	294	62.4	57.3-67.5	191	37.6	32.5-42.7	
Some Post-H.S.	480	73,432	342	70.2	65.3-75.0	138	29.8	25.0-34.7	
College Graduate	502	74,725	368	75.0	70.9-79.1	134	25.0	20.9-29.1	
\$15,000- 24,999	222	29,509	123	54.0	46.2-61.9	99	45.9	38.1-53.8	
\$25,000- 34,999	238	36,867	143	64.3	57.2-71.3	95	35.7	28.7-42.8	
\$35,000- 49,999	327	50,081	238	73.1	67.6-78.5	89	26.9	21.5-32.4	
\$50,000- 74,999	297	43,040	212	71.0	65.3-76.6	85	29.0	23.4-34.7	
\$75,000+	290	43,130	224	75.9	70.1-81.8	66	24.1	18.2-29.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2377	245,353	1196	51.6	49.2-54.0	1181	48.4	46.0-50.8	
Non-Native	2283	232,886	1167	52.7	50.2-55.1	1116	47.3	44.9-49.8	
25-34	263	37,714	160	59.8	53.5-66.0	103	40.2	34.0-46.5	
35-44	419	40,595	273	65.3	60.5-70.2	146	34.7	29.8-39.5	
45-54	507	43,738	293	59.2	54.6-63.8	214	40.8	36.2-45.4	
55-64	380	31,534	173	47.2	41.9-52.6	207	52.8	47.4-58.1	
65+	669	54,306	223	31.7	27.9-35.5	446	68.3	64.5-72.1	
Less Than H.S.	200	19,793	63	34.0	25.8-42.2	137	66.0	57.8-74.2	
H.S. or G.E.D.	674	67,319	320	47.2	42.6-51.8	354	52.8	48.2-57.4	
Some Post-H.S.	769	81,526	389	51.7	47.3-56.0	380	48.3	44.0-52.7	
College Graduate	731	76,530	423	60.0	55.9-64.0	308	40.0	36.0-44.1	
Less than \$15,000	247	26,969	83	37.7	29.4-46.0	164	62.3	54.0-70.6	
\$15,000- 24,999	412	39,939	174	43.0	36.9-49.2	238	57.0	50.8-63.1	
\$25,000- 34,999	296	27,918	137	45.9	39.3-52.6	159	54.1	47.4-60.7	
\$35,000- 49,999	388	40,096	228	58.0	52.4-63.5	160	42.0	36.5-47.6	
\$50,000- 74,999	363	39,438	225	62.5	56.7-68.2	138	37.5	31.8-43.3	
\$75,000+	294	31,986	203	69.8	64.1-75.4	91	30.2	24.6-35.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 4: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2237	285,423	589	26.4	24.2-28.6	35	1.4	0.86-1.92	1381	62.1	59.8-64.5	207	9.2	7.77-10.6	25	0.9	0.52-1.30
Male	1062	160,690	303	27.8	24.7-30.9	27	2.0	1.14-2.90	584	57.1	53.7-60.6	144	12.6	10.4-14.8	4	0.4	0.01-0.83
Female	1175	124,733	286	24.6	21.6-27.6	8	0.6	0.18-0.96	797	68.6	65.4-71.7	63	4.7	3.40-6.06	21	1.5	0.84-2.26
Non-Native	2186	277,627	582	26.8	24.6-29.1	35	1.4	0.88-1.98	1344	61.7	59.3-64.1	202	9.2	7.78-10.6	23	0.8	0.46-1.20
18-24	133	46,034	37	26.8	18.5-35.0	1	0.9	0.00-2.78	83	63.7	54.7-72.6	12	8.6	3.55-13.7			
25-34	341	53,482	97	27.7	22.7-32.7	1	0.3	0.00-1.01	217	64.0	58.6-69.4	23	7.1	4.22-9.94	3	0.9	0.00-2.00
35-44	475	54,406	113	25.7	21.4-29.9	6	1.2	0.21-2.13	330	68.0	63.5-72.5	23	4.4	2.49-6.25	3	0.8	0.00-1.69
45-54	540	57,890	163	29.6	25.4-33.8	12	2.0	0.80-3.20	311	58.1	53.5-62.6	49	9.4	6.77-12.1	5	0.8	0.01-1.69
55-64	354	36,897	82	22.4	17.8-27.0	6	1.6	0.32-2.94	216	60.9	55.5-66.4	46	14.0	10.0-18.1	4	1.0	0.03-2.03
65+	376	35,426	96	25.0	20.3-29.7	8	2.4	0.71-4.15	211	55.8	50.3-61.2	52	14.9	10.9-18.9	9	1.9	0.63-3.21
Less Than H.S.	128	16,738	31	20.3	12.2-28.3	2	0.9	0.00-2.29				14	12.6	4.64-20.5	5	3.3	0.13-6.45
H.S. or G.E.D.	598	74,448	158	25.9	21.8-30.1	16	2.3	1.13-3.53	364	62.5	58.0-67.1	54	8.5	6.08-11.0	6	0.7	0.12-1.26
Some Post-H.S.	723	93,057	197	26.8	23.0-30.7	7	0.8	0.19-1.37	456	64.4	60.3-68.5	61	7.8	5.64-9.88	2	0.2	0.00-0.56
College Graduate	785	100,935	202	27.4	23.7-31.1	10	1.3	0.28-2.36	483	59.6	55.6-63.6	78	10.4	7.83-12.9	12	1.3	0.48-2.12
Less than \$15,000	121	17,139				3	1.8	0.00-3.85				8	3.5	0.97-5.95	3	1.5	0.00-3.26
\$15,000- 24,999	296	33,072	85	30.2	23.0-37.4	7	2.8	0.03-5.67	166	54.2	46.7-61.7	34	11.5	6.84-16.2	4	1.2	0.00-2.61
\$25,000- 34,999	277	36,294	76	24.7	18.9-30.4	2	0.5	0.00-1.18	170	63.8	56.9-70.8	27	10.5	5.70-15.4	2	0.5	0.00-1.20
\$35,000- 49,999	462	59,533	118	25.6	21.2-30.1	8	1.5	0.43-2.67	293	64.3	59.4-69.2	38	7.9	5.22-10.5	5	0.7	0.07-1.29
\$50,000- 74,999	432	54,423	112	26.8	22.1-31.4	5	1.1	0.13-2.05	272	61.5	56.4-66.6	41	10.3	7.03-13.5	2	0.4	0.00-0.96
\$75,000+	424	54,648	117	27.3	22.6-32.0	9	1.6	0.49-2.81	258	62.2	57.1-67.2	37	8.0	5.35-10.6	3	0.9	0.00-1.98

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 5: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1062	160,690	303	27.8	24.7-30.9	27	2.0	1.14-2.90	584	57.1	53.7-60.6	144	12.6	10.4-14.8	4	0.4	0.01-0.83
Non-Native	1039	156,639	298	28.1	25.0-31.2	27	2.1	1.17-2.97	571	56.9	53.5-60.4	140	12.6	10.3-14.8	3	0.3	0.00-0.70
18-24	74	27,598				1	1.6	0.00-4.63				10	11.8	4.16-19.4			
25-34	181	30,942	58	31.0	23.9-38.1	1	0.6	0.00-1.75	100	56.5	49.0-64.1	21	11.3	6.59-16.0	1	0.6	0.00-1.75
35-44	204	28,001	62	30.4	23.8-36.9	5	1.9	0.17-3.69	124	61.8	54.8-68.7	11	4.9	1.89-7.89	2	1.0	0.00-2.44
45-54	250	32,261	83	32.1	26.0-38.2	8	2.5	0.64-4.40	120	50.8	44.1-57.4	38	14.0	9.64-18.4	1	0.6	0.00-1.78
55-64	185	22,386	41	20.9	14.8-27.0	4	1.8	0.00-3.67	105	57.9	50.4-65.4	35	19.3	13.2-25.4			
65+	163	19,047	40	25.5	18.4-32.6	8	4.5	1.33-7.71	87	53.1	45.0-61.1	28	16.9	10.8-23.0			
Less Than H.S.	69	10,290				2	1.5	0.00-3.74							1	1.9	0.00-5.60
H.S. or G.E.D.	284	43,120	85	28.2	22.2-34.2	12	3.2	1.29-5.09	155	58.3	51.7-64.9	32	10.3	6.50-14.0			
Some Post-H.S.	339	51,274	102	28.8	23.2-34.5	5	1.1	0.10-2.02	188	58.4	52.4-64.4	44	11.7	8.05-15.3			
College Graduate	367	55,759	99	27.7	22.6-32.8	8	2.1	0.27-3.91	200	54.5	48.8-60.2	57	14.9	10.8-19.0	3	0.8	0.00-1.81
\$15,000- 24,999	122	15,886				7	5.9	0.15-11.7				18	15.3	7.58-23.1	1	1.2	0.00-3.62
\$25,000- 34,999	141	23,560	46	25.9	18.2-33.5	2	0.8	0.00-1.81	75	60.5	50.9-70.2	18	12.8	5.78-19.9			
\$35,000- 49,999	237	36,416	68	27.1	21.0-33.2	6	2.0	0.32-3.74	136	61.3	54.5-68.1	27	9.6	5.86-13.3			
\$50,000- 74,999	209	30,056	60	27.4	21.1-33.7	4	1.7	0.03-3.33	110	53.7	46.5-60.8	34	16.8	11.3-22.3	1	0.5	0.00-1.42
\$75,000+	222	32,547	62	28.6	22.0-35.2	5	1.7	0.07-3.29	126	58.8	51.7-65.8	28	10.4	6.47-14.3	1	0.6	0.00-1.66

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 6: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1175	124,733	286	24.6	21.6-27.6	8	0.6	0.18-0.96	797	68.6	65.4-71.7	63	4.7	3.40-6.06	21	1.5	0.84-2.26
Non-Native	1147	120,988	284	25.2	22.2-28.3	8	0.6	0.18-1.00	773	67.9	64.7-71.1	62	4.8	3.44-6.18	20	1.5	0.77-2.19
18-24	59	18,436										2	3.9	0.00-9.19			
25-34	160	22,540	39	23.1	16.4-29.8				117	74.3	67.3-81.2	2	1.3	0.00-3.14	2	1.3	0.00-3.36
35-44	271	26,405	51	20.7	15.4-26.0	1	0.4	0.00-1.07	206	74.6	69.0-80.2	12	3.8	1.63-5.99	1	0.5	0.00-1.60
45-54	290	25,629	80	26.5	21.1-31.9	4	1.3	0.04-2.62	191	67.3	61.6-73.0	11	3.7	1.49-5.85	4	1.2	0.00-2.35
55-64	169	14,511	41	24.6	17.8-31.5	2	1.3	0.00-3.11	111	65.5	58.0-73.0	11	5.9	2.26-9.56	4	2.6	0.08-5.18
65+	213	16,380	56	24.4	18.3-30.5				124	58.9	51.9-66.0	24	12.5	7.57-17.4	9	4.2	1.40-6.92
Less Than H.S.	59	6,448	15	17.3	8.14-26.4							4	5.5	0.00-11.2			
H.S. or G.E.D.	314	31,327	73	22.7	17.3-28.2	4	1.2	0.02-2.30	209	68.3	62.4-74.2	22	6.1	3.45-8.83	6	1.6	0.32-2.98
Some Post-H.S.	384	41,782	95	24.4	19.3-29.5	2	0.4	0.00-1.04	268	71.7	66.5-77.0	17	2.9	1.48-4.42	2	0.5	0.00-1.24
College Graduate	418	45,176	103	27.1	21.7-32.5	2	0.4	0.00-0.91	283	65.8	60.3-71.4	21	4.8	2.53-7.07	9	1.9	0.48-3.26
Less than \$15,000	77	9,620	15	15.8	5.91-25.7	1	1.0	0.00-2.93				5	3.8	0.38-7.32	3	2.7	0.00-5.81
\$15,000- 24,999	174	17,186	51	30.0	20.7-39.3				104	60.8	51.1-70.6	16	7.9	2.64-13.3	3	1.3	0.00-2.68
\$25,000- 34,999	136	12,734	30	22.4	14.1-30.8				95	69.9	60.9-79.0	9	6.3	2.04-10.5	2	1.3	0.00-3.43
\$35,000- 49,999	225	23,117	50	23.4	17.0-29.8	2	0.8	0.00-1.86	157	68.9	62.0-75.8	11	5.2	1.69-8.63	5	1.8	0.18-3.32
\$50,000- 74,999	223	24,367	52	26.0	18.9-33.0	1	0.3	0.00-1.04	162	71.1	64.0-78.2	7	2.3	0.53-3.97	1	0.3	0.00-0.86
\$75,000+	202	22,101	55	25.4	19.1-31.7	4	1.6	0.02-3.16	132	67.2	60.3-74.1	9	4.4	1.51-7.31	2	1.4	0.00-3.50

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 7. ONE DRINK IS EQUIVALENT TO A 12 OUNCE BEER, A 4 OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. ON THE DAYS WHEN YOU DRANK, DURING THE PAST 30 DAYS, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2208	282,288	857	35.0	32.7-37.3	661	29.4	27.2-31.6	313	14.5	12.8-16.3	161	8.1	6.71-9.57	216	13.0	11.0-14.9
Male	1047	159,365	320	29.1	26.0-32.2	311	28.5	25.4-31.6	161	14.9	12.5-17.4	97	9.3	7.25-11.4	158	18.2	15.1-21.3
Female	1161	122,923	537	42.6	39.2-45.9	350	30.6	27.4-33.8	152	14.0	11.6-16.4	64	6.6	4.73-8.53	58	6.2	4.35-8.03
Non-Native	2159	274,293	839	34.6	32.4-36.9	654	30.0	27.7-32.3	303	14.4	12.7-16.2	154	8.1	6.70-9.60	209	12.7	10.8-14.7
18-24	132	45,906	26	20.7	13.1-28.3	34	25.8	17.6-33.9	24	16.0	9.60-22.5	10	8.9	3.34-14.5	38	28.6	19.9-37.3
25-34	336	52,935	70	20.9	16.4-25.5	103	29.9	24.7-35.0	60	16.8	12.8-20.9	40	12.3	8.61-16.0	63	20.0	15.3-24.8
35-44	471	53,879	144	30.9	26.5-35.4	143	30.4	26.0-34.8	93	19.8	16.0-23.6	38	7.8	5.31-10.4	53	11.0	7.97-14.1
45-54	532	57,037	190	35.1	30.6-39.6	185	35.0	30.5-39.4	76	14.0	10.8-17.1	42	8.4	5.74-11.0	39	7.6	5.13-9.99
55-64	349	36,298	175	50.6	45.0-56.3	99	26.9	21.9-31.8	33	9.3	6.08-12.6	21	6.8	3.80-9.84	21	6.3	3.48-9.20
65+	372	35,203	246	64.4	59.1-69.7	91	25.1	20.4-29.9	25	7.3	4.42-10.3	8	2.3	0.49-4.01	2	0.8	0.00-2.05
Less Than H.S.	124	16,150				25	15.9	9.25-22.6	19	19.0	9.57-28.5	10	6.8	2.11-11.5			
H.S. or G.E.D.	591	73,835	217	33.8	29.3-38.4	176	28.8	24.5-33.1	78	12.7	9.72-15.6	51	9.1	6.37-11.9	69	15.5	11.5-19.6
Some Post-H.S.	718	92,471	258	32.0	28.1-35.9	206	27.1	23.4-30.8	112	16.8	13.5-20.2	60	9.6	6.77-12.4	82	14.5	11.0-18.0
College Graduate	771	99,515	322	37.7	33.9-41.6	252	34.1	30.1-38.1	104	13.1	10.5-15.7	39	6.3	4.07-8.47	54	8.8	6.24-11.3
Less than \$15,000	122	17,469	47	31.3	21.6-41.0	32	22.4	12.9-31.8	10	9.5	2.36-16.7	14	14.4	5.15-23.6	19	22.3	12.4-32.3
\$15,000- 24,999	288	32,349	109	31.1	24.8-37.5	84	31.8	24.6-39.0	42	16.6	10.9-22.2	13	4.3	1.65-7.03	40	16.2	9.83-22.5
\$25,000- 34,999	271	35,371	98	29.6	23.2-35.9	70	24.8	18.2-31.4	41	13.5	8.93-18.1	25	10.3	6.16-14.4	37	21.9	13.9-29.9
\$35,000- 49,999	455	58,775	172	35.0	30.0-40.1	134	29.5	24.7-34.2	66	16.0	12.0-20.0	39	8.2	5.51-10.8	44	11.3	7.89-14.8
\$50,000- 74,999	429	54,103	150	32.0	27.4-36.7	146	34.3	29.3-39.2	68	16.5	12.6-20.4	28	6.9	4.26-9.56	37	10.3	6.87-13.7
\$75,000+	423	54,509	169	39.0	33.9-44.1	146	33.5	28.5-38.4	61	14.3	10.6-18.0	23	6.6	3.70-9.54	24	6.6	3.61-9.65

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 8: ONE DRINK IS EQUIVALENT TO A 12 OUNCE BEER, A 4 OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. ON THE DAYS WHEN YOU DRANK, DURING THE PAST 30 DAYS, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1047	159,365	320	29.1	26.0-32.2	311	28.5	25.4-31.6	161	14.9	12.5-17.4	97	9.3	7.25-11.4	158	18.2	15.1-21.3
Non-Native	1025	155,072	309	28.4	25.3-31.4	310	29.2	26.1-32.3	157	15.0	12.5-17.4	95	9.4	7.31-11.5	154	18.0	15.0-21.1
18-24	74	27,742	13	18.5	8.73-28.3	15	20.9	10.9-30.8	11	13.3	5.32-21.3	6	9.1	1.82-16.4			
25-34	179	30,804	31	17.1	11.4-22.9	47	25.6	18.9-32.4	32	16.8	11.3-22.4	26	14.2	8.89-19.4	43	26.2	19.2-33.2
35-44	202	27,857	44	23.4	17.2-29.7	61	30.9	24.2-37.6	46	22.5	16.6-28.5	18	8.3	4.46-12.1	33	14.9	9.80-20.0
45-54	245	31,707	62	28.1	21.8-34.5	87	36.0	29.6-42.5	35	13.7	9.23-18.1	27	10.1	6.18-13.9	34	12.1	8.00-16.2
55-64	181	21,882	77	43.6	35.9-51.2	53	27.9	21.1-34.7	21	11.3	6.42-16.1	13	8.0	3.62-12.5	17	9.2	4.71-13.7
65+	162	19,047	93	57.5	49.5-65.5	45	27.8	20.6-35.0	16	9.9	5.13-14.7	6	3.3	0.24-6.28	2	1.6	0.00-3.79
Less Than H.S.	65	9,777				10	13.6	4.95-22.2				5	4.5	0.24-8.74			
H.S. or G.E.D.	284	43,350	82	28.9	22.5-35.3	85	28.7	22.7-34.7	41	13.0	8.88-17.2	30	10.6	6.47-14.8	46	18.7	12.9-24.6
Some Post-H.S.	334	50,862	87	24.7	19.7-29.7	96	25.4	20.3-30.4	53	17.2	12.5-22.0	38	11.8	7.62-16.0	60	20.9	15.3-26.5
College Graduate	361	55,129	119	31.8	26.5-37.1	118	33.6	28.1-39.1	57	13.7	10.1-17.3	23	6.7	3.80-9.68	44	14.1	9.85-18.4
\$15,000- 24,999	118	15,421	36	25.8	16.6-35.1				17	15.1	7.18-23.0	3	2.8	0.00-5.96			
\$25,000- 34,999	137	22,997	39	25.3	17.1-33.4	31	21.2	12.5-29.9	23	14.6	8.22-21.0	15	9.9	4.70-15.1			
\$35,000- 49,999	234	36,073	71	30.8	23.9-37.7	71	29.4	23.0-35.8	31	14.1	8.97-19.2	27	9.7	5.93-13.5	34	15.9	10.7-21.2
\$50,000- 74,999	207	29,805	53	24.9	18.8-31.1	67	31.8	25.1-38.4	41	20.3	14.4-26.2	17	8.3	4.26-12.3	29	14.6	9.42-19.9
\$75,000+	222	32,505	74	33.8	26.9-40.7	78	34.1	27.4-40.8	32	13.5	8.88-18.1	17	8.8	4.37-13.3	21	9.8	5.02-14.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 9: ONE DRINK IS EQUIVALENT TO A 12 OUNCE BEER, A 4 OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. ON THE DAYS WHEN YOU DRANK, DURING THE PAST 30 DAYS, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1161	122,923	537	42.6	39.2-45.9	350	30.6	27.4-33.8	152	14.0	11.6-16.4	64	6.6	4.73-8.53	58	6.2	4.35-8.03
Non-Native	1134	119,222	530	42.8	39.5-46.2	344	31.1	27.8-34.3	146	13.8	11.3-16.2	59	6.5	4.58-8.46	55	5.8	4.03-7.63
18-24	58	18,163							4	8.6	0.01-17.3				9	13.9	4.80-23.0
25-34	157	22,131	39	26.2	18.9-33.5	56	35.8	27.9-43.7	28	16.8	10.9-22.7	14	9.8	4.79-14.7	20	11.4	6.24-16.6
35-44	269	26,022	100	39.0	32.8-45.2	82	29.8	24.1-35.6	47	16.9	12.3-21.6	20	7.4	4.11-10.6	20	6.9	3.69-10.1
45-54	287	25,330	128	43.9	37.7-50.1	98	33.7	27.8-39.6	41	14.3	9.87-18.8	15	6.2	2.85-9.63	5	1.9	0.21-3.51
55-64	168	14,415	98	61.3	53.6-69.0	46	25.3	18.5-32.1	12	6.4	2.71-10.2	8	5.0	1.45-8.47	4	2.0	0.00-4.02
65+	210	16,156	153	72.6	66.0-79.1	46	22.0	16.0-28.1	9	4.3	1.43-7.23	2	1.1	0.00-2.53			
Less Than H.S.	59	6,372										5	10.3	0.76-19.9	3	7.8	0.00-17.0
H.S. or G.E.D.	307	30,485	135	40.9	34.5-47.3	91	28.9	23.0-34.9	37	12.2	8.08-16.3	21	7.0	3.93-10.0	23	11.0	5.81-16.3
Some Post-H.S.	384	41,609	171	40.9	35.0-46.8	110	29.1	23.7-34.6	59	16.4	11.7-21.1	22	6.8	3.32-10.3	22	6.8	3.61-9.89
College Graduate	410	44,385	203	45.1	39.5-50.7	134	34.8	29.1-40.5	47	12.3	8.55-16.0	16	5.7	2.40-8.98	10	2.1	0.76-3.46
Less than \$15,000	77	9,308				24	21.7	12.0-31.4	7	11.4	1.48-21.4						
\$15,000- 24,999	170	16,928	73	36.0	27.2-44.8				25	17.9	10.0-25.8	10	5.8	1.56-9.98	14	9.0	3.58-14.4
\$25,000- 34,999	134	12,375	59	37.6	28.3-47.0	39	31.5	22.1-40.8	18	11.4	5.99-16.9	10	10.9	4.29-17.6	8	8.5	1.34-15.8
\$35,000- 49,999	221	22,702	101	41.7	34.6-48.9	63	29.6	22.7-36.4	35	19.0	12.6-25.4	12	5.7	2.42-9.00	10	4.0	1.39-6.53
\$50,000- 74,999	222	24,298	97	40.7	33.6-47.8	79	37.3	30.0-44.6	27	11.8	7.20-16.4	11	5.2	2.01-8.47	8	5.0	0.95-8.99
\$75,000+	201	22,004	95	46.7	39.1-54.3	68	32.5	25.3-39.8	29	15.4	9.39-21.4	6	3.3	0.50-6.18	3	2.0	0.00-4.26

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 10: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION? (DRNK2GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	590	91,186	268	44.1	39.3-48.9	130	21.0	17.2-24.8	46	8.4	5.67-11.2	54	8.1	5.64-10.5	92	18.5	14.1-22.8
Male	398	66,237	155	38.9	33.2-44.5	99	22.9	18.2-27.6	33	8.7	5.45-12.0	37	7.9	4.99-10.9	74	21.6	16.1-27.1
Female	192	24,949	113	57.8	49.4-66.3	31	15.8	9.61-21.9	13	7.7	2.60-12.7	17	8.5	4.16-12.9	18	10.2	4.68-15.7
Non-Native	574	88,438	257	43.2	38.4-48.0	129	21.5	17.6-25.5	46	8.7	5.86-11.5	52	7.9	5.46-10.4	90	18.7	14.3-23.1
18-24	71	25,383				12	17.4	7.99-26.8	8	10.9	3.37-18.5	7	7.3	1.31-13.2			
25-34	156	24,016	71	43.3	35.1-51.6	36	21.9	15.2-28.5	11	7.4	3.09-11.6	17	10.6	5.56-15.6	21	16.9	9.98-23.7
35-44	140	16,851	70	52.0	43.2-60.9	29	21.7	14.3-29.0	8	5.6	1.57-9.69	13	7.8	3.54-12.1	20	12.8	7.17-18.5
45-54	133	14,797	62	48.7	39.6-57.9	31	22.9	15.4-30.4	12	8.5	3.51-13.4	7	4.5	1.07-7.97	21	15.4	8.77-21.9
55-64	66	7,504							5	9.2	1.26-17.2	7	10.3	2.53-18.1	9	14.7	5.16-24.2
H.S. or G.E.D.	174	26,330	79	45.2	36.3-54.1	35	20.0	12.9-27.2	13	7.7	2.94-12.4	19	10.9	5.10-16.7	28	16.2	9.44-22.9
Some Post-H.S.	209	32,111	98	45.9	37.9-54.0	45	19.1	13.1-25.1	13	7.0	2.71-11.4	20	8.3	4.41-12.2	33	19.6	12.1-27.2
College Graduate	175	26,451	72	39.6	31.3-48.0	45	25.4	18.1-32.7	18	12.1	6.06-18.1	14	5.9	2.70-9.20	26	16.9	10.4-23.5
\$15,000- 24,999	76	10,655				10	10.1	2.74-17.4	3	6.0	0.00-14.2	11	13.1	4.44-21.8			
\$25,000- 34,999	95	15,882				24	22.9	13.2-32.5	10	8.4	2.88-13.9	8	5.2	1.28-9.08			
\$35,000- 49,999	116	17,110				23	18.0	10.6-25.3	8	8.1	1.88-14.3	18	16.5	9.06-24.0	18	17.3	9.59-25.1
\$50,000- 74,999	128	17,738	66	51.8	42.4-61.3	26	20.0	12.4-27.7	11	8.3	3.12-13.5	6	3.4	0.62-6.26	19	16.4	8.78-24.0
\$75,000+	95	13,332							9	11.6	3.53-19.7	5	10.0	0.25-7.97	12	10.4	4.36-16.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 11: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION? (DRNK2GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	398	66,237	155	38.9	33.2-44.5	99	22.9	18.2-27.6	33	8.7	5.45-12.0	37	7.9	4.99-10.9	74	21.6	16.1-27.0
Non-Native	390	64,680	150	38.0	32.3-43.7	98	23.4	18.6-28.2	33	8.9	5.58-12.2	37	8.1	5.12-11.1	72	21.6	16.1-27.1
25-34	103	16,986	39	36.8	26.9-46.6	26	23.2	15.0-31.5	9	8.6	3.10-14.2	13	11.9	5.44-18.3	16	19.5	10.8-28.2
35-44	90	11,965				22	25.3	15.8-34.8	5	5.7	0.57-10.9	8	6.6	1.89-11.4	15	14.5	7.13-21.8
45-54	91	11,036				26	26.8	17.4-36.3	8	8.3	2.38-14.1	5	4.1	0.35-7.91	16	17.1	8.84-25.4
H.S. or G.E.D.	115	18,935				22	18.1	10.2-26.1	8	8.1	1.94-14.2	14	12.3	4.78-19.9	24	19.8	11.0-28.6
Some Post-H.S.	143	23,198	57	40.6	31.1-50.1	37	23.0	15.2-30.9	7	4.3	1.03-7.65	15	8.4	3.82-12.9	27	23.7	14.0-33.4
College Graduate	124	19,989	44	33.8	24.4-43.1	35	27.1	18.4-35.9	17	15.5	7.73-23.2	8	4.8	1.32-8.38	20	18.7	10.8-26.6
\$25,000- 34,999	69	12,563							8	8.9	2.34-15.5	7	6.2	1.25-11.1			
\$35,000- 49,999	79	12,661				19	21.8	12.4-31.2	6	7.1	1.20-12.9	14	18.2	8.99-27.5	16	20.3	10.9-29.7
\$50,000- 74,999	90	13,208				21	20.7	12.3-29.1	7	8.3	1.94-14.6	3	2.5	0.00-5.50	14	18.8	9.13-28.4
\$75,000+	73	10,857							6	11.1	1.77-20.5	5	5.0	0.31-9.79	11	11.9	4.67-19.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 12: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION? (DRNK2GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	192	24,949	113	57.8	49.4-66.3	31	15.8	9.59-21.9	13	7.7	2.58-12.7	17	8.5	4.16-12.9	18	10.2	4.68-15.7
Non-Native	184	23,758	107	57.3	48.6-66.0	31	16.5	10.1-23.0	13	8.0	2.73-13.4	15	7.3	3.38-11.3	18	10.7	4.94-16.5
25-34	53	7,030							2	4.2	0.00-9.97	4	7.4	0.30-14.5			
35-44	50	4,886				7	12.7	3.25-22.2	3	5.4	0.00-11.4	5	10.8	1.72-19.9	5	8.8	1.19-16.5
H.S. or G.E.D.	59	7,395							5	6.6	0.49-12.8	5	7.1	0.59-13.6	4	6.9	0.00-14.7
Some Post-H.S.	66	8,913				8	8.8	2.37-15.2				5	8.1	0.54-15.7	6	9.1	0.62-17.6
College Graduate	51	6,462							1	1.5	0.00-4.38	6	9.4	1.66-17.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 13: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2150	273,606	529	21.6	19.6-23.6	540	23.3	21.3-25.3	385	17.4	15.5-19.2	164	7.9	6.60-9.30	532	29.8	27.3-32.2
Male	1014	153,338	170	16.8	14.1-19.4	198	18.6	16.0-21.3	193	17.5	15.0-20.0	92	8.6	6.77-10.5	361	38.5	34.9-42.1
Female	1136	120,269	359	27.8	24.9-30.6	342	29.3	26.3-32.4	192	17.2	14.4-20.0	72	7.1	5.09-9.05	171	18.6	15.7-21.6
Non-Native	2100	265,555	515	21.1	19.2-23.1	533	23.7	21.7-25.8	375	17.4	15.5-19.3	158	7.9	6.56-9.30	519	29.8	27.3-32.3
18-24	128	44,313	14	12.2	5.79-18.6	17	12.9	6.78-19.1	23	15.9	9.14-22.7	8	5.9	1.54-10.3	66	53.0	43.5-62.5
25-34	314	49,578	37	11.8	8.16-15.5	59	18.8	14.2-23.3	49	15.6	11.4-19.8	33	11.8	7.75-15.8	136	42.1	36.3-47.9
35-44	462	52,643	94	20.0	16.1-23.9	104	22.7	18.6-26.8	95	20.0	16.2-23.9	44	9.8	6.90-12.7	125	27.5	23.1-31.8
45-54	521	55,566	107	19.7	15.9-23.5	143	28.0	23.7-32.3	109	20.2	16.5-23.9	39	7.6	5.17-10.1	123	24.4	20.4-28.5
55-64	345	35,922	107	30.1	25.0-35.2	94	27.5	22.4-32.6	59	16.1	12.0-20.1	24	7.3	4.17-10.4	61	19.0	14.5-23.5
65+	368	34,767	167	44.1	38.6-49.6	117	31.7	26.5-36.8	50	14.9	10.9-19.0	15	3.4	1.61-5.25	19	5.8	3.11-8.55
Less Than H.S.	120	15,484	37	27.2	17.8-36.7	26	17.3	10.2-24.4	19	12.5	6.18-18.8	9	4.7	1.43-8.01			
H.S. or G.E.D.	573	71,969	142	22.6	18.4-26.7	131	21.4	17.5-25.3	92	15.6	12.3-19.0	47	6.8	4.73-8.81	161	33.6	28.7-38.5
Some Post-H.S.	701	89,019	160	19.7	16.5-22.9	166	22.2	18.7-25.7	122	16.3	13.2-19.5	61	10.2	7.38-12.9	192	31.6	27.3-35.8
College Graduate	752	96,817	189	21.6	18.5-24.8	217	26.8	23.3-30.4	152	20.4	17.0-23.8	45	7.2	4.89-9.51	149	23.9	20.1-27.7
Less than \$15,000	114	16,700	32	22.8	14.2-31.3	23	13.2	5.54-20.9	15	13.1	5.07-21.2	12	9.7	2.49-17.0			
\$15,000- 24,999	278	30,986	70	19.5	14.5-24.5	73	26.7	20.1-33.3	44	17.1	10.7-23.4	21	6.7	3.14-10.3	70	30.0	22.4-37.6
\$25,000- 34,999	265	34,264	60	16.7	11.8-21.7	60	20.5	14.6-26.4	43	14.8	10.1-19.5	13	4.5	1.73-7.37	89	43.4	35.3-51.5
\$35,000- 49,999	445	57,292	112	24.2	19.5-29.0	106	22.2	18.0-26.4	88	18.4	14.5-22.3	35	8.8	5.71-11.9	104	26.4	21.5-31.2
\$50,000- 74,999	421	52,715	90	19.3	15.4-23.2	105	24.9	20.5-29.4	82	18.3	14.4-22.1	33	9.0	5.62-12.4	111	28.5	23.8-33.3
\$75,000+	418	53,845	88	20.6	16.3-24.9	118	26.1	21.7-30.5	84	19.9	15.5-24.2	37	9.8	6.60-13.0	91	23.6	18.9-28.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 14: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKs)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1014	153,338	170	16.8	14.1-19.4	198	18.6	16.0-21.3	193	17.5	15.0-20.0	92	8.6	6.77-10.5	361	38.5	34.9-42.1
Non-Native	990	148,859	161	15.9	13.4-18.4	196	19.1	16.4-21.8	188	17.5	15.0-20.1	91	8.8	6.87-10.7	354	38.7	35.1-42.3
18-24	70	26,150	9	14.9	5.36-24.5	7	10.0	2.41-17.5	10	11.3	4.15-18.5	2	1.9	0.00-4.64			
25-34	165	28,600	12	7.4	3.33-11.4	16	10.4	5.41-15.4	29	16.7	10.9-22.5	19	14.3	8.18-20.4	89	51.2	43.1-59.3
35-44	198	27,100	25	14.2	8.88-19.6	32	16.5	11.1-21.9	41	20.3	14.6-26.1	20	10.5	5.98-15.0	80	38.4	31.4-45.5
45-54	237	30,536	27	13.0	7.93-18.1	51	23.9	17.8-29.9	49	20.3	14.9-25.6	25	9.7	5.84-13.6	85	33.2	26.9-39.4
55-64	180	21,840	42	22.8	16.4-29.2	43	25.5	18.7-32.4	30	15.8	10.3-21.4	16	8.9	4.34-13.5	49	26.9	20.2-33.7
65+	160	18,786	55	36.7	28.7-44.6	47	28.9	21.6-36.3	34	20.9	14.4-27.5	9	4.4	1.44-7.32	15	9.1	4.37-13.8
Less Than H.S.	63	9,327				15	18.2	8.23-28.1	12	14.9	5.37-24.3	5	4.2	0.25-8.09			
H.S. or G.E.D.	274	42,256	44	18.5	12.4-24.5	47	15.8	11.2-20.4	49	16.8	11.9-21.6	23	6.6	3.78-9.34	111	42.4	35.4-49.4
Some Post-H.S.	324	48,037	44	13.6	9.46-17.7	59	18.1	13.3-23.0	57	15.9	11.7-20.1	36	11.8	7.85-15.7	128	40.6	34.3-46.9
College Graduate	350	53,473	66	17.7	13.3-22.1	77	21.4	16.7-26.2	75	20.1	15.7-24.5	26	8.0	4.81-11.2	106	32.8	27.1-38.5
\$15,000- 24,999	111	14,350	23	15.8	8.76-22.9	23	23.5	13.7-33.3	15	13.1	6.07-20.1	5	4.1	0.35-7.95			
\$25,000- 34,999	133	22,187	17	11.6	5.57-17.6	18	13.7	6.54-20.8	27	16.6	9.97-23.1	6	4.5	0.70-8.38			
\$35,000- 49,999	227	35,021	39	19.5	12.9-26.1	45	18.6	13.3-24.0	48	19.0	13.6-24.4	24	10.8	6.22-15.4	71	32.0	25.2-38.8
\$50,000- 74,999	201	28,621	24	12.3	7.50-17.0	43	21.4	15.5-27.4	37	18.0	12.5-23.5	23	10.9	6.36-15.4	74	37.4	30.4-44.5
\$75,000+	220	32,161	36	17.8	11.9-23.7	45	19.2	13.7-24.6	46	18.9	13.6-24.2	24	11.9	7.19-16.7	69	32.1	25.2-39.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 15: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1136	120,269	359	27.8	24.9-30.6	342	29.3	26.3-32.4	192	17.2	14.4-20.0	72	7.1	5.09-9.05	171	18.6	15.7-21.6
Non-Native	1110	116,696	354	27.8	25.0-30.7	337	29.7	26.5-32.8	187	17.3	14.4-20.1	67	6.8	4.85-8.85	165	18.4	15.4-21.4
18-24	58	18,163	5	8.3	1.16-15.4							6	11.6	2.08-21.2			
25-34	149	20,978	25	17.9	11.4-24.5	43	30.1	22.3-38.0	20	14.0	8.04-20.0	14	8.3	3.99-12.7	47	29.6	22.0-37.3
35-44	264	25,543	69	26.1	20.5-31.6	72	29.3	23.3-35.3	54	19.7	14.7-24.7	24	9.1	5.44-12.7	45	15.8	11.3-20.4
45-54	284	25,031	80	27.9	22.2-33.5	92	33.0	27.1-39.0	60	20.1	15.2-25.1	14	5.1	2.32-7.92	38	13.8	9.36-18.3
55-64	165	14,082	65	41.5	33.5-49.4	51	30.6	23.2-38.0	29	16.4	10.5-22.3	8	4.7	1.31-8.17	12	6.8	2.91-10.6
65+	208	15,981	112	52.9	45.5-60.3	70	34.9	27.7-42.0	16	7.9	3.88-11.9	6	2.3	0.38-4.26	4	2.0	0.04-4.00
Less Than H.S.	57	6,158				11	15.9	6.16-25.6	7	9.0	1.85-16.1	4	5.6	0.00-11.3			
H.S. or G.E.D.	299	29,713	98	28.4	22.9-33.9	84	29.3	23.0-35.7	43	14.0	9.59-18.5	24	7.1	4.08-10.0	50	21.1	14.9-27.4
Some Post-H.S.	377	40,981	116	26.9	21.9-31.9	107	27.0	21.8-32.2	65	16.9	12.1-21.7	25	8.2	4.32-12.2	64	21.0	15.6-26.3
College Graduate	402	43,344	123	26.5	21.9-31.2	140	33.5	28.3-38.8	77	20.8	15.6-26.0	19	6.2	2.84-9.54	43	12.9	8.66-17.2
Less than \$15,000	74	9,083				16	12.9	5.51-20.4	10	10.6	3.29-17.9						
\$15,000- 24,999	167	16,636	47	22.7	15.7-29.8	50	29.4	20.6-38.3	29	20.5	10.6-30.4	16	8.9	3.20-14.6	25	18.4	10.4-26.4
\$25,000- 34,999	132	12,077	43	26.1	18.0-34.3	42	33.1	23.6-42.6	16	11.5	5.66-17.3	7	4.6	0.80-8.36	24	24.7	14.9-34.4
\$35,000- 49,999	218	22,271	73	31.6	24.9-38.3	61	27.9	21.2-34.5	40	17.3	11.9-22.7	11	5.6	2.32-8.94	33	17.6	11.1-24.0
\$50,000- 74,999	220	24,094	66	27.6	21.3-33.9	62	29.1	22.5-35.8	45	18.6	13.2-23.9	10	6.7	1.65-11.8	37	18.0	12.0-24.0
\$75,000+	198	21,684	52	24.7	18.4-31.0	73	36.3	29.1-43.6	38	21.3	13.9-28.6	13	6.6	2.96-10.3	22	11.0	6.46-15.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 13: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	110
2 MALES ONLY	111
3 FEMALES ONLY	112
ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4 MALES AND FEMALES	113
5 MALES ONLY	114
6 FEMALES ONLY	115
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	116
8 MALES ONLY	117
9 FEMALES ONLY	118
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	119
11 MALES ONLY	120
12 FEMALES ONLY	121
ARE YOU: (MARITAL STATUS) (MARITAL)	
13 MALES AND FEMALES	122
14 MALES ONLY	123
15 FEMALES ONLY	124
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
16 MALES AND FEMALES	125
17 MALES ONLY	126
18 FEMALES ONLY	127
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19 MALES AND FEMALES	128
20 MALES ONLY	129
21 FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 13: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
22	MALES AND FEMALES	131
23	MALES ONLY	132
24	FEMALES ONLY	133
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
25	MALES AND FEMALES	134
26	MALES ONLY	135
27	FEMALES ONLY	136
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
28	MALES AND FEMALES	137
29	MALES ONLY	138
30	FEMALES ONLY	139
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
31	MALES AND FEMALES	140
32	MALES ONLY	141
33	FEMALES ONLY	142
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE)	
34	MALES AND FEMALES	143
35	MALES ONLY	144
36	FEMALES ONLY	145
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
37	MALES AND FEMALES	146
38	MALES ONLY	147
39	FEMALES ONLY	148
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
40	MALES AND FEMALES	149
41	MALES ONLY	150
42	FEMALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 13: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
43	MALES AND FEMALES	152
44	MALES ONLY	153
45	FEMALES ONLY	154
	DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)	
46	MALES AND FEMALES	155
	INDICATE SEX OF RESPONDENT. (SEX)	
47	FEMALES ONLY	156
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
52	MALES AND FEMALES	161
53	MALES ONLY	162
54	FEMALES ONLY	163

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3972	484,526	212	15.4	13.4-17.4	498	16.4	15.0-17.8	720	16.9	15.7-18.2	873	18.6	17.4-19.9	650	13.1	12.0-14.1	1019	19.5	18.2-20.8
Male	1621	240,991	103	16.3	13.4-19.3	235	17.4	15.3-19.5	301	17.2	15.3-19.2	365	19.3	17.3-21.3	270	13.2	11.6-14.8	347	16.6	14.8-18.3
Female	2351	243,535	109	14.5	11.9-17.1	263	15.5	13.7-17.3	419	16.7	15.1-18.3	508	18.0	16.4-19.6	380	12.9	11.6-14.3	672	22.4	20.6-24.2
Native	106	16,715				20	20.9	11.4-30.4	34	25.6	16.3-34.9	15	8.0	3.42-12.6	9	5.3	1.08-9.50	11	6.0	1.92-10.0
Non-Native	3832	464,048	195	14.9	12.9-16.8	476	16.3	14.9-17.7	684	16.7	15.5-18.0	856	19.1	17.8-20.4	638	13.4	12.3-14.5	983	19.6	18.3-20.9
Less Than H.S.	353	40,088	16	16.3	8.48-24.2	10	5.4	2.08-8.70	25	8.5	5.15-11.9	35	9.4	5.97-12.8	46	10.4	7.25-13.6	221	50.0	43.2-56.7
H.S. or G.E.D.	1158	139,469	58	15.9	12.1-19.8	118	13.5	11.1-15.9	158	13.0	10.9-15.1	266	19.7	17.3-22.1	200	14.0	12.0-16.0	358	23.9	21.3-26.5
Some Post-H.S.	1237	154,291	85	19.1	15.4-22.8	161	16.3	13.9-18.8	261	19.6	17.2-22.0	256	16.3	14.2-18.4	202	12.5	10.7-14.3	272	16.2	14.2-18.2
College Graduate	1218	150,117	53	11.0	8.02-13.9	209	22.3	19.5-25.0	275	20.2	17.8-22.6	315	22.5	20.0-25.0	202	13.5	11.6-15.5	164	10.5	8.82-12.2
Less than \$15,000	343	40,373	41	32.4	24.1-40.6	28	12.5	7.49-17.5	37	9.5	6.18-12.9	50	10.2	6.96-13.4	39	7.5	4.88-10.2	148	27.9	22.7-33.1
\$15,000- 24,999	630	69,347	43	20.0	14.6-25.5	72	14.3	10.9-17.6	75	10.1	7.57-12.6	88	11.6	8.99-14.3	99	11.7	9.19-14.1	253	32.3	28.2-36.4
\$25,000- 34,999	532	64,700	37	19.5	13.6-25.4	84	20.2	16.1-24.4	81	12.9	9.87-15.9	96	13.7	10.7-16.6	87	12.1	9.40-14.8	147	21.6	17.9-25.3
\$35,000- 49,999	714	90,047	28	10.7	6.78-14.6	115	21.4	17.9-25.0	145	18.7	15.7-21.7	169	19.1	16.1-22.0	124	14.2	11.6-16.8	133	15.9	13.2-18.7
\$50,000- 74,999	659	82,456	18	7.4	3.97-10.9	98	19.0	15.6-22.5	164	24.0	20.6-27.5	210	27.2	23.6-30.7	118	15.4	12.6-18.2	51	6.9	4.96-8.88
\$75,000+	580	74,745	10	6.2	2.42-9.98	68	14.9	11.5-18.2	172	28.4	24.5-32.3	192	30.3	26.2-34.3	94	14.2	11.3-17.1	44	6.1	4.20-7.96

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1621	240,991	103	16.3	13.4-19.3	235	17.4	15.3-19.5	301	17.2	15.3-19.2	365	19.3	17.3-21.3	270	13.2	11.6-14.8	347	16.6	14.8-18.3
Non-Native	1572	232,596	99	16.2	13.3-19.2	226	17.0	14.9-19.2	290	17.1	15.1-19.0	359	19.8	17.7-21.8	264	13.3	11.7-15.0	334	16.5	14.7-18.3
Less Than H.S.	152	20,437				4	4.9	0.20-9.68	14	10.2	4.90-15.6	18	11.0	5.58-16.4	21	10.6	5.85-15.4	88	45.9	36.0-55.8
H.S. or G.E.D.	488	72,364	35	18.9	13.3-24.6	59	14.8	11.1-18.5	71	13.3	10.1-16.5	130	21.3	17.6-25.0	76	12.6	9.67-15.5	117	19.1	15.6-22.6
Some Post-H.S.	479	73,414	37	19.1	13.5-24.7	76	18.2	14.3-22.1	118	22.1	18.2-26.0	103	17.4	14.0-20.8	76	11.9	9.18-14.7	69	11.3	8.53-14.0
College Graduate	499	74,399	24	10.9	6.66-15.1	96	22.6	18.5-26.8	98	18.3	14.8-21.8	113	21.3	17.5-25.2	97	15.8	12.6-18.9	71	11.1	8.45-13.7
Less than \$15,000	96	13,419							15	12.6	5.94-19.3	16	12.1	5.80-18.5	7	4.7	1.04-8.34	37	23.8	15.3-32.3
\$15,000- 24,999	222	29,523	17	19.1	10.5-27.7	21	13.1	7.63-18.5	27	10.6	6.29-15.0	46	17.4	12.2-22.7	32	10.1	6.35-13.9	79	29.7	23.2-36.1
\$25,000- 34,999	238	36,867	22	23.1	14.4-31.9	52	24.4	18.1-30.7	36	12.3	8.07-16.6	35	10.8	6.95-14.6	40	12.0	8.10-16.0	53	17.3	12.5-22.1
\$35,000- 49,999	326	49,951	18	13.2	7.24-19.1	58	21.1	16.1-26.2	52	15.7	11.6-19.9	71	18.0	13.8-22.1	53	13.5	9.81-17.1	74	18.5	14.3-22.6
\$50,000- 74,999	297	43,040	10	7.4	2.85-11.9	42	17.0	12.2-21.7	76	25.0	19.9-30.1	83	25.5	20.4-30.6	59	17.4	13.1-21.7	27	7.8	4.79-10.8
\$75,000+	289	43,014	7	8.2	2.48-14.0	33	13.1	8.84-17.4	78	26.2	20.8-31.6	90	29.7	24.0-35.5	57	16.5	12.3-20.8	24	6.1	3.60-8.66

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2351	243,535	109	14.5	11.9-17.1	263	15.5	13.7-17.3	419	16.7	15.1-18.3	508	18.0	16.4-19.6	380	12.9	11.6-14.3	672	22.4	20.6-24.2
Native	72	10,227				12	14.9	5.71-24.1				10	9.0	2.57-15.4	4	2.8	0.00-5.68	9	7.7	1.76-13.7
Non-Native	2260	231,452	96	13.5	10.9-16.0	250	15.5	13.7-17.4	394	16.4	14.7-18.0	497	18.5	16.8-20.2	374	13.4	12.0-14.9	649	22.7	20.9-24.5
Less Than H.S.	201	19,651	9	15.3	5.68-24.8	6	5.9	1.23-10.5	11	6.7	2.64-10.8	17	7.7	3.64-11.8	25	10.2	6.09-14.3	133	54.3	45.4-63.2
H.S. or G.E.D.	670	67,105	23	12.7	7.57-17.8	59	12.1	9.10-15.2	87	12.7	9.93-15.4	136	17.9	14.9-21.0	124	15.5	12.7-18.4	241	29.0	25.3-32.8
Some Post-H.S.	758	80,876	48	19.0	14.2-23.9	85	14.7	11.6-17.7	143	17.3	14.4-20.2	153	15.3	12.7-17.8	126	13.0	10.6-15.4	203	20.7	17.7-23.7
College Graduate	719	75,718	29	11.0	6.99-15.1	113	21.9	18.2-25.5	177	22.1	18.9-25.2	202	23.7	20.5-27.0	105	11.3	9.10-13.6	93	10.0	7.82-12.1
Less than \$15,000	247	26,954	31	34.4	24.4-44.3	17	9.5	4.62-14.4	22	8.0	4.23-11.8	34	9.2	5.52-12.9	32	9.0	5.42-12.5	111	29.9	23.5-36.4
\$15,000- 24,999	408	39,823	26	20.7	13.7-27.7	51	15.1	11.0-19.3	48	9.7	6.72-12.6	42	7.3	4.96-9.74	67	12.8	9.53-16.1	174	34.3	29.1-39.6
\$25,000- 34,999	294	27,832	15	14.7	7.97-21.4	32	14.7	9.80-19.6	45	13.6	9.52-17.7	61	17.5	13.1-22.0	47	12.2	8.63-15.8	94	27.2	21.8-32.7
\$35,000- 49,999	388	40,096	10	7.6	3.01-12.1	57	21.8	16.8-26.8	93	22.4	18.1-26.8	98	20.4	16.4-24.4	71	15.0	11.5-18.6	59	12.8	9.44-16.1
\$50,000- 74,999	362	39,416	8	7.4	2.21-12.7	56	21.3	16.3-26.3	88	23.0	18.5-27.6	127	29.0	24.1-33.9	59	13.2	9.85-16.6	24	6.0	3.47-8.45
\$75,000+	291	31,730	3	3.4	0.00-7.61	35	17.2	12.0-22.5	94	31.4	25.7-37.0	102	31.0	25.5-36.5	37	11.0	7.41-14.5	20	6.0	3.18-8.82

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3990	485,465	53	1.4	0.97-1.83	3937	98.6	98.2-99.0	
Male	1621	240,887	18	1.3	0.64-1.90	1603	98.7	98.1-99.4	
Female	2369	244,579	35	1.5	0.95-2.13	2334	98.5	97.9-99.0	
18-24	212	74,659	2	0.9	0.00-2.24	210	99.1	97.8-0100	
25-34	496	79,128	5	1.1	0.08-2.20	491	98.9	97.8-99.9	
35-44	720	82,145	19	2.9	1.43-4.29	701	97.1	95.7-98.6	
45-54	872	90,223	9	1.1	0.32-1.92	863	98.9	98.1-99.7	
55-64	650	63,267	8	1.4	0.37-2.37	642	98.6	97.6-99.6	
65+	1004	93,104	10	1.0	0.36-1.74	994	98.9	98.3-99.6	
Less Than H.S.	345	39,410	9	3.1	0.64-5.66	336	96.8	94.3-99.4	
H.S. or G.E.D.	1160	139,447	23	2.2	1.21-3.21	1137	97.8	96.8-98.8	
Some Post-H.S.	1248	154,877	9	0.6	0.15-1.09	1239	99.4	98.9-99.9	
College Graduate	1230	151,104	12	1.0	0.38-1.64	1218	99.0	98.4-99.6	
Less than \$15,000	341	40,220	6	2.3	0.00-4.61	335	97.7	95.4-0100	
\$15,000- 24,999	634	69,448	10	1.9	0.56-3.30	624	98.1	96.7-99.4	
\$25,000- 34,999	531	64,312	11	1.8	0.60-3.10	520	98.1	96.9-99.4	
\$35,000- 49,999	715	90,177	8	1.4	0.37-2.53	707	98.5	97.5-99.6	
\$50,000- 74,999	661	82,606	7	0.9	0.23-1.65	654	99.1	98.4-99.8	
\$75,000+	584	75,055	5	0.9	0.06-1.66	579	99.1	98.3-99.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1621	240,887	18	1.3	0.64-1.90	1603	98.7	98.1-99.4	
18-24	103	39,393	1	0.7	0.00-2.16	102	99.3	97.8-0100	
25-34	234	41,637	2	1.1	0.00-2.65	232	98.9	97.4-0100	
35-44	301	41,550	8	3.1	0.81-5.43	293	96.9	94.6-99.2	
45-54	365	46,485	2	0.7	0.00-1.68	363	99.3	98.3-0100	
55-64	270	31,733	3	1.4	0.00-2.98	267	98.6	97.0-0100	
65+	341	39,308	2	0.6	0.00-1.49	339	99.4	98.5-0100	
Less Than H.S.	148	20,095	4	2.5	0.00-5.09	144	97.5	94.9-0100	
H.S. or G.E.D.	488	72,269	8	2.1	0.55-3.61	480	97.9	96.4-99.4	
Some Post-H.S.	480	73,422	3	0.5	0.00-1.19	477	99.5	98.8-0100	
College Graduate	501	74,660	3	0.8	0.00-1.83	498	99.1	98.2-0100	
Less than \$15,000	94	13,279	2	1.4	0.00-3.28	92	98.6	96.7-0100	
\$15,000- 24,999	221	29,368	5	3.1	0.17-5.97	216	96.9	94.0-99.8	
\$25,000- 34,999	237	36,592	2	1.1	0.00-2.82	235	98.8	97.2-0100	
\$35,000- 49,999	327	50,081	4	1.6	0.00-3.17	323	98.4	96.8-0100	
\$50,000- 74,999	297	43,040	3	0.9	0.00-1.99	294	99.1	98.0-0100	
\$75,000+	291	43,210	2	0.8	0.00-2.01	289	99.2	98.0-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2369	244,579	35	1.5	0.95-2.13	2334	98.5	97.9-99.0	
18-24	109	35,266	1	1.2	0.00-3.41	108	98.8	96.6-0100	
25-34	262	37,491	3	1.2	0.00-2.64	259	98.8	97.4-0100	
35-44	419	40,595	11	2.6	0.95-4.25	408	97.4	95.8-99.0	
45-54	507	43,738	7	1.6	0.31-2.81	500	98.4	97.2-99.7	
55-64	380	31,534	5	1.4	0.14-2.58	375	98.6	97.4-99.9	
65+	663	53,797	8	1.4	0.39-2.35	655	98.6	97.7-99.6	
Less Than H.S.	197	19,316	5	3.8	0.00-8.13	192	96.2	91.9-0100	
H.S. or G.E.D.	672	67,178	15	2.3	1.07-3.61	657	97.7	96.4-98.9	
Some Post-H.S.	768	81,456	6	0.7	0.03-1.37	762	99.3	98.6-0100	
College Graduate	729	76,444	9	1.2	0.39-1.95	720	98.8	98.0-99.6	
Less than \$15,000	247	26,941	4	2.7	0.00-6.09	243	97.3	93.9-0100	
\$15,000- 24,999	413	40,080	5	1.1	0.08-2.12	408	98.9	97.9-99.9	
\$25,000- 34,999	294	27,719	9	2.8	0.88-4.68	285	97.2	95.3-99.1	
\$35,000- 49,999	388	40,096	4	1.3	0.00-2.68	384	98.7	97.3-0100	
\$50,000- 74,999	364	39,566	4	0.9	0.02-1.86	360	99.1	98.1-0100	
\$75,000+	293	31,845	3	0.9	0.00-1.92	290	99.1	98.1-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	487,573	3980	99.1	98.8-99.5	30	0.9	0.51-1.21
Male	1629	241,837	1616	99.1	98.5-99.6	13	0.9	0.36-1.50
Female	2381	245,736	2364	99.2	98.8-99.6	17	0.8	0.37-1.19
18-24	212	74,659	209	98.8	97.3-0100	3	1.2	0.00-2.71
25-34	498	79,626	495	99.4	98.7-0100	3	0.6	0.00-1.26
35-44	720	82,145	715	99.3	98.6-0100	5	0.7	0.01-1.43
45-54	873	90,351	866	98.9	98.0-99.8	7	1.1	0.24-2.00
55-64	650	63,267	643	98.8	97.9-99.7	7	1.2	0.28-2.08
65+	1019	94,478	1014	99.5	99.1-0100	5	0.5	0.02-0.92
Less Than H.S.	355	40,637	352	98.5	96.3-0100	3	1.5	0.00-3.71
H.S. or G.E.D.	1163	139,748	1156	99.4	98.9-99.9	7	0.6	0.12-1.10
Some Post-H.S.	1251	155,179	1237	98.8	98.0-99.5	14	1.2	0.51-1.97
College Graduate	1234	151,383	1229	99.6	99.2-0100	5	0.4	0.02-0.76
Less than \$15,000	345	40,501	340	98.8	97.6-0100	5	1.2	0.00-2.44
\$15,000- 24,999	636	69,668	630	98.5	97.2-99.8	6	1.5	0.22-2.76
\$25,000- 34,999	534	64,785	534	100.0	0100-0100			
\$35,000- 49,999	715	90,177	711	99.2	98.2-0100	4	0.8	0.00-1.83
\$50,000- 74,999	661	82,606	659	99.7	99.2-0100	2	0.3	0.00-0.78
\$75,000+	585	75,196	581	99.2	98.5-0100	4	0.8	0.00-1.52

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1629	241,837	1616	99.1	98.5-99.6	13	0.9	0.36-1.50
18-24	103	39,393	101	98.2	95.6-0100	2	1.8	0.00-4.41
25-34	235	41,912	233	99.4	98.7-0100	2	0.5	0.00-1.31
35-44	301	41,550	298	99.0	97.9-0100	3	0.9	0.00-2.13
45-54	365	46,485	361	98.5	97.0-0100	4	1.5	0.03-3.05
55-64	270	31,733	269	99.6	98.8-0100	1	0.4	0.00-1.18
65+	347	39,918	346	99.8	99.6-0100	1	0.1	0.00-0.44
Less Than H.S.	153	20,730	151	97.6	93.5-0100	2	2.4	0.00-6.47
H.S. or G.E.D.	489	72,429	487	99.6	99.0-0100	2	0.4	0.00-1.01
Some Post-H.S.	481	73,512	476	98.9	97.8-99.9	5	1.1	0.05-2.21
College Graduate	502	74,725	499	99.4	98.7-0100	3	0.6	0.00-1.28
Less than \$15,000	96	13,419	96	100.0	0100-0100			
\$15,000- 24,999	223	29,588	220	98.1	95.8-0100	3	1.9	0.00-4.21
\$25,000- 34,999	238	36,867	238	100.0	0100-0100			
\$35,000- 49,999	327	50,081	324	98.7	97.0-0100	3	1.3	0.00-3.04
\$50,000- 74,999	297	43,040	296	99.7	99.1-0100	1	0.3	0.00-0.89
\$75,000+	291	43,210	288	99.0	97.9-0100	3	1.0	0.00-2.15

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2381	245,736	2364	99.2	98.8-99.6	17	0.8	0.37-1.19
18-24	109	35,266	108	99.4	98.3-0100	1	0.6	0.00-1.72
25-34	263	37,714	262	99.4	98.3-0100	1	0.6	0.00-1.75
35-44	419	40,595	417	99.5	98.8-0100	2	0.5	0.00-1.20
45-54	508	43,866	505	99.3	98.5-0100	3	0.7	0.00-1.50
55-64	380	31,534	374	98.0	96.4-99.7	6	2.0	0.33-3.59
65+	672	54,560	668	99.3	98.6-0100	4	0.7	0.00-1.44
Less Than H.S.	202	19,907	201	99.3	98.1-0100	1	0.6	0.00-1.92
H.S. or G.E.D.	674	67,319	669	99.2	98.4-99.9	5	0.8	0.07-1.59
Some Post-H.S.	770	81,667	761	98.7	97.7-99.6	9	1.3	0.36-2.32
College Graduate	732	76,658	730	99.8	99.5-0100	2	0.2	0.00-0.46
Less than \$15,000	249	27,082	244	98.2	96.3-0100	5	1.8	0.00-3.66
\$15,000- 24,999	413	40,080	410	98.8	97.4-0100	3	1.2	0.00-2.59
\$25,000- 34,999	296	27,918	296	100.0	0100-0100			
\$35,000- 49,999	388	40,096	387	99.8	99.3-0100	1	0.2	0.00-0.71
\$50,000- 74,999	364	39,566	363	99.6	98.9-0100	1	0.4	0.00-1.07
\$75,000+	294	31,986	293	99.5	98.7-0100	1	0.4	0.00-1.33

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 13: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3998	485,967	2426	64.4	62.5-66.3	396	6.1	5.44-6.78	531	7.4	6.74-8.12	39	0.8	0.48-1.02	541	18.9	17.0-20.8	65	2.4	1.73-3.03
Male	1621	240,495	1045	65.8	62.9-68.7	152	5.6	4.62-6.54	84	2.8	2.12-3.38	14	0.7	0.29-1.07	306	23.5	20.6-26.4	20	1.7	0.88-2.48
Female	2377	245,472	1381	63.1	60.6-65.5	244	6.6	5.69-7.57	447	12.0	10.8-13.2	25	0.8	0.45-1.19	235	14.4	12.1-16.7	45	3.1	2.05-4.09
Native	107	17,192				19	11.6	5.50-17.7	6	1.8	0.29-3.39	7	3.3	0.66-5.96				4	4.5	0.00-9.28
Non-Native	3858	465,142	2362	65.1	63.3-67.0	376	5.9	5.27-6.61	513	7.5	6.81-8.23	32	0.7	0.41-0.91	514	18.4	16.5-20.3	61	2.3	1.67-2.97
18-24	210	74,008	51	21.4	15.8-27.0	1	0.3	0.00-0.83				3	0.8	0.00-1.61	140	71.8	65.6-78.0	15	5.8	2.73-8.85
25-34	496	79,259	310	67.4	63.0-71.7	26	4.3	2.56-5.94				6	1.0	0.13-1.81	129	22.2	18.4-26.1	25	5.2	3.06-7.34
35-44	719	82,073	507	77.8	74.7-80.8	92	9.1	7.12-11.1	9	0.8	0.22-1.48	9	1.0	0.29-1.81	94	10.0	7.78-12.2	8	1.2	0.31-2.15
45-54	871	90,156	616	79.1	76.4-81.8	118	9.4	7.59-11.2	26	2.1	1.15-3.07	9	0.6	0.19-1.05	91	7.3	5.70-9.00	11	1.4	0.55-2.31
55-64	649	63,204	443	78.8	75.8-81.8	82	8.4	6.43-10.4	74	6.8	5.16-8.50	5	0.5	0.04-0.94	41	4.6	3.07-6.05	4	0.9	0.00-1.92
65+	1019	94,478	481	60.3	57.2-63.4	71	4.8	3.56-5.96	418	30.7	27.9-33.5	7	0.6	0.12-1.14	40	3.3	2.17-4.41	2	0.3	0.00-0.78
Less Than H.S.	355	40,637	170	53.3	46.5-60.2	29	5.5	3.27-7.77	109	19.4	15.4-23.5	5	0.9	0.02-1.86	38	19.0	11.5-26.5	4	1.7	0.00-3.86
H.S. or G.E.D.	1160	139,065	664	60.9	57.4-64.5	124	7.0	5.62-8.32	187	8.8	7.46-10.2	16	1.0	0.44-1.50	153	20.5	16.8-24.1	16	1.9	0.78-2.94
Some Post-H.S.	1246	154,678	732	61.3	57.8-64.7	142	6.7	5.49-7.95	155	6.8	5.67-7.99	16	1.1	0.50-1.76	176	21.3	17.8-24.8	25	2.8	1.60-3.96
College Graduate	1230	150,961	858	74.0	71.1-77.0	99	4.8	3.73-5.85	79	3.5	2.66-4.38	2	0.1	0.00-0.32	173	15.0	12.3-17.7	19	2.5	1.28-3.74
Less than \$15,000	343	40,246	51	17.0	11.9-22.2	78	15.4	11.5-19.3	104	17.7	13.8-21.7	8	2.1	0.41-3.71	91	42.4	34.8-50.1	11	5.3	1.74-8.92
\$15,000- 24,999	635	69,583	232	46.1	41.2-51.0	105	10.8	8.46-13.0	149	15.1	12.4-17.7	13	1.6	0.57-2.57	126	23.8	19.0-28.8	10	2.7	0.84-4.48
\$25,000- 34,999	534	64,785	275	56.4	51.0-61.7	74	8.2	6.16-10.3	63	6.2	4.56-7.90	5	0.8	0.08-1.60	106	25.3	19.8-30.7	11	3.1	1.10-5.06
\$35,000- 49,999	714	89,993	513	75.5	71.5-79.4	58	4.9	3.51-6.29	49	3.4	2.37-4.37	5	0.6	0.02-1.28	76	13.0	9.39-16.7	13	2.6	1.01-4.11
\$50,000- 74,999	658	82,262	550	85.0	81.6-88.4	33	3.5	2.14-4.80	24	2.3	1.30-3.26	2	0.1	0.00-0.27	43	8.1	4.99-11.1	6	1.1	0.13-2.01
\$75,000+	584	74,762	508	87.2	83.4-91.0	19	1.8	0.95-2.67	20	1.7	0.94-2.54	3	0.3	0.00-0.66	28	7.7	4.06-11.4	6	1.2	0.22-2.18

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1621	240,495	1045	65.8	62.9-68.7	152	5.6	4.62-6.54	84	2.8	2.12-3.38	14	0.7	0.29-1.07	306	23.5	20.6-26.4	20	1.7	0.88-2.48
Non-Native	1572	231,938	1021	66.4	63.5-69.3	143	5.4	4.45-6.33	79	2.7	2.07-3.33	13	0.6	0.27-1.01	297	23.2	20.3-26.2	19	1.6	0.84-2.40
18-24	101	38,742	19	15.5	8.74-22.3							1	0.4	0.00-1.10	77	81.5	74.3-88.8	4	2.6	0.00-5.43
25-34	233	41,545	141	64.8	58.3-71.2	9	3.1	1.07-5.11				2	0.8	0.00-1.85	75	28.2	22.1-34.2	6	3.2	0.50-5.90
35-44	301	41,550	206	76.6	71.9-81.3	36	8.9	5.95-11.9	2	0.7	0.00-1.65	4	1.2	0.00-2.52	50	11.2	7.84-14.5	3	1.4	0.00-2.98
45-54	363	46,290	251	78.5	74.5-82.6	48	8.6	6.10-11.2	8	1.5	0.38-2.58	2	0.4	0.00-1.01	50	9.5	6.71-12.3	4	1.4	0.02-2.80
55-64	269	31,670	200	83.1	78.9-87.3	31	7.1	4.41-9.89	8	1.8	0.50-3.08				27	6.5	3.89-9.03	3	1.5	0.00-3.43
65+	347	39,918	225	75.9	71.7-80.1	26	5.1	3.05-7.09	65	12.6	9.51-15.7	5	1.1	0.05-2.25	26	5.2	3.10-7.34			
Less Than H.S.	153	20,730				16	6.4	2.99-9.73	24	8.9	5.16-12.7	2	1.0	0.00-2.48				1	0.6	0.00-1.81
H.S. or G.E.D.	486	71,746	301	62.5	57.1-67.9	55	6.6	4.73-8.45	20	2.1	1.17-3.13	7	1.1	0.25-2.05	101	27.0	21.5-32.6	2	0.6	0.00-1.46
Some Post-H.S.	479	73,232	299	62.5	57.1-67.9	47	6.0	4.16-7.84	26	2.8	1.65-3.89	4	0.6	0.00-1.32	96	26.4	21.0-31.9	7	1.7	0.44-2.94
College Graduate	499	74,346	360	74.5	70.0-79.1	33	3.9	2.46-5.40	14	1.6	0.64-2.56	1	0.2	0.00-0.56	82	17.0	12.8-21.2	9	2.8	0.77-4.77
Less than \$15,000	95	13,235	15	16.8	8.36-25.3	23	14.5	8.10-20.9	13	7.6	3.22-12.0	2	1.2	0.00-2.90				1	1.0	0.00-2.90
\$15,000- 24,999	223	29,588	102	53.8	45.8-61.8	37	11.1	7.25-14.9	17	4.4	2.24-6.56	2	0.8	0.00-2.09	62	28.3	20.4-36.3	3	1.5	0.00-3.28
\$25,000- 34,999	238	36,867	124	52.1	44.2-60.0	27	6.8	4.06-9.58	11	2.3	0.89-3.75	4	1.4	0.03-2.69	68	35.5	27.2-43.8	4	1.9	0.05-3.73
\$35,000- 49,999	326	49,897	235	73.3	67.3-79.3	24	4.5	2.54-6.42	13	1.8	0.78-2.86	3	0.8	0.00-1.88	47	17.4	11.6-23.1	4	2.2	0.00-4.45
\$50,000- 74,999	295	42,760	242	83.9	78.9-88.8	17	4.1	2.00-6.12	8	1.6	0.46-2.82				25	9.3	4.89-13.7	3	1.1	0.00-2.60
\$75,000+	290	42,776	243	84.5	78.8-90.3	15	2.5	1.15-3.85	7	1.3	0.30-2.38	2	0.3	0.00-0.81	22	10.8	5.13-16.5	1	0.5	0.00-1.48

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2377	245,472	1381	63.1	60.6-65.5	244	6.6	5.69-7.57	447	12.0	10.8-13.2	25	0.8	0.45-1.19	235	14.4	12.1-16.7	45	3.1	2.05-4.09
Native	72	10,411				10	10.3	2.75-18.0	6	3.0	0.44-5.66	6	4.1	0.62-7.52				3	4.8	0.00-10.6
Non-Native	2286	233,205	1341	63.9	61.4-66.3	233	6.5	5.56-7.40	434	12.3	11.1-13.6	19	0.7	0.32-1.06	217	13.6	11.3-15.9	42	3.0	1.97-4.05
18-24	109	35,266	32	27.8	19.0-36.7	1	0.6	0.00-1.72				2	1.2	0.00-2.77	63	61.2	51.4-70.9	11	9.3	3.74-14.8
25-34	263	37,714	169	70.2	64.6-75.9	17	5.5	2.76-8.28				4	1.2	0.00-2.51	54	15.7	11.3-20.0	19	7.4	4.07-10.7
35-44	418	40,523	301	79.0	75.1-82.9	56	9.3	6.68-11.9	7	1.0	0.22-1.78	5	0.9	0.11-1.67	44	8.7	5.90-11.6	5	1.1	0.10-2.02
45-54	508	43,866	365	79.7	76.2-83.1	70	10.2	7.63-12.7	18	2.8	1.19-4.37	7	0.8	0.18-1.48	41	5.1	3.37-6.81	7	1.5	0.36-2.56
55-64	380	31,534	243	74.5	70.3-78.7	51	9.7	6.83-12.5	66	11.9	8.92-14.9	5	1.0	0.08-1.88	14	2.6	1.13-4.15	1	0.3	0.00-0.89
65+	672	54,560	256	48.8	44.7-53.0	45	4.5	3.11-5.97	353	43.9	39.9-48.0	2	0.3	0.00-0.58	14	1.9	0.74-3.02	2	0.5	0.00-1.36
Less Than H.S.	202	19,907	86	47.8	39.2-56.4	13	4.6	1.62-7.66	85	30.4	23.5-37.3	3	0.9	0.00-1.94	12	13.4	4.64-22.1	3	2.9	0.00-7.01
H.S. or G.E.D.	674	67,319	363	59.3	54.6-64.0	69	7.4	5.39-9.35	167	15.9	13.3-18.5	9	0.8	0.26-1.28	52	13.4	8.82-18.1	14	3.2	1.21-5.21
Some Post-H.S.	767	81,446	433	60.2	55.8-64.6	95	7.4	5.70-9.04	129	10.5	8.52-12.4	12	1.6	0.56-2.60	80	16.7	12.3-21.1	18	3.8	1.86-5.66
College Graduate	731	76,615	498	73.6	69.7-77.4	66	5.6	4.11-7.13	65	5.4	3.99-6.77	1	0.1	0.00-0.18	91	13.1	9.69-16.6	10	2.3	0.78-3.72
Less than \$15,000	248	27,010	36	17.1	10.8-23.5	55	15.8	10.9-20.8	91	22.7	17.3-28.1	6	2.5	0.20-4.78	50	34.4	24.9-43.8	10	7.5	2.28-12.7
\$15,000- 24,999	412	39,994	130	40.4	34.4-46.5	68	10.5	7.72-13.3	132	22.9	18.8-27.1	11	2.1	0.64-3.58	64	20.5	14.4-26.6	7	3.5	0.59-6.39
\$25,000- 34,999	296	27,918	151	62.0	55.7-68.3	47	10.1	7.04-13.2	52	11.4	8.13-14.7	1	0.1	0.00-0.44	38	11.7	7.33-16.0	7	4.6	0.81-8.49
\$35,000- 49,999	388	40,096	278	78.2	73.6-82.8	34	5.4	3.42-7.42	36	5.3	3.49-7.09	2	0.4	0.00-1.00	29	7.7	4.03-11.3	9	3.0	0.91-5.07
\$50,000- 74,999	363	39,502	308	86.3	81.5-91.0	16	2.8	1.20-4.46	16	3.0	1.37-4.55	2	0.2	0.00-0.54	18	6.7	2.44-11.0	3	1.0	0.00-2.14
\$75,000+	294	31,986	265	90.8	86.5-95.1	4	0.9	0.00-1.82	13	2.3	1.00-3.54	1	0.3	0.00-0.80	6	3.6	0.00-7.36	5	2.1	0.25-4.01

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 16: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4006	487,176	502	16.0	14.5-17.6	492	14.2	12.9-15.5	202	6.2	5.25-7.21	50	1.5	1.01-1.95	21	0.7	0.32-1.06	2739	61.4	59.5-63.2
Male	1628	241,765	199	16.5	14.2-18.9	200	13.7	11.7-15.7	81	6.0	4.61-7.31	16	1.2	0.58-1.76	10	0.6	0.22-1.08	1122	62.0	59.2-64.8
Female	2378	245,411	303	15.6	13.7-17.5	292	14.7	12.9-16.5	121	6.5	5.07-7.93	34	1.8	1.05-2.51	11	0.7	0.11-1.33	1617	60.7	58.3-63.2
Native	108	17,264				19	16.3	8.57-24.1				4	3.3	0.00-6.96	2	2.2	0.00-5.59			
Non-Native	3863	466,137	478	15.9	14.4-17.4	471	14.2	12.8-15.5	183	5.5	4.69-6.41	46	1.4	0.95-1.89	19	0.6	0.27-1.01	2666	62.4	60.5-64.2
18-24	212	74,659	59	27.9	21.4-34.4	25	11.5	6.61-16.3	13	6.9	2.80-11.0	3	1.7	0.00-3.59	1	0.9	0.00-2.69	111	51.2	43.8-58.6
25-34	498	79,626	117	24.3	20.3-28.3	128	26.1	22.1-30.1	58	12.0	8.99-15.0	11	2.2	0.86-3.56	6	1.4	0.24-2.48	178	34.0	29.7-38.4
35-44	717	81,834	127	18.5	15.4-21.6	237	34.1	30.4-37.8	105	15.2	12.4-18.1	33	4.7	3.02-6.36	8	1.2	0.37-2.09	207	26.3	22.8-29.7
45-54	873	90,351	165	20.9	17.8-24.0	95	12.2	9.79-14.6	25	3.2	1.91-4.53	3	0.4	0.00-0.81	4	0.4	0.00-0.73	581	63.0	59.4-66.5
55-64	650	63,267	19	3.5	1.87-5.13	6	1.3	0.23-2.27	1	0.4	0.00-1.33				1	0.2	0.00-0.59	623	94.6	92.5-96.7
65+	1019	94,478	10	1.2	0.42-1.98													1009	98.8	98.0-99.6
Less Than H.S.	355	40,637	22	10.9	5.81-16.0	15	7.7	2.15-13.2	6	2.5	0.44-4.60	3	1.9	0.00-4.20	3	2.6	0.00-6.14	306	74.4	67.0-81.7
H.S. or G.E.D.	1163	139,748	122	15.3	12.3-18.3	103	10.5	8.39-12.7	45	5.8	3.66-8.02	12	1.1	0.44-1.86	8	0.7	0.18-1.24	873	66.5	62.9-70.1
Some Post-H.S.	1248	154,878	176	17.9	15.1-20.7	167	15.2	12.8-17.6	69	6.9	5.18-8.70	18	1.6	0.70-2.54	5	0.4	0.04-0.78	813	57.9	54.6-61.3
College Graduate	1233	151,287	182	16.3	13.9-18.7	207	18.3	15.9-20.8	82	6.9	5.36-8.42	17	1.5	0.76-2.28	5	0.4	0.04-0.82	740	56.5	53.3-59.7
Less than \$15,000	345	40,501	36	15.4	9.60-21.3	16	6.2	2.91-9.57	11	8.8	2.56-15.0	3	2.7	0.00-6.02	1	0.3	0.00-0.83	278	66.5	58.8-74.3
\$15,000- 24,999	635	69,583	62	11.6	8.44-14.7	39	8.1	5.08-11.0	18	3.8	1.87-5.71	9	1.9	0.50-3.28	4	0.8	0.00-1.73	503	73.9	69.5-78.3
\$25,000- 34,999	534	64,785	60	14.5	10.7-18.3	45	9.9	5.92-13.9	24	6.0	3.40-8.66	3	0.5	0.00-1.08	1	0.2	0.00-0.65	401	68.8	63.6-74.0
\$35,000- 49,999	714	90,033	101	18.6	14.7-22.4	113	18.0	14.7-21.2	43	6.7	4.60-8.72	13	1.7	0.74-2.70	3	0.4	0.00-0.90	441	54.7	50.4-58.9
\$50,000- 74,999	660	82,534	92	16.5	13.1-19.9	131	21.3	17.8-24.8	45	7.4	5.25-9.61	13	2.1	0.93-3.37	5	1.6	0.00-3.30	374	51.0	46.8-55.3
\$75,000+	585	75,196	109	20.8	16.9-24.8	107	18.6	15.3-22.0	50	8.4	6.06-10.7	8	1.2	0.36-2.08	5	0.8	0.11-1.59	306	50.1	45.5-54.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 17: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1628	241,765	199	16.5	14.2-18.9	200	13.7	11.7-15.7	81	6.0	4.61-7.31	16	1.2	0.58-1.76	10	0.6	0.22-1.08	1122	62.0	59.2-64.8
Non-Native	1577	233,012	190	16.1	13.8-18.5	193	13.7	11.7-15.7	78	5.8	4.48-7.18	14	1.0	0.48-1.58	9	0.6	0.19-0.93	1093	62.7	59.9-65.6
18-24	103	39,393	29	29.9	20.3-39.5	7	7.9	1.27-14.5	6	5.6	1.15-10.0	1	0.7	0.00-2.16						
25-34	235	41,912	51	24.0	18.0-29.9	44	19.3	14.1-24.5	28	12.5	8.10-16.9	2	1.1	0.00-2.64	4	2.0	0.03-3.91	106	41.2	34.6-47.7
35-44	300	41,478	41	15.4	10.9-19.9	96	35.0	29.3-40.7	37	13.2	9.15-17.3	12	4.7	2.06-7.32	3	1.0	0.00-2.22	111	30.7	25.4-36.0
45-54	365	46,485	64	20.6	15.9-25.3	47	14.1	10.3-18.0	9	2.6	0.88-4.30	1	0.3	0.00-0.83	2	0.4	0.00-1.03	242	62.0	56.5-67.4
55-64	270	31,733	11	4.8	1.92-7.60	5	2.2	0.26-4.10	1	0.9	0.00-2.63				1	0.4	0.00-1.18	252	91.8	88.0-95.6
65+	347	39,918	2	0.9	0.00-2.13													345	99.1	97.9-100.0
Less Than H.S.	153	20,730	13	15.9	7.10-24.8	5	7.9	0.00-17.8	2	1.3	0.00-3.16	2	1.7	0.00-4.19	1	1.3	0.00-3.92			
H.S. or G.E.D.	489	72,429	55	17.0	12.3-21.7	38	8.3	5.55-11.0	21	5.6	3.11-8.09	3	0.9	0.00-1.99	5	1.0	0.08-1.88	367	67.2	62.0-72.5
Some Post-H.S.	480	73,440	64	17.9	13.5-22.3	75	16.4	12.8-20.1	29	7.4	4.59-10.3	4	0.9	0.00-1.72	2	0.4	0.00-1.01	306	56.9	51.8-62.1
College Graduate	502	74,725	67	15.0	11.5-18.5	82	18.0	14.3-21.7	29	6.2	3.93-8.43	7	1.5	0.35-2.75	2	0.4	0.00-0.92	315	58.9	54.2-63.7
Less than \$15,000	96	13,419	4	9.9	0.00-19.9	1	2.0	0.00-6.03	3	7.0	0.00-15.0	1	1.1	0.00-3.17						
\$15,000- 24,999	223	29,588	18	9.8	4.99-14.5	9	4.5	1.46-7.46	2	1.7	0.00-4.08	4	3.0	0.00-6.04	1	0.9	0.00-2.73	189	80.1	73.7-86.6
\$25,000- 34,999	238	36,867	27	14.2	8.76-19.6	12	7.6	1.59-13.6	13	7.3	3.15-11.5							186	70.9	63.2-78.6
\$35,000- 49,999	327	50,081	40	18.5	12.7-24.3	54	17.5	13.0-22.0	18	6.0	3.23-8.83	2	0.7	0.00-1.74	1	0.4	0.00-1.10	212	56.9	50.6-63.1
\$50,000- 74,999	296	42,968	47	19.0	13.7-24.2	58	21.8	16.6-26.9	18	6.4	3.50-9.38	6	2.1	0.43-3.87	4	1.4	0.03-2.77	163	49.3	43.2-55.4
\$75,000+	291	43,210	48	20.0	14.5-25.6	49	16.7	12.3-21.2	24	8.6	5.23-11.9	2	0.7	0.00-1.59	2	0.6	0.00-1.49	166	53.4	46.9-59.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 18: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2378	245,411	303	15.6	13.7-17.5	292	14.7	12.9-16.5	121	6.5	5.07-7.93	34	1.8	1.05-2.51	11	0.7	0.11-1.33	1617	60.7	58.3-63.2
Native	73	10,483				13	16.4	6.79-26.0				2	1.4	0.00-3.39	1	1.1	0.00-3.16			
Non-Native	2286	233,125	288	15.6	13.7-17.5	278	14.6	12.8-16.4	105	5.3	4.18-6.34	32	1.8	1.05-2.57	10	0.7	0.06-1.36	1573	62.0	59.5-64.4
18-24	109	35,266	30	25.6	17.0-34.2	18	15.5	8.27-22.7	7	8.3	1.29-15.3	2	2.7	0.00-6.42	1	1.9	0.00-5.67			
25-34	263	37,714	66	24.7	19.3-30.1	84	33.6	27.6-39.7	30	11.4	7.40-15.5	9	3.4	1.16-5.74	2	0.7	0.00-1.65	72	26.1	20.6-31.7
35-44	417	40,356	86	21.7	17.4-26.0	141	33.1	28.4-37.9	68	17.3	13.4-21.2	21	4.7	2.69-6.69	5	1.4	0.15-2.69	96	21.7	17.5-25.9
45-54	508	43,866	101	21.2	17.2-25.1	48	10.1	7.31-13.0	16	3.9	1.88-5.92	2	0.5	0.00-1.18	2	0.3	0.00-0.72	339	64.0	59.4-68.6
55-64	380	31,534	8	2.2	0.62-3.84	1	0.3	0.00-0.89										371	97.5	95.8-99.2
65+	672	54,560	8	1.4	0.39-2.43													664	98.6	97.6-99.6
Less Than H.S.	202	19,907	9	5.7	1.37-9.99	10	7.4	2.74-12.1	4	3.8	0.03-7.51	1	2.0	0.00-6.01	2	4.0	0.00-10.5	176	77.1	68.1-86.1
H.S. or G.E.D.	674	67,319	67	13.4	9.87-17.0	65	13.0	9.66-16.4	24	6.1	2.44-9.74	9	1.4	0.46-2.30	3	0.4	0.00-0.96	506	65.6	60.7-70.5
Some Post-H.S.	768	81,438	112	17.9	14.3-21.5	92	14.1	10.9-17.3	40	6.5	4.31-8.67	14	2.3	0.72-3.90	3	0.4	0.00-0.87	507	58.8	54.4-63.2
College Graduate	731	76,562	115	17.6	14.4-20.9	125	18.7	15.4-22.0	53	7.6	5.51-9.67	10	1.5	0.51-2.47	3	0.5	0.00-1.03	425	54.1	49.9-58.3
Less than \$15,000	249	27,082	32	18.2	10.9-25.4	15	8.3	3.75-12.9	8	9.7	1.25-18.1	2	3.5	0.00-8.32	1	0.4	0.00-1.21	191	59.9	50.5-69.3
\$15,000- 24,999	412	39,994	44	12.9	8.78-17.0	30	10.7	6.11-15.3	16	5.3	2.51-8.15	5	1.1	0.10-2.02	3	0.7	0.00-1.60	314	69.3	63.4-75.2
\$25,000- 34,999	296	27,918	33	15.0	9.76-20.2	33	12.9	8.14-17.7	11	4.3	1.66-7.00	3	1.1	0.00-2.47	1	0.5	0.00-1.51	215	66.1	59.5-72.7
\$35,000- 49,999	387	39,952	61	18.7	14.0-23.3	59	18.6	13.9-23.2	25	7.4	4.46-10.4	11	3.0	1.17-4.77	2	0.4	0.00-1.08	229	51.9	46.3-57.5
\$50,000- 74,999	364	39,566	45	13.9	9.79-18.0	73	20.8	16.1-25.5	27	8.5	5.30-11.7	7	2.1	0.46-3.84	1	1.7	0.00-5.05	211	52.9	47.1-58.8
\$75,000+	294	31,986	61	21.9	16.5-27.4	58	21.2	16.1-26.2	26	8.1	5.03-11.2	6	2.0	0.37-3.55	3	1.1	0.00-2.46	140	45.6	39.4-51.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4003	486,947	3	0.1	0.00-0.21	168	3.2	2.69-3.75	184	5.0	4.09-5.97	1163	28.7	27.0-30.4	1251	31.9	30.1-33.6	1234	31.1	29.4-32.8
Male	1625	241,396	1	0.0	0.00-0.09	76	3.4	2.62-4.26	76	5.1	3.63-6.61	489	30.0	27.4-32.6	481	30.4	27.8-33.1	502	31.0	28.4-33.5
Female	2378	245,551	2	0.1	0.00-0.39	92	3.0	2.34-3.68	108	4.9	3.77-6.13	674	27.4	25.2-29.6	770	33.3	30.9-35.6	732	31.2	29.0-33.4
Native	108	17,264				5	2.7	0.21-5.27	17	18.3	9.27-27.3				37	26.1	16.6-35.6	19	13.0	6.51-19.5
Non-Native	3858	465,727	3	0.1	0.00-0.21	154	3.1	2.55-3.61	161	4.4	3.46-5.30	1127	28.4	26.7-30.1	1208	32.2	30.5-34.0	1205	31.8	30.1-33.5
18-24	212	74,659	1	0.4	0.00-1.08				15	8.4	3.79-13.0	58	29.8	22.9-36.6	85	39.4	32.3-46.6	53	22.0	16.2-27.9
25-34	498	79,626							10	2.7	1.00-4.42	118	23.7	19.7-27.6	161	31.7	27.4-36.0	209	41.9	37.4-46.5
35-44	719	82,073	1	0.1	0.00-0.36	5	0.9	0.08-1.68	19	3.2	1.71-4.61	158	22.1	18.8-25.4	261	36.8	33.0-40.6	275	36.9	33.2-40.7
45-54	872	90,156				3	0.7	0.00-1.52	32	3.5	2.22-4.76	266	30.4	27.1-33.7	256	27.9	24.7-31.1	315	37.5	34.0-41.1
55-64	650	63,267	1	0.1	0.00-0.30	15	2.2	1.03-3.35	30	4.3	2.69-5.91	200	30.9	27.0-34.7	202	30.4	26.7-34.2	202	32.1	28.2-36.0
65+	1015	94,184				145	13.8	11.5-16.0	76	7.5	5.70-9.30	358	35.4	32.2-38.6	272	26.6	23.6-29.5	164	16.8	14.2-19.3
Less than \$15,000	344	40,429				51	9.5	6.51-12.5	40	9.3	5.88-12.7	116	34.2	27.0-41.4	97	34.0	27.0-41.0	40	13.0	8.08-17.9
\$15,000- 24,999	636	69,668	1	0.1	0.00-0.27	41	5.9	3.96-7.92	38	7.1	4.53-9.75	265	38.8	34.3-43.4	202	32.4	27.7-37.1	89	15.6	11.6-19.6
\$25,000- 34,999	534	64,785	1	0.4	0.00-1.24	14	2.2	0.91-3.41	27	6.1	2.48-9.66	184	34.7	29.8-39.7	178	32.7	27.8-37.5	130	23.9	19.6-28.3
\$35,000- 49,999	713	89,996				11	1.4	0.58-2.30	20	3.6	1.65-5.49	199	29.4	25.5-33.4	249	33.9	30.0-37.9	234	31.6	27.7-35.4
\$50,000- 74,999	661	82,606				6	0.7	0.10-1.28	10	2.0	0.26-3.82	142	22.2	18.6-25.7	210	31.8	27.8-35.7	293	43.3	39.2-47.5
\$75,000+	585	75,196	1	0.1	0.00-0.38	3	0.5	0.00-1.04	9	1.2	0.40-2.08	77	13.2	9.95-16.5	155	28.0	23.8-32.3	340	56.9	52.3-61.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 20: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1625	241,396	1	0.0	0.00-0.09	76	3.4	2.60-4.28	76	5.1	3.63-6.61	489	30.0	27.4-32.6	481	30.4	27.8-33.1	502	31.0	28.4-33.5
Non-Native	1574	232,643	1	0.0	0.00-0.09	70	3.3	2.48-4.16	68	4.6	3.16-6.10	473	29.5	26.9-32.1	469	30.9	28.2-33.6	493	31.6	29.0-34.2
18-24	103	39,393							7	9.0	1.92-16.1	35	34.8	24.8-44.8	37	35.6	25.6-45.6	24	20.6	12.6-28.6
25-34	235	41,912							4	2.4	0.06-4.76	59	25.5	19.6-31.4	76	31.9	25.6-38.1	96	40.2	33.6-46.8
35-44	301	41,550				3	1.2	0.00-2.60	11	3.8	1.57-6.07	71	23.2	18.1-28.2	118	39.0	33.2-44.8	98	32.8	27.2-38.4
45-54	364	46,290				2	0.8	0.00-2.02	16	4.1	2.00-6.16	130	33.3	28.1-38.4	103	27.6	22.8-32.5	113	34.3	28.8-39.7
55-64	270	31,733	1	0.2	0.00-0.59	10	3.2	1.13-5.21	10	3.5	1.24-5.70	76	28.7	22.9-34.4	76	27.6	22.0-33.2	97	36.9	30.8-43.1
65+	345	39,737				61	16.2	12.2-20.2	27	7.4	4.50-10.3	117	34.8	29.5-40.2	69	20.8	16.2-25.4	71	20.8	16.2-25.3
Less than \$15,000	96	13,419				21	13.7	7.30-20.2	11	7.8	2.68-13.0									
\$15,000- 24,999	223	29,588	1	0.2	0.00-0.62	22	8.5	4.73-12.4	15	7.6	3.55-11.6	98	40.6	33.1-48.1	54	27.7	19.9-35.6	33	15.4	9.23-21.5
\$25,000- 34,999	238	36,867				8	2.4	0.56-4.32	15	7.8	1.83-13.9	87	36.3	28.9-43.7	78	31.8	24.8-38.8	50	21.6	15.3-27.8
\$35,000- 49,999	325	49,900				8	2.1	0.64-3.50	14	5.3	1.96-8.58	99	31.4	25.5-37.3	108	32.7	27.0-38.3	96	28.6	23.2-33.9
\$50,000- 74,999	297	43,040				5	1.0	0.07-1.91	6	1.6	0.26-2.88	73	25.6	20.2-31.0	97	32.4	26.7-38.1	116	39.5	33.6-45.4
\$75,000+	291	43,210				2	0.7	0.00-1.58	5	1.1	0.10-2.18	44	15.1	10.2-20.0	83	30.5	24.3-36.6	157	52.6	46.1-59.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 21: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2378	245,551	2	0.1	0.00-0.39	92	3.0	2.34-3.68	108	4.9	3.77-6.13	674	27.4	25.2-29.6	770	33.3	30.9-35.6	732	31.2	29.0-33.4
Native	73	10,483				3	2.5	0.00-5.57										14	14.5	5.88-23.2
Non-Native	2284	233,083	2	0.2	0.00-0.40	84	2.8	2.17-3.51	93	4.1	3.05-5.21	654	27.3	25.2-29.4	739	33.5	31.2-35.9	712	32.0	29.7-34.3
18-24	109	35,266	1	0.8	0.00-2.28				8	7.7	2.01-13.5	23	24.1	14.8-33.5				29	23.7	15.2-32.2
25-34	263	37,714							6	3.0	0.60-5.50	59	21.6	16.5-26.7	85	31.5	25.6-37.4	113	43.9	37.6-50.2
35-44	418	40,523	1	0.2	0.00-0.71	2	0.5	0.00-1.29	8	2.5	0.70-4.26	87	21.0	16.8-25.2	143	34.5	29.7-39.4	177	41.2	36.2-46.2
45-54	508	43,866				1	0.6	0.00-1.72	16	2.9	1.40-4.34	136	27.4	23.2-31.6	153	28.1	24.0-32.2	202	41.0	36.3-45.6
55-64	380	31,534				5	1.2	0.11-2.31	20	5.1	2.87-7.41	124	33.1	28.0-38.1	126	33.4	28.3-38.4	105	27.2	22.5-31.9
65+	670	54,446				84	12.0	9.38-14.6	49	7.6	5.27-9.93	241	35.8	31.8-39.7	203	30.8	26.9-34.6	93	13.9	11.0-16.7
Less than \$15,000	248	27,010				30	7.4	4.24-10.5	29	10.0	5.63-14.4	86	33.8	25.1-42.6	76	37.7	29.1-46.3	27	11.0	6.33-15.7
\$15,000- 24,999	413	40,080				19	4.0	2.04-6.00	23	6.8	3.38-10.3	167	37.5	31.8-43.3	148	35.8	30.0-41.6	56	15.8	10.6-21.0
\$25,000- 34,999	296	27,918	1	1.0	0.00-2.88	6	1.8	0.27-3.29	12	3.7	1.51-5.91	97	32.6	26.4-38.9	100	33.8	27.4-40.2	80	27.1	21.3-32.9
\$35,000- 49,999	388	40,096				3	0.7	0.00-1.41	6	1.5	0.22-2.72	100	27.0	22.0-31.9	141	35.5	30.2-40.9	138	35.3	29.9-40.7
\$50,000- 74,999	364	39,566				1	0.4	0.00-1.07	4	2.5	0.00-5.97	69	18.5	14.1-22.9	113	31.1	25.8-36.4	177	47.5	41.7-53.4
\$75,000+	294	31,986	1	0.3	0.00-0.89	1	0.2	0.00-0.65	4	1.4	0.00-2.78	33	10.6	6.91-14.3	72	24.8	19.2-30.4	183	62.7	56.6-68.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 22: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3997	485,948	2596	67.1	65.3-68.8	93	2.6	1.90-3.28	288	6.5	5.70-7.30	98	6.1	4.77-7.43	795	15.2	14.1-16.3	127	2.5	2.01-3.07
Male	1623	240,706	1192	74.9	72.4-77.4	38	2.7	1.55-3.83	3	0.3	0.00-0.58	40	5.6	3.72-7.40	301	14.5	12.8-16.1	49	2.1	1.44-2.78
Female	2374	245,242	1404	59.4	57.0-61.8	55	2.5	1.75-3.23	285	12.6	11.1-14.1	58	6.6	4.69-8.57	494	15.9	14.4-17.4	78	3.0	2.17-3.77
Native	108	17,264							12	10.5	4.15-16.9				13	6.9	2.63-11.2	6	5.5	0.00-11.1
Non-Native	3852	464,728	2533	68.3	66.5-70.0	82	2.2	1.62-2.80	268	6.2	5.39-6.99	85	5.6	4.32-6.90	764	15.3	14.1-16.4	120	2.4	1.93-2.95
18-24	210	74,080	131	59.1	51.8-66.5	10	4.6	1.33-7.91	7	2.4	0.55-4.27	59	32.1	25.0-39.3				3	1.7	0.00-3.59
25-34	497	79,442	423	85.2	81.8-88.6	10	2.1	0.59-3.69	31	6.3	4.09-8.55	29	5.8	3.53-7.99				4	0.6	0.00-1.24
35-44	718	81,857	631	88.4	85.9-90.8	16	2.1	1.02-3.22	47	6.2	4.40-8.00	7	1.2	0.20-2.20	2	0.2	0.00-0.50	15	1.9	0.89-2.89
45-54	872	90,266	757	88.3	86.1-90.5	24	2.7	1.54-3.86	39	4.3	2.86-5.72	1	0.1	0.00-0.27	14	1.3	0.54-1.96	37	3.3	2.15-4.51
55-64	649	63,172	456	71.2	67.5-74.9	18	3.1	1.59-4.53	44	6.4	4.43-8.31				96	14.1	11.4-16.9	35	5.2	3.38-7.02
65+	1013	94,085	178	17.1	14.5-19.6	13	1.0	0.41-1.63	117	12.2	9.99-14.5	2	0.2	0.00-0.49	671	66.8	63.6-70.0	32	2.7	1.67-3.71
Less Than H.S.	353	40,514	114	37.6	30.7-44.4	10	2.9	0.80-4.92	36	9.6	6.12-13.0	6	6.1	1.16-11.0	155	35.2	29.5-41.0	32	8.6	4.89-12.4
H.S. or G.E.D.	1158	139,196	685	62.2	58.7-65.6	30	2.9	1.37-4.47	104	8.3	6.58-9.96	17	5.3	2.66-8.00	279	18.3	16.1-20.6	43	3.0	1.94-4.06
Some Post-H.S.	1247	154,444	840	68.2	65.1-71.4	29	2.9	1.68-4.22	92	6.2	4.83-7.61	47	8.4	5.84-11.1	207	12.3	10.6-14.1	32	1.8	1.12-2.46
College Graduate	1233	151,239	953	78.3	75.6-81.0	24	1.8	0.97-2.73	56	4.4	3.13-5.59	28	4.4	2.57-6.29	152	9.8	8.15-11.4	20	1.3	0.66-1.84
Less than \$15,000	344	40,458	95	32.0	25.3-38.8	31	10.1	5.62-14.5	23	5.5	2.96-8.10	31	20.5	12.9-28.2	112	20.7	16.3-25.0	52	11.1	7.52-14.8
\$15,000- 24,999	632	68,966	330	54.6	49.8-59.4	17	3.0	1.45-4.47	48	8.4	5.74-11.1	18	6.3	3.20-9.36	193	24.3	20.8-27.9	26	3.4	2.00-4.86
\$25,000- 34,999	533	64,602	357	70.7	66.3-75.1	14	2.9	1.15-4.67	31	5.4	3.39-7.51	9	2.9	0.80-4.92	109	16.3	13.1-19.6	13	1.8	0.76-2.76
\$35,000- 49,999	715	90,177	540	76.0	72.3-79.7	7	2.0	0.00-4.17	44	5.2	3.59-6.85	7	2.4	0.49-4.29	105	12.9	10.4-15.4	12	1.4	0.54-2.34
\$50,000- 74,999	660	82,520	562	83.5	80.0-87.0	8	1.4	0.39-2.35	28	4.3	2.62-6.04	8	3.5	0.90-6.20	45	6.1	4.32-7.92	9	1.1	0.36-1.88
\$75,000+	584	75,052	486	84.4	80.9-87.9	4	0.4	0.01-0.83	40	6.1	4.06-8.06	4	1.9	0.00-4.08	48	6.5	4.56-8.40	2	0.8	0.00-1.93

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 23: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1623	240,706	1192	74.9	72.4-77.4	38	2.7	1.55-3.83	3	0.3	0.00-0.58	40	5.6	3.72-7.40	301	14.5	12.8-16.1	49	2.1	1.44-2.78
Non-Native	1572	231,953	1162	75.6	73.1-78.0	35	2.2	1.32-3.12	3	0.3	0.00-0.62	36	5.4	3.50-7.22	288	14.4	12.7-16.1	48	2.2	1.45-2.87
18-24	101	38,814				7	6.9	1.14-12.7	1	0.8	0.00-2.20	23	26.8	17.2-36.3				1	1.1	0.00-3.30
25-34	234	41,728	216	92.2	88.2-96.2	4	1.8	0.00-4.01	1	0.4	0.00-1.30	12	5.2	1.98-8.36				1	0.4	0.00-1.30
35-44	299	41,262	281	94.4	91.7-97.1	6	1.7	0.29-3.03				4	1.9	0.04-3.80	1	0.2	0.00-0.50	7	1.8	0.42-3.24
45-54	365	46,485	332	93.5	91.2-95.8	10	2.2	0.78-3.56							6	1.0	0.17-1.93	17	3.3	1.68-4.90
55-64	270	31,733	209	79.1	74.2-84.1	9	3.2	1.09-5.25	1	0.6	0.00-1.75				37	12.8	8.81-16.8	14	4.3	1.89-6.63
65+	346	39,838	79	22.2	17.6-26.7	1	0.1	0.00-0.44				1	0.1	0.00-0.44	256	75.5	70.8-80.2	9	2.0	0.63-3.45
Less Than H.S.	152	20,650				3	2.8	0.00-6.04				4	7.3	0.31-14.4	68	36.0	27.1-44.8	13	5.7	2.37-9.03
H.S. or G.E.D.	487	72,101	342	71.3	66.3-76.2	14	3.5	0.74-6.22				8	5.2	1.66-8.68	106	17.2	13.9-20.6	17	2.8	1.20-4.50
Some Post-H.S.	479	72,933	376	78.8	74.4-83.2	16	3.4	1.35-5.39	2	0.5	0.00-1.22	14	6.0	2.61-9.35	60	9.9	7.33-12.4	11	1.4	0.54-2.30
College Graduate	501	74,581	408	82.0	78.1-86.0	5	1.3	0.00-2.60	1	0.4	0.00-1.15	14	5.1	2.07-8.07	65	10.2	7.66-12.7	8	1.1	0.27-1.87
Less than \$15,000	96	13,419												30	19.5	11.8-27.2	19	13.1	6.70-19.5	
\$15,000- 24,999	220	28,930	126	62.9	55.6-70.2	10	4.0	1.48-6.58				4	3.6	0.00-7.28	67	25.4	19.3-31.6	13	4.1	1.75-6.41
\$25,000- 34,999	237	36,684	177	79.6	74.1-85.0	5	1.6	0.16-3.06				5	3.1	0.06-6.14	46	14.8	10.4-19.3	4	0.8	0.00-1.73
\$35,000- 49,999	327	50,081	253	77.3	71.7-82.8	4	3.0	0.00-6.77				4	2.7	0.00-5.60	62	16.0	12.1-19.9	4	1.0	0.00-2.03
\$50,000- 74,999	297	43,040	261	85.9	81.0-90.8	2	0.8	0.00-2.02	1	0.7	0.00-1.98	5	4.5	0.62-8.46	25	7.2	4.37-10.0	3	0.9	0.00-1.90
\$75,000+	290	43,066	256	88.9	84.5-93.3	2	0.3	0.00-0.74	2	0.9	0.00-2.06	2	1.6	0.00-4.59	26	7.0	4.27-9.67	2	1.3	0.00-3.34

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 24: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2374	245,242	1404	59.4	57.0-61.8	55	2.5	1.75-3.23	285	12.6	11.1-14.1	58	6.6	4.69-8.57	494	15.9	14.4-17.4	78	3.0	2.17-3.77
Native	73	10,483				8	9.4	2.34-16.6				9	7.5	1.71-13.4	5	8.5	0.00-17.4			
Non-Native	2280	232,775	1371	61.0	58.6-63.5	47	2.2	1.47-2.93	265	12.1	10.6-13.6	49	5.9	4.08-7.64	476	16.1	14.6-17.6	72	2.7	1.98-3.46
18-24	109	35,266				3	2.1	0.00-4.75	6	4.3	0.70-7.80							2	2.3	0.00-5.50
25-34	263	37,714	207	77.4	72.0-82.8	6	2.6	0.46-4.66	30	12.8	8.39-17.2	17	6.4	3.29-9.53				3	0.8	0.00-1.73
35-44	419	40,595	350	82.2	78.3-86.2	10	2.6	0.87-4.31	47	12.5	9.04-16.0	3	0.5	0.00-1.04	1	0.2	0.00-0.71	8	1.9	0.56-3.34
45-54	507	43,781	425	82.9	79.2-86.6	14	3.3	1.41-5.13	39	8.8	6.01-11.7	1	0.2	0.00-0.59	8	1.5	0.36-2.56	20	3.4	1.66-5.08
55-64	379	31,439	247	63.3	58.0-68.5	9	2.9	0.87-5.03	43	12.2	8.61-15.8				59	15.5	11.6-19.3	21	6.1	3.40-8.88
65+	667	54,247	99	13.3	10.6-16.1	12	1.7	0.65-2.69	117	21.2	17.6-24.9	1	0.2	0.00-0.71	415	60.4	56.3-64.5	23	3.2	1.75-4.57
Less Than H.S.	201	19,864	50	26.5	18.9-34.0	7	3.0	0.57-5.39	36	19.5	12.9-26.1	2	4.8	0.00-11.7	87	34.5	27.1-41.8	19	11.7	5.09-18.4
H.S. or G.E.D.	671	67,094	343	52.4	47.7-57.0	16	2.3	1.06-3.60	104	17.2	13.9-20.5	9	5.5	1.42-9.58	173	19.5	16.4-22.5	26	3.2	1.83-4.49
Some Post-H.S.	768	81,511	464	58.8	54.4-63.1	13	2.6	0.99-4.17	90	11.3	8.83-13.8	33	10.7	6.78-14.5	147	14.5	12.1-17.0	21	2.1	1.14-3.10
College Graduate	732	76,658	545	74.7	71.1-78.3	19	2.4	1.27-3.59	55	8.2	5.97-10.5	14	3.8	1.60-6.00	87	9.4	7.32-11.4	12	1.4	0.56-2.32
Less than \$15,000	248	27,039	67	29.6	21.9-37.4	20	7.2	3.56-10.9	23	8.3	4.45-12.1	23	23.4	13.5-33.3	82	21.3	16.0-26.5	33	10.2	5.76-14.6
\$15,000- 24,999	412	40,037	204	48.6	42.4-54.7	7	2.2	0.34-4.02	48	14.5	10.1-18.9	14	8.3	3.74-12.8	126	23.6	19.2-27.9	13	3.0	1.18-4.74
\$25,000- 34,999	296	27,918	180	59.0	52.5-65.6	9	4.6	1.08-8.14	31	12.6	8.13-17.1	4	2.5	0.00-5.18	63	18.3	13.6-22.9	9	3.0	0.98-4.94
\$35,000- 49,999	388	40,096	287	74.4	69.6-79.2	3	0.8	0.00-1.67	44	11.8	8.22-15.3	3	1.9	0.00-4.30	43	9.1	6.37-11.9	8	2.0	0.45-3.55
\$50,000- 74,999	363	39,480	301	80.9	75.9-85.9	6	1.9	0.34-3.56	27	8.3	5.13-11.5	3	2.5	0.00-5.95	20	4.9	2.74-7.16	6	1.4	0.23-2.55
\$75,000+	294	31,986	230	78.4	72.9-83.9	2	0.6	0.00-1.35	38	13.0	8.83-17.3	2	2.2	0.00-5.56	22	5.8	3.14-8.48			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 25: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3476	422,934	150	4.5	3.54-5.50	195	5.1	4.16-5.96	280	7.2	6.20-8.24	356	9.3	8.10-10.4	534	15.3	13.9-16.8	1961	58.6	56.7-60.6
Male	1472	216,206	41	2.4	1.49-3.37	55	3.8	2.53-5.03	90	5.7	4.36-7.02	133	8.0	6.39-9.61	238	17.0	14.7-19.4	915	63.1	60.2-66.0
Female	2004	206,728	109	6.7	4.97-8.45	140	6.4	5.10-7.68	190	8.8	7.31-10.3	223	10.6	8.90-12.2	296	13.5	11.8-15.2	1046	54.0	51.4-56.6
Native	96	15,259				11	8.9	2.55-15.2	16	14.8	6.50-23.1	6	5.2	0.83-9.57	13	11.7	4.62-18.7			
Non-Native	3360	405,445	127	3.5	2.72-4.32	180	4.9	3.97-5.77	263	6.9	5.93-7.93	346	9.3	8.15-10.5	517	15.4	13.9-16.9	1927	59.9	58.0-61.9
18-24	177	59,943	25	13.6	7.84-19.3	16	8.2	3.92-12.5	18	9.6	5.08-14.2	25	13.5	8.01-19.0	37	21.1	14.3-27.8	56	34.0	26.2-41.7
25-34	465	74,133	13	2.7	1.01-4.43	15	4.1	1.80-6.38	35	6.6	4.25-8.91	37	6.7	4.51-8.97	84	17.6	14.0-21.3	281	62.2	57.6-66.9
35-44	674	77,061	19	2.6	1.32-3.82	18	2.4	1.21-3.65	22	2.4	1.31-3.55	53	6.6	4.68-8.60	81	10.8	8.33-13.3	481	75.1	71.7-78.6
45-54	805	83,221	27	2.4	1.43-3.43	23	2.5	1.32-3.68	40	4.4	2.92-5.90	48	5.3	3.64-6.94	96	10.6	8.43-12.9	571	74.7	71.6-77.9
55-64	561	55,042	17	2.3	1.06-3.56	22	3.2	1.79-4.65	41	6.3	4.27-8.43	58	8.3	6.09-10.6	87	14.3	11.2-17.3	336	65.5	61.4-69.7
65+	776	72,267	48	5.0	3.48-6.50	100	10.6	8.42-12.8	124	15.0	12.3-17.7	129	16.1	13.2-18.9	147	19.3	16.3-22.4	228	34.0	30.3-37.8
Less Than H.S.	273	30,524	36	10.6	6.41-14.7	55	14.3	10.1-18.5	42	15.8	10.6-21.0	38	14.3	9.11-19.4	42	18.3	10.9-25.8	60	26.7	19.5-33.9
H.S. or G.E.D.	983	118,153	53	6.1	3.57-8.55	63	5.6	3.91-7.39	121	11.0	8.86-13.2	144	11.9	9.68-14.0	184	19.0	16.1-22.0	418	46.3	42.6-50.1
Some Post-H.S.	1091	135,346	45	5.1	3.27-6.91	52	5.1	3.35-6.79	80	6.0	4.37-7.59	122	10.7	8.33-13.0	178	15.6	13.1-18.2	614	57.5	54.0-61.1
College Graduate	1126	138,657	16	1.3	0.59-2.07	24	2.4	1.14-3.76	37	3.3	1.75-4.81	52	4.6	3.01-6.11	130	11.2	9.03-13.3	867	77.2	74.1-80.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 26: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1472	216,206	41	2.4	1.49-3.37	55	3.8	2.53-5.03	90	5.7	4.36-7.02	133	8.0	6.39-9.61	238	17.0	14.7-19.4	915	63.1	60.2-65.9
Non-Native	1431	208,796	36	1.9	1.14-2.66	51	3.7	2.39-4.93	83	5.3	4.04-6.66	128	8.0	6.31-9.61	230	17.0	14.6-19.5	903	64.1	61.2-67.0
18-24	84	31,289	3	3.8	0.00-8.11	7	8.3	1.96-14.7	6	6.9	1.45-12.4	11	11.1	3.73-18.5						
25-34	217	38,836	4	2.6	0.00-5.30	7	3.8	0.53-7.03	10	5.2	1.95-8.45	11	4.7	1.87-7.59	52	23.2	17.3-29.0	133	60.5	53.7-67.4
35-44	284	39,244	7	2.1	0.44-3.78	8	2.2	0.61-3.79	7	2.2	0.46-3.94	20	5.8	2.98-8.58	36	11.6	7.69-15.5	206	76.1	71.0-81.2
45-54	341	43,490	11	2.1	0.82-3.36	5	1.6	0.20-3.10	22	5.8	3.31-8.37	24	6.0	3.38-8.60	35	9.1	5.99-12.3	244	75.3	70.6-80.0
55-64	248	29,394	2	0.6	0.00-1.52	5	1.5	0.11-2.89	15	4.6	2.09-7.11	17	5.6	2.77-8.37	40	15.1	10.5-19.7	169	72.6	66.9-78.3
65+	294	33,562	14	3.3	1.52-5.16	23	6.2	3.52-8.82	30	10.0	6.38-13.6	49	16.1	11.7-20.5	53	19.0	14.2-23.9	125	45.4	39.3-51.4
Less Than H.S.	133	17,061	11	5.9	1.98-9.82	21	11.1	5.96-16.2	18	13.7	6.92-20.4	20	14.7	7.92-21.4						
H.S. or G.E.D.	431	63,322	18	4.2	1.78-6.56	12	3.3	0.96-5.54	42	9.1	6.27-12.0	56	9.8	7.05-12.6	87	21.1	16.5-25.8	216	52.5	47.0-57.9
Some Post-H.S.	441	66,897	7	1.8	0.18-3.48	14	3.5	1.33-5.65	20	4.0	1.85-6.09	34	8.3	4.76-11.8	78	17.5	13.4-21.7	288	64.9	59.6-70.2
College Graduate	465	68,744	5	0.5	0.06-1.04	8	2.8	0.42-5.08	10	2.2	0.34-4.10	23	4.4	2.23-6.55	50	11.6	8.09-15.0	369	78.5	73.9-83.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 27: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2004	206,728	109	6.7	4.97-8.45	140	6.4	5.10-7.68	190	8.8	7.31-10.3	223	10.6	8.90-12.2	296	13.5	11.8-15.2	1046	54.0	51.4-56.6
Native	63	8,914				9	10.9	2.27-19.6				3	3.8	0.00-8.13	6	8.8	0.47-17.1			
Non-Native	1929	196,649	91	5.3	3.84-6.66	129	6.2	4.87-7.45	180	8.6	7.08-10.1	218	10.8	9.11-12.6	287	13.6	11.9-15.4	1024	55.5	52.9-58.2
18-24	93	28,654				9	8.1	2.38-13.8	12	12.6	5.26-20.0	14	16.2	7.96-24.4	15	14.3	7.21-21.3	21	24.6	14.9-34.4
25-34	248	35,297	9	2.8	0.84-4.84	8	4.4	1.17-7.67	25	8.1	4.76-11.5	26	9.0	5.49-12.4	32	11.6	7.59-15.6	148	64.1	57.9-70.3
35-44	390	37,817	12	3.0	1.16-4.92	10	2.7	0.78-4.54	15	2.7	1.25-4.07	33	7.5	4.80-10.3	45	10.0	6.99-13.0	275	74.1	69.6-78.6
45-54	464	39,731	16	2.8	1.25-4.35	18	3.4	1.58-5.30	18	2.8	1.44-4.26	24	4.5	2.60-6.44	61	12.3	9.17-15.4	327	74.1	69.9-78.3
55-64	313	25,648	15	4.2	1.73-6.71	17	5.2	2.61-7.79	26	8.4	4.97-11.8	41	11.5	7.95-15.1	47	13.3	9.51-17.1	167	57.4	51.6-63.2
65+	482	38,704	34	6.4	4.11-8.73	77	14.4	11.1-17.7	94	19.3	15.4-23.2	80	16.0	12.4-19.6	94	19.6	15.7-23.5	103	24.2	19.9-28.6
Less Than H.S.	140	13,463	25	16.5	8.78-24.2	34	18.4	11.5-25.3	24	18.6	10.6-26.5	18	13.7	5.80-21.6	19	13.4	6.88-19.9			
H.S. or G.E.D.	552	54,831	35	8.3	3.74-12.8	51	8.4	5.73-11.1	79	13.3	9.96-16.5	88	14.2	10.8-17.6	97	16.6	13.0-20.2	202	39.3	34.4-44.1
Some Post-H.S.	650	68,449	38	8.3	5.09-11.4	38	6.6	3.93-9.31	60	7.9	5.57-10.3	88	13.0	9.86-16.2	100	13.8	10.7-16.8	326	50.4	45.8-55.0
College Graduate	661	69,913	11	2.1	0.68-3.50	16	2.2	0.95-3.39	27	4.3	1.95-6.69	29	4.7	2.53-6.95	80	10.8	8.25-13.4	498	75.8	71.9-79.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 28: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs - 300 lbs			301 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3850	471,823	21	0.4	0.21-0.69	1233	29.5	27.8-31.3	1785	47.0	45.1-48.9	635	17.9	16.5-19.4	145	4.2	3.40-4.92	31	0.9	0.56-1.34
Male	1614	240,157				127	8.9	7.11-10.7	874	53.8	51.0-56.6	483	29.1	26.6-31.6	105	6.6	5.20-7.98	25	1.6	0.89-2.41
Female	2236	231,667	21	0.9	0.44-1.38	1106	51.0	48.5-53.5	911	39.9	37.4-42.4	152	6.4	5.23-7.51	40	1.6	1.06-2.20	6	0.2	0.02-0.42
Native	106	16,779	2	1.0	0.00-2.41	25	20.0	11.5-28.6				6	5.6	0.81-10.5	2	1.5	0.00-3.85			
Non-Native	3711	451,377	19	0.4	0.19-0.67	1198	29.9	28.1-31.6	1724	46.9	45.0-48.9	604	17.7	16.3-19.2	138	4.1	3.33-4.89	28	0.9	0.50-1.32
18-24	212	74,659	1	0.4	0.00-1.08	83	36.8	29.8-43.8	90	45.9	38.5-53.3	30	12.9	8.23-17.5	7	3.5	0.84-6.14	1	0.6	0.00-1.72
25-34	477	76,247	4	0.7	0.00-1.37	145	28.7	24.5-32.9	216	45.6	40.9-50.3	90	20.3	16.3-24.2	20	4.4	2.44-6.40	2	0.3	0.00-0.85
35-44	699	80,108	6	0.6	0.09-1.07	206	26.0	22.7-29.4	319	46.8	42.8-50.8	123	19.4	16.1-22.6	35	5.6	3.66-7.54	10	1.6	0.56-2.64
45-54	836	86,909	2	0.1	0.00-0.37	234	23.8	20.8-26.7	384	45.6	41.9-49.3	160	22.5	19.2-25.8	42	5.6	3.76-7.48	14	2.4	0.89-3.91
55-64	616	60,221	1	0.1	0.00-0.24	171	24.8	21.2-28.3	296	48.7	44.5-53.0	118	21.3	17.7-24.9	27	4.6	2.76-6.48	3	0.5	0.00-1.17
65+	986	91,760	7	0.7	0.03-1.41	379	35.6	32.4-38.8	472	49.3	45.9-52.7	113	12.6	10.3-15.0	14	1.6	0.72-2.52	1	0.1	0.00-0.38
Less Than H.S.	345	39,500	1	0.2	0.00-0.65	109	29.6	23.6-35.7	179	52.0	45.2-58.8	47	15.5	10.8-20.3	7	2.3	0.48-4.08	2	0.3	0.00-0.78
H.S. or G.E.D.	1121	135,539	7	0.4	0.07-0.69	361	29.6	26.3-32.9	516	47.7	44.1-51.3	190	18.0	15.4-20.7	39	3.6	2.32-4.82	8	0.7	0.16-1.18
Some Post-H.S.	1188	149,226	5	0.3	0.00-0.60	387	30.1	27.0-33.3	544	45.9	42.5-49.3	195	18.0	15.3-20.7	49	5.0	3.37-6.63	8	0.7	0.20-1.14
College Graduate	1190	146,997	8	0.7	0.16-1.30	373	28.9	26.0-31.8	546	46.1	42.9-49.4	201	18.3	15.8-20.9	49	4.2	2.93-5.55	13	1.7	0.58-2.74
Less than \$15,000	329	39,013	3	1.0	0.00-2.44	112	33.8	26.8-40.7	156	48.2	40.8-55.7	40	11.3	7.13-15.4	13	4.3	1.38-7.18	5	1.4	0.14-2.72
\$15,000- 24,999	610	66,755	4	0.3	0.00-0.70	210	31.8	27.2-36.3	284	47.8	42.8-52.8	82	14.4	11.0-17.8	25	4.5	2.52-6.48	5	1.2	0.00-2.60
\$25,000- 34,999	514	63,090	3	0.2	0.00-0.45	139	24.1	19.7-28.5	239	48.3	42.9-53.7	98	20.2	16.0-24.5	29	6.0	3.50-8.44	6	1.2	0.13-2.21
\$35,000- 49,999	687	87,247	3	0.5	0.00-1.12	199	27.4	23.7-31.2	331	47.5	43.2-51.8	130	21.2	17.6-24.8	19	2.6	1.33-3.79	5	0.8	0.04-1.56
\$50,000- 74,999	644	80,921	4	0.6	0.00-1.29	199	29.7	25.7-33.7	298	45.8	41.5-50.1	116	19.5	16.2-22.9	24	3.8	2.18-5.36	3	0.6	0.00-1.22
\$75,000+	579	74,675	3	0.5	0.00-1.02	162	24.9	21.1-28.8	268	46.6	42.1-51.2	115	20.7	16.9-24.4	26	6.0	3.46-8.56	5	1.3	0.00-2.71

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 29: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs - 300 lbs			301 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1614	240,157	127	8.9	7.11-10.7	874	53.8	51.0-56.6	483	29.1	26.6-31.6	105	6.6	5.20-7.98	25	1.6	0.89-2.41
Non-Native	1565	231,787	119	8.6	6.84-10.4	857	54.4	51.5-57.3	465	28.8	26.2-31.3	101	6.6	5.16-8.02	23	1.6	0.82-2.34
18-24	103	39,393	15	15.4	7.79-23.1				26	21.1	13.1-29.1	7	6.6	1.67-11.5	1	1.1	0.00-3.26
25-34	232	41,545	21	9.9	5.64-14.3	122	51.8	45.0-58.6	73	31.4	25.1-37.7	15	6.4	3.14-9.68	1	0.4	0.00-1.30
35-44	299	41,406	22	7.4	4.30-10.5	160	53.3	47.3-59.2	86	28.6	23.2-34.0	25	8.5	5.16-11.9	6	2.2	0.42-3.94
45-54	364	46,387	15	3.6	1.70-5.46	179	47.6	42.1-53.1	128	36.2	30.9-41.5	28	8.1	4.95-11.3	14	4.5	1.71-7.27
55-64	267	31,355	16	6.1	2.85-9.39	143	53.3	46.9-59.7	88	33.7	27.7-39.8	18	6.1	3.14-8.98	2	0.8	0.00-2.03
65+	344	39,647	38	11.3	7.76-14.9	212	61.7	56.2-67.1	81	23.3	18.5-28.0	12	3.4	1.44-5.44	1	0.3	0.00-0.89
Less Than H.S.	151	20,377	15	9.8	4.76-14.9	92	62.0	52.6-71.5	38	25.0	16.8-33.3	4	2.5	0.00-5.01	2	0.6	0.00-1.52
H.S. or G.E.D.	487	72,183	53	12.7	8.76-16.7	254	53.0	47.8-58.2	149	28.5	24.0-33.0	25	4.7	2.65-6.77	6	1.0	0.15-1.95
Some Post-H.S.	475	72,995	31	7.2	4.42-9.94	260	53.7	48.5-58.9	139	28.9	24.2-33.6	39	9.1	5.96-12.3	6	1.1	0.22-1.94
College Graduate	498	74,226	28	6.6	3.75-9.47	268	52.6	47.7-57.5	155	30.9	26.4-35.3	36	6.8	4.43-9.21	11	3.1	0.99-5.19
Less than \$15,000	95	13,327							20	20.8	10.9-30.8	7	7.8	0.66-15.0	4	3.1	0.00-6.24
\$15,000- 24,999	221	29,463	25	10.2	5.82-14.5	124	57.0	49.2-64.8	54	24.3	17.8-30.8	14	6.0	2.54-9.52	4	2.5	0.00-5.58
\$25,000- 34,999	235	36,583	18	7.3	3.04-11.6	116	52.9	45.1-60.7	77	30.1	23.3-36.9	20	8.1	4.10-12.1	4	1.6	0.00-3.34
\$35,000- 49,999	323	49,602	32	12.0	7.79-16.3	174	52.5	46.4-58.7	99	30.4	24.8-35.9	14	3.8	1.74-5.94	4	1.2	0.00-2.50
\$50,000- 74,999	297	43,040	17	7.0	3.32-10.7	159	53.1	47.0-59.1	98	32.4	26.8-38.0	20	6.4	3.56-9.32	3	1.1	0.00-2.31
\$75,000+	291	43,210	7	2.8	0.36-5.22	162	54.5	48.1-61.0	96	31.1	25.2-37.0	22	9.5	5.23-13.7	4	2.1	0.00-4.53

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 30: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs - 300 lbs			301 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2236	231,667	21	0.9	0.44-1.38	1106	51.0	48.5-53.5	911	39.9	37.4-42.4	152	6.4	5.23-7.51	40	1.6	1.06-2.20	6	0.2	0.02-0.42
Native	72	10,291	2	1.6	0.00-3.94							12	12.8	4.67-21.0	3	5.0	0.00-11.0	1	0.7	0.00-2.15
Non-Native	2146	219,590	19	0.9	0.41-1.35	1079	52.3	49.8-54.8	867	39.1	36.6-41.5	139	6.1	4.92-7.20	37	1.5	0.96-2.02	5	0.2	0.00-0.40
18-24	109	35,266	1	0.8	0.00-2.28							4	3.7	0.00-7.34						
25-34	245	34,702	4	1.5	0.00-3.01	124	51.1	44.6-57.7	94	38.2	31.8-44.5	17	7.0	3.56-10.4	5	2.0	0.18-3.90	1	0.2	0.00-0.62
35-44	400	38,703	6	1.2	0.21-2.21	184	46.0	40.8-51.2	159	39.9	34.8-45.0	37	9.5	6.39-12.5	10	2.5	0.76-4.18	4	1.0	0.00-2.01
45-54	472	40,522	2	0.3	0.00-0.79	219	46.8	42.0-51.7	205	43.3	38.5-48.1	32	6.8	4.33-9.27	14	2.7	1.23-4.25			
55-64	349	28,865	1	0.2	0.00-0.50	155	45.0	39.5-50.6	153	43.8	38.2-49.3	30	7.8	4.96-10.7	9	3.0	0.82-5.28	1	0.2	0.00-0.50
65+	642	52,113	7	1.3	0.08-2.48	341	54.1	49.9-58.3	260	39.8	35.7-44.0	32	4.5	2.83-6.25	2	0.3	0.00-0.60			
Less Than H.S.	194	19,123	1	0.4	0.00-1.33	94	50.7	41.9-59.6	87	41.3	32.9-49.8	9	5.4	1.46-9.38	3	2.1	0.00-4.63			
H.S. or G.E.D.	634	63,356	7	0.8	0.15-1.49	308	48.8	44.0-53.6	262	41.8	36.9-46.6	41	6.1	4.12-8.12	14	2.3	0.96-3.58	2	0.2	0.00-0.56
Some Post-H.S.	713	76,231	5	0.6	0.00-1.17	356	52.1	47.6-56.6	284	38.4	34.1-42.8	56	7.6	5.23-9.97	10	1.0	0.34-1.72	2	0.3	0.00-0.70
College Graduate	692	72,771	8	1.5	0.31-2.63	345	51.6	47.3-55.9	278	39.5	35.3-43.8	46	5.6	3.83-7.31	13	1.6	0.62-2.58	2	0.2	0.00-0.49
Less than \$15,000	234	25,686	3	1.5	0.00-3.71	102	42.1	33.4-50.9	102	47.0	37.8-56.2	20	6.3	3.06-9.64	6	2.4	0.20-4.66	1	0.6	0.00-1.66
\$15,000- 24,999	389	37,292	4	0.6	0.00-1.26	185	48.8	42.4-55.2	160	40.5	34.2-46.7	28	6.6	3.76-9.44	11	3.3	1.10-5.50	1	0.2	0.00-0.59
\$25,000- 34,999	279	26,507	3	0.5	0.00-1.08	121	47.3	40.4-54.2	123	42.0	35.2-48.7	21	6.6	3.59-9.67	9	3.0	0.99-5.11	2	0.5	0.00-1.32
\$35,000- 49,999	364	37,645	3	1.2	0.00-2.59	167	47.8	42.0-53.5	157	40.8	35.2-46.5	31	9.1	5.51-12.6	5	0.9	0.06-1.70	1	0.3	0.00-0.74
\$50,000- 74,999	347	37,881	4	1.3	0.00-2.75	182	55.5	49.6-61.3	139	37.5	32.0-43.1	18	4.9	2.59-7.25	4	0.7	0.00-1.49			
\$75,000+	288	31,466	3	1.1	0.00-2.41	155	55.3	49.0-61.6	106	35.8	29.8-41.8	19	6.4	3.38-9.34	4	1.3	0.00-2.58	1	0.1	0.00-0.44

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in to 7-ft 0-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3987	485,299	169	3.3	2.70-3.84	1805	38.7	37.0-40.5	1668	46.3	44.4-48.2	340	11.5	10.2-12.8	5	0.2	0.02-0.46
Male	1621	241,041	2	0.1	0.00-0.20	128	7.1	5.80-8.42	1147	69.3	66.6-71.9	339	23.0	20.6-25.5	5	0.5	0.05-0.91
Female	2366	244,258	167	6.4	5.34-7.50	1677	69.9	67.7-72.2	521	23.6	21.5-25.7	1	0.1	0.00-0.18			
Native	108	17,264	12	8.4	2.93-13.9							7	7.8	1.76-13.8			
Non-Native	3844	464,207	157	3.1	2.56-3.66	1730	38.2	36.4-40.0	1620	46.7	44.8-48.6	332	11.7	10.3-13.0	5	0.3	0.03-0.47
18-24	212	74,659	4	1.6	0.01-3.27	79	33.4	26.6-40.2	100	49.7	42.4-57.1	29	15.3	9.75-20.8			
25-34	495	79,128	7	1.3	0.32-2.32	175	31.9	27.7-36.1	238	49.7	45.0-54.3	73	16.5	12.9-20.1	2	0.6	0.00-1.40
35-44	718	81,977	11	1.3	0.47-2.15	297	37.5	33.8-41.3	328	47.3	43.4-51.2	82	13.8	11.0-16.7			
45-54	871	90,168	30	3.0	1.78-4.14	382	36.9	33.5-40.3	391	49.5	45.9-53.2	67	10.3	7.78-12.8	1	0.3	0.00-0.95
55-64	646	62,903	35	4.7	3.09-6.31	308	42.2	38.1-46.2	249	42.1	38.0-46.2	53	10.6	7.80-13.4	1	0.4	0.00-1.18
65+	1011	93,696	81	7.1	5.48-8.70	543	48.9	45.5-52.3	351	39.7	36.3-43.0	35	4.1	2.75-5.53	1	0.2	0.00-0.50
Less Than H.S.	354	40,566	36	8.7	5.57-11.8	162	40.1	33.7-46.5	140	43.8	37.0-50.6	15	7.0	2.81-11.2	1	0.4	0.00-1.15
H.S. or G.E.D.	1155	138,899	58	3.8	2.73-4.89	543	41.1	37.6-44.5	467	45.5	41.9-49.0	86	9.5	7.22-11.7	1	0.2	0.00-0.59
Some Post-H.S.	1244	154,591	49	2.9	1.95-3.95	580	39.3	36.1-42.5	514	46.3	42.9-49.7	100	11.3	8.83-13.8	1	0.1	0.00-0.36
College Graduate	1228	150,681	26	1.6	0.96-2.34	517	35.6	32.7-38.6	545	47.8	44.5-51.0	138	14.6	12.1-17.0	2	0.4	0.00-0.87
Less than \$15,000	340	39,985	30	6.1	3.59-8.65	192	52.8	45.5-60.1	102	34.3	27.3-41.3	16	6.8	2.70-10.8			
\$15,000- 24,999	633	69,415	36	5.1	3.14-7.10	313	42.9	38.2-47.7	243	42.3	37.4-47.1	41	9.7	6.08-13.3			
\$25,000- 34,999	533	64,690	16	2.2	0.94-3.48	234	36.2	31.5-41.0	239	51.1	45.9-56.4	43	10.0	6.77-13.3	1	0.4	0.00-1.25
\$35,000- 49,999	713	89,896	16	1.9	0.88-2.84	298	35.6	31.8-39.5	325	48.7	44.5-53.0	73	13.6	10.4-16.8	1	0.2	0.00-0.53
\$50,000- 74,999	660	82,520	15	2.1	0.94-3.34	265	34.9	30.9-38.9	315	50.7	46.5-55.0	65	12.2	9.29-15.2			
\$75,000+	584	75,133	9	1.1	0.33-1.85	217	31.5	27.5-35.5	282	50.2	45.6-54.8	74	16.5	12.6-20.4	2	0.7	0.00-1.72

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 32: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in to 7-ft 0-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1621	241,041	2	0.1	0.00-0.20	128	7.1	5.80-8.42	1147	69.3	66.6-71.9	339	23.0	20.6-25.5	5	0.5	0.05-0.91
Non-Native	1570	232,288	2	0.1	0.00-0.21	120	6.8	5.55-8.13	1112	69.3	66.6-72.0	331	23.3	20.8-25.8	5	0.5	0.05-0.95
18-24	103	39,393				2	1.6	0.00-4.04	72	69.4	59.7-79.1	29	28.9	19.3-38.5			
25-34	233	41,636				11	4.6	1.87-7.39	147	62.8	56.3-69.4	73	31.4	25.2-37.7	2	1.1	0.00-2.65
35-44	300	41,478				24	8.9	5.32-12.6	195	64.0	58.3-69.8	81	27.0	21.8-32.3			
45-54	364	46,387				24	5.8	3.37-8.15	272	73.6	68.6-78.6	67	20.0	15.4-24.6	1	0.6	0.00-1.86
55-64	268	31,607				22	9.2	5.22-13.1	192	68.9	62.8-75.0	53	21.1	15.8-26.4	1	0.8	0.00-2.35
65+	346	39,758	2	0.5	0.00-1.21	44	13.1	9.32-16.9	264	76.2	71.5-80.9	35	9.8	6.54-13.0	1	0.4	0.00-1.18
Less Than H.S.	153	20,730	1	0.4	0.00-1.15	18	9.4	4.78-14.0	118	75.7	67.0-84.4	15	13.8	5.85-21.6	1	0.8	0.00-2.28
H.S. or G.E.D.	488	72,269	1	0.2	0.00-0.50	54	10.5	7.56-13.4	346	70.8	66.1-75.5	86	18.2	14.1-22.3	1	0.4	0.00-1.12
Some Post-H.S.	479	73,377				36	6.8	4.51-9.13	342	69.0	64.0-74.0	100	23.9	19.1-28.7	1	0.3	0.00-0.74
College Graduate	498	74,289				20	3.5	1.78-5.30	339	66.4	61.7-71.0	137	29.4	24.9-33.9	2	0.7	0.00-1.75
Less than \$15,000	95	13,327				13	9.2	3.72-14.7									
\$15,000- 24,999	222	29,516				26	10.7	6.32-15.1	155	66.5	58.6-74.4	41	22.7	15.1-30.4			
\$25,000- 34,999	238	36,867				24	9.4	5.58-13.3	170	72.3	65.7-78.8	43	17.6	12.0-23.1	1	0.8	0.00-2.20
\$35,000- 49,999	325	49,800				22	7.3	4.18-10.4	229	67.8	62.0-73.6	73	24.5	19.1-29.9	1	0.3	0.00-0.95
\$50,000- 74,999	297	43,040	1	0.3	0.00-0.83	12	3.8	1.68-5.92	219	72.5	67.0-77.9	65	23.4	18.2-28.7			
\$75,000+	290	43,147				15	4.4	2.10-6.68	200	66.0	59.6-72.4	73	28.3	22.1-34.6	2	1.3	0.00-3.00

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

**TABLE 33: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2366	244,258	167	6.4	5.32-7.52	1677	69.9	67.7-72.2	521	23.6	21.5-25.7	1	0.1	0.00-0.18
Native	73	10,483	12	13.8	4.92-22.8				11	12.6	4.16-21.1			
Non-Native	2274	231,919	155	6.1	5.05-7.21	1610	69.7	67.4-72.0	508	24.1	22.0-26.3	1	0.1	0.00-0.18
18-24	109	35,266	4	3.5	0.05-6.91	77	68.8	59.2-78.4	28	27.7	18.4-37.1			
25-34	262	37,491	7	2.8	0.68-4.88	164	62.2	56.0-68.4	91	35.0	28.9-41.1			
35-44	418	40,499	11	2.7	0.95-4.37	273	66.8	62.1-71.5	133	30.2	25.6-34.7	1	0.3	0.00-1.04
45-54	507	43,781	30	6.1	3.73-8.47	358	69.9	65.5-74.2	119	24.0	20.0-28.0			
55-64	378	31,296	35	9.4	6.30-12.6	286	75.5	70.9-80.2	57	15.0	11.1-18.9			
65+	665	53,938	79	11.9	9.28-14.6	499	75.3	71.8-78.9	87	12.7	10.0-15.5			
Less Than H.S.	201	19,836	35	17.4	11.4-23.4	144	72.2	64.9-79.5	22	10.4	5.55-15.3			
H.S. or G.E.D.	667	66,629	57	7.8	5.56-9.96	489	74.3	70.3-78.2	121	18.0	14.5-21.5			
Some Post-H.S.	765	81,215	49	5.6	3.74-7.50	544	68.6	64.4-72.9	172	25.7	21.6-29.9			
College Graduate	730	76,393	26	3.3	1.91-4.61	497	66.9	62.9-70.8	206	29.7	25.8-33.6	1	0.2	0.00-0.56
Less than \$15,000	245	26,658	30	9.2	5.41-13.0	179	74.6	67.4-81.9	36	16.2	9.56-22.8			
\$15,000- 24,999	411	39,898	36	8.9	5.53-12.3	287	66.8	60.8-72.7	88	24.3	18.7-30.0			
\$25,000- 34,999	295	27,823	16	5.1	2.24-8.04	210	71.7	65.7-77.7	69	23.1	17.5-28.8			
\$35,000- 49,999	388	40,096	16	4.2	2.00-6.32	276	70.8	65.7-76.0	96	25.0	20.0-30.0			
\$50,000- 74,999	363	39,480	14	4.2	1.75-6.57	253	68.8	63.5-74.1	96	27.1	22.0-32.1			
\$75,000+	294	31,986	9	2.5	0.75-4.35	202	68.1	62.2-74.1	82	28.9	23.0-34.7	1	0.4	0.00-1.33

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 34: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	487,573	3969	99.0	98.6-99.4	14	0.5	0.17-0.79	27	0.5	0.30-0.74
Male	1629	241,837	1613	99.0	98.5-99.6	5	0.4	0.00-0.88	11	0.5	0.20-0.86
Female	2381	245,736	2356	99.0	98.5-99.5	9	0.5	0.10-0.96	16	0.5	0.25-0.75
Native	108	17,264	107	99.5	98.5-0100	1	0.5	0.00-1.54			
Non-Native	3865	466,353	3826	99.0	98.6-99.4	13	0.5	0.17-0.79	26	0.5	0.30-0.74
18-24	212	74,659	209	98.5	96.8-0100	3	1.5	0.00-3.20			
25-34	498	79,626	492	98.8	97.8-99.8	4	0.7	0.00-1.53	2	0.5	0.00-1.11
35-44	720	82,145	714	99.4	98.9-99.9	1	0.1	0.00-0.27	5	0.5	0.05-0.99
45-54	873	90,351	869	99.6	99.3-0100				4	0.4	0.00-0.73
55-64	650	63,267	647	99.5	98.9-0100	2	0.3	0.00-0.71	1	0.2	0.00-0.59
65+	1019	94,478	1007	98.8	98.1-99.5	4	0.4	0.00-0.78	8	0.8	0.20-1.46
Less Than H.S.	355	40,637	351	99.1	98.1-0100	2	0.5	0.00-1.09	2	0.5	0.00-1.16
H.S. or G.E.D.	1163	139,748	1148	98.9	98.2-99.5	3	0.2	0.00-0.46	12	0.9	0.35-1.49
Some Post-H.S.	1251	155,179	1236	98.6	97.7-99.6	5	0.8	0.00-1.68	10	0.5	0.17-0.83
College Graduate	1234	151,383	1228	99.5	99.1-0100	3	0.3	0.00-0.70	3	0.2	0.00-0.40
Less than \$15,000	345	40,501	342	99.4	98.8-0100	2	0.4	0.00-0.97	1	0.2	0.00-0.47
\$15,000- 24,999	636	69,668	626	97.6	95.6-99.5	4	1.7	0.00-3.55	6	0.7	0.05-1.39
\$25,000- 34,999	534	64,785	531	99.2	98.2-0100	2	0.6	0.00-1.56	1	0.2	0.00-0.56
\$35,000- 49,999	715	90,177	712	99.6	99.1-0100	1	0.1	0.00-0.30	2	0.3	0.00-0.80
\$50,000- 74,999	661	82,606	658	99.7	99.4-0100	1	0.1	0.00-0.33	2	0.2	0.00-0.43
\$75,000+	585	75,196	582	99.6	99.2-0100	1	0.1	0.00-0.38	2	0.2	0.00-0.59

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 35: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1629	241,837	1613	99.0	98.5-99.6	5	0.4	0.00-0.88	11	0.5	0.20-0.86
Non-Native	1578	233,084	1563	99.0	98.5-99.6	4	0.4	0.00-0.85	11	0.5	0.20-0.90
18-24	103	39,393	102	98.9	96.7-0100	1	1.1	0.00-3.26			
25-34	235	41,912	230	97.9	96.0-99.8	3	1.2	0.00-2.69	2	0.9	0.00-2.10
35-44	301	41,550	301	100.0	0100-0100						
45-54	365	46,485	362	99.6	99.1-0100				3	0.4	0.00-0.89
55-64	270	31,733	269	99.6	98.8-0100				1	0.4	0.00-1.18
65+	347	39,918	341	98.3	96.8-99.7	1	0.2	0.00-0.68	5	1.5	0.14-2.88
Less Than H.S.	153	20,730	150	98.6	97.1-0100	1	0.4	0.00-1.30	2	0.9	0.00-2.25
H.S. or G.E.D.	489	72,429	481	98.5	97.5-99.6	1	0.2	0.00-0.56	7	1.3	0.27-2.27
Some Post-H.S.	481	73,512	480	99.4	98.3-0100	1	0.6	0.00-1.75			
College Graduate	502	74,725	498	99.3	98.4-0100	2	0.5	0.00-1.25	2	0.2	0.00-0.59
Less than \$15,000	96	13,419	94	98.8	97.2-0100	1	0.7	0.00-1.98	1	0.5	0.00-1.45
\$15,000- 24,999	223	29,588	221	97.9	94.8-0100	1	1.5	0.00-4.31	1	0.6	0.00-1.84
\$25,000- 34,999	238	36,867	235	98.5	96.8-0100	2	1.1	0.00-2.75	1	0.3	0.00-1.01
\$35,000- 49,999	327	50,081	325	99.4	98.6-0100				2	0.6	0.00-1.44
\$50,000- 74,999	297	43,040	296	99.8	99.4-0100	1	0.2	0.00-0.62			
\$75,000+	291	43,210	289	99.6	99.0-0100				2	0.4	0.00-1.03

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 36: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2381	245,736	2356	99.0	98.5-99.5	9	0.5	0.10-0.96	16	0.5	0.25-0.75
Native	73	10,483	73	100.0	0100-0100						
Non-Native	2287	233,269	2263	98.9	98.4-99.5	9	0.6	0.11-1.01	15	0.5	0.24-0.74
18-24	109	35,266	107	98.1	95.4-0100	2	1.9	0.00-4.63			
25-34	263	37,714	262	99.8	99.4-0100	1	0.2	0.00-0.59			
35-44	419	40,595	413	98.8	97.7-99.8	1	0.2	0.00-0.53	5	1.1	0.12-2.00
45-54	508	43,866	507	99.7	99.1-0100				1	0.3	0.00-0.86
55-64	380	31,534	378	99.4	98.6-0100	2	0.6	0.00-1.44			
65+	672	54,560	666	99.1	98.4-99.9	3	0.5	0.00-1.08	3	0.3	0.00-0.73
Less Than H.S.	202	19,907	201	99.5	98.6-0100	1	0.5	0.00-1.42			
H.S. or G.E.D.	674	67,319	667	99.2	98.6-99.8	2	0.2	0.00-0.57	5	0.5	0.04-1.06
Some Post-H.S.	770	81,667	756	98.0	96.6-99.3	4	1.1	0.00-2.29	10	1.0	0.33-1.59
College Graduate	732	76,658	730	99.8	99.4-0100	1	0.1	0.00-0.36	1	0.1	0.00-0.33
Less than \$15,000	249	27,082	248	99.7	99.2-0100	1	0.3	0.00-0.80			
\$15,000- 24,999	413	40,080	405	97.3	94.8-99.8	3	1.9	0.00-4.28	5	0.8	0.06-1.52
\$25,000- 34,999	296	27,918	296	100.0	0100-0100						
\$35,000- 49,999	388	40,096	387	99.8	99.4-0100	1	0.2	0.00-0.62			
\$50,000- 74,999	364	39,566	362	99.6	99.1-0100				2	0.4	0.00-0.91
\$75,000+	294	31,986	293	99.7	99.1-0100	1	0.3	0.00-0.89			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 37: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid Zipcode			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	487,573	3923	98.0	97.6-98.5	27	0.6	0.35-0.83	60	1.4	1.00-1.78
Male	1629	241,837	1586	97.7	96.9-98.4	13	0.6	0.27-0.93	30	1.7	1.04-2.42
Female	2381	245,736	2337	98.4	97.8-98.9	14	0.6	0.23-0.93	30	1.0	0.66-1.44
Native	108	17,264	107	98.3	95.0-100				1	1.7	0.00-4.98
Non-Native	3865	466,353	3782	98.0	97.6-98.5	25	0.6	0.34-0.84	58	1.4	0.98-1.76
18-24	212	74,659	209	99.1	98.0-100	2	0.5	0.00-1.35	1	0.4	0.00-1.15
25-34	498	79,626	492	98.8	97.9-99.8	2	0.2	0.00-0.54	4	0.9	0.02-1.82
35-44	720	82,145	708	98.7	97.9-99.4	1	0.1	0.00-0.27	11	1.3	0.47-2.03
45-54	873	90,351	856	97.9	96.9-99.0	1	0.1	0.00-0.41	16	1.9	0.89-2.93
55-64	650	63,267	642	98.6	97.7-99.6	3	0.6	0.00-1.33	5	0.7	0.06-1.40
65+	1019	94,478	988	96.5	95.2-97.8	17	1.7	0.83-2.55	14	1.8	0.79-2.75
Less Than H.S.	355	40,637	343	96.8	94.8-98.9	9	2.1	0.61-3.59	3	1.0	0.00-2.52
H.S. or G.E.D.	1163	139,748	1130	97.4	96.5-98.4	10	0.7	0.26-1.16	23	1.8	1.03-2.67
Some Post-H.S.	1251	155,179	1221	97.7	96.8-98.6	6	0.5	0.04-0.98	24	1.8	0.97-2.53
College Graduate	1234	151,383	1223	99.2	98.7-99.7	2	0.1	0.00-0.37	9	0.6	0.21-1.07
Less than \$15,000	345	40,501	337	98.2	96.9-99.6	6	1.1	0.22-2.02	2	0.6	0.00-1.64
\$15,000- 24,999	636	69,668	618	96.7	94.9-98.4	5	1.0	0.02-2.06	13	2.3	0.87-3.73
\$25,000- 34,999	534	64,785	530	99.3	98.7-100	4	0.7	0.00-1.35			
\$35,000- 49,999	715	90,177	706	98.8	97.9-99.6	1	0.1	0.00-0.41	8	1.1	0.32-1.88
\$50,000- 74,999	661	82,606	652	98.9	98.2-99.7	1	0.2	0.00-0.50	8	0.9	0.25-1.59
\$75,000+	585	75,196	580	99.1	98.2-99.9	2	0.3	0.00-0.84	3	0.6	0.00-1.28

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 38: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid Zipcode			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1629	241,837	1586	97.7	96.9-98.4	13	0.6	0.27-0.93	30	1.7	1.04-2.42
Non-Native	1578	233,084	1537	97.7	97.0-98.5	12	0.6	0.24-0.94	29	1.7	1.00-2.34
18-24	103	39,393	102	99.3	97.8-0100				1	0.7	0.00-2.16
25-34	235	41,912	229	97.8	96.0-99.6	2	0.4	0.00-1.05	4	1.8	0.04-3.46
35-44	301	41,550	299	99.5	98.7-0100				2	0.5	0.00-1.28
45-54	365	46,485	354	97.2	95.4-99.0	1	0.3	0.00-0.83	10	2.5	0.80-4.24
55-64	270	31,733	265	98.3	96.7-99.8	2	0.8	0.00-1.89	3	0.9	0.00-2.05
65+	347	39,918	331	95.0	92.5-97.5	8	2.2	0.60-3.82	8	2.8	0.81-4.81
Less Than H.S.	153	20,730	145	95.2	91.3-99.0	6	3.1	0.40-5.78	2	1.7	0.00-4.53
H.S. or G.E.D.	489	72,429	470	96.8	95.3-98.3	6	0.9	0.18-1.70	13	2.3	0.92-3.58
Some Post-H.S.	481	73,512	473	98.0	96.6-99.4	1	0.2	0.00-0.50	7	1.8	0.45-3.19
College Graduate	502	74,725	495	98.9	98.1-99.7				7	1.1	0.26-1.86
Less than \$15,000	96	13,419	90	95.7	91.9-99.5	4	2.3	0.00-4.65	2	1.9	0.00-4.94
\$15,000- 24,999	223	29,588	216	95.9	92.7-99.1	2	1.0	0.00-2.52	5	3.1	0.18-5.94
\$25,000- 34,999	238	36,867	236	99.3	98.4-0100	2	0.7	0.00-1.59			
\$35,000- 49,999	327	50,081	320	98.2	96.8-99.6	1	0.3	0.00-0.74	6	1.5	0.27-2.81
\$50,000- 74,999	297	43,040	293	98.9	97.8-0100				4	1.1	0.00-2.18
\$75,000+	291	43,210	287	98.7	97.4-0100	1	0.3	0.00-0.83	3	1.0	0.00-2.20

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 39: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid Zipcode			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2381	245,736	2337	98.4	97.8-98.9	14	0.6	0.23-0.93	30	1.0	0.66-1.44
Native	73	10,483	73	100.0	0100-0100						
Non-Native	2287	233,269	2245	98.3	97.8-98.9	13	0.6	0.23-0.93	29	1.1	0.66-1.48
18-24	109	35,266	107	98.8	97.2-0100	2	1.2	0.00-2.85			
25-34	263	37,714	263	100.0	0100-0100						
35-44	419	40,595	409	97.8	96.4-99.2	1	0.2	0.00-0.53	9	2.0	0.66-3.36
45-54	508	43,866	502	98.7	97.7-99.8				6	1.3	0.21-2.33
55-64	380	31,534	377	99.0	97.9-0100	1	0.4	0.00-1.33	2	0.5	0.00-1.27
65+	672	54,560	657	97.7	96.4-98.9	9	1.3	0.41-2.21	6	1.0	0.17-1.85
Less Than H.S.	202	19,907	198	98.6	97.2-0100	3	1.1	0.00-2.29	1	0.3	0.00-1.04
H.S. or G.E.D.	674	67,319	660	98.1	97.1-99.2	4	0.5	0.00-0.94	10	1.4	0.47-2.35
Some Post-H.S.	770	81,667	748	97.5	96.3-98.6	5	0.8	0.00-1.64	17	1.7	0.86-2.50
College Graduate	732	76,658	728	99.5	98.9-0100	2	0.3	0.00-0.70	2	0.2	0.00-0.57
Less than \$15,000	249	27,082	247	99.5	98.8-0100	2	0.5	0.00-1.25			
\$15,000- 24,999	413	40,080	402	97.2	95.3-99.2	3	1.0	0.00-2.45	8	1.7	0.42-3.04
\$25,000- 34,999	296	27,918	294	99.4	98.4-0100	2	0.6	0.00-1.64			
\$35,000- 49,999	388	40,096	386	99.4	98.7-0100				2	0.6	0.00-1.34
\$50,000- 74,999	364	39,566	359	98.9	97.9-99.9	1	0.4	0.00-1.07	4	0.7	0.00-1.48
\$75,000+	294	31,986	293	99.5	98.7-0100	1	0.4	0.00-1.33			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 40: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4001	486,805	184	3.6	2.97-4.27	3817	96.4	95.7-97.0
Male	1626	241,593	75	3.5	2.55-4.51	1551	96.5	95.5-97.5
Female	2375	245,212	109	3.7	2.87-4.55	2266	96.3	95.4-97.1
Native	107	17,193	10	5.1	0.80-9.38	97	94.9	90.6-99.2
Non-Native	3857	465,657	172	3.6	2.91-4.21	3685	96.4	95.8-97.1
18-24	212	74,659	13	4.7	2.02-7.46	199	95.3	92.5-98.0
25-34	498	79,626	12	2.0	0.79-3.15	486	98.0	96.9-99.2
35-44	719	82,049	29	3.2	1.87-4.53	690	96.8	95.5-98.1
45-54	873	90,351	56	5.2	3.68-6.74	817	94.8	93.3-96.3
55-64	647	63,037	40	4.5	2.91-6.01	607	95.5	94.0-97.1
65+	1015	94,121	30	2.3	1.43-3.27	985	97.6	96.7-98.6
Less Than H.S.	353	40,446	8	1.3	0.33-2.25	345	98.7	97.7-99.7
H.S. or G.E.D.	1161	139,571	43	3.9	2.45-5.31	1118	96.1	94.7-97.6
Some Post-H.S.	1249	155,023	62	3.6	2.58-4.66	1187	96.4	95.3-97.4
College Graduate	1231	151,139	71	4.0	2.86-5.18	1160	96.0	94.8-97.1
Less than \$15,000	343	40,325	9	3.2	0.38-6.10	334	96.8	93.9-99.6
\$15,000- 24,999	635	69,548	18	2.3	1.14-3.42	617	97.7	96.6-98.9
\$25,000- 34,999	534	64,785	24	3.3	1.68-4.82	510	96.8	95.2-98.3
\$35,000- 49,999	715	90,177	26	2.9	1.57-4.27	689	97.1	95.7-98.4
\$50,000- 74,999	661	82,606	35	3.6	2.24-4.94	626	96.4	95.1-97.8
\$75,000+	585	75,196	46	5.6	3.76-7.40	539	94.4	92.6-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 41: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1626	241,593	75	3.5	2.55-4.51	1551	96.5	95.5-97.5
Non-Native	1575	232,841	73	3.5	2.50-4.46	1502	96.5	95.5-97.5
18-24	103	39,393	8	5.8	1.57-9.99	95	94.2	90.0-98.4
25-34	235	41,912	6	2.0	0.34-3.60	229	98.0	96.4-99.7
35-44	301	41,550	8	2.2	0.48-3.86	293	97.8	96.1-99.5
45-54	365	46,485	20	4.1	2.04-6.08	345	95.9	93.9-98.0
55-64	269	31,670	21	5.0	2.63-7.37	248	95.0	92.6-97.4
65+	345	39,737	11	2.5	0.92-4.18	334	97.4	95.8-99.1
Less Than H.S.	152	20,609	3	1.2	0.00-2.56	149	98.8	97.4-100.0
H.S. or G.E.D.	489	72,429	22	4.8	2.45-7.07	467	95.2	92.9-97.6
Some Post-H.S.	480	73,452	21	2.9	1.50-4.24	459	97.1	95.8-98.5
College Graduate	501	74,662	29	3.6	1.94-5.36	472	96.3	94.6-98.1
Less than \$15,000	96	13,419	2	3.9	0.00-9.31	94	96.1	90.7-100.0
\$15,000- 24,999	222	29,468	11	3.2	1.12-5.32	211	96.8	94.7-98.9
\$25,000- 34,999	238	36,867	11	3.5	1.09-5.87	227	96.5	94.1-98.9
\$35,000- 49,999	327	50,081	10	2.3	0.59-3.93	317	97.7	96.1-99.4
\$50,000- 74,999	297	43,040	12	2.0	0.83-3.23	285	98.0	96.8-99.2
\$75,000+	291	43,210	21	5.1	2.64-7.54	270	94.9	92.5-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 42: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2375	245,212	109	3.7	2.87-4.55	2266	96.3	95.4-97.1
Native	72	10,412	8	4.3	1.01-7.67	64	95.7	92.3-99.0
Non-Native	2282	232,816	99	3.6	2.78-4.50	2183	96.4	95.5-97.2
18-24	109	35,266	5	3.6	0.26-6.88	104	96.4	93.1-99.7
25-34	263	37,714	6	2.0	0.25-3.69	257	98.0	96.3-99.8
35-44	418	40,499	21	4.3	2.18-6.34	397	95.7	93.7-97.8
45-54	508	43,866	36	6.4	4.13-8.71	472	93.6	91.3-95.9
55-64	378	31,367	19	3.9	1.95-5.87	359	96.1	94.1-98.1
65+	670	54,384	19	2.2	1.12-3.28	651	97.8	96.7-98.9
Less Than H.S.	201	19,836	5	1.4	0.04-2.74	196	98.6	97.3-0100
H.S. or G.E.D.	672	67,142	21	2.9	1.29-4.55	651	97.1	95.5-98.7
Some Post-H.S.	769	81,571	41	4.3	2.77-5.83	728	95.7	94.2-97.2
College Graduate	730	76,477	42	4.4	2.82-5.96	688	95.6	94.0-97.2
Less than \$15,000	247	26,906	7	2.9	0.00-6.24	240	97.1	93.8-0100
\$15,000- 24,999	413	40,080	7	1.6	0.36-2.80	406	98.4	97.2-99.6
\$25,000- 34,999	296	27,918	13	2.9	1.17-4.73	283	97.0	95.3-98.8
\$35,000- 49,999	388	40,096	16	3.8	1.55-5.97	372	96.2	94.0-98.5
\$50,000- 74,999	364	39,566	23	5.3	2.83-7.73	341	94.7	92.3-97.2
\$75,000+	294	31,986	25	6.2	3.48-9.00	269	93.8	91.0-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 43: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	181	17,178	66	53.8	44.8-62.8	110	45.2	36.3-54.2	4	0.9	0.00-1.93	1	0.1	0.00-0.18
Male	74	8,339							2	1.3	0.00-3.12			
Female	107	8,839							2	0.6	0.00-1.41	1	0.1	0.00-0.36
Non-Native	169	16,133	64	56.4	47.4-65.4	100	42.5	33.6-51.5	4	1.0	0.00-2.05	1	0.1	0.00-0.21
45-54	55	4,576							2	2.0	0.00-5.10	1	0.2	0.00-0.70
Some Post-H.S.	60	5,353										1	0.2	0.00-0.59
College Graduate	70	5,894							3	2.3	0.00-5.10			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 44: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Three Numbers	
	TOTAL	WEIGHTED		%	C.I. (95%)
Male	74	8,339	2	1.3	0.00-3.14
Non-Native	72	7,916	2	1.3	0.00-3.31

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 45: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	107	8,839	2	0.6	0.00-1.41	1	0.1	0.00-0.36	
Non-Native	97	8,217	2	0.6	0.00-1.51	1	0.1	0.00-0.38	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 46: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4000	485,039	82	2.6	1.92-3.26	3918	97.4	96.7-98.1
Male	1623	239,757	41	3.0	1.93-4.13	1582	97.0	95.9-98.1
Female	2377	245,282	41	2.2	1.38-2.94	2336	97.8	97.1-98.6
Native	107	17,193	10	11.7	3.99-19.5	97	88.3	80.5-96.0
Non-Native	3857	463,970	72	2.3	1.64-2.90	3785	97.7	97.1-98.4
18-24	209	72,924	14	6.1	2.72-9.42	195	93.9	90.6-97.3
25-34	497	79,403	12	2.5	0.88-4.18	485	97.5	95.8-99.1
35-44	718	81,905	18	2.6	1.34-3.84	700	97.4	96.2-98.7
45-54	872	90,287	15	1.7	0.80-2.60	857	98.3	97.4-99.2
55-64	649	63,196	5	1.0	0.07-1.95	644	99.0	98.0-99.9
65+	1017	94,278	18	1.9	0.98-2.86	999	98.1	97.1-99.0
Less Than H.S.	354	40,557	16	5.5	2.42-8.58	338	94.5	91.4-97.6
H.S. or G.E.D.	1159	138,255	21	2.0	0.96-2.96	1138	98.0	97.0-99.0
Some Post-H.S.	1248	154,426	20	2.3	1.07-3.61	1228	97.7	96.4-98.9
College Graduate	1232	151,175	25	2.6	1.44-3.84	1207	97.4	96.2-98.6
Less than \$15,000	344	40,421	20	7.5	3.63-11.3	324	92.5	88.7-96.4
\$15,000- 24,999	636	69,668	20	4.3	2.00-6.50	616	95.8	93.5-98.0
\$25,000- 34,999	533	64,135	14	3.0	1.33-4.75	519	97.0	95.3-98.7
\$35,000- 49,999	714	89,954	8	1.6	0.38-2.74	706	98.4	97.3-99.6
\$50,000- 74,999	658	81,963	8	1.1	0.32-1.88	650	98.9	98.1-99.7
\$75,000+	584	75,076	5	1.6	0.00-3.39	579	98.4	96.6-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 47: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1623	239,757	41	3.0	1.93-4.13	1582	97.0	95.9-98.1
Non-Native	1573	231,084	38	2.8	1.73-3.81	1535	97.2	96.2-98.3
18-24	100	37,658	6	6.1	1.07-11.2	94	93.8	88.8-98.9
25-34	235	41,912	6	3.3	0.46-6.10	229	96.7	93.9-99.5
35-44	300	41,406	9	2.7	0.92-4.48	291	97.3	95.5-99.1
45-54	365	46,485	7	1.6	0.34-2.88	358	98.4	97.1-99.7
55-64	270	31,733	2	1.2	0.00-2.82	268	98.8	97.2-100
65+	345	39,718	11	3.3	1.29-5.37	334	96.7	94.6-98.7
Less Than H.S.	152	20,650	9	5.1	1.66-8.48	143	94.9	91.5-98.3
H.S. or G.E.D.	486	71,008	9	2.2	0.56-3.86	477	97.8	96.1-99.4
Some Post-H.S.	480	73,078	7	2.2	0.12-4.20	473	97.8	95.8-99.9
College Graduate	501	74,581	16	4.1	1.86-6.36	485	95.9	93.6-98.1
Less than \$15,000	95	13,339	8	9.4	1.64-17.2	87	90.6	82.8-98.4
\$15,000- 24,999	223	29,588	10	4.8	1.18-8.36	213	95.2	91.6-98.8
\$25,000- 34,999	237	36,217	6	3.0	0.54-5.40	231	97.0	94.6-99.5
\$35,000- 49,999	327	50,081	6	2.5	0.43-4.51	321	97.5	95.5-99.6
\$50,000- 74,999	295	42,462	3	0.9	0.00-1.94	292	99.1	98.1-100
\$75,000+	290	43,089	3	2.1	0.00-5.11	287	97.9	94.9-100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 48: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2377	245,282	41	2.2	1.38-2.94	2336	97.8	97.1-98.6
Native	72	10,412	7	11.2	2.38-20.1	65	88.8	79.9-97.6
Non-Native	2284	232,886	34	1.8	1.06-2.48	2250	98.2	97.5-98.9
18-24	109	35,266	8	6.0	1.68-10.3	101	94.0	89.7-98.3
25-34	262	37,491	6	1.7	0.28-3.10	256	98.3	96.9-99.7
35-44	418	40,499	9	2.5	0.72-4.24	409	97.5	95.8-99.3
45-54	507	43,802	8	1.8	0.54-3.08	499	98.2	96.9-99.5
55-64	379	31,463	3	0.8	0.00-1.77	376	99.2	98.2-0100
65+	672	54,560	7	0.9	0.21-1.59	665	99.1	98.4-99.8
Less Than H.S.	202	19,907	7	5.9	0.81-11.1	195	94.0	88.9-99.2
H.S. or G.E.D.	673	67,247	12	1.7	0.66-2.74	661	98.3	97.3-99.3
Some Post-H.S.	768	81,348	13	2.5	0.93-4.07	755	97.5	95.9-99.1
College Graduate	731	76,594	9	1.2	0.36-2.08	722	98.8	97.9-99.6
Less than \$15,000	249	27,082	12	6.5	2.22-10.8	237	93.5	89.2-97.8
\$15,000- 24,999	413	40,080	10	3.9	0.98-6.74	403	96.1	93.3-99.0
\$25,000- 34,999	296	27,918	8	3.1	0.83-5.45	288	96.9	94.5-99.2
\$35,000- 49,999	387	39,873	2	0.4	0.00-1.02	385	99.6	99.0-0100
\$50,000- 74,999	363	39,502	5	1.3	0.12-2.52	358	98.7	97.5-99.9
\$75,000+	294	31,986	2	0.9	0.00-2.14	292	99.1	97.9-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 49: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		MALE			FEMALE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	487,573	1629	49.6	47.7-51.5	2381	50.4	48.5-52.3
Non-Native	3865	466,353	1578	50.0	48.1-51.9	2287	50.0	48.1-51.9
18-24	212	74,659	103	52.8	45.4-60.1	109	47.2	39.9-54.6
25-34	498	79,626	235	52.6	48.0-57.2	263	47.4	42.8-52.0
35-44	720	82,145	301	50.6	46.7-54.5	419	49.4	45.5-53.3
45-54	873	90,351	365	51.4	47.8-55.1	508	48.5	44.9-52.2
55-64	650	63,267	270	50.2	46.0-54.3	380	49.8	45.7-54.0
65+	1019	94,478	347	42.3	38.9-45.6	672	57.8	54.4-61.1
Less Than H.S.	355	40,637	153	51.0	44.3-57.7	202	49.0	42.3-55.7
H.S. or G.E.D.	1163	139,748	489	51.8	48.3-55.3	674	48.2	44.7-51.7
Some Post-H.S.	1251	155,179	481	47.4	44.0-50.7	770	52.6	49.3-56.0
College Graduate	1234	151,383	502	49.4	46.1-52.6	732	50.6	47.4-53.9
Less than \$15,000	345	40,501	96	33.1	26.2-40.0	249	66.9	60.0-73.8
\$15,000- 24,999	636	69,668	223	42.5	37.6-47.4	413	57.5	52.6-62.4
\$25,000- 34,999	534	64,785	238	56.9	51.9-61.9	296	43.1	38.1-48.1
\$35,000- 49,999	715	90,177	327	55.5	51.4-59.6	388	44.5	40.4-48.6
\$50,000- 74,999	661	82,606	297	52.1	47.9-56.3	364	47.9	43.7-52.1
\$75,000+	585	75,196	291	57.5	53.1-61.9	294	42.5	38.1-47.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 13: DEMOGRAPHICS**

TABLE 50: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents aged 45 years and older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	789	113,203	34	4.9	3.13-6.73	755	95.1	93.3-96.9
Non-Native	739	104,875	32	5.0	3.13-6.93	707	95.0	93.1-96.9
18-24	109	35,266	6	5.2	1.01-9.43	103	94.8	90.6-99.0
25-34	261	37,342	19	7.6	4.18-11.0	242	92.4	89.0-95.8
35-44	419	40,595	9	2.2	0.77-3.71	410	97.8	96.3-99.2
H.S. or G.E.D.	169	25,166	5	2.9	0.27-5.49	164	97.1	94.5-99.7
Some Post-H.S.	276	41,264	8	3.4	0.69-6.07	268	96.6	93.9-99.3
College Graduate	318	41,457	20	7.8	4.15-11.4	298	92.2	88.6-95.8
Less than \$15,000	70	13,985				70	100.0	0100-0100
\$15,000- 24,999	124	17,903	5	5.0	0.22-9.82	119	95.0	90.2-99.8
\$25,000- 34,999	92	11,965	3	5.3	0.00-12.2	89	94.7	87.8-0100
\$35,000- 49,999	160	20,767	9	8.0	2.49-13.5	151	92.0	86.5-97.5
\$50,000- 74,999	151	20,267	7	4.4	1.11-7.61	144	95.6	92.4-98.9
\$75,000+	132	16,510	8	7.1	2.11-12.2	124	92.8	87.8-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005

SECTION 14: VETERANS STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)	
1	MALES AND FEMALES	161
2	MALES ONLY	162
3	FEMALES ONLY	163

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 14: VETERANS STATUS**

TABLE 1: THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3993	485,511	570	15.2	13.9-16.5	3423	84.8	83.5-86.1
Male	1620	240,561	528	28.7	26.3-31.1	1092	71.3	68.9-73.7
Female	2373	244,950	42	2.0	1.24-2.72	2331	98.0	97.3-98.8
Native	106	17,049	10	7.2	2.12-12.3	96	92.8	87.7-97.9
Non-Native	3850	464,506	555	15.5	14.2-16.8	3295	84.5	83.2-85.8
18-24	211	74,370	16	7.3	3.46-11.1	195	92.7	88.9-96.5
25-34	497	79,534	52	11.0	8.10-14.0	445	89.0	86.0-91.9
35-44	715	81,593	69	11.8	9.06-14.5	646	88.2	85.5-90.9
45-54	870	90,115	83	10.4	8.17-12.7	787	89.6	87.3-91.8
55-64	648	63,007	127	22.8	19.2-26.4	521	77.2	73.6-80.8
65+	1014	93,846	217	27.4	24.2-30.6	797	72.6	69.4-75.8
Less Than H.S.	352	40,248	51	15.1	10.6-19.5	301	84.9	80.5-89.4
H.S. or G.E.D.	1158	139,267	175	16.2	13.8-18.6	983	83.8	81.4-86.2
Some Post-H.S.	1247	154,844	185	16.6	14.1-19.2	1062	83.4	80.8-85.9
College Graduate	1229	150,526	157	12.8	10.8-14.8	1072	87.2	85.2-89.2
Less than \$15,000	342	39,998	32	8.4	4.80-12.1	310	91.6	87.9-95.2
\$15,000- 24,999	634	69,407	87	16.0	12.2-19.9	547	83.9	80.1-87.8
\$25,000- 34,999	533	64,737	89	18.5	14.6-22.4	444	81.5	77.6-85.4
\$35,000- 49,999	714	90,091	142	20.9	17.6-24.2	572	79.1	75.8-82.4
\$50,000- 74,999	659	82,376	96	15.4	12.5-18.4	563	84.6	81.6-87.5
\$75,000+	582	74,840	76	13.1	10.2-16.0	506	86.9	84.0-89.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 14: VETERANS STATUS**

TABLE 2: THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1620	240,561	528	28.7	26.3-31.1	1092	71.3	68.9-73.7
Non-Native	1569	231,809	517	29.2	26.8-31.7	1052	70.8	68.3-73.2
18-24	102	39,104	13	11.1	4.67-17.5	89	88.9	82.5-95.3
25-34	234	41,820	44	18.3	13.2-23.4	190	81.7	76.6-86.8
35-44	298	41,190	56	20.5	15.5-25.4	242	79.5	74.6-84.5
45-54	364	46,420	75	18.8	14.7-22.9	289	81.2	77.1-85.3
55-64	269	31,544	123	44.6	38.3-50.9	146	55.4	49.1-61.7
65+	345	39,638	213	64.0	58.7-69.3	132	36.0	30.7-41.3
Less Than H.S.	152	20,570	50	28.1	19.9-36.4	102	71.9	63.6-80.1
H.S. or G.E.D.	487	72,176	166	29.8	25.4-34.2	321	70.2	65.8-74.6
Some Post-H.S.	479	73,296	169	32.4	27.6-37.1	310	67.6	62.9-72.4
College Graduate	498	74,079	141	24.0	20.1-27.8	357	76.0	72.2-79.9
Less than \$15,000	95	13,130	30	21.2	13.0-29.4	65	78.8	70.6-87.0
\$15,000- 24,999	221	29,328	80	35.4	27.6-43.1	141	64.6	56.9-72.4
\$25,000- 34,999	238	36,867	85	31.0	24.4-37.6	153	69.0	62.4-75.6
\$35,000- 49,999	327	50,081	129	35.3	29.8-40.9	198	64.7	59.1-70.2
\$50,000- 74,999	296	42,896	89	27.7	22.5-32.9	207	72.3	67.1-77.5
\$75,000+	288	42,853	70	21.1	16.3-25.9	218	78.9	74.1-83.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 14: VETERANS STATUS**

TABLE 3: THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2373	244,950	42	2.0	1.24-2.72	2331	98.0	97.3-98.8
Native	71	10,268	3	4.8	0.00-10.7	68	95.3	89.3-0100
Non-Native	2281	232,698	38	1.9	1.13-2.59	2243	98.1	97.4-98.9
18-24	109	35,266	3	3.1	0.00-6.74	106	96.9	93.3-0100
25-34	263	37,714	8	3.0	0.90-5.02	255	97.0	95.0-99.1
35-44	417	40,404	13	3.0	1.29-4.63	404	97.0	95.4-98.7
45-54	506	43,695	8	1.6	0.34-2.78	498	98.4	97.2-99.7
55-64	379	31,463	4	0.8	0.00-1.67	375	99.2	98.3-0100
65+	669	54,208	4	0.6	0.00-1.22	665	99.4	98.8-0100
Less Than H.S.	200	19,678	1	1.4	0.00-4.08	199	98.6	95.9-0100
H.S. or G.E.D.	671	67,091	9	1.5	0.49-2.53	662	98.5	97.5-99.5
Some Post-H.S.	768	81,549	16	2.5	0.83-4.17	752	97.5	95.8-99.2
College Graduate	731	76,447	16	2.0	0.92-3.08	715	98.0	96.9-99.1
Less than \$15,000	247	26,868	2	2.2	0.00-6.13	245	97.8	93.9-0100
\$15,000- 24,999	413	40,080	7	1.9	0.25-3.55	406	98.1	96.5-99.7
\$25,000- 34,999	295	27,870	4	1.9	0.00-4.15	291	98.1	95.8-0100
\$35,000- 49,999	387	40,010	13	2.8	1.21-4.43	374	97.2	95.6-98.8
\$50,000- 74,999	363	39,480	7	2.1	0.49-3.71	356	97.9	96.3-99.5
\$75,000+	294	31,986	6	2.3	0.41-4.25	288	97.7	95.7-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 15: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	165
2	MALES ONLY	166
3	FEMALES ONLY	167
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? INCLUDE OCCASIONAL USE OR USE IN CERTAIN CIRCUMSTANCES. (USEEQUIP)	
4	MALES AND FEMALES	168
5	MALES ONLY	169
6	FEMALES ONLY	170

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 15: DISABILITY**

TABLE 1: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3957	481,497	685	14.8	13.6-16.1	3272	85.1	83.9-86.4
Male	1611	239,429	257	14.1	12.3-16.0	1354	85.9	84.0-87.7
Female	2346	242,069	428	15.5	14.0-17.1	1918	84.5	82.9-86.0
Native	104	16,707	19	13.9	6.44-21.4	85	86.1	78.6-93.6
Non-Native	3819	461,266	661	14.9	13.7-16.1	3158	85.1	83.9-86.3
18-24	210	74,097	16	7.3	3.56-11.1	194	92.7	88.9-96.4
25-34	498	79,626	37	6.7	4.47-8.89	461	93.3	91.1-95.5
35-44	711	80,993	82	10.3	8.06-12.6	629	89.7	87.4-91.9
45-54	864	89,545	136	14.5	11.9-17.1	728	85.5	82.9-88.1
55-64	642	62,575	133	19.2	16.0-22.4	509	80.8	77.6-84.0
65+	995	91,870	280	29.5	26.3-32.6	715	70.5	67.4-73.7
Less Than H.S.	342	39,059	95	23.9	18.7-29.2	247	76.0	70.8-81.3
H.S. or G.E.D.	1147	138,238	231	17.7	15.2-20.1	916	82.3	79.9-84.8
Some Post-H.S.	1235	153,414	211	14.6	12.4-16.8	1024	85.4	83.2-87.6
College Graduate	1226	150,160	148	10.2	8.44-12.0	1078	89.8	88.0-91.6
Less than \$15,000	339	39,837	132	28.2	22.6-33.8	207	71.8	66.2-77.4
\$15,000- 24,999	629	68,720	147	22.0	18.3-25.8	482	78.0	74.2-81.7
\$25,000- 34,999	525	63,947	98	15.4	12.2-18.6	427	84.6	81.4-87.8
\$35,000- 49,999	712	89,851	100	12.6	9.99-15.2	612	87.4	84.8-90.0
\$50,000- 74,999	654	81,706	72	9.5	7.29-11.8	582	90.5	88.2-92.7
\$75,000+	583	74,932	55	10.5	7.13-13.8	528	89.5	86.2-92.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 15: DISABILITY**

TABLE 2: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1611	239,429	257	14.1	12.3-16.0	1354	85.9	84.0-87.7
Non-Native	1562	230,966	249	14.2	12.3-16.1	1313	85.8	83.9-87.7
18-24	102	39,104	7	7.6	1.93-13.3	95	92.4	86.7-98.1
25-34	235	41,912	18	7.0	3.72-10.3	217	93.0	89.7-96.3
35-44	297	40,973	34	9.8	6.50-13.2	263	90.1	86.8-93.5
45-54	362	46,192	53	14.0	10.1-18.0	309	86.0	82.0-89.9
55-64	268	31,565	45	15.5	11.1-20.0	223	84.4	80.0-88.9
65+	339	38,837	99	31.5	26.2-36.8	240	68.5	63.2-73.8
Less Than H.S.	150	20,230	35	19.3	12.4-26.2	115	80.7	73.8-87.6
H.S. or G.E.D.	484	71,926	96	18.3	14.5-22.1	388	81.7	77.9-85.5
Some Post-H.S.	477	72,977	70	13.0	9.59-16.4	407	87.0	83.6-90.4
College Graduate	496	73,854	56	9.9	7.12-12.6	440	90.1	87.4-92.9
Less than \$15,000	95	13,130	35	27.6	17.8-37.5	60	72.4	62.5-82.2
\$15,000- 24,999	222	29,408	60	23.9	17.8-30.0	162	76.1	70.0-82.2
\$25,000- 34,999	236	36,597	40	13.6	9.26-17.9	196	86.4	82.1-90.7
\$35,000- 49,999	326	49,937	39	11.7	7.89-15.5	287	88.3	84.5-92.1
\$50,000- 74,999	296	42,896	32	9.5	6.20-12.9	264	90.5	87.1-93.8
\$75,000+	289	42,945	27	11.9	6.63-17.1	262	88.1	82.9-93.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 15: DISABILITY**

TABLE 3: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2346	242,069	428	15.5	14.0-17.1	1918	84.5	82.9-86.0
Native	69	9,926	14	15.0	5.52-24.5	55	85.0	75.5-94.5
Non-Native	2257	230,300	412	15.6	14.0-17.2	1845	84.4	82.8-86.0
18-24	108	34,993	9	7.0	2.19-11.8	99	93.0	88.2-97.8
25-34	263	37,714	19	6.3	3.41-9.21	244	93.7	90.8-96.6
35-44	414	40,020	48	10.8	7.73-13.8	366	89.2	86.2-92.3
45-54	502	43,353	83	15.0	11.7-18.3	419	85.0	81.7-88.3
55-64	374	31,010	88	23.0	18.4-27.5	286	77.0	72.5-81.6
65+	656	53,033	181	28.0	24.2-31.8	475	72.0	68.2-75.8
Less Than H.S.	192	18,829	60	29.0	21.1-36.8	132	71.0	63.2-78.9
H.S. or G.E.D.	663	66,311	135	17.0	13.9-20.1	528	83.0	79.9-86.1
Some Post-H.S.	758	80,437	141	16.0	13.1-18.9	617	84.0	81.1-86.9
College Graduate	730	76,306	92	10.5	8.26-12.8	638	89.5	87.2-91.7
Less than \$15,000	244	26,707	97	28.5	21.8-35.2	147	71.5	64.8-78.2
\$15,000- 24,999	407	39,312	87	20.6	15.9-25.4	320	79.4	74.6-84.1
\$25,000- 34,999	289	27,349	58	17.8	13.1-22.5	231	82.2	77.5-86.9
\$35,000- 49,999	386	39,915	61	13.8	10.2-17.3	325	86.3	82.7-89.8
\$50,000- 74,999	358	38,810	40	9.5	6.53-12.6	318	90.4	87.4-93.5
\$75,000+	294	31,986	28	8.6	5.33-11.8	266	91.4	88.2-94.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 15: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
INCLUDE OCCASIONAL USE OR USE IN CERTAIN CIRCUMSTANCES. (USEQUIP)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3979	483,942	254	5.2	4.46-5.88	3725	94.8	94.1-95.5
Male	1620	240,586	86	4.1	3.21-5.09	1534	95.8	94.9-96.8
Female	2359	243,356	168	6.2	5.14-7.22	2191	93.8	92.8-94.9
Native	105	16,963	10	8.4	2.18-14.6	95	91.6	85.4-97.8
Non-Native	3838	463,164	238	5.0	4.28-5.66	3600	95.0	94.3-95.7
18-24	209	73,893	2	0.8	0.00-2.07	207	99.1	97.9-100.0
25-34	498	79,626	8	1.3	0.35-2.31	490	98.7	97.7-99.7
35-44	714	81,425	12	1.6	0.67-2.55	702	98.4	97.4-99.3
45-54	868	89,944	39	3.5	2.35-4.71	829	96.5	95.3-97.6
55-64	647	63,061	40	6.7	4.43-8.89	607	93.3	91.1-95.6
65+	1005	92,946	151	15.2	12.7-17.6	854	84.8	82.4-87.3
Less Than H.S.	346	39,758	52	12.7	8.72-16.7	294	87.3	83.3-91.3
H.S. or G.E.D.	1155	138,984	93	6.9	5.41-8.43	1062	93.1	91.6-94.6
Some Post-H.S.	1242	154,100	70	4.2	3.11-5.23	1172	95.8	94.8-96.9
College Graduate	1229	150,474	39	2.6	1.68-3.52	1190	97.4	96.5-98.3
Less than \$15,000	341	39,955	72	13.7	10.2-17.2	269	86.3	82.8-89.8
\$15,000- 24,999	631	68,980	64	9.8	7.17-12.5	567	90.2	87.5-92.8
\$25,000- 34,999	529	64,304	31	5.0	3.09-6.89	498	95.0	93.1-96.9
\$35,000- 49,999	713	89,996	22	2.8	1.51-4.01	691	97.2	96.0-98.5
\$50,000- 74,999	657	82,079	16	2.3	1.06-3.46	641	97.7	96.5-98.9
\$75,000+	583	74,932	10	1.5	0.49-2.57	573	98.5	97.4-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 15: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
INCLUDE OCCASIONAL USE OR USE IN CERTAIN CIRCUMSTANCES. (USEQUIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1620	240,586	86	4.1	3.21-5.09	1534	95.8	94.9-96.8
Non-Native	1569	231,833	81	3.9	3.02-4.82	1488	96.1	95.2-97.0
18-24	102	39,104	1	0.5	0.00-1.65	101	99.4	98.4-100
25-34	235	41,912	2	0.7	0.00-1.62	233	99.3	98.4-100
35-44	298	41,117	6	1.8	0.35-3.33	292	98.2	96.7-99.6
45-54	364	46,420	16	3.6	1.80-5.36	348	96.4	94.6-98.2
55-64	269	31,670	15	6.0	2.63-9.29	254	94.0	90.7-97.4
65+	344	39,517	45	12.4	8.73-16.0	299	87.6	84.0-91.3
Less Than H.S.	151	20,507	20	9.7	4.92-14.5	131	90.3	85.5-95.1
H.S. or G.E.D.	488	72,364	32	5.8	3.68-7.84	456	94.2	92.2-96.3
Some Post-H.S.	479	73,247	18	2.5	1.29-3.69	461	97.5	96.3-98.7
College Graduate	498	74,027	16	2.7	1.24-4.14	482	97.3	95.9-98.8
Less than \$15,000	95	13,130	20	13.0	6.75-19.2	75	87.0	80.8-93.3
\$15,000- 24,999	223	29,588	22	8.3	4.65-11.9	201	91.7	88.1-95.3
\$25,000- 34,999	236	36,660	13	4.5	1.93-6.99	223	95.5	93.0-98.1
\$35,000- 49,999	327	50,081	7	2.1	0.42-3.84	320	97.9	96.2-99.6
\$50,000- 74,999	296	42,896	6	2.1	0.31-3.83	290	97.9	96.2-99.7
\$75,000+	289	42,945	6	1.5	0.23-2.73	283	98.5	97.3-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 15: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
INCLUDE OCCASIONAL USE OR USE IN CERTAIN CIRCUMSTANCES. (USEQUIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2359	243,356	168	6.2	5.14-7.22	2191	93.8	92.8-94.9
Native	70	10,182	8	8.3	1.24-15.4	62	91.7	84.6-98.8
Non-Native	2269	231,330	157	6.0	4.97-7.05	2112	94.0	93.0-95.0
18-24	107	34,789	1	1.2	0.00-3.46	106	98.8	96.5-100
25-34	263	37,714	6	2.1	0.31-3.83	257	97.9	96.2-99.7
35-44	416	40,308	6	1.4	0.23-2.51	410	98.6	97.5-99.8
45-54	504	43,524	23	3.5	1.94-5.04	481	96.5	95.0-98.1
55-64	378	31,391	25	7.4	4.40-10.3	353	92.6	89.7-95.6
65+	661	53,429	106	17.2	14.0-20.5	555	82.8	79.5-86.0
Less Than H.S.	195	19,251	32	15.9	9.58-22.3	163	84.1	77.7-90.4
H.S. or G.E.D.	667	66,620	61	8.2	5.99-10.3	606	91.8	89.7-94.0
Some Post-H.S.	763	80,852	52	5.7	3.99-7.37	711	94.3	92.6-96.0
College Graduate	731	76,447	23	2.5	1.37-3.65	708	97.5	96.4-98.6
Less than \$15,000	246	26,825	52	14.0	9.80-18.3	194	86.0	81.7-90.2
\$15,000- 24,999	408	39,391	42	11.0	7.25-14.7	366	89.0	85.3-92.8
\$25,000- 34,999	293	27,644	18	5.7	2.83-8.55	275	94.3	91.4-97.2
\$35,000- 49,999	386	39,915	15	3.5	1.66-5.42	371	96.5	94.6-98.3
\$50,000- 74,999	361	39,183	10	2.4	0.88-4.02	351	97.5	96.0-99.1
\$75,000+	294	31,986	4	1.6	0.00-3.34	290	98.4	96.7-100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 16: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE NEXT QUESTIONS REFER TO YOUR JOINTS. PLEASE DO NOT INCLUDE THE BACK OR NECK. DURING THE PAST 30 DAYS, HAVE YOU HAD ANY SYMPTOMS OF PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT? (PAIN30DY)	
1	MALES AND FEMALES	172
2	MALES ONLY	173
3	FEMALES ONLY	174
	DID YOUR JOINT SYMPTOMS FIRST BEGIN MORE THAN 3 MONTHS AGO? (JOINTSYM)	
4	MALES AND FEMALES	175
5	MALES ONLY	176
6	FEMALES ONLY	177
	HAVE YOU EVER SEEN A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR THESE JOINT SYMPTOMS? (JOINTRT2)	
7	MALES AND FEMALES	178
8	MALES ONLY	179
9	FEMALES ONLY	180
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)	
10	MALES AND FEMALES	181
11	MALES ONLY	182
12	FEMALES ONLY	183
	ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)	
13	MALES AND FEMALES	184
14	MALES ONLY	185
15	FEMALES ONLY	186

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 1: THE NEXT QUESTIONS REFER TO YOUR JOINTS. PLEASE DO NOT INCLUDE THE BACK OR NECK. DURING THE PAST 30 DAYS, HAVE YOU HAD ANY SYMPTOMS OF PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT? (PAIN30DY)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3969	482,846	1714	40.4	38.6-42.3	2255	59.6	57.7-61.4
Male	1616	240,030	660	39.6	36.8-42.4	956	60.4	57.6-63.2
Female	2353	242,816	1054	41.2	38.9-43.6	1299	58.8	56.4-61.1
Non-Native	3828	462,047	1658	40.5	38.7-42.4	2170	59.5	57.6-61.3
18-24	209	73,893	55	27.7	20.9-34.4	154	72.3	65.6-79.1
25-34	497	79,477	148	30.3	26.0-34.7	349	69.7	65.3-74.0
35-44	711	81,137	256	35.9	32.2-39.7	455	64.1	60.3-67.8
45-54	867	89,859	394	44.9	41.2-48.5	473	55.1	51.5-58.8
55-64	643	62,571	321	50.1	45.9-54.2	322	49.9	45.8-54.1
65+	1004	92,863	528	52.6	49.2-56.0	476	47.4	44.0-50.8
Less Than H.S.	348	39,913	175	50.3	43.4-57.1	173	49.8	42.9-56.6
H.S. or G.E.D.	1149	138,345	524	42.6	39.1-46.0	625	57.4	54.0-60.9
Some Post-H.S.	1238	153,677	530	39.7	36.4-42.9	708	60.3	57.1-63.6
College Graduate	1227	150,285	483	36.7	33.6-39.7	744	63.3	60.3-66.4
Less than \$15,000	340	39,912	193	51.5	44.2-58.9	147	48.4	41.1-55.8
\$15,000- 24,999	630	68,965	292	41.9	37.3-46.6	338	58.0	53.4-62.7
\$25,000- 34,999	529	64,241	236	41.7	36.4-47.0	293	58.3	53.0-63.6
\$35,000- 49,999	711	89,837	291	37.8	33.8-41.9	420	62.1	58.1-66.2
\$50,000- 74,999	653	81,500	252	37.5	33.4-41.5	401	62.5	58.5-66.6
\$75,000+	582	74,789	217	36.8	32.3-41.2	365	63.2	58.8-67.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 2: THE NEXT QUESTIONS REFER TO YOUR JOINTS. PLEASE DO NOT INCLUDE THE BACK OR NECK. DURING THE PAST 30 DAYS, HAVE YOU HAD ANY SYMPTOMS OF PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT? (PAIN30DY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1616	240,030	660	39.6	36.8-42.4	956	60.4	57.6-63.2
Non-Native	1565	231,278	642	39.9	37.0-42.7	923	60.1	57.3-63.0
25-34	235	41,912	86	36.6	30.0-43.1	149	63.4	56.9-70.0
35-44	297	40,973	109	36.0	30.2-41.7	188	64.0	58.3-69.8
45-54	364	46,420	150	42.3	36.8-47.8	214	57.7	52.2-63.2
55-64	267	31,418	115	44.4	38.1-50.8	152	55.6	49.2-61.9
65+	343	39,357	170	49.9	44.3-55.5	173	50.1	44.5-55.7
H.S. or G.E.D.	486	72,060	201	38.8	33.8-43.8	285	61.2	56.2-66.2
Some Post-H.S.	478	73,121	192	39.7	34.7-44.8	286	60.3	55.2-65.3
College Graduate	496	73,838	190	37.2	32.5-42.0	306	62.8	58.0-67.5
\$15,000- 24,999	223	29,588	100	39.1	31.8-46.5	123	60.9	53.5-68.2
\$25,000- 34,999	236	36,597	103	41.8	34.0-49.6	133	58.2	50.4-66.0
\$35,000- 49,999	326	50,018	117	35.3	29.5-41.2	209	64.7	58.8-70.5
\$50,000- 74,999	293	42,466	110	38.2	32.2-44.1	183	61.8	55.9-67.8
\$75,000+	289	42,945	106	38.0	31.6-44.4	183	62.0	55.6-68.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 3: THE NEXT QUESTIONS REFER TO YOUR JOINTS. PLEASE DO NOT INCLUDE THE BACK OR NECK. DURING THE PAST 30 DAYS, HAVE YOU HAD ANY SYMPTOMS OF PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT? (PAIN30DY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2353	242,816	1054	41.2	38.9-43.6	1299	58.8	56.4-61.1
Non-Native	2263	230,769	1016	41.2	38.8-43.6	1247	58.8	56.4-61.2
18-24	107	34,789	28	25.3	16.4-34.2	79	74.7	65.8-83.6
25-34	262	37,565	62	23.4	18.0-28.7	200	76.6	71.3-82.0
35-44	414	40,164	147	35.9	31.0-40.8	267	64.1	59.2-69.0
45-54	503	43,439	244	47.7	43.0-52.4	259	52.3	47.6-57.0
55-64	376	31,153	206	55.8	50.4-61.1	170	44.3	38.9-49.6
65+	661	53,505	358	54.6	50.4-58.7	303	45.4	41.3-49.6
Less Than H.S.	196	19,343	100	49.4	40.6-58.2	96	50.6	41.8-59.4
H.S. or G.E.D.	663	66,285	323	46.7	42.0-51.3	340	53.3	48.7-58.0
Some Post-H.S.	760	80,555	338	39.6	35.5-43.8	422	60.4	56.2-64.5
College Graduate	731	76,447	293	36.2	32.3-40.1	438	63.8	59.9-67.7
Less than \$15,000	245	26,782	132	46.2	37.6-54.9	113	53.8	45.1-62.4
\$15,000- 24,999	407	39,377	192	44.1	38.0-50.1	215	55.9	49.9-62.0
\$25,000- 34,999	293	27,644	133	41.6	35.0-48.1	160	58.4	51.9-65.0
\$35,000- 49,999	385	39,819	174	41.0	35.6-46.4	211	59.0	53.6-64.4
\$50,000- 74,999	360	39,035	142	36.7	31.3-42.1	218	63.3	57.9-68.7
\$75,000+	293	31,843	111	35.1	29.3-41.0	182	64.9	59.0-70.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 4: DID YOUR JOINT SYMPTOMS FIRST BEGIN MORE THAN 3 MONTHS AGO? (JOINTSYM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1702	193,521	1444	82.7	80.4-85.0	258	17.3	15.0-19.6
Male	653	94,172	548	82.0	78.3-85.7	105	18.0	14.3-21.7
Female	1049	99,349	896	83.3	80.5-86.1	153	16.7	13.9-19.5
Non-Native	1648	185,905	1400	83.0	80.7-85.3	248	17.0	14.7-19.3
25-34	146	23,776	113	76.7	69.3-84.2	33	23.3	15.8-30.7
35-44	254	28,797	207	80.3	75.0-85.7	47	19.7	14.3-25.0
45-54	394	40,331	333	84.4	80.5-88.4	61	15.6	11.6-19.5
55-64	320	31,132	286	87.9	83.8-91.9	34	12.1	8.05-16.2
65+	523	48,189	459	88.2	85.2-91.2	64	11.8	8.81-14.8
Less Than H.S.	173	19,680	148	87.2	81.7-92.8	25	12.8	7.22-18.3
H.S. or G.E.D.	523	58,848	450	84.4	80.4-88.3	73	15.6	11.7-19.6
Some Post-H.S.	527	60,636	453	82.0	77.5-86.6	74	18.0	13.4-22.5
College Graduate	477	54,231	392	80.0	75.6-84.4	85	20.0	15.6-24.4
Less than \$15,000	193	20,574	161	75.0	65.8-84.3	32	25.0	15.7-34.2
\$15,000- 24,999	291	28,716	251	86.7	82.4-91.0	40	13.3	9.05-17.6
\$25,000- 34,999	235	26,731	206	86.0	79.7-92.3	29	14.0	7.69-20.3
\$35,000- 49,999	288	33,515	242	82.5	77.2-87.7	46	17.5	12.3-22.8
\$50,000- 74,999	251	30,344	211	83.7	78.8-88.6	40	16.3	11.4-21.2
\$75,000+	215	27,298	181	84.1	78.8-89.4	34	15.9	10.6-21.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 5: DID YOUR JOINT SYMPTOMS FIRST BEGIN MORE THAN 3 MONTHS AGO? (JOINTSYM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	653	94,172	548	82.0	78.3-85.7	105	18.0	14.3-21.7
Non-Native	636	91,305	537	82.9	79.3-86.5	99	17.1	13.5-20.7
25-34	85	15,148	64	75.8	66.0-85.5	21	24.2	14.5-34.0
35-44	108	14,595	86	79.3	71.2-87.3	22	20.7	12.7-28.8
45-54	150	19,628	129	87.4	81.8-93.0	21	12.6	6.97-18.2
55-64	114	13,763	99	84.7	77.2-92.2	15	15.3	7.83-22.8
65+	167	19,260	153	93.5	90.1-97.0	14	6.4	3.02-9.88
Less Than H.S.	74	10,335	67	92.3	86.1-98.5	7	7.7	1.46-13.9
H.S. or G.E.D.	200	27,919	168	81.3	74.4-88.2	32	18.7	11.9-25.6
Some Post-H.S.	191	28,977	160	80.3	73.2-87.5	31	19.7	12.5-26.8
College Graduate	186	26,816	152	80.8	74.0-87.7	34	19.2	12.3-26.0
\$15,000- 24,999	100	11,579	85	87.3	80.3-94.3	15	12.7	5.66-19.7
\$35,000- 49,999	115	17,327	99	84.5	76.7-92.3	16	15.5	7.73-23.3
\$50,000- 74,999	109	16,017	91	84.0	76.8-91.2	18	16.0	8.85-23.2
\$75,000+	104	16,108	88	86.0	79.1-92.8	16	14.0	7.22-20.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 6: DID YOUR JOINT SYMPTOMS FIRST BEGIN MORE THAN 3 MONTHS AGO? (JOINTSYM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1049	99,349	896	83.3	80.5-86.1	153	16.7	13.9-19.5
Non-Native	1012	94,601	863	83.1	80.2-86.0	149	16.9	14.0-19.8
35-44	146	14,203	121	81.4	74.5-88.4	25	18.5	11.6-25.5
45-54	244	20,703	204	81.6	76.1-87.2	40	18.4	12.8-23.9
55-64	206	17,369	187	90.4	86.2-94.6	19	9.6	5.43-13.8
65+	356	28,929	306	84.7	80.3-89.0	50	15.3	11.0-19.7
Less Than H.S.	99	9,345	81	81.6	72.6-90.6	18	18.4	9.41-27.4
H.S. or G.E.D.	323	30,929	282	87.1	83.1-91.2	41	12.9	8.81-16.9
Some Post-H.S.	336	31,659	293	83.6	77.9-89.3	43	16.4	10.7-22.1
College Graduate	291	27,416	240	79.2	73.7-84.7	51	20.8	15.3-26.3
\$15,000- 24,999	191	17,138	166	86.3	80.9-91.6	25	13.7	8.39-19.1
\$25,000- 34,999	132	11,428	118	91.0	86.0-96.0	14	9.0	3.97-14.0
\$35,000- 49,999	173	16,188	143	80.3	73.4-87.2	30	19.7	12.8-26.6
\$50,000- 74,999	142	14,327	120	83.4	76.8-90.1	22	16.5	9.93-23.2
\$75,000+	111	11,191	93	81.5	73.3-89.7	18	18.5	10.3-26.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 7. HAVE YOU EVER SEEN A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR THESE JOINT SYMPTOMS? (JOINTRT2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days
Denominator excludes: Respondents whose symptoms did not begin more than 3 months ago

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1444	160,014	1083	74.4	71.7-77.0	361	25.6	23.0-28.3
Male	548	77,249	382	70.6	66.2-75.0	166	29.4	25.0-33.8
Female	896	82,766	701	77.9	74.8-81.0	195	22.1	19.0-25.2
Non-Native	1400	154,296	1049	74.2	71.5-76.9	351	25.8	23.1-28.5
25-34	113	18,244	74	64.5	54.8-74.1	39	35.5	25.9-45.2
35-44	207	23,136	142	67.3	60.3-74.2	65	32.7	25.8-39.7
45-54	333	34,053	234	69.5	64.0-75.0	99	30.5	25.0-36.0
55-64	286	27,356	215	73.5	67.9-79.1	71	26.5	20.9-32.1
65+	459	42,510	387	86.0	82.6-89.3	72	14.0	10.7-17.4
Less Than H.S.	148	17,166	119	79.4	71.6-87.2	29	20.6	12.8-28.4
H.S. or G.E.D.	450	49,645	339	73.3	68.3-78.2	111	26.7	21.8-31.7
Some Post-H.S.	453	49,744	344	75.2	70.6-79.7	109	24.8	20.3-29.4
College Graduate	392	43,399	281	72.8	67.6-77.9	111	27.2	22.1-32.4
\$15,000- 24,999	251	24,897	189	74.6	68.1-81.1	62	25.4	18.9-31.9
\$25,000- 34,999	206	22,989	153	72.6	64.9-80.2	53	27.4	19.8-35.1
\$35,000- 49,999	242	27,639	184	78.0	72.4-83.7	58	22.0	16.3-27.6
\$50,000- 74,999	211	25,410	148	70.1	63.4-76.8	63	29.9	23.2-36.6
\$75,000+	181	22,967	126	70.7	63.2-78.2	55	29.3	21.8-36.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 8: HAVE YOU EVER SEEN A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR THESE JOINT SYMPTOMS? (JOINTRT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days

Denominator excludes: Respondents whose symptoms did not begin more than 3 months ago

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	548	77,249	382	70.6	66.2-75.0	166	29.4	25.0-33.8
Non-Native	537	75,688	375	70.8	66.4-75.2	162	29.2	24.8-33.6
45-54	129	17,154	87	67.2	58.4-75.9	42	32.8	24.1-41.6
55-64	99	11,655	61	64.0	54.0-74.0	38	36.0	26.0-46.0
65+	153	18,018	126	85.4	79.9-91.0	27	14.5	8.98-20.1
H.S. or G.E.D.	168	22,697	111	65.3	57.0-73.6	57	34.7	26.4-43.0
Some Post-H.S.	160	23,276	117	74.3	67.1-81.6	43	25.7	18.4-32.9
College Graduate	152	21,675	108	71.7	63.4-80.1	44	28.3	19.9-36.6
\$35,000- 49,999	99	14,642	75	78.0	69.5-86.6	24	21.9	13.4-30.5
\$50,000- 74,999	91	13,454	63	69.6	59.7-79.5	28	30.4	20.5-40.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 9: HAVE YOU EVER SEEN A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR THESE JOINT SYMPTOMS? (JOINTRT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days

Denominator excludes: Respondents whose symptoms did not begin more than 3 months ago

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	896	82,766	701	77.9	74.8-81.0	195	22.1	19.0-25.2
Non-Native	863	78,608	674	77.5	74.3-80.7	189	22.5	19.3-25.7
35-44	121	11,569	87	69.8	60.8-78.7	34	30.2	21.3-39.2
45-54	204	16,899	147	71.9	65.2-78.6	57	28.1	21.4-34.8
55-64	187	15,701	154	80.6	74.3-86.8	33	19.4	13.2-25.7
65+	306	24,492	261	86.3	82.2-90.5	45	13.6	9.53-17.8
Less Than H.S.	81	7,626	73	89.0	80.8-97.1	8	11.0	2.87-19.2
H.S. or G.E.D.	282	26,948	228	80.0	74.4-85.6	54	20.0	14.4-25.6
Some Post-H.S.	293	26,468	227	75.9	70.3-81.5	66	24.1	18.5-29.7
College Graduate	240	21,724	173	73.8	67.8-79.7	67	26.2	20.3-32.2
Less than \$15,000	110	9,613	90	79.5	70.1-88.8	20	20.5	11.2-29.9
\$15,000- 24,999	166	14,784	132	79.7	72.2-87.3	34	20.3	12.7-27.8
\$25,000- 34,999	118	10,400	97	80.4	71.8-89.0	21	19.6	11.0-28.2
\$35,000- 49,999	143	12,997	109	78.0	70.8-85.2	34	22.0	14.8-29.2
\$50,000- 74,999	120	11,956	85	70.6	61.9-79.4	35	29.4	20.6-38.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 10: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3948	479,636	1255	26.0	24.5-27.5	2693	74.0	72.5-75.5
Male	1607	238,556	409	21.8	19.6-23.9	1198	78.3	76.1-80.4
Female	2341	241,080	846	30.2	28.2-32.3	1495	69.8	67.7-71.8
Native	103	16,606	28	18.6	10.7-26.5	75	81.4	73.5-89.3
Non-Native	3810	459,335	1213	26.2	24.7-27.7	2597	73.8	72.3-75.3
18-24	207	73,074	9	3.8	1.16-6.42	198	96.2	93.6-98.8
25-34	496	79,328	37	7.0	4.62-9.40	459	93.0	90.6-95.4
35-44	708	80,801	135	17.9	14.9-20.9	573	82.1	79.1-85.1
45-54	859	88,867	257	29.3	25.9-32.6	602	70.7	67.4-74.1
55-64	647	62,998	278	41.5	37.4-45.6	369	58.5	54.4-62.6
65+	994	91,812	527	53.2	49.8-56.6	467	46.8	43.4-50.2
Less Than H.S.	343	39,158	157	39.9	33.6-46.3	186	60.1	53.7-66.4
H.S. or G.E.D.	1139	136,456	414	30.1	27.1-33.0	725	69.9	67.0-72.9
Some Post-H.S.	1234	153,304	392	24.5	22.0-27.0	842	75.5	73.0-78.0
College Graduate	1225	150,092	290	20.2	17.8-22.6	935	79.8	77.4-82.2
Less than \$15,000	338	39,697	158	33.6	27.7-39.6	180	66.4	60.4-72.3
\$15,000- 24,999	625	67,930	250	33.0	28.7-37.2	375	67.0	62.8-71.3
\$25,000- 34,999	527	63,784	176	26.3	22.3-30.4	351	73.7	69.6-77.7
\$35,000- 49,999	709	89,496	185	22.3	19.0-25.5	524	77.7	74.5-81.0
\$50,000- 74,999	652	81,463	174	23.5	20.1-26.8	478	76.5	73.2-79.9
\$75,000+	579	74,475	121	19.8	16.1-23.5	458	80.2	76.5-83.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 11: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1607	238,556	409	21.8	19.6-23.9	1198	78.3	76.1-80.4
Non-Native	1558	230,216	397	22.0	19.9-24.2	1161	78.0	75.8-80.1
18-24	102	39,104	2	2.0	0.00-5.10	100	98.0	94.9-100
25-34	235	41,912	14	6.3	2.82-9.88	221	93.6	90.1-97.2
35-44	295	40,685	44	14.9	10.6-19.1	251	85.1	80.9-89.4
45-54	361	45,899	100	28.2	23.1-33.4	261	71.8	66.6-76.9
55-64	269	31,607	94	34.8	28.8-40.9	175	65.1	59.1-71.2
65+	338	38,796	152	46.8	41.1-52.4	186	53.3	47.6-58.9
Less Than H.S.	148	19,901	56	32.3	23.5-41.0	92	67.8	59.0-76.5
H.S. or G.E.D.	482	71,405	133	23.3	19.3-27.3	349	76.7	72.7-80.7
Some Post-H.S.	476	72,903	113	19.6	15.9-23.2	363	80.4	76.8-84.1
College Graduate	497	73,906	105	19.4	15.6-23.1	392	80.6	76.9-84.4
Less than \$15,000	94	12,985	40	29.4	19.4-39.3	54	70.6	60.7-80.6
\$15,000- 24,999	220	29,068	70	26.5	20.2-32.8	150	73.5	67.2-79.8
\$25,000- 34,999	236	36,597	66	22.1	16.6-27.5	170	77.9	72.5-83.4
\$35,000- 49,999	325	49,816	71	19.4	14.9-23.9	254	80.6	76.1-85.1
\$50,000- 74,999	293	42,471	70	22.1	17.2-27.0	223	77.9	73.0-82.8
\$75,000+	287	42,745	54	19.8	14.5-25.2	233	80.2	74.8-85.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 12: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2341	241,080	846	30.2	28.2-32.3	1495	69.8	67.7-71.8
Non-Native	2252	229,119	816	30.4	28.3-32.5	1436	69.6	67.5-71.7
18-24	105	33,971	7	5.8	1.42-10.2	98	94.2	89.8-98.6
25-34	261	37,416	23	7.8	4.56-10.9	238	92.3	89.1-95.4
35-44	413	40,116	91	20.9	16.9-25.0	322	79.0	75.0-83.1
45-54	498	42,969	157	30.4	26.0-34.7	341	69.6	65.3-74.0
55-64	378	31,391	184	48.2	42.8-53.5	194	51.8	46.5-57.2
65+	656	53,016	375	57.9	53.8-62.0	281	42.1	38.0-46.2
Less Than H.S.	195	19,257	101	47.8	39.1-56.6	94	52.1	43.4-60.9
H.S. or G.E.D.	657	65,051	281	37.6	33.3-41.8	376	62.4	58.2-66.7
Some Post-H.S.	758	80,401	279	29.0	25.5-32.4	479	71.0	67.6-74.5
College Graduate	728	76,185	185	20.9	17.9-24.0	543	79.0	76.0-82.1
Less than \$15,000	244	26,712	118	35.7	28.3-43.1	126	64.3	56.9-71.7
\$15,000- 24,999	405	38,862	180	37.8	32.2-43.5	225	62.2	56.5-67.8
\$25,000- 34,999	291	27,187	110	32.1	26.3-37.9	181	67.9	62.1-73.7
\$35,000- 49,999	384	39,680	114	25.9	21.3-30.5	270	74.1	69.5-78.7
\$50,000- 74,999	359	38,992	104	25.0	20.4-29.6	255	75.0	70.4-79.6
\$75,000+	292	31,730	67	19.7	15.1-24.3	225	80.3	75.7-84.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 13: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1828	197,452	522	26.1	23.8-28.3	1306	73.9	71.7-76.2
Male	676	92,390	168	22.0	18.7-25.4	508	78.0	74.6-81.3
Female	1152	105,062	354	29.6	26.6-32.7	798	70.3	67.3-73.4
Non-Native	1769	190,456	493	25.2	23.0-27.4	1276	74.8	72.6-77.0
25-34	122	19,357	17	11.5	5.86-17.1	105	88.5	82.9-94.1
35-44	251	28,052	66	26.2	20.4-32.0	185	73.8	68.0-79.6
45-54	411	42,237	98	21.1	16.9-25.3	313	78.9	74.7-83.1
55-64	363	34,487	105	27.1	22.3-32.0	258	72.8	68.0-77.7
65+	626	57,869	229	36.3	32.2-40.4	397	63.7	59.6-67.8
Less Than H.S.	200	21,837	80	34.9	26.8-42.9	120	65.1	57.1-73.2
H.S. or G.E.D.	570	61,529	174	29.1	24.7-33.6	396	70.8	66.4-75.3
Some Post-H.S.	577	61,787	156	23.9	20.1-27.6	421	76.1	72.4-79.9
College Graduate	478	51,978	112	21.5	17.6-25.5	366	78.5	74.5-82.4
Less than \$15,000	207	19,579	90	38.7	30.4-47.0	117	61.3	53.0-69.6
\$15,000- 24,999	326	30,875	117	35.3	29.2-41.3	209	64.8	58.7-70.8
\$25,000- 34,999	255	27,903	77	26.7	20.5-32.9	178	73.3	67.1-79.5
\$35,000- 49,999	290	32,874	72	22.8	17.7-27.9	218	77.2	72.1-82.3
\$50,000- 74,999	277	32,601	53	18.1	13.3-22.8	224	81.9	77.2-86.7
\$75,000+	219	27,118	45	20.6	14.3-27.0	174	79.4	73.0-85.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 14: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	676	92,390	168	22.0	18.7-25.4	508	78.0	74.6-81.3
Non-Native	660	90,499	160	21.6	18.2-25.0	500	78.4	75.0-81.8
25-34	66	11,659	7	9.8	2.41-17.3	59	90.2	82.7-97.6
35-44	101	13,586	26	25.5	16.6-34.4	75	74.5	65.6-83.4
45-54	162	21,385	34	18.0	12.0-23.9	128	82.0	76.1-88.0
55-64	134	15,558	29	20.8	13.7-28.0	105	79.2	72.0-86.3
65+	193	22,562	71	35.8	28.6-42.9	122	64.2	57.1-71.4
H.S. or G.E.D.	208	27,691	60	27.6	20.7-34.4	148	72.4	65.6-79.3
Some Post-H.S.	199	27,732	43	18.3	12.9-23.7	156	81.7	76.3-87.1
College Graduate	183	25,463	34	17.3	11.6-23.0	149	82.7	77.0-88.4
\$15,000- 24,999	102	11,558	35	32.9	22.9-42.8	67	67.1	57.2-77.1
\$25,000- 34,999	113	15,706	22	16.1	9.27-22.9	91	83.9	77.1-90.7
\$35,000- 49,999	117	16,906	29	23.3	15.3-31.3	88	76.7	68.7-84.7
\$50,000- 74,999	121	17,345	21	16.2	9.50-22.9	100	83.8	77.1-90.5
\$75,000+	104	15,884	17	17.8	8.68-26.8	87	82.3	73.2-91.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 16: ARTHRITIS BURDEN**

TABLE 15: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1152	105,062	354	29.6	26.6-32.7	798	70.3	67.3-73.4
Non-Native	1109	99,957	333	28.5	25.6-31.4	776	71.5	68.6-74.5
25-34	56	7,698	10	14.0	5.37-22.7	46	86.0	77.3-94.6
35-44	150	14,466	40	26.8	19.3-34.3	110	73.2	65.7-80.7
45-54	249	20,852	64	24.4	18.6-30.2	185	75.6	69.8-81.4
55-64	229	18,930	76	32.3	25.9-38.8	153	67.6	61.2-74.1
65+	433	35,307	158	36.6	31.6-41.5	275	63.4	58.5-68.4
H.S. or G.E.D.	362	33,838	114	30.4	24.7-36.2	248	69.6	63.8-75.3
Some Post-H.S.	378	34,055	113	28.4	23.4-33.5	265	71.6	66.5-76.6
College Graduate	295	26,515	78	25.6	20.2-31.0	217	74.4	69.0-79.8
\$15,000- 24,999	224	19,317	82	36.7	29.1-44.2	142	63.3	55.8-70.9
\$25,000- 34,999	142	12,196	55	40.3	30.7-49.9	87	59.7	50.1-69.3
\$35,000- 49,999	173	15,968	43	22.3	15.9-28.7	130	77.7	71.3-84.1
\$50,000- 74,999	156	15,256	32	20.2	13.6-26.9	124	79.8	73.1-86.4
\$75,000+	115	11,234	28	24.7	16.2-33.2	87	75.3	66.8-83.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 17: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THESE NEXT QUESTIONS ARE ABOUT THE FOODS YOU USUALLY EAT OR DRINK. PLEASE TELL ME HOW OFTEN YOU EAT OR DRINK EACH ONE, FOR EXAMPLE, TWICE A WEEK, THREE TIMES A MONTH, AND SO FORTH. REMEMBER, I AM ONLY INTERESTED IN THE FOODS YOU EAT. INCLUDE ALL FOODS YOU EAT, BOTH AT HOME AND AWAY FROM HOME. HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)	
1	MALES AND FEMALES	188
2	MALES ONLY	189
3	FEMALES ONLY	190
	NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)	
4	MALES AND FEMALES	191
5	MALES ONLY	192
6	FEMALES ONLY	193
	HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)	
7	MALES AND FEMALES	194
8	MALES ONLY	195
9	FEMALES ONLY	196
	HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)	
10	MALES AND FEMALES	197
11	MALES ONLY	198
12	FEMALES ONLY	199
	HOW OFTEN DO YOU EAT CARROTS? (CARROTS)	
13	MALES AND FEMALES	200
14	MALES ONLY	201
15	FEMALES ONLY	202
	NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS. (VEGETABL)	
16	MALES AND FEMALES	203
17	MALES ONLY	204
18	FEMALES ONLY	205

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 1: THESE NEXT QUESTIONS ARE ABOUT THE FOODS YOU USUALLY EAT OR DRINK. PLEASE TELL ME HOW OFTEN YOU EAT OR DRINK EACH ONE, FOR EXAMPLE, TWICE A WEEK, THREE TIMES A MONTH, AND SO FORTH. REMEMBER, I AM ONLY INTERESTED IN THE FOODS YOU EAT. INCLUDE ALL FOODS YOU EAT, BOTH AT HOME AND AWAY FROM HOME. HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3894	475,269	1407	34.5	32.7-36.3	1459	40.6	38.7-42.5	565	14.7	13.4-16.1	59	1.3	0.88-1.62	404	8.9	7.99-9.91
Male	1591	236,609	560	32.9	30.2-35.6	642	43.9	41.0-46.8	244	15.0	13.1-17.0	22	1.3	0.65-1.87	123	6.9	5.62-8.24
Female	2303	238,660	847	36.0	33.7-38.4	817	37.3	34.9-39.7	321	14.5	12.7-16.2	37	1.3	0.82-1.68	281	10.9	9.58-12.3
Native	105	16,963							18	13.4	6.36-20.5	1	0.4	0.00-1.27	12	7.8	2.74-12.9
Non-Native	3757	454,777	1354	34.3	32.5-36.1	1414	40.7	38.8-42.6	545	14.9	13.5-16.2	56	1.3	0.88-1.62	388	8.9	7.94-9.90
18-24	208	73,603	68	32.8	25.7-39.9	102	50.9	43.5-58.4	26	11.7	7.07-16.3	1	0.6	0.00-1.75	11	4.0	1.58-6.40
25-34	487	77,763	131	25.8	21.7-29.8	210	45.1	40.5-49.8	99	20.2	16.5-23.9	2	0.3	0.00-0.66	45	8.6	6.07-11.2
35-44	703	80,202	166	24.5	21.0-27.9	316	45.3	41.4-49.3	139	19.7	16.5-22.9	7	0.7	0.17-1.23	75	9.8	7.50-12.1
45-54	857	88,857	267	30.9	27.5-34.3	338	40.6	36.9-44.2	137	16.0	13.3-18.7	23	2.6	1.50-3.78	92	9.9	7.74-12.0
55-64	634	61,851	228	37.5	33.4-41.6	228	36.2	32.2-40.3	87	13.4	10.6-16.2	14	2.1	0.89-3.35	77	10.7	8.21-13.2
65+	968	90,010	531	53.7	50.3-57.1	258	27.8	24.6-30.9	72	7.6	5.73-9.41	11	1.1	0.41-1.83	96	9.8	7.79-11.9
Less Than H.S.	336	38,841	151	43.8	36.8-50.9	111	35.0	28.5-41.5	32	10.3	6.61-14.0	3	0.5	0.00-1.17	39	10.3	6.65-14.0
H.S. or G.E.D.	1116	134,937	404	34.0	30.6-37.4	397	40.3	36.7-43.9	150	13.3	11.0-15.7	25	1.8	1.01-2.49	140	10.6	8.68-12.4
Some Post-H.S.	1222	151,903	429	33.1	30.0-36.3	447	39.6	36.3-43.0	208	17.5	14.9-20.2	16	1.1	0.36-1.78	122	8.6	6.90-10.3
College Graduate	1213	148,962	422	33.9	30.8-36.9	501	43.2	39.9-46.4	174	14.3	12.1-16.5	15	1.2	0.56-1.82	101	7.4	5.85-9.03
Less than \$15,000	328	38,999	141	39.5	32.2-46.8	100	36.0	28.7-43.2	36	11.9	6.90-16.9	3	1.0	0.00-2.22	48	11.5	7.84-15.2
\$15,000- 24,999	620	67,737	257	38.2	33.5-42.8	202	36.8	31.8-41.8	78	14.5	10.8-18.2	12	1.3	0.54-2.10	71	9.2	6.80-11.5
\$25,000- 34,999	521	63,658	190	36.9	31.5-42.2	190	38.1	33.0-43.2	73	13.3	9.74-16.9	7	1.6	0.06-3.12	61	10.1	7.30-13.0
\$35,000- 49,999	704	88,643	203	27.9	24.2-31.6	298	44.8	40.5-49.1	123	17.6	14.5-20.7	12	1.3	0.50-2.10	68	8.4	6.29-10.5
\$50,000- 74,999	650	81,156	188	27.9	24.1-31.7	284	45.8	41.5-50.0	107	16.3	13.3-19.4	14	1.8	0.76-2.76	57	8.2	5.97-10.5
\$75,000+	579	74,552	198	34.4	30.1-38.8	235	41.3	36.7-45.8	93	15.8	12.6-18.9	6	0.9	0.15-1.67	47	7.6	5.36-9.90

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 2: THESE NEXT QUESTIONS ARE ABOUT THE FOODS YOU USUALLY EAT OR DRINK. PLEASE TELL ME HOW OFTEN YOU EAT OR DRINK EACH ONE, FOR EXAMPLE, TWICE A WEEK, THREE TIMES A MONTH, AND SO FORTH. REMEMBER, I AM ONLY INTERESTED IN THE FOODS YOU EAT. INCLUDE ALL FOODS YOU EAT, BOTH AT HOME AND AWAY FROM HOME. HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1591	236,609	560	32.9	30.2-35.6	642	43.9	41.0-46.8	244	15.0	13.1-17.0	22	1.3	0.65-1.87	123	6.9	5.62-8.24
Non-Native	1543	228,072	539	32.8	30.1-35.5	627	44.0	41.1-46.9	237	15.1	13.1-17.1	21	1.3	0.64-1.90	119	6.9	5.54-8.20
18-24	101	38,814	29	28.5	18.8-38.2				10	9.3	3.36-15.3	1	1.1	0.00-3.30	4	3.2	0.00-6.35
25-34	230	40,719	57	24.3	18.5-30.2	109	48.5	41.7-55.3	46	20.0	14.6-25.3	1	0.3	0.00-1.01	17	6.9	3.55-10.2
35-44	294	40,613	69	23.9	18.7-29.1	139	47.6	41.6-53.7	59	19.8	15.0-24.6	3	0.6	0.00-1.35	24	8.1	4.82-11.3
45-54	360	45,932	121	32.4	27.2-37.6	143	41.5	36.0-46.9	63	17.0	12.9-21.1	7	2.1	0.50-3.76	26	7.0	4.14-9.90
55-64	264	31,104	103	39.4	33.1-45.6	96	36.9	30.6-43.1	36	13.6	9.29-17.8	6	2.2	0.27-4.19	23	8.0	4.58-11.4
65+	335	38,647	179	51.6	46.0-57.3	96	30.0	24.8-35.2	28	8.7	5.46-12.0	4	1.2	0.00-2.49	28	8.4	5.21-11.6
Less Than H.S.	148	20,054				53	37.4	27.4-47.3	17	11.2	5.63-16.7	1	0.4	0.00-1.18	11	7.7	2.69-12.6
H.S. or G.E.D.	477	70,576	158	30.7	25.9-35.5	192	44.8	39.4-50.2	71	14.7	11.1-18.3	9	1.4	0.45-2.45	47	8.4	5.85-10.9
Some Post-H.S.	469	71,959	155	29.5	24.9-34.0	187	44.1	38.8-49.5	81	17.4	13.4-21.4	7	1.4	0.07-2.81	39	7.6	4.98-10.2
College Graduate	493	73,579	180	35.6	30.9-40.3	208	44.5	39.6-49.4	74	14.1	10.9-17.2	5	1.1	0.13-2.13	26	4.8	2.79-6.71
Less than \$15,000	93	12,950							9	11.5	1.84-21.1	2	2.0	0.00-4.85	9	7.6	2.24-12.9
\$15,000- 24,999	219	28,894	87	34.7	27.5-41.9	74	40.4	32.1-48.7	28	13.6	8.25-19.0	7	2.1	0.47-3.69	23	9.2	5.15-13.3
\$25,000- 34,999	233	36,356	87	38.1	30.2-46.1	90	38.9	31.5-46.3	32	13.9	8.42-19.4	3	1.7	0.00-4.07	21	7.4	3.90-10.9
\$35,000- 49,999	322	49,185	96	27.9	22.6-33.2	140	46.9	40.6-53.1	59	17.8	13.4-22.3	3	0.8	0.00-1.86	24	6.5	3.85-9.25
\$50,000- 74,999	292	42,336	90	28.3	23.0-33.6	125	45.9	39.8-52.1	51	16.4	12.0-20.7	5	1.8	0.20-3.42	21	7.6	4.30-10.9
\$75,000+	287	42,779	92	32.4	26.3-38.5	128	44.9	38.4-51.4	47	15.8	11.4-20.2	2	0.8	0.00-1.84	18	6.1	3.12-9.04

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 3: THESE NEXT QUESTIONS ARE ABOUT THE FOODS YOU USUALLY EAT OR DRINK. PLEASE TELL ME HOW OFTEN YOU EAT OR DRINK EACH ONE, FOR EXAMPLE, TWICE A WEEK, THREE TIMES A MONTH, AND SO FORTH. REMEMBER, I AM ONLY INTERESTED IN THE FOODS YOU EAT. INCLUDE ALL FOODS YOU EAT, BOTH AT HOME AND AWAY FROM HOME. HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2303	238,660	847	36.0	33.7-38.4	817	37.3	34.9-39.7	321	14.5	12.7-16.2	37	1.3	0.82-1.68	281	10.9	9.56-12.3
Native	70	10,182							11	11.3	3.69-18.8				9	8.7	1.99-15.4
Non-Native	2214	226,705	815	35.8	33.4-38.2	787	37.4	34.9-39.8	308	14.6	12.9-16.4	35	1.2	0.79-1.65	269	11.0	9.57-12.4
18-24	107	34,789							16	14.3	7.19-21.4				7	4.9	1.23-8.57
25-34	257	37,044	74	27.3	21.7-32.9	101	41.5	35.1-47.8	53	20.5	15.3-25.6	1	0.2	0.00-0.59	28	10.5	6.66-14.4
35-44	409	39,589	97	25.1	20.6-29.6	177	42.9	37.8-48.0	80	19.6	15.5-23.7	4	0.8	0.01-1.57	51	11.5	8.34-14.8
45-54	497	42,926	146	29.3	25.0-33.6	195	39.6	35.0-44.3	74	14.9	11.6-18.3	16	3.2	1.58-4.80	66	12.9	9.78-16.1
55-64	370	30,748	125	35.6	30.4-40.8	132	35.6	30.4-40.8	51	13.3	9.74-16.9	8	2.0	0.50-3.52	54	13.5	9.83-17.1
65+	633	51,363	352	55.3	51.0-59.5	162	26.1	22.3-29.9	44	6.7	4.61-8.81	7	1.0	0.21-1.85	68	10.9	8.24-13.6
Less Than H.S.	188	18,787	85	44.3	35.2-53.4	58	32.5	24.2-40.8	15	9.4	4.48-14.3	2	0.7	0.00-1.69	28	13.2	7.79-18.5
H.S. or G.E.D.	639	64,361	246	37.7	33.0-42.4	205	35.4	30.6-40.1	79	11.9	9.06-14.7	16	2.1	0.98-3.18	93	12.9	10.1-15.8
Some Post-H.S.	753	79,944	274	36.5	32.2-40.7	260	35.6	31.4-39.8	127	17.7	14.3-21.1	9	0.7	0.24-1.22	83	9.5	7.28-11.7
College Graduate	720	75,382	242	32.2	28.4-36.1	293	41.9	37.7-46.2	100	14.6	11.5-17.6	10	1.2	0.46-2.02	75	10.0	7.60-12.5
Less than \$15,000	235	26,049	103	44.0	34.9-53.1	65	29.8	21.6-38.0	27	12.1	6.35-18.0	1	0.5	0.00-1.63	39	13.5	8.65-18.4
\$15,000- 24,999	401	38,842	170	40.8	34.8-46.7	128	34.2	28.0-40.3	50	15.2	10.2-20.2	5	0.8	0.06-1.44	48	9.1	6.33-12.0
\$25,000- 34,999	288	27,302	103	35.2	28.8-41.6	100	37.0	30.3-43.7	41	12.5	8.53-16.5	4	1.5	0.00-3.04	40	13.8	9.16-18.4
\$35,000- 49,999	382	39,459	107	27.9	22.9-33.0	158	42.2	36.6-47.8	64	17.3	13.0-21.6	9	1.9	0.57-3.19	44	10.7	7.40-14.0
\$50,000- 74,999	358	38,821	98	27.5	22.1-33.0	159	45.6	39.7-51.5	56	16.3	12.0-20.6	9	1.7	0.54-2.86	36	8.9	5.87-11.9
\$75,000+	292	31,773	106	37.2	31.1-43.2	107	36.3	30.1-42.5	46	15.7	11.3-20.1	4	1.1	0.03-2.19	29	9.7	6.16-13.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

**TABLE 4: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3889	473,898	1684	38.8	37.0-40.6	1662	45.6	43.7-47.5	430	12.5	11.1-13.8	25	0.7	0.41-1.03	88	2.4	1.82-3.04
Male	1581	235,240	459	26.9	24.3-29.4	797	51.4	48.6-54.3	248	16.8	14.6-19.0	18	1.1	0.54-1.72	59	3.8	2.64-4.88
Female	2308	238,658	1225	50.6	48.2-53.1	865	39.8	37.3-42.2	182	8.2	6.80-9.54	7	0.3	0.07-0.55	29	1.1	0.66-1.56
Native	102	16,391										3	3.3	0.00-7.37			
Non-Native	3755	454,068	1634	39.0	37.2-40.8	1609	45.9	44.0-47.9	404	11.9	10.6-13.2	24	0.7	0.39-1.05	84	2.4	1.79-3.01
18-24	206	73,126	51	26.2	19.3-33.0	105	50.3	42.8-57.7	40	19.1	13.4-24.9	1	0.6	0.00-1.75	9	3.8	1.19-6.49
25-34	489	77,757	150	29.9	25.7-34.1	247	51.5	46.8-56.2	76	15.2	11.9-18.5	3	0.6	0.00-1.39	13	2.7	1.12-4.30
35-44	703	80,298	241	32.9	29.2-36.6	346	50.0	46.1-54.0	87	13.0	10.3-15.8	8	1.2	0.31-2.03	21	2.8	1.58-4.12
45-54	855	88,759	334	37.1	33.6-40.7	391	47.8	44.1-51.4	103	12.2	9.83-14.6	5	0.6	0.01-1.11	22	2.3	1.26-3.38
55-64	633	61,546	287	42.6	38.5-46.7	266	43.9	39.8-48.1	62	10.4	7.78-13.1	3	0.6	0.00-1.26	15	2.4	1.05-3.71
65+	966	89,430	600	60.6	57.2-63.9	295	32.0	28.7-35.2	58	5.9	4.23-7.49	5	0.8	0.08-1.42	8	0.9	0.24-1.50
Less Than H.S.	332	38,556	146	42.6	35.6-49.7	122	37.1	30.6-43.7	47	15.1	10.3-19.9	4	1.1	0.00-2.22	13	4.0	0.81-7.27
H.S. or G.E.D.	1118	134,370	443	35.2	31.9-38.6	489	45.9	42.3-49.5	145	14.8	11.9-17.6	10	0.9	0.33-1.55	31	3.2	1.95-4.45
Some Post-H.S.	1219	151,522	505	35.7	32.5-38.9	524	46.0	42.6-49.4	154	14.8	12.2-17.3	9	1.0	0.25-1.81	27	2.5	1.39-3.59
College Graduate	1213	148,823	588	44.4	41.2-47.6	524	47.0	43.8-50.3	82	7.2	5.54-8.88	2	0.1	0.00-0.24	17	1.3	0.59-1.93
Less than \$15,000	324	38,012	141	37.6	30.4-44.7	124	44.5	37.0-52.0	43	12.8	8.07-17.5	3	1.0	0.00-2.18	13	4.1	1.30-6.90
\$15,000- 24,999	620	67,697	271	38.4	33.7-43.1	255	45.2	40.3-50.2	73	12.5	9.16-15.8	4	0.5	0.00-1.04	17	3.4	1.40-5.32
\$25,000- 34,999	519	63,602	206	34.9	29.8-40.0	221	43.4	38.1-48.7	68	16.5	12.2-20.9	8	2.1	0.39-3.81	16	3.0	1.34-4.72
\$35,000- 49,999	704	88,562	262	33.9	30.0-37.9	336	48.4	44.2-52.7	87	14.3	11.0-17.6	4	0.6	0.00-1.30	15	2.7	0.99-4.41
\$50,000- 74,999	649	81,011	274	38.8	34.7-43.0	292	46.7	42.5-51.0	65	11.4	8.54-14.3	3	0.6	0.00-1.33	15	2.4	1.11-3.73
\$75,000+	580	74,582	255	42.1	37.6-46.7	266	46.8	42.2-51.3	50	9.7	6.84-12.5				9	1.4	0.43-2.39

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 5: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1581	235,240	459	26.9	24.3-29.4	797	51.4	48.6-54.3	248	16.8	14.6-19.0	18	1.1	0.54-1.72	59	3.8	2.64-4.88
Non-Native	1535	227,276	448	27.1	24.5-29.6	777	51.9	49.0-54.8	236	16.2	14.1-18.4	17	1.1	0.51-1.73	57	3.7	2.56-4.84
18-24	101	38,814	14	17.9	8.83-26.9				26	25.3	16.2-34.5	1	1.1	0.00-3.30	8	6.5	1.79-11.3
25-34	230	40,490	46	19.0	13.9-24.2	128	57.0	50.4-63.7	44	18.5	13.3-23.6	3	1.3	0.00-2.66	9	4.2	1.34-7.06
35-44	293	40,541	61	21.6	16.6-26.6	159	54.8	48.8-60.8	52	17.5	12.9-22.1	8	2.3	0.60-4.02	13	3.8	1.64-6.00
45-54	358	45,801	93	25.8	20.9-30.7	189	54.4	48.8-59.9	62	16.5	12.5-20.5	2	0.6	0.00-1.45	12	2.8	1.10-4.44
55-64	262	30,726	82	30.3	24.5-36.2	133	51.9	45.4-58.3	33	13.1	8.66-17.6	1	0.4	0.00-1.21	13	4.3	1.73-6.87
65+	330	38,087	159	47.6	41.9-53.3	134	41.0	35.4-46.6	30	9.1	5.81-12.4	3	1.0	0.00-2.25	4	1.3	0.01-2.51
Less Than H.S.	146	19,989				57	37.2	27.5-46.9	29	19.0	11.6-26.5	2	1.3	0.00-3.16	6	4.9	0.00-10.7
H.S. or G.E.D.	471	69,567	132	25.6	21.1-30.1	234	50.1	44.8-55.4	75	17.8	13.4-22.3	7	1.3	0.29-2.29	23	5.1	2.86-7.40
Some Post-H.S.	467	71,758	106	20.7	16.4-25.0	243	51.9	46.6-57.2	90	21.3	16.8-25.8	7	1.9	0.30-3.48	21	4.2	2.10-6.34
College Graduate	493	73,485	169	31.3	26.9-35.7	261	56.2	51.4-61.0	52	10.6	7.62-13.6	2	0.2	0.00-0.47	9	1.7	0.50-2.94
Less than \$15,000	89	12,386	26	21.1	12.5-29.8				2	2.0	0.00-4.74	5	8.1	0.29-15.9			
\$15,000- 24,999	218	28,868	69	29.8	22.2-37.4	97	46.0	38.1-54.0	37	17.3	11.3-23.3	3	0.9	0.00-1.99	12	5.9	1.89-9.97
\$25,000- 34,999	235	36,571	62	24.5	17.4-31.7	109	45.9	38.2-53.7	46	22.3	15.5-29.0	6	2.9	0.15-5.67	12	4.4	1.58-7.18
\$35,000- 49,999	320	48,836	78	22.7	17.7-27.6	179	54.7	48.5-61.0	49	17.4	12.2-22.6	3	1.0	0.00-2.15	11	4.3	1.27-7.27
\$50,000- 74,999	291	42,147	76	23.8	18.8-28.8	160	56.0	49.9-62.1	41	15.4	10.8-20.1	3	1.2	0.00-2.53	11	3.6	1.33-5.79
\$75,000+	288	42,873	94	31.3	25.4-37.2	149	52.6	46.1-59.0	39	14.3	9.68-18.9	6	1.8	0.33-3.35			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 6: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2308	238,658	1225	50.6	48.2-53.1	865	39.8	37.3-42.2	182	8.2	6.80-9.54	7	0.3	0.07-0.55	29	1.1	0.66-1.56
Native	68	10,022										1	1.1	0.00-3.31			
Non-Native	2220	226,792	1186	50.9	48.5-53.4	832	40.0	37.5-42.5	168	7.6	6.30-9.00	7	0.3	0.08-0.58	27	1.1	0.62-1.56
18-24	105	34,312							14	12.1	5.73-18.5				1	0.8	0.00-2.34
25-34	259	37,268	104	41.7	35.4-48.0	119	45.5	39.2-51.9	32	11.7	7.64-15.7				4	1.1	0.00-2.22
35-44	410	39,757	180	44.5	39.4-49.6	187	45.2	40.1-50.3	35	8.4	5.53-11.3				8	1.9	0.56-3.18
45-54	497	42,958	241	49.3	44.5-54.0	202	40.7	36.0-45.4	41	7.7	5.25-10.1	3	0.5	0.00-1.18	10	1.8	0.57-3.11
55-64	371	30,819	205	54.9	49.5-60.3	133	36.1	30.9-41.3	29	7.8	4.87-10.8	2	0.8	0.00-1.85	2	0.5	0.00-1.15
65+	636	51,343	441	70.2	66.4-74.0	161	25.3	21.6-28.9	28	3.4	2.10-4.76	2	0.5	0.00-1.26	4	0.6	0.01-1.15
Less Than H.S.	186	18,567	94	48.1	39.1-57.2	65	37.1	28.3-45.9	18	10.9	4.85-16.9	2	0.9	0.00-2.08	7	3.1	0.61-5.51
H.S. or G.E.D.	647	64,803	311	45.5	40.8-50.2	255	41.3	36.7-46.0	70	11.4	8.23-14.7	3	0.6	0.00-1.24	8	1.1	0.30-1.94
Some Post-H.S.	752	79,764	399	49.2	44.8-53.6	281	40.7	36.3-45.1	64	8.9	6.45-11.4	2	0.3	0.00-0.64	6	0.9	0.06-1.82
College Graduate	720	75,338	419	57.2	53.0-61.4	263	38.1	33.9-42.3	30	3.9	2.46-5.36				8	0.8	0.22-1.40
Less than \$15,000	235	25,626	115	45.5	36.4-54.6	83	41.6	32.6-50.7	28	10.1	5.75-14.5	1	0.6	0.00-1.66	8	2.2	0.59-3.77
\$15,000- 24,999	402	38,829	202	44.8	38.8-50.9	158	44.6	38.3-50.9	36	8.9	5.23-12.6	1	0.2	0.00-0.65	5	1.4	0.00-3.00
\$25,000- 34,999	284	27,031	144	49.0	42.2-55.8	112	40.0	33.3-46.7	22	8.8	4.45-13.2	2	1.0	0.00-2.37	4	1.2	0.02-2.38
\$35,000- 49,999	384	39,726	184	47.8	42.2-53.4	157	40.8	35.2-46.3	38	10.5	7.07-13.9	1	0.2	0.00-0.65	4	0.8	0.00-1.56
\$50,000- 74,999	358	38,864	198	55.1	49.3-61.0	132	36.7	31.1-42.3	24	7.0	3.98-10.0				4	1.2	0.00-2.39
\$75,000+	292	31,709	161	56.8	50.6-63.0	117	38.9	32.9-45.0	11	3.4	1.33-5.49				3	0.8	0.00-1.86

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 7: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3894	474,482	633	14.8	13.5-16.1	2514	65.2	63.4-67.0	515	13.4	12.2-14.7	34	0.9	0.56-1.30	198	5.7	4.70-6.62
Male	1586	235,256	185	10.1	8.53-11.7	1014	65.3	62.6-68.1	257	16.0	13.9-18.1	20	1.1	0.62-1.64	110	7.4	5.77-9.07
Female	2308	239,227	448	19.4	17.3-21.5	1500	65.0	62.6-67.4	258	10.9	9.42-12.4	14	0.7	0.20-1.26	88	3.9	2.96-4.88
Native	103	16,502							19	16.6	8.54-24.6	4	4.5	0.00-9.84			
Non-Native	3757	454,320	607	14.6	13.3-15.9	2447	66.1	64.3-67.9	489	13.2	11.9-14.5	30	0.8	0.48-1.14	184	5.3	4.40-6.20
18-24	206	72,879	28	14.0	8.52-19.5	123	61.0	53.6-68.3	30	13.3	8.45-18.2	2	1.1	0.00-2.67	23	10.6	6.04-15.1
25-34	489	77,958	50	9.2	6.63-11.8	315	64.9	60.5-69.3	87	18.6	14.9-22.3	4	0.8	0.00-1.52	33	6.5	4.17-8.87
35-44	702	80,178	86	11.0	8.67-13.4	462	67.1	63.4-70.8	116	16.1	13.2-19.0	5	0.8	0.07-1.45	33	5.0	3.23-6.83
45-54	857	88,627	112	12.1	9.83-14.4	566	68.0	64.6-71.4	129	14.6	12.0-17.1	12	1.4	0.53-2.21	38	3.9	2.62-5.28
55-64	639	62,395	123	18.1	15.0-21.2	421	67.3	63.4-71.2	68	10.7	8.06-13.3	6	1.1	0.13-2.05	21	2.8	1.53-4.15
65+	964	89,463	225	23.7	20.8-26.6	603	62.9	59.6-66.3	82	7.6	5.87-9.31	5	0.6	0.01-1.11	49	5.2	3.64-6.78
Less Than H.S.	332	38,433	57	16.5	11.3-21.7	183	56.7	49.8-63.5	60	17.6	12.7-22.6	4	1.9	0.00-4.21	28	7.3	4.26-10.3
H.S. or G.E.D.	1121	134,952	155	13.4	10.8-16.0	716	63.6	60.1-67.1	161	13.9	11.5-16.2	12	1.1	0.41-1.79	77	8.1	5.85-10.3
Some Post-H.S.	1218	151,521	196	14.6	12.3-16.9	779	64.0	60.7-67.3	170	14.5	12.1-16.9	15	1.3	0.51-2.03	58	5.6	3.89-7.41
College Graduate	1217	149,146	222	15.8	13.6-17.9	833	70.1	67.1-73.0	124	10.9	8.77-13.0	3	0.2	0.00-0.42	35	3.1	1.93-4.25
Less than \$15,000	330	38,758	56	17.5	11.0-24.0	176	53.4	46.0-60.8	61	17.3	12.0-22.5	2	0.4	0.00-1.01	35	11.5	6.99-16.0
\$15,000- 24,999	614	67,199	103	14.1	11.1-17.1	369	62.3	57.6-67.0	95	15.9	12.3-19.5	4	0.6	0.00-1.30	43	7.1	4.66-9.64
\$25,000- 34,999	521	63,743	88	15.1	11.7-18.6	324	61.9	56.8-67.0	82	18.0	13.8-22.2	5	0.8	0.02-1.54	22	4.2	2.15-6.27
\$35,000- 49,999	706	88,820	95	11.9	9.41-14.4	483	67.8	63.8-71.8	88	12.8	10.1-15.6	9	1.2	0.32-2.00	31	6.3	3.45-9.13
\$50,000- 74,999	651	81,216	100	14.4	11.2-17.6	433	66.9	62.8-71.0	83	12.4	9.66-15.1	7	1.2	0.30-2.06	28	5.1	3.01-7.29
\$75,000+	579	74,533	93	14.3	11.3-17.4	416	72.0	67.8-76.2	53	9.7	6.82-12.6	2	0.3	0.00-0.77	15	3.6	1.49-5.73

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 8: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1586	235,256	185	10.1	8.53-11.7	1014	65.3	62.6-68.1	257	16.0	13.9-18.1	20	1.1	0.62-1.64	110	7.4	5.77-9.07
Non-Native	1538	227,071	179	10.0	8.46-11.6	990	66.1	63.4-68.8	248	15.9	13.8-18.1	18	1.1	0.55-1.61	103	6.8	5.31-8.33
18-24	99	38,090	7	5.9	1.04-10.7				19	17.1	9.35-24.8				14	14.1	6.66-21.6
25-34	231	40,765	12	4.7	2.04-7.42	147	63.6	57.1-70.2	50	22.3	16.6-28.0	2	0.9	0.00-2.13	20	8.4	4.59-12.3
35-44	293	40,469	18	6.2	3.31-9.15	188	66.1	60.4-71.7	60	18.7	14.1-23.3	5	1.5	0.16-2.86	22	7.5	4.27-10.7
45-54	358	45,509	30	7.2	4.57-9.87	234	68.2	63.2-73.3	68	18.0	13.9-22.2	8	2.1	0.62-3.68	18	4.4	2.28-6.44
55-64	268	31,576	43	15.3	10.8-19.7	179	68.9	63.0-74.7	30	10.6	6.76-14.4	3	1.4	0.00-3.08	13	3.9	1.62-6.16
65+	330	38,066	73	23.0	18.2-27.9	202	62.3	56.8-67.8	30	7.7	4.87-10.6	2	0.7	0.00-1.70	23	6.3	3.54-8.98
Less Than H.S.	146	19,854	16	9.7	4.84-14.6	88	63.7	54.3-73.2	29	18.5	11.1-25.9	1	0.7	0.00-1.95	12	7.4	2.81-11.9
H.S. or G.E.D.	476	70,018	46	9.5	6.31-12.6	296	62.7	57.5-67.8	79	15.3	11.8-18.8	9	1.7	0.50-2.96	46	10.8	6.94-14.6
Some Post-H.S.	470	71,978	53	9.5	6.76-12.2	292	62.5	57.4-67.6	85	18.8	14.6-23.1	8	1.5	0.45-2.53	32	7.7	4.66-10.8
College Graduate	491	73,160	70	11.5	8.75-14.2	335	71.0	66.7-75.4	64	13.3	9.78-16.7	2	0.3	0.00-0.80	20	3.9	2.05-5.81
Less than \$15,000	93	12,596	10	8.4	2.82-14.1				2	1.3	0.00-3.13						
\$15,000- 24,999	215	28,427	26	10.0	5.89-14.1	122	62.3	54.9-69.7	44	18.3	12.7-23.9	2	1.1	0.00-2.69	21	8.3	4.40-12.2
\$25,000- 34,999	234	36,540	29	10.7	6.44-14.9	132	58.7	51.1-66.3	55	24.0	17.4-30.6	3	1.0	0.00-2.20	15	5.7	2.35-8.97
\$35,000- 49,999	322	49,132	36	9.4	6.30-12.5	216	65.9	59.9-71.9	45	14.5	10.3-18.6	5	1.4	0.09-2.75	20	8.8	3.97-13.5
\$50,000- 74,999	292	42,266	26	7.9	4.86-11.0	201	69.1	63.4-74.8	39	13.1	9.01-17.2	6	2.1	0.40-3.74	20	7.8	4.05-11.6
\$75,000+	287	42,743	38	11.1	7.55-14.7	201	70.9	65.0-76.9	35	12.1	7.63-16.6	2	0.6	0.00-1.37	11	5.3	1.80-8.74

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 9: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2308	239,227	448	19.4	17.3-21.5	1500	65.0	62.6-67.4	258	10.9	9.42-12.4	14	0.7	0.20-1.26	88	3.9	2.96-4.88
Native	69	10,134										2	5.3	0.00-13.3	6	7.0	1.09-12.9
Non-Native	2219	227,249	428	19.1	17.1-21.1	1457	66.1	63.7-68.5	241	10.5	9.04-12.0	12	0.5	0.13-0.95	81	3.8	2.81-4.77
18-24	107	34,789	21	22.9	13.4-32.5				11	9.2	3.60-14.8	2	2.3	0.00-5.56	9	6.7	2.13-11.2
25-34	258	37,193	38	14.1	9.71-18.5	168	66.3	60.3-72.3	37	14.6	10.1-19.1	2	0.6	0.00-1.48	13	4.4	1.93-6.87
35-44	409	39,709	68	15.9	12.2-19.5	274	68.1	63.3-72.8	56	13.5	9.94-17.1				11	2.5	0.96-4.10
45-54	499	43,118	82	17.3	13.6-21.0	332	67.7	63.3-72.1	61	10.9	8.07-13.8	4	0.5	0.00-1.14	20	3.5	1.87-5.17
55-64	371	30,819	80	20.9	16.6-25.3	242	65.8	60.6-70.9	38	10.8	7.26-14.2	3	0.8	0.00-1.67	8	1.8	0.51-3.05
65+	634	51,397	152	24.2	20.5-27.8	401	63.4	59.4-67.5	52	7.5	5.37-9.65	3	0.5	0.00-1.06	26	4.4	2.57-6.29
Less Than H.S.	186	18,579	41	23.7	15.0-32.4	95	49.1	40.1-58.2	31	16.8	10.3-23.3	3	3.3	0.00-7.75	16	7.1	3.31-11.0
H.S. or G.E.D.	645	64,934	109	17.6	13.4-21.7	420	64.6	59.9-69.2	82	12.3	9.29-15.3	3	0.4	0.00-0.96	31	5.1	3.24-7.04
Some Post-H.S.	748	79,543	143	19.3	15.7-22.8	487	65.4	61.1-69.6	85	10.5	8.14-13.0	7	1.1	0.00-2.17	26	3.8	1.90-5.62
College Graduate	726	75,986	152	19.9	16.6-23.2	498	69.1	65.2-73.0	60	8.7	6.16-11.2	1	0.0	0.00-0.09	15	2.3	0.91-3.65
Less than \$15,000	237	26,161	46	21.8	12.9-30.7	126	53.5	44.5-62.5	45	16.9	11.1-22.7				20	7.8	3.50-12.2
\$15,000- 24,999	399	38,771	77	17.1	12.8-21.3	247	62.3	56.2-68.3	51	14.1	9.38-18.8	2	0.2	0.00-0.56	22	6.3	3.07-9.53
\$25,000- 34,999	287	27,203	59	21.1	15.5-26.7	192	66.2	59.8-72.6	27	9.9	5.84-14.0	2	0.5	0.00-1.25	7	2.3	0.49-4.05
\$35,000- 49,999	384	39,688	59	15.0	11.1-18.9	267	70.1	65.1-75.2	43	10.8	7.53-14.1	4	0.8	0.00-1.75	11	3.2	1.12-5.36
\$50,000- 74,999	359	38,949	74	21.5	16.0-26.9	232	64.5	58.6-70.3	44	11.6	8.03-15.1	1	0.2	0.00-0.65	8	2.3	0.66-3.88
\$75,000+	292	31,790	55	18.7	13.5-23.8	215	73.4	67.7-79.2	18	6.5	3.40-9.64				4	1.4	0.00-3.02

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

**TABLE 10: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3906	475,345	333	8.1	7.10-9.06	2805	72.3	70.6-74.0	616	15.9	14.5-17.4	33	0.8	0.47-1.05	119	2.9	2.24-3.50
Male	1589	235,489	173	9.6	8.07-11.1	1119	71.2	68.6-73.8	235	15.6	13.5-17.8	9	0.6	0.19-0.97	53	3.0	2.00-3.96
Female	2317	239,855	160	6.6	5.39-7.83	1686	73.4	71.2-75.6	381	16.3	14.4-18.1	24	0.9	0.51-1.37	66	2.8	1.97-3.57
Native	103	16,502	8	6.6	0.85-12.3	76	77.5	68.0-87.1	16	13.3	5.99-20.6				3	2.6	0.00-5.93
Non-Native	3771	455,402	316	7.9	6.97-8.93	2712	72.3	70.6-74.0	596	16.1	14.6-17.5	32	0.8	0.48-1.06	115	2.9	2.24-3.54
18-24	206	72,879	7	3.9	0.87-6.91	136	66.8	59.9-73.8	51	24.1	17.8-30.3	2	0.6	0.00-1.57	10	4.5	1.71-7.39
25-34	488	77,775	26	5.6	3.43-7.75	341	70.3	66.0-74.5	105	20.7	17.0-24.4	4	0.8	0.01-1.65	12	2.6	1.02-4.16
35-44	701	79,962	33	5.1	3.26-6.86	518	74.4	71.0-77.9	126	17.2	14.2-20.1	8	1.1	0.33-1.85	16	2.3	1.12-3.44
45-54	858	88,866	47	6.0	4.17-7.77	629	75.7	72.6-78.7	145	14.8	12.4-17.3	8	0.9	0.18-1.56	29	2.6	1.61-3.65
55-64	642	62,569	45	7.4	5.09-9.63	474	76.1	72.6-79.6	96	13.1	10.4-15.8	2	0.1	0.00-0.29	25	3.4	2.02-4.76
65+	974	90,312	171	18.9	16.2-21.6	680	70.8	67.7-73.8	92	7.8	6.06-9.48	6	0.6	0.10-1.16	25	1.9	1.12-2.76
Less Than H.S.	336	38,869	66	18.8	13.8-23.8	226	66.9	60.6-73.2	31	9.8	5.87-13.7	3	1.0	0.00-2.21	10	3.5	0.66-6.34
H.S. or G.E.D.	1121	134,679	116	10.2	8.27-12.2	806	73.3	70.2-76.3	157	13.3	10.9-15.7	7	0.5	0.11-0.97	35	2.7	1.67-3.75
Some Post-H.S.	1223	151,929	91	6.9	5.26-8.56	862	69.1	65.8-72.3	220	19.7	16.8-22.6	10	0.9	0.27-1.49	40	3.5	2.11-4.81
College Graduate	1219	149,241	57	4.3	3.01-5.67	907	76.4	73.7-79.1	208	16.2	13.8-18.6	13	0.8	0.29-1.27	34	2.3	1.43-3.11
Less than \$15,000	326	38,449	47	12.7	8.33-17.0	205	62.0	54.8-69.2	51	18.4	12.2-24.7	4	1.0	0.00-2.23	19	5.8	2.32-9.38
\$15,000- 24,999	621	67,784	69	9.5	7.15-11.9	430	70.5	66.1-75.0	93	15.7	11.9-19.5	4	0.6	0.00-1.36	25	3.6	1.85-5.33
\$25,000- 34,999	523	63,813	50	10.5	7.23-13.8	364	67.8	62.7-72.9	90	17.7	13.5-21.9	5	1.1	0.00-2.28	14	2.8	1.10-4.58
\$35,000- 49,999	707	88,980	43	6.0	4.18-7.90	541	77.7	74.4-81.1	105	13.9	11.2-16.7	5	0.6	0.02-1.12	13	1.7	0.65-2.81
\$50,000- 74,999	650	81,130	33	5.2	3.36-7.00	489	76.6	73.2-80.1	105	15.3	12.4-18.2	6	0.7	0.08-1.34	17	2.2	1.09-3.33
\$75,000+	581	74,711	23	3.8	2.16-5.38	437	75.1	71.0-79.3	96	16.9	13.1-20.7	6	0.9	0.13-1.73	19	3.2	1.53-4.95

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 11: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1589	235,489	173	9.6	8.07-11.1	1119	71.2	68.6-73.8	235	15.6	13.5-17.8	9	0.6	0.19-0.97	53	3.0	2.00-3.96
Non-Native	1543	227,525	166	9.5	8.00-11.1	1088	71.1	68.5-73.7	228	15.7	13.5-17.9	8	0.5	0.16-0.94	53	3.1	2.06-4.10
18-24	99	38,090	2	1.9	0.00-4.94	71	70.6	60.9-80.3	21	22.6	13.6-31.6				5	4.9	0.63-9.25
25-34	230	40,582	16	7.2	3.73-10.7	152	67.0	60.6-73.3	54	22.2	16.6-27.7	4	1.6	0.00-3.17	4	2.0	0.00-4.22
35-44	292	40,253	25	8.0	4.76-11.2	209	72.2	66.8-77.5	48	16.6	12.1-21.0	2	0.6	0.00-1.51	8	2.7	0.77-4.61
45-54	359	45,769	28	8.3	5.20-11.4	255	73.0	68.3-77.8	59	15.0	11.3-18.8	1	0.4	0.00-1.27	16	3.2	1.55-4.85
55-64	269	31,607	24	9.1	5.38-12.7	202	77.0	71.7-82.2	33	11.2	7.26-15.1				10	2.8	0.99-4.59
65+	333	38,407	78	23.5	18.6-28.4	223	67.9	62.6-73.2	20	5.6	3.01-8.15	2	0.7	0.00-1.75	10	2.3	0.78-3.80
Less Than H.S.	147	20,069	28	16.3	9.78-22.7	98	70.8	62.1-79.4	15	10.1	4.26-15.9	2	1.6	0.00-3.80	4	1.3	0.01-2.67
H.S. or G.E.D.	474	69,635	69	13.4	10.2-16.6	328	71.2	66.6-75.8	56	12.0	8.45-15.5	2	0.4	0.00-0.97	19	3.0	1.54-4.56
Some Post-H.S.	470	72,018	41	7.1	4.81-9.31	320	66.4	61.3-71.5	88	21.4	16.8-26.0	3	0.6	0.00-1.32	18	4.5	1.97-7.07
College Graduate	494	73,326	33	6.3	3.78-8.72	371	76.3	72.1-80.5	76	15.1	11.5-18.7	2	0.5	0.00-1.12	12	1.9	0.73-3.01
Less than \$15,000	90	12,380	17	12.9	6.30-19.6										7	9.4	0.60-18.2
\$15,000- 24,999	218	28,668	30	11.5	7.28-15.7	145	69.2	62.2-76.3	25	13.6	7.80-19.3	3	1.4	0.00-3.03	15	4.3	2.03-6.61
\$25,000- 34,999	235	36,571	33	14.7	9.27-20.1	154	64.1	56.6-71.6	39	17.9	11.8-24.0	2	0.9	0.00-2.23	7	2.4	0.32-4.40
\$35,000- 49,999	323	49,292	28	8.0	5.02-11.0	241	76.4	71.5-81.3	47	13.7	9.71-17.6	1	0.4	0.00-1.10	6	1.5	0.08-2.94
\$50,000- 74,999	292	42,266	26	8.3	5.07-11.5	213	74.8	69.7-79.9	46	14.6	10.5-18.7	1	0.3	0.00-1.01	6	2.0	0.38-3.56
\$75,000+	288	42,873	15	4.3	1.99-6.53	219	74.5	68.5-80.5	42	16.7	11.3-22.2	1	0.4	0.00-1.27	11	4.0	1.33-6.77

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 12: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2317	239,855	160	6.6	5.39-7.83	1686	73.4	71.2-75.6	381	16.3	14.4-18.1	24	0.9	0.51-1.37	66	2.8	1.97-3.57
Native	69	10,134	4	6.6	0.00-14.9				10	12.1	3.66-20.5				3	4.2	0.00-9.64
Non-Native	2228	227,878	150	6.4	5.16-7.60	1624	73.5	71.2-75.7	368	16.5	14.6-18.4	24	1.0	0.54-1.44	62	2.7	1.90-3.50
18-24	107	34,789	5	6.1	0.76-11.4	65	62.8	52.9-72.7	30	25.7	16.9-34.4	2	1.4	0.00-3.29	5	4.1	0.46-7.76
25-34	258	37,193	10	3.8	1.41-6.19	189	73.9	68.4-79.4	51	19.1	14.2-24.0				8	3.2	0.91-5.49
35-44	409	39,709	8	2.1	0.52-3.70	309	76.7	72.4-81.0	78	17.8	13.9-21.6	6	1.6	0.32-2.82	8	1.9	0.58-3.16
45-54	499	43,097	19	3.5	1.80-5.14	374	78.5	74.8-82.2	86	14.7	11.6-17.8	7	1.3	0.24-2.44	13	2.0	0.85-3.21
55-64	373	30,962	21	5.6	3.03-8.21	272	75.1	70.5-79.7	63	15.0	11.3-18.8	2	0.2	0.00-0.56	15	4.0	1.92-6.08
65+	641	51,904	93	15.5	12.4-18.6	457	72.9	69.2-76.6	72	9.4	7.13-11.7	4	0.6	0.01-1.11	15	1.7	0.80-2.56
Less Than H.S.	189	18,800	38	21.5	14.0-29.0	128	62.8	53.8-71.7	16	9.5	4.29-14.8	1	0.4	0.00-1.11	6	5.8	0.21-11.4
H.S. or G.E.D.	647	65,044	47	6.8	4.71-8.91	478	75.4	71.5-79.4	101	14.7	11.4-18.0	5	0.7	0.05-1.35	16	2.4	0.95-3.77
Some Post-H.S.	753	79,911	50	6.8	4.37-9.19	542	71.4	67.3-75.6	132	18.1	14.6-21.7	7	1.1	0.17-2.09	22	2.5	1.36-3.64
College Graduate	725	75,915	24	2.5	1.46-3.54	536	76.5	73.0-79.9	132	17.3	14.1-20.4	11	1.1	0.36-1.82	22	2.7	1.42-3.92
Less than \$15,000	236	26,069	30	12.6	6.97-18.1	154	66.1	58.0-74.3	36	15.6	9.42-21.8	4	1.5	0.00-3.28	12	4.1	1.21-7.09
\$15,000- 24,999	403	39,116	39	8.1	5.35-10.8	285	71.5	65.8-77.2	68	17.3	12.2-22.3	1	0.1	0.00-0.36	10	3.1	0.55-5.57
\$25,000- 34,999	288	27,242	17	4.9	2.47-7.37	210	72.8	66.3-79.2	51	17.4	11.8-23.1	3	1.4	0.00-3.46	7	3.5	0.48-6.48
\$35,000- 49,999	384	39,688	15	3.6	1.73-5.45	300	79.4	75.0-83.7	58	14.2	10.5-18.0	4	0.8	0.00-1.63	7	2.0	0.34-3.68
\$50,000- 74,999	358	38,864	7	1.8	0.37-3.23	276	78.6	74.0-83.2	59	16.0	11.9-20.1	5	1.1	0.06-2.18	11	2.5	0.91-4.01
\$75,000+	293	31,838	8	3.1	0.92-5.28	218	76.0	70.5-81.5	54	17.2	12.2-22.2	5	1.6	0.12-3.10	8	2.2	0.61-3.71

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 13: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3858	471,059	306	7.3	6.28-8.24	2212	56.3	54.4-58.2	1010	27.4	25.6-29.1	97	2.7	2.03-3.29	233	6.4	5.38-7.46
Male	1569	233,686	84	4.9	3.66-6.24	850	53.1	50.2-56.0	473	30.9	28.2-33.7	50	3.6	2.45-4.69	112	7.4	5.72-9.14
Female	2289	237,373	222	9.5	8.08-11.0	1362	59.5	57.0-61.9	537	23.8	21.7-25.9	47	1.8	1.21-2.31	121	5.4	4.26-6.58
Native	102	16,407	6	8.5	0.00-18.7							7	4.9	0.62-9.24	8	8.8	2.26-15.3
Non-Native	3726	451,368	297	7.2	6.25-8.13	2141	56.7	54.8-58.6	976	27.2	25.5-29.0	90	2.6	1.96-3.22	222	6.3	5.25-7.33
18-24	206	73,109	15	7.4	3.30-11.6	96	48.4	40.9-55.8	68	31.5	24.7-38.4	4	2.3	0.00-4.55	23	10.4	5.70-15.1
25-34	486	77,350	30	5.7	3.63-7.83	240	48.8	44.1-53.5	163	33.9	29.4-38.4	13	2.9	1.26-4.52	40	8.7	5.95-11.5
35-44	701	80,106	46	6.0	4.21-7.73	377	53.3	49.3-57.3	211	31.4	27.6-35.1	21	3.2	1.73-4.63	46	6.2	4.30-8.06
45-54	851	88,282	54	5.9	4.21-7.55	495	59.3	55.7-63.0	228	26.6	23.3-29.9	32	4.1	2.60-5.58	42	4.1	2.75-5.41
55-64	633	61,874	54	8.3	6.11-10.6	371	60.0	55.9-64.1	163	25.4	21.7-29.1	10	1.5	0.42-2.54	35	4.7	3.06-6.40
65+	945	87,442	105	10.4	8.32-12.5	614	67.1	63.8-70.3	170	16.6	14.1-19.2	16	1.7	0.80-2.56	40	4.2	2.72-5.66
Less Than H.S.	331	38,206	28	7.4	4.23-10.6	176	51.3	44.3-58.4	80	22.6	17.3-27.9	9	3.3	1.01-5.51	38	15.4	8.72-22.0
H.S. or G.E.D.	1104	133,294	82	7.3	5.30-9.34	592	51.9	48.3-55.5	314	29.3	26.0-32.6	37	3.8	2.38-5.20	79	7.7	5.64-9.76
Some Post-H.S.	1207	150,533	96	7.2	5.49-8.87	673	55.4	52.1-58.8	339	30.0	26.8-33.2	36	2.4	1.54-3.26	63	5.0	3.58-6.36
College Graduate	1209	148,399	99	7.1	5.50-8.76	767	62.5	59.3-65.7	276	24.2	21.3-27.1	15	1.8	0.67-2.83	52	4.4	3.06-5.76
Less than \$15,000	316	37,614	31	8.4	4.85-11.9	156	47.7	40.2-55.3	80	27.8	20.8-34.9	14	5.4	1.37-9.37	35	10.7	6.54-14.8
\$15,000- 24,999	614	67,099	41	6.3	3.64-8.86	350	55.9	50.9-60.8	160	27.0	22.6-31.5	14	2.3	0.89-3.63	49	8.6	5.73-11.5
\$25,000- 34,999	517	63,332	41	6.5	4.24-8.70	281	50.6	45.2-56.0	148	32.5	27.3-37.7	13	2.4	0.95-3.89	34	8.0	4.02-12.1
\$35,000- 49,999	695	87,530	48	7.1	4.46-9.72	399	57.6	53.3-61.8	184	25.4	21.9-29.0	18	2.6	1.32-3.82	46	7.3	4.93-9.75
\$50,000- 74,999	648	80,944	49	7.0	4.95-9.07	377	57.0	52.8-61.2	184	30.5	26.5-34.4	14	2.3	1.02-3.48	24	3.3	1.90-4.64
\$75,000+	576	74,200	43	7.0	4.59-9.33	360	61.6	57.1-66.2	149	26.6	22.3-30.8	8	2.0	0.46-3.56	16	2.8	1.37-4.27

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 14: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1569	233,686	84	4.9	3.66-6.24	850	53.1	50.2-56.0	473	30.9	28.2-33.7	50	3.6	2.45-4.69	112	7.4	5.72-9.14
Non-Native	1523	225,721	80	4.6	3.47-5.71	826	53.4	50.5-56.4	461	31.1	28.4-33.8	47	3.5	2.36-4.60	109	7.4	5.67-9.11
18-24	100	38,525	5	5.4	0.06-10.8							3	3.8	0.00-7.97	12	12.3	4.79-19.8
25-34	229	40,306	10	4.0	1.44-6.54	106	45.4	38.7-52.2	83	36.3	29.7-42.9	10	4.4	1.60-7.28	20	9.8	5.48-14.1
35-44	292	40,397	14	4.4	2.06-6.68	137	48.9	42.8-54.9	109	35.7	29.9-41.4	12	4.5	1.98-7.12	20	6.5	3.57-9.45
45-54	354	45,313	16	4.2	2.04-6.44	197	57.3	51.7-62.8	106	29.5	24.4-34.7	16	4.7	2.32-7.02	19	4.3	2.25-6.37
55-64	264	31,198	15	5.3	2.53-7.97	151	59.6	53.4-65.9	74	27.7	22.0-33.5	3	1.4	0.00-3.12	21	5.9	3.25-8.65
65+	323	37,166	23	6.7	3.87-9.59	217	69.4	64.1-74.7	59	16.6	12.5-20.8	6	1.9	0.32-3.46	18	5.3	2.78-7.88
Less Than H.S.	148	19,994	10	5.1	1.77-8.35				42	25.3	17.3-33.3	6	4.7	0.73-8.61			
H.S. or G.E.D.	466	69,199	21	5.9	2.72-9.14	246	50.1	44.8-55.5	135	29.6	24.6-34.5	22	5.4	2.91-7.93	42	8.9	5.83-12.0
Some Post-H.S.	463	71,169	28	4.9	2.86-7.02	234	50.9	45.6-56.3	155	35.1	29.9-40.3	16	2.9	1.43-4.41	30	6.1	3.72-8.46
College Graduate	488	72,883	24	3.8	2.16-5.34	295	59.6	54.7-64.6	140	29.8	25.2-34.5	6	2.2	0.20-4.12	23	4.6	2.47-6.75
Less than \$15,000	88	12,225	9	6.9	2.06-11.8												
\$15,000- 24,999	217	28,528	10	3.2	1.07-5.35	109	51.6	43.5-59.6	67	32.1	24.5-39.6	7	3.6	0.73-6.57	24	9.5	5.24-13.8
\$25,000- 34,999	233	36,348	10	3.5	1.12-5.90	115	44.4	36.8-52.1	82	39.1	31.3-46.9	8	3.1	0.78-5.44	18	9.8	3.33-16.3
\$35,000- 49,999	314	48,110	14	5.3	1.37-9.13	178	56.8	50.6-63.0	88	26.9	21.6-32.3	8	2.5	0.69-4.29	26	8.5	4.80-12.2
\$50,000- 74,999	290	42,081	15	4.9	2.36-7.42	159	54.7	48.6-60.8	96	34.0	28.1-39.9	10	3.5	1.29-5.71	10	2.9	1.06-4.74
\$75,000+	284	42,535	16	4.9	2.46-7.36	171	59.9	53.4-66.4	83	29.6	23.3-35.9	5	2.4	0.04-4.86	9	3.2	1.04-5.28

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 15: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2289	237,373	222	9.5	8.08-11.0	1362	59.5	57.0-61.9	537	23.8	21.7-25.9	47	1.8	1.21-2.31	121	5.4	4.26-6.58
Native	68	10,039	3	3.3	0.00-7.72							4	3.2	0.00-6.75	5	7.4	0.57-14.3
Non-Native	2203	225,647	217	9.8	8.28-11.3	1315	59.9	57.5-62.4	515	23.4	21.3-25.5	43	1.7	1.16-2.26	113	5.2	4.02-6.38
18-24	106	34,585	10	9.7	3.33-16.0				29	24.4	15.8-33.1	1	0.6	0.00-1.75	11	8.3	3.05-13.5
25-34	257	37,044	20	7.6	4.24-11.0	134	52.4	46.0-58.8	80	31.2	25.3-37.2	3	1.2	0.00-2.56	20	7.5	4.18-10.9
35-44	409	39,709	32	7.6	4.95-10.2	240	57.8	52.6-62.9	102	27.0	22.3-31.7	9	1.8	0.49-3.07	26	5.8	3.48-8.22
45-54	497	42,969	38	7.6	5.10-10.1	298	61.6	57.0-66.2	122	23.5	19.5-27.5	16	3.5	1.70-5.26	23	3.8	2.14-5.52
55-64	369	30,676	39	11.5	8.01-15.0	220	60.4	55.1-65.7	89	23.1	18.5-27.6	7	1.5	0.33-2.77	14	3.5	1.57-5.41
65+	622	50,275	82	13.1	10.2-16.0	397	65.4	61.3-69.4	111	16.6	13.6-19.7	10	1.5	0.53-2.53	22	3.3	1.63-5.07
Less Than H.S.	183	18,212	18	10.0	4.48-15.5	103	55.6	46.5-64.7	38	19.7	12.7-26.6	3	1.7	0.00-3.66	21	13.0	6.74-19.3
H.S. or G.E.D.	638	64,096	61	8.8	6.39-11.3	346	53.8	49.0-58.5	179	29.0	24.6-33.4	15	2.0	0.94-3.14	37	6.4	3.71-9.05
Some Post-H.S.	744	79,364	68	9.2	6.62-11.8	439	59.5	55.2-63.8	184	25.4	21.6-29.2	20	1.9	1.00-2.88	33	4.0	2.38-5.56
College Graduate	721	75,517	75	10.4	7.63-13.2	472	65.2	61.1-69.3	136	18.8	15.5-22.2	9	1.4	0.40-2.32	29	4.2	2.51-5.93
Less than \$15,000	228	25,389	22	9.1	4.40-13.8	118	53.7	44.6-62.8	56	27.1	18.8-35.4	10	3.2	0.94-5.44	22	6.9	3.75-10.1
\$15,000- 24,999	397	38,571	31	8.5	4.32-12.7	241	59.0	52.8-65.3	93	23.3	18.1-28.5	7	1.2	0.21-2.25	25	7.9	4.06-11.8
\$25,000- 34,999	284	26,984	31	10.4	6.41-14.5	166	58.8	52.1-65.5	66	23.6	17.7-29.6	5	1.5	0.11-2.89	16	5.6	2.45-8.81
\$35,000- 49,999	381	39,420	34	9.3	5.86-12.8	221	58.5	53.0-64.0	96	23.6	19.0-28.2	10	2.7	0.92-4.40	20	5.9	3.10-8.70
\$50,000- 74,999	358	38,864	34	9.3	6.06-12.6	218	59.5	53.7-65.3	88	26.6	21.3-31.9	4	0.9	0.03-1.79	14	3.7	1.63-5.71
\$75,000+	292	31,666	27	9.7	5.34-14.1	189	64.0	57.8-70.1	66	22.5	17.3-27.7	3	1.4	0.00-3.02	7	2.4	0.55-4.19

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 16: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS. (VEGETABL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3839	466,710	2332	58.8	56.9-60.7	1258	34.1	32.3-35.9	165	4.8	3.91-5.67	9	0.3	0.06-0.64	75	2.0	1.39-2.53
Male	1561	231,508	786	49.6	46.7-52.5	641	40.9	38.1-43.7	99	6.7	5.19-8.25	7	0.6	0.01-1.15	28	2.2	1.18-3.18
Female	2278	235,202	1546	67.9	65.5-70.2	617	27.4	25.1-29.6	66	2.9	2.01-3.77	2	0.1	0.00-0.30	47	1.7	1.19-2.29
Native	100	16,032				25	23.3	13.4-33.2	6	8.0	1.43-14.5				5	3.0	0.00-6.25
Non-Native	3709	447,299	2252	58.6	56.7-60.6	1220	34.4	32.5-36.2	159	4.7	3.83-5.59	9	0.4	0.06-0.68	69	1.9	1.33-2.51
18-24	199	70,929	95	49.3	41.7-56.9	80	38.4	31.0-45.8	18	8.9	4.65-13.1	2	1.1	0.00-2.79	4	2.3	0.00-4.75
25-34	476	75,737	272	56.2	51.5-60.9	164	35.3	30.8-39.9	24	5.1	3.00-7.16	1	0.1	0.00-0.36	15	3.3	1.51-5.03
35-44	695	79,483	417	59.1	55.1-63.0	226	33.4	29.6-37.2	34	4.9	3.22-6.66				18	2.6	1.27-4.01
45-54	848	88,011	481	56.5	52.9-60.2	302	36.6	33.0-40.2	44	4.9	3.40-6.46	5	0.8	0.03-1.49	16	1.2	0.56-1.86
55-64	632	61,592	389	61.1	57.0-65.2	204	33.3	29.3-37.3	28	4.1	2.52-5.66	1	0.1	0.00-0.44	10	1.4	0.42-2.38
65+	954	88,276	661	69.4	66.3-72.6	268	28.1	25.0-31.2	16	1.6	0.73-2.41				9	0.9	0.28-1.50
Less Than H.S.	324	37,474	194	56.0	48.8-63.2	106	35.9	28.7-43.1	13	5.0	1.89-8.21	1	0.5	0.00-1.54	10	2.5	0.79-4.31
H.S. or G.E.D.	1104	132,463	633	55.9	52.3-59.5	397	36.3	32.9-39.7	57	6.5	4.33-8.61	4	0.3	0.00-0.69	13	1.0	0.42-1.64
Some Post-H.S.	1196	147,973	738	60.1	56.8-63.5	376	32.5	29.3-35.8	49	4.7	3.18-6.16	2	0.1	0.00-0.37	31	2.5	1.33-3.69
College Graduate	1208	148,174	762	60.8	57.5-64.0	377	33.3	30.1-36.4	46	3.4	2.31-4.43	2	0.5	0.00-1.33	21	2.1	0.94-3.26
Less than \$15,000	323	38,383	200	61.5	54.3-68.7	93	27.2	20.8-33.6	18	6.3	2.73-9.91	3	2.3	0.00-5.41	9	2.7	0.38-5.00
\$15,000- 24,999	605	65,366	371	61.1	56.2-66.0	192	32.5	27.8-37.2	29	4.4	2.38-6.42	2	0.4	0.00-1.09	11	1.6	0.61-2.53
\$25,000- 34,999	512	62,062	297	52.4	46.9-57.8	175	35.6	30.3-40.9	22	6.8	3.37-10.2	1	0.2	0.00-0.62	17	5.1	1.95-8.19
\$35,000- 49,999	698	87,637	416	58.7	54.5-62.9	239	35.5	31.4-39.6	26	3.6	2.15-5.01	1	0.1	0.00-0.30	16	2.1	0.97-3.29
\$50,000- 74,999	642	79,950	386	57.6	53.3-61.8	221	36.8	32.6-41.0	26	4.3	2.58-6.02	1	0.2	0.00-0.71	8	1.0	0.29-1.81
\$75,000+	579	74,443	347	58.3	53.7-62.9	198	35.6	31.1-40.1	26	5.1	2.87-7.29				8	1.1	0.28-1.84

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 17: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS. (VEGETABL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1561	231,508	786	49.6	46.7-52.5	641	40.9	38.1-43.7	99	6.7	5.19-8.25	7	0.6	0.01-1.15	28	2.2	1.18-3.18
Non-Native	1515	223,340	763	49.4	46.4-52.3	623	41.3	38.4-44.2	96	6.6	5.11-8.17	7	0.6	0.01-1.19	26	2.1	1.12-3.12
18-24	97	37,367							12	12.3	5.41-19.2	1	1.5	0.00-4.57	3	3.7	0.00-8.03
25-34	223	39,251	111	49.9	43.0-56.9	90	39.9	33.1-46.6	15	6.7	3.26-10.1	1	0.2	0.00-0.68	6	3.3	0.51-6.03
35-44	292	40,397	134	46.2	40.2-52.2	132	44.6	38.6-50.6	20	6.5	3.65-9.37				6	2.7	0.40-4.94
45-54	352	45,085	166	47.5	41.9-53.1	145	42.2	36.7-47.8	30	7.6	4.82-10.3	4	1.3	0.00-2.65	7	1.4	0.29-2.45
55-64	262	30,821	139	53.1	46.7-59.6	104	40.2	33.9-46.6	14	4.7	2.19-7.21	1	0.3	0.00-0.92	4	1.6	0.00-3.32
65+	328	37,807	196	62.0	56.5-67.5	122	35.3	29.8-40.7	8	2.3	0.61-3.95				2	0.5	0.00-1.19
Less Than H.S.	143	19,469							7	5.7	0.58-10.7	1	1.0	0.00-2.96	6	3.6	0.44-6.76
H.S. or G.E.D.	467	68,821	227	48.4	43.1-53.8	199	41.3	36.0-46.5	30	8.4	4.94-11.9	4	0.6	0.00-1.34	7	1.2	0.25-2.17
Some Post-H.S.	460	70,140	224	47.4	42.1-52.7	193	42.2	36.9-47.4	32	7.3	4.57-10.1	1	0.2	0.00-0.56	10	2.8	0.67-5.03
College Graduate	487	72,637	262	53.6	48.7-58.5	189	38.7	33.9-43.4	30	4.8	2.99-6.71	1	0.8	0.00-2.35	5	2.1	0.08-4.08
Less than \$15,000	92	12,695							9	12.4	3.08-21.8	2	5.3	0.00-14.0	3	5.1	0.00-11.5
\$15,000- 24,999	213	27,802	108	55.0	47.1-62.9	87	37.0	29.5-44.5	13	5.8	2.31-9.21	2	1.0	0.00-2.54	3	1.2	0.00-2.58
\$25,000- 34,999	226	35,018	109	43.8	36.0-51.5	92	39.3	31.4-47.2	15	10.0	4.33-15.8	1	0.4	0.00-1.10	9	6.5	1.41-11.6
\$35,000- 49,999	315	48,045	157	51.0	44.8-57.2	132	41.5	35.3-47.6	20	5.5	3.01-7.95				6	2.0	0.35-3.73
\$50,000- 74,999	289	41,950	139	47.3	41.2-53.5	128	45.8	39.6-52.0	16	5.0	2.52-7.54	1	0.5	0.00-1.37	5	1.4	0.11-2.65
\$75,000+	288	42,873	151	49.7	43.2-56.2	114	42.3	35.8-48.8	21	7.5	3.85-11.1				2	0.5	0.00-1.22

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 17: FRUITS AND VEGETABLES**

TABLE 18: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS. (VEGETABL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2278	235,202	1546	67.9	65.5-70.2	617	27.4	25.1-29.6	66	2.9	2.01-3.77	2	0.1	0.00-0.30	47	1.7	1.19-2.29
Native	66	9,541							3	5.6	0.00-12.0				3	1.8	0.00-4.14
Non-Native	2194	223,959	1489	67.9	65.5-70.3	597	27.5	25.2-29.7	63	2.8	1.91-3.67	2	0.1	0.00-0.33	43	1.7	1.15-2.29
18-24	102	33,562				36	33.9	24.0-43.8	6	5.1	0.59-9.57	1	0.6	0.00-1.81	1	0.8	0.00-2.40
25-34	253	36,486	161	62.9	56.6-69.2	74	30.5	24.5-36.5	9	3.4	1.16-5.56				9	3.3	1.12-5.40
35-44	403	39,086	283	72.3	67.8-76.9	94	21.8	17.6-25.9	14	3.3	1.41-5.21				12	2.6	1.07-4.13
45-54	496	42,926	315	66.0	61.5-70.4	157	30.6	26.3-35.0	14	2.1	0.96-3.32	1	0.2	0.00-0.59	9	1.0	0.33-1.75
55-64	370	30,772	250	69.0	64.1-74.0	100	26.3	21.6-31.1	14	3.5	1.56-5.40				6	1.2	0.20-2.12
65+	626	50,468	465	75.0	71.4-78.7	146	22.7	19.2-26.2	8	1.0	0.27-1.83				7	1.2	0.29-2.09
Less Than H.S.	181	18,005	123	66.5	57.8-75.2	48	27.7	19.4-36.0	6	4.4	0.76-8.02				4	1.4	0.01-2.83
H.S. or G.E.D.	637	63,642	406	63.9	59.3-68.4	198	30.9	26.6-35.2	27	4.4	2.02-6.72				6	0.8	0.10-1.56
Some Post-H.S.	736	77,833	514	71.6	67.7-75.6	183	23.8	20.0-27.6	17	2.3	1.02-3.48	1	0.1	0.00-0.33	21	2.2	1.17-3.25
College Graduate	721	75,537	500	67.6	63.5-71.8	188	28.0	24.0-32.1	16	1.9	0.92-2.96	1	0.3	0.00-0.80	16	2.1	0.94-3.30
Less than \$15,000	231	25,688	159	71.6	64.0-79.2	56	22.8	15.6-29.9	9	3.3	0.89-5.71	1	0.8	0.00-2.35	6	1.5	0.27-2.77
\$15,000- 24,999	392	37,563	263	65.6	59.4-71.9	105	29.1	23.0-35.2	16	3.4	0.99-5.81				8	1.8	0.51-3.17
\$25,000- 34,999	286	27,044	188	63.5	56.7-70.2	83	30.8	24.2-37.4	7	2.5	0.63-4.39				8	3.2	0.55-5.81
\$35,000- 49,999	383	39,592	259	68.0	62.7-73.2	107	28.3	23.2-33.4	6	1.3	0.18-2.34	1	0.2	0.00-0.65	10	2.2	0.71-3.77
\$50,000- 74,999	353	38,000	247	68.8	63.3-74.4	93	27.0	21.6-32.3	10	3.5	1.18-5.80				3	0.7	0.00-1.50
\$75,000+	291	31,570	196	69.9	64.3-75.5	84	26.5	21.2-31.8	5	1.8	0.19-3.45				6	1.8	0.25-3.39

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 18: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? (JOBACTIV)	
1	MALES AND FEMALES	208
2	MALES ONLY	209
3	FEMALES ONLY	210
	WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE PHYSICAL ACTIVITIES YOU DO [FILL IN (WHEN YOU ARE NOT WORKING) IF EMPLOYED OR SELF-EMPLOYED TO CORE Q12.8] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SMALL INCREASES IN BREATHING OR HEART RATE? (MODPACT)	
4	MALES AND FEMALES	211
5	MALES ONLY	212
6	FEMALES ONLY	213
	HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)	
7	MALES AND FEMALES	214
8	MALES ONLY	215
9	FEMALES ONLY	216
	ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)	
10	MALES AND FEMALES	217
11	MALES ONLY	218
12	FEMALES ONLY	219
	[WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE.] NOW THINKING ABOUT THE VIGOROUS PHYSICAL ACTIVITIES YOU DO [FILL IN (WHEN YOU ARE NOT WORKING) IF EMPLOYED OR SELF-EMPLOYED TO CORE Q12.8] IN A WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)	
13	MALES AND FEMALES	220
14	MALES ONLY	221
15	FEMALES ONLY	222

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005

SECTION 18: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)	
16	MALES AND FEMALES	223
17	MALES ONLY	224
18	FEMALES ONLY	225
	ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)	
19	MALES AND FEMALES	226
20	MALES ONLY	227
21	FEMALES ONLY	228

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 1: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? (JOBACTIV)

Denominator excludes: Respondents that are NOT employed,
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2491	312,834	1527	57.8	55.5-60.1	583	24.0	22.1-26.0	381	18.2	16.2-20.1
Male	1136	172,332	602	51.1	47.8-54.5	249	21.8	19.1-24.5	285	27.0	23.9-30.2
Female	1355	140,502	925	65.9	62.9-69.0	334	26.8	23.9-29.7	96	7.3	5.59-8.93
Non-Native	2433	304,715	1495	58.1	55.7-60.4	567	24.0	22.0-26.0	371	17.9	15.9-19.9
18-24	124	41,976	51	39.6	30.2-48.9	42	31.1	22.5-39.8	31	29.3	19.9-38.7
25-34	404	64,478	247	59.3	54.2-64.4	89	22.3	18.0-26.6	68	18.4	14.3-22.5
35-44	608	69,821	375	60.1	55.9-64.3	136	22.0	18.5-25.6	97	17.9	14.5-21.3
45-54	733	77,157	474	62.8	58.9-66.6	163	23.3	19.9-26.6	96	14.0	11.2-16.8
55-64	445	43,983	270	58.8	53.8-63.8	110	24.4	20.1-28.7	65	16.8	12.9-20.8
65+	161	14,293	102	63.5	55.2-71.7	39	24.4	16.9-31.9	20	12.1	6.73-17.5
H.S. or G.E.D.	648	81,987	323	45.1	40.7-49.5	166	26.8	22.7-31.0	159	28.1	23.8-32.4
Some Post-H.S.	809	101,874	479	54.9	50.8-59.0	183	23.8	20.4-27.2	147	21.3	17.7-24.9
College Graduate	923	114,096	671	71.7	68.3-75.0	200	21.6	18.6-24.6	52	6.7	4.68-8.80
\$15,000- 24,999	310	34,993	156	50.1	42.8-57.4	94	26.9	20.8-32.9	60	23.0	16.2-29.9
\$25,000- 34,999	342	44,165	194	47.2	40.5-53.8	77	25.2	19.4-31.0	71	27.6	20.7-34.6
\$35,000- 49,999	526	66,641	324	58.1	53.3-62.9	117	22.6	18.6-26.7	85	19.3	15.2-23.3
\$50,000- 74,999	544	66,689	360	64.1	59.6-68.5	117	22.6	18.6-26.6	67	13.3	10.2-16.5
\$75,000+	473	61,575	346	71.4	66.8-76.0	88	18.1	14.5-21.8	39	10.5	6.99-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 2: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? (JOBACTIV)

Denominator excludes: Respondents that are NOT employed,

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1136	172,332	602	51.1	47.8-54.5	249	21.8	19.1-24.5	285	27.0	23.9-30.2
Non-Native	1109	167,697	588	51.2	47.8-54.6	241	21.8	19.0-24.5	280	27.0	23.8-30.2
18-24	65	24,019				13	18.7	8.82-28.5			
25-34	205	36,358	110	50.6	43.5-57.8	44	23.0	16.9-29.1	51	26.4	20.0-32.8
35-44	266	37,082	144	53.9	47.6-60.3	52	19.9	14.8-25.0	70	26.1	20.6-31.7
45-54	320	41,994	170	53.8	47.9-59.7	79	25.3	20.2-30.4	71	20.9	16.3-25.6
55-64	207	24,862	112	54.8	47.6-62.0	44	20.0	14.3-25.7	51	25.2	18.8-31.5
65+	69	7,726							12	14.1	6.04-22.3
H.S. or G.E.D.	324	48,919	128	36.5	30.7-42.2	77	24.1	18.8-29.5	119	39.4	33.2-45.6
Some Post-H.S.	358	55,148	159	44.2	38.3-50.1	89	23.9	19.0-28.7	110	31.9	26.3-37.6
College Graduate	391	58,442	288	72.9	67.9-77.8	66	17.0	13.0-21.0	37	10.1	6.49-13.8
\$15,000- 24,999	117	16,840				27	19.9	12.0-27.9			
\$25,000- 34,999	170	28,225	72	37.6	29.0-46.3	42	24.9	17.2-32.6	56	37.4	27.8-47.1
\$35,000- 49,999	245	37,456	119	47.3	40.5-54.2	56	22.4	16.8-28.1	70	30.2	23.7-36.7
\$50,000- 74,999	250	35,394	149	58.6	52.2-65.0	48	20.5	15.1-25.8	53	20.9	15.7-26.1
\$75,000+	248	37,457	168	67.4	60.9-73.9	48	17.4	12.6-22.3	32	15.2	9.75-20.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 3: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? (JOBACTIV)

Denominator excludes: Respondents that are NOT employed,

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1355	140,502	925	65.9	62.9-69.0	334	26.8	23.9-29.7	96	7.3	5.59-8.93
Non-Native	1324	137,018	907	66.5	63.4-69.6	326	26.7	23.8-29.6	91	6.8	5.21-8.47
18-24	59	17,958							3	6.8	0.00-14.5
25-34	199	28,120	137	70.5	63.9-77.1	45	21.4	15.5-27.4	17	8.1	4.25-11.9
35-44	342	32,739	231	67.0	61.7-72.4	84	24.4	19.6-29.3	27	8.6	5.21-11.9
45-54	413	35,163	304	73.5	68.9-78.0	84	20.8	16.6-25.1	25	5.7	3.43-7.93
55-64	238	19,121	158	64.0	57.4-70.6	66	30.0	23.7-36.4	14	6.0	2.77-9.19
65+	92	6,567							8	9.7	2.88-16.6
H.S. or G.E.D.	324	33,069	195	57.9	51.4-64.4	89	30.8	24.4-37.3	40	11.3	7.66-14.9
Some Post-H.S.	451	46,726	320	67.5	62.2-72.9	94	23.7	18.8-28.6	37	8.8	5.24-12.3
College Graduate	532	55,653	383	70.4	65.8-75.0	134	26.4	22.0-30.8	15	3.2	1.50-4.84
Less than \$15,000	63	7,643							10	12.7	4.11-21.3
\$15,000- 24,999	193	18,153	102	54.3	45.0-63.6	67	33.3	24.7-42.0	24	12.4	6.39-18.4
\$25,000- 34,999	172	15,939	122	64.0	55.0-72.9	35	25.7	17.2-34.2	15	10.3	4.87-15.8
\$35,000- 49,999	281	29,184	205	71.9	65.9-77.9	61	22.8	17.2-28.5	15	5.2	2.47-7.99
\$50,000- 74,999	294	31,295	211	70.3	64.2-76.4	69	25.0	19.1-30.8	14	4.8	2.14-7.40
\$75,000+	225	24,118	178	77.5	71.7-83.4	40	19.3	13.7-24.8	7	3.2	0.81-5.63

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 4: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE PHYSICAL ACTIVITIES YOU DO [FILL IN (WHEN YOU ARE NOT WORKING) IF EMPLOYED OR SELF-EMPLOYED TO CORE Q12.8] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SMALL INCREASES IN BREATHING OR HEART RATE? (MODPACT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3897	472,548	3360	87.2	86.0-88.4	537	12.8	11.6-14.0
Male	1585	234,201	1335	85.8	83.9-87.7	250	14.2	12.3-16.1
Female	2312	238,347	2025	88.5	87.0-90.0	287	11.5	10.0-13.0
Native	101	16,322	77	77.8	68.1-87.6	24	22.1	12.4-31.9
Non-Native	3763	452,726	3258	87.6	86.4-88.8	505	12.4	11.2-13.6
18-24	201	71,054	183	91.4	87.3-95.4	18	8.6	4.56-12.7
25-34	484	77,293	439	90.9	88.3-93.6	45	9.1	6.41-11.7
35-44	700	80,058	630	90.3	88.0-92.6	70	9.7	7.37-12.0
45-54	858	88,801	775	90.7	88.6-92.8	83	9.3	7.15-11.4
55-64	638	62,158	536	82.8	79.6-86.1	102	17.2	13.9-20.4
65+	981	90,590	766	77.6	74.7-80.5	215	22.4	19.5-25.3
Less Than H.S.	338	38,672	215	63.4	56.8-69.9	123	36.6	30.1-43.2
H.S. or G.E.D.	1122	134,428	946	85.7	83.4-88.0	176	14.3	12.0-16.6
Some Post-H.S.	1216	150,453	1092	90.6	88.8-92.4	124	9.4	7.63-11.2
College Graduate	1214	148,369	1101	91.2	89.5-93.0	113	8.8	7.00-10.5
Less than \$15,000	329	38,879	236	78.6	73.5-83.7	93	21.4	16.3-26.5
\$15,000- 24,999	616	66,717	509	82.1	78.5-85.8	107	17.9	14.2-21.5
\$25,000- 34,999	520	62,857	447	86.8	83.6-90.1	73	13.1	9.90-16.4
\$35,000- 49,999	704	88,686	641	91.2	88.8-93.7	63	8.8	6.34-11.2
\$50,000- 74,999	649	81,004	590	91.9	89.8-94.1	59	8.1	5.94-10.2
\$75,000+	577	73,804	530	91.8	89.3-94.2	47	8.3	5.84-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 5: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE PHYSICAL ACTIVITIES YOU DO [FILL IN (WHEN YOU ARE NOT WORKING) IF EMPLOYED OR SELF-EMPLOYED TO CORE Q12.8] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SMALL INCREASES IN BREATHING OR HEART RATE? (MODPACT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1585	234,201	1335	85.8	83.9-87.7	250	14.2	12.3-16.1
Non-Native	1537	225,763	1298	86.0	84.1-88.0	239	13.9	12.0-15.9
18-24	97	37,150	88	90.3	83.9-96.6	9	9.7	3.43-16.1
25-34	228	40,398	204	89.4	85.3-93.6	24	10.6	6.41-14.7
35-44	293	40,469	259	89.7	86.2-93.2	34	10.3	6.82-13.8
45-54	359	45,704	312	88.0	84.5-91.6	47	12.0	8.44-15.5
55-64	268	31,481	213	79.2	74.0-84.4	55	20.8	15.6-26.0
65+	334	38,348	254	76.9	72.1-81.7	80	23.1	18.3-27.9
Less Than H.S.	149	20,114	90	62.5	52.7-72.3	59	37.5	27.7-47.3
H.S. or G.E.D.	473	69,471	384	83.6	80.0-87.2	89	16.4	12.8-20.0
Some Post-H.S.	468	71,187	418	90.2	87.3-93.1	50	9.8	6.94-12.7
College Graduate	491	72,988	439	90.0	87.0-92.9	52	10.0	7.11-13.0
Less than \$15,000	93	12,930	65	79.6	71.2-88.0	28	20.4	12.0-28.8
\$15,000- 24,999	216	28,149	164	75.8	69.2-82.5	52	24.2	17.5-30.8
\$25,000- 34,999	231	35,541	192	85.9	81.0-90.7	39	14.1	9.27-19.0
\$35,000- 49,999	321	49,147	282	88.5	84.5-92.4	39	11.5	7.59-15.5
\$50,000- 74,999	291	42,141	270	93.5	90.7-96.3	21	6.5	3.67-9.31
\$75,000+	287	42,689	252	88.6	84.8-92.4	35	11.4	7.56-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 6: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE PHYSICAL ACTIVITIES YOU DO [FILL IN (WHEN YOU ARE NOT WORKING) IF EMPLOYED OR SELF-EMPLOYED TO CORE Q12.8] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SMALL INCREASES IN BREATHING OR HEART RATE? (MODPACT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2312	238,347	2025	88.5	87.0-90.0	287	11.5	10.0-13.0
Non-Native	2226	226,963	1960	89.2	87.8-90.6	266	10.8	9.38-12.2
18-24	104	33,904	95	92.6	87.5-97.6	9	7.4	2.40-12.5
25-34	256	36,895	235	92.5	89.3-95.7	21	7.5	4.27-10.7
35-44	407	39,589	371	91.0	88.0-94.0	36	9.0	6.03-12.0
45-54	499	43,097	463	93.5	91.3-95.8	36	6.4	4.16-8.74
55-64	370	30,676	323	86.6	82.7-90.5	47	13.4	9.55-17.3
65+	647	52,241	512	78.1	74.5-81.7	135	21.9	18.3-25.5
Less Than H.S.	189	18,558	125	64.3	55.6-73.0	64	35.7	27.0-44.4
H.S. or G.E.D.	649	64,957	562	88.0	85.2-90.8	87	12.0	9.24-14.8
Some Post-H.S.	748	79,267	674	90.9	88.7-93.2	74	9.1	6.83-11.3
College Graduate	723	75,381	662	92.5	90.5-94.4	61	7.5	5.56-9.48
Less than \$15,000	236	25,949	171	78.1	71.8-84.4	65	21.9	15.6-28.2
\$15,000- 24,999	400	38,567	345	86.7	82.8-90.6	55	13.3	9.37-17.2
\$25,000- 34,999	289	27,317	255	88.1	84.1-92.2	34	11.9	7.83-15.9
\$35,000- 49,999	383	39,539	359	94.6	92.4-96.9	24	5.3	3.10-7.60
\$50,000- 74,999	358	38,864	320	90.2	86.9-93.5	38	9.8	6.55-13.1
\$75,000+	290	31,114	278	96.0	93.7-98.3	12	4.0	1.68-6.30

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 7: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3342	410,321	132	3.6	2.86-4.28	286	8.5	7.41-9.69
Male	1328	200,229	57	3.9	2.85-5.05	112	8.6	6.87-10.4
Female	2014	210,092	75	3.2	2.31-4.11	174	8.5	7.01-9.91
Native	76	12,562	2	1.4	0.00-3.58	7	7.1	1.12-13.2
Non-Native	3244	395,428	127	3.6	2.85-4.27	279	8.6	7.47-9.83
18-24	182	64,770	6	2.8	0.42-5.16	21	10.9	6.10-15.7
25-34	437	69,939	10	2.5	0.87-4.09	38	8.0	5.41-10.5
35-44	630	72,310	21	3.3	1.87-4.81	54	8.5	6.19-10.8
45-54	771	80,276	27	3.2	1.88-4.58	60	7.8	5.73-9.85
55-64	534	51,270	34	6.3	4.05-8.45	46	8.3	5.82-10.8
65+	757	69,646	33	4.1	2.62-5.60	65	8.1	6.12-10.1
Less Than H.S.	211	24,161	14	6.5	2.71-10.4	25	9.4	5.41-13.4
H.S. or G.E.D.	937	114,328	44	4.5	2.86-6.12	92	10.7	8.11-13.2
Some Post-H.S.	1088	135,984	45	3.7	2.49-4.93	92	7.8	6.00-9.64
College Graduate	1100	135,293	28	2.1	1.26-2.94	76	7.3	5.49-9.17
Less than \$15,000	233	30,244	19	4.8	2.40-7.30	20	7.5	2.89-12.1
\$15,000- 24,999	503	54,243	24	4.3	2.38-6.30	50	8.2	5.59-10.8
\$25,000- 34,999	444	54,359	18	4.2	1.98-6.48	36	8.4	5.24-11.5
\$35,000- 49,999	640	80,781	18	2.8	1.38-4.20	59	9.5	6.84-12.1
\$50,000- 74,999	589	74,373	19	2.9	1.51-4.25	45	8.2	5.67-10.8
\$75,000+	529	67,626	17	3.0	1.57-4.51	39	7.5	4.99-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 7: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

N	3 or more days		N	None or <10 mins per week	
	%	C.I. (95%)		%	C.I. (95%)
2919	87.7	86.4-89.1	5	0.1	0.01-0.25
1157	87.2	85.2-89.3	2	0.2	0.00-0.38
1762	88.2	86.6-89.9	3	0.1	0.00-0.22
67	91.5	85.1-97.9			
2833	87.7	86.3-89.0	5	0.1	0.00-0.28
155	86.3	81.1-91.6			
389	89.6	86.6-92.5			
555	88.2	85.5-90.9			
683	88.9	86.5-91.3	1	0.0	0.00-0.15
454	85.4	82.2-88.6			
655	87.0	84.5-89.6	4	0.7	0.00-1.44
171	83.8	78.3-89.3	1	0.3	0.00-0.86
800	84.8	81.9-87.7	1	0.0	0.00-0.12
950	88.4	86.2-90.5	1	0.1	0.00-0.36
994	90.4	88.4-92.4	2	0.2	0.00-0.47
194	87.7	82.5-92.8			
428	87.4	84.2-90.6	1	0.1	0.00-0.24
390	87.4	83.6-91.2			
560	87.2	84.3-90.2	3	0.5	0.00-1.14
525	88.9	86.1-91.7			
473	89.5	86.6-92.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY

TABLE 8: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY

TABLE 9: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 10: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3355	411,390	374	10.1	8.93-11.3	509	14.5	13.2-15.8	2472	75.4	73.7-77.0
Male	1333	200,648	136	9.6	7.76-11.5	194	13.7	11.7-15.7	1003	76.6	74.1-79.2
Female	2022	210,742	238	10.6	9.09-12.1	315	15.2	13.5-17.0	1469	74.1	71.9-76.4
Native	77	12,707	8	8.2	1.95-14.4	12	14.6	5.87-23.3			
Non-Native	3253	396,152	360	10.1	8.91-11.3	495	14.5	13.2-15.9	2398	75.3	73.6-77.0
18-24	183	64,915	12	6.6	2.15-11.0	20	9.4	5.16-13.6	151	84.0	78.2-89.9
25-34	439	70,272	31	7.3	4.74-9.88	87	18.8	15.1-22.6	321	73.8	69.6-78.1
35-44	630	72,310	59	9.0	6.66-11.4	97	14.8	11.9-17.7	474	76.1	72.6-79.6
45-54	774	80,512	74	9.2	6.98-11.4	123	15.8	13.0-18.5	577	75.0	71.7-78.3
55-64	536	51,491	65	12.3	9.32-15.4	67	12.3	9.37-15.3	404	75.3	71.4-79.2
65+	762	69,781	130	16.9	14.0-19.8	112	14.8	12.1-17.6	520	68.3	64.7-71.9
Less Than H.S.	214	24,437	39	21.8	12.9-30.7	23	10.4	5.84-14.9	152	67.9	58.9-76.9
H.S. or G.E.D.	945	115,183	119	10.9	8.84-13.0	116	10.9	8.67-13.1	710	78.2	75.3-81.1
Some Post-H.S.	1091	136,103	128	9.6	7.70-11.5	158	13.9	11.6-16.2	805	76.4	73.6-79.3
College Graduate	1099	135,113	87	7.8	6.03-9.67	211	18.9	16.3-21.5	801	73.2	70.2-76.2
Less than \$15,000	236	30,559	36	10.4	6.53-14.3	36	10.9	6.95-14.9	164	78.6	73.0-84.3
\$15,000- 24,999	508	54,740	70	11.4	8.41-14.5	81	16.5	12.4-20.7	357	72.0	67.2-76.8
\$25,000- 34,999	447	54,590	62	14.4	9.63-19.2	58	13.0	9.34-16.7	327	72.6	67.1-78.0
\$35,000- 49,999	638	80,481	66	9.5	7.08-11.9	98	14.6	11.7-17.6	474	75.9	72.3-79.5
\$50,000- 74,999	590	74,458	49	8.3	5.86-10.6	98	16.0	12.9-19.1	443	75.7	72.0-79.4
\$75,000+	530	67,712	41	6.9	4.75-9.15	84	15.4	12.1-18.8	405	77.6	73.8-81.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 11: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1333	200,648	136	9.6	7.76-11.5	194	13.7	11.7-15.7	1003	76.6	74.1-79.2
Non-Native	1296	193,952	131	9.6	7.69-11.5	188	13.8	11.7-15.8	977	76.7	74.0-79.3
18-24	88	33,533	5	6.7	0.00-13.6	7	8.0	2.14-13.8	76	85.3	76.7-94.0
25-34	204	36,128	14	7.1	3.45-10.8	36	17.3	11.9-22.7	154	75.6	69.5-81.7
35-44	259	36,289	21	7.9	4.51-11.4	38	14.4	10.0-18.8	200	77.6	72.4-82.9
45-54	312	40,235	29	8.7	5.41-11.9	44	13.7	9.69-17.6	239	77.7	72.8-82.5
55-64	213	24,936	27	13.3	8.33-18.2	31	14.1	9.28-19.0	155	72.6	66.3-79.0
65+	252	29,169	39	16.3	11.4-21.2	38	15.0	10.3-19.7	175	68.6	62.5-74.7
Less Than H.S.	90	12,577				9	8.0	2.47-13.6			
H.S. or G.E.D.	384	58,093	46	10.2	7.08-13.2	41	9.7	6.43-13.0	297	80.1	75.8-84.4
Some Post-H.S.	417	64,033	35	7.5	4.79-10.1	53	11.8	8.59-15.0	329	80.7	76.7-84.7
College Graduate	438	65,505	35	7.9	5.19-10.6	90	20.3	16.1-24.5	313	71.8	67.2-76.5
Less than \$15,000	65	10,292	8	8.9	2.05-15.8	12	12.3	4.76-19.9			
\$15,000- 24,999	164	21,349	26	14.2	8.12-20.3	17	10.0	4.46-15.5	121	75.8	68.1-83.5
\$25,000- 34,999	192	30,520	21	12.7	5.23-20.1	28	13.0	7.76-18.3	143	74.3	66.1-82.5
\$35,000- 49,999	280	43,163	29	9.8	6.19-13.4	38	11.8	7.98-15.7	213	78.3	73.3-83.4
\$50,000- 74,999	270	39,404	21	8.1	4.62-11.6	46	17.4	12.7-22.1	203	74.5	69.0-80.0
\$75,000+	252	37,840	19	6.6	3.59-9.59	38	15.2	10.3-20.0	195	78.3	72.8-83.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 12: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2022	210,742	238	10.6	9.09-12.1	315	15.2	13.5-17.0	1469	74.1	71.9-76.4
Non-Native	1957	202,200	229	10.6	9.10-12.2	307	15.3	13.5-17.1	1421	74.1	71.8-76.3
18-24	95	31,382	7	6.5	1.11-11.9	13	10.9	4.76-17.0	75	82.6	74.8-90.4
25-34	235	34,143	17	7.5	3.95-11.1	51	20.5	15.2-25.8	167	72.0	66.1-77.9
35-44	371	36,021	38	10.2	6.86-13.5	59	15.2	11.5-19.0	274	74.6	70.0-79.2
45-54	462	40,276	45	9.7	6.77-12.7	79	17.9	14.1-21.7	338	72.4	68.0-76.8
55-64	323	26,555	38	11.5	7.89-15.1	36	10.7	7.15-14.2	249	77.8	73.1-82.6
65+	510	40,612	91	17.3	13.8-20.8	74	14.7	11.3-18.1	345	68.0	63.6-72.4
Less Than H.S.	124	11,860	19	15.6	7.89-23.3	14	12.8	5.75-19.9	91	71.6	61.8-81.3
H.S. or G.E.D.	561	57,090	73	11.7	8.90-14.6	75	12.0	9.13-15.0	413	76.2	72.3-80.1
Some Post-H.S.	674	72,070	93	11.5	8.81-14.3	105	15.8	12.5-19.1	476	72.6	68.7-76.6
College Graduate	661	69,608	52	7.8	5.33-10.3	121	17.7	14.5-20.9	488	74.5	70.7-78.3
Less than \$15,000	171	20,266	28	11.2	6.46-15.9	24	10.3	5.61-14.9	119	78.5	71.8-85.3
\$15,000- 24,999	344	33,391	44	9.7	6.65-12.7	64	20.7	15.0-26.5	236	69.6	63.5-75.7
\$25,000- 34,999	255	24,070	41	16.6	11.1-22.0	30	13.1	7.95-18.2	184	70.4	63.6-77.1
\$35,000- 49,999	358	37,318	37	9.1	6.05-12.1	60	17.8	13.4-22.3	261	73.1	68.0-78.1
\$50,000- 74,999	320	35,055	28	8.4	5.20-11.6	52	14.4	10.5-18.4	240	77.2	72.3-82.0
\$75,000+	278	29,871	22	7.4	4.17-10.6	46	15.8	11.4-20.2	210	76.8	71.6-81.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 13: [WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE.] NOW THINKING ABOUT THE VIGOROUS PHYSICAL ACTIVITIES YOU DO [FILL IN (WHEN YOU ARE NOT WORKING) IF EMPLOYED OR SELF-EMPLOYED TO CORE Q12.8] IN A WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3863	469,785	1758	50.7	48.8-52.6	2105	49.3	47.4-51.2
Male	1578	234,450	860	58.8	56.0-61.6	718	41.2	38.4-44.0
Female	2285	235,335	898	42.6	40.1-45.1	1387	57.4	54.9-59.9
Non-Native	3729	449,895	1707	50.7	48.8-52.7	2022	49.3	47.3-51.2
18-24	202	71,448	139	70.7	63.9-77.4	63	29.3	22.6-36.1
25-34	479	76,569	293	61.9	57.3-66.5	186	38.1	33.5-42.7
35-44	697	79,795	381	56.1	52.2-60.0	316	43.9	40.0-47.8
45-54	851	88,135	416	50.5	46.8-54.2	435	49.5	45.8-53.2
55-64	632	61,620	252	41.3	37.1-45.4	380	58.7	54.6-62.9
65+	967	89,578	264	27.3	24.2-30.4	703	72.7	69.6-75.8
Less Than H.S.	335	38,308	103	40.6	33.2-48.0	232	59.4	52.0-66.8
H.S. or G.E.D.	1117	134,753	444	45.9	42.3-49.6	673	54.0	50.4-57.7
Some Post-H.S.	1200	148,853	554	51.8	48.4-55.2	646	48.2	44.8-51.6
College Graduate	1204	147,245	654	56.5	53.3-59.8	550	43.5	40.2-46.7
Less than \$15,000	328	38,334	98	43.0	35.3-50.8	230	56.9	49.2-64.7
\$15,000- 24,999	611	66,413	227	42.4	37.3-47.4	384	57.6	52.6-62.7
\$25,000- 34,999	514	62,348	226	50.1	44.7-55.5	288	49.9	44.6-55.3
\$35,000- 49,999	697	88,073	329	51.3	47.0-55.5	368	48.7	44.5-53.0
\$50,000- 74,999	645	80,491	338	55.4	51.2-59.6	307	44.6	40.4-48.8
\$75,000+	571	73,328	345	62.0	57.6-66.4	226	38.0	33.6-42.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 14: [WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE.] NOW THINKING ABOUT THE VIGOROUS PHYSICAL ACTIVITIES YOU DO [FILL IN (WHEN YOU ARE NOT WORKING) IF EMPLOYED OR SELF-EMPLOYED TO CORE Q12.8] IN A WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1578	234,450	860	58.8	56.0-61.6	718	41.2	38.4-44.0
Non-Native	1530	225,913	837	58.7	55.9-61.5	693	41.3	38.5-44.1
18-24	99	38,090	78	80.4	72.3-88.6	21	19.6	11.4-27.7
25-34	227	40,305	157	69.1	62.8-75.4	70	30.9	24.6-37.2
35-44	293	40,469	189	64.6	58.8-70.3	104	35.4	29.7-41.2
45-54	357	45,508	209	58.9	53.4-64.5	148	41.1	35.5-46.6
55-64	266	31,229	112	42.9	36.5-49.2	154	57.1	50.8-63.5
65+	329	38,067	112	33.5	28.1-38.9	217	66.5	61.1-71.9
H.S. or G.E.D.	471	70,006	227	53.8	48.5-59.0	244	46.2	41.0-51.5
Some Post-H.S.	464	70,966	263	60.5	55.4-65.5	201	39.5	34.5-44.6
College Graduate	491	72,988	308	64.0	59.2-68.7	183	36.0	31.3-40.8
\$15,000- 24,999	217	28,504	94	51.3	43.4-59.3	123	48.6	40.7-56.6
\$25,000- 34,999	230	35,415	117	57.2	49.6-64.8	113	42.8	35.2-50.4
\$35,000- 49,999	317	48,821	169	57.0	51.0-63.0	148	43.0	37.0-49.0
\$50,000- 74,999	291	42,141	186	64.2	58.3-70.0	105	35.8	30.0-41.7
\$75,000+	285	42,498	185	65.8	59.7-72.0	100	34.1	28.0-40.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 15: [WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE.] NOW THINKING ABOUT THE VIGOROUS PHYSICAL ACTIVITIES YOU DO [FILL IN (WHEN YOU ARE NOT WORKING) IF EMPLOYED OR SELF-EMPLOYED TO CORE Q12.8] IN A WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2285	235,335	898	42.6	40.1-45.1	1387	57.4	54.9-59.9
Non-Native	2199	223,981	870	42.6	40.2-45.1	1329	57.3	54.9-59.8
25-34	252	36,263	136	53.8	47.4-60.3	116	46.1	39.7-52.6
35-44	404	39,326	192	47.4	42.3-52.6	212	52.6	47.4-57.7
45-54	494	42,627	207	41.5	36.8-46.2	287	58.5	53.8-63.2
55-64	366	30,390	140	39.7	34.3-45.0	226	60.3	55.0-65.7
65+	638	51,511	152	22.7	19.2-26.2	486	77.3	73.8-80.8
Less Than H.S.	187	18,258	43	28.3	18.9-37.7	144	71.7	62.3-81.1
H.S. or G.E.D.	646	64,747	217	37.5	32.6-42.3	429	62.5	57.7-67.4
Some Post-H.S.	736	77,887	291	43.9	39.5-48.4	445	56.1	51.6-60.5
College Graduate	713	74,257	346	49.2	45.0-53.5	367	50.8	46.5-55.0
Less than \$15,000	235	25,404	61	38.0	28.4-47.5	174	62.0	52.5-71.6
\$15,000- 24,999	394	37,909	133	35.6	29.5-41.7	261	64.4	58.3-70.5
\$25,000- 34,999	284	26,933	109	40.6	33.8-47.5	175	59.3	52.5-66.2
\$35,000- 49,999	380	39,252	160	44.1	38.5-49.8	220	55.9	50.2-61.5
\$50,000- 74,999	354	38,350	152	45.8	39.8-51.8	202	54.2	48.2-60.2
\$75,000+	286	30,830	160	56.8	50.6-62.9	126	43.3	37.1-49.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 16: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)

Denominator excludes: Respondents reporting no vigorous physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1745	236,934	355	20.1	17.9-22.3	386	21.2	19.0-23.5
Male	856	137,259	179	20.4	17.3-23.6	195	22.0	18.8-25.2
Female	889	99,675	176	19.6	16.5-22.8	191	20.2	17.1-23.2
Non-Native	1694	227,096	348	20.4	18.1-22.7	375	21.4	19.1-23.7
18-24	139	50,502	22	15.9	9.27-22.5	31	21.0	13.9-28.1
25-34	292	47,206	63	22.8	17.6-28.0	67	21.1	16.3-25.8
35-44	381	44,773	75	20.0	15.8-24.2	92	23.6	19.1-28.2
45-54	412	44,039	94	23.2	18.8-27.7	92	21.8	17.5-26.1
55-64	251	25,394	50	18.9	13.9-24.0	43	16.6	11.8-21.5
65+	257	24,023	50	19.6	14.2-24.9	57	21.3	16.0-26.7
Less Than H.S.	100	15,336	22	19.2	10.1-28.3	20	16.2	8.10-24.4
H.S. or G.E.D.	440	61,597	86	20.2	15.4-24.9	98	21.0	16.3-25.7
Some Post-H.S.	550	76,641	112	19.9	15.9-24.0	127	22.2	18.2-26.3
College Graduate	652	83,102	134	20.3	16.9-23.7	141	21.5	17.8-25.2
Less than \$15,000	96	16,435	13	14.9	5.07-24.8	24	20.9	10.9-30.9
\$15,000- 24,999	224	27,975	43	18.5	12.3-24.7	51	23.8	16.8-30.9
\$25,000- 34,999	225	31,027	44	21.0	14.3-27.7	58	24.3	17.0-31.5
\$35,000- 49,999	324	44,612	72	21.1	16.0-26.1	74	19.5	15.0-24.1
\$50,000- 74,999	338	44,602	82	24.0	19.1-28.9	82	24.6	19.6-29.6
\$75,000+	344	45,434	64	18.3	13.7-22.9	59	17.7	13.1-22.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 16: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)

Denominator excludes: Respondents reporting no vigorous physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

N	3 or more days		N	None or <10 mins per week	
	%	C.I. (95%)		%	C.I. (95%)
1000	58.4	55.6-61.2	4	0.2	0.00-0.47
481	57.4	53.5-61.3	1	0.1	0.00-0.36
519	59.8	55.9-63.7	3	0.4	0.00-0.87
967	57.9	55.1-60.8	4	0.2	0.00-0.49
86	63.1	54.4-71.7			
162	56.1	50.1-62.1			
212	55.8	50.4-61.1	2	0.6	0.00-1.62
226	55.0	49.8-60.2			
157	64.0	57.7-70.3	1	0.4	0.00-1.11
149	58.4	51.9-65.0	1	0.7	0.00-1.96
			1	1.0	0.00-3.08
256	58.8	53.0-64.7			
309	57.4	52.4-62.4	2	0.4	0.00-1.02
377	58.2	53.9-62.5			
			1	0.4	0.00-1.30
130	57.7	49.5-65.9			
123	54.7	46.3-63.1			
177	59.2	53.0-65.3	1	0.2	0.00-0.62
174	51.4	45.5-57.3			
221	64.0	58.3-69.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 19: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1754	237,526	192	9.7	8.11-11.4	190	10.7	8.97-12.4	1372	79.6	77.3-81.8
Male	859	137,664	87	9.3	6.89-11.6	85	9.2	7.12-11.4	687	81.5	78.5-84.5
Female	895	99,863	105	10.4	8.28-12.5	105	12.7	9.85-15.5	685	76.9	73.6-80.2
Non-Native	1703	227,688	185	9.7	8.07-11.4	186	10.6	8.94-12.4	1332	79.6	77.4-81.9
18-24	139	50,502	5	4.8	0.00-9.65	16	11.0	5.60-16.5	118	84.1	77.2-91.1
25-34	293	47,390	22	6.7	3.85-9.53	37	12.9	8.83-17.0	234	80.4	75.7-85.1
35-44	379	44,486	41	10.9	7.61-14.2	46	12.1	8.63-15.5	292	77.0	72.6-81.5
45-54	416	44,513	54	13.8	10.1-17.5	44	9.0	6.31-11.8	318	77.1	72.8-81.5
55-64	251	25,346	30	12.0	7.83-16.3	26	9.6	5.95-13.4	195	78.3	73.0-83.6
65+	263	24,292	38	13.9	9.43-18.3	21	7.6	4.24-11.0	204	78.5	73.2-83.8
Less Than H.S.	102	15,401				4	5.1	0.00-10.8			
H.S. or G.E.D.	444	61,915	46	7.7	5.32-10.1	33	7.3	4.30-10.4	365	84.9	81.2-88.7
Some Post-H.S.	552	76,795	75	11.3	8.55-14.1	74	12.1	8.92-15.3	403	76.6	72.6-80.6
College Graduate	654	83,231	53	8.1	5.74-10.4	79	12.9	9.93-15.9	522	79.0	75.4-82.6
Less than \$15,000	97	16,430	12	7.2	2.56-11.9	7	7.3	0.00-15.1	78	85.5	76.7-94.4
\$15,000- 24,999	227	28,131	30	11.4	6.52-16.3	24	11.4	5.75-17.0	173	77.2	70.2-84.2
\$25,000- 34,999	226	31,211	28	14.8	7.33-22.3	22	9.0	4.80-13.1	176	76.2	68.3-84.1
\$35,000- 49,999	328	45,069	40	10.1	6.89-13.2	40	10.9	7.30-14.5	248	79.0	74.4-83.7
\$50,000- 74,999	338	44,602	31	8.6	5.48-11.6	38	11.2	7.57-14.8	269	80.2	75.7-84.8
\$75,000+	345	45,481	34	9.1	5.97-12.2	40	11.4	7.56-15.3	271	79.5	74.8-84.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 20: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	859	137,664	87	9.3	6.89-11.6	85	9.2	7.12-11.4	687	81.5	78.5-84.5
Non-Native	836	132,549	84	9.3	6.88-11.7	83	9.3	7.11-11.4	669	81.4	78.3-84.5
18-24	78	30,638	3	6.4	0.00-14.0	7	7.3	1.73-12.9	68	86.3	77.3-95.3
25-34	157	27,863	10	5.8	2.18-9.36	16	10.9	5.69-16.1	131	83.4	77.3-89.4
35-44	189	26,127	20	10.1	5.74-14.4	23	12.3	7.44-17.1	146	77.6	71.6-83.7
45-54	209	26,824	24	12.4	7.54-17.2	21	8.3	4.66-11.8	164	79.4	73.7-85.1
55-64	112	13,386	12	10.3	4.67-16.0	8	7.0	2.25-11.9	92	82.6	75.5-89.7
65+	111	12,598	17	14.5	7.77-21.2	10	8.6	3.28-13.9	84	76.9	68.9-85.0
Less Than H.S.	59	10,233				1	1.4	0.00-4.17			
H.S. or G.E.D.	227	37,651	21	6.8	3.77-9.89	13	4.8	1.95-7.63	193	88.4	84.3-92.5
Some Post-H.S.	263	42,905	31	9.5	5.85-13.1	30	10.2	6.29-14.1	202	80.3	75.2-85.5
College Graduate	308	46,690	22	7.6	4.29-11.0	41	13.7	9.35-18.1	245	78.6	73.5-83.8
\$15,000- 24,999	94	14,637	12	11.1	3.65-18.5	5	6.2	0.00-12.7	77	82.7	73.4-92.0
\$25,000- 34,999	117	20,262				12	8.1	3.15-13.0			
\$35,000- 49,999	169	27,837	19	9.1	4.99-13.2	22	10.8	6.09-15.6	128	80.1	74.0-86.2
\$50,000- 74,999	186	27,036	18	8.5	4.56-12.4	15	8.2	4.00-12.4	153	83.3	77.9-88.8
\$75,000+	185	27,985	14	7.4	3.51-11.3	20	9.5	5.34-13.7	151	83.1	77.6-88.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 18: PHYSICAL ACTIVITY**

TABLE 21: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	895	99,863	105	10.4	8.28-12.5	105	12.7	9.85-15.5	685	76.9	73.6-80.2
Non-Native	867	95,139	101	10.3	8.19-12.5	103	12.6	9.82-15.3	663	77.1	73.8-80.4
18-24	61	19,864	2	2.4	0.00-5.75						
25-34	136	19,527	12	8.0	3.39-12.6	21	15.8	9.30-22.3	103	76.2	68.7-83.7
35-44	190	18,359	21	12.1	7.05-17.2	23	11.7	7.13-16.3	146	76.1	69.7-82.5
45-54	207	17,689	30	15.9	10.3-21.6	23	10.3	6.02-14.5	154	73.8	67.2-80.3
55-64	139	11,960	18	13.9	7.71-20.2	18	12.5	6.87-18.2	103	73.5	65.7-81.3
65+	152	11,694	21	13.3	7.45-19.1	11	6.6	2.51-10.7	120	80.2	73.4-86.9
H.S. or G.E.D.	217	24,264	25	9.1	5.27-13.0	20	11.3	5.10-17.5	172	79.6	72.6-86.5
Some Post-H.S.	289	33,890	44	13.6	9.43-17.9	44	14.5	9.32-19.8	201	71.8	65.6-78.1
College Graduate	346	36,541	31	8.7	5.43-11.9	38	11.9	8.03-15.8	277	79.4	74.6-84.2
Less than \$15,000	60	9,580	9	9.5	2.27-16.8						
\$15,000- 24,999	133	13,494	18	11.8	5.50-18.1	19	16.9	7.88-26.0			
\$25,000- 34,999	109	10,949	13	12.1	5.37-18.9	10	10.6	3.09-18.1	86	77.3	67.8-86.7
\$35,000- 49,999	159	17,232	21	11.6	6.64-16.6	18	11.0	5.51-16.5	120	77.4	70.3-84.4
\$50,000- 74,999	152	17,566	13	8.7	3.75-13.7	23	15.8	9.36-22.3	116	75.4	67.8-83.1
\$75,000+	160	17,496	20	11.8	6.62-17.0	20	14.5	7.15-21.8	120	73.7	65.6-81.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

SECTION 19: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? (HIVTST5)	
1	MALES AND FEMALES	230
2	MALES ONLY	231
3	FEMALES ONLY	232
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVTSTD2)	
4	MALES AND FEMALES	233
5	MALES ONLY	234
6	FEMALES ONLY	235
	WHERE DID YOU HAVE YOUR LAST HIV TEST, AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST7)	
7	MALES AND FEMALES	236
8	MALES ONLY	237
9	FEMALES ONLY	238
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)	
10	MALES AND FEMALES	239
11	MALES ONLY	240
12	FEMALES ONLY	241

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? (HIVTST5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2852	374,401	705	26.0	24.1-27.9	2147	74.0	72.1-75.9
Male	1222	192,797	267	22.6	19.9-25.4	955	77.4	74.6-80.1
Female	1630	181,605	438	29.6	26.9-32.3	1192	70.4	67.7-73.1
Non-Native	2751	357,956	662	25.5	23.5-27.4	2089	74.5	72.6-76.5
18-24	198	70,359	55	24.7	18.3-31.1	143	75.3	68.9-81.7
25-34	473	75,589	216	44.5	39.8-49.2	257	55.5	50.8-60.2
35-44	687	78,547	220	31.5	27.8-35.2	467	68.5	64.8-72.2
45-54	841	87,074	144	16.7	13.9-19.4	697	83.3	80.6-86.1
55-64	617	60,106	67	11.3	8.61-14.0	550	88.7	86.0-91.4
Less Than H.S.	126	19,320	22	16.7	9.03-24.4	104	83.3	75.6-91.0
H.S. or G.E.D.	763	101,459	155	22.8	19.1-26.5	608	77.2	73.5-80.9
Some Post-H.S.	935	124,001	260	29.4	25.8-33.0	675	70.6	67.0-74.2
College Graduate	1025	129,289	267	26.7	23.6-29.8	758	73.3	70.2-76.4
Less than \$15,000	189	27,674	67	34.7	25.7-43.7	122	65.3	56.3-74.3
\$15,000- 24,999	362	44,173	96	31.4	25.0-37.8	266	68.6	62.2-75.0
\$25,000- 34,999	368	48,269	102	30.2	24.4-36.1	266	69.8	63.9-75.6
\$35,000- 49,999	559	72,949	129	24.5	20.5-28.6	430	75.5	71.4-79.5
\$50,000- 74,999	591	74,634	129	23.1	19.3-26.9	462	76.9	73.1-80.7
\$75,000+	520	67,841	138	26.5	22.3-30.7	382	73.5	69.3-77.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? (HIVTST5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1222	192,797	267	22.6	19.9-25.3	955	77.4	74.7-80.1
Non-Native	1186	185,767	257	22.6	19.9-25.4	929	77.4	74.6-80.1
18-24	97	37,512	20	19.1	10.7-27.5	77	80.9	72.5-89.3
25-34	224	39,846	79	34.8	28.3-41.3	145	65.2	58.7-71.7
35-44	290	39,964	79	28.3	22.8-33.8	211	71.7	66.2-77.2
45-54	349	44,597	56	16.6	12.4-20.8	293	83.4	79.2-87.6
55-64	255	30,097	32	12.4	8.23-16.7	223	87.6	83.3-91.8
Less Than H.S.	62	11,010	7	9.0	1.78-16.3	55	91.0	83.7-98.2
H.S. or G.E.D.	356	56,303	74	22.1	17.0-27.2	282	77.9	72.8-83.0
Some Post-H.S.	396	62,584	97	26.0	20.9-31.1	299	74.0	68.9-79.1
College Graduate	406	62,640	89	22.2	17.8-26.7	317	77.8	73.3-82.2
\$25,000- 34,999	175	28,643	44	26.5	18.5-34.4	131	73.5	65.6-81.5
\$35,000- 49,999	244	39,563	56	24.4	18.5-30.3	188	75.6	69.7-81.5
\$50,000- 74,999	261	38,344	47	18.3	13.3-23.4	214	81.6	76.6-86.7
\$75,000+	254	38,999	58	23.3	17.7-29.0	196	76.7	71.0-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? (HIVTST5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1630	181,605	438	29.6	26.9-32.3	1192	70.4	67.7-73.1
Non-Native	1565	172,189	405	28.6	25.8-31.3	1160	71.4	68.7-74.2
18-24	101	32,848	35	31.1	21.5-40.8	66	68.9	59.2-78.5
25-34	249	35,743	137	55.4	48.9-61.8	112	44.6	38.2-51.1
35-44	397	38,583	141	34.8	29.8-39.7	256	65.2	60.3-70.2
45-54	492	42,477	88	16.8	13.2-20.3	404	83.3	79.7-86.8
55-64	362	30,009	35	10.2	6.83-13.5	327	89.8	86.5-93.2
H.S. or G.E.D.	407	45,156	81	23.6	18.3-29.0	326	76.4	71.0-81.7
Some Post-H.S.	539	61,417	163	32.9	27.9-37.8	376	67.1	62.2-72.1
College Graduate	619	66,649	178	30.9	26.7-35.1	441	69.1	64.9-73.3
\$15,000- 24,999	226	24,731	62	33.6	25.4-41.7	164	66.4	58.3-74.6
\$25,000- 34,999	193	19,626	58	35.7	27.5-44.0	135	64.3	56.0-72.5
\$35,000- 49,999	315	33,386	73	24.7	19.4-30.0	242	75.3	70.0-80.6
\$50,000- 74,999	330	36,290	82	28.1	22.4-33.7	248	71.9	66.3-77.6
\$75,000+	266	28,842	80	30.8	24.8-36.8	186	69.2	63.2-75.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVSTD2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2004			2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	631	88,074	40	5.1	3.40-6.74	76	9.6	7.34-11.8	138	19.9	16.5-23.3	296	51.2	46.7-55.8	81	14.2	10.7-17.7
Male	230	37,891	16	5.9	2.98-8.90	32	11.5	7.46-15.6	40	17.5	12.2-22.8	106	46.6	39.2-54.0	36	18.5	12.2-24.8
Female	401	50,183	24	4.4	2.56-6.28	44	8.1	5.63-10.6	98	21.7	17.3-26.1	190	54.8	49.1-60.4	45	11.0	7.32-14.7
Non-Native	593	82,773	40	5.4	3.64-7.16	74	10.0	7.63-12.4	130	20.2	16.7-23.8	272	49.7	45.0-54.4	77	14.7	11.1-18.4
18-24	52	16,513							5	8.9	1.15-16.6						
25-34	199	30,934	3	1.4	0.00-3.09	9	4.7	1.66-7.66	45	23.4	17.1-29.8	113	57.4	50.1-64.6	29	13.1	8.40-17.8
35-44	201	22,313	18	10.2	5.51-14.8	34	16.1	10.8-21.5	48	22.5	16.4-28.5	82	41.6	34.3-49.0	19	9.6	5.17-14.1
45-54	123	12,549	13	9.3	3.96-14.7	22	18.8	11.1-26.6	28	21.5	13.4-29.6	46	38.8	29.3-48.2	14	11.6	5.06-18.1
55-64	53	5,421	6	10.8	2.29-19.3												
H.S. or G.E.D.	137	20,824	11	6.6	2.65-10.5	11	5.2	2.02-8.38	37	25.4	17.3-33.5	58	48.7	38.8-58.7	20	14.1	6.70-21.5
Some Post-H.S.	233	32,861	11	3.6	1.24-5.98	30	9.8	6.06-13.6	47	18.9	13.2-24.6	112	53.0	45.3-60.7	33	14.6	9.44-19.8
College Graduate	243	31,678	17	5.6	2.82-8.46	34	12.8	8.45-17.1	53	18.5	13.4-23.6	116	50.1	43.1-57.2	23	12.9	6.88-19.0
Less than \$15,000	62	9,039	4	4.0	0.00-8.12	1	0.5	0.00-1.41									
\$15,000- 24,999	89	13,224	6	4.5	0.73-8.21	6	3.5	0.52-6.48	16	16.1	7.12-25.1				20	18.1	9.54-26.6
\$25,000- 34,999	98	13,993	2	1.9	0.00-4.64	12	8.1	3.22-12.9	24	20.6	12.1-29.1						
\$35,000- 49,999	113	15,576	3	2.9	0.00-6.36	17	13.8	7.29-20.3	28	26.9	17.6-36.2	54	47.1	37.1-57.0	11	9.4	3.56-15.2
\$50,000- 74,999	110	14,924	9	5.4	1.57-9.21	17	13.8	7.20-20.4	24	19.2	11.7-26.7				13	11.1	5.04-17.2
\$75,000+	126	16,562	14	10.3	4.88-15.8	17	12.6	6.63-18.5	25	19.1	11.8-26.4	61	49.2	39.7-58.6	9	8.8	2.41-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVSTD2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2004			2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	230	37,891	16	5.9	2.96-8.92	32	11.5	7.46-15.6	40	17.5	12.2-22.8	106	46.6	39.2-54.0	36	18.5	12.1-24.8
Non-Native	223	36,885	16	6.1	3.04-9.16	31	11.6	7.48-15.8	40	18.0	12.5-23.4	101	45.7	38.2-53.2	35	18.6	12.1-25.0
25-34	71	12,487	1	1.5	0.00-4.33	4	5.9	0.27-11.5							13	16.9	8.26-25.6
35-44	67	9,476	8	13.3	4.51-22.1	14	18.3	8.78-27.7	12	17.5	7.94-27.0				6	10.3	2.25-18.3
45-54	51	6,705	5	8.3	1.02-15.5										5	9.2	0.32-18.1
H.S. or G.E.D.	61	10,505	6	7.8	1.59-13.9	5	4.4	0.33-8.57									
Some Post-H.S.	83	13,982	4	4.5	0.00-8.97	13	12.1	5.28-19.0	14	16.8	8.18-25.5				13	17.7	8.49-26.8
College Graduate	81	12,598	6	6.4	1.13-11.8	14	17.5	8.82-26.1	11	11.4	4.75-18.2						
\$75,000+	52	8,266	5	9.7	1.38-18.1	7	12.7	3.41-22.1									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVTSTD2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2004			2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	401	50,183	24	4.4	2.56-6.28	44	8.1	5.63-10.6	98	21.7	17.2-26.2	190	54.8	49.1-60.4	45	11.0	7.32-14.7
Non-Native	370	45,888	24	4.8	2.80-6.88	43	8.7	5.98-11.4	90	22.1	17.4-26.7	171	52.8	46.9-58.8	42	11.6	7.63-15.5
25-34	128	18,447	2	1.4	0.00-3.39	5	3.8	0.50-7.16	29	23.4	15.5-31.2	76	60.9	52.1-69.7	16	10.5	5.33-15.6
35-44	134	12,837	10	7.8	3.14-12.5	20	14.5	8.43-20.7	36	26.1	18.4-33.8	55	42.3	33.5-51.2	13	9.1	4.14-14.1
45-54	72	5,844	8	10.6	2.58-18.6	13	17.5	8.10-27.0							9	14.3	4.77-23.7
H.S. or G.E.D.	76	10,320	5	5.4	0.55-10.2	6	6.0	1.12-10.8							8	6.9	1.91-11.9
Some Post-H.S.	150	18,878	7	3.0	0.58-5.40	17	8.1	3.94-12.3	33	20.5	12.9-28.0	73	56.0	46.5-65.5	20	12.4	6.51-18.3
College Graduate	162	19,080	11	5.1	1.96-8.24	20	9.6	5.40-13.9	42	23.2	16.2-30.2	76	51.9	43.3-60.5	13	10.2	3.65-16.7
\$15,000- 24,999	59	8,169	5	5.5	0.51-10.4	5	4.8	0.29-9.27							11	12.9	4.59-21.2
\$25,000- 34,999	58	7,013	1	1.8	0.00-5.38	5	5.0	0.33-9.77	13	17.5	7.57-27.4						
\$35,000- 49,999	67	7,555	1	1.3	0.00-3.76	8	11.9	3.76-20.1							6	7.9	1.26-14.5
\$50,000- 74,999	71	9,056	4	2.4	0.00-4.83	10	10.8	4.01-17.5	17	20.8	11.2-30.5				9	11.4	3.91-18.9
\$75,000+	74	8,296	9	11.0	3.86-18.1	10	12.4	5.02-19.9							4	5.3	0.11-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST, AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST7)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	702	97,057	147	20.9	17.5-24.4	16	2.1	1.00-3.12	419	60.8	56.6-64.9
Male	266	43,451	47	17.0	12.2-21.8	7	2.6	0.68-4.56	150	58.8	52.3-65.4
Female	436	53,606	100	24.1	19.4-28.9	9	1.6	0.52-2.68	269	62.3	57.0-67.6
Non-Native	659	90,837	139	21.0	17.4-24.5	15	2.1	0.99-3.19	392	60.9	56.7-65.1
18-24	55	17,381				1	0.8	0.00-2.33			
25-34	214	33,318	44	21.3	15.5-27.1	4	2.2	0.07-4.35	136	60.7	53.7-67.7
35-44	220	24,725	44	18.3	13.1-23.5	4	1.8	0.03-3.47	138	62.6	55.7-69.4
45-54	143	14,494	32	23.3	15.5-31.0	6	4.4	0.88-8.02	74	49.1	40.1-58.2
55-64	67	6,795				1	0.7	0.00-2.07			
H.S. or G.E.D.	154	22,974	33	21.3	14.0-28.7	2	1.0	0.00-2.35	95	63.6	54.9-72.3
Some Post-H.S.	260	36,462	52	21.4	15.5-27.4	6	2.3	0.34-4.18	162	63.0	56.1-69.9
College Graduate	266	34,359	57	20.3	15.1-25.4	8	2.8	0.80-4.72	146	55.1	48.4-61.7
Less than \$15,000	66	9,570				1	1.9	0.00-5.66			
\$15,000- 24,999	96	13,881	15	15.7	6.69-24.7	4	2.7	0.00-5.51			
\$25,000- 34,999	102	14,595	25	22.9	14.0-31.9	2	2.5	0.00-5.97			
\$35,000- 49,999	128	17,747	25	21.9	14.0-29.9	2	1.2	0.00-2.91	78	59.2	49.9-68.5
\$50,000- 74,999	128	17,037	36	26.7	18.5-34.9	1	0.8	0.00-2.25	69	56.4	47.1-65.7
\$75,000+	138	17,976	26	18.8	12.0-25.7	5	3.2	0.29-6.17	71	51.4	42.5-60.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST, AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST7)

Denominator excludes: Respondents with do not know/refused/missing responses

Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
6	0.6	0.09-1.15	111	15.3	12.4-18.3	3	0.3	0.00-0.58
4	1.0	0.00-2.08	55	19.9	14.7-25.1	3	0.6	0.00-1.32
2	0.3	0.00-0.70	56	11.7	8.45-14.9			
4	0.5	0.00-1.02	107	15.3	12.4-18.3	2	0.2	0.00-0.53
1	0.3	0.00-0.83	3	4.4	0.00-9.41			
3	1.5	0.00-3.17	29	15.5	10.1-20.9			
1	0.4	0.00-1.33	31	15.9	10.5-21.3			
			28	21.4	13.7-29.1	2	1.3	0.00-3.31
3	1.2	0.00-2.71	21	12.9	6.94-18.9	1	0.9	0.00-2.75
1	0.3	0.00-0.74	37	12.7	8.34-17.0	2	0.3	0.00-0.84
1	0.3	0.00-0.74	53	21.3	15.8-26.7	1	0.4	0.00-1.12
4	3.8	0.00-7.83						
			8	5.9	1.48-10.3	2	0.9	0.00-2.21
1	0.6	0.00-1.86	12	11.6	4.79-18.5			
			23	17.7	10.5-24.8			
1	0.8	0.00-2.50	21	15.3	8.99-21.7			
			35	25.8	18.0-33.7	1	0.7	0.00-2.13

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST, AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRST7)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	436	53,606	100	24.1	19.3-28.9	9	1.6	0.52-2.68	269	62.3	57.0-67.6	2	0.3	0.00-0.70	56	11.7	8.45-14.9
Non-Native	403	48,992	95	24.9	19.8-29.9	8	1.5	0.43-2.67	245	61.5	56.0-67.0	1	0.2	0.00-0.50	54	11.9	8.60-15.2
25-34	136	19,637	32	25.2	17.3-33.1				90	63.4	54.8-72.1				14	11.4	5.62-17.1
35-44	141	13,412	35	25.2	17.8-32.6	3	2.1	0.00-4.55	89	61.6	53.2-70.1	1	0.5	0.00-1.58	13	10.5	4.94-16.1
45-54	87	7,073	19	22.4	12.6-32.1	4	5.4	0.17-10.7							14	15.3	7.38-23.1
H.S. or G.E.D.	80	10,527				2	2.1	0.00-5.11				1	0.7	0.00-2.01	9	8.4	2.72-14.1
Some Post-H.S.	163	20,199	38	27.3	18.7-36.0	2	0.7	0.00-1.75	104	62.5	53.4-71.5				19	9.5	4.69-14.3
College Graduate	178	20,613	39	20.9	14.5-27.3	5	2.4	0.27-4.47	105	59.6	51.6-67.5	1	0.4	0.00-1.21	28	16.8	10.7-22.8
\$15,000- 24,999	62	8,302				4	4.5	0.00-9.17							6	6.0	0.91-11.1
\$25,000- 34,999	58	7,013													5	9.5	0.41-18.5
\$35,000- 49,999	72	8,092				2	2.6	0.00-6.34							8	9.5	2.57-16.5
\$50,000- 74,999	82	10,186													11	12.2	5.13-19.3
\$75,000+	80	8,881	16	20.7	11.3-30.2	3	3.0	0.00-6.37									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 10: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2889	378,564	45	2.6	1.61-3.65	2844	97.4	96.4-98.4
Male	1236	194,262	20	2.5	1.01-4.03	1216	97.5	96.0-99.0
Female	1653	184,302	25	2.7	1.37-4.11	1628	97.3	95.9-98.6
Native	89	14,868	3	5.5	0.00-13.5	86	94.5	86.5-0100
Non-Native	2789	362,303	42	2.5	1.50-3.54	2747	97.5	96.5-98.5
18-24	199	70,666	15	9.1	4.16-14.0	184	90.9	86.0-95.8
25-34	478	76,350	7	1.5	0.32-2.68	471	98.5	97.3-99.7
35-44	697	79,698	11	1.2	0.39-1.95	686	98.8	98.0-99.6
45-54	847	87,722	7	1.0	0.21-1.85	840	99.0	98.1-99.8
55-64	632	61,402	4	0.7	0.00-1.40	628	99.3	98.6-0100
H.S. or G.E.D.	771	102,254	14	3.7	1.42-5.92	757	96.3	94.1-98.6
Some Post-H.S.	943	124,753	10	1.3	0.32-2.32	933	98.7	97.7-99.7
College Graduate	1045	131,682	13	1.8	0.55-3.09	1032	98.2	96.9-99.5
Less than \$15,000	190	27,738	8	4.8	0.18-9.48	182	95.2	90.5-99.8
\$15,000- 24,999	365	44,347	7	3.8	0.57-7.11	358	96.2	92.9-99.4
\$25,000- 34,999	370	48,486	9	5.1	0.34-9.86	361	94.9	90.1-99.7
\$35,000- 49,999	568	73,934	5	1.4	0.06-2.84	563	98.5	97.2-99.9
\$50,000- 74,999	597	75,291	4	0.4	0.00-0.89	593	99.6	99.1-0100
\$75,000+	529	68,928	7	2.1	0.02-4.26	522	97.9	95.7-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 11: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1236	194,262	20	2.5	1.01-4.03	1216	97.5	96.0-99.0
Non-Native	1201	187,416	20	2.6	1.07-4.17	1181	97.4	95.8-98.9
18-24	97	37,512	4	6.8	0.00-13.6	93	93.3	86.4-0100
25-34	225	39,938	7	2.9	0.64-5.10	218	97.1	94.9-99.4
35-44	292	40,253	2	0.7	0.00-1.82	290	99.3	98.2-0100
45-54	353	45,053	4	1.4	0.00-2.94	349	98.5	97.1-0100
55-64	262	30,726	3	0.9	0.00-2.00	259	99.1	98.0-0100
H.S. or G.E.D.	358	56,445	5	2.2	0.00-4.57	353	97.8	95.4-0100
Some Post-H.S.	398	62,710	7	2.4	0.42-4.30	391	97.6	95.7-99.6
College Graduate	416	63,838	5	1.3	0.00-2.74	411	98.7	97.3-0100
Less than \$15,000	57	9,875				57	100.0	0100-0100
\$15,000- 24,999	138	19,568	3	3.6	0.00-8.24	135	96.4	91.8-0100
\$25,000- 34,999	176	28,760	5	5.7	0.00-13.0	171	94.3	87.0-0100
\$35,000- 49,999	245	39,587	4	1.7	0.00-3.34	241	98.3	96.7-0100
\$50,000- 74,999	263	38,618	2	0.5	0.00-1.20	261	99.5	98.8-0100
\$75,000+	261	39,799	4	3.0	0.00-6.49	257	97.0	93.5-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 19: HIV/AIDS**

TABLE 12: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1653	184,302	25	2.7	1.37-4.11	1628	97.3	95.9-98.6
Non-Native	1588	174,887	22	2.4	1.15-3.69	1566	97.6	96.3-98.9
18-24	102	33,154	11	11.7	4.62-18.8	91	88.3	81.2-95.4
25-34	253	36,412				253	100.0	0100-0100
35-44	405	39,445	9	1.6	0.54-2.74	396	98.4	97.3-99.5
45-54	494	42,670	3	0.6	0.00-1.29	491	99.4	98.7-0100
55-64	370	30,676	1	0.5	0.00-1.37	369	99.5	98.6-0100
Less Than H.S.	65	8,534	4	8.8	0.00-18.8	61	91.2	81.2-0100
H.S. or G.E.D.	413	45,809	9	5.4	1.37-9.53	404	94.5	90.5-98.6
Some Post-H.S.	545	62,043	3	0.3	0.00-0.58	542	99.7	99.4-0100
College Graduate	629	67,845	8	2.3	0.25-4.37	621	97.7	95.6-99.7
Less than \$15,000	133	17,863	8	7.5	0.42-14.6	125	92.5	85.4-99.6
\$15,000- 24,999	227	24,779	4	4.0	0.00-8.61	223	96.0	91.4-0100
\$25,000- 34,999	194	19,726	4	4.3	0.00-9.09	190	95.8	90.9-0100
\$35,000- 49,999	323	34,347	1	1.2	0.00-3.50	322	98.8	96.5-0100
\$50,000- 74,999	334	36,672	2	0.4	0.00-0.96	332	99.6	99.0-0100
\$75,000+	268	29,130	3	1.0	0.00-2.21	265	99.0	97.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005

SECTION 20: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
1	MALES AND FEMALES	243
2	MALES ONLY	244
3	FEMALES ONLY	245
	IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
4	MALES AND FEMALES	246
5	MALES ONLY	247
6	FEMALES ONLY	248

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 20: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3805	461,788	1710	45.7	43.8-47.6	1388	37.9	36.0-39.9	479	11.4	10.2-12.5	103	2.4	1.81-2.91	125	2.6	2.12-3.18
Male	1530	227,505	684	45.6	42.7-48.5	525	36.6	33.7-39.6	201	11.8	9.98-13.5	51	2.4	1.69-3.17	69	3.6	2.63-4.51
Female	2275	234,283	1026	45.8	43.3-48.2	863	39.2	36.7-41.7	278	11.0	9.56-12.4	52	2.3	1.50-3.10	56	1.8	1.26-2.24
Native	98	15,685							14	11.7	4.72-18.7	3	1.5	0.00-3.53	9	8.6	1.82-15.4
Non-Native	3675	442,625	1649	45.6	43.7-47.5	1357	38.3	36.4-40.2	455	11.3	10.1-12.4	99	2.4	1.81-2.95	115	2.4	1.96-2.94
18-24	198	70,015	93	44.2	36.7-51.7	81	45.0	37.3-52.7	17	7.9	4.04-11.7	7	2.9	0.65-5.23			
25-34	476	75,891	217	46.3	41.6-51.1	198	41.9	37.3-46.6	51	9.4	6.83-12.0	6	1.0	0.08-1.92	4	1.3	0.00-2.64
35-44	689	78,882	310	47.1	43.1-51.1	268	38.1	34.2-42.0	80	10.5	8.13-13.0	12	1.5	0.62-2.34	19	2.8	1.45-4.11
45-54	841	87,030	339	41.3	37.6-44.9	346	41.2	37.6-44.8	126	14.5	11.8-17.2	19	1.8	0.92-2.68	11	1.2	0.48-1.96
55-64	621	60,060	286	47.5	43.3-51.8	219	34.8	30.8-38.8	73	11.5	8.80-14.2	18	2.6	1.36-3.90	25	3.5	2.05-4.95
65+	945	87,227	452	48.2	44.7-51.7	264	27.8	24.7-30.9	127	13.2	10.8-15.5	41	4.3	2.92-5.78	61	6.5	4.75-8.19
Less Than H.S.	327	37,381	126	36.7	30.2-43.1	71	29.0	21.3-36.7	68	18.7	13.9-23.5	22	5.7	3.03-8.41	40	10.0	6.59-13.3
H.S. or G.E.D.	1085	130,534	481	44.6	41.0-48.2	352	33.8	30.2-37.3	178	15.0	12.5-17.5	31	2.9	1.64-4.14	43	3.7	2.47-5.01
Some Post-H.S.	1192	147,404	550	48.5	45.1-52.0	449	37.5	34.2-40.9	131	9.8	7.94-11.6	32	2.3	1.39-3.31	30	1.8	1.08-2.50
College Graduate	1197	146,153	551	46.0	42.7-49.2	515	44.4	41.2-47.7	102	7.9	6.20-9.64	18	1.1	0.51-1.61	11	0.6	0.24-1.02
Less than \$15,000	320	37,453	111	37.3	30.0-44.5	94	35.0	27.3-42.7	61	14.4	9.88-18.9	20	5.4	2.81-7.99	34	7.9	4.72-11.2
\$15,000- 24,999	604	65,667	253	42.5	37.6-47.4	189	32.7	27.7-37.7	101	15.5	12.2-18.8	31	5.2	2.89-7.47	30	4.1	2.47-5.81
\$25,000- 34,999	510	61,668	234	46.4	41.0-51.8	176	34.6	29.3-40.0	70	13.4	9.93-16.8	19	3.6	1.59-5.63	11	2.0	0.67-3.29
\$35,000- 49,999	693	87,339	311	45.0	40.7-49.2	280	41.4	37.1-45.7	79	10.7	8.15-13.2	9	1.0	0.25-1.67	14	2.0	0.88-3.08
\$50,000- 74,999	642	79,886	281	45.3	41.1-49.6	287	44.4	40.1-48.7	66	9.2	6.91-11.6	6	0.7	0.07-1.41	2	0.3	0.00-0.62
\$75,000+	566	72,712	279	48.9	44.2-53.5	227	40.7	36.1-45.2	42	7.7	4.91-10.5	8	1.2	0.32-2.16	10	1.6	0.58-2.54

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 20: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 2. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1530	227,505	684	45.6	42.7-48.5	525	36.6	33.7-39.6	201	11.8	9.98-13.5	51	2.4	1.69-3.17	69	3.6	2.63-4.51
Non-Native	1486	219,586	667	45.9	43.0-48.9	514	36.8	33.8-39.7	189	11.4	9.65-13.3	51	2.5	1.76-3.28	65	3.3	2.47-4.19
18-24	96	36,861							10	9.6	3.60-15.6	1	0.8	0.00-2.32			
25-34	223	39,479	104	47.1	40.2-54.0	87	39.5	32.8-46.3	25	9.8	5.93-13.6	3	1.2	0.00-2.67	4	2.4	0.00-5.07
35-44	286	39,604	129	47.6	41.5-53.7	104	35.8	30.0-41.7	33	10.4	6.74-14.0	8	2.1	0.62-3.56	12	4.1	1.70-6.48
45-54	348	44,467	136	40.9	35.4-46.5	130	38.1	32.6-43.6	63	17.1	12.7-21.5	10	2.0	0.63-3.33	9	1.9	0.59-3.21
55-64	256	29,908	120	48.0	41.5-54.5	81	32.7	26.5-38.8	34	12.6	8.28-17.0	9	2.7	0.86-4.62	12	4.0	1.63-6.37
65+	314	36,405	148	48.8	43.0-54.7	79	25.1	20.0-30.2	35	10.2	6.84-13.6	20	6.2	3.37-9.05	32	9.6	6.21-13.0
Less Than H.S.	140	19,118	50	33.6	24.0-43.1				28	16.5	10.1-22.9	13	7.1	2.68-11.6	18	10.8	5.42-16.3
H.S. or G.E.D.	448	66,823	190	44.9	39.5-50.3	147	33.0	27.8-38.2	72	14.5	10.8-18.3	14	2.4	1.02-3.88	25	5.1	2.90-7.36
Some Post-H.S.	459	70,013	209	47.0	41.7-52.4	157	36.6	31.3-41.9	58	11.2	8.13-14.3	16	2.3	1.12-3.48	19	2.8	1.49-4.19
College Graduate	480	71,305	234	48.0	43.1-53.0	189	41.4	36.5-46.4	43	8.5	5.62-11.3	8	1.3	0.33-2.25	6	0.8	0.13-1.51
Less than \$15,000	89	12,466							12	12.2	3.76-20.6	7	5.1	1.03-9.23	16	13.9	5.74-22.2
\$15,000- 24,999	209	27,609	80	42.5	34.3-50.7	53	27.2	19.3-35.2	49	19.2	13.4-25.0	13	5.1	1.99-8.19	14	6.0	2.59-9.41
\$25,000- 34,999	224	34,635	96	43.8	35.8-51.7	74	35.6	27.5-43.8	32	13.7	8.57-18.8	15	4.7	1.99-7.43	7	2.2	0.36-3.96
\$35,000- 49,999	313	48,092	138	43.2	37.1-49.3	115	40.4	34.0-46.8	42	11.7	8.06-15.3	5	1.2	0.05-2.33	13	3.5	1.50-5.50
\$50,000- 74,999	286	41,218	136	49.5	43.3-55.8	118	40.4	34.3-46.5	27	8.7	5.35-12.1	4	1.0	0.00-2.11	1	0.3	0.00-0.95
\$75,000+	280	41,945	137	48.5	41.9-55.1	104	38.3	32.0-44.7	25	9.2	4.88-13.5	5	1.5	0.12-2.82	9	2.5	0.84-4.22

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 20: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 3. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2275	234,283	1026	45.8	43.3-48.2	863	39.2	36.7-41.7	278	11.0	9.56-12.4	52	2.3	1.50-3.10	56	1.8	1.26-2.24
Native	66	9,401							7	7.8	0.83-14.8	3	2.6	0.00-5.90	5	5.7	0.47-10.9
Non-Native	2189	223,039	982	45.2	42.7-47.7	843	39.9	37.4-42.4	266	11.1	9.61-12.5	48	2.2	1.42-3.06	50	1.6	1.11-2.05
18-24	102	33,154							7	6.0	1.41-10.5	6	5.3	0.85-9.83			
25-34	253	36,412	113	45.5	39.1-52.0	111	44.5	38.1-51.0	26	9.1	5.60-12.6	3	0.8	0.00-1.84			
35-44	403	39,278	181	46.5	41.4-51.7	164	40.4	35.4-45.5	47	10.7	7.54-13.9	4	0.8	0.00-1.77	7	1.5	0.30-2.62
45-54	493	42,563	203	41.6	36.9-46.4	216	44.5	39.7-49.2	63	11.8	8.72-14.8	9	1.6	0.47-2.75	2	0.5	0.00-1.21
55-64	365	30,152	166	47.1	41.6-52.6	138	36.9	31.7-42.2	39	10.4	7.14-13.7	9	2.5	0.79-4.27	13	3.0	1.31-4.69
65+	631	50,823	304	47.7	43.5-52.0	185	29.8	25.9-33.7	92	15.3	12.1-18.5	21	3.0	1.69-4.35	29	4.2	2.57-5.87
Less Than H.S.	187	18,262	76	39.9	31.3-48.5	40	25.9	16.6-35.2	40	20.9	13.9-28.0	9	4.2	1.34-7.10	22	9.0	5.08-13.0
H.S. or G.E.D.	637	63,711	291	44.4	39.6-49.1	205	34.6	29.8-39.4	106	15.4	12.2-18.7	17	3.3	1.29-5.41	18	2.3	1.11-3.47
Some Post-H.S.	733	77,392	341	49.9	45.5-54.3	292	38.4	34.1-42.6	73	8.5	6.36-10.6	16	2.4	0.93-3.87	11	0.8	0.33-1.35
College Graduate	717	74,848	317	44.0	39.8-48.2	326	47.3	43.1-51.5	59	7.4	5.38-9.42	10	0.8	0.24-1.42	5	0.4	0.04-0.86
Less than \$15,000	231	24,987	83	40.1	31.3-48.9	68	33.9	24.5-43.3	49	15.5	10.2-20.8	13	5.5	2.25-8.83	18	5.0	2.49-7.43
\$15,000- 24,999	395	38,058	173	42.4	36.3-48.5	136	36.6	30.3-43.0	52	12.9	9.02-16.7	18	5.3	2.00-8.50	16	2.8	1.36-4.22
\$25,000- 34,999	286	27,033	138	49.8	43.0-56.6	102	33.3	27.1-39.6	38	12.9	8.60-17.2	4	2.2	0.00-5.22	4	1.7	0.00-3.66
\$35,000- 49,999	380	39,247	173	47.1	41.5-52.8	165	42.7	37.1-48.2	37	9.4	6.00-12.8	4	0.7	0.00-1.39	1	0.1	0.00-0.36
\$50,000- 74,999	356	38,667	145	40.8	35.1-46.6	169	48.8	42.8-54.7	39	9.8	6.60-13.0	2	0.4	0.00-1.17	1	0.2	0.00-0.53
\$75,000+	286	30,767	142	49.3	43.0-55.6	123	43.8	37.6-50.1	17	5.7	2.78-8.58	3	0.9	0.00-2.08	1	0.2	0.00-0.68

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 20: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 4. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3847	466,253	1681	45.2	43.3-47.1	2021	51.7	49.8-53.6	127	2.7	2.09-3.23	18	0.4	0.21-0.69
Male	1557	231,120	678	45.8	42.9-48.7	811	50.9	48.0-53.8	56	2.8	1.99-3.63	12	0.5	0.22-0.88
Female	2290	235,134	1003	44.7	42.2-47.1	1210	52.5	50.0-54.9	71	2.5	1.77-3.25	6	0.3	0.02-0.68
Native	99	15,782							4	2.2	0.00-4.82	1	0.3	0.00-0.80
Non-Native	3716	447,032	1630	45.4	43.5-47.3	1947	51.5	49.5-53.4	122	2.7	2.11-3.25	17	0.5	0.21-0.71
18-24	198	70,257	87	44.2	36.6-51.7	108	54.3	46.7-61.9	2	1.2	0.00-2.77	1	0.4	0.00-1.15
25-34	474	75,707	220	47.6	42.8-52.4	242	50.3	45.5-55.1	11	2.0	0.71-3.29	1	0.1	0.00-0.36
35-44	695	79,459	318	47.5	43.5-51.4	347	48.5	44.5-52.5	26	3.3	1.98-4.72	4	0.7	0.00-1.39
45-54	845	87,472	346	43.1	39.4-46.8	459	52.3	48.6-56.0	32	3.6	2.05-5.19	8	1.0	0.21-1.81
55-64	633	61,549	291	47.8	43.6-52.0	313	48.6	44.4-52.8	26	3.2	1.85-4.51	3	0.4	0.00-0.88
65+	966	89,083	405	42.5	39.1-46.0	531	55.0	51.6-58.4	29	2.4	1.46-3.34	1	0.1	0.00-0.21
Less Than H.S.	334	38,209	107	33.0	26.5-39.5	204	61.3	54.5-68.0	19	4.4	2.27-6.51	4	1.4	0.00-2.95
H.S. or G.E.D.	1107	133,215	435	40.1	36.5-43.6	627	56.3	52.7-59.9	40	3.1	1.93-4.37	5	0.5	0.00-0.98
Some Post-H.S.	1200	148,091	530	47.0	43.6-50.4	620	49.9	46.5-53.4	44	2.6	1.74-3.42	6	0.5	0.07-0.85
College Graduate	1200	146,155	608	51.3	48.1-54.6	565	46.6	43.4-49.9	24	1.8	0.89-2.81	3	0.2	0.00-0.39
Less than \$15,000	326	38,021	78	25.3	18.9-31.8	212	66.0	59.2-72.9	28	6.2	3.53-8.87	8	2.4	0.55-4.31
\$15,000- 24,999	609	66,027	206	34.2	29.4-38.9	367	60.4	55.5-65.3	32	5.0	2.94-6.98	4	0.5	0.00-1.01
\$25,000- 34,999	514	61,959	198	39.4	34.2-44.6	300	57.1	51.8-62.4	13	2.8	0.97-4.53	3	0.7	0.00-1.70
\$35,000- 49,999	694	87,234	318	47.9	43.6-52.2	359	50.6	46.3-54.8	17	1.5	0.74-2.30			
\$50,000- 74,999	646	80,623	307	48.7	44.4-53.0	323	49.3	45.0-53.5	14	1.6	0.66-2.50	2	0.4	0.00-1.04
\$75,000+	569	72,961	333	58.8	54.2-63.4	223	39.1	34.5-43.6	13	2.1	0.57-3.71			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 20: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 5. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1557	231,120	678	45.8	42.9-48.7	811	50.9	48.0-53.8	56	2.8	1.99-3.63	12	0.5	0.22-0.88
Non-Native	1512	223,143	660	45.8	42.9-48.7	787	50.9	47.9-53.8	53	2.8	1.93-3.61	12	0.6	0.22-0.92
25-34	221	39,295	102	47.2	40.3-54.1	114	51.2	44.2-58.1	4	1.4	0.00-2.81	1	0.2	0.00-0.68
35-44	292	40,253	130	46.4	40.4-52.4	143	47.7	41.7-53.7	16	4.7	2.33-7.15	3	1.2	0.00-2.53
45-54	350	44,760	135	41.5	35.9-47.1	197	53.4	47.7-59.0	12	3.8	1.11-6.45	6	1.3	0.23-2.39
55-64	263	30,873	115	45.2	38.8-51.5	136	51.4	45.0-57.8	11	3.3	1.18-5.34	1	0.2	0.00-0.59
65+	327	37,647	149	47.5	41.7-53.2	165	49.1	43.4-54.9	12	3.2	1.33-5.09	1	0.2	0.00-0.47
Less Than H.S.	145	19,808	51	36.4	26.6-46.2				12	6.0	2.42-9.64	3	1.4	0.00-3.05
H.S. or G.E.D.	465	69,028	185	42.1	36.7-47.5	261	54.9	49.5-60.3	16	2.6	1.28-3.94	3	0.4	0.00-0.91
Some Post-H.S.	462	70,398	197	46.2	40.8-51.5	242	50.5	45.2-55.8	18	2.5	1.29-3.69	5	0.8	0.04-1.60
College Graduate	481	71,444	244	51.6	46.7-56.6	226	45.7	40.7-50.7	10	2.4	0.67-4.23	1	0.2	0.00-0.53
Less than \$15,000	91	12,749							13	9.6	4.02-15.2	6	4.7	0.75-8.59
\$15,000- 24,999	214	28,088	62	33.0	24.9-41.1	134	60.3	52.2-68.5	15	5.8	2.70-8.90	3	0.8	0.00-1.82
\$25,000- 34,999	226	34,754	78	34.6	27.2-41.9	141	63.1	55.6-70.5	6	2.1	0.34-3.86	1	0.3	0.00-0.77
\$35,000- 49,999	315	48,395	147	49.4	43.2-55.7	162	49.2	43.0-55.4	6	1.4	0.24-2.48			
\$50,000- 74,999	289	41,812	135	48.4	42.2-54.5	149	49.7	43.5-55.9	3	1.1	0.00-2.40	2	0.8	0.00-2.01
\$75,000+	283	42,194	165	58.1	51.6-64.7	108	38.6	32.2-45.0	10	3.3	0.65-5.91			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005
SECTION 20: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 6. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2290	235,134	1003	44.7	42.2-47.1	1210	52.5	50.0-54.9	71	2.5	1.77-3.25	6	0.3	0.02-0.68
Native	66	9,401							2	1.1	0.00-2.64	1	0.4	0.00-1.35
Non-Native	2204	223,889	970	45.0	42.5-47.5	1160	52.0	49.6-54.5	69	2.6	1.81-3.37	5	0.3	0.00-0.70
18-24	101	32,745							2	2.5	0.00-5.91	1	0.8	0.00-2.46
25-34	253	36,412	118	48.0	41.6-54.5	128	49.3	42.9-55.8	7	2.7	0.45-4.87			
35-44	403	39,206	188	48.6	43.4-53.8	204	49.3	44.1-54.5	10	1.9	0.69-3.15	1	0.2	0.00-0.53
45-54	495	42,712	211	44.7	39.9-49.4	262	51.1	46.4-55.9	20	3.4	1.84-5.06	2	0.7	0.00-1.88
55-64	370	30,676	176	50.5	45.1-55.9	177	45.8	40.4-51.2	15	3.1	1.44-4.78	2	0.6	0.00-1.48
65+	639	51,437	256	38.9	34.8-43.0	366	59.3	55.1-63.4	17	1.8	0.92-2.68			
Less Than H.S.	189	18,401	56	29.3	20.7-37.8	125	66.7	57.9-75.4	7	2.6	0.51-4.75	1	1.4	0.00-4.09
H.S. or G.E.D.	642	64,188	250	37.9	33.5-42.4	366	57.8	53.1-62.4	24	3.7	1.67-5.79	2	0.6	0.00-1.45
Some Post-H.S.	738	77,692	333	47.8	43.4-52.2	378	49.4	45.1-53.8	26	2.7	1.46-3.86	1	0.1	0.00-0.36
College Graduate	719	74,711	364	51.1	46.9-55.3	339	47.5	43.3-51.7	14	1.3	0.53-2.01	2	0.1	0.00-0.37
Less than \$15,000	235	25,272	60	27.4	19.6-35.2	158	66.8	58.6-75.0	15	4.5	1.58-7.42	2	1.3	0.00-3.36
\$15,000- 24,999	395	37,939	144	35.0	29.2-40.8	233	60.4	54.4-66.4	17	4.3	1.66-7.00	1	0.3	0.00-0.74
\$25,000- 34,999	288	27,205	120	45.6	38.8-52.4	159	49.4	42.7-56.2	7	3.6	0.23-6.93	2	1.3	0.00-3.41
\$35,000- 49,999	379	38,838	171	46.0	40.4-51.6	197	52.3	46.7-57.9	11	1.7	0.61-2.81			
\$50,000- 74,999	357	38,810	172	49.1	43.2-55.0	174	48.8	42.9-54.7	11	2.1	0.73-3.43			
\$75,000+	286	30,767	168	59.6	53.3-65.9	115	39.8	33.5-46.1	3	0.6	0.00-1.28			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2005**

End of Core Data Report