

NORTH DAKOTA

2007 Calculated Variables Report

Behavioral Risk Factor Surveillance System

March 28, 2008



SECTION 1: HEALTH STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4738	501,571	3967	87.5	86.3-88.7	771	12.5	11.3-13.7
Male	1931	248,753	1620	87.7	86.1-89.3	311	12.3	10.7-13.9
Female	2807	252,818	2347	87.3	85.9-88.7	460	12.7	11.3-14.1
Native	352	23,033	253	82.7	76.4-89.0	99	17.3	11.0-23.6
Non-Native	4341	474,351	3680	87.7	86.5-88.9	661	12.3	11.1-13.5
18-24	191	74,726	181	95.2	91.9-98.5	10	4.8	01.5-08.1
25-34	514	84,584	479	93.6	91.1-96.1	35	6.4	03.9-08.9
35-44	722	78,966	654	93.2	91.2-95.2	68	6.8	04.8-08.8
45-54	1090	94,472	951	88.5	86.3-90.7	139	11.5	09.3-13.7
55-64	925	70,843	738	82.4	79.7-85.1	187	17.6	14.9-20.3
65+	1253	94,690	923	73.5	70.8-76.2	330	26.5	23.8-29.2
Less Than H.S.	381	36,889	235	69.4	63.5-75.3	146	30.6	24.7-36.5
H.S. or G.E.D.	1426	147,756	1134	84.0	81.8-86.2	292	16.0	13.8-18.2
Some Post-H.S.	1509	163,280	1292	88.7	86.7-90.7	217	11.3	09.3-13.3
College Graduate	1418	153,363	1303	93.8	92.4-95.2	115	6.2	04.8-07.6
Less than \$15,000	394	36,600	239	71.8	65.5-78.1	155	28.2	21.9-34.5
\$15,000- 24,999	696	63,632	503	74.7	70.6-78.8	193	25.3	21.2-29.4
\$25,000- 34,999	578	57,920	474	85.7	82.4-89.0	104	14.3	11.0-17.6
\$35,000- 49,999	740	74,025	641	88.9	86.4-91.4	99	11.1	08.6-13.6
\$50,000- 74,999	787	92,620	735	94.4	92.8-96.0	52	5.6	04.0-07.2
\$75,000+	897	109,321	852	95.6	94.0-97.2	45	4.4	02.8-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1931	248,753	1620	87.7	86.1-89.3	311	12.3	10.7-13.9
Native	125	10,529	93	88.2	80.2-96.2	32	11.8	03.8-19.8
Non-Native	1779	235,365	1505	87.6	86.0-89.2	274	12.4	10.8-14.0
18-24	94	39,398	92	98.1	95.4-100	2	1.9	00.0-04.6
25-34	210	44,546	192	91.4	87.1-95.7	18	8.6	04.3-12.9
35-44	301	40,154	272	92.8	89.9-95.7	29	7.2	04.3-10.1
45-54	472	47,704	419	90.2	87.3-93.1	53	9.8	06.9-12.7
55-64	404	35,820	316	81.4	77.1-85.7	88	18.6	14.3-22.9
65+	434	39,674	313	70.0	65.3-74.7	121	30.0	25.3-34.7
Less Than H.S.	179	19,828	108	70.3	62.5-78.1	71	29.7	21.9-37.5
H.S. or G.E.D.	577	74,937	463	84.3	81.0-87.6	114	15.7	12.4-19.0
Some Post-H.S.	582	77,634	504	89.1	86.4-91.8	78	10.9	08.2-13.6
College Graduate	592	76,306	544	93.9	91.9-95.9	48	6.1	04.1-08.1
Less than \$15,000	129	14,490	75	73.7	63.9-83.5	54	26.3	16.5-36.1
\$15,000- 24,999	232	24,979	148	69.7	62.8-76.6	84	30.3	23.4-37.2
\$25,000- 34,999	246	29,941	206	84.6	79.1-90.1	40	15.4	09.9-20.9
\$35,000- 49,999	328	40,274	278	87.3	83.4-91.2	50	12.7	08.8-16.6
\$50,000- 74,999	351	48,631	323	93.8	91.3-96.3	28	6.2	03.7-08.7
\$75,000+	465	63,712	444	95.4	93.0-97.8	21	4.6	02.2-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2807	252,818	2347	87.3	85.9-88.7	460	12.7	11.3-14.1
Native	227	12,504	160	78.1	69.3-86.9	67	21.9	13.1-30.7
Non-Native	2562	238,986	2175	87.8	86.4-89.2	387	12.2	10.8-13.6
18-24	97	35,328	89	92.1	86.0-98.2	8	7.9	01.8-14.0
25-34	304	40,038	287	96.1	93.9-98.3	17	3.9	01.7-06.1
35-44	421	38,812	382	93.5	91.1-95.9	39	6.5	04.1-08.9
45-54	618	46,768	532	86.8	83.9-89.7	86	13.2	10.3-16.1
55-64	521	35,023	422	83.4	79.9-86.9	99	16.6	13.1-20.1
65+	819	55,016	610	76.0	72.9-79.1	209	24.0	20.9-27.1
Less Than H.S.	202	17,061	127	68.3	59.3-77.3	75	31.7	22.7-40.7
H.S. or G.E.D.	849	72,819	671	83.7	81.0-86.4	178	16.3	13.6-19.0
Some Post-H.S.	927	85,646	788	88.4	85.9-90.9	139	11.6	09.1-14.1
College Graduate	826	77,057	759	93.7	91.7-95.7	67	6.3	04.3-08.3
Less than \$15,000	265	22,110	164	70.5	62.7-78.3	101	29.5	21.7-37.3
\$15,000- 24,999	464	38,653	355	77.9	72.8-83.0	109	22.1	17.0-27.2
\$25,000- 34,999	332	27,980	268	87.0	83.3-90.7	64	13.0	09.3-16.7
\$35,000- 49,999	412	33,751	363	90.8	87.9-93.7	49	9.2	06.3-12.1
\$50,000- 74,999	436	43,989	412	95.1	92.9-97.3	24	4.9	02.7-07.1
\$75,000+	432	45,609	408	95.7	93.7-97.7	24	4.3	02.3-06.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3436	399,131	2961	85.9	84.1-87.7	475	14.1	12.3-15.9
Male	1476	204,890	1264	84.6	81.9-87.3	212	15.4	12.7-18.1
Female	1960	194,241	1697	87.2	84.8-89.6	263	12.8	10.4-15.2
Non-Native	3110	376,098	2785	87.9	86.1-89.7	325	12.1	10.3-13.9
18-24	183	70,417	126	72.2	64.8-79.6	57	27.8	20.4-35.2
25-34	513	84,237	434	84.4	80.3-88.5	79	15.6	11.5-19.7
35-44	722	78,966	633	91.0	88.6-93.4	89	9.0	06.6-11.4
45-54	1091	94,525	972	91.2	89.4-93.0	119	8.8	07.0-10.6
55-64	927	70,985	796	88.4	86.2-90.6	131	11.6	09.4-13.8
H.S. or G.E.D.	909	108,731	729	80.9	77.2-84.6	180	19.1	15.4-22.8
Some Post-H.S.	1168	136,397	1003	84.3	81.0-87.6	165	15.7	12.4-19.0
College Graduate	1202	135,894	1127	95.3	93.9-96.7	75	4.7	03.3-06.1
\$15,000- 24,999	385	41,097	264	70.2	63.7-76.7	121	29.8	23.3-36.3
\$25,000- 34,999	391	43,307	311	77.2	70.7-83.7	80	22.8	16.3-29.3
\$35,000- 49,999	575	60,633	516	91.4	88.3-94.5	59	8.6	05.5-11.7
\$50,000- 74,999	701	84,879	673	96.6	94.8-98.4	28	3.4	01.6-05.2
\$75,000+	834	103,085	792	95.4	93.6-97.2	42	4.6	02.8-06.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1476	204,890	1264	84.6	81.9-87.3	212	15.4	12.7-18.1
Non-Native	1355	194,118	1203	87.0	84.5-89.5	152	13.0	10.5-15.5
25-34	209	44,199	170	81.1	74.2-88.0	39	18.9	12.0-25.8
35-44	301	40,154	266	91.1	87.6-94.6	35	8.9	05.4-12.4
45-54	473	47,757	423	91.9	89.4-94.4	50	8.1	05.6-10.6
55-64	403	35,765	349	88.1	84.8-91.4	54	11.9	08.6-15.2
H.S. or G.E.D.	421	59,721	339	81.0	75.7-86.3	82	19.0	13.7-24.3
Some Post-H.S.	498	69,858	426	82.8	77.7-87.9	72	17.2	12.1-22.3
College Graduate	480	65,982	448	94.5	92.0-97.0	32	5.5	03.0-08.0
\$25,000- 34,999	173	23,064	132	76.0	66.8-85.2	41	24.0	14.8-33.2
\$35,000- 49,999	253	33,294	228	90.8	86.1-95.5	25	9.2	04.5-13.9
\$50,000- 74,999	301	43,731	286	95.5	92.6-98.4	15	4.5	01.6-07.4
\$75,000+	421	59,946	396	94.4	91.7-97.1	25	5.6	02.9-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1960	194,241	1697	87.2	84.8-89.6	263	12.8	10.4-15.2
Non-Native	1755	181,980	1582	88.8	86.4-91.2	173	11.2	08.8-13.6
25-34	304	40,038	264	88.0	83.9-92.1	40	12.0	07.9-16.1
35-44	421	38,812	367	90.9	88.0-93.8	54	9.1	06.2-12.0
45-54	618	46,768	549	90.5	88.0-93.0	69	9.5	07.0-12.0
55-64	524	35,220	447	88.6	85.7-91.5	77	11.4	08.5-14.3
H.S. or G.E.D.	488	49,009	390	80.8	75.9-85.7	98	19.2	14.3-24.1
Some Post-H.S.	670	66,540	577	85.9	81.4-90.4	93	14.1	09.6-18.6
College Graduate	722	69,911	679	96.1	94.7-97.5	43	3.9	02.5-05.3
\$15,000- 24,999	255	25,308	181	73.6	65.8-81.4	74	26.4	18.6-34.2
\$25,000- 34,999	218	20,244	179	78.6	69.6-87.6	39	21.4	12.4-30.4
\$35,000- 49,999	322	27,339	288	92.2	88.7-95.7	34	7.8	04.3-11.3
\$50,000- 74,999	400	41,148	387	97.7	96.1-99.3	13	2.3	00.7-03.9
\$75,000+	413	43,140	396	96.8	95.0-98.6	17	3.2	01.4-05.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
* * * * *

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 4: EXERCISE**

TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4735	501,060	3501	77.5	75.9-79.1	1234	22.5	20.9-24.1	
Male	1923	247,939	1458	79.7	77.5-81.9	465	20.3	18.1-22.5	
Female	2812	253,121	2043	75.4	73.2-77.6	769	24.6	22.4-26.8	
Native	353	23,038	230	70.5	61.1-79.9	123	29.5	20.1-38.9	
Non-Native	4340	474,187	3250	78.0	76.4-79.6	1090	22.0	20.4-23.6	
18-24	191	74,726	158	82.7	76.4-89.0	33	17.3	11.0-23.6	
25-34	513	84,444	429	85.6	82.5-88.7	84	14.4	11.3-17.5	
35-44	720	78,807	583	82.0	78.9-85.1	137	18.0	14.9-21.1	
45-54	1091	94,448	837	78.3	75.6-81.0	254	21.7	19.0-24.4	
55-64	927	70,985	665	73.6	70.5-76.7	262	26.4	23.3-29.5	
65+	1250	94,359	796	64.7	61.8-67.6	454	35.3	32.4-38.2	
Less Than H.S.	380	36,634	224	66.9	60.8-73.0	156	33.1	27.0-39.2	
H.S. or G.E.D.	1424	147,618	940	70.4	67.3-73.5	484	29.6	26.5-32.7	
Some Post-H.S.	1509	163,124	1129	77.5	74.6-80.4	380	22.5	19.6-25.4	
College Graduate	1418	153,400	1205	86.9	84.9-88.9	213	13.1	11.1-15.1	
Less than \$15,000	391	36,418	218	64.7	57.4-72.0	173	35.3	28.0-42.6	
\$15,000- 24,999	695	63,443	433	65.1	60.2-70.0	262	34.9	30.0-39.8	
\$25,000- 34,999	576	57,699	425	74.2	69.1-79.3	151	25.8	20.7-30.9	
\$35,000- 49,999	737	73,885	565	77.6	74.1-81.1	172	22.4	18.9-25.9	
\$50,000- 74,999	789	92,677	648	84.6	81.9-87.3	141	15.4	12.7-18.1	
\$75,000+	897	109,321	767	86.8	84.3-89.3	130	13.2	10.7-15.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 4: EXERCISE**

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1923	247,939	1458	79.7	77.5-81.9	465	20.3	18.1-22.5
Non-Native	1774	234,905	1352	80.0	77.8-82.2	422	20.0	17.8-22.2
18-24	94	39,398	81	86.3	78.5-94.1	13	13.7	05.9-21.5
25-34	210	44,546	180	88.3	83.8-92.8	30	11.7	07.2-16.2
35-44	299	39,995	247	84.4	80.1-88.7	52	15.6	11.3-19.9
45-54	474	47,766	356	76.3	72.0-80.6	118	23.7	19.4-28.0
55-64	403	35,765	288	73.1	68.4-77.8	115	26.9	22.2-31.6
65+	427	39,012	294	68.4	63.5-73.3	133	31.6	26.7-36.5
Less Than H.S.	176	19,378	105	71.3	63.5-79.1	71	28.7	20.9-36.5
H.S. or G.E.D.	575	74,810	389	71.2	66.5-75.9	186	28.8	24.1-33.5
Some Post-H.S.	581	77,492	449	80.4	76.5-84.3	132	19.6	15.7-23.5
College Graduate	590	76,212	515	89.4	86.7-92.1	75	10.6	07.9-13.3
\$15,000- 24,999	231	24,791	153	72.3	65.6-79.0	78	27.7	21.0-34.4
\$25,000- 34,999	244	29,719	186	77.1	69.8-84.4	58	22.9	15.6-30.2
\$35,000- 49,999	326	40,219	251	77.1	71.8-82.4	75	22.9	17.6-28.2
\$50,000- 74,999	351	48,631	282	84.0	79.9-88.1	69	16.0	11.9-20.1
\$75,000+	465	63,712	401	87.5	84.2-90.8	64	12.5	09.2-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 4: EXERCISE**

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2812	253,121	2043	75.4	73.2-77.6	769	24.6	22.4-26.8	
Non-Native	2566	239,282	1898	76.2	74.0-78.4	668	23.8	21.6-26.0	
18-24	97	35,328	77	78.7	68.9-88.5	20	21.3	11.5-31.1	
25-34	303	39,898	249	82.6	77.9-87.3	54	17.4	12.7-22.1	
35-44	421	38,812	336	79.4	74.9-83.9	85	20.6	16.1-25.1	
45-54	617	46,682	481	80.2	76.7-83.7	136	19.8	16.3-23.3	
55-64	524	35,220	377	74.1	70.0-78.2	147	25.9	21.8-30.0	
65+	823	55,347	502	62.0	58.3-65.7	321	38.0	34.3-41.7	
Less Than H.S.	204	17,256	119	62.0	52.8-71.2	85	38.0	28.8-47.2	
H.S. or G.E.D.	849	72,809	551	69.6	65.7-73.5	298	30.4	26.5-34.3	
Some Post-H.S.	928	85,632	680	74.8	70.7-78.9	248	25.2	21.1-29.3	
College Graduate	828	77,188	690	84.4	81.5-87.3	138	15.6	12.7-18.5	
Less than \$15,000	264	22,045	153	63.2	53.8-72.6	111	36.8	27.4-46.2	
\$15,000- 24,999	464	38,653	280	60.5	53.8-67.2	184	39.5	32.8-46.2	
\$25,000- 34,999	332	27,980	239	71.1	64.0-78.2	93	28.9	21.8-36.0	
\$35,000- 49,999	411	33,665	314	78.2	73.5-82.9	97	21.8	17.1-26.5	
\$50,000- 74,999	438	44,046	366	85.3	81.8-88.8	72	14.7	11.2-18.2	
\$75,000+	432	45,609	366	85.8	82.1-89.5	66	14.2	10.5-17.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 6: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4740	501,085	3141	74.0	72.6-75.4	1599	26.0	24.6-27.4
Male	1927	247,782	1284	74.0	71.8-76.2	643	26.0	23.8-28.2
Female	2813	253,303	1857	74.1	72.3-75.9	956	25.9	24.1-27.7
Native	352	22,927	226	69.9	60.3-79.5	126	30.1	20.5-39.7
Non-Native	4343	473,971	2890	74.3	72.9-75.7	1453	25.7	24.3-27.1
18-24	190	74,215	178	94.7	91.0-98.4	12	5.3	01.6-09.0
25-34	513	84,549	472	92.6	90.1-95.1	41	7.4	04.9-09.9
35-44	720	78,837	605	84.9	82.0-87.8	115	15.1	12.2-18.0
45-54	1091	94,450	811	74.7	71.8-77.6	280	25.3	22.4-28.2
55-64	926	70,766	526	59.1	55.6-62.6	400	40.9	37.4-44.4
65+	1256	94,921	519	42.6	39.5-45.7	737	57.4	54.3-60.5
Less Than H.S.	383	36,482	183	59.6	53.1-66.1	200	40.4	33.9-46.9
H.S. or G.E.D.	1424	147,676	883	71.1	68.2-74.0	541	28.9	26.0-31.8
Some Post-H.S.	1509	163,194	1017	75.3	72.8-77.8	492	24.7	22.2-27.2
College Graduate	1420	153,450	1055	79.0	76.6-81.4	365	21.0	18.6-23.4
Less than \$15,000	393	36,497	216	65.8	58.9-72.7	177	34.2	27.3-41.1
\$15,000- 24,999	695	63,546	374	61.9	57.2-66.6	321	38.1	33.4-42.8
\$25,000- 34,999	576	57,677	340	66.2	61.1-71.3	236	33.8	28.7-38.9
\$35,000- 49,999	740	74,025	496	72.5	68.8-76.2	244	27.5	23.8-31.2
\$50,000- 74,999	790	92,817	607	81.3	78.4-84.2	183	18.7	15.8-21.6
\$75,000+	896	109,211	703	83.6	81.1-86.1	193	16.4	13.9-18.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1927	247,782	1284	74.0	71.8-76.2	643	26.0	23.8-28.2
Non-Native	1776	234,507	1193	74.3	72.1-76.5	583	25.7	23.5-27.9
18-24	93	38,887	87	93.2	87.3-99.1	6	6.8	00.9-12.7
25-34	209	44,511	189	91.1	87.0-95.2	20	8.9	04.8-13.0
35-44	300	40,078	243	82.1	77.4-86.8	57	17.9	13.2-22.6
45-54	473	47,682	336	71.6	67.1-76.1	137	28.4	23.9-32.9
55-64	402	35,546	227	58.1	52.6-63.6	175	41.9	36.4-47.4
65+	433	39,563	189	44.1	39.0-49.2	244	55.9	50.8-61.0
Less Than H.S.	178	19,161	85	56.2	46.4-66.0	93	43.8	34.0-53.6
H.S. or G.E.D.	576	74,846	383	74.7	70.6-78.8	193	25.3	21.2-29.4
Some Post-H.S.	581	77,531	394	75.3	71.4-79.2	187	24.7	20.8-28.6
College Graduate	591	76,197	421	76.3	72.6-80.0	170	23.7	20.0-27.4
\$15,000- 24,999	233	24,986	122	58.8	51.0-66.6	111	41.2	33.4-49.0
\$25,000- 34,999	245	29,777	147	65.0	57.2-72.8	98	35.0	27.2-42.8
\$35,000- 49,999	328	40,274	218	72.2	66.7-77.7	110	27.8	22.3-33.3
\$50,000- 74,999	351	48,631	256	79.3	74.8-83.8	95	20.7	16.2-25.2
\$75,000+	464	63,603	353	82.4	78.9-85.9	111	17.6	14.1-21.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2813	253,303	1857	74.1	72.3-75.9	956	25.9	24.1-27.7
Non-Native	2567	239,465	1697	74.3	72.3-76.3	870	25.7	23.7-27.7
18-24	97	35,328	91	96.4	92.1-100.0	6	3.6	00.0-07.9
25-34	304	40,038	283	94.4	91.9-96.9	21	5.6	03.1-08.1
35-44	420	38,758	362	87.9	84.6-91.2	58	12.1	08.8-15.4
45-54	618	46,768	475	77.9	74.4-81.4	143	22.1	18.6-25.6
55-64	524	35,220	299	60.0	55.3-64.7	225	40.0	35.3-44.7
65+	823	55,358	330	41.4	37.7-45.1	493	58.6	54.9-62.3
Less Than H.S.	205	17,321	98	63.4	55.0-71.8	107	36.6	28.2-45.0
H.S. or G.E.D.	848	72,830	500	67.4	63.5-71.3	348	32.6	28.7-36.5
Some Post-H.S.	928	85,663	623	75.2	72.1-78.3	305	24.8	21.7-27.9
College Graduate	829	77,253	634	81.7	79.0-84.4	195	18.3	15.6-21.0
Less than \$15,000	265	22,110	148	68.2	60.4-76.0	117	31.8	24.0-39.6
\$15,000- 24,999	462	38,559	252	64.0	58.1-69.9	210	36.0	30.1-41.9
\$25,000- 34,999	331	27,900	193	67.4	61.3-73.5	138	32.6	26.5-38.7
\$35,000- 49,999	412	33,751	278	72.8	68.1-77.5	134	27.2	22.5-31.9
\$50,000- 74,999	439	44,186	351	83.6	80.1-87.1	88	16.4	12.9-19.9
\$75,000+	432	45,609	350	85.3	82.0-88.6	82	14.7	11.4-18.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 7: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)	
1	MALES AND FEMALES	19
2	MALES ONLY	20
3	FEMALES ONLY	21
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	22
5	MALES ONLY	23
6	FEMALES ONLY	24

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4600	480,615	3705	72.7	70.7-74.7	221	4.6	03.8-05.4	674	22.7	20.7-24.7
Male	1871	239,096	1411	67.5	64.4-70.6	107	4.9	03.7-06.1	353	27.5	24.4-30.6
Female	2729	241,519	2294	77.8	75.3-80.3	114	4.2	03.2-05.2	321	18.0	15.6-20.4
Native	344	22,209				17	1.6	00.4-02.8			
Non-Native	4216	454,626	3441	73.2	71.2-75.2	201	4.6	03.8-05.4	574	22.1	20.1-24.1
18-24	172	66,633	62	31.8	23.8-39.8	5	2.8	00.0-05.9	105	65.3	57.1-73.5
25-34	486	80,051	280	56.1	51.0-61.2	23	4.3	02.3-06.3	183	39.6	34.5-44.7
35-44	704	76,761	496	71.4	67.7-75.1	45	6.5	04.3-08.7	163	22.1	18.8-25.4
45-54	1073	93,045	886	83.4	80.9-85.9	70	5.8	04.2-07.4	117	10.7	08.5-12.9
55-64	910	69,672	811	89.2	86.8-91.6	47	5.5	03.7-07.3	52	5.3	03.7-06.9
65+	1215	91,376	1139	94.5	93.1-95.9	28	2.3	01.3-03.3	48	3.2	02.2-04.2
Less Than H.S.	369	34,728	298	69.8	62.0-77.6	10	1.7	00.3-03.1	61	28.5	20.7-36.3
H.S. or G.E.D.	1378	141,114	1072	69.9	66.2-73.6	69	5.5	03.7-07.3	237	24.6	20.9-28.3
Some Post-H.S.	1466	155,690	1169	69.5	65.8-73.2	71	4.2	03.0-05.4	226	26.3	22.6-30.0
College Graduate	1383	148,801	1162	79.3	76.2-82.4	71	4.8	03.4-06.2	150	15.9	13.0-18.8
Less than \$15,000	375	33,765	281	63.1	54.3-71.9	17	2.9	01.1-04.7	77	34.1	25.3-42.9
\$15,000- 24,999	672	60,131	532	71.9	66.2-77.6	28	3.9	01.4-06.4	112	24.2	18.7-29.7
\$25,000- 34,999	562	55,909	420	66.7	60.6-72.8	34	4.7	02.7-06.7	108	28.6	22.5-34.7
\$35,000- 49,999	723	72,190	593	76.5	72.4-80.6	29	3.7	02.1-05.3	101	19.8	15.9-23.7
\$50,000- 74,999	771	90,010	635	75.0	70.5-79.5	35	4.0	02.6-05.4	101	21.0	16.5-25.5
\$75,000+	880	105,363	727	76.6	72.5-80.7	57	6.5	04.7-08.3	96	16.9	13.0-20.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1871	239,096	1411	67.5	64.4-70.6	107	4.9	03.7-06.1	353	27.5	24.4-30.6
Native	121	10,277				5	1.6	00.0-03.2			
Non-Native	1727	226,324	1315	68.1	65.0-71.2	99	4.9	03.7-06.1	313	27.0	23.9-30.1
18-24	85	36,340				3	1.6	00.0-04.3			
25-34	201	42,578	109	53.3	45.5-61.1	7	3.4	00.7-06.1	85	43.3	35.5-51.1
35-44	292	38,944	190	67.0	61.1-72.9	16	5.9	02.8-09.0	86	27.1	21.6-32.6
45-54	464	46,802	352	78.7	74.8-82.6	41	7.9	05.4-10.4	71	13.4	10.1-16.7
55-64	391	34,763	334	84.5	80.4-88.6	26	7.5	04.6-10.4	31	8.0	05.1-10.9
65+	422	38,213	390	93.9	91.5-96.3	11	2.2	00.8-03.6	21	4.0	02.2-05.8
Less Than H.S.	174	19,052				4	1.5	00.0-03.5			
H.S. or G.E.D.	554	70,838	381	61.8	56.1-67.5	40	6.3	04.1-08.5	133	32.0	26.1-37.9
Some Post-H.S.	565	74,987	407	61.4	55.5-67.3	38	5.3	03.1-07.5	120	33.3	27.4-39.2
College Graduate	577	74,172	486	79.7	75.2-84.2	25	4.3	02.3-06.3	66	16.0	11.7-20.3
Less than \$15,000	123	14,119				8	4.5	00.6-08.4			
\$15,000- 24,999	224	23,640	164	68.9	60.5-77.3	12	2.7	00.9-04.5	48	28.4	20.0-36.8
\$25,000- 34,999	240	29,286	156	59.2	50.4-68.0	18	5.4	02.3-08.5	66	35.4	26.6-44.2
\$35,000- 49,999	321	39,334	255	76.1	70.4-81.8	9	2.7	00.7-04.7	57	21.2	15.5-26.9
\$50,000- 74,999	343	47,593	263	66.6	59.5-73.7	16	3.8	01.8-05.8	64	29.6	22.5-36.7
\$75,000+	455	61,099	363	73.3	67.6-79.0	35	7.5	05.0-10.0	57	19.1	13.4-24.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	241,519	2294	77.8	75.3-80.3	114	4.2	03.2-05.2	321	18.0	15.6-20.4
Native	223	11,932				12	1.7	00.0-03.5			
Non-Native	2489	228,302	2126	78.3	75.8-80.8	102	4.4	03.2-05.6	261	17.4	14.9-19.9
18-24	87	30,294				2	4.2	00.0-09.9			
25-34	285	37,473	171	59.3	53.0-65.6	16	5.4	02.7-08.1	98	35.3	29.2-41.4
35-44	412	37,817	306	76.0	71.3-80.7	29	7.0	04.3-09.7	77	17.0	12.9-21.1
45-54	609	46,242	534	88.2	85.5-90.9	29	3.7	02.1-05.3	46	8.0	05.5-10.5
55-64	519	34,909	477	93.8	91.6-96.0	21	3.5	01.9-05.1	21	2.6	01.2-04.0
65+	793	53,164	749	94.9	93.3-96.5	17	2.4	01.2-03.6	27	2.7	01.5-03.9
Less Than H.S.	195	15,675				6	2.0	00.0-04.2			
H.S. or G.E.D.	824	70,276	691	78.1	73.6-82.6	29	4.6	01.9-07.3	104	17.2	13.1-21.3
Some Post-H.S.	901	80,702	762	77.1	72.4-81.8	33	3.2	02.0-04.4	106	19.7	15.0-24.4
College Graduate	806	74,629	676	78.8	74.5-83.1	46	5.4	03.6-07.2	84	15.7	11.6-19.8
Less than \$15,000	252	19,646	196	71.4	62.0-80.8	9	1.7	00.3-03.1	47	26.9	17.5-36.3
\$15,000- 24,999	448	36,490	368	73.8	66.4-81.2	16	4.7	00.6-08.8	64	21.5	14.4-28.6
\$25,000- 34,999	322	26,622	264	74.9	67.1-82.7	16	4.0	01.8-06.2	42	21.0	13.2-28.8
\$35,000- 49,999	402	32,856	338	76.9	71.2-82.6	20	4.9	02.5-07.3	44	18.2	12.5-23.9
\$50,000- 74,999	428	42,417	372	84.5	80.2-88.8	19	4.2	02.2-06.2	37	11.3	07.4-15.2
\$75,000+	425	44,263	364	81.1	75.6-86.6	22	5.2	02.8-07.6	39	13.7	08.4-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3675	346,018	2118	61.5	59.5-63.5	1557	38.5	36.5-40.5
Male	1394	159,099	776	60.7	57.8-63.6	618	39.3	36.4-42.2
Female	2281	186,918	1342	62.1	59.7-64.5	939	37.9	35.5-40.3
Non-Native	3412	329,565	1950	61.1	59.1-63.1	1462	38.9	36.9-40.9
18-24	61	20,532	59	94.5	86.7-100	2	5.5	00.0-13.3
25-34	279	44,772	226	81.6	76.5-86.7	53	18.4	13.3-23.5
35-44	494	54,515	379	76.2	72.1-80.3	115	23.8	19.7-27.9
45-54	880	76,954	521	57.5	53.8-61.2	359	42.5	38.8-46.2
55-64	805	61,654	394	49.1	45.2-53.0	411	50.9	47.0-54.8
65+	1125	85,241	518	45.8	42.5-49.1	607	54.2	50.9-57.5
Less Than H.S.	297	24,084	163	59.0	51.9-66.1	134	41.0	33.9-48.1
H.S. or G.E.D.	1058	96,937	582	59.7	56.0-63.4	476	40.3	36.6-44.0
Some Post-H.S.	1159	107,224	661	60.9	57.6-64.2	498	39.1	35.8-42.4
College Graduate	1158	117,537	711	64.0	60.9-67.1	447	36.0	32.9-39.1
Less than \$15,000	280	21,289	145	57.5	49.3-65.7	135	42.5	34.3-50.7
\$15,000- 24,999	523	42,297	287	59.9	54.6-65.2	236	40.1	34.8-45.4
\$25,000- 34,999	416	36,906	228	55.6	49.3-61.9	188	44.4	38.1-50.7
\$35,000- 49,999	589	54,861	352	64.2	59.7-68.7	237	35.8	31.3-40.3
\$50,000- 74,999	630	66,853	362	60.3	56.0-64.6	268	39.7	35.4-44.0
\$75,000+	726	80,614	458	66.4	62.7-70.1	268	33.6	29.9-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked in the past five years

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1394	159,099	776	60.7	57.8-63.6	618	39.3	36.4-42.2
Non-Native	1299	151,864	718	60.4	57.5-63.3	581	39.6	36.7-42.5
25-34	109	22,702	86	82.5	74.9-90.1	23	17.5	09.9-25.1
35-44	188	25,791	131	71.3	64.4-78.2	57	28.7	21.8-35.6
45-54	349	36,371	190	53.8	47.9-59.7	159	46.2	40.3-52.1
55-64	331	29,156	153	48.0	41.9-54.1	178	52.0	45.9-58.1
65+	382	35,129	185	48.3	42.8-53.8	197	51.7	46.2-57.2
Less Than H.S.	135	12,365	76	59.8	49.8-69.8			
H.S. or G.E.D.	374	42,521	201	58.4	52.3-64.5	173	41.6	35.5-47.7
Some Post-H.S.	401	45,306	226	62.1	56.6-67.6	175	37.9	32.4-43.4
College Graduate	484	58,907	273	61.5	56.6-66.4	211	38.5	33.6-43.4
\$15,000- 24,999	160	15,786	84	59.4	50.0-68.8	76	40.6	31.2-50.0
\$35,000- 49,999	251	29,594	154	68.2	61.7-74.7	97	31.8	25.3-38.3
\$50,000- 74,999	261	31,305	124	51.8	44.9-58.7	137	48.2	41.3-55.1
\$75,000+	363	44,803	216	64.5	59.0-70.0	147	35.5	30.0-41.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 7: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2281	186,918	1342	62.1	59.7-64.5	939	37.9	35.5-40.3
Native	154	8,232	104	75.8	65.8-85.8			
Non-Native	2113	177,701	1232	61.6	59.2-64.0	881	38.4	36.0-40.8
25-34	170	22,070	140	80.6	73.7-87.5	30	19.4	12.5-26.3
35-44	306	28,724	248	80.6	75.7-85.5	58	19.4	14.5-24.3
45-54	531	40,582	331	60.8	56.1-65.5	200	39.2	34.5-43.9
55-64	474	32,498	241	50.1	45.0-55.2	233	49.9	44.8-55.0
65+	743	50,112	333	44.1	40.2-48.0	410	55.9	52.0-59.8
Less Than H.S.	162	11,718	87	58.1	48.5-67.7	75	41.9	32.3-51.5
H.S. or G.E.D.	684	54,417	381	60.7	56.2-65.2	303	39.3	34.8-43.8
Some Post-H.S.	758	61,919	435	60.0	55.9-64.1	323	40.0	35.9-44.1
College Graduate	674	58,629	438	66.6	62.5-70.7	236	33.4	29.3-37.5
\$15,000- 24,999	363	26,511	203	60.3	54.2-66.4	160	39.7	33.6-45.8
\$25,000- 34,999	264	19,949	153	58.2	50.9-65.5	111	41.8	34.5-49.1
\$35,000- 49,999	338	25,266	198	59.5	53.4-65.6	140	40.5	34.4-46.6
\$50,000- 74,999	369	35,548	238	67.8	62.5-73.1	131	32.2	26.9-37.5
\$75,000+	363	35,812	242	68.7	63.4-74.0	121	31.3	26.0-36.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 9: ASTHMA CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)	
1	MALES AND FEMALES	26
2	MALES ONLY	27
3	FEMALES ONLY	28
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)	
4	MALES AND FEMALES	29
5	MALES ONLY	30
6	FEMALES ONLY	31
	COMPUTED ASTHMA STATUS (_ASTHMST)	
7	MALES AND FEMALES	32
8	MALES ONLY	33
9	FEMALES ONLY	34

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 9: ASTHMA**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4738	501,364	4214	88.8	87.6-90.0	524	11.2	10.0-12.4
Male	1931	248,648	1761	90.6	88.8-92.4	170	9.4	07.6-11.2
Female	2807	252,716	2453	87.1	85.3-88.9	354	12.9	11.1-14.7
Native	353	23,041	301	92.1	87.8-96.4	52	7.9	03.6-12.2
Non-Native	4340	474,136	3872	88.6	87.2-90.0	468	11.4	10.0-12.8
18-24	191	74,726	166	87.3	81.6-93.0	25	12.7	07.0-18.4
25-34	513	84,444	440	85.8	82.5-89.1	73	14.2	10.9-17.5
35-44	721	78,751	652	90.5	88.1-92.9	69	9.5	07.1-11.9
45-54	1088	94,131	968	89.4	87.4-91.4	120	10.6	08.6-12.6
55-64	924	70,893	824	89.8	87.6-92.0	100	10.2	08.0-12.4
65+	1257	95,073	1123	89.7	87.7-91.7	134	10.3	08.3-12.3
Less Than H.S.	384	37,150	333	88.7	85.0-92.4	51	11.3	07.6-15.0
H.S. or G.E.D.	1422	147,405	1265	89.1	86.7-91.5	157	10.9	08.5-13.3
Some Post-H.S.	1509	163,294	1329	87.2	84.7-89.7	180	12.8	10.3-15.3
College Graduate	1419	153,232	1283	90.3	88.3-92.3	136	9.7	07.7-11.7
Less than \$15,000	393	36,399	317	82.5	76.4-88.6	76	17.5	11.4-23.6
\$15,000- 24,999	692	63,476	590	84.9	81.4-88.4	102	15.1	11.6-18.6
\$25,000- 34,999	577	57,876	526	90.0	86.1-93.9	51	10.0	06.1-13.9
\$35,000- 49,999	738	73,880	657	88.4	85.5-91.3	81	11.6	08.7-14.5
\$50,000- 74,999	789	92,705	708	88.4	85.5-91.3	81	11.6	08.7-14.5
\$75,000+	896	109,106	814	90.8	88.3-93.3	82	9.2	06.7-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 9: ASTHMA**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1931	248,648	1761	90.6	88.8-92.4	170	9.4	07.6-11.2
Native	126	10,535	113	96.9	94.2-99.6	13	3.1	00.4-05.8
Non-Native	1778	235,254	1623	90.2	88.4-92.0	155	9.8	08.0-11.6
18-24	94	39,398	82	89.7	82.6-96.8	12	10.3	03.2-17.4
25-34	210	44,546	186	88.0	83.3-92.7	24	12.0	07.3-16.7
35-44	301	40,154	274	90.3	86.6-94.0	27	9.7	06.0-13.4
45-54	472	47,598	437	92.0	89.1-94.9	35	8.0	05.1-10.9
55-64	403	35,765	369	92.2	89.3-95.1	34	7.8	04.9-10.7
65+	434	39,674	396	91.3	88.4-94.2	38	8.7	05.8-11.6
Less Than H.S.	179	19,828	149	85.7	79.8-91.6	30	14.3	08.4-20.2
H.S. or G.E.D.	577	74,888	530	91.6	88.5-94.7	47	8.4	05.3-11.5
Some Post-H.S.	583	77,690	522	87.2	83.3-91.1	61	12.8	08.9-16.7
College Graduate	591	76,194	559	94.3	92.1-96.5	32	5.7	03.5-07.9
Less than \$15,000	130	14,546	103	85.6	78.5-92.7	27	14.4	07.3-21.5
\$15,000- 24,999	231	24,923	204	89.0	84.5-93.5	27	11.0	06.5-15.5
\$25,000- 34,999	246	29,941	229	88.9	82.2-95.6	17	11.1	04.4-17.8
\$35,000- 49,999	328	40,274	295	87.6	83.1-92.1	33	12.4	07.9-16.9
\$50,000- 74,999	350	48,519	323	90.1	86.0-94.2	27	9.9	05.8-14.0
\$75,000+	465	63,712	436	93.3	90.2-96.4	29	6.7	03.6-09.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 9: ASTHMA**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2807	252,716	2453	87.1	85.3-88.9	354	12.9	11.1-14.7
Native	227	12,506	188	88.0	80.7-95.3	39	12.0	04.7-19.3
Non-Native	2562	238,882	2249	87.0	85.2-88.8	313	13.0	11.2-14.8
18-24	97	35,328	84	84.6	75.8-93.4	13	15.4	06.6-24.2
25-34	303	39,898	254	83.4	78.7-88.1	49	16.6	11.9-21.3
35-44	420	38,597	378	90.7	87.6-93.8	42	9.3	06.2-12.4
45-54	616	46,533	531	86.8	83.9-89.7	85	13.2	10.3-16.1
55-64	521	35,128	455	87.4	84.3-90.5	66	12.6	09.5-15.7
65+	823	55,399	727	88.6	86.2-91.0	96	11.4	09.0-13.8
Less Than H.S.	205	17,321	184	92.0	87.7-96.3	21	8.0	03.7-12.3
H.S. or G.E.D.	845	72,517	735	86.5	83.2-89.8	110	13.5	10.2-16.8
Some Post-H.S.	926	85,604	807	87.2	84.1-90.3	119	12.8	09.7-15.9
College Graduate	828	77,038	724	86.3	83.0-89.6	104	13.7	10.4-17.0
Less than \$15,000	263	21,853	214	80.5	71.9-89.1	49	19.5	10.9-28.1
\$15,000- 24,999	461	38,553	386	82.3	77.2-87.4	75	17.7	12.6-22.8
\$25,000- 34,999	331	27,936	297	91.2	87.9-94.5	34	8.8	05.5-12.1
\$35,000- 49,999	410	33,606	362	89.3	86.0-92.6	48	10.7	07.4-14.0
\$50,000- 74,999	439	44,186	385	86.5	82.4-90.6	54	13.5	09.4-17.6
\$75,000+	431	45,393	378	87.3	83.0-91.6	53	12.7	08.4-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 9: ASTHMA**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)
Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4716	498,379	4342	92.3	91.3-93.3	374	7.7	06.7-08.7
Male	1922	247,009	1806	93.8	92.4-95.2	116	6.2	04.8-07.6
Female	2794	251,370	2536	90.9	89.5-92.3	258	9.1	07.7-10.5
Native	350	22,862	312	95.9	93.4-98.4	38	4.1	01.6-06.6
Non-Native	4321	471,330	3989	92.1	91.1-93.1	332	7.9	06.9-08.9
18-24	188	73,667	173	92.7	88.4-97.0	15	7.3	03.0-11.6
25-34	508	83,436	469	92.2	89.5-94.9	39	7.8	05.1-10.5
35-44	720	78,740	667	92.6	90.4-94.8	53	7.4	05.2-09.6
45-54	1084	93,776	993	91.8	90.0-93.6	91	8.2	06.4-10.0
55-64	920	70,619	852	93.2	91.4-95.0	68	6.8	05.0-08.6
65+	1252	94,795	1146	91.6	89.8-93.4	106	8.4	06.6-10.2
Less Than H.S.	382	37,063	343	91.0	87.7-94.3	39	9.0	05.7-12.3
H.S. or G.E.D.	1415	146,824	1307	92.2	90.2-94.2	108	7.8	05.8-09.8
Some Post-H.S.	1500	161,530	1373	91.8	89.8-93.8	127	8.2	06.2-10.2
College Graduate	1415	152,679	1315	93.3	91.7-94.9	100	6.7	05.1-08.3
Less than \$15,000	390	36,239	327	86.3	81.4-91.2	63	13.7	08.8-18.6
\$15,000- 24,999	687	62,663	624	90.7	88.0-93.4	63	9.3	06.6-12.0
\$25,000- 34,999	574	57,399	540	93.7	90.6-96.8	34	6.3	03.2-09.4
\$35,000- 49,999	736	73,668	676	91.8	89.4-94.2	60	8.2	05.8-10.6
\$50,000- 74,999	786	92,258	727	91.4	88.7-94.1	59	8.6	05.9-11.3
\$75,000+	891	108,265	832	93.7	91.5-95.9	59	6.3	04.1-08.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 9: ASTHMA**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1922	247,009	1806	93.8	92.4-95.2	116	6.2	04.8-07.6
Native	126	10,535	117	97.8	95.4-0100	9	2.2	00.0-04.6
Non-Native	1769	233,616	1664	93.6	92.0-95.2	105	6.4	04.8-08.0
18-24	92	38,887	86	94.1	88.4-99.8	6	5.9	00.2-11.6
25-34	206	43,678	196	94.3	90.8-97.8	10	5.7	02.2-09.2
35-44	301	40,154	281	92.7	89.4-96.0	20	7.3	04.0-10.6
45-54	471	47,542	444	93.6	90.9-96.3	27	6.4	03.7-09.1
55-64	402	35,656	379	94.5	92.0-97.0	23	5.5	03.0-08.0
65+	433	39,580	403	93.2	90.7-95.7	30	6.8	04.3-09.3
Less Than H.S.	179	19,828	155	88.3	83.0-93.6	24	11.7	06.4-17.0
H.S. or G.E.D.	576	74,715	546	94.8	92.3-97.3	30	5.2	02.7-07.7
Some Post-H.S.	577	76,551	535	91.6	88.5-94.7	42	8.4	05.3-11.5
College Graduate	589	75,869	569	96.4	94.6-98.2	20	3.6	01.8-05.4
Less than \$15,000	129	14,490	106	86.3	79.2-93.4	23	13.7	06.6-20.8
\$15,000- 24,999	230	24,753	214	93.0	89.3-96.7	16	7.0	03.3-10.7
\$25,000- 34,999	244	29,506	235	94.2	88.7-99.7	9	5.8	00.3-11.3
\$35,000- 49,999	327	40,101	305	91.7	88.0-95.4	22	8.3	04.6-12.0
\$50,000- 74,999	349	48,288	331	93.1	89.4-96.8	18	6.9	03.2-10.6
\$75,000+	462	63,140	441	96.0	93.8-98.2	21	4.0	01.8-06.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 9: ASTHMA**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)
Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2794	251,370	2536	90.9	89.5-92.3	258	9.1	07.7-10.5
Native	224	12,328	195	94.2	90.1-98.3	29	5.8	01.7-09.9
Non-Native	2552	237,714	2325	90.7	89.1-92.3	227	9.3	07.7-10.9
18-24	96	34,780	87	91.2	84.5-97.9	9	8.8	02.1-15.5
25-34	302	39,758	273	89.8	85.9-93.7	29	10.2	06.3-14.1
35-44	419	38,586	386	92.4	89.7-95.1	33	7.6	04.9-10.3
45-54	613	46,234	549	90.0	87.5-92.5	64	10.0	07.5-12.5
55-64	518	34,964	473	91.8	89.1-94.5	45	8.2	05.5-10.9
65+	819	55,215	743	90.4	88.0-92.8	76	9.6	07.2-12.0
Less Than H.S.	203	17,235	188	94.0	90.1-97.9	15	6.0	02.1-09.9
H.S. or G.E.D.	839	72,109	761	89.6	86.5-92.7	78	10.4	07.3-13.5
Some Post-H.S.	923	84,980	838	91.9	89.5-94.3	85	8.1	05.7-10.5
College Graduate	826	76,810	746	90.3	87.8-92.8	80	9.7	07.2-12.2
Less than \$15,000	261	21,749	221	86.3	79.6-93.0	40	13.7	07.0-20.4
\$15,000- 24,999	457	37,910	410	89.2	85.5-92.9	47	10.8	07.1-14.5
\$25,000- 34,999	330	27,893	305	93.1	90.2-96.0	25	6.9	04.0-09.8
\$35,000- 49,999	409	33,567	371	92.0	89.1-94.9	38	8.0	05.1-10.9
\$50,000- 74,999	437	43,970	396	89.6	85.9-93.3	41	10.4	06.7-14.1
\$75,000+	429	45,125	391	90.5	86.6-94.4	38	9.5	05.6-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 9: ASTHMA**

TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4716	498,379	374	7.7	06.7-08.7	128	3.0	02.2-03.8	4214	89.3	88.1-90.5
Male	1922	247,009	116	6.2	04.8-07.6	45	2.6	01.6-03.6	1761	91.2	89.4-93.0
Female	2794	251,370	258	9.1	07.7-10.5	83	3.4	02.4-04.4	2453	87.5	85.7-89.3
Native	350	22,862	38	4.1	01.6-06.6	11	3.1	00.0-06.4	301	92.8	88.7-96.9
Non-Native	4321	471,330	332	7.9	06.9-08.9	117	3.0	02.2-03.8	3872	89.1	87.9-90.3
18-24	188	73,667	15	7.3	03.0-11.6	7	4.2	00.7-07.7	166	88.5	83.0-94.0
25-34	508	83,436	39	7.8	05.1-10.5	29	5.3	03.3-07.3	440	86.9	83.6-90.2
35-44	720	78,740	53	7.4	05.2-09.6	15	2.1	00.9-03.3	652	90.5	88.1-92.9
45-54	1084	93,776	91	8.2	06.4-10.0	25	2.1	01.1-03.1	968	89.8	87.8-91.8
55-64	920	70,619	68	6.8	05.0-08.6	28	3.0	01.8-04.2	824	90.2	88.0-92.4
65+	1252	94,795	106	8.4	06.6-10.2	23	1.6	00.8-02.4	1123	90.0	88.0-92.0
Less Than H.S.	382	37,063	39	9.0	05.7-12.3	10	2.1	00.5-03.7	333	88.9	85.2-92.6
H.S. or G.E.D.	1415	146,824	108	7.8	05.8-09.8	42	2.8	01.6-04.0	1265	89.5	87.3-91.7
Some Post-H.S.	1500	161,530	127	8.2	06.2-10.2	44	3.6	02.0-05.2	1329	88.1	85.7-90.5
College Graduate	1415	152,679	100	6.7	05.1-08.3	32	2.7	01.3-04.1	1283	90.6	88.6-92.6
Less than \$15,000	390	36,239	63	13.7	08.8-18.6	10	3.4	00.0-07.5	317	82.9	76.8-89.0
\$15,000- 24,999	687	62,663	63	9.3	06.6-12.0	34	4.7	02.7-06.7	590	86.0	82.7-89.3
\$25,000- 34,999	574	57,399	34	6.3	03.2-09.4	14	2.9	00.7-05.1	526	90.8	87.1-94.5
\$35,000- 49,999	736	73,668	60	8.2	05.8-10.6	19	3.2	01.6-04.8	657	88.6	85.7-91.5
\$50,000- 74,999	786	92,258	59	8.6	05.9-11.3	19	2.6	01.2-04.0	708	88.8	85.9-91.7
\$75,000+	891	108,265	59	6.3	04.1-08.5	18	2.2	00.8-03.6	814	91.5	89.0-94.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 9: ASTHMA**

TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1922	247,009	116	6.2	04.8-07.6	45	2.6	01.6-03.6	1761	91.2	89.4-93.0
Native	126	10,535	9	2.2	00.0-04.6	4	0.9	00.0-01.9	113	96.9	94.2-99.6
Non-Native	1769	233,616	105	6.4	04.8-08.0	41	2.7	01.7-03.7	1623	90.9	89.1-92.7
18-24	92	38,887	6	5.9	00.2-11.6	4	3.3	00.0-07.6	82	90.8	83.9-97.7
25-34	206	43,678	10	5.7	02.2-09.2	10	4.6	01.7-07.5	186	89.7	85.2-94.2
35-44	301	40,154	20	7.3	04.0-10.6	7	2.4	00.6-04.2	274	90.3	86.6-94.0
45-54	471	47,542	27	6.4	03.7-09.1	7	1.5	00.3-02.7	437	92.1	89.2-95.0
55-64	402	35,656	23	5.5	03.0-08.0	10	2.1	00.5-03.7	369	92.5	89.8-95.2
65+	433	39,580	30	6.8	04.3-09.3	7	1.7	00.3-03.1	396	91.5	88.6-94.4
Less Than H.S.	179	19,828	24	11.7	06.4-17.0	6	2.5	00.0-05.0	149	85.7	79.8-91.6
H.S. or G.E.D.	576	74,715	30	5.2	02.7-07.7	16	2.9	00.9-04.9	530	91.8	88.7-94.9
Some Post-H.S.	577	76,551	42	8.4	05.3-11.5	13	3.2	01.0-05.4	522	88.5	84.8-92.2
College Graduate	589	75,869	20	3.6	01.8-05.4	10	1.7	00.5-02.9	559	94.7	92.5-96.9
Less than \$15,000	129	14,490	23	13.7	06.6-20.8	3	0.4	00.0-01.0	103	85.9	78.8-93.0
\$15,000- 24,999	230	24,753	16	7.0	03.3-10.7	10	3.4	01.0-05.8	204	89.6	85.3-93.9
\$25,000- 34,999	244	29,506	9	5.8	00.3-11.3	6	4.0	00.1-07.9	229	90.2	83.7-96.7
\$35,000- 49,999	327	40,101	22	8.3	04.6-12.0	10	3.7	01.2-06.2	295	88.0	83.7-92.3
\$50,000- 74,999	349	48,288	18	6.9	03.2-10.6	8	2.6	00.6-04.6	323	90.5	86.4-94.6
\$75,000+	462	63,140	21	4.0	01.8-06.2	5	1.8	00.0-04.0	436	94.1	91.2-97.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 9: ASTHMA**

TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2794	251,370	258	9.1	07.7-10.5	83	3.4	02.4-04.4	2453	87.5	85.7-89.3
Native	224	12,328	29	5.8	01.7-09.9	7	5.0	00.0-11.1	188	89.3	82.0-96.6
Non-Native	2552	237,714	227	9.3	07.7-10.9	76	3.3	02.3-04.3	2249	87.4	85.6-89.2
18-24	96	34,780	9	8.8	02.1-15.5	3	5.3	00.0-11.4	84	85.9	77.3-94.5
25-34	302	39,758	29	10.2	06.3-14.1	19	6.1	03.4-08.8	254	83.7	79.0-88.4
35-44	419	38,586	33	7.6	04.9-10.3	8	1.7	00.3-03.1	378	90.7	87.6-93.8
45-54	613	46,234	64	10.0	07.5-12.5	18	2.7	01.3-04.1	531	87.3	84.4-90.2
55-64	518	34,964	45	8.2	05.5-10.9	18	4.0	02.0-06.0	455	87.8	84.7-90.9
65+	819	55,215	76	9.6	07.2-12.0	16	1.5	00.5-02.5	727	88.9	86.5-91.3
Less Than H.S.	203	17,235	15	6.0	02.1-09.9	4	1.6	00.0-03.4	184	92.5	88.2-96.8
H.S. or G.E.D.	839	72,109	78	10.4	07.3-13.5	26	2.6	01.4-03.8	735	87.0	83.7-90.3
Some Post-H.S.	923	84,980	85	8.1	05.7-10.5	31	4.0	01.8-06.2	807	87.8	84.9-90.7
College Graduate	826	76,810	80	9.7	07.2-12.2	22	3.7	01.3-06.1	724	86.5	83.2-89.8
Less than \$15,000	261	21,749	40	13.7	07.0-20.4	7	5.4	00.0-12.1	214	80.8	72.2-89.4
\$15,000- 24,999	457	37,910	47	10.8	07.1-14.5	24	5.5	02.6-08.4	386	83.7	79.2-88.2
\$25,000- 34,999	330	27,893	25	6.9	04.0-09.8	8	1.7	00.1-03.3	297	91.4	88.1-94.7
\$35,000- 49,999	409	33,567	38	8.0	05.1-10.9	9	2.6	00.6-04.6	362	89.4	86.1-92.7
\$50,000- 74,999	437	43,970	41	10.4	06.7-14.1	11	2.7	01.1-04.3	385	86.9	82.8-91.0
\$75,000+	429	45,125	38	9.5	05.6-13.4	13	2.6	01.0-04.2	378	87.9	83.8-92.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 10: IMMUNIZATION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)	
1	MALES AND FEMALES	36
2	MALES ONLY	37
3	FEMALES ONLY	38
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	39
5	MALES ONLY	40
6	FEMALES ONLY	41

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 10: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1258	95,000	898	72.4	69.7-75.1	360	27.6	24.9-30.3	
Male	435	39,681	312	72.8	68.3-77.3	123	27.2	22.7-31.7	
Female	823	55,319	586	72.0	68.7-75.3	237	28.0	24.7-31.3	
Non-Native	1195	91,955	856	72.7	70.0-75.4	339	27.3	24.6-30.0	
65+	1258	95,000	898	72.4	69.7-75.1	360	27.6	24.9-30.3	
Less Than H.S.	223	17,777	157	71.4	64.9-77.9	66	28.6	22.1-35.1	
H.S. or G.E.D.	495	34,879	350	70.3	65.8-74.8	145	29.7	25.2-34.2	
Some Post-H.S.	330	25,412	237	72.8	67.5-78.1	93	27.2	21.9-32.5	
College Graduate	208	16,820	152	76.8	70.7-82.9	56	23.2	17.1-29.3	
Less than \$15,000	148	9,366	100	67.2	58.6-75.8	48	32.8	24.2-41.4	
\$15,000- 24,999	308	22,350	219	72.2	66.5-77.9	89	27.8	22.1-33.5	
\$25,000- 34,999	184	14,430	132	75.0	67.9-82.1	52	25.0	17.9-32.1	
\$35,000- 49,999	160	12,928	109	69.0	61.4-76.6	51	31.0	23.4-38.6	
\$50,000- 74,999	85	7,171	65	75.4	65.4-85.4	20	24.6	14.6-34.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 10: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	435	39,681	312	72.8	68.3-77.3	123	27.2	22.7-31.7
Non-Native	408	37,857	294	73.5	69.0-78.0	114	26.5	22.0-31.0
65+	435	39,681	312	72.8	68.3-77.3	123	27.2	22.7-31.7
Less Than H.S.	100	9,829	69	74.1	65.1-83.1	31	25.9	16.9-34.9
H.S. or G.E.D.	146	12,433	102	66.2	57.6-74.8	44	33.8	25.2-42.4
Some Post-H.S.	82	7,552	59	73.5	63.5-83.5	23	26.5	16.5-36.5
College Graduate	106	9,819	81	79.2	71.2-87.2	25	20.8	12.8-28.8
\$15,000- 24,999	103	9,198	76	75.0	66.0-84.0	27	25.0	16.0-34.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 10: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	823	55,319	586	72.0	68.7-75.3	237	28.0	24.7-31.3
Non-Native	787	54,098	562	72.1	68.6-75.6	225	27.9	24.4-31.4
65+	823	55,319	586	72.0	68.7-75.3	237	28.0	24.7-31.3
Less Than H.S.	123	7,948	88	68.1	58.9-77.3	35	31.9	22.7-41.1
H.S. or G.E.D.	349	22,447	248	72.5	67.2-77.8	101	27.5	22.2-32.8
Some Post-H.S.	248	17,859	178	72.5	66.2-78.8	70	27.5	21.2-33.8
College Graduate	102	7,000	71	73.4	64.0-82.8	31	26.6	17.2-36.0
Less than \$15,000	113	6,587	76	69.1	59.9-78.3	37	30.9	21.7-40.1
\$15,000- 24,999	205	13,152	143	70.2	62.8-77.6	62	29.8	22.4-37.2
\$25,000- 34,999	112	7,608	83	75.4	66.4-84.4	29	24.6	15.6-33.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 10: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1208	91,450	844	70.5	67.6-73.4	364	29.5	26.6-32.4
Male	420	38,674	291	70.1	65.4-74.8	129	29.9	25.2-34.6
Female	788	52,776	553	70.8	67.3-74.3	235	29.2	25.7-32.7
Non-Native	1149	88,450	807	71.2	68.3-74.1	342	28.8	25.9-31.7
65+	1208	91,450	844	70.5	67.6-73.4	364	29.5	26.6-32.4
Less Than H.S.	215	17,176	143	68.2	61.3-75.1	72	31.8	24.9-38.7
H.S. or G.E.D.	479	34,069	322	67.0	62.3-71.7	157	33.0	28.3-37.7
Some Post-H.S.	309	23,780	229	73.5	68.2-78.8	80	26.5	21.2-31.8
College Graduate	203	16,314	148	75.6	69.3-81.9	55	24.4	18.1-30.7
Less than \$15,000	141	9,121	96	68.6	60.0-77.2	45	31.4	22.8-40.0
\$15,000- 24,999	302	21,940	216	72.8	67.1-78.5	86	27.2	21.5-32.9
\$25,000- 34,999	177	13,952	130	76.8	69.9-83.7	47	23.2	16.3-30.1
\$35,000- 49,999	150	12,260	103	68.3	60.3-76.3	47	31.7	23.7-39.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 10: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	420	38,674	291	70.1	65.4-74.8	129	29.9	25.2-34.6
Non-Native	395	36,869	276	71.4	66.7-76.1	119	28.6	23.9-33.3
65+	420	38,674	291	70.1	65.4-74.8	129	29.9	25.2-34.6
Less Than H.S.	99	9,688	67	69.6	59.8-79.4	32	30.4	20.6-40.2
H.S. or G.E.D.	140	12,183	88	62.0	53.2-70.8	52	38.0	29.2-46.8
Some Post-H.S.	77	7,266	59	77.3	67.5-87.1	18	22.7	12.9-32.5
College Graduate	103	9,490	76	75.6	66.8-84.4	27	24.4	15.6-33.2
\$15,000- 24,999	101	9,057	76	74.8	65.6-84.0	25	25.2	16.0-34.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 10: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	788	52,776	553	70.8	67.3-74.3	235	29.2	25.7-32.7
Non-Native	754	51,581	531	71.0	67.5-74.5	223	29.0	25.5-32.5
65+	788	52,776	553	70.8	67.3-74.3	235	29.2	25.7-32.7
Less Than H.S.	116	7,487	76	66.3	57.1-75.5	40	33.7	24.5-42.9
H.S. or G.E.D.	339	21,885	234	69.8	64.3-75.3	105	30.2	24.7-35.7
Some Post-H.S.	232	16,514	170	71.9	65.4-78.4	62	28.1	21.6-34.6
College Graduate	100	6,824	72	75.6	66.6-84.6	28	24.4	15.4-33.4
Less than \$15,000	110	6,479	74	68.8	59.4-78.2	36	31.2	21.8-40.6
\$15,000- 24,999	201	12,883	140	71.4	64.3-78.5	61	28.6	21.5-35.7
\$25,000- 34,999	106	7,139	80	77.6	68.6-86.6	26	22.4	13.4-31.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 11: TOBACCO USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	43
2	MALES ONLY	44
3	FEMALES ONLY	45
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	46
5	MALES ONLY	47
6	FEMALES ONLY	48

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 11: TOBACCO USE**

TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4740	501,188	713	15.1	13.7-16.5	256	5.9	04.9-06.9	1312	25.3	23.7-26.9	2459	53.8	51.8-55.8
Male	1930	248,098	294	15.5	13.3-17.7	110	6.6	05.0-08.2	668	29.4	27.0-31.8	858	48.4	45.5-51.3
Female	2810	253,089	419	14.6	12.8-16.4	146	5.1	03.9-06.3	644	21.2	19.2-23.2	1601	59.1	56.7-61.5
Native	353	23,011	124	31.8	22.4-41.2	45	19.4	10.2-28.6	71	21.5	13.3-29.7	113	27.4	18.2-36.6
Non-Native	4343	474,103	582	14.2	12.8-15.6	209	5.2	04.2-06.2	1230	25.5	23.9-27.1	2322	55.0	53.0-57.0
18-24	190	74,215	51	22.8	16.1-29.5	15	7.4	03.1-11.7	20	10.8	05.7-15.9	104	58.9	50.9-66.9
25-34	513	84,549	89	16.8	13.1-20.5	47	10.1	06.6-13.6	79	16.2	12.7-19.7	298	56.9	52.0-61.8
35-44	721	78,858	125	14.9	12.2-17.6	43	5.1	03.3-06.9	140	21.1	17.8-24.4	413	58.8	54.9-62.7
45-54	1091	94,422	195	16.4	14.0-18.8	68	5.6	04.0-07.2	249	23.0	20.1-25.9	579	55.0	51.7-58.3
55-64	926	70,931	150	14.8	12.3-17.3	51	5.5	03.7-07.3	318	35.8	32.3-39.3	407	43.9	40.2-47.6
65+	1256	94,979	100	6.7	05.1-08.3	31	2.1	01.3-02.9	490	42.1	39.0-45.2	635	49.1	46.0-52.2
Less Than H.S.	384	37,147	72	25.0	17.9-32.1	16	4.6	01.3-07.9	119	26.0	20.7-31.3	177	44.5	37.4-51.6
H.S. or G.E.D.	1428	147,883	274	20.8	17.9-23.7	94	6.6	04.8-08.4	463	28.9	26.0-31.8	597	43.7	40.2-47.2
Some Post-H.S.	1504	162,355	261	16.3	13.8-18.8	94	7.5	05.3-09.7	394	24.5	21.8-27.2	755	51.7	48.2-55.2
College Graduate	1420	153,520	106	5.9	04.3-07.5	52	3.8	02.4-05.2	336	22.5	20.0-25.0	926	67.9	65.0-70.8
Less than \$15,000	394	36,621	100	33.1	24.9-41.3	35	9.9	04.0-15.8	99	18.7	13.6-23.8	160	38.3	30.7-45.9
\$15,000- 24,999	695	63,565	152	23.4	18.7-28.1	51	8.1	05.0-11.2	190	25.5	21.4-29.6	302	43.0	37.9-48.1
\$25,000- 34,999	577	57,898	96	17.1	12.8-21.4	33	6.6	03.5-09.7	173	28.5	23.4-33.6	275	47.8	42.1-53.5
\$35,000- 49,999	739	73,917	106	14.8	11.5-18.1	31	4.4	02.6-06.2	232	29.2	25.5-32.9	370	51.6	47.3-55.9
\$50,000- 74,999	789	92,730	86	11.0	08.5-13.5	35	4.4	02.8-06.0	221	25.5	22.0-29.0	447	59.1	55.0-63.2
\$75,000+	896	109,209	90	8.7	06.5-10.9	47	5.8	03.8-07.8	223	23.5	20.4-26.6	536	62.0	58.1-65.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 11: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1930	248,098	294	15.5	13.3-17.7	110	6.6	05.0-08.2	668	29.4	27.0-31.8	858	48.4	45.5-51.3
Non-Native	1779	234,852	253	14.9	12.7-17.1	96	6.0	04.4-07.6	626	29.9	27.4-32.4	804	49.2	46.3-52.1
18-24	93	38,887	23	22.1	12.9-31.3	7	7.2	00.9-13.5	8	7.8	01.7-13.9			
25-34	209	44,511	38	18.1	12.2-24.0	24	13.0	07.1-18.9	34	16.9	11.4-22.4	113	52.0	44.4-59.6
35-44	301	40,154	45	13.4	09.3-17.5	22	6.4	03.7-09.1	65	24.1	18.8-29.4	169	56.1	50.0-62.2
45-54	473	47,654	82	16.8	13.1-20.5	28	5.2	03.0-07.4	124	25.9	21.4-30.4	239	52.0	46.9-57.1
55-64	404	35,820	65	15.1	11.2-19.0	20	5.7	03.2-08.2	166	42.9	37.4-48.4	153	36.4	31.1-41.7
65+	434	39,672	39	7.2	04.7-09.7	9	1.8	00.6-03.0	266	62.2	57.3-67.1	120	28.8	24.1-33.5
Less Than H.S.	179	19,826				7	4.4	00.0-09.5	80	35.5	26.9-44.1	57	32.7	23.3-42.1
H.S. or G.E.D.	579	74,999	121	20.7	16.4-25.0	39	7.4	04.3-10.5	221	31.0	26.5-35.5	198	40.9	35.4-46.4
Some Post-H.S.	579	76,920	99	16.9	13.0-20.8	43	9.3	05.8-12.8	182	27.7	23.4-32.0	255	46.1	40.6-51.6
College Graduate	592	76,306	39	6.0	03.5-08.5	21	3.8	01.8-05.8	185	28.1	24.0-32.2	347	62.1	57.4-66.8
Less than \$15,000	129	14,511							35	20.2	11.8-28.6			
\$15,000- 24,999	232	24,977	54	24.8	17.0-32.6	16	7.9	03.0-12.8	84	32.0	24.9-39.1	78	35.2	27.2-43.2
\$25,000- 34,999	246	29,941	38	14.0	08.3-19.7	15	6.1	02.6-09.6	99	34.9	26.9-42.9	94	45.0	36.4-53.6
\$35,000- 49,999	328	40,274	55	18.6	13.3-23.9	16	4.7	02.2-07.2	121	31.5	25.8-37.2	136	45.2	38.7-51.7
\$50,000- 74,999	351	48,631	45	13.5	09.2-17.8	17	5.2	02.5-07.9	122	29.9	24.4-35.4	167	51.4	44.9-57.9
\$75,000+	464	63,600	47	9.4	06.1-12.7	26	6.6	03.5-09.7	135	26.3	21.8-30.8	256	57.7	52.2-63.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 11: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2810	253,089	419	14.6	12.8-16.4	146	5.1	03.9-06.3	644	21.2	19.2-23.2	1601	59.1	56.7-61.5
Native	228	12,511				31	17.7	07.7-27.7				70	25.7	16.3-35.1
Non-Native	2564	239,251	329	13.6	11.8-15.4	113	4.5	03.3-05.7	604	21.2	19.2-23.2	1518	60.7	58.2-63.2
18-24	97	35,328	28	23.7	14.1-33.3	8	7.7	01.4-14.0	12	14.1	05.9-22.3			
25-34	304	40,038	51	15.2	10.7-19.7	23	7.0	03.9-10.1	45	15.5	11.0-20.0	185	62.3	56.4-68.2
35-44	420	38,704	80	16.5	12.6-20.4	21	3.8	01.8-05.8	75	18.0	13.9-22.1	244	61.7	56.6-66.8
45-54	618	46,768	113	15.9	12.8-19.0	40	6.0	03.8-08.2	125	20.0	16.5-23.5	340	58.0	53.7-62.3
55-64	522	35,111	85	14.4	11.1-17.7	31	5.4	03.2-07.6	152	28.5	24.2-32.8	254	51.6	46.7-56.5
65+	822	55,308	61	6.4	04.6-08.2	22	2.2	01.2-03.2	224	27.6	24.1-31.1	515	63.8	60.1-67.5
Less Than H.S.	205	17,321	37	22.2	13.2-31.2	9	4.8	01.1-08.5	39	15.0	09.1-20.9	120	58.0	48.2-67.8
H.S. or G.E.D.	849	72,884	153	20.9	16.8-25.0	55	5.7	03.7-07.7	242	26.8	22.9-30.7	399	46.6	42.1-51.1
Some Post-H.S.	925	85,435	162	15.7	12.4-19.0	51	5.9	03.4-08.4	212	21.6	18.1-25.1	500	56.7	52.2-61.2
College Graduate	828	77,213	67	5.7	04.1-07.3	31	3.8	01.8-05.8	151	16.9	14.0-19.8	579	73.6	70.1-77.1
Less than \$15,000	265	22,110				26	8.6	02.9-14.3	64	17.8	11.5-24.1	108	40.5	30.9-50.1
\$15,000- 24,999	463	38,588	98	22.5	16.6-28.4	35	8.1	04.2-12.0	106	21.3	16.2-26.4	224	48.1	41.4-54.8
\$25,000- 34,999	331	27,958	58	20.4	13.7-27.1	18	7.2	01.7-12.7	74	21.7	15.8-27.6	181	50.8	43.4-58.2
\$35,000- 49,999	411	33,643	51	10.3	07.0-13.6	15	4.1	01.6-06.6	111	26.3	21.4-31.2	234	59.2	53.5-64.9
\$50,000- 74,999	438	44,098	41	8.4	05.7-11.1	18	3.4	01.6-05.2	99	20.7	16.0-25.4	280	67.5	62.2-72.8
\$75,000+	432	45,609	43	7.8	05.3-10.3	21	4.7	02.5-06.9	88	19.6	15.5-23.7	280	67.9	62.8-73.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 11: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4740	501,188	3771	79.1	77.5-80.7	969	20.9	19.3-22.5
Male	1930	248,098	1526	77.8	75.3-80.3	404	22.2	19.7-24.7
Female	2810	253,089	2245	80.3	78.1-82.5	565	19.7	17.5-21.9
Non-Native	4343	474,103	3552	80.5	78.9-82.1	791	19.5	17.9-21.1
18-24	190	74,215	124	69.7	62.3-77.1	66	30.3	22.9-37.7
25-34	513	84,549	377	73.1	68.4-77.8	136	26.9	22.2-31.6
35-44	721	78,858	553	79.9	76.8-83.0	168	20.1	17.0-23.2
45-54	1091	94,422	828	78.0	75.3-80.7	263	22.0	19.3-24.7
55-64	926	70,931	725	79.7	76.8-82.6	201	20.3	17.4-23.2
65+	1256	94,979	1125	91.2	89.6-92.8	131	8.8	07.2-10.4
Less Than H.S.	384	37,147	296	70.4	63.1-77.7	88	29.6	22.3-36.9
H.S. or G.E.D.	1428	147,883	1060	72.6	69.3-75.9	368	27.4	24.1-30.7
Some Post-H.S.	1504	162,355	1149	76.2	73.1-79.3	355	23.8	20.7-26.9
College Graduate	1420	153,520	1262	90.4	88.4-92.4	158	9.6	07.6-11.6
Less than \$15,000	394	36,621	259	57.0	48.6-65.4	135	43.0	34.6-51.4
\$15,000- 24,999	695	63,565	492	68.6	63.5-73.7	203	31.4	26.3-36.5
\$25,000- 34,999	577	57,898	448	76.3	71.2-81.4	129	23.7	18.6-28.8
\$35,000- 49,999	739	73,917	602	80.8	77.3-84.3	137	19.2	15.7-22.7
\$50,000- 74,999	789	92,730	668	84.6	81.7-87.5	121	15.4	12.5-18.3
\$75,000+	896	109,209	759	85.5	82.6-88.4	137	14.5	11.6-17.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1930	248,098	1526	77.8	75.3-80.3	404	22.2	19.7-24.7
Non-Native	1779	234,852	1430	79.1	76.6-81.6	349	20.9	18.4-23.4
25-34	209	44,511	147	68.9	61.5-76.3	62	31.1	23.7-38.5
35-44	301	40,154	234	80.2	75.5-84.9	67	19.8	15.1-24.5
45-54	473	47,654	363	78.0	73.9-82.1	110	22.0	17.9-26.1
55-64	404	35,820	319	79.3	74.8-83.8	85	20.7	16.2-25.2
65+	434	39,672	386	91.0	88.3-93.7	48	9.0	06.3-11.7
H.S. or G.E.D.	579	74,999	419	71.9	67.0-76.8	160	28.1	23.2-33.0
Some Post-H.S.	579	76,920	437	73.8	68.9-78.7	142	26.2	21.3-31.1
College Graduate	592	76,306	532	90.2	87.1-93.3	60	9.8	06.7-12.9
\$15,000- 24,999	232	24,977	162	67.3	58.9-75.7	70	32.7	24.3-41.1
\$25,000- 34,999	246	29,941	193	79.9	73.4-86.4	53	20.1	13.6-26.6
\$35,000- 49,999	328	40,274	257	76.8	71.1-82.5	71	23.2	17.5-28.9
\$50,000- 74,999	351	48,631	289	81.3	76.4-86.2	62	18.7	13.8-23.6
\$75,000+	464	63,600	391	84.0	79.7-88.3	73	16.0	11.7-20.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2810	253,089	2245	80.3	78.1-82.5	565	19.7	17.5-21.9	
Non-Native	2564	239,251	2122	81.9	79.7-84.1	442	18.1	15.9-20.3	
25-34	304	40,038	230	77.8	72.7-82.9	74	22.2	17.1-27.3	
35-44	420	38,704	319	79.7	75.4-84.0	101	20.3	16.0-24.6	
45-54	618	46,768	465	78.0	74.3-81.7	153	22.0	18.3-25.7	
55-64	522	35,111	406	80.2	76.5-83.9	116	19.8	16.1-23.5	
65+	822	55,308	739	91.4	89.4-93.4	83	8.6	06.6-10.6	
Less Than H.S.	205	17,321	159	73.0	63.8-82.2	46	27.0	17.8-36.2	
H.S. or G.E.D.	849	72,884	641	73.4	69.1-77.7	208	26.6	22.3-30.9	
Some Post-H.S.	925	85,435	712	78.3	74.4-82.2	213	21.7	17.8-25.6	
College Graduate	828	77,213	730	90.5	88.1-92.9	98	9.5	07.1-11.9	
\$15,000- 24,999	463	38,588	330	69.4	62.9-75.9	133	30.6	24.1-37.1	
\$25,000- 34,999	331	27,958	255	72.4	64.8-80.0	76	27.6	20.0-35.2	
\$35,000- 49,999	411	33,643	345	85.5	81.6-89.4	66	14.5	10.6-18.4	
\$50,000- 74,999	438	44,098	379	88.2	85.1-91.3	59	11.8	08.7-14.9	
\$75,000+	432	45,609	368	87.5	84.2-90.8	64	12.5	09.2-15.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	52
2 MALES ONLY	53
3 FEMALES ONLY	54
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	55
5 MALES ONLY	56
6 FEMALES ONLY	57
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	58
8 MALES ONLY	59
9 FEMALES ONLY	60
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	61
11 MALES ONLY	62
12 FEMALES ONLY	63
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	64
14 MALES ONLY	65
15 FEMALES ONLY	66
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	67
17 MALES ONLY	68
18 FEMALES ONLY	69

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19	MALES AND FEMALES	70
20	MALES ONLY	71
21	FEMALES ONLY	72
	ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).	
22	MALES AND FEMALES	73
23	MALES ONLY	74
24	FEMALES ONLY	75
	TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25	MALES AND FEMALES	76
26	MALES ONLY	77
27	FEMALES ONLY	78
	REPORTED HEIGHT IN INCHES (HTIN3).	
28	MALES AND FEMALES	79
29	MALES ONLY	80
30	FEMALES ONLY	81
	REPORTED HEIGHT IN METERS (HTM3).	
31	MALES AND FEMALES	82
32	MALES ONLY	83
33	FEMALES ONLY	84
	REPORTED WEIGHT IN KILOGRAMS (WTKG2).	
34	MALES AND FEMALES	85
35	MALES ONLY	86
36	FEMALES ONLY	87
	BODY MASS INDEX (kilograms per meter-squared) (_BMI4).	
37	MALES AND FEMALES	88
38	MALES ONLY	89
39	FEMALES ONLY	90

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).	
40	MALES AND FEMALES	91
41	MALES ONLY	92
42	FEMALES ONLY	93
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).	
43	MALES AND FEMALES	94
44	MALES ONLY	95
45	FEMALES ONLY	96

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 1: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4727	499,865	4271	92.7	91.5-93.9	11	0.5	00.1-00.9	18	0.7	00.3-01.1	9	0.1	00.0-00.3	375	4.9	03.9-05.9	43	1.1	00.5-01.7	
Male	1920	247,222	1743	92.3	90.3-94.3	6	0.5	00.1-00.9	6	0.8	00.0-01.6	2	0.1	00.0-00.3	134	4.5	03.1-05.9	29	1.8	00.8-02.8	
Female	2807	252,643	2528	93.0	91.6-94.4	5	0.6	00.0-01.2	12	0.7	00.1-01.3	7	0.1	00.0-00.3	241	5.2	04.0-06.4	14	0.4	00.2-00.6	
18-24	191	74,726	136	83.1	77.2-89.0	4	2.0	00.0-04.2	3	2.4	00.0-05.1				47	11.5	06.6-16.4	1	0.9	00.0-02.7	
25-34	513	84,352	440	90.2	86.9-93.5	3	0.9	00.0-01.9	3	0.4	00.0-01.0	2	0.7	00.0-01.7	63	6.7	04.2-09.2	2	1.2	00.0-03.2	
35-44	719	78,546	633	93.5	91.5-95.5	2	0.3	00.0-00.7	6	1.2	00.2-02.2	3	0.0	00.0-00.0	66	3.6	02.2-05.0	9	1.4	00.4-02.4	
45-54	1091	94,491	988	94.9	93.3-96.5	2	0.1	00.0-00.3	4	0.4	00.0-00.8	2	0.0	00.0-00.0	88	3.9	02.5-05.3	7	0.6	00.0-01.2	
55-64	920	70,361	849	96.0	94.6-97.4										62	2.8	01.6-04.0	9	1.2	00.4-02.0	
65+	1253	94,382	1187	97.0	96.0-98.0				2	0.2	00.0-00.6	2	0.0	00.0-00.0	48	1.6	01.0-02.2	14	1.1	00.3-01.9	
Less Than H.S.	382	36,866	320	86.5	81.0-92.0	2	1.1	00.0-02.9	1	1.4	00.0-04.1				53	9.6	05.1-14.1	6	1.4	00.2-02.6	
H.S. or G.E.D.	1421	146,991	1288	91.4	88.9-93.9	1	0.4	00.0-01.2	3	0.5	00.0-01.3	3	0.3	00.0-00.7	111	6.4	04.2-08.6	15	1.0	00.4-01.6	
Some Post-H.S.	1506	162,724	1344	92.5	90.3-94.7	6	0.7	00.0-01.5	4	0.4	00.0-00.8	2	0.1	00.0-00.3	140	4.9	03.3-06.5	10	1.4	00.0-02.8	
College Graduate	1414	153,000	1315	95.6	94.0-97.2	2	0.3	00.0-00.7	10	1.2	00.0-02.4	4	0.0	00.0-00.0	71	2.2	01.4-03.0	12	0.7	00.3-01.1	
Less than \$15,000	392	36,382	301	75.5	67.5-83.5	1	1.0	00.0-02.8	1	1.4	00.0-04.1				79	18.4	11.5-25.3	10	3.7	00.0-08.4	
\$15,000- 24,999	695	63,489	598	87.2	83.3-91.1	2	0.7	00.0-01.7	2	1.4	00.0-03.8				85	9.2	06.1-12.3	8	1.5	00.3-02.7	
\$25,000- 34,999	578	57,920	509	92.0	88.3-95.7	1	0.9	00.0-02.7	1	0.0	00.0-00.0	4	0.1	00.0-00.3	57	6.1	03.0-09.2	6	0.9	00.1-01.7	
\$35,000- 49,999	737	73,787	685	97.1	95.7-98.5	2	0.3	00.0-00.7	1	0.2	00.0-00.6	1	0.0	00.0-00.0	43	1.8	00.8-02.8	5	0.7	00.1-01.3	
\$50,000- 74,999	788	92,531	749	97.1	95.9-98.3				5	0.8	00.0-01.6	2	0.0	00.0-00.0	25	1.2	00.4-02.0	7	0.9	00.3-01.5	
\$75,000+	894	109,014	846	96.5	94.7-98.3	1	0.1	00.0-00.3	2	0.2	00.0-00.6	1	0.2	00.0-00.6	39	2.1	01.1-03.1	5	0.9	00.0-02.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1920	247,222	1743	92.3	90.3-94.3	6	0.5	00.1-00.9	6	0.8	00.0-01.6	2	0.1	00.0-00.3	134	4.5	03.1-05.9	29	1.8	00.8-02.8
18-24	94	39,398	67	82.5	73.7-91.3	2	1.1	00.0-02.9	2	3.2	00.0-07.7				22	11.5	04.4-18.6	1	1.7	00.0-05.0
25-34	209	44,314	180	89.2	83.5-94.9	2	1.3	00.0-03.1	1	0.3	00.0-00.9	1	0.8	00.0-02.4	23	6.2	02.3-10.1	2	2.2	00.0-05.9
35-44	300	40,003	266	92.6	89.5-95.7	1	0.4	00.0-01.2	3	1.3	00.0-02.9				25	4.0	01.6-06.4	5	1.7	00.1-03.3
45-54	474	47,766	435	96.2	94.2-98.2	1	0.1	00.0-00.3				1	0.0	00.0-00.0	33	2.8	01.0-04.6	4	0.8	00.0-01.8
55-64	400	35,491	375	96.7	94.9-98.5										17	1.2	00.2-02.2	8	2.1	00.5-03.7
65+	428	38,905	405	96.5	94.5-98.5										14	1.3	00.3-02.3	9	2.2	00.6-03.8
Less Than H.S.	177	19,545	149	84.3	75.3-93.3	2	2.1	00.0-05.6	1	2.6	00.0-07.7				21	8.8	01.5-16.1	4	2.1	00.0-04.3
H.S. or G.E.D.	573	74,311	512	91.2	87.3-95.1							1	0.5	00.0-01.5	51	6.9	03.2-10.6	9	1.5	00.5-02.5
Some Post-H.S.	581	77,398	523	91.8	88.3-95.3	3	0.6	00.0-01.4	1	0.1	00.0-00.3				47	4.7	02.5-06.9	7	2.7	00.0-05.4
College Graduate	588	75,920	558	96.0	93.5-98.5	1	0.5	00.0-01.5	4	1.7	00.0-03.9	1	0.0	00.0-00.0	15	0.9	00.1-01.7	9	0.9	00.1-01.7
Less than \$15,000	129	14,476				1	2.4	00.0-07.1	1	3.5	00.0-10.2							4	6.9	00.0-18.1
\$15,000- 24,999	233	24,986	200	86.9	79.8-94.0	1	1.4	00.0-04.1	1	3.1	00.0-09.0				25	5.5	02.2-08.8	6	3.2	00.7-05.7
\$25,000- 34,999	246	29,941	221	92.1	86.6-97.6										21	6.6	01.1-12.1	4	1.3	00.0-02.7
\$35,000- 49,999	326	40,124	300	95.7	93.3-98.1	2	0.5	00.0-01.3	1	0.3	00.0-00.9				19	2.3	00.5-04.1	4	1.2	00.0-02.4
\$50,000- 74,999	349	48,345	334	97.2	95.4-99.0				1	0.5	00.0-01.5	1	0.0	00.0-00.0	8	1.0	00.0-02.0	5	1.3	00.1-02.5
\$75,000+	463	63,493	439	96.9	94.4-99.4				1	0.2	00.0-00.6				19	1.6	00.2-03.0	4	1.3	00.0-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2807	252,643	2528	93.0	91.6-94.4	5	0.6	00.0-01.2	12	0.7	00.1-01.3	7	0.1	00.0-00.3	241	5.2	04.0-06.4	14	0.4	00.2-00.6
18-24	97	35,328	69	83.9	75.9-91.9	2	3.1	00.0-07.4	1	1.6	00.0-04.5				25	11.5	05.0-18.0			
25-34	304	40,038	260	91.3	88.0-94.6	1	0.3	00.0-00.9	2	0.6	00.0-01.6	1	0.5	00.0-01.5	40	7.3	04.2-10.4			
35-44	419	38,543	367	94.3	91.9-96.7	1	0.2	00.0-00.6	3	1.1	00.0-02.3	3	0.1	00.0-00.3	41	3.2	01.6-04.8	4	1.0	00.0-02.2
45-54	617	46,725	553	93.6	91.4-95.8	1	0.2	00.0-00.6	4	0.8	00.0-01.6	1	0.0	00.0-00.0	55	5.0	03.0-07.0	3	0.4	00.0-00.8
55-64	520	34,870	474	95.2	93.0-97.4										45	4.4	02.2-06.6	1	0.4	00.0-01.2
65+	825	55,477	782	97.3	96.1-98.5				2	0.4	00.0-01.0	2	0.0	00.0-00.0	34	1.9	00.9-02.9	5	0.4	00.0-00.8
Less Than H.S.	205	17,321	171	88.9	83.4-94.4										32	10.5	05.2-15.8	2	0.6	00.0-01.4
H.S. or G.E.D.	848	72,680	776	91.7	88.4-95.0	1	0.8	00.0-02.4	3	1.1	00.0-02.7	2	0.0	00.0-00.0	60	5.9	03.4-08.4	6	0.5	00.1-00.9
Some Post-H.S.	925	85,326	821	93.0	90.5-95.5	3	0.8	00.0-02.2	3	0.6	00.0-01.2	2	0.3	00.0-00.7	93	5.1	03.1-07.1	3	0.2	00.0-00.4
College Graduate	826	77,080	757	95.2	93.4-97.0	1	0.2	00.0-00.6	6	0.6	00.0-01.2	3	0.0	00.0-00.0	56	3.5	01.9-05.1	3	0.4	00.0-01.0
Less than \$15,000	263	21,906	206	82.5	74.9-90.1										51	15.9	08.3-23.5	6	1.6	00.2-03.0
\$15,000- 24,999	462	38,502	398	87.4	82.7-92.1	1	0.2	00.0-00.6	1	0.3	00.0-00.9				60	11.7	07.0-16.4	2	0.4	00.0-01.0
\$25,000- 34,999	332	27,980	288	91.8	86.9-96.7	1	2.0	00.0-05.7	1	0.1	00.0-00.3	4	0.2	00.0-00.4	36	5.5	02.2-08.8	2	0.5	00.0-01.1
\$35,000- 49,999	411	33,663	385	98.7	97.9-99.5							1	0.0	00.0-00.0	24	1.2	00.4-02.0	1	0.1	00.0-00.3
\$50,000- 74,999	439	44,186	415	97.0	95.4-98.6				4	1.1	00.0-02.3	1	0.0	00.0-00.0	17	1.5	00.3-02.7	2	0.4	00.0-01.0
\$75,000+	431	45,521	407	95.9	93.7-98.1	1	0.3	00.0-00.9	1	0.2	00.0-00.6	1	0.5	00.0-01.5	20	2.8	01.2-04.4	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4727	499,865	4258	92.5	91.3-93.7	10	0.5	00.1-00.9	18	0.7	00.3-01.1	8	0.1	00.1-00.1	360	4.7	03.7-05.7	73	1.6	01.0-02.2
Male	1920	247,222	1736	92.0	90.0-94.0	5	0.5	00.1-00.9	6	0.8	00.0-01.6	1	0.0	00.0-00.0	128	4.3	02.9-05.7	44	2.5	01.3-03.7
Female	2807	252,643	2522	92.9	91.5-94.3	5	0.6	00.0-01.2	12	0.7	00.1-01.3	7	0.1	00.0-00.3	232	5.0	03.8-06.2	29	0.7	00.3-01.1
18-24	191	74,726	135	82.4	76.3-88.5	3	1.9	00.0-04.1	3	2.4	00.0-05.1				45	11.4	06.5-16.3	5	1.8	00.0-04.0
25-34	513	84,352	439	90.0	86.7-93.3	3	0.9	00.0-01.9	3	0.4	00.0-01.0	1	0.2	00.0-00.6	60	6.6	04.1-09.1	7	2.0	00.0-04.2
35-44	719	78,546	632	93.4	91.4-95.4	2	0.3	00.0-00.7	6	1.2	00.2-02.2	3	0.0	00.0-00.0	63	3.1	01.9-04.3	13	1.9	00.7-03.1
45-54	1091	94,491	984	94.7	93.1-96.3	2	0.1	00.0-00.3	4	0.4	00.0-00.8	2	0.0	00.0-00.0	85	3.7	02.3-05.1	14	1.1	00.5-01.7
55-64	920	70,361	846	95.9	94.5-97.3									60	2.6	01.4-03.8	14	1.5	00.7-02.3	
65+	1253	94,382	1184	96.8	95.8-97.8				2	0.2	00.0-00.6	2	0.0	00.0-00.0	46	1.5	00.9-02.1	19	1.4	00.6-02.2
Less Than H.S.	382	36,866	319	86.0	80.5-91.5	1	0.9	00.0-02.7	1	1.4	00.0-04.1				51	9.3	04.8-13.8	10	2.4	00.8-04.0
H.S. or G.E.D.	1421	146,991	1283	91.3	88.8-93.8	1	0.4	00.0-01.2	3	0.5	00.0-01.3	2	0.0	00.0-00.0	109	6.2	04.0-08.4	23	1.5	00.7-02.3
Some Post-H.S.	1506	162,724	1339	92.0	89.8-94.2	6	0.7	00.0-01.5	4	0.4	00.0-00.8	2	0.1	00.0-00.3	130	4.6	03.0-06.2	25	2.2	00.6-03.8
College Graduate	1414	153,000	1313	95.6	94.0-97.2	2	0.3	00.0-00.7	10	1.2	00.0-02.4	4	0.0	00.0-00.0	70	2.1	01.3-02.9	15	0.8	00.4-01.2
Less than \$15,000	392	36,382	298	74.7	66.7-82.7	1	1.0	00.0-02.8	1	1.4	00.0-04.1				77	18.1	11.2-25.0	15	4.9	00.2-09.6
\$15,000- 24,999	695	63,489	596	87.1	83.2-91.0	2	0.7	00.0-01.7	2	1.4	00.0-03.8				82	9.1	06.0-12.2	13	1.7	00.5-02.9
\$25,000- 34,999	578	57,920	508	91.8	88.1-95.5	1	0.9	00.0-02.7	1	0.0	00.0-00.0	4	0.1	00.0-00.3	55	5.9	02.8-09.0	9	1.3	00.5-02.1
\$35,000- 49,999	737	73,787	684	96.4	94.4-98.4	2	0.3	00.0-00.7	1	0.2	00.0-00.6	1	0.0	00.0-00.0	41	1.4	00.6-02.2	8	1.7	00.1-03.3
\$50,000- 74,999	788	92,531	745	97.0	95.8-98.2				5	0.8	00.0-01.6	2	0.0	00.0-00.0	23	1.1	00.3-01.9	13	1.1	00.3-01.9
\$75,000+	894	109,014	846	96.5	94.7-98.3	1	0.1	00.0-00.3	2	0.2	00.0-00.6	1	0.2	00.0-00.6	38	2.0	01.0-03.0	6	1.0	00.0-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1920	247,222	1736	92.0	90.0-94.0	5	0.5	00.1-00.9	6	0.8	00.0-01.6	1	0.0	00.0-00.0	128	4.3	02.9-05.7	44	2.5	01.3-03.7
18-24	94	39,398	66	81.2	72.2-90.2	1	0.9	00.0-02.7	2	3.2	00.0-07.7				21	11.4	04.3-18.5	4	3.3	00.0-07.4
25-34	209	44,314	179	88.8	83.1-94.5	2	1.3	00.0-03.1	1	0.3	00.0-00.9				22	6.1	02.2-10.0	5	3.5	00.0-07.6
35-44	300	40,003	265	92.6	89.5-95.7	1	0.4	00.0-01.2	3	1.3	00.0-02.9				22	3.0	01.0-05.0	9	2.7	00.7-04.7
45-54	474	47,766	435	96.2	94.2-98.2	1	0.1	00.0-00.3				1	0.0	00.0-00.0	32	2.8	01.0-04.6	5	0.9	00.0-01.9
55-64	400	35,491	373	96.7	94.9-98.5										17	1.2	00.2-02.2	10	2.1	00.5-03.7
65+	428	38,905	403	96.3	94.3-98.3										14	1.3	00.3-02.3	11	2.4	00.8-04.0
Less Than H.S.	177	19,545	148	83.5	74.5-92.5	1	1.7	00.0-05.0	1	2.6	00.0-07.7				21	8.8	01.5-16.1	6	3.4	00.5-06.3
H.S. or G.E.D.	573	74,311	509	91.0	87.1-94.9										50	6.6	02.9-10.3	14	2.4	00.8-04.0
Some Post-H.S.	581	77,398	521	91.1	87.4-94.8	3	0.6	00.0-01.4	1	0.1	00.0-00.3				42	4.4	02.2-06.6	14	3.7	00.6-06.8
College Graduate	588	75,920	557	96.0	93.5-98.5	1	0.5	00.0-01.5	4	1.7	00.0-03.9	1	0.0	00.0-00.0	15	0.9	00.1-01.7	10	0.9	00.1-01.7
Less than \$15,000	129	14,476				1	2.4	00.0-07.1	1	3.5	00.0-10.2							6	8.4	00.0-19.6
\$15,000- 24,999	233	24,986	199	86.9	79.8-94.0	1	1.4	00.0-04.1	1	3.1	00.0-09.0				25	5.5	02.2-08.8	7	3.3	00.8-05.8
\$25,000- 34,999	246	29,941	220	91.8	86.3-97.3										21	6.6	01.1-12.1	5	1.6	00.0-03.2
\$35,000- 49,999	326	40,124	299	94.5	91.2-97.8	2	0.5	00.0-01.3	1	0.3	00.0-00.9				17	1.7	00.3-03.1	7	3.1	00.2-06.0
\$50,000- 74,999	349	48,345	332	97.1	95.3-98.9				1	0.5	00.0-01.5	1	0.0	00.0-00.0	7	0.9	00.0-01.9	8	1.5	00.3-02.7
\$75,000+	463	63,493	439	96.9	94.4-99.4				1	0.2	00.0-00.6				18	1.4	00.2-02.6	5	1.5	00.0-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2807	252,643	2522	92.9	91.5-94.3	5	0.6	00.0-01.2	12	0.7	00.1-01.3	7	0.1	00.0-00.3	232	5.0	03.8-06.2	29	0.7	00.3-01.1
18-24	97	35,328	69	83.9	75.9-91.9	2	3.1	00.0-07.4	1	1.6	00.0-04.5				24	11.4	04.9-17.9	1	0.1	00.0-00.3
25-34	304	40,038	260	91.3	88.0-94.6	1	0.3	00.0-00.9	2	0.6	00.0-01.6	1	0.5	00.0-01.5	38	7.0	04.1-09.9	2	0.3	00.0-00.9
35-44	419	38,543	367	94.3	91.9-96.7	1	0.2	00.0-00.6	3	1.1	00.0-02.3	3	0.1	00.0-00.3	41	3.2	01.6-04.8	4	1.0	00.0-02.2
45-54	617	46,725	549	93.1	90.7-95.5	1	0.2	00.0-00.6	4	0.8	00.0-01.6	1	0.0	00.0-00.0	53	4.6	02.6-06.6	9	1.3	00.5-02.1
55-64	520	34,870	473	95.1	92.9-97.3										43	4.1	01.9-06.3	4	0.8	00.0-01.8
65+	825	55,477	781	97.2	96.0-98.4				2	0.4	00.0-01.0	2	0.0	00.0-00.0	32	1.7	00.9-02.5	8	0.7	00.1-01.3
Less Than H.S.	205	17,321	171	88.9	83.4-94.4										30	9.9	04.6-15.2	4	1.2	00.0-02.6
H.S. or G.E.D.	848	72,680	774	91.6	88.3-94.9	1	0.8	00.0-02.4	3	1.1	00.0-02.7	2	0.0	00.0-00.0	59	5.9	03.4-08.4	9	0.6	00.2-01.0
Some Post-H.S.	925	85,326	818	92.8	90.3-95.3	3	0.8	00.0-02.2	3	0.6	00.0-01.2	2	0.3	00.0-00.7	88	4.7	02.7-06.7	11	0.9	00.3-01.5
College Graduate	826	77,080	756	95.2	93.4-97.0	1	0.2	00.0-00.6	6	0.6	00.0-01.2	3	0.0	00.0-00.0	55	3.4	01.8-05.0	5	0.6	00.0-01.2
Less than \$15,000	263	21,906	204	81.9	74.3-89.5										50	15.5	07.9-23.1	9	2.5	00.7-04.3
\$15,000- 24,999	462	38,502	397	87.3	82.6-92.0	1	0.2	00.0-00.6	1	0.3	00.0-00.9				57	11.4	06.7-16.1	6	0.8	00.0-01.6
\$25,000- 34,999	332	27,980	288	91.8	86.9-96.7	1	2.0	00.0-05.7	1	0.1	00.0-00.3	4	0.2	00.0-00.4	34	5.1	01.8-08.4	4	0.9	00.0-01.9
\$35,000- 49,999	411	33,663	385	98.7	97.9-99.5							1	0.0	00.0-00.0	24	1.2	00.4-02.0	1	0.1	00.0-00.3
\$50,000- 74,999	439	44,186	413	96.8	95.0-98.6				4	1.1	00.0-02.3	1	0.0	00.0-00.0	16	1.3	00.3-02.3	5	0.8	00.0-01.6
\$75,000+	431	45,521	407	95.9	93.7-98.1	1	0.3	00.0-00.9	1	0.2	00.0-00.6	1	0.5	00.0-01.5	20	2.8	01.2-04.4	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4649	491,246	4200	92.8	91.6-94.0	10	0.5	00.1-00.9	17	0.7	00.3-01.1	8	0.1	00.1-00.1	354	4.7	03.7-05.7	60	1.2	00.6-01.8
Male	1880	241,858	1708	92.6	90.6-94.6	5	0.5	00.1-00.9	6	0.8	00.0-01.6	1	0.0	00.0-00.0	126	4.4	02.8-06.0	34	1.8	00.8-02.8
Female	2769	249,388	2492	93.0	91.6-94.4	5	0.6	00.0-01.2	11	0.7	00.1-01.3	7	0.1	00.0-00.3	228	5.0	03.8-06.2	26	0.6	00.4-00.8
18-24	187	73,148	133	83.0	76.9-89.1	3	2.0	00.0-04.2	3	2.5	00.0-05.2				44	11.6	06.7-16.5	4	0.9	00.0-02.3
25-34	505	82,994	431	89.8	86.3-93.3	3	0.9	00.0-01.9	3	0.4	00.0-01.0	1	0.3	00.0-00.9	60	6.7	04.2-09.2	7	2.0	00.0-04.2
35-44	708	77,333	627	94.3	92.5-96.1	2	0.3	00.0-00.7	6	1.2	00.2-02.2	3	0.0	00.0-00.0	62	3.1	01.9-04.3	8	1.0	00.2-01.8
45-54	1080	93,424	975	94.9	93.5-96.3	2	0.2	00.0-00.4	3	0.3	00.0-00.7	2	0.0	00.0-00.0	85	3.7	02.3-05.1	13	0.9	00.3-01.5
55-64	903	69,117	836	96.4	95.0-97.8										57	2.6	01.4-03.8	10	1.0	00.2-01.8
65+	1230	92,591	1163	97.0	96.0-98.0				2	0.2	00.0-00.6	2	0.0	00.0-00.0	45	1.4	00.8-02.0	18	1.3	00.5-02.1
Less Than H.S.	364	35,026	305	86.1	80.4-91.8	1	1.0	00.0-03.0	1	1.5	00.0-04.2				48	9.3	04.6-14.0	9	2.2	00.6-03.8
H.S. or G.E.D.	1398	145,169	1266	91.5	89.0-94.0	1	0.4	00.0-01.2	3	0.5	00.0-01.3	2	0.0	00.0-00.0	107	6.3	03.9-08.7	19	1.3	00.5-02.1
Some Post-H.S.	1481	159,330	1318	92.4	90.2-94.6	6	0.7	00.0-01.5	4	0.4	00.0-00.8	2	0.1	00.0-00.3	129	4.6	03.0-06.2	22	1.7	00.3-03.1
College Graduate	1403	151,525	1308	96.0	94.6-97.4	2	0.3	00.0-00.7	9	1.1	00.0-02.3	4	0.0	00.0-00.0	70	2.2	01.4-03.0	10	0.4	00.2-00.6
Less than \$15,000	382	35,706	289	74.2	66.2-82.2	1	1.0	00.0-03.0	1	1.4	00.0-04.1				76	18.4	11.3-25.5	15	5.0	00.1-09.9
\$15,000- 24,999	675	61,862	582	87.8	83.7-91.9	2	0.7	00.0-01.9	2	1.4	00.0-03.8				79	9.0	05.9-12.1	10	1.1	00.1-02.1
\$25,000- 34,999	571	57,032	503	92.0	88.3-95.7	1	1.0	00.0-03.0	1	0.0	00.0-00.0	4	0.1	00.0-00.3	55	6.0	02.7-09.3	7	0.9	00.1-01.7
\$35,000- 49,999	731	73,156	681	96.8	95.0-98.6	2	0.3	00.0-00.7	1	0.2	00.0-00.6	1	0.0	00.0-00.0	41	1.4	00.6-02.2	5	1.3	00.0-02.9
\$50,000- 74,999	778	91,156	738	97.3	96.1-98.5				4	0.6	00.0-01.2	2	0.0	00.0-00.0	23	1.1	00.3-01.9	11	0.9	00.3-01.5
\$75,000+	884	107,305	839	97.2	96.0-98.4	1	0.1	00.0-00.3	2	0.2	00.0-00.6	1	0.2	00.0-00.6	38	2.0	01.0-03.0	3	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1880	241,858	1708	92.6	90.6-94.6	5	0.5	00.1-00.9	6	0.8	00.0-01.6	1	0.0	00.0-00.0	126	4.4	03.0-05.8	34	1.8	00.8-02.8
18-24	92	38,206	65	82.4	73.6-91.2	1	0.9	00.0-02.7	2	3.3	00.0-08.0				21	11.8	04.4-19.2	3	1.6	00.0-04.1
25-34	206	43,621	176	88.6	82.9-94.3	2	1.3	00.0-03.1	1	0.3	00.0-00.9				22	6.2	02.3-10.1	5	3.5	00.0-07.6
35-44	295	39,285	263	93.6	90.7-96.5	1	0.4	00.0-01.2	3	1.3	00.0-02.9				22	3.0	01.0-05.0	6	1.6	00.0-03.2
45-54	468	47,169	430	96.5	94.5-98.5	1	0.1	00.0-00.3				1	0.0	00.0-00.0	32	2.8	01.0-04.6	4	0.5	00.0-01.3
55-64	389	34,522	367	97.6	96.2-99.0										16	1.2	00.2-02.2	6	1.2	00.0-02.4
65+	416	37,824	393	96.8	95.0-98.6										13	1.0	00.2-01.8	10	2.2	00.6-03.8
Less Than H.S.	165	18,031	138	83.5	73.9-93.1	1	1.9	00.0-05.6	1	2.8	00.0-08.3				20	8.7	01.1-16.3	5	3.1	00.2-06.0
H.S. or G.E.D.	565	73,518	504	91.3	87.4-95.2										49	6.6	02.9-10.3	12	2.1	00.7-03.5
Some Post-H.S.	568	75,366	511	92.1	88.6-95.6	3	0.6	00.0-01.4	1	0.2	00.0-00.6				42	4.5	02.1-06.9	11	2.6	00.1-05.1
College Graduate	581	74,896	554	96.6	94.2-99.0	1	0.5	00.0-01.5	4	1.7	00.0-03.9	1	0.0	00.0-00.0	15	0.9	00.1-01.7	6	0.3	00.0-00.7
Less than \$15,000	121	13,848				1	2.5	00.0-07.4	1	3.7	00.0-10.8									
\$15,000- 24,999	224	24,026	194	88.6	81.3-95.9	1	1.4	00.0-04.1	1	3.2	00.0-09.3				24	5.1	01.8-08.4	4	1.7	00.0-03.7
\$25,000- 34,999	241	29,483	217	92.3	86.8-97.8										21	6.7	01.2-12.2	3	1.0	00.0-02.2
\$35,000- 49,999	322	39,675	297	95.1	91.8-98.4	2	0.5	00.0-01.3	1	0.3	00.0-00.9				17	1.7	00.3-03.1	5	2.4	00.0-05.1
\$50,000- 74,999	346	47,735	330	97.4	95.6-99.2				1	0.5	00.0-01.5	1	0.0	00.0-00.0	7	0.9	00.0-01.9	7	1.2	00.2-02.2
\$75,000+	457	62,204	435	98.0	96.6-99.4				1	0.2	00.0-00.6				18	1.4	00.2-02.6	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2769	249,388	2492	93.0	91.6-94.4	5	0.6	00.0-01.2	11	0.7	00.1-01.3	7	0.1	00.0-00.3	228	5.0	03.8-06.2	26	0.6	00.4-00.8
18-24	95	34,943	68	83.7	75.7-91.7	2	3.1	00.0-07.4	1	1.6	00.0-04.7				23	11.4	04.9-17.9	1	0.1	00.0-00.3
25-34	299	39,373	255	91.1	87.8-94.4	1	0.4	00.0-01.2	2	0.6	00.0-01.6	1	0.5	00.0-01.5	38	7.1	04.0-10.2	2	0.3	00.0-00.9
35-44	413	38,048	364	95.0	92.8-97.2	1	0.2	00.0-00.6	3	1.1	00.0-02.5	3	0.1	00.0-00.3	40	3.2	01.6-04.8	2	0.4	00.0-01.0
45-54	612	46,255	545	93.3	90.9-95.7	1	0.2	00.0-00.6	3	0.6	00.0-01.2	1	0.0	00.0-00.0	53	4.6	02.6-06.6	9	1.3	00.3-02.3
55-64	514	34,596	469	95.2	93.0-97.4										41	4.0	01.8-06.2	4	0.8	00.0-01.8
65+	814	54,767	770	97.2	96.0-98.4				2	0.4	00.0-01.0	2	0.0	00.0-00.0	32	1.7	00.9-02.5	8	0.7	00.1-01.3
Less Than H.S.	199	16,994	167	88.8	83.3-94.3										28	10.0	04.7-15.3	4	1.2	00.0-02.6
H.S. or G.E.D.	833	71,650	762	91.7	88.4-95.0	1	0.8	00.0-02.4	3	1.1	00.0-02.7	2	0.0	00.0-00.0	58	5.9	03.4-08.4	7	0.4	00.0-00.8
Some Post-H.S.	913	83,964	807	92.7	90.2-95.2	3	0.9	00.0-02.3	3	0.6	00.0-01.2	2	0.3	00.0-00.9	87	4.7	02.7-06.7	11	0.9	00.3-01.5
College Graduate	822	76,629	754	95.5	93.9-97.1	1	0.2	00.0-00.6	5	0.5	00.1-00.9	3	0.0	00.0-00.0	55	3.4	01.8-05.0	4	0.4	00.0-00.8
Less than \$15,000	261	21,858	202	81.9	74.3-89.5										50	15.5	07.9-23.1	9	2.5	00.7-04.3
\$15,000- 24,999	451	37,836	388	87.2	82.3-92.1	1	0.2	00.0-00.6	1	0.3	00.0-00.9				55	11.5	06.8-16.2	6	0.8	00.0-01.6
\$25,000- 34,999	330	27,548	286	91.7	86.8-96.6	1	2.0	00.0-05.9	1	0.1	00.0-00.3	4	0.2	00.0-00.4	34	5.2	01.9-08.5	4	0.9	00.0-01.9
\$35,000- 49,999	409	33,481	384	98.8	98.0-99.6							1	0.0	00.0-00.0	24	1.2	00.4-02.0			
\$50,000- 74,999	432	43,421	408	97.2	95.6-98.8				3	0.8	00.0-01.8	1	0.0	00.0-00.0	16	1.4	00.4-02.4	4	0.6	00.0-01.2
\$75,000+	427	45,101	404	96.2	94.2-98.2	1	0.3	00.0-00.9	1	0.2	00.0-00.6	1	0.5	00.0-01.5	20	2.8	01.0-04.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4706	498,167	4200	91.5	90.3-92.7	506	8.5	07.3-09.7
Male	1908	246,019	1708	91.0	89.0-93.0	200	9.0	07.0-11.0
Female	2798	252,148	2492	92.0	90.4-93.6	306	8.0	06.4-09.6
18-24	190	74,708	133	81.3	75.0-87.6	57	18.7	12.4-25.0
25-34	512	84,121	431	88.6	85.1-92.1	81	11.4	07.9-14.9
35-44	718	78,535	627	92.8	90.8-94.8	91	7.2	05.2-09.2
45-54	1089	94,251	975	94.1	92.5-95.7	114	5.9	04.3-07.5
55-64	917	70,334	836	94.7	93.1-96.3	81	5.3	03.7-06.9
65+	1242	93,409	1163	96.2	95.0-97.4	79	3.8	02.6-05.0
Less Than H.S.	374	36,172	305	83.3	77.2-89.4	69	16.7	10.6-22.8
H.S. or G.E.D.	1415	146,694	1266	90.6	88.1-93.1	149	9.4	06.9-11.9
Some Post-H.S.	1500	162,103	1318	90.9	88.5-93.3	182	9.1	06.7-11.5
College Graduate	1414	153,000	1308	95.1	93.5-96.7	106	4.9	03.3-06.5
Less than \$15,000	387	36,021	289	73.6	65.6-81.6	98	26.4	18.4-34.4
\$15,000- 24,999	690	63,030	582	86.1	82.0-90.2	108	13.9	09.8-18.0
\$25,000- 34,999	577	57,850	503	90.7	86.8-94.6	74	9.3	05.4-13.2
\$35,000- 49,999	737	73,804	681	95.9	93.9-97.9	56	4.1	02.1-06.1
\$50,000- 74,999	787	92,419	738	96.0	94.4-97.6	49	4.0	02.4-05.6
\$75,000+	894	109,014	839	95.7	93.9-97.5	55	4.3	02.5-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1908	246,019	1708	91.0	89.0-93.0	200	9.0	07.0-11.0
18-24	94	39,398	65	79.9	70.7-89.1	29	20.1	10.9-29.3
25-34	208	44,083	176	87.7	81.8-93.6	32	12.3	06.4-18.2
35-44	300	40,003	263	91.9	88.6-95.2	37	8.1	04.8-11.4
45-54	473	47,654	430	95.5	93.3-97.7	43	4.5	02.3-06.7
55-64	398	35,425	367	95.1	92.7-97.5	31	4.9	02.5-07.3
65+	421	38,224	393	95.8	93.8-97.8	28	4.2	02.2-06.2
Less Than H.S.	171	18,927	138	79.5	69.5-89.5	33	20.5	10.5-30.5
H.S. or G.E.D.	571	74,230	504	90.4	86.5-94.3	67	9.6	05.7-13.5
Some Post-H.S.	577	76,895	511	90.3	86.6-94.0	66	9.7	06.0-13.4
College Graduate	588	75,920	554	95.3	92.8-97.8	34	4.7	02.2-07.2
\$15,000- 24,999	230	24,657	194	86.4	79.1-93.7	36	13.6	06.3-20.9
\$25,000- 34,999	245	29,870	217	91.1	85.4-96.8	28	8.9	03.2-14.6
\$35,000- 49,999	325	40,053	297	94.2	90.9-97.5	28	5.8	02.5-09.1
\$50,000- 74,999	348	48,233	330	96.4	94.2-98.6	18	3.6	01.4-05.8
\$75,000+	463	63,493	435	96.0	93.5-98.5	28	4.0	01.5-06.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2798	252,148	2492	92.0	90.6-93.4	306	8.0	06.6-09.4
18-24	96	35,310	68	82.9	74.7-91.1	28	17.1	08.9-25.3
25-34	304	40,038	255	89.6	86.1-93.1	49	10.4	06.9-13.9
35-44	418	38,532	364	93.8	91.4-96.2	54	6.2	03.8-08.6
45-54	616	46,597	545	92.7	90.3-95.1	71	7.3	04.9-09.7
55-64	519	34,909	469	94.3	91.9-96.7	50	5.7	03.3-08.1
65+	821	55,185	770	96.4	95.2-97.6	51	3.6	02.4-04.8
Less Than H.S.	203	17,245	167	87.5	81.8-93.2	36	12.5	06.8-18.2
H.S. or G.E.D.	844	72,465	762	90.7	87.4-94.0	82	9.3	06.0-12.6
Some Post-H.S.	923	85,208	807	91.4	88.7-94.1	116	8.6	05.9-11.3
College Graduate	826	77,080	754	94.9	93.1-96.7	72	5.1	03.3-06.9
Less than \$15,000	261	21,858	202	81.9	74.3-89.5	59	18.1	10.5-25.7
\$15,000- 24,999	460	38,372	388	86.0	81.1-90.9	72	14.0	09.1-18.9
\$25,000- 34,999	332	27,980	286	90.3	84.8-95.8	46	9.7	04.2-15.2
\$35,000- 49,999	412	33,751	384	98.0	96.8-99.2	28	2.0	00.8-03.2
\$50,000- 74,999	439	44,186	408	95.6	93.6-97.6	31	4.4	02.4-06.4
\$75,000+	431	45,521	404	95.4	93.2-97.6	27	4.6	02.4-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4706	498,167	4200	91.5	90.3-92.7	10	0.5	00.1-00.9	403	6.0	04.8-07.2	36	0.6	00.2-01.0	57	1.4	01.0-01.8
Male	1908	246,019	1708	91.0	89.0-93.0	5	0.5	00.1-00.9	149	6.0	04.2-07.8	18	0.8	00.2-01.4	28	1.7	00.9-02.5
Female	2798	252,148	2492	92.0	90.4-93.6	5	0.6	00.0-01.2	254	5.9	04.7-07.1	18	0.4	00.2-00.6	29	1.1	00.7-01.5
18-24	190	74,708	133	81.3	75.0-87.6	3	1.9	00.0-04.1	47	13.8	08.3-19.3	4	0.9	00.0-02.3	3	2.1	00.0-04.5
25-34	512	84,121	431	88.6	85.1-92.1	3	0.9	00.0-01.9	66	8.4	05.3-11.5	5	0.8	00.0-01.8	7	1.3	00.1-02.5
35-44	718	78,535	627	92.8	90.8-94.8	2	0.3	00.0-00.7	74	4.7	03.1-06.3	5	0.6	00.0-01.4	10	1.5	00.5-02.5
45-54	1089	94,251	975	94.1	92.5-95.7	2	0.2	00.0-00.4	96	4.4	03.0-05.8	7	0.4	00.0-00.8	9	0.9	00.3-01.5
55-64	917	70,334	836	94.7	93.1-96.3				61	3.1	01.9-04.3	6	0.4	00.0-00.8	14	1.7	00.7-02.7
65+	1242	93,409	1163	96.2	95.0-97.4				58	2.5	01.5-03.5	9	0.5	00.1-00.9	12	0.9	00.3-01.5
Less Than H.S.	374	36,172	305	83.3	77.2-89.4	1	0.9	00.0-02.7	53	11.5	06.2-16.8	5	1.1	00.0-02.3	10	3.2	00.3-06.1
H.S. or G.E.D.	1415	146,694	1266	90.6	88.1-93.1	1	0.4	00.0-01.2	121	7.4	05.0-09.8	10	0.6	00.0-01.2	17	1.0	00.4-01.6
Some Post-H.S.	1500	162,103	1318	90.9	88.5-93.3	6	0.7	00.0-01.5	141	5.9	04.1-07.7	16	0.9	00.1-01.7	19	1.7	00.7-02.7
College Graduate	1414	153,000	1308	95.1	93.5-96.7	2	0.3	00.0-00.7	88	3.4	02.0-04.8	5	0.2	00.0-00.4	11	1.0	00.4-01.6
Less than \$15,000	387	36,021	289	73.6	65.6-81.6	1	1.0	00.0-03.0	86	23.3	15.3-31.3	6	1.3	00.1-02.5	5	0.9	00.1-01.7
\$15,000- 24,999	690	63,030	582	86.1	82.0-90.2	2	0.7	00.0-01.9	83	10.7	06.8-14.6	8	0.7	00.1-01.3	15	1.9	00.7-03.1
\$25,000- 34,999	577	57,850	503	90.7	86.8-94.6	1	1.0	00.0-02.8	64	6.6	03.3-09.9	3	0.4	00.0-00.8	6	1.4	00.0-02.8
\$35,000- 49,999	737	73,804	681	95.9	93.9-97.9	2	0.3	00.0-00.7	45	1.9	00.9-02.9	3	1.0	00.0-02.4	6	0.9	00.1-01.7
\$50,000- 74,999	787	92,419	738	96.0	94.4-97.6				34	2.4	01.2-03.6	6	0.3	00.1-00.5	9	1.4	00.4-02.4
\$75,000+	894	109,014	839	95.7	93.9-97.5	1	0.1	00.0-00.3	41	2.4	01.2-03.6	3	0.2	00.0-00.6	10	1.6	00.2-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1908	246,019	1708	91.0	89.0-93.0	5	0.5	00.1-00.9	149	6.0	04.2-07.8	18	0.8	00.2-01.4	28	1.7	00.9-02.5
18-24	94	39,398	65	79.9	70.7-89.1	1	0.9	00.0-02.7	23	14.7	06.5-22.9	3	1.6	00.0-04.1	2	3.0	00.0-07.1
25-34	208	44,083	176	87.7	81.8-93.6	2	1.3	00.0-03.1	25	8.7	03.4-14.0	3	1.3	00.0-03.1	2	1.0	00.0-02.6
35-44	300	40,003	263	91.9	88.6-95.2	1	0.4	00.0-01.2	26	4.7	02.2-07.2	5	1.2	00.0-02.6	5	1.8	00.2-03.4
45-54	473	47,654	430	95.5	93.3-97.7	1	0.1	00.0-00.3	36	3.3	01.5-05.1	1	0.0	00.0-00.0	5	1.0	00.0-02.0
55-64	398	35,425	367	95.1	92.7-97.5				20	2.2	00.8-03.6	2	0.1	00.1-00.1	9	2.6	00.8-04.4
65+	421	38,224	393	95.8	93.8-97.8				19	2.5	00.9-04.1	4	0.7	00.0-01.5	5	1.0	00.0-02.0
Less Than H.S.	171	18,927	138	79.5	69.5-89.5	1	1.8	00.0-05.3	24	12.6	04.0-21.2	2	1.3	00.0-03.3	6	4.7	00.0-10.2
H.S. or G.E.D.	571	74,230	504	90.4	86.5-94.3				55	7.5	03.8-11.2	6	1.1	00.0-02.3	6	1.0	00.2-01.8
Some Post-H.S.	577	76,895	511	90.3	86.6-94.0	3	0.6	00.0-01.4	46	6.0	02.9-09.1	8	1.1	00.0-02.5	9	2.0	00.0-04.0
College Graduate	588	75,920	554	95.3	92.8-97.8	1	0.5	00.0-01.5	24	2.9	00.7-05.1	2	0.0	00.0-00.0	7	1.3	00.1-02.5
Less than \$15,000	126	14,163				1	2.4	00.0-07.1				2	1.5	00.0-03.9	5	2.2	00.0-04.4
\$15,000- 24,999	230	24,657	194	86.4	79.1-93.7	1	1.4	00.0-04.1	27	9.1	02.4-15.8	2	0.6	00.0-01.8	6	2.6	00.2-05.0
\$25,000- 34,999	245	29,870	217	91.1	85.4-96.8				23	7.3	01.8-12.8	1	0.3	00.0-00.9	4	1.3	00.0-02.7
\$35,000- 49,999	325	40,053	297	94.2	90.9-97.5	2	0.5	00.0-01.3	20	2.5	00.7-04.3	3	1.9	00.0-04.6	3	0.9	00.0-02.1
\$50,000- 74,999	348	48,233	330	96.4	94.2-98.6				13	2.4	00.6-04.2	3	0.1	00.0-00.3	2	1.0	00.0-02.6
\$75,000+	463	63,493	435	96.0	93.5-98.5				19	1.6	00.2-03.0	3	0.4	00.0-01.0	6	2.0	00.0-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2798	252,148	2492	92.0	90.6-93.4	5	0.6	00.0-01.2	254	5.9	04.7-07.1	18	0.4	00.2-00.6	29	1.1	00.7-01.5
18-24	96	35,310	68	82.9	74.7-91.1	2	3.1	00.0-07.4	24	12.9	05.8-20.0	1	0.1	00.0-00.3	1	1.0	00.0-03.0
25-34	304	40,038	255	89.6	86.1-93.1	1	0.3	00.0-00.9	41	8.1	04.8-11.4	2	0.3	00.0-00.9	5	1.7	00.3-03.1
35-44	418	38,532	364	93.8	91.4-96.2	1	0.2	00.0-00.6	48	4.8	02.8-06.8				5	1.3	00.1-02.5
45-54	616	46,597	545	92.7	90.3-95.1	1	0.2	00.0-00.6	60	5.6	03.4-07.8	6	0.8	00.0-01.6	4	0.7	00.0-01.5
55-64	519	34,909	469	94.3	91.9-96.7				41	4.0	02.0-06.0	4	0.8	00.0-01.8	5	0.9	00.0-01.9
65+	821	55,185	770	96.4	95.2-97.6				39	2.4	01.4-03.4	5	0.4	00.0-00.8	7	0.8	00.2-01.4
Less Than H.S.	203	17,245	167	87.5	81.8-93.2				29	10.2	04.9-15.5	3	0.8	00.0-02.0	4	1.5	00.0-03.3
H.S. or G.E.D.	844	72,465	762	90.7	87.4-94.0	1	0.8	00.0-02.4	66	7.3	04.4-10.2	4	0.1	00.0-00.3	11	1.1	00.3-01.9
Some Post-H.S.	923	85,208	807	91.4	88.7-94.1	3	0.8	00.0-02.2	95	5.7	03.5-07.9	8	0.6	00.2-01.0	10	1.5	00.3-02.7
College Graduate	826	77,080	754	94.9	93.1-96.7	1	0.2	00.0-00.6	64	4.0	02.4-05.6	3	0.3	00.0-00.7	4	0.6	00.0-01.2
Less than \$15,000	261	21,858	202	81.9	74.3-89.5				55	16.9	09.3-24.5	4	1.2	00.0-02.4			
\$15,000- 24,999	460	38,372	388	86.0	81.1-90.9	1	0.2	00.0-00.6	56	11.7	07.0-16.4	6	0.8	00.0-01.6	9	1.4	00.2-02.6
\$25,000- 34,999	332	27,980	286	90.3	84.8-95.8	1	2.0	00.0-05.7	41	5.8	02.5-09.1	2	0.4	00.0-01.0	2	1.5	00.0-04.0
\$35,000- 49,999	412	33,751	384	98.0	96.8-99.2				25	1.2	00.4-02.0				3	0.8	00.0-01.8
\$50,000- 74,999	439	44,186	408	95.6	93.6-97.6				21	2.3	00.9-03.7	3	0.4	00.0-01.0	7	1.7	00.3-03.1
\$75,000+	431	45,521	404	95.4	93.2-97.6	1	0.3	00.0-00.9	22	3.4	01.4-05.4				4	0.9	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4690	494,950	4661	99.5	99.1-99.9	27	0.5	00.3-00.7	2	0.0	00.0-00.0
Male	1894	243,115	1879	99.3	98.7-99.9	15	0.7	00.1-01.3			
Female	2796	251,835	2782	99.7	99.5-99.9	12	0.3	00.1-00.5	2	0.1	00.1-00.1
18-24	190	74,045	186	99.1	97.7-0100	3	0.8	00.0-02.2	1	0.0	00.0-00.0
25-34	511	83,371	506	99.2	98.2-0100	4	0.7	00.0-01.7	1	0.1	00.0-00.3
35-44	711	77,538	707	99.5	98.7-0100	4	0.5	00.0-01.3			
45-54	1084	93,895	1078	99.6	99.2-0100	6	0.4	00.0-00.8			
55-64	912	69,621	907	99.6	99.2-0100	5	0.4	00.0-00.8			
65+	1243	93,517	1238	99.9	99.7-0100	5	0.1	00.0-00.3			
Less Than H.S.	377	36,386	373	99.0	97.8-0100	4	1.0	00.0-02.2			
H.S. or G.E.D.	1408	145,683	1400	99.5	98.9-0100	8	0.5	00.0-01.1			
Some Post-H.S.	1497	160,492	1485	99.3	98.7-99.9	10	0.6	00.0-01.2	2	0.1	00.0-00.3
College Graduate	1404	152,105	1399	99.8	99.6-0100	5	0.2	00.0-00.4			
Less than \$15,000	383	35,074	378	98.8	97.6-0100	5	1.2	00.0-02.4			
\$15,000- 24,999	690	62,820	684	99.6	99.0-0100	6	0.4	00.0-01.0			
\$25,000- 34,999	572	57,405	571	99.9	99.7-0100	1	0.1	00.0-00.3			
\$35,000- 49,999	732	73,263	729	99.0	97.4-0100	3	1.0	00.0-02.6			
\$50,000- 74,999	781	91,712	776	99.8	99.6-0100	5	0.2	00.0-00.4			
\$75,000+	891	108,117	889	99.9	99.7-0100	2	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			One Race Category			Two Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1894	243,115	1879	99.3	98.7-99.9	15	0.7	00.1-01.3	
18-24	93	38,717	90	98.4	95.9-0100	3	1.6	00.0-04.1	
25-34	207	43,333	204	98.7	96.9-0100	3	1.3	00.0-03.1	
35-44	296	39,398	292	99.0	97.6-0100	4	1.0	00.0-02.4	
45-54	470	47,362	469	100.0	0100-0100	1	0.0	00.0-00.0	
55-64	392	34,751	390	99.9	99.9-99.9	2	0.1	00.1-00.1	
65+	421	38,209	419	100.0	0100-0100	2	0.0	00.0-00.0	
Less Than H.S.	173	19,130	171	98.7	96.7-0100	2	1.3	00.0-03.3	
H.S. or G.E.D.	565	73,344	561	99.2	98.0-0100	4	0.8	00.0-02.0	
Some Post-H.S.	575	75,365	568	99.0	97.6-0100	7	1.0	00.0-02.4	
College Graduate	580	75,229	578	100.0	0100-0100	2	0.0	00.0-00.0	
Less than \$15,000	125	13,472	123	98.5	96.0-0100	2	1.5	00.0-04.0	
\$15,000- 24,999	228	24,318	227	100.0	0100-0100	1	0.0	00.0-00.0	
\$25,000- 34,999	242	29,553	242	100.0	0100-0100				
\$35,000- 49,999	322	39,642	319	98.1	95.4-0100	3	1.9	00.0-04.6	
\$50,000- 74,999	344	47,698	341	99.9	99.7-0100	3	0.1	00.0-00.3	
\$75,000+	461	62,757	459	99.7	99.3-0100	2	0.3	00.0-00.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2796	251,835	2782	99.7	99.5-99.9	12	0.3	00.1-00.5	2	0.1	00.1-00.1
18-24	97	35,328	96	99.9	99.7-0100				1	0.1	00.0-00.3
25-34	304	40,038	302	99.7	99.1-0100	1	0.0	00.0-00.0	1	0.3	00.0-00.9
35-44	415	38,140	415	100.0	0100-0100						
45-54	614	46,533	609	99.3	98.7-99.9	5	0.7	00.1-01.3			
55-64	520	34,870	517	99.3	98.3-0100	3	0.7	00.0-01.7			
65+	822	55,308	819	99.8	99.6-0100	3	0.2	00.0-00.4			
Less Than H.S.	204	17,256	202	99.4	98.4-0100	2	0.6	00.0-01.6			
H.S. or G.E.D.	843	72,340	839	99.9	99.7-0100	4	0.1	00.0-00.3			
Some Post-H.S.	922	85,128	917	99.6	99.2-0100	3	0.2	00.0-00.4	2	0.2	00.0-00.4
College Graduate	824	76,876	821	99.7	99.3-0100	3	0.3	00.0-00.7			
Less than \$15,000	258	21,602	255	99.0	97.8-0100	3	1.0	00.0-02.2			
\$15,000- 24,999	462	38,502	457	99.3	98.5-0100	5	0.7	00.0-01.5			
\$25,000- 34,999	330	27,851	329	99.9	99.7-0100	1	0.1	00.0-00.3			
\$35,000- 49,999	410	33,621	410	100.0	0100-0100						
\$50,000- 74,999	437	44,014	435	99.8	99.4-0100	2	0.2	00.0-00.6			
\$75,000+	430	45,360	430	100.0	0100-0100						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4690	494,950	4661	99.5	99.1-99.9	29	0.5	00.1-00.9
Male	1894	243,115	1879	99.3	98.7-99.9	15	0.7	00.1-01.3
Female	2796	251,835	2782	99.7	99.5-99.9	14	0.3	00.1-00.5
18-24	190	74,045	186	99.1	97.7-0100	4	0.9	00.0-02.3
25-34	511	83,371	506	99.2	98.2-0100	5	0.8	00.0-01.8
35-44	711	77,538	707	99.5	98.7-0100	4	0.5	00.0-01.3
45-54	1084	93,895	1078	99.6	99.2-0100	6	0.4	00.0-00.8
55-64	912	69,621	907	99.6	99.2-0100	5	0.4	00.0-00.8
65+	1243	93,517	1238	99.9	99.7-0100	5	0.1	00.0-00.3
Less Than H.S.	377	36,386	373	99.0	97.8-0100	4	1.0	00.0-02.2
H.S. or G.E.D.	1408	145,683	1400	99.5	98.9-0100	8	0.5	00.0-01.1
Some Post-H.S.	1497	160,492	1485	99.3	98.7-99.9	12	0.7	00.1-01.3
College Graduate	1404	152,105	1399	99.8	99.6-0100	5	0.2	00.0-00.4
Less than \$15,000	383	35,074	378	98.8	97.6-0100	5	1.2	00.0-02.4
\$15,000- 24,999	690	62,820	684	99.6	99.0-0100	6	0.4	00.0-01.0
\$25,000- 34,999	572	57,405	571	99.9	99.7-0100	1	0.1	00.0-00.3
\$35,000- 49,999	732	73,263	729	99.0	97.4-0100	3	1.0	00.0-02.6
\$50,000- 74,999	781	91,712	776	99.8	99.6-0100	5	0.2	00.0-00.4
\$75,000+	891	108,117	889	99.9	99.7-0100	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1894	243,115	1879	99.3	98.7-99.9	15	0.7	00.1-01.3
18-24	93	38,717	90	98.4	95.9-0100	3	1.6	00.0-04.1
25-34	207	43,333	204	98.7	96.9-0100	3	1.3	00.0-03.1
35-44	296	39,398	292	99.0	97.6-0100	4	1.0	00.0-02.4
45-54	470	47,362	469	100.0	0100-0100	1	0.0	00.0-00.0
55-64	392	34,751	390	99.9	99.9-99.9	2	0.1	00.1-00.1
65+	421	38,209	419	100.0	0100-0100	2	0.0	00.0-00.0
Less Than H.S.	173	19,130	171	98.7	96.7-0100	2	1.3	00.0-03.3
H.S. or G.E.D.	565	73,344	561	99.2	98.0-0100	4	0.8	00.0-02.0
Some Post-H.S.	575	75,365	568	99.0	97.6-0100	7	1.0	00.0-02.4
College Graduate	580	75,229	578	100.0	0100-0100	2	0.0	00.0-00.0
Less than \$15,000	125	13,472	123	98.5	96.0-0100	2	1.5	00.0-04.0
\$15,000- 24,999	228	24,318	227	100.0	0100-0100	1	0.0	00.0-00.0
\$25,000- 34,999	242	29,553	242	100.0	0100-0100			
\$35,000- 49,999	322	39,642	319	98.1	95.4-0100	3	1.9	00.0-04.6
\$50,000- 74,999	344	47,698	341	99.9	99.7-0100	3	0.1	00.0-00.3
\$75,000+	461	62,757	459	99.7	99.3-0100	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2796	251,835	2782	99.7	99.5-99.9	14	0.3	00.1-00.5
18-24	97	35,328	96	99.9	99.7-0100	1	0.1	00.0-00.3
25-34	304	40,038	302	99.7	99.1-0100	2	0.3	00.0-00.9
35-44	415	38,140	415	100.0	0100-0100			
45-54	614	46,533	609	99.3	98.7-99.9	5	0.7	00.1-01.3
55-64	520	34,870	517	99.3	98.3-0100	3	0.7	00.0-01.7
65+	822	55,308	819	99.8	99.6-0100	3	0.2	00.0-00.4
Less Than H.S.	204	17,256	202	99.4	98.4-0100	2	0.6	00.0-01.6
H.S. or G.E.D.	843	72,340	839	99.9	99.7-0100	4	0.1	00.0-00.3
Some Post-H.S.	922	85,128	917	99.6	99.2-0100	5	0.4	00.0-00.8
College Graduate	824	76,876	821	99.7	99.3-0100	3	0.3	00.0-00.7
Less than \$15,000	258	21,602	255	99.0	97.8-0100	3	1.0	00.0-02.2
\$15,000- 24,999	462	38,502	457	99.3	98.5-0100	5	0.7	00.0-01.5
\$25,000- 34,999	330	27,851	329	99.9	99.7-0100	1	0.1	00.0-00.3
\$35,000- 49,999	410	33,621	410	100.0	0100-0100			
\$50,000- 74,999	437	44,014	435	99.8	99.4-0100	2	0.2	00.0-00.6
\$75,000+	430	45,360	430	100.0	0100-0100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4707	499,008	407	22.2	20.0-24.4	639	17.1	15.7-18.5	885	17.4	16.2-18.6	1108	18.0	16.8-19.2	769	10.9	10.1-11.7	899	14.3	13.3-15.3
Male	1918	247,365	188	24.0	20.7-27.3	261	17.7	15.5-19.9	372	17.5	15.5-19.5	492	18.9	17.1-20.7	304	10.2	09.0-11.4	301	11.7	10.3-13.1
Female	2789	251,643	219	20.4	17.5-23.3	378	16.6	14.8-18.4	513	17.3	15.7-18.9	616	17.1	15.5-18.7	465	11.6	10.4-12.8	598	16.9	15.3-18.5
Native	353	23,037				57	20.0	12.0-28.0	66	10.7	06.4-15.0	83	13.1	08.0-18.2	47	6.4	03.1-09.7	25	3.9	01.7-06.1
Non-Native	4315	472,321	331	21.2	19.0-23.4	578	17.0	15.6-18.4	816	17.8	16.4-19.2	1019	18.3	17.1-19.5	712	11.1	10.1-12.1	859	14.6	13.6-15.6
Less Than H.S.	381	36,860	34	28.5	19.9-37.1	15	4.5	01.8-07.2	26	5.4	03.0-07.8	41	6.3	03.8-08.8	78	13.2	09.7-16.7	187	42.0	35.3-48.7
H.S. or G.E.D.	1413	146,759	126	24.0	19.9-28.1	116	11.6	09.4-13.8	256	17.9	15.5-20.3	297	16.6	14.4-18.8	278	12.8	11.0-14.6	340	17.1	14.9-19.3
Some Post-H.S.	1500	162,477	139	24.6	20.5-28.7	233	18.1	15.6-20.6	304	17.5	15.3-19.7	384	18.8	16.6-21.0	208	9.2	07.8-10.6	232	11.7	09.9-13.5
College Graduate	1410	152,713	108	16.5	13.2-19.8	275	24.5	21.8-27.2	299	19.7	17.3-22.1	385	21.2	18.8-23.6	205	10.4	08.8-12.0	138	7.7	06.3-09.1
Less than \$15,000	390	36,360	48	37.0	27.6-46.4	30	10.2	05.3-15.1	53	10.6	06.9-14.3	79	12.2	08.7-15.7	64	8.7	06.0-11.4	116	21.4	16.7-26.1
\$15,000- 24,999	693	63,447	73	26.6	20.5-32.7	62	10.6	07.7-13.5	81	9.7	07.3-12.1	114	11.2	08.7-13.7	123	12.8	10.3-15.3	240	29.0	24.9-33.1
\$25,000- 34,999	576	57,792	60	27.3	20.6-34.0	67	12.4	09.1-15.7	99	13.6	10.5-16.7	123	16.4	13.1-19.7	92	10.3	07.9-12.7	135	20.0	16.3-23.7
\$35,000- 49,999	735	73,561	55	16.6	12.3-20.9	113	19.4	15.7-23.1	160	20.5	17.2-23.8	169	18.6	15.7-21.5	147	14.0	11.5-16.5	91	10.9	08.5-13.3
\$50,000- 74,999	787	92,561	53	16.7	12.0-21.4	165	26.0	22.3-29.7	197	21.5	18.4-24.6	212	21.1	18.2-24.0	113	10.3	08.3-12.3	47	4.5	03.1-05.9
\$75,000+	893	108,929	59	17.0	12.5-21.5	158	21.8	18.5-25.1	242	25.7	22.6-28.8	308	26.0	22.9-29.1	98	7.3	05.7-08.9	28	2.1	01.3-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1918	247,365	188	24.0	20.7-27.3	261	17.7	15.5-19.9	372	17.5	15.5-19.5	492	18.9	17.1-20.7	304	10.2	09.0-11.4	301	11.7	10.3-13.1
Native	126	10,535							27	9.2	02.9-15.5	28	11.9	03.9-19.9	13	2.3	00.1-04.5	6	2.1	00.0-04.5
Non-Native	1768	234,252	157	23.2	19.9-26.5	238	17.2	15.0-19.4	344	18.0	16.0-20.0	461	19.2	17.2-21.2	284	10.5	09.1-11.9	284	11.8	10.2-13.4
Less Than H.S.	178	19,667				6	3.7	00.2-07.2	13	3.8	01.4-06.2	20	5.9	02.6-09.2	40	15.9	10.4-21.4	82	43.0	33.4-52.6
H.S. or G.E.D.	573	74,439	70	28.6	22.3-34.9	60	14.1	10.4-17.8	120	19.2	15.5-22.9	133	16.9	13.8-20.0	94	9.4	07.2-11.6	96	11.8	09.3-14.3
Some Post-H.S.	580	77,410	61	27.0	20.9-33.1	97	19.6	15.5-23.7	132	18.6	15.1-22.1	165	19.9	16.6-23.2	68	7.8	05.8-09.8	57	7.1	05.1-09.1
College Graduate	586	75,802	40	15.6	10.7-20.5	98	22.8	18.5-27.1	107	18.2	14.7-21.7	174	23.1	19.6-26.6	102	12.0	09.5-14.5	65	8.2	06.0-10.4
Less than \$15,000	128	14,378							23	10.4	04.7-16.1	36	15.0	08.1-21.9	13	5.4	01.7-09.1	30	17.4	10.0-24.8
\$15,000- 24,999	233	24,986	30	27.1	17.9-36.3	23	11.3	06.2-16.4	18	5.9	02.8-09.0	42	13.4	08.5-18.3	41	11.9	07.8-16.0	79	30.3	23.4-37.2
\$25,000- 34,999	246	29,941	31	30.8	21.0-40.6	27	13.3	08.0-18.6	40	12.9	08.4-17.4	55	14.7	10.2-19.2	37	9.6	06.1-13.1	56	18.8	13.5-24.1
\$35,000- 49,999	325	39,938	32	19.4	12.9-25.9	48	18.8	13.5-24.1	75	22.1	17.0-27.2	69	16.7	12.6-20.8	61	13.0	09.5-16.5	40	10.0	06.9-13.1
\$50,000- 74,999	351	48,631	24	18.4	11.3-25.5	64	24.5	19.0-30.0	78	19.3	14.8-23.8	104	22.0	17.5-26.5	54	10.8	07.9-13.7	27	5.0	03.0-07.0
\$75,000+	461	63,320	30	18.1	12.0-24.2	75	20.2	15.7-24.7	116	23.8	19.5-28.1	157	26.7	22.4-31.0	65	8.8	06.4-11.2	18	2.4	01.2-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2789	251,643	219	20.4	17.5-23.3	378	16.6	14.8-18.4	513	17.3	15.7-18.9	616	17.1	15.5-18.7	465	11.6	10.4-12.8	598	16.9	15.3-18.5
Native	227	12,502				36	14.4	07.3-21.5	39	12.0	05.9-18.1	55	14.1	07.8-20.4	34	10.0	04.3-15.7	19	5.4	02.1-08.7
Non-Native	2547	238,069	174	19.3	16.4-22.2	340	16.8	15.0-18.6	472	17.6	16.0-19.2	558	17.3	15.7-18.9	428	11.6	10.4-12.8	575	17.5	15.9-19.1
Less Than H.S.	203	17,193				9	5.4	01.5-09.3	13	7.4	03.1-11.7	21	6.9	03.0-10.8	38	10.2	06.3-14.1	105	40.9	31.9-49.9
H.S. or G.E.D.	840	72,321	56	19.3	14.0-24.6	56	9.0	06.5-11.5	136	16.5	13.6-19.4	164	16.3	13.6-19.0	184	16.2	13.7-18.7	244	22.6	19.5-25.7
Some Post-H.S.	920	85,067	78	22.5	17.0-28.0	136	16.8	13.9-19.7	172	16.5	13.8-19.2	219	17.9	15.2-20.6	140	10.4	08.4-12.4	175	15.9	13.4-18.4
College Graduate	824	76,912	68	17.3	13.0-21.6	177	26.2	22.5-29.9	192	21.2	18.1-24.3	211	19.3	16.4-22.2	103	8.8	06.8-10.8	73	7.2	05.4-09.0
Less than \$15,000	262	21,982				18	5.7	02.6-08.8	30	10.7	06.0-15.4	43	10.4	06.5-14.3	51	10.8	06.9-14.7	86	24.1	18.0-30.2
\$15,000- 24,999	460	38,460	43	26.3	18.3-34.3	39	10.2	06.7-13.7	63	12.2	08.7-15.7	72	9.7	07.0-12.4	82	13.4	10.1-16.7	161	28.2	23.1-33.3
\$25,000- 34,999	330	27,851	29	23.6	14.6-32.6	40	11.5	07.4-15.6	59	14.4	10.1-18.7	68	18.2	13.5-22.9	55	11.1	07.6-14.6	79	21.2	16.1-26.3
\$35,000- 49,999	410	33,623	23	13.2	07.9-18.5	65	20.0	15.3-24.7	85	18.8	14.5-23.1	100	20.9	16.6-25.2	86	15.2	11.7-18.7	51	11.9	08.4-15.4
\$50,000- 74,999	436	43,930	29	14.8	08.9-20.7	101	27.6	22.7-32.5	119	24.0	19.7-28.3	108	20.0	16.1-23.9	59	9.7	07.2-12.2	20	3.8	02.0-05.6
\$75,000+	432	45,609	29	15.4	09.1-21.7	83	24.2	19.3-29.1	126	28.4	23.7-33.1	151	25.1	20.8-29.4	33	5.3	03.3-07.3	10	1.7	00.5-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4707	499,008	3447	80.9	79.7-82.1	1260	19.1	17.9-20.3	
Male	1918	247,365	1483	84.0	82.4-85.6	435	16.0	14.4-17.6	
Female	2789	251,643	1964	78.0	76.4-79.6	825	22.0	20.4-23.6	
Native	353	23,037	308	94.4	91.9-96.9	45	5.6	03.1-08.1	
Non-Native	4315	472,321	3118	80.5	79.3-81.7	1197	19.5	18.3-20.7	
Less Than H.S.	381	36,860	158	51.8	44.7-58.9	223	48.2	41.1-55.3	
H.S. or G.E.D.	1413	146,759	917	76.2	73.8-78.6	496	23.8	21.4-26.2	
Some Post-H.S.	1500	162,477	1169	84.3	82.3-86.3	331	15.7	13.7-17.7	
College Graduate	1410	152,713	1202	89.0	87.4-90.6	208	11.0	09.4-12.6	
Less than \$15,000	390	36,360	242	74.2	68.9-79.5	148	25.8	20.5-31.1	
\$15,000- 24,999	693	63,447	385	64.8	60.5-69.1	308	35.2	30.9-39.5	
\$25,000- 34,999	576	57,792	392	75.0	70.9-79.1	184	25.0	20.9-29.1	
\$35,000- 49,999	735	73,561	575	82.4	79.7-85.1	160	17.6	14.9-20.3	
\$50,000- 74,999	787	92,561	702	92.3	90.5-94.1	85	7.7	05.9-09.5	
\$75,000+	893	108,929	836	95.8	94.6-97.0	57	4.2	03.0-05.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1918	247,365	1483	84.0	82.4-85.6	435	16.0	14.4-17.6	
Native	126	10,535	113	96.5	93.6-99.4	13	3.5	00.6-06.4	
Non-Native	1768	234,252	1360	83.8	82.0-85.6	408	16.2	14.4-18.0	
H.S. or G.E.D.	573	74,439	427	83.3	80.2-86.4	146	16.7	13.6-19.8	
Some Post-H.S.	580	77,410	498	90.2	87.8-92.6	82	9.8	07.4-12.2	
College Graduate	586	75,802	480	87.0	84.5-89.5	106	13.0	10.5-15.5	
Less than \$15,000	128	14,378	93	80.7	72.9-88.5	35	19.3	11.5-27.1	
\$15,000- 24,999	233	24,986	130	63.2	55.9-70.5	103	36.8	29.5-44.1	
\$25,000- 34,999	246	29,941	174	77.2	71.3-83.1	72	22.8	16.9-28.7	
\$35,000- 49,999	325	39,938	253	83.4	79.5-87.3	72	16.6	12.7-20.5	
\$50,000- 74,999	351	48,631	302	91.0	88.3-93.7	49	9.0	06.3-11.7	
\$75,000+	461	63,320	421	94.7	92.9-96.5	40	5.3	03.5-07.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs		≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2789	251,643	1964	78.0	76.4-79.6	825	22.0	20.4-23.6
Native	227	12,502	195	92.6	88.7-96.5	32	7.4	03.5-11.3
Non-Native	2547	238,069	1758	77.2	75.4-79.0	789	22.8	21.0-24.6
Less Than H.S.	203	17,193	80	53.8	44.2-63.4	123	46.2	36.6-55.8
H.S. or G.E.D.	840	72,321	490	68.9	65.4-72.4	350	31.1	27.6-34.6
Some Post-H.S.	920	85,067	671	78.9	76.0-81.8	249	21.1	18.2-24.0
College Graduate	824	76,912	722	90.9	88.9-92.9	102	9.1	07.1-11.1
Less than \$15,000	262	21,982	149	70.0	62.9-77.1	113	30.0	22.9-37.1
\$15,000- 24,999	460	38,460	255	65.8	60.3-71.3	205	34.2	28.7-39.7
\$25,000- 34,999	330	27,851	218	72.7	67.0-78.4	112	27.3	21.6-33.0
\$35,000- 49,999	410	33,623	322	81.3	77.2-85.4	88	18.7	14.6-22.8
\$50,000- 74,999	436	43,930	400	93.7	91.5-95.9	36	6.3	04.1-08.5
\$75,000+	432	45,609	415	97.4	96.0-98.8	17	2.6	01.2-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

**TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4726	499,559	230	3.5	02.9-04.1	2198	38.9	37.1-40.7	1964	47.6	45.6-49.6	334	10.0	08.6-11.4
Male	1930	247,674	2	0.1	00.0-00.3	169	7.3	05.9-08.7	1431	72.7	70.0-75.4	328	19.9	17.4-22.4
Female	2796	251,885	228	7.0	06.0-08.0	2029	70.0	67.6-72.4	533	22.8	20.4-25.2	6	0.2	00.0-00.4
Native	354	23,046	20	3.2	00.7-05.7	177	39.7	30.1-49.3				22	7.3	00.6-14.0
Non-Native	4329	472,520	208	3.6	03.0-04.2	2006	39.0	37.2-40.8	1808	47.4	45.4-49.4	307	10.1	08.7-11.5
18-24	190	74,045	2	0.9	00.0-02.1	73	33.9	26.3-41.5	85	47.5	39.3-55.7	30	17.8	11.3-24.3
25-34	513	84,352	18	2.7	01.3-04.1	202	32.2	27.9-36.5	235	52.1	47.2-57.0	58	13.1	09.6-16.6
35-44	721	78,912	18	2.1	01.1-03.1	299	34.7	31.0-38.4	344	53.4	49.3-57.5	60	9.7	07.2-12.2
45-54	1090	94,363	33	2.3	01.3-03.3	485	39.3	36.2-42.4	489	49.5	46.2-52.8	83	8.9	06.9-10.9
55-64	925	70,821	51	4.6	03.0-06.2	438	42.5	39.0-46.0	377	45.1	41.4-48.8	59	7.8	05.6-10.0
65+	1249	94,169	106	8.0	06.2-09.8	681	49.1	46.0-52.2	420	38.7	35.6-41.8	42	4.2	02.8-05.6
Less Than H.S.	381	36,789	32	5.4	03.2-07.6	171	40.1	33.2-47.0	167	51.6	44.3-58.9	11	3.0	01.0-05.0
H.S. or G.E.D.	1424	146,747	91	5.1	03.9-06.3	693	40.4	37.1-43.7	534	44.0	40.5-47.5	106	10.5	08.0-13.0
Some Post-H.S.	1500	162,537	67	3.1	02.3-03.9	722	39.9	36.6-43.2	615	47.5	44.0-51.0	96	9.5	07.1-11.9
College Graduate	1417	153,203	39	2.1	01.3-02.9	610	36.1	33.2-39.0	647	50.1	47.0-53.2	121	11.7	09.3-14.1
Less than \$15,000	392	36,342	25	4.2	02.2-06.2	218	52.6	44.4-60.8	133	39.7	31.5-47.9	16	3.4	00.0-07.1
\$15,000- 24,999	692	63,206	57	7.2	05.0-09.4	371	46.8	41.5-52.1	233	39.0	33.9-44.1	31	7.0	03.7-10.3
\$25,000- 34,999	576	57,747	18	2.2	01.0-03.4	276	40.3	34.8-45.8	238	44.1	38.4-49.8	44	13.3	08.2-18.4
\$35,000- 49,999	740	74,025	39	4.2	02.4-06.0	322	35.5	31.6-39.4	333	52.8	48.5-57.1	46	7.6	05.1-10.1
\$50,000- 74,999	788	92,638	20	2.1	01.1-03.1	328	35.1	31.2-39.0	371	51.6	47.3-55.9	69	11.2	08.3-14.1
\$75,000+	897	109,321	14	1.1	00.5-01.7	318	29.5	26.2-32.8	463	55.3	51.4-59.2	102	14.0	10.9-17.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1930	247,674	2	0.1	00.0-00.3	169	7.3	05.9-08.7	1431	72.7	70.0-75.4	328	19.9	17.4-22.4
Native	126	10,535				12	7.8	00.0-17.2						
Non-Native	1777	234,280	2	0.1	00.0-00.3	152	7.2	05.8-08.6	1322	72.6	69.9-75.3	301	20.1	17.6-22.6
18-24	93	38,717				7	6.4	00.7-12.1						
25-34	209	44,314	1	0.3	00.0-00.9	9	3.3	00.8-05.8	142	72.1	65.4-78.8	57	24.4	17.9-30.9
35-44	301	40,154				17	5.6	02.7-08.5	226	75.5	70.2-80.8	58	18.9	14.2-23.6
45-54	474	47,766				37	6.8	04.4-09.2	356	75.9	71.6-80.2	81	17.4	13.7-21.1
55-64	404	35,820	1	0.2	00.0-00.6	42	9.2	06.3-12.1	302	75.2	70.5-79.9	59	15.4	11.5-19.3
65+	433	39,446				54	13.0	09.5-16.5	338	77.2	72.9-81.5	41	9.8	06.9-12.7
Less Than H.S.	180	19,836				30	17.7	09.7-25.7	140	77.2	68.8-85.6	10	5.2	01.5-08.9
H.S. or G.E.D.	576	73,992				57	8.0	05.3-10.7	416	71.6	66.5-76.7	103	20.4	15.9-24.9
Some Post-H.S.	582	77,549				43	6.2	03.8-08.6	443	73.9	69.0-78.8	96	19.9	15.2-24.6
College Graduate	591	76,250	2	0.2	00.0-00.6	39	5.1	03.3-06.9	431	71.3	66.6-76.0	119	23.3	18.8-27.8
Less than \$15,000	129	14,315	1	0.8	00.0-02.4	19	14.0	05.0-23.0				14	7.9	00.0-16.9
\$15,000- 24,999	232	24,846	1	0.2	00.0-00.6	32	10.4	06.3-14.5	170	72.6	64.6-80.6	29	16.7	09.1-24.3
\$25,000- 34,999	246	29,941				26	9.7	05.0-14.4	177	64.7	55.9-73.5	43	25.6	16.8-34.4
\$35,000- 49,999	328	40,274				23	5.6	03.1-08.1	260	80.6	75.7-85.5	45	13.8	09.5-18.1
\$50,000- 74,999	350	48,537				20	5.8	02.3-09.3	261	72.8	66.9-78.7	69	21.4	16.1-26.7
\$75,000+	465	63,712				25	4.7	02.7-06.7	338	71.2	66.1-76.3	102	24.1	19.0-29.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2796	251,885	228	7.0	06.0-08.0	2029	70.0	67.6-72.4	533	22.8	20.4-25.2	6	0.2	00.0-00.4
Native	228	12,511	20	6.0	01.3-10.7									
Non-Native	2552	238,240	206	7.0	05.8-08.2	1854	70.3	67.9-72.7	486	22.5	20.1-24.9	6	0.2	00.0-00.4
18-24	97	35,328	2	1.8	00.0-04.3									
25-34	304	40,038	17	5.4	02.7-08.1	193	64.1	58.2-70.0	93	30.0	24.5-35.5	1	0.5	00.0-01.5
35-44	420	38,758	18	4.2	02.0-06.4	282	64.9	59.8-70.0	118	30.6	25.7-35.5	2	0.3	00.0-00.7
45-54	616	46,597	33	4.7	02.9-06.5	448	72.6	68.7-76.5	133	22.5	18.8-26.2	2	0.2	00.0-00.6
55-64	521	35,001	50	9.1	06.2-12.0	396	76.6	72.5-80.7	75	14.3	11.0-17.6			
65+	816	54,723	106	13.8	11.1-16.5	627	75.2	71.9-78.5	82	10.8	08.4-13.2	1	0.1	00.0-00.3
Less Than H.S.	201	16,954	32	11.6	06.9-16.3							1	0.4	00.0-01.2
H.S. or G.E.D.	848	72,756	91	10.3	07.9-12.7	636	73.4	69.3-77.5	118	15.9	12.2-19.6	3	0.4	00.0-01.0
Some Post-H.S.	918	84,988	67	5.9	04.3-07.5	679	70.8	66.5-75.1	172	23.4	19.1-27.7			
College Graduate	826	76,952	37	3.9	02.3-05.5	571	66.8	62.7-70.9	216	29.1	25.2-33.0	2	0.2	00.0-00.4
Less than \$15,000	263	22,028	24	6.5	03.6-09.4	199	77.7	69.5-85.9	38	15.3	07.5-23.1	2	0.5	00.0-01.3
\$15,000- 24,999	460	38,360	56	11.8	08.3-15.3	339	70.4	64.3-76.5	63	17.2	11.5-22.9	2	0.7	00.0-01.9
\$25,000- 34,999	330	27,806	18	4.6	02.2-07.0	250	73.3	66.4-80.2	61	21.9	15.0-28.8	1	0.2	00.0-00.6
\$35,000- 49,999	412	33,751	39	9.1	05.4-12.8	299	71.1	65.6-76.6	73	19.6	14.7-24.5	1	0.2	00.0-00.6
\$50,000- 74,999	438	44,101	20	4.4	02.4-06.4	308	67.3	61.8-72.8	110	28.3	23.0-33.6			
\$75,000+	432	45,609	14	2.6	01.0-04.2	293	64.2	58.3-70.1	125	33.2	27.3-39.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 31: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4726	499,559	230	3.5	02.9-04.1	2197	38.9	37.1-40.7	1965	47.6	45.6-49.6	334	10.0	08.6-11.4
Male	1930	247,674	2	0.1	00.0-00.3	168	7.2	05.8-08.6	1432	72.8	70.1-75.5	328	19.9	17.4-22.4
Female	2796	251,885	228	7.0	06.0-08.0	2029	70.0	67.6-72.4	533	22.8	20.4-25.2	6	0.2	00.0-00.4
Native	354	23,046	20	3.2	00.7-05.7	177	39.7	30.1-49.3				22	7.3	00.6-14.0
Non-Native	4329	472,520	208	3.6	03.0-04.2	2005	38.9	37.1-40.7	1809	47.4	45.4-49.4	307	10.1	08.7-11.5
18-24	190	74,045	2	0.9	00.0-02.1	73	33.9	26.3-41.5	85	47.5	39.3-55.7	30	17.8	11.3-24.3
25-34	513	84,352	18	2.7	01.3-04.1	201	31.8	27.5-36.1	236	52.5	47.6-57.4	58	13.1	09.6-16.6
35-44	721	78,912	18	2.1	01.1-03.1	299	34.7	31.0-38.4	344	53.4	49.3-57.5	60	9.7	07.2-12.2
45-54	1090	94,363	33	2.3	01.3-03.3	485	39.3	36.2-42.4	489	49.5	46.2-52.8	83	8.9	06.9-10.9
55-64	925	70,821	51	4.6	03.0-06.2	438	42.5	39.0-46.0	377	45.1	41.4-48.8	59	7.8	05.6-10.0
65+	1249	94,169	106	8.0	06.2-09.8	681	49.1	46.0-52.2	420	38.7	35.6-41.8	42	4.2	02.8-05.6
Less Than H.S.	381	36,789	32	5.4	03.2-07.6	171	40.1	33.2-47.0	167	51.6	44.3-58.9	11	3.0	01.0-05.0
H.S. or G.E.D.	1424	146,747	91	5.1	03.9-06.3	693	40.4	37.1-43.7	534	44.0	40.5-47.5	106	10.5	08.0-13.0
Some Post-H.S.	1500	162,537	67	3.1	02.3-03.9	722	39.9	36.6-43.2	615	47.5	44.0-51.0	96	9.5	07.1-11.9
College Graduate	1417	153,203	39	2.1	01.3-02.9	609	35.9	33.0-38.8	648	50.3	47.2-53.4	121	11.7	09.3-14.1
Less than \$15,000	392	36,342	25	4.2	02.2-06.2	217	51.7	43.5-59.9	134	40.6	32.4-48.8	16	3.4	00.0-07.1
\$15,000- 24,999	692	63,206	57	7.2	05.0-09.4	371	46.8	41.5-52.1	233	39.0	33.9-44.1	31	7.0	03.7-10.3
\$25,000- 34,999	576	57,747	18	2.2	01.0-03.4	276	40.3	34.8-45.8	238	44.1	38.4-49.8	44	13.3	08.2-18.4
\$35,000- 49,999	740	74,025	39	4.2	02.4-06.0	322	35.5	31.6-39.4	333	52.8	48.5-57.1	46	7.6	05.1-10.1
\$50,000- 74,999	788	92,638	20	2.1	01.1-03.1	328	35.1	31.2-39.0	371	51.6	47.3-55.9	69	11.2	08.3-14.1
\$75,000+	897	109,321	14	1.1	00.5-01.7	318	29.5	26.2-32.8	463	55.3	51.4-59.2	102	14.0	10.9-17.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1930	247,674	2	0.1	00.0-00.3	168	7.2	05.8-08.6	1432	72.8	70.1-75.5	328	19.9	17.4-22.4
Native	126	10,535				12	7.8	00.0-17.2						
Non-Native	1777	234,280	2	0.1	00.0-00.3	151	7.1	05.7-08.5	1323	72.8	70.1-75.5	301	20.1	17.6-22.6
18-24	93	38,717				7	6.4	00.7-12.1						
25-34	209	44,314	1	0.3	00.0-00.9	8	2.5	00.3-04.7	143	72.9	66.2-79.6	57	24.4	17.9-30.9
35-44	301	40,154				17	5.6	02.7-08.5	226	75.5	70.2-80.8	58	18.9	14.2-23.6
45-54	474	47,766				37	6.8	04.4-09.2	356	75.9	71.6-80.2	81	17.4	13.7-21.1
55-64	404	35,820	1	0.2	00.0-00.6	42	9.2	06.3-12.1	302	75.2	70.5-79.9	59	15.4	11.5-19.3
65+	433	39,446				54	13.0	09.5-16.5	338	77.2	72.9-81.5	41	9.8	06.9-12.7
Less Than H.S.	180	19,836				30	17.7	09.7-25.7	140	77.2	68.8-85.6	10	5.2	01.5-08.9
H.S. or G.E.D.	576	73,992				57	8.0	05.3-10.7	416	71.6	66.5-76.7	103	20.4	15.9-24.9
Some Post-H.S.	582	77,549				43	6.2	03.8-08.6	443	73.9	69.0-78.8	96	19.9	15.2-24.6
College Graduate	591	76,250	2	0.2	00.0-00.6	38	4.7	03.1-06.3	432	71.8	67.3-76.3	119	23.3	18.8-27.8
Less than \$15,000	129	14,315	1	0.8	00.0-02.4	18	11.6	03.6-19.6				14	7.9	00.0-16.9
\$15,000- 24,999	232	24,846	1	0.2	00.0-00.6	32	10.4	06.3-14.5	170	72.6	64.6-80.6	29	16.7	09.1-24.3
\$25,000- 34,999	246	29,941				26	9.7	05.0-14.4	177	64.7	55.9-73.5	43	25.6	16.8-34.4
\$35,000- 49,999	328	40,274				23	5.6	03.1-08.1	260	80.6	75.7-85.5	45	13.8	09.5-18.1
\$50,000- 74,999	350	48,537				20	5.8	02.3-09.3	261	72.8	66.9-78.7	69	21.4	16.1-26.7
\$75,000+	465	63,712				25	4.7	02.7-06.7	338	71.2	66.1-76.3	102	24.1	19.0-29.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2796	251,885	228	7.0	06.0-08.0	2029	70.0	67.6-72.4	533	22.8	20.4-25.2	6	0.2	00.0-00.4
Native	228	12,511	20	6.0	01.3-10.7									
Non-Native	2552	238,240	206	7.0	05.8-08.2	1854	70.3	67.9-72.7	486	22.5	20.1-24.9	6	0.2	00.0-00.4
18-24	97	35,328	2	1.8	00.0-04.3									
25-34	304	40,038	17	5.4	02.7-08.1	193	64.1	58.2-70.0	93	30.0	24.5-35.5	1	0.5	00.0-01.5
35-44	420	38,758	18	4.2	02.0-06.4	282	64.9	59.8-70.0	118	30.6	25.7-35.5	2	0.3	00.0-00.7
45-54	616	46,597	33	4.7	02.9-06.5	448	72.6	68.7-76.5	133	22.5	18.8-26.2	2	0.2	00.0-00.6
55-64	521	35,001	50	9.1	06.2-12.0	396	76.6	72.5-80.7	75	14.3	11.0-17.6			
65+	816	54,723	106	13.8	11.1-16.5	627	75.2	71.9-78.5	82	10.8	08.4-13.2	1	0.1	00.0-00.3
Less Than H.S.	201	16,954	32	11.6	06.9-16.3							1	0.4	00.0-01.2
H.S. or G.E.D.	848	72,756	91	10.3	07.9-12.7	636	73.4	69.3-77.5	118	15.9	12.2-19.6	3	0.4	00.0-01.0
Some Post-H.S.	918	84,988	67	5.9	04.3-07.5	679	70.8	66.5-75.1	172	23.4	19.1-27.7			
College Graduate	826	76,952	37	3.9	02.3-05.5	571	66.8	62.7-70.9	216	29.1	25.2-33.0	2	0.2	00.0-00.4
Less than \$15,000	263	22,028	24	6.5	03.6-09.4	199	77.7	69.5-85.9	38	15.3	07.5-23.1	2	0.5	00.0-01.3
\$15,000- 24,999	460	38,360	56	11.8	08.3-15.3	339	70.4	64.3-76.5	63	17.2	11.5-22.9	2	0.7	00.0-01.9
\$25,000- 34,999	330	27,806	18	4.6	02.2-07.0	250	73.3	66.4-80.2	61	21.9	15.0-28.8	1	0.2	00.0-00.6
\$35,000- 49,999	412	33,751	39	9.1	05.4-12.8	299	71.1	65.6-76.6	73	19.6	14.7-24.5	1	0.2	00.0-00.6
\$50,000- 74,999	438	44,101	20	4.4	02.4-06.4	308	67.3	61.8-72.8	110	28.3	23.0-33.6			
\$75,000+	432	45,609	14	2.6	01.0-04.2	293	64.2	58.3-70.1	125	33.2	27.3-39.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4527	481,485	39	0.9	00.3-01.5	1332	28.1	26.3-29.9	2163	46.9	44.9-48.9	792	18.6	17.0-20.2	173	4.8	03.8-05.8	28	0.8	00.4-01.2
Male	1914	246,152	2	0.3	00.0-00.9	137	7.4	05.8-09.0	1057	54.0	51.1-56.9	571	29.4	26.9-31.9	125	7.6	05.8-09.4	22	1.3	00.5-02.1
Female	2613	235,333	37	1.5	00.7-02.3	1195	49.7	47.2-52.2	1106	39.4	37.0-41.8	221	7.3	06.1-08.5	48	1.8	01.2-02.4	6	0.2	00.0-00.4
Native	345	22,683	1	0.0	00.0-00.0	79	19.5	12.4-26.6				86	25.4	16.4-34.4	17	5.6	00.9-10.3	5	4.3	00.0-10.8
Non-Native	4144	455,235	37	1.0	00.4-01.6	1241	28.5	26.7-30.3	1992	47.0	45.0-49.0	695	18.2	16.6-19.8	156	4.7	03.7-05.7	23	0.6	00.2-01.0
18-24	183	71,887	4	3.1	00.0-06.2	69	35.1	27.3-42.9	69	41.7	33.5-49.9	30	12.6	07.5-17.7	9	5.7	01.6-09.8	2	1.8	00.0-04.3
25-34	495	81,720	2	0.3	00.0-00.7	151	26.6	22.5-30.7	218	43.9	39.0-48.8	87	20.1	15.8-24.4	32	8.0	04.7-11.3	5	1.1	00.1-02.1
35-44	691	75,444	1	0.1	00.0-00.3	197	26.3	22.8-29.8	313	45.3	41.2-49.4	147	23.9	20.2-27.6	27	3.6	02.0-05.2	6	0.9	00.1-01.7
45-54	1034	90,294	5	0.3	00.0-00.7	261	23.4	20.7-26.1	491	47.0	43.5-50.5	215	23.1	20.0-26.2	54	5.7	03.9-07.5	8	0.5	00.1-00.9
55-64	883	67,859	6	0.5	00.1-00.9	228	24.1	21.0-27.2	441	49.2	45.5-52.9	174	22.0	18.7-25.3	29	3.7	02.1-05.3	5	0.5	00.1-00.9
65+	1218	92,295	21	1.4	00.6-02.2	422	32.9	30.0-35.8	617	52.7	49.6-55.8	135	10.8	08.8-12.8	21	2.0	01.0-03.0	2	0.1	00.0-00.3
Less Than H.S.	371	35,995	5	0.9	00.1-01.7	113	34.7	27.3-42.1	199	49.2	41.9-56.5	42	12.0	07.1-16.9	9	2.9	00.0-05.8	3	0.3	00.0-00.7
H.S. or G.E.D.	1362	142,363	18	0.9	00.3-01.5	400	27.6	24.5-30.7	645	47.1	43.4-50.8	235	17.9	15.2-20.6	55	4.9	03.3-06.5	9	1.6	00.2-03.0
Some Post-H.S.	1435	155,491	10	1.2	00.2-02.2	414	26.4	23.5-29.3	679	46.4	42.9-49.9	260	19.4	16.7-22.1	64	6.1	03.9-08.3	8	0.5	00.1-00.9
College Graduate	1357	147,524	6	0.6	00.0-01.6	404	28.7	25.8-31.6	640	46.5	43.2-49.8	254	20.1	17.6-22.6	45	3.6	02.4-04.8	8	0.4	00.0-00.8
Less than \$15,000	369	34,028	9	2.9	00.0-06.2	109	28.7	21.4-36.0	176	44.9	36.5-53.3	53	16.0	09.5-22.5	17	6.7	00.6-12.8	5	0.8	00.0-01.6
\$15,000- 24,999	669	60,868	11	3.2	00.1-06.3	229	32.7	27.8-37.6	305	45.0	39.9-50.1	94	14.6	10.7-18.5	26	4.2	02.0-06.4	4	0.3	00.0-00.7
\$25,000- 34,999	550	55,299	2	0.7	00.0-02.1	152	26.7	21.6-31.8	266	47.9	42.0-53.8	105	17.8	13.5-22.1	18	4.3	01.2-07.4	7	2.5	00.0-05.4
\$35,000- 49,999	709	71,458	1	0.1	00.0-00.3	171	22.8	19.1-26.5	367	50.5	46.0-55.0	139	21.6	17.7-25.5	29	4.7	02.5-06.9	2	0.4	00.0-01.0
\$50,000- 74,999	766	90,670	1	0.2	00.0-00.6	199	24.5	20.8-28.2	375	47.6	43.3-51.9	156	22.4	18.7-26.1	30	4.7	02.5-06.9	5	0.6	00.0-01.2
\$75,000+	878	107,237	1	0.0	00.0-00.0	247	27.8	24.1-31.5	399	44.6	40.5-48.7	192	22.4	19.1-25.7	37	5.1	03.3-06.9	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1914	246,152	2	0.3	00.0-00.9	137	7.4	05.8-09.0	1057	54.0	51.1-56.9	571	29.4	26.9-31.9	125	7.6	05.8-09.4	22	1.3	00.5-02.1
Native	125	10,451				12	8.4	01.7-15.1							11	6.3	00.0-13.4			
Non-Native	1765	233,119	2	0.3	00.0-00.9	120	7.2	05.6-08.8	997	54.6	51.7-57.5	514	29.1	26.6-31.6	114	7.7	05.9-09.5	18	1.0	00.4-01.6
18-24	94	39,398	1	1.9	00.0-05.6	15	10.6	03.9-17.3				23	18.9	10.5-27.3	8	9.5	02.4-16.6	2	3.2	00.0-07.7
25-34	207	43,737				18	8.2	04.3-12.1	106	49.0	41.4-56.6	60	29.8	22.5-37.1	19	11.2	05.5-16.9	4	1.9	00.1-03.7
35-44	296	39,398				11	3.4	01.4-05.4	153	50.6	44.5-56.7	109	39.3	33.2-45.4	18	5.3	02.6-08.0	5	1.5	00.0-03.1
45-54	471	47,458				24	4.5	02.5-06.5	250	51.7	46.6-56.8	150	34.2	29.3-39.1	40	8.9	06.0-11.8	7	0.7	00.1-01.3
55-64	396	35,135				32	8.0	05.1-10.9	211	51.5	46.0-57.0	127	33.8	28.5-39.1	23	6.1	03.4-08.8	3	0.6	00.0-01.4
65+	435	39,681	1	0.1	00.0-00.3	36	10.1	06.8-13.4	282	65.5	60.6-70.4	98	20.2	16.3-24.1	17	3.8	01.8-05.8	1	0.2	00.0-00.6
Less Than H.S.	176	19,507				28	19.5	10.9-28.1				30	16.2	08.4-24.0	9	5.4	00.0-10.9	1	0.1	00.0-00.3
H.S. or G.E.D.	574	74,231	1	0.1	00.0-00.3	44	8.2	05.1-11.3	313	53.1	47.6-58.6	164	27.6	22.9-32.3	43	8.0	05.1-10.9	9	3.0	00.5-05.5
Some Post-H.S.	578	77,189				40	6.5	04.1-08.9	297	51.0	45.5-56.5	192	32.2	27.3-37.1	43	9.5	05.4-13.6	6	0.8	00.0-01.6
College Graduate	585	75,178	1	1.0	00.0-03.0	25	4.4	02.0-06.8	339	56.5	51.6-61.4	184	31.8	27.3-36.3	30	5.7	03.3-08.1	6	0.6	00.0-01.4
Less than \$15,000	124	13,672				11	10.2	01.8-18.6										4	1.7	00.0-03.7
\$15,000- 24,999	233	24,986	1	3.1	00.0-09.0	27	11.5	06.4-16.6	135	56.3	47.9-64.7	50	21.5	14.6-28.4	17	7.1	02.6-11.6	3	0.6	00.0-01.4
\$25,000- 34,999	243	29,582				28	12.0	06.5-17.5	131	52.5	43.9-61.1	66	25.4	18.1-32.7	13	6.1	00.8-11.4	5	4.1	00.0-09.2
\$35,000- 49,999	326	39,938				16	4.7	02.2-07.2	183	55.2	48.7-61.7	108	33.5	27.4-39.6	18	6.0	02.7-09.3	1	0.6	00.0-01.8
\$50,000- 74,999	350	48,577				11	3.2	01.2-05.2	188	53.0	46.5-59.5	123	35.4	29.3-41.5	24	7.4	03.7-11.1	4	1.0	00.0-02.2
\$75,000+	463	63,493				23	6.1	03.0-09.2	239	51.3	45.6-57.0	165	34.1	28.8-39.4	34	8.3	05.2-11.4	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2613	235,333	37	1.5	00.7-02.3	1195	49.7	47.2-52.2	1106	39.4	37.0-41.8	221	7.3	06.1-08.5	48	1.8	01.2-02.4	6	0.2	00.0-00.4
Native	220	12,232	1	0.0	00.0-00.0										6	5.0	00.0-11.3	1	0.9	00.0-02.7
Non-Native	2379	222,116	35	1.6	00.8-02.4	1121	50.9	48.4-53.4	995	39.0	36.5-41.5	181	6.7	05.5-07.9	42	1.7	01.1-02.3	5	0.1	00.0-00.3
18-24	89	32,489	3	4.5	00.0-09.6							7	5.0	00.3-09.7	1	1.1	00.0-03.3			
25-34	288	37,983	2	0.6	00.0-01.4	133	47.8	41.5-54.1	112	38.1	32.0-44.2	27	8.9	05.0-12.8	13	4.3	01.8-06.8	1	0.3	00.0-00.9
35-44	395	36,045	1	0.1	00.0-00.3	186	51.4	45.9-56.9	160	39.5	34.2-44.8	38	7.1	04.4-09.8	9	1.7	00.3-03.1	1	0.1	00.0-00.3
45-54	563	42,836	5	0.7	00.1-01.3	237	44.4	39.9-48.9	241	41.8	37.3-46.3	65	10.7	07.8-13.6	14	2.2	00.8-03.6	1	0.2	00.0-00.6
55-64	487	32,724	6	1.0	00.0-02.0	196	41.5	36.6-46.4	230	46.6	41.5-51.7	47	9.4	06.3-12.5	6	1.1	00.1-02.1	2	0.4	00.0-01.0
65+	783	52,614	20	2.4	01.2-03.6	386	50.1	46.2-54.0	335	43.0	39.1-46.9	37	3.8	02.4-05.2	4	0.6	00.0-01.2	1	0.1	00.0-00.3
Less Than H.S.	195	16,488	5	1.9	00.1-03.7				91	37.9	28.7-47.1	12	7.0	02.1-11.9				2	0.6	00.0-01.4
H.S. or G.E.D.	788	68,132	17	1.8	00.6-03.0	356	48.7	44.0-53.4	332	40.6	36.1-45.1	71	7.3	05.1-09.5	12	1.6	00.6-02.6			
Some Post-H.S.	857	78,303	10	2.4	00.4-04.4	374	46.0	41.5-50.5	382	41.9	37.4-46.4	68	6.8	04.4-09.2	21	2.7	01.3-04.1	2	0.2	00.0-00.6
College Graduate	772	72,346	5	0.2	00.0-00.4	379	54.1	49.8-58.4	301	36.0	31.9-40.1	70	8.0	05.8-10.2	15	1.5	00.7-02.3	2	0.2	00.0-00.4
Less than \$15,000	245	20,356	9	4.8	00.0-10.1							26	9.3	04.0-14.6	6	1.1	00.1-02.1	1	0.2	00.0-00.6
\$15,000- 24,999	436	35,881	10	3.3	00.0-06.6	202	47.5	40.8-54.2	170	37.2	30.9-43.5	44	9.7	05.4-14.0	9	2.2	00.6-03.8	1	0.2	00.0-00.6
\$25,000- 34,999	307	25,717	2	1.6	00.0-04.3	124	43.6	35.8-51.4	135	42.7	35.1-50.3	39	9.1	05.6-12.6	5	2.3	00.0-05.2	2	0.7	00.0-01.7
\$35,000- 49,999	383	31,520	1	0.3	00.0-00.9	155	45.8	39.7-51.9	184	44.4	38.5-50.3	31	6.5	04.0-09.0	11	2.9	00.7-05.1	1	0.1	00.0-00.3
\$50,000- 74,999	416	42,094	1	0.3	00.0-00.9	188	49.0	43.1-54.9	187	41.4	35.9-46.9	33	7.4	04.5-10.3	6	1.6	00.2-03.0	1	0.2	00.0-00.6
\$75,000+	415	43,743	1	0.0	00.0-00.0	224	59.3	53.8-64.8	160	34.9	29.6-40.2	27	5.4	03.2-07.6	3	0.4	00.0-01.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4514	479,803	27	0.7	00.3-01.1	1418	34.4	32.4-36.4	1789	37.9	36.1-39.7	830	17.6	16.2-19.0	450	9.4	08.2-10.6
Male	1911	245,235	5	0.5	00.0-01.1	434	24.8	22.3-27.3	906	44.2	41.3-47.1	378	20.3	17.9-22.7	188	10.2	08.2-12.2
Female	2603	234,567	22	0.9	00.3-01.5	984	44.4	41.9-46.9	883	31.4	29.2-33.6	452	14.7	12.9-16.5	262	8.6	07.2-10.0
Native	345	22,683	1	0.0	00.0-00.0	69	20.9	13.1-28.7	124	34.7	24.9-44.5	88	25.4	16.2-34.6	63	19.0	09.8-28.2
Non-Native	4132	453,618	25	0.7	00.3-01.1	1337	35.1	33.1-37.1	1649	38.1	36.1-40.1	735	17.2	15.8-18.6	386	9.0	07.8-10.2
18-24	182	71,206	3	2.4	00.0-05.1	93	52.5	44.1-60.9	44	23.8	16.7-30.9	28	13.5	07.8-19.2	14	7.8	03.1-12.5
25-34	495	81,720	4	0.6	00.0-01.4	192	37.3	32.6-42.0	167	33.7	29.0-38.4	77	16.5	12.6-20.4	55	11.8	08.1-15.5
35-44	690	75,390	1	0.1	00.0-00.3	218	31.8	28.1-35.5	262	39.4	35.3-43.5	130	19.7	16.4-23.0	79	9.0	06.6-11.4
45-54	1034	90,294	2	0.1	00.0-00.3	298	27.8	24.9-30.7	431	42.6	39.3-45.9	172	17.2	14.5-19.9	131	12.3	09.9-14.7
55-64	882	67,771	3	0.4	00.0-00.8	241	26.6	23.3-29.9	350	39.9	36.2-43.6	194	22.5	19.4-25.6	94	10.6	08.2-13.0
65+	1208	91,436	14	0.9	00.3-01.5	369	31.8	28.9-34.7	523	45.0	41.9-48.1	226	17.0	14.6-19.4	76	5.3	03.9-06.7
Less Than H.S.	369	35,800	4	0.9	00.0-01.9	106	37.4	29.8-45.0	150	35.5	28.8-42.2	75	18.8	13.1-24.5	34	7.4	03.7-11.1
H.S. or G.E.D.	1359	141,523	15	0.8	00.2-01.4	390	30.4	26.9-33.9	541	39.1	35.6-42.6	265	18.5	15.8-21.2	148	11.2	08.8-13.6
Some Post-H.S.	1428	154,974	4	0.6	00.0-01.4	445	34.1	30.6-37.6	552	36.3	33.2-39.4	277	18.6	15.9-21.3	150	10.4	08.0-12.8
College Graduate	1356	147,394	4	0.6	00.0-01.6	477	37.6	34.3-40.9	545	39.1	36.0-42.2	212	15.4	13.0-17.8	118	7.3	05.7-08.9
Less than \$15,000	368	33,988	7	1.7	00.1-03.3	109	32.0	24.0-40.0	133	29.5	22.6-36.4	73	25.3	17.1-33.5	46	11.5	05.6-17.4
\$15,000- 24,999	665	60,478	8	2.7	00.0-05.6	211	34.8	29.7-39.9	246	35.9	31.2-40.6	111	15.0	11.5-18.5	89	11.7	08.4-15.0
\$25,000- 34,999	550	55,299	5	1.2	00.0-02.6	166	32.6	27.1-38.1	212	38.4	32.7-44.1	104	16.0	12.1-19.9	63	11.8	07.5-16.1
\$35,000- 49,999	709	71,458	1	0.2	00.0-00.6	178	26.2	22.3-30.1	299	41.7	37.4-46.0	156	22.1	18.4-25.8	75	9.9	07.2-12.6
\$50,000- 74,999	765	90,576				239	32.8	28.7-36.9	324	41.2	36.9-45.5	131	17.4	14.3-20.5	71	8.6	06.1-11.1
\$75,000+	878	107,237	3	0.2	00.0-00.6	302	37.1	33.0-41.2	351	38.2	34.3-42.1	164	18.2	15.1-21.3	58	6.3	04.3-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1911	245,235	5	0.5	00.0-01.1	434	24.8	22.3-27.3	906	44.2	41.5-46.9	378	20.3	17.9-22.7	188	10.2	08.2-12.2
Non-Native	1762	232,202	4	0.5	00.0-01.1	402	25.0	22.3-27.7	845	44.6	41.7-47.5	344	20.0	17.6-22.4	167	9.9	07.9-11.9
18-24	93	38,717	1	2.0	00.0-05.9							16	15.5	07.5-23.5	9	11.2	03.4-19.0
25-34	207	43,737	1	0.5	00.0-01.5	56	26.4	19.9-32.9	90	39.9	32.5-47.3	40	21.7	15.0-28.4	20	11.4	05.7-17.1
35-44	296	39,398				47	15.9	11.6-20.2	151	49.9	43.8-56.0	65	24.3	18.8-29.8	33	9.8	06.1-13.5
45-54	471	47,458				96	18.5	14.8-22.2	233	49.6	44.5-54.7	80	18.5	14.6-22.4	62	13.4	09.7-17.1
55-64	396	35,135	1	0.3	00.0-00.9	89	22.8	18.3-27.3	169	41.1	35.6-46.6	99	26.1	21.2-31.0	38	9.7	06.4-13.0
65+	433	39,446	2	0.5	00.0-01.3	102	25.6	20.9-30.3	227	51.7	46.6-56.8	76	16.9	13.2-20.6	26	5.3	03.1-07.5
Less Than H.S.	176	19,507	1	0.7	00.0-02.1	51	32.0	22.2-41.8	75	38.7	29.1-48.3	34	21.6	12.6-30.6	15	7.0	01.3-12.7
H.S. or G.E.D.	572	73,456	1	0.1	00.0-00.3	124	23.1	18.4-27.8	270	44.3	38.8-49.8	118	20.2	16.1-24.3	59	12.3	08.4-16.2
Some Post-H.S.	577	77,048	2	0.4	00.0-01.0	127	26.2	21.1-31.3	258	39.5	34.6-44.4	123	21.8	17.3-26.3	67	12.1	08.2-16.0
College Graduate	585	75,178	1	1.0	00.0-03.0	132	23.1	18.8-27.4	303	50.3	45.4-55.2	102	18.5	14.8-22.2	47	7.1	04.7-09.5
Less than \$15,000	124	13,672	1	1.7	00.0-05.0	29	18.5	09.1-27.9									
\$15,000- 24,999	232	24,846	1	3.1	00.0-09.0	64	30.3	22.7-37.9	104	42.7	34.5-50.9	39	15.1	09.6-20.6	24	8.8	04.1-13.5
\$25,000- 34,999	243	29,582				69	28.7	21.1-36.3	107	44.0	35.6-52.4	43	15.3	09.8-20.8	24	12.0	04.9-19.1
\$35,000- 49,999	326	39,938	1	0.3	00.0-00.9	60	18.8	13.9-23.7	164	47.3	40.8-53.8	70	24.0	18.3-29.7	31	9.7	05.8-13.6
\$50,000- 74,999	349	48,482				65	20.2	14.7-25.7	176	49.1	42.6-55.6	68	20.1	15.2-25.0	40	10.7	06.6-14.8
\$75,000+	463	63,493	1	0.2	00.0-00.6	91	22.7	17.4-28.0	227	45.9	40.4-51.4	107	23.4	18.5-28.3	37	7.8	04.9-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (BMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2603	234,567	22	0.9	00.3-01.5	984	44.4	41.9-46.9	883	31.4	29.2-33.6	452	14.7	12.9-16.5	262	8.6	07.2-10.0
Native	220	12,232	1	0.0	00.0-00.0												
Non-Native	2370	221,416	21	0.9	00.3-01.5	935	45.7	43.0-48.4	804	31.2	28.8-33.6	391	14.2	12.4-16.0	219	8.1	06.9-09.3
18-24	89	32,489	2	2.8	00.0-06.7				16	14.9	06.9-22.9	12	11.1	03.5-18.7	5	3.7	00.0-07.8
25-34	288	37,983	3	0.7	00.0-01.7	136	49.9	43.6-56.2	77	26.5	21.0-32.0	37	10.5	07.0-14.0	35	12.3	08.0-16.6
35-44	394	35,991	1	0.1	00.0-00.3	171	49.3	43.8-54.8	111	27.9	23.0-32.8	65	14.5	10.8-18.2	46	8.2	05.5-10.9
45-54	563	42,836	2	0.2	00.0-00.6	202	38.0	33.5-42.5	198	35.0	30.7-39.3	92	15.7	12.4-19.0	69	11.1	08.2-14.0
55-64	486	32,636	2	0.4	00.0-01.0	152	30.8	26.1-35.5	181	38.5	33.6-43.4	95	18.6	14.7-22.5	56	11.7	08.4-15.0
65+	775	51,990	12	1.2	00.4-02.0	267	36.5	32.6-40.4	296	40.0	36.1-43.9	150	17.0	14.1-19.9	50	5.3	03.7-06.9
Less Than H.S.	193	16,293	3	1.2	00.0-02.6				75	31.6	23.2-40.0	41	15.6	09.7-21.5	19	7.8	03.3-12.3
H.S. or G.E.D.	787	68,067	14	1.6	00.4-02.8	266	38.4	33.5-43.3	271	33.5	29.4-37.6	147	16.6	13.1-20.1	89	9.9	07.4-12.4
Some Post-H.S.	851	77,927	2	0.8	00.0-02.2	318	42.0	37.3-46.7	294	33.2	29.1-37.3	154	15.3	12.2-18.4	83	8.7	06.2-11.2
College Graduate	771	72,216	3	0.3	00.0-00.7	345	52.8	48.5-57.1	242	27.4	23.9-30.9	110	12.1	09.4-14.8	71	7.5	05.5-09.5
Less than \$15,000	244	20,316	6	1.6	00.0-03.2				81	29.0	20.8-37.2	47	18.8	10.0-27.6	30	9.4	04.3-14.5
\$15,000- 24,999	433	35,633	7	2.4	00.0-05.5	147	37.9	31.2-44.6	142	31.1	25.4-36.8	72	14.9	10.2-19.6	65	13.7	09.2-18.2
\$25,000- 34,999	307	25,717	5	2.6	00.0-05.7	97	37.1	29.3-44.9	105	32.0	25.1-38.9	61	16.8	11.3-22.3	39	11.5	07.0-16.0
\$35,000- 49,999	383	31,520				118	35.6	29.5-41.7	135	34.7	29.0-40.4	86	19.7	15.2-24.2	44	10.1	06.8-13.4
\$50,000- 74,999	416	42,094				174	47.3	41.4-53.2	148	32.1	26.8-37.4	63	14.3	10.6-18.0	31	6.3	03.9-08.7
\$75,000+	415	43,743	2	0.2	00.0-00.6	211	58.0	52.3-63.7	124	27.0	22.3-31.7	57	10.6	07.7-13.5	21	4.1	02.1-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4514	479,803	1445	35.1	33.1-37.1	1787	37.9	36.1-39.7	1282	27.0	25.2-28.8
Male	1911	245,235	439	25.3	22.6-28.0	905	44.1	41.2-47.0	567	30.6	27.9-33.3
Female	2603	234,567	1006	45.3	42.8-47.8	882	31.4	29.2-33.6	715	23.4	21.4-25.4
Native	345	22,683	70	20.9	13.1-28.7	124	34.7	24.9-44.5			
Non-Native	4132	453,618	1362	35.8	33.8-37.8	1647	38.0	36.0-40.0	1123	26.2	24.4-28.0
18-24	182	71,206	96	54.9	46.7-63.1	44	23.8	16.7-30.9	42	21.3	14.4-28.2
25-34	495	81,720	196	38.0	33.3-42.7	167	33.7	29.0-38.4	132	28.3	23.4-33.2
35-44	690	75,390	219	31.9	28.2-35.6	262	39.4	35.3-43.5	209	28.7	25.0-32.4
45-54	1034	90,294	300	27.9	25.0-30.8	431	42.6	39.3-45.9	303	29.5	26.4-32.6
55-64	882	67,771	244	27.0	23.7-30.3	348	39.7	36.0-43.4	290	33.3	29.8-36.8
65+	1208	91,436	383	32.7	29.8-35.6	523	45.0	41.9-48.1	302	22.3	19.8-24.8
Less Than H.S.	369	35,800	110	38.3	30.7-45.9	150	35.5	28.8-42.2	109	26.2	19.7-32.7
H.S. or G.E.D.	1359	141,523	405	31.3	27.8-34.8	540	39.1	35.6-42.6	414	29.7	26.4-33.0
Some Post-H.S.	1428	154,974	449	34.7	31.2-38.2	552	36.3	33.2-39.4	427	28.9	25.6-32.2
College Graduate	1356	147,394	481	38.3	35.0-41.6	544	39.0	35.9-42.1	331	22.7	20.0-25.4
Less than \$15,000	368	33,988	116	33.7	25.7-41.7	133	29.5	22.6-36.4	119	36.9	28.1-45.7
\$15,000- 24,999	665	60,478	219	37.5	32.2-42.8	245	35.8	31.1-40.5	201	26.7	22.2-31.2
\$25,000- 34,999	550	55,299	171	33.8	28.1-39.5	212	38.4	32.7-44.1	167	27.8	22.5-33.1
\$35,000- 49,999	709	71,458	179	26.3	22.4-30.2	299	41.7	37.4-46.0	231	31.9	27.8-36.0
\$50,000- 74,999	765	90,576	239	32.8	28.7-36.9	324	41.2	36.9-45.5	202	26.0	22.3-29.7
\$75,000+	878	107,237	305	37.3	33.2-41.4	350	38.1	34.2-42.0	223	24.6	21.1-28.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1911	245,235	439	25.3	22.6-28.0	905	44.1	41.4-46.8	567	30.6	27.9-33.3
Non-Native	1762	232,202	406	25.4	22.7-28.1	844	44.6	41.7-47.5	512	30.0	27.3-32.7
25-34	207	43,737	57	27.0	20.3-33.7	90	39.9	32.5-47.3	60	33.1	25.5-40.7
35-44	296	39,398	47	15.9	11.6-20.2	151	49.9	43.8-56.0	98	34.1	28.2-40.0
45-54	471	47,458	96	18.5	14.8-22.2	233	49.6	44.5-54.7	142	31.9	27.0-36.8
55-64	396	35,135	90	23.1	18.4-27.8	168	40.8	35.3-46.3	138	36.1	30.8-41.4
65+	433	39,446	104	26.1	21.4-30.8	227	51.7	46.6-56.8	102	22.2	18.1-26.3
Less Than H.S.	176	19,507	52	32.7	22.9-42.5	75	38.7	29.1-48.3	49	28.6	18.8-38.4
H.S. or G.E.D.	572	73,456	125	23.1	18.4-27.8	270	44.3	38.8-49.8	177	32.5	27.4-37.6
Some Post-H.S.	577	77,048	129	26.6	21.5-31.7	258	39.5	34.6-44.4	190	33.9	28.6-39.2
College Graduate	585	75,178	133	24.2	19.7-28.7	302	50.1	45.2-55.0	150	25.7	21.6-29.8
Less than \$15,000	124	13,672	30	20.2	10.4-30.0						
\$15,000- 24,999	232	24,846	65	33.3	24.9-41.7	104	42.7	34.5-50.9	63	23.9	17.0-30.8
\$25,000- 34,999	243	29,582	69	28.7	21.1-36.3	107	44.0	35.6-52.4	67	27.4	19.4-35.4
\$35,000- 49,999	326	39,938	61	19.0	14.1-23.9	164	47.3	40.8-53.8	101	33.7	27.4-40.0
\$50,000- 74,999	349	48,482	65	20.2	14.7-25.7	176	49.1	42.6-55.6	108	30.7	24.8-36.6
\$75,000+	463	63,493	92	22.9	17.6-28.2	226	45.7	40.2-51.2	145	31.4	26.1-36.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2603	234,567	1006	45.3	42.8-47.8	882	31.4	29.2-33.6	715	23.4	21.4-25.4
Non-Native	2370	221,416	956	46.6	43.9-49.3	803	31.1	28.7-33.5	611	22.2	20.2-24.2
18-24	89	32,489				16	14.9	06.9-22.9	17	14.8	06.4-23.2
25-34	288	37,983	139	50.7	44.4-57.0	77	26.5	21.0-32.0	72	22.8	17.5-28.1
35-44	394	35,991	172	49.4	43.9-54.9	111	27.9	23.0-32.8	111	22.7	18.2-27.2
45-54	563	42,836	204	38.2	33.7-42.7	198	35.0	30.7-39.3	161	26.8	22.7-30.9
55-64	486	32,636	154	31.2	26.5-35.9	180	38.4	33.5-43.3	152	30.4	25.7-35.1
65+	775	51,990	279	37.7	33.8-41.6	296	40.0	36.1-43.9	200	22.3	19.2-25.4
Less Than H.S.	193	16,293				75	31.6	23.2-40.0	60	23.4	16.0-30.8
H.S. or G.E.D.	787	68,067	280	40.0	35.1-44.9	270	33.4	29.3-37.5	237	26.6	22.5-30.7
Some Post-H.S.	851	77,927	320	42.8	38.1-47.5	294	33.2	29.1-37.3	237	24.0	20.3-27.7
College Graduate	771	72,216	348	53.0	48.7-57.3	242	27.4	23.9-30.9	181	19.6	16.5-22.7
Less than \$15,000	244	20,316				81	29.0	20.8-37.2	77	28.2	18.8-37.6
\$15,000- 24,999	433	35,633	154	40.4	33.5-47.3	141	31.0	25.3-36.7	138	28.7	22.8-34.6
\$25,000- 34,999	307	25,717	102	39.8	32.0-47.6	105	32.0	25.1-38.9	100	28.2	21.5-34.9
\$35,000- 49,999	383	31,520	118	35.6	29.5-41.7	135	34.7	29.0-40.4	130	29.7	24.4-35.0
\$50,000- 74,999	416	42,094	174	47.3	41.4-53.2	148	32.1	26.8-37.4	94	20.6	16.3-24.9
\$75,000+	415	43,743	213	58.3	52.8-63.8	124	27.0	22.3-31.7	78	14.7	11.2-18.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4514	479,803	1445	35.1	33.1-37.1	3069	64.9	62.9-66.9
Male	1911	245,235	439	25.3	22.6-28.0	1472	74.7	72.0-77.4
Female	2603	234,567	1006	45.3	42.8-47.8	1597	54.7	52.2-57.2
Native	345	22,683	70	20.9	13.1-28.7	275	79.1	71.3-86.9
Non-Native	4132	453,618	1362	35.8	33.8-37.8	2770	64.2	62.2-66.2
18-24	182	71,206	96	54.9	46.7-63.1	86	45.1	36.9-53.3
25-34	495	81,720	196	38.0	33.3-42.7	299	62.0	57.3-66.7
35-44	690	75,390	219	31.9	28.2-35.6	471	68.1	64.4-71.8
45-54	1034	90,294	300	27.9	25.0-30.8	734	72.1	69.2-75.0
55-64	882	67,771	244	27.0	23.7-30.3	638	73.0	69.7-76.3
65+	1208	91,436	383	32.7	29.8-35.6	825	67.3	64.4-70.2
Less Than H.S.	369	35,800	110	38.3	30.7-45.9	259	61.7	54.1-69.3
H.S. or G.E.D.	1359	141,523	405	31.3	27.8-34.8	954	68.7	65.2-72.2
Some Post-H.S.	1428	154,974	449	34.7	31.2-38.2	979	65.3	61.8-68.8
College Graduate	1356	147,394	481	38.3	35.0-41.6	875	61.7	58.4-65.0
Less than \$15,000	368	33,988	116	33.7	25.7-41.7	252	66.3	58.3-74.3
\$15,000- 24,999	665	60,478	219	37.5	32.2-42.8	446	62.5	57.2-67.8
\$25,000- 34,999	550	55,299	171	33.8	28.1-39.5	379	66.2	60.5-71.9
\$35,000- 49,999	709	71,458	179	26.3	22.4-30.2	530	73.7	69.8-77.6
\$50,000- 74,999	765	90,576	239	32.8	28.7-36.9	526	67.2	63.1-71.3
\$75,000+	878	107,237	305	37.3	33.2-41.4	573	62.7	58.6-66.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1911	245,235	439	25.3	22.6-28.0	1472	74.7	72.0-77.4
Non-Native	1762	232,202	406	25.4	22.7-28.1	1356	74.6	71.9-77.3
25-34	207	43,737	57	27.0	20.3-33.7	150	73.0	66.3-79.7
35-44	296	39,398	47	15.9	11.6-20.2	249	84.1	79.8-88.4
45-54	471	47,458	96	18.5	14.8-22.2	375	81.5	77.8-85.2
55-64	396	35,135	90	23.1	18.4-27.8	306	76.9	72.2-81.6
65+	433	39,446	104	26.1	21.4-30.8	329	73.9	69.2-78.6
Less Than H.S.	176	19,507	52	32.7	22.9-42.5	124	67.3	57.5-77.1
H.S. or G.E.D.	572	73,456	125	23.1	18.4-27.8	447	76.9	72.2-81.6
Some Post-H.S.	577	77,048	129	26.6	21.5-31.7	448	73.4	68.3-78.5
College Graduate	585	75,178	133	24.2	19.7-28.7	452	75.8	71.3-80.3
Less than \$15,000	124	13,672	30	20.2	10.4-30.0	94	79.8	70.0-89.6
\$15,000- 24,999	232	24,846	65	33.3	24.9-41.7	167	66.7	58.3-75.1
\$25,000- 34,999	243	29,582	69	28.7	21.1-36.3	174	71.3	63.7-78.9
\$35,000- 49,999	326	39,938	61	19.0	14.1-23.9	265	81.0	76.1-85.9
\$50,000- 74,999	349	48,482	65	20.2	14.7-25.7	284	79.8	74.3-85.3
\$75,000+	463	63,493	92	22.9	17.6-28.2	371	77.1	71.8-82.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 12: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2603	234,567	1006	45.3	42.8-47.8	1597	54.7	52.2-57.2
Non-Native	2370	221,416	956	46.6	43.9-49.3	1414	53.4	50.7-56.1
25-34	288	37,983	139	50.7	44.4-57.0	149	49.3	43.0-55.6
35-44	394	35,991	172	49.4	43.9-54.9	222	50.6	45.1-56.1
45-54	563	42,836	204	38.2	33.7-42.7	359	61.8	57.3-66.3
55-64	486	32,636	154	31.2	26.5-35.9	332	68.8	64.1-73.5
65+	775	51,990	279	37.7	33.8-41.6	496	62.3	58.4-66.2
H.S. or G.E.D.	787	68,067	280	40.0	35.1-44.9	507	60.0	55.1-64.9
Some Post-H.S.	851	77,927	320	42.8	38.1-47.5	531	57.2	52.5-61.9
College Graduate	771	72,216	348	53.0	48.7-57.3	423	47.0	42.7-51.3
\$15,000- 24,999	433	35,633	154	40.4	33.5-47.3	279	59.6	52.7-66.5
\$25,000- 34,999	307	25,717	102	39.8	32.0-47.6	205	60.2	52.4-68.0
\$35,000- 49,999	383	31,520	118	35.6	29.5-41.7	265	64.4	58.3-70.5
\$50,000- 74,999	416	42,094	174	47.3	41.4-53.2	242	52.7	46.8-58.6
\$75,000+	415	43,743	213	58.3	52.8-63.8	202	41.7	36.2-47.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

*** NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DRINK-OCCASIONS-PER-DAY (DROCDY2_)	
1 MALES AND FEMALES	99
2 MALES ONLY	100
3 FEMALES ONLY	101
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)	
4 MALES AND FEMALES	102
5 MALES ONLY	103
6 FEMALES ONLY	104
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)	
7 MALES AND FEMALES	105
8 MALES ONLY	106
9 FEMALES ONLY	107
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)	
10 MALES AND FEMALES	108
11 MALES ONLY	109
12 FEMALES ONLY	110
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)	
13 MALES AND FEMALES	111
14 MALES ONLY	112
15 FEMALES ONLY	113

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

*** NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)	
16 MALES ONLY	114

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
17	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY	115

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 1: DRINK-OCCASIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4660	494,079	1778	42.4	40.4-44.4	501	12.0	10.8-13.2	128	3.2	02.4-04.0	176	3.5	02.9-04.1	2077	39.0	37.2-40.8
Male	1891	243,891	736	42.6	39.7-45.5	300	16.6	14.4-18.8	81	3.7	02.7-04.7	117	5.2	04.0-06.4	657	32.0	29.3-34.7
Female	2769	250,188	1042	42.2	39.7-44.7	201	7.6	06.4-08.8	47	2.6	01.4-03.8	59	1.9	01.3-02.5	1420	45.8	43.3-48.3
Native	350	22,930				20	5.9	01.8-10.0	7	2.8	00.0-07.7	5	0.9	00.0-02.1			
Non-Native	4270	467,425	1655	42.6	40.6-44.6	478	12.4	11.0-13.8	120	3.2	02.4-04.0	169	3.6	03.0-04.2	1848	38.2	36.2-40.2
18-24	189	74,625	102	53.2	45.0-61.4	18	10.0	05.1-14.9	6	4.1	00.6-07.6	4	2.2	00.0-04.6	59	30.5	22.9-38.1
25-34	508	83,186	270	52.4	47.5-57.3	60	14.5	11.0-18.0	9	1.9	00.1-03.7	7	1.6	00.2-03.0	162	29.7	25.2-34.2
35-44	716	78,212	324	46.4	42.3-50.5	117	17.7	14.6-20.8	23	3.8	02.2-05.4	19	2.9	01.5-04.3	233	29.3	25.6-33.0
45-54	1075	93,102	466	43.7	40.4-47.0	123	12.3	10.1-14.5	32	3.1	01.9-04.3	38	3.8	02.4-05.2	416	37.0	33.7-40.3
55-64	907	69,418	335	37.7	34.2-41.2	98	11.3	08.9-13.7	24	3.2	01.8-04.6	50	5.8	04.0-07.6	400	42.0	38.3-45.7
65+	1229	92,828	270	23.6	20.9-26.3	80	6.9	05.3-08.5	34	3.1	01.9-04.3	57	4.7	03.3-06.1	788	61.8	58.7-64.9
Less Than H.S.	377	36,011	79	24.5	17.8-31.2	14	3.7	01.5-05.9	14	4.9	01.4-08.4	9	2.6	00.6-04.6	261	64.3	57.2-71.4
H.S. or G.E.D.	1391	145,097	484	39.2	35.7-42.7	130	10.3	08.1-12.5	30	2.4	01.0-03.8	61	4.2	03.0-05.4	686	43.9	40.4-47.4
Some Post-H.S.	1484	160,826	606	45.8	42.3-49.3	167	12.3	10.1-14.5	27	2.6	01.2-04.0	47	2.8	01.6-04.0	637	36.4	33.1-39.7
College Graduate	1406	152,033	609	46.0	42.9-49.1	190	15.3	12.8-17.8	57	4.0	02.8-05.2	59	3.7	02.5-04.9	491	30.9	28.0-33.8
Less than \$15,000	387	35,580	97	29.9	22.1-37.7	24	4.4	02.4-06.4	4	5.6	00.0-11.3	12	3.9	00.0-07.8	250	56.3	47.9-64.7
\$15,000- 24,999	689	63,006	210	34.0	28.9-39.1	41	6.1	03.9-08.3	10	2.3	00.0-04.7	30	4.1	02.3-05.9	398	53.5	48.2-58.8
\$25,000- 34,999	571	57,470	203	40.9	35.0-46.8	45	9.5	05.8-13.2	19	3.7	01.3-06.1	16	2.5	01.1-03.9	288	43.4	37.9-48.9
\$35,000- 49,999	727	72,733	313	48.0	43.5-52.5	85	12.5	09.6-15.4	12	2.0	00.6-03.4	27	3.4	02.0-04.8	290	34.2	30.1-38.3
\$50,000- 74,999	779	91,573	351	46.8	42.5-51.1	106	14.5	11.6-17.4	23	2.4	01.2-03.6	29	3.9	02.1-05.7	270	32.4	28.3-36.5
\$75,000+	887	108,365	419	48.2	44.1-52.3	165	19.7	16.4-23.0	51	5.0	03.4-06.6	41	3.7	02.5-04.9	211	23.4	19.9-26.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 2: DRINK-OCCASIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1891	243,891	736	42.6	39.7-45.5	300	16.6	14.4-18.8	81	3.7	02.7-04.7	117	5.2	04.0-06.4	657	32.0	29.3-34.7
Native	126	10,535				14	9.7	01.5-17.9	6	5.9	00.0-16.3	3	1.3	00.0-03.5			
Non-Native	1741	230,831	689	42.9	40.0-45.8	283	17.0	14.6-19.4	75	3.6	02.6-04.6	112	5.3	04.1-06.5	582	31.2	28.5-33.9
18-24	94	39,398				15	17.4	08.8-26.0	1	0.9	00.0-02.7	3	3.7	00.0-08.0			
25-34	205	43,159	109	52.5	44.9-60.1	42	21.6	15.5-27.7	4	1.9	00.0-04.6	6	2.7	00.3-05.1	44	21.3	14.6-28.0
35-44	299	39,777	140	47.2	41.1-53.3	65	21.0	16.1-25.9	13	4.4	01.9-06.9	13	4.5	02.0-07.0	68	23.0	17.7-28.3
45-54	466	47,065	184	40.0	35.1-44.9	68	14.2	10.7-17.7	23	4.9	02.7-07.1	27	5.1	03.1-07.1	164	35.8	30.9-40.7
55-64	388	34,548	135	36.1	30.8-41.4	62	15.4	11.5-19.3	16	4.7	02.3-07.1	31	8.4	05.3-11.5	144	35.4	30.1-40.7
65+	424	38,599	115	28.5	23.8-33.2	44	9.6	06.7-12.5	24	5.5	03.1-07.9	36	7.1	04.6-09.6	205	49.2	43.9-54.5
Less Than H.S.	174	18,759	37	27.3	17.3-37.3	12	6.3	02.2-10.4	13	6.5	02.6-10.4	7	3.7	00.8-06.6			
H.S. or G.E.D.	562	73,481	205	39.9	34.4-45.4	80	15.1	11.2-19.0	19	2.4	01.0-03.8	42	6.3	04.1-08.5	216	36.4	30.9-41.9
Some Post-H.S.	572	76,458	243	46.3	40.8-51.8	98	17.2	13.1-21.3	17	2.9	01.1-04.7	30	4.2	02.0-06.4	184	29.3	24.4-34.2
College Graduate	582	75,146	251	45.3	40.4-50.2	110	20.0	15.9-24.1	32	5.1	03.1-07.1	38	5.4	03.2-07.6	151	24.3	20.2-28.4
Less than \$15,000	128	13,770				13	5.4	02.1-08.7	2	5.2	00.0-13.4	7	7.4	00.0-16.8			
\$15,000- 24,999	229	24,640	74	35.6	27.2-44.0	20	8.6	04.7-12.5	6	1.7	00.1-03.3	18	7.9	03.6-12.2	111	46.2	37.8-54.6
\$25,000- 34,999	244	29,792	79	37.8	29.2-46.4	33	14.4	07.7-21.1	10	2.7	00.7-04.7	12	3.7	01.2-06.2	110	41.4	33.2-49.6
\$35,000- 49,999	320	39,484	141	49.9	43.4-56.4	53	16.0	11.5-20.5	9	2.9	00.7-05.1	18	4.2	02.0-06.4	99	27.1	21.6-32.6
\$50,000- 74,999	341	47,494	149	45.2	38.7-51.7	62	18.6	13.7-23.5	12	2.8	01.0-04.6	24	6.4	03.3-09.5	94	27.1	21.0-33.2
\$75,000+	460	63,095	197	45.1	39.4-50.8	101	23.8	18.7-28.9	37	6.5	04.1-08.9	28	4.6	02.8-06.4	97	20.1	15.8-24.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 3: DRINK-OCCASIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2769	250,188	1042	42.2	39.7-44.7	201	7.6	06.4-08.8	47	2.6	01.4-03.8	59	1.9	01.3-02.5	1420	45.8	43.3-48.3
Native	224	12,395				6	2.6	00.0-05.3	1	0.1	00.0-00.3	2	0.6	00.0-01.6			
Non-Native	2529	236,594	966	42.4	39.9-44.9	195	7.9	06.7-09.1	45	2.7	01.5-03.9	57	1.9	01.3-02.5	1266	45.1	42.6-47.6
18-24	95	35,227				3	1.7	00.0-04.1	5	7.8	00.9-14.7	1	0.5	00.0-01.5			
25-34	303	40,027	161	52.2	46.1-58.3	18	6.8	03.7-09.9	5	1.8	00.0-03.6	1	0.3	00.0-00.9	118	38.8	32.9-44.7
35-44	417	38,435	184	45.7	40.4-51.0	52	14.3	10.4-18.2	10	3.1	01.1-05.1	6	1.2	00.2-02.2	165	35.7	30.6-40.8
45-54	609	46,037	282	47.4	42.9-51.9	55	10.5	07.8-13.2	9	1.3	00.3-02.3	11	2.5	00.9-04.1	252	38.3	34.0-42.6
55-64	519	34,870	200	39.3	34.6-44.0	36	7.2	04.8-09.6	8	1.7	00.5-02.9	19	3.2	01.6-04.8	256	48.6	43.7-53.5
65+	805	54,229	155	20.0	16.9-23.1	36	4.9	03.1-06.7	10	1.4	00.4-02.4	21	3.0	01.6-04.4	583	70.7	67.2-74.2
Less Than H.S.	203	17,252	42	21.6	13.6-29.6	2	0.7	00.0-01.9	1	3.2	00.0-09.3	2	1.4	00.0-03.6	156	73.1	63.7-82.5
H.S. or G.E.D.	829	71,616	279	38.4	33.9-42.9	50	5.4	03.6-07.2	11	2.4	00.2-04.6	19	2.1	01.1-03.1	470	51.7	47.0-56.4
Some Post-H.S.	912	84,367	363	45.4	40.9-49.9	69	7.8	05.8-09.8	10	2.4	00.2-04.6	17	1.5	00.5-02.5	453	42.9	38.6-47.2
College Graduate	824	76,887	358	46.7	42.4-51.0	80	10.8	08.3-13.3	25	3.0	01.6-04.4	21	2.1	01.1-03.1	340	37.3	33.4-41.2
Less than \$15,000	259	21,810				11	3.7	01.2-06.2	2	5.9	00.0-13.7	5	1.7	00.0-03.7			
\$15,000- 24,999	460	38,366	136	32.9	26.4-39.4	21	4.6	02.1-07.1	4	2.7	00.0-06.4	12	1.7	00.7-02.7	287	58.2	51.5-64.9
\$25,000- 34,999	327	27,679	124	44.3	36.7-51.9	12	4.2	01.3-07.1	9	4.7	00.4-09.0	4	1.2	00.0-02.4	178	45.6	38.3-52.9
\$35,000- 49,999	407	33,249	172	45.8	39.9-51.7	32	8.3	05.2-11.4	3	0.9	00.0-02.1	9	2.4	00.8-04.0	191	42.6	36.9-48.3
\$50,000- 74,999	438	44,078	202	48.4	42.7-54.1	44	10.2	07.1-13.3	11	2.0	00.6-03.4	5	1.3	00.0-02.7	176	38.1	32.8-43.4
\$75,000+	427	45,270	222	52.5	46.6-58.4	64	14.1	10.6-17.6	14	2.9	01.3-04.5	13	2.4	00.8-04.0	114	28.1	22.4-33.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 4: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4653	492,414	3845	76.8	75.0-78.6	808	23.2	21.4-25.0
Male	1881	242,408	1402	69.8	66.9-72.7	479	30.2	27.3-33.1
Female	2772	250,007	2443	83.5	81.1-85.9	329	16.5	14.1-18.9
Native	345	22,232	261	72.3	62.9-81.7	84	27.7	18.3-37.1
Non-Native	4268	466,411	3551	77.0	75.0-79.0	717	23.0	21.0-25.0
18-24	186	74,253	97	49.7	41.5-57.9	89	50.3	42.1-58.5
25-34	504	82,298	345	67.2	62.5-71.9	159	32.8	28.1-37.5
35-44	717	78,266	529	73.6	70.1-77.1	188	26.4	22.9-29.9
45-54	1066	92,289	854	80.5	77.8-83.2	212	19.5	16.8-22.2
55-64	910	69,451	801	89.0	86.6-91.4	109	11.0	08.6-13.4
65+	1236	93,348	1189	96.3	95.1-97.5	47	3.7	02.5-04.9
Less Than H.S.	375	35,710	336	87.7	82.6-92.8	39	12.3	07.2-17.4
H.S. or G.E.D.	1387	144,068	1142	76.3	72.8-79.8	245	23.7	20.2-27.2
Some Post-H.S.	1486	161,142	1190	72.1	68.6-75.6	296	27.9	24.4-31.4
College Graduate	1402	151,298	1174	79.6	76.7-82.5	228	20.4	17.5-23.3
Less than \$15,000	384	35,375	328	76.9	68.5-85.3	56	23.1	14.7-31.5
\$15,000- 24,999	684	62,390	583	79.8	74.7-84.9	101	20.2	15.1-25.3
\$25,000- 34,999	570	57,261	480	76.7	71.0-82.4	90	23.3	17.6-29.0
\$35,000- 49,999	727	72,472	595	77.2	73.1-81.3	132	22.8	18.7-26.9
\$50,000- 74,999	779	91,686	621	73.9	69.6-78.2	158	26.1	21.8-30.4
\$75,000+	883	107,839	668	71.3	67.2-75.4	215	28.7	24.6-32.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 5: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1881	242,408	1402	69.8	66.9-72.7	479	30.2	27.3-33.1
Non-Native	1733	229,703	1296	69.7	66.8-72.6	437	30.3	27.4-33.2
25-34	204	42,697	111	56.6	49.2-64.0	93	43.4	36.0-50.8
35-44	299	39,777	193	66.7	61.0-72.4	106	33.3	27.6-39.0
45-54	459	46,418	334	75.0	70.7-79.3	125	25.0	20.7-29.3
55-64	392	34,669	323	84.0	80.1-87.9	69	16.0	12.1-19.9
65+	420	38,387	385	93.1	90.6-95.6	35	6.9	04.4-09.4
Less Than H.S.	174	18,743	150	88.0	82.3-93.7	24	12.0	06.3-17.7
H.S. or G.E.D.	557	72,624	408	68.3	62.8-73.8	149	31.7	26.2-37.2
Some Post-H.S.	570	76,343	390	62.2	56.7-67.7	180	37.8	32.3-43.3
College Graduate	579	74,651	453	74.5	69.8-79.2	126	25.5	20.8-30.2
\$15,000- 24,999	227	24,438	179	75.8	68.0-83.6	48	24.2	16.4-32.0
\$25,000- 34,999	241	29,494	188	74.4	66.4-82.4	53	25.6	17.6-33.6
\$35,000- 49,999	321	39,323	236	71.3	65.2-77.4	85	28.7	22.6-34.8
\$50,000- 74,999	341	47,588	237	64.4	57.9-70.9	104	35.6	29.1-42.1
\$75,000+	456	62,678	318	63.5	57.6-69.4	138	36.5	30.6-42.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 6: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2772	250,007	2443	83.5	81.1-85.9	329	16.5	14.1-18.9	
Non-Native	2535	236,708	2255	84.0	81.6-86.4	280	16.0	13.6-18.4	
25-34	300	39,601	234	78.7	73.6-83.8	66	21.3	16.2-26.4	
35-44	418	38,489	336	80.6	76.5-84.7	82	19.4	15.3-23.5	
45-54	607	45,870	520	86.1	83.0-89.2	87	13.9	10.8-17.0	
55-64	518	34,782	478	93.9	91.7-96.1	40	6.1	03.9-08.3	
65+	816	54,961	804	98.5	97.5-99.5	12	1.5	00.5-02.5	
Less Than H.S.	201	16,967	186	87.4	78.4-96.4	15	12.6	03.6-21.6	
H.S. or G.E.D.	830	71,444	734	84.4	80.3-88.5	96	15.6	11.5-19.7	
Some Post-H.S.	916	84,799	800	81.0	76.5-85.5	116	19.0	14.5-23.5	
College Graduate	823	76,647	721	84.5	80.8-88.2	102	15.5	11.8-19.2	
\$15,000- 24,999	457	37,952	404	82.3	75.6-89.0	53	17.7	11.0-24.4	
\$25,000- 34,999	329	27,767	292	79.2	71.0-87.4	37	20.8	12.6-29.0	
\$35,000- 49,999	406	33,149	359	84.3	79.4-89.2	47	15.7	10.8-20.6	
\$50,000- 74,999	438	44,098	384	84.2	78.9-89.5	54	15.8	10.5-21.1	
\$75,000+	427	45,160	350	82.1	77.4-86.8	77	17.9	13.2-22.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1		>1, <=2		>2, <=5		>5, <=10		>10		None							
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4613	487,992	2172	51.2	49.2-53.2	236	5.7	04.7-06.7	108	3.2	02.4-04.0	16	0.4	00.0-00.8	4	0.0	00.0-00.0	2077	39.5	37.7-41.3
Male	1862	240,013	929	52.5	49.6-55.4	171	8.9	07.3-10.5	87	5.3	03.9-06.7	15	0.8	00.2-01.4	3	0.1	00.0-00.3	657	32.5	29.8-35.2
Female	2751	247,979	1243	49.9	47.4-52.4	65	2.6	01.8-03.4	21	1.2	00.2-02.2	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1420	46.2	43.7-48.7
Native	344	22,231				12	1.4	00.0-02.8	9	3.0	00.3-05.7	3	2.7	00.0-07.6	1	0.0	00.0-00.0			
Non-Native	4230	462,101	2045	51.8	49.8-53.8	222	5.9	04.9-06.9	99	3.2	02.2-04.2	13	0.3	00.1-00.5	3	0.0	00.0-00.0	1848	38.7	36.7-40.7
18-24	183	73,208	99	54.9	46.7-63.1	11	6.0	02.3-09.7	14	8.0	03.5-12.5							59	31.1	23.3-38.9
25-34	499	81,638	289	58.5	53.6-63.4	31	6.9	04.4-09.4	15	3.2	01.4-05.0	2	1.1	00.0-02.7				162	30.3	25.8-34.8
35-44	709	77,284	406	60.1	56.0-64.2	43	6.2	04.2-08.2	23	3.6	02.0-05.2	4	0.5	00.0-01.1				233	29.6	25.9-33.3
45-54	1067	92,342	554	53.0	49.7-56.3	68	6.8	05.0-08.6	22	2.4	01.2-03.6	4	0.3	00.0-00.7	3	0.2	00.0-00.4	416	37.3	34.0-40.6
55-64	902	69,001	433	49.8	46.1-53.5	41	5.4	03.6-07.2	23	2.1	01.1-03.1	4	0.4	00.0-00.8	1	0.0	00.0-00.0	400	42.3	38.6-46.0
65+	1218	91,923	377	33.5	30.6-36.4	40	3.1	01.9-04.3	11	0.9	00.3-01.5	2	0.1	00.0-00.3				788	62.4	59.3-65.5
Less Than H.S.	371	35,359	87	27.7	20.8-34.6	14	4.6	01.1-08.1	8	2.1	00.3-03.9	1	0.2	00.0-00.6				261	65.5	58.4-72.6
H.S. or G.E.D.	1373	142,642	569	45.2	41.7-48.7	75	5.9	04.3-07.5	38	3.7	02.1-05.3	3	0.4	00.0-01.0	2	0.1	00.0-00.3	686	44.7	41.2-48.2
Some Post-H.S.	1469	158,670	715	53.1	49.6-56.6	72	5.8	04.0-07.6	33	3.4	01.6-05.2	10	0.8	00.0-01.6	2	0.0	00.0-00.0	637	36.9	33.6-40.2
College Graduate	1398	151,210	801	60.3	57.2-63.4	75	5.7	04.1-07.3	29	2.8	01.4-04.2	2	0.1	00.0-00.3				491	31.1	28.2-34.0
Less than \$15,000	381	35,133	102	31.4	23.6-39.2	15	4.2	00.9-07.5	9	5.3	00.0-10.8	2	1.8	00.0-04.9	3	0.3	00.0-00.7	250	57.0	48.6-65.4
\$15,000- 24,999	680	62,135	248	39.0	33.9-44.1	17	2.9	00.9-04.9	14	3.2	00.7-05.7	3	0.8	00.0-02.0				398	54.3	49.0-59.6
\$25,000- 34,999	568	56,979	242	49.2	43.3-55.1	25	4.9	02.4-07.4	10	2.0	00.4-03.6	2	0.0	00.0-00.0	1	0.2	00.0-00.6	288	43.8	38.1-49.5
\$35,000- 49,999	722	72,070	377	56.9	52.6-61.2	39	6.0	03.6-08.4	14	2.4	01.0-03.8	2	0.2	00.0-00.4				290	34.5	30.4-38.6
\$50,000- 74,999	771	90,435	427	55.3	51.0-59.6	48	7.1	04.9-09.3	24	4.5	02.1-06.9	2	0.3	00.0-00.7				270	32.8	28.7-36.9
\$75,000+	884	108,090	569	64.1	60.2-68.0	72	8.6	06.2-11.0	29	3.5	01.9-05.1	3	0.3	00.0-00.7				211	23.5	20.0-27.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1862	240,013	929	52.5	49.6-55.4	171	8.9	07.3-10.5	87	5.3	03.9-06.7	15	0.8	00.2-01.4	3	0.1	00.0-00.3	657	32.5	29.8-35.2
Native	123	10,003				8	2.0	00.0-04.4	7	5.1	00.0-10.8	3	5.9	00.0-16.7						
Non-Native	1715	227,485	877	53.1	50.2-56.0	161	9.2	07.4-11.0	80	5.3	03.7-06.9	12	0.6	00.2-01.0	3	0.1	00.0-00.3	582	31.6	28.9-34.3
18-24	91	38,768				7	7.9	02.0-13.8	10	10.6	03.7-17.5									
25-34	200	42,002	120	60.2	52.4-68.0	21	10.1	05.6-14.6	13	5.7	02.2-09.2	2	2.2	00.0-05.3				44	21.9	15.0-28.8
35-44	295	39,172	170	59.2	53.1-65.3	35	10.5	06.8-14.2	18	6.0	03.1-08.9	4	1.0	00.0-02.2				68	23.3	18.0-28.6
45-54	461	46,561	229	49.4	44.3-54.5	46	9.8	06.9-12.7	16	3.7	01.7-05.7	3	0.4	00.0-01.0	3	0.5	00.0-01.1	164	36.2	31.1-41.3
55-64	384	34,219	185	51.1	45.4-56.8	32	9.0	05.7-12.3	19	3.4	01.4-05.4	4	0.9	00.0-01.9				144	35.7	30.4-41.0
65+	417	38,058	170	41.7	36.4-47.0	29	5.9	03.5-08.3	11	2.3	00.7-03.9	2	0.2	00.0-00.6				205	49.9	44.6-55.2
Less Than H.S.	170	18,378				13	5.8	01.9-09.7	7	3.6	00.5-06.7	1	0.4	00.0-01.2						
H.S. or G.E.D.	552	72,116	246	46.8	41.1-52.5	58	10.0	07.1-12.9	27	5.2	02.8-07.6	3	0.7	00.0-01.7	2	0.2	00.0-00.6	216	37.0	31.5-42.5
Some Post-H.S.	564	75,065	292	53.7	48.2-59.2	49	9.0	05.9-12.1	28	5.7	02.8-08.6	10	1.6	00.0-03.2	1	0.1	00.0-00.3	184	29.9	25.0-34.8
College Graduate	575	74,408	347	61.6	56.7-66.5	51	8.5	05.8-11.2	25	5.2	02.7-07.7	1	0.1	00.0-00.3				151	24.6	20.5-28.7
Less than \$15,000	127	13,723				8	3.9	00.8-07.0	5	6.8	00.0-16.2	2	4.6	00.0-12.6	2	0.8	00.0-02.0			
\$15,000- 24,999	224	24,137	91	41.8	33.4-50.2	10	4.8	00.3-09.3	9	4.2	00.9-07.5	3	2.0	00.0-04.9				111	47.2	38.6-55.8
\$25,000- 34,999	242	29,386	100	47.8	39.0-56.6	21	7.1	03.6-10.6	8	2.7	00.2-05.2	2	0.1	00.1-00.1	1	0.4	00.0-01.2	110	42.0	33.6-50.4
\$35,000- 49,999	315	38,821	171	58.7	52.2-65.2	32	9.5	05.4-13.6	11	3.9	01.4-06.4	2	0.3	00.0-00.7				99	27.6	21.9-33.3
\$50,000- 74,999	335	46,582	181	52.4	45.7-59.1	36	11.6	07.5-15.7	22	7.8	03.7-11.9	2	0.6	00.0-01.4				94	27.6	21.5-33.7
\$75,000+	458	62,928	276	61.3	55.8-66.8	57	12.4	08.7-16.1	26	5.8	03.1-08.5	2	0.4	00.0-01.0				97	20.1	15.8-24.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	247,979	1243	49.9	47.4-52.4	65	2.6	0.1-0.3	21	1.2	0.2-0.2	1	0.0	0.0-0.0	1	0.0	0.0-0.0	1420	46.2	43.7-48.7
Native	221	12,228				4	1.0	0.0-0.2	2	1.3	0.0-0.3				1	0.0	0.0-0.0			
Non-Native	2515	234,616	1168	50.5	48.0-53.0	61	2.7	0.1-0.3	19	1.2	0.2-0.2	1	0.0	0.0-0.0				1266	45.5	43.0-48.0
18-24	92	34,440				4	3.9	0.0-0.8	4	5.0	0.0-10.9									
25-34	299	39,636	169	56.7	50.6-62.8	10	3.6	0.1-0.6	2	0.5	0.0-0.1							118	39.2	33.1-45.3
35-44	414	38,113	236	61.1	55.8-66.4	8	1.8	0.4-0.3	5	1.0	0.0-0.2							165	36.1	31.0-41.2
45-54	606	45,781	325	56.5	52.2-60.8	22	3.7	0.2-0.5	6	1.0	0.0-0.2	1	0.2	0.0-0.6				252	38.5	34.2-42.8
55-64	518	34,782	248	48.6	43.7-53.5	9	1.9	0.5-0.3	4	0.8	0.0-0.1				1	0.0	0.0-0.0	256	48.7	43.8-53.6
65+	801	53,865	207	27.6	24.1-31.1	11	1.2	0.4-0.2										583	71.2	67.7-74.7
Less Than H.S.	201	16,981	43	22.1	13.9-30.3	1	3.2	0.0-0.9	1	0.4	0.0-0.1							156	74.2	64.8-83.6
H.S. or G.E.D.	821	70,526	323	43.6	39.1-48.1	17	1.8	0.8-0.2	11	2.2	0.0-0.4							470	52.5	47.8-57.2
Some Post-H.S.	905	83,605	423	52.5	48.0-57.0	23	2.9	0.1-0.4	5	1.3	0.0-0.3				1	0.0	0.0-0.0	453	43.3	38.8-47.8
College Graduate	823	76,802	454	59.1	55.0-63.2	24	3.0	0.1-0.4	4	0.5	0.0-0.1	1	0.1	0.0-0.3				340	37.4	33.5-41.3
Less than \$15,000	254	21,410				7	4.3	0.0-0.9	4	4.4	0.0-10.9				1	0.0	0.0-0.0			
\$15,000- 24,999	456	37,999	157	37.2	30.5-43.9	7	1.6	0.2-0.3	5	2.5	0.0-0.6							287	58.7	51.8-65.6
\$25,000- 34,999	326	27,593	142	50.7	43.1-58.3	4	2.4	0.0-0.6	2	1.2	0.0-0.2							178	45.7	38.3-53.1
\$35,000- 49,999	407	33,249	206	54.8	49.1-60.5	7	1.9	0.3-0.3	3	0.7	0.0-0.1							191	42.6	36.9-48.3
\$50,000- 74,999	436	43,853	246	58.4	52.9-63.9	12	2.4	0.8-0.4	2	1.0	0.0-0.2							176	38.3	33.0-43.6
\$75,000+	426	45,162	293	68.0	62.3-73.7	15	3.3	0.1-0.5	3	0.3	0.0-0.0	1	0.2	0.0-0.6				114	28.2	22.5-33.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5		>5, <=15			>15, <=30			>30, <=60			>60			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4613	487,992	1038	22.1	20.5-23.7	651	17.0	15.4-18.6	483	12.0	10.6-13.4	236	5.7	04.7-06.7	128	3.7	02.7-04.7	2077	39.5	37.7-41.3
Male	1862	240,013	334	17.3	15.1-19.5	322	19.4	17.0-21.8	273	15.8	13.6-18.0	171	8.9	07.3-10.5	105	6.1	04.5-07.7	657	32.5	29.8-35.2
Female	2751	247,979	704	26.7	24.5-28.9	329	14.7	12.7-16.7	210	8.4	07.0-09.8	65	2.6	01.8-03.4	23	1.3	00.3-02.3	1420	46.2	43.7-48.7
Native	344	22,231	44	15.3	07.9-22.7	38	15.8	07.8-23.8	31	6.8	02.5-11.1	12	1.4	00.0-02.8	13	5.7	00.0-11.4			
Non-Native	4230	462,101	987	22.4	20.8-24.0	610	17.1	15.5-18.7	448	12.3	10.9-13.7	222	5.9	04.9-06.9	115	3.6	02.6-04.6	1848	38.7	36.7-40.7
18-24	183	73,208	32	16.5	10.4-22.6	40	22.8	15.7-29.9	27	15.7	09.8-21.6	11	6.0	02.3-09.7	14	8.0	03.5-12.5	59	31.1	23.3-38.9
25-34	499	81,638	121	22.3	18.4-26.2	109	23.1	19.0-27.2	59	13.1	09.8-16.4	31	6.9	04.4-09.4	17	4.3	01.9-06.7	162	30.3	25.8-34.8
35-44	709	77,284	167	23.7	20.4-27.0	135	20.9	17.6-24.2	104	15.6	12.7-18.5	43	6.2	04.2-08.2	27	4.0	02.2-05.8	233	29.6	25.9-33.3
45-54	1067	92,342	274	25.7	22.8-28.6	168	16.3	13.8-18.8	112	10.9	08.7-13.1	68	6.8	05.0-08.6	29	2.9	01.7-04.1	416	37.3	34.0-40.6
55-64	902	69,001	229	26.0	22.7-29.3	110	13.2	10.7-15.7	94	10.6	08.2-13.0	41	5.4	03.6-07.2	28	2.5	01.3-03.7	400	42.3	38.6-46.0
65+	1218	91,923	207	18.5	16.0-21.0	87	7.6	05.8-09.4	83	7.4	05.6-09.2	40	3.1	01.9-04.3	13	1.0	00.4-01.6	788	62.4	59.3-65.5
Less Than H.S.	371	35,359	48	15.0	09.5-20.5	22	7.7	03.0-12.4	17	5.0	02.3-07.7	14	4.6	01.1-08.1	9	2.3	00.5-04.1	261	65.5	58.4-72.6
H.S. or G.E.D.	1373	142,642	279	20.6	17.7-23.5	158	14.1	11.4-16.8	132	10.5	08.1-12.9	75	5.9	04.3-07.5	43	4.2	02.4-06.0	686	44.7	41.2-48.2
Some Post-H.S.	1469	158,670	333	21.5	18.8-24.2	230	18.8	15.9-21.7	152	12.9	10.4-15.4	72	5.8	04.0-07.6	45	4.2	02.2-06.2	637	36.9	33.6-40.2
College Graduate	1398	151,210	378	25.9	23.2-28.6	241	20.2	17.5-22.9	182	14.3	11.9-16.7	75	5.7	04.1-07.3	31	2.9	01.5-04.3	491	31.1	28.2-34.0
Less than \$15,000	381	35,133	52	13.6	08.5-18.7	25	11.4	04.9-17.9	25	6.4	02.5-10.3	15	4.2	00.9-07.5	14	7.5	01.4-13.6	250	57.0	48.6-65.4
\$15,000- 24,999	680	62,135	122	19.6	15.3-23.9	68	11.8	08.3-15.3	58	7.5	05.0-10.0	17	2.9	00.9-04.9	17	3.9	01.0-06.8	398	54.3	49.0-59.6
\$25,000- 34,999	568	56,979	110	18.5	14.2-22.8	81	18.2	13.1-23.3	51	12.5	08.0-17.0	25	4.9	02.4-07.4	13	2.2	00.6-03.8	288	43.8	38.1-49.5
\$35,000- 49,999	722	72,070	175	23.8	20.1-27.5	118	18.5	15.0-22.0	84	14.6	11.1-18.1	39	6.0	03.6-08.4	16	2.6	01.2-04.0	290	34.5	30.4-38.6
\$50,000- 74,999	771	90,435	208	24.1	20.8-27.4	139	20.2	16.5-23.9	80	11.0	08.1-13.9	48	7.1	04.9-09.3	26	4.8	02.4-07.2	270	32.8	28.7-36.9
\$75,000+	884	108,090	238	24.5	21.4-27.6	180	21.5	18.0-25.0	151	18.1	14.8-21.4	72	8.6	06.2-11.0	32	3.8	02.0-05.6	211	23.5	20.0-27.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1862	240,013	334	17.3	15.1-19.5	322	19.4	17.0-21.8	273	15.8	13.6-18.0	171	8.9	07.3-10.5	105	6.1	04.5-07.7	657	32.5	29.8-35.2
Native	123	10,003	12	9.1	00.0-19.3				13	6.3	00.4-12.2	8	2.0	00.0-04.4						
Non-Native	1715	227,485	317	17.7	15.5-19.9	303	19.3	16.9-21.7	257	16.2	13.8-18.6	161	9.2	07.4-11.0	95	6.0	04.4-07.6	582	31.6	28.9-34.3
18-24	91	38,768	11	10.7	03.4-18.0	22	22.6	13.0-32.2	16	19.7	10.3-29.1	7	7.9	02.0-13.8	10	10.6	03.7-17.5			
25-34	200	42,002	33	15.4	10.1-20.7	49	25.9	19.2-32.6	38	19.0	13.1-24.9	21	10.1	05.6-14.6	15	7.9	03.4-12.4	44	21.9	15.0-28.8
35-44	295	39,172	56	19.4	14.7-24.1	63	22.5	17.4-27.6	51	17.3	12.6-22.0	35	10.5	06.8-14.2	22	7.0	03.9-10.1	68	23.3	18.0-28.6
45-54	461	46,561	83	18.8	14.7-22.9	79	17.0	13.1-20.9	67	13.6	10.3-16.9	46	9.8	06.9-12.7	22	4.6	02.6-06.6	164	36.2	31.1-41.3
55-64	384	34,219	73	20.2	15.7-24.7	60	17.0	12.7-21.3	52	13.9	10.0-17.8	32	9.0	05.7-12.3	23	4.3	02.1-06.5	144	35.7	30.4-41.0
65+	417	38,058	77	20.1	15.8-24.4	48	10.9	07.8-14.0	45	10.7	07.6-13.8	29	5.9	03.5-08.3	13	2.5	00.9-04.1	205	49.9	44.6-55.2
Less Than H.S.	170	18,378	21	18.3	08.9-27.7	11	7.3	01.2-13.4	12	7.2	02.7-11.7	13	5.8	01.9-09.7	8	4.0	00.7-07.3			
H.S. or G.E.D.	552	72,116	90	15.0	11.5-18.5	81	17.8	13.3-22.3	75	14.0	09.9-18.1	58	10.0	07.1-12.9	32	6.2	03.7-08.7	216	37.0	31.5-42.5
Some Post-H.S.	564	75,065	99	16.3	12.6-20.0	109	20.1	15.8-24.4	84	17.4	12.9-21.9	49	9.0	05.9-12.1	39	7.4	04.1-10.7	184	29.9	25.0-34.8
College Graduate	575	74,408	124	20.5	16.8-24.2	121	23.1	18.8-27.4	102	18.0	14.3-21.7	51	8.5	05.8-11.2	26	5.3	02.8-07.8	151	24.6	20.5-28.7
Less than \$15,000	127	13,723	15	11.2	03.0-19.4	13	12.5	03.1-21.9	8	3.1	00.4-05.8	8	3.9	00.8-07.0						
\$15,000- 24,999	224	24,137	38	16.9	10.8-23.0	26	14.6	07.9-21.3	27	10.2	05.9-14.5	10	4.8	00.3-09.3	12	6.2	01.9-10.5	111	47.2	38.6-55.8
\$25,000- 34,999	242	29,386	32	13.5	07.4-19.6	37	20.1	12.7-27.5	31	14.2	07.7-20.7	21	7.1	03.6-10.6	11	3.1	00.4-05.8	110	42.0	33.6-50.4
\$35,000- 49,999	315	38,821	60	20.4	15.1-25.7	61	20.6	15.3-25.9	50	17.7	12.4-23.0	32	9.5	05.4-13.6	13	4.2	01.7-06.7	99	27.6	21.9-33.3
\$50,000- 74,999	335	46,582	65	16.8	12.5-21.1	69	20.7	15.6-25.8	47	14.9	09.8-20.0	36	11.6	07.5-15.7	24	8.4	04.1-12.7	94	27.6	21.5-33.7
\$75,000+	458	62,928	91	18.2	14.3-22.1	96	21.9	17.2-26.6	89	21.2	16.3-26.1	57	12.4	08.7-16.1	28	6.2	03.5-08.9	97	20.1	15.8-24.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	247,979	704	26.7	24.5-28.9	329	14.7	12.7-16.7	210	8.4	07.0-09.8	65	2.6	01.8-03.4	23	1.3	00.3-02.3	1420	46.2	43.7-48.7
Native	221	12,228				22	11.7	03.9-19.5	18	7.1	00.8-13.4	4	1.0	00.0-02.4	3	1.3	00.0-03.1			
Non-Native	2515	234,616	670	27.1	24.9-29.3	307	15.0	12.8-17.2	191	8.5	07.1-09.9	61	2.7	01.7-03.7	20	1.3	00.3-02.3	1266	45.5	43.0-48.0
18-24	92	34,440	21	23.0	13.4-32.6				11	11.3	04.4-18.2	4	3.9	00.0-08.4	4	5.0	00.0-10.9			
25-34	299	39,636	88	29.7	24.0-35.4	60	20.1	15.0-25.2	21	6.9	03.8-10.0	10	3.6	01.2-06.0	2	0.5	00.0-01.3	118	39.2	33.1-45.3
35-44	414	38,113	111	28.2	23.3-33.1	72	19.1	14.8-23.4	53	13.8	10.1-17.5	8	1.8	00.4-03.2	5	1.0	00.0-02.0	165	36.1	31.0-41.2
45-54	606	45,781	191	32.8	28.7-36.9	89	15.6	12.3-18.9	45	8.2	05.7-10.7	22	3.7	02.1-05.3	7	1.2	00.0-02.4	252	38.5	34.2-42.8
55-64	518	34,782	156	31.8	27.3-36.3	50	9.5	06.8-12.2	42	7.3	04.9-09.7	9	1.9	00.5-03.3	5	0.8	00.0-01.6	256	48.7	43.8-53.6
65+	801	53,865	130	17.3	14.4-20.2	39	5.2	03.4-07.0	38	5.1	03.3-06.9	11	1.2	00.4-02.0				583	71.2	67.7-74.7
Less Than H.S.	201	16,981	27	11.3	06.6-16.0	11	8.2	01.1-15.3	5	2.6	00.1-05.1	1	3.2	00.0-09.5	1	0.4	00.0-01.2	156	74.2	64.8-83.6
H.S. or G.E.D.	821	70,526	189	26.3	22.0-30.6	77	10.2	07.5-12.9	57	7.0	04.8-09.2	17	1.8	00.8-02.8	11	2.2	00.0-04.4	470	52.5	47.8-57.2
Some Post-H.S.	905	83,605	234	26.1	22.4-29.8	121	17.6	13.7-21.5	68	8.8	06.1-11.5	23	2.9	01.3-04.5	6	1.3	00.0-03.1	453	43.3	38.8-47.8
College Graduate	823	76,802	254	31.1	27.4-34.8	120	17.3	13.6-21.0	80	10.6	07.9-13.3	24	3.0	01.6-04.4	5	0.6	00.0-01.2	340	37.4	33.5-41.3
Less than \$15,000	254	21,410	37	15.1	08.8-21.4	12	10.7	01.9-19.5	17	8.5	02.2-14.8	7	4.3	00.0-09.6	5	4.4	00.0-10.9			
\$15,000- 24,999	456	37,999	84	21.3	15.4-27.2	42	10.0	06.3-13.7	31	5.8	02.7-08.9	7	1.6	00.2-03.0	5	2.5	00.0-06.2	287	58.7	51.8-65.6
\$25,000- 34,999	326	27,593	78	23.9	17.8-30.0	44	16.1	09.4-22.8	20	10.7	04.8-16.6	4	2.4	00.0-06.3	2	1.2	00.0-02.8	178	45.7	38.3-53.1
\$35,000- 49,999	407	33,249	115	27.8	22.7-32.9	57	16.0	11.5-20.5	34	11.0	06.7-15.3	7	1.9	00.3-03.5	3	0.7	00.0-01.5	191	42.6	36.9-48.3
\$50,000- 74,999	436	43,853	143	32.0	26.9-37.1	70	19.7	14.4-25.0	33	6.8	04.4-09.2	12	2.4	00.8-04.0	2	1.0	00.0-02.4	176	38.3	33.0-43.6
\$75,000+	426	45,162	147	33.3	28.0-38.6	84	20.9	16.0-25.8	62	13.8	10.3-17.3	15	3.3	01.5-05.1	4	0.5	00.0-01.1	114	28.2	22.5-33.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4613	487,992	4420	95.0	94.0-96.0	193	5.0	04.0-06.0
Male	1862	240,013	1757	93.9	92.3-95.5	105	6.1	04.5-07.7
Female	2751	247,979	2663	96.1	94.9-97.3	88	3.9	02.7-05.1
Native	344	22,231	327	93.7	88.0-99.4	17	6.3	00.6-12.0
Non-Native	4230	462,101	4054	95.0	94.0-96.0	176	5.0	04.0-06.0
18-24	183	73,208	165	90.2	85.3-95.1	18	9.8	04.9-14.7
25-34	499	81,638	472	94.0	91.5-96.5	27	6.0	03.5-08.5
35-44	709	77,284	674	95.1	93.3-96.9	35	4.9	03.1-06.7
45-54	1067	92,342	1016	95.2	93.8-96.6	51	4.8	03.4-06.2
55-64	902	69,001	865	96.5	95.1-97.9	37	3.5	02.1-04.9
65+	1218	91,923	1194	98.3	97.5-99.1	24	1.7	00.9-02.5
Less Than H.S.	371	35,359	361	96.1	92.8-99.4	10	3.9	00.6-07.2
H.S. or G.E.D.	1373	142,642	1313	94.9	93.1-96.7	60	5.1	03.3-06.9
Some Post-H.S.	1469	158,670	1401	94.3	92.3-96.3	68	5.7	03.7-07.7
College Graduate	1398	151,210	1343	95.6	94.0-97.2	55	4.4	02.8-06.0
Less than \$15,000	381	35,133	360	89.9	83.2-96.6	21	10.1	03.4-16.8
\$15,000- 24,999	680	62,135	656	95.1	92.2-98.0	24	4.9	02.0-07.8
\$25,000- 34,999	568	56,979	551	96.6	94.1-99.1	17	3.4	00.9-05.9
\$35,000- 49,999	722	72,070	699	96.6	95.0-98.2	23	3.4	01.8-05.0
\$50,000- 74,999	771	90,435	733	94.1	91.7-96.5	38	5.9	03.5-08.3
\$75,000+	884	108,090	837	94.8	93.0-96.6	47	5.2	03.4-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1862	240,013	1757	93.9	92.3-95.5	105	6.1	04.5-07.7
Non-Native	1715	227,485	1620	94.0	92.4-95.6	95	6.0	04.4-07.6
18-24	91	38,768	81	89.4	82.5-96.3	10	10.6	03.7-17.5
25-34	200	42,002	185	92.1	87.6-96.6	15	7.9	03.4-12.4
35-44	295	39,172	273	93.0	89.9-96.1	22	7.0	03.9-10.1
45-54	461	46,561	439	95.4	93.4-97.4	22	4.6	02.6-06.6
55-64	384	34,219	361	95.7	93.5-97.9	23	4.3	02.1-06.5
65+	417	38,058	404	97.5	95.9-99.1	13	2.5	00.9-04.1
Less Than H.S.	170	18,378	162	96.0	92.7-99.3	8	4.0	00.7-07.3
H.S. or G.E.D.	552	72,116	520	93.8	91.3-96.3	32	6.2	03.7-08.7
Some Post-H.S.	564	75,065	525	92.6	89.3-95.9	39	7.4	04.1-10.7
College Graduate	575	74,408	549	94.7	92.2-97.2	26	5.3	02.8-07.8
\$15,000- 24,999	224	24,137	212	93.8	89.5-98.1	12	6.2	01.9-10.5
\$25,000- 34,999	242	29,386	231	96.9	94.2-99.6	11	3.1	00.4-05.8
\$35,000- 49,999	315	38,821	302	95.8	93.3-98.3	13	4.2	01.7-06.7
\$50,000- 74,999	335	46,582	311	91.6	87.3-95.9	24	8.4	04.1-12.7
\$75,000+	458	62,928	430	93.8	91.1-96.5	28	6.2	03.5-08.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	247,979	2663	96.1	94.9-97.3	88	3.9	02.7-05.1
Native	221	12,228	214	97.7	95.3-0100	7	2.3	00.0-04.7
Non-Native	2515	234,616	2434	96.0	94.6-97.4	81	4.0	02.6-05.4
18-24	92	34,440	84	91.1	83.8-98.4	8	8.9	01.6-16.2
25-34	299	39,636	287	95.9	93.4-98.4	12	4.1	01.6-06.6
35-44	414	38,113	401	97.2	95.4-99.0	13	2.8	01.0-04.6
45-54	606	45,781	577	95.0	93.0-97.0	29	5.0	03.0-07.0
55-64	518	34,782	504	97.3	95.7-98.9	14	2.7	01.1-04.3
65+	801	53,865	790	98.8	98.0-99.6	11	1.2	00.4-02.0
Less Than H.S.	201	16,981	199	96.3	90.0-0100	2	3.7	00.0-10.0
H.S. or G.E.D.	821	70,526	793	96.0	93.6-98.4	28	4.0	01.6-06.4
Some Post-H.S.	905	83,605	876	95.8	93.4-98.2	29	4.2	01.8-06.6
College Graduate	823	76,802	794	96.4	95.0-97.8	29	3.6	02.2-05.0
Less than \$15,000	254	21,410	242	91.3	83.3-99.3	12	8.7	00.7-16.7
\$15,000- 24,999	456	37,999	444	95.9	92.0-99.8	12	4.1	00.2-08.0
\$25,000- 34,999	326	27,593	320	96.4	92.3-0100	6	3.6	00.0-07.7
\$35,000- 49,999	407	33,249	397	97.4	95.6-99.2	10	2.6	00.8-04.4
\$50,000- 74,999	436	43,853	422	96.7	94.7-98.7	14	3.3	01.3-05.3
\$75,000+	426	45,162	407	96.2	94.2-98.2	19	3.8	01.8-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1862	240,013	1757	93.9	92.3-95.5	105	6.1	04.5-07.7	
Non-Native	1715	227,485	1620	94.0	92.4-95.6	95	6.0	04.4-07.6	
18-24	91	38,768	81	89.4	82.5-96.3	10	10.6	03.7-17.5	
25-34	200	42,002	185	92.1	87.6-96.6	15	7.9	03.4-12.4	
35-44	295	39,172	273	93.0	89.9-96.1	22	7.0	03.9-10.1	
45-54	461	46,561	439	95.4	93.4-97.4	22	4.6	02.6-06.6	
55-64	384	34,219	361	95.7	93.5-97.9	23	4.3	02.1-06.5	
65+	417	38,058	404	97.5	95.9-99.1	13	2.5	00.9-04.1	
Less Than H.S.	170	18,378	162	96.0	92.7-99.3	8	4.0	00.7-07.3	
H.S. or G.E.D.	552	72,116	520	93.8	91.3-96.3	32	6.2	03.7-08.7	
Some Post-H.S.	564	75,065	525	92.6	89.3-95.9	39	7.4	04.1-10.7	
College Graduate	575	74,408	549	94.7	92.2-97.2	26	5.3	02.8-07.8	
\$15,000- 24,999	224	24,137	212	93.8	89.5-98.1	12	6.2	01.9-10.5	
\$25,000- 34,999	242	29,386	231	96.9	94.2-99.6	11	3.1	00.4-05.8	
\$35,000- 49,999	315	38,821	302	95.8	93.3-98.3	13	4.2	01.7-06.7	
\$50,000- 74,999	335	46,582	311	91.6	87.3-95.9	24	8.4	04.1-12.7	
\$75,000+	458	62,928	430	93.8	91.1-96.5	28	6.2	03.5-08.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	247,979	2663	96.1	94.9-97.3	88	3.9	02.7-05.1
Native	221	12,228	214	97.7	95.3-0100	7	2.3	00.0-04.7
Non-Native	2515	234,616	2434	96.0	94.6-97.4	81	4.0	02.6-05.4
18-24	92	34,440	84	91.1	83.8-98.4	8	8.9	01.6-16.2
25-34	299	39,636	287	95.9	93.4-98.4	12	4.1	01.6-06.6
35-44	414	38,113	401	97.2	95.4-99.0	13	2.8	01.0-04.6
45-54	606	45,781	577	95.0	93.0-97.0	29	5.0	03.0-07.0
55-64	518	34,782	504	97.3	95.7-98.9	14	2.7	01.1-04.3
65+	801	53,865	790	98.8	98.0-99.6	11	1.2	00.4-02.0
Less Than H.S.	201	16,981	199	96.3	90.0-0100	2	3.7	00.0-10.0
H.S. or G.E.D.	821	70,526	793	96.0	93.6-98.4	28	4.0	01.6-06.4
Some Post-H.S.	905	83,605	876	95.8	93.4-98.2	29	4.2	01.8-06.6
College Graduate	823	76,802	794	96.4	95.0-97.8	29	3.6	02.2-05.0
Less than \$15,000	254	21,410	242	91.3	83.3-99.3	12	8.7	00.7-16.7
\$15,000- 24,999	456	37,999	444	95.9	92.0-99.8	12	4.1	00.2-08.0
\$25,000- 34,999	326	27,593	320	96.4	92.3-0100	6	3.6	00.0-07.7
\$35,000- 49,999	407	33,249	397	97.4	95.6-99.2	10	2.6	00.8-04.4
\$50,000- 74,999	436	43,853	422	96.7	94.7-98.7	14	3.3	01.3-05.3
\$75,000+	426	45,162	407	96.2	94.2-98.2	19	3.8	01.8-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 15: ARTHRITIS BURDEN CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXART)	
1	MALES AND FEMALES	117
2	MALES ONLY	118
3	FEMALES ONLY	119

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 15: ARTHRITIS BURDEN**

**TABLE 1: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXART)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Has Diagnosed Arthritis			Does Not Have Diagnosed Arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4684	495,860	1596	26.9	25.3-28.5	3088	73.1	71.5-74.7
Male	1903	245,208	529	22.6	20.4-24.8	1374	77.4	75.2-79.6
Female	2781	250,652	1067	31.1	28.9-33.3	1714	68.9	66.7-71.1
Native	350	22,864	107	18.5	11.6-25.4	243	81.5	74.6-88.4
Non-Native	4291	468,863	1479	27.4	25.8-29.0	2812	72.6	71.0-74.2
18-24	190	74,215	13	5.8	02.3-09.3	177	94.2	90.7-97.7
25-34	507	83,603	50	11.0	07.7-14.3	457	89.0	85.7-92.3
35-44	716	78,276	134	17.4	14.3-20.5	582	82.6	79.5-85.7
45-54	1074	93,028	322	28.7	25.8-31.6	752	71.3	68.4-74.2
55-64	913	69,743	389	41.6	37.9-45.3	524	58.4	54.7-62.1
65+	1246	94,118	677	53.0	49.9-56.1	569	47.0	43.9-50.1
Less Than H.S.	382	36,854	177	35.9	29.8-42.0	205	64.1	58.0-70.2
H.S. or G.E.D.	1404	145,244	529	30.2	27.3-33.1	875	69.8	66.9-72.7
Some Post-H.S.	1487	161,229	515	26.9	24.2-29.6	972	73.1	70.4-75.8
College Graduate	1408	152,335	372	21.5	19.1-23.9	1036	78.5	76.1-80.9
Less than \$15,000	390	36,410	189	34.4	27.5-41.3	201	65.6	58.7-72.5
\$15,000- 24,999	686	62,699	283	35.3	30.6-40.0	403	64.7	60.0-69.4
\$25,000- 34,999	570	57,292	203	30.6	25.7-35.5	367	69.4	64.5-74.3
\$35,000- 49,999	733	73,286	233	26.7	23.0-30.4	500	73.3	69.6-77.0
\$50,000- 74,999	783	91,789	204	21.3	18.2-24.4	579	78.7	75.6-81.8
\$75,000+	886	108,004	212	20.0	17.1-22.9	674	80.0	77.1-82.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 15: ARTHRITIS BURDEN**

TABLE 2: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXART)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Has Diagnosed Arthritis			Does Not Have Diagnosed Arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1903	245,208	529	22.6	20.4-24.8	1374	77.4	75.2-79.6
Native	124	10,440	28	8.6	02.1-15.1	96	91.4	84.9-97.9
Non-Native	1753	231,920	497	23.4	21.2-25.6	1256	76.6	74.4-78.8
18-24	93	38,887	5	4.5	00.0-09.0	88	95.5	91.0-100
25-34	208	44,083	25	13.8	08.5-19.1	183	86.2	80.9-91.5
35-44	298	39,840	50	15.6	11.1-20.1	248	84.4	79.9-88.9
45-54	462	46,645	118	23.7	19.4-28.0	344	76.3	72.0-80.6
55-64	396	35,005	128	32.0	26.9-37.1	268	68.0	62.9-73.1
65+	429	39,234	200	48.3	43.0-53.6	229	51.7	46.4-57.0
Less Than H.S.	178	19,694	73	34.5	25.9-43.1	105	65.5	56.9-74.1
H.S. or G.E.D.	567	73,506	155	21.0	17.1-24.9	412	79.0	75.1-82.9
Some Post-H.S.	572	76,492	163	24.3	20.2-28.4	409	75.7	71.6-79.8
College Graduate	585	75,469	137	19.4	15.9-22.9	448	80.6	77.1-84.1
\$15,000- 24,999	229	24,682	84	31.7	24.6-38.8	145	68.3	61.2-75.4
\$25,000- 34,999	242	29,530	75	28.8	21.5-36.1	167	71.2	63.9-78.5
\$35,000- 49,999	324	39,848	83	23.4	18.1-28.7	241	76.6	71.3-81.9
\$50,000- 74,999	347	47,842	76	17.2	12.9-21.5	271	82.8	78.5-87.1
\$75,000+	458	62,719	101	19.0	15.1-22.9	357	81.0	77.1-84.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 15: ARTHRITIS BURDEN**

TABLE 3: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXART)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Has Diagnosed Arthritis			Does Not Have Diagnosed Arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2781	250,652	1067	31.1	28.9-33.3	1714	68.9	66.7-71.1
Non-Native	2538	236,942	982	31.2	29.0-33.4	1556	68.8	66.6-71.0
18-24	97	35,328	8	7.3	01.6-13.0	89	92.7	87.0-98.4
25-34	299	39,520	25	7.8	04.3-11.3	274	92.2	88.7-95.7
35-44	418	38,436	84	19.3	15.2-23.4	334	80.7	76.6-84.8
45-54	612	46,383	204	33.6	29.5-37.7	408	66.4	62.3-70.5
55-64	517	34,738	261	51.2	46.3-56.1	256	48.8	43.9-53.7
65+	817	54,884	477	56.4	52.7-60.1	340	43.6	39.9-47.3
Less Than H.S.	204	17,160	104	37.5	28.9-46.1	100	62.5	53.9-71.1
H.S. or G.E.D.	837	71,738	374	39.6	35.3-43.9	463	60.4	56.1-64.7
Some Post-H.S.	915	84,737	352	29.3	25.8-32.8	563	70.7	67.2-74.2
College Graduate	823	76,866	235	23.5	20.4-26.6	588	76.5	73.4-79.6
Less than \$15,000	262	21,959	130	37.2	28.4-46.0	132	62.8	54.0-71.6
\$15,000- 24,999	457	38,017	199	37.7	31.6-43.8	258	62.3	56.2-68.4
\$25,000- 34,999	328	27,762	128	32.4	26.1-38.7	200	67.6	61.3-73.9
\$35,000- 49,999	409	33,438	150	30.8	25.7-35.9	259	69.2	64.1-74.3
\$50,000- 74,999	436	43,947	128	25.7	21.2-30.2	308	74.3	69.8-78.8
\$75,000+	428	45,285	111	21.4	17.3-25.5	317	78.6	74.5-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 16: FRUITS AND VEGETABLES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)	
1 MALES AND FEMALES	122
2 MALES ONLY	123
3 FEMALES ONLY	124
FRUIT SERVINGS PER DAY (FRUTDAY_)	
4 MALES AND FEMALES	125
5 MALES ONLY	126
6 FEMALES ONLY	127
GREEN SALAD SERVINGS PER DAY (GNSLDAY_)	
7 MALES AND FEMALES	128
8 MALES ONLY	129
9 FEMALES ONLY	130
POTATO SERVINGS PER DAY (POTADAY_)	
10 MALES AND FEMALES	131
11 MALES ONLY	132
12 FEMALES ONLY	133
CARROT SERVINGS PER DAY (CRTSDAY_)	
13 MALES AND FEMALES	134
14 MALES ONLY	135
15 FEMALES ONLY	136
VEGETABLE SERVINGS PER DAY (VEGEDAY_)	
16 MALES AND FEMALES	137
17 MALES ONLY	138
18 FEMALES ONLY	139

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 16: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)	
19	MALES AND FEMALES	140
20	MALES ONLY	141
21	FEMALES ONLY	142
	SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)	
22	MALES AND FEMALES	143
23	MALES ONLY	144
24	FEMALES ONLY	145
	CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)	
25	MALES AND FEMALES	146
26	MALES ONLY	147
27	FEMALES ONLY	148

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4605	487,198	3467	75.9	74.3-77.5	207	4.6	03.8-05.4	45	0.9	00.5-01.3	11	0.3	00.1-00.5	4	0.1	00.0-00.3	871	18.2	16.8-19.6
Male	1870	239,776	1476	80.2	77.8-82.6	89	4.6	03.4-05.8	23	1.1	00.3-01.9	6	0.2	00.0-00.4	4	0.3	00.0-00.7	272	13.7	11.9-15.5
Female	2735	247,422	1991	71.9	69.5-74.3	118	4.6	03.4-05.8	22	0.7	00.1-01.3	5	0.4	00.0-00.8				599	22.4	20.2-24.6
Native	346	21,655	259	74.6	66.2-83.0	22	4.3	01.4-07.2	6	3.0	00.0-07.9				1	2.4	00.0-06.9	58	15.7	09.8-21.6
Non-Native	4218	461,692	3180	76.1	74.3-77.9	182	4.6	03.6-05.6	38	0.8	00.4-01.2	11	0.3	00.1-00.5	3	0.0	00.0-00.0	804	18.3	16.7-19.9
18-24	187	72,171	145	76.8	69.7-83.9	12	7.4	03.1-11.7	2	1.9	00.0-04.6	1	0.8	00.0-02.4	1	0.7	00.0-02.1	26	12.4	06.9-17.9
25-34	503	82,310	368	74.2	69.9-78.5	31	6.1	03.7-08.5	4	0.3	00.0-00.7	1	0.2	00.0-00.6				99	19.2	15.3-23.1
35-44	713	78,027	528	75.7	72.2-79.2	24	3.2	01.8-04.6	5	0.5	00.0-01.1	1	0.2	00.0-00.6				155	20.3	17.0-23.6
45-54	1057	91,650	780	73.8	70.9-76.7	28	2.2	01.2-03.2	10	0.9	00.3-01.5	5	0.3	00.1-00.5	1	0.1	00.0-00.3	233	22.7	19.8-25.6
55-64	898	68,932	659	74.3	71.2-77.4	42	3.6	02.2-05.0	15	1.3	00.5-02.1	1	0.1	00.0-00.3	1	0.0	00.0-00.0	180	20.7	17.8-23.6
65+	1213	91,474	961	80.3	77.8-82.8	69	5.5	04.1-06.9	9	0.6	00.2-01.0	2	0.1	00.0-00.3	1	0.1	00.0-00.3	171	13.4	11.2-15.6
Less Than H.S.	371	36,143	273	76.5	70.2-82.8	27	7.4	03.1-11.7	2	0.3	00.0-00.7							69	15.7	10.6-20.8
H.S. or G.E.D.	1366	140,335	1005	73.2	70.1-76.3	63	5.4	03.6-07.2	10	0.7	00.0-01.5	9	0.8	00.0-01.6	2	0.4	00.0-01.2	277	19.6	17.1-22.1
Some Post-H.S.	1471	159,732	1116	76.5	73.6-79.4	54	4.3	02.7-05.9	23	1.5	00.3-02.7	1	0.1	00.0-00.3	2	0.0	00.0-00.0	275	17.5	15.0-20.0
College Graduate	1395	150,839	1072	77.8	75.1-80.5	63	3.6	02.6-04.6	10	0.5	00.1-00.9	1	0.1	00.0-00.3				249	18.1	15.6-20.6
Less than \$15,000	382	36,037	275	71.8	64.4-79.2	21	6.3	02.0-10.6	7	2.3	00.0-05.4	1	0.2	00.0-00.6				78	19.5	13.4-25.6
\$15,000- 24,999	671	61,547	473	68.8	63.5-74.1	45	7.3	04.2-10.4	7	0.6	00.2-01.0	2	1.0	00.0-02.8				144	22.4	17.7-27.1
\$25,000- 34,999	569	57,187	442	79.6	75.3-83.9	28	3.6	02.0-05.2	7	0.8	00.2-01.4	2	0.3	00.0-00.9	1	0.0	00.0-00.0	89	15.7	11.8-19.6
\$35,000- 49,999	724	72,492	554	77.2	73.7-80.7	28	4.4	02.4-06.4	2	0.2	00.0-00.4	1	0.0	00.0-00.0				139	18.2	15.1-21.3
\$50,000- 74,999	769	90,368	587	76.7	73.0-80.4	27	3.9	02.1-05.7	8	1.7	00.0-03.7	3	0.4	00.0-00.8	1	0.1	00.0-00.3	143	17.2	14.3-20.1
\$75,000+	882	107,208	683	78.2	74.9-81.5	31	4.5	02.3-06.7	6	0.4	00.0-00.8							162	16.9	14.2-19.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES
TABLE 2: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1870	239,776	1476	80.2	77.8-82.6	89	4.6	03.4-05.8	23	1.1	00.3-01.9	6	0.2	00.0-00.4	4	0.3	00.0-00.7	272	13.7	11.9-15.5
Native	122	9,320				7	1.2	00.0-02.4	2	0.2	00.0-00.4				1	5.5	00.0-15.9	17	12.3	03.7-20.9
Non-Native	1724	227,890	1363	80.2	77.8-82.6	80	4.6	03.4-05.8	21	1.1	00.3-01.9	6	0.2	00.0-00.4	3	0.1	00.1-00.1	251	13.8	11.8-15.8
18-24	90	36,843	75	85.1	76.9-93.3	5	6.0	00.7-11.3	1	2.3	00.0-06.8				1	1.4	00.0-04.1	8	5.2	00.7-09.7
25-34	204	43,042	161	79.8	73.5-86.1	11	5.4	02.1-08.7										32	14.8	09.1-20.5
35-44	296	39,538	235	80.0	75.1-84.9	10	3.1	01.1-05.1	4	0.9	00.0-01.9	1	0.4	00.0-01.2				46	15.7	11.2-20.2
45-54	456	46,051	347	76.2	71.9-80.5	11	1.9	00.7-03.1	6	1.3	00.1-02.5	3	0.4	00.0-00.8	1	0.2	00.0-00.6	88	20.1	16.0-24.2
55-64	389	34,592	301	78.4	73.9-82.9	19	4.4	02.2-06.6	10	1.7	00.3-03.1	1	0.2	00.0-00.6	1	0.0	00.0-00.0	57	15.4	11.3-19.5
65+	419	38,310	343	82.1	78.0-86.2	32	7.2	04.5-09.9	2	0.6	00.0-01.4	1	0.0	00.0-00.0	1	0.1	00.0-00.3	40	10.0	06.7-13.3
Less Than H.S.	171	19,120	125	74.2	64.2-84.2	14	11.3	03.5-19.1	1	0.3	00.0-00.9							31	14.3	06.5-22.1
H.S. or G.E.D.	551	70,185	416	77.1	72.8-81.4	30	4.5	02.5-06.5	2	0.1	00.0-00.3	4	0.3	00.1-00.5	2	0.8	00.0-02.2	97	17.2	13.5-20.9
Some Post-H.S.	571	76,175	446	79.3	75.0-83.6	24	4.7	02.3-07.1	15	2.7	00.3-05.1	1	0.2	00.0-00.6	2	0.1	00.0-00.3	83	13.0	09.9-16.1
College Graduate	577	74,297	489	85.5	82.2-88.8	21	2.7	01.5-03.9	5	0.5	00.0-01.1	1	0.1	00.0-00.3				61	11.2	08.3-14.1
Less than \$15,000	126	14,313				9	7.4	00.0-14.8	4	1.6	00.0-03.8	1	0.4	00.0-01.2						
\$15,000- 24,999	221	24,084	158	72.9	65.5-80.3	18	7.5	03.2-11.8	1	0.2	00.0-00.6							44	19.4	12.9-25.9
\$25,000- 34,999	243	29,635	197	83.4	77.7-89.1	7	2.2	00.4-04.0	3	1.0	00.0-02.2	1	0.2	00.0-00.6	1	0.0	00.0-00.0	34	13.2	07.9-18.5
\$35,000- 49,999	320	39,395	251	78.9	73.8-84.0	19	5.6	02.7-08.5	2	0.3	00.0-00.7	1	0.0	00.0-00.0				47	15.2	10.7-19.7
\$50,000- 74,999	340	47,030	272	79.1	73.6-84.6	14	4.0	01.6-06.4	7	3.0	00.0-06.5	2	0.5	00.0-01.3	1	0.2	00.0-00.6	44	13.2	08.9-17.5
\$75,000+	456	62,094	383	84.6	80.7-88.5	15	4.3	01.6-07.0	4	0.5	00.0-01.1							54	10.5	07.6-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 3: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2735	247,422	1991	71.9	69.5-74.3	118	4.6	03.4-05.8	22	0.7	00.1-01.3	5	0.4	00.0-00.8	599	22.4	20.2-24.6
Native	224	12,335				15	6.6	01.7-11.5	4	5.2	00.0-13.6				41	18.3	10.5-26.1
Non-Native	2494	233,802	1817	72.0	69.6-74.4	102	4.5	03.3-05.7	17	0.4	00.2-00.6	5	0.4	00.0-00.8	553	22.7	20.5-24.9
18-24	97	35,328				7	8.8	01.9-15.7	1	1.6	00.0-04.5	1	1.6	00.0-04.5	18	20.0	10.2-29.8
25-34	299	39,268	207	68.1	62.4-73.8	20	6.9	03.8-10.0	4	0.6	00.0-01.4	1	0.4	00.0-01.2	67	24.1	18.8-29.4
35-44	417	38,489	293	71.4	66.5-76.3	14	3.4	01.4-05.4	1	0.1	00.0-00.3				109	25.1	20.4-29.8
45-54	601	45,599	433	71.3	67.2-75.4	17	2.5	01.1-03.9	4	0.5	00.1-00.9	2	0.3	00.0-00.7	145	25.4	21.5-29.3
55-64	509	34,340	358	70.1	65.6-74.6	23	2.8	01.4-04.2	5	0.9	00.0-01.9				123	26.2	21.9-30.5
65+	794	53,164	618	79.1	76.0-82.2	37	4.2	02.8-05.6	7	0.7	00.1-01.3	1	0.1	00.0-00.3	131	15.9	13.2-18.6
Less Than H.S.	200	17,023	148	79.2	72.3-86.1	13	3.1	01.1-05.1	1	0.4	00.0-01.2				38	17.3	10.8-23.8
H.S. or G.E.D.	815	70,150	589	69.3	64.8-73.8	33	6.2	03.3-09.1	8	1.3	00.0-02.9	5	1.3	00.0-02.9	180	21.9	18.2-25.6
Some Post-H.S.	900	83,557	670	73.9	69.8-78.0	30	4.0	01.8-06.2	8	0.5	00.1-00.9				192	21.7	18.0-25.4
College Graduate	818	76,542	583	70.3	66.2-74.4	42	4.4	02.8-06.0	5	0.5	00.0-01.1				188	24.8	20.9-28.7
Less than \$15,000	256	21,724	189	72.8	64.0-81.6	12	5.5	00.2-10.8	3	2.8	00.0-07.7				52	18.9	12.0-25.8
\$15,000- 24,999	450	37,464	315	66.2	59.1-73.3	27	7.1	02.8-11.4	6	0.8	00.2-01.4	2	1.6	00.0-04.3	100	24.4	17.9-30.9
\$25,000- 34,999	326	27,552	245	75.5	69.2-81.8	21	5.0	02.5-07.5	4	0.6	00.0-01.2	1	0.5	00.0-01.5	55	18.4	12.5-24.3
\$35,000- 49,999	404	33,097	303	75.3	70.4-80.2	9	2.9	00.5-05.3							92	21.9	17.2-26.6
\$50,000- 74,999	429	43,338	315	74.2	69.3-79.1	13	3.8	00.9-06.7	1	0.3	00.0-00.9	1	0.2	00.0-00.6	99	21.5	17.2-25.8
\$75,000+	426	45,114	300	69.4	63.9-74.9	16	4.6	01.7-07.5	2	0.3	00.0-00.9				108	25.7	20.6-30.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 4: FRUIT SERVINGS PER DAY (FRUTDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4608	487,631	3403	75.0	73.2-76.8	677	13.6	12.2-15.0	211	3.9	03.1-04.7	46	1.1	00.5-01.7	4	0.1	00.1-00.1	267	6.2	05.2-07.2
Male	1865	239,784	1497	81.6	79.2-84.0	158	7.8	06.2-09.4	47	2.0	01.2-02.8	11	1.0	00.0-02.0				152	7.6	06.0-09.2
Female	2743	247,847	1906	68.6	66.2-71.0	519	19.2	17.2-21.2	164	5.8	04.6-07.0	35	1.2	00.8-01.6	4	0.2	00.0-00.4	115	5.0	03.6-06.4
Native	345	22,378				47	14.6	07.0-22.2	12	2.0	00.2-03.8							33	15.0	05.8-24.2
Non-Native	4223	461,472	3127	75.4	73.6-77.2	621	13.5	12.1-14.9	196	4.0	03.2-04.8	46	1.2	00.6-01.8	4	0.1	00.1-00.1	229	5.8	04.8-06.8
18-24	188	73,670	141	73.1	65.7-80.5	23	13.1	07.4-18.8	4	2.9	00.0-05.8	2	1.8	00.0-04.3				18	9.0	04.3-13.7
25-34	499	81,419	378	76.6	72.5-80.7	63	12.5	09.4-15.6	23	3.7	02.1-05.3	2	0.6	00.0-01.6	1	0.2	00.0-00.6	32	6.5	04.0-09.0
35-44	710	77,471	553	79.8	76.5-83.1	76	9.2	07.0-11.4	28	4.1	02.5-05.7	5	0.8	00.2-01.4	1	0.1	00.0-00.3	47	6.1	04.1-08.1
45-54	1059	91,716	809	76.8	74.1-79.5	120	10.9	08.9-12.9	43	4.0	02.6-05.4	16	1.7	00.9-02.5	1	0.1	00.0-00.3	70	6.5	04.9-08.1
55-64	902	68,927	656	74.3	71.2-77.4	141	15.0	12.5-17.5	42	3.9	02.5-05.3	10	1.1	00.3-01.9	1	0.1	00.0-00.3	52	5.6	03.8-07.4
65+	1214	91,651	840	69.8	66.9-72.7	251	20.5	18.0-23.0	68	4.8	03.6-06.0	11	0.9	00.3-01.5				44	3.9	02.5-05.3
Less Than H.S.	364	35,404	247	69.6	62.9-76.3	65	15.8	10.9-20.7	18	4.4	01.3-07.5	1	0.1	00.0-00.3				33	10.1	05.6-14.6
H.S. or G.E.D.	1370	141,551	1055	75.9	72.6-79.2	174	13.1	10.4-15.8	41	2.0	01.2-02.8	8	0.8	00.0-01.6				92	8.2	05.8-10.6
Some Post-H.S.	1471	159,166	1100	77.8	75.1-80.5	192	11.0	09.0-13.0	63	3.6	02.4-04.8	18	1.5	00.3-02.7				98	6.1	04.5-07.7
College Graduate	1401	151,359	999	72.5	69.6-75.4	246	16.3	13.9-18.7	89	6.0	04.4-07.6	19	1.4	00.6-02.2	4	0.3	00.1-00.5	44	3.6	02.4-04.8
Less than \$15,000	379	35,791	266	73.1	65.8-80.4	53	14.5	08.0-21.0	18	2.5	01.1-03.9	4	0.3	00.0-00.7				38	9.5	05.2-13.8
\$15,000- 24,999	675	61,553	494	72.4	67.3-77.5	103	14.9	11.0-18.8	30	2.9	01.3-04.5	1	0.1	00.0-00.3				47	9.8	06.1-13.5
\$25,000- 34,999	569	57,157	422	76.1	71.4-80.8	87	11.9	09.0-14.8	18	2.8	00.6-05.0	4	1.5	00.0-03.5				38	7.7	04.2-11.2
\$35,000- 49,999	722	72,113	549	76.8	73.1-80.5	91	11.2	08.5-13.9	32	4.0	02.4-05.6	8	1.0	00.2-01.8				42	6.9	04.4-09.4
\$50,000- 74,999	770	90,215	567	74.8	71.1-78.5	119	14.1	11.4-16.8	35	3.8	02.4-05.2	13	2.5	00.3-04.7	1	0.2	00.0-00.6	35	4.6	02.8-06.4
\$75,000+	881	106,885	663	76.9	73.6-80.2	117	12.7	10.0-15.4	49	5.2	03.4-07.0	11	1.1	00.3-01.9	3	0.3	00.0-00.7	38	3.8	02.4-05.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES
TABLE 5: FRUIT SERVINGS PER DAY (FRUTDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1865	239,784	1497	81.6	79.2-84.0	158	7.8	06.2-09.4	47	2.0	01.2-02.8	11	1.0	00.0-02.0	152	7.6	06.0-09.2
Native	121	9,986				13	9.1	00.5-17.7	2	0.2	00.0-00.4						
Non-Native	1721	227,303	1387	82.0	79.8-84.2	142	7.7	06.1-09.3	43	2.1	01.3-02.9	11	1.1	00.1-02.1	138	7.1	05.7-08.5
18-24	91	38,342	75	83.3	74.3-92.3	6	6.0	00.3-11.7	1	1.3	00.0-03.8	2	3.6	00.0-08.5	7	5.8	00.3-11.3
25-34	201	42,291	162	80.9	75.0-86.8	13	7.2	03.1-11.3	3	1.1	00.0-02.5	1	0.8	00.0-02.4	22	10.0	05.7-14.3
35-44	294	39,047	244	84.1	79.6-88.6	13	3.9	01.5-06.3	7	2.5	00.3-04.7	1	0.4	00.0-01.2	29	9.2	05.7-12.7
45-54	457	46,107	366	81.5	77.6-85.4	38	8.1	05.4-10.8	10	2.1	00.7-03.5	3	0.6	00.0-01.4	40	7.7	05.2-10.2
55-64	389	34,412	313	82.3	78.2-86.4	36	8.6	05.5-11.7	11	2.6	01.0-04.2	3	0.7	00.0-01.7	26	5.9	03.4-08.4
65+	417	38,129	326	78.2	73.9-82.5	52	13.3	09.6-17.0	13	2.5	00.9-04.1	1	0.4	00.0-01.2	25	5.6	03.2-08.0
Less Than H.S.	168	18,533	121	72.5	63.3-81.7	19	9.0	04.3-13.7	6	4.7	00.0-10.2				22	13.9	06.6-21.2
H.S. or G.E.D.	550	71,160	449	81.1	76.6-85.6	39	7.8	04.5-11.1	12	1.6	00.4-02.8	2	0.9	00.0-02.3	48	8.6	05.5-11.7
Some Post-H.S.	567	75,425	457	83.4	79.5-87.3	39	5.5	03.3-07.7	11	1.5	00.5-02.5	6	1.9	00.0-04.3	54	7.7	05.2-10.2
College Graduate	580	74,665	470	82.4	78.9-85.9	61	9.8	07.1-12.5	18	2.4	01.2-03.6	3	0.6	00.0-01.6	28	4.9	02.7-07.1
Less than \$15,000	124	14,125	97	84.1	75.1-93.1	8	2.6	00.1-05.1	3	1.0	00.0-02.4	1	0.0	00.0-00.0	15	12.2	03.6-20.8
\$15,000- 24,999	223	24,128	176	81.4	75.3-87.5	20	8.5	04.0-13.0	3	0.5	00.0-01.1				24	9.6	05.3-13.9
\$25,000- 34,999	241	29,507	191	83.0	77.3-88.7	21	6.6	03.5-09.7	5	1.3	00.1-02.5	2	2.2	00.0-05.7	22	6.9	03.4-10.4
\$35,000- 49,999	316	38,817	258	80.3	75.0-85.6	22	6.9	03.4-10.4	8	2.5	00.5-04.5				28	10.2	06.1-14.3
\$50,000- 74,999	339	46,741	270	80.3	75.0-85.6	29	7.1	04.4-09.8	10	2.3	00.7-03.9	4	3.2	00.0-07.1	26	7.1	04.2-10.0
\$75,000+	455	61,757	369	83.0	78.9-87.1	41	8.5	05.4-11.6	13	3.0	00.8-05.2	4	0.6	00.0-01.4	28	4.9	02.9-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES
TABLE 6: FRUIT SERVINGS PER DAY (FRUTDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2743	247,847	1906	68.6	66.2-71.0	519	19.2	17.2-21.2	164	5.8	04.6-07.0	35	1.2	00.8-01.6	4	0.2	00.0-00.4	115	5.0	03.6-06.4
Native	224	12,392							10	3.6	00.3-06.9							22	13.6	04.8-22.4
Non-Native	2502	234,170	1740	68.9	66.5-71.3	479	19.2	17.2-21.2	153	5.9	04.7-07.1	35	1.3	00.9-01.7	4	0.2	00.0-00.4	91	4.5	03.1-05.9
18-24	97	35,328				17	20.8	11.0-30.6	3	4.7	00.0-10.0							11	12.5	04.7-20.3
25-34	298	39,128	216	71.9	66.4-77.4	50	18.2	13.5-22.9	20	6.6	03.7-09.5	1	0.4	00.0-01.2	1	0.4	00.0-01.2	10	2.6	00.6-04.6
35-44	416	38,424	309	75.5	71.0-80.0	63	14.5	10.8-18.2	21	5.6	03.1-08.1	4	1.1	00.0-02.3	1	0.3	00.0-00.9	18	3.0	01.2-04.8
45-54	602	45,610	443	72.1	68.0-76.2	82	13.7	10.8-16.6	33	6.0	03.8-08.2	13	2.8	01.2-04.4	1	0.2	00.0-00.6	30	5.3	03.1-07.5
55-64	513	34,515	343	66.3	61.6-71.0	105	21.5	17.4-25.6	31	5.2	03.0-07.4	7	1.5	00.3-02.7	1	0.3	00.0-00.9	26	5.3	02.9-07.7
65+	797	53,522	514	63.9	60.2-67.6	199	25.6	22.3-28.9	55	6.5	04.7-08.3	10	1.3	00.5-02.1				19	2.7	01.3-04.1
Less Than H.S.	196	16,871	126	66.5	57.1-75.9	46	23.2	14.8-31.6	12	4.1	01.4-06.8	1	0.3	00.0-00.9				11	6.0	01.1-10.9
H.S. or G.E.D.	820	70,391	606	70.5	65.8-75.2	135	18.4	14.3-22.5	29	2.5	01.5-03.5	6	0.7	00.1-01.3				44	7.8	04.3-11.3
Some Post-H.S.	904	83,740	643	72.7	68.8-76.6	153	15.9	12.6-19.2	52	5.6	03.6-07.6	12	1.1	00.5-01.7				44	4.7	02.7-06.7
College Graduate	821	76,694	529	62.8	58.7-66.9	185	22.6	19.1-26.1	71	9.5	06.8-12.2	16	2.1	01.1-03.1	4	0.5	00.0-01.1	16	2.4	00.8-04.0
Less than \$15,000	255	21,667				45	22.2	12.4-32.0	15	3.5	01.3-05.7	3	0.5	00.0-01.3				23	7.8	03.5-12.1
\$15,000- 24,999	452	37,425	318	66.6	59.7-73.5	83	19.0	13.3-24.7	27	4.4	02.0-06.8	1	0.1	00.0-00.3				23	9.9	04.4-15.4
\$25,000- 34,999	328	27,650	231	68.8	61.5-76.1	66	17.5	12.8-22.2	13	4.4	00.3-08.5	2	0.7	00.0-01.7				16	8.6	02.5-14.7
\$35,000- 49,999	406	33,297	291	72.7	67.6-77.8	69	16.2	11.9-20.5	24	5.8	03.3-08.3	8	2.2	00.6-03.8				14	3.1	01.1-05.1
\$50,000- 74,999	431	43,473	297	68.8	63.7-73.9	90	21.6	16.9-26.3	25	5.5	03.1-07.9	9	1.9	00.7-03.1	1	0.3	00.0-00.9	9	1.9	00.5-03.3
\$75,000+	426	45,128	294	68.5	63.0-74.0	76	18.4	13.5-23.3	36	8.3	05.6-11.0	7	1.8	00.4-03.2	3	0.6	00.0-01.4	10	2.4	00.8-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 7: GREEN SALAD SERVINGS PER DAY (GNSLDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4596	486,568	4043	86.5	84.9-88.1	87	1.7	01.3-02.1	11	0.2	00.0-00.4	1	0.0	00.0-00.0	454	11.6	10.0-13.2
Male	1866	239,961	1618	85.1	82.7-87.5	23	0.8	00.4-01.2	3	0.2	00.0-00.6	1	0.0	00.0-00.0	221	13.8	11.4-16.2
Female	2730	246,607	2425	87.9	86.1-89.7	64	2.5	01.7-03.3	8	0.2	00.0-00.4				233	9.4	07.6-11.2
Native	346	22,335				10	2.8	00.4-05.2	3	1.7	00.0-04.6						
Non-Native	4211	460,524	3735	87.2	85.6-88.8	77	1.6	01.2-02.0	8	0.1	00.0-00.3	1	0.0	00.0-00.0	390	11.0	09.6-12.4
18-24	188	73,193	139	72.0	64.4-79.6	3	1.8	00.0-04.0							46	26.3	18.9-33.7
25-34	500	81,626	435	87.4	83.9-90.9	3	0.6	00.0-01.4	2	0.5	00.0-01.3				60	11.4	08.1-14.7
35-44	713	77,828	632	89.3	86.8-91.8	10	1.4	00.4-02.4	3	0.2	00.0-00.4				68	9.1	06.7-11.5
45-54	1056	91,511	925	88.6	86.4-90.8	32	2.6	01.6-03.6	3	0.3	00.0-00.7				96	8.6	06.6-10.6
55-64	899	68,964	805	90.8	88.6-93.0	17	1.7	00.7-02.7	3	0.3	00.0-00.7	1	0.1	00.0-00.3	73	7.1	05.1-09.1
65+	1204	90,669	1078	90.0	88.2-91.8	21	1.7	00.9-02.5							105	8.2	06.4-10.0
Less Than H.S.	362	35,331	299	77.5	70.1-84.9	10	2.1	00.5-03.7	1	0.0	00.0-00.0				52	20.4	13.0-27.8
H.S. or G.E.D.	1367	140,958	1174	81.7	78.4-85.0	20	1.4	00.6-02.2	4	0.4	00.0-01.0				169	16.4	13.1-19.7
Some Post-H.S.	1464	158,730	1289	87.6	85.1-90.1	29	2.0	00.8-03.2	4	0.2	00.0-00.4	1	0.0	00.0-00.0	141	10.1	07.7-12.5
College Graduate	1402	151,465	1280	92.0	90.0-94.0	28	1.4	00.8-02.0	2	0.1	00.1-00.1				92	6.5	04.7-08.3
Less than \$15,000	373	35,389	302	79.2	71.8-86.6	7	1.0	00.2-01.8							64	19.8	12.4-27.2
\$15,000- 24,999	676	61,805	576	83.4	78.9-87.9	13	1.4	00.4-02.4	2	0.2	00.0-00.4				85	15.0	10.5-19.5
\$25,000- 34,999	564	55,953	488	85.4	80.7-90.1	10	2.0	00.0-04.0	2	0.2	00.0-00.4	1	0.1	00.0-00.3	63	12.4	08.1-16.7
\$35,000- 49,999	724	72,451	647	88.9	86.0-91.8	16	2.0	01.0-03.0	2	0.0	00.0-00.0				59	9.0	06.3-11.7
\$50,000- 74,999	771	90,549	708	90.8	87.9-93.7	10	1.0	00.2-01.8	1	0.1	00.0-00.3				52	8.0	05.1-10.9
\$75,000+	881	106,907	800	90.9	88.5-93.3	21	1.7	00.9-02.5	2	0.4	00.0-01.0				58	6.9	04.7-09.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 8: GREEN SALAD SERVINGS PER DAY (GNSLDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1866	239,961	1618	85.1	82.7-87.5	23	0.8	00.4-01.2	3	0.2	00.0-00.6	1	0.0	00.0-00.0	221	13.8	11.4-16.2
Native	122	9,932				3	0.7	00.0-01.7	1	3.5	00.0-10.2						
Non-Native	1721	227,518	1504	85.9	83.5-88.3	20	0.8	00.4-01.2	2	0.1	00.1-00.1	1	0.0	00.0-00.0	194	13.2	10.8-15.6
25-34	203	42,638	174	85.8	80.1-91.5				1	0.8	00.0-02.4				28	13.4	07.9-18.9
35-44	296	39,350	258	88.4	84.5-92.3	1	0.4	00.0-01.2							37	11.2	07.5-14.9
45-54	459	46,393	400	88.7	85.4-92.0	10	1.6	00.4-02.8	1	0.0	00.0-00.0				48	9.7	06.6-12.8
55-64	388	34,581	351	92.0	89.3-94.7	1	0.2	00.0-00.6	1	0.3	00.0-00.9	1	0.2	00.0-00.6	34	7.2	04.5-09.9
65+	413	37,678	364	90.3	87.4-93.2	10	2.2	00.6-03.8							39	7.5	05.0-10.0
Less Than H.S.	169	18,699				5	2.4	00.0-04.8									
H.S. or G.E.D.	550	70,845	461	79.2	73.9-84.5	6	0.8	00.0-01.6	2	0.6	00.0-01.6				81	19.3	14.0-24.6
Some Post-H.S.	566	75,573	490	87.3	83.8-90.8	7	0.6	00.0-01.2	1	0.0	00.0-00.0	1	0.1	00.0-00.3	67	12.0	08.5-15.5
College Graduate	581	74,845	536	91.9	88.6-95.2	5	0.6	00.0-01.2							40	7.5	04.4-10.6
Less than \$15,000	122	14,038				4	1.7	00.0-03.5									
\$15,000- 24,999	224	24,194	189	83.4	76.0-90.8	6	2.1	00.1-04.1							29	14.5	07.1-21.9
\$25,000- 34,999	238	28,533	203	86.8	80.5-93.1	1	0.2	00.0-00.6				1	0.2	00.0-00.6	33	12.8	06.5-19.1
\$35,000- 49,999	320	39,342	272	84.7	80.0-89.4	7	2.0	00.4-03.6	1	0.0	00.0-00.0				40	13.3	08.8-17.8
\$50,000- 74,999	341	47,277	310	88.9	83.8-94.0	1	0.1	00.0-00.3	1	0.2	00.0-00.6				29	10.7	05.6-15.8
\$75,000+	454	61,761	421	93.9	91.5-96.3	3	0.3	00.0-00.7	1	0.6	00.0-01.8				29	5.2	03.0-07.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 9: GREEN SALAD SERVINGS PER DAY (GNSLDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2730	246,607	2425	87.9	86.1-89.7	64	2.5	01.7-03.3	8	0.2	00.0-00.4	233	9.4	07.6-11.2
Native	224	12,404				7	4.4	00.1-08.7	2	0.2	00.0-00.4			
Non-Native	2490	233,006	2231	88.5	86.7-90.3	57	2.4	01.6-03.2	6	0.2	00.0-00.4	196	8.9	07.1-10.7
18-24	97	35,328	78	78.2	68.4-88.0	3	3.6	00.0-07.9				16	18.2	09.0-27.4
25-34	297	38,988	261	89.3	85.6-93.0	3	1.3	00.0-02.7	1	0.2	00.0-00.6	32	9.3	05.8-12.8
35-44	417	38,478	374	90.2	86.9-93.5	9	2.4	00.8-04.0	3	0.3	00.0-00.9	31	7.1	04.2-10.0
45-54	597	45,118	525	88.4	85.5-91.3	22	3.7	01.9-05.5	2	0.5	00.0-01.1	48	7.4	05.0-09.8
55-64	511	34,383	454	89.6	86.5-92.7	16	3.2	01.4-05.0	2	0.3	00.0-00.9	39	7.0	04.5-09.5
65+	791	52,991	714	89.8	87.4-92.2	11	1.4	00.4-02.4				66	8.7	06.5-10.9
Less Than H.S.	193	16,632	168	83.8	74.6-93.0	5	1.7	00.0-03.5	1	0.0	00.0-00.0	19	14.4	05.4-23.4
H.S. or G.E.D.	817	70,113	713	84.1	80.2-88.0	14	2.0	00.8-03.2	2	0.2	00.0-00.6	88	13.6	09.7-17.5
Some Post-H.S.	898	83,157	799	88.0	84.7-91.3	22	3.3	01.3-05.3	3	0.3	00.0-00.7	74	8.4	05.5-11.3
College Graduate	821	76,620	744	92.1	90.1-94.1	23	2.2	01.2-03.2	2	0.1	00.0-00.3	52	5.6	03.8-07.4
Less than \$15,000	251	21,351	209	84.3	75.5-93.1	3	0.6	00.0-01.4				39	15.1	06.3-23.9
\$15,000- 24,999	452	37,612	387	83.4	77.9-88.9	7	1.0	00.2-01.8	2	0.3	00.0-00.7	56	15.3	09.8-20.8
\$25,000- 34,999	326	27,420	285	84.0	77.1-90.9	9	3.8	00.0-07.9	2	0.3	00.0-00.9	30	11.9	06.0-17.8
\$35,000- 49,999	404	33,110	375	93.9	91.4-96.4	9	2.0	00.4-03.6	1	0.0	00.0-00.0	19	4.0	01.8-06.2
\$50,000- 74,999	430	43,272	398	93.0	90.3-95.7	9	2.1	00.5-03.7				23	5.0	02.8-07.2
\$75,000+	427	45,146	379	86.8	82.5-91.1	18	3.6	01.8-05.4	1	0.2	00.0-00.6	29	9.3	05.2-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 10: POTATO SERVINGS PER DAY (POTADAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4603	487,709	4185	91.3	90.1-92.5	43	0.8	00.4-01.2	5	0.2	00.0-00.4	2	0.0	00.0-00.0	368	7.7	06.7-08.7
Male	1867	240,462	1714	92.2	90.6-93.8	22	1.0	00.4-01.6	3	0.1	00.0-00.3				128	6.7	05.3-08.1
Female	2736	247,247	2471	90.5	88.9-92.1	21	0.6	00.2-01.0	2	0.3	00.0-00.7	2	0.1	00.1-00.1	240	8.6	07.0-10.2
Native	343	22,113	306	88.9	82.4-95.4	8	1.1	00.1-02.1	1	2.5	00.0-07.2				28	7.6	02.9-12.3
Non-Native	4220	461,815	3843	91.4	90.2-92.6	33	0.8	00.4-01.2	4	0.1	00.1-00.1	2	0.0	00.0-00.0	338	7.7	06.5-08.9
18-24	188	73,194	163	88.6	83.3-93.9	2	0.2	00.0-00.4	1	0.7	00.0-02.1	1	0.1	00.0-00.3	21	10.4	05.3-15.5
25-34	503	82,562	452	90.5	87.8-93.2	1	0.3	00.0-00.9	1	0.1	00.0-00.3				49	9.0	06.3-11.7
35-44	710	77,650	655	92.9	90.9-94.9	5	1.1	00.1-02.1							50	6.1	04.3-07.9
45-54	1057	91,550	954	90.8	88.8-92.8	12	1.4	00.4-02.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3	89	7.6	05.8-09.4
55-64	899	68,728	819	91.8	89.8-93.8	8	0.4	00.0-00.8	1	0.1	00.0-00.3				71	7.7	05.7-09.7
65+	1209	91,191	1110	93.1	91.5-94.7	15	1.2	00.4-02.0	1	0.2	00.0-00.6				83	5.5	04.1-06.9
Less Than H.S.	370	35,436	335	93.2	90.5-95.9	11	1.8	00.2-03.4	1	0.4	00.0-01.2				23	4.6	02.4-06.8
H.S. or G.E.D.	1369	142,144	1249	90.8	88.6-93.0	14	1.2	00.4-02.0	2	0.5	00.0-01.3	1	0.0	00.0-00.0	103	7.4	05.4-09.4
Some Post-H.S.	1465	158,988	1333	90.4	88.0-92.8	10	0.5	00.1-00.9	2	0.1	00.0-00.3				120	9.0	06.6-11.4
College Graduate	1397	150,991	1266	92.2	90.6-93.8	8	0.5	00.1-00.9				1	0.1	00.0-00.3	122	7.2	05.6-08.8
Less than \$15,000	376	35,169	317	85.5	80.2-90.8	8	1.1	00.1-02.1	3	2.1	00.0-05.2	1	0.2	00.0-00.6	47	11.1	06.6-15.6
\$15,000- 24,999	677	61,921	608	88.7	84.6-92.8	11	1.5	00.3-02.7							58	9.8	05.9-13.7
\$25,000- 34,999	569	57,108	517	91.9	88.8-95.0	4	0.6	00.0-01.2							48	7.6	04.5-10.7
\$35,000- 49,999	717	72,065	652	91.4	88.9-93.9	8	0.8	00.0-01.6	1	0.2	00.0-00.6	1	0.1	00.0-00.3	55	7.5	05.1-09.9
\$50,000- 74,999	771	90,394	710	92.3	89.9-94.7	4	0.7	00.0-01.5							57	7.0	04.6-09.4
\$75,000+	880	106,721	821	94.3	92.7-95.9	3	0.4	00.0-00.8	1	0.1	00.0-00.3				55	5.3	03.7-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 11: POTATO SERVINGS PER DAY (POTADAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1867	240,462	1714	92.2	90.6-93.8	22	1.0	00.4-01.6	3	0.1	00.0-00.3	128	6.7	05.3-08.1
Native	119	9,747	109	94.4	89.1-99.7	2	0.5	00.0-01.3				8	5.1	00.0-10.2
Non-Native	1725	228,220	1584	92.0	90.4-93.6	19	1.0	00.4-01.6	3	0.1	00.0-00.3	119	6.8	05.2-08.4
18-24	91	37,866	82	92.8	87.3-98.3	1	0.1	00.0-00.3				8	7.1	01.6-12.6
25-34	206	43,504	183	89.9	85.6-94.2	1	0.5	00.0-01.5	1	0.3	00.0-00.9	21	9.3	05.0-13.6
35-44	293	39,172	273	93.3	90.4-96.2	4	1.6	00.0-03.4				16	5.1	02.6-07.6
45-54	457	46,303	411	90.4	87.3-93.5	8	2.1	00.3-03.9				38	7.5	05.0-10.0
55-64	387	34,264	359	92.8	89.9-95.7	2	0.2	00.0-00.6	1	0.2	00.0-00.6	25	6.8	03.9-09.7
65+	416	37,840	391	94.9	92.7-97.1	6	1.1	00.1-02.1	1	0.4	00.0-01.2	18	3.6	01.8-05.4
Less Than H.S.	170	18,316	159	95.4	92.1-98.7	6	1.4	00.0-03.2	1	0.8	00.0-02.4	4	2.4	00.0-04.8
H.S. or G.E.D.	554	71,992	507	90.9	87.6-94.2	9	1.7	00.3-03.1	1	0.2	00.0-00.6	37	7.3	04.2-10.4
Some Post-H.S.	565	75,700	516	91.9	89.2-94.6	3	0.4	00.0-01.0	1	0.1	00.0-00.3	45	7.6	04.9-10.3
College Graduate	578	74,455	532	92.8	90.4-95.2	4	0.8	00.0-01.8				42	6.4	04.2-08.6
Less than \$15,000	122	13,709	100	85.5	78.1-92.9	4	1.2	00.0-03.2	2	1.4	00.0-03.4	16	11.8	04.9-18.7
\$15,000- 24,999	226	24,383	208	88.9	82.4-95.4	4	2.1	00.0-04.8				14	9.0	03.1-14.9
\$25,000- 34,999	242	29,529	223	94.1	91.2-97.0	2	0.5	00.0-01.3				17	5.4	02.7-08.1
\$35,000- 49,999	313	38,873	289	91.7	88.0-95.4	4	1.0	00.0-02.2	1	0.4	00.0-01.2	19	7.0	03.5-10.5
\$50,000- 74,999	340	47,036	319	94.2	91.5-96.9	3	0.9	00.0-02.1				18	5.0	02.6-07.4
\$75,000+	454	61,663	425	94.6	92.4-96.8	2	0.5	00.0-01.1				27	5.0	02.8-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES
TABLE 12: POTATO SERVINGS PER DAY (POTADAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2736	247,247	2471	90.5	88.9-92.1	21	0.6	00.2-01.0	2	0.3	00.0-00.7	2	0.1	00.1-00.1	240	8.6	07.0-10.2
Native	224	12,366				6	1.5	00.0-03.3	1	4.4	00.0-12.8				20	9.5	02.4-16.6
Non-Native	2495	233,596	2259	90.7	89.1-92.3	14	0.5	00.1-00.9	1	0.0	00.0-00.0	2	0.1	00.1-00.1	219	8.6	07.0-10.2
18-24	97	35,328	81	84.0	75.0-93.0	1	0.3	00.0-00.9	1	1.6	00.0-04.5	1	0.2	00.0-00.6	13	14.0	05.4-22.6
25-34	297	39,058	269	91.3	88.0-94.6										28	8.7	05.4-12.0
35-44	417	38,478	382	92.4	89.7-95.1	1	0.6	00.0-01.8							34	7.0	04.5-09.5
45-54	600	45,247	543	91.3	88.9-93.7	4	0.6	00.0-01.2	1	0.2	00.0-00.6	1	0.2	00.0-00.6	51	7.7	05.3-10.1
55-64	512	34,464	460	90.8	88.1-93.5	6	0.7	00.1-01.3							46	8.5	05.8-11.2
65+	793	53,351	719	91.8	89.8-93.8	9	1.3	00.3-02.3							65	6.9	05.1-08.7
Less Than H.S.	200	17,120	176	90.8	86.3-95.3	5	2.2	00.0-04.9							19	7.0	03.5-10.5
H.S. or G.E.D.	815	70,152	742	90.8	87.9-93.7	5	0.8	00.0-01.6	1	0.8	00.0-02.4	1	0.1	00.0-00.3	66	7.6	05.1-10.1
Some Post-H.S.	900	83,288	817	89.0	85.5-92.5	7	0.5	00.1-00.9	1	0.1	00.0-00.3				75	10.4	06.9-13.9
College Graduate	819	76,536	734	91.6	89.4-93.8	4	0.2	00.0-00.4				1	0.1	00.0-00.3	80	8.0	05.8-10.2
Less than \$15,000	254	21,460	217	85.5	78.1-92.9	4	1.1	00.0-02.3	1	2.6	00.0-07.5	1	0.3	00.0-00.9	31	10.6	04.7-16.5
\$15,000- 24,999	451	37,539	400	88.5	83.2-93.8	7	1.0	00.0-02.0							44	10.4	05.1-15.7
\$25,000- 34,999	327	27,579	294	89.5	83.8-95.2	2	0.6	00.0-01.4							31	9.9	04.2-15.6
\$35,000- 49,999	404	33,192	363	91.1	88.0-94.2	4	0.5	00.0-01.1				1	0.3	00.0-00.9	36	8.1	05.2-11.0
\$50,000- 74,999	431	43,358	391	90.3	86.4-94.2	1	0.5	00.0-01.5							39	9.2	05.3-13.1
\$75,000+	426	45,058	396	93.9	91.5-96.3	1	0.3	00.0-00.9	1	0.2	00.0-00.6				28	5.6	03.2-08.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 13: CARROT SERVINGS PER DAY (CRTSDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4556	483,433	3634	77.6	75.8-79.4	48	1.1	00.7-01.5	8	0.1	00.1-00.1	6	0.1	00.1-00.1	860	21.1	19.3-22.9
Male	1855	238,310	1425	74.8	72.1-77.5	16	0.9	00.3-01.5	3	0.1	00.0-00.3				411	24.2	21.5-26.9
Female	2701	245,123	2209	80.4	78.2-82.6	32	1.3	00.5-02.1	5	0.1	00.0-00.3	6	0.2	00.0-00.4	449	18.0	15.8-20.2
Native	337	21,525				2	0.8	00.0-02.0									
Non-Native	4179	458,127	3342	78.0	76.2-79.8	46	1.1	00.5-01.7	8	0.1	00.0-00.3	6	0.1	00.1-00.1	777	20.6	18.8-22.4
18-24	186	72,396	124	65.3	57.5-73.1	2	2.0	00.0-04.7							60	32.8	25.0-40.6
25-34	502	82,216	367	73.4	68.9-77.9	3	0.3	00.0-00.7							132	26.3	22.0-30.6
35-44	707	77,241	534	76.9	73.4-80.4	5	0.6	00.0-01.2	2	0.1	00.0-00.3	2	0.2	00.0-00.6	164	22.2	18.9-25.5
45-54	1048	90,977	841	79.9	77.2-82.6	13	1.2	00.4-02.0	2	0.1	00.0-00.3	1	0.1	00.0-00.3	191	18.8	16.1-21.5
55-64	898	68,356	727	81.2	78.3-84.1	9	1.0	00.2-01.8							162	17.8	15.1-20.5
65+	1178	89,415	1021	88.0	86.0-90.0	15	1.4	00.6-02.2	4	0.5	00.1-00.9	3	0.3	00.0-00.7	135	9.8	08.0-11.6
Less Than H.S.	359	34,638	269	71.8	64.5-79.1	5	1.2	00.0-02.4	2	0.8	00.0-02.0				83	26.2	18.9-33.5
H.S. or G.E.D.	1351	140,444	1062	75.1	71.8-78.4	15	1.9	00.3-03.5	3	0.2	00.0-00.4	2	0.1	00.0-00.3	269	22.8	19.5-26.1
Some Post-H.S.	1452	158,076	1142	75.5	72.2-78.8	10	0.4	00.0-00.8	2	0.0	00.0-00.0	2	0.1	00.0-00.3	296	23.9	20.6-27.2
College Graduate	1392	150,125	1159	83.6	81.2-86.0	18	1.0	00.4-01.6	1	0.0	00.0-00.0	2	0.1	00.0-00.3	212	15.3	12.9-17.7
Less than \$15,000	376	35,340	280	67.9	59.7-76.1	5	0.8	00.0-01.6	2	0.3	00.0-00.7				89	31.0	22.6-39.4
\$15,000- 24,999	664	60,227	520	76.2	71.5-80.9	10	2.4	00.0-04.9	1	0.2	00.0-00.6	1	0.2	00.0-00.6	132	21.0	16.7-25.3
\$25,000- 34,999	564	56,944	443	76.7	71.6-81.8	6	0.8	00.0-01.6	1	0.2	00.0-00.6	1	0.2	00.0-00.6	113	22.1	17.0-27.2
\$35,000- 49,999	716	71,861	580	79.1	75.4-82.8	9	0.9	00.1-01.7	2	0.2	00.0-00.4	1	0.1	00.0-00.3	124	19.7	16.0-23.4
\$50,000- 74,999	764	89,678	604	77.4	73.5-81.3	7	0.6	00.0-01.2	1	0.0	00.0-00.0	1	0.1	00.0-00.3	151	21.9	18.0-25.8
\$75,000+	878	106,651	730	82.7	79.6-85.8	6	0.7	00.1-01.3							142	16.6	13.7-19.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 14: CARROT SERVINGS PER DAY (CRTSDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1855	238,310	1425	74.8	72.1-77.5	16	0.9	00.3-01.5	3	0.1	00.0-00.3	411	24.2	21.5-26.9
Native	117	9,373				1	0.5	00.0-01.5						
Non-Native	1715	226,442	1317	75.0	72.3-77.7	15	0.9	00.1-01.7	3	0.1	00.0-00.3	380	23.9	21.2-26.6
18-24	89	37,068				1	1.8	00.0-05.3						
25-34	205	43,158	143	71.4	64.5-78.3							62	28.6	21.7-35.5
35-44	293	39,032	212	73.6	68.3-78.9	2	0.6	00.0-01.4				79	25.8	20.5-31.1
45-54	452	45,799	354	78.6	74.3-82.9	6	1.1	00.1-02.1	1	0.0	00.0-00.0	91	20.2	16.1-24.3
55-64	388	34,110	300	78.2	73.5-82.9	2	0.8	00.0-02.2				86	21.1	16.6-25.6
65+	411	37,631	352	88.0	84.9-91.1	5	1.2	00.0-02.4	2	0.6	00.0-01.4	52	10.1	07.2-13.0
Less Than H.S.	167	18,080				3	1.3	00.0-03.1	1	0.8	00.0-02.4			
H.S. or G.E.D.	544	70,694	405	72.9	67.8-78.0	6	1.8	00.0-03.8	1	0.1	00.0-00.3	132	25.1	20.2-30.0
Some Post-H.S.	563	75,445	415	70.8	65.5-76.1	2	0.1	00.0-00.3	1	0.0	00.0-00.0	145	29.1	23.8-34.4
College Graduate	581	74,091	482	82.4	78.7-86.1	5	0.7	00.0-01.5				94	16.9	13.4-20.4
Less than \$15,000	124	13,775				3	1.0	00.0-02.4						
\$15,000- 24,999	218	22,996	164	74.9	67.5-82.3	4	1.9	00.0-03.9	1	0.6	00.0-01.8	49	22.6	15.3-29.9
\$25,000- 34,999	242	29,475	180	74.2	66.8-81.6	1	0.3	00.0-00.9				61	25.5	18.1-32.9
\$35,000- 49,999	314	38,866	250	77.7	71.8-83.6	1	0.1	00.0-00.3	2	0.3	00.0-00.7	61	21.9	16.0-27.8
\$50,000- 74,999	338	46,731	252	71.9	65.4-78.4	3	0.7	00.0-01.5				83	27.4	20.9-33.9
\$75,000+	453	61,599	364	80.9	76.6-85.2	3	0.7	00.0-01.7				86	18.4	14.1-22.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES
TABLE 15: CARROT SERVINGS PER DAY (CRTSDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2701	245,123	2209	80.4	78.2-82.6	32	1.3	00.5-02.1	5	0.1	00.0-00.3	6	0.2	00.0-00.4	449	18.0	16.0-20.0
Native	220	12,153				1	1.1	00.0-03.3									
Non-Native	2464	231,685	2025	81.0	78.8-83.2	31	1.3	00.5-02.1	5	0.1	00.0-00.3	6	0.2	00.0-00.4	397	17.4	15.4-19.4
18-24	97	35,328				1	2.1	00.0-06.0									
25-34	297	39,058	224	75.6	70.3-80.9	3	0.7	00.0-01.5							70	23.7	18.4-29.0
35-44	414	38,209	322	80.2	76.1-84.3	3	0.6	00.0-01.4	2	0.3	00.0-00.7	2	0.4	00.0-01.0	85	18.5	14.4-22.6
45-54	596	45,178	487	81.1	77.6-84.6	7	1.2	00.2-02.2	1	0.1	00.0-00.3	1	0.2	00.0-00.6	100	17.3	13.8-20.8
55-64	510	34,245	427	84.2	80.7-87.7	7	1.3	00.3-02.3							76	14.5	11.0-18.0
65+	767	51,785	669	87.9	85.4-90.4	10	1.5	00.3-02.7	2	0.4	00.0-01.0	3	0.5	00.0-01.1	83	9.6	07.4-11.8
Less Than H.S.	192	16,558	146	76.9	68.3-85.5	2	1.2	00.0-03.0	1	0.8	00.0-02.4				43	21.2	12.8-29.6
H.S. or G.E.D.	807	69,750	657	77.3	72.8-81.8	9	1.9	00.0-04.1	2	0.2	00.0-00.4	2	0.3	00.0-00.7	137	20.4	16.3-24.5
Some Post-H.S.	889	82,631	727	79.7	75.8-83.6	8	0.7	00.1-01.3	1	0.1	00.0-00.3	2	0.2	00.0-00.6	151	19.3	15.4-23.2
College Graduate	811	76,034	677	84.7	81.8-87.6	13	1.3	00.5-02.1	1	0.1	00.0-00.3	2	0.2	00.0-00.4	118	13.7	11.0-16.4
Less than \$15,000	252	21,566	192	71.9	62.1-81.7	2	0.6	00.0-01.4	2	0.5	00.0-01.3				56	27.0	17.2-36.8
\$15,000- 24,999	446	37,232	356	77.0	70.9-83.1	6	2.7	00.0-06.6				1	0.3	00.0-00.9	83	20.0	14.7-25.3
\$25,000- 34,999	322	27,469	263	79.4	72.7-86.1	5	1.3	00.0-02.7	1	0.5	00.0-01.5	1	0.3	00.0-00.9	52	18.5	11.8-25.2
\$35,000- 49,999	402	32,995	330	80.9	76.4-85.4	8	1.9	00.3-03.5				1	0.1	00.0-00.3	63	17.1	12.8-21.4
\$50,000- 74,999	426	42,947	352	83.4	79.1-87.7	4	0.5	00.0-01.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3	68	15.9	11.6-20.2
\$75,000+	425	45,052	366	85.2	81.1-89.3	3	0.7	00.0-01.7							56	14.1	10.0-18.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 16: VEGETABLE SERVINGS PER DAY (VEGEDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		> 5		None							
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)						
TOTAL	4541	479,626	3099	67.6	65.8-69.4	974	21.3	19.7-22.9	278	6.2	05.2-07.2	76	1.8	01.2-02.4	9	0.2	00.0-00.4	105	2.9	02.1-03.7
Male	1842	235,937	1401	73.9	71.2-76.6	285	16.6	14.2-19.0	73	3.9	02.7-05.1	20	1.5	00.5-02.5	5	0.2	00.0-00.4	58	4.0	02.6-05.4
Female	2699	243,689	1698	61.6	59.1-64.1	689	25.9	23.7-28.1	205	8.4	06.8-10.0	56	2.1	01.3-02.9	4	0.2	00.0-00.4	47	1.8	01.0-02.6
Native	336	21,763	222	66.7	56.7-76.7	76	20.4	12.2-28.6	28	7.6	02.5-12.7	3	1.8	00.0-05.1				7	3.5	00.0-08.4
Non-Native	4165	454,037	2852	67.7	65.7-69.7	891	21.4	19.8-23.0	248	6.2	05.2-07.2	72	1.8	01.2-02.4	8	0.2	00.0-00.4	94	2.8	02.0-03.6
18-24	182	71,023	116	61.4	53.2-69.6	38	22.1	15.0-29.2	16	8.8	04.3-13.3	3	2.5	00.0-05.4				9	5.1	01.4-08.8
25-34	490	80,064	321	65.4	60.5-70.3	99	20.4	16.3-24.5	42	7.5	05.0-10.0	10	2.2	00.6-03.8	2	0.3	00.0-00.7	16	4.1	01.7-06.5
35-44	703	76,974	458	66.5	62.6-70.4	162	22.7	19.4-26.0	56	7.0	05.0-09.0	11	1.8	00.6-03.0				16	1.9	00.9-02.9
45-54	1047	91,059	721	69.4	66.3-72.5	232	21.3	18.6-24.0	60	5.6	04.0-07.2	15	1.4	00.4-02.4	2	0.2	00.0-00.4	17	2.1	00.9-03.3
55-64	900	68,732	625	70.5	67.2-73.8	184	20.7	17.6-23.8	45	4.3	02.9-05.7	17	1.6	00.6-02.6	3	0.3	00.0-00.7	26	2.6	01.4-03.8
65+	1187	89,331	836	71.5	68.6-74.4	255	21.1	18.6-23.6	56	4.2	03.0-05.4	19	1.3	00.7-01.9	2	0.3	00.0-00.7	19	1.7	00.9-02.5
Less Than H.S.	363	34,996	272	71.4	64.0-78.8	62	19.3	13.0-25.6	14	4.9	00.6-09.2	3	0.5	00.0-01.1	1	0.3	00.0-00.9	11	3.7	00.0-07.6
H.S. or G.E.D.	1336	138,579	980	72.4	69.1-75.7	250	18.8	15.9-21.7	54	4.4	02.6-06.2	18	1.5	00.5-02.5	2	0.2	00.0-00.4	32	2.7	01.5-03.9
Some Post-H.S.	1450	156,401	994	69.1	65.8-72.4	296	19.2	16.5-21.9	90	6.0	04.4-07.6	25	1.9	00.7-03.1	2	0.2	00.0-00.4	43	3.6	02.0-05.2
College Graduate	1390	149,501	852	60.8	57.7-63.9	365	26.3	23.4-29.2	120	8.4	06.6-10.2	30	2.2	01.2-03.2	4	0.2	00.0-00.4	19	2.0	00.8-03.2
Less than \$15,000	372	34,778	241	65.1	56.9-73.3	68	18.3	11.2-25.4	27	5.3	02.6-08.0	8	1.0	00.0-02.0				28	10.3	04.6-16.0
\$15,000- 24,999	664	60,788	470	67.8	62.5-73.1	130	20.9	16.2-25.6	40	7.9	04.2-11.6	10	1.6	00.2-03.0	1	0.2	00.0-00.6	13	1.5	00.5-02.5
\$25,000- 34,999	561	55,891	383	69.1	63.8-74.4	138	23.4	18.7-28.1	20	2.8	01.2-04.4	6	1.2	00.0-02.6				14	3.4	00.7-06.1
\$35,000- 49,999	714	71,649	490	68.5	64.2-72.8	155	21.8	18.1-25.5	42	5.3	03.3-07.3	8	0.7	00.1-01.3	1	0.2	00.0-00.6	18	3.6	01.6-05.6
\$50,000- 74,999	766	89,804	507	67.3	63.2-71.4	166	21.2	17.7-24.7	57	6.7	04.7-08.7	19	2.7	00.7-04.7	3	0.3	00.0-00.7	14	1.7	00.7-02.7
\$75,000+	874	105,710	599	68.2	64.3-72.1	191	21.1	17.6-24.6	59	7.0	04.8-09.2	15	2.0	00.8-03.2	1	0.1	00.0-00.3	9	1.6	00.2-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 17: VEGETABLE SERVINGS PER DAY (VEGEDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1842	235,937	1401	73.9	71.2-76.6	285	16.6	14.2-19.0	73	3.9	02.7-05.1	20	1.5	00.5-02.5	5	0.2	00.0-00.4	58	4.0	02.6-05.4
Native	119	9,790							10	5.5	00.0-12.6							2	1.3	00.0-03.3
Non-Native	1698	223,440	1302	73.8	71.1-76.5	256	16.6	14.2-19.0	63	3.9	02.7-05.1	20	1.5	00.5-02.5	4	0.1	00.0-00.3	53	4.1	02.7-05.5
18-24	87	36,299				16	18.1	08.9-27.3	7	6.2	01.1-11.3	1	2.3	00.0-06.8				6	7.4	00.9-13.9
25-34	198	41,809	140	68.5	61.1-75.9	35	19.1	12.8-25.4	10	4.1	01.0-07.2	3	1.9	00.0-04.3				10	6.4	01.9-10.9
35-44	293	39,032	211	72.0	66.5-77.5	46	17.6	12.9-22.3	19	5.4	02.7-08.1	4	1.6	00.0-03.2				13	3.4	01.4-05.4
45-54	453	45,986	352	77.8	73.5-82.1	74	15.6	11.9-19.3	14	3.2	01.4-05.0	4	1.1	00.0-02.5	2	0.4	00.0-01.0	7	1.9	00.3-03.5
55-64	391	34,493	309	78.6	73.9-83.3	51	14.4	10.3-18.5	11	2.2	00.6-03.8	5	1.3	00.0-02.7	1	0.2	00.0-00.6	14	3.3	01.3-05.3
65+	405	36,972	321	80.4	76.1-84.7	60	14.3	10.6-18.0	11	2.2	00.8-03.6	3	0.5	00.0-01.3	2	0.6	00.0-01.6	8	2.0	00.4-03.6
Less Than H.S.	166	18,223				23	19.4	09.8-29.0	3	3.1	00.0-08.6				1	0.5	00.0-01.5	6	5.4	00.0-12.7
H.S. or G.E.D.	539	69,528	430	79.7	75.2-84.2	74	14.2	10.1-18.3	12	2.0	00.2-03.8	5	0.8	00.0-01.6	1	0.2	00.0-00.6	17	3.1	01.3-04.9
Some Post-H.S.	562	74,750	418	72.5	67.4-77.6	82	14.4	10.7-18.1	32	5.9	03.4-08.4	5	1.5	00.0-03.7	1	0.1	00.0-00.5	24	5.5	02.6-08.4
College Graduate	575	73,436	420	70.4	65.7-75.1	106	20.3	16.2-24.4	26	3.8	02.2-05.4	10	2.4	00.6-04.2	2	0.2	00.0-00.4	11	3.0	00.6-05.4
Less than \$15,000	122	13,517				9	5.8	00.0-11.7	2	0.4	00.0-01.2							5	1.2	00.0-02.4
\$15,000- 24,999	217	23,908	171	77.9	69.7-86.1	28	13.7	06.4-21.0	10	4.9	00.2-09.6	2	1.9	00.0-04.8	1	0.4	00.0-01.2	8	4.7	00.0-09.4
\$25,000- 34,999	239	28,921	190	76.6	69.2-84.0	36	16.8	10.5-23.1	4	1.4	00.0-03.0	1	0.5	00.0-01.5				14	5.1	02.0-08.2
\$35,000- 49,999	315	38,911	240	75.2	69.3-81.1	51	16.7	11.4-22.0	10	3.0	00.6-05.4							10	2.4	00.6-04.2
\$50,000- 74,999	338	46,664	256	73.3	67.2-79.4	53	17.6	12.7-22.5	12	3.6	01.2-06.0	5	2.7	00.0-06.2	2	0.4	00.0-01.0	4	2.0	00.0-04.4
\$75,000+	449	60,914	351	75.9	70.8-81.0	64	14.6	10.5-18.7	22	5.3	02.4-08.2	8	2.2	00.4-04.0						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 18: VEGETABLE SERVINGS PER DAY (VEGEDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2699	243,689	1698	61.6	59.1-64.1	689	25.9	23.7-28.1	205	8.4	06.8-10.0	56	2.1	01.3-02.9	4	0.2	00.0-00.4	47	1.8	01.0-02.6
Native	217	11,973							18	9.3	02.2-16.4	3	3.3	00.0-09.2				5	5.2	00.0-13.8
Non-Native	2467	230,597	1550	61.8	59.3-64.3	635	26.1	23.7-28.5	185	8.4	06.8-10.0	52	2.0	01.2-02.8	4	0.2	00.0-00.4	41	1.6	01.0-02.2
18-24	95	34,725							9	11.6	04.2-19.0	2	2.6	00.0-06.3				3	2.7	00.0-06.4
25-34	292	38,254	181	62.1	56.0-68.2	64	21.8	16.7-26.9	32	11.2	07.3-15.1	7	2.6	00.4-04.8	2	0.7	00.0-01.7	6	1.6	00.2-03.0
35-44	410	37,942	247	60.9	55.6-66.2	116	28.0	23.1-32.9	37	8.6	05.7-11.5	7	2.0	00.4-03.6				3	0.5	00.0-01.1
45-54	594	45,073	369	60.8	56.5-65.1	158	27.1	23.2-31.0	46	8.1	05.6-10.6	11	1.7	00.5-02.9				10	2.3	00.7-03.9
55-64	509	34,239	316	62.4	57.7-67.1	133	27.0	22.7-31.3	34	6.4	04.0-08.8	12	1.9	00.5-03.3	2	0.5	00.0-01.3	12	1.9	00.5-03.3
65+	782	52,358	515	65.2	61.5-68.9	195	25.8	22.3-29.3	45	5.7	03.9-07.5	16	1.8	00.8-02.8				11	1.5	00.5-02.5
Less Than H.S.	197	16,773	139	71.2	61.6-80.8	39	19.1	11.1-27.1	11	6.7	00.0-13.4	3	1.0	00.0-02.2				5	1.9	00.0-03.9
H.S. or G.E.D.	797	69,051	550	65.1	60.2-70.0	176	23.4	19.1-27.7	42	6.8	03.9-09.7	13	2.3	00.5-04.1	1	0.1	00.0-00.3	15	2.3	00.5-04.1
Some Post-H.S.	888	81,650	576	66.0	61.7-70.3	214	23.6	19.9-27.3	58	6.0	03.8-08.2	20	2.3	01.1-03.5	1	0.2	00.0-00.6	19	1.9	00.7-03.1
College Graduate	815	76,065	432	51.6	47.3-55.9	259	32.1	28.0-36.2	94	12.9	10.0-15.8	20	2.0	00.8-03.2	2	0.3	00.0-00.7	8	1.1	00.3-01.9
Less than \$15,000	250	21,261	160	66.2	56.2-76.2	50	20.4	11.2-29.6	18	5.0	02.3-07.7	6	1.5	00.1-02.9				16	7.0	01.5-12.5
\$15,000- 24,999	447	36,880	299	61.3	54.4-68.2	102	25.6	19.5-31.7	30	9.9	04.8-15.0	8	1.4	00.0-02.8				8	1.8	00.4-03.2
\$25,000- 34,999	322	26,969	193	60.9	53.6-68.2	102	30.5	23.8-37.2	16	4.4	01.9-06.9	5	2.0	00.0-04.7				6	2.1	00.1-04.1
\$35,000- 49,999	399	32,739	250	60.6	54.7-66.5	104	27.8	22.5-33.1	32	7.9	04.6-11.2	8	1.4	00.2-02.6	1	0.4	00.0-01.2	4	1.8	00.0-04.2
\$50,000- 74,999	428	43,140	251	60.7	55.2-66.2	113	25.1	20.2-30.0	45	10.1	07.0-13.2	14	2.8	01.2-04.4	1	0.3	00.0-00.9	4	0.9	00.0-01.9
\$75,000+	425	44,796	248	57.7	51.8-63.6	127	29.9	24.2-35.6	37	9.3	05.8-12.8	7	1.8	00.4-03.2	1	0.2	00.0-00.6	5	1.1	00.1-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES
TABLE 19: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4667	493,302	265	6.6	05.4-07.8	746	18.2	16.6-19.8	1018	22.1	20.5-23.7	1592	32.4	30.6-34.2	1042	20.7	19.1-22.3	4	0.0	00.0-00.0
Male	1898	243,896	144	8.6	06.8-10.4	387	22.6	20.1-25.1	489	25.4	22.9-27.9	593	29.4	26.9-31.9	281	13.8	11.8-15.8	4	0.1	00.0-00.3
Female	2769	249,406	121	4.7	03.5-05.9	359	13.9	11.9-15.9	529	18.8	16.8-20.8	999	35.3	32.9-37.7	761	27.4	25.2-29.6			
Native	351	22,944	25	12.5	04.1-20.9	75	22.5	13.3-31.7	67	16.1	09.2-23.0	107	25.3	16.9-33.7	75	23.5	14.9-32.1	2	0.1	00.0-00.3
Non-Native	4273	466,225	234	6.3	05.1-07.5	666	18.1	16.5-19.7	941	22.3	20.7-23.9	1474	32.7	30.9-34.5	956	20.5	18.9-22.1	2	0.0	00.0-00.0
18-24	189	73,704	23	11.0	05.7-16.3	49	27.0	19.6-34.4	33	19.3	12.8-25.8	50	23.3	16.4-30.2	34	19.4	12.7-26.1			
25-34	505	82,772	37	7.6	04.7-10.5	108	22.3	18.0-26.6	127	24.5	20.4-28.6	138	27.5	23.0-32.0	94	17.9	14.2-21.6	1	0.1	00.0-00.3
35-44	717	78,491	54	8.2	05.8-10.6	133	17.9	14.8-21.0	163	24.0	20.5-27.5	238	33.1	29.4-36.8	128	16.8	13.9-19.7	1	0.0	00.0-00.0
45-54	1066	92,285	58	5.7	04.1-07.3	197	18.5	15.8-21.2	274	26.1	23.2-29.0	325	29.9	26.8-33.0	210	19.6	16.9-22.3	2	0.1	00.0-00.3
55-64	913	69,736	53	5.3	03.7-06.9	135	15.5	12.8-18.2	196	21.5	18.6-24.4	327	37.6	34.1-41.1	202	20.1	17.2-23.0			
65+	1239	93,438	34	2.7	01.7-03.7	118	9.7	07.7-11.7	219	17.1	14.7-19.5	500	41.3	38.2-44.4	368	29.2	26.5-31.9			
Less Than H.S.	383	36,953	34	9.6	04.5-14.7	54	14.4	09.3-19.5	73	21.5	15.2-27.8	136	33.1	26.8-39.4	86	21.5	15.6-27.4			
H.S. or G.E.D.	1391	143,796	90	8.2	05.8-10.6	255	21.5	18.4-24.6	312	20.9	18.2-23.6	471	31.3	28.0-34.6	261	18.1	15.4-20.8	2	0.0	00.0-00.0
Some Post-H.S.	1485	160,642	98	7.8	05.6-10.0	267	20.5	17.4-23.6	343	24.0	21.1-26.9	466	29.6	26.7-32.5	310	18.1	15.6-20.6	1	0.0	00.0-00.0
College Graduate	1406	151,761	43	3.3	02.1-04.5	170	13.5	11.1-15.9	289	21.2	18.5-23.9	518	36.1	33.0-39.2	385	25.8	23.1-28.5	1	0.1	00.0-00.3
Less than \$15,000	389	36,413	46	11.7	06.2-17.2	77	27.4	19.2-35.6	72	15.8	10.7-20.9	102	26.4	19.3-33.5	90	18.2	12.5-23.9	2	0.5	00.0-01.3
\$15,000- 24,999	684	62,294	48	8.1	04.6-11.6	103	15.6	11.9-19.3	145	19.9	16.0-23.8	227	32.3	27.4-37.2	161	24.1	19.4-28.8			
\$25,000- 34,999	574	57,576	33	7.8	04.5-11.1	92	21.1	15.4-26.8	118	18.8	14.7-22.9	201	33.9	28.6-39.2	130	18.5	14.6-22.4			
\$35,000- 49,999	729	72,801	39	7.9	05.2-10.6	133	19.6	16.1-23.1	171	22.8	19.3-26.3	248	33.4	29.3-37.5	137	16.3	13.2-19.4	1	0.0	00.0-00.0
\$50,000- 74,999	777	91,168	30	4.1	02.3-05.9	127	17.3	14.0-20.6	170	24.3	20.4-28.2	272	32.8	28.9-36.7	178	21.5	18.0-25.0			
\$75,000+	885	107,513	35	4.7	02.7-06.7	126	15.2	12.3-18.1	223	26.4	22.7-30.1	310	33.6	29.9-37.3	191	20.2	16.9-23.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 20: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1898	243,896	144	8.6	06.8-10.4	387	22.6	20.1-25.1	489	25.4	22.9-27.9	593	29.4	26.9-31.9	281	13.8	11.8-15.8	4	0.1	00.0-00.3
Native	125	10,523																2	0.2	00.0-00.6
Non-Native	1747	230,525	130	8.1	06.3-09.9	357	22.8	20.3-25.3	452	25.5	23.0-28.0	549	29.6	27.1-32.1	257	13.9	11.9-15.9	2	0.1	00.0-00.3
18-24	92	38,376	15	14.9	06.5-23.3				19	21.3	11.9-30.7	23	21.8	12.4-31.2	10	11.6	04.0-19.2			
25-34	206	43,504	19	9.3	04.4-14.2	57	28.4	21.3-35.5	58	26.7	20.2-33.2	47	23.2	16.7-29.7	24	12.2	07.1-17.3	1	0.3	00.0-00.9
35-44	298	39,840	34	11.8	07.7-15.9	67	21.1	16.2-26.0	82	29.0	23.5-34.5	77	25.5	20.2-30.8	37	12.6	08.5-16.7	1	0.0	00.0-00.0
45-54	461	46,505	29	6.0	03.5-08.5	103	22.6	18.3-26.9	135	29.6	24.9-34.3	127	28.0	23.3-32.7	65	13.7	10.2-17.2	2	0.1	00.0-00.3
55-64	396	35,042	32	7.7	04.8-10.6	70	18.8	14.5-23.1	97	23.9	19.2-28.6	139	35.6	30.3-40.9	58	14.0	10.1-17.9			
65+	428	39,116	14	2.7	01.1-04.3	62	13.8	10.3-17.3	94	21.2	17.1-25.3	173	42.9	37.8-48.0	85	19.3	15.0-23.6			
Less Than H.S.	178	19,632	19	11.4	03.2-19.6	30	16.6	09.3-23.9	34	19.7	11.3-28.1	67	34.8	25.8-43.8	28	17.5	09.3-25.7			
H.S. or G.E.D.	562	72,799	50	10.7	06.8-14.6	131	27.0	21.9-32.1	145	24.0	19.7-28.3	161	26.6	21.9-31.3	73	11.6	08.1-15.1	2	0.0	00.0-00.0
Some Post-H.S.	574	76,452	53	10.6	07.1-14.1	128	24.4	19.5-29.3	160	27.2	22.5-31.9	153	25.2	20.7-29.7	79	12.6	09.1-16.1	1	0.1	00.0-00.3
College Graduate	584	75,012	22	3.9	02.1-05.7	98	18.2	14.1-22.3	150	26.5	22.2-30.8	212	34.9	30.4-39.4	101	16.2	12.7-19.7	1	0.2	00.0-00.6
Less than \$15,000	128	14,480							24	15.9	07.1-24.7				22	12.1	03.9-20.3	2	1.2	00.0-03.0
\$15,000- 24,999	228	24,531	17	6.1	02.8-09.4	45	18.8	12.3-25.3	59	27.0	19.4-34.6	72	32.8	24.6-41.0	35	15.2	09.3-21.1			
\$25,000- 34,999	245	29,846	20	9.0	04.1-13.9	50	24.6	15.8-33.4	62	23.4	16.7-30.1	81	33.1	25.3-40.9	32	9.9	06.0-13.8			
\$35,000- 49,999	321	39,451	26	11.7	06.8-16.6	72	23.6	18.1-29.1	90	25.8	20.5-31.1	96	29.1	23.2-35.0	36	9.7	05.8-13.6	1	0.0	00.0-00.0
\$50,000- 74,999	344	47,542	20	5.6	02.7-08.5	73	22.7	17.0-28.4	89	27.5	21.6-33.4	103	27.2	21.7-32.7	59	17.0	11.9-22.1			
\$75,000+	457	62,206	26	6.3	03.2-09.4	88	19.7	15.4-24.0	122	27.3	22.2-32.4	151	31.8	26.7-36.9	70	14.8	10.9-18.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 21: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2769	249,406	121	4.7	03.5-05.9	359	13.9	11.9-15.9	529	18.8	16.8-20.8	999	35.3	32.9-37.7	761	27.4	25.2-29.6
Native	226	12,421	15	6.7	02.0-11.4				38	12.2	05.7-18.7						
Non-Native	2526	235,700	104	4.6	03.4-05.8	309	13.4	11.4-15.4	489	19.1	17.1-21.1	925	35.8	33.4-38.2	699	27.0	24.6-29.4
18-24	97	35,328	8	6.7	00.4-13.0	24	23.4	13.6-33.2	14	17.2	08.2-26.2	27	24.8	15.0-34.6			
25-34	299	39,268	18	5.8	02.9-08.7	51	15.5	11.2-19.8	69	22.1	17.0-27.2	91	32.3	26.4-38.2	70	24.3	19.0-29.6
35-44	419	38,650	20	4.5	02.3-06.7	66	14.7	10.8-18.6	81	18.9	14.8-23.0	161	40.9	35.6-46.2	91	21.2	16.9-25.5
45-54	605	45,781	29	5.5	03.3-07.7	94	14.4	11.3-17.5	139	22.6	18.9-26.3	198	31.9	27.8-36.0	145	25.7	21.8-29.6
55-64	517	34,694	21	2.9	01.3-04.5	65	12.2	09.1-15.3	99	19.2	15.5-22.9	188	39.6	34.7-44.5	144	26.2	21.9-30.5
65+	811	54,322	20	2.7	01.3-04.1	56	6.7	04.7-08.7	125	14.1	11.6-16.6	327	40.2	36.5-43.9	283	36.3	32.6-40.0
Less Than H.S.	205	17,321	15	7.6	02.3-12.9	24	11.9	04.8-19.0	39	23.5	14.1-32.9	69	31.1	22.5-39.7	58	26.0	17.6-34.4
H.S. or G.E.D.	829	70,997	40	5.6	03.2-08.0	124	15.9	12.6-19.2	167	17.7	14.8-20.6	310	36.1	31.8-40.4	188	24.7	20.4-29.0
Some Post-H.S.	911	84,189	45	5.2	02.7-07.7	139	17.1	13.4-20.8	183	21.1	17.2-25.0	313	33.6	29.5-37.7	231	23.1	19.6-26.6
College Graduate	822	76,748	21	2.6	01.4-03.8	72	8.9	06.4-11.4	139	16.1	13.2-19.0	306	37.3	33.2-41.4	284	35.1	31.0-39.2
Less than \$15,000	261	21,933	26	8.6	03.9-13.3	48	23.1	13.5-32.7	48	15.8	09.5-22.1	71	30.3	20.9-39.7	68	22.2	14.4-30.0
\$15,000- 24,999	456	37,764	31	9.3	04.2-14.4	58	13.5	08.8-18.2	86	15.3	11.4-19.2	155	31.9	26.0-37.8	126	29.9	23.2-36.6
\$25,000- 34,999	329	27,729	13	6.4	01.5-11.3	42	17.3	10.2-24.4	56	13.9	09.6-18.2	120	34.7	27.8-41.6	98	27.7	21.2-34.2
\$35,000- 49,999	408	33,350	13	3.4	01.4-05.4	61	14.9	10.6-19.2	81	19.2	14.5-23.9	152	38.4	32.7-44.1	101	24.1	19.4-28.8
\$50,000- 74,999	433	43,626	10	2.4	00.8-04.0	54	11.4	08.3-14.5	81	20.9	15.6-26.2	169	38.9	33.4-44.4	119	26.4	21.7-31.1
\$75,000+	428	45,307	9	2.4	00.8-04.0	38	9.0	05.9-12.1	101	25.0	19.9-30.1	159	36.1	30.6-41.6	121	27.5	22.2-32.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 22: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4667	493,302	258	6.3	05.3-07.3	1716	39.3	37.3-41.3	1586	32.5	30.7-34.3	1107	21.9	20.3-23.5
Male	1898	243,896	141	8.1	06.3-09.9	852	46.9	44.0-49.8	607	30.2	27.7-32.7	298	14.7	12.7-16.7
Female	2769	249,406	117	4.6	03.4-05.8	864	31.8	29.4-34.2	979	34.7	32.3-37.1	809	29.0	26.6-31.4
Native	351	22,944	26	12.6	04.2-21.0	140	36.1	26.1-46.1	108	27.5	18.7-36.3	77	23.9	15.3-32.5
Non-Native	4273	466,225	227	6.0	05.0-07.0	1560	39.4	37.4-41.4	1467	32.8	31.0-34.6	1019	21.8	20.2-23.4
18-24	189	73,704	22	10.1	05.0-15.2	82	46.8	38.6-55.0	50	23.0	16.1-29.9	35	20.1	13.4-26.8
25-34	505	82,772	37	7.6	04.7-10.5	228	45.3	40.4-50.2	141	28.0	23.5-32.5	99	19.1	15.4-22.8
35-44	717	78,491	53	7.7	05.3-10.1	289	41.0	36.9-45.1	242	33.8	29.9-37.7	133	17.5	14.6-20.4
45-54	1066	92,285	60	5.8	04.2-07.4	456	42.8	39.5-46.1	328	30.8	27.7-33.9	222	20.6	17.9-23.3
55-64	913	69,736	47	4.8	03.2-06.4	326	36.2	32.7-39.7	323	37.4	33.9-40.9	217	21.6	18.7-24.5
65+	1239	93,438	33	2.6	01.6-03.6	323	25.6	22.9-28.3	490	40.6	37.5-43.7	393	31.2	28.3-34.1
Less Than H.S.	383	36,953	31	9.1	04.0-14.2	126	35.3	28.2-42.4	133	32.9	26.6-39.2	93	22.8	16.9-28.7
H.S. or G.E.D.	1391	143,796	92	8.2	05.8-10.6	542	40.5	37.0-44.0	477	31.9	28.6-35.2	280	19.4	16.5-22.3
Some Post-H.S.	1485	160,642	95	7.0	05.0-09.0	598	44.2	40.7-47.7	458	29.4	26.5-32.3	334	19.4	16.9-21.9
College Graduate	1406	151,761	40	3.1	01.9-04.3	449	33.9	30.8-37.0	517	36.3	33.2-39.4	400	26.7	24.0-29.4
Less than \$15,000	389	36,413	46	12.1	06.6-17.6	148	42.6	34.4-50.8	99	25.6	18.5-32.7	96	19.7	13.8-25.6
\$15,000- 24,999	684	62,294	47	8.0	04.5-11.5	240	34.5	29.6-39.4	223	31.7	27.0-36.4	174	25.8	20.9-30.7
\$25,000- 34,999	574	57,576	33	7.8	04.5-11.1	206	38.5	32.6-44.4	196	32.8	27.7-37.9	139	20.9	16.6-25.2
\$35,000- 49,999	729	72,801	39	7.8	05.1-10.5	294	41.0	36.7-45.3	250	33.7	29.6-37.8	146	17.5	14.4-20.6
\$50,000- 74,999	777	91,168	29	3.9	02.1-05.7	288	40.7	36.4-45.0	270	33.0	29.1-36.9	190	22.5	19.0-26.0
\$75,000+	885	107,513	30	3.5	02.1-04.9	341	41.4	37.3-45.5	315	34.3	30.6-38.0	199	20.8	17.5-24.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 23: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1898	243,896	141	8.1	06.3-09.9	852	46.9	44.0-49.8	607	30.2	27.7-32.7	298	14.7	12.7-16.7
Non-Native	1747	230,525	126	7.6	05.8-09.4	786	47.3	44.4-50.2	563	30.3	27.8-32.8	272	14.8	12.6-17.0
18-24	92	38,376	14	13.2	05.4-21.0				23	21.4	12.2-30.6	11	13.0	05.2-20.8
25-34	206	43,504	20	9.5	04.6-14.4	112	53.3	45.7-60.9	48	24.0	17.5-30.5	26	13.2	07.9-18.5
35-44	298	39,840	33	10.9	07.0-14.8	146	48.9	42.8-55.0	81	27.4	21.9-32.9	38	12.8	08.7-16.9
45-54	461	46,505	31	6.1	03.6-08.6	227	49.4	44.3-54.5	134	30.2	25.5-34.9	69	14.3	10.8-17.8
55-64	396	35,042	29	7.0	04.3-09.7	164	41.7	36.2-47.2	142	36.5	31.2-41.8	61	14.7	10.8-18.6
65+	428	39,116	13	2.4	01.0-03.8	152	34.3	29.4-39.2	172	42.6	37.5-47.7	91	20.7	16.4-25.0
Less Than H.S.	178	19,632	17	10.6	02.4-18.8	65	36.3	26.5-46.1	66	34.7	25.7-43.7	30	18.4	10.2-26.6
H.S. or G.E.D.	562	72,799	52	10.8	06.9-14.7	260	48.1	42.6-53.6	172	28.2	23.3-33.1	78	12.9	09.2-16.6
Some Post-H.S.	574	76,452	51	9.2	06.1-12.3	286	52.1	46.6-57.6	150	25.0	20.5-29.5	87	13.7	10.0-17.4
College Graduate	584	75,012	21	3.8	02.0-05.6	241	43.2	38.3-48.1	219	36.5	31.8-41.2	103	16.5	13.0-20.0
Less than \$15,000	128	14,480							26	17.5	07.7-27.3	27	15.1	06.5-23.7
\$15,000- 24,999	228	24,531	17	6.1	02.8-09.4	100	44.3	35.9-52.7	74	33.5	25.1-41.9	37	16.1	10.2-22.0
\$25,000- 34,999	245	29,846	20	9.0	04.1-13.9	109	45.7	37.1-54.3	81	32.3	24.7-39.9	35	13.0	07.7-18.3
\$35,000- 49,999	321	39,451	26	11.5	06.6-16.4	159	48.4	41.9-54.9	98	29.8	23.9-35.7	38	10.4	06.5-14.3
\$50,000- 74,999	344	47,542	20	5.6	02.7-08.5	159	49.4	42.9-55.9	104	27.7	22.2-33.2	61	17.3	12.2-22.4
\$75,000+	457	62,206	22	4.4	02.2-06.6	202	46.7	41.0-52.4	160	33.8	28.5-39.1	73	15.1	11.2-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 24: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2769	249,406	117	4.6	03.4-05.8	864	31.8	29.4-34.2	979	34.7	32.3-37.1	809	29.0	26.6-31.4
Native	226	12,421	14	6.7	02.0-11.4									
Non-Native	2526	235,700	101	4.5	03.3-05.7	774	31.7	29.3-34.1	904	35.2	32.8-37.6	747	28.7	26.3-31.1
18-24	97	35,328	8	6.7	00.4-13.0				27	24.8	15.0-34.6			
25-34	299	39,268	17	5.5	02.8-08.2	116	36.4	30.5-42.3	93	32.5	26.6-38.4	73	25.6	20.1-31.1
35-44	419	38,650	20	4.5	02.3-06.7	143	32.8	27.7-37.9	161	40.3	35.0-45.6	95	22.4	18.1-26.7
45-54	605	45,781	29	5.5	03.3-07.7	229	36.1	31.8-40.4	194	31.4	27.3-35.5	153	27.0	23.1-30.9
55-64	517	34,694	18	2.5	01.1-03.9	162	30.6	26.1-35.1	181	38.4	33.5-43.3	156	28.6	24.3-32.9
65+	811	54,322	20	2.7	01.3-04.1	171	19.4	16.5-22.3	318	39.2	35.5-42.9	302	38.7	35.0-42.4
Less Than H.S.	205	17,321	14	7.3	02.0-12.6				67	30.8	22.2-39.4	63	27.8	19.4-36.2
H.S. or G.E.D.	829	70,997	40	5.6	03.2-08.0	282	32.7	28.6-36.8	305	35.7	31.4-40.0	202	26.0	21.7-30.3
Some Post-H.S.	911	84,189	44	5.1	02.6-07.6	312	36.9	32.4-41.4	308	33.3	29.2-37.4	247	24.7	21.2-28.2
College Graduate	822	76,748	19	2.5	01.3-03.7	208	24.7	21.0-28.4	298	36.1	32.2-40.0	297	36.8	32.7-40.9
Less than \$15,000	261	21,933	25	8.4	03.7-13.1	94	37.9	27.9-47.9	73	30.9	21.5-40.3	69	22.8	15.0-30.6
\$15,000- 24,999	456	37,764	30	9.3	04.2-14.4	140	28.1	22.4-33.8	149	30.6	24.9-36.3	137	32.0	25.3-38.7
\$25,000- 34,999	329	27,729	13	6.4	01.5-11.3	97	30.7	23.4-38.0	115	33.3	26.4-40.2	104	29.5	22.8-36.2
\$35,000- 49,999	408	33,350	13	3.4	01.4-05.4	135	32.2	26.7-37.7	152	38.4	32.7-44.1	108	26.0	21.1-30.9
\$50,000- 74,999	433	43,626	9	2.0	00.6-03.4	129	31.2	25.7-36.7	166	38.7	33.2-44.2	129	28.0	23.1-32.9
\$75,000+	428	45,307	8	2.2	00.6-03.8	139	34.0	28.5-39.5	155	35.0	29.5-40.5	126	28.8	23.5-34.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 25: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume less than 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4667	493,302	3560	78.1	76.5-79.7	1107	21.9	20.3-23.5
Male	1898	243,896	1600	85.3	83.3-87.3	298	14.7	12.7-16.7
Female	2769	249,406	1960	71.0	68.6-73.4	809	29.0	26.6-31.4
Native	351	22,944	274	76.1	67.5-84.7	77	23.9	15.3-32.5
Non-Native	4273	466,225	3254	78.2	76.6-79.8	1019	21.8	20.2-23.4
18-24	189	73,704	154	79.9	73.2-86.6	35	20.1	13.4-26.8
25-34	505	82,772	406	80.9	77.2-84.6	99	19.1	15.4-22.8
35-44	717	78,491	584	82.5	79.6-85.4	133	17.5	14.6-20.4
45-54	1066	92,285	844	79.4	76.7-82.1	222	20.6	17.9-23.3
55-64	913	69,736	696	78.4	75.5-81.3	217	21.6	18.7-24.5
65+	1239	93,438	846	68.8	65.9-71.7	393	31.2	28.3-34.1
Less Than H.S.	383	36,953	290	77.2	71.3-83.1	93	22.8	16.9-28.7
H.S. or G.E.D.	1391	143,796	1111	80.6	77.7-83.5	280	19.4	16.5-22.3
Some Post-H.S.	1485	160,642	1151	80.6	78.1-83.1	334	19.4	16.9-21.9
College Graduate	1406	151,761	1006	73.3	70.6-76.0	400	26.7	24.0-29.4
Less than \$15,000	389	36,413	293	80.3	74.4-86.2	96	19.7	13.8-25.6
\$15,000- 24,999	684	62,294	510	74.2	69.3-79.1	174	25.8	20.9-30.7
\$25,000- 34,999	574	57,576	435	79.1	74.8-83.4	139	20.9	16.6-25.2
\$35,000- 49,999	729	72,801	583	82.5	79.4-85.6	146	17.5	14.4-20.6
\$50,000- 74,999	777	91,168	587	77.5	74.0-81.0	190	22.5	19.0-26.0
\$75,000+	885	107,513	686	79.2	75.9-82.5	199	20.8	17.5-24.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 26: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume less than 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1898	243,896	1600	85.3	83.3-87.3	298	14.7	12.7-16.7
Non-Native	1747	230,525	1475	85.2	83.0-87.4	272	14.8	12.6-17.0
18-24	92	38,376	81	87.0	79.2-94.8	11	13.0	05.2-20.8
25-34	206	43,504	180	86.8	81.5-92.1	26	13.2	07.9-18.5
35-44	298	39,840	260	87.2	83.1-91.3	38	12.8	08.7-16.9
45-54	461	46,505	392	85.7	82.2-89.2	69	14.3	10.8-17.8
55-64	396	35,042	335	85.3	81.4-89.2	61	14.7	10.8-18.6
65+	428	39,116	337	79.3	75.0-83.6	91	20.7	16.4-25.0
Less Than H.S.	178	19,632	148	81.6	73.4-89.8	30	18.4	10.2-26.6
H.S. or G.E.D.	562	72,799	484	87.1	83.4-90.8	78	12.9	09.2-16.6
Some Post-H.S.	574	76,452	487	86.3	82.6-90.0	87	13.7	10.0-17.4
College Graduate	584	75,012	481	83.5	80.0-87.0	103	16.5	13.0-20.0
Less than \$15,000	128	14,480	101	84.9	76.3-93.5	27	15.1	06.5-23.7
\$15,000- 24,999	228	24,531	191	83.9	78.0-89.8	37	16.1	10.2-22.0
\$25,000- 34,999	245	29,846	210	87.0	81.7-92.3	35	13.0	07.7-18.3
\$35,000- 49,999	321	39,451	283	89.6	85.7-93.5	38	10.4	06.5-14.3
\$50,000- 74,999	344	47,542	283	82.7	77.6-87.8	61	17.3	12.2-22.4
\$75,000+	457	62,206	384	84.9	81.0-88.8	73	15.1	11.2-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 16: FRUITS AND VEGETABLES**

TABLE 27: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume less than 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2769	249,406	1960	71.0	68.6-73.4	809	29.0	26.6-31.4
Non-Native	2526	235,700	1779	71.3	68.9-73.7	747	28.7	26.3-31.1
25-34	299	39,268	226	74.4	68.9-79.9	73	25.6	20.1-31.1
35-44	419	38,650	324	77.6	73.3-81.9	95	22.4	18.1-26.7
45-54	605	45,781	452	73.0	69.1-76.9	153	27.0	23.1-30.9
55-64	517	34,694	361	71.4	67.1-75.7	156	28.6	24.3-32.9
65+	811	54,322	509	61.3	57.6-65.0	302	38.7	35.0-42.4
Less Than H.S.	205	17,321	142	72.2	63.8-80.6	63	27.8	19.4-36.2
H.S. or G.E.D.	829	70,997	627	74.0	69.7-78.3	202	26.0	21.7-30.3
Some Post-H.S.	911	84,189	664	75.3	71.8-78.8	247	24.7	21.2-28.2
College Graduate	822	76,748	525	63.2	59.1-67.3	297	36.8	32.7-40.9
Less than \$15,000	261	21,933	192	77.2	69.4-85.0	69	22.8	15.0-30.6
\$15,000- 24,999	456	37,764	319	68.0	61.3-74.7	137	32.0	25.3-38.7
\$25,000- 34,999	329	27,729	225	70.5	63.8-77.2	104	29.5	22.8-36.2
\$35,000- 49,999	408	33,350	300	74.0	69.1-78.9	108	26.0	21.1-30.9
\$50,000- 74,999	433	43,626	304	72.0	67.1-76.9	129	28.0	23.1-32.9
\$75,000+	428	45,307	302	71.2	65.9-76.5	126	28.8	23.5-34.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 17: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.
 * * * * *

TABLE	PAGE
TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (_MODPAMN)	
1 MALES AND FEMALES	151
2 MALES ONLY	152
3 FEMALES ONLY	153
TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (_VIGPAMN)	
4 MALES AND FEMALES	154
5 MALES ONLY	155
6 FEMALES ONLY	156
3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT_)	
7 MALES AND FEMALES	157
8 MALES ONLY	158
9 FEMALES ONLY	159
3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT_)	
10 MALES AND FEMALES	160
11 MALES ONLY	161
12 FEMALES ONLY	162
5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT_)	
13 MALES AND FEMALES	163
14 MALES ONLY	164
15 FEMALES ONLY	165

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 17: PHYSICAL ACTIVITY CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)	
16 MALES AND FEMALES	166
17 MALES ONLY	167
18 FEMALES ONLY	168
ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)	
19 MALES AND FEMALES	169
20 MALES ONLY	170
21 FEMALES ONLY	171
ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)	
22 MALES AND FEMALES	172
23 MALES ONLY	173
24 FEMALES ONLY	174
ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)	
25 MALES AND FEMALES	175
26 MALES ONLY	176
27 FEMALES ONLY	177

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 1: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (_MODPAMN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4384	466,753	911	19.8	18.2-21.4	2891	68.4	66.6-70.2	582	11.8	10.6-13.0
Male	1795	231,605	330	18.3	15.9-20.7	1210	68.7	66.0-71.4	255	13.0	11.0-15.0
Female	2589	235,149	581	21.3	19.3-23.3	1681	68.1	65.7-70.5	327	10.5	09.1-11.9
Native	323	20,809	62	14.6	08.3-20.9						
Non-Native	4024	442,617	843	20.1	18.5-21.7	2663	68.7	66.9-70.5	518	11.3	10.1-12.5
18-24	182	72,470	24	12.9	07.4-18.4	141	76.6	69.5-83.7	17	10.5	05.2-15.8
25-34	483	78,967	102	20.2	16.1-24.3	349	73.2	68.7-77.7	32	6.6	04.1-09.1
35-44	679	74,021	138	20.3	17.0-23.6	493	73.6	69.9-77.3	48	6.1	04.1-08.1
45-54	1021	88,003	192	19.6	16.9-22.3	715	69.5	66.4-72.6	114	10.9	08.7-13.1
55-64	870	66,515	180	21.0	17.9-24.1	576	66.7	63.2-70.2	114	12.3	09.8-14.8
65+	1118	84,348	269	24.2	21.5-26.9	597	52.8	49.5-56.1	252	23.0	20.3-25.7
Less Than H.S.	346	33,283	68	16.3	11.2-21.4	184	60.4	53.3-67.5	94	23.3	17.6-29.0
H.S. or G.E.D.	1280	134,917	270	21.3	18.2-24.4	805	63.6	59.9-67.3	205	15.1	12.4-17.8
Some Post-H.S.	1401	152,520	292	19.7	17.0-22.4	939	70.1	67.0-73.2	170	10.3	08.3-12.3
College Graduate	1355	145,883	281	19.4	17.0-21.8	963	73.0	70.3-75.7	111	7.6	06.0-09.2
Less than \$15,000	356	33,711	71	16.8	11.7-21.9	201	64.9	57.6-72.2	84	18.3	13.2-23.4
\$15,000- 24,999	633	58,104	141	20.0	15.7-24.3	368	61.0	55.7-66.3	124	18.9	14.8-23.0
\$25,000- 34,999	539	54,305	111	19.3	15.2-23.4	358	68.6	63.3-73.9	70	12.1	08.2-16.0
\$35,000- 49,999	695	69,420	164	23.2	19.5-26.9	465	68.4	64.3-72.5	66	8.4	05.9-10.9
\$50,000- 74,999	749	88,257	151	19.8	16.3-23.3	532	71.0	66.9-75.1	66	9.2	06.5-11.9
\$75,000+	858	104,259	160	18.0	14.9-21.1	639	75.7	72.4-79.0	59	6.4	04.6-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 2: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (_MODPAMN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1795	231,605	330	18.3	15.9-20.7	1210	68.7	66.0-71.4	255	13.0	11.0-15.0
Native	115	9,263	20	11.8	02.4-21.2						
Non-Native	1658	220,011	306	18.5	16.1-20.9	1119	69.2	66.5-71.9	233	12.3	10.3-14.3
18-24	91	37,866	13	14.6	06.4-22.8				11	14.9	06.1-23.7
25-34	195	41,110	39	19.9	13.8-26.0	140	72.8	65.9-79.7	16	7.2	03.3-11.1
35-44	283	37,800	44	15.2	10.7-19.7	218	78.4	73.3-83.5	21	6.3	03.6-09.0
45-54	440	44,211	74	18.8	14.5-23.1	309	68.7	63.8-73.6	57	12.6	09.1-16.1
55-64	377	33,414	72	19.9	15.4-24.4	249	66.1	60.8-71.4	56	14.0	10.1-17.9
65+	395	35,914	86	21.3	16.8-25.8	217	54.4	48.9-59.9	92	24.2	19.5-28.9
Less Than H.S.	161	17,558	26	14.7	07.4-22.0				50	26.2	17.6-34.8
H.S. or G.E.D.	530	69,627	102	21.3	16.6-26.0	334	61.7	56.0-67.4	94	17.0	12.3-21.7
Some Post-H.S.	543	72,713	94	16.5	12.6-20.4	378	71.9	67.2-76.6	71	11.6	08.3-14.9
College Graduate	561	71,707	108	18.0	14.5-21.5	413	74.7	70.6-78.8	40	7.3	04.8-09.8
Less than \$15,000	121	13,513	20	14.0	06.2-21.8						
\$15,000- 24,999	210	22,951	38	16.3	10.0-22.6	128	64.5	56.3-72.7	44	19.2	12.5-25.9
\$25,000- 34,999	231	28,108	42	16.6	10.9-22.3	159	71.3	63.5-79.1	30	12.1	06.0-18.2
\$35,000- 49,999	304	37,233	75	24.0	18.3-29.7	198	65.7	59.4-72.0	31	10.2	05.9-14.5
\$50,000- 74,999	333	46,299	60	17.8	12.9-22.7	229	69.3	63.0-75.6	44	12.9	08.2-17.6
\$75,000+	441	59,996	70	16.8	12.5-21.1	336	76.0	71.1-80.9	35	7.2	04.5-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 3: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (_MODPAMN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2589	235,149	581	21.3	19.3-23.3	1681	68.1	65.7-70.5	327	10.5	09.1-11.9
Native	208	11,546	42	16.8	08.6-25.0				37	14.9	06.9-22.9
Non-Native	2366	222,606	537	21.6	19.6-23.6	1544	68.2	65.8-70.6	285	10.2	08.8-11.6
18-24	91	34,603	11	11.0	03.7-18.3	74	83.2	74.8-91.6	6	5.7	00.6-10.8
25-34	288	37,857	63	20.6	15.5-25.7	209	73.5	68.0-79.0	16	5.9	03.0-08.8
35-44	396	36,221	94	25.5	20.6-30.4	275	68.6	63.5-73.7	27	5.9	03.4-08.4
45-54	581	43,792	118	20.4	16.7-24.1	406	70.3	66.2-74.4	57	9.3	06.8-11.8
55-64	493	33,101	108	22.0	17.9-26.1	327	67.4	62.7-72.1	58	10.5	07.6-13.4
65+	723	48,434	183	26.4	22.7-30.1	380	51.5	47.4-55.6	160	22.1	18.8-25.4
Less Than H.S.	185	15,725	42	18.1	11.2-25.0	99	61.8	52.2-71.4	44	20.1	13.2-27.0
H.S. or G.E.D.	750	65,290	168	21.3	17.4-25.2	471	65.7	61.2-70.2	111	13.0	10.1-15.9
Some Post-H.S.	858	79,806	198	22.6	19.1-26.1	561	68.5	64.4-72.6	99	9.0	06.6-11.4
College Graduate	794	74,177	173	20.8	17.5-24.1	550	71.4	67.7-75.1	71	7.8	05.6-10.0
Less than \$15,000	235	20,198	51	18.6	11.9-25.3	137	67.5	59.1-75.9	47	13.9	09.0-18.8
\$15,000- 24,999	423	35,154	103	22.5	16.8-28.2	240	58.8	51.9-65.7	80	18.7	13.6-23.8
\$25,000- 34,999	308	26,197	69	22.2	16.3-28.1	199	65.7	58.6-72.8	40	12.0	06.9-17.1
\$35,000- 49,999	391	32,187	89	22.3	17.6-27.0	267	71.5	66.4-76.6	35	6.2	03.7-08.7
\$50,000- 74,999	416	41,958	91	22.0	17.1-26.9	303	72.9	67.8-78.0	22	5.1	02.7-07.5
\$75,000+	417	44,262	90	19.5	15.4-23.6	303	75.3	70.6-80.0	24	5.2	02.8-07.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 4: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (_VIGPAMN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4483	476,368	211	4.7	03.9-05.5	1809	46.9	44.9-48.9	2463	48.3	46.3-50.3
Male	1819	234,240	98	5.5	04.1-06.9	891	54.0	51.1-56.9	830	40.5	37.6-43.4
Female	2664	242,128	113	4.0	03.2-04.8	918	40.1	37.6-42.6	1633	55.9	53.4-58.4
Native	329	21,714	12	3.0	00.8-05.2						
Non-Native	4114	450,930	199	4.9	04.1-05.7	1675	47.3	45.3-49.3	2240	47.8	45.8-49.8
18-24	185	72,419	7	3.6	00.7-06.5	117	64.4	56.4-72.4	61	32.0	24.2-39.8
25-34	487	80,100	21	4.1	02.3-05.9	278	58.7	53.8-63.6	188	37.2	32.3-42.1
35-44	688	75,567	42	5.9	03.9-07.9	361	56.1	52.0-60.2	285	38.0	34.1-41.9
45-54	1043	90,309	53	6.0	04.2-07.8	479	46.4	43.1-49.7	511	47.6	44.1-51.1
55-64	872	66,463	47	6.1	04.3-07.9	305	37.0	33.3-40.7	520	56.9	53.2-60.6
65+	1173	88,845	40	3.0	01.8-04.2	255	22.2	19.5-24.9	878	74.8	72.1-77.5
Less Than H.S.	361	34,836	15	5.4	01.1-09.7	83	34.0	26.0-42.0	263	60.6	52.6-68.6
H.S. or G.E.D.	1324	138,557	69	5.1	03.7-06.5	465	41.6	37.9-45.3	790	53.3	49.6-57.0
Some Post-H.S.	1427	154,684	68	4.8	03.4-06.2	594	47.7	44.2-51.2	765	47.4	43.9-50.9
College Graduate	1370	148,205	59	4.2	03.0-05.4	667	54.1	51.0-57.2	644	41.7	38.6-44.8
Less than \$15,000	367	34,784	13	2.5	00.7-04.3	111	42.2	33.4-51.0	243	55.3	46.7-63.9
\$15,000- 24,999	652	59,965	22	3.9	01.5-06.3	190	35.8	30.3-41.3	440	60.3	54.8-65.8
\$25,000- 34,999	554	55,305	28	5.2	02.8-07.6	209	42.6	36.7-48.5	317	52.1	46.2-58.0
\$35,000- 49,999	709	71,263	43	6.5	04.1-08.9	277	44.0	39.5-48.5	389	49.5	45.0-54.0
\$50,000- 74,999	758	88,939	34	4.8	03.0-06.6	366	53.4	49.1-57.7	358	41.9	37.8-46.0
\$75,000+	863	105,203	39	4.0	02.6-05.4	481	60.8	56.9-64.7	343	35.2	31.5-38.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 5: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (_VIGPAMN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	234,240	98	5.5	04.1-06.9	891	54.0	51.1-56.9	830	40.5	37.6-43.4
Native	116	9,682	5	2.6	00.0-05.9						
Non-Native	1679	221,991	93	5.7	04.3-07.1	820	54.0	51.1-56.9	766	40.3	37.4-43.2
18-24	90	37,357	6	6.5	01.0-12.0						
25-34	199	41,920	9	4.0	01.3-06.7	129	64.6	57.2-72.0	61	31.4	24.1-38.7
35-44	283	38,136	16	5.4	02.7-08.1	179	65.1	59.2-71.0	88	29.5	23.8-35.2
45-54	449	45,434	29	7.3	04.4-10.2	229	50.7	45.4-56.0	191	42.1	37.0-47.2
55-64	374	32,778	25	7.2	04.3-10.1	158	43.8	38.1-49.5	191	49.0	43.3-54.7
65+	409	37,269	13	3.0	01.0-05.0	124	31.0	26.1-35.9	272	66.0	60.9-71.1
Less Than H.S.	168	18,209	7	8.4	00.6-16.2						
H.S. or G.E.D.	541	70,702	34	5.7	03.5-07.9	241	48.6	42.9-54.3	266	45.7	40.0-51.4
Some Post-H.S.	541	72,299	32	6.4	03.7-09.1	286	56.3	50.8-61.8	223	37.3	32.0-42.6
College Graduate	569	73,030	25	3.8	02.0-05.6	321	61.6	56.9-66.3	223	34.6	30.1-39.1
Less than \$15,000	119	13,524	7	4.0	00.3-07.7						
\$15,000- 24,999	214	23,205	4	4.1	00.0-09.2	80	44.3	35.3-53.3	130	51.6	42.8-60.4
\$25,000- 34,999	232	27,954	13	5.2	01.7-08.7	117	55.4	46.6-64.2	102	39.4	30.8-48.0
\$35,000- 49,999	309	38,499	24	8.1	04.4-11.8	142	49.8	43.1-56.5	143	42.1	35.6-48.6
\$50,000- 74,999	333	46,065	20	5.8	03.1-08.5	176	58.0	51.7-64.3	137	36.2	30.1-42.3
\$75,000+	447	60,916	21	4.3	02.3-06.3	271	64.8	59.5-70.1	155	30.8	25.7-35.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 6: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (_VIGPAMN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2664	242,128	113	4.0	03.2-04.8	918	40.1	37.6-42.6	1633	55.9	53.4-58.4
Native	213	12,032	7	3.3	00.4-06.2						
Non-Native	2435	228,939	106	4.0	03.2-04.8	855	40.8	38.1-43.5	1474	55.1	52.4-57.8
18-24	95	35,062	1	0.5	00.0-01.5						
25-34	288	38,180	12	4.2	01.8-06.6	149	52.2	45.9-58.5	127	43.6	37.3-49.9
35-44	405	37,430	26	6.5	03.8-09.2	182	46.8	41.3-52.3	197	46.7	41.2-52.2
45-54	594	44,875	24	4.8	02.8-06.8	250	42.1	37.8-46.4	320	53.1	48.6-57.6
55-64	498	33,685	22	4.9	02.7-07.1	147	30.5	26.0-35.0	329	64.6	59.9-69.3
65+	764	51,576	27	2.9	01.5-04.3	131	15.9	13.2-18.6	606	81.2	78.3-84.1
Less Than H.S.	193	16,627	8	2.1	00.3-03.9						
H.S. or G.E.D.	783	67,855	35	4.4	02.6-06.2	224	34.3	29.4-39.2	524	61.3	56.4-66.2
Some Post-H.S.	886	82,386	36	3.4	02.2-04.6	308	40.2	35.7-44.7	542	56.3	51.6-61.0
College Graduate	801	75,175	34	4.6	03.0-06.2	346	46.8	42.5-51.1	421	48.6	44.3-52.9
Less than \$15,000	248	21,260	6	1.5	00.1-02.9						
\$15,000- 24,999	438	36,761	18	3.7	01.7-05.7	110	30.5	23.6-37.4	310	65.8	58.9-72.7
\$25,000- 34,999	322	27,351	15	5.2	02.1-08.3	92	29.6	22.5-36.7	215	65.2	57.9-72.5
\$35,000- 49,999	400	32,764	19	4.5	02.1-06.9	135	37.2	31.5-42.9	246	58.3	52.4-64.2
\$50,000- 74,999	425	42,874	14	3.7	01.7-05.7	190	48.3	42.6-54.0	221	48.0	42.3-53.7
\$75,000+	416	44,287	18	3.5	01.7-05.3	210	55.3	49.6-61.0	188	41.2	35.7-46.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 7: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4384	466,753	1789	42.4	40.4-44.4	2013	45.8	43.8-47.8	582	11.8	10.6-13.0
Male	1795	231,605	726	40.8	37.9-43.7	814	46.2	43.3-49.1	255	13.0	11.0-15.0
Female	2589	235,149	1063	44.1	41.6-46.6	1199	45.4	42.9-47.9	327	10.5	09.1-11.9
Non-Native	4024	442,617	1639	42.4	40.4-44.4	1867	46.3	44.3-48.3	518	11.3	10.1-12.5
18-24	182	72,470	92	50.0	41.6-58.4	73	39.5	31.3-47.7	17	10.5	05.2-15.8
25-34	483	78,967	228	46.3	41.2-51.4	223	47.1	42.0-52.2	32	6.6	04.1-09.1
35-44	679	74,021	292	42.4	38.3-46.5	339	51.5	47.4-55.6	48	6.1	04.1-08.1
45-54	1021	88,003	435	41.6	38.3-44.9	472	47.5	44.0-51.0	114	10.9	08.7-13.1
55-64	870	66,515	352	41.9	38.2-45.6	404	45.9	42.2-49.6	114	12.3	09.8-14.8
65+	1118	84,348	379	33.9	30.8-37.0	487	43.1	39.8-46.4	252	23.0	20.3-25.7
Less Than H.S.	346	33,283	121	43.0	35.2-50.8	131	33.7	26.8-40.6	94	23.3	17.6-29.0
H.S. or G.E.D.	1280	134,917	511	41.2	37.5-44.9	564	43.7	40.0-47.4	205	15.1	12.4-17.8
Some Post-H.S.	1401	152,520	574	42.5	38.8-46.2	657	47.3	43.8-50.8	170	10.3	08.3-12.3
College Graduate	1355	145,883	583	43.5	40.2-46.8	661	49.0	45.7-52.3	111	7.6	06.0-09.2
Less than \$15,000	356	33,711	128	45.7	36.9-54.5	144	36.0	28.2-43.8	84	18.3	13.2-23.4
\$15,000- 24,999	633	58,104	224	37.3	31.8-42.8	285	43.8	38.3-49.3	124	18.9	14.8-23.0
\$25,000- 34,999	539	54,305	216	42.0	36.1-47.9	253	45.9	40.0-51.8	70	12.1	08.2-16.0
\$35,000- 49,999	695	69,420	266	39.1	34.8-43.4	363	52.6	48.1-57.1	66	8.4	05.9-10.9
\$50,000- 74,999	749	88,257	351	45.8	41.5-50.1	332	44.9	40.6-49.2	66	9.2	06.5-11.9
\$75,000+	858	104,259	400	46.5	42.4-50.6	399	47.1	43.0-51.2	59	6.4	04.6-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 8: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1795	231,605	726	40.8	37.9-43.7	814	46.2	43.3-49.1	255	13.0	11.0-15.0
Non-Native	1658	220,011	666	40.8	37.7-43.9	759	46.9	43.8-50.0	233	12.3	10.3-14.3
18-24	91	37,866							11	14.9	06.1-23.7
25-34	195	41,110	79	40.8	33.0-48.6	100	51.9	43.9-59.9	16	7.2	03.3-11.1
35-44	283	37,800	123	43.1	36.8-49.4	139	50.6	44.3-56.9	21	6.3	03.6-09.0
45-54	440	44,211	179	39.1	34.0-44.2	204	48.3	43.0-53.6	57	12.6	09.1-16.1
55-64	377	33,414	153	40.6	35.1-46.1	168	45.4	39.7-51.1	56	14.0	10.1-17.9
65+	395	35,914	144	35.8	30.7-40.9	159	40.0	34.7-45.3	92	24.2	19.5-28.9
Less Than H.S.	161	17,558				59	34.8	24.8-44.8	50	26.2	17.6-34.8
H.S. or G.E.D.	530	69,627	215	40.0	34.5-45.5	221	43.0	37.3-48.7	94	17.0	12.3-21.7
Some Post-H.S.	543	72,713	224	42.1	36.4-47.8	248	46.2	40.7-51.7	71	11.6	08.3-14.9
College Graduate	561	71,707	235	40.7	35.8-45.6	286	52.0	47.1-56.9	40	7.3	04.8-09.8
\$15,000- 24,999	210	22,951	72	34.5	25.9-43.1	94	46.3	37.5-55.1	44	19.2	12.5-25.9
\$25,000- 34,999	231	28,108	101	45.8	36.8-54.8	100	42.1	33.5-50.7	30	12.1	06.0-18.2
\$35,000- 49,999	304	37,233	109	35.5	29.2-41.8	164	54.3	47.6-61.0	31	10.2	05.9-14.5
\$50,000- 74,999	333	46,299	146	43.0	36.5-49.5	143	44.1	37.6-50.6	44	12.9	08.2-17.6
\$75,000+	441	59,996	194	42.0	36.3-47.7	212	50.8	45.1-56.5	35	7.2	04.5-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 9: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2589	235,149	1063	44.1	41.6-46.6	1199	45.4	42.9-47.9	327	10.5	09.1-11.9
Native	208	11,546							37	14.9	06.9-22.9
Non-Native	2366	222,606	973	44.0	41.3-46.7	1108	45.8	43.3-48.3	285	10.2	08.8-11.6
18-24	91	34,603							6	5.7	00.6-10.8
25-34	288	37,857	149	52.3	46.0-58.6	123	41.8	35.5-48.1	16	5.9	03.0-08.8
35-44	396	36,221	169	41.6	36.3-46.9	200	52.6	47.1-58.1	27	5.9	03.4-08.4
45-54	581	43,792	256	44.1	39.6-48.6	268	46.7	42.2-51.2	57	9.3	06.8-11.8
55-64	493	33,101	199	43.2	38.3-48.1	236	46.3	41.4-51.2	58	10.5	07.6-13.4
65+	723	48,434	235	32.5	28.6-36.4	328	45.4	41.3-49.5	160	22.1	18.8-25.4
Less Than H.S.	185	15,725				72	32.4	22.8-42.0	44	20.1	13.2-27.0
H.S. or G.E.D.	750	65,290	296	42.5	37.6-47.4	343	44.5	39.6-49.4	111	13.0	10.1-15.9
Some Post-H.S.	858	79,806	350	42.8	38.1-47.5	409	48.2	43.5-52.9	99	9.0	06.6-11.4
College Graduate	794	74,177	348	46.2	41.9-50.5	375	46.0	41.7-50.3	71	7.8	05.6-10.0
Less than \$15,000	235	20,198							47	13.9	09.0-18.8
\$15,000- 24,999	423	35,154	152	39.1	32.2-46.0	191	42.2	35.1-49.3	80	18.7	13.6-23.8
\$25,000- 34,999	308	26,197	115	37.9	30.1-45.7	153	50.0	42.2-57.8	40	12.0	06.9-17.1
\$35,000- 49,999	391	32,187	157	43.2	37.3-49.1	199	50.6	44.7-56.5	35	6.2	03.7-08.7
\$50,000- 74,999	416	41,958	205	48.9	43.2-54.6	189	45.9	40.2-51.6	22	5.1	02.7-07.5
\$75,000+	417	44,262	206	52.7	46.8-58.6	187	42.1	36.4-47.8	24	5.2	02.8-07.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 10: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4483	476,368	1106	28.9	26.9-30.9	914	22.8	21.0-24.6	2463	48.3	46.3-50.3
Male	1819	234,240	522	32.1	29.2-35.0	467	27.4	24.7-30.1	830	40.5	37.6-43.4
Female	2664	242,128	584	25.8	23.4-28.2	447	18.3	16.3-20.3	1633	55.9	53.4-58.4
Native	329	21,714	88	30.5	21.1-39.9	45	13.1	06.6-19.6			
Non-Native	4114	450,930	1010	28.8	26.8-30.8	864	23.3	21.5-25.1	2240	47.8	45.8-49.8
18-24	185	72,419	77	42.4	34.2-50.6	47	25.5	18.2-32.8	61	32.0	24.2-39.8
25-34	487	80,100	167	35.4	30.5-40.3	132	27.4	22.9-31.9	188	37.2	32.3-42.1
35-44	688	75,567	216	33.0	29.1-36.9	187	29.0	25.3-32.7	285	38.0	34.1-41.9
45-54	1043	90,309	297	28.5	25.4-31.6	235	23.9	21.0-26.8	511	47.6	44.1-51.1
55-64	872	66,463	181	21.6	18.5-24.7	171	21.5	18.4-24.6	520	56.9	53.2-60.6
65+	1173	88,845	158	14.1	11.7-16.5	137	11.2	09.2-13.2	878	74.8	72.1-77.5
Less Than H.S.	361	34,836	49	22.5	14.7-30.3	49	16.9	11.0-22.8	263	60.6	52.6-68.6
H.S. or G.E.D.	1324	138,557	300	26.8	23.3-30.3	234	19.9	17.0-22.8	790	53.3	49.6-57.0
Some Post-H.S.	1427	154,684	359	29.3	26.0-32.6	303	23.2	20.1-26.3	765	47.4	43.9-50.9
College Graduate	1370	148,205	398	31.8	28.7-34.9	328	26.5	23.6-29.4	644	41.7	38.6-44.8
Less than \$15,000	367	34,784	78	30.8	22.0-39.6	46	13.9	07.6-20.2	243	55.3	46.7-63.9
\$15,000- 24,999	652	59,965	115	21.3	16.6-26.0	97	18.3	13.6-23.0	440	60.3	54.8-65.8
\$25,000- 34,999	554	55,305	131	27.9	22.2-33.6	106	20.0	15.5-24.5	317	52.1	46.2-58.0
\$35,000- 49,999	709	71,263	151	24.0	20.1-27.9	169	26.5	22.6-30.4	389	49.5	45.0-54.0
\$50,000- 74,999	758	88,939	223	33.5	29.0-38.0	177	24.6	20.9-28.3	358	41.9	37.8-46.0
\$75,000+	863	105,203	298	36.7	32.6-40.8	222	28.1	24.2-32.0	343	35.2	31.5-38.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 11: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	234,240	522	32.1	29.2-35.0	467	27.4	24.7-30.1	830	40.5	37.6-43.4
Native	116	9,682				23	13.5	04.5-22.5			
Non-Native	1679	221,991	473	31.5	28.6-34.4	440	28.2	25.5-30.9	766	40.3	37.4-43.2
25-34	199	41,920	73	37.2	29.4-45.0	65	31.4	24.5-38.3	61	31.4	24.1-38.7
35-44	283	38,136	100	37.1	31.0-43.2	95	33.4	27.5-39.3	88	29.5	23.8-35.2
45-54	449	45,434	135	29.8	25.1-34.5	123	28.1	23.4-32.8	191	42.1	37.0-47.2
55-64	374	32,778	94	26.0	20.9-31.1	89	25.0	20.1-29.9	191	49.0	43.3-54.7
65+	409	37,269	73	18.7	14.4-23.0	64	15.3	11.6-19.0	272	66.0	60.9-71.1
Less Than H.S.	168	18,209				28	22.3	12.7-31.9			
H.S. or G.E.D.	541	70,702	157	31.2	25.9-36.5	118	23.1	18.4-27.8	266	45.7	40.0-51.4
Some Post-H.S.	541	72,299	162	33.3	27.8-38.8	156	29.5	24.4-34.6	223	37.3	32.0-42.6
College Graduate	569	73,030	181	34.4	29.7-39.1	165	30.9	26.2-35.6	223	34.6	30.1-39.1
Less than \$15,000	119	13,524				19	12.5	03.9-21.1			
\$15,000- 24,999	214	23,205	50	26.3	18.7-33.9	34	22.1	13.1-31.1	130	51.6	42.8-60.4
\$25,000- 34,999	232	27,954	71	35.0	26.2-43.8	59	25.7	18.1-33.3	102	39.4	30.8-48.0
\$35,000- 49,999	309	38,499	77	27.2	21.3-33.1	89	30.7	24.6-36.8	143	42.1	35.6-48.6
\$50,000- 74,999	333	46,065	93	34.4	27.5-41.3	103	29.4	23.7-35.1	137	36.2	30.1-42.3
\$75,000+	447	60,916	160	35.5	30.0-41.0	132	33.6	27.9-39.3	155	30.8	25.7-35.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 12: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2664	242,128	584	25.8	23.3-28.3	447	18.3	16.3-20.3	1633	55.9	53.4-58.4
Native	213	12,032	44	17.7	10.1-25.3	22	12.7	03.3-22.1			
Non-Native	2435	228,939	537	26.2	23.7-28.7	424	18.6	16.6-20.6	1474	55.1	52.4-57.8
18-24	95	35,062				19	20.2	11.0-29.4			
25-34	288	38,180	94	33.4	27.5-39.3	67	23.0	17.7-28.3	127	43.6	37.3-49.9
35-44	405	37,430	116	28.8	23.9-33.7	92	24.5	19.8-29.2	197	46.7	41.2-52.2
45-54	594	44,875	162	27.2	23.3-31.1	112	19.7	16.2-23.2	320	53.1	48.6-57.6
55-64	498	33,685	87	17.3	13.6-21.0	82	18.2	14.3-22.1	329	64.6	59.9-69.3
65+	764	51,576	85	10.7	08.3-13.1	73	8.1	06.1-10.1	606	81.2	78.3-84.1
Less Than H.S.	193	16,627				21	10.9	04.8-17.0			
H.S. or G.E.D.	783	67,855	143	22.2	17.5-26.9	116	16.5	13.0-20.0	524	61.3	56.4-66.2
Some Post-H.S.	886	82,386	197	25.9	21.8-30.0	147	17.8	14.3-21.3	542	56.3	51.6-61.0
College Graduate	801	75,175	217	29.3	25.2-33.4	163	22.1	18.4-25.8	421	48.6	44.3-52.9
Less than \$15,000	248	21,260	50	25.4	15.8-35.0	27	14.8	06.2-23.4			
\$15,000- 24,999	438	36,761	65	18.2	12.1-24.3	63	16.0	10.7-21.3	310	65.8	58.9-72.7
\$25,000- 34,999	322	27,351	60	20.6	13.9-27.3	47	14.2	09.3-19.1	215	65.2	57.9-72.5
\$35,000- 49,999	400	32,764	74	20.1	15.2-25.0	80	21.6	16.9-26.3	246	58.3	52.4-64.2
\$50,000- 74,999	425	42,874	130	32.5	26.8-38.2	74	19.5	14.8-24.2	221	48.0	42.3-53.7
\$75,000+	416	44,287	138	38.3	32.2-44.4	90	20.4	16.1-24.7	188	41.2	35.7-46.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 13: 5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4364	465,457	720	19.5	17.7-21.3	386	10.1	08.9-11.3	1069	23.1	21.5-24.7	1681	37.4	35.4-39.4	508	10.0	08.8-11.2
Male	1786	230,586	340	21.4	18.7-24.1	182	11.2	09.2-13.2	386	19.6	17.2-22.0	670	37.7	34.8-40.6	208	10.2	08.4-12.0
Female	2578	234,871	380	17.6	15.4-19.8	204	9.0	07.4-10.6	683	26.6	24.4-28.8	1011	37.1	34.6-39.6	300	9.8	08.4-11.2
Native	319	20,890	55	21.2	12.6-29.8	33	10.5	04.8-16.2	80	21.9	13.9-29.9	105	28.4	18.4-38.4			
Non-Native	4007	441,146	660	19.4	17.6-21.2	350	10.1	08.7-11.5	979	23.2	21.6-24.8	1567	37.9	35.9-39.9	451	9.4	08.4-10.4
18-24	182	72,470	57	32.0	24.2-39.8	20	10.4	05.3-15.5	35	17.9	11.6-24.2	59	32.3	24.5-40.1	11	7.3	02.8-11.8
25-34	482	78,968	100	21.6	17.1-26.1	67	14.4	10.9-17.9	128	24.8	20.5-29.1	162	33.7	28.8-38.6	25	5.6	03.2-08.0
35-44	677	73,910	140	21.5	18.0-25.0	76	12.3	09.6-15.0	152	21.0	17.7-24.3	268	40.2	36.1-44.3	41	5.0	03.2-06.8
45-54	1021	88,014	196	18.9	16.4-21.4	101	10.3	08.1-12.5	239	22.7	19.8-25.6	391	39.3	36.0-42.6	94	8.8	06.8-10.8
55-64	859	65,484	128	15.3	12.6-18.0	53	6.6	04.6-08.6	224	27.2	23.9-30.5	352	40.1	36.4-43.8	102	10.8	08.4-13.2
65+	1111	84,124	93	8.6	06.6-10.6	65	6.2	04.6-07.8	286	25.4	22.7-28.1	437	38.7	35.6-41.8	230	21.1	18.4-23.8
Less Than H.S.	344	33,293	34	19.6	11.6-27.6	15	4.0	00.5-07.5	87	23.4	17.5-29.3	122	32.4	25.5-39.3	86	20.6	15.7-25.5
H.S. or G.E.D.	1270	134,376	195	17.9	14.8-21.0	105	9.8	07.3-12.3	316	23.5	20.6-26.4	482	36.3	32.8-39.8	172	12.6	10.1-15.1
Some Post-H.S.	1397	151,991	234	20.0	16.9-23.1	125	9.9	07.7-12.1	340	22.7	19.8-25.6	548	39.0	35.5-42.5	150	8.5	06.7-10.3
College Graduate	1352	145,712	257	20.4	17.7-23.1	141	12.0	09.8-14.2	326	23.2	20.5-25.9	529	37.8	34.7-40.9	99	6.6	05.0-08.2
Less than \$15,000	355	33,626	57	24.1	15.5-32.7	21	7.8	02.9-12.7	71	21.8	14.2-29.4	129	29.3	22.2-36.4	77	17.0	12.1-21.9
\$15,000- 24,999	626	57,664	74	14.0	10.1-17.9	41	8.2	04.7-11.7	150	23.5	18.8-28.2	249	38.0	32.5-43.5	112	16.3	12.6-20.0
\$25,000- 34,999	537	54,113	87	19.8	14.5-25.1	44	8.6	05.5-11.7	129	22.3	17.6-27.0	213	37.6	31.9-43.3	64	11.6	07.7-15.5
\$35,000- 49,999	691	68,974	91	14.4	11.1-17.7	60	10.4	07.5-13.3	175	24.9	21.2-28.6	307	44.0	39.5-48.5	58	6.3	04.3-08.3
\$50,000- 74,999	747	87,694	158	22.7	18.8-26.6	65	11.3	07.8-14.8	193	23.5	20.2-26.8	278	35.9	31.8-40.0	53	6.7	04.5-08.9
\$75,000+	856	104,340	190	24.2	20.3-28.1	108	12.8	10.1-15.5	210	22.3	19.0-25.6	300	35.6	31.7-39.5	48	5.2	03.4-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 14: 5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1786	230,586	340	21.4	18.7-24.1	182	11.2	09.2-13.2	386	19.6	17.2-22.0	670	37.7	34.8-40.6	208	10.2	08.4-12.0
Native	115	9,388							28	10.0	03.5-16.5						
Non-Native	1648	218,773	313	21.0	18.3-23.7	160	11.0	09.0-13.0	353	20.0	17.6-22.4	631	38.5	35.6-41.4	191	9.5	07.9-11.1
18-24	91	37,866				14	11.6	04.5-18.7	14	15.5	07.1-23.9				5	8.8	01.4-16.2
25-34	195	40,995	41	23.1	15.8-30.4	32	14.9	09.6-20.2	38	17.8	11.9-23.7	72	37.9	30.3-45.5	12	6.3	02.6-10.0
35-44	280	37,490	65	24.3	18.8-29.8	35	13.5	09.2-17.8	58	19.2	14.3-24.1	106	38.3	32.2-44.4	16	4.7	02.3-07.1
45-54	440	44,222	88	19.6	15.7-23.5	47	11.0	07.7-14.3	91	19.5	15.4-23.6	170	40.4	35.3-45.5	44	9.4	06.3-12.5
55-64	368	32,471	70	19.1	14.6-23.6	24	7.2	04.1-10.3	83	22.7	17.8-27.6	143	39.0	33.5-44.5	48	12.0	08.3-15.7
65+	397	36,196	45	11.7	08.2-15.2	28	7.5	04.6-10.4	99	23.8	19.3-28.3	144	36.0	30.9-41.1	81	21.0	16.7-25.3
Less Than H.S.	160	17,547				5	1.8	00.0-03.6	35	19.3	11.3-27.3				44	21.5	14.4-28.6
H.S. or G.E.D.	528	69,659	104	20.4	15.7-25.1	53	11.3	07.4-15.2	111	19.5	15.4-23.6	186	35.5	30.2-40.8	74	13.3	09.0-17.6
Some Post-H.S.	538	71,804	109	23.9	18.6-29.2	53	9.6	06.7-12.5	115	18.8	14.5-23.1	203	39.0	33.5-44.5	58	8.7	06.0-11.4
College Graduate	560	71,576	110	20.2	16.1-24.3	71	14.9	11.4-18.4	125	20.6	16.7-24.5	222	38.4	33.7-43.1	32	5.9	03.5-08.3
Less than \$15,000	120	13,501				7	6.5	00.0-13.6	24	14.0	05.2-22.8				33	22.6	12.8-32.4
\$15,000- 24,999	206	22,572	31	15.4	09.3-21.5	19	11.6	05.7-17.5	41	19.7	11.9-27.5	79	40.0	31.0-49.0	36	13.2	08.5-17.9
\$25,000- 34,999	230	27,938	51	27.5	18.9-36.1	20	7.5	03.8-11.2	50	18.6	12.3-24.9	83	35.2	27.0-43.4	26	11.3	05.2-17.4
\$35,000- 49,999	301	36,866	45	15.5	10.6-20.4	32	12.9	08.2-17.6	64	20.3	15.2-25.4	136	44.9	38.2-51.6	24	6.4	03.7-09.1
\$50,000- 74,999	328	45,538	66	22.6	16.7-28.5	27	12.2	06.7-17.7	80	21.1	16.2-26.0	121	35.1	29.0-41.2	34	9.0	05.5-12.5
\$75,000+	442	60,167	104	23.6	18.7-28.5	56	12.4	08.9-15.9	90	18.3	14.0-22.6	165	40.1	34.4-45.8	27	5.7	03.2-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 15: 5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2578	234,871	380	17.6	15.4-19.8	204	9.0	07.4-10.6	683	26.6	24.4-28.8	1011	37.1	34.6-39.6	300	9.8	08.4-11.2
Native	204	11,502	31	13.2	06.1-20.3	13	5.3	01.6-09.0							35	14.3	06.3-22.3
Non-Native	2359	222,373	347	17.8	15.4-20.2	190	9.2	07.4-11.0	626	26.3	23.9-28.7	936	37.3	34.8-39.8	260	9.4	08.0-10.8
18-24	91	34,603				6	9.1	01.7-16.5	21	20.7	11.3-30.1				6	5.7	00.6-10.8
25-34	287	37,973	59	19.8	14.9-24.7	35	13.8	09.3-18.3	90	32.3	26.4-38.2	90	29.2	23.5-34.9	13	4.9	02.2-07.6
35-44	397	36,420	75	18.6	14.5-22.7	41	11.1	07.6-14.6	94	22.8	18.3-27.3	162	42.2	36.7-47.7	25	5.4	02.9-07.9
45-54	581	43,792	108	18.2	14.9-21.5	54	9.6	06.9-12.3	148	25.9	22.0-29.8	221	38.1	33.8-42.4	50	8.2	05.7-10.7
55-64	491	33,013	58	11.5	08.4-14.6	29	6.1	03.7-08.5	141	31.7	27.0-36.4	209	41.1	36.2-46.0	54	9.6	06.7-12.5
65+	714	47,928	48	6.2	04.2-08.2	37	5.3	03.3-07.3	187	26.6	22.9-30.3	293	40.7	36.6-44.8	149	21.2	17.9-24.5
Less Than H.S.	184	15,746				10	6.5	00.0-13.4	52	28.1	19.3-36.9	63	26.6	18.6-34.6	42	19.6	12.7-26.5
H.S. or G.E.D.	742	64,716	91	15.1	11.0-19.2	52	8.2	04.9-11.5	205	27.8	23.7-31.9	296	37.1	32.6-41.6	98	11.9	09.0-14.8
Some Post-H.S.	859	80,187	125	16.5	12.8-20.2	72	10.1	07.2-13.0	225	26.1	22.0-30.2	345	39.0	34.5-43.5	92	8.3	06.1-10.5
College Graduate	792	74,136	147	20.5	16.6-24.4	70	9.2	06.8-11.6	201	25.7	22.0-29.4	307	37.3	33.2-41.4	67	7.3	05.3-09.3
Less than \$15,000	235	20,124	36	18.2	09.4-27.0	14	8.7	02.0-15.4				94	32.8	23.6-42.0	44	13.3	08.6-18.0
\$15,000- 24,999	420	35,092	43	13.1	07.8-18.4	22	5.9	01.6-10.2	109	26.0	20.1-31.9	170	36.7	29.8-43.6	76	18.2	13.1-23.3
\$25,000- 34,999	307	26,175	36	11.6	06.3-16.9	24	9.9	04.8-15.0	79	26.3	19.0-33.6	130	40.2	32.6-47.8	38	11.9	06.8-17.0
\$35,000- 49,999	390	32,108	46	13.0	08.5-17.5	28	7.5	04.6-10.4	111	30.3	24.8-35.8	171	42.9	37.0-48.8	34	6.2	03.7-08.7
\$50,000- 74,999	419	42,156	92	22.7	17.6-27.8	38	10.4	06.1-14.7	113	26.0	21.3-30.7	157	36.7	31.2-42.2	19	4.2	02.2-06.2
\$75,000+	414	44,173	86	25.1	19.0-31.2	52	13.3	09.2-17.4	120	27.7	22.8-32.6	135	29.4	24.5-34.3	21	4.5	02.3-06.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 16: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4364	465,457	2175	52.7	50.7-54.7	2189	47.3	45.3-49.3
Male	1786	230,586	908	52.2	49.3-55.1	878	47.8	44.9-50.7
Female	2578	234,871	1267	53.1	50.6-55.6	1311	46.9	44.4-49.4
Non-Native	4007	441,146	1989	52.6	50.6-54.6	2018	47.4	45.4-49.4
18-24	182	72,470	112	60.3	52.1-68.5	70	39.7	31.5-47.9
25-34	482	78,968	295	60.7	55.8-65.6	187	39.3	34.4-44.2
35-44	677	73,910	368	54.7	50.6-58.8	309	45.3	41.2-49.4
45-54	1021	88,014	536	51.9	48.4-55.4	485	48.1	44.6-51.6
55-64	859	65,484	405	49.1	45.4-52.8	454	50.9	47.2-54.6
65+	1111	84,124	444	40.2	36.9-43.5	667	59.8	56.5-63.1
Less Than H.S.	344	33,293	136	47.0	39.2-54.8	208	53.0	45.2-60.8
H.S. or G.E.D.	1270	134,376	616	51.1	47.4-54.8	654	48.9	45.2-52.6
Some Post-H.S.	1397	151,991	699	52.5	49.0-56.0	698	47.5	44.0-51.0
College Graduate	1352	145,712	724	55.5	52.2-58.8	628	44.5	41.2-47.8
Less than \$15,000	355	33,626	149	53.6	45.2-62.0	206	46.4	38.0-54.8
\$15,000- 24,999	626	57,664	265	45.7	40.0-51.4	361	54.3	48.6-60.0
\$25,000- 34,999	537	54,113	260	50.8	44.9-56.7	277	49.2	43.3-55.1
\$35,000- 49,999	691	68,974	326	49.7	45.2-54.2	365	50.3	45.8-54.8
\$50,000- 74,999	747	87,694	416	57.5	53.2-61.8	331	42.5	38.2-46.8
\$75,000+	856	104,340	508	59.3	55.2-63.4	348	40.7	36.6-44.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 17: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1786	230,586	908	52.2	49.3-55.1	878	47.8	44.9-50.7
Non-Native	1648	218,773	826	52.0	48.9-55.1	822	48.0	44.9-51.1
25-34	195	40,995	111	55.9	48.1-63.7	84	44.1	36.3-51.9
35-44	280	37,490	158	57.0	50.7-63.3	122	43.0	36.7-49.3
45-54	440	44,222	226	50.2	44.9-55.5	214	49.8	44.5-55.1
55-64	368	32,471	177	48.9	43.2-54.6	191	51.1	45.4-56.8
65+	397	36,196	172	43.0	37.7-48.3	225	57.0	51.7-62.3
H.S. or G.E.D.	528	69,659	268	51.2	45.5-56.9	260	48.8	43.1-54.5
Some Post-H.S.	538	71,804	277	52.3	46.6-58.0	261	47.7	42.0-53.4
College Graduate	560	71,576	306	55.7	50.8-60.6	254	44.3	39.4-49.2
\$15,000- 24,999	206	22,572	91	46.7	37.7-55.7	115	53.3	44.3-62.3
\$25,000- 34,999	230	27,938	121	53.6	44.8-62.4	109	46.4	37.6-55.2
\$35,000- 49,999	301	36,866	141	48.7	42.0-55.4	160	51.3	44.6-58.0
\$50,000- 74,999	328	45,538	173	55.9	49.4-62.4	155	44.1	37.6-50.6
\$75,000+	442	60,167	250	54.2	48.5-59.9	192	45.8	40.1-51.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 18: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2578	234,871	1267	53.1	50.6-55.6	1311	46.9	44.4-49.4
Non-Native	2359	222,373	1163	53.3	50.8-55.8	1196	46.7	44.2-49.2
25-34	287	37,973	184	65.9	60.0-71.8	103	34.1	28.2-40.0
35-44	397	36,420	210	52.4	46.9-57.9	187	47.6	42.1-53.1
45-54	581	43,792	310	53.7	49.2-58.2	271	46.3	41.8-50.8
55-64	491	33,013	228	49.3	44.2-54.4	263	50.7	45.6-55.8
65+	714	47,928	272	38.1	34.2-42.0	442	61.9	58.0-65.8
H.S. or G.E.D.	742	64,716	348	51.1	46.2-56.0	394	48.9	44.0-53.8
Some Post-H.S.	859	80,187	422	52.7	48.0-57.4	437	47.3	42.6-52.0
College Graduate	792	74,136	418	55.4	51.1-59.7	374	44.6	40.3-48.9
\$15,000- 24,999	420	35,092	174	45.0	37.9-52.1	246	55.0	47.9-62.1
\$25,000- 34,999	307	26,175	139	47.9	40.1-55.7	168	52.1	44.3-59.9
\$35,000- 49,999	390	32,108	185	50.8	44.9-56.7	205	49.2	43.3-55.1
\$50,000- 74,999	419	42,156	243	59.1	53.6-64.6	176	40.9	35.4-46.4
\$75,000+	414	44,173	258	66.2	60.9-71.5	156	33.8	28.5-39.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 19: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4483	476,368	1106	28.9	26.9-30.9	3377	71.1	69.1-73.1
Male	1819	234,240	522	32.1	29.2-35.0	1297	67.9	65.0-70.8
Female	2664	242,128	584	25.8	23.4-28.2	2080	74.2	71.8-76.6
Native	329	21,714	88	30.5	21.1-39.9	241	69.5	60.1-78.9
Non-Native	4114	450,930	1010	28.8	26.8-30.8	3104	71.2	69.2-73.2
18-24	185	72,419	77	42.4	34.2-50.6	108	57.6	49.4-65.8
25-34	487	80,100	167	35.4	30.5-40.3	320	64.6	59.7-69.5
35-44	688	75,567	216	33.0	29.1-36.9	472	67.0	63.1-70.9
45-54	1043	90,309	297	28.5	25.4-31.6	746	71.5	68.4-74.6
55-64	872	66,463	181	21.6	18.5-24.7	691	78.4	75.3-81.5
65+	1173	88,845	158	14.1	11.7-16.5	1015	85.9	83.5-88.3
Less Than H.S.	361	34,836	49	22.5	14.7-30.3	312	77.5	69.7-85.3
H.S. or G.E.D.	1324	138,557	300	26.8	23.3-30.3	1024	73.2	69.7-76.7
Some Post-H.S.	1427	154,684	359	29.3	26.0-32.6	1068	70.7	67.4-74.0
College Graduate	1370	148,205	398	31.8	28.7-34.9	972	68.2	65.1-71.3
Less than \$15,000	367	34,784	78	30.8	22.0-39.6	289	69.2	60.4-78.0
\$15,000- 24,999	652	59,965	115	21.3	16.6-26.0	537	78.7	74.0-83.4
\$25,000- 34,999	554	55,305	131	27.9	22.2-33.6	423	72.1	66.4-77.8
\$35,000- 49,999	709	71,263	151	24.0	20.1-27.9	558	76.0	72.1-79.9
\$50,000- 74,999	758	88,939	223	33.5	29.0-38.0	535	66.5	62.0-71.0
\$75,000+	863	105,203	298	36.7	32.6-40.8	565	63.3	59.2-67.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 20: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	234,240	522	32.1	29.2-35.0	1297	67.9	65.0-70.8
Non-Native	1679	221,991	473	31.5	28.6-34.4	1206	68.5	65.6-71.4
25-34	199	41,920	73	37.2	29.4-45.0	126	62.8	55.0-70.6
35-44	283	38,136	100	37.1	31.0-43.2	183	62.9	56.8-69.0
45-54	449	45,434	135	29.8	25.1-34.5	314	70.2	65.5-74.9
55-64	374	32,778	94	26.0	20.9-31.1	280	74.0	68.9-79.1
65+	409	37,269	73	18.7	14.4-23.0	336	81.3	77.0-85.6
H.S. or G.E.D.	541	70,702	157	31.2	25.9-36.5	384	68.8	63.5-74.1
Some Post-H.S.	541	72,299	162	33.3	27.8-38.8	379	66.7	61.2-72.2
College Graduate	569	73,030	181	34.4	29.7-39.1	388	65.6	60.9-70.3
\$15,000- 24,999	214	23,205	50	26.3	18.7-33.9	164	73.7	66.1-81.3
\$25,000- 34,999	232	27,954	71	35.0	26.2-43.8	161	65.0	56.2-73.8
\$35,000- 49,999	309	38,499	77	27.2	21.3-33.1	232	72.8	66.9-78.7
\$50,000- 74,999	333	46,065	93	34.4	27.5-41.3	240	65.6	58.7-72.5
\$75,000+	447	60,916	160	35.5	30.0-41.0	287	64.5	59.0-70.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 21: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2664	242,128	584	25.8	23.3-28.3	2080	74.2	71.7-76.7	
Native	213	12,032	44	17.7	10.1-25.3	169	82.3	74.7-89.9	
Non-Native	2435	228,939	537	26.2	23.7-28.7	1898	73.8	71.3-76.3	
25-34	288	38,180	94	33.4	27.5-39.3	194	66.6	60.7-72.5	
35-44	405	37,430	116	28.8	23.9-33.7	289	71.2	66.3-76.1	
45-54	594	44,875	162	27.2	23.3-31.1	432	72.8	68.9-76.7	
55-64	498	33,685	87	17.3	13.6-21.0	411	82.7	79.0-86.4	
65+	764	51,576	85	10.7	08.3-13.1	679	89.3	86.9-91.7	
H.S. or G.E.D.	783	67,855	143	22.2	17.5-26.9	640	77.8	73.1-82.5	
Some Post-H.S.	886	82,386	197	25.9	21.8-30.0	689	74.1	70.0-78.2	
College Graduate	801	75,175	217	29.3	25.2-33.4	584	70.7	66.6-74.8	
Less than \$15,000	248	21,260	50	25.4	15.8-35.0	198	74.6	65.0-84.2	
\$15,000- 24,999	438	36,761	65	18.2	12.1-24.3	373	81.8	75.7-87.9	
\$25,000- 34,999	322	27,351	60	20.6	13.9-27.3	262	79.4	72.7-86.1	
\$35,000- 49,999	400	32,764	74	20.1	15.2-25.0	326	79.9	75.0-84.8	
\$50,000- 74,999	425	42,874	130	32.5	26.8-38.2	295	67.5	61.8-73.2	
\$75,000+	416	44,287	138	38.3	32.2-44.4	278	61.7	55.6-67.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 22: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4364	465,457	2175	52.7	50.7-54.7	1681	37.4	35.4-39.4	508	10.0	08.8-11.2
Male	1786	230,586	908	52.2	49.3-55.1	670	37.7	34.8-40.6	208	10.2	08.4-12.0
Female	2578	234,871	1267	53.1	50.6-55.6	1011	37.1	34.6-39.6	300	9.8	08.4-11.2
Native	319	20,890				105	28.4	18.4-38.4			
Non-Native	4007	441,146	1989	52.6	50.6-54.6	1567	37.9	35.9-39.9	451	9.4	08.4-10.4
18-24	182	72,470	112	60.3	52.1-68.5	59	32.3	24.5-40.1	11	7.3	02.8-11.8
25-34	482	78,968	295	60.7	55.8-65.6	162	33.7	28.8-38.6	25	5.6	03.2-08.0
35-44	677	73,910	368	54.7	50.6-58.8	268	40.2	36.1-44.3	41	5.0	03.2-06.8
45-54	1021	88,014	536	51.9	48.4-55.4	391	39.3	36.0-42.6	94	8.8	06.8-10.8
55-64	859	65,484	405	49.1	45.4-52.8	352	40.1	36.4-43.8	102	10.8	08.4-13.2
65+	1111	84,124	444	40.2	36.9-43.5	437	38.7	35.6-41.8	230	21.1	18.4-23.8
Less Than H.S.	344	33,293	136	47.0	39.2-54.8	122	32.4	25.5-39.3	86	20.6	15.7-25.5
H.S. or G.E.D.	1270	134,376	616	51.1	47.4-54.8	482	36.3	32.8-39.8	172	12.6	10.1-15.1
Some Post-H.S.	1397	151,991	699	52.5	49.0-56.0	548	39.0	35.5-42.5	150	8.5	06.7-10.3
College Graduate	1352	145,712	724	55.5	52.2-58.8	529	37.8	34.7-40.9	99	6.6	05.0-08.2
Less than \$15,000	355	33,626	149	53.6	45.2-62.0	129	29.3	22.2-36.4	77	17.0	12.1-21.9
\$15,000- 24,999	626	57,664	265	45.7	40.0-51.4	249	38.0	32.5-43.5	112	16.3	12.6-20.0
\$25,000- 34,999	537	54,113	260	50.8	44.9-56.7	213	37.6	31.9-43.3	64	11.6	07.7-15.5
\$35,000- 49,999	691	68,974	326	49.7	45.2-54.2	307	44.0	39.5-48.5	58	6.3	04.3-08.3
\$50,000- 74,999	747	87,694	416	57.5	53.2-61.8	278	35.9	31.8-40.0	53	6.7	04.5-08.9
\$75,000+	856	104,340	508	59.3	55.2-63.4	300	35.6	31.7-39.5	48	5.2	03.4-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 23: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1786	230,586	908	52.2	49.3-55.1	670	37.7	34.8-40.6	208	10.2	08.4-12.0
Non-Native	1648	218,773	826	52.0	48.9-55.1	631	38.5	35.6-41.4	191	9.5	07.9-11.1
18-24	91	37,866							5	8.8	01.4-16.2
25-34	195	40,995	111	55.9	48.1-63.7	72	37.9	30.3-45.5	12	6.3	02.6-10.0
35-44	280	37,490	158	57.0	50.7-63.3	106	38.3	32.2-44.4	16	4.7	02.3-07.1
45-54	440	44,222	226	50.2	44.9-55.5	170	40.4	35.3-45.5	44	9.4	06.3-12.5
55-64	368	32,471	177	48.9	43.2-54.6	143	39.0	33.5-44.5	48	12.0	08.3-15.7
65+	397	36,196	172	43.0	37.7-48.3	144	36.0	30.9-41.1	81	21.0	16.7-25.3
Less Than H.S.	160	17,547							44	21.5	14.4-28.6
H.S. or G.E.D.	528	69,659	268	51.2	45.5-56.9	186	35.5	30.2-40.8	74	13.3	09.0-17.6
Some Post-H.S.	538	71,804	277	52.3	46.6-58.0	203	39.0	33.5-44.5	58	8.7	06.0-11.4
College Graduate	560	71,576	306	55.7	50.8-60.6	222	38.4	33.7-43.1	32	5.9	03.5-08.3
Less than \$15,000	120	13,501							33	22.6	12.8-32.4
\$15,000- 24,999	206	22,572	91	46.7	37.7-55.7	79	40.0	31.0-49.0	36	13.2	08.5-17.9
\$25,000- 34,999	230	27,938	121	53.6	44.8-62.4	83	35.2	27.0-43.4	26	11.3	05.2-17.4
\$35,000- 49,999	301	36,866	141	48.7	42.0-55.4	136	44.9	38.2-51.6	24	6.4	03.7-09.1
\$50,000- 74,999	328	45,538	173	55.9	49.4-62.4	121	35.1	29.0-41.2	34	9.0	05.5-12.5
\$75,000+	442	60,167	250	54.2	48.5-59.9	165	40.1	34.4-45.8	27	5.7	03.2-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 24: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2578	234,871	1267	53.1	50.6-55.6	1011	37.1	34.6-39.6	300	9.8	08.4-11.2
Native	204	11,502							35	14.3	06.3-22.3
Non-Native	2359	222,373	1163	53.3	50.8-55.8	936	37.3	34.8-39.8	260	9.4	08.0-10.8
18-24	91	34,603							6	5.7	00.6-10.8
25-34	287	37,973	184	65.9	60.0-71.8	90	29.2	23.5-34.9	13	4.9	02.2-07.6
35-44	397	36,420	210	52.4	46.9-57.9	162	42.2	36.7-47.7	25	5.4	02.9-07.9
45-54	581	43,792	310	53.7	49.2-58.2	221	38.1	33.8-42.4	50	8.2	05.7-10.7
55-64	491	33,013	228	49.3	44.2-54.4	209	41.1	36.2-46.0	54	9.6	06.7-12.5
65+	714	47,928	272	38.1	34.2-42.0	293	40.7	36.6-44.8	149	21.2	17.9-24.5
Less Than H.S.	184	15,746				63	26.6	18.6-34.6	42	19.6	12.7-26.5
H.S. or G.E.D.	742	64,716	348	51.1	46.2-56.0	296	37.1	32.6-41.6	98	11.9	09.0-14.8
Some Post-H.S.	859	80,187	422	52.7	48.0-57.4	345	39.0	34.5-43.5	92	8.3	06.1-10.5
College Graduate	792	74,136	418	55.4	51.1-59.7	307	37.3	33.2-41.4	67	7.3	05.3-09.3
Less than \$15,000	235	20,124				94	32.8	23.6-42.0	44	13.3	08.6-18.0
\$15,000- 24,999	420	35,092	174	45.0	37.9-52.1	170	36.7	29.8-43.6	76	18.2	13.1-23.3
\$25,000- 34,999	307	26,175	139	47.9	40.1-55.7	130	40.2	32.6-47.8	38	11.9	06.8-17.0
\$35,000- 49,999	390	32,108	185	50.8	44.9-56.7	171	42.9	37.0-48.8	34	6.2	03.7-08.7
\$50,000- 74,999	419	42,156	243	59.1	53.6-64.6	157	36.7	31.2-42.2	19	4.2	02.2-06.2
\$75,000+	414	44,173	258	66.2	60.9-71.5	135	29.4	24.5-34.3	21	4.5	02.3-06.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 25: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4601	489,636	4256	94.0	93.2-94.8	345	6.0	05.2-06.8
Male	1871	242,274	1739	94.2	92.8-95.6	132	5.8	04.4-07.2
Female	2730	247,362	2517	93.8	92.8-94.8	213	6.2	05.2-07.2
Native	337	22,225	305	90.9	83.6-98.2	32	9.1	01.8-16.4
Non-Native	4224	463,937	3919	94.2	93.4-95.0	305	5.8	05.0-06.6
18-24	189	74,460	181	95.0	91.3-98.7	8	5.0	01.3-08.7
25-34	509	83,855	497	97.8	96.4-99.2	12	2.2	00.8-03.6
35-44	708	77,063	680	96.7	95.3-98.1	28	3.3	01.9-04.7
45-54	1066	92,468	999	94.6	93.0-96.2	67	5.4	03.8-07.0
55-64	898	68,890	830	93.4	91.6-95.2	68	6.6	04.8-08.4
65+	1191	89,893	1032	87.1	84.9-89.3	159	12.9	10.7-15.1
Less Than H.S.	365	35,700	306	88.0	84.5-91.5	59	12.0	08.5-15.5
H.S. or G.E.D.	1348	141,314	1230	92.5	90.5-94.5	118	7.5	05.5-09.5
Some Post-H.S.	1484	161,067	1375	94.4	93.0-95.8	109	5.6	04.2-07.0
College Graduate	1401	151,319	1342	96.3	95.1-97.5	59	3.7	02.5-04.9
Less than \$15,000	370	35,244	312	88.8	85.3-92.3	58	11.2	07.7-14.7
\$15,000- 24,999	665	60,610	580	88.3	85.2-91.4	85	11.7	08.6-14.8
\$25,000- 34,999	564	56,773	523	93.5	90.6-96.4	41	6.5	03.6-09.4
\$35,000- 49,999	727	72,630	689	96.3	94.7-97.9	38	3.7	02.1-05.3
\$50,000- 74,999	778	91,686	751	96.9	95.3-98.5	27	3.1	01.5-04.7
\$75,000+	888	108,322	860	97.2	96.0-98.4	28	2.8	01.6-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 26: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1871	242,274	1739	94.2	92.8-95.6	132	5.8	04.4-07.2
Non-Native	1723	229,420	1602	94.4	93.2-95.6	121	5.6	04.4-06.8
18-24	94	39,398	90	93.7	87.6-99.8	4	6.3	00.2-12.4
25-34	207	43,967	202	98.1	96.3-99.9	5	1.9	00.1-03.7
35-44	293	39,028	284	97.7	96.1-99.3	9	2.3	00.7-03.9
45-54	459	46,356	430	94.5	92.1-96.9	29	5.5	03.1-07.9
55-64	385	34,296	354	92.6	89.7-95.5	31	7.4	04.5-10.3
65+	418	37,884	365	87.5	84.0-91.0	53	12.5	09.0-16.0
Less Than H.S.	170	18,942	141	88.6	83.7-93.5	29	11.4	06.5-16.3
H.S. or G.E.D.	550	72,072	499	92.1	89.0-95.2	51	7.9	04.8-11.0
Some Post-H.S.	569	76,123	535	95.2	93.2-97.2	34	4.8	02.8-06.8
College Graduate	582	75,137	564	96.6	94.6-98.6	18	3.4	01.4-05.4
Less than \$15,000	124	14,289	99	85.1	77.8-92.4	25	14.9	07.6-22.2
\$15,000- 24,999	219	23,565	192	91.2	87.5-94.9	27	8.8	05.1-12.5
\$25,000- 34,999	240	29,276	224	93.2	87.9-98.5	16	6.8	01.5-12.1
\$35,000- 49,999	320	39,219	305	96.2	94.0-98.4	15	3.8	01.6-06.0
\$50,000- 74,999	342	47,671	323	95.5	92.8-98.2	19	4.5	01.8-07.2
\$75,000+	459	62,930	445	97.2	95.6-98.8	14	2.8	01.2-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 17: PHYSICAL ACTIVITY**

TABLE 27: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2730	247,362	2517	93.8	92.8-94.8	213	6.2	05.2-07.2
Native	213	11,807	188	90.6	83.7-97.5	25	9.4	02.5-16.3
Non-Native	2501	234,516	2317	94.0	93.0-95.0	184	6.0	05.0-07.0
18-24	95	35,062	91	96.5	92.6-0100	4	3.5	00.0-07.4
25-34	302	39,887	295	97.5	95.5-99.5	7	2.5	00.5-04.5
35-44	415	38,035	396	95.6	93.2-98.0	19	4.4	02.0-06.8
45-54	607	46,112	569	94.6	92.6-96.6	38	5.4	03.4-07.4
55-64	513	34,594	476	94.3	92.1-96.5	37	5.7	03.5-07.9
65+	773	52,009	667	86.7	84.2-89.2	106	13.3	10.8-15.8
Less Than H.S.	195	16,759	165	87.3	82.0-92.6	30	12.7	07.4-18.0
H.S. or G.E.D.	798	69,242	731	93.0	91.0-95.0	67	7.0	05.0-09.0
Some Post-H.S.	915	84,943	840	93.7	91.7-95.7	75	6.3	04.3-08.3
College Graduate	819	76,182	778	95.9	94.3-97.5	41	4.1	02.5-05.7
Less than \$15,000	246	20,955	213	91.3	87.8-94.8	33	8.7	05.2-12.2
\$15,000- 24,999	446	37,045	388	86.5	82.0-91.0	58	13.5	09.0-18.0
\$25,000- 34,999	324	27,497	299	93.9	91.4-96.4	25	6.1	03.6-08.6
\$35,000- 49,999	407	33,410	384	96.3	94.3-98.3	23	3.7	01.7-05.7
\$50,000- 74,999	436	44,015	428	98.4	97.0-99.8	8	1.6	00.2-03.0
\$75,000+	429	45,393	415	97.2	95.6-98.8	14	2.8	01.2-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)	
1	MALES AND FEMALES	179
2	MALES ONLY	180
3	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 18: HIV/AIDS

**TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	3267	384,799	808	26.8	24.6-29.0	2459	73.2	71.0-75.4
Male	1397	196,688	292	22.3	19.4-25.2	1105	77.7	74.8-80.6
Female	1870	188,111	516	31.5	28.6-34.4	1354	68.5	65.6-71.4
Non-Native	2960	362,599	700	25.8	23.6-28.0	2260	74.2	72.0-76.4
18-24	185	72,894	61	30.9	23.3-38.5	124	69.1	61.5-76.7
25-34	488	80,122	214	41.2	36.3-46.1	274	58.8	53.9-63.7
35-44	685	75,078	240	33.7	29.8-37.6	445	66.3	62.4-70.2
45-54	1035	89,802	192	17.1	14.6-19.6	843	82.9	80.4-85.4
55-64	874	66,904	101	10.5	08.1-12.9	773	89.5	87.1-91.9
H.S. or G.E.D.	863	106,238	186	26.4	22.1-30.7	677	73.6	69.3-77.9
Some Post-H.S.	1104	129,876	280	26.5	22.8-30.2	824	73.5	69.8-77.2
College Graduate	1154	130,925	308	27.2	24.1-30.3	846	72.8	69.7-75.9
\$15,000- 24,999	359	38,770	109	35.8	28.4-43.2	250	64.2	56.8-71.6
\$25,000- 34,999	381	42,309	97	27.2	20.3-34.1	284	72.8	65.9-79.7
\$35,000- 49,999	550	58,291	119	25.5	20.8-30.2	431	74.5	69.8-79.2
\$50,000- 74,999	666	81,322	143	23.3	19.2-27.4	523	76.7	72.6-80.8
\$75,000+	801	100,108	181	24.0	20.3-27.7	620	76.0	72.3-79.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 18: HIV/AIDS**

TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1397	196,688	292	22.3	19.6-25.0	1105	77.7	75.0-80.4
Non-Native	1284	186,403	261	21.7	18.8-24.6	1023	78.3	75.4-81.2
18-24	90	37,832	16	17.2	08.4-26.0	74	82.8	74.0-91.6
25-34	201	42,498	71	34.7	27.4-42.0	130	65.3	58.0-72.6
35-44	288	38,314	85	30.5	24.6-36.4	203	69.5	63.6-75.4
45-54	444	44,991	77	15.8	12.1-19.5	367	84.2	80.5-87.9
55-64	374	33,053	43	11.5	07.8-15.2	331	88.5	84.8-92.2
H.S. or G.E.D.	400	58,737	79	21.8	16.3-27.3	321	78.2	72.7-83.7
Some Post-H.S.	470	66,046	111	24.9	19.8-30.0	359	75.1	70.0-80.2
College Graduate	456	63,142	93	21.2	16.7-25.7	363	78.8	74.3-83.3
\$15,000- 24,999	119	14,696	20	21.3	11.3-31.3	99	78.7	68.7-88.7
\$25,000- 34,999	167	22,425	33	22.5	13.1-31.9	134	77.5	68.1-86.9
\$35,000- 49,999	241	32,034	55	27.7	20.8-34.6	186	72.3	65.4-79.2
\$50,000- 74,999	285	41,989	53	21.1	15.0-27.2	232	78.9	72.8-85.0
\$75,000+	401	56,949	87	21.6	16.7-26.5	314	78.4	73.5-83.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007
SECTION 18: HIV/AIDS**

TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1870	188,111	516	31.5	28.6-34.4	1354	68.5	65.6-71.4
Non-Native	1676	176,196	439	30.1	27.0-33.2	1237	69.9	66.8-73.0
25-34	287	37,624	143	48.5	42.2-54.8	144	51.5	45.2-57.8
35-44	397	36,764	155	37.0	31.7-42.3	242	63.0	57.7-68.3
45-54	591	44,810	115	18.4	15.1-21.7	476	81.6	78.3-84.9
55-64	500	33,851	58	9.4	06.7-12.1	442	90.6	87.9-93.3
H.S. or G.E.D.	463	47,501	107	32.1	25.6-38.6	356	67.9	61.4-74.4
Some Post-H.S.	634	63,830	169	28.3	23.0-33.6	465	71.7	66.4-77.0
College Graduate	698	67,783	215	32.8	28.3-37.3	483	67.2	62.7-71.7
\$15,000- 24,999	240	24,074	89	44.6	35.0-54.2	151	55.4	45.8-65.0
\$25,000- 34,999	214	19,885	64	32.4	22.8-42.0	150	67.6	58.0-77.2
\$35,000- 49,999	309	26,257	64	22.8	16.9-28.7	245	77.2	71.3-83.1
\$50,000- 74,999	381	39,333	90	25.6	20.3-30.9	291	74.4	69.1-79.7
\$75,000+	400	43,159	94	27.1	21.6-32.6	306	72.9	67.4-78.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2007**

End of Calculated Variable Data Report