

NORTH DAKOTA

2007 Codebook Report

Behavioral Risk Factor Surveillance System

March 28, 2008



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

State FIPS Code

Section: 0.1 Record Identification

Column: 1-2

Prologue:

Description: State FIPS Code

Type: Num

SAS Variable Name: _STATE

Value	Value Label
38	North Dakota

Frequency	Percentage	Weighted Percentage
4,751	100.00	100.00

Geographic Stratum Code

Section: 0.2 Record Identification

Column: 3-4

Prologue:

Description: Geographic Stratum Code

Type: Num

SAS Variable Name: _GEOSTR

Value	Value Label
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Frequency	Percentage	Weighted Percentage
4,751	100.00	100.00

Household Density Stratum Code

Section: 0.3 Record Identification

Column: 5

Prologue:

Description: Household Density Stratum Code

Type: Num

SAS Variable Name: _DENSTR2

Value	Value Label
1	Listed
2	Unlisted

Frequency	Percentage	Weighted Percentage
4,237	89.18	84.82
514	10.82	15.18

Pre-Call Status Code

Section: 0.4 Record Identification

Column: 6

Prologue:

Description: Pre-Call Status Code

Type: Num

SAS Variable Name: PRECALL

Value	Value Label
1	To be called

Frequency	Percentage	Weighted Percentage
4,751	100.00	100.00

Replicate Number

Section: 0.5 Record Identification

Column: 7-11

Prologue:

Description: Replicate Number

Type: Num

SAS Variable Name: REPNUM

Value	Value Label
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Frequency	Percentage	Weighted Percentage
4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Replicate Depth

Section: 0.6 Record Identification

Column: 12-13

Prologue:

Description: Replicate Depth

Type: Num
SAS Variable Name: REPDEPTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

File Month

Section: 0.7 Record Identification

Column: 14-15

Prologue:

Description: File Month

Type: Num
SAS Variable Name: FMONTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	448	9.43	10.12
2	February	422	8.88	8.64
3	March	438	9.22	9.20
4	April	321	6.76	6.79
5	May	306	6.44	6.12
6	June	292	6.15	6.05
7	July	488	10.27	11.02
8	August	455	9.58	9.61
9	September	512	10.78	10.92
10	October	420	8.84	8.41
11	November	404	8.50	8.75
12	December	245	5.16	4.37

Interview Date

Section: 0.8 Record Identification

Column: 16-23

Prologue:

Description: Interview Date

Type: Char
SAS Variable Name: IDATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Interview Month

Section: 0.9 Record Identification

Column: 16-17

Type: Char

SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	448	9.43	10.12
2	February	422	8.88	8.64
3	March	438	9.22	9.20
4	April	319	6.71	6.74
5	May	308	6.48	6.17
6	June	292	6.15	6.05
7	July	488	10.27	11.02
8	August	455	9.58	9.61
9	September	512	10.78	10.92
10	October	420	8.84	8.41
11	November	404	8.50	8.75
12	December	245	5.16	4.37

Interview Day

Section: 0.10 Record Identification

Column: 18-19

Type: Char

SAS Variable Name: IDAY

Prologue:

Description: Interview Day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	421	8.86	7.88
2		514	10.82	9.73
3		291	6.13	5.59
4		255	5.37	5.32
5		286	6.02	6.12
6		268	5.64	6.47
7		256	5.39	5.97
8		204	4.29	4.15
9		188	3.96	3.84
10		216	4.55	4.48
11		208	4.38	4.06
12		206	4.34	4.86
13		146	3.07	2.91
14		166	3.49	3.51
15		141	2.97	2.92
16		123	2.59	2.93
17		116	2.44	2.52
18		125	2.63	2.81
19		127	2.67	2.75
20		94	1.98	2.27
21		89	1.87	2.36
22		93	1.96	2.26
23		80	1.68	1.62
24		58	1.22	1.10
25		43	0.91	0.81
26		14	0.29	0.27
27		8	0.17	0.21
28		4	0.08	0.07
29		6	0.13	0.10
30		5	0.11	0.09

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Interview Year

Section: 0.11 Record Identification

Column: 20-23

Prologue:

Description: Interview Year

Type: Char
SAS Variable Name: IYEAR

Value	Value Label	Frequency	Percentage	Weighted Percentage
2007	Interview Year	4,751	100.00	100.00

Interviewer Identification

Section: 0.12 Record Identification

Column: 24-26

Prologue:

Description: Interviewer Identification

Type: Char
SAS Variable Name: INTVID

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Final Disposition

Section: 0.13 Record Identification

Column: 27-29

Prologue:

Description: Final Disposition

Type: Num
SAS Variable Name: DISPCODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Completed Interview	4,314	90.80	90.60
120	Partial Complete Interview	437	9.20	9.40

Annual Sequence Number

Section: 0.14 Record Identification

Column: 30-39

Prologue:

Description: Annual Sequence Number

Type: Num
SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Primary Sampling Unit

Section: 0.15 Record Identification

Column: 30-39

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Type: Num
SAS Variable Name: _PSU

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Number of Attempts

Section: 0.16 Record Identification

Column: 40-41

Prologue:

Description: Number of Attempts

Type: Num
SAS Variable Name: NATTMPTS

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification

Column: 42-47

Prologue:

Description: Number of Sample Records Selected from Stratum

Type: Num
SAS Variable Name: NRECSEL

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification

Column: 48-56

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Type: Num
SAS Variable Name: NRECSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Correct telephone number?

Section: 0.19 Record Identification

Column: 57

Prologue:

Description: Correct Telephone Number?

Type: Num
SAS Variable Name: CTELENUM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,751	100.00	100.00

Cellular Telephone

Section: 0.20 Record Identification

Column: 58

Prologue:

Description: Cellular Telephone

Type: Num
SAS Variable Name: CELLFON

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Private Residence?

Section: 0.21 Record Identification

Column: 59

Prologue:

Description: Private Residence?

Type: Num
SAS Variable Name: PVTRESID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,751	100.00	100.00

Number of Adults in Household

Section: 0.22 Record Identification

Column: 60-61

Prologue:

Description: Number of Adults in Household

Type: Num
SAS Variable Name: NUMADULT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	1,570	33.05	17.30
2		2,760	58.09	63.27
3		336	7.07	13.81
4		67	1.41	4.36
5		12	0.25	1.04
6 - 99	6 or more	6	0.13	0.22

Number of Adult men in Household

Section: 0.23 Record Identification

Column: 62-63

Prologue:

Description: Number of Adult Men in Household

Type: Num
SAS Variable Name: NUMMEN

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	1,105	23.26	12.50
1		3,339	70.28	73.09
2		264	5.56	11.30
3		38	0.80	2.76
4		5	0.11	0.35

Number of Adult women in Household

Section: 0.24 Record Identification

Column: 64-65

Prologue:

Description: Number of Adult Women in Household

Type: Num
SAS Variable Name: NUMWOMEN

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	565	11.89	8.23
1		3,943	82.99	81.49
2		214	4.50	8.62
3		24	0.51	1.39
4		4	0.08	0.21
5		1	0.02	0.06

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

General Health

Section: 1.1 Health Status

Column: 73

Type: Num

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	784	16.50	18.74
2	Very good	1,649	34.71	36.88
3	Good	1,534	32.29	31.71
4	Fair	580	12.21	9.72
5	Poor	191	4.02	2.79
7	Don't know/Not Sure	9	0.19	0.10
9	Refused	4	0.08	0.05

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life

Column: 74-75

Type: Num

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	1,552	32.67	31.49
88	None	3,087	64.98	66.51
77	Don't know/Not sure	89	1.87	1.62
99	Refused	23	0.48	0.38

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life

Column: 76-77

Type: Num

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	1,318	27.74	29.41
88	None	3,338	70.26	69.06
77	Don't know/Not sure	78	1.64	1.23
99	Refused	17	0.36	0.30

Poor Physical Health

Section: 2.3 Healthy Days - Health-Related Quality of Life

Column: 78-79

Type: Num

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	814	35.03	32.59
88	None	1,467	63.12	66.03
77	Don't know/Not sure	36	1.55	1.06
99	Refused	7	0.30	0.32
BLANK	Not asked or Missing Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	2,427		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Have any health care coverage

Section: 3.1 Health Care Access

Column: 80

Type: Num

SAS Variable Name: HLTHPLAN

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,224	88.91	87.32
2	No	507	10.67	11.63
7	Don't know/Not Sure	14	0.29	0.96
9	Refused	6	0.13	0.09

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Column: 81

Type: Num

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	3,235	68.09	65.77
2	More than one	507	10.67	10.39
3	No	989	20.82	23.25
7	Don't know/Not Sure	12	0.25	0.44
9	Refused	8	0.17	0.14

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Column: 82

Type: Num

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	324	6.82	6.90
2	No	4,422	93.08	93.02
7	Don't know/Not sure	5	0.11	0.09

Length of time since last routine checkup

Section: 3.4 Health Care Access

Column: 83

Type: Num

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within past year (anytime less than 12 months ago)	3,158	66.47	62.49
2	Within past 2 years (1 year but less than 2 years ago)	639	13.45	14.05
3	Within past 5 years (2 years but less than 5 years ago)	378	7.96	9.86
4	5 or more years ago	509	10.71	12.22
7	Don't know/Not sure	28	0.59	0.58
8	Never	34	0.72	0.75
9	Refused	5	0.11	0.05

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Exercise in Past 30 Days

Section: 4.1 Exercise

Column: 84

Type: Num

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,501	73.69	77.31
2	No	1,234	25.97	22.43
7	Don't know/Not Sure	10	0.21	0.15
9	Refused	6	0.13	0.11

Ever Told by Doctor You Have Diabetes

Section: 5.1 Diabetes

Column: 85

Type: Num

SAS Variable Name: DIABETE2

Prologue:

Description: Have you ever been told by a doctor that you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or boderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	437	9.20	6.26
2	Yes, but female told only during pregnancy	35	0.74	0.73
3	No	4,222	88.87	92.10
4	No, pre-diabetes or boarderline diabetes	55	1.16	0.87
7	Don't know/Not Sure	2	0.04	0.04

Ever Told Blood Pressure High

Section: 6.1 Hypertension Awareness

Column: 86

Type: Num

SAS Variable Name: BPHIGH4

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure? (If "Yes" and respondent is female, ask "Was this only when you were pregnant?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,599	33.66	25.90
2	Yes, but female told only during pregnancy—Go to Section 07.01 BLOODCHO	30	0.63	0.70
3	No—Go to Section 07.01 BLOODCHO	3,045	64.09	71.82
4	Told borderline high or pre-hypertensive—Go to Section 07.01 BLOODCHO	66	1.39	1.33
7	Don't know/Not Sure—Go to Section 07.01 BLOODCHO	10	0.21	0.24
9	Refused—Go to Section 07.01 BLOODCHO	1	0.02	0.01

Currently Taking Blood Pressure Medication

Section: 6.2 Hypertension Awareness

Column: 87

Type: Num

SAS Variable Name: BPMEDS

Prologue:

Description: Are you currently taking medicine for your high blood pressure?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,331	83.24	77.80
2	No	263	16.45	21.87
7	Don't know/Not Sure	5	0.31	0.33
BLANK	Not asked or Missing	3,152		

Notes: Section 6.01, BPHIGH4, is coded 2, 3, 4, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Ever Had Blood Cholesterol Checked

Section: 7.1 Cholesterol Awareness

Column: 88

Type: Num

SAS Variable Name: BLOODCHO

Prologue:

Description: Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,968	83.52	74.71
2	No—Go to Section 08.01 CVDINFR4	674	14.19	21.73
7	Don't know/Not Sure—Go to Section 08.01 CVDINFR4	108	2.27	3.54
9	Refused—Go to Section 08.01 CVDINFR4	1	0.02	0.01

How Long since Cholesterol Checked

Section: 7.2 Cholesterol Awareness

Column: 89

Type: Num

SAS Variable Name: CHOLCHK

Prologue:

Description: About how long has it been since you last had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	2,828	71.27	68.33
2	Within the past 2 years (1 year but less than 2 years ago)	520	13.10	14.75
3	Within the past 5 years (2 years but less than 5 years ago)	357	9.00	10.02
4	5 or more years ago	221	5.57	5.87
7	Don't know/Not Sure	41	1.03	1.02
9	Refused	1	0.03	0.02
BLANK	Not asked or Missing Notes: Section 7.01, BLOODCHO, is coded 2, 7, 9, or Missing	783		

Ever Told Blood Cholesterol High

Section: 7.3 Cholesterol Awareness

Column: 90

Type: Num

SAS Variable Name: TOLDHI2

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,603	40.40	36.73
2	No	2,330	58.72	62.19
7	Don't know/Not Sure	31	0.78	1.00
9	Refused	4	0.10	0.08
BLANK	Not asked or Missing Notes: Section 7.01, BLOODCHO, is coded 2, 7, 9, or Missing	783		

Ever Diagnosed with Heart Attack

Section: 8.1 Cardiovascular Disease Prevalence

Column: 91

Type: Num

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	243	5.11	3.90
2	No	4,479	94.27	95.69
7	Don't know/Not sure	29	0.61	0.40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 8.2 Cardiovascular Disease Prevalence

Column: 92

Type: Num

SAS Variable Name: CVDCRHD4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":]

Description: (Ever told) you had angina or coronary heart disease?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	247	5.20	4.02
2	No	4,446	93.58	95.09
7	Don't know/Not sure	58	1.22	0.89

Ever Diagnosed with a Stroke

Section: 8.3 Cardiovascular Disease Prevalence

Column: 93

Type: Num

SAS Variable Name: CVDSTRK3

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":]

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	149	3.14	2.27
2	No	4,591	96.63	97.55
7	Don't know/Not sure	11	0.23	0.18

Ever Told Had Asthma

Section: 9.1 Asthma

Column: 94

Type: Num

SAS Variable Name: ASTHMA2

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	524	11.03	11.17
2	No—Go to Section 10.01 FLUSHOT3	4,214	88.70	88.63
7	Don't know/Not Sure—Go to Section 10.01 FLUSHOT3	13	0.27	0.20

Still Have Asthma

Section: 9.2 Asthma

Column: 95

Type: Num

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	374	71.37	68.30
2	No	128	24.43	26.38
7	Don't know/Not Sure	22	4.20	5.32
BLANK	Not asked or Missing	4,227		

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing

Flu shot past 12 mos

Section: 10.1 Immunization

Column: 96

Type: Num

SAS Variable Name: FLUSHOT3

Prologue:

Description: A flu shot is an influenza vaccine injected into your arm. During the past 12 months, have you had a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,193	46.16	40.58
2	No	2,543	53.53	59.14
7	Don't know/Not Sure	14	0.29	0.26
9	Refused	1	0.02	0.01

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Flu spray past 12 mos

Section: 10.2 Immunization

Column: 97

Prologue:

Description: During the past 12 months, have you had a flu vaccine that was sprayed in your nose? The flu vaccine sprayed in the nose is also called FluMist™.

Type: Num
SAS Variable Name: FLUSPRY2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	44	0.93	0.96
2	No	4,696	98.84	98.62
7	Don't know/Not Sure	11	0.23	0.42

Pneumonia shot ever

Section: 10.3 Immunization

Column: 98

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Type: Num
SAS Variable Name: PNEUVAC3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,371	28.86	23.51
2	No	2,944	61.97	63.95
7	Don't know/Not Sure	435	9.16	12.52
9	Refused	1	0.02	0.03

Ever had Hepatitis B vaccine

Section: 10.4 Immunization

Column: 99

Prologue:

Description: Have you EVER received the hepatitis B vaccine? The hepatitis B vaccine is completed after the third shot is given.

Type: Num
SAS Variable Name: HEPBVAC

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,094	23.03	28.15
2	No	2,867	60.35	53.54
7	Don't know/Not sure	789	16.61	18.29
9	Refused	1	0.02	0.01

Any Hepatitis B behaviors true for you?

Section: 10.5 Immunization

Column: 100

Prologue:

Please tell me if ANY of these statements is true for YOU. Do NOT tell me WHICH statement or statements are true for you, just if ANY of them are: You have hemophilia and have received clotting factor concentrate: You have had sex with a man who has had sex with other men, even just one time: You have taken street drugs by needle, even just one time: You traded sex for money or drugs, even just one time:

Description: Are any of these statements true for you?

Type: Num
SAS Variable Name: HEPBRN2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, at least one statement is true	130	2.74	4.20
2	No, none of these statements is true	4,602	96.86	95.46
7	Don't know/Not Sure	5	0.11	0.13
9	Refused	14	0.29	0.21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Smoked at Least 100 Cigarettes

Section: 11.1 Tobacco Use

Column: 101

Type: Num

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,283	48.05	46.22
2	No—Go to Section 12.01 AGE	2,459	51.76	53.68
7	Don't know/Not Sure—Go to Section 12.01 AGE	8	0.17	0.09
9	Refused—Go to Section 12.01 AGE	1	0.02	0.02

Frequency of Days Now Smoking

Section: 11.2 Tobacco Use

Column: 102

Type: Num

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	713	31.23	32.51
2	Some days	256	11.21	12.65
3	Not at all—Go to Section 12.01 AGE	1,312	57.47	54.57
7	Don't Know/Not Sure—Go to Section 12.01 AGE	1	0.04	0.22
9	Refused—Go to Section 12.01 AGE	1	0.04	0.05
BLANK	Not asked or Missing	2,468		

Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing

Stopped Smoking in past 12 months

Section: 11.3 Tobacco Use

Column: 103

Type: Num

SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	477	49.23	52.69
2	No	488	50.36	47.12
7	Don't know/Not Sure	4	0.41	0.19
BLANK	Not asked or Missing	3,782		

Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 11.02, SMOKDAY2, is coded 3, 7, 9, or Missing

Reported Age in Years

Section: 12.1 Demographics

Column: 104-105

Type: Num

SAS Variable Name: AGE

Prologue:

Description: What is your age?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	44	0.93	0.67
18 - 24	Age 18 - 24 Notes: _ _ Code age in years	191	4.02	14.88
25 - 34	Age 25 - 34	514	10.82	16.84
35 - 44	Age 35 - 44	722	15.20	15.72
45 - 54	Age 45 - 54	1,092	22.98	18.82
55 - 64	Age 55 - 64	928	19.53	14.14
65 - 99	Age 65 or older	1,260	26.52	18.94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Hispanic/Latino

Section: 12.2 Demographics

Column: 106

Prologue:

Description: Are you Hispanic or Latino?

Type: Num
SAS Variable Name: HISPANC2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	57	1.20	1.38
2	No	4,670	98.30	98.22
7	Don't know/Not Sure	17	0.36	0.25
9	Refused	7	0.15	0.15

Multiple Race

Section: 12.3 Demographics

Column: 107-112

Prologue:

Description: Which one or more of the following would you say is your race? [Mark all that apply.]

Type: Char
SAS Variable Name: MRACE

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	5	0.11	0.09
9	Refused	19	0.40	0.40
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,727	99.49	99.50

Respondent Race Choice

Section: 12.4 Demographics

Column: 113

Prologue:

Description: Which one of these groups would you say best represents your race?

Type: Num
SAS Variable Name: ORACE2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	13	36.11	37.92
2	Black or African American	1	2.78	2.57
4	Native Hawaiian or Other Pacific Islander	1	2.78	11.60
5	American Indian, Alaska Native	15	41.67	34.18
6	Other	2	5.56	3.86
	Notes: Specify _____			
7	Don't know/Not sure	3	8.33	5.14
9	Refused	1	2.78	4.72
BLANK	Not asked or Missing Notes: Section 12.03, MRACE, has only one valid race code	4,715		

Are You A Veteran

Section: 12.5 Demographics

Column: 114

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.

Type: Num
SAS Variable Name: VETERAN1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	590	12.42	12.34
2	No	4,159	87.54	87.61
7	Don't know/Not Sure	1	0.02	0.03
9	Refused	1	0.02	0.02

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Marital Status

Section: 12.6 Demographics

Column: 115

Prologue:

Description: Are you: (marital status)

Type: Num
SAS Variable Name: MARITAL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,856	60.11	65.11
2	Divorced	567	11.93	6.81
3	Widowed	617	12.99	7.13
4	Separated	53	1.12	0.73
5	Never married	564	11.87	17.44
6	A member of an unmarried couple	83	1.75	2.63
9	Refused	11	0.23	0.15

Number of Children in Household

Section: 12.7 Demographics

Column: 116-117

Prologue:

Description: How many children less than 18 years of age live in your household?

Type: Num
SAS Variable Name: CHILDREN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	1,473	31.00	39.11
88	None	3,272	68.87	60.63
99	Refused	6	0.13	0.26

Education Level

Section: 12.8 Demographics

Column: 118

Prologue:

Description: What is the highest grade or year of school you completed?

Type: Num
SAS Variable Name: EDUCA

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	Grades 1 through 8 (Elementary)	185	3.89	2.92
3	Grades 9 through 11 (Some high school)	200	4.21	4.48
4	Grade 12 or GED (High school graduate)	1,429	30.08	29.45
5	College 1 year to 3 years (Some college or technical school)	1,512	31.82	32.53
6	College 4 years or more (College graduate)	1,421	29.91	30.57
9	Refused	4	0.08	0.06

Employment Status

Section: 12.9 Demographics

Column: 119

Prologue:

Description: Are you currently: (employment status)

Type: Num
SAS Variable Name: EMPLOY

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	2,398	50.47	55.46
2	Self-employed	606	12.76	12.52
3	Out of work for more than 1 year	49	1.03	1.29
4	Out of work for less than 1 year	63	1.33	2.00
5	A homemaker	303	6.38	5.89
6	A student	84	1.77	4.07
7	Retired	1,031	21.70	15.85
8	Unable to work	201	4.23	2.60
9	Refused	16	0.34	0.32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Income Level

Section: 12.10 Demographics

Column: 120-121

Type: Num

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	206	4.34	3.76
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	189	3.98	3.53
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	318	6.69	5.37
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	379	7.98	7.30
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	578	12.17	11.53
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	740	15.58	14.74
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	790	16.63	18.48
8	\$75,000 or more	897	18.88	21.76
77	Don't know/Not sure	307	6.46	7.00
99	Refused	347	7.30	6.53

Reported Weight in Pounds

Section: 12.11 Demographics

Column: 122-125

Type: Num

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	4,527	95.29	95.85
7777	Don't know/Not sure	86	1.81	1.98
9999	Refused	138	2.90	2.18

Reported Height in Feet and Inches

Section: 12.12 Demographics

Column: 126-129

Type: Num

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	4,725	99.45	99.37
7777	Don't know/Not sure	17	0.36	0.44
9000 - 9998	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value.	1	0.02	0.07
9999	Refused	8	0.17	0.12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Reported Weight year ago in Pounds

Section: 12.13 Demographics

Column: 130-133

Type: Num

SAS Variable Name: WTYRAGO

Prologue:

Description: How much did you weigh a year ago? [If you were pregnant a year ago, how much did you weigh before your pregnancy?]
(If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds)	4,451	98.32	98.47
7777	Don't know/Not sure	75	1.66	1.50
9999	Refused	1	0.02	0.03
BLANK	Not asked or Missing	224		

Change in weight since year ago

Section: 12.14 Demographics

Column: 134

Type: Num

SAS Variable Name: WTCHGINT

Prologue:

Description: Was the change between your current weight and your weight a year ago intentional?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	732	38.63	36.36
2	No	1,140	60.16	62.57
7	Don't know/Not Sure	21	1.11	0.94
9	Refused	2	0.11	0.12
BLANK	Not asked or Missing	2,856		

Notes: Section 12.11, WEIGHT2, is equal to Section 12.13, WTYRAGO

County Code

Section: 12.15 Demographics

Column: 135-137

Type: Num

SAS Variable Name: CTYCODE

Prologue:

Description: What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know/Not sure	41	0.86	1.17
999	Refused	25	0.53	0.39
HIDDEN	Data not displayed	4,685	98.61	98.44

Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Zipcode of residence

Section: 12.16 Demographics

Column: 138-142

Type: Char

SAS Variable Name: ZIPCODE

Prologue:

Description: What is your ZIP Code where you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77777	Don't know/Not Sure	87	1.83	1.74
99999	Refused	65	1.37	1.43
HIDDEN	Data not displayed	4,599	96.80	96.83

Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Household Telephones

Section: 12.17 Demographics

Column: 143

Type: Num

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	197	4.15	3.11
2	No—Go to Section 12.19 TELSERV2	4,542	95.60	96.68
7	Don't know/Not sure—Go to Section 12.19 TELSERV2	2	0.04	0.04
9	Refused—Go to Section 12.19 TELSERV2	10	0.21	0.17

Residential Phones

Section: 12.18 Demographics

Column: 144

Type: Num

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	87	44.16	64.27
2	Residential telephone numbers	98	49.75	31.79
3	Residential telephone numbers	8	4.06	1.79
7	Don't know/Not Sure	2	1.02	0.83
9	Refused	2	1.02	1.32
BLANK	Not asked or Missing Notes: Section 12,17, NUMHHOL2, is coded 2, 7, 9, or Missing	4,554		

Lost phone service one week+ last 12 mos

Section: 12.19 Demographics

Column: 145

Type: Num

SAS Variable Name: TELSERV2

Prologue:

Description: During the past 12 months, has your household been without telephone service for 1 week or more? Do not include interruptions of phone service due to weather or natural disasters.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	101	2.13	2.11
2	No	4,627	97.39	97.48
7	Don't know/Not Sure	14	0.29	0.24
9	Refused	9	0.19	0.17

Respondents Sex

Section: 12.20 Demographics

Column: 146

Type: Num

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male—Go to Section 13.01 DRNKANY4	1,935	40.73	49.54
2	Female—If 11.01, AGE, is 45 or older go to Section 13.01 DRNKANY4	2,816	59.27	50.46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Pregnancy Status

Section: 12.21 Demographics

Column: 147

Type: Num

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43	5.08	6.46
2	No	801	94.57	93.34
7	Don't know/Not Sure	2	0.24	0.13
9	Refused	1	0.12	0.07
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.01, AGE, is greater than 44	3,904		

Drink any alcoholic beverages in past 30 days

Section: 13.1 Alcohol Consumption

Column: 148

Type: Num

SAS Variable Name: DRNKANY4

Prologue:

Description: During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,680	56.52	61.78
2	No-Go to Section 14.01 QLACTLM2	2,048	43.19	37.83
7	Don't know/Not Sure-Go to Section 14.01 QLACTLM2	6	0.13	0.14
9	Refused-Go to Section 14.01 QLACTLM2	8	0.17	0.25
BLANK	Not asked or Missing	9		

Days in past 30 had alcoholic beverage

Section: 13.2 Alcohol Consumption

Column: 149-151

Type: Num

SAS Variable Name: ALCDAY4

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1_ _ = Days per week	805	30.05	30.87
201 - 299	Days in past 30 Notes: 2_ _ = Days in past 30	1,778	66.37	66.46
777	Don't know/Not sure	49	1.83	1.20
888	No drinks in past 30 days-Go to Section 14.01 QLACTLM2	29	1.08	0.92
999	Refused	18	0.67	0.56
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9	2,072		

Avg alcoholic drinks per day in past 30

Section: 13.3 Alcohol Consumption

Column: 152-153

Type: Num

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: _ _ Number of drinks	2,581	97.47	97.57
77	Don't know/Not sure	51	1.93	1.93
99	Refused	16	0.60	0.50
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888, 999, or Missing	2,103		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Binge Drinking

Section: 13.4 Alcohol Consumption

Column: 154-155

Type: Num

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	808	30.53	37.33
88	None	1,768	66.79	60.44
77	Don't know/Not Sure	48	1.81	1.53
99	Refused	23	0.87	0.70
BLANK	Not asked or Missing	2,104		

Most drinks on single occasion past 30 days

Section: 13.5 Alcohol Consumption

Column: 156-157

Type: Num

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	2,518	95.23	95.16
77	Don't know/Not sure	104	3.93	4.08
99	Refused	22	0.83	0.76
BLANK	Not asked or Missing	2,107		

Activity Limitation Due to Health Problems

Section: 14.1 Disability

Column: 158

Type: Num

SAS Variable Name: QLACTLM2

Prologue: The following questions are about health problems or impairments you may have.

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	895	18.95	14.91
2	No	3,792	80.30	84.45
7	Don't know/Not Sure	28	0.59	0.50
9	Refused	7	0.15	0.14
BLANK	Not asked or Missing	29		

Health Problems Requiring Special Equipment

Section: 14.2 Disability

Column: 159

Type: Num

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	302	6.40	4.67
2	No	4,410	93.51	95.29
7	Don't know/Not Sure	3	0.06	0.03
9	Refused	1	0.02	0.01
BLANK	Not asked or Missing	35		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Had Pain, Aching, Stiffness, Swelling

Section: 15.1 Arthritis Burden

Column: 160

Type: Num

SAS Variable Name: PAIN30DY

Prologue: The next questions refer to your joints. Please do not include the back or neck.

Description: During the past 30 days, have you had any symptoms of pain, aching, or stiffness in or around a joint?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,093	44.48	38.56
2	No—Go to Section 15.04 HAVARTH2	2,591	55.07	60.90
7	Don't know/Not sure—Go to Section 15.04 HAVARTH2	13	0.28	0.39
9	Refused—Go to Section 15.04 HAVARTH2	8	0.17	0.15
BLANK	Not asked or Missing—Go to Section 15.04 HAVARTH2	46		

Joint Symptoms Three Months Old

Section: 15.2 Arthritis Burden

Column: 161

Type: Num

SAS Variable Name: JOINTSYM

Prologue:

Description: Did your joint symptoms first begin more than 3 months ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,757	83.95	81.57
2	No—Go to Section 15.04 HAVARTH2	319	15.24	17.54
7	Don't know/Not sure—Go to Section 15.04 HAVARTH2	17	0.81	0.89
BLANK	Not asked or Missing—Go to Section 15.04 HAVARTH2	2,658		

Notes: Section 15.01, PAIN30DY, is coded 2, 7, 9, or Missing

Treated For Joint Symptoms

Section: 15.3 Arthritis Burden

Column: 162

Type: Num

SAS Variable Name: JOINTRT2

Prologue:

Description: Have you ever seen a doctor or other health professional for these joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,306	74.37	72.78
2	No	449	25.57	27.18
7	Don't know/Not Sure	1	0.06	0.04
BLANK	Not asked or Missing	2,995		

Notes: Section 15.01, PAIN30DY, is coded 2, 7, 9, or Missing; or Section 15.02, JOINTSYM, is coded 2, 7, 9, or Missing

Told Have Arthritis

Section: 15.4 Arthritis Burden

Column: 163

Type: Num

SAS Variable Name: HAVARTH2

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc. (See Questionnaire for Complete List))

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,596	33.95	26.83
2	No	3,088	65.69	72.93
7	Don't know/Not Sure	15	0.32	0.23
9	Refused	2	0.04	0.02
BLANK	Not asked or Missing	50		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Limited Because of Joint Symptoms

Section: 15.5 Arthritis Burden

Column: 164

Type: Num

SAS Variable Name: LMTJOIN2

Prologue:

Description: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms? (Note: If a respondent question arises about medication, then the interviewer should reply: "Please answer the question based on how you are when you are taking any of the medications or treatments you might use.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	680	30.05	26.31
2	No	1,568	69.29	73.15
7	Don't know/Not sure	15	0.66	0.54
BLANK	Not asked or Missing	2,488		

Notes: Section 15.01, PAIN30DY, is coded 2, 7, 9, or Missing and Section 15.04, HAVARTH2, is coded 2, 7, 9, or Missing

How Often Do You Drink Fruit Juices

Section: 16.1 Fruits & Vegetables

Column: 165-167

Type: Num

SAS Variable Name: FRUITJUI

Prologue:

Description: How often do you drink fruit juices such as orange, grapefruit, or tomato?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	1,473	31.54	28.55
201 - 299	Per week	1,825	39.07	42.58
301 - 399	Per month	722	15.46	15.43
401 - 499	Per year	101	2.16	1.92
555	Never	484	10.36	10.17
777	Don't know/Not sure	56	1.20	1.19
999	Refused	10	0.21	0.15
BLANK	Not asked or Missing	80		

How Often Do You Eat Fruit

Section: 16.2 Fruits & Vegetables

Column: 168-170

Type: Num

SAS Variable Name: FRUIT

Prologue:

Description: Not counting juice, how often do you eat fruit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	1,958	41.98	37.89
201 - 299	Per week	2,060	44.17	47.27
301 - 399	Per month	448	9.61	10.54
401 - 499	Per year	42	0.90	0.89
555	Never	100	2.14	2.31
777	Don't know/Not sure	53	1.14	1.06
999	Refused	3	0.06	0.04
BLANK	Not asked or Missing	87		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

How Often Do You Eat Green Salad

Section: 16.3 Fruits & Vegetables

Column: 171-173

Type: Num

SAS Variable Name: GREENSAL

Prologue:

Description: How often do you eat green salad?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	732	15.71	14.19
201 - 299	Per week	2,965	63.65	63.11
301 - 399	Per month	639	13.72	14.89
401 - 499	Per year	52	1.12	0.87
555	Never	208	4.47	5.77
777	Don't know/Not sure	56	1.20	1.09
999	Refused	6	0.13	0.09
BLANK	Not asked or Missing	93		

How Often Do You Eat Potatoes

Section: 16.4 Fruits & Vegetables

Column: 174-176

Type: Num

SAS Variable Name: POTATOES

Prologue:

Description: How often do you eat potatoes not including french fries, fried potatoes, or potato chips?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	374	8.04	7.37
201 - 299	Per week	3,311	71.16	71.18
301 - 399	Per month	750	16.12	17.34
401 - 499	Per year	32	0.69	0.59
555	Never	136	2.92	2.72
777	Don't know/Not sure	43	0.92	0.69
999	Refused	7	0.15	0.12
BLANK	Not asked or Missing	98		

How Often Do You Eat Carrots

Section: 16.5 Fruits & Vegetables

Column: 177-179

Type: Num

SAS Variable Name: CARROTS

Prologue:

Description: How often do you eat carrots?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	325	6.99	6.19
201 - 299	Per week	2,623	56.40	54.17
301 - 399	Per month	1,200	25.80	27.23
401 - 499	Per year	102	2.19	2.11
555	Never	306	6.58	8.67
777	Don't know/Not sure	85	1.83	1.37
999	Refused	10	0.22	0.27
BLANK	Not asked or Missing	100		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Servings of Vegetables

Section: 16.6 Fruits & Vegetables

Column: 180-182

Type: Num

SAS Variable Name: VEGETABL

Prologue:

Description: Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat? [Example: A serving of vegetables at both lunch and dinner would be two servings.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Servings per day	2,792	60.16	57.52
201 - 299	Servings per week	1,490	32.11	33.62
301 - 399	Servings per month	185	3.99	4.39
401 - 499	Servings per year	11	0.24	0.29
555	Never	63	1.36	1.86
777	Don't know/Not sure	95	2.05	2.20
999	Refused	5	0.11	0.11
BLANK	Not asked or Missing	110		

Physical Activity at Work

Section: 17.1 Physical Activity

Column: 183

Type: Num

SAS Variable Name: JOBACTIV

Prologue:

Description: When you are at work, which of the following best describes what you do? (If respondent has multiple jobs, include all jobs.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mostly sitting or standing	1,744	59.44	56.97
2	Mostly walking	649	22.12	22.23
3	Mostly heavy labor or physically demanding work	474	16.16	18.74
7	Don't know/Not Sure	48	1.64	1.42
9	Refused	19	0.65	0.63
BLANK	Not asked or Missing	1,817		

Notes: Section 12.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing

Moderate Physical Activity

Section: 17.2 Physical Activity

Column: 184

Type: Num

SAS Variable Name: MODPACT

Prologue: We are interested in two types of physical activity: vigorous and moderate. Vigorous activities cause large increases in breathing or heart rate while moderate activities cause small increases in breathing or heart rate.

Description: Now, thinking about the moderate activities you do [fill in "when you are not working" if "employed" or "self-employed"] in a usual week, do you do moderate activities for at least 10 minutes at a time, such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,020	86.96	88.35
2	No—Go to Section 17.05 VIGPACT	579	12.52	11.18
7	Don't know/Not Sure—Go to Section 17.05 VIGPACT	23	0.50	0.45
9	Refused—Go to Section 17.05 VIGPACT	1	0.02	0.02
BLANK	Not asked or Missing—Go to Section 17.05 VIGPACT	128		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Moderate Physical Activity Days

Section: 17.3 Physical Activity

Column: 185-186

Type: Num

SAS Variable Name: MODPADAY

Prologue:

Description: How many days per week do you do these moderate activities for at least 10 minutes at a time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 07	Days per week	3,985	99.15	99.24
88	Do not do any moderate physical activity for at least 10 minutes at a time—Go to Section 17.05 VIGPACT	3	0.07	0.04
77	Don't know/Not sure—Go to Section 17.05 VIGPACT	29	0.72	0.68
99	Refused—Go to Section 17.05 VIGPACT	2	0.05	0.04
BLANK	Not asked or Missing—Go to Section 17.05 VIGPACT Notes: Section 17.02, MODPACT, is coded 2, 7, 9 or Missing	732		

Moderate Physical Activity Time

Section: 17.4 Physical Activity

Column: 187-189

Type: Num

SAS Variable Name: MODPATIM

Prologue:

Description: On days when you do moderate activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
10 - 759	Hours and minutes per day	3,802	95.53	96.11
777	Don't know/Not sure	174	4.37	3.77
999	Refused	4	0.10	0.12
BLANK	Not asked or Missing Notes: Section 17.02, MODPACT, is coded 2, 7, 9 or Missing; or Section 17.03, MODPADAY is coded 77, 88, 99, or Missing	771		

Vigorous Physical Activity

Section: 17.5 Physical Activity

Column: 190

Type: Num

SAS Variable Name: VIGPACT

Prologue:

Description: Now, thinking about the vigorous activities you do [fill in "when you are not working" if "employed" or "self-employed"] in a usual week, do you do vigorous activities for at least 10 minutes at a time, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,118	45.95	52.18
2	No—Go to Section 18.01 HIVTST5	2,458	53.33	47.09
7	Don't know/Not sure—Go to Section 18.01 HIVTST5	31	0.67	0.69
9	Refused—Go to Section 18.01 HIVTST5	2	0.04	0.04
BLANK	Not asked or Missing—Go to Section 18.01 HIVTST5	142		

Vigorous Physical Activity Days

Section: 17.6 Physical Activity

Column: 191-192

Type: Num

SAS Variable Name: VIGPADAY

Prologue:

Description: How many days per week do you do these vigorous activities for at least 10 minutes at a time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 07	Days per week	2,092	98.87	99.31
88	Do not do any vigorous physical activity for at least 10 minutes at a time—Go to Section 18.01 HIVTST5	5	0.24	0.19
77	Don't know/Not sure—Go to Section 18.01 HIVTST5	17	0.80	0.44
99	Refused—Go to Section 18.01 HIVTST5	2	0.09	0.07
BLANK	Not asked or Missing—Go to Section 18.01 HIVTST5 Notes: Section 17.05, VIGPACT, is coded 2, 7, 9 or Missing	2,635		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Vigorous Physical Activity Time

Section: 17.7 Physical Activity

Column: 193-195

Type: Num

SAS Variable Name: VIGPATIM

Prologue:

Description: On days when you do vigorous activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
10 - 759	Hours and minutes per day	2,020	96.65	97.42
777	Don't know/Not sure	66	3.16	2.40
999	Refused	4	0.19	0.18
BLANK	Not asked or Missing	2,661		

Notes: Section 17.05, VIGPACT, is coded 2, 7, 9 or Missing; or Section 17.06, VIGPADAY is coded 77, 88, 99, or Missing

Ever tested HIV

Section: 18.1 HIV/AIDS

Column: 196

Type: Num

SAS Variable Name: HIVTST5

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	814	24.31	26.45
2	No-Go to Section 19.01 EMTSUPRT	2,487	74.28	72.42
7	Don't know/Not Sure-Go to Section 19.01 EMTSUPRT	47	1.40	1.13
BLANK	Not asked or Missing-Go to Section 19.01 EMTSUPRT	1,403		

Notes: Section 12.01, AGE, is greater than 64

Month and Year of Last HIV Test

Section: 18.2 HIV/AIDS

Column: 197-202

Type: Num

SAS Variable Name: HIVTSTD2

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 122008	Code month and year	682	83.99	84.42
	Notes: _ _ / _ _ _ _ month and year			
777777	Don't know/Not sure	127	15.64	14.89
999999	Refused	3	0.37	0.69
BLANK	Not asked or Missing	3,939		

Notes: Section 12.01, AGE, is greater than 64; or Section 18.01, HIVTST5, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Location of last HIV test

Section: 18.3 HIV/AIDS

Column: 203-204

Type: Num

SAS Variable Name: WHRTST8

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	157	19.38	18.36
2	Counseling and testing site	16	1.98	1.74
3	Hospital	167	20.62	17.08
4	Clinic	332	40.99	44.11
5	Jail or prison (or other correctional facility)	9	1.11	2.28
6	Drug treatment facility	5	0.62	0.74
7	At home	31	3.83	3.04
8	Somewhere else	88	10.86	12.03
77	Don't know/Not sure	5	0.62	0.61
BLANK	Not asked or Missing	3,941		

Notes: Section 12.01, AGE, is greater than 64; or Section 18.01, HIVTST5, is coded 2, 7, 9, or Missing

Was your last HIV test a rapid test?

Section: 18.4 HIV/AIDS

Column: 205

Type: Num

SAS Variable Name: HIVRDTST

Prologue:

Description: Was it a rapid test where you could get your results within a couple of hours?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	6.47	5.09
2	No	144	84.71	86.16
7	Don't know/Not sure	14	8.24	8.72
9	Refused	1	0.59	0.03
BLANK	Not asked or Missing	4,581		

Notes: Section 12.01, AGE, is greater than 64; or Section 18.01, HIVTST5, is coded 2, 7, 9, or Missing; or Section 18.02, HIVTSTD2, not within the last 12 months

How often get emotional support needed

Section: 19.1 Emotional Support and Life Satisfaction

Column: 206

Type: Num

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	2,088	45.78	47.44
2	Usually	1,534	33.63	34.64
3	Sometimes	544	11.93	10.69
4	Rarely	153	3.35	2.91
5	Never	178	3.90	3.19
7	Don't know/Not sure	49	1.07	0.80
9	Refused	15	0.33	0.34
BLANK	Not asked or Missing	190		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Satisfaction with life

Section: 19.2 Emotional Support and Life Satisfaction

Column: 207

Type: Num

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very satisfied	1,983	43.48	45.76
2	Satisfied	2,392	52.44	51.19
3	Dissatisfied	141	3.09	2.31
4	Very dissatisfied	31	0.68	0.54
7	Don't know/Not sure	13	0.29	0.17
9	Refused	1	0.02	0.03
BLANK	Not asked or Missing	190		

Diarrhea past 30 days?

Section: 20.1 Gastrointestinal Disease

Column: 208

Type: Num

SAS Variable Name: DIAR30DY

Prologue:

Description: In the past 30 days, did you have diarrhea that began within the 30 day period? Diarrhea is defined as 3 or more loose stools or bowel movements in a 24-hour period.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	690	15.24	14.21
2	No-Go to Core Closing Statement	3,823	84.45	85.36
7	Don't know/Not Sure-Go to Core Closing Statement	14	0.31	0.43
BLANK	Not asked or Missing-Go to Core Closing Statement	224		

Visit health pro for this diarrheal disease?

Section: 20.2 Gastrointestinal Disease

Column: 209

Type: Num

SAS Variable Name: DIADRVST

Prologue:

Description: Did you visit a doctor, nurse or other health professional for this diarrheal illness? (Do not answer "Yes" if you just had telephone contact with a health professional.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	104	15.07	13.47
2	No-Go to Core Closing Statement	585	84.78	86.40
9	Refused-Go to Core Closing Statement	1	0.14	0.13
BLANK	Not asked or Missing-Go to Core Closing Statement	4,061		

Notes: Section 20.01, DIAR30DY, is coded 2, 7, 9, or Missing

Give stool sample to health pro?

Section: 20.3 Gastrointestinal Disease

Column: 210

Type: Num

SAS Variable Name: DIARSMP

Prologue:

Description: When you visited your health care professional, did you provide a stool sample for testing?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to Core Closing Statement	45	43.27	41.87
2	No-Go to Core Closing Statement	58	55.77	57.43
7	Don't know/Not Sure-Go to Core Closing Statement	1	0.96	0.71
BLANK	Not asked or Missing-Go to Core Closing Statement	4,647		

Notes: Section 20.01, DIAR30DY, is coded 2, 7, 9, or Missing; or Section 20.02, DIADRVST, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Birth date of child

Module: 1.1 Random Child Selection

Column: 226-231

Type: Char

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777777	Don't know/Not sure	35	2.54	2.93
999999	Refused	67	4.86	5.38
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing	3,371		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,278	92.61	91.70

Gender of child

Module: 1.2 Random Child Selection

Column: 232

Type: Num

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	708	51.34	50.85
2	Girl	658	47.72	48.22
9	Refused	13	0.94	0.92
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing	3,372		

Ethnicity of child

Module: 1.3 Random Child Selection

Column: 233

Type: Num

SAS Variable Name: RCHISLAT

Prologue:

Description: Is the child Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	2.97	3.51
2	No	1,326	96.16	95.63
7	Don't know/Not Sure	1	0.07	0.06
9	Refused	11	0.80	0.80
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing	3,372		

Race of child (multiple possible)

Module: 1.4 Random Child Selection

Column: 234-239

Type: Char

SAS Variable Name: RCSRACE

Prologue:

Description: Which one or more of the following would you say is the race of the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.07	0.03
9	Refused	11	0.80	0.85
BLANK	Not asked or Missing Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing	3,373		
HIDDEN	Data Not Displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,366	99.13	99.12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Race of child

Module: 1.5 Random Child Selection

Column: 240

Type: Num

SAS Variable Name: RCSBRACE

Prologue:

Description: Which one of these groups would you say best represents the child's race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	13	41.94	42.42
2	Black or African American	4	12.90	13.22
5	American Indian or Alaskan Native	8	25.81	23.71
6	Other	3	9.68	15.48
7	Don't know/Not sure	3	9.68	5.17
BLANK	Not asked or Missing	4,720		

Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 01.04, RCSRACE, is coded 1, 2, 3, 4, 5, 6, 7, or 9

Relationship to child

Module: 1.6 Random Child Selection

Column: 241

Type: Num

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (include biologic, step, or adoptive parent)	1,259	91.50	86.48
2	Grandparent	41	2.98	1.92
3	Foster parent or guardian	14	1.02	1.28
4	Sibling (include biologic, step, and adoptive sibling)	33	2.40	7.20
5	Other relative	10	0.73	1.24
6	Not related in any way	15	1.09	1.74
9	Refused	4	0.29	0.15
BLANK	Not asked or Missing	3,375		

Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing

Hlth pro ever said child has asthma

Module: 2.1 Childhood Asthma Prevalence

Column: 242

Type: Num

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor or other health professional EVER said that the child has asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing

Child still have asthma?

Module: 2.2 Childhood Asthma Prevalence

Column: 243

Type: Num

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 02.01, CASTHDX2, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Age When Told Diabetic

Module: 3.1 Diabetes

Column: 244-245

Type: Num

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years [97 = 97 and older] Notes: __ Code age in years, 97 = 97 or older	417	95.42	94.24
98	Don't know/Not sure	18	4.12	5.06
99	Refused	2	0.46	0.70
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,314		

Now Taking Insulin

Module: 3.2 Diabetes

Column: 246

Type: Num

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	116	26.54	26.72
2	No	321	73.46	73.28
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,314		

Now Taking Diabetes Pills

Module: 3.3 Diabetes

Column: 247

Type: Num

SAS Variable Name: DIABPILL

Prologue:

Description: Are you taking diabetes pills?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	304	69.57	64.52
2	No	133	30.43	35.48
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,314		

How Often Check Blood for Glucose

Module: 3.4 Diabetes

Column: 248-250

Type: Num

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 __ Times per day	265	60.64	59.14
201 - 299	Times per week Notes: 2 __ Times per week	88	20.14	19.68
301 - 399	Times per month Notes: 3 __ Times per month	23	5.26	5.29
401 - 499	Times per year Notes: 4 __ Times per year	14	3.20	4.10
777	Don't know/Not sure	3	0.69	0.80
888	Never	44	10.07	10.98
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,314		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

How Often Check Feet for Sores or Irritations

Module: 3.5 Diabetes

Column: 251-253

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Type: Num

SAS Variable Name: FEETCHK2

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 __ Times per day	253	57.89	55.65
201 - 299	Times per week Notes: 2 __ Times per week	94	21.51	20.28
301 - 399	Times per month Notes: 3 __ Times per month	25	5.72	5.27
401 - 499	Times per year Notes: 4 __ Times per year	6	1.37	2.59
555	No feet	7	1.60	2.02
777	Don't know/Not sure	12	2.75	3.69
888	Never	39	8.92	10.32
999	Refused	1	0.23	0.17
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,314		

Ever Had Feet Sores or Irritations Lasting More Than Four Weeks

Module: 3.6 Diabetes

Column: 254

Prologue:

Description: Have you ever had any sores or irritations on your feet that took more than four weeks to heal?

Type: Num

SAS Variable Name: FEETSORE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40	9.15	8.50
2	No	396	90.62	91.24
7	Don't know/Not sure	1	0.23	0.27
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,314		

Times Seen Health Professional for Diabetes

Module: 3.7 Diabetes

Column: 255-256

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Type: Num

SAS Variable Name: DOCTDIAB

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: __ Number of times, 76=76 or more	384	87.87	87.64
88	None	48	10.98	11.48
77	Don't know/Not sure	5	1.14	0.88
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,314		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Times Checked for Glycosylated Hemoglobin

Module: 3.8 Diabetes

Column: 257-258

Type: Num

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76 = 76 or more	346	79.18	79.27
88	None	40	9.15	9.22
98	Never heard of "A one C" test	32	7.32	6.84
77	Don't know/Not sure	18	4.12	4.67
99	Refused	1	0.23	0.01
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,314		

Times Feet Check for Sores/irritations

Module: 3.9 Diabetes

Column: 259-260

Type: Num

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	347	80.70	79.09
88	None	78	18.14	20.13
77	Don't know/Not sure	5	1.16	0.78
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing; or Module 3.05, FEETCHK2, is coded 555	4,321		

Last Eye Exam Where Pupils Were Dilated

Module: 3.10 Diabetes

Column: 261

Type: Num

SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	66	15.10	13.52
2	Within the past year (1 month but less than 12 months ago)	268	61.33	61.60
3	Within the past 2 years (1 year but less than 2 years ago)	48	10.98	11.06
4	2 or more years ago	39	8.92	9.74
7	Don't know/Not sure	4	0.92	0.93
8	Never	11	2.52	2.92
9	Refused	1	0.23	0.22
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,314		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Ever Told Diabetes Has Affected Eyes

Module: 3.11 Diabetes

Column: 262

Type: Num

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	77	17.62	14.65
2	No	357	81.69	84.64
7	Don't know/Not sure	3	0.69	0.71
BLANK	Not asked or Missing	4,314		

Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

Ever Taken Class in Managing Diabetes

Module: 3.12 Diabetes

Column: 263

Type: Num

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	263	60.18	59.88
2	No	174	39.82	40.12
BLANK	Not asked or Missing	4,314		

Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

Difficulty recognizing friend across street

Module: 4.1 Visual Impairment and Access to Eye Care

Column: 264

Type: Num

SAS Variable Name: VIDFCLT2

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Notes: Section 12.01, AGE, is less than 40

Difficulty reading typed text

Module: 4.2 Visual Impairment and Access to Eye Care

Column: 265

Type: Num

SAS Variable Name: VIREDF2

Prologue:

Description: How much difficulty, if any, do you have reading print in newspaper, magazine, recipe, menu, or numbers on the telephone? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8;

Last time visited eye care provider

Module: 4.3 Visual Impairment and Access to Eye Care

Column: 266

Type: Num

SAS Variable Name: VIPRFVS2

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDF2, is coded as 8;

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Reason did not use eye doc past 12 mos

Module: 4.4 Visual Impairment and Access to Eye Care

Type: Num

Column: 267-268

SAS Variable Name: VINOCRE2

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded 1, 2, or 8;	4,751		

When last eyexam

Module: 4.5 Visual Impairment and Access to Eye Care

Type: Num

Column: 269

SAS Variable Name: VIEYEXM2

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 3.10, EYEEEXAM, is coded 1, 2, 3, 4, 7, 8 or 9; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8;	4,751		

Eye care health insurance

Module: 4.6 Visual Impairment and Access to Eye Care

Type: Num

Column: 270

SAS Variable Name: VIINSUR2

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8;	4,751		

Hlth care pro said now have cataracts

Module: 4.7 Visual Impairment and Access to Eye Care

Type: Num

Column: 271

SAS Variable Name: VICTRCT2

Prologue:

Description: Have you been told by an eye doctor or other health care professional that you NOW have cataracts?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Hlth care pro EVER said have glaucoma

Module: 4.8 Visual Impairment and Access to Eye Care

Type: Num

Column: 272

SAS Variable Name: VIGLUMA2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8	4,751		

Hlth care pro EVER said have macular degeneration

Module: 4.9 Visual Impairment and Access to Eye Care

Type: Num

Column: 273

SAS Variable Name: VIMACDG2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had age-related macular degeneration?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8; or Module 04.08,	4,751		

Eye injury at workplace

Module: 4.10 Visual Impairment and Access to Eye Care

Type: Num

Column: 274

SAS Variable Name: VIATWRK2

Prologue:

Description: Have you EVER had an eye injury that occurred at your workplace while you were doing your work?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8; or Module 04.08,	4,751		

How many days hard to do usual activities in past 30 days

Module: 5.1 Healthy Days (Symptoms)

Type: Num

Column: 275-276

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

How many days depressed in past 30 days

Module: 5.2 Healthy Days (Symptoms)

Type: Num

Column: 277-278

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

How many days felt anxious in past 30 days

Module: 5.3 Healthy Days (Symptoms)

Column: 279-280

Type: Num

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

How many days did you get enough sleep in past 30 days

Module: 5.4 Healthy Days (Symptoms)

Column: 281-282

Type: Num

SAS Variable Name: QLREST2

Prologue:

Description: During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

How many days full of energy in past 30 days

Module: 5.5 Healthy Days (Symptoms)

Column: 283-284

Type: Num

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Outpatient rehab after heart attack hosp stay

Module: 6.1 Cardiovascular Health

Column: 285

Type: Num

SAS Variable Name: HAREHAB

Prologue:

Description: After you left the hospital following your heart attack did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	98	43.36	46.74
2	No	125	55.31	52.13
9	Refused	3	1.33	1.12
BLANK	Not asked or Missing	4,525		

Notes: Section 08.01, CVDINFR4, is coded 2, 7, 9 or Missing

Outpatient rehab after hosp stay for stroke

Module: 6.2 Cardiovascular Health

Column: 286

Type: Num

SAS Variable Name: STREHAB

Prologue:

Description: After you left the hospital following your stroke did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	46	33.09	32.34
2	No	90	64.75	65.29
7	Don't know/Not Sure	2	1.44	1.13
9	Refused	1	0.72	1.24
BLANK	Not asked or Missing	4,612		

Notes: Section 08.03, CVDSTRK3, is coded 2, 7, 9 or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Take Aspirin Daily or Every Other Day

Module: 6.3 Cardiovascular Health

Column: 287

Type: Num

SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Next Module	1,542	34.20	27.16
2	No	2,962	65.69	72.76
7	Don't know/Not sure	5	0.11	0.08
BLANK	Not asked or Missing	242		

Health Makes Taking Aspirin Unsafe

Module: 6.4 Cardiovascular Health

Column: 288

Type: Num

SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a stomach condition?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, not stomach related	178	6.01	4.05
2	Yes, stomach problems Notes: Code upset stomachs as "stomach problems"	162	5.47	4.23
3	No	2,605	87.89	91.31
7	Don't know/Not sure	18	0.61	0.39
9	Refused	1	0.03	0.02
BLANK	Not asked or Missing Notes: Module 06.03, CVDASPRN, is coded 1	1,787		

Change eating habits for BP?

Module: 7.1 Actions to Control High Blood Pressure

Column: 289

Type: Num

SAS Variable Name: BPEATHBT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?

Description: (Are you) changing your eating habits (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing	4,751		

Reduce salt intake to lower BP?

Module: 7.2 Actions to Control High Blood Pressure

Column: 290

Type: Num

SAS Variable Name: BPSALT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) cutting down on salt (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing	4,751		

Reduce alcohol use for BP?

Module: 7.3 Actions to Control High Blood Pressure

Column: 291

Type: Num

SAS Variable Name: BPALCHOL

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) reducing alcohol use (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Exercising to lower BP?

Module: 7.4 Actions to Control High Blood Pressure

Type: Num

Column: 292

SAS Variable Name: BPEXER

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) exercising (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing	4,751		

Hlth care pro ever advised change in eating habits to reduce BP

Module: 7.5 Actions to Control High Blood Pressure

Type: Num

Column: 293

SAS Variable Name: BPEATADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?

Description: (Ever advised you to) change your eating habits (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing	4,751		

Hlth care pro ever advised using less salt to reduce BP

Module: 7.6 Actions to Control High Blood Pressure

Type: Num

Column: 294

SAS Variable Name: BPSLTADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) cut down on salt (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing	4,751		

Hlth care pro ever advised reduced alcohol use to reduce BP

Module: 7.7 Actions to Control High Blood Pressure

Type: Num

Column: 295

SAS Variable Name: BPALCADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) reduce alcohol use (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing	4,751		

Hlth care pro ever advised exercise to reduce BP

Module: 7.8 Actions to Control High Blood Pressure

Type: Num

Column: 296

SAS Variable Name: BPEXRADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) exercise (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Hlth care pro ever advised meds to reduce BP

Module: 7.9 Actions to Control High Blood Pressure

Type: Num

Column: 297

SAS Variable Name: BPMEDADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) take medication (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing	4,751		

Told had high BP during 2+ visits to hlth care pro?

Module: 7.10 Actions to Control High Blood Pressure

Type: Num

Column: 298

SAS Variable Name: BPHI2MR

Prologue:

Description: Were you told on two or more different visits to a doctor or other health professional that you had high blood pressure? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing	4,751		

Heart Attack Symptoms - Jaw/Back/Neck Pain

Module: 8.1 Heart Attack and Stroke

Type: Num

Column: 299

SAS Variable Name: HASYMP1

Prologue: Now I would like to ask you about your knowledge of the signs and symptoms of a heart attack and stroke. Which of the following do you think is a symptom of a heart attack? For each, tell me "yes", "no", or you're "not sure":

Description: Do you think pain or discomfort in the jaw, neck, or back are symptoms of a heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,791	62.02	56.17
2	No	1,041	23.13	27.02
7	Don't know/Not sure	667	14.82	16.80
9	Refused	1	0.02	0.01
BLANK	Not asked or Missing	251		

Heart Attack Symptoms - Weak/Light-headed/Faint

Module: 8.2 Heart Attack and Stroke

Type: Num

Column: 300

SAS Variable Name: HASYMP2

Prologue:

Description: Do you think feeling weak, lightheaded, or faint are symptoms of a heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,043	67.62	68.08
2	No	848	18.84	18.82
7	Don't know/Not sure	608	13.51	13.10
9	Refused	1	0.02	0.01
BLANK	Not asked or Missing	251		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Heart Attack Symptoms - Chest Pain/Discomfort

Module: 8.3 Heart Attack and Stroke

Column: 301

Type: Num

SAS Variable Name: HASYMP3

Prologue:

Description: [Do you think] chest pain or discomfort [are symptoms for a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,204	93.42	93.24
2	No	185	4.11	4.18
7	Don't know/Not sure	109	2.42	2.55
9	Refused	2	0.04	0.03
BLANK	Not asked or Missing	251		

Heart Attack Symptoms - Vision Problems

Module: 8.4 Heart Attack and Stroke

Column: 302

Type: Num

SAS Variable Name: HASYMP4

Prologue:

Description: [Do you think] sudden trouble seeing in one or both eyes [is a symptom of a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,618	35.96	37.27
2	No	1,777	39.50	38.02
7	Don't know/Not sure	1,100	24.45	24.64
9	Refused	4	0.09	0.07
BLANK	Not asked or Missing	252		

Heart Attack Symptoms - Pain or Discomfort in Arms/Shoulder

Module: 8.5 Heart Attack and Stroke

Column: 303

Type: Num

SAS Variable Name: HASYMP5

Prologue:

Description: [Do you think] pain or discomfort in the arms or shoulder [are symptoms of a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,002	88.99	87.80
2	No	326	7.25	7.35
7	Don't know/Not sure	167	3.71	4.84
9	Refused	2	0.04	0.02
BLANK	Not asked or Missing	254		

Heart Attack Symptoms - Shortness of Breath

Module: 8.6 Heart Attack and Stroke

Column: 304

Type: Num

SAS Variable Name: HASYMP6

Prologue:

Description: [Do you think] shortness of breath [is a symptom of a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,967	88.25	88.12
2	No	309	6.87	6.68
7	Don't know/Not sure	215	4.78	5.15
9	Refused	4	0.09	0.06
BLANK	Not asked or Missing	256		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Stroke Symptoms - Confusion/Trouble speaking

Module: 8.7 Heart Attack and Stroke

Column: 305

Type: Num

SAS Variable Name: STRSYMP1

Prologue: Which of the following do you think is a symptom of a stroke? For each, tell me "yes", "no", or you're "not sure".

Description: (Do you think) sudden confusion or trouble speaking (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,091	91.09	90.73
2	No	126	2.81	2.90
7	Don't know/Not sure	273	6.08	6.35
9	Refused	1	0.02	0.01
BLANK	Not asked or Missing	260		

Stroke Symptoms - Numbness or Weakness of Face/Arm/Leg

Module: 8.8 Heart Attack and Stroke

Column: 306

Type: Num

SAS Variable Name: STRSYMP2

Prologue:

Description: (Do you think) sudden numbness or weakness of face, arm, or leg, especially on one side (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,266	95.03	95.45
2	No	90	2.00	1.76
7	Don't know/Not sure	132	2.94	2.78
9	Refused	1	0.02	0.01
BLANK	Not asked or Missing	262		

Stroke Symptoms - Vision Problems

Module: 8.9 Heart Attack and Stroke

Column: 307

Type: Num

SAS Variable Name: STRSYMP3

Prologue:

Description: (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,219	71.71	71.74
2	No	345	7.69	7.56
7	Don't know/Not sure	922	20.54	20.67
9	Refused	3	0.07	0.03
BLANK	Not asked or Missing	262		

Stroke Symptoms - Chest Pain/Discomfort

Module: 8.10 Heart Attack and Stroke

Column: 308

Type: Num

SAS Variable Name: STRSYMP4

Prologue:

Description: (Do you think) sudden chest pain or discomfort (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,543	34.40	34.16
2	No	1,804	40.22	41.43
7	Don't know/Not sure	1,137	25.35	24.41
9	Refused	1	0.02	0.01
BLANK	Not asked or Missing	266		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Stroke Symptoms - Trouble Walking/Dizziness/Loss of Balance

Module: 8.11 Heart Attack and Stroke

Column: 309

Type: Num

SAS Variable Name: STRSYMP5

Prologue:

Description: (Do you think) sudden trouble walking, dizziness, or loss of balance (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,974	88.63	89.40
2	No	195	4.35	3.98
7	Don't know/Not sure	314	7.00	6.61
9	Refused	1	0.02	0.01
BLANK	Not asked or Missing	267		

Stroke Symptoms - Severe Headache

Module: 8.12 Heart Attack and Stroke

Column: 310

Type: Num

SAS Variable Name: STRSYMP6

Prologue:

Description: (Do you think) severe headache with no known cause (is a symptom of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,789	62.21	61.61
2	No	680	15.17	15.51
7	Don't know/Not sure	1,010	22.53	22.86
9	Refused	4	0.09	0.03
BLANK	Not asked or Missing	268		

First Aid for Heart Attack and Stroke

Module: 8.13 Heart Attack and Stroke

Column: 311

Type: Num

SAS Variable Name: FIRTAID

Prologue:

Description: If you thought someone was having a heart attack or a stroke, what is the first thing you would do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Take them the hospital	411	9.17	8.50
2	Tell them to call their doctor	61	1.36	1.21
3	Call 911	3,735	83.33	84.55
4	Call their spouse or a family member	53	1.18	0.93
5	Do something else	196	4.37	4.35
7	Don't know/Not sure	24	0.54	0.43
9	Refused	2	0.04	0.02
BLANK	Not asked or Missing	269		

Have You Ever Had a Mammogram

Module: 9.1 Women's Health

Column: 312

Type: Num

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		
	Notes: Section 12.20, SEX, is coded 1			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

How Long since Last Mammogram

Module: 9.2 Women's Health

Column: 313

Prologue:

Description: How long has it been since you had your last mammogram?

Type: Num
SAS Variable Name: HOWLONG

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Ever Had Breast Physical Exam by Doctor

Module: 9.3 Women's Health

Column: 314

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Type: Num
SAS Variable Name: PROFEXAM

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1	4,751		

How Long since Last Breast Physical Exam

Module: 9.4 Women's Health

Column: 315

Prologue:

Description: How long has it been since your last breast exam?

Type: Num
SAS Variable Name: LENGEXAM

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Module 09.03, PROFEXAM, is coded 2, 7, 9, or Missing	4,751		

Ever Had a Pap Test

Module: 9.5 Women's Health

Column: 316

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Type: Num
SAS Variable Name: HADPAP2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1	4,751		

How Long Since Last Pap Test

Module: 9.6 Women's Health

Column: 317

Prologue:

Description: How long has it been since you had your last Pap test?

Type: Num
SAS Variable Name: LASTPAP2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Module 09.05, HADPAP2, is coded 2, 7, 9, or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Had Hysterectomy

Module: 9.7 Women's Health

Column: 318

Type: Num

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? [A hysterectomy is an operation to remove the uterus (womb).]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.20, SEX, is coded 1; or Section 12.21, PREGNANT, is coded 1	4,751		

Ever Had PSA Test

Module: 10.1 Prostate Cancer Screening

Column: 319

Type: Num

SAS Variable Name: PSATEST

Prologue:

Description: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	4,751		

Time Since Last PSA Test

Module: 10.2 Prostate Cancer Screening

Column: 320

Type: Num

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2; or Module 10.01, PSATEST, is coded, 2, 7, 9, or Missing	4,751		

Ever Had Digital Rectal Exam

Module: 10.3 Prostate Cancer Screening

Column: 321

Type: Num

SAS Variable Name: DIGRECEX

Prologue:

Description: A digital rectal exam is an exam in which a doctor, nurse or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you ever had a digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	4,751		

Time Since Last Digital Rectal Exam

Module: 10.4 Prostate Cancer Screening

Column: 322

Type: Num

SAS Variable Name: DRETIME

Prologue:

Description: How long has it been since your last digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2; or Module 10.03, DIGRECEX, is coded 2, 7, 9, or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Ever Told You Had Prostate Cancer

Module: 10.5 Prostate Cancer Screening

Type: Num

Column: 323

SAS Variable Name: PROSTATE

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2	4,751		

Ever Had Blood Stool Test Using Home Kit

Module: 11.1 Colorectal Cancer Screening

Type: Num

Column: 324

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	4,751		

Time Since Last Blood Stool Test

Module: 11.2 Colorectal Cancer Screening

Type: Num

Column: 325

SAS Variable Name: LSTBLDS2

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Module 11.01, BLDSTOOL, is coded 2, 7, 9, or Missing	4,751		

Ever Had Sigmoidoscopy/Colonoscopy

Module: 11.3 Colorectal Cancer Screening

Type: Num

Column: 326

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	4,751		

Most recent exam called sigmoidoscopy or colonoscopy?

Module: 11.4 Colorectal Cancer Screening

Type: Num

Column: 327

SAS Variable Name: HADSGCOL

Prologue:

Description: For a sigmoidoscopy, a flexible tube is inserted into the rectum to look for problems. A colonoscopy is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT examination called a sigmoidoscopy or a colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Module 11.03, HADSIGM3, is coded 2, 7, 9, or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Time Since Last Sigmoidoscopy/Colonoscopy

Module: 11.5 Colorectal Cancer Screening

Column: 328

Type: Num

SAS Variable Name: LASTSIG2

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50; or Module 11.03, HADSIGM3, is coded 2, 7, 9, or Missing	4,751		

Age at Asthma Diagnosis

Module: 12.1 Adult Asthma History

Column: 329-330

Type: Num

SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing	4,751		

Asthma During Past 12 Months

Module: 12.2 Adult Asthma History

Column: 331

Type: Num

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,751		

Emergency Asthma Care During Past 12 Months

Module: 12.3 Adult Asthma History

Column: 332-333

Type: Num

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,751		

Urgent Asthma Treatment During Past 12 Months

Module: 12.4 Adult Asthma History

Column: 334-335

Type: Num

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in (Besides those emergency room visits,)]

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Routine Asthma Care During Past 12 Months

Module: 12.5 Adult Asthma History

Type: Num

Column: 336-337

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,751		

Activities Limited Because of Asthma During Past 12 Months

Module: 12.6 Adult Asthma History

Type: Num

Column: 338-340

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,751		

Asthma Symptoms During Past 30 Days

Module: 12.7 Adult Asthma History

Type: Num

Column: 341

SAS Variable Name: ASYPTOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,751		

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 12.8 Adult Asthma History

Type: Num

Column: 342

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 12.07, ASYPTOM, is coded 8, or Missing	4,751		

Days used prescribed preventative asthma med in past 30 days

Module: 12.9 Adult Asthma History

Type: Num

Column: 343

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Times used asthma inhaler during an attack in past 30 days

Module: 12.10 Adult Asthma History

Column: 344

Type: Num

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,751		

What Can You Do Because of Arthritis or Joint Symptoms

Module: 13.1 Arthritis Management

Column: 345

Type: Num

SAS Variable Name: ARTTODAY

Prologue: Earlier you indicated that you had arthritis or joint symptoms.

Description: Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 15.02, JOINTSYM, is coded 2, 7, 9, or Missing; and Section 15.04, HAVARTH2, is coded 2, 7, 9, or Missing	4,751		

Dr. Suggest Lose Weight for Arthritis or Joint Symptoms

Module: 13.2 Arthritis Management

Column: 346

Type: Num

SAS Variable Name: ARTHWGT

Prologue:

Description: Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 15.02, JOINTSYM, is coded 2, 7, 9, or Missing; and Section 15.04, HAVARTH2, is coded 2, 7, 9, or Missing	4,751		

Dr. Suggestion Use of Physical Activity or Exercise for Arthritis or Joint Symptoms

Module: 13.3 Arthritis Management

Column: 347

Type: Num

SAS Variable Name: ARTHEXER

Prologue:

Description: Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms? (Note: If the respondent is unclear about whether this means an increase or decrease in physical activity, this means increase.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 15.02, JOINTSYM, is coded 2, 7, 9, or Missing; and Section 15.04, HAVARTH2, is coded 2, 7, 9, or Missing	4,751		

Ever Taken Class in Managing Arthritis or Joint Symptoms

Module: 13.4 Arthritis Management

Column: 348

Type: Num

SAS Variable Name: ARTHEDU

Prologue:

Description: Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 15.02, JOINTSYM, is coded 2, 7, 9, or Missing; and Section 15.04, HAVARTH2, is coded 2, 7, 9, or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Current Veteran Status

Module: 14.1 Veterans Health Status

Column: 349

Type: Num

SAS Variable Name: VETSTAT2

Prologue:

Description: Which of the following best describes your service in the United States military?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.05, VETERAN1, is coded 2, 7, 9 or Missing	4,751		

Received some or all of your health care from VA facilities in the last 12 months

Module: 14.2 Veterans Health Status

Column: 350

Type: Num

SAS Variable Name: VACARE

Prologue:

Description: In the last 12 months have you received some or all of your health care from VA facilities? [If "yes" probe for "all" or "some" of the health care.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.05, VETERAN1, is coded 2, 7, 9 or Missing	4,751		

Military deployment to Afghanistan or Iraq since 9/11?

Module: 14.3 Veterans Health Status

Column: 351

Type: Num

SAS Variable Name: VAIRQAFG

Prologue:

Description: Since September 11, 2001, have you been deployed to the regions of Afghanistan or Iraq in support of U.S. military operations? (This includes countries in the Middle East region such as Iraq, Saudi Arabia, Kuwait, the Persian Gulf, and other forward deployed operating areas such as the countries bordering Afghanistan.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 12.05, VETERAN1, is coded 2, 7, 9 or Missing	4,751		

How do other people usually classify you in this country?

Module: 15.1 Reactions to Race

Column: 352

Type: Num

SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

How often do you think about your race?

Module: 15.2 Reactions to Race

Column: 353

Type: Num

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 15.3 Reactions to Race

Type: Num

Column: 354

SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 15.4 Reactions to Race

Type: Num

Column: 355

SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 15.5 Reactions to Race

Type: Num

Column: 356

SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 15.6 Reactions to Race

Type: Num

Column: 357

SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

How often feel nervous past 30 days

Module: 16.1 Mental Illness & Stigma

Type: Num

Column: 358

SAS Variable Name: MISNERVS

Prologue: Now, I am going to ask you some questions about how you have been feeling during the past 30 days.

Description: About how often during the past 30 days did you feel nervous- would you say all of the time, most of the time, some of the time, a little of the time or none of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

How often feel hopeless past 30 days

Module: 16.2 Mental Illness & Stigma

Column: 359

Type: Num

SAS Variable Name: MISHOPLS

Prologue:

Description: During the past 30 days, about how often did you feel hopeless- all of the time, most of the time, some of the time, a little of the time or none of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

How often feel restless past 30 days

Module: 16.3 Mental Illness & Stigma

Column: 360

Type: Num

SAS Variable Name: MISRSTLS

Prologue:

Description: During the past 30 days, about how often did you feel restless or fidgety? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

How often feel depressed past 30 days

Module: 16.4 Mental Illness & Stigma

Column: 361

Type: Num

SAS Variable Name: MISDEPRD

Prologue:

Description: During the past 30 days, about how often did you feel so depressed that nothing could cheer you up? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

How often feel everything was an effort past 30 days

Module: 16.5 Mental Illness & Stigma

Column: 362

Type: Num

SAS Variable Name: MISEFFRT

Prologue:

Description: During the past 30 days, about how often did you feel that everything was an effort? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

How often feel worthless past 30 days

Module: 16.6 Mental Illness & Stigma

Column: 363

Type: Num

SAS Variable Name: MISWTLES

Prologue:

Description: During the past 30 days, about how often did you feel worthless? (If necessary: all, most, some, a little, or none of the time.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Emotional problem kept you from doing work past 30 days

Module: 16.7 Mental Illness & Stigma

Type: Num

Column: 364-365

SAS Variable Name: MISNOWRK

Prologue: The next question asks if any type of mental health condition or emotional problem has recently kept you from doing your work or other usual activities.

Description: During the past 30 days, for about how many days did a mental health condition or emotional problem keep you from doing your work or other usual activities? (If asked, "usual activities" includes housework, self-care, caregiving, volunteer work, attending school, or recreation.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Receiving medicine or treatment from health pro for emotional problem

Module: 16.8 Mental Illness & Stigma

Type: Num

Column: 366

SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Mental health treatment can help people lead normal life

Module: 16.9 Mental Illness & Stigma

Type: Num

Column: 367

SAS Variable Name: MISTRHLP

Prologue: These next questions ask about peoples' attitudes toward mental illness and its treatment. How much do you agree or disagree with these statements about people with mental illness...

Description: Treatment can help people with mental illness lead normal lives. Do you agree slightly or strongly, or disagree slightly or strongly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

People are generally caring toward people with mental illness

Module: 16.10 Mental Illness & Stigma

Type: Num

Column: 368

SAS Variable Name: MISPHLPF

Prologue:

Description: People are generally caring and sympathetic to people with mental illness. Do you agree slightly or strongly or disagree slightly or strongly? (If asked for the purpose of Q9 or Q10, say: "answers to these questions will be used by health planners to help understand public attitudes about mental illness and its treatment and to help guide health education programs.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

In a safe place to answer questions

Module: 17.1 Sexual Violence

Type: Num

Column: 369

SAS Variable Name: SVSAFE

Prologue:

Description: Are you in a safe place to answer these questions?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Unwanted touching of sexual parts of body past 12 mos

Module: 17.2 Sexual Violence

Column: 370

Type: Num

SAS Variable Name: SVSEXTCH

Prologue:

Description: In the past 12 months, has anyone touched sexual parts of your body after you said or showed that you didn't want them to or without your consent (for example being groped or fondled)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 17.01, SVSAFE, is coded as 2	4,751		

Someone past 12 mos put you in unwanted sex situation w/o touching

Module: 17.3 Sexual Violence

Column: 371

Type: Num

SAS Variable Name: SVNOTCH2

Prologue:

Description: In the past 12 months, has anyone exposed you to unwanted sexual situations that did not involve physical touching? Examples include things like sexual harassment, someone exposing sexual parts of their body to you, being seen by a peeping Tom, or someone making you look at sexual photos or movies?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 17.01, SVSAFE, is coded as 2	4,751		

Someone ever had sex with you against your will

Module: 17.4 Sexual Violence

Column: 372

Type: Num

SAS Variable Name: SVEHDSEX

Prologue:

Description: Has anyone EVER had sex with you after you said or showed that you didn't want them to or without your consent?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 17.01, SVSAFE, is coded as 2	4,751		

Happened in the past 12 months

Module: 17.5 Sexual Violence

Column: 373

Type: Num

SAS Variable Name: SVHDSX12

Prologue:

Description: Has this happened in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 17.01, SVSAFE, is coded as 2; or Module 17.04, SVEHDSEX, is coded as 2, 7, 9, or Missing	4,751		

Someone ever attempt to have sex against will but did not happen

Module: 17.6 Sexual Violence

Column: 374

Type: Num

SAS Variable Name: SVEANOSX

Prologue:

Description: Has anyone EVER ATTEMPTED to have sex with you after you said or showed that you didn't want to or without your consent, BUT SEX DID NOT OCCUR?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 17.01, SVSAFE, is coded as 2	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Happened in the past 12 months

Module: 17.7 Sexual Violence

Column: 375

Prologue:

Description: Has this happened in the past 12 months?

Type: Num

SAS Variable Name: SVNOSX12

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 17.01, SVSAFE, is coded as 2; or Module 17.06, SVEANOSX, is coded as 2, 7, or 9	4,751		

Relationship to person most recently attempting or having unwanted sex

Module: 17.8 Sexual Violence

Column: 376-377

Prologue:

Description: Think about the time of the most recent incident involving a person who had sex with you –or- attempted to have sex with you after you said or showed that you didn't want to or without your consent? What was that person's relationship to you?

Type: Num

SAS Variable Name: SVRELAT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 17.01, SVSAFE, is coded as 2; or Module 17.03, SVNOTCH2, is coded 2, 7, 9, or Missing and Module 17.05, SVHDSX12, is coded 2, 7, 9, or Missing	4,751		

Person's gender who had sex with you against your will

Module: 17.9 Sexual Violence

Column: 378

Prologue:

Description: Was the person who did this male or female?

Type: Num

SAS Variable Name: SVGENDER

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 17.01, SVSAFE, is coded as 2; or Module 17.08, SVRELAT2, is coded as 20; or Module 17.03, SVNOTCH2, is coded 2, 7, 9, or Missing and Module 17.05, SVHDSX12, is coded 2, 7, 9, or Missing	4,751		

In a safe place to answer questions

Module: 18.1 Intimate Partner Violence

Column: 379

Prologue:

Description: Are you in a safe place to answer these questions?

Type: Num

SAS Variable Name: IPVSAFE

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Sex partner ever threatened violence

Module: 18.2 Intimate Partner Violence

Column: 380

Prologue:

Description: Has an intimate partner EVER THREATENED you with physical violence? This includes threatening to hit, slap, push, kick, or hurt you in any way.

Type: Num

SAS Variable Name: IPVTHRAT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 18.01, IPVSAFE, is coded 2	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Sex partner ever attempted violence

Module: 18.3 Intimate Partner Violence

Column: 381

Type: Num

SAS Variable Name: IPVPHYV2

Prologue:

Description: Has an intimate partner EVER ATTEMPTED physical violence against you? This includes times when they tried to hit, slap, push, kick, or otherwise hurt you, BUT THEY WERE NOT ABLE TO.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 18.01, IPVSAFE, is coded 2	4,751		

Sex partner ever violent

Module: 18.4 Intimate Partner Violence

Column: 382

Type: Num

SAS Variable Name: IPVPHHRT

Prologue:

Description: Has an intimate partner EVER hit, slapped, pushed, kicked, or hurt you in any way?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 18.01, IPVSAFE, is coded 2	4,751		

Ever had unwanted sex w/ partner

Module: 18.5 Intimate Partner Violence

Column: 383

Type: Num

SAS Variable Name: IPVUWSEX

Prologue:

Description: Have you EVER experienced any unwanted sex by a current or former intimate partner?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 18.01, IPVSAFE, is coded 2	4,751		

Had unwanted sex or violence from sex partner last 12 mos

Module: 18.6 Intimate Partner Violence

Column: 384

Type: Num

SAS Variable Name: IPVPVL12

Prologue:

Description: In the past 12 months, have you experienced any physical violence or had unwanted sex with an intimate partner?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 18.01, IPVSAFE, is coded 2; or Module 18.04, IPVPHHRT, is coded 2, 7, 9 or Missing; and Module 18.05, IPVUWSEX, is coded 2, 7, 9 or Missing	4,751		

Injuries from violence or unwanted sex past 12 mos

Module: 18.7 Intimate Partner Violence

Column: 385

Type: Num

SAS Variable Name: IPVSXINJ

Prologue:

Description: In the past 12 months, have you had any physical injuries, such as bruises, cuts, scrapes, black eyes, vaginal or anal tears, or broken bones, as a result of this physical violence or unwanted sex?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 18.01, IPVSAFE, is coded 2; or Module 18.04, IPVPHHRT, is coded 2, 7, 9 or Missing; and Module 18.05, IPVUWSEX, is coded 2, 7, 9 or Missing; or Module 18.06, IPVPVL12, is coded 2, 7, 9, or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Relationship to sex partner last violence or unwanted sex

Module: 18.8 Intimate Partner Violence

Column: 386-387

Type: Num

SAS Variable Name: IPVRELT2

Prologue:

Description: At the time of the most recent incident involving an intimate partner who was physically violent—or— had unwanted sex with you, what was that person’s relationship to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 18.01, IPVSAFE, is coded 2; or Module 18.04, IPVPHRT, is coded 2, 7, 9 or Missing; and Module 18.05, IPVWSEX, is coded 2, 7, 9 or Missing	4,751		

Household prepared to handle large-scale disaster or emergency

Module: 19.1 General Preparedness

Column: 388

Type: Num

SAS Variable Name: GPWELPR2

Prologue: The next series of questions asks about large-scale disasters or emergencies. By large-scale disaster or emergency we mean any event that leaves you isolated in your home or displaces you from your home for at least 3 days. This might include natural disasters such as hurricanes, tornados, floods, and ice storms, or man-made disasters such as explosions, terrorist events, or blackouts.

Description: How prepared do you feel your household is to handle a large-scale disaster or emergency? Would you say

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Does your household have a disaster evacuation plan?

Module: 19.2 General Preparedness

Column: 389

Type: Num

SAS Variable Name: GPVACPLN

Prologue:

Description: Does your household have a disaster evacuation plan, a written plan for how you will leave your home, in case of a large-scale disaster or emergency that requires evacuation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Does your household have a 3-day supply of water for everyone who lives there?

Module: 19.3 General Preparedness

Column: 390

Type: Num

SAS Variable Name: GP3DYWTR

Prologue:

Description: Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon of water per person per day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Does your household have a 3-day supply of non-perishable food for everyone who lives there?

Module: 19.4 General Preparedness

Column: 391

Type: Num

SAS Variable Name: GP3DYFOD

Prologue:

Description: Does your household have a 3-day supply of non-perishable food for everyone who lives there? By non-perishable we mean food that does not require refrigeration or cooking.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Module: 19.5 General Preparedness

Type: Num

Column: 392

SAS Variable Name: GP3DYPRS

Prologue:

Description: Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Module: 19.6 General Preparedness

Type: Num

Column: 393

SAS Variable Name: GPBATRAD

Prologue:

Description: Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

Does your household have a working flashlight and working batteries for your use if the electricity is out?

Module: 19.7 General Preparedness

Type: Num

Column: 394

SAS Variable Name: GPFLSLIT

Prologue:

Description: Does your household have a working flashlight and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Module: 19.8 General Preparedness

Type: Num

Column: 395

SAS Variable Name: GPMNDEVC

Prologue:

Description: If public authorities announced a mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

What would be the main reason why you might not evacuate if asked to do so?

Module: 19.9 General Preparedness

Type: Num

Column: 396-397

SAS Variable Name: GPNOTEVC

Prologue:

Description: What would be the main reason why you might not evacuate if asked to do so?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 19.08, GPMNDEVC, is coded 1	4,751		

In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Module: 19.10 General Preparedness

Type: Num

Column: 398

SAS Variable Name: GPEMRCOM

Prologue:

Description: In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Module: 19.11 General Preparedness

Type: Num

Column: 399

SAS Variable Name: GPEMRINF

Prologue:

Description: What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,751		

State Added Questions

State: 1.1 StateQuestions

Type: Char

Column: 401-650

SAS Variable Name: STATEQUE

Prologue:

Description: State Added Questions

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Type: Num

Column: 741

SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Version 1	4,751	100.00	100.00

Language identifier

State: 1.1 Questionnaire Language

Type: Num

Column: 742-743

SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	4,751		

Sample Design Stratification Variable

Weighting: 1.1 Weighting And Stratification Variables

Type: Num

Column: 800-804

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Stratum weight

Weighting: 1.2 Weighting And Stratification Variables

Column: 805-814

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Type: Num
SAS Variable Name: _STRWT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Raw weighting factor

Weighting: 1.3 Weighting And Stratification Variables

Column: 815-824

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPMPH).)

Type: Num
SAS Variable Name: _RAW

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Design weight

Weighting: 1.4 Weighting And Stratification Variables

Column: 825-834

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Type: Num
SAS Variable Name: _WT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Post-stratification weight

Weighting: 1.5 Weighting And Stratification Variables

Column: 835-844

Prologue:

Description: Post-stratification weight (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Type: Num
SAS Variable Name: _POSTSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Final weight

Weighting: 1.6 Weighting And Stratification Variables

Column: 845-854

Prologue:

Description: Final weight assigned to each respondent (Post-stratification weight (_POSTSTR) multiplied by design weight (_WT2).)

Type: Num
SAS Variable Name: _FINALWT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Raw weighting factor questionnaire version 1

Weighting: 1.7 Weighting And Stratification Variables

Column: 855-864

Type: Num

SAS Variable Name: _RAWQ1

Prologue:

Description: Raw weighting factor questionnaire version 1 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPMPH) questionnaire version 1.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Design weight questionnaire version 1. The product of the preceding four factors

Weighting: 1.8 Weighting And Stratification Variables

Column: 865-874

Type: Num

SAS Variable Name: _WT2Q1

Prologue:

Description: Design weight questionnaire version 1 (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Post-stratification weight questionnaire version 1 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

Weighting: 1.9 Weighting And Stratification Variables

Column: 875-884

Type: Num

SAS Variable Name: _POSTQ1

Prologue:

Description: Post-stratification weight questionnaire version 1 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 1.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Final weight questionnaire version 1: Post-stratification weight multiplied by _WT2

Weighting: 1.10 Weighting And Stratification Variables

Column: 885-894

Type: Num

SAS Variable Name: _FINALQ1

Prologue:

Description: Final weight assigned to each respondent questionnaire version 1 (Post-stratification weight (_POSTQ1) multiplied by design weight (_WT2Q1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Raw weighting factor questionnaire version 2

Weighting: 1.11 Weighting And Stratification Variables

Column: 895-904

Type: Num

SAS Variable Name: _RAWQ2

Prologue:

Description: Raw weighting factor questionnaire version 2 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPMPH) questionnaire version 2.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Design weight questionnaire version 2. The product of the preceding four factors

Weighting: 1.12 Weighting And Stratification Variables

Column: 905-914

Type: Num

SAS Variable Name: _WT2Q2

Prologue:

Description: Design weight questionnaire version 2 (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Post-stratification weight questionnaire version 2 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

Weighting: 1.13 Weighting And Stratification Variables

Column: 915-924

Type: Num

SAS Variable Name: _POSTQ2

Prologue:

Description: Post-stratification weight questionnaire version 2 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 2.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Final weight questionnaire version 2: Post-stratification weight multiplied by _WT2

Weighting: 1.14 Weighting And Stratification Variables

Column: 925-934

Type: Num

SAS Variable Name: _FINALQ2

Prologue:

Description: Final weight assigned to each respondent questionnaire version 2 (Post-stratification weight (_POSTQ2) multiplied by design weight (_WT2Q2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Region

Weighting: 1.15 Weighting And Stratification Variables

Column: 935-936

Type: Num

SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Age group codes used in post-stratification.

Weighting: 1.16 Weighting And Stratification Variables

Column: 937-938

Prologue:

Description: Age groups used in post-stratification (_AGEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _AGEG_ value.)

Type: Num
SAS Variable Name: _AGEG_

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24	191	4.02	14.88
2	Age 25 to 34	514	10.82	16.84
3	Age 35 to 44	722	15.20	15.72
4	Age 45 to 54	1,136	23.91	19.48
5	Age 55 to 64	928	19.53	14.14
6	Age 65 to 74	672	14.14	8.62
7	Age 75 or older	588	12.38	10.33

Gender group codes used in post-stratification.

Weighting: 1.17 Weighting And Stratification Variables

Column: 939

Prologue:

Description: Gender categories used in post-stratification (_SEXG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _SEXG_ value.)

Type: Num
SAS Variable Name: _SEXG_

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	1,935	40.73	49.54
2	Female	2,816	59.27	50.46

Race group codes used in post-stratification.

Weighting: 1.18 Weighting And Stratification Variables

Column: 940

Prologue:

Description: Post-stratification race group codes used in weighting (_RACEG3_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _RACEG3_ value.)

Type: Num
SAS Variable Name: _RACEG3_

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Any race and ethnicity	4,751	100.00	100.00

Age value used to determine age groups

Weighting: 1.19 Weighting And Stratification Variables

Column: 941-942

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Type: Num
SAS Variable Name: _IMPAGE

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	191	4.02	14.88
25 - 34	Age 25 to 34	514	10.82	16.84
35 - 44	Age 35 to 44	722	15.20	15.72
45 - 54	Age 45 to 54	1,136	23.91	19.48
55 - 64	Age 55 to 64	928	19.53	14.14
65 - 99	Age 65 or older	1,260	26.52	18.94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Imputed number of phones

Weighting: 1.20 Weighting And Stratification Variables

Column: 943

Prologue:

Description: Imputed number of phones used in weighting

Type: Num
SAS Variable Name: _IMPDPH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	4,645	97.77	98.95
2		98	2.06	0.99
3		8	0.17	0.06

Interruption in Telephone Service Correction Factor

Weighting: 1.21 Weighting And Stratification Variables

Column: 944-953

Prologue:

Description: Interruption in Telephone Service Correction Factor (CPS number of adults in households with telephones divided by CPS total number of adults, then multiplied by BRFSS adult population estimate)

Type: Num
SAS Variable Name: _ITSCF1

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Interruption in Telephone Service Correction Factor (Adjusted _WT2)

Weighting: 1.22 Weighting And Stratification Variables

Column: 954-963

Prologue:

Description: Interruption in Telephone Service Correction Factor (Adjusted _WT2) (Adjusted design weight using TELSERV response and the number of adults in households without telephones.)

Type: Num
SAS Variable Name: _ITSCF2

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Interruption in Telephone Service Post Stratification Correction Factor

Weighting: 1.23 Weighting And Stratification Variables

Column: 964-973

Prologue:

Description: Interruption in Telephone Service Post Stratification Correction Factor (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Type: Num
SAS Variable Name: _ITSPST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Interruption in Telephone Service Final Weighting Factor

Weighting: 1.24 Weighting And Stratification Variables

Column: 974-983

Prologue:

Description: Interruption in Telephone Service Final Weighting Factor (ITS design weight (_ITSDCF2) multiplied by the ITS post stratification weight (_ITSPST).)

Type: Num
SAS Variable Name: _ITSFINL

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Imputed County

Weighting: 1.25 Weighting And Stratification Variables

Column: 984-986

Prologue:

Description: Imputed County

Type: Num
SAS Variable Name: _IMPCTY

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Metropolitan Statistical Area Code.

Weighting: 1.26 Weighting And Stratification Variables

Column: 987-991

Prologue:

Description: FIPS Metropolitan Statistical Area Code

Type: Char
SAS Variable Name: _MSACODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Metropolitan Status Code

Weighting: 1.27 Record Identification

Column: 992

Prologue:

Description: Metropolitan Status Code

Type: Num
SAS Variable Name: MSCODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	1,179	24.82	27.52
2	Outside the center city of an MSA but inside the county containing the center city	331	6.97	8.18
3	Inside a suburban county of the MSA	195	4.10	4.60
5	Not in an MSA	3,046	64.11	59.71

CRACE with trailing 7, 8, 9s removed

ChildDemograph 1.01 Child Demographic Variables
ics:

Column: 993-998

Prologue:

Description: CRACE with trailing 7, 8, 9s removed

Type: Char
SAS Variable Name: CRACEORG

Value	Value Label	Frequency	Percentage	Weighted Percentage
7		1	0.08	0.04
9		2	0.16	0.21
BLANK		3,480		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,268	99.76	99.76

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

CRACEORG with responses in ascending order

ChildDemograph 1.02 Child Demographic Variables
ics:

Type: Num

Column: 999-1004

SAS Variable Name: CRACEASC

Prologue:

Description: CRACE with 7, 8, 9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7		1	0.08	0.04
9		2	0.16	0.21
BLANK		3,480		
HIDDEN	Data not displayed	1,268	99.76	99.76

Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Child Non-Hispanic Race including Multiracial

ChildDemograph 1.03 Child Demographic Variables
ics:

Type: Num

Column: 1005-1006

SAS Variable Name: _CRACE

Prologue:

Description: Child multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: CRACEASC = 1	1,067	83.95	88.91
2	Black or African American only Notes: CRACEASC =2	5	0.39	0.31
3	Asian Only Notes: CRACEASC = 3	6	0.47	0.41
4	Native Hawaiian or other Pacific Islander only Notes: CRACEASC = 4	6	0.47	0.44
5	American Indian or Alaskan Native only Notes: CRACEASC = 5	144	11.33	6.73
6	Other race only Notes: CRACEASC = 6	10	0.79	0.69
7	Multiracial Notes: CRACEASC >= 12	30	2.36	2.27
77	Don't know/Not sure Notes: CRACEASC = 7	1	0.08	0.04
99	Refused Notes: CRACEASC = 9	2	0.16	0.21
BLANK	Missing Notes: CRACEASC = Missing	3,480		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Child Age

ChildDemograph 1.04 Child Demographic Variables
ics:

Type: Num

Column: 1007-1009

SAS Variable Name: CHLDAGE

Prologue:

Description: Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	0 Years old	57	4.48	6.27
12 - 23	1 Year old	60	4.72	6.63
24 - 35	2 Years old	66	5.19	6.50
36 - 47	3 Years old	61	4.80	6.38
48 - 59	4 Years old	62	4.87	5.83
60 - 71	5 Years old	57	4.48	4.27
72 - 83	6 Years old	60	4.72	4.61
84 - 95	7 Years old	73	5.74	5.58
96 - 107	8 Years old	62	4.87	4.83
108 - 119	9 Years old	61	4.80	4.37
120 - 131	10 Years old	76	5.97	5.40
132 - 143	11 Years old	64	5.03	3.72
144 - 155	12 Years old	70	5.50	4.48
156 - 167	13 Years old	70	5.50	4.91
168 - 179	14 Years old	78	6.13	5.31
180 - 191	15 Years old	85	6.68	5.18
192 - 203	16 Years old	91	7.15	7.14
204 - 215	17 Years old	119	9.36	8.60
BLANK	Not asked or Missing	3,479		

Child gender group codes used in post-stratification.

ChildWeighting: 1.05 Child Weighting Variables

Type: Num

Column: 1010

SAS Variable Name: _CSEXG_

Prologue:

Description: Child gender categories used in post-stratification (_CSEXG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CSEXG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	665	52.28	51.67
2	Female	607	47.72	48.33
BLANK	Missing	3,479		

Child race group codes used in post-stratification.

ChildWeighting: 1.06 Child Weighting Variables

Type: Num

Column: 1011

SAS Variable Name: _CRACEG_

Prologue:

Description: Child post-stratification race group codes used in weighting (_CRACEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CRACEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Any race and ethnicity	1,272	100.00	100.00
BLANK	Missing	3,479		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Child age group codes used in post-stratification.

ChildWeighting: 1.07 Child Weighting Variables

Column: 1012-1014

Type: Num

SAS Variable Name: _CAGEG_

Prologue:

Description: Child age groups used in post-stratification (_CAGEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CAGEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 to 4	306	24.06	31.61
2	Age 5 to 9	313	24.61	23.65
3	Age 10 to 14	358	28.14	23.82
4	Age 15 to 17	295	23.19	20.92
BLANK	Missing	3,479		

Raw child weighting factor questionnaire version 1

ChildWeighting: 1.08 Child Weighting Variables

Column: 1015-1024

Type: Num

SAS Variable Name: _RAWCH1

Prologue:

Description: Raw child weighting factor questionnaire version 1 (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,751	100.00	100.00

Raw child weighting factor questionnaire version 2

ChildWeighting: 1.09 Child Weighting Variables

Column: 1025-1034

Type: Num

SAS Variable Name: _RAWCH2

Prologue:

Description: Raw child weighting factor questionnaire version 2 (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,751	100.00	100.00

Raw child weighting factor

ChildWeighting: 1.10 Child Weighting Variables

Column: 1035-1044

Type: Num

SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	4,751	100.00	100.00
Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report				

Child design weight questionnaire version 1

ChildWeighting: 1.11 Child Weighting Variables

Column: 1045-1054

Type: Num

SAS Variable Name: _WT2CH1

Prologue:

Description: Child design weight questionnaire version 1 (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Child design weight questionnaire version 2

ChildWeighting: 1.12 Child Weighting Variables

Column: 1055-1064

Type: Num

SAS Variable Name: _WT2CH2

Prologue:

Description: Child design weight questionnaire version 2 (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,751	100.00	100.00

Child design weight

ChildWeighting: 1.13 Child Weighting Variables

Column: 1065-1074

Type: Num

SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Post-stratification child weight questionnaire version 1 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

ChildWeighting: 1.14 Child Weighting Variables

Column: 1075-1084

Type: Num

SAS Variable Name: _POSTCH1

Prologue:

Description: Post-stratification child weight questionnaire version 1 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 1.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,751	100.00	100.00

Post-stratification child weight questionnaire version 2 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

ChildWeighting: 1.15 Child Weighting Variables

Column: 1085-1094

Type: Num

SAS Variable Name: _POSTCH2

Prologue:

Description: Post-stratification child weight questionnaire version 2 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 2.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,751	100.00	100.00

Post-stratification child weight

ChildWeighting: 1.16 Child Weighting Variables

Column: 1095-1104

Type: Num

SAS Variable Name: _POSTCH

Prologue:

Description: Post-stratification child weight (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Final weight questionnaire version 1: Post-stratification weight multiplied by _WT2CH1

ChildWeighting: 1.17 Child Weighting Variables

Column: 1105-1114

Type: Num

SAS Variable Name: _CHILDQ1

Prologue:

Description: Final weight assigned to each child questionnaire version 1 (Post-stratification child weight (_POSTCH1) multiplied by child design weight (_WT2CH1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		4,751		

Final weight questionnaire version 2: Post-stratification weight multiplied by _WT2CH2

ChildWeighting: 1.18 Child Weighting Variables

Column: 1115-1124

Type: Num

SAS Variable Name: _CHILDQ2

Prologue:

Description: Final weight assigned to each child questionnaire version 2 (Post-stratification child weight (_POSTCH2) multiplied by child design weight (_WT2CH2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		4,751		

Final child weight

ChildWeighting: 1.19 Child Weighting Variables

Column: 1125-1134

Type: Num

SAS Variable Name: _CHILDWT

Prologue:

Description: Final weight assigned to each child (Post-stratification child weight (_POSTCH) multiplied by child design weight (_WT2CH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Raw household weighting factor

HouseholdWeighting: 1.32 Household Weighting Variables

Column: 1135-1144

Type: Num

SAS Variable Name: _RAWHH

Prologue:

Description: Raw household weighting factor (One divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Household design weight

HouseholdWeighting: 1.33 Household Weighting Variables

Column: 1145-1154

Type: Num

SAS Variable Name: _WT2HH

Prologue:

Description: Household design weight (Household stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWHH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Post-stratification household weight

HouseholdWeighting: 1.34 Household Weighting Variables

Type: Num

Column: 1155-1164

SAS Variable Name: _POSTHH

Prologue:

Description: Post-stratification household weight (Population estimate for households divided by the weighted sample frequency for households.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Final household weight

HouseholdWeighting: 1.35 Household Weighting Variables

Type: Num

Column: 1165-1174

SAS Variable Name: _HOUSEWT

Prologue:

Description: Final weight assigned to each household (Post-stratification household weight (_POSTHH) multiplied by household design weight (_WT2HH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,751	100.00	100.00

Adults with good or better health

CalculatedVariables: 1.1 Calculated Variables

Type: Num

Column: 1175

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	3,967	83.50	87.34
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	771	16.23	12.51
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	13	0.27	0.16

Respondents aged 18-64 with health care coverage

CalculatedVariables: 3.1 Calculated Variables

Type: Num

Column: 1176

SAS Variable Name: _HCVU65

Prologue:

Description: Respondents aged 18-64 that have any form of health care coverage

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 1	2,961	62.32	68.23
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 2	475	10.00	11.22
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing	1,315	27.68	20.55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Leisure Time Physical Activity Calculated Variable

Calculated Variables:
Calculated Variables

Type: Num

Column: 1177

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults that report doing physical activity or exercise during the past 30 days other than their regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	3,501	73.69	77.31
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	1,234	25.97	22.43
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	16	0.34	0.26

High Blood Pressure Calculated Variable

Calculated Variables:
Calculated Variables

Type: Num

Column: 1178

SAS Variable Name: _RFHYPE5

Prologue:

Description: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BPHIGH4 = 2 or 3 or 4	3,141	66.11	73.85
2	Yes Notes: BPHIGH4 = 1	1,599	33.66	25.90
9	Don't know/Not Sure/Refused/Missing Notes: BPHIGH4 = 7 or 9 or Missing	11	0.23	0.25

Cholesterol Checked Calculated Variable

Calculated Variables:
Calculated Variables

Type: Num

Column: 1179

SAS Variable Name: _CHOLCHK

Prologue:

Description: Cholesterol check within past five years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had cholesterol checked in past 5 years. Notes: BLOODCHO = 1 and CHOLCHK = 1 or 2 or 3	3,705	77.98	69.55
2	Did not have cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 4	221	4.65	4.39
3	Have never had cholesterol checked Notes: BLOODCHO = 2	674	14.19	21.73
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO = 7 or 9 or Missing or CHOLCHK = 7 or 9 or Missing	151	3.18	4.33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

High Cholesterol Calculated Variable

Calculated Variables: 7.2 Calculated Variables

Type: Num

Column: 1180

SAS Variable Name: _RFCHOL

Prologue:

Description: Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BLOODCHO=1 and TOLDHI2 = 2	2,330	58.72	62.19
2	Yes Notes: BLOODCHO=1 and TOLDHI2 = 1	1,603	40.40	36.73
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO=1 and TOLDHI2 = 7 or 9 or Missing	35	0.88	1.08
BLANK	Missing Notes: BLOODCHO = 2 or 7 or 9 or Missing	783		

Lifetime Asthma Calculated Variable

Calculated Variables: 9.1 Calculated Variables

Type: Num

Column: 1181

SAS Variable Name: _LTASTHM

Prologue:

Description: Adults who have ever been told they have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA2 = 2	4,214	88.70	88.63
2	Yes Notes: ASTHMA2 = 1	524	11.03	11.17
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing	13	0.27	0.20

Current Asthma Calculated Variable

Calculated Variables: 9.2 Calculated Variables

Type: Num

Column: 1182

SAS Variable Name: _CASTHMA

Prologue:

Description: Adults who have been told they currently have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA2 = 2 or ASTHMA2 = 1 and ASTHNOW = 2	4,342	91.39	91.58
2	Yes Notes: ASTHMA2 = 1 and ASTHNOW = 1	374	7.87	7.63
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	35	0.74	0.79

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed Asthma Status

Calculated Variables: 9.3
Calculated Variables:

Type: Num

Column: 1183

SAS Variable Name: _ASTHMST

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA2 = 1 and ASTHNOW = 1	374	7.87	7.63
2	Former Notes: ASTHMA2 = 1 and ASTHNOW = 2	128	2.69	2.95
3	Never Notes: ASTHMA2 = 2	4,214	88.70	88.63
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	35	0.74	0.79

Flu Shot Calculated Variable

Calculated Variables: 10.1
Calculated Variables:

Type: Num

Column: 1184

SAS Variable Name: _FLSHOT3

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >=65 and FLUSHOT3 = 1	898	68.87	69.78
2	No Notes: AGE >=65 and FLUSHOT3 = 2	360	27.61	26.66
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or FLUSHOT3 = 7 or 9 or Missing	46	3.53	3.56
BLANK	Age Less Than 65 Notes: AGE < 65	3,447		

Pneumonia Vaccination Calculated Variable

Calculated Variables: 10.2
Calculated Variables:

Type: Num

Column: 1185

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >= 65 and PNEUVAC3 = 1	844	64.72	65.45
2	No Notes: AGE >= 65 and PNEUVAC3 = 2	364	27.91	27.39
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	96	7.36	7.16
BLANK	Age Less Than 65 Notes: AGE < 65	3,447		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed Smoking Status

Calculated Variables: 11.1 Calculated Variables

Type: Num

Column: 1186

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	713	15.01	15.03
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	256	5.39	5.85
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	1,312	27.62	25.22
4	Never smoked Notes: SMOKE100 = 2	2,459	51.76	53.68
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	11	0.23	0.23

Current Smoking Calculated Variable

Calculated Variables: 11.2 Calculated Variables

Type: Num

Column: 1187

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: _SMOKER3 = 3 or 4	3,771	79.37	78.90
2	Yes Notes: _SMOKER3 = 1 or 2	969	20.40	20.87
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	11	0.23	0.23

MRACE with trailing 7,8,9s removed calculated variable

Calculated Variables: 12.1 Calculated Race Variables

Type: Char

Column: 1188-1193

SAS Variable Name: MRACEORG

Prologue:

Description: MRACE with trailing 7,8,9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACE = 7	5	0.11	0.09
9	Refused Notes: MRACE = 9	19	0.40	0.40
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,727	99.49	99.50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

MRACEORG with responses in ascending order calculated variable

Calculated Variables: 12.2 Calculated Race Variables

Type: Char

Column: 1194-1199

SAS Variable Name: MRACEASC

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACEORG = 7	5	0.11	0.09
9	Refused Notes: MRACEORG = 9	19	0.40	0.40
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,727	99.49	99.50

Computed Preferred Race

Calculated Variables: 12.3 Calculated Race Variables

Type: Num

Column: 1200-1201

SAS Variable Name: _PRACE

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACEASC = 1	4,271	89.90	92.22
2	Black or African American Notes: MRACEASC = 2	11	0.23	0.52
3	Asian Notes: MRACEASC = 3	18	0.38	0.74
4	Native Hawaiian or other Pacific Islander Notes: MRACEASC = 4	9	0.19	0.13
5	American Indian or Alaskan Native Notes: MRACEASC = 5	375	7.89	4.84
6	Other race Notes: MRACEASC = 6	39	0.82	1.00
7	No preferred race Notes: MRACEASC >= 12 and ORACE2 = 7 or 9	4	0.08	0.06
77	Don't know/Not sure Notes: MRACEASC = 7	5	0.11	0.09
99	Refused Notes: MRACEASC = 9	19	0.40	0.40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed non-Hispanic Race including Multiracial

Calculated Variables: 12.4 Calculated Race Variables

Type: Num

Column: 1202-1203

SAS Variable Name: _MRACE

Prologue:

Description: Multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACEASC = 1	4,258	89.62	92.00
2	Black or African American only Notes: MRACEASC = 2	10	0.21	0.50
3	Asian Only Notes: MRACEASC = 3	18	0.38	0.74
4	Native Hawaiian or other Pacific Islander only Notes: MRACEASC = 4	8	0.17	0.06
5	American Indian or Alaskan Native only Notes: MRACEASC = 5	360	7.58	4.63
6	Other race only Notes: MRACEASC = 6	37	0.78	0.98
7	Multiracial Notes: MRACEASC >= 12	36	0.76	0.59
77	Don't know/Not sure Notes: MRACEASC = 7	5	0.11	0.09
99	Refused Notes: MRACEASC = 9	19	0.40	0.40

Computed Non-Hispanic Whites/All Others race categories Race/ethnic group codes used in post-stratification.

Calculated Variables: 12.5 Calculated Race Variables

Type: Num

Column: 1204

SAS Variable Name: _RACEG2

Prologue:

Description: White/Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: RACE2 = 1	4,200	88.40	90.76
2	Non-White or Hispanic Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8	506	10.65	8.40
9	Don't know/Not sure/Refused Notes: RACE2 = 9	45	0.95	0.83

Computed Five level race/ethnicity category.

Calculated Variables: 12.6 Calculated Race Variables

Type: Num

Column: 1205

SAS Variable Name: _RACEGR2

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic Notes: RACE2 = 1	4,200	88.40	90.76
2	Black only, Non-Hispanic Notes: RACE2 = 2	10	0.21	0.50
3	Other race only, Non-Hispanic Notes: RACE2 = 3 or 4 or 5 or 6	403	8.48	5.93
4	Multiracial, Non-Hispanic Notes: RACE2 = 7	36	0.76	0.59
5	Hispanic Notes: RACE2 = 8	57	1.20	1.38
9	Don't know/Not sure/Refused Notes: RACE2 = 9	45	0.95	0.83

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed race groups used for internet prevalence tables

Calculated Variables: 12.7 Calculated Race Variables

Type: Num

Column: 1206

SAS Variable Name: _RACE_G

Prologue:

Description: Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic Notes: _RACEGR2 = 1	4,200	89.25	91.53
2	Black - Non-Hispanic Notes: _RACEGR2 = 2	10	0.21	0.51
3	Hispanic Notes: _RACEGR2 = 5	57	1.21	1.39
4	Other race only, Non-Hispanic Notes: _RACEGR2 = 3	403	8.56	5.98
5	Multiracial, Non-Hispanic Notes: _RACEGR2 = 4	36	0.76	0.60
BLANK	Don't know/Not sure/Refused component question Notes: _RACEGR2 = 9 or Missing	45		

Computed number of census race categories chosen

Calculated Variables: 12.8 Calculated Race Variables

Type: Num

Column: 1207

SAS Variable Name: _CNRACE

Prologue:

Description: Number of census race categories chosen

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Other/do not know/refused Notes: 6 <= MRACEASC <= 9	61	1.28	1.47
1	1 category chosen Notes: MRACEASC had one race category	4,661	98.11	98.04
2	2 category chosen Notes: MRACEASC had two race categories	27	0.57	0.45
3	3 category chosen Notes: MRACEASC had three race categories	2	0.04	0.03

Computed number of census race categories chosen, collapsed

Calculated Variables: 12.9 Calculated Race Variables

Type: Num

Column: 1208

SAS Variable Name: _CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One category chosen Notes: _CNRACE = 1	4,661	99.38	99.51
2	Two or more categories chosen Notes: _CNRACE > 1	29	0.62	0.49
BLANK	_CNRACE = 0 or missing Notes: _CNRACE = 0	61		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed Race-Ethnicity grouping

Calculated Variables: 12.10 Calculated Race Variables

Type: Num

Column: 1209

SAS Variable Name: RACE2

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 1	4,200	88.40	90.76
2	Black only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 2	10	0.21	0.50
3	Asian only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 3	17	0.36	0.71
4	Native Hawaiian or other Pacific Islander only, No Notes: HISPANC2 = 2 and _MRACE = 4	8	0.17	0.06
5	American Indian or Alaskan Native only, Non-Hispan Notes: HISPANC2 = 2 and _MRACE = 5	354	7.45	4.59
6	Other race only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 6	24	0.51	0.57
7	Multiracial, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 7	36	0.76	0.59
8	Hispanic Notes: HISPANC2 = 1	57	1.20	1.38
9	Don't know/Not sure/Refused Notes: HISPANC2 = 7 or 9 or _MRACE = 77 or 99 and HISPANC2 = 2	45	0.95	0.83

Reported age in five-year age categories calculated variable

Calculated Variables: 12.11 Calculated Variables

Type: Num

Column: 1210-1211

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	191	4.02	14.88
2	Age 25 to 29 Notes: 25 <= AGE <= 29	216	4.55	7.20
3	Age 30 to 34 Notes: 30 <= AGE <= 34	298	6.27	9.63
4	Age 35 to 39 Notes: 35 <= AGE <= 39	341	7.18	7.40
5	Age 40 to 44 Notes: 40 <= AGE <= 44	381	8.02	8.32
6	Age 45 to 49 Notes: 45 <= AGE <= 49	504	10.61	8.96
7	Age 50 to 54 Notes: 50 <= AGE <= 54	588	12.38	9.86
8	Age 55 to 59 Notes: 55 <= AGE <= 59	520	10.95	8.01
9	Age 60 to 64 Notes: 60 <= AGE <= 64	408	8.59	6.13
10	Age 65 to 69 Notes: 65 <= AGE <= 69	361	7.60	4.70
11	Age 70 to 74 Notes: 70 <= AGE <= 74	311	6.55	3.92
12	Age 75 to 79 Notes: 75 <= AGE <= 79	272	5.73	4.95
13	Age 80 or older Notes: 80 <= AGE <= 99	316	6.65	5.38
14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	44	0.93	0.67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Reported age in two age groups calculated variable

Calculated Variables:
bles:

Type: Num

Column: 1212

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 <= AGE <= 64	3,447	72.55	80.39
2	Age 65 or older Notes: 65 <= AGE <= 99	1,260	26.52	18.94
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	44	0.93	0.67

Imputed age in six groups

Calculated Variables:
bles:

Type: Num

Column: 1213

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	191	4.02	14.88
2	Age 25 to 34 Notes: 25 <= AGE <= 34	514	10.82	16.84
3	Age 35 to 44 Notes: 35 <= AGE <= 44	722	15.20	15.72
4	Age 45 to 54 Notes: 45 <= AGE <= 54	1,136	23.91	19.48
5	Age 55 to 64 Notes: 55 <= AGE <= 64	928	19.53	14.14
6	Age 65 or older Notes: AGE >= 65	1,260	26.52	18.94

Computed Height in Inches

Calculated Variables:
bles:

Type: Num

Column: 1214-1216

SAS Variable Name: HTIN3

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in inches Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)	4,726	99.47	99.44
999	Don't know/Refused/Missing Notes: HEIGHT3 = 7777 or 9999 or missing	25	0.53	0.56

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed Height in Meters

Calculated Variables: 12.15 Calculated Variables

Type: Num

Column: 1217-1219

SAS Variable Name: HTM3

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in meters [2 implied decimal places] Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998 (non-metric HEIGHT3 value multiplied by 2.54 and divided by 100)	4,726	99.47	99.44
999	Don't know/Refused/Missing Notes: HEIGHT3 = 7777 or 9999 or missing	25	0.53	0.56

Computed Weight in Kilograms

Calculated Variables: 12.16 Calculated Variables

Type: Num

Column: 1220-1224

SAS Variable Name: WTKG2

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 99998	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 7776 or 7778 <= WEIGHT2 <= 9998 (non-metric WEIGHT2 value divided by 2.2)	4,527	95.29	95.85
99999	Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or missing	224	4.71	4.15

Computed body mass index

Calculated Variables: 12.17 Calculated Variables

Type: Num

Column: 1225-1228

SAS Variable Name: _BMI4

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9998	1 or greater Notes: WTKG2/(HTM3*HTM3) (Has 2 implied decimal places)	4,514	95.01	95.51
9999	Don't know/Refused/Missing Notes: WTKG2 = 777 or 999 or HTM3 = 777 or 999	237	4.99	4.49

Computed body mass index categories

Calculated Variables: 12.18 Calculated Variables

Type: Num

Column: 1229

SAS Variable Name: _BMI4CAT

Prologue:

Description: Three-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Neither overweight nor obese Notes: _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	1,445	30.41	33.49
2	Overweight Notes: 2500 <= _BMI4 < 3000	1,787	37.61	36.19
3	Obese Notes: 3000 <= _BMI4 < 9999	1,282	26.98	25.83
9	Don't know/Refused/Missing Notes: _BMI4 = 9999	237	4.99	4.49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Overweight or obese calculated variable

Calculated Variables: 12.19 Calculated Variables

Type: Num

Column: 1230

SAS Variable Name: _RFBMI4

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 0 <= _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	1,445	30.41	33.49
2	Yes Notes: 2500 <= _BMI4 < 9999	3,069	64.60	62.02
9	Don't know/Refused/Missing Notes: _BMI4 = 9999	237	4.99	4.49

Computed number of children in household

Calculated Variables: 12.20 Calculated Variables

Type: Num

Column: 1231

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	3,272	68.87	60.63
2	One child in household Notes: CHILDREN = 01	535	11.26	14.07
3	Two children in household Notes: CHILDREN = 02	579	12.19	15.36
4	Three children in household Notes: CHILDREN = 03	251	5.28	6.70
5	Four children in household Notes: CHILDREN = 04	71	1.49	1.84
6	Five or more children in household Notes: 05 <= CHILDREN < 88	37	0.78	1.14
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	6	0.13	0.26

Computed level of education completed categories

Calculated Variables: 12.21 Calculated Variables

Type: Num

Column: 1232

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	385	8.10	7.40
2	Graduated High School Notes: EDUCA = 4	1,429	30.08	29.45
3	Attended College or Technical School Notes: EDUCA = 5	1,512	31.82	32.53
4	Graduated from College or Technical School Notes: EDUCA = 6	1,421	29.91	30.57
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	4	0.08	0.06

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed income categories

Calculated Variables: 12.22 Calculated Variables

Type: Num

Column: 1233

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	395	8.31	7.30
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	697	14.67	12.67
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	578	12.17	11.53
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	740	15.58	14.74
5	\$50,000 or more Notes: INCOME2 = 7 or 8	1,687	35.51	40.24
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	654	13.77	13.53

Computed drink-occasions-per-day

Calculated Variables: 13.1 Calculated Variables

Type: Num

Column: 1234-1236

SAS Variable Name: DROCDY2_

Prologue:

Description: Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY4 = 888 or DRNKANY4 = 2	2,077	43.72	38.33
1 - 899	Drink-Occasions per day Notes: ALCDAY4 <= 231	2,583	54.37	60.02
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY4 = 777 or 999 or Missing or DRNKANY4 = 7 or 9 or Missing	91	1.92	1.65

Binge Drinking Calculated Variable

Calculated Variables: 13.2 Calculated Variables

Type: Num

Column: 1237

SAS Variable Name: _RFBING4

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ALCDAY4 < 300 and DRNK3GE5 = 0 or ALCDAY4 = 888	3,845	80.93	75.23
2	Yes Notes: ALCDAY4 < 300 and DRNK3GE5 = 1	808	17.01	22.79
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY4 = 777 or 999 or Missing	98	2.06	1.98

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed number of drinks of alcohol beverages per day

Calculated Variables
bles:

Type: Num

Column: 1238-1241

SAS Variable Name: _DRNKDY3

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY4 = 888	2,077	43.72	38.33
1 - 9899	Number of drinks per day Notes: ALCDAY4 / 7 per week or ALCDAY4 / 30 per month * AVEDRNK2	2,536	53.38	58.81
9900	Don't know/Not sure/Refused/Missing Notes: ALCDAY4 = 777 or 999 or Missing	138	2.90	2.86

Computed total number drinks a month

Calculated Variables
bles:

Type: Num

Column: 1242-1245

SAS Variable Name: _DRNKMO3

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: _DRNKDY3 = 0	2,077	43.72	38.33
1 - 9998	Number of Drinks Notes: _DRNKDY3 * 30	2,536	53.38	58.81
9999	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	138	2.90	2.86

Heavy Alcohol Consumption Calculated Variable

Calculated Variables
bles:

Type: Num

Column: 1246

SAS Variable Name: _RFDRHV3

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY3 <= 2 or SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888	4,420	93.03	92.28
2	Yes Notes: SEX = 1 and _DRNKDY3 > 2 or SEX = 2 and _DRNKDY3 > 1	193	4.06	4.86
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	138	2.90	2.86

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables
bles:

Type: Num

Column: 1247

SAS Variable Name: _RFDRMN3

Prologue:

Description: Adult Men that are Heavy drinkers (having more than two drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY3 <= 2 or ALCDAY4 = 888	1,757	90.80	90.52
2	Yes Notes: SEX = 1 and _DRNKDY3 > 2	105	5.43	5.91
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	73	3.77	3.56
BLANK	Respondent is female Notes: SEX = 2	2,816		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables
bles:

Type: Num

Column: 1248

SAS Variable Name: _RFDRWM3

Prologue:

Description: Adult Women that are Heavy drinkers (having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888	2,663	94.57	94.01
2	Yes Notes: SEX = 2 and _DRNKDY3 > 1	88	3.13	3.82
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	65	2.31	2.17
BLANK	Respondent is male Notes: SEX = 1	1,935		

Respondents diagnosed with arthritis

Calculated Variables
bles:

Type: Num

Column: 1249

SAS Variable Name: _DRDXART

Prologue:

Description: Respondents that have had a doctor diagnose them as having some form of arthritis

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Diagnosed with arthritis Notes: HAVARTH2 = 1	1,596	34.07	26.89
2	Not diagnosed with arthritis Notes: HAVARTH2 = 2	3,088	65.93	73.11
BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH2 = 7 or 9 or Missing	67		

Computed Fruit Juice Servings per day

Calculated Variables
bles:

Type: Num

Column: 1250-1252

SAS Variable Name: FTJUDAY_

Prologue:

Description: Fruit juice servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= FRUITJUI <= 555 (FRUITJUI-200)/7 per week or (FRUITJUI-300)/30 per month or (FRUITJUI-400)/365 per year	4,605	96.93	96.98
990	Don't know/Not Sure Or Refused/Missing Notes: FRUITJUI = 777 or 999 or Missing	146	3.07	3.02

Computed Fruit Servings per day

Calculated Variables
bles:

Type: Num

Column: 1253-1255

SAS Variable Name: FRUTDAY_

Prologue:

Description: Fruit servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= FRUIT <= 555 (FRUIT-200)/7 per week or (FRUIT-300)/30 per month or (FRUIT-400)/365 per year	4,608	96.99	97.07
990	Don't know/Not Sure Or Refused/Missing Notes: FRUIT = 777 or 999 or Missing	143	3.01	2.93

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed Green Salad Servings per day

Calculated Variables:
bles:

Column: 1256-1258

Type: Num

SAS Variable Name: GNSLDAY_

Prologue:

Description: Green salad servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= GREENSAL <= 555 (GREENSAL-200)/7 per week or (GREENSAL-300)/30 per month or (GREENSAL-400)/365 per year	4,596	96.74	96.86
990	Don't know/Not Sure Or Refused/Missing Notes: GREENSAL = 777 or 999 or Missing	155	3.26	3.14

Computed Potato Servings per day

Calculated Variables:
bles:

Column: 1259-1261

Type: Num

SAS Variable Name: POTADAY_

Prologue:

Description: Potato servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= POTATOES <= 555 (POTATOES-200)/7 per week or (POTATOES-300)/30 per month or (POTATOES-400)/365 per year	4,603	96.88	97.08
990	Don't know/Not Sure Or Refused/Missing Notes: POTATOES = 777 or 999 or Missing	148	3.12	2.92

Computed Carrot Servings per day

Calculated Variables:
bles:

Column: 1262-1264

Type: Num

SAS Variable Name: CRTSDAY_

Prologue:

Description: Carrot servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= CARROTS <= 555 (CARROTS-200)/7 per week or (CARROTS-300)/30 per month or (CARROTS-400)/365 per year	4,556	95.90	96.23
990	Don't know/Not Sure Or Refused/Missing Notes: CARROTS = 777 or 999 or Missing	195	4.10	3.77

Computed Vegetable Servings per day

Calculated Variables:
bles:

Column: 1265-1267

Type: Num

SAS Variable Name: VEGEDAY_

Prologue:

Description: Vegetable servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day Notes: 101 <= VEGETABL <= 555 (VEGETABL-200)/7 per week or (VEGETABL-300)/30 per month or (VEGETABL-400)/365 per year	4,541	95.58	95.48
990	Don't know/Not Sure Or Refused/Missing Notes: VEGETABL = 777 or 999 or Missing	210	4.42	4.52

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed total number of servings of fruits and vegetables consumed per day

Calculated Variables:
bles:

Type: Num

Column: 1268-1272

SAS Variable Name: _FRTSERV

Prologue:

Description: Fruit and vegetable servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of times per day Notes: Sum of FTJUDAY_, FRUTDAY_, GNSLDAY_, POTADAY_, CRTSDAY_, VEGEDAY_ (has two implied decimal places)	4,667	98.23	98.20
99999	Don't know/Refused/Missing	84	1.77	1.80

Summary index for fruits and vegetables calculated variable

Calculated Variables:
bles:

Type: Num

Column: 1273

SAS Variable Name: _FRTINDX

Prologue:

Description: Summary index for fruits and vegetables calculated variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once per day or never Notes: _FRTSERV < 1	258	5.43	6.22
2	Once but less than 3 times per day Notes: 1 <= _FRTSERV < 3	1,716	36.12	38.56
3	3 but less than 5 times per day Notes: 3 <= _FRTSERV < 5	1,586	33.38	31.90
4	5 or more times per day Notes: 5 <= _FRTSERV < 999.99	1,107	23.30	21.52
9	Don't know/Refused/Missing Notes: _FRTSERV = 99.99	84	1.77	1.80

Consumed five or more servings of fruits or vegetables per day calculated variable

Calculated Variables:
bles:

Type: Num

Column: 1274

SAS Variable Name: _FV5SRV

Prologue:

Description: Consumed five or more servings of fruits or vegetables per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Consume < 5 times per day Notes: _FRTSERV < 5	3,560	74.93	76.68
2	Consume 5 or more times per day Notes: 5 <= _FRTSERV < 999.99	1,107	23.30	21.52
9	Don't know/Not sure/Missing Notes: _FRTSERV = 999.99	84	1.77	1.80

Computed Minutes of Moderate Physical Activity

Calculated Variables:
bles:

Type: Num

Column: 1275-1277

SAS Variable Name: _MODPAMN

Prologue:

Description: Total minutes of moderate physical activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of moderate physical activity Notes: MODPACT = 1 and 1 <= MODPADAY <= 7 and 10 <= MODPATIM <= 759 or 800 <= MODPATIM <= 959	4,384	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing Notes: MODPATIM = 777 or 999 or Missing or MODPATIM > 959 or MODPACT = 7 or 9 or Missing or MODPADAY = 77 or 99 or Missing	367		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed Minutes of Vigorous Physical Activity

Calculated Variables:
bles:

Column: 1278-1280

Type: Num

SAS Variable Name: _VIGPAMN

Prologue:

Description: Total minutes of vigorous physical activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of vigorous physical activity Notes: VIGPACT = 1 and 1 <= VIGPADAY <= 7 and 10 <= VIGPATIM <= 759 or 800 <= VIGPATIM <= 959	4,483	100.00	100.00
BLANK	Don't know/Not sure/Refused/Missing Notes: VIGPATIM = 777 or 999 or Missing or VIGPATIM > 959 or VIGPACT = 7 or 9 or Missing or VIGPADAY = 77 or 99 or Missing	268		

Computed Moderate Physical Activity Categories

Calculated Variables:
bles:

Column: 1281

Type: Num

SAS Variable Name: MODCAT_

Prologue:

Description: 3 level moderate physical activity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet recommendations for moderate physical activity Notes: MODPACT = 1 and _MODPAMN >= 30 and MODPADAY >= 5	1,789	37.66	39.44
2	Insufficient activity to meet moderate recommendations Notes: MODPACT = 1 and _MODPAMN < 30 or MODPADAY < 5	2,013	42.37	42.54
3	No moderate physical activity Notes: MODPACT = 2 or _MODPAMN = 0	582	12.25	10.93
9	Don't know/Not sure/Refused/Missing Notes: MODPACT = 7 or 9 or Missing or MODPACT = 1 and MODPADAY = 77 or 99 or Missing or MODPATIM = 777 or 999 or Missing	367	7.72	7.09

Computed Vigorous Physical Activity Categories

Calculated Variables:
bles:

Column: 1282

Type: Num

SAS Variable Name: VIGCAT_

Prologue:

Description: 3 level vigorous physical activity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet recommendations for vigorous physical activity Notes: VIGPACT = 1 and _VIGPAMN >= 20 and VIGPADAY >= 3	1,106	23.28	27.38
2	Insufficient activity to meet vigorous recommendations Notes: VIGPACT = 1 and _VIGPAMN < 20 or VIGPADAY < 3	914	19.24	21.61
3	No vigorous physical activity Notes: VIGPACT = 2 or _VIGPAMN = 0	2,463	51.84	45.84
9	Don't know/Not sure/Refused/Missing Notes: VIGPACT = 7 or 9 or Missing or VIGPACT = 1 and VIGPADAY = 77 or 99 or Missing or VIGPATIM = 777 or 999 or Missing	268	5.64	5.17

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Computed Overall Physical Activity Categories

Calculated Variables: 17.5 Calculated Variables

Type: Num

Column: 1283

SAS Variable Name: PACAT_

Prologue:

Description: 5 level physical activity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet recommendations for moderate and vigorous physical activity Notes: MODCAT_ = 1 and VIGCAT_ = 1	720	15.15	18.03
2	Meet recommendations for vigorous physical activity Notes: VIGCAT_ = 1 and MODCAT_ not equal to 1	386	8.12	9.35
3	Meet recommendations for moderate physical activity Notes: MODCAT_ = 1 and VIGCAT_ not equal to 1	1,069	22.50	21.41
4	Insufficient activity to meet moderate or vigorous recommendations Notes: MODCAT_ = 2 and VIGCAT_ = 2 or 3 or VIGCAT_ = 2 and MODCAT_ = 3	1,681	35.38	34.63
5	No moderate or vigorous physical activity Notes: MODCAT_ = 3 and VIGCAT_ = 3	508	10.69	9.24
9	Don't know/Not sure/Refused/Missing Notes: MODCAT_ = 9 or VIGCAT_ = 9	387	8.15	7.34

Moderate Physical Activity Calculated Variable

Calculated Variables: 17.6 Calculated Variables

Type: Num

Column: 1284

SAS Variable Name: _RFPAMOD

Prologue:

Description: Adults that have reported participating in either moderate physical activity defined as 30 or more minutes per day for 5 or more days per week, or vigorous activity for 20 or more minutes per day on 3 or more days

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: PACAT_ = 1 or 2 or 3	2,175	45.78	48.79
2	No Notes: PACAT_ = 4 or 5	2,189	46.07	43.87
9	Don't know/Not Sure/Refused/Missing Notes: PACAT_ = 9	387	8.15	7.34

Vigorous Physical Activity Calculated Variable

Calculated Variables: 17.7 Calculated Variables

Type: Num

Column: 1285

SAS Variable Name: _RFPVIG

Prologue:

Description: Adults that have reported participating in vigorous activity for 20 or more minutes per day on 3 or more days

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: PACAT_ = 1 or 2	1,106	23.28	27.38
2	No Notes: PACAT_ = 3 or 4 or 5	3,377	71.08	67.45
9	Don't know/Not Sure/Refused/Missing Notes: PACAT_ = 9	268	5.64	5.17

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2007**

Recommended Physical Activity Calculated Variable

Calculated Variables: 17.8 Calculated Variables

Type: Num

Column: 1286

SAS Variable Name: _RFPAREC

Prologue:

Description: Adults self reported physical activity level status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet physical activity recommendations Notes: PACAT_ = 1 or 2 or 3	2,175	45.78	48.79
2	Insufficient physical activity Notes: PACAT_ = 4	1,681	35.38	34.63
3	No physical activity Notes: PACAT_ = 5	508	10.69	9.24
9	Don't know/Not Sure/Refused/Missing Notes: PACAT_ = 9	387	8.15	7.34

No Physical Activity or Exercise Calculated Variable

Calculated Variables: 17.9 Calculated Variables

Type: Num

Column: 1287

SAS Variable Name: _RFNOPA

Prologue:

Description: Adults that have reported participating in physical activity or exercise

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: _RFPAREC = 1 or 2 or _TOTINDA = 1	4,256	89.58	91.59
2	No Notes: _RFPAREC = 3 and _TOTINDA = 2	345	7.26	5.88
9	Don't know/Not Sure/Refused/Missing Notes: _RFPAREC = 9 or _TOTINDA = 9	150	3.16	2.53

Ever been tested for HIV calculated variable

Calculated Variables: 18.1 Calculated Variables

Type: Num

Column: 1288

SAS Variable Name: _AIDTST2

Prologue:

Description: Adults aged 18-64 that have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: 18 <= AGE <= 64 and HIVTST5 = 1	808	24.06	26.28
2	No Notes: 18 <= AGE <= 64 and HIVTST5 = 2	2,459	73.23	71.73
9	Don't know/Not Sure/Refused Notes: 18 <= AGE <= 64 and HIVTST5 = 7 or 9 or AGE = 7 or 9 or Missing	91	2.71	1.98
BLANK	Missing or Age greater than 64 Notes: 18 <= AGE <= 64 and HIVTST5 = missing or AGE > 64	1,393		