

NORTH DAKOTA

2007 Module Variables Report

Behavioral Risk Factor Surveillance System

March 6, 2008



MODULE 1: RANDOM CHILD SELECTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1254	164,200	165	12.5	10.1-14.9	387	26.4	23.5-29.3	333	25.0	22.1-27.9	300	28.2	25.1-31.3	69	7.9	05.7-10.1
Male	491	77,153	68	13.4	09.7-17.1	140	24.5	20.0-29.0	145	28.4	23.7-33.1	108	25.8	20.9-30.7	30	7.9	04.8-11.0
Female	763	87,047	97	11.8	08.7-14.9	247	28.0	24.1-31.9	188	22.0	18.5-25.5	192	30.3	26.0-34.6	39	7.9	05.0-10.8
Native	144	11,832	20	6.2	01.1-11.3	37	14.2	06.0-22.4									
Non-Native	1105	151,605	145	13.1	10.6-15.6	347	27.3	24.2-30.4	293	24.6	21.7-27.5	264	27.9	24.6-31.2	56	7.2	05.0-09.4
18-24	74	26,604							4	6.7	00.0-13.4				14	17.5	07.9-27.1
25-34	315	50,110	2	0.7	00.0-01.7	28	8.8	05.3-12.3	91	29.5	23.6-35.4	159	49.2	42.9-55.5	35	11.7	07.6-15.8
35-44	478	52,759	52	11.2	07.9-14.5	172	35.7	31.0-40.4	148	30.4	25.9-34.9	92	19.5	15.6-23.4	14	3.1	01.1-05.1
45-54	326	30,214	84	26.9	21.4-32.4	145	41.4	35.5-47.3	78	24.4	19.3-29.5	14	5.1	02.2-08.0	5	2.3	00.3-04.3
Less Than H.S.	55	8,786	6	6.2	00.1-12.3										3	6.5	00.0-13.9
H.S. or G.E.D.	286	42,488	41	12.8	07.9-17.7	95	28.6	22.1-35.1	81	25.2	19.3-31.1	54	25.0	18.1-31.9	15	8.3	03.4-13.2
Some Post-H.S.	454	57,617	68	15.4	10.7-20.1	141	25.8	21.1-30.5	116	23.2	18.5-27.9	100	26.4	20.7-32.1	29	9.2	05.3-13.1
College Graduate	459	55,308	50	10.3	07.2-13.4	132	23.0	18.9-27.1	121	26.4	21.9-30.9	134	33.8	28.7-38.9	22	6.5	03.6-09.4
Less than \$15,000	64	9,604				19	15.5	05.9-25.1							5	8.4	00.0-19.8
\$15,000- 24,999	128	14,533	15	6.7	02.2-11.2	36	21.4	13.2-29.6	37	25.6	16.8-34.4				9	11.9	03.1-20.7
\$25,000- 34,999	125	14,878	14	10.7	02.9-18.5	36	22.0	14.0-30.0	37	23.2	14.6-31.8				7	10.4	02.0-18.8
\$35,000- 49,999	206	23,557	24	9.3	05.2-13.4	74	31.6	24.3-38.9	54	26.4	19.0-33.8	45	26.9	19.3-34.5	9	5.8	01.3-10.3
\$50,000- 74,999	304	40,857	46	15.7	10.6-20.8	84	23.0	17.5-28.5	82	25.8	20.3-31.3	75	27.8	21.5-34.1	17	7.6	03.9-11.3
\$75,000+	352	48,245	52	14.2	09.9-18.5	119	32.6	26.7-38.5	86	23.0	18.3-27.7	79	25.1	19.8-30.4	16	5.2	02.5-07.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	491	77,153	68	13.4	09.7-17.1	140	24.5	20.0-29.0	145	28.4	23.9-32.9	108	25.8	20.9-30.7	30	7.9	04.8-11.0
Non-Native	450	72,114	65	14.0	10.1-17.9	125	25.2	20.5-29.9	133	27.2	22.7-31.7	100	26.0	21.1-30.9	27	7.7	04.6-10.8
25-34	101	22,252	1	1.0	00.0-03.0	6	6.0	00.5-11.5							14	15.1	07.7-22.5
35-44	181	24,881	12	8.2	03.7-12.7	54	29.6	22.3-36.9	64	34.1	26.7-41.5	40	22.2	15.7-28.7	11	5.9	02.2-09.6
45-54	154	17,095	39	26.6	18.8-34.4	63	37.9	29.5-46.3	42	28.4	20.6-36.2	9	6.5	02.0-11.0	1	0.7	00.0-02.1
H.S. or G.E.D.	134	24,052	19	14.5	07.2-21.8	39	27.6	18.2-37.0	41	26.6	18.4-34.8	30	26.4	16.6-36.2	5	4.9	00.0-09.8
Some Post-H.S.	170	25,732	26	16.8	09.2-24.4	49	23.5	16.2-30.8	51	28.0	20.0-36.0	33	23.1	15.3-30.9	11	8.6	02.9-14.3
College Graduate	166	24,289	20	9.3	05.2-13.4	43	21.7	15.0-28.4	50	30.9	23.1-38.7	41	28.5	20.5-36.5	12	9.7	04.2-15.2
\$35,000- 49,999	84	12,540	9	7.8	02.1-13.5										5	8.6	01.0-16.2
\$50,000- 74,999	121	20,002	19	14.9	07.6-22.2	28	19.1	11.3-26.9	34	26.8	18.0-35.6				7	7.8	01.9-13.7
\$75,000+	175	25,937	29	15.4	09.3-21.5	54	30.0	21.8-38.2	53	28.0	20.7-35.3	29	19.8	12.5-27.1	10	6.7	02.4-11.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	763	87,047	97	11.8	08.7-14.9	247	28.0	24.1-31.9	188	22.0	18.5-25.5	192	30.3	26.0-34.6	39	7.9	05.0-10.8
Native	105	7,256	17	6.6	00.9-12.3	22	13.2	04.4-22.0									
Non-Native	655	79,491	80	12.3	09.0-15.6	222	29.1	25.0-33.2	160	22.2	18.5-25.9	164	29.7	25.2-34.2	29	6.7	03.8-09.6
25-34	214	27,858	1	0.5	00.0-01.5	22	11.1	06.4-15.8	60	26.7	20.2-33.2	110	52.7	45.4-60.0	21	9.0	05.1-12.9
35-44	297	27,878	40	13.8	09.3-18.3	118	41.2	34.9-47.5	84	27.2	21.7-32.7	52	17.1	12.4-21.8	3	0.6	00.0-01.8
45-54	172	13,119	45	27.2	19.8-34.6	82	46.0	37.8-54.2	36	19.1	12.8-25.4	5	3.3	00.2-06.4	4	4.4	00.1-08.7
H.S. or G.E.D.	152	18,437	22	10.6	04.9-16.3	56	30.0	21.8-38.2	40	23.5	14.9-32.1	24	23.1	13.7-32.5	10	12.8	03.8-21.8
Some Post-H.S.	284	31,885	42	14.3	08.2-20.4	92	27.7	21.4-34.0	65	19.3	14.2-24.4	67	29.0	21.2-36.8	18	9.7	04.2-15.2
College Graduate	293	31,019	30	11.1	06.4-15.8	89	24.1	18.8-29.4	71	22.9	17.6-28.2	93	38.0	31.5-44.5	10	3.9	01.4-06.4
\$15,000- 24,999	101	10,809	14	8.2	02.3-14.1	28	21.9	12.7-31.1									
\$25,000- 34,999	79	8,050	7	5.2	00.5-09.9												
\$35,000- 49,999	122	11,017	15	10.9	04.8-17.0	49	38.0	28.0-48.0	29	22.8	14.4-31.2	25	25.6	16.2-35.0	4	2.7	00.0-06.2
\$50,000- 74,999	183	20,855	27	16.5	09.2-23.8	56	26.8	19.4-34.2	48	24.9	18.0-31.8	42	24.5	17.6-31.4	10	7.3	02.4-12.2
\$75,000+	177	22,308	23	12.8	06.7-18.9	65	35.5	26.9-44.1	33	17.1	11.2-23.0	50	31.1	23.5-38.7	6	3.5	00.6-06.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1366	182,033	708	51.3	48.0-54.6	658	48.7	45.4-52.0
Male	554	88,186	285	51.7	46.6-56.8	269	48.3	43.2-53.4
Female	812	93,847	423	51.0	46.5-55.5	389	49.0	44.5-53.5
Non-Native	1193	167,603	615	51.1	47.6-54.6	578	48.9	45.4-52.4
25-34	341	55,126	193	54.6	48.7-60.5	148	45.4	39.5-51.3
35-44	516	57,656	265	50.2	45.5-54.9	251	49.8	45.1-54.5
45-54	350	32,881	167	48.5	42.6-54.4	183	51.5	45.6-57.4
H.S. or G.E.D.	317	48,279	154	50.2	43.1-57.3	163	49.8	42.7-56.9
Some Post-H.S.	490	63,627	255	51.7	45.8-57.6	235	48.3	42.4-54.2
College Graduate	499	60,407	270	54.1	49.2-59.0	229	45.9	41.0-50.8
\$35,000- 49,999	220	26,061	116	52.9	44.9-60.9	104	47.1	39.1-55.1
\$50,000- 74,999	325	44,203	164	51.3	44.6-58.0	161	48.7	42.0-55.4
\$75,000+	371	50,858	200	54.6	48.7-60.5	171	45.4	39.5-51.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	554	88,186	285	51.7	46.6-56.8	269	48.3	43.2-53.4
Non-Native	501	82,226	254	51.2	46.1-56.3	247	48.8	43.7-53.9
25-34	117	25,798	64	53.1	43.3-62.9	53	46.9	37.1-56.7
35-44	203	28,260	103	48.5	41.1-55.9	100	51.5	44.1-58.9
45-54	168	18,894	79	49.6	41.2-58.0	89	50.4	42.0-58.8
H.S. or G.E.D.	152	27,774	71	48.0	38.2-57.8	81	52.0	42.2-61.8
Some Post-H.S.	187	28,560	96	53.4	44.6-62.2	91	46.6	37.8-55.4
College Graduate	189	27,839	103	54.4	46.6-62.2	86	45.6	37.8-53.4
\$75,000+	187	27,795	99	54.6	46.4-62.8	88	45.4	37.2-53.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	812	93,847	423	51.0	46.5-55.5	389	49.0	44.5-53.5
Non-Native	692	85,377	361	50.9	46.2-55.6	331	49.1	44.4-53.8
25-34	224	29,328	129	55.8	48.7-62.9	95	44.2	37.1-51.3
35-44	313	29,396	162	51.8	45.7-57.9	151	48.2	42.1-54.3
45-54	182	13,987	88	47.0	39.0-55.0	94	53.0	45.0-61.0
H.S. or G.E.D.	165	20,506	83	53.2	43.2-63.2	82	46.8	36.8-56.8
Some Post-H.S.	303	35,068	159	50.4	42.6-58.2	144	49.6	41.8-57.4
College Graduate	310	32,568	167	53.9	47.6-60.2	143	46.1	39.8-52.4
\$35,000- 49,999	126	11,419	68	55.8	45.8-65.8	58	44.2	34.2-54.2
\$50,000- 74,999	194	22,565	103	54.4	46.0-62.8	91	45.6	37.2-54.0
\$75,000+	184	23,062	101	54.6	46.2-63.0	83	45.4	37.0-53.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1367	182,149	41	3.5	02.3-04.7	1326	96.5	95.3-97.7
Male	554	88,147	14	2.7	01.1-04.3	540	97.3	95.7-98.9
Female	813	94,002	27	4.4	02.4-06.4	786	95.6	93.6-97.6
Native	165	13,280	8	10.0	01.4-18.6	157	90.0	81.4-98.6
Non-Native	1196	167,975	33	3.0	01.8-04.2	1163	97.0	95.8-98.2
18-24	87	31,069	7	6.2	01.3-11.1	80	93.8	88.9-98.7
25-34	342	55,301	13	4.2	01.7-06.7	329	95.8	93.3-98.3
35-44	516	57,612	11	2.0	00.6-03.4	505	98.0	96.6-99.4
45-54	350	32,866	8	2.6	00.8-04.4	342	97.4	95.6-99.2
55-64	52	3,838	2	4.0	00.0-09.9	50	96.0	90.1-0100
Less Than H.S.	60	9,719	1	1.4	00.0-04.1	59	98.6	95.9-0100
H.S. or G.E.D.	316	48,152	12	4.1	01.6-06.6	304	95.9	93.4-98.4
Some Post-H.S.	488	63,355	17	3.9	01.5-06.3	471	96.1	93.7-98.5
College Graduate	503	60,922	11	3.1	00.9-05.3	492	96.9	94.7-99.1
Less than \$15,000	69	10,398	7	6.8	00.7-12.9	62	93.2	87.1-99.3
\$15,000- 24,999	143	16,960	5	4.6	00.0-09.7	138	95.4	90.3-0100
\$25,000- 34,999	133	16,312	7	9.9	02.1-17.7	126	90.1	82.3-97.9
\$35,000- 49,999	222	26,281	3	2.3	00.0-05.2	219	97.7	94.8-0100
\$50,000- 74,999	327	44,471	11	3.6	01.2-06.0	316	96.4	94.0-98.8
\$75,000+	372	50,998	7	2.0	00.4-03.6	365	98.0	96.4-99.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	554	88,147	14	2.7	01.1-04.3	540	97.3	95.7-98.9
Native	50	5,346	2	5.0	00.0-13.4	48	95.0	86.6-0100
Non-Native	501	82,187	12	2.5	00.9-04.1	489	97.5	95.9-99.1
25-34	117	25,798	5	4.6	00.3-08.9	112	95.4	91.1-99.7
35-44	202	28,108	3	1.7	00.0-03.7	199	98.3	96.3-0100
45-54	169	19,006	5	2.9	00.4-05.4	164	97.1	94.6-99.6
H.S. or G.E.D.	152	27,774	4	2.6	00.1-05.1	148	97.4	94.9-99.9
Some Post-H.S.	187	28,521	6	2.9	00.2-05.6	181	97.1	94.4-99.8
College Graduate	189	27,839	4	2.9	00.0-06.0	185	97.1	94.0-0100
\$25,000- 34,999	50	7,466	3	6.1	00.0-13.4	47	93.9	86.6-0100
\$35,000- 49,999	95	14,754	2	3.1	00.0-07.8	93	96.9	92.2-0100
\$50,000- 74,999	131	21,637	3	3.2	00.0-07.1	128	96.8	92.9-0100
\$75,000+	187	27,795	3	1.6	00.0-03.6	184	98.4	96.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	813	94,002	27	4.4	02.4-06.4	786	95.6	93.6-97.6
Non-Native	695	85,788	21	3.5	01.7-05.3	674	96.5	94.7-98.3
18-24	56	18,880	7	10.2	02.4-18.0	49	89.8	82.0-97.6
25-34	225	29,504	8	3.9	01.2-06.6	217	96.1	93.4-98.8
35-44	314	29,504	8	2.3	00.3-04.3	306	97.7	95.7-99.7
45-54	181	13,859	3	2.2	00.0-04.7	178	97.8	95.3-0100
H.S. or G.E.D.	164	20,378	8	6.1	01.4-10.8	156	93.9	89.2-98.6
Some Post-H.S.	301	34,835	11	4.6	01.3-07.9	290	95.4	92.1-98.7
College Graduate	314	33,083	7	3.3	00.6-06.0	307	96.7	94.0-99.4
Less than \$15,000	53	7,331	6	9.2	00.6-17.8	47	90.8	82.2-99.4
\$15,000- 24,999	104	11,145	4	5.7	00.0-13.0	100	94.3	87.0-0100
\$35,000- 49,999	127	11,527	1	1.2	00.0-03.6	126	98.8	96.4-0100
\$50,000- 74,999	196	22,833	8	4.1	01.2-07.0	188	95.9	93.0-98.8
\$75,000+	185	23,202	4	2.4	00.0-04.8	181	97.6	95.2-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1365	181,850	1139	88.6	86.4-90.8	6	0.5	00.1-00.9	8	0.5	00.1-00.9	6	0.4	00.0-00.8	165	7.1	05.3-08.9	41	3.0	01.8-04.2
Male	550	87,540	474	89.5	86.2-92.8	1	0.4	00.0-01.2	4	0.6	00.0-01.2	1	0.0	00.0-00.0	57	7.3	04.4-10.2	13	2.1	00.5-03.7
Female	815	94,310	665	87.7	84.8-90.6	5	0.6	00.0-01.2	4	0.4	00.0-00.8	5	0.8	00.0-01.8	108	6.8	04.4-09.2	28	3.8	02.0-05.6
Native	165	13,280	13	7.0	01.3-12.7							5	3.9	00.0-09.4	141	82.6	72.8-92.4	6	6.5	00.0-13.0
Non-Native	1195	167,932	1122	95.0	93.4-96.6	6	0.5	00.0-01.1	8	0.5	00.1-00.9	1	0.1	00.0-00.3	23	1.1	00.3-01.9	35	2.7	01.5-03.9
18-24	87	31,069	52	78.2	69.0-87.4	1	1.1	00.0-03.3				1	1.2	00.0-03.6	26	13.4	06.0-20.8	7	6.1	00.6-11.6
25-34	343	55,314	284	87.9	83.8-92.0	1	0.4	00.0-01.2	3	0.6	00.0-01.4	4	0.6	00.0-01.4	41	8.4	04.7-12.1	10	2.1	00.7-03.5
35-44	515	57,461	451	93.3	90.9-95.7	1	0.1	00.0-00.3	3	0.6	00.0-01.4	1	0.0	00.0-00.0	47	3.7	01.9-05.5	12	2.3	00.7-03.9
45-54	348	32,705	303	92.5	89.6-95.4	3	0.8	00.0-01.8	2	0.6	00.0-01.4				30	3.2	01.0-05.4	10	2.9	00.9-04.9
55-64	52	3,838																2	5.0	00.0-11.9
Less Than H.S.	60	9,719				1	3.5	00.0-10.2												
H.S. or G.E.D.	314	47,872	248	82.6	77.1-88.1	1	0.4	00.0-01.2	1	0.2	00.0-00.6	1	0.0	00.0-00.0	52	13.2	08.1-18.3	11	3.5	00.8-06.2
Some Post-H.S.	489	63,460	405	90.8	87.5-94.1	2	0.3	00.0-00.7	1	0.3	00.0-00.9	5	1.1	00.0-02.5	60	4.8	02.3-07.3	16	2.6	00.8-04.4
College Graduate	502	60,799	448	93.5	91.0-96.0	2	0.2	00.0-00.6	6	0.9	00.1-01.7				36	3.3	01.3-05.3	10	2.0	00.6-03.4
Less than \$15,000	68	10,334										1	0.1	00.0-00.3				4	5.5	00.0-11.6
\$15,000- 24,999	145	17,216	92	73.5	64.3-82.7	2	3.2	00.0-07.7				4	2.9	00.0-07.2	39	16.0	08.7-23.3	8	4.3	00.8-07.8
\$25,000- 34,999	133	16,312	99	87.0	80.3-93.7	2	0.9	00.0-02.1								5.8	01.9-09.7	8	6.3	01.0-11.6
\$35,000- 49,999	221	26,169	201	95.9	95.5-99.5				1	0.1	00.0-00.3				18	1.9	00.1-03.7			
\$50,000- 74,999	327	44,379	301	95.4	93.0-97.8	1	0.2	00.0-00.6	1	0.3	00.0-00.9				13	1.5	00.3-02.7	11	2.7	00.9-04.5
\$75,000+	370	50,734	345	95.0	92.3-97.7				2	0.5	00.0-01.1	1	0.4	00.0-01.2	18	3.2	01.0-05.4	4	0.9	00.0-02.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	550	87,540	474	89.5	86.2-92.8	1	0.4	00.0-01.2	4	0.6	00.0-01.2	1	0.0	00.0-00.0	57	7.3	04.4-10.2	13	2.1	00.5-03.7
Native	50	5,346	2	4.6	00.0-13.0							1	0.3	00.0-00.9	47	95.1	86.7-0100			
Non-Native	499	81,963	471	95.1	92.7-97.5	1	0.4	00.0-01.2	4	0.6	00.0-01.2				10	1.6	00.2-03.0	13	2.3	00.7-03.9
25-34	116	25,566	97	87.4	80.1-94.7				1	0.5	00.0-01.5				16	11.6	04.5-18.7	2	0.5	00.0-01.5
35-44	201	27,957	177	91.7	87.6-95.8				2	1.1	00.0-02.7	1	0.1	00.0-00.3	16	4.4	01.5-07.3	5	2.8	00.1-05.5
45-54	167	18,782	153	96.5	93.4-99.6				1	0.6	00.0-01.8				11	2.0	00.0-04.5	2	0.9	00.0-02.3
H.S. or G.E.D.	150	27,430	128	88.2	81.7-94.7				1	0.4	00.0-01.2	1	0.1	00.0-00.3	18	10.7	04.4-17.0	2	0.6	00.0-01.8
Some Post-H.S.	187	28,521	159	90.8	85.3-96.3										23	7.4	02.3-12.5	5	1.8	00.0-03.6
College Graduate	187	27,576	171	94.2	90.5-97.9				3	1.5	00.0-03.3				9	2.2	00.0-04.7	4	2.1	00.0-04.5
\$25,000- 34,999	50	7,466	41	92.0	84.6-99.4										6	4.3	00.0-10.4	3	3.7	00.0-08.0
\$35,000- 49,999	94	14,642	86	96.9	93.4-0100				1	0.8	00.0-02.4				7	2.3	00.0-05.4			
\$50,000- 74,999	130	21,406	123	96.8	93.9-99.7				1	0.5	00.0-01.5				4	1.5	00.0-03.5	2	1.2	00.0-03.4
\$75,000+	185	27,532	173	95.1	91.2-99.0				1	0.5	00.0-01.5				9	3.5	00.0-07.0	2	0.9	00.0-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	815	94,310	665	87.7	84.8-90.6	5	0.6	00.0-01.2	4	0.4	00.0-00.8	5	0.8	00.0-01.8	108	6.8	04.4-09.2	28	3.8	02.0-05.6
Native	115	7,934	11	8.6	01.0-16.2							4	6.4	00.0-15.4						
Non-Native	696	85,969	651	94.9	92.9-96.9	5	0.6	00.0-01.2	4	0.4	00.0-01.0	1	0.2	00.0-00.6	13	0.6	00.0-01.2	22	3.2	01.4-05.0
18-24	56	18,880										1	1.9	00.0-05.6	17	13.4	04.2-22.6	5	6.9	00.0-14.2
25-34	227	29,748	187	88.4	83.9-92.9	1	0.7	00.0-02.1	2	0.8	00.0-02.2	4	1.2	00.0-02.8	25	5.6	02.5-08.7	8	3.4	00.9-05.9
35-44	314	29,504	274	94.8	92.4-97.2	1	0.2	00.0-00.6	1	0.2	00.0-00.6				31	3.1	01.5-04.7	7	1.8	00.2-03.4
45-54	181	13,923	150	87.2	81.5-92.9	3	1.8	00.0-04.0	1	0.6	00.0-01.8				19	4.8	01.5-08.1	8	5.5	01.4-09.6
H.S. or G.E.D.	164	20,442	120	75.0	65.6-84.4	1	1.0	00.0-03.0							34	16.6	08.4-24.8	9	7.3	01.2-13.4
Some Post-H.S.	302	34,939	246	90.8	86.7-94.9	2	0.5	00.0-01.1	1	0.6	00.0-01.8	5	2.0	00.0-04.4	37	2.7	01.1-04.3	11	3.3	00.6-06.0
College Graduate	315	33,223	277	93.0	89.7-96.3	2	0.4	00.0-01.0	3	0.5	00.0-01.1				27	4.2	01.5-06.9	6	1.9	00.1-03.7
Less than \$15,000	52	7,267																4	7.8	00.0-16.4
\$15,000- 24,999	105	11,249				1	1.9	00.0-05.4				4	4.5	00.0-11.0	25	17.7	08.1-27.3	5	2.9	00.0-06.4
\$25,000- 34,999	83	8,846				2	1.6	00.0-04.0	1	0.2	00.0-00.6				17	7.1	01.8-12.4	5	8.4	00.0-17.2
\$35,000- 49,999	127	11,527	115	98.2	96.8-99.6				1	0.5	00.0-01.5				11	1.4	00.2-02.6			
\$50,000- 74,999	197	22,974	178	94.1	90.8-97.4	1	0.4	00.0-01.2							9	1.4	00.0-03.0	9	4.2	01.3-07.1
\$75,000+	185	23,202	172	95.0	91.5-98.5				1	0.4	00.0-01.2	1	0.9	00.0-02.7	9	2.8	00.4-05.2	2	0.9	00.0-02.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1372	183,146	1259	86.6	83.5-89.7	41	1.9	01.1-02.7	14	1.3	00.3-02.3	33	7.2	04.7-09.7	10	1.2	00.2-02.2	15	1.7	00.5-02.9
Male	557	88,835	510	86.5	82.0-91.0	10	1.0	00.2-01.8	8	2.1	00.3-03.9	17	7.4	03.7-11.1	3	1.2	00.0-02.8	9	1.8	00.4-03.2
Female	815	94,311	749	86.7	82.4-91.0	31	2.7	01.5-03.9	6	0.5	00.1-00.9	16	7.0	03.3-10.7	7	1.3	00.0-02.7	6	1.7	00.0-03.7
Native	164	13,271				16	7.9	02.4-13.4	4	5.2	00.0-12.8	4	1.7	00.0-03.5	5	4.2	00.0-09.7	6	4.1	00.0-08.8
Non-Native	1200	168,725	1123	87.3	84.0-90.6	25	1.5	00.9-02.1	9	0.9	00.1-01.7	29	7.7	04.8-10.6	5	1.0	00.0-02.0	9	1.6	00.2-03.0
18-24	87	31,069							2	3.3	00.0-07.8				6	6.7	00.6-12.8	4	5.9	00.0-12.4
25-34	344	55,637	334	97.4	95.4-99.4				1	0.0	00.0-00.0	2	0.9	00.0-02.1	1	0.1	00.0-00.3	6	1.5	00.1-02.9
35-44	520	58,293	506	97.2	95.6-98.8	3	0.3	00.0-00.7	6	1.5	00.3-02.7				1	0.2	00.0-00.6	4	0.9	00.0-01.9
45-54	348	32,684	330	94.4	91.3-97.5	13	4.1	01.4-06.8	4	1.1	00.0-02.5	1	0.4	00.0-01.2						
55-64	52	3,838							1	2.3	00.0-06.8				1	0.2	00.0-00.6			
Less Than H.S.	60	9,719				7	5.8	00.3-11.3	2	5.3	00.0-15.3				2	5.7	00.0-15.7	2	5.3	00.0-15.3
H.S. or G.E.D.	316	48,202	275	81.2	74.5-87.9	14	2.7	01.1-04.3	7	2.8	00.3-05.3	9	8.6	02.9-14.3	4	2.6	00.0-05.7	7	2.1	00.3-03.9
Some Post-H.S.	490	63,654	460	88.1	82.8-93.4	7	1.0	00.0-02.2	4	0.7	00.0-01.5	13	7.7	03.2-12.2	2	0.1	00.0-00.3	4	2.3	00.0-05.0
College Graduate	506	61,571	486	96.0	93.5-98.5	13	1.7	00.5-02.9	1	0.0	00.0-00.0	2	1.3	00.0-03.3	2	0.6	00.0-01.8	2	0.3	00.0-00.9
Less than \$15,000	69	10,398				6	5.6	00.0-11.3	1	4.9	00.0-14.3				2	1.3	00.0-03.3			
\$15,000- 24,999	145	17,216	128	84.9	76.3-93.5	8	4.4	00.9-07.9	2	1.3	00.0-03.1	2	2.2	00.0-06.1	2	5.1	00.0-12.0	3	2.1	00.0-05.0
\$25,000- 34,999	133	16,312	122	91.8	84.7-98.9	5	2.8	00.1-05.5	3	3.3	00.0-09.4				2	0.7	00.0-02.1	1	1.4	00.0-04.1
\$35,000- 49,999	222	26,212	210	96.0	93.1-98.9	6	1.7	00.0-03.9	2	0.7	00.0-01.7	1	0.5	00.0-01.5				3	1.2	00.0-02.8
\$50,000- 74,999	329	44,854	311	88.0	81.7-94.3	8	2.0	00.4-03.6	2	0.6	00.0-01.4	7	7.8	02.1-13.5				1	1.6	00.0-04.7
\$75,000+	372	51,037	350	88.0	82.3-93.7	5	0.6	00.0-01.2	3	0.8	00.0-01.8	10	8.8	03.5-14.1	1	1.0	00.0-03.0	3	0.8	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	557	88,835	510	86.5	82.0-91.0	10	1.0	00.2-01.8	8	2.1	00.3-03.9	17	7.4	03.7-11.1	3	1.2	00.0-02.8	9	1.8	00.4-03.2
Native	50	5,346				2	2.4	00.0-06.5				2	2.1	00.0-05.2	1	0.9	00.0-02.7	3	5.4	00.0-14.0
Non-Native	504	82,875	468	87.0	82.3-91.7	8	1.0	00.2-01.8	5	1.4	00.0-02.8	15	7.8	03.7-11.9	2	1.2	00.0-03.0	6	1.6	00.0-03.2
25-34	118	26,029	110	96.4	93.3-99.5				1	0.1	00.0-00.3	1	0.9	00.0-02.7	1	0.2	00.0-00.6	5	2.4	00.0-04.9
35-44	206	28,789	199	96.5	93.8-99.2	1	0.1	00.0-00.3	3	1.8	00.0-04.0							3	1.6	00.0-03.4
45-54	167	18,782	164	97.0	93.5-0100	1	1.5	00.0-04.4	2	1.5	00.0-03.7									
H.S. or G.E.D.	151	27,662	134	79.9	70.1-89.7				4	3.8	00.0-07.9	7	11.7	02.9-20.5	1	1.8	00.0-05.3	5	2.8	00.1-05.5
Some Post-H.S.	188	28,672	175	87.2	79.6-94.8	3	1.4	00.0-03.4	2	1.0	00.0-02.4	6	9.7	02.4-17.0	1	0.2	00.0-00.6	1	0.5	00.0-01.5
College Graduate	192	28,488	186	98.0	96.2-99.8	4	1.3	00.0-02.9	1	0.1	00.0-00.3							1	0.5	00.0-01.5
\$25,000- 34,999	50	7,466				1	0.3	00.0-00.9	2	7.2	00.0-19.9							1	3.1	00.0-09.2
\$35,000- 49,999	94	14,642	91	96.3	91.8-0100	1	1.9	00.0-05.6										2	1.8	00.0-04.3
\$50,000- 74,999	133	22,020	125	88.9	79.9-97.9	3	1.3	00.0-03.1	1	0.7	00.0-02.1	4	9.2	00.4-18.0						
\$75,000+	187	27,834	175	86.9	79.3-94.5	2	0.8	00.0-02.0	2	1.1	00.0-02.7	5	8.0	01.1-14.9	1	1.8	00.0-05.3	2	1.4	00.0-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	815	94,311	749	86.7	82.4-91.0	31	2.7	01.5-03.9	6	0.5	00.1-00.9	16	7.0	03.3-10.7	7	1.3	00.0-02.7	6	1.7	00.0-03.7
Native	114	7,925				14	11.5	02.9-20.1	1	0.1	00.0-00.3	2	1.4	00.0-03.4	4	6.4	00.0-15.4	3	3.2	00.0-08.5
Non-Native	696	85,850	655	87.7	83.2-92.2	17	1.9	00.9-02.9	4	0.5	00.1-00.9	14	7.6	03.7-11.5	3	0.8	00.0-02.2	3	1.6	00.0-03.8
18-24	56	18,880												4	5.5	00.0-12.4	3	6.9	00.0-15.9	
25-34	226	29,608	224	98.3	95.9-100							1	0.9	00.0-02.7				1	0.7	00.0-02.1
35-44	314	29,504	307	97.9	96.3-99.5	2	0.4	00.0-01.2	3	1.1	00.0-02.3				1	0.4	00.0-01.2	1	0.2	00.0-00.6
45-54	181	13,902	166	90.8	85.5-96.1	12	7.6	02.7-12.5	2	0.6	00.0-01.8	1	0.9	00.0-02.7						
H.S. or G.E.D.	165	20,540	141	82.9	74.5-91.3	14	6.3	02.6-10.0	3	1.5	00.0-03.3	2	4.5	00.0-10.6	3	3.6	00.0-08.9	2	1.2	00.0-03.2
Some Post-H.S.	302	34,982	285	88.9	81.6-96.2	4	0.6	00.0-01.8	2	0.6	00.0-01.4	7	6.1	00.4-11.8	1	0.1	00.0-00.3	3	3.7	00.0-08.6
College Graduate	314	33,083	300	94.2	89.9-98.5	9	2.0	00.4-03.6				2	2.5	00.0-06.0	2	1.1	00.0-03.3	1	0.2	00.0-00.6
Less than \$15,000	53	7,331				6	7.9	00.0-16.1							2	1.8	00.0-04.5			
\$15,000- 24,999	105	11,249	96	88.2	79.6-96.8	6	5.7	00.6-10.8	1	1.0	00.0-03.0				1	3.3	00.0-09.6	1	1.9	00.0-05.4
\$25,000- 34,999	83	8,846	76	93.8	88.1-99.5	4	4.9	00.0-10.0	1	0.0	00.0-00.0				2	1.3	00.0-03.7			
\$35,000- 49,999	128	11,570	119	95.6	92.1-99.1	5	1.4	00.0-03.0	2	1.5	00.0-03.7	1	1.1	00.0-03.3				1	0.5	00.0-01.5
\$50,000- 74,999	196	22,833	186	87.2	78.2-96.2	5	2.7	00.2-05.2	1	0.5	00.0-01.5	3	6.4	00.0-13.5				1	3.2	00.0-09.3
\$75,000+	185	23,202	175	89.4	81.0-97.8	3	0.3	00.0-00.7	1	0.5	00.0-01.5	5	9.8	01.4-18.2				1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 3: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	23
2 MALES ONLY	24
3 FEMALES ONLY	25
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	26
5 MALES ONLY	27
6 FEMALES ONLY	28
ARE YOU TAKING DIABETES PILLS? (DIABPILL)	
7 MALES AND FEMALES	29
8 MALES ONLY	30
9 FEMALES ONLY	31
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
10 MALES AND FEMALES	32
11 MALES ONLY	33
12 FEMALES ONLY	34
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
13 MALES AND FEMALES	35
14 MALES ONLY	36
15 FEMALES ONLY	37
HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
16 MALES AND FEMALES	38
17 MALES ONLY	39
18 FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 3: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
19 MALES AND FEMALES	41
20 MALES ONLY	42
21 FEMALES ONLY	43
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
22 MALES AND FEMALES	44
23 MALES ONLY	45
24 FEMALES ONLY	46
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
25 MALES AND FEMALES	47
26 MALES ONLY	48
27 FEMALES ONLY	49
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
28 MALES AND FEMALES	50
29 MALES ONLY	51
30 FEMALES ONLY	52
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
31 MALES AND FEMALES	53
32 MALES ONLY	54
33 FEMALES ONLY	55
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
34 MALES AND FEMALES	56
35 MALES ONLY	57
36 FEMALES ONLY	58

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	417	29,641	8	3.7	00.0-07.4	27	6.9	03.8-10.0	100	22.3	17.6-27.0	155	37.4	31.7-43.1	127	29.7	24.6-34.8
Male	179	14,725	4	5.8	00.0-12.9	13	7.4	02.7-12.1	45	20.4	13.7-27.1	70	40.4	31.8-49.0	47	26.0	18.7-33.3
Female	238	14,916	4	1.7	00.0-03.5	14	6.5	02.4-10.6	55	24.1	17.2-31.0	85	34.4	27.1-41.7	80	33.4	26.5-40.3
Native	69	2,100										15	12.3	02.3-22.3	10	7.3	00.8-13.8
Non-Native	345	27,335	8	4.0	00.1-07.9	15	5.1	02.4-07.8	66	19.9	15.0-24.8	139	39.2	33.3-45.1	117	31.7	26.2-37.2
45-54	72	4,960	2	4.0	00.0-09.5	7	10.2	01.2-19.2									
55-64	114	8,137	2	1.5	00.0-03.7	6	2.6	00.1-05.1	28	24.4	14.6-34.2				11	9.3	03.4-15.2
65+	194	12,865	1	0.5	00.0-01.5	1	0.7	00.0-02.1	14	4.6	01.7-07.5	62	31.6	24.0-39.2	116	62.6	54.8-70.4
Less Than H.S.	50	3,246				3	1.5	00.0-03.3									
H.S. or G.E.D.	143	10,551	1	4.8	00.0-13.8	10	8.5	02.4-14.6	29	19.9	12.1-27.7	49	32.1	22.3-41.9	54	34.7	25.3-44.1
Some Post-H.S.	137	9,282	4	3.3	00.0-06.6	10	9.3	03.0-15.6	40	25.3	16.9-33.7	51	40.1	30.3-49.9	32	22.1	14.1-30.1
College Graduate	87	6,562	3	4.4	00.0-09.7	4	3.8	00.0-08.1							17	17.0	08.4-25.6
\$15,000- 24,999	102	6,542	1	0.8	00.0-02.4	6	4.3	00.0-08.6	20	18.5	09.3-27.7						
\$25,000- 34,999	59	4,464				2	5.2	00.0-12.5									
\$35,000- 49,999	65	4,992				4	5.1	00.0-11.4									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	179	14,725	4	5.8	00.0-12.9	13	7.4	02.7-12.1	45	20.4	13.7-27.1	70	40.4	31.8-49.0	47	26.0	18.7-33.3
Non-Native	149	13,975	4	6.1	00.0-13.5	8	6.8	02.1-11.5	28	18.2	11.3-25.1	65	41.9	32.9-50.9	44	27.0	19.4-34.6
55-64	58	4,641	1	1.8	00.0-05.3	2	0.5	00.0-01.1							8	12.5	03.3-21.7
65+	68	5,388				1	1.7	00.0-05.0	6	6.3	00.6-12.0						
H.S. or G.E.D.	57	4,681				5	8.5	00.0-17.5									
Some Post-H.S.	60	4,777	2	4.1	00.0-09.8	5	11.4	01.6-21.2									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	238	14,916	4	1.7	00.0-03.5	14	6.5	02.4-10.6	55	24.1	17.2-31.0	85	34.4	27.1-41.7	80	33.4	26.5-40.3
Non-Native	196	13,360	4	1.9	00.0-03.9	7	3.4	00.5-06.3	38	21.7	14.8-28.6	74	36.4	28.8-44.0	73	36.6	29.2-44.0
55-64	56	3,496	1	1.3	00.0-03.8	4	5.4	00.0-11.3							3	5.0	00.0-10.9
65+	126	7,477	1	0.9	00.0-02.7				8	3.4	00.5-06.3	40	31.5	21.7-41.3	77	64.3	54.3-74.3
H.S. or G.E.D.	86	5,870				5	8.4	00.0-16.8									
Some Post-H.S.	77	4,505	2	2.4	00.0-05.7	5	7.0	00.0-14.3									
\$15,000- 24,999	60	3,510	1	1.5	00.0-04.4	4	7.0	00.0-14.6									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	437	31,453	116	26.7	21.2-32.2	321	73.3	67.8-78.8
Male	185	15,482	53	31.5	22.7-40.3	132	68.5	59.7-77.3
Female	252	15,971	63	22.1	16.0-28.2	189	77.9	71.8-84.0
Non-Native	365	29,147	92	25.8	20.1-31.5	273	74.2	68.5-79.9
65+	207	13,958	47	17.7	12.0-23.4	160	82.3	76.6-88.0
Some Post-H.S.	144	9,876	40	26.8	18.0-35.6	104	73.2	64.4-82.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	185	15,482	53	31.5	22.7-40.3	132	68.5	59.7-77.3		
Non-Native	155	14,732	42	30.9	21.7-40.1	113	69.1	59.9-78.3		
65+	71	5,811	18	20.9	11.1-30.7	53	79.1	69.3-88.9		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	252	15,971	63	22.1	16.0-28.2	189	77.9	71.8-84.0		
Non-Native	210	14,415	50	20.6	14.5-26.7	160	79.4	73.3-85.5		
65+	136	8,147	29	15.3	08.8-21.8	107	84.7	78.2-91.2		
H.S. or G.E.D.	91	6,191	22	17.6	08.8-26.4	69	82.4	73.6-91.2		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	437	31,453	304	64.5	58.8-70.2	133	35.5	29.8-41.2
Male	185	15,482	125	63.0	54.2-71.8	60	37.0	28.2-45.8
Female	252	15,971	179	66.0	58.7-73.3	73	34.0	26.7-41.3
Non-Native	365	29,147	247	64.7	58.8-70.6	118	35.3	29.4-41.2
65+	207	13,958	152	71.4	64.3-78.5	55	28.6	21.5-35.7
Some Post-H.S.	144	9,876	102	66.8	57.4-76.2	42	33.2	23.8-42.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 8: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	185	15,482	125	63.0	54.2-71.8	60	37.0	28.2-45.8
Non-Native	155	14,732	101	62.1	52.9-71.3	54	37.9	28.7-47.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	252	15,971	179	66.0	58.7-73.3	73	34.0	26.7-41.3
Non-Native	210	14,415	146	67.3	60.0-74.6	64	32.7	25.4-40.0
65+	136	8,147	103	72.4	63.2-81.6	33	27.6	18.4-36.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	434	31,200	44	11.1	07.6-14.6	123	28.4	23.3-33.5	263	59.2	53.7-64.7	4	1.3	00.0-02.7
Male	183	15,294	19	10.1	05.2-15.0	56	29.3	21.9-36.7	108	60.5	52.3-68.7			
Female	251	15,906	25	12.0	06.9-17.1	67	27.5	20.8-34.2	155	57.9	50.6-65.2	4	2.6	00.0-05.3
Non-Native	362	28,894	38	11.0	07.3-14.7	107	28.9	23.6-34.2	213	58.6	52.7-64.5	4	1.4	00.0-03.0
45-54	75	5,270	9	10.7	03.1-18.3							1	0.8	00.0-02.4
55-64	117	8,465	11	9.0	02.7-15.3							1	1.5	00.0-04.4
65+	204	13,705	20	11.6	06.1-17.1	59	28.7	21.6-35.8	125	59.7	51.9-67.5			
Less Than H.S.	52	3,534	4	9.6	00.2-19.0									
H.S. or G.E.D.	147	10,808	15	12.7	05.8-19.6	38	22.6	14.6-30.6	94	64.7	55.1-74.3			
Some Post-H.S.	143	9,735	13	10.2	04.1-16.3	45	34.2	25.0-43.4	83	54.0	44.4-63.6	2	1.5	00.0-03.9
College Graduate	92	7,122	12	10.4	03.7-17.1							2	3.8	00.0-08.9
Less than \$15,000	61	3,769	5	7.3	00.8-13.8									
\$15,000- 24,999	105	6,879	7	7.0	00.3-13.7	25	20.4	11.4-29.4				2	2.5	00.0-06.4
\$25,000- 34,999	60	4,545	6	9.2	01.8-16.6									
\$35,000- 49,999	66	5,089	9	9.8	02.2-17.4									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	183	15,294	19	10.1	05.0-15.2	56	29.3	21.7-36.9	108	60.5	52.1-68.9
Non-Native	153	14,544	17	10.5	05.2-15.8	50	30.5	22.7-38.3	86	59.1	50.3-67.9
55-64	59	4,751	5	9.3	00.1-18.5						
65+	69	5,623	9	14.2	05.0-23.4						
Some Post-H.S.	60	4,777	6	8.8	00.8-16.8						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	251	15,906	25	12.0	06.7-17.3	67	27.5	20.8-34.2	155	57.9	50.6-65.2	4	2.6	00.0-05.3
Non-Native	209	14,350	21	11.5	06.4-16.6	57	27.4	20.5-34.3	127	58.2	50.6-65.8	4	2.9	00.0-05.8
55-64	58	3,714	6	8.7	00.7-16.7							1	3.5	00.0-10.4
65+	135	8,082	11	9.8	03.3-16.3	36	24.2	15.8-32.6	88	66.0	56.4-75.6			
H.S. or G.E.D.	90	6,127	7	9.3	01.1-17.5									
Some Post-H.S.	83	4,958	7	11.6	02.4-20.8							2	3.0	00.0-07.5
College Graduate	50	3,264										2	8.3	00.0-19.3
\$15,000- 24,999	62	3,706										2	4.7	00.0-11.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 13: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	424	30,237	253	57.9	52.0-63.8	94	21.1	16.6-25.6	25	5.5	03.1-07.9	6	2.7	00.0-06.0	39	10.7	07.0-14.4	7	2.1	00.5-03.7
Male	178	14,816	102	57.9	48.9-66.9	40	19.4	12.9-25.9	8	4.1	01.0-07.2	6	5.5	00.0-12.2	19	10.9	05.6-16.2	3	2.1	00.0-04.5
Female	246	15,421	151	57.8	50.4-65.2	54	22.7	16.4-29.0	17	6.8	03.3-10.3				20	10.5	05.4-15.6	4	2.1	00.0-04.3
Native	68	2,017				9	3.4	00.7-06.1	4	4.3	00.0-09.6	1	0.4	00.0-01.2						
Non-Native	353	28,014	203	56.7	50.6-62.8	83	22.1	17.4-26.8	20	5.3	02.8-07.8	5	2.9	00.0-06.6	35	10.8	07.1-14.5	7	2.3	00.5-04.1
45-54	75	5,270				12	13.5	04.5-22.5	3	5.4	00.0-11.7	2	1.8	00.0-04.9						
55-64	112	8,070				27	22.5	13.9-31.1	9	7.2	01.7-12.7	2	2.0	00.0-04.9	9	8.5	02.4-14.6			
65+	200	13,220	117	55.6	47.6-63.6	50	26.1	18.8-33.4	11	5.1	02.0-08.2	1	0.4	00.0-01.2	16	9.7	04.8-14.6	5	3.2	00.3-06.1
H.S. or G.E.D.	146	10,725				34	21.8	14.2-29.4	8	4.1	00.8-07.4	3	5.6	00.0-14.6	15	13.9	06.5-21.3	2	2.0	00.0-04.9
Some Post-H.S.	141	9,624	93	66.4	57.4-75.4	30	19.7	11.9-27.5	4	4.1	00.2-08.0	1	1.1	00.0-03.3	12	8.3	03.4-13.2	1	0.4	00.0-01.2
College Graduate	88	6,702				16	17.9	08.7-27.1	9	8.6	02.1-15.1				9	10.3	03.2-17.4	3	4.2	00.0-09.1
Less than \$15,000	61	3,769				9	10.3	01.5-19.1	1	1.2	00.0-03.6	1	2.2	00.0-06.5	4	9.0	00.0-19.4	1	2.0	00.0-05.9
\$15,000- 24,999	102	6,644							4	2.6	00.0-05.7				9	9.2	02.9-15.5	1	1.2	00.0-03.6
\$25,000- 34,999	59	4,457							3	3.4	00.0-07.9	1	1.2	00.0-03.6	4	5.8	00.0-11.7			
\$35,000- 49,999	66	5,089							6	10.0	02.0-18.0				7	8.9	01.6-16.2	1	2.8	00.0-08.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 14: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	178	14,816	102	57.9	48.9-66.9	40	19.4	12.9-25.9	8	4.1	01.0-07.2	6	5.5	00.0-12.4	19	10.9	05.6-16.2	3	2.1	00.0-04.5
Non-Native	148	14,066	82	56.7	47.3-66.1	35	20.1	13.2-27.0	6	3.9	00.6-07.2	5	5.7	00.0-12.8	17	11.4	05.9-16.9	3	2.2	00.0-04.7
55-64	56	4,531							5	7.7	00.0-15.5	2	3.6	00.0-08.9						
65+	67	5,364							2	2.6	00.0-06.5	1	0.9	00.0-02.7	8	14.5	04.9-24.1	2	4.4	00.0-10.5
H.S. or G.E.D.	57	4,681							2	0.5	00.0-01.1							2	4.6	00.0-11.3
Some Post-H.S.	59	4,754				12	15.7	05.7-25.7	2	4.7	00.0-11.0	1	2.3	00.0-06.8	5	6.7	00.0-13.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 15: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	246	15,421	151	57.8	50.4-65.2	54	22.7	16.4-29.0	17	6.8	03.3-10.3	20	10.5	05.4-15.6	4	2.1	00.0-04.3
Non-Native	205	13,948	121	56.7	48.9-64.5	48	24.1	17.4-30.8	14	6.7	03.0-10.4	18	10.1	05.2-15.0	4	2.3	00.0-04.8
55-64	56	3,539							4	6.4	00.0-13.5	3	3.9	00.0-09.2			
65+	133	7,856	82	58.0	48.0-68.0	31	26.4	17.2-35.6	9	6.8	02.3-11.3	8	6.5	01.8-11.2	3	2.3	00.0-05.0
H.S. or G.E.D.	89	6,044				20	22.4	12.4-32.4	6	6.9	01.2-12.6						
Some Post-H.S.	82	4,870							2	3.6	00.0-08.5	7	9.7	02.4-17.0	1	0.8	00.0-02.4
\$15,000- 24,999	62	3,706							3	4.4	00.0-09.9	4	6.0	00.0-12.9	1	2.1	00.0-06.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 16: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	436	31,369	40	8.5	05.6-11.4	396	91.5	88.6-94.4
Male	184	15,398	20	11.1	05.8-16.4	164	88.9	83.6-94.2
Female	252	15,971	20	6.0	02.9-09.1	232	94.0	90.9-97.1
Native	68	2,016	7	7.9	00.0-17.3	61	92.1	82.7-0100
Non-Native	365	29,147	32	8.6	05.5-11.7	333	91.4	88.3-94.5
45-54	74	5,186	14	14.2	05.2-23.2	60	85.8	76.8-94.8
55-64	117	8,465	13	11.0	04.1-17.9	104	89.0	82.1-95.9
65+	207	13,958	11	5.6	02.1-09.1	196	94.4	90.9-97.9
Less Than H.S.	53	3,582	1	2.0	00.0-05.9	52	98.0	94.1-0100
H.S. or G.E.D.	148	10,873	14	7.6	03.1-12.1	134	92.4	87.9-96.9
Some Post-H.S.	143	9,792	20	14.2	07.3-21.1	123	85.8	78.9-92.7
College Graduate	92	7,122	5	5.4	00.0-11.1	87	94.6	88.9-0100
\$15,000- 24,999	106	7,020	10	10.2	02.9-17.5	96	89.8	82.5-97.1
\$25,000- 34,999	60	4,545	3	3.4	00.0-07.9	57	96.6	92.1-0100
\$35,000- 49,999	66	5,089	5	7.6	00.3-14.9	61	92.4	85.1-99.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 17: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	184	15,398	20	11.1	05.8-16.4	164	88.9	83.6-94.2
Non-Native	155	14,732	16	10.7	05.4-16.0	139	89.3	84.0-94.6
65+	71	5,811	6	9.7	02.1-17.3	65	90.3	82.7-97.9
H.S. or G.E.D.	57	4,681	8	11.7	02.7-20.7	49	88.3	79.3-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 18: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	252	15,971	20	6.0	02.9-09.1	232	94.0	90.9-97.1
Non-Native	210	14,415	16	6.4	03.1-09.7	194	93.6	90.3-96.9
55-64	58	3,714	6	7.8	00.5-15.1	52	92.2	84.9-99.5
65+	136	8,147	5	2.7	00.2-05.2	131	97.3	94.8-99.8
H.S. or G.E.D.	91	6,191	6	4.6	00.5-08.7	85	95.4	91.3-99.5
Some Post-H.S.	83	4,958	12	11.8	04.2-19.4	71	88.2	80.6-95.8
College Graduate	50	3,264	2	2.8	00.0-07.9	48	97.2	92.1-0100
\$15,000- 24,999	62	3,706	3	2.5	00.0-05.8	59	97.5	94.2-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	432	31,175	74	18.1	14.0-22.2	93	24.0	19.3-28.7	67	14.6	10.1-19.1	98	20.8	16.3-25.3	52	10.9	07.4-14.4	48	11.6	07.9-15.3
Male	183	15,270	31	18.6	12.1-25.1	38	21.8	14.9-28.7	24	14.9	07.3-22.5	45	22.0	14.9-29.1	24	11.3	06.0-16.6	21	11.3	06.0-16.6
Female	249	15,905	43	17.6	12.1-23.1	55	26.2	19.7-32.7	43	14.3	09.4-19.2	53	19.5	13.8-25.2	28	10.6	05.9-15.3	27	11.8	06.7-16.9
Non-Native	361	28,874	64	17.8	13.5-22.1	84	25.1	20.0-30.2	54	15.0	10.1-19.9	79	20.5	15.8-25.2	40	10.1	06.6-13.6	40	11.5	07.8-15.2
45-54	74	5,266							11	13.2	04.0-22.4				11	12.3	03.9-20.7	10	10.9	01.9-19.9
55-64	116	8,443	16	13.5	06.1-20.9	27	24.4	15.6-33.2	17	16.0	07.8-24.2	26	20.3	12.3-28.3	19	16.7	07.9-25.5	11	9.0	02.9-15.1
65+	204	13,707	34	18.0	11.9-24.1	48	27.3	20.0-34.6	37	13.7	08.6-18.8	50	23.7	17.0-30.4	14	5.5	02.0-09.0	21	11.8	06.5-17.1
Less Than H.S.	52	3,441							10	10.6	02.8-18.4				5	11.2	01.4-21.0	3	7.1	00.0-15.9
H.S. or G.E.D.	146	10,763	30	20.1	12.7-27.5	35	26.1	17.3-34.9	27	19.9	09.9-29.9	26	15.3	07.5-23.1	12	5.4	01.5-09.3	16	13.2	05.9-20.5
Some Post-H.S.	142	9,850	22	17.8	10.4-25.2	21	17.6	10.0-25.2	17	10.6	04.3-16.9	42	25.9	17.9-33.9	22	15.0	07.7-22.3	18	13.1	06.6-19.6
College Graduate	92	7,122	17	17.8	09.0-26.6				13	14.0	06.0-22.0	19	21.7	12.1-31.3	13	13.6	04.6-22.6	11	9.1	03.0-15.2
Less than \$15,000	60	3,729							6	11.4	02.4-20.4									
\$15,000- 24,999	103	6,805	18	14.7	07.3-22.1	18	19.5	09.9-29.1	23	19.2	10.2-28.2				16	18.0	08.6-27.4	6	5.0	00.0-10.1
\$25,000- 34,999	59	4,523							6	8.8	00.8-16.8				4	8.0	00.4-15.6	8	12.6	03.8-21.4
\$35,000- 49,999	66	5,089													7	7.0	00.0-14.6	8	10.6	02.2-19.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	183	15,270	31	18.6	12.1-25.1	38	21.8	14.9-28.7	24	14.9	07.3-22.5	45	22.0	14.9-29.1	24	11.3	06.0-16.6	21	11.3	06.0-16.6
Non-Native	153	14,521	28	18.9	12.0-25.8	33	22.1	14.8-29.4	20	15.3	07.3-23.3	35	20.3	13.0-27.6	20	11.7	06.0-17.4	17	11.6	06.1-17.1
55-64	59	4,751																5	9.8	01.0-18.6
65+	69	5,599							8	8.6	02.3-14.9				8	9.4	02.0-16.8			
H.S. or G.E.D.	56	4,611													6	6.8	00.0-14.1			
Some Post-H.S.	61	4,918							7	10.4	00.6-20.2							9	14.6	04.6-24.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	249	15,905	43	17.6	12.1-23.1	55	26.2	19.7-32.7	43	14.3	09.4-19.2	53	19.5	13.8-25.2	28	10.6	05.9-15.3	27	11.8	06.7-16.9
Non-Native	208	14,353	36	16.7	11.2-22.2	51	28.1	21.0-35.2	34	14.7	09.4-20.0	44	20.6	14.3-26.9	20	8.5	04.4-12.6	23	11.5	06.4-16.6
55-64	57	3,692	7	11.2	01.6-20.8													6	8.1	00.5-15.7
65+	135	8,108	23	18.3	10.9-25.7	33	29.6	20.2-39.0	29	17.3	10.0-24.6	32	23.7	15.1-32.3	6	2.8	00.3-05.3	12	8.4	03.1-13.7
H.S. or G.E.D.	90	6,152	16	18.5	09.5-27.5				19	18.5	09.3-27.7	16	13.3	05.5-21.1	6	4.3	00.2-08.4	11	14.9	05.1-24.7
Some Post-H.S.	81	4,932	14	18.5	08.5-28.5	10	14.0	04.4-23.6	10	10.8	03.2-18.4				13	14.1	05.3-22.9	9	11.6	03.2-20.0
College Graduate	50	3,264																5	8.8	00.2-17.4
\$15,000- 24,999	61	3,701										11	14.2	04.2-24.2				2	1.2	00.0-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 22: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	418	29,981	188	46.2	40.5-51.9	139	30.5	25.4-35.6	13	4.6	01.5-07.7	6	1.9	00.1-03.7	40	9.7	06.2-13.2	32	7.2	04.5-09.9
Male	178	14,783	81	46.8	37.8-55.8	57	29.7	21.9-37.5	7	5.6	00.3-10.9	3	2.1	00.0-05.0	17	7.4	03.3-11.5	13	8.4	03.9-12.9
Female	240	15,198	107	45.6	38.3-52.9	82	31.2	24.3-38.1	6	3.6	00.3-06.9	3	1.7	00.0-03.9	23	11.9	06.4-17.4	19	6.0	02.9-09.1
Non-Native	349	27,692	171	47.8	41.7-53.9	116	31.7	26.2-37.2	8	4.0	00.9-07.1	4	1.3	00.0-02.9	29	8.8	05.5-12.1	21	6.4	03.7-09.1
45-54	73	5,260							3	7.6	00.0-19.6	1	1.6	00.0-04.7	7	6.9	00.0-14.5	5	6.6	00.1-13.1
55-64	113	8,267							5	7.4	00.5-14.3	3	3.7	00.0-08.6	9	6.5	01.8-11.2	3	1.4	00.0-03.6
65+	194	12,694	84	42.9	34.9-50.9	65	30.6	23.3-37.9	3	1.9	00.0-04.3	2	1.4	00.0-03.6	18	11.0	05.7-16.3	22	12.1	06.6-17.6
Less Than H.S.	51	3,375							1	1.2	00.0-03.6									
H.S. or G.E.D.	142	10,520				37	21.3	13.7-28.9	2	3.3	00.0-09.4	3	2.3	00.0-05.4	18	12.2	05.3-19.1	8	4.5	01.2-07.8
Some Post-H.S.	136	9,151	57	43.1	33.5-52.7	52	35.9	26.5-45.3	7	6.1	00.8-11.4	2	2.2	00.0-05.7	8	6.6	01.5-11.7	10	6.2	01.9-10.5
College Graduate	89	6,935							3	6.3	00.0-13.4	1	1.9	00.0-05.6	8	6.2	01.1-11.3	6	7.5	01.0-14.0
Less than \$15,000	58	3,595							3	8.1	00.0-18.9	2	5.7	00.0-14.7				6	9.5	01.3-17.7
\$15,000- 24,999	101	6,641										2	4.1	00.0-09.6	6	5.5	00.8-10.2	7	8.0	01.7-14.3
\$25,000- 34,999	58	4,322										1	2.0	00.0-05.9	3	4.9	00.0-10.8	3	3.6	00.0-08.3
\$35,000- 49,999	63	4,850							2	5.7	00.0-13.5				6	7.0	00.0-14.1	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 23: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	178	14,783	81	46.8	37.8-55.8	57	29.7	21.9-37.5	7	5.6	00.3-10.9	3	2.1	00.0-05.0	17	7.4	03.3-11.5	13	8.4	03.9-12.9
Non-Native	149	14,039	73	47.7	38.3-57.1	45	29.3	21.1-37.5	5	5.8	00.1-11.5	3	2.3	00.0-05.2	12	7.4	03.1-11.7	11	7.7	03.2-12.2
55-64	58	4,669							3	6.1	00.0-14.1	2	3.7	00.0-10.6	6	8.5	01.1-15.9			
65+	66	5,200							1	2.7	00.0-08.0	1	2.7	00.0-08.0	6	10.4	02.2-18.6			
H.S. or G.E.D.	55	4,582										2	3.3	00.0-09.4	6	7.7	00.4-15.0	3	4.6	00.0-09.9
Some Post-H.S.	58	4,601							4	8.1	00.0-17.1	1	3.6	00.0-10.5	5	7.3	00.0-14.6	3	5.5	00.0-11.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 24: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEM03)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	240	15,198	107	45.6	38.3-52.9	82	31.2	24.3-38.1	6	3.6	00.3-06.9	3	1.7	00.0-03.9	23	11.9	06.4-17.4	19	6.0	02.7-09.3
Non-Native	200	13,653	98	48.0	40.4-55.6	71	34.1	26.7-41.5	3	2.2	00.0-04.7	1	0.3	00.0-00.9	17	10.2	04.9-15.5	10	5.2	02.1-08.3
55-64	55	3,598										1	3.7	00.0-10.8	3	3.9	00.0-09.2	3	3.2	00.0-08.1
65+	128	7,495				46	34.5	24.7-44.3	2	1.4	00.0-03.4	1	0.5	00.0-01.5	12	11.4	04.3-18.5	12	7.7	02.6-12.8
H.S. or G.E.D.	87	5,939										1	1.4	00.0-04.1				5	4.5	00.2-08.8
Some Post-H.S.	78	4,550							3	4.1	00.0-09.4	1	0.9	00.0-02.7	3	5.9	00.0-13.3	7	6.8	00.5-13.1
\$15,000- 24,999	58	3,421							2	4.3	00.0-11.7	1	3.8	00.0-11.2	1	1.2	00.0-03.6	2	2.2	00.0-06.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 25: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	425	30,578	121	28.0	22.9-33.1	87	22.0	16.9-27.1	38	7.2	04.5-09.9	68	15.8	11.7-19.9	33	6.7	04.0-09.4	78	20.3	15.4-25.2
Male	181	15,166	53	30.0	22.4-37.6	40	25.0	16.6-33.4	17	7.2	03.1-11.3	27	15.2	09.1-21.3	12	5.9	01.8-10.0	32	16.8	10.1-23.5
Female	244	15,412	68	26.2	19.7-32.7	47	18.9	13.2-24.6	21	7.3	03.8-10.8	41	16.4	10.9-21.9	21	7.4	03.7-11.1	46	23.7	16.8-30.6
Native	68	2,094				10	4.1	00.8-07.4	9	9.2	00.0-19.4									
Non-Native	354	28,278	98	28.0	22.7-33.3	76	23.1	17.6-28.6	29	7.2	04.3-10.1	60	16.0	11.7-20.3	26	6.3	03.6-09.0	65	19.5	14.6-24.4
45-54	74	5,264				14	15.9	06.3-25.5	6	6.0	00.0-12.1	11	13.2	04.6-21.8	7	8.3	01.2-15.4			
55-64	117	8,465	31	23.3	14.3-32.3	21	21.6	12.6-30.6	9	5.8	01.3-10.3	22	20.8	11.8-29.8	11	9.8	03.1-16.5	23	18.7	10.5-26.9
65+	198	13,305	56	28.5	21.2-35.8	45	22.2	15.5-28.9	20	9.6	04.9-14.3	30	14.1	08.6-19.6	13	4.8	01.5-08.1	34	20.7	13.8-27.6
Less Than H.S.	51	3,448							6	10.0	00.6-19.4	4	6.8	00.0-14.8						
H.S. or G.E.D.	143	10,521	48	32.7	23.3-42.1				13	7.8	03.3-12.3	19	10.9	05.2-16.6	10	4.4	00.7-08.1	25	20.6	11.4-29.8
Some Post-H.S.	142	9,772	39	25.3	17.1-33.5	25	15.9	09.2-22.6	12	7.4	02.1-12.7	29	22.5	14.3-30.7	11	8.3	02.6-14.0	26	20.6	12.6-28.6
College Graduate	89	6,838				17	21.4	11.4-31.4	7	4.8	00.5-09.1	16	18.3	08.9-27.7	6	5.7	00.4-11.0	17	18.3	09.1-27.5
Less than \$15,000	59	3,654				8	12.1	03.3-20.9	4	6.2	00.0-12.9									
\$15,000- 24,999	105	6,941	30	22.1	13.3-30.9				9	9.3	02.2-16.4	14	14.5	06.5-22.5	7	8.4	01.5-15.3			
\$25,000- 34,999	60	4,545							6	8.3	00.7-15.9				4	5.6	00.0-11.3	9	15.3	05.5-25.1
\$35,000- 49,999	65	4,948							9	11.3	03.1-19.5	10	13.0	03.4-22.6	3	3.7	00.0-10.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 26: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	181	15,166	53	30.0	22.4-37.6	40	25.0	16.6-33.4	17	7.2	03.1-11.3	27	15.2	09.1-21.3	12	5.9	01.8-10.0	32	16.8	10.1-23.5
Non-Native	152	14,421	44	29.1	21.1-37.1	35	25.9	17.1-34.7	11	7.0	02.7-11.3	23	14.6	08.5-20.7	11	6.1	01.8-10.4	28	17.3	10.4-24.2
55-64	59	4,751							4	4.8	00.0-10.3				6	10.1	00.3-19.9	10	13.2	04.4-22.0
65+	69	5,576							7	12.2	03.0-21.4	8	10.1	03.0-17.2	2	2.6	00.0-07.5			
H.S. or G.E.D.	54	4,459							5	6.5	00.0-13.2				4	5.4	00.0-12.5			
Some Post-H.S.	61	4,918							7	9.7	00.9-18.5				3	7.8	00.0-16.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 27: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	244	15,412	68	26.2	19.7-32.7	47	18.9	13.2-24.6	21	7.3	03.8-10.8	41	16.4	10.9-21.9	21	7.4	03.7-11.1	46	23.7	16.8-30.6
Non-Native	202	13,856	54	26.8	19.9-33.7	41	20.1	13.8-26.4	18	7.3	03.6-11.0	37	17.4	11.5-23.3	15	6.5	03.0-10.0	37	21.9	15.0-28.8
55-64	58	3,714				8	13.6	03.8-23.4	5	7.0	00.0-14.3				5	9.4	00.6-18.2			
65+	129	7,729	35	25.6	17.0-34.2	26	20.9	12.7-29.1	13	7.7	03.0-12.4	22	16.9	09.1-24.7	11	6.5	01.8-11.2	22	22.3	12.9-31.7
H.S. or G.E.D.	89	6,062							8	8.8	02.5-15.1	12	9.0	02.5-15.5	6	3.6	00.1-07.1			
Some Post-H.S.	81	4,853				12	11.5	04.2-18.8	5	5.0	00.0-10.7				8	8.8	01.9-15.7			
\$15,000- 24,999	61	3,626							4	4.5	00.0-10.6				5	9.2	00.2-18.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 28: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	432	31,088	66	13.7	10.2-17.2	268	62.3	56.6-68.0	48	11.2	07.7-14.7	39	9.9	05.8-14.0	11	3.0	01.0-05.0
Male	183	15,317	21	11.0	06.1-15.9	118	63.4	54.8-72.0	24	12.6	07.3-17.9	14	10.3	03.0-17.6	6	2.7	00.3-05.1
Female	249	15,771	45	16.3	11.2-21.4	150	61.3	54.0-68.6	24	9.8	05.3-14.3	25	9.4	05.1-13.7	5	3.2	00.0-06.5
Native	68	2,083							7	8.0	00.0-17.2						
Non-Native	361	28,799	56	13.6	09.9-17.3	227	63.9	58.0-69.8	40	11.5	07.8-15.2	31	9.2	04.9-13.5	7	1.9	00.3-03.5
45-54	75	5,270	11	14.4	05.2-23.6				7	8.2	01.1-15.3	6	8.6	01.0-16.2	3	2.6	00.0-06.1
55-64	117	8,465	17	10.8	04.7-16.9	71	66.6	56.6-76.6	14	9.9	03.8-16.0	13	11.2	04.1-18.3	2	1.6	00.0-04.0
65+	203	13,610	34	16.4	10.5-22.3	132	65.3	57.9-72.7	22	12.0	06.7-17.3	13	5.4	02.3-08.5	2	0.8	00.0-02.0
Less Than H.S.	53	3,582										3	5.1	00.0-11.0			
H.S. or G.E.D.	145	10,643	25	14.5	08.2-20.8				21	13.3	06.8-19.8	11	11.4	01.8-21.0	6	4.6	00.1-09.1
Some Post-H.S.	142	9,741	18	12.8	06.7-18.9	87	61.0	51.6-70.4	15	12.5	05.8-19.2	18	10.8	05.3-16.3	4	3.0	00.0-06.1
College Graduate	92	7,122	13	12.2	04.8-19.6				4	2.0	00.0-04.7	7	8.6	01.5-15.7	1	2.0	00.0-05.7
Less than \$15,000	61	3,769	11	16.5	06.5-26.5				5	6.7	00.0-14.3				3	4.4	00.0-09.7
\$15,000- 24,999	104	6,910	19	17.1	08.5-25.7				12	12.2	04.4-20.0	11	9.1	03.0-15.2	2	1.8	00.0-04.3
\$25,000- 34,999	60	4,545	5	9.8	01.6-18.0				9	8.7	02.2-15.2	4	5.7	00.0-12.0	3	5.8	00.0-12.3
\$35,000- 49,999	66	5,089	10	12.4	03.6-21.2										1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 29: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	183	15,317	21	11.0	05.9-16.1	118	63.4	54.8-72.0	24	12.6	07.3-17.9	14	10.3	03.0-17.6	6	2.7	00.5-04.9
Non-Native	153	14,568	19	11.0	05.9-16.1	98	63.8	54.8-72.8	21	12.8	07.3-18.3	11	10.3	02.7-17.9	4	2.2	00.0-04.4
55-64	59	4,751	5	5.5	00.0-11.6				9	11.9	02.9-20.9	5	9.2	00.4-18.0	2	2.9	00.0-07.0
65+	69	5,646	9	14.3	04.9-23.7				10	16.2	06.6-25.8	3	3.4	00.0-07.9	1	1.2	00.0-03.6
H.S. or G.E.D.	55	4,517	7	11.1	01.5-20.7				8	11.8	02.4-21.2				2	2.8	00.0-06.7
Some Post-H.S.	61	4,918	8	14.5	04.7-24.3							7	11.2	02.4-20.0	4	5.9	00.0-11.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 30: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	249	15,771	45	16.3	11.2-21.4	150	61.3	54.0-68.6	24	9.8	05.3-14.3	25	9.4	05.1-13.7	5	3.2	00.0-06.5
Non-Native	208	14,231	37	16.3	10.8-21.8	129	64.0	56.7-71.3	19	10.1	05.2-15.0	20	8.1	04.4-11.8	3	1.6	00.0-03.8
55-64	58	3,714							5	7.3	00.2-14.4						
65+	134	7,964	25	17.9	10.5-25.3	86	65.7	56.3-75.1	12	9.0	02.9-15.1	10	6.9	02.4-11.4	1	0.5	00.0-01.5
H.S. or G.E.D.	90	6,127	18	16.9	08.5-25.3				13	14.5	05.7-23.3	6	5.2	00.1-10.3	4	5.9	00.0-13.0
Some Post-H.S.	81	4,823	10	11.0	03.6-18.4				6	8.0	00.7-15.3	11	10.5	03.8-17.2			
College Graduate	50	3,264							4	4.4	00.0-10.1				1	4.3	00.0-12.5
\$15,000- 24,999	61	3,689							6	8.6	00.0-17.8	9	14.1	04.1-24.1	1	1.9	00.0-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 31: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	434	31,230	77	14.8	11.1-18.5	357	85.2	81.5-88.9
Male	184	15,411	39	18.7	12.2-25.2	145	81.3	74.8-87.8
Female	250	15,818	38	10.9	06.8-15.0	212	89.1	85.0-93.2
Non-Native	363	29,012	55	14.1	10.2-18.0	308	85.9	82.0-89.8
55-64	116	8,377	28	18.0	10.0-26.0	88	82.0	74.0-90.0
65+	205	13,823	30	14.9	09.2-20.6	175	85.1	79.4-90.8
H.S. or G.E.D.	146	10,737	25	11.2	05.9-16.5	121	88.8	83.5-94.1
Some Post-H.S.	143	9,789	30	20.8	13.0-28.6	113	79.2	71.4-87.0
College Graduate	92	7,122	8	6.4	00.5-12.3	84	93.6	87.7-99.5
\$15,000- 24,999	106	7,020	25	18.3	09.9-26.7	81	81.7	73.3-90.1
\$25,000- 34,999	60	4,545	6	9.2	01.2-17.2	54	90.8	82.8-98.8
\$35,000- 49,999	66	5,089	11	11.8	02.4-21.2	55	88.2	78.8-97.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 32: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	184	15,411	39	18.7	12.2-25.2	145	81.3	74.8-87.8		
Non-Native	154	14,662	28	17.3	10.8-23.8	126	82.7	76.2-89.2		
H.S. or G.E.D.	56	4,611	13	13.9	04.1-23.7	43	86.1	76.3-95.9		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 33: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	250	15,818	38	10.9	06.8-15.0	212	89.1	85.0-93.2
Non-Native	209	14,350	27	10.8	06.5-15.1	182	89.2	84.9-93.5
55-64	57	3,627	12	11.0	02.8-19.2	45	89.0	80.8-97.2
65+	135	8,082	17	11.3	05.4-17.2	118	88.7	82.8-94.6
H.S. or G.E.D.	90	6,127	12	9.1	03.2-15.0	78	90.9	85.0-96.8
Some Post-H.S.	82	4,870	14	13.9	05.3-22.5	68	86.1	77.5-94.7
College Graduate	50	3,264	7	8.9	00.7-17.1	43	91.1	82.9-99.3
\$15,000- 24,999	62	3,706	12	9.7	02.6-16.8	50	90.3	83.2-97.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 34: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	437	31,453	263	59.9	54.2-65.6	174	40.1	34.4-45.8
Male	185	15,482	103	54.9	46.1-63.7	82	45.1	36.3-53.9
Female	252	15,971	160	64.7	57.4-72.0	92	35.3	28.0-42.6
Non-Native	365	29,147	228	60.4	54.3-66.5	137	39.6	33.5-45.7
55-64	117	8,465	78	72.8	63.8-81.8	39	27.2	18.2-36.2
65+	207	13,958	113	53.7	45.9-61.5	94	46.3	38.5-54.1
Some Post-H.S.	144	9,876	93	66.7	57.7-75.7	51	33.3	24.3-42.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 35: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	185	15,482	103	54.9	46.1-63.7	82	45.1	36.3-53.9	
Non-Native	155	14,732	86	54.6	45.4-63.8	69	45.4	36.2-54.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	252	15,971	160	64.7	57.4-72.0	92	35.3	28.0-42.6	
Non-Native	210	14,415	142	66.2	58.8-73.6	68	33.8	26.4-41.2	
65+	136	8,147	79	58.6	48.6-68.6	57	41.4	31.4-51.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 6: CARDIOVASCULAR HEALTH CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB)	
1 MALES AND FEMALES	60
2 MALES ONLY	61
3 FEMALES ONLY	62
AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB)	
4 MALES AND FEMALES	63
5 MALES ONLY	64
6 FEMALES ONLY	65
DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)	
7 MALES AND FEMALES	66
8 MALES ONLY	67
9 FEMALES ONLY	68
DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)	
10 MALES AND FEMALES	69
11 MALES ONLY	70
12 FEMALES ONLY	71

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 1: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB."
(HAREHAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	223	18,167	98	47.3	40.0-54.6	125	52.7	45.4-60.0	
Male	129	11,985	60	47.9	38.3-57.5	69	52.1	42.5-61.7	
Non-Native	199	16,982	91	47.7	40.1-55.3	108	52.3	44.7-59.9	
65+	144	11,971	68	50.8	41.8-59.8	76	49.2	40.2-58.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 2: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB."
(HAREHAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	129	11,985	60	47.9	38.5-57.3	69	52.1	42.7-61.5
Non-Native	118	11,260	56	48.2	38.2-58.2	62	51.8	41.8-61.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH

TABLE 3: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB."
(HAREHAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 4: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	136	10,311	46	33.1	24.3-41.9	90	66.9	58.1-75.7	
Non-Native	118	9,415	42	34.4	25.0-43.8	76	65.6	56.2-75.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH

TABLE 5: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH

TABLE 6: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 7: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 35 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4504	476,794	1542	27.2	25.6-28.8	2962	72.8	71.2-74.4
Male	1822	234,765	665	27.6	25.2-30.0	1157	72.4	70.0-74.8
Female	2682	242,028	877	26.7	24.7-28.7	1805	73.3	71.3-75.3
Native	334	21,666	109	22.7	14.9-30.5	225	77.3	69.5-85.1
Non-Native	4128	451,107	1412	27.2	25.6-28.8	2716	72.8	71.2-74.4
18-24	182	71,981	14	8.1	03.4-12.8	168	91.9	87.2-96.6
25-34	486	80,189	27	4.7	02.7-06.7	459	95.3	93.3-97.3
35-44	680	74,117	89	12.9	10.2-15.6	591	87.1	84.4-89.8
45-54	1039	89,952	281	26.2	23.1-29.3	758	73.8	70.7-76.9
55-64	887	67,841	393	45.2	41.5-48.9	494	54.8	51.1-58.5
65+	1197	90,272	724	61.1	58.0-64.2	473	38.9	35.8-42.0
Less Than H.S.	362	34,911	178	40.6	33.7-47.5	184	59.4	52.5-66.3
H.S. or G.E.D.	1337	139,275	528	31.5	28.4-34.6	809	68.5	65.4-71.6
Some Post-H.S.	1431	154,133	433	23.8	21.1-26.5	998	76.2	73.5-78.9
College Graduate	1372	148,324	401	23.4	21.0-25.8	971	76.6	74.2-79.0
Less than \$15,000	370	34,243	149	34.5	26.9-42.1	221	65.5	57.9-73.1
\$15,000- 24,999	657	60,163	277	35.6	30.9-40.3	380	64.4	59.7-69.1
\$25,000- 34,999	556	55,897	196	28.9	24.4-33.4	360	71.1	66.6-75.6
\$35,000- 49,999	708	70,968	248	27.7	24.0-31.4	460	72.3	68.6-76.0
\$50,000- 74,999	761	88,544	206	22.2	18.9-25.5	555	77.8	74.5-81.1
\$75,000+	858	104,526	226	20.7	17.8-23.6	632	79.3	76.4-82.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 8: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1822	234,765	665	27.6	25.2-30.0	1157	72.4	70.0-74.8	
Non-Native	1681	222,442	611	27.6	25.2-30.0	1070	72.4	70.0-74.8	
18-24	88	36,946	6	6.3	00.8-11.8	82	93.7	88.2-99.2	
25-34	199	42,810	11	4.2	01.5-06.9	188	95.8	93.1-98.5	
35-44	283	37,623	40	13.5	09.2-17.8	243	86.5	82.2-90.8	
45-54	445	44,958	137	28.8	24.1-33.5	308	71.2	66.5-75.9	
55-64	381	33,710	191	50.4	44.7-56.1	190	49.6	43.9-55.3	
65+	413	37,598	274	67.1	62.2-72.0	139	32.9	28.0-37.8	
Less Than H.S.	166	18,216	82	41.4	31.8-51.0	84	58.6	49.0-68.2	
H.S. or G.E.D.	541	71,219	204	29.1	24.6-33.6	337	70.9	66.4-75.4	
Some Post-H.S.	551	72,574	181	23.7	19.8-27.6	370	76.3	72.4-80.2	
College Graduate	564	72,756	198	26.6	22.7-30.5	366	73.4	69.5-77.3	
\$15,000- 24,999	217	23,427	100	42.7	34.5-50.9	117	57.3	49.1-65.5	
\$25,000- 34,999	233	28,781	90	30.6	23.5-37.7	143	69.4	62.3-76.5	
\$35,000- 49,999	310	38,341	109	27.1	21.8-32.4	201	72.9	67.6-78.2	
\$50,000- 74,999	336	45,770	109	23.5	18.8-28.2	227	76.5	71.8-81.2	
\$75,000+	442	60,339	144	24.5	20.2-28.8	298	75.5	71.2-79.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 9: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2682	242,028	877	26.7	24.7-28.7	1805	73.3	71.3-75.3
Non-Native	2447	228,665	801	26.8	24.6-29.0	1646	73.2	71.0-75.4
18-24	94	35,034	8	10.0	02.4-17.6	86	90.0	82.4-97.6
25-34	287	37,379	16	5.3	02.6-08.0	271	94.7	92.0-97.4
35-44	397	36,495	49	12.2	08.7-15.7	348	87.8	84.3-91.3
45-54	594	44,994	144	23.6	19.7-27.5	450	76.4	72.5-80.3
55-64	506	34,131	202	40.1	35.2-45.0	304	59.9	55.0-64.8
65+	784	52,674	450	56.9	53.0-60.8	334	43.1	39.2-47.0
Less Than H.S.	196	16,695	96	39.8	30.4-49.2	100	60.2	50.8-69.6
H.S. or G.E.D.	796	68,056	324	34.1	30.0-38.2	472	65.9	61.8-70.0
Some Post-H.S.	880	81,559	252	23.9	20.2-27.6	628	76.1	72.4-79.8
College Graduate	808	75,568	203	20.2	17.3-23.1	605	79.8	76.9-82.7
Less than \$15,000	250	20,824	104	39.8	29.8-49.8	146	60.2	50.2-70.2
\$15,000- 24,999	440	36,735	177	31.0	25.7-36.3	263	69.0	63.7-74.3
\$25,000- 34,999	323	27,116	106	27.1	21.4-32.8	217	72.9	67.2-78.6
\$35,000- 49,999	398	32,627	139	28.5	23.6-33.4	259	71.5	66.6-76.4
\$50,000- 74,999	425	42,773	97	20.7	16.0-25.4	328	79.3	74.6-84.0
\$75,000+	416	44,187	82	15.5	12.0-19.0	334	84.5	81.0-88.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 10: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 35 years of age and those that take aspirin daily/every other day

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2945	345,932	178	4.1	03.3-04.9	162	4.2	03.4-05.0	2605	91.7	90.7-92.7
Male	1153	169,542	39	2.2	01.4-03.0	47	3.4	02.4-04.4	1067	94.4	93.0-95.8
Female	1792	176,390	139	5.9	04.7-07.1	115	5.1	03.9-06.3	1538	89.0	87.4-90.6
Native	224	16,708	20	5.1	01.4-08.8	11	2.2	00.2-04.2	193	92.6	88.3-96.9
Non-Native	2700	327,270	155	4.0	03.2-04.8	150	4.4	03.6-05.2	2395	91.6	90.4-92.8
18-24	168	66,151	1	0.0	00.0-00.0	3	1.4	00.0-03.4	164	98.5	96.5-0100
25-34	458	76,396	8	1.7	00.5-02.9	8	2.3	00.7-03.9	442	96.0	94.0-98.0
35-44	587	64,133	20	2.9	01.5-04.3	16	2.7	01.3-04.1	551	94.4	92.4-96.4
45-54	753	66,045	39	5.0	03.2-06.8	38	5.0	03.2-06.8	676	90.0	87.6-92.4
55-64	493	37,118	34	5.8	03.4-08.2	34	6.4	04.0-08.8	425	87.8	84.7-90.9
65+	468	34,716	76	15.4	11.7-19.1	62	13.1	09.6-16.6	330	71.4	66.7-76.1
Less Than H.S.	182	20,564	25	8.5	04.4-12.6	21	9.1	04.0-14.2	136	82.4	75.9-88.9
H.S. or G.E.D.	803	94,918	48	3.5	02.3-04.7	50	4.5	02.9-06.1	705	92.0	90.0-94.0
Some Post-H.S.	993	116,997	60	4.4	03.0-05.8	50	4.0	02.6-05.4	883	91.5	89.5-93.5
College Graduate	967	113,453	45	3.3	02.1-04.5	41	3.4	02.2-04.6	881	93.3	91.7-94.9
Less than \$15,000	216	22,132	31	8.6	04.9-12.3	15	3.8	01.4-06.2	170	87.7	83.2-92.2
\$15,000- 24,999	377	38,570	32	5.6	03.2-08.0	28	7.2	03.3-11.1	317	87.2	82.9-91.5
\$25,000- 34,999	361	39,791	23	4.5	02.3-06.7	22	4.6	02.2-07.0	316	90.9	87.8-94.0
\$35,000- 49,999	455	50,737	20	3.3	01.5-05.1	23	4.2	02.2-06.2	412	92.5	90.0-95.0
\$50,000- 74,999	554	68,859	29	4.4	02.6-06.2	21	3.8	02.0-05.6	504	91.8	89.4-94.2
\$75,000+	633	82,998	17	1.9	00.9-02.9	24	3.1	01.7-04.5	592	95.0	93.2-96.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 11: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1153	169,542	39	2.2	01.4-03.0	47	3.4	02.4-04.4	1067	94.4	93.0-95.8
Native	75	7,523	5	2.7	00.0-06.0	1	0.5	00.0-01.5	69	96.9	93.4-0100
Non-Native	1067	160,724	33	2.1	01.3-02.9	46	3.6	02.4-04.8	988	94.3	92.9-95.7
18-24	82	34,614				1	0.1	00.0-00.3	81	99.9	99.7-0100
25-34	187	40,980	2	0.8	00.0-02.0	4	2.4	00.0-04.8	181	96.8	94.1-99.5
35-44	241	32,301	3	1.4	00.0-03.0	7	2.9	00.5-05.3	231	95.7	93.0-98.4
45-54	309	32,114	6	2.3	00.3-04.3	19	6.3	03.4-09.2	284	91.4	88.1-94.7
55-64	189	16,618	7	2.5	00.1-04.9	11	6.9	02.8-11.0	171	90.6	85.9-95.3
65+	138	12,297	21	14.3	07.8-20.8	5	5.2	00.5-09.9	112	80.6	73.0-88.2
Less Than H.S.	84	10,670	8	5.4	01.1-09.7	7	7.7	01.4-14.0	69	86.9	79.3-94.5
H.S. or G.E.D.	335	50,275	9	1.5	00.3-02.7	9	2.8	00.6-05.0	317	95.7	93.3-98.1
Some Post-H.S.	368	55,227	14	3.2	01.4-05.0	19	3.7	01.9-05.5	335	93.2	90.7-95.7
College Graduate	366	53,369	8	1.2	00.2-02.2	12	2.8	01.0-04.6	346	96.0	94.0-98.0
Less than \$15,000	73	9,740	3	2.8	00.0-06.1	5	3.9	00.0-08.0	65	93.2	87.7-98.7
\$15,000- 24,999	116	13,308	9	3.3	00.8-05.8	5	5.6	00.0-11.5	102	91.0	84.5-97.5
\$25,000- 34,999	143	19,984	8	3.4	00.5-06.3	7	4.0	00.5-07.5	128	92.6	88.1-97.1
\$35,000- 49,999	200	27,805	8	2.5	00.5-04.5	4	2.0	00.0-04.0	188	95.4	92.7-98.1
\$50,000- 74,999	227	35,012	6	2.3	00.3-04.3	12	5.0	02.1-07.9	209	92.7	89.2-96.2
\$75,000+	299	45,670	2	0.8	00.0-02.0	13	3.2	01.4-05.0	284	96.0	93.8-98.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 12: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1792	176,390	139	5.9	04.7-07.1	115	5.1	03.9-06.3	1538	89.0	87.4-90.6
Native	149	9,185	15	7.1	01.2-13.0	10	3.7	00.2-07.2	124	89.1	82.2-96.0
Non-Native	1633	166,546	122	5.8	04.6-07.0	104	5.1	03.9-06.3	1407	89.1	87.3-90.9
18-24	86	31,537	1	0.1	00.0-00.3	2	2.9	00.0-07.0	83	97.0	92.9-0100
25-34	271	35,416	6	2.8	00.6-05.0	4	2.2	00.0-04.4	261	95.1	92.2-98.0
35-44	346	31,832	17	4.5	02.1-06.9	9	2.5	00.7-04.3	320	93.0	90.1-95.9
45-54	444	33,931	33	7.6	04.9-10.3	19	3.8	01.8-05.8	392	88.6	85.3-91.9
55-64	304	20,500	27	8.6	04.9-12.3	23	6.0	03.3-08.7	254	85.4	81.1-89.7
65+	330	22,418	55	16.1	11.6-20.6	57	17.5	12.8-22.2	218	66.4	60.7-72.1
Less Than H.S.	98	9,893	17	11.8	04.7-18.9	14	10.6	02.6-18.6			
H.S. or G.E.D.	468	44,642	39	5.9	03.7-08.1	41	6.3	03.9-08.7	388	87.8	84.7-90.9
Some Post-H.S.	625	61,770	46	5.6	03.6-07.6	31	4.3	02.1-06.5	548	90.1	87.2-93.0
College Graduate	601	60,084	37	5.2	03.2-07.2	29	4.0	02.4-05.6	535	90.8	88.3-93.3
Less than \$15,000	143	12,392	28	13.0	06.9-19.1	10	3.6	01.1-06.1	105	83.3	76.4-90.2
\$15,000- 24,999	261	25,262	23	6.7	03.6-09.8	23	8.1	03.2-13.0	215	85.2	79.5-90.9
\$25,000- 34,999	218	19,807	15	5.6	02.3-08.9	15	5.2	02.3-08.1	188	89.2	84.7-93.7
\$35,000- 49,999	255	22,932	12	4.2	01.3-07.1	19	6.9	03.6-10.2	224	88.9	84.6-93.2
\$50,000- 74,999	327	33,847	23	6.6	03.7-09.5	9	2.6	00.8-04.4	295	90.8	87.5-94.1
\$75,000+	334	37,328	15	3.3	01.3-05.3	11	2.9	00.9-04.9	308	93.8	91.1-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 8: HEART ATTACK AND STROKE CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	NOW I WOULD LIKE TO ASK YOU ABOUT YOUR KNOWLEDGE OF THE SIGNS AND SYMPTOMS OF A HEART ATTACK AND STROKE. WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A HEART ATTACK? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": DO YOU THINK PAIN OR DISCOMFORT IN THE JAW, NECK, OR BACK ARE SYMPTOMS OF A HEART ATTACK? (HASYP1)	
1	MALES AND FEMALES	75
2	MALES ONLY	76
3	FEMALES ONLY	77
	DO YOU THINK FEELING WEAK, LIGHTHEADED, OR FAINT ARE SYMPTOMS OF A HEART ATTACK? (HASYP2)	
4	MALES AND FEMALES	78
5	MALES ONLY	79
6	FEMALES ONLY	80
	[DO YOU THINK] CHEST PAIN OR DISCOMFORT [ARE SYMPTOMS FOR A HEART ATTACK]? (HASYP3)	
7	MALES AND FEMALES	81
8	MALES ONLY	82
9	FEMALES ONLY	83
	[DO YOU THINK] SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES [IS A SYMPTOM OF A HEART ATTACK]? (HASYP4)	
10	MALES AND FEMALES	84
11	MALES ONLY	85
12	FEMALES ONLY	86
	[DO YOU THINK] PAIN OR DISCOMFORT IN THE ARMS OR SHOULDER [ARE SYMPTOMS OF A HEART ATTACK]? (HASYP5)	
13	MALES AND FEMALES	87
14	MALES ONLY	88
15	FEMALES ONLY	89
	[DO YOU THINK] SHORTNESS OF BREATH [IS A SYMPTOM OF A HEART ATTACK]? (HASYP6)	
16	MALES AND FEMALES	90
17	MALES ONLY	91
18	FEMALES ONLY	92
	WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A STROKE? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE". (DO YOU THINK) SUDDEN CONFUSION OR TROUBLE SPEAKING (ARE SYMPTOMS OF A STROKE?) (STRSYMP1)	
19	MALES AND FEMALES	93
20	MALES ONLY	94
21	FEMALES ONLY	95

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 8: HEART ATTACK AND STROKE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(DO YOU THINK) SUDDEN NUMBNESS OR WEAKNESS OF FACE, ARM, OR LEG, ESPECIALLY ON ONE SIDE (ARE SYMPTOMS OF A STROKE?) (STRSYMP2)	
22 MALES AND FEMALES	96
23 MALES ONLY	97
24 FEMALES ONLY	98
(DO YOU THINK) SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES (IS A SYMPTOM OF A STROKE?) (STRSYMP3)	
25 MALES AND FEMALES	99
26 MALES ONLY	100
27 FEMALES ONLY	101
(DO YOU THINK) SUDDEN CHEST PAIN OR DISCOMFORT (ARE SYMPTOMS OF A STROKE?) (STRSYMP4)	
28 MALES AND FEMALES	102
29 MALES ONLY	103
30 FEMALES ONLY	104
(DO YOU THINK) SUDDEN TROUBLE WALKING, DIZZINESS, OR LOSS OF BALANCE (ARE SYMPTOMS OF A STROKE?) (STRSYMP5)	
31 MALES AND FEMALES	105
32 MALES ONLY	106
33 FEMALES ONLY	107
(DO YOU THINK) SEVERE HEADACHE WITH NO KNOWN CAUSE (IS A SYMPTOM OF A STROKE?) (STRSYMP6)	
34 MALES AND FEMALES	108
35 MALES ONLY	109
36 FEMALES ONLY	110
IF YOU THOUGHT SOMEONE WAS HAVING A HEART ATTACK OR A STROKE, WHAT IS THE FIRST THING YOU WOULD DO? (FIRSTAID)	
37 MALES AND FEMALES	111
38 MALES ONLY	112
39 FEMALES ONLY	113

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 1: NOW I WOULD LIKE TO ASK YOU ABOUT YOUR KNOWLEDGE OF THE SIGNS AND SYMPTOMS OF A HEART ATTACK AND STROKE. WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A HEART ATTACK? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": DO YOU THINK PAIN OR DISCOMFORT IN THE JAW, NECK, OR BACK ARE SYMPTOMS OF A HEART ATTACK? (HASYP1)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3832	396,132	2791	67.5	65.3-69.7	1041	32.5	30.3-34.7
Male	1477	186,953	903	57.0	53.7-60.3	574	43.0	39.7-46.3
Female	2355	209,179	1888	76.9	74.4-79.4	467	23.1	20.6-25.6
Non-Native	3523	376,936	2599	68.4	66.2-70.6	924	31.6	29.4-33.8
18-24	143	55,862	67	47.2	37.8-56.6	76	52.8	43.4-62.2
25-34	383	60,950	217	54.4	48.5-60.3	166	45.6	39.7-51.5
35-44	564	61,319	366	64.7	60.2-69.2	198	35.3	30.8-39.8
45-54	920	79,413	693	74.5	71.4-77.6	227	25.5	22.4-28.6
55-64	794	61,298	639	79.9	76.8-83.0	155	20.1	17.0-23.2
65+	1000	75,141	791	78.2	75.3-81.1	209	21.8	18.9-24.7
Less Than H.S.	275	26,153	173	61.3	53.3-69.3	102	38.7	30.7-46.7
H.S. or G.E.D.	1127	113,989	779	61.3	57.2-65.4	348	38.7	34.6-42.8
Some Post-H.S.	1218	127,890	901	69.3	65.4-73.2	317	30.7	26.8-34.6
College Graduate	1210	127,950	936	72.5	69.2-75.8	274	27.5	24.2-30.8
Less than \$15,000	302	27,199	182	51.3	41.9-60.7	120	48.7	39.3-58.1
\$15,000- 24,999	537	48,944	384	67.5	61.4-73.6	153	32.5	26.4-38.6
\$25,000- 34,999	492	48,043	362	66.2	59.9-72.5	130	33.8	27.5-40.1
\$35,000- 49,999	613	60,544	465	69.1	64.4-73.8	148	30.9	26.2-35.6
\$50,000- 74,999	669	76,988	499	67.6	62.9-72.3	170	32.4	27.7-37.1
\$75,000+	748	88,997	559	72.7	68.6-76.8	189	27.3	23.2-31.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 2: NOW I WOULD LIKE TO ASK YOU ABOUT YOUR KNOWLEDGE OF THE SIGNS AND SYMPTOMS OF A HEART ATTACK AND STROKE. WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A HEART ATTACK? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": DO YOU THINK PAIN OR DISCOMFORT IN THE JAW, NECK, OR BACK ARE SYMPTOMS OF A HEART ATTACK? (HASYPMP1)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1477	186,953	903	57.0	53.7-60.3	574	43.0	39.7-46.3
Non-Native	1372	178,237	844	57.6	54.3-60.9	528	42.4	39.1-45.7
25-34	145	30,565	65	44.2	35.0-53.4	80	55.8	46.6-65.0
35-44	216	29,315	111	53.5	46.2-60.8	105	46.5	39.2-53.8
45-54	384	38,798	249	65.1	59.8-70.4	135	34.9	29.6-40.2
55-64	324	29,350	229	71.0	65.5-76.5	95	29.0	23.5-34.5
65+	330	30,067	218	66.9	61.4-72.4	112	33.1	27.6-38.6
H.S. or G.E.D.	435	55,851	233	47.3	41.2-53.4	202	52.7	46.6-58.8
Some Post-H.S.	442	57,308	269	57.0	50.7-63.3	173	43.0	36.7-49.3
College Graduate	480	60,753	332	66.0	60.7-71.3	148	34.0	28.7-39.3
\$25,000- 34,999	199	23,736	124	54.0	44.6-63.4	75	46.0	36.6-55.4
\$35,000- 49,999	254	31,146	157	56.1	48.8-63.4	97	43.9	36.6-51.2
\$50,000- 74,999	277	38,354	181	59.0	51.7-66.3	96	41.0	33.7-48.3
\$75,000+	371	49,414	239	64.1	58.0-70.2	132	35.9	29.8-42.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 3: NOW I WOULD LIKE TO ASK YOU ABOUT YOUR KNOWLEDGE OF THE SIGNS AND SYMPTOMS OF A HEART ATTACK AND STROKE. WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A HEART ATTACK? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": DO YOU THINK PAIN OR DISCOMFORT IN THE JAW, NECK, OR BACK ARE SYMPTOMS OF A HEART ATTACK? (HASYP1)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2355	209,179	1888	76.9	74.4-79.4	467	23.1	20.6-25.6
Non-Native	2151	198,700	1755	78.0	75.5-80.5	396	22.0	19.5-24.5
25-34	238	30,385	152	64.7	58.0-71.4	86	35.3	28.6-42.0
35-44	348	32,004	255	75.0	70.1-79.9	93	25.0	20.1-29.9
45-54	536	40,615	444	83.5	80.0-87.0	92	16.5	13.0-20.0
55-64	470	31,948	410	88.1	85.0-91.2	60	11.9	08.8-15.0
65+	670	45,075	573	85.7	82.8-88.6	97	14.3	11.4-17.2
H.S. or G.E.D.	692	58,138	546	74.7	69.8-79.6	146	25.3	20.4-30.2
Some Post-H.S.	776	70,582	632	79.3	74.8-83.8	144	20.7	16.2-25.2
College Graduate	730	67,197	604	78.4	74.1-82.7	126	21.6	17.3-25.9
\$15,000- 24,999	373	30,748	286	73.0	65.9-80.1	87	27.0	19.9-34.1
\$25,000- 34,999	293	24,307	238	78.1	70.5-85.7	55	21.9	14.3-29.5
\$35,000- 49,999	359	29,398	308	82.8	77.5-88.1	51	17.2	11.9-22.5
\$50,000- 74,999	392	38,634	318	76.2	70.3-82.1	74	23.8	17.9-29.7
\$75,000+	377	39,583	320	83.3	78.6-88.0	57	16.7	12.0-21.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 4: DO YOU THINK FEELING WEAK, LIGHTEADED, OR FAINT ARE SYMPTOMS OF A HEART ATTACK? (HASYP2)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3891	413,787	3043	78.3	76.5-80.1	848	21.7	19.9-23.5	
Male	1560	202,909	1174	76.0	73.3-78.7	386	24.0	21.3-26.7	
Female	2331	210,878	1869	80.6	78.4-82.8	462	19.4	17.2-21.6	
Non-Native	3576	392,043	2812	78.5	76.7-80.3	764	21.5	19.7-23.3	
18-24	158	62,930	124	78.7	71.3-86.1	34	21.3	13.9-28.7	
25-34	430	70,299	354	80.4	75.7-85.1	76	19.6	14.9-24.3	
35-44	600	66,912	493	83.0	79.7-86.3	107	17.0	13.7-20.3	
45-54	907	77,836	736	80.7	77.8-83.6	171	19.3	16.4-22.2	
55-64	791	60,322	631	79.9	76.8-83.0	160	20.1	17.0-23.2	
65+	975	73,226	681	68.0	64.7-71.3	294	32.0	28.7-35.3	
Less Than H.S.	266	26,300	163	60.7	52.3-69.1	103	39.3	30.9-47.7	
H.S. or G.E.D.	1141	118,099	853	74.7	71.4-78.0	288	25.3	22.0-28.6	
Some Post-H.S.	1259	135,995	987	78.0	74.7-81.3	272	22.0	18.7-25.3	
College Graduate	1223	133,242	1038	85.4	82.9-87.9	185	14.6	12.1-17.1	
Less than \$15,000	319	29,742	221	66.4	57.4-75.4	98	33.6	24.6-42.6	
\$15,000- 24,999	539	49,358	410	73.2	67.5-78.9	129	26.8	21.1-32.5	
\$25,000- 34,999	484	48,702	387	80.7	76.0-85.4	97	19.3	14.6-24.0	
\$35,000- 49,999	622	62,988	490	79.4	75.5-83.3	132	20.6	16.7-24.5	
\$50,000- 74,999	668	78,895	550	81.6	77.9-85.3	118	18.4	14.7-22.1	
\$75,000+	768	92,176	622	80.6	77.1-84.1	146	19.4	15.9-22.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 5: DO YOU THINK FEELING WEAK, LIGHTHEADED, OR FAINT ARE SYMPTOMS OF A HEART ATTACK? (HASYP2)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1560	202,909	1174	76.0	73.3-78.7	386	24.0	21.3-26.7	
Non-Native	1446	192,706	1088	76.1	73.4-78.8	358	23.9	21.2-26.6	
25-34	172	36,594	134	75.7	68.1-83.3	38	24.3	16.7-31.9	
35-44	248	33,542	197	80.4	75.1-85.7	51	19.6	14.3-24.9	
45-54	386	38,438	310	79.9	75.4-84.4	76	20.1	15.6-24.6	
55-64	329	29,369	251	77.8	72.9-82.7	78	22.2	17.3-27.1	
65+	332	29,866	208	60.2	54.3-66.1	124	39.8	33.9-45.7	
H.S. or G.E.D.	460	61,078	332	74.2	69.1-79.3	128	25.8	20.7-30.9	
Some Post-H.S.	484	63,646	372	76.1	70.8-81.4	112	23.9	18.6-29.2	
College Graduate	495	64,182	401	81.5	77.2-85.8	94	18.5	14.2-22.8	
\$15,000- 24,999	169	18,253	122	67.7	57.9-77.5	47	32.3	22.5-42.1	
\$25,000- 34,999	205	25,686	157	77.5	70.2-84.8	48	22.5	15.2-29.8	
\$35,000- 49,999	264	33,535	190	73.3	67.0-79.6	74	26.7	20.4-33.0	
\$50,000- 74,999	289	40,240	237	81.3	75.6-87.0	52	18.7	13.0-24.4	
\$75,000+	391	52,550	302	77.3	72.2-82.4	89	22.7	17.6-27.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 6: DO YOU THINK FEELING WEAK, LIGHTHEADED, OR FAINT ARE SYMPTOMS OF A HEART ATTACK? (HASYP2)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2331	210,878	1869	80.6	78.4-82.8	462	19.4	17.2-21.6	
Native	188	10,484	135	77.0	67.8-86.2	53	23.0	13.8-32.2	
Non-Native	2130	199,337	1724	80.9	78.5-83.3	406	19.1	16.7-21.5	
25-34	258	33,705	220	85.4	80.5-90.3	38	14.6	09.7-19.5	
35-44	352	33,370	296	85.6	81.5-89.7	56	14.4	10.3-18.5	
45-54	521	39,398	426	81.5	77.8-85.2	95	18.5	14.8-22.2	
55-64	462	30,953	380	81.9	78.0-85.8	82	18.1	14.2-22.0	
65+	643	43,360	473	73.3	69.6-77.0	170	26.7	23.0-30.4	
H.S. or G.E.D.	681	57,021	521	75.3	70.8-79.8	160	24.7	20.2-29.2	
Some Post-H.S.	775	72,349	615	79.6	75.5-83.7	160	20.4	16.3-24.5	
College Graduate	728	69,060	637	89.0	86.5-91.5	91	11.0	08.5-13.5	
\$15,000- 24,999	370	31,104	288	76.3	69.4-83.2	82	23.7	16.8-30.6	
\$25,000- 34,999	279	23,016	230	84.4	78.5-90.3	49	15.6	09.7-21.5	
\$35,000- 49,999	358	29,453	300	86.4	82.5-90.3	58	13.6	09.7-17.5	
\$50,000- 74,999	379	38,655	313	81.8	76.7-86.9	66	18.2	13.1-23.3	
\$75,000+	377	39,626	320	84.9	80.4-89.4	57	15.1	10.6-19.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 7: [DO YOU THINK] CHEST PAIN OR DISCOMFORT [ARE SYMPTOMS FOR A HEART ATTACK]? (HASYMP3)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4389	463,911	4204	95.7	94.7-96.7	185	4.3	03.3-05.3	
Male	1767	227,430	1682	94.9	93.3-96.5	85	5.1	03.5-06.7	
Female	2622	236,481	2522	96.5	95.5-97.5	100	3.5	02.5-04.5	
Native	325	20,763	296	88.6	80.4-96.8	29	11.4	03.2-19.6	
Non-Native	4028	439,704	3876	96.1	95.1-97.1	152	3.9	02.9-04.9	
18-24	174	68,735	163	94.5	90.2-98.8	11	5.5	01.2-09.8	
25-34	479	78,810	465	95.6	92.5-98.7	14	4.4	01.3-07.5	
35-44	669	72,816	656	98.1	96.9-99.3	13	1.9	00.7-03.1	
45-54	1021	88,375	1003	98.1	97.1-99.1	18	1.9	00.9-02.9	
55-64	873	66,937	850	98.3	97.3-99.3	23	1.7	00.7-02.7	
65+	1141	85,805	1038	90.6	88.6-92.6	103	9.4	07.4-11.4	
Less Than H.S.	340	32,499	290	86.8	81.7-91.9	50	13.2	08.1-18.3	
H.S. or G.E.D.	1290	134,657	1219	94.6	92.6-96.6	71	5.4	03.4-07.4	
Some Post-H.S.	1395	149,062	1346	95.7	93.7-97.7	49	4.3	02.3-06.3	
College Graduate	1362	147,543	1347	98.7	97.9-99.5	15	1.3	00.5-02.1	
Less than \$15,000	355	32,657	315	87.4	80.5-94.3	40	12.6	05.7-19.5	
\$15,000- 24,999	626	57,065	591	93.1	90.0-96.2	35	6.9	03.8-10.0	
\$25,000- 34,999	547	55,280	520	96.1	94.5-97.7	27	3.9	02.3-05.5	
\$35,000- 49,999	702	70,277	693	98.6	97.4-99.8	9	1.4	00.2-02.6	
\$50,000- 74,999	751	87,399	736	97.0	95.0-99.0	15	3.0	01.0-05.0	
\$75,000+	851	103,514	836	97.9	96.3-99.5	15	2.1	00.5-03.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 8: [DO YOU THINK] CHEST PAIN OR DISCOMFORT [ARE SYMPTOMS FOR A HEART ATTACK]? (HASYMP3)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1767	227,430	1682	94.9	93.3-96.5	85	5.1	03.5-06.7	
Non-Native	1634	216,032	1561	95.3	93.7-96.9	73	4.7	03.1-06.3	
18-24	84	35,204	80	94.5	88.4-0100	4	5.5	00.0-11.6	
25-34	196	42,000	189	93.4	87.9-98.9	7	6.6	01.1-12.1	
35-44	277	36,709	268	97.1	95.1-99.1	9	2.9	00.9-04.9	
45-54	434	43,815	423	97.6	96.0-99.2	11	2.4	00.8-04.0	
55-64	373	33,156	362	98.4	97.2-99.6	11	1.6	00.4-02.8	
65+	390	35,425	349	88.3	84.8-91.8	41	11.7	08.2-15.2	
Less Than H.S.	154	17,015	134	85.4	76.8-94.0	20	14.6	06.0-23.2	
H.S. or G.E.D.	520	68,320	487	94.3	91.4-97.2	33	5.7	02.8-08.6	
Some Post-H.S.	535	69,774	510	94.3	91.0-97.6	25	5.7	02.4-09.0	
College Graduate	558	72,320	551	98.2	96.8-99.6	7	1.8	00.4-03.2	
\$15,000- 24,999	203	21,932	189	92.7	88.8-96.6	14	7.3	03.4-11.2	
\$25,000- 34,999	230	28,472	218	96.4	94.2-98.6	12	3.6	01.4-05.8	
\$35,000- 49,999	307	37,955	302	98.0	95.8-0100	5	2.0	00.0-04.2	
\$50,000- 74,999	328	44,816	319	97.1	95.1-99.1	9	2.9	00.9-04.9	
\$75,000+	436	59,537	423	96.6	94.1-99.1	13	3.4	00.9-05.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 9: [DO YOU THINK] CHEST PAIN OR DISCOMFORT [ARE SYMPTOMS FOR A HEART ATTACK]? (HASYMP3)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2622	236,481	2522	96.5	95.5-97.5	100	3.5	02.5-04.5	
Native	213	11,579	194	90.3	84.6-96.0	19	9.7	04.0-15.4	
Non-Native	2394	223,672	2315	96.9	95.7-98.1	79	3.1	01.9-04.3	
18-24	90	33,531	83	94.4	88.3-0100	7	5.6	00.0-11.7	
25-34	283	36,810	276	98.1	96.5-99.7	7	1.9	00.3-03.5	
35-44	392	36,107	388	99.2	98.2-0100	4	0.8	00.0-01.8	
45-54	587	44,560	580	98.6	97.4-99.8	7	1.4	00.2-02.6	
55-64	500	33,781	488	98.1	96.7-99.5	12	1.9	00.5-03.3	
65+	751	50,380	689	92.2	90.0-94.4	62	7.8	05.6-10.0	
Less Than H.S.	186	15,484	156	88.4	83.5-93.3	30	11.6	06.7-16.5	
H.S. or G.E.D.	770	66,337	732	94.9	92.4-97.4	38	5.1	02.6-07.6	
Some Post-H.S.	860	79,287	836	97.0	95.0-99.0	24	3.0	01.0-05.0	
College Graduate	804	75,223	796	99.1	98.5-99.7	8	0.9	00.3-01.5	
Less than \$15,000	240	19,767	219	93.9	90.8-97.0	21	6.1	03.0-09.2	
\$15,000- 24,999	423	35,134	402	93.4	88.9-97.9	21	6.6	02.1-11.1	
\$25,000- 34,999	317	26,808	302	95.7	93.2-98.2	15	4.3	01.8-06.8	
\$35,000- 49,999	395	32,322	391	99.3	98.5-0100	4	0.7	00.0-01.5	
\$50,000- 74,999	423	42,582	417	96.8	93.3-0100	6	3.2	00.0-06.7	
\$75,000+	415	43,978	413	99.7	99.1-0100	2	0.3	00.0-00.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 10: [DO YOU THINK] SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES [IS A SYMPTOM OF A HEART ATTACK]? (HASYP4)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3395	358,485	1618	49.5	47.3-51.7	1777	50.5	48.3-52.7	
Male	1389	179,608	660	49.2	45.9-52.5	729	50.8	47.5-54.1	
Female	2006	178,877	958	49.8	46.9-52.7	1048	50.2	47.3-53.1	
Non-Native	3102	338,911	1480	49.7	47.3-52.1	1622	50.3	47.9-52.7	
18-24	131	51,964	77	60.2	50.6-69.8	54	39.8	30.2-49.4	
25-34	358	59,089	187	50.4	44.3-56.5	171	49.6	43.5-55.7	
35-44	508	56,038	234	49.1	44.2-54.0	274	50.9	46.0-55.8	
45-54	792	68,186	376	46.6	42.7-50.5	416	53.4	49.5-57.3	
55-64	686	53,670	356	52.9	48.6-57.2	330	47.1	42.8-51.4	
65+	895	67,715	378	41.2	37.7-44.7	517	58.8	55.3-62.3	
Less Than H.S.	249	24,372	84	40.8	31.6-50.0	165	59.2	50.0-68.4	
H.S. or G.E.D.	991	103,015	471	46.8	42.7-50.9	520	53.2	49.1-57.3	
Some Post-H.S.	1092	116,348	561	53.3	49.2-57.4	531	46.7	42.6-50.8	
College Graduate	1062	114,664	501	49.8	46.1-53.5	561	50.2	46.5-53.9	
Less than \$15,000	280	26,095	124	42.9	33.3-52.5	156	57.1	47.5-66.7	
\$15,000- 24,999	488	44,989	229	48.6	42.1-55.1	259	51.4	44.9-57.9	
\$25,000- 34,999	418	42,235	208	53.5	46.8-60.2	210	46.5	39.8-53.2	
\$35,000- 49,999	528	53,554	252	49.8	44.5-55.1	276	50.2	44.9-55.5	
\$50,000- 74,999	578	67,848	290	51.9	47.0-56.8	288	48.1	43.2-53.0	
\$75,000+	676	81,263	324	48.9	44.2-53.6	352	51.1	46.4-55.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 11: [DO YOU THINK] SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES [IS A SYMPTOM OF A HEART ATTACK]? (HASYP4)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1389	179,608	660	49.2	45.9-52.5	729	50.8	47.5-54.1
Non-Native	1284	170,461	608	49.5	46.0-53.0	676	50.5	47.0-54.0
25-34	155	32,213	83	52.0	43.0-61.0	72	48.0	39.0-57.0
35-44	221	29,935	105	50.2	43.1-57.3	116	49.8	42.7-56.9
45-54	343	34,194	158	45.6	39.7-51.5	185	54.4	48.5-60.3
55-64	284	26,186	146	52.9	46.4-59.4	138	47.1	40.6-53.6
65+	309	28,556	128	40.4	34.3-46.5	181	59.6	53.5-65.7
H.S. or G.E.D.	414	54,680	192	45.5	39.2-51.8	222	54.5	48.2-60.8
Some Post-H.S.	425	56,085	226	56.4	50.1-62.7	199	43.6	37.3-49.9
College Graduate	434	55,574	205	48.4	42.7-54.1	229	51.6	45.9-57.3
\$15,000- 24,999	162	18,126	74	43.8	33.8-53.8	88	56.2	46.2-66.2
\$25,000- 34,999	180	22,818	85	52.0	42.2-61.8	95	48.0	38.2-57.8
\$35,000- 49,999	232	29,318	99	45.3	37.7-52.9	133	54.7	47.1-62.3
\$50,000- 74,999	254	34,658	133	53.9	46.5-61.3	121	46.1	38.7-53.5
\$75,000+	350	47,115	172	49.3	42.8-55.8	178	50.7	44.2-57.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 12: [DO YOU THINK] SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES [IS A SYMPTOM OF A HEART ATTACK]? (HASYP4)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2006	178,877	958	49.8	46.9-52.7	1048	50.2	47.3-53.1	
Non-Native	1818	168,450	872	49.8	46.9-52.7	946	50.2	47.3-53.1	
25-34	203	26,876	104	48.5	41.1-55.9	99	51.5	44.1-58.9	
35-44	287	26,103	129	47.9	41.4-54.4	158	52.1	45.6-58.6	
45-54	449	33,992	218	47.7	42.6-52.8	231	52.3	47.2-57.4	
55-64	402	27,483	210	53.0	47.5-58.5	192	47.0	41.5-52.5	
65+	586	39,159	250	41.8	37.3-46.3	336	58.2	53.7-62.7	
H.S. or G.E.D.	577	48,336	279	48.3	43.0-53.6	298	51.7	46.4-57.0	
Some Post-H.S.	667	60,263	335	50.5	45.2-55.8	332	49.5	44.2-54.8	
College Graduate	628	59,090	296	51.1	46.2-56.0	332	48.9	44.0-53.8	
\$15,000- 24,999	326	26,863	155	51.9	43.7-60.1	171	48.1	39.9-56.3	
\$25,000- 34,999	238	19,417	123	55.2	46.4-64.0	115	44.8	36.0-53.6	
\$35,000- 49,999	296	24,236	153	55.2	48.5-61.9	143	44.8	38.1-51.5	
\$50,000- 74,999	324	33,190	157	49.7	43.0-56.4	167	50.3	43.6-57.0	
\$75,000+	326	34,148	152	48.3	41.6-55.0	174	51.7	45.0-58.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 13: [DO YOU THINK] PAIN OR DISCOMFORT IN THE ARMS OR SHOULDER [ARE SYMPTOMS OF A HEART ATTACK]? (HASYP5)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4328	452,753	4002	92.3	91.1-93.5	326	7.7	06.5-08.9	
Male	1725	221,662	1556	90.0	87.8-92.2	169	10.0	07.8-12.2	
Female	2603	231,091	2446	94.4	93.2-95.6	157	5.6	04.4-06.8	
Native	316	19,884	269	84.7	76.1-93.3	47	15.3	06.7-23.9	
Non-Native	3978	429,549	3705	92.7	91.5-93.9	273	7.3	06.1-08.5	
18-24	160	61,716	135	85.7	79.0-92.4	25	14.3	07.6-21.0	
25-34	468	77,567	446	95.1	92.4-97.8	22	4.9	02.2-07.6	
35-44	662	72,091	632	95.4	93.6-97.2	30	4.6	02.8-06.4	
45-54	1008	86,981	965	96.0	94.6-97.4	43	4.0	02.6-05.4	
55-64	862	66,187	817	95.8	94.2-97.4	45	4.2	02.6-05.8	
65+	1138	85,934	979	85.3	82.9-87.7	159	14.7	12.3-17.1	
Less Than H.S.	328	31,704	263	82.9	77.8-88.0	65	17.1	12.0-22.2	
H.S. or G.E.D.	1271	128,985	1140	88.5	85.8-91.2	131	11.5	08.8-14.2	
Some Post-H.S.	1388	147,270	1300	93.4	91.2-95.6	88	6.6	04.4-08.8	
College Graduate	1339	144,644	1297	96.5	94.9-98.1	42	3.5	01.9-05.1	
Less than \$15,000	349	31,536	290	82.9	76.0-89.8	59	17.1	10.2-24.0	
\$15,000- 24,999	628	57,513	554	86.0	81.5-90.5	74	14.0	09.5-18.5	
\$25,000- 34,999	531	52,478	488	92.5	89.6-95.4	43	7.5	04.6-10.4	
\$35,000- 49,999	691	68,988	666	96.5	94.7-98.3	25	3.5	01.7-05.3	
\$50,000- 74,999	741	85,995	721	96.0	93.5-98.5	20	4.0	01.5-06.5	
\$75,000+	835	99,912	802	96.1	94.3-97.9	33	3.9	02.1-05.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 14: [DO YOU THINK] PAIN OR DISCOMFORT IN THE ARMS OR SHOULDER [ARE SYMPTOMS OF A HEART ATTACK]? (HASYP5)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1725	221,662	1556	90.0	87.8-92.2	169	10.0	07.8-12.2	
Non-Native	1596	210,528	1452	90.4	88.2-92.6	144	9.6	07.4-11.8	
25-34	191	41,358	180	94.1	89.2-99.0	11	5.9	01.0-10.8	
35-44	273	36,323	256	94.0	90.9-97.1	17	6.0	02.9-09.1	
45-54	423	42,696	396	95.0	92.8-97.2	27	5.0	02.8-07.2	
55-64	362	32,428	337	94.9	92.5-97.3	25	5.1	02.7-07.5	
65+	384	35,245	315	81.3	77.0-85.6	69	18.7	14.4-23.0	
Less Than H.S.	147	16,911	113	79.5	71.1-87.9	34	20.5	12.1-28.9	
H.S. or G.E.D.	509	66,266	439	86.0	81.3-90.7	70	14.0	09.3-18.7	
Some Post-H.S.	525	67,652	481	91.3	87.6-95.0	44	8.7	05.0-12.4	
College Graduate	544	70,833	523	95.1	92.4-97.8	21	4.9	02.2-07.6	
\$15,000- 24,999	208	22,910	171	80.1	71.9-88.3	37	19.9	11.7-28.1	
\$25,000- 34,999	216	26,789	193	90.9	86.0-95.8	23	9.1	04.2-14.0	
\$35,000- 49,999	298	36,893	278	94.1	91.0-97.2	20	5.9	02.8-09.0	
\$50,000- 74,999	321	43,880	311	95.8	92.1-99.5	10	4.2	00.5-07.9	
\$75,000+	426	57,288	403	94.8	92.1-97.5	23	5.2	02.5-07.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 15: [DO YOU THINK] PAIN OR DISCOMFORT IN THE ARMS OR SHOULDER [ARE SYMPTOMS OF A HEART ATTACK]? (HASYMP5)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2603	231,091	2446	94.4	93.2-95.6	157	5.6	04.4-06.8
Native	207	10,988	181	85.9	78.6-93.2	26	14.1	06.8-21.4
Non-Native	2382	219,021	2253	94.9	93.7-96.1	129	5.1	03.9-06.3
18-24	80	29,112	73	93.5	86.6-0100	7	6.5	00.0-13.4
25-34	277	36,209	266	96.2	93.8-98.6	11	3.8	01.4-06.2
35-44	389	35,768	376	96.7	94.7-98.7	13	3.3	01.3-05.3
45-54	585	44,285	569	97.0	95.4-98.6	16	3.0	01.4-04.6
55-64	500	33,759	480	96.7	94.9-98.5	20	3.3	01.5-05.1
65+	754	50,689	664	88.1	85.6-90.6	90	11.9	09.4-14.4
Less Than H.S.	181	14,793	150	86.9	81.4-92.4	31	13.1	07.6-18.6
H.S. or G.E.D.	762	62,719	701	91.2	88.3-94.1	61	8.8	05.9-11.7
Some Post-H.S.	863	79,618	819	95.2	93.0-97.4	44	4.8	02.6-07.0
College Graduate	795	73,811	774	97.9	96.9-98.9	21	2.1	01.1-03.1
Less than \$15,000	241	19,002	212	90.2	85.9-94.5	29	9.8	05.5-14.1
\$15,000- 24,999	420	34,603	383	89.9	85.0-94.8	37	10.1	05.2-15.0
\$25,000- 34,999	315	25,690	295	94.3	91.4-97.2	20	5.7	02.8-08.6
\$35,000- 49,999	393	32,095	388	99.2	98.4-0100	5	0.8	00.0-01.6
\$50,000- 74,999	420	42,115	410	96.1	92.6-99.6	10	3.9	00.4-07.4
\$75,000+	409	42,624	399	97.8	96.2-99.4	10	2.2	00.6-03.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 16: [DO YOU THINK] SHORTNESS OF BREATH [IS A SYMPTOM OF A HEART ATTACK]? (HASYP6)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4276	450,861	3967	93.0	91.8-94.2	309	7.0	05.8-08.2	
Male	1714	221,067	1560	91.5	89.7-93.3	154	8.5	06.7-10.3	
Female	2562	229,794	2407	94.4	93.2-95.6	155	5.6	04.4-06.8	
Native	321	20,469	294	89.7	81.5-97.9	27	10.3	02.1-18.5	
Non-Native	3918	426,961	3644	93.2	92.2-94.2	274	6.8	05.8-07.8	
18-24	170	66,471	155	92.2	87.3-97.1	15	7.8	02.9-12.7	
25-34	463	76,206	442	94.8	91.9-97.7	21	5.2	02.3-08.1	
35-44	651	71,260	619	94.6	92.6-96.6	32	5.4	03.4-07.4	
45-54	995	85,722	948	95.3	93.7-96.9	47	4.7	03.1-06.3	
55-64	858	65,535	817	95.7	94.1-97.3	41	4.3	02.7-05.9	
65+	1108	83,320	958	86.0	83.6-88.4	150	14.0	11.6-16.4	
Less Than H.S.	334	32,480	280	87.4	83.5-91.3	54	12.6	08.7-16.5	
H.S. or G.E.D.	1261	130,699	1135	89.5	87.0-92.0	126	10.5	08.0-13.0	
Some Post-H.S.	1355	143,758	1263	93.0	90.8-95.2	92	7.0	04.8-09.2	
College Graduate	1324	143,773	1287	97.4	96.4-98.4	37	2.6	01.6-03.6	
Less than \$15,000	350	32,201	298	87.3	81.2-93.4	52	12.7	06.6-18.8	
\$15,000- 24,999	616	56,096	553	89.2	85.7-92.7	63	10.8	07.3-14.3	
\$25,000- 34,999	529	52,563	493	93.9	91.5-96.3	36	6.1	03.7-08.5	
\$35,000- 49,999	675	67,382	640	93.8	91.3-96.3	35	6.2	03.7-08.7	
\$50,000- 74,999	732	85,626	695	93.7	91.2-96.2	37	6.3	03.8-08.8	
\$75,000+	826	100,873	801	96.7	95.1-98.3	25	3.3	01.7-04.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 17: [DO YOU THINK] SHORTNESS OF BREATH [IS A SYMPTOM OF A HEART ATTACK]? (HASYP6)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1714	221,067	1560	91.5	89.7-93.3	154	8.5	06.7-10.3
Non-Native	1582	209,496	1442	91.8	90.0-93.6	140	8.2	06.4-10.0
18-24	84	34,733	75	90.2	82.9-97.5	9	9.8	02.5-17.1
25-34	189	40,692	179	93.8	88.9-98.7	10	6.2	01.3-11.1
35-44	267	35,906	249	92.7	89.4-96.0	18	7.3	04.0-10.6
45-54	426	42,778	397	94.3	91.9-96.7	29	5.7	03.3-08.1
55-64	360	31,820	338	94.8	92.3-97.3	22	5.2	02.7-07.7
65+	375	34,016	311	82.5	78.2-86.8	64	17.5	13.2-21.8
Less Than H.S.	152	16,796	130	88.6	83.3-93.9	22	11.4	06.1-16.7
H.S. or G.E.D.	505	66,738	441	87.8	83.9-91.7	64	12.2	08.3-16.1
Some Post-H.S.	515	67,172	465	90.6	86.9-94.3	50	9.4	05.7-13.1
College Graduate	542	70,361	524	96.5	94.5-98.5	18	3.5	01.5-05.5
\$15,000- 24,999	201	21,580	174	87.0	81.7-92.3	27	13.0	07.7-18.3
\$25,000- 34,999	218	27,067	198	92.5	88.8-96.2	20	7.5	03.8-11.2
\$35,000- 49,999	293	36,169	264	89.8	85.3-94.3	29	10.2	05.7-14.7
\$50,000- 74,999	318	43,698	297	92.7	89.2-96.2	21	7.3	03.8-10.8
\$75,000+	422	58,074	408	96.3	93.9-98.7	14	3.7	01.3-06.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 18: [DO YOU THINK] SHORTNESS OF BREATH [IS A SYMPTOM OF A HEART ATTACK]? (HASYP6)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2562	229,794	2407	94.4	93.2-95.6	155	5.6	04.4-06.8	
Native	210	11,056	192	91.0	84.9-97.1	18	9.0	02.9-15.1	
Non-Native	2336	217,464	2202	94.6	93.4-95.8	134	5.4	04.2-06.6	
18-24	86	31,738	80	94.3	88.0-0100	6	5.7	00.0-12.0	
25-34	274	35,514	263	95.9	93.4-98.4	11	4.1	01.6-06.6	
35-44	384	35,354	370	96.5	94.5-98.5	14	3.5	01.5-05.5	
45-54	569	42,943	551	96.4	94.4-98.4	18	3.6	01.6-05.6	
55-64	498	33,716	479	96.7	94.9-98.5	19	3.3	01.5-05.1	
65+	733	49,304	647	88.4	85.9-90.9	86	11.6	09.1-14.1	
Less Than H.S.	182	15,684	150	86.1	80.4-91.8	32	13.9	08.2-19.6	
H.S. or G.E.D.	756	63,962	694	91.2	88.3-94.1	62	8.8	05.9-11.7	
Some Post-H.S.	840	76,586	798	95.0	92.6-97.4	42	5.0	02.6-07.4	
College Graduate	782	73,412	763	98.2	97.2-99.2	19	1.8	00.8-02.8	
Less than \$15,000	237	19,421	208	91.2	87.3-95.1	29	8.8	04.9-12.7	
\$15,000- 24,999	415	34,516	379	90.5	85.8-95.2	36	9.5	04.8-14.2	
\$25,000- 34,999	311	25,496	295	95.4	92.7-98.1	16	4.6	01.9-07.3	
\$35,000- 49,999	382	31,212	376	98.5	97.1-99.9	6	1.5	00.1-02.9	
\$50,000- 74,999	414	41,929	398	94.7	91.0-98.4	16	5.3	01.6-09.0	
\$75,000+	404	42,799	393	97.2	95.4-99.0	11	2.8	01.0-04.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 19: WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A STROKE? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE". (DO YOU THINK) SUDDEN CONFUSION OR TROUBLE SPEAKING (ARE SYMPTOMS OF A STROKE?) (STRSYMP1)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4217	445,015	4091	96.9	96.1-97.7	126	3.1	02.3-03.9
Male	1657	213,339	1593	96.3	94.9-97.7	64	3.7	02.3-05.1
Female	2560	231,676	2498	97.5	96.7-98.3	62	2.5	01.7-03.3
Native	292	19,393	274	90.1	81.5-98.7	18	9.9	01.3-18.5
Non-Native	3895	422,693	3791	97.3	96.7-97.9	104	2.7	02.1-03.3
18-24	161	64,414	149	94.7	90.6-98.8	12	5.3	01.2-09.4
25-34	457	75,279	445	98.0	96.6-99.4	12	2.0	00.6-03.4
35-44	652	71,211	638	97.9	96.7-99.1	14	2.1	00.9-03.3
45-54	1002	86,561	985	98.0	97.0-99.0	17	2.0	01.0-03.0
55-64	846	64,922	830	98.2	97.2-99.2	16	1.8	00.8-02.8
65+	1069	80,364	1014	94.4	92.8-96.0	55	5.6	04.0-07.2
Less Than H.S.	283	27,153	252	86.9	80.8-93.0	31	13.1	07.0-19.2
H.S. or G.E.D.	1238	128,893	1193	96.1	94.3-97.9	45	3.9	02.1-05.7
Some Post-H.S.	1364	146,045	1329	97.6	96.6-98.6	35	2.4	01.4-03.4
College Graduate	1330	142,774	1315	98.8	98.2-99.4	15	1.2	00.6-01.8
Less than \$15,000	323	30,470	303	94.5	90.8-98.2	20	5.5	01.8-09.2
\$15,000- 24,999	595	53,185	563	94.4	92.2-96.6	32	5.6	03.4-07.8
\$25,000- 34,999	524	53,125	516	98.6	97.6-99.6	8	1.4	00.4-02.4
\$35,000- 49,999	680	67,078	667	98.0	96.8-99.2	13	2.0	00.8-03.2
\$50,000- 74,999	735	85,344	725	98.4	97.0-99.8	10	1.6	00.2-03.0
\$75,000+	827	101,096	815	98.0	96.6-99.4	12	2.0	00.6-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 20: WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A STROKE? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE". (DO YOU THINK) SUDDEN CONFUSION OR TROUBLE SPEAKING (ARE SYMPTOMS OF A STROKE?) (STRSYMP1)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1657	213,339	1593	96.3	94.9-97.7	64	3.7	02.3-05.1
Non-Native	1542	202,638	1487	96.7	95.5-97.9	55	3.3	02.1-04.5
18-24	74	31,312	69	92.2	84.9-99.5	5	7.8	00.5-15.1
25-34	180	39,183	178	99.3	98.1-0100	2	0.7	00.0-01.9
35-44	269	35,900	261	97.2	95.2-99.2	8	2.8	00.8-04.8
45-54	424	42,906	411	97.2	95.4-99.0	13	2.8	01.0-04.6
55-64	351	31,233	340	97.5	95.7-99.3	11	2.5	00.7-04.3
65+	348	31,853	323	93.2	90.5-95.9	25	6.8	04.1-09.5
Less Than H.S.	122	13,388	109	87.0	78.2-95.8	13	13.0	04.2-21.8
H.S. or G.E.D.	486	64,326	461	95.0	91.9-98.1	25	5.0	01.9-08.1
Some Post-H.S.	511	66,656	494	97.1	95.1-99.1	17	2.9	00.9-04.9
College Graduate	538	68,970	529	98.6	97.6-99.6	9	1.4	00.4-02.4
Less than \$15,000	101	11,862	91	92.7	84.3-0100	10	7.3	00.0-15.7
\$15,000- 24,999	184	19,133	168	90.4	85.5-95.3	16	9.6	04.7-14.5
\$25,000- 34,999	210	26,478	204	98.0	96.2-99.8	6	2.0	00.2-03.8
\$35,000- 49,999	288	34,922	280	97.7	95.9-99.5	8	2.3	00.5-04.1
\$50,000- 74,999	315	43,152	310	98.0	95.5-0100	5	2.0	00.0-04.5
\$75,000+	418	57,617	411	98.6	97.4-99.8	7	1.4	00.2-02.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 21: WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A STROKE? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE". (DO YOU THINK) SUDDEN CONFUSION OR TROUBLE SPEAKING (ARE SYMPTOMS OF A STROKE?) (STRSYMP1)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2560	231,676	2498	97.5	96.7-98.3	62	2.5	01.7-03.3
Native	192	10,412	181	92.2	86.3-98.1	11	7.8	01.9-13.7
Non-Native	2353	220,055	2304	97.8	97.0-98.6	49	2.2	01.4-03.0
18-24	87	33,101	80	97.0	93.5-0100	7	3.0	00.0-06.5
25-34	277	36,097	267	96.5	94.1-98.9	10	3.5	01.1-05.9
35-44	383	35,311	377	98.7	97.5-99.9	6	1.3	00.1-02.5
45-54	578	43,655	574	98.9	97.7-0100	4	1.1	00.0-02.3
55-64	495	33,689	490	98.8	97.6-0100	5	1.2	00.0-02.4
65+	721	48,511	691	95.3	93.5-97.1	30	4.7	02.9-06.5
Less Than H.S.	161	13,765	143	86.8	78.4-95.2	18	13.2	04.8-21.6
H.S. or G.E.D.	752	64,567	732	97.3	95.9-98.7	20	2.7	01.3-04.1
Some Post-H.S.	853	79,389	835	98.0	96.8-99.2	18	2.0	00.8-03.2
College Graduate	792	73,804	786	98.9	98.1-99.7	6	1.1	00.3-01.9
Less than \$15,000	222	18,609	212	95.6	92.5-98.7	10	4.4	01.3-07.5
\$15,000- 24,999	411	34,052	395	96.6	94.6-98.6	16	3.4	01.4-05.4
\$25,000- 34,999	314	26,648	312	99.3	98.3-0100	2	0.7	00.0-01.7
\$35,000- 49,999	392	32,156	387	98.2	96.4-0100	5	1.8	00.0-03.6
\$50,000- 74,999	420	42,192	415	98.8	97.6-0100	5	1.2	00.0-02.4
\$75,000+	409	43,480	404	97.4	94.7-0100	5	2.6	00.0-05.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 22: (DO YOU THINK) SUDDEN NUMBNESS OR WEAKNESS OF FACE, ARM, OR LEG, ESPECIALLY ON ONE SIDE (ARE SYMPTOMS OF A STROKE?) (STRSYMP2)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4356	461,865	4266	98.2	97.6-98.8	90	1.8	01.2-02.4	
Male	1742	225,296	1697	97.8	96.8-98.8	45	2.2	01.2-03.2	
Female	2614	236,569	2569	98.5	98.1-98.9	45	1.5	01.1-01.9	
Native	312	20,736	301	92.9	84.9-0100	11	7.1	00.0-15.1	
Non-Native	4008	437,560	3934	98.5	98.1-98.9	74	1.5	01.1-01.9	
18-24	172	68,829	166	98.1	95.6-0100	6	1.9	00.0-04.4	
25-34	471	78,137	469	99.5	98.9-0100	2	0.5	00.0-01.1	
35-44	665	72,603	657	98.9	98.1-99.7	8	1.1	00.3-01.9	
45-54	1017	88,250	1013	99.5	98.9-0100	4	0.5	00.0-01.1	
55-64	866	66,233	854	98.9	98.1-99.7	12	1.1	00.3-01.9	
65+	1134	85,492	1076	94.4	92.8-96.0	58	5.6	04.0-07.2	
Less Than H.S.	324	30,924	297	93.3	90.4-96.2	27	6.7	03.8-09.6	
H.S. or G.E.D.	1286	135,167	1252	97.1	95.7-98.5	34	2.9	01.5-04.3	
Some Post-H.S.	1397	149,722	1376	98.9	98.3-99.5	21	1.1	00.5-01.7	
College Graduate	1347	145,901	1339	99.4	99.0-99.8	8	0.6	00.2-01.0	
Less than \$15,000	349	32,425	333	96.8	94.8-98.8	16	3.2	01.2-05.2	
\$15,000- 24,999	627	56,810	605	96.3	94.5-98.1	22	3.7	01.9-05.5	
\$25,000- 34,999	541	54,775	530	98.2	97.0-99.4	11	1.8	00.6-03.0	
\$35,000- 49,999	693	69,387	688	99.5	99.1-99.9	5	0.5	00.1-00.9	
\$50,000- 74,999	751	87,556	744	98.9	98.1-99.7	7	1.1	00.3-01.9	
\$75,000+	837	101,781	835	99.8	99.6-0100	2	0.2	00.0-00.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 23: (DO YOU THINK) SUDDEN NUMBNESS OR WEAKNESS OF FACE, ARM, OR LEG, ESPECIALLY ON ONE SIDE (ARE SYMPTOMS OF A STROKE?) (STRSYMP2)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	1742	225,296	1697	97.8	96.8-98.8	45	2.2	01.2-03.2		
Non-Native	1615	213,700	1576	98.3	97.7-98.9	39	1.7	01.1-02.3		
18-24	81	34,748	80	97.5	92.8-0100	1	2.5	00.0-07.2		
25-34	190	41,433	189	99.4	98.2-0100	1	0.6	00.0-01.8		
35-44	276	36,738	273	99.1	97.9-0100	3	0.9	00.0-02.1		
45-54	435	44,041	432	99.5	98.7-0100	3	0.5	00.0-01.3		
55-64	365	32,372	358	98.8	97.6-0100	7	1.2	00.0-02.4		
65+	383	34,955	353	91.9	89.0-94.8	30	8.1	05.2-11.0		
Less Than H.S.	148	15,756	135	93.4	89.1-97.7	13	6.6	02.3-10.9		
H.S. or G.E.D.	515	68,889	494	96.0	93.3-98.7	21	4.0	01.3-06.7		
Some Post-H.S.	532	69,692	523	98.9	98.1-99.7	9	1.1	00.3-01.9		
College Graduate	547	70,958	545	99.5	98.7-0100	2	0.5	00.0-01.3		
Less than \$15,000	113	12,732	105	96.9	94.0-99.8	8	3.1	00.2-06.0		
\$15,000- 24,999	201	21,482	191	94.7	91.2-98.2	10	5.3	01.8-08.8		
\$25,000- 34,999	225	28,226	216	97.0	94.8-99.2	9	3.0	00.8-05.2		
\$35,000- 49,999	300	37,050	297	99.3	98.5-0100	3	0.7	00.0-01.5		
\$50,000- 74,999	327	44,920	324	99.0	97.8-0100	3	1.0	00.0-02.2		
\$75,000+	426	58,065	424	99.6	99.2-0100	2	0.4	00.0-00.8		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 24: (DO YOU THINK) SUDDEN NUMBNESS OR WEAKNESS OF FACE, ARM, OR LEG, ESPECIALLY ON ONE SIDE (ARE SYMPTOMS OF A STROKE?) (STRSYMP2)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2614	236,569	2569	98.5	98.1-98.9	45	1.5	01.1-01.9	
Native	206	11,500	198	94.8	90.5-99.1	8	5.2	00.9-09.5	
Non-Native	2393	223,859	2358	98.8	98.4-99.2	35	1.2	00.8-01.6	
18-24	91	34,081	86	98.8	97.4-0100	5	1.2	00.0-02.6	
25-34	281	36,704	280	99.6	98.8-0100	1	0.4	00.0-01.2	
35-44	389	35,865	384	98.7	97.3-0100	5	1.3	00.0-02.7	
45-54	582	44,210	581	99.6	98.8-0100	1	0.4	00.0-01.2	
55-64	501	33,860	496	99.1	98.1-0100	5	0.9	00.0-01.9	
65+	751	50,537	723	96.1	94.5-97.7	28	3.9	02.3-05.5	
Less Than H.S.	176	15,168	162	93.3	89.2-97.4	14	6.7	02.6-10.8	
H.S. or G.E.D.	771	66,278	758	98.3	97.3-99.3	13	1.7	00.7-02.7	
Some Post-H.S.	865	80,030	853	99.0	98.4-99.6	12	1.0	00.4-01.6	
College Graduate	800	74,943	794	99.3	98.7-99.9	6	0.7	00.1-01.3	
Less than \$15,000	236	19,693	228	96.7	94.2-99.2	8	3.3	00.8-05.8	
\$15,000- 24,999	426	35,328	414	97.2	95.4-99.0	12	2.8	01.0-04.6	
\$25,000- 34,999	316	26,549	314	99.6	99.0-0100	2	0.4	00.0-01.0	
\$35,000- 49,999	393	32,337	391	99.8	99.4-0100	2	0.2	00.0-00.6	
\$50,000- 74,999	424	42,635	420	98.9	97.7-0100	4	1.1	00.0-02.3	
\$75,000+	411	43,716	411	100.0	0100-0100				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 25: (DO YOU THINK) SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES (IS A SYMPTOM OF A STROKE?) (STRSYMP3)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3564	376,794	3219	90.5	89.1-91.9	345	9.5	08.1-10.9	
Male	1409	183,950	1242	88.6	86.2-91.0	167	11.4	09.0-13.8	
Female	2155	192,845	1977	92.3	90.7-93.9	178	7.7	06.1-09.3	
Non-Native	3270	356,273	2965	90.9	89.5-92.3	305	9.1	07.7-10.5	
18-24	140	57,836	123	89.8	83.9-95.7	17	10.2	04.3-16.1	
25-34	372	60,984	351	93.6	90.5-96.7	21	6.4	03.3-09.5	
35-44	542	59,130	492	91.3	88.6-94.0	50	8.7	06.0-11.4	
45-54	844	72,536	781	91.9	89.7-94.1	63	8.1	05.9-10.3	
55-64	732	56,636	680	93.6	91.6-95.6	52	6.4	04.4-08.4	
65+	908	67,676	770	83.7	81.0-86.4	138	16.3	13.6-19.0	
Less Than H.S.	238	24,559	178	77.4	69.8-85.0	60	22.6	15.0-30.2	
H.S. or G.E.D.	1007	103,602	871	85.8	82.7-88.9	136	14.2	11.1-17.3	
Some Post-H.S.	1154	123,488	1061	92.5	90.5-94.5	93	7.5	05.5-09.5	
College Graduate	1164	125,061	1108	94.9	93.1-96.7	56	5.1	03.3-06.9	
Less than \$15,000	281	26,534	218	78.7	71.1-86.3	63	21.3	13.7-28.9	
\$15,000- 24,999	491	45,406	436	86.7	81.6-91.8	55	13.3	08.2-18.4	
\$25,000- 34,999	438	44,589	387	89.1	85.2-93.0	51	10.9	07.0-14.8	
\$35,000- 49,999	565	55,419	527	92.6	89.9-95.3	38	7.4	04.7-10.1	
\$50,000- 74,999	625	73,395	586	93.3	90.8-95.8	39	6.7	04.2-09.2	
\$75,000+	716	85,867	676	94.3	92.1-96.5	40	5.7	03.5-07.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 26: (DO YOU THINK) SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES (IS A SYMPTOM OF A STROKE?) (STRSYMP3)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1409	183,950	1242	88.6	86.2-91.0	167	11.4	09.0-13.8	
Non-Native	1304	174,117	1152	89.2	87.0-91.4	152	10.8	08.6-13.0	
18-24	70	30,709	63	87.0	77.8-96.2	7	13.0	03.8-22.2	
25-34	149	32,440	136	90.9	85.2-96.6	13	9.1	03.4-14.8	
35-44	222	30,094	198	90.0	85.7-94.3	24	10.0	05.7-14.3	
45-54	349	35,483	306	88.9	85.2-92.6	43	11.1	07.4-14.8	
55-64	300	26,732	281	95.0	92.5-97.5	19	5.0	02.5-07.5	
65+	309	27,596	252	80.7	75.8-85.6	57	19.3	14.4-24.2	
H.S. or G.E.D.	404	53,009	337	84.0	79.3-88.7	67	16.0	11.3-20.7	
Some Post-H.S.	437	58,459	394	90.9	87.4-94.4	43	9.1	05.6-12.6	
College Graduate	456	59,261	430	93.8	90.7-96.9	26	6.2	03.1-09.3	
\$15,000- 24,999	162	17,887	137	81.1	71.9-90.3	25	18.9	09.7-28.1	
\$25,000- 34,999	173	22,454	147	87.3	81.8-92.8	26	12.7	07.2-18.2	
\$35,000- 49,999	235	28,967	210	89.7	85.2-94.2	25	10.3	05.8-14.8	
\$50,000- 74,999	267	37,279	244	91.0	86.5-95.5	23	9.0	04.5-13.5	
\$75,000+	354	48,608	329	92.7	89.4-96.0	25	7.3	04.0-10.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 27: (DO YOU THINK) SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES (IS A SYMPTOM OF A STROKE?) (STRSYMP3)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2155	192,845	1977	92.3	90.7-93.9	178	7.7	06.1-09.3
Native	176	9,768	153	88.0	80.9-95.1	23	12.0	04.9-19.1
Non-Native	1966	182,156	1813	92.5	90.9-94.1	153	7.5	05.9-09.1
18-24	70	27,127	60	93.0	86.3-99.7	10	7.0	00.3-13.7
25-34	223	28,544	215	96.7	94.2-99.2	8	3.3	00.8-05.8
35-44	320	29,037	294	92.8	89.7-95.9	26	7.2	04.1-10.3
45-54	495	37,054	475	94.8	92.3-97.3	20	5.2	02.7-07.7
55-64	432	29,904	399	92.4	89.5-95.3	33	7.6	04.7-10.5
65+	599	40,080	518	85.7	82.6-88.8	81	14.3	11.2-17.4
Less Than H.S.	126	11,337	97	82.1	74.5-89.7	29	17.9	10.3-25.5
H.S. or G.E.D.	603	50,593	534	87.6	83.5-91.7	69	12.4	08.3-16.5
Some Post-H.S.	717	65,029	667	94.0	92.0-96.0	50	6.0	04.0-08.0
College Graduate	708	65,800	678	95.9	94.3-97.5	30	4.1	02.5-05.7
Less than \$15,000	188	15,559	153	82.2	74.9-89.5	35	17.8	10.5-25.1
\$15,000- 24,999	329	27,518	299	90.3	84.6-96.0	30	9.7	04.0-15.4
\$25,000- 34,999	265	22,135	240	90.9	85.4-96.4	25	9.1	03.6-14.6
\$35,000- 49,999	330	26,453	317	95.8	93.3-98.3	13	4.2	01.7-06.7
\$50,000- 74,999	358	36,116	342	95.6	93.4-97.8	16	4.4	02.2-06.6
\$75,000+	362	37,259	347	96.4	94.4-98.4	15	3.6	01.6-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 28: (DO YOU THINK) SUDDEN CHEST PAIN OR DISCOMFORT (ARE SYMPTOMS OF A STROKE?) (STRSYMP4)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3347	358,890	1543	45.2	42.8-47.6	1804	54.8	52.4-57.2
Male	1388	181,601	641	44.9	41.6-48.2	747	55.1	51.8-58.4
Female	1959	177,289	902	45.5	42.6-48.4	1057	54.5	51.6-57.4
Non-Native	3066	338,308	1366	44.6	42.2-47.0	1700	55.4	53.0-57.8
18-24	143	55,625	76	51.5	41.9-61.1	67	48.5	38.9-58.1
25-34	355	58,942	153	43.0	36.9-49.1	202	57.0	50.9-63.1
35-44	524	57,163	221	41.5	36.8-46.2	303	58.5	53.8-63.2
45-54	781	68,804	290	34.9	31.2-38.6	491	65.1	61.4-68.8
55-64	656	50,557	301	45.5	41.2-49.8	355	54.5	50.2-58.8
65+	862	65,753	490	55.6	51.9-59.3	372	44.4	40.7-48.1
Less Than H.S.	252	24,555	146	62.5	54.5-70.5	106	37.5	29.5-45.5
H.S. or G.E.D.	968	102,986	519	48.7	44.4-53.0	449	51.3	47.0-55.6
Some Post-H.S.	1064	115,648	510	48.7	44.6-52.8	554	51.3	47.2-55.4
College Graduate	1061	115,551	367	34.9	31.2-38.6	694	65.1	61.4-68.8
Less than \$15,000	288	27,130	190	65.9	56.9-74.9	98	34.1	25.1-43.1
\$15,000- 24,999	463	42,506	285	58.9	52.4-65.4	178	41.1	34.6-47.6
\$25,000- 34,999	419	43,945	204	46.0	39.3-52.7	215	54.0	47.3-60.7
\$35,000- 49,999	527	54,197	231	45.1	39.8-50.4	296	54.9	49.6-60.2
\$50,000- 74,999	579	67,550	204	34.5	29.8-39.2	375	65.5	60.8-70.2
\$75,000+	654	79,040	228	36.3	31.6-41.0	426	63.7	59.0-68.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 29: (DO YOU THINK) SUDDEN CHEST PAIN OR DISCOMFORT (ARE SYMPTOMS OF A STROKE?) (STRSYMP4)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1388	181,601	641	44.9	41.6-48.2	747	55.1	51.8-58.4
Non-Native	1284	171,495	577	44.5	41.0-48.0	707	55.5	52.0-59.0
25-34	149	32,368	68	46.5	37.5-55.5	81	53.5	44.5-62.5
35-44	220	29,594	96	42.2	35.1-49.3	124	57.8	50.7-64.9
45-54	349	35,803	129	34.6	29.1-40.1	220	65.4	59.9-70.9
55-64	277	24,760	132	48.4	41.7-55.1	145	51.6	44.9-58.3
65+	309	28,422	175	55.4	49.3-61.5	134	44.6	38.5-50.7
H.S. or G.E.D.	416	56,102	214	45.2	38.9-51.5	202	54.8	48.5-61.1
Some Post-H.S.	422	56,240	205	51.3	45.0-57.6	217	48.7	42.4-55.0
College Graduate	432	56,340	152	34.1	28.8-39.4	280	65.9	60.6-71.2
\$25,000- 34,999	176	24,010	83	42.9	33.1-52.7	93	57.1	47.3-66.9
\$35,000- 49,999	239	30,487	111	47.1	39.7-54.5	128	52.9	45.5-60.3
\$50,000- 74,999	260	35,438	105	37.0	30.1-43.9	155	63.0	56.1-69.9
\$75,000+	338	46,037	123	36.6	30.3-42.9	215	63.4	57.1-69.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 30: (DO YOU THINK) SUDDEN CHEST PAIN OR DISCOMFORT (ARE SYMPTOMS OF A STROKE?) (STRSYMP4)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1959	177,289	902	45.5	42.6-48.4	1057	54.5	51.6-57.4	
Non-Native	1782	166,813	789	44.7	41.6-47.8	993	55.3	52.2-58.4	
25-34	206	26,573	85	38.6	31.3-45.9	121	61.4	54.1-68.7	
35-44	304	27,568	125	40.8	34.5-47.1	179	59.2	52.9-65.5	
45-54	432	33,001	161	35.2	30.1-40.3	271	64.8	59.7-69.9	
55-64	379	25,797	169	42.7	37.2-48.2	210	57.3	51.8-62.8	
65+	553	37,331	315	55.7	51.0-60.4	238	44.3	39.6-49.0	
H.S. or G.E.D.	552	46,885	305	52.8	47.3-58.3	247	47.2	41.7-52.7	
Some Post-H.S.	642	59,408	305	46.3	40.8-51.8	337	53.7	48.2-59.2	
College Graduate	629	59,211	215	35.7	30.8-40.6	414	64.3	59.4-69.2	
\$15,000- 24,999	312	26,396	189	58.3	50.1-66.5	123	41.7	33.5-49.9	
\$25,000- 34,999	243	19,935	121	49.7	40.7-58.7	122	50.3	41.3-59.3	
\$35,000- 49,999	288	23,710	120	42.6	35.5-49.7	168	57.4	50.3-64.5	
\$50,000- 74,999	319	32,111	99	31.7	25.4-38.0	220	68.3	62.0-74.6	
\$75,000+	316	33,004	105	36.0	29.1-42.9	211	64.0	57.1-70.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 31: (DO YOU THINK) SUDDEN TROUBLE WALKING, DIZZINESS, OR LOSS OF BALANCE (ARE SYMPTOMS OF A STROKE?) (STRSYMP5)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4169	443,313	3974	95.7	94.9-96.5	195	4.3	03.5-05.1	
Male	1652	214,155	1558	95.0	93.6-96.4	94	5.0	03.6-06.4	
Female	2517	229,157	2416	96.4	95.6-97.2	101	3.6	02.8-04.4	
Native	290	19,416	267	89.7	80.7-98.7	23	10.3	01.3-19.3	
Non-Native	3843	420,524	3675	96.1	95.3-96.9	168	3.9	03.1-04.7	
18-24	167	67,149	159	96.6	93.1-0100	8	3.4	00.0-06.9	
25-34	442	72,509	430	97.5	95.9-99.1	12	2.5	00.9-04.1	
35-44	633	69,846	606	95.9	94.1-97.7	27	4.1	02.3-05.9	
45-54	982	85,480	950	96.5	95.1-97.9	32	3.5	02.1-04.9	
55-64	844	64,730	815	97.0	95.8-98.2	29	3.0	01.8-04.2	
65+	1070	81,278	985	91.6	89.6-93.6	85	8.4	06.4-10.4	
Less Than H.S.	304	30,332	264	89.7	86.0-93.4	40	10.3	06.6-14.0	
H.S. or G.E.D.	1224	128,854	1141	93.3	91.3-95.3	83	6.7	04.7-08.7	
Some Post-H.S.	1339	144,020	1294	97.3	96.3-98.3	45	2.7	01.7-03.7	
College Graduate	1300	139,957	1273	97.7	96.3-99.1	27	2.3	00.9-03.7	
Less than \$15,000	325	30,764	288	91.4	87.9-94.9	37	8.6	05.1-12.1	
\$15,000- 24,999	592	54,362	557	93.0	89.7-96.3	35	7.0	03.7-10.3	
\$25,000- 34,999	515	52,462	493	96.6	94.8-98.4	22	3.4	01.6-05.2	
\$35,000- 49,999	673	67,376	656	97.0	95.4-98.6	17	3.0	01.4-04.6	
\$50,000- 74,999	716	83,742	699	97.6	96.4-98.8	17	2.4	01.2-03.6	
\$75,000+	819	99,830	801	98.3	97.3-99.3	18	1.7	00.7-02.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 32: (DO YOU THINK) SUDDEN TROUBLE WALKING, DIZZINESS, OR LOSS OF BALANCE (ARE SYMPTOMS OF A STROKE?) (STRSYMP5)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1652	214,155	1558	95.0	93.6-96.4	94	5.0	03.6-06.4	
Non-Native	1531	202,939	1449	95.5	94.3-96.7	82	4.5	03.3-05.7	
18-24	77	32,720	75	95.1	88.4-0100	2	4.9	00.0-11.6	
25-34	177	38,407	171	97.5	95.0-0100	6	2.5	00.0-05.0	
35-44	259	34,984	243	94.3	91.4-97.2	16	5.7	02.8-08.6	
45-54	414	42,503	399	96.7	94.9-98.5	15	3.3	01.5-05.1	
55-64	358	31,676	339	95.9	93.7-98.1	19	4.1	01.9-06.3	
65+	355	32,856	321	90.1	86.8-93.4	34	9.9	06.6-13.2	
Less Than H.S.	136	15,355	115	87.5	81.4-93.6	21	12.5	06.4-18.6	
H.S. or G.E.D.	485	65,124	444	92.3	89.0-95.6	41	7.7	04.4-11.0	
Some Post-H.S.	510	66,590	490	97.3	95.9-98.7	20	2.7	01.3-04.1	
College Graduate	521	67,086	509	97.1	94.6-99.6	12	2.9	00.4-05.4	
Less than \$15,000	104	11,982	86	92.0	87.1-96.9	18	8.0	03.1-12.9	
\$15,000- 24,999	187	20,570	169	87.1	79.3-94.9	18	12.9	05.1-20.7	
\$25,000- 34,999	208	26,218	195	94.8	91.7-97.9	13	5.2	02.1-08.3	
\$35,000- 49,999	289	35,852	279	96.3	93.9-98.7	10	3.7	01.3-06.1	
\$50,000- 74,999	311	42,846	304	98.3	96.9-99.7	7	1.7	00.3-03.1	
\$75,000+	411	56,453	398	97.7	96.1-99.3	13	2.3	00.7-03.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 33: (DO YOU THINK) SUDDEN TROUBLE WALKING, DIZZINESS, OR LOSS OF BALANCE (ARE SYMPTOMS OF A STROKE?) (STRSYMP5)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2517	229,157	2416	96.4	95.6-97.2	101	3.6	02.8-04.4	
Native	191	10,524	178	94.0	89.3-98.7	13	6.0	01.3-10.7	
Non-Native	2312	217,585	2226	96.6	95.8-97.4	86	3.4	02.6-04.2	
18-24	90	34,429	84	98.0	96.0-100	6	2.0	00.0-04.0	
25-34	265	34,102	259	97.5	95.3-99.7	6	2.5	00.3-04.7	
35-44	374	34,862	363	97.5	95.7-99.3	11	2.5	00.7-04.3	
45-54	568	42,977	551	96.3	94.1-98.5	17	3.7	01.5-05.9	
55-64	486	33,054	476	98.1	96.7-99.5	10	1.9	00.5-03.3	
65+	715	48,422	664	92.6	90.4-94.8	51	7.4	05.2-09.6	
Less Than H.S.	168	14,977	149	92.0	87.7-96.3	19	8.0	03.7-12.3	
H.S. or G.E.D.	739	63,731	697	94.3	92.3-96.3	42	5.7	03.7-07.7	
Some Post-H.S.	829	77,429	804	97.4	96.0-98.8	25	2.6	01.2-04.0	
College Graduate	779	72,870	764	98.2	97.2-99.2	15	1.8	00.8-02.8	
Less than \$15,000	221	18,782	202	91.0	86.1-95.9	19	9.0	04.1-13.9	
\$15,000- 24,999	405	33,792	388	96.6	94.6-98.6	17	3.4	01.4-05.4	
\$25,000- 34,999	307	26,244	298	98.3	96.9-99.7	9	1.7	00.3-03.1	
\$35,000- 49,999	384	31,524	377	97.9	96.1-99.7	7	2.1	00.3-03.9	
\$50,000- 74,999	405	40,897	395	96.9	94.9-98.9	10	3.1	01.1-05.1	
\$75,000+	408	43,376	403	99.0	98.0-100	5	1.0	00.0-02.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 34: (DO YOU THINK) SEVERE HEADACHE WITH NO KNOWN CAUSE (IS A SYMPTOM OF A STROKE?) (STRSYMP6)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3469	366,058	2789	79.9	78.1-81.7	680	20.1	18.3-21.9	
Male	1354	176,671	1026	76.3	73.4-79.2	328	23.7	20.8-26.6	
Female	2115	189,387	1763	83.2	81.0-85.4	352	16.8	14.6-19.0	
Non-Native	3189	347,687	2586	80.6	78.8-82.4	603	19.4	17.6-21.2	
18-24	133	52,353	101	80.4	72.8-88.0	32	19.6	12.0-27.2	
25-34	365	60,443	287	78.3	73.4-83.2	78	21.7	16.8-26.6	
35-44	521	57,411	407	78.2	74.3-82.1	114	21.8	17.9-25.7	
45-54	812	70,831	689	84.5	81.6-87.4	123	15.5	12.6-18.4	
55-64	713	55,390	603	85.0	82.1-87.9	110	15.0	12.1-17.9	
65+	897	67,516	681	73.9	70.6-77.2	216	26.1	22.8-29.4	
Less Than H.S.	256	25,927	164	70.3	63.0-77.6	92	29.7	22.4-37.0	
H.S. or G.E.D.	1010	103,390	770	74.7	71.0-78.4	240	25.3	21.6-29.0	
Some Post-H.S.	1097	118,238	897	80.3	77.0-83.6	200	19.7	16.4-23.0	
College Graduate	1104	118,352	956	86.1	83.7-88.5	148	13.9	11.5-16.3	
Less than \$15,000	277	25,203	191	72.3	64.1-80.5	86	27.7	19.5-35.9	
\$15,000- 24,999	483	43,807	367	73.2	67.5-78.9	116	26.8	21.1-32.5	
\$25,000- 34,999	422	41,846	344	80.3	75.0-85.6	78	19.7	14.4-25.0	
\$35,000- 49,999	535	54,957	442	80.1	75.8-84.4	93	19.9	15.6-24.2	
\$50,000- 74,999	607	72,195	528	86.6	83.5-89.7	79	13.4	10.3-16.5	
\$75,000+	688	83,426	587	83.7	80.0-87.4	101	16.3	12.6-20.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 35: (DO YOU THINK) SEVERE HEADACHE WITH NO KNOWN CAUSE (IS A SYMPTOM OF A STROKE?) (STRSYMP6)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1354	176,671	1026	76.3	73.4-79.2	328	23.7	20.8-26.6	
Non-Native	1255	168,001	962	77.2	74.3-80.1	293	22.8	19.9-25.7	
25-34	149	33,061	106	73.9	66.3-81.5	43	26.1	18.5-33.7	
35-44	209	28,634	153	72.9	66.4-79.4	56	27.1	20.6-33.6	
45-54	342	34,740	274	81.6	77.1-86.1	68	18.4	13.9-22.9	
55-64	296	26,536	239	82.4	77.5-87.3	57	17.6	12.7-22.5	
65+	284	26,259	197	67.7	61.6-73.8	87	32.3	26.2-38.4	
H.S. or G.E.D.	396	51,849	283	73.1	67.4-78.8	113	26.9	21.2-32.6	
Some Post-H.S.	410	55,351	307	73.6	67.7-79.5	103	26.4	20.5-32.3	
College Graduate	430	55,754	364	84.6	80.7-88.5	66	15.4	11.5-19.3	
\$15,000- 24,999	154	17,346	104	67.9	58.7-77.1	50	32.1	22.9-41.3	
\$25,000- 34,999	166	21,409	121	75.5	67.3-83.7	45	24.5	16.3-32.7	
\$35,000- 49,999	229	29,102	177	75.4	68.7-82.1	52	24.6	17.9-31.3	
\$50,000- 74,999	261	36,602	218	83.3	78.4-88.2	43	16.7	11.8-21.6	
\$75,000+	342	47,320	279	79.1	73.2-85.0	63	20.9	15.0-26.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

**TABLE 36: (DO YOU THINK) SEVERE HEADACHE WITH NO KNOWN CAUSE (IS A SYMPTOM OF A STROKE?) (STRSYMP6)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2115	189,387	1763	83.2	81.0-85.4	352	16.8	14.6-19.0
Non-Native	1934	179,686	1624	83.8	81.6-86.0	310	16.2	14.0-18.4
18-24	70	25,865	51	81.2	71.4-91.0	19	18.8	09.0-28.6
25-34	216	27,382	181	83.7	78.2-89.2	35	16.3	10.8-21.8
35-44	312	28,777	254	83.5	79.0-88.0	58	16.5	12.0-21.0
45-54	470	36,091	415	87.3	83.8-90.8	55	12.7	09.2-16.2
55-64	417	28,854	364	87.3	83.8-90.8	53	12.7	09.2-16.2
65+	613	41,256	484	77.8	74.1-81.5	129	22.2	18.5-25.9
Less Than H.S.	138	12,210	92	75.0	66.4-83.6	46	25.0	16.4-33.6
H.S. or G.E.D.	614	51,541	487	76.4	71.5-81.3	127	23.6	18.7-28.5
Some Post-H.S.	687	62,888	590	86.2	83.1-89.3	97	13.8	10.7-16.9
College Graduate	674	62,598	592	87.4	84.5-90.3	82	12.6	09.7-15.5
Less than \$15,000	188	15,041	141	76.2	67.0-85.4	47	23.8	14.6-33.0
\$15,000- 24,999	329	26,461	263	76.7	69.4-84.0	66	23.3	16.0-30.6
\$25,000- 34,999	256	20,437	223	85.3	78.8-91.8	33	14.7	08.2-21.2
\$35,000- 49,999	306	25,855	265	85.4	80.5-90.3	41	14.6	09.7-19.5
\$50,000- 74,999	346	35,593	310	90.0	86.5-93.5	36	10.0	06.5-13.5
\$75,000+	346	36,106	308	89.6	86.3-92.9	38	10.4	07.1-13.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 37: IF YOU THOUGHT SOMEONE WAS HAVING A HEART ATTACK OR A STROKE, WHAT IS THE FIRST THING YOU WOULD DO? (FIRSTAID)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Take Them To A Hospital			Tell Them To Call Their Doctor			Call 911			Call Their Spouse Or A Family Member			Do Something Else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4456	472,472	411	8.5	07.3-09.7	61	1.2	00.8-01.6	3735	84.9	83.5-86.3	53	0.9	00.5-01.3	196	4.4	03.6-05.2
Male	1801	232,492	199	10.2	08.2-12.2	23	0.9	00.5-01.3	1473	83.2	80.8-85.6	15	0.6	00.2-01.0	91	5.1	03.7-06.5
Female	2655	239,980	212	6.9	05.7-08.1	38	1.5	00.9-02.1	2262	86.6	84.8-88.4	38	1.3	00.7-01.9	105	3.7	02.7-04.7
Native	330	21,529	64	11.6	05.3-17.9	10	2.3	00.1-04.5	219	76.4	68.4-84.4	3	0.1	00.0-00.3	34	9.6	04.7-14.5
Non-Native	4085	447,063	345	8.4	07.2-09.6	51	1.2	00.8-01.6	3478	85.3	83.7-86.9	50	1.0	00.6-01.4	161	4.1	03.3-04.9
18-24	180	71,433	23	10.4	05.5-15.3	4	1.8	00.0-03.6	142	81.9	75.6-88.2	1	0.8	00.0-02.4	10	5.0	01.3-08.7
25-34	479	79,377	46	9.2	05.9-12.5	5	0.9	00.1-01.7	394	83.2	79.3-87.1	4	0.8	00.0-01.8	30	5.8	03.4-08.2
35-44	672	73,233	78	9.2	06.8-11.6	8	1.1	00.3-01.9	556	85.6	82.7-88.5	4	0.6	00.0-01.2	26	3.5	01.9-05.1
45-54	1030	89,327	71	6.2	04.4-08.0	11	0.8	00.2-01.4	885	87.3	84.9-89.7	7	0.5	00.1-00.9	56	5.2	03.6-06.8
55-64	886	67,765	83	7.6	05.6-09.6	14	1.0	00.2-01.8	748	87.1	84.6-89.6	7	0.7	00.1-01.3	34	3.6	02.2-05.0
65+	1177	88,982	109	9.0	07.0-11.0	19	1.7	00.7-02.7	981	84.1	81.7-86.5	29	2.1	01.1-03.1	39	3.0	01.8-04.2
Less Than H.S.	357	34,595	49	10.9	07.0-14.8	6	0.6	00.0-01.2	282	83.3	78.2-88.4	8	2.2	00.4-04.0	12	3.1	00.4-05.8
H.S. or G.E.D.	1317	137,710	115	8.1	05.9-10.3	19	1.9	00.9-02.9	1100	83.4	80.5-86.3	19	0.8	00.4-01.2	64	5.8	03.8-07.8
Some Post-H.S.	1422	152,897	125	7.9	05.9-09.9	19	1.0	00.4-01.6	1207	87.1	84.7-89.5	16	0.6	00.2-01.0	55	3.4	02.4-04.4
College Graduate	1358	147,120	122	9.1	06.9-11.3	17	0.9	00.3-01.5	1144	84.5	82.0-87.0	10	1.1	00.1-02.1	65	4.4	02.8-06.0
Less than \$15,000	365	33,955	37	12.1	05.6-18.6	8	1.5	00.3-02.7	292	81.8	74.9-88.7	6	0.6	00.0-01.2	22	4.1	01.4-06.8
\$15,000- 24,999	651	59,687	61	8.2	05.7-10.7	10	1.4	00.0-02.8	536	81.6	76.9-86.3	9	0.6	00.0-01.2	35	8.2	04.1-12.3
\$25,000- 34,999	549	55,380	61	9.8	05.9-13.7	9	1.7	00.1-03.3	454	84.1	79.4-88.8	8	2.0	00.0-04.2	17	2.4	01.0-03.8
\$35,000- 49,999	703	70,579	75	9.1	06.6-11.6	11	1.2	00.2-02.2	567	82.6	79.3-85.9	11	1.4	00.4-02.4	39	5.6	03.4-07.8
\$50,000- 74,999	752	87,489	64	8.3	05.9-10.7	6	1.0	00.0-02.0	647	86.8	83.9-89.7	1	0.1	00.0-00.3	34	3.8	02.2-05.4
\$75,000+	854	104,114	71	7.5	05.1-09.9	8	0.9	00.3-01.5	740	88.1	85.4-90.8	6	0.6	00.0-01.2	29	2.9	01.7-04.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 38: IF YOU THOUGHT SOMEONE WAS HAVING A HEART ATTACK OR A STROKE, WHAT IS THE FIRST THING YOU WOULD DO? (FIRSTAID)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Take Them To A Hospital			Tell Them To Call Their Doctor			Call 911			Call Their Spouse Or A Family Member			Do Something Else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1801	232,492	199	10.2	08.2-12.2	23	0.9	00.5-01.3	1473	83.2	80.8-85.6	15	0.6	00.2-01.0	91	5.1	03.7-06.5
Native	113	9,461	26	7.8	02.1-13.5	4	1.2	00.0-03.0				1	0.2	00.0-00.6	11	9.9	01.7-18.1
Non-Native	1664	220,436	171	10.3	08.3-12.3	19	0.9	00.5-01.3	1380	83.2	80.8-85.6	14	0.6	00.2-01.0	80	5.0	03.6-06.4
18-24	87	36,435	14	14.5	06.1-22.9				67	79.3	69.7-88.9				6	6.2	00.5-11.9
25-34	196	42,498	19	9.5	04.2-14.8	1	0.5	00.0-01.5	158	82.3	76.0-88.6	2	0.6	00.0-01.6	16	7.0	03.1-10.9
35-44	280	37,169	37	10.7	07.0-14.4	3	0.8	00.0-02.0	230	85.0	80.7-89.3	1	0.4	00.0-01.2	9	3.1	00.9-05.3
45-54	443	44,846	39	7.5	04.8-10.2	5	0.8	00.0-01.6	367	84.9	81.2-88.6	3	0.4	00.0-01.0	29	6.3	03.8-08.8
55-64	379	33,545	40	7.8	04.9-10.7	7	1.5	00.1-02.9	313	86.3	82.4-90.2	2	0.3	00.0-00.7	17	4.1	01.9-06.3
65+	403	36,879	49	11.9	08.4-15.4	7	2.0	00.4-03.6	327	81.1	76.8-85.4	7	1.7	00.3-03.1	13	3.3	01.3-05.3
Less Than H.S.	163	18,004	24	8.4	03.7-13.1	1	0.3	00.0-00.9	128	86.5	80.2-92.8	3	2.3	00.0-05.2	7	2.5	00.0-05.6
H.S. or G.E.D.	532	70,429	58	9.6	06.1-13.1	9	1.3	00.3-02.3	433	82.4	78.1-86.7	3	0.3	00.0-00.7	29	6.4	03.5-09.3
Some Post-H.S.	547	71,707	54	9.5	05.8-13.2	6	0.5	00.0-01.1	452	84.9	80.8-89.0	4	0.3	00.0-00.7	31	4.8	02.8-06.8
College Graduate	559	72,351	63	12.1	08.4-15.8	7	1.1	00.1-02.1	460	81.4	77.1-85.7	5	0.6	00.0-01.2	24	4.8	02.3-07.3
Less than \$15,000	118	13,278				4	2.1	00.0-04.6				2	0.5	00.0-01.3	7	5.4	00.0-11.3
\$15,000- 24,999	215	23,325	24	8.3	04.2-12.4	3	0.5	00.0-01.3	167	77.8	69.4-86.2	3	0.9	00.0-02.3	18	12.5	04.5-20.5
\$25,000- 34,999	227	28,308	31	14.0	06.7-21.3	4	0.8	00.0-01.8	177	80.2	72.8-87.6	3	1.2	00.0-02.6	12	3.9	01.2-06.6
\$35,000- 49,999	308	38,217	42	10.4	06.7-14.1	4	1.4	00.0-02.8	243	81.8	76.9-86.7	2	0.3	00.0-00.7	17	6.1	03.0-09.2
\$50,000- 74,999	331	45,191	35	11.3	07.2-15.4	2	0.8	00.0-02.0	278	83.5	78.8-88.2				16	4.5	02.1-06.9
\$75,000+	441	60,184	37	8.1	04.6-11.6	4	0.8	00.0-01.6	385	88.2	84.3-92.1	4	0.9	00.0-01.9	11	2.1	00.7-03.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 8: HEART ATTACK AND STROKE**

TABLE 39: IF YOU THOUGHT SOMEONE WAS HAVING A HEART ATTACK OR A STROKE, WHAT IS THE FIRST THING YOU WOULD DO? (FIRSTAID)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Take Them To A Hospital			Tell Them To Call Their Doctor			Call 911			Call Their Spouse Or A Family Member			Do Something Else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2655	239,980	212	6.9	05.7-08.1	38	1.5	00.9-02.1	2262	86.6	84.8-88.4	38	1.3	00.7-01.9	105	3.7	02.7-04.7
Native	217	12,068	38	14.6	04.8-24.4	6	3.2	00.0-06.7				2	0.1	00.0-00.3	23	9.3	03.6-15.0
Non-Native	2421	226,626	174	6.5	05.3-07.7	32	1.4	00.8-02.0	2098	87.4	85.6-89.2	36	1.4	00.8-02.0	81	3.3	02.3-04.3
18-24	93	34,998	9	6.2	01.5-10.9	4	3.7	00.0-07.4	75	84.7	76.9-92.5	1	1.6	00.0-04.7	4	3.9	00.0-08.6
25-34	283	36,879	27	8.9	05.2-12.6	4	1.3	00.0-02.7	236	84.2	79.5-88.9	2	1.1	00.0-02.7	14	4.4	01.9-06.9
35-44	392	36,064	41	7.7	04.8-10.6	5	1.4	00.0-02.8	326	86.3	82.6-90.0	3	0.7	00.0-01.5	17	3.9	01.7-06.1
45-54	587	44,481	32	4.8	02.8-06.8	6	0.7	00.1-01.3	518	89.8	87.1-92.5	4	0.5	00.0-01.1	27	4.2	02.4-06.0
55-64	507	34,219	43	7.5	05.0-10.0	7	0.4	00.0-00.8	435	87.8	84.7-90.9	5	1.0	00.0-02.0	17	3.2	01.4-05.0
65+	774	52,104	60	7.0	04.8-09.2	12	1.6	00.6-02.6	654	86.3	83.6-89.0	22	2.4	01.2-03.6	26	2.8	01.4-04.2
Less Than H.S.	194	16,591	25	13.5	06.8-20.2	5	0.9	00.0-02.1	154	79.8	72.0-87.6	5	2.0	00.0-04.0	5	3.7	00.0-08.2
H.S. or G.E.D.	785	67,280	57	6.6	04.2-09.0	10	2.5	00.7-04.3	667	84.5	80.8-88.2	16	1.3	00.5-02.1	35	5.2	02.7-07.7
Some Post-H.S.	875	81,190	71	6.4	04.4-08.4	13	1.5	00.3-02.7	755	89.1	86.6-91.6	12	0.9	00.3-01.5	24	2.2	01.2-03.2
College Graduate	799	74,768	59	6.2	04.2-08.2	10	0.7	00.1-01.3	684	87.5	84.6-90.4	5	1.6	00.0-03.2	41	4.0	02.6-05.4
Less than \$15,000	247	20,677	22	10.3	03.4-17.2	4	1.0	00.0-02.2	202	84.8	77.7-91.9	4	0.6	00.0-01.2	15	3.2	01.0-05.4
\$15,000- 24,999	436	36,362	37	8.1	04.8-11.4	7	2.0	00.0-04.2	369	84.1	78.6-89.6	6	0.4	00.0-00.8	17	5.4	01.1-09.7
\$25,000- 34,999	322	27,072	30	5.4	03.0-07.8	5	2.6	00.0-05.5	277	88.2	82.9-93.5	5	3.0	00.0-06.9	5	0.9	00.0-01.9
\$35,000- 49,999	395	32,362	33	7.6	04.3-10.9	7	0.9	00.0-01.9	324	83.6	79.1-88.1	9	2.8	00.6-05.0	22	5.0	02.5-07.5
\$50,000- 74,999	421	42,298	29	5.2	02.8-07.6	4	1.2	00.0-03.0	369	90.3	87.0-93.6	1	0.2	00.0-00.6	18	3.1	01.3-04.9
\$75,000+	413	43,931	34	6.8	04.3-09.3	4	1.0	00.0-02.0	355	87.9	84.6-91.2	2	0.2	00.0-00.6	18	4.1	01.9-06.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007**

End of Module Data Report