

# NORTH DAKOTA

## 2012 Calculated Variables Report

### Behavioral Risk Factor Surveillance System

June 2, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 1: HEALTH STATUS**

**TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4845	537,139	4085	86.6	85.4-87.8	760	13.4	12.2-14.6
Male	2129	270,212	1799	86.4	84.6-88.2	330	13.6	11.8-15.4
Female	2716	266,926	2286	86.8	85.2-88.4	430	13.2	11.6-14.8
Native	126	24,600	87	71.6	61.2-82.0	39	28.4	18.0-38.8
Non-Native	4653	504,649	3943	87.4	86.2-88.6	710	12.6	11.4-13.8
18-24	253	80,808	243	96.7	94.5-98.9	10	3.3	01.1-05.5
25-34	517	92,911	490	92.8	89.7-95.9	27	7.2	04.1-10.3
35-44	548	77,041	508	91.9	88.8-95.0	40	8.1	05.0-11.2
45-54	859	91,043	750	86.2	83.3-89.1	109	13.8	10.9-16.7
55-64	1051	86,707	879	81.7	78.6-84.8	172	18.3	15.2-21.4
65+	1574	104,950	1180	73.9	71.2-76.6	394	26.1	23.4-28.8
Less Than H.S.	334	52,542	215	71.0	64.9-77.1	119	29.0	22.9-35.1
H.S. or G.E.D.	1402	145,999	1112	83.7	81.3-86.1	290	16.3	13.9-18.7
Some Post-H.S.	1548	208,709	1324	87.8	85.8-89.8	224	12.2	10.2-14.2
College Graduate	1556	128,612	1430	94.3	93.1-95.5	126	5.7	04.5-06.9
Less than \$15,000	350	40,590	197	65.4	58.5-72.3	153	34.6	27.7-41.5
\$15,000- 24,999	608	65,710	438	75.7	71.2-80.2	170	24.3	19.8-28.8
\$25,000- 34,999	502	55,889	417	87.1	83.4-90.8	85	12.9	09.2-16.6
\$35,000- 49,999	710	79,840	616	89.5	87.1-91.9	94	10.5	08.1-12.9
\$50,000- 74,999	746	81,185	680	91.2	88.5-93.9	66	8.8	06.1-11.5
\$75,000+	1310	143,917	1239	94.6	93.0-96.2	71	5.4	03.8-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 1: HEALTH STATUS**

**TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2129	270,212	1799	86.4	84.6-88.2	330	13.6	11.8-15.4
Native	54	12,987	33	63.1	46.6-79.6	21	36.9	20.4-53.4
Non-Native	2037	252,862	1736	87.7	86.1-89.3	301	12.3	10.7-13.9
18-24	125	42,838	122	98.7	97.1-0100	3	1.3	00.0-02.9
25-34	272	49,581	256	91.0	86.3-95.7	16	9.0	04.3-13.7
35-44	260	40,186	239	90.8	86.1-95.5	21	9.2	04.5-13.9
45-54	407	45,862	351	85.9	81.8-90.0	56	14.1	10.0-18.2
55-64	493	44,415	403	78.2	73.3-83.1	90	21.8	16.9-26.7
65+	561	46,309	420	75.2	70.9-79.5	141	24.8	20.5-29.1
Less Than H.S.	167	32,344	111	74.5	66.7-82.3	56	25.5	17.7-33.3
H.S. or G.E.D.	652	83,032	525	85.0	82.1-87.9	127	15.0	12.1-17.9
Some Post-H.S.	650	96,399	557	87.2	84.1-90.3	93	12.8	09.7-15.9
College Graduate	658	57,954	604	93.7	91.7-95.7	54	6.3	04.3-08.3
Less than \$15,000	122	17,676	69	62.5	51.3-73.7	53	37.5	26.3-48.7
\$15,000- 24,999	235	32,563	164	75.3	68.6-82.0	71	24.7	18.0-31.4
\$25,000- 34,999	211	28,319	171	87.5	82.2-92.8	40	12.5	07.2-17.8
\$35,000- 49,999	373	46,455	317	87.6	83.9-91.3	56	12.4	08.7-16.1
\$50,000- 74,999	340	41,135	301	90.9	87.4-94.4	39	9.1	05.6-12.6
\$75,000+	688	79,283	645	93.3	90.8-95.8	43	6.7	04.2-09.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 1: HEALTH STATUS**

**TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	266,926	2286	86.8	85.2-88.4	430	13.2	11.6-14.8
Native	72	11,612	54	81.1	70.3-91.9	18	18.9	08.1-29.7
Non-Native	2616	251,787	2207	87.0	85.4-88.6	409	13.0	11.4-14.6
18-24	128	37,970	121	94.6	90.5-98.7	7	5.4	01.3-09.5
25-34	245	43,329	234	94.9	91.2-98.6	11	5.1	01.4-08.8
35-44	288	36,855	269	93.0	88.9-97.1	19	7.0	02.9-11.1
45-54	452	45,182	399	86.5	82.2-90.8	53	13.5	09.2-17.8
55-64	558	42,291	476	85.5	82.0-89.0	82	14.5	11.0-18.0
65+	1013	58,641	760	72.9	69.4-76.4	253	27.1	23.6-30.6
Less Than H.S.	167	20,199	104	65.3	55.7-74.9	63	34.7	25.1-44.3
H.S. or G.E.D.	750	62,968	587	81.8	78.3-85.3	163	18.2	14.7-21.7
Some Post-H.S.	898	112,309	767	88.4	85.9-90.9	131	11.6	09.1-14.1
College Graduate	898	70,658	826	94.7	93.1-96.3	72	5.3	03.7-06.9
Less than \$15,000	228	22,914	128	67.6	59.0-76.2	100	32.4	23.8-41.0
\$15,000- 24,999	373	33,146	274	76.1	70.0-82.2	99	23.9	17.8-30.0
\$25,000- 34,999	291	27,570	246	86.6	81.7-91.5	45	13.4	08.5-18.3
\$35,000- 49,999	337	33,385	299	92.1	89.4-94.8	38	7.9	05.2-10.6
\$50,000- 74,999	406	40,050	379	91.5	87.4-95.6	27	8.5	04.4-12.6
\$75,000+	622	64,634	594	96.2	94.4-98.0	28	3.8	02.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3240	428,478	2859	84.0	82.2-85.8	381	16.0	14.2-17.8
Male	1563	222,609	1346	81.4	78.7-84.1	217	18.6	15.9-21.3
Female	1677	205,869	1513	86.7	84.3-89.1	164	13.3	10.9-15.7
Native	101	22,541	91	89.2	81.9-96.5	10	10.8	03.5-18.1
Non-Native	3103	400,412	2740	83.8	81.8-85.8	363	16.2	14.2-18.2
18-24	245	78,667	190	75.8	69.7-81.9	55	24.2	18.1-30.3
25-34	520	93,489	446	82.8	78.7-86.9	74	17.2	13.1-21.3
35-44	551	77,332	486	84.1	80.0-88.2	65	15.9	11.8-20.0
45-54	863	91,558	766	86.1	83.0-89.2	97	13.9	10.8-17.0
55-64	1061	87,433	971	90.1	87.6-92.6	90	9.9	07.4-12.4
Less Than H.S.	121	30,535	91	71.8	61.6-82.0	30	28.2	18.0-38.4
H.S. or G.E.D.	805	110,564	642	73.6	69.5-77.7	163	26.4	22.3-30.5
Some Post-H.S.	1088	173,974	970	86.3	83.6-89.0	118	13.7	11.0-16.4
College Graduate	1222	112,244	1153	94.0	92.2-95.8	69	6.0	04.2-07.8
Less than \$15,000	193	31,691	141	74.8	66.6-83.0	52	25.2	17.0-33.4
\$15,000- 24,999	265	43,052	175	61.8	54.2-69.4	90	38.2	30.6-45.8
\$25,000- 34,999	279	40,958	220	71.4	63.8-79.0	59	28.6	21.0-36.2
\$35,000- 49,999	463	63,119	408	85.2	80.7-89.7	55	14.8	10.3-19.3
\$50,000- 74,999	602	70,741	562	91.3	88.2-94.4	40	8.7	05.6-11.8
\$75,000+	1154	133,881	1111	94.9	93.1-96.7	43	5.1	03.3-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1563	222,609	1346	81.4	78.7-84.1	217	18.6	15.9-21.3
Non-Native	1494	206,873	1287	81.1	78.2-84.0	207	18.9	16.0-21.8
18-24	120	41,361	90	73.5	64.5-82.5	30	26.5	17.5-35.5
25-34	273	49,656	223	77.7	71.4-84.0	50	22.3	16.0-28.6
35-44	263	40,477	227	81.7	75.4-88.0	36	18.3	12.0-24.6
45-54	410	46,335	355	84.0	79.5-88.5	55	16.0	11.5-20.5
55-64	497	44,780	451	89.7	86.0-93.4	46	10.3	06.6-14.0
Less Than H.S.	78	21,124	53	64.8	51.5-78.1	25	35.2	21.9-48.5
H.S. or G.E.D.	459	68,297	362	72.4	66.9-77.9	97	27.6	22.1-33.1
Some Post-H.S.	510	83,133	450	86.3	82.4-90.2	60	13.7	09.8-17.6
College Graduate	515	49,650	481	93.2	90.3-96.1	34	6.8	03.9-09.7
Less than \$15,000	91	15,252	65	73.9	62.1-85.7	26	26.1	14.3-37.9
\$15,000- 24,999	118	22,276	71	59.5	48.5-70.5	47	40.5	29.5-51.5
\$25,000- 34,999	127	21,330	89	60.4	48.4-72.4	38	39.6	27.6-51.6
\$35,000- 49,999	252	36,855	215	82.8	76.7-88.9	37	17.2	11.1-23.3
\$50,000- 74,999	280	36,504	256	87.7	82.2-93.2	24	12.3	06.8-17.8
\$75,000+	600	72,660	574	95.2	92.8-97.6	26	4.8	02.4-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1677	205,869	1513	86.7	84.3-89.1	164	13.3	10.9-15.7
Native	55	9,997	50	91.2	83.4-99.0	5	8.8	01.0-16.6
Non-Native	1609	193,539	1453	86.7	84.3-89.1	156	13.3	10.9-15.7
18-24	125	37,306	100	78.3	70.3-86.3	25	21.7	13.7-29.7
25-34	247	43,833	223	88.5	83.2-93.8	24	11.5	06.2-16.8
35-44	288	36,855	259	86.8	81.9-91.7	29	13.2	08.3-18.1
45-54	453	45,223	411	88.3	84.2-92.4	42	11.7	07.6-15.8
55-64	564	42,652	520	90.6	87.5-93.7	44	9.4	06.3-12.5
H.S. or G.E.D.	346	42,267	280	75.5	69.4-81.6	66	24.5	18.4-30.6
Some Post-H.S.	578	90,841	520	86.3	82.4-90.2	58	13.7	09.8-17.6
College Graduate	707	62,593	672	94.6	92.4-96.8	35	5.4	03.2-07.6
Less than \$15,000	102	16,440	76	75.6	64.4-86.8	26	24.4	13.2-35.6
\$15,000- 24,999	147	20,776	104	64.2	53.6-74.8	43	35.8	25.2-46.4
\$25,000- 34,999	152	19,627	131	83.4	75.8-91.0	21	16.6	09.0-24.2
\$35,000- 49,999	211	26,264	193	88.6	82.1-95.1	18	11.4	04.9-17.9
\$50,000- 74,999	322	34,237	306	95.1	92.4-97.8	16	4.9	02.2-07.6
\$75,000+	554	61,221	537	94.7	91.8-97.6	17	5.3	02.4-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 4: EXERCISE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 4: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4873	539,210	3653	76.2	74.6-77.8	1220	23.8	22.2-25.4
Male	2142	271,321	1604	75.6	73.2-78.0	538	24.4	22.0-26.8
Female	2731	267,889	2049	76.8	74.6-79.0	682	23.2	21.0-25.4
Native	126	24,600	85	77.1	68.7-85.5	41	22.9	14.5-31.3
Non-Native	4681	506,721	3519	76.1	74.5-77.7	1162	23.9	22.3-25.5
18-24	252	80,403	218	86.7	82.0-91.4	34	13.3	08.6-18.0
25-34	519	93,188	415	78.6	74.3-82.9	104	21.4	17.1-25.7
35-44	551	77,332	453	79.4	74.9-83.9	98	20.6	16.1-25.1
45-54	864	91,658	667	74.4	70.7-78.1	197	25.6	21.9-29.3
55-64	1062	87,528	793	73.8	70.5-77.1	269	26.2	22.9-29.5
65+	1582	105,422	1073	67.5	64.6-70.4	509	32.5	29.6-35.4
Less Than H.S.	339	53,047	205	59.7	52.6-66.8	134	40.3	33.2-47.4
H.S. or G.E.D.	1411	146,750	950	70.1	67.0-73.2	461	29.9	26.8-33.0
Some Post-H.S.	1557	209,221	1186	78.8	76.3-81.3	371	21.2	18.7-23.7
College Graduate	1560	128,844	1308	85.5	83.3-87.7	252	14.5	12.3-16.7
Less than \$15,000	348	40,144	206	70.0	63.5-76.5	142	30.0	23.5-36.5
\$15,000- 24,999	610	65,885	409	68.8	63.7-73.9	201	31.2	26.1-36.3
\$25,000- 34,999	504	55,988	333	68.7	63.2-74.2	171	31.3	25.8-36.8
\$35,000- 49,999	715	80,216	545	77.0	72.9-81.1	170	23.0	18.9-27.1
\$50,000- 74,999	752	81,714	591	76.9	73.0-80.8	161	23.1	19.2-27.0
\$75,000+	1322	145,410	1132	85.2	82.7-87.7	190	14.8	12.3-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 4: EXERCISE**

**TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2142	271,321	1604	75.6	73.2-78.0	538	24.4	22.0-26.8
Native	54	12,987	38	83.8	73.4-94.2	16	16.2	05.8-26.6
Non-Native	2050	253,971	1537	75.1	72.6-77.6	513	24.9	22.4-27.4
18-24	125	42,838	103	83.6	76.3-90.9	22	16.4	09.1-23.7
25-34	272	49,356	214	77.1	70.8-83.4	58	22.9	16.6-29.2
35-44	263	40,477	213	79.5	73.2-85.8	50	20.5	14.2-26.8
45-54	410	46,335	305	73.3	68.0-78.6	105	26.7	21.4-32.0
55-64	497	44,780	366	71.7	66.6-76.8	131	28.3	23.2-33.4
65+	564	46,514	395	69.6	65.1-74.1	169	30.4	25.9-34.9
Less Than H.S.	170	32,648	100	60.6	51.2-70.0	70	39.4	30.0-48.8
H.S. or G.E.D.	657	83,329	447	70.4	66.1-74.7	210	29.6	25.3-33.9
Some Post-H.S.	654	96,849	503	79.5	75.8-83.2	151	20.5	16.8-24.2
College Graduate	659	58,011	552	85.0	81.7-88.3	107	15.0	11.7-18.3
Less than \$15,000	121	17,635	70	71.4	62.2-80.6	51	28.6	19.4-37.8
\$15,000- 24,999	236	32,712	154	67.7	60.1-75.3	82	32.3	24.7-39.9
\$25,000- 34,999	212	28,381	138	70.0	61.8-78.2	74	30.0	21.8-38.2
\$35,000- 49,999	375	46,610	281	76.7	71.4-82.0	94	23.3	18.0-28.6
\$50,000- 74,999	342	41,316	258	73.8	67.7-79.9	84	26.2	20.1-32.3
\$75,000+	697	80,238	594	84.4	80.9-87.9	103	15.6	12.1-19.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 4: EXERCISE**

**TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2731	267,889	2049	76.8	74.6-79.0	682	23.2	21.0-25.4
Native	72	11,612	47	69.6	56.5-82.7	25	30.4	17.3-43.5
Non-Native	2631	252,750	1982	77.2	75.0-79.4	649	22.8	20.6-25.0
18-24	127	37,565	115	90.2	84.5-95.9	12	9.8	04.1-15.5
25-34	247	43,833	201	80.4	74.5-86.3	46	19.6	13.7-25.5
35-44	288	36,855	240	79.2	72.7-85.7	48	20.8	14.3-27.3
45-54	454	45,323	362	75.5	70.2-80.8	92	24.5	19.2-29.8
55-64	565	42,747	427	76.0	71.9-80.1	138	24.0	19.9-28.1
65+	1018	58,908	678	65.7	62.2-69.2	340	34.3	30.8-37.8
Less Than H.S.	169	20,399	105	58.4	48.0-68.8	64	41.6	31.2-52.0
H.S. or G.E.D.	754	63,421	503	69.6	65.3-73.9	251	30.4	26.1-34.7
Some Post-H.S.	903	112,371	683	78.3	75.0-81.6	220	21.7	18.4-25.0
College Graduate	901	70,833	756	86.0	83.3-88.7	145	14.0	11.3-16.7
Less than \$15,000	227	22,509	136	68.9	60.1-77.7	91	31.1	22.3-39.9
\$15,000- 24,999	374	33,173	255	69.9	63.2-76.6	119	30.1	23.4-36.8
\$25,000- 34,999	292	27,607	195	67.3	60.0-74.6	97	32.7	25.4-40.0
\$35,000- 49,999	340	33,605	264	77.3	71.2-83.4	76	22.7	16.6-28.8
\$50,000- 74,999	410	40,398	333	80.1	75.2-85.0	77	19.9	15.0-24.8
\$75,000+	625	65,172	538	86.2	82.5-89.9	87	13.8	10.1-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20
	COMPUTED ASTHMA STATUS (_ASTHMS1)	
7	MALES AND FEMALES	21
8	MALES ONLY	22
9	FEMALES ONLY	23
	RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
10	MALES AND FEMALES	24
11	MALES ONLY	25
12	FEMALES ONLY	26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4868	539,539	4405	89.5	88.3-90.7	463	10.5	09.3-11.7
Male	2140	271,382	1972	90.5	88.7-92.3	168	9.5	07.7-11.3
Female	2728	268,157	2433	88.4	86.6-90.2	295	11.6	09.8-13.4
Native	126	24,600	111	82.8	73.2-92.4	15	17.2	07.6-26.8
Non-Native	4677	507,127	4239	89.8	88.6-91.0	438	10.2	09.0-11.4
18-24	253	80,808	213	82.8	77.5-88.1	40	17.2	11.9-22.5
25-34	520	93,489	464	88.9	85.6-92.2	56	11.1	07.8-14.4
35-44	550	77,254	499	90.2	87.1-93.3	51	9.8	06.7-12.9
45-54	861	91,421	796	93.3	91.5-95.1	65	6.7	04.9-08.5
55-64	1060	87,369	965	90.6	88.2-93.0	95	9.4	07.0-11.8
65+	1581	105,518	1427	89.8	87.8-91.8	154	10.2	08.2-12.2
Less Than H.S.	338	52,981	296	87.4	82.5-92.3	42	12.6	07.7-17.5
H.S. or G.E.D.	1409	147,069	1284	90.3	87.9-92.7	125	9.7	07.3-12.1
Some Post-H.S.	1559	209,567	1397	88.5	86.3-90.7	162	11.5	09.3-13.7
College Graduate	1556	128,573	1422	90.8	88.8-92.8	134	9.2	07.2-11.2
Less than \$15,000	350	40,590	290	80.3	73.6-87.0	60	19.7	13.0-26.4
\$15,000- 24,999	608	65,803	526	83.3	78.6-88.0	82	16.7	12.0-21.4
\$25,000- 34,999	504	55,988	462	91.5	87.8-95.2	42	8.5	04.8-12.2
\$35,000- 49,999	713	80,139	660	92.9	90.7-95.1	53	7.1	04.9-09.3
\$50,000- 74,999	751	81,580	684	89.8	86.9-92.7	67	10.2	07.3-13.1
\$75,000+	1318	145,092	1208	91.2	89.0-93.4	110	8.8	06.6-11.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2140	271,382	1972	90.5	88.7-92.3	168	9.5	07.7-11.3
Native	54	12,987	46	79.5	64.2-94.8	8	20.5	05.2-35.8
Non-Native	2049	254,109	1894	91.1	89.3-92.9	155	8.9	07.1-10.7
18-24	125	42,838	108	84.0	76.4-91.6	17	16.0	08.4-23.6
25-34	273	49,656	245	88.7	84.0-93.4	28	11.3	06.6-16.0
35-44	262	40,399	247	92.7	88.4-97.0	15	7.3	03.0-11.6
45-54	408	46,178	383	94.4	91.9-96.9	25	5.6	03.1-08.1
55-64	497	44,780	462	91.3	87.8-94.8	35	8.7	05.2-12.2
65+	564	46,509	517	92.0	89.3-94.7	47	8.0	05.3-10.7
Less Than H.S.	169	32,582	147	87.6	80.7-94.5	22	12.4	05.5-19.3
H.S. or G.E.D.	657	83,567	606	90.1	86.6-93.6	51	9.9	06.4-13.4
Some Post-H.S.	655	96,891	608	91.1	88.0-94.2	47	8.9	05.8-12.0
College Graduate	657	57,858	609	91.8	88.9-94.7	48	8.2	05.3-11.1
Less than \$15,000	122	17,676	105	82.4	72.4-92.4	17	17.6	07.6-27.6
\$15,000- 24,999	236	32,712	209	84.6	77.3-91.9	27	15.4	08.1-22.7
\$25,000- 34,999	212	28,381	195	91.6	85.5-97.7	17	8.4	02.3-14.5
\$35,000- 49,999	374	46,550	352	94.2	91.3-97.1	22	5.8	02.9-08.7
\$50,000- 74,999	342	41,316	314	89.4	84.7-94.1	28	10.6	05.9-15.3
\$75,000+	694	80,001	647	91.8	88.7-94.9	47	8.2	05.1-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2728	268,157	2433	88.4	86.6-90.2	295	11.6	09.8-13.4
Native	72	11,612	65	86.6	76.0-97.2	7	13.4	02.8-24.0
Non-Native	2628	253,018	2345	88.5	86.7-90.3	283	11.5	09.7-13.3
18-24	128	37,970	105	81.5	74.1-88.9	23	18.5	11.1-25.9
25-34	247	43,833	219	89.1	84.2-94.0	28	10.9	06.0-15.8
35-44	288	36,855	252	87.6	83.1-92.1	36	12.4	07.9-16.9
45-54	453	45,243	413	92.2	89.5-94.9	40	7.8	05.1-10.5
55-64	563	42,589	503	89.9	87.0-92.8	60	10.1	07.2-13.0
65+	1017	59,010	910	88.2	85.7-90.7	107	11.8	09.3-14.3
Less Than H.S.	169	20,399	149	87.1	80.2-94.0	20	12.9	06.0-19.8
H.S. or G.E.D.	752	63,502	678	90.5	87.6-93.4	74	9.5	06.6-12.4
Some Post-H.S.	904	112,677	789	86.2	83.1-89.3	115	13.8	10.7-16.9
College Graduate	899	70,715	813	90.1	87.6-92.6	86	9.9	07.4-12.4
Less than \$15,000	228	22,914	185	78.6	70.0-87.2	43	21.4	12.8-30.0
\$15,000- 24,999	372	33,090	317	82.1	75.8-88.4	55	17.9	11.6-24.2
\$25,000- 34,999	292	27,607	267	91.4	87.1-95.7	25	8.6	04.3-12.9
\$35,000- 49,999	339	33,589	308	91.1	87.8-94.4	31	8.9	05.6-12.2
\$50,000- 74,999	409	40,264	370	90.2	86.5-93.9	39	9.8	06.1-13.5
\$75,000+	624	65,092	561	90.4	87.5-93.3	63	9.6	06.7-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4850	537,405	4499	92.4	91.4-93.4	351	7.6	06.6-08.6
Male	2130	270,028	2006	93.5	92.1-94.9	124	6.5	05.1-07.9
Female	2720	267,377	2493	91.3	89.7-92.9	227	8.7	07.1-10.3
Native	125	24,539	117	89.9	82.3-97.5	8	10.1	02.5-17.7
Non-Native	4660	505,054	4326	92.6	91.6-93.6	334	7.4	06.4-08.4
18-24	252	80,669	228	90.2	86.3-94.1	24	9.8	05.9-13.7
25-34	516	92,888	478	92.6	89.9-95.3	38	7.4	04.7-10.1
35-44	548	77,019	506	91.7	88.8-94.6	42	8.3	05.4-11.2
45-54	858	91,051	804	94.5	92.7-96.3	54	5.5	03.7-07.3
55-64	1058	87,000	986	92.9	90.9-94.9	72	7.1	05.1-09.1
65+	1576	105,140	1456	92.0	90.2-93.8	120	8.0	06.2-09.8
Less Than H.S.	335	52,582	305	92.5	88.8-96.2	30	7.5	03.8-11.2
H.S. or G.E.D.	1405	146,792	1307	92.7	90.7-94.7	98	7.3	05.3-09.3
Some Post-H.S.	1552	208,350	1426	91.6	89.8-93.4	126	8.4	06.6-10.2
College Graduate	1552	128,333	1455	93.2	91.4-95.0	97	6.8	05.0-08.6
Less than \$15,000	348	40,385	299	85.9	80.4-91.4	49	14.1	08.6-19.6
\$15,000- 24,999	607	65,429	541	87.8	83.7-91.9	66	12.2	08.1-16.3
\$25,000- 34,999	503	55,905	470	94.8	92.6-97.0	33	5.2	03.0-07.4
\$35,000- 49,999	713	80,139	667	93.9	91.9-95.9	46	6.1	04.1-08.1
\$50,000- 74,999	746	80,838	701	93.4	91.0-95.8	45	6.6	04.2-09.0
\$75,000+	1312	144,589	1234	93.8	92.0-95.6	78	6.2	04.4-08.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2130	270,028	2006	93.5	92.1-94.9	124	6.5	05.1-07.9
Native	53	12,926	49	87.6	75.4-99.8	4	12.4	00.2-24.6
Non-Native	2040	252,816	1924	93.8	92.4-95.2	116	6.2	04.8-07.6
18-24	124	42,699	116	93.2	88.5-97.9	8	6.8	02.1-11.5
25-34	270	49,103	253	92.7	88.8-96.6	17	7.3	03.4-11.2
35-44	262	40,399	248	92.9	88.6-97.2	14	7.1	02.8-11.4
45-54	407	46,067	385	95.2	92.8-97.6	22	4.8	02.4-07.2
55-64	495	44,411	468	93.1	90.0-96.2	27	6.9	03.8-10.0
65+	562	46,369	526	93.9	91.4-96.4	36	6.1	03.6-08.6
Less Than H.S.	168	32,500	152	91.9	86.4-97.4	16	8.1	02.6-13.6
H.S. or G.E.D.	654	83,317	614	93.1	90.4-95.8	40	6.9	04.2-09.6
Some Post-H.S.	651	95,972	617	94.5	92.1-96.9	34	5.5	03.1-07.9
College Graduate	655	57,754	621	93.4	90.7-96.1	34	6.6	03.9-09.3
Less than \$15,000	122	17,676	108	86.4	77.4-95.4	14	13.6	04.6-22.6
\$15,000- 24,999	235	32,339	214	89.5	83.6-95.4	21	10.5	04.6-16.4
\$25,000- 34,999	211	28,299	197	95.9	93.2-98.6	14	4.1	01.4-06.8
\$35,000- 49,999	374	46,550	355	94.7	92.0-97.4	19	5.3	02.6-08.0
\$50,000- 74,999	339	40,827	320	92.7	88.8-96.6	19	7.3	03.4-11.2
\$75,000+	690	79,634	660	95.0	92.8-97.2	30	5.0	02.8-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	267,377	2493	91.3	89.7-92.9	227	8.7	07.1-10.3
Native	72	11,612	68	92.6	84.4-0100	4	7.4	00.0-15.6
Non-Native	2620	252,238	2402	91.3	89.7-92.9	218	8.7	07.1-10.3
18-24	128	37,970	112	86.9	80.4-93.4	16	13.1	06.6-19.6
25-34	246	43,785	225	92.5	88.6-96.4	21	7.5	03.6-11.4
35-44	286	36,620	258	90.4	86.5-94.3	28	9.6	05.7-13.5
45-54	451	44,984	419	93.8	91.3-96.3	32	6.2	03.7-08.7
55-64	563	42,589	518	92.7	90.3-95.1	45	7.3	04.9-09.7
65+	1014	58,771	930	90.5	88.1-92.9	84	9.5	07.1-11.9
Less Than H.S.	167	20,082	153	93.5	89.6-97.4	14	6.5	02.6-10.4
H.S. or G.E.D.	751	63,475	693	92.2	89.5-94.9	58	7.8	05.1-10.5
Some Post-H.S.	901	112,377	809	89.2	86.5-91.9	92	10.8	08.1-13.5
College Graduate	897	70,578	834	93.0	90.8-95.2	63	7.0	04.8-09.2
Less than \$15,000	226	22,709	191	85.4	78.5-92.3	35	14.6	07.7-21.5
\$15,000- 24,999	372	33,090	327	86.2	80.7-91.7	45	13.8	08.3-19.3
\$25,000- 34,999	292	27,607	273	93.7	90.2-97.2	19	6.3	02.8-09.8
\$35,000- 49,999	339	33,589	312	92.8	89.9-95.7	27	7.2	04.3-10.1
\$50,000- 74,999	407	40,011	381	94.1	91.4-96.8	26	5.9	03.2-08.6
\$75,000+	622	64,955	574	92.4	89.7-95.1	48	7.6	04.9-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 7: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4850	537,405	351	7.6	06.6-08.6	94	2.6	01.8-03.4	4405	89.8	88.6-91.0
Male	2130	270,028	124	6.5	05.1-07.9	34	2.5	01.3-03.7	1972	91.0	89.2-92.8
Female	2720	267,377	227	8.7	07.1-10.3	60	2.7	01.7-03.7	2433	88.6	86.8-90.4
Native	125	24,539	8	10.1	02.5-17.7	6	6.9	00.0-13.8	111	83.0	73.4-92.6
Non-Native	4660	505,054	334	7.4	06.4-08.4	87	2.4	01.6-03.2	4239	90.1	88.9-91.3
18-24	252	80,669	24	9.8	05.9-13.7	15	7.3	03.4-11.2	213	83.0	77.7-88.3
25-34	516	92,888	38	7.4	04.7-10.1	14	3.1	01.1-05.1	464	89.5	86.2-92.8
35-44	548	77,019	42	8.3	05.4-11.2	7	1.2	00.0-02.4	499	90.5	87.4-93.6
45-54	858	91,051	54	5.5	03.7-07.3	8	0.8	00.2-01.4	796	93.7	91.9-95.5
55-64	1058	87,000	72	7.1	05.1-09.1	21	1.9	00.9-02.9	965	91.0	88.8-93.2
65+	1576	105,140	120	8.0	06.2-09.8	29	1.8	01.0-02.6	1427	90.2	88.2-92.2
Less Than H.S.	335	52,582	30	7.5	03.8-11.2	9	4.4	00.9-07.9	296	88.1	83.2-93.0
H.S. or G.E.D.	1405	146,792	98	7.3	05.3-09.3	23	2.3	00.9-03.7	1284	90.4	88.0-92.8
Some Post-H.S.	1552	208,350	126	8.4	06.6-10.2	29	2.6	01.2-04.0	1397	89.0	86.8-91.2
College Graduate	1552	128,333	97	6.8	05.0-08.6	33	2.2	01.2-03.2	1422	91.0	89.0-93.0
Less than \$15,000	348	40,385	49	14.1	08.6-19.6	9	5.2	00.9-09.5	290	80.7	74.0-87.4
\$15,000- 24,999	607	65,429	66	12.2	08.1-16.3	15	4.0	01.1-06.9	526	83.8	79.1-88.5
\$25,000- 34,999	503	55,905	33	5.2	03.0-07.4	8	3.2	00.1-06.3	462	91.6	87.9-95.3
\$35,000- 49,999	713	80,139	46	6.1	04.1-08.1	7	1.0	00.2-01.8	660	92.9	90.7-95.1
\$50,000- 74,999	746	80,838	45	6.6	04.2-09.0	17	2.8	01.0-04.6	684	90.6	87.7-93.5
\$75,000+	1312	144,589	78	6.2	04.4-08.0	26	2.3	00.9-03.7	1208	91.5	89.3-93.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS  
TABLE 8: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2130	270,028	124	6.5	05.1-07.9	34	2.5	01.3-03.7	1972	91.0	89.2-92.8
Native	53	12,926	4	12.4	00.2-24.6	3	7.7	00.0-18.9	46	79.9	64.6-95.2
Non-Native	2040	252,816	116	6.2	04.8-07.6	30	2.3	01.1-03.5	1894	91.5	89.7-93.3
18-24	124	42,699	8	6.8	02.1-11.5	8	8.9	02.4-15.4	108	84.3	76.7-91.9
25-34	270	49,103	17	7.3	03.4-11.2	8	3.0	00.5-05.5	245	89.7	85.2-94.2
35-44	262	40,399	14	7.1	02.8-11.4	1	0.2	00.0-00.6	247	92.7	88.4-97.0
45-54	407	46,067	22	4.8	02.4-07.2	2	0.5	00.0-01.3	383	94.7	92.2-97.2
55-64	495	44,411	27	6.9	03.8-10.0	6	1.1	00.1-02.1	462	92.1	88.8-95.4
65+	562	46,369	36	6.1	03.6-08.6	9	1.6	00.2-03.0	517	92.2	89.5-94.9
Less Than H.S.	168	32,500	16	8.1	02.6-13.6	5	4.0	00.0-08.5	147	87.8	80.9-94.7
H.S. or G.E.D.	654	83,317	40	6.9	04.2-09.6	8	2.7	00.3-05.1	606	90.4	86.9-93.9
Some Post-H.S.	651	95,972	34	5.5	03.1-07.9	9	2.5	00.3-04.7	608	92.0	89.1-94.9
College Graduate	655	57,754	34	6.6	03.9-09.3	12	1.5	00.3-02.7	609	91.9	89.0-94.8
Less than \$15,000	122	17,676	14	13.6	04.6-22.6	3	4.0	00.0-09.5	105	82.4	72.4-92.4
\$15,000- 24,999	235	32,339	21	10.5	04.6-16.4	5	3.9	00.0-08.6	209	85.5	78.4-92.6
\$25,000- 34,999	211	28,299	14	4.1	01.4-06.8	2	4.0	00.0-09.7	195	91.9	85.8-98.0
\$35,000- 49,999	374	46,550	19	5.3	02.6-08.0	3	0.5	00.0-01.1	352	94.2	91.3-97.1
\$50,000- 74,999	339	40,827	19	7.3	03.4-11.2	6	2.2	00.0-04.6	314	90.5	86.0-95.0
\$75,000+	690	79,634	30	5.0	02.8-07.2	13	2.8	00.6-05.0	647	92.3	89.2-95.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS  
TABLE 9: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	267,377	227	8.7	07.1-10.3	60	2.7	01.7-03.7	2433	88.6	86.8-90.4
Native	72	11,612	4	7.4	00.0-15.6	3	6.0	00.0-13.3	65	86.6	76.0-97.2
Non-Native	2620	252,238	218	8.7	07.1-10.3	57	2.6	01.6-03.6	2345	88.7	86.9-90.5
18-24	128	37,970	16	13.1	06.6-19.6	7	5.4	01.1-09.7	105	81.5	74.1-88.9
25-34	246	43,785	21	7.5	03.6-11.4	6	3.2	00.0-06.5	219	89.2	84.3-94.1
35-44	286	36,620	28	9.6	05.7-13.5	6	2.3	00.0-04.7	252	88.1	83.6-92.6
45-54	451	44,984	32	6.2	03.7-08.7	6	1.1	00.1-02.1	413	92.7	90.2-95.2
55-64	563	42,589	45	7.3	04.9-09.7	15	2.8	01.2-04.4	503	89.9	87.0-92.8
65+	1014	58,771	84	9.5	07.1-11.9	20	2.0	01.0-03.0	910	88.5	86.0-91.0
Less Than H.S.	167	20,082	14	6.5	02.6-10.4	4	5.0	00.0-10.9	149	88.5	81.8-95.2
H.S. or G.E.D.	751	63,475	58	7.8	05.1-10.5	15	1.7	00.5-02.9	678	90.5	87.6-93.4
Some Post-H.S.	901	112,377	92	10.8	08.1-13.5	20	2.8	01.2-04.4	789	86.4	83.3-89.5
College Graduate	897	70,578	63	7.0	04.8-09.2	21	2.8	01.2-04.4	813	90.3	87.8-92.8
Less than \$15,000	226	22,709	35	14.6	07.7-21.5	6	6.1	00.0-12.4	185	79.3	70.7-87.9
\$15,000- 24,999	372	33,090	45	13.8	08.3-19.3	10	4.1	00.6-07.6	317	82.1	75.8-88.4
\$25,000- 34,999	292	27,607	19	6.3	02.8-09.8	6	2.4	00.0-05.1	267	91.4	87.1-95.7
\$35,000- 49,999	339	33,589	27	7.2	04.3-10.1	4	1.7	00.0-03.5	308	91.1	87.8-94.4
\$50,000- 74,999	407	40,011	26	5.9	03.2-08.6	11	3.3	00.8-05.8	370	90.8	87.1-94.5
\$75,000+	622	64,955	48	7.6	04.9-10.3	13	1.8	00.4-03.2	561	90.6	87.7-93.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 10: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4854	538,242	1599	24.5	23.1-25.9	3255	75.5	74.1-76.9
Male	2129	270,487	564	20.4	18.4-22.4	1565	79.6	77.6-81.6
Female	2725	267,754	1035	28.7	26.5-30.9	1690	71.3	69.1-73.5
Native	126	24,600	33	22.1	12.7-31.5	93	77.9	68.5-87.3
Non-Native	4664	505,881	1546	24.6	23.2-26.0	3118	75.4	74.0-76.8
18-24	253	80,808	2	1.5	00.0-03.7	251	98.5	96.3-0100
25-34	519	93,402	30	5.8	03.3-08.3	489	94.2	91.7-96.7
35-44	547	76,955	67	14.8	10.7-18.9	480	85.2	81.1-89.3
45-54	860	91,322	210	24.1	20.6-27.6	650	75.9	72.4-79.4
55-64	1056	86,978	400	38.9	35.4-42.4	656	61.1	57.6-64.6
65+	1577	105,139	879	54.6	51.7-57.5	698	45.4	42.5-48.3
Less Than H.S.	336	52,608	160	37.0	30.3-43.7	176	63.0	56.3-69.7
H.S. or G.E.D.	1406	146,578	543	27.6	24.9-30.3	863	72.4	69.7-75.1
Some Post-H.S.	1552	209,093	495	22.9	20.5-25.3	1057	77.1	74.7-79.5
College Graduate	1554	128,614	399	18.6	16.4-20.8	1155	81.4	79.2-83.6
Less than \$15,000	349	40,558	161	27.3	21.8-32.8	188	72.7	67.2-78.2
\$15,000- 24,999	607	65,598	272	31.7	27.0-36.4	335	68.3	63.6-73.0
\$25,000- 34,999	504	55,988	200	27.9	23.2-32.6	304	72.1	67.4-76.8
\$35,000- 49,999	711	80,002	223	24.1	20.4-27.8	488	75.9	72.2-79.6
\$50,000- 74,999	749	81,393	219	23.5	20.0-27.0	530	76.5	73.0-80.0
\$75,000+	1315	144,776	280	17.1	14.7-19.5	1035	82.9	80.5-85.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 11: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2129	270,487	564	20.4	18.4-22.4	1565	79.6	77.6-81.6
Native	54	12,987	14	17.3	05.3-29.3	40	82.7	70.7-94.7
Non-Native	2039	253,265	538	20.4	18.4-22.4	1501	79.6	77.6-81.6
18-24	125	42,838	1	1.7	00.0-04.8	124	98.3	95.2-0100
25-34	272	49,569	10	3.8	01.1-06.5	262	96.2	93.5-98.9
35-44	260	40,314	31	15.6	09.5-21.7	229	84.4	78.3-90.5
45-54	407	46,079	93	21.0	16.3-25.7	314	79.0	74.3-83.7
55-64	493	44,384	170	35.8	30.5-41.1	323	64.2	58.9-69.5
65+	562	46,324	256	44.4	39.5-49.3	306	55.6	50.7-60.5
Less Than H.S.	169	32,582	57	28.6	20.2-37.0	112	71.4	63.0-79.8
H.S. or G.E.D.	652	83,036	194	21.8	18.3-25.3	458	78.2	74.7-81.7
Some Post-H.S.	650	96,502	162	18.7	15.4-22.0	488	81.3	78.0-84.6
College Graduate	656	57,882	151	16.8	13.7-19.9	505	83.2	80.1-86.3
Less than \$15,000	121	17,644	43	22.7	14.9-30.5	78	77.3	69.5-85.1
\$15,000- 24,999	235	32,602	81	24.8	18.3-31.3	154	75.2	68.7-81.7
\$25,000- 34,999	212	28,381	73	22.5	16.2-28.8	139	77.5	71.2-83.8
\$35,000- 49,999	373	46,454	105	21.8	16.9-26.7	268	78.2	73.3-83.1
\$50,000- 74,999	340	41,129	85	19.4	14.5-24.3	255	80.6	75.7-85.5
\$75,000+	691	79,684	136	15.9	12.8-19.0	555	84.1	81.0-87.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 12: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2725	267,754	1035	28.7	26.5-30.9	1690	71.3	69.1-73.5
Native	72	11,612	19	27.4	13.1-41.7	53	72.6	58.3-86.9
Non-Native	2625	252,615	1008	28.9	26.7-31.1	1617	71.1	68.9-73.3
18-24	128	37,970	1	1.3	00.0-03.8	127	98.7	96.2-0100
25-34	247	43,833	20	8.1	04.0-12.2	227	91.9	87.8-96.0
35-44	287	36,640	36	13.9	08.4-19.4	251	86.1	80.6-91.6
45-54	453	45,243	117	27.2	21.9-32.5	336	72.8	67.5-78.1
55-64	563	42,595	230	42.1	37.2-47.0	333	57.9	53.0-62.8
65+	1015	58,815	623	62.7	59.2-66.2	392	37.3	33.8-40.8
Less Than H.S.	167	20,025	103	50.6	40.0-61.2	64	49.4	38.8-60.0
H.S. or G.E.D.	754	63,542	349	35.1	30.8-39.4	405	64.9	60.6-69.2
Some Post-H.S.	902	112,591	333	26.6	23.1-30.1	569	73.4	69.9-76.9
College Graduate	898	70,732	248	20.0	17.1-22.9	650	80.0	77.1-82.9
Less than \$15,000	228	22,914	118	30.8	23.2-38.4	110	69.2	61.6-76.8
\$15,000- 24,999	372	32,996	191	38.6	31.7-45.5	181	61.4	54.5-68.3
\$25,000- 34,999	292	27,607	127	33.3	26.6-40.0	165	66.7	60.0-73.4
\$35,000- 49,999	338	33,548	118	27.4	21.7-33.1	220	72.6	66.9-78.3
\$50,000- 74,999	409	40,264	134	27.6	22.3-32.9	275	72.4	67.1-77.7
\$75,000+	624	65,092	144	18.5	14.8-22.2	480	81.5	77.8-85.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 6: ORAL HEALTH CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	28
2	MALES ONLY	29
3	FEMALES ONLY	30
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	31
5	MALES ONLY	32
6	FEMALES ONLY	33
	ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7	MALES AND FEMALES	34
8	MALES ONLY	35
9	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 6: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4794	533,286	2274	56.8	55.0-58.6	2520	43.2	41.4-45.0
Male	2121	268,966	1018	56.3	53.6-59.0	1103	43.7	41.0-46.4
Female	2673	264,320	1256	57.3	54.8-59.8	1417	42.7	40.2-45.2
Native	123	24,272	53	52.8	41.2-64.4	70	47.2	35.6-58.8
Non-Native	4609	501,665	2192	57.0	55.2-58.8	2417	43.0	41.2-44.8
18-24	251	80,187	228	92.3	89.0-95.6	23	7.7	04.4-11.0
25-34	519	93,392	413	77.0	72.5-81.5	106	23.0	18.5-27.5
35-44	546	76,782	404	68.4	63.3-73.5	142	31.6	26.5-36.7
45-54	857	90,438	454	53.0	48.9-57.1	403	47.0	42.9-51.1
55-64	1053	86,787	408	37.2	33.7-40.7	645	62.8	59.3-66.3
65+	1528	102,253	343	21.5	19.1-23.9	1185	78.5	76.1-80.9
Less Than H.S.	325	51,682	68	29.6	22.2-37.0	257	70.4	63.0-77.8
H.S. or G.E.D.	1379	144,186	499	50.3	46.8-53.8	880	49.7	46.2-53.2
Some Post-H.S.	1535	208,040	774	60.7	57.6-63.8	761	39.3	36.2-42.4
College Graduate	1550	128,135	930	68.4	65.7-71.1	620	31.6	28.9-34.3
Less than \$15,000	336	39,353	96	48.1	40.1-56.1	240	51.9	43.9-59.9
\$15,000- 24,999	599	65,289	181	41.9	36.2-47.6	418	58.1	52.4-63.8
\$25,000- 34,999	493	55,236	179	48.6	42.3-54.9	314	51.4	45.1-57.7
\$35,000- 49,999	711	79,875	315	53.7	49.0-58.4	396	46.3	41.6-51.0
\$50,000- 74,999	744	80,835	401	61.4	57.1-65.7	343	38.6	34.3-42.9
\$75,000+	1314	144,785	839	68.0	64.9-71.1	475	32.0	28.9-35.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 6: ORAL HEALTH**

**TABLE 2: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2121	268,966	1018	56.3	53.6-59.0	1103	43.7	41.0-46.4
Native	53	12,803	23	54.6	37.7-71.5	30	45.4	28.5-62.3
Non-Native	2031	251,866	976	56.3	53.6-59.0	1055	43.7	41.0-46.4
18-24	124	42,493	113	94.3	90.6-98.0	11	5.7	02.0-09.4
25-34	272	49,559	216	76.4	69.9-82.9	56	23.6	17.1-30.1
35-44	260	40,121	198	69.4	62.0-76.8	62	30.6	23.2-38.0
45-54	406	45,623	201	48.7	42.8-54.6	205	51.3	45.4-57.2
55-64	495	44,485	181	34.2	29.1-39.3	314	65.8	60.7-70.9
65+	554	45,750	104	17.1	13.6-20.6	450	82.9	79.4-86.4
Less Than H.S.	164	31,906	35	29.1	19.1-39.1	129	70.9	60.9-80.9
H.S. or G.E.D.	649	82,503	263	55.0	50.3-59.7	386	45.0	40.3-49.7
Some Post-H.S.	651	96,559	333	59.5	54.8-64.2	318	40.5	35.8-45.2
College Graduate	655	57,515	385	67.6	63.5-71.7	270	32.4	28.3-36.5
Less than \$15,000	118	17,000	41	52.4	40.6-64.2	77	47.6	35.8-59.4
\$15,000- 24,999	234	32,561	70	40.7	32.1-49.3	164	59.3	50.7-67.9
\$25,000- 34,999	210	28,225	80	52.9	43.7-62.1	130	47.1	37.9-56.3
\$35,000- 49,999	371	46,270	154	49.8	43.3-56.3	217	50.2	43.7-56.7
\$50,000- 74,999	340	40,955	183	61.4	54.9-67.9	157	38.6	32.1-45.1
\$75,000+	691	79,694	411	64.2	59.7-68.7	280	35.8	31.3-40.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 6: ORAL HEALTH**

**TABLE 3: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2673	264,320	1256	57.3	54.9-59.7	1417	42.7	40.3-45.1
Native	70	11,469	30	50.8	35.3-66.3	40	49.2	33.7-64.7
Non-Native	2578	249,799	1216	57.6	55.1-60.1	1362	42.4	39.9-44.9
18-24	127	37,694	115	90.1	84.4-95.8	12	9.9	04.2-15.6
25-34	247	43,833	197	77.6	71.3-83.9	50	22.4	16.1-28.7
35-44	286	36,662	206	67.2	60.1-74.3	80	32.8	25.7-39.9
45-54	451	44,815	253	57.3	51.6-63.0	198	42.7	37.0-48.4
55-64	558	42,302	227	40.4	35.5-45.3	331	59.6	54.7-64.5
65+	974	56,503	239	25.0	21.7-28.3	735	75.0	71.7-78.3
Less Than H.S.	161	19,777	33	30.5	19.5-41.5	128	69.5	58.5-80.5
H.S. or G.E.D.	730	61,683	236	44.1	39.2-49.0	494	55.9	51.0-60.8
Some Post-H.S.	884	111,482	441	61.8	57.7-65.9	443	38.2	34.1-42.3
College Graduate	895	70,620	545	69.1	65.4-72.8	350	30.9	27.2-34.6
Less than \$15,000	218	22,353	55	44.9	34.1-55.7	163	55.1	44.3-65.9
\$15,000- 24,999	365	32,728	111	43.2	35.6-50.8	254	56.8	49.2-64.4
\$25,000- 34,999	283	27,011	99	44.1	36.1-52.1	184	55.9	47.9-63.9
\$35,000- 49,999	340	33,605	161	59.2	52.5-65.9	179	40.8	34.1-47.5
\$50,000- 74,999	404	39,879	218	61.4	55.7-67.1	186	38.6	32.9-44.3
\$75,000+	623	65,092	428	72.7	68.4-77.0	195	27.3	23.0-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 6: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1528	102,253	1263	82.9	80.5-85.3	265	17.1	14.7-19.5
Male	554	45,750	477	86.4	83.1-89.7	77	13.6	10.3-16.9
Female	974	56,503	786	80.1	77.0-83.2	188	19.9	16.8-23.0
Non-Native	1484	98,745	1233	83.5	81.1-85.9	251	16.5	14.1-18.9
65+	1528	102,253	1263	82.9	80.5-85.3	265	17.1	14.7-19.5
Less Than H.S.	202	20,896	143	73.5	66.4-80.6	59	26.5	19.4-33.6
H.S. or G.E.D.	571	33,559	456	81.5	77.8-85.2	115	18.5	14.8-22.2
Some Post-H.S.	435	32,138	373	86.6	83.1-90.1	62	13.4	09.9-16.9
College Graduate	319	15,580	290	90.9	87.2-94.6	29	9.1	05.4-12.8
Less than \$15,000	143	7,725	89	61.1	51.7-70.5	54	38.9	29.5-48.3
\$15,000- 24,999	330	21,963	258	80.1	75.2-85.0	72	19.9	15.0-24.8
\$25,000- 34,999	210	14,148	181	86.6	81.3-91.9	29	13.4	08.1-18.7
\$35,000- 49,999	243	15,946	212	85.3	79.6-91.0	31	14.7	09.0-20.4
\$50,000- 74,999	145	10,243	131	90.9	85.8-96.0	14	9.1	04.0-14.2
\$75,000+	157	10,885	146	91.9	86.6-97.2	11	8.1	02.8-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 6: ORAL HEALTH**

**TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	554	45,750	477	86.4	83.1-89.7	77	13.6	10.3-16.9
Non-Native	534	44,457	464	87.0	83.7-90.3	70	13.0	09.7-16.3
65+	554	45,750	477	86.4	83.1-89.7	77	13.6	10.3-16.9
Less Than H.S.	85	10,585	64	80.5	71.9-89.1	21	19.5	10.9-28.1
H.S. or G.E.D.	191	14,252	164	87.6	82.1-93.1	27	12.4	06.9-17.9
Some Post-H.S.	138	12,725	121	86.6	80.3-92.9	17	13.4	07.1-19.7
College Graduate	139	8,108	127	91.5	86.2-96.8	12	8.5	03.2-13.8
\$15,000- 24,999	115	10,180	90	81.9	74.3-89.5	25	18.1	10.5-25.7
\$25,000- 34,999	82	6,698	72	87.8	79.8-95.8	10	12.2	04.2-20.2
\$35,000- 49,999	118	8,977	101	83.9	75.7-92.1	17	16.1	07.9-24.3
\$50,000- 74,999	62	4,812	56	92.1	85.4-98.8	6	7.9	01.2-14.6
\$75,000+	93	7,368	85	89.5	81.9-97.1	8	10.5	02.9-18.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 6: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	974	56,503	786	80.1	77.0-83.2	188	19.9	16.8-23.0
Non-Native	950	54,288	769	80.7	77.6-83.8	181	19.3	16.2-22.4
65+	974	56,503	786	80.1	77.0-83.2	188	19.9	16.8-23.0
Less Than H.S.	117	10,311	79	66.3	55.9-76.7	38	33.7	23.3-44.1
H.S. or G.E.D.	380	19,307	292	77.0	72.1-81.9	88	23.0	18.1-27.9
Some Post-H.S.	297	19,413	252	86.6	82.5-90.7	45	13.4	09.3-17.5
College Graduate	180	7,472	163	90.2	85.3-95.1	17	9.8	04.9-14.7
Less than \$15,000	115	5,658	68	56.5	45.9-67.1	47	43.5	32.9-54.1
\$15,000- 24,999	215	11,783	168	78.5	72.0-85.0	47	21.5	15.0-28.0
\$25,000- 34,999	128	7,449	109	85.4	78.1-92.7	19	14.6	07.3-21.9
\$35,000- 49,999	125	6,968	111	87.1	80.0-94.2	14	12.9	05.8-20.0
\$50,000- 74,999	83	5,431	75	89.8	82.5-97.1	8	10.2	02.9-17.5
\$75,000+	64	3,518	61	96.8	93.1-0100	3	3.2	00.0-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 6: ORAL HEALTH**

**TABLE 7: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4845	534,804	3389	67.2	65.4-69.0	1456	32.8	31.0-34.6
Male	2130	268,500	1419	63.6	60.9-66.3	711	36.4	33.7-39.1
Female	2715	266,304	1970	70.7	68.3-73.1	745	29.3	26.9-31.7
Native	124	24,268	67	52.5	40.9-64.1	57	47.5	35.9-59.1
Non-Native	4657	503,685	3282	67.9	66.1-69.7	1375	32.1	30.3-33.9
18-24	249	78,902	170	68.3	61.8-74.8	79	31.7	25.2-38.2
25-34	516	92,798	345	64.3	59.2-69.4	171	35.7	30.6-40.8
35-44	548	76,746	385	63.8	58.7-68.9	163	36.2	31.1-41.3
45-54	863	91,544	633	72.6	68.9-76.3	230	27.4	23.7-31.1
55-64	1055	86,642	791	72.4	68.9-75.9	264	27.6	24.1-31.1
65+	1572	104,599	1034	62.0	59.1-64.9	538	38.0	35.1-40.9
Less Than H.S.	334	51,812	139	43.4	36.1-50.7	195	56.6	49.3-63.9
H.S. or G.E.D.	1399	145,158	883	60.7	57.2-64.2	516	39.3	35.8-42.8
Some Post-H.S.	1550	207,953	1124	71.3	68.4-74.2	426	28.7	25.8-31.6
College Graduate	1557	128,639	1239	77.4	74.7-80.1	318	22.6	19.9-25.3
Less than \$15,000	346	40,239	155	50.3	42.5-58.1	191	49.7	41.9-57.5
\$15,000- 24,999	603	65,322	329	50.9	45.2-56.6	274	49.1	43.4-54.8
\$25,000- 34,999	504	55,988	317	57.2	50.9-63.5	187	42.8	36.5-49.1
\$35,000- 49,999	714	79,812	499	67.6	63.1-72.1	215	32.4	27.9-36.9
\$50,000- 74,999	748	81,023	580	74.1	70.0-78.2	168	25.9	21.8-30.0
\$75,000+	1319	144,929	1088	80.3	77.4-83.2	231	19.7	16.8-22.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 6: ORAL HEALTH**

**TABLE 8: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2130	268,500	1419	63.6	60.9-66.3	711	36.4	33.7-39.1
Native	54	12,987	28	52.0	35.1-68.9	26	48.0	31.1-64.9
Non-Native	2039	251,864	1371	64.5	61.8-67.2	668	35.5	32.8-38.2
18-24	123	41,662	80	65.3	55.9-74.7	43	34.7	25.3-44.1
25-34	270	49,214	170	60.8	53.7-67.9	100	39.2	32.1-46.3
35-44	261	39,969	159	55.5	47.9-63.1	102	44.5	36.9-52.1
45-54	409	46,221	285	70.3	65.0-75.6	124	29.7	24.4-35.0
55-64	493	44,177	350	68.8	63.5-74.1	143	31.2	25.9-36.5
65+	563	46,237	368	60.6	55.7-65.5	195	39.4	34.5-44.3
Less Than H.S.	169	31,934	68	40.0	30.6-49.4	101	60.0	50.6-69.4
H.S. or G.E.D.	651	82,367	401	57.8	52.9-62.7	250	42.2	37.3-47.1
Some Post-H.S.	651	95,832	455	70.7	66.2-75.2	196	29.3	24.8-33.8
College Graduate	657	57,883	494	73.7	69.4-78.0	163	26.3	22.0-30.6
Less than \$15,000	121	17,473	50	41.4	29.6-53.2	71	58.6	46.8-70.4
\$15,000- 24,999	233	32,380	109	49.6	41.2-58.0	124	50.4	42.0-58.8
\$25,000- 34,999	212	28,381	127	53.0	43.4-62.6	85	47.0	37.4-56.6
\$35,000- 49,999	374	46,207	243	65.0	58.7-71.3	131	35.0	28.7-41.3
\$50,000- 74,999	341	41,202	254	71.0	64.7-77.3	87	29.0	22.7-35.3
\$75,000+	695	79,892	535	75.6	71.5-79.7	160	24.4	20.3-28.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 6: ORAL HEALTH**

**TABLE 9: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2715	266,304	1970	70.7	68.3-73.1	745	29.3	26.9-31.7
Native	70	11,281	39	53.1	37.4-68.8	31	46.9	31.2-62.6
Non-Native	2618	251,821	1911	71.3	68.9-73.7	707	28.7	26.3-31.1
18-24	126	37,240	90	71.7	63.1-80.3	36	28.3	19.7-36.9
25-34	246	43,584	175	68.3	61.2-75.4	71	31.7	24.6-38.8
35-44	287	36,778	226	72.9	66.0-79.8	61	27.1	20.2-34.0
45-54	454	45,323	348	75.0	69.9-80.1	106	25.0	19.9-30.1
55-64	562	42,465	441	76.3	72.0-80.6	121	23.7	19.4-28.0
65+	1009	58,362	666	63.2	59.5-66.9	343	36.8	33.1-40.5
Less Than H.S.	165	19,878	71	48.8	38.2-59.4	94	51.2	40.6-61.8
H.S. or G.E.D.	748	62,790	482	64.5	59.8-69.2	266	35.5	30.8-40.2
Some Post-H.S.	899	112,121	669	71.9	67.8-76.0	230	28.1	24.0-32.2
College Graduate	900	70,756	745	80.4	76.9-83.9	155	19.6	16.1-23.1
Less than \$15,000	225	22,765	105	57.1	47.3-66.9	120	42.9	33.1-52.7
\$15,000- 24,999	370	32,942	220	52.1	44.7-59.5	150	47.9	40.5-55.3
\$25,000- 34,999	292	27,607	190	61.5	53.9-69.1	102	38.5	30.9-46.1
\$35,000- 49,999	340	33,605	256	71.2	64.5-77.9	84	28.8	22.1-35.5
\$50,000- 74,999	407	39,821	326	77.3	71.8-82.8	81	22.7	17.2-28.2
\$75,000+	624	65,037	553	86.2	82.3-90.1	71	13.8	09.9-17.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012**

**SECTION 7: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012**

**SECTION 7: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED HEIGHT IN INCHES (HTIN4).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
REPORTED HEIGHT IN METERS (HTM4).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
46	MALES AND FEMALES	85
47	MALES ONLY	86
48	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (\_PRACE).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4835	535,006	4610	92.5	91.3-93.7	29	1.0	0.6-01.4	38	1.0	0.6-01.4	6	0.1	0.1-0.1	142	5.1	0.4-06.1	10	0.4	0.2-0.6
Male	2119	269,142	2022	92.2	90.4-94.0	11	0.8	0.2-01.4	20	1.2	0.6-01.8	2	0.1	0.0-0.3	59	5.3	0.3-06.9	5	0.4	0.0-0.8
Female	2716	265,864	2588	92.7	91.1-94.3	18	1.1	0.3-01.9	18	0.8	0.2-01.4	4	0.1	0.0-0.3	83	4.8	0.3-06.2	5	0.4	0.0-0.8
18-24	250	79,689	230	89.6	84.9-94.3	4	1.8	0.0-03.6	7	2.6	0.4-04.8				9	5.9	0.1-10.0			
25-34	517	92,628	468	87.1	83.2-91.0	7	2.0	0.4-03.6	8	1.1	0.1-02.1	1	0.1	0.0-0.3	29	8.4	0.5-11.7	4	1.3	0.0-02.7
35-44	546	76,653	504	89.2	85.5-92.9	8	1.6	0.2-03.0	8	1.1	0.1-02.1	1	0.2	0.0-0.6	25	7.9	0.4-11.4			
45-54	854	90,654	816	94.4	92.4-96.4	8	0.7	0.1-01.3	4	0.6	0.0-01.4				25	4.0	0.2-05.8	1	0.3	0.0-0.9
55-64	1055	87,064	1022	96.4	94.6-98.2	1	0.0	0.0-0.0	3	0.2	0.0-0.4	2	0.2	0.0-0.4	26	3.2	0.1-05.0	1	0.1	0.0-0.3
65+	1574	104,864	1535	97.1	96.1-98.1	1	0.0	0.0-0.0	7	0.4	0.0-0.8	1	0.1	0.0-0.3	27	2.0	0.1-02.8	3	0.4	0.0-0.1.0
Less Than H.S.	331	52,280	297	87.5	82.0-93.0	3	1.3	0.0-03.1	1	0.1	0.0-0.3	1	0.2	0.0-0.6	28	10.7	0.5-16.0	1	0.3	0.0-0.9
H.S. or G.E.D.	1405	145,947	1349	93.4	91.2-95.6	6	0.9	0.1-01.7	10	0.9	0.1-01.7	3	0.2	0.0-0.4	35	4.5	0.2-06.3	2	0.2	0.0-0.6
Some Post-H.S.	1550	208,559	1481	92.2	90.0-94.4	10	0.7	0.1-01.3	5	0.6	0.0-0.1.2	1	0.1	0.0-0.3	49	5.9	0.3-07.9	4	0.5	0.0-0.1.1
College Graduate	1545	127,778	1479	93.9	92.1-95.7	10	1.4	0.4-02.4	22	2.2	0.1-03.4	1	0.0	0.0-0.0	30	2.2	0.1-03.2	3	0.3	0.0-0.7
Less than \$15,000	345	39,933	303	81.3	74.2-88.4	4	1.7	0.0-04.1	6	2.0	0.0-04.2	1	0.3	0.0-0.9	31	14.7	0.8-21.4			
\$15,000- 24,999	607	65,574	570	88.9	84.6-93.2	8	2.4	0.4-04.4	5	0.9	0.0-02.1				22	6.9	0.3-10.6	2	0.9	0.0-02.3
\$25,000- 34,999	495	55,022	467	89.7	85.2-94.2	4	1.8	0.0-03.8	5	1.2	0.0-02.6				19	7.3	0.3-11.4			
\$35,000- 49,999	709	79,862	685	94.8	92.3-97.3	1	0.1	0.0-0.3	5	0.9	0.0-01.9	1	0.1	0.0-0.3	15	3.3	0.1-05.3	2	0.8	0.0-02.0
\$50,000- 74,999	749	81,171	730	97.4	96.0-98.8	3	0.5	0.0-0.1.1	2	0.2	0.0-0.4	2	0.3	0.0-0.7	11	1.3	0.0-02.3	1	0.4	0.0-0.1.2
\$75,000+	1311	144,231	1271	95.9	94.1-97.7	6	0.7	0.0-0.1.5	10	0.6	0.2-01.0	1	0.1	0.0-0.3	21	2.5	0.1-03.9	2	0.1	0.0-0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 2: PREFERRED RACE CATEGORY (\_PRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2119	269,142	2022	92.2	90.4-94.0	11	0.8	00.2-01.4	20	1.2	00.6-01.8	2	0.1	00.0-00.3	59	5.3	03.7-06.9	5	0.4	00.0-00.8
18-24	125	42,838	113	88.8	82.1-95.5	2	1.6	00.0-03.8	6	3.8	00.5-07.1				4	5.8	00.3-11.3			
25-34	270	48,795	244	85.6	79.7-91.5	4	1.5	00.0-03.3	6	1.6	00.0-03.2				15	10.4	04.9-15.9	1	0.8	00.0-02.4
35-44	261	40,282	244	90.6	85.5-95.7	2	0.9	00.0-02.1	2	0.4	00.0-01.0	1	0.4	00.0-01.2	12	7.7	02.8-12.6			
45-54	404	45,831	390	94.6	91.7-97.5	3	0.9	00.0-02.1	2	0.9	00.0-02.3				8	3.0	00.8-05.2	1	0.6	00.0-01.8
55-64	492	44,443	479	96.0	93.1-98.9										12	3.9	01.0-06.8	1	0.1	00.0-00.3
65+	557	45,992	544	97.9	96.5-99.3				4	0.6	00.0-01.4				8	1.0	00.2-01.8	1	0.5	00.0-01.5
Less Than H.S.	165	32,153	148	89.9	83.8-96.0							1	0.3	00.0-00.9	16	9.9	03.8-16.0			
H.S. or G.E.D.	653	83,189	632	94.1	91.2-97.0	1	0.3	00.0-00.9	6	1.3	00.0-02.7				12	3.9	01.4-06.4	2	0.4	00.0-01.2
Some Post-H.S.	651	96,403	618	90.3	86.8-93.8	4	0.8	00.0-01.8	1	0.3	00.0-00.9	1	0.2	00.0-00.6	25	7.7	04.4-11.0	2	0.7	00.0-01.7
College Graduate	649	57,316	623	94.0	91.1-96.9	6	2.0	00.0-04.0	13	3.3	01.1-05.5				6	0.6	00.0-01.2	1	0.1	00.0-00.3
Less than \$15,000	120	17,526	98	75.7	64.5-86.9	1	0.4	00.0-01.2	4	4.1	00.0-08.8				17	19.8	09.2-30.4			
\$15,000- 24,999	233	32,401	218	88.8	82.1-95.5	5	3.4	00.1-06.7	2	1.2	00.0-03.4				8	6.6	00.7-12.5			
\$25,000- 34,999	206	28,007	197	89.8	82.5-97.1	1	0.9	00.0-02.7	1	1.0	00.0-03.0				7	8.4	01.5-15.3			
\$35,000- 49,999	373	46,454	360	93.9	90.2-97.6	1	0.2	00.0-00.6	2	0.8	00.0-02.0				9	4.3	01.2-07.4	1	0.9	00.0-02.7
\$50,000- 74,999	340	40,809	331	96.3	93.8-98.8	2	0.8	00.0-02.0	1	0.1	00.0-00.3	1	0.4	00.0-01.2	4	1.6	00.0-03.4	1	0.7	00.0-02.1
\$75,000+	689	79,664	671	95.9	93.4-98.4	1	0.5	00.0-01.5	7	0.7	00.1-01.3				9	2.8	00.4-05.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 3: PREFERRED RACE CATEGORY (\_PRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	265,864	2588	92.7	91.1-94.3	18	1.1	00.3-01.9	18	0.8	00.2-01.4	4	0.1	00.0-00.3	83	4.8	03.4-06.2	5	0.4	00.0-00.8
18-24	125	36,851	117	90.5	83.6-97.4	2	2.0	00.0-04.9	1	1.3	00.0-03.8				5	6.1	00.0-12.2			
25-34	247	43,833	224	88.8	83.9-93.7	3	2.5	00.0-05.2	2	0.6	00.0-01.4	1	0.3	00.0-00.9	14	6.1	02.6-09.6	3	1.8	00.0-04.0
35-44	285	36,372	260	87.6	82.1-93.1	6	2.4	00.0-04.8	6	1.9	00.1-03.7				13	8.1	03.2-13.0			
45-54	450	44,823	426	94.1	91.4-96.8	5	0.5	00.0-01.1	2	0.3	00.0-00.7				17	5.1	02.4-07.8			
55-64	563	42,621	543	96.7	94.9-98.5	1	0.1	00.0-00.3	3	0.4	00.0-00.8	2	0.4	00.0-01.0	14	2.5	00.9-04.1			
65+	1017	58,872	991	96.5	94.9-98.1	1	0.1	00.0-00.3	3	0.2	00.0-00.4	1	0.1	00.0-00.3	19	2.8	01.4-04.2	2	0.3	00.0-00.9
Less Than H.S.	166	20,127	149	83.6	73.4-93.8	3	3.4	00.0-07.9	1	0.2	00.0-00.6				12	12.0	02.4-21.6	1	0.8	00.0-02.4
H.S. or G.E.D.	752	62,758	717	92.4	89.5-95.3	5	1.6	00.0-03.4	4	0.4	00.0-00.8	3	0.5	00.0-01.1	23	5.2	02.8-07.6			
Some Post-H.S.	899	112,155	863	93.8	91.3-96.3	6	0.6	00.0-01.4	4	0.8	00.0-01.8				24	4.3	02.1-06.5	2	0.4	00.0-01.2
College Graduate	896	70,462	856	93.8	91.4-96.2	4	0.9	00.0-01.9	9	1.3	00.3-02.3	1	0.1	00.0-00.3	24	3.4	01.6-05.2	2	0.5	00.0-01.1
Less than \$15,000	225	22,407	205	85.8	76.6-95.0	3	2.7	00.0-07.0	2	0.4	00.0-01.0	1	0.5	00.0-01.5	14	10.7	02.1-19.3			
\$15,000- 24,999	374	33,173	352	89.0	83.5-94.5	3	1.3	00.0-03.5	3	0.6	00.0-01.4				14	7.2	02.5-11.9	2	1.8	00.0-04.5
\$25,000- 34,999	289	27,015	270	89.6	84.1-95.1	3	2.7	00.0-06.2	4	1.5	00.0-03.3				12	6.2	02.1-10.3			
\$35,000- 49,999	336	33,408	325	96.1	93.2-99.0				3	1.2	00.0-02.8	1	0.2	00.0-00.6	6	2.0	00.0-04.2	1	0.6	00.0-01.8
\$50,000- 74,999	409	40,361	399	98.5	97.5-99.5	1	0.2	00.0-00.6	1	0.2	00.0-00.6	1	0.1	00.0-00.3	7	1.0	00.2-01.8			
\$75,000+	622	64,567	600	96.0	93.8-98.2	5	1.0	00.0-02.2	3	0.5	00.0-01.1	1	0.2	00.0-00.6	12	2.2	00.6-03.8	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4835	535,006	4582	91.7	90.3-93.1	28	0.9	00.5-01.3	35	0.9	00.5-01.3	6	0.1	00.1-00.1	131	4.8	03.8-05.8	53	1.6	01.0-02.2
Male	2119	269,142	2007	91.6	89.6-93.6	11	0.8	00.2-01.4	18	1.1	00.5-01.7	2	0.1	00.0-00.3	56	5.0	03.4-06.6	25	1.4	00.6-02.2
Female	2716	265,864	2575	91.8	90.0-93.6	17	1.0	00.4-01.6	17	0.8	00.2-01.4	4	0.1	00.0-00.3	75	4.6	03.2-06.0	28	1.8	00.8-02.8
18-24	250	79,689	227	88.7	83.8-93.6	3	1.2	00.0-02.6	6	2.6	00.4-04.8				8	5.2	01.3-09.1	6	2.3	00.1-04.5
25-34	517	92,628	460	84.5	80.2-88.8	7	2.0	00.4-03.6	7	0.8	00.0-01.6	1	0.1	00.0-00.3	26	7.9	04.6-11.2	16	4.6	02.1-07.1
35-44	546	76,653	503	89.0	85.3-92.7	8	1.6	00.2-03.0	7	1.0	00.0-02.0	1	0.2	00.0-00.6	23	7.6	04.3-10.9	4	0.5	00.0-01.1
45-54	854	90,654	813	93.9	91.7-96.1	8	0.7	00.1-01.3	4	0.6	00.0-01.4				24	3.9	02.1-05.7	5	0.8	00.0-01.8
55-64	1055	87,064	1018	96.0	94.2-97.8	1	0.0	00.0-00.0	3	0.2	00.0-00.4	2	0.2	00.0-00.4	25	3.1	01.3-04.9	6	0.5	00.1-00.9
65+	1574	104,864	1527	96.8	95.6-98.0	1	0.0	00.0-00.0	7	0.4	00.0-00.8	1	0.1	00.0-00.3	24	1.9	01.1-02.7	14	0.8	00.2-01.4
Less Than H.S.	331	52,280	295	87.2	81.7-92.7	3	1.3	00.0-03.1	1	0.1	00.0-00.3	1	0.2	00.0-00.6	26	10.3	05.0-15.6	5	0.9	00.1-01.7
H.S. or G.E.D.	1405	145,947	1339	92.4	90.0-94.8	6	0.9	00.1-01.7	9	0.9	00.1-01.7	3	0.2	00.0-00.4	32	4.4	02.6-06.2	16	1.3	00.3-02.3
Some Post-H.S.	1550	208,559	1473	91.2	88.8-93.6	9	0.5	00.1-00.9	5	0.6	00.0-01.2	1	0.1	00.0-00.3	47	5.4	03.6-07.2	15	2.2	00.8-03.6
College Graduate	1545	127,778	1471	93.4	91.6-95.2	10	1.4	00.4-02.4	20	1.9	00.9-02.9	1	0.0	00.0-00.0	26	2.0	01.0-03.0	17	1.2	00.4-02.0
Less than \$15,000	345	39,933	298	79.3	72.0-86.6	3	0.4	00.0-01.0	6	2.0	00.0-04.2	1	0.3	00.0-00.9	29	14.5	07.8-21.2	8	3.5	00.0-07.0
\$15,000- 24,999	607	65,574	564	87.6	83.1-92.1	8	2.4	00.4-04.4	4	0.8	00.0-02.0				21	6.7	03.0-10.4	10	2.5	00.7-04.3
\$25,000- 34,999	495	55,022	466	88.9	84.2-93.6	4	1.8	00.0-03.8	3	0.6	00.0-01.4				18	6.3	02.8-09.8	4	2.5	00.0-05.2
\$35,000- 49,999	709	79,862	681	94.0	91.3-96.7	1	0.1	00.0-00.3	5	0.9	00.0-01.9	1	0.1	00.0-00.3	14	2.9	00.9-04.9	7	2.0	00.0-04.0
\$50,000- 74,999	749	81,171	727	97.2	95.8-98.6	3	0.5	00.0-01.1	2	0.2	00.0-00.4	2	0.3	00.0-00.7	8	1.1	00.1-02.1	7	0.8	00.0-01.6
\$75,000+	1311	144,231	1265	95.1	93.1-97.1	6	0.7	00.0-01.5	10	0.6	00.2-01.0	1	0.1	00.0-00.3	19	2.5	01.1-03.9	10	1.0	00.0-02.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 5: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2119	269,142	2007	91.6	89.6-93.6	11	0.8	00.2-01.4	18	1.1	00.5-01.7	2	0.1	00.0-00.3	56	5.0	03.4-06.6	25	1.4	00.6-02.2
18-24	125	42,838	111	87.4	80.5-94.3	2	1.6	00.0-03.8	5	3.6	00.3-06.9				3	4.5	00.0-09.4	4	2.9	00.0-06.2
25-34	270	48,795	241	84.9	79.0-90.8	4	1.5	00.0-03.3	5	1.1	00.1-02.1				15	10.4	04.9-15.9	5	2.0	00.0-04.2
35-44	261	40,282	243	90.2	85.1-95.3	2	0.9	00.0-02.1	2	0.4	00.0-01.0	1	0.4	00.0-01.2	10	7.2	02.5-11.9	3	0.8	00.0-01.8
45-54	404	45,831	387	93.8	90.7-96.9	3	0.9	00.0-02.1	2	0.9	00.0-02.3				8	3.0	00.8-05.2	4	1.5	00.0-03.3
55-64	492	44,443	477	95.8	92.9-98.7										12	3.9	01.0-06.8	3	0.4	00.0-00.8
65+	557	45,992	541	97.7	96.3-99.1				4	0.6	00.0-01.4				8	1.0	00.2-01.8	4	0.7	00.0-01.7
Less Than H.S.	165	32,153	147	89.6	83.5-95.7							1	0.3	00.0-00.9	15	9.5	03.4-15.6	2	0.7	00.0-01.7
H.S. or G.E.D.	653	83,189	625	92.8	89.5-96.1	1	0.3	00.0-00.9	6	1.3	00.0-02.7				12	3.9	01.4-06.4	9	1.7	00.1-03.3
Some Post-H.S.	651	96,403	615	90.0	86.5-93.5	4	0.8	00.0-01.8	1	0.3	00.0-00.9	1	0.2	00.0-00.6	24	7.1	04.0-10.2	6	1.6	00.0-03.2
College Graduate	649	57,316	619	93.6	90.7-96.5	6	2.0	00.0-04.0	11	2.7	00.7-04.7				5	0.5	00.1-00.9	8	1.1	00.1-02.1
Less than \$15,000	120	17,526	96	72.8	61.2-84.4	1	0.4	00.0-01.2	4	4.1	00.0-08.8				17	19.8	09.2-30.4	2	2.9	00.0-08.0
\$15,000- 24,999	233	32,401	217	88.2	81.5-94.9	5	3.4	00.1-06.7	1	1.1	00.0-03.3				7	6.2	00.5-11.9	3	1.1	00.0-02.5
\$25,000- 34,999	206	28,007	197	89.8	82.5-97.1	1	0.9	00.0-02.7							6	6.3	00.4-12.2	2	3.0	00.0-07.3
\$35,000- 49,999	373	46,454	358	93.7	90.0-97.4	1	0.2	00.0-00.6	2	0.8	00.0-02.0				9	4.3	01.2-07.4	3	1.0	00.0-02.8
\$50,000- 74,999	340	40,809	329	95.9	93.2-98.6	2	0.8	00.0-02.0	1	0.1	00.0-00.3	1	0.4	00.0-01.2	4	1.6	00.0-03.4	3	1.1	00.0-02.7
\$75,000+	689	79,664	666	95.1	92.6-97.6	1	0.5	00.0-01.5	7	0.7	00.1-01.3				8	2.7	00.3-05.1	7	0.9	00.1-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 6: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	265,864	2575	91.8	90.0-93.6	17	1.0	00.4-01.6	17	0.8	00.2-01.4	4	0.1	00.0-00.3	75	4.6	03.2-06.0	28	1.8	00.8-02.8
18-24	125	36,851	116	90.2	83.1-97.3	1	0.7	00.0-02.1	1	1.3	00.0-03.8				5	6.1	00.0-12.2	2	1.7	00.0-04.4
25-34	247	43,833	219	84.1	78.0-90.2	3	2.5	00.0-05.2	2	0.6	00.0-01.4	1	0.3	00.0-00.9	11	5.1	01.8-08.4	11	7.5	02.6-12.4
35-44	285	36,372	260	87.6	82.1-93.1	6	2.4	00.0-04.8	5	1.7	00.0-03.5				13	8.1	03.2-13.0	1	0.2	00.0-00.6
45-54	450	44,823	426	94.1	91.4-96.8	5	0.5	00.0-01.1	2	0.3	00.0-00.7				16	4.9	02.4-07.4	1	0.2	00.0-00.6
55-64	563	42,621	541	96.3	94.5-98.1	1	0.1	00.0-00.3	3	0.4	00.0-00.8	2	0.4	00.0-01.0	13	2.4	00.8-04.0	3	0.6	00.0-01.4
65+	1017	58,872	986	96.2	94.6-97.8	1	0.1	00.0-00.3	3	0.2	00.0-00.4	1	0.1	00.0-00.3	16	2.6	01.2-04.0	10	0.8	00.2-01.4
Less Than H.S.	166	20,127	148	83.4	73.2-93.6	3	3.4	00.0-07.9	1	0.2	00.0-00.6				11	11.8	02.2-21.4	3	1.2	00.0-02.8
H.S. or G.E.D.	752	62,758	714	91.9	88.8-95.0	5	1.6	00.0-03.4	3	0.2	00.0-00.6	3	0.5	00.0-01.1	20	4.9	02.5-07.3	7	0.8	00.0-01.8
Some Post-H.S.	899	112,155	858	92.2	89.3-95.1	5	0.2	00.0-00.4	4	0.8	00.0-01.8				23	4.0	02.0-06.0	9	2.8	00.8-04.8
College Graduate	896	70,462	852	93.2	90.8-95.6	4	0.9	00.0-01.9	9	1.3	00.3-02.3	1	0.1	00.0-00.3	21	3.3	01.5-05.1	9	1.2	00.2-02.2
Less than \$15,000	225	22,407	202	84.3	74.9-93.7	2	0.5	00.0-01.1	2	0.4	00.0-01.0	1	0.5	00.0-01.5	12	10.3	01.7-18.9	6	4.0	00.0-08.7
\$15,000- 24,999	374	33,173	347	87.0	81.1-92.9	3	1.3	00.0-03.5	3	0.6	00.0-01.4				14	7.2	02.5-11.9	7	3.8	00.5-07.1
\$25,000- 34,999	289	27,015	269	87.9	81.8-94.0	3	2.7	00.0-06.2	3	1.3	00.0-03.1				12	6.2	02.1-10.3	2	1.9	00.0-05.0
\$35,000- 49,999	336	33,408	323	94.3	90.0-98.6				3	1.2	00.0-02.8	1	0.2	00.0-00.6	5	1.0	00.0-02.0	4	3.3	00.0-07.2
\$50,000- 74,999	409	40,361	398	98.4	97.4-99.4	1	0.2	00.0-00.6	1	0.2	00.0-00.6	1	0.1	00.0-00.3	4	0.6	00.0-01.2	4	0.5	00.1-00.9
\$75,000+	622	64,567	599	95.1	92.6-97.6	5	1.0	00.0-02.2	3	0.5	00.0-01.1	1	0.2	00.0-00.6	11	2.2	00.6-03.8	3	1.1	00.0-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4754	522,796	4513	92.0	90.6-93.4	28	0.9	00.5-01.3	33	0.9	00.5-01.3	6	0.1	00.0-00.3	126	4.7	03.7-05.7	48	1.4	00.8-02.0
Male	2077	262,121	1971	92.0	90.0-94.0	11	0.8	00.2-01.4	17	1.0	00.4-01.6	2	0.1	00.0-00.3	54	5.0	03.4-06.6	22	1.1	00.5-01.7
Female	2677	260,675	2542	92.0	90.2-93.8	17	1.0	00.4-01.6	16	0.8	00.2-01.4	4	0.1	00.0-00.3	72	4.5	03.1-05.9	26	1.7	00.7-02.7
18-24	240	75,570	220	89.6	84.7-94.5	3	1.3	00.0-02.7	6	2.7	00.3-05.1				7	4.9	01.0-08.8	4	1.5	00.0-03.3
25-34	511	91,353	456	84.9	80.6-89.2	7	2.0	00.2-03.8	7	0.8	00.0-01.6	1	0.1	00.0-00.3	25	7.6	04.3-10.9	15	4.5	02.0-07.0
35-44	539	75,378	497	88.9	85.2-92.6	8	1.6	00.2-03.0	7	1.1	00.1-02.1	1	0.2	00.0-00.6	22	7.6	04.1-11.1	4	0.5	00.0-01.1
45-54	846	88,760	807	94.5	92.5-96.5	8	0.7	00.1-01.3	3	0.3	00.0-00.7				24	4.0	02.2-05.8	4	0.5	00.0-01.1
55-64	1037	85,891	1003	96.2	94.4-98.0	1	0.0	00.0-00.0	3	0.2	00.0-00.4	2	0.2	00.0-00.4	23	3.0	01.2-04.8	5	0.4	00.0-00.8
65+	1543	102,586	1497	96.8	95.6-98.0	1	0.0	00.0-00.0	6	0.3	00.0-00.7	1	0.1	00.0-00.3	24	1.9	00.9-02.9	14	0.8	00.2-01.4
Less Than H.S.	313	49,095	278	86.5	80.6-92.4	3	1.4	00.0-03.4	1	0.1	00.0-00.3	1	0.2	00.0-00.6	25	10.9	05.4-16.4	5	0.9	00.0-01.9
H.S. or G.E.D.	1375	142,959	1311	92.5	90.1-94.9	6	0.9	00.1-01.7	8	0.8	00.0-01.6	3	0.2	00.0-00.4	32	4.4	02.6-06.2	15	1.2	00.2-02.2
Some Post-H.S.	1531	204,467	1461	92.0	89.8-94.2	9	0.5	00.1-00.9	4	0.5	00.0-01.1	1	0.1	00.0-00.3	43	5.1	03.3-06.9	13	1.9	00.7-03.1
College Graduate	1531	125,834	1459	93.5	91.5-95.5	10	1.4	00.4-02.4	20	2.0	00.8-03.2	1	0.0	00.0-00.0	26	2.0	01.0-03.0	15	1.1	00.3-01.9
Less than \$15,000	336	38,850	291	79.1	71.7-86.5	3	0.5	00.0-01.1	6	2.1	00.0-04.3	1	0.3	00.0-00.9	27	14.4	07.5-21.3	8	3.6	00.1-07.1
\$15,000- 24,999	591	64,151	549	87.5	83.0-92.0	8	2.4	00.4-04.4	4	0.9	00.0-02.1				21	6.9	03.2-10.6	9	2.3	00.5-04.1
\$25,000- 34,999	485	52,837	457	89.5	85.0-94.0	4	1.9	00.0-03.9	3	0.6	00.0-01.4				18	6.5	02.8-10.2	3	1.5	00.0-03.5
\$35,000- 49,999	693	77,539	667	94.7	92.0-97.4	1	0.1	00.0-00.3	4	0.6	00.0-01.4	1	0.1	00.0-00.3	13	2.6	00.8-04.4	7	2.0	00.0-04.0
\$50,000- 74,999	743	80,338	724	97.6	96.4-98.8	3	0.5	00.0-01.1	1	0.1	00.0-00.3	2	0.3	00.0-00.7	7	1.0	00.0-02.0	6	0.4	00.0-00.8
\$75,000+	1297	142,239	1253	95.2	93.2-97.2	6	0.7	00.0-01.5	10	0.6	00.2-01.0	1	0.1	00.0-00.3	19	2.5	01.1-03.9	8	0.9	00.0-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2077	262,121	1971	92.0	90.0-94.0	11	0.8	00.2-01.4	17	1.0	00.4-01.6	2	0.1	00.0-00.3	54	5.0	03.4-06.6	22	1.1	00.5-01.7
18-24	119	40,118	106	88.0	81.1-94.9	2	1.7	00.0-04.1	5	3.9	00.4-07.4				3	4.8	00.0-10.1	3	1.6	00.0-04.0
25-34	268	48,217	240	85.5	79.6-91.4	4	1.5	00.0-03.3	5	1.1	00.0-02.3				14	9.8	04.5-15.1	5	2.1	00.0-04.3
35-44	256	39,365	238	90.0	84.9-95.1	2	0.9	00.0-02.3	2	0.5	00.0-01.1	1	0.4	00.0-01.2	10	7.4	02.5-12.3	3	0.8	00.0-01.8
45-54	399	44,874	384	95.0	92.3-97.7	3	0.9	00.0-02.1	1	0.2	00.0-00.6				8	3.0	00.8-05.2	3	0.8	00.0-02.2
55-64	480	43,742	467	96.0	93.1-98.9										11	3.7	00.8-06.6	2	0.3	00.0-00.7
65+	546	45,039	530	97.6	96.2-99.0				4	0.6	00.0-01.4				8	1.0	00.2-01.8	4	0.8	00.0-01.8
Less Than H.S.	154	30,153	137	89.2	82.7-95.7							1	0.3	00.0-00.9	14	9.8	03.3-16.3	2	0.7	00.0-01.7
H.S. or G.E.D.	638	80,939	611	92.9	89.6-96.2	1	0.3	00.0-00.9	6	1.3	00.0-02.7				12	4.0	01.3-06.7	8	1.4	00.0-02.8
Some Post-H.S.	642	94,370	609	91.1	87.6-94.6	4	0.8	00.0-01.8				1	0.2	00.0-00.6	23	6.9	03.8-10.0	5	1.0	00.0-02.0
College Graduate	642	56,579	613	93.6	90.7-96.5	6	2.0	00.0-04.0	11	2.8	00.8-04.8				5	0.5	00.1-00.9	7	1.1	00.1-02.1
Less than \$15,000	116	16,877	93	72.3	60.3-84.3	1	0.4	00.0-01.2	4	4.3	00.0-09.2				16	20.1	09.1-31.1	2	3.0	00.0-08.3
\$15,000- 24,999	225	31,497	209	87.9	81.0-94.8	5	3.5	00.0-07.0	1	1.1	00.0-03.3				7	6.4	00.5-12.3	3	1.2	00.0-02.6
\$25,000- 34,999	198	26,501	190	91.4	84.7-98.1	1	0.9	00.0-02.7							6	6.7	00.6-12.8	1	1.0	00.0-03.0
\$35,000- 49,999	365	45,002	352	95.0	91.7-98.3	1	0.2	00.0-00.6	1	0.1	00.0-00.3				8	3.7	00.8-06.6	3	1.0	00.0-02.8
\$50,000- 74,999	339	40,520	329	96.6	94.2-99.0	2	0.8	00.0-02.0	1	0.2	00.0-00.6	1	0.4	00.0-01.2	4	1.6	00.0-03.4	2	0.4	00.0-01.0
\$75,000+	680	78,557	658	95.1	92.4-97.8	1	0.5	00.0-01.5	7	0.7	00.1-01.3				8	2.8	00.4-05.2	6	0.9	00.1-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2677	260,675	2542	92.0	90.2-93.8	17	1.0	00.4-01.6	16	0.8	00.2-01.4	4	0.1	00.0-00.3	72	4.5	03.1-05.9	26	1.7	00.7-02.7
18-24	121	35,451	114	91.5	84.6-98.4	1	0.7	00.0-02.1	1	1.4	00.0-04.1				4	5.0	00.0-10.7	1	1.4	00.0-04.1
25-34	243	43,136	216	84.2	77.9-90.5	3	2.5	00.0-05.4	2	0.6	00.0-01.4	1	0.3	00.0-00.9	11	5.2	01.9-08.5	10	7.3	02.4-12.2
35-44	283	36,012	259	87.8	82.3-93.3	6	2.4	00.0-04.8	5	1.7	00.0-03.5				12	7.9	03.0-12.8	1	0.2	00.0-00.6
45-54	447	43,886	423	94.0	91.3-96.7	5	0.6	00.0-01.2	2	0.3	00.0-00.7				16	5.0	02.3-07.7	1	0.2	00.0-00.6
55-64	557	42,150	536	96.4	94.6-98.2	1	0.1	00.0-00.3	3	0.4	00.0-00.8	2	0.4	00.0-01.0	12	2.3	00.7-03.9	3	0.6	00.0-01.4
65+	997	57,547	967	96.2	94.6-97.8	1	0.1	00.0-00.3	2	0.1	00.0-00.3	1	0.1	00.0-00.3	16	2.7	01.1-04.3	10	0.8	00.2-01.4
Less Than H.S.	159	18,942	141	82.4	71.6-93.2	3	3.6	00.0-08.5	1	0.3	00.0-00.9				11	12.5	02.3-22.7	3	1.3	00.0-03.1
H.S. or G.E.D.	737	62,020	700	91.9	88.8-95.0	5	1.6	00.0-03.4	2	0.2	00.0-00.4	3	0.5	00.0-01.1	20	5.0	02.6-07.4	7	0.8	00.0-01.8
Some Post-H.S.	889	110,097	852	92.7	90.0-95.4	5	0.2	00.0-00.4	4	0.8	00.0-01.8				20	3.5	01.7-05.3	8	2.7	00.7-04.7
College Graduate	889	69,255	846	93.3	90.9-95.7	4	0.9	00.0-02.1	9	1.3	00.3-02.3	1	0.1	00.0-00.3	21	3.3	01.5-05.1	8	1.0	00.0-02.0
Less than \$15,000	220	21,973	198	84.4	74.8-94.0	2	0.5	00.0-01.1	2	0.4	00.0-01.0	1	0.5	00.0-01.5	11	10.1	01.5-18.7	6	4.0	00.0-08.9
\$15,000- 24,999	366	32,655	340	87.2	81.3-93.1	3	1.4	00.0-03.6	3	0.6	00.0-01.4				14	7.3	02.6-12.0	6	3.5	00.2-06.8
\$25,000- 34,999	287	26,336	267	87.6	81.3-93.9	3	2.8	00.0-06.5	3	1.3	00.0-03.1				12	6.3	02.2-10.4	2	1.9	00.0-05.2
\$35,000- 49,999	328	32,537	315	94.2	89.9-98.5				3	1.2	00.0-03.0	1	0.2	00.0-00.6	5	1.0	00.0-02.0	4	3.4	00.0-07.3
\$50,000- 74,999	404	39,818	395	98.7	97.7-99.7	1	0.2	00.0-00.6				1	0.1	00.0-00.3	3	0.5	00.0-01.1	4	0.5	00.1-00.9
\$75,000+	617	63,682	595	95.3	92.8-97.8	5	1.0	00.0-02.4	3	0.5	00.0-01.3	1	0.2	00.0-00.6	11	2.2	00.6-03.8	2	0.9	00.0-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (\_RACE2).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4813	532,381	4513	90.3	88.9-91.7	300	9.7	08.3-11.1
Male	2107	267,378	1971	90.2	88.2-92.2	136	9.8	07.8-11.8
Female	2706	265,003	2542	90.5	88.5-92.5	164	9.5	07.5-11.5
18-24	249	78,975	220	85.8	80.5-91.1	29	14.2	08.9-19.5
25-34	518	92,991	456	83.4	79.1-87.7	62	16.6	12.3-20.9
35-44	546	76,571	497	87.6	83.7-91.5	49	12.4	08.5-16.3
45-54	852	90,084	807	93.1	90.7-95.5	45	6.9	04.5-09.3
55-64	1049	86,668	1003	95.3	93.5-97.1	46	4.7	02.9-06.5
65+	1561	103,834	1497	95.7	94.3-97.1	64	4.3	02.9-05.7
Less Than H.S.	321	50,626	278	83.9	77.8-90.0	43	16.1	10.0-22.2
H.S. or G.E.D.	1398	145,324	1311	91.0	88.6-93.4	87	9.0	06.6-11.4
Some Post-H.S.	1544	208,090	1461	90.4	88.0-92.8	83	9.6	07.2-12.0
College Graduate	1546	127,899	1459	92.0	89.8-94.2	87	8.0	05.8-10.2
Less than \$15,000	343	39,655	291	77.5	70.1-84.9	52	22.5	15.1-29.9
\$15,000- 24,999	599	65,098	549	86.3	81.6-91.0	50	13.7	09.0-18.4
\$25,000- 34,999	494	54,937	457	86.1	81.0-91.2	37	13.9	08.8-19.0
\$35,000- 49,999	707	79,403	667	92.4	89.3-95.5	40	7.6	04.5-10.7
\$50,000- 74,999	748	81,235	724	96.6	94.8-98.4	24	3.4	01.6-05.2
\$75,000+	1310	144,131	1253	93.9	91.7-96.1	57	6.1	03.9-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 11: WHITE/HISPANIC RACE GROUP (\_RACE2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2107	267,378	1971	90.2	88.2-92.2	136	9.8	07.8-11.8
18-24	124	42,124	106	83.8	76.4-91.2	18	16.2	08.8-23.6
25-34	271	49,159	240	83.9	77.8-90.0	31	16.1	10.0-22.2
35-44	260	40,151	238	88.2	82.9-93.5	22	11.8	06.5-17.1
45-54	402	45,261	384	94.2	91.3-97.1	18	5.8	02.9-08.7
55-64	488	44,200	467	95.0	91.9-98.1	21	5.0	01.9-08.1
65+	553	45,718	530	96.2	94.2-98.2	23	3.8	01.8-05.8
Less Than H.S.	159	30,968	137	86.8	80.1-93.5	22	13.2	06.5-19.9
H.S. or G.E.D.	651	82,867	611	90.7	87.2-94.2	40	9.3	05.8-12.8
Some Post-H.S.	647	96,073	609	89.5	85.8-93.2	38	10.5	06.8-14.2
College Graduate	649	57,389	613	92.3	89.2-95.4	36	7.7	04.6-10.8
Less than \$15,000	118	17,248	93	70.7	58.7-82.7	25	29.3	17.3-41.3
\$15,000- 24,999	229	32,130	209	86.1	78.8-93.4	20	13.9	06.6-21.2
\$25,000- 34,999	205	27,923	190	86.7	78.9-94.5	15	13.3	05.5-21.1
\$35,000- 49,999	371	46,028	352	92.9	89.0-96.8	19	7.1	03.2-11.0
\$50,000- 74,999	341	41,027	329	95.4	92.5-98.3	12	4.6	01.7-07.5
\$75,000+	688	79,563	658	93.9	91.2-96.6	30	6.1	03.4-08.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 12: WHITE/HISPANIC RACE GROUP (\_RACE2).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2706	265,003	2542	90.5	88.5-92.5	164	9.5	07.5-11.5
18-24	125	36,851	114	88.0	80.6-95.4	11	12.0	04.6-19.4
25-34	247	43,833	216	82.8	76.5-89.1	31	17.2	10.9-23.5
35-44	286	36,420	259	86.8	81.1-92.5	27	13.2	07.5-18.9
45-54	450	44,823	423	92.0	88.3-95.7	27	8.0	04.3-11.7
55-64	561	42,467	536	95.6	93.6-97.6	25	4.4	02.4-06.4
65+	1008	58,116	967	95.3	93.5-97.1	41	4.7	02.9-06.5
Less Than H.S.	162	19,657	141	79.4	68.4-90.4	21	20.6	09.6-31.6
H.S. or G.E.D.	747	62,457	700	91.3	88.2-94.4	47	8.7	05.6-11.8
Some Post-H.S.	897	112,016	852	91.2	88.1-94.3	45	8.8	05.7-11.9
College Graduate	897	70,510	846	91.7	89.0-94.4	51	8.3	05.6-11.0
Less than \$15,000	225	22,407	198	82.8	73.4-92.2	27	17.2	07.8-26.6
\$15,000- 24,999	370	32,968	340	86.4	80.5-92.3	30	13.6	07.7-19.5
\$25,000- 34,999	289	27,015	267	85.4	78.7-92.1	22	14.6	07.9-21.3
\$35,000- 49,999	336	33,375	315	91.8	86.7-96.9	21	8.2	03.1-13.3
\$50,000- 74,999	407	40,208	395	97.7	96.1-99.3	12	2.3	00.7-03.9
\$75,000+	622	64,567	595	93.9	91.0-96.8	27	6.1	03.2-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4813	532,381	4513	90.3	88.9-91.7	28	0.9	00.5-01.3	167	5.7	04.5-06.9	46	1.3	00.7-01.9	59	1.8	01.2-02.4
Male	2107	267,378	1971	90.2	88.2-92.2	11	0.8	00.2-01.4	74	6.0	04.2-07.8	21	1.0	00.4-01.6	30	2.0	01.0-03.0
Female	2706	265,003	2542	90.5	88.5-92.5	17	1.0	00.4-01.6	93	5.3	03.9-06.7	25	1.6	00.6-02.6	29	1.6	00.8-02.4
18-24	249	78,975	220	85.8	80.5-91.1	3	1.2	00.0-02.6	13	7.2	02.9-11.5	4	1.5	00.0-03.3	9	4.3	01.4-07.2
25-34	518	92,991	456	83.4	79.1-87.7	7	2.0	00.4-03.6	33	8.4	05.1-11.7	15	4.5	02.0-07.0	7	1.8	00.4-03.2
35-44	546	76,571	497	87.6	83.7-91.5	8	1.6	00.2-03.0	30	8.8	05.3-12.3	4	0.5	00.0-01.1	7	1.6	00.2-03.0
45-54	852	90,084	807	93.1	90.7-95.5	8	0.7	00.1-01.3	27	4.2	02.4-06.0	4	0.5	00.0-01.1	6	1.5	00.0-03.1
55-64	1049	86,668	1003	95.3	93.5-97.1	1	0.0	00.0-00.0	28	3.4	01.6-05.2	5	0.4	00.0-00.8	12	0.9	00.3-01.5
65+	1561	103,834	1497	95.7	94.3-97.1	1	0.0	00.0-00.0	33	2.7	01.7-03.7	12	0.4	00.2-00.6	18	1.2	00.4-02.0
Less Than H.S.	321	50,626	278	83.9	77.8-90.0	3	1.3	00.0-03.1	28	11.1	05.6-16.6	4	0.6	00.0-01.2	8	3.0	00.5-05.5
H.S. or G.E.D.	1398	145,324	1311	91.0	88.6-93.4	6	0.9	00.1-01.7	43	5.4	03.4-07.4	15	1.1	00.3-01.9	23	1.6	00.6-02.6
Some Post-H.S.	1544	208,090	1461	90.4	88.0-92.8	9	0.5	00.1-00.9	49	5.6	03.8-07.4	12	1.8	00.6-03.0	13	1.7	00.5-02.9
College Graduate	1546	127,899	1459	92.0	89.8-94.2	10	1.4	00.4-02.4	47	4.0	02.6-05.4	15	1.0	00.2-01.8	15	1.6	00.6-02.6
Less than \$15,000	343	39,655	291	77.5	70.1-84.9	3	0.4	00.0-01.0	34	16.5	09.6-23.4	8	3.5	00.0-07.0	7	2.0	00.0-04.0
\$15,000- 24,999	599	65,098	549	86.3	81.6-91.0	8	2.4	00.4-04.4	26	7.8	03.9-11.7	8	2.1	00.3-03.9	8	1.5	00.0-03.1
\$25,000- 34,999	494	54,937	457	86.1	81.0-91.2	4	1.8	00.0-03.8	21	6.9	03.2-10.6	3	1.4	00.0-03.2	9	3.8	00.7-06.9
\$35,000- 49,999	707	79,403	667	92.4	89.3-95.5	1	0.1	00.0-00.3	18	3.1	01.3-04.9	7	2.0	00.0-04.0	14	2.3	00.5-04.1
\$50,000- 74,999	748	81,235	724	96.6	94.8-98.4	3	0.5	00.0-01.1	10	1.4	00.4-02.4	6	0.4	00.0-00.8	5	1.1	00.0-02.3
\$75,000+	1310	144,131	1253	93.9	91.7-96.1	6	0.7	00.0-01.5	30	3.2	01.6-04.8	8	0.9	00.0-01.9	13	1.3	00.3-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2107	267,378	1971	90.2	88.2-92.2	11	0.8	00.2-01.4	74	6.0	04.2-07.8	21	1.0	00.4-01.6	30	2.0	01.0-03.0
18-24	124	42,124	106	83.8	76.4-91.2	2	1.6	00.0-03.8	8	8.2	02.3-14.1	3	1.6	00.0-03.8	5	4.8	00.5-09.1
25-34	271	49,159	240	83.9	77.8-90.0	4	1.5	00.0-03.3	19	10.7	05.4-16.0	5	2.0	00.0-04.2	3	1.9	00.0-04.1
35-44	260	40,151	238	88.2	82.9-93.5	2	0.9	00.0-02.3	13	8.1	03.2-13.0	3	0.8	00.0-01.8	4	2.0	00.0-04.2
45-54	402	45,261	384	94.2	91.3-97.1	3	0.9	00.0-02.1	9	3.2	01.0-05.4	3	0.8	00.0-02.2	3	0.9	00.0-02.1
55-64	488	44,200	467	95.0	91.9-98.1				11	3.7	00.8-06.6	2	0.3	00.0-00.7	8	1.0	00.2-01.8
65+	553	45,718	530	96.2	94.2-98.2				13	2.1	00.7-03.5	3	0.2	00.0-00.4	7	1.5	00.1-02.9
Less Than H.S.	159	30,968	137	86.8	80.1-93.5				15	9.8	03.5-16.1	2	0.7	00.0-01.7	5	2.6	00.1-05.1
H.S. or G.E.D.	651	82,867	611	90.7	87.2-94.2	1	0.3	00.0-00.9	18	5.3	02.4-08.2	8	1.4	00.0-02.8	13	2.3	00.5-04.1
Some Post-H.S.	647	96,073	609	89.5	85.8-93.2	4	0.8	00.0-01.8	25	7.2	04.1-10.3	4	0.8	00.0-01.8	5	1.8	00.0-03.6
College Graduate	649	57,389	613	92.3	89.2-95.4	6	2.0	00.0-04.0	16	3.2	01.2-05.2	7	1.1	00.1-02.1	7	1.4	00.0-02.8
Less than \$15,000	118	17,248	93	70.7	58.7-82.7	1	0.4	00.0-01.2	20	23.8	12.6-35.0	2	2.9	00.0-08.0	2	2.1	00.0-06.0
\$15,000- 24,999	229	32,130	209	86.1	78.8-93.4	5	3.4	00.1-06.7	8	7.3	01.2-13.4	3	1.2	00.0-02.6	4	2.0	00.0-04.9
\$25,000- 34,999	205	27,923	190	86.7	78.9-94.5	1	0.9	00.0-02.7	6	6.3	00.4-12.2	1	1.0	00.0-03.0	7	5.1	00.0-10.2
\$35,000- 49,999	371	46,028	352	92.9	89.0-96.8	1	0.2	00.0-00.6	9	3.7	01.0-06.4	3	1.0	00.0-02.8	6	2.2	00.0-04.4
\$50,000- 74,999	341	41,027	329	95.4	92.5-98.3	2	0.8	00.0-02.0	6	2.2	00.2-04.2	2	0.4	00.0-01.0	2	1.2	00.0-03.0
\$75,000+	688	79,563	658	93.9	91.2-96.6	1	0.5	00.0-01.5	15	3.5	01.1-05.9	6	0.9	00.1-01.7	8	1.3	00.1-02.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2706	265,003	2542	90.5	88.5-92.5	17	1.0	00.4-01.6	93	5.3	03.9-06.7	25	1.6	00.6-02.6	29	1.6	00.8-02.4
18-24	125	36,851	114	88.0	80.6-95.4	1	0.7	00.0-02.1	5	6.1	00.0-12.2	1	1.3	00.0-03.8	4	3.8	00.0-07.7
25-34	247	43,833	216	82.8	76.5-89.1	3	2.5	00.0-05.2	14	5.9	02.6-09.2	10	7.2	02.3-12.1	4	1.6	00.0-03.4
35-44	286	36,420	259	86.8	81.1-92.5	6	2.4	00.0-04.8	17	9.5	04.4-14.6	1	0.2	00.0-00.6	3	1.1	00.0-02.7
45-54	450	44,823	423	92.0	88.3-95.7	5	0.5	00.0-01.1	18	5.2	02.5-07.9	1	0.2	00.0-00.6	3	2.1	00.0-04.8
55-64	561	42,467	536	95.6	93.6-97.6	1	0.1	00.0-00.3	17	3.0	01.4-04.6	3	0.6	00.0-01.4	4	0.7	00.0-01.5
65+	1008	58,116	967	95.3	93.5-97.1	1	0.1	00.0-00.3	20	3.2	01.6-04.8	9	0.5	00.1-00.9	11	1.0	00.4-01.6
Less Than H.S.	162	19,657	141	79.4	68.4-90.4	3	3.5	00.0-08.2	13	13.1	03.3-22.9	2	0.5	00.0-01.1	3	3.6	00.0-08.9
H.S. or G.E.D.	747	62,457	700	91.3	88.2-94.4	5	1.6	00.0-03.4	25	5.6	03.1-08.1	7	0.8	00.0-01.8	10	0.7	00.1-01.3
Some Post-H.S.	897	112,016	852	91.2	88.1-94.3	5	0.2	00.0-00.4	24	4.3	02.3-06.3	8	2.7	00.7-04.7	8	1.7	00.3-03.1
College Graduate	897	70,510	846	91.7	89.0-94.4	4	0.9	00.0-01.9	31	4.6	02.6-06.6	8	1.0	00.0-02.0	8	1.8	00.2-03.4
Less than \$15,000	225	22,407	198	82.8	73.4-92.2	2	0.5	00.0-01.1	14	10.8	02.2-19.4	6	4.0	00.0-08.7	5	1.9	00.0-03.9
\$15,000- 24,999	370	32,968	340	86.4	80.5-92.3	3	1.4	00.0-03.6	18	8.4	03.7-13.1	5	3.0	00.0-06.1	4	0.9	00.0-01.9
\$25,000- 34,999	289	27,015	267	85.4	78.7-92.1	3	2.7	00.0-06.2	15	7.4	03.1-11.7	2	1.9	00.0-05.0	2	2.5	00.0-06.0
\$35,000- 49,999	336	33,375	315	91.8	86.7-96.9				9	2.4	00.4-04.4	4	3.3	00.0-07.2	8	2.5	00.0-05.4
\$50,000- 74,999	407	40,208	395	97.7	96.1-99.3	1	0.2	00.0-00.6	4	0.6	00.0-01.2	4	0.5	00.1-00.9	3	1.0	00.0-02.4
\$75,000+	622	64,567	595	93.9	91.0-96.8	5	1.0	00.0-02.2	15	2.8	01.2-04.4	2	0.9	00.0-02.7	5	1.4	00.0-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4830	534,140	4788	98.6	98.0-99.2	41	1.3	00.7-01.9	1	0.1	00.0-00.3
Male	2116	268,571	2098	98.9	98.1-99.7	18	1.1	00.3-01.9			
Female	2714	265,569	2690	98.3	97.3-99.3	23	1.5	00.7-02.3	1	0.2	00.0-00.6
18-24	250	79,689	245	97.7	95.5-99.9	5	2.3	00.1-04.5			
25-34	516	92,484	501	95.5	93.0-98.0	14	4.0	01.6-06.4	1	0.5	00.0-01.5
35-44	546	76,653	542	99.5	98.9-0100	4	0.5	00.0-01.1			
45-54	853	90,365	850	99.6	99.0-0100	3	0.4	00.0-01.0			
55-64	1054	87,018	1051	99.7	99.3-0100	3	0.3	00.0-00.7			
65+	1572	104,477	1562	99.6	99.4-99.8	10	0.4	00.2-00.6			
Less Than H.S.	330	52,128	327	99.6	99.0-0100	3	0.4	00.0-01.0			
H.S. or G.E.D.	1404	145,658	1391	98.9	98.1-99.7	13	1.1	00.3-01.9			
Some Post-H.S.	1549	208,323	1535	97.9	96.5-99.3	13	1.9	00.7-03.1	1	0.2	00.0-00.6
College Graduate	1543	127,588	1531	99.0	98.2-99.8	12	1.0	00.2-01.8			
Less than \$15,000	345	39,933	337	96.5	93.0-0100	8	3.5	00.0-07.0			
\$15,000- 24,999	606	65,422	598	97.8	96.0-99.6	7	1.5	00.3-02.7	1	0.7	00.0-02.1
\$25,000- 34,999	495	55,022	491	97.5	94.8-0100	4	2.5	00.0-05.2			
\$35,000- 49,999	709	79,862	703	98.1	96.1-0100	6	1.9	00.0-03.9			
\$50,000- 74,999	748	80,882	744	99.7	99.3-0100	4	0.3	00.0-00.7			
\$75,000+	1309	144,041	1302	99.2	98.4-0100	7	0.8	00.0-01.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2116	268,571	2098	98.9	98.1-99.7	18	1.1	00.3-01.9
18-24	125	42,838	122	97.2	93.9-0100	3	2.8	00.0-06.1
25-34	270	48,795	265	98.0	95.8-0100	5	2.0	00.0-04.2
35-44	261	40,282	258	99.2	98.2-0100	3	0.8	00.0-01.8
45-54	403	45,542	401	99.3	98.1-0100	2	0.7	00.0-01.9
55-64	491	44,397	490	99.9	99.7-0100	1	0.1	00.0-00.3
65+	556	45,756	554	99.8	99.6-0100	2	0.2	00.0-00.4
Less Than H.S.	165	32,153	164	99.6	98.8-0100	1	0.4	00.0-01.2
H.S. or G.E.D.	652	82,900	646	98.7	97.3-0100	6	1.3	00.0-02.7
Some Post-H.S.	650	96,168	645	98.6	97.0-0100	5	1.4	00.0-03.0
College Graduate	648	57,270	642	99.0	98.0-0100	6	1.0	00.0-02.0
Less than \$15,000	120	17,526	118	97.1	92.0-0100	2	2.9	00.0-08.0
\$15,000- 24,999	233	32,401	231	99.0	97.6-0100	2	1.0	00.0-02.4
\$25,000- 34,999	206	28,007	204	97.0	92.7-0100	2	3.0	00.0-07.3
\$35,000- 49,999	373	46,454	370	99.0	97.2-0100	3	1.0	00.0-02.8
\$50,000- 74,999	339	40,520	338	99.7	99.1-0100	1	0.3	00.0-00.9
\$75,000+	688	79,618	683	99.2	98.4-0100	5	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2714	265,569	2690	98.3	97.3-99.3	23	1.5	00.7-02.3	1	0.2	00.0-00.6
18-24	125	36,851	123	98.3	95.6-0100	2	1.7	00.0-04.4			
25-34	246	43,689	236	92.8	87.9-97.7	9	6.2	01.7-10.7	1	1.0	00.0-03.0
35-44	285	36,372	284	99.8	99.4-0100	1	0.2	00.0-00.6			
45-54	450	44,823	449	99.8	99.4-0100	1	0.2	00.0-00.6			
55-64	563	42,621	561	99.5	98.7-0100	2	0.5	00.0-01.3			
65+	1016	58,720	1008	99.5	99.1-99.9	8	0.5	00.1-00.9			
Less Than H.S.	165	19,976	163	99.5	98.9-0100	2	0.5	00.0-01.1			
H.S. or G.E.D.	752	62,758	745	99.2	98.2-0100	7	0.8	00.0-01.8			
Some Post-H.S.	899	112,155	890	97.2	95.2-99.2	8	2.4	00.4-04.4	1	0.4	00.0-01.2
College Graduate	895	70,318	889	99.1	98.1-0100	6	0.9	00.0-01.9			
Less than \$15,000	225	22,407	219	96.0	91.3-0100	6	4.0	00.0-08.7			
\$15,000- 24,999	373	33,021	367	96.7	93.4-0100	5	2.0	00.0-04.0	1	1.4	00.0-03.9
\$25,000- 34,999	289	27,015	287	98.1	95.0-0100	2	1.9	00.0-05.0			
\$35,000- 49,999	336	33,408	333	96.8	92.9-0100	3	3.2	00.0-07.1			
\$50,000- 74,999	409	40,361	406	99.6	99.2-0100	3	0.4	00.0-00.8			
\$75,000+	621	64,423	619	99.1	97.3-0100	2	0.9	00.0-02.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4830	534,140	4788	98.6	98.0-99.2	42	1.4	00.8-02.0
Male	2116	268,571	2098	98.9	98.1-99.7	18	1.1	00.3-01.9
Female	2714	265,569	2690	98.3	97.3-99.3	24	1.7	00.7-02.7
18-24	250	79,689	245	97.7	95.5-99.9	5	2.3	00.1-04.5
25-34	516	92,484	501	95.5	93.0-98.0	15	4.5	02.0-07.0
35-44	546	76,653	542	99.5	98.9-0100	4	0.5	00.0-01.1
45-54	853	90,365	850	99.6	99.0-0100	3	0.4	00.0-01.0
55-64	1054	87,018	1051	99.7	99.3-0100	3	0.3	00.0-00.7
65+	1572	104,477	1562	99.6	99.4-99.8	10	0.4	00.2-00.6
Less Than H.S.	330	52,128	327	99.6	99.0-0100	3	0.4	00.0-01.0
H.S. or G.E.D.	1404	145,658	1391	98.9	98.1-99.7	13	1.1	00.3-01.9
Some Post-H.S.	1549	208,323	1535	97.9	96.5-99.3	14	2.1	00.7-03.5
College Graduate	1543	127,588	1531	99.0	98.2-99.8	12	1.0	00.2-01.8
Less than \$15,000	345	39,933	337	96.5	93.0-0100	8	3.5	00.0-07.0
\$15,000- 24,999	606	65,422	598	97.8	96.0-99.6	8	2.2	00.4-04.0
\$25,000- 34,999	495	55,022	491	97.5	94.8-0100	4	2.5	00.0-05.2
\$35,000- 49,999	709	79,862	703	98.1	96.1-0100	6	1.9	00.0-03.9
\$50,000- 74,999	748	80,882	744	99.7	99.3-0100	4	0.3	00.0-00.7
\$75,000+	1309	144,041	1302	99.2	98.4-0100	7	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2116	268,571	2098	98.9	98.1-99.7	18	1.1	00.3-01.9
18-24	125	42,838	122	97.2	93.9-0100	3	2.8	00.0-06.1
25-34	270	48,795	265	98.0	95.8-0100	5	2.0	00.0-04.2
35-44	261	40,282	258	99.2	98.2-0100	3	0.8	00.0-01.8
45-54	403	45,542	401	99.3	98.1-0100	2	0.7	00.0-01.9
55-64	491	44,397	490	99.9	99.7-0100	1	0.1	00.0-00.3
65+	556	45,756	554	99.8	99.6-0100	2	0.2	00.0-00.4
Less Than H.S.	165	32,153	164	99.6	98.8-0100	1	0.4	00.0-01.2
H.S. or G.E.D.	652	82,900	646	98.7	97.3-0100	6	1.3	00.0-02.7
Some Post-H.S.	650	96,168	645	98.6	97.0-0100	5	1.4	00.0-03.0
College Graduate	648	57,270	642	99.0	98.0-0100	6	1.0	00.0-02.0
Less than \$15,000	120	17,526	118	97.1	92.0-0100	2	2.9	00.0-08.0
\$15,000- 24,999	233	32,401	231	99.0	97.6-0100	2	1.0	00.0-02.4
\$25,000- 34,999	206	28,007	204	97.0	92.7-0100	2	3.0	00.0-07.3
\$35,000- 49,999	373	46,454	370	99.0	97.2-0100	3	1.0	00.0-02.8
\$50,000- 74,999	339	40,520	338	99.7	99.1-0100	1	0.3	00.0-00.9
\$75,000+	688	79,618	683	99.2	98.4-0100	5	0.8	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2714	265,569	2690	98.3	97.3-99.3	24	1.7	00.7-02.7
18-24	125	36,851	123	98.3	95.6-0100	2	1.7	00.0-04.4
25-34	246	43,689	236	92.8	87.9-97.7	10	7.2	02.3-12.1
35-44	285	36,372	284	99.8	99.4-0100	1	0.2	00.0-00.6
45-54	450	44,823	449	99.8	99.4-0100	1	0.2	00.0-00.6
55-64	563	42,621	561	99.5	98.7-0100	2	0.5	00.0-01.3
65+	1016	58,720	1008	99.5	99.1-99.9	8	0.5	00.1-00.9
Less Than H.S.	165	19,976	163	99.5	98.9-0100	2	0.5	00.0-01.1
H.S. or G.E.D.	752	62,758	745	99.2	98.2-0100	7	0.8	00.0-01.8
Some Post-H.S.	899	112,155	890	97.2	95.2-99.2	9	2.8	00.8-04.8
College Graduate	895	70,318	889	99.1	98.1-0100	6	0.9	00.0-01.9
Less than \$15,000	225	22,407	219	96.0	91.3-0100	6	4.0	00.0-08.7
\$15,000- 24,999	373	33,021	367	96.7	93.4-0100	6	3.3	00.0-06.6
\$25,000- 34,999	289	27,015	287	98.1	95.0-0100	2	1.9	00.0-05.0
\$35,000- 49,999	336	33,408	333	96.8	92.9-0100	3	3.2	00.0-07.1
\$50,000- 74,999	409	40,361	406	99.6	99.2-0100	3	0.4	00.0-00.8
\$75,000+	621	64,423	619	99.1	97.3-0100	2	0.9	00.0-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4836	536,591	501	24.8	22.8-26.8	534	15.2	13.8-16.6	649	14.3	13.1-15.5	1030	18.1	16.7-19.5	958	13.6	12.6-14.6	1164	14.1	13.1-15.1
Male	2134	270,720	261	26.5	23.6-29.4	256	15.1	12.9-17.3	317	14.4	12.6-16.2	474	18.4	16.4-20.4	442	14.1	12.5-15.7	384	11.5	10.1-12.9
Female	2702	265,871	240	23.0	20.5-25.5	278	15.2	13.2-17.2	332	14.1	12.3-15.9	556	17.8	16.0-19.6	516	13.1	11.7-14.5	780	16.8	15.4-18.2
Native	125	24,541	22	33.7	21.5-45.9	19	21.5	11.7-31.3	19	15.1	07.7-22.5	32	17.6	10.3-24.9	17	6.3	02.2-10.4	16	5.8	02.5-09.1
Non-Native	4650	504,582	474	24.3	22.3-26.3	511	14.9	13.5-16.3	622	14.2	12.8-15.6	984	18.1	16.7-19.5	934	14.1	13.1-15.1	1125	14.4	13.4-15.4
Less Than H.S.	335	52,513	25	20.9	13.5-28.3	14	8.8	03.9-13.7	20	8.5	04.2-12.8	37	13.8	08.9-18.7	54	13.6	09.5-17.7	185	34.4	28.5-40.3
H.S. or G.E.D.	1406	146,879	149	27.4	23.7-31.1	105	11.5	09.1-13.9	156	12.7	10.5-14.9	279	17.8	15.4-20.2	274	13.2	11.4-15.0	443	17.3	15.3-19.3
Some Post-H.S.	1543	207,884	176	25.5	22.2-28.8	173	16.3	13.8-18.8	222	15.6	13.2-18.0	337	18.3	16.1-20.5	311	13.5	11.7-15.3	324	10.8	09.4-12.2
College Graduate	1547	128,073	149	21.8	18.7-24.9	242	20.2	17.7-22.7	251	16.4	14.2-18.6	377	20.0	17.8-22.2	317	14.1	12.3-15.9	211	7.6	06.4-08.8
Less than \$15,000	346	40,266	58	42.6	34.4-50.8	15	8.4	03.1-13.7	30	9.4	05.3-13.5	61	13.7	09.6-17.8	58	8.2	05.5-10.9	124	17.7	13.8-21.6
\$15,000- 24,999	606	65,611	62	25.7	20.0-31.4	34	11.8	07.5-16.1	46	10.2	06.7-13.7	79	12.7	09.2-16.2	116	13.5	10.4-16.6	269	26.0	22.1-29.9
\$25,000- 34,999	498	55,509	55	28.7	22.0-35.4	37	12.4	07.9-16.9	49	12.4	08.5-16.3	82	12.8	09.5-16.1	103	13.6	10.1-17.1	172	20.1	16.4-23.8
\$35,000- 49,999	711	79,843	76	22.8	18.1-27.5	75	15.6	11.7-19.5	77	12.1	09.0-15.2	136	19.1	15.4-22.8	175	16.5	13.8-19.2	172	13.7	11.3-16.1
\$50,000- 74,999	750	81,197	62	19.3	14.8-23.8	119	19.0	15.3-22.7	123	17.0	13.7-20.3	202	22.7	19.2-26.2	153	14.4	11.9-16.9	91	7.6	05.8-09.4
\$75,000+	1316	145,060	113	19.0	15.5-22.5	214	19.7	16.8-22.6	280	20.8	18.1-23.5	396	24.3	21.6-27.0	232	12.4	10.6-14.2	81	3.9	02.9-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2134	270,720	261	26.5	23.8-29.2	256	15.1	12.9-17.3	317	14.4	12.6-16.2	474	18.4	16.4-20.4	442	14.1	12.5-15.7	384	11.5	10.3-12.7
Native	54	12,987	14	43.8	26.6-61.0	7	16.4	03.9-28.9	9	16.5	04.7-28.3	11	15.1	04.9-25.3	8	5.8	00.0-12.1	5	2.4	00.2-04.6
Non-Native	2044	253,626	245	25.7	22.8-28.6	246	15.2	13.0-17.4	304	14.3	12.3-16.3	452	18.4	16.4-20.4	429	14.6	13.0-16.2	368	11.8	10.4-13.2
Less Than H.S.	167	32,169	18	26.0	15.8-36.2	10	9.1	02.6-15.6	9	7.0	01.9-12.1	28	17.8	10.5-25.1	26	13.3	07.4-19.2	76	26.8	19.9-33.7
H.S. or G.E.D.	656	83,482	95	31.7	26.4-37.0	67	12.6	09.3-15.9	89	13.3	10.2-16.4	153	19.0	15.7-22.3	119	11.8	09.3-14.3	133	11.5	09.3-13.7
Some Post-H.S.	652	96,674	79	24.4	19.5-29.3	87	18.0	13.9-22.1	118	17.4	13.9-20.9	143	17.9	14.6-21.2	131	13.8	11.1-16.5	94	8.5	06.5-10.5
College Graduate	657	57,912	68	22.5	17.6-27.4	92	17.3	13.6-21.0	101	15.0	11.7-18.3	150	18.7	15.4-22.0	166	18.3	15.2-21.4	80	8.1	06.1-10.1
Less than \$15,000	121	17,480	33	49.4	37.6-61.2	7	7.4	00.1-14.7	10	9.5	02.4-16.6	30	15.3	09.0-21.6	17	8.3	03.4-13.2	24	10.2	05.5-14.9
\$15,000- 24,999	235	32,607	34	29.2	20.6-37.8	13	9.8	04.1-15.5	23	9.8	05.1-14.5	32	13.9	07.8-20.0	41	14.3	09.0-19.6	92	22.8	17.3-28.3
\$25,000- 34,999	211	28,185	28	33.1	22.9-43.3	16	12.6	05.7-19.5	22	10.7	05.4-16.0	37	11.5	06.8-16.2	47	15.9	10.0-21.8	61	16.2	11.5-20.9
\$35,000- 49,999	375	46,610	41	21.5	15.2-27.8	37	14.2	09.1-19.3	44	12.9	08.6-17.2	77	22.1	16.8-27.4	96	15.8	12.1-19.5	80	13.6	10.3-16.9
\$50,000- 74,999	342	41,316	27	19.0	12.1-25.9	55	19.8	14.1-25.5	65	19.0	13.9-24.1	84	20.5	15.6-25.4	75	15.0	11.3-18.7	36	6.7	04.2-09.2
\$75,000+	695	80,119	68	20.3	15.6-25.0	112	19.4	15.5-23.3	134	18.1	14.6-21.6	194	23.3	19.8-26.8	136	13.8	11.1-16.5	51	5.1	03.3-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2702	265,871	240	23.0	20.5-25.5	278	15.2	13.2-17.2	332	14.1	12.3-15.9	556	17.8	16.0-19.6	516	13.1	11.7-14.5	780	16.8	15.4-18.2
Native	71	11,554	8	22.3	06.0-38.6	12	27.3	12.6-42.0	10	13.5	04.7-22.3	21	20.3	10.3-30.3	9	6.9	01.6-12.2	11	9.6	02.9-16.3
Non-Native	2606	250,956	229	22.9	20.4-25.4	265	14.7	12.7-16.7	318	14.1	12.3-15.9	532	17.8	16.0-19.6	505	13.5	12.1-14.9	757	16.9	15.5-18.3
Less Than H.S.	168	20,344	7	12.8	02.6-23.0	4	8.2	00.2-16.2	11	10.9	03.6-18.2	9	7.5	02.0-13.0	28	13.9	08.4-19.4	109	46.6	36.6-56.6
H.S. or G.E.D.	750	63,397	54	21.8	16.7-26.9	38	10.1	06.6-13.6	67	11.9	08.8-15.0	126	16.2	13.3-19.1	155	15.1	12.4-17.8	310	24.9	21.6-28.2
Some Post-H.S.	891	111,210	97	26.5	22.0-31.0	86	14.9	11.6-18.2	104	13.9	11.0-16.8	194	18.6	15.7-21.5	180	13.2	10.8-15.6	230	12.8	10.8-14.8
College Graduate	890	70,162	81	21.1	17.0-25.2	150	22.5	18.8-26.2	150	17.5	14.6-20.4	227	21.1	18.2-24.0	151	10.6	08.6-12.6	131	7.2	05.8-08.6
Less than \$15,000	225	22,786	25	37.4	26.2-48.6	8	9.1	01.7-16.5	20	9.3	04.2-14.4	31	12.6	07.3-17.9	41	8.2	05.1-11.3	100	23.4	17.3-29.5
\$15,000- 24,999	371	33,004	28	22.3	14.9-29.7	21	13.7	07.4-20.0	23	10.6	05.1-16.1	47	11.6	07.7-15.5	75	12.7	09.2-16.2	177	29.1	23.8-34.4
\$25,000- 34,999	287	27,324	27	24.1	16.1-32.1	21	12.1	06.2-18.0	27	14.2	08.3-20.1	45	14.1	09.2-19.0	56	11.4	07.9-14.9	111	24.0	18.7-29.3
\$35,000- 49,999	336	33,233	35	24.8	17.4-32.2	38	17.7	11.6-23.8	33	11.0	06.9-15.1	59	14.9	10.6-19.2	79	17.6	13.3-21.9	92	14.0	10.7-17.3
\$50,000- 74,999	408	39,881	35	19.5	13.2-25.8	64	18.3	13.4-23.2	58	14.9	10.6-19.2	118	25.0	20.3-29.7	78	13.7	10.4-17.0	55	8.6	06.1-11.1
\$75,000+	621	64,941	45	17.3	12.4-22.2	102	20.0	15.7-24.3	146	24.0	19.7-28.3	202	25.6	21.7-29.5	96	10.6	08.1-13.1	30	2.4	01.4-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 25: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4836	536,591	3250	80.3	79.1-81.5	1586	19.7	18.5-20.9
Male	2134	270,720	1568	82.8	81.2-84.4	566	17.2	15.6-18.8
Female	2702	265,871	1682	77.8	76.2-79.4	1020	22.2	20.6-23.8
Native	125	24,541	101	91.9	88.0-95.8	24	8.1	04.2-12.0
Non-Native	4650	504,582	3113	79.8	78.6-81.0	1537	20.2	19.0-21.4
Less Than H.S.	335	52,513	121	58.1	51.4-64.8	214	41.9	35.2-48.6
H.S. or G.E.D.	1406	146,879	812	76.3	73.9-78.7	594	23.7	21.3-26.1
Some Post-H.S.	1543	207,884	1091	84.1	82.3-85.9	452	15.9	14.1-17.7
College Graduate	1547	128,073	1222	87.6	86.0-89.2	325	12.4	10.8-14.0
Less than \$15,000	346	40,266	195	79.6	75.3-83.9	151	20.4	16.1-24.7
\$15,000- 24,999	606	65,611	265	65.6	61.1-70.1	341	34.4	29.9-38.9
\$25,000- 34,999	498	55,509	279	73.8	69.5-78.1	219	26.2	21.9-30.5
\$35,000- 49,999	711	79,843	465	79.8	76.9-82.7	246	20.2	17.3-23.1
\$50,000- 74,999	750	81,197	603	87.2	84.8-89.6	147	12.8	10.4-15.2
\$75,000+	1316	145,060	1156	92.4	91.0-93.8	160	7.6	06.2-09.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 26: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2134	270,720	1568	82.8	81.2-84.4	566	17.2	15.6-18.8
Native	54	12,987	46	96.6	94.1-99.1	8	3.4	00.9-05.9
Non-Native	2044	253,626	1499	82.1	80.5-83.7	545	17.9	16.3-19.5
Less Than H.S.	167	32,169	78	65.7	57.5-73.9	89	34.3	26.1-42.5
H.S. or G.E.D.	656	83,482	462	82.8	80.1-85.5	194	17.2	14.5-19.9
Some Post-H.S.	652	96,674	512	86.7	84.2-89.2	140	13.3	10.8-15.8
College Graduate	657	57,912	515	85.7	83.2-88.2	142	14.3	11.8-16.8
Less than \$15,000	121	17,480	92	87.8	82.5-93.1	29	12.2	06.9-17.5
\$15,000- 24,999	235	32,607	118	68.3	61.6-75.0	117	31.7	25.0-38.4
\$25,000- 34,999	211	28,185	127	75.7	69.2-82.2	84	24.3	17.8-30.8
\$35,000- 49,999	375	46,610	254	80.4	76.5-84.3	121	19.6	15.7-23.5
\$50,000- 74,999	342	41,316	280	88.4	85.1-91.7	62	11.6	08.3-14.9
\$75,000+	695	80,119	600	90.7	88.5-92.9	95	9.3	07.1-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 27: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2702	265,871	1682	77.8	76.2-79.4	1020	22.2	20.6-23.8
Native	71	11,554	55	86.5	78.9-94.1	16	13.5	05.9-21.1
Non-Native	2606	250,956	1614	77.5	75.9-79.1	992	22.5	20.9-24.1
Less Than H.S.	168	20,344	43	46.3	35.5-57.1	125	53.7	42.9-64.5
H.S. or G.E.D.	750	63,397	350	67.9	64.2-71.6	400	32.1	28.4-35.8
Some Post-H.S.	891	111,210	579	81.8	79.4-84.2	312	18.2	15.8-20.6
College Graduate	890	70,162	707	89.2	87.4-91.0	183	10.8	09.0-12.6
Less than \$15,000	225	22,786	103	73.3	66.8-79.8	122	26.7	20.2-33.2
\$15,000- 24,999	371	33,004	147	62.9	56.8-69.0	224	37.1	31.0-43.2
\$25,000- 34,999	287	27,324	152	71.8	66.1-77.5	135	28.2	22.5-33.9
\$35,000- 49,999	336	33,233	211	79.0	74.7-83.3	125	21.0	16.7-25.3
\$50,000- 74,999	408	39,881	323	86.1	82.8-89.4	85	13.9	10.6-17.2
\$75,000+	621	64,941	556	94.5	92.9-96.1	65	5.5	03.9-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 28: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4835	532,266	2	0.0	00.0-00.0	227	3.3	02.7-03.9	2110	38.6	36.8-40.4	2101	48.2	46.2-50.2	395	9.9	08.7-11.1	
Male	2127	267,843				4	0.2	00.0-00.4	173	6.9	05.5-08.3	1561	73.3	70.8-75.8	389	19.6	17.2-22.0	
Female	2708	264,424	2	0.0	00.0-00.0	223	6.4	05.2-07.6	1937	70.6	68.2-73.0	540	22.8	20.6-25.0	6	0.2	00.0-00.4	
Native	125	24,351				5	3.9	00.0-08.2	54	36.3	25.1-47.5	57	48.5	36.9-60.1	9	11.2	02.8-19.6	
Non-Native	4648	501,346	2	0.0	00.0-00.0	216	3.2	02.6-03.8	2030	38.7	36.9-40.5	2025	48.4	46.4-50.4	375	9.8	08.6-11.0	
18-24	243	76,878				5	2.5	00.1-04.9	96	35.1	28.6-41.6	115	49.7	42.8-56.6	27	12.6	07.7-17.5	
25-34	514	92,201				3	0.7	00.0-01.5	171	32.3	27.4-37.2	279	55.8	50.7-60.9	61	11.2	07.9-14.5	
35-44	547	76,808				9	1.9	00.3-03.5	201	34.3	29.4-39.2	276	50.5	45.2-55.8	61	13.3	09.6-17.0	
45-54	860	91,023				23	2.3	01.1-03.5	348	39.7	35.8-43.6	395	47.2	43.1-51.3	94	10.8	08.3-13.3	
55-64	1058	87,209				37	3.5	02.1-04.9	455	40.8	37.3-44.3	476	46.8	43.1-50.5	90	8.8	06.6-11.0	
65+	1577	104,931	2	0.1	00.0-00.3	145	7.4	06.0-08.8	820	46.5	43.6-49.4	549	41.2	38.1-44.3	61	4.8	03.4-06.2	
Less Than H.S.	333	51,213				16	2.7	01.1-04.3	161	39.3	32.4-46.2	136	48.1	40.8-55.4	20	9.9	04.8-15.0	
H.S. or G.E.D.	1403	144,817	1	0.1	00.0-00.3	81	3.5	02.3-04.7	607	36.0	32.7-39.3	609	50.8	47.3-54.3	105	9.6	07.4-11.8	
Some Post-H.S.	1549	208,272				79	3.8	02.6-05.0	686	38.9	35.8-42.0	663	47.7	44.4-51.0	121	9.6	07.4-11.8	
College Graduate	1547	127,628	1	0.0	00.0-00.0	51	2.4	01.6-03.2	653	40.5	37.4-43.6	693	46.3	43.2-49.4	149	10.8	08.6-13.0	
Less than \$15,000	346	39,975	1	0.2	00.0-00.6	37	6.5	03.8-09.2	167	42.3	34.5-50.1	122	44.3	36.5-52.1	19	6.7	03.0-10.4	
\$15,000- 24,999	608	65,789	1	0.0	00.0-00.0	30	2.6	01.4-03.8	325	42.9	37.4-48.4	218	43.7	38.0-49.4	34	10.7	06.4-15.0	
\$25,000- 34,999	497	54,754				38	6.5	04.0-09.0	213	33.3	27.8-38.8	216	52.3	46.2-58.4	30	8.0	04.3-11.7	
\$35,000- 49,999	710	79,717				26	3.0	01.0-05.0	269	33.1	28.8-37.4	358	54.3	49.4-59.2	57	9.6	06.7-12.5	
\$50,000- 74,999	748	81,240				22	1.9	01.1-02.7	317	37.4	33.1-41.7	349	50.3	45.6-55.0	60	10.5	07.4-13.6	
\$75,000+	1317	144,427				28	1.9	00.9-02.9	456	33.2	29.9-36.5	661	51.9	48.4-55.4	172	13.0	10.6-15.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 29: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2127	267,843	4	0.2	00.0-00.4	173	6.9	05.5-08.3	1561	73.3	70.8-75.8	389	19.6	17.2-22.0
Native	54	12,987				6	9.5	00.0-19.9	39	69.4	53.1-85.7	9	21.1	06.4-35.8
Non-Native	2036	250,896	3	0.1	00.0-00.3	160	6.7	05.5-07.9	1504	73.8	71.3-76.3	369	19.4	17.0-21.8
18-24	119	40,631				8	6.1	01.4-10.8	84	70.0	60.8-79.2	27	23.9	15.3-32.5
25-34	269	49,043	1	0.4	00.0-01.2	12	2.3	00.7-03.9	196	76.5	70.6-82.4	60	20.8	14.9-26.7
35-44	263	40,477				12	4.6	01.7-07.5	194	70.9	64.0-77.8	57	24.6	17.9-31.3
45-54	406	45,700				35	8.8	05.3-12.3	278	69.8	64.5-75.1	93	21.4	16.7-26.1
55-64	496	44,649				38	8.4	05.3-11.5	368	74.4	69.5-79.3	90	17.3	13.2-21.4
65+	565	46,442	1	0.1	00.0-00.3	68	11.3	08.4-14.2	435	77.7	73.8-81.6	61	10.9	07.8-14.0
Less Than H.S.	168	31,606	2	0.9	00.0-02.3	27	11.2	06.3-16.1	119	71.8	63.2-80.4	20	16.1	08.3-23.9
H.S. or G.E.D.	653	82,340	1	0.0	00.0-00.0	57	8.4	05.5-11.3	491	74.8	70.5-79.1	104	16.7	13.0-20.4
Some Post-H.S.	652	96,491				41	4.7	02.9-06.5	490	74.5	70.2-78.8	121	20.8	16.7-24.9
College Graduate	653	57,325	1	0.4	00.0-01.2	47	6.0	04.0-08.0	461	70.1	65.6-74.6	144	23.5	19.2-27.8
Less than \$15,000	118	17,061	3	2.7	00.0-06.0	15	7.2	03.3-11.1	83	75.6	66.0-85.2	17	14.5	06.1-22.9
\$15,000- 24,999	235	32,657				33	10.9	06.4-15.4	169	67.6	59.4-75.8	33	21.5	13.7-29.3
\$25,000- 34,999	211	27,998				22	7.5	03.4-11.6	159	76.9	69.3-84.5	30	15.6	08.7-22.5
\$35,000- 49,999	374	46,403				27	6.3	03.6-09.0	290	77.2	71.7-82.7	57	16.5	11.6-21.4
\$50,000- 74,999	339	40,971				26	5.1	02.7-07.5	254	74.2	67.9-80.5	59	20.6	14.7-26.5
\$75,000+	694	79,834				33	5.2	02.8-07.6	490	71.4	67.1-75.7	171	23.4	19.3-27.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 30: REPORTED HEIGHT IN INCHES (HTIN4).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2708	264,424	2	0.0	00.0-00.0	223	6.4	05.2-07.6	1937	70.6	68.2-73.0	540	22.8	20.6-25.0	6	0.2	00.0-00.4	
Native	71	11,364				5	8.3	00.0-17.3	48	67.0	53.1-80.9	18	24.6	12.4-36.8				
Non-Native	2612	250,451	2	0.0	00.0-00.0	213	6.2	05.0-07.4	1870	70.7	68.3-73.1	521	22.8	20.4-25.2	6	0.2	00.0-00.4	
18-24	124	36,247				5	5.4	00.7-10.1	88	67.6	58.4-76.8	31	27.0	18.4-35.6				
25-34	245	43,158				2	1.1	00.0-02.7	159	66.3	59.2-73.4	83	32.4	25.5-39.3	1	0.3	00.0-00.9	
35-44	284	36,332				9	4.0	00.5-07.5	189	67.5	60.6-74.4	82	27.8	21.5-34.1	4	0.7	00.0-01.5	
45-54	454	45,323				23	4.5	02.3-06.7	313	70.9	65.8-76.0	117	24.5	19.6-29.4	1	0.1	00.0-00.3	
55-64	562	42,560				37	7.2	04.5-09.9	417	74.8	70.7-78.9	108	18.0	14.5-21.5				
65+	1012	58,489	2	0.2	00.0-00.4	144	13.3	10.9-15.7	752	74.3	71.0-77.6	114	12.2	09.7-14.7				
Less Than H.S.	165	19,607				14	5.7	02.4-09.0	134	84.5	78.2-90.8	17	9.8	04.3-15.3				
H.S. or G.E.D.	750	62,476	1	0.1	00.0-00.3	80	8.1	05.7-10.5	550	72.4	67.9-76.9	118	19.2	15.1-23.3	1	0.2	00.0-00.6	
Some Post-H.S.	897	111,781				79	7.0	04.8-09.2	645	68.4	64.3-72.5	173	24.6	20.7-28.5				
College Graduate	894	70,303	1	0.0	00.0-00.0	50	4.0	02.6-05.4	606	68.6	64.7-72.5	232	27.0	23.3-30.7	5	0.4	00.0-00.8	
Less than \$15,000	228	22,914	1	0.3	00.0-00.9	34	9.4	05.1-13.7	152	68.4	59.2-77.6	39	21.0	12.4-29.6	2	0.8	00.0-02.0	
\$15,000- 24,999	373	33,133	1	0.1	00.0-00.3	30	5.2	02.8-07.6	292	74.4	67.5-81.3	49	20.2	13.5-26.9	1	0.1	00.0-00.3	
\$25,000- 34,999	286	26,756				38	13.2	08.1-18.3	191	60.3	52.5-68.1	57	26.5	19.1-33.9				
\$35,000- 49,999	336	33,314				26	7.2	02.9-11.5	242	70.5	63.4-77.6	68	22.3	16.0-28.6				
\$50,000- 74,999	409	40,269				22	3.8	02.0-05.6	291	70.2	64.5-75.9	95	25.9	20.2-31.6	1	0.1	00.0-00.3	
\$75,000+	623	64,592				28	4.2	02.0-06.4	423	67.8	63.1-72.5	171	27.9	23.4-32.4	1	0.1	00.0-00.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 31: REPORTED HEIGHT IN METERS (HTM4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4842	534,301	2	0.0	00.0-00.0	228	3.3	02.7-03.9	2111	38.5	36.7-40.3	2105	48.3	46.3-50.3	396	9.9	08.7-11.1
Male	2132	269,172				4	0.2	00.0-00.4	173	6.9	05.5-08.3	1565	73.4	70.9-75.9	390	19.5	17.1-21.9
Female	2710	265,129	2	0.0	00.0-00.0	224	6.5	05.3-07.7	1938	70.6	68.2-73.0	540	22.8	20.6-25.0	6	0.2	00.0-00.4
Native	125	24,351				5	3.9	00.0-08.2	54	36.3	25.1-47.5	57	48.5	36.9-60.1	9	11.2	02.8-19.6
Non-Native	4655	503,381	2	0.0	00.0-00.0	217	3.2	02.6-03.8	2031	38.6	36.8-40.4	2029	48.4	46.4-50.4	376	9.8	08.6-11.0
18-24	247	78,559				5	2.5	00.3-04.7	97	35.0	28.5-41.5	118	50.2	43.3-57.1	27	12.4	07.7-17.1
25-34	516	92,341				3	0.7	00.0-01.5	171	32.2	27.3-37.1	280	55.8	50.7-60.9	62	11.2	07.9-14.5
35-44	548	77,022				10	2.2	00.4-04.0	201	34.2	29.3-39.1	276	50.3	45.0-55.6	61	13.3	09.6-17.0
45-54	860	91,023				23	2.3	01.1-03.5	348	39.7	35.8-43.6	395	47.2	43.1-51.3	94	10.8	08.3-13.3
55-64	1058	87,209				37	3.5	02.1-04.9	455	40.8	37.3-44.3	476	46.8	43.1-50.5	90	8.8	06.6-11.0
65+	1577	104,931	2	0.1	00.0-00.3	145	7.4	06.0-08.8	820	46.5	43.6-49.4	549	41.2	38.1-44.3	61	4.8	03.4-06.2
Less Than H.S.	333	51,213				16	2.7	01.1-04.3	161	39.3	32.4-46.2	136	48.1	40.8-55.4	20	9.9	04.8-15.0
H.S. or G.E.D.	1405	145,662	1	0.1	00.0-00.3	81	3.5	02.5-04.5	607	35.8	32.7-38.9	611	51.1	47.6-54.6	105	9.5	07.3-11.7
Some Post-H.S.	1550	208,764				79	3.8	02.6-05.0	687	39.0	35.9-42.1	663	47.6	44.3-50.9	121	9.6	07.4-11.8
College Graduate	1551	128,327	1	0.0	00.0-00.0	52	2.5	01.5-03.5	653	40.2	37.1-43.3	695	46.4	43.3-49.5	150	10.8	08.6-13.0
Less than \$15,000	349	40,459	1	0.2	00.0-00.6	37	6.4	03.7-09.1	167	41.8	34.2-49.4	124	44.8	37.0-52.6	20	6.8	03.1-10.5
\$15,000- 24,999	608	65,789	1	0.0	00.0-00.0	30	2.6	01.4-03.8	325	42.9	37.4-48.4	218	43.7	38.0-49.4	34	10.7	06.4-15.0
\$25,000- 34,999	499	55,351				39	6.8	04.1-09.5	213	32.9	27.4-38.4	217	52.4	46.3-58.5	30	7.9	04.4-11.4
\$35,000- 49,999	710	79,717				26	3.0	01.0-05.0	269	33.1	28.8-37.4	358	54.3	49.4-59.2	57	9.6	06.7-12.5
\$50,000- 74,999	748	81,240				22	1.9	01.1-02.7	317	37.4	33.1-41.7	349	50.3	45.6-55.0	60	10.5	07.4-13.6
\$75,000+	1317	144,427				28	1.9	00.9-02.9	456	33.2	29.9-36.5	661	51.9	48.4-55.4	172	13.0	10.6-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 32: REPORTED HEIGHT IN METERS (HTM4).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2132	269,172	4	0.2	00.0-00.4	173	6.9	05.5-08.3	1565	73.4	70.9-75.9	390	19.5	17.1-21.9
Native	54	12,987				6	9.5	00.0-19.9	39	69.4	53.1-85.7	9	21.1	06.4-35.8
Non-Native	2041	252,225	3	0.1	00.0-00.3	160	6.6	05.4-07.8	1508	73.9	71.4-76.4	370	19.3	16.9-21.7
18-24	122	41,821				8	6.0	01.3-10.7	87	70.8	61.8-79.8	27	23.2	14.8-31.6
25-34	271	49,183	1	0.4	00.0-01.2	12	2.3	00.7-03.9	197	76.4	70.5-82.3	61	20.9	15.0-26.8
35-44	263	40,477				12	4.6	01.7-07.5	194	70.9	64.0-77.8	57	24.6	17.9-31.3
45-54	406	45,700				35	8.8	05.3-12.3	278	69.8	64.5-75.1	93	21.4	16.7-26.1
55-64	496	44,649				38	8.4	05.3-11.5	368	74.4	69.5-79.3	90	17.3	13.2-21.4
65+	565	46,442	1	0.1	00.0-00.3	68	11.3	08.4-14.2	435	77.7	73.8-81.6	61	10.9	07.8-14.0
Less Than H.S.	168	31,606	2	0.9	00.0-02.3	27	11.2	06.3-16.1	119	71.8	63.2-80.4	20	16.1	08.3-23.9
H.S. or G.E.D.	655	83,185	1	0.0	00.0-00.0	57	8.3	05.6-11.0	493	75.1	70.8-79.4	104	16.5	12.8-20.2
Some Post-H.S.	652	96,491				41	4.7	02.9-06.5	490	74.5	70.2-78.8	121	20.8	16.7-24.9
College Graduate	656	57,809	1	0.4	00.0-01.2	47	5.9	03.9-07.9	463	70.3	65.8-74.8	145	23.4	19.1-27.7
Less than \$15,000	121	17,545	3	2.6	00.0-05.9	15	7.0	03.1-10.9	85	75.9	66.7-85.1	18	14.5	06.3-22.7
\$15,000- 24,999	235	32,657				33	10.9	06.4-15.4	169	67.6	59.4-75.8	33	21.5	13.7-29.3
\$25,000- 34,999	212	28,381				22	7.4	03.3-11.5	160	77.2	69.6-84.8	30	15.4	08.5-22.3
\$35,000- 49,999	374	46,403				27	6.3	03.6-09.0	290	77.2	71.7-82.7	57	16.5	11.6-21.4
\$50,000- 74,999	339	40,971				26	5.1	02.7-07.5	254	74.2	67.9-80.5	59	20.6	14.7-26.5
\$75,000+	694	79,834				33	5.2	02.8-07.6	490	71.4	67.1-75.7	171	23.4	19.3-27.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 33: REPORTED HEIGHT IN METERS (HTM4).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2710	265,129	2	0.0	00.0-00.0	224	6.5	05.3-07.7	1938	70.6	68.2-73.0	540	22.8	20.6-25.0	6	0.2	00.0-00.4
Native	71	11,364				5	8.3	00.0-17.3	48	67.0	53.1-80.9	18	24.6	12.4-36.8			
Non-Native	2614	251,156	2	0.0	00.0-00.0	214	6.3	05.1-07.5	1871	70.7	68.3-73.1	521	22.8	20.4-25.2	6	0.2	00.0-00.4
18-24	125	36,739				5	5.3	00.6-10.0	89	68.0	58.8-77.2	31	26.6	18.0-35.2			
25-34	245	43,158				2	1.1	00.0-02.7	159	66.3	59.2-73.4	83	32.4	25.5-39.3	1	0.3	00.0-00.9
35-44	285	36,546				10	4.6	01.1-08.1	189	67.1	60.2-74.0	82	27.6	21.3-33.9	4	0.7	00.0-01.5
45-54	454	45,323				23	4.5	02.3-06.7	313	70.9	65.8-76.0	117	24.5	19.6-29.4	1	0.1	00.0-00.3
55-64	562	42,560				37	7.2	04.5-09.9	417	74.8	70.7-78.9	108	18.0	14.5-21.5			
65+	1012	58,489	2	0.2	00.0-00.4	144	13.3	10.9-15.7	752	74.3	71.0-77.6	114	12.2	09.7-14.7			
Less Than H.S.	165	19,607				14	5.7	02.4-09.0	134	84.5	78.2-90.8	17	9.8	04.3-15.3			
H.S. or G.E.D.	750	62,476	1	0.1	00.0-00.3	80	8.1	05.7-10.5	550	72.4	67.9-76.9	118	19.2	15.1-23.3	1	0.2	00.0-00.6
Some Post-H.S.	898	112,273				79	7.0	04.8-09.2	646	68.5	64.4-72.6	173	24.5	20.6-28.4			
College Graduate	895	70,517	1	0.0	00.0-00.0	51	4.3	02.7-05.9	606	68.4	64.5-72.3	232	26.9	23.2-30.6	5	0.4	00.0-00.8
Less than \$15,000	228	22,914	1	0.3	00.0-00.9	34	9.4	05.1-13.7	152	68.4	59.2-77.6	39	21.0	12.4-29.6	2	0.8	00.0-02.0
\$15,000- 24,999	373	33,133	1	0.1	00.0-00.3	30	5.2	02.8-07.6	292	74.4	67.5-81.3	49	20.2	13.5-26.9	1	0.1	00.0-00.3
\$25,000- 34,999	287	26,970				39	13.9	08.6-19.2	191	59.8	52.0-67.6	57	26.3	19.0-33.6			
\$35,000- 49,999	336	33,314				26	7.2	02.9-11.5	242	70.5	63.4-77.6	68	22.3	16.0-28.6			
\$50,000- 74,999	409	40,269				22	3.8	02.0-05.6	291	70.2	64.5-75.9	95	25.9	20.2-31.6	1	0.1	00.0-00.3
\$75,000+	623	64,592				28	4.2	02.0-06.4	423	67.8	63.1-72.5	171	27.9	23.4-32.4	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG3).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4670	515,252	35	0.7	00.3-01.1	1383	27.2	25.4-29.0	2130	46.0	44.0-48.0	867	19.5	17.9-21.1	224	5.5	04.5-06.5	31	1.0	00.6-01.4
Male	2117	266,692	2	0.0	00.0-00.0	166	9.2	07.4-11.0	1086	50.5	47.8-53.2	660	29.9	27.4-32.4	179	8.8	07.2-10.4	24	1.6	00.8-02.4
Female	2553	248,560	33	1.4	00.6-02.2	1217	46.6	44.1-49.1	1044	41.2	38.7-43.7	207	8.4	07.0-09.8	45	2.0	01.2-02.8	7	0.5	00.1-00.9
Native	122	23,599	4	1.2	00.0-02.4	21	13.3	06.4-20.2	62	51.4	39.6-63.2	25	23.2	13.4-33.0	8	9.6	01.6-17.6	2	1.3	00.0-03.3
Non-Native	4490	485,508	31	0.7	00.3-01.1	1344	27.8	26.0-29.6	2043	45.8	43.8-47.8	828	19.3	17.7-20.9	215	5.3	04.3-06.3	29	1.0	00.6-01.4
18-24	242	76,669	3	1.3	00.0-02.9	95	37.5	30.8-44.2	105	45.4	38.3-52.5	26	10.7	06.4-15.0	10	4.1	01.2-07.0	3	1.1	00.0-02.5
25-34	502	89,564	1	0.6	00.0-01.8	139	27.7	23.0-32.4	221	43.6	38.3-48.9	99	19.2	15.1-23.3	39	8.3	05.4-11.2	3	0.6	00.0-01.6
35-44	528	73,834	1	0.1	00.0-00.3	127	20.0	16.1-23.9	228	45.6	40.3-50.9	127	23.5	19.0-28.0	37	8.1	05.0-11.2	8	2.7	00.5-04.9
45-54	832	87,944	3	0.5	00.0-01.3	202	22.9	19.6-26.2	378	46.7	42.6-50.8	184	22.6	19.1-26.1	57	6.2	04.2-08.2	8	1.0	00.2-01.8
55-64	1007	83,631	3	0.4	00.0-00.8	246	22.3	19.2-25.4	461	45.2	41.5-48.9	242	26.5	23.0-30.0	48	4.5	03.1-05.9	7	1.1	00.1-02.1
65+	1533	101,642	22	1.2	00.6-01.8	559	31.6	28.9-34.3	730	49.4	46.5-52.3	187	15.3	12.9-17.7	33	2.4	01.4-03.4	2	0.1	00.0-00.3
Less Than H.S.	330	50,752	8	2.0	00.0-04.2	93	24.3	18.4-30.2	150	45.0	37.7-52.3	63	21.4	15.7-27.1	13	5.1	01.8-08.4	3	2.2	00.0-04.9
H.S. or G.E.D.	1363	142,011	7	0.2	00.0-00.4	411	26.1	23.0-29.2	613	46.9	43.4-50.4	254	20.9	18.0-23.8	68	5.0	03.6-06.4	10	0.9	00.3-01.5
Some Post-H.S.	1482	198,749	10	0.8	00.2-01.4	414	26.8	23.9-29.7	681	45.6	42.3-48.9	289	19.4	16.9-21.9	76	6.0	04.2-07.8	12	1.3	00.5-02.1
College Graduate	1495	123,740	10	0.5	00.0-01.1	465	30.5	27.6-33.4	686	46.1	43.0-49.2	261	17.3	14.9-19.7	67	5.4	03.8-07.0	6	0.2	00.0-00.4
Less than \$15,000	338	39,232	4	1.9	00.0-04.6	117	33.5	26.1-40.9	154	46.1	38.3-53.9	40	12.0	07.5-16.5	19	5.7	02.6-08.8	4	0.7	00.0-01.5
\$15,000- 24,999	599	64,748	4	0.4	00.0-00.8	198	27.9	23.0-32.8	271	44.4	38.9-49.9	98	20.0	15.3-24.7	22	5.1	02.2-08.0	6	2.2	00.0-04.4
\$25,000- 34,999	486	54,298	9	1.4	00.2-02.6	145	26.1	20.8-31.4	218	48.1	41.8-54.4	87	18.3	13.4-23.2	25	5.6	03.1-08.1	2	0.5	00.0-01.3
\$35,000- 49,999	691	77,632	3	0.8	00.0-02.2	176	26.2	21.9-30.5	327	42.6	37.9-47.3	146	23.8	19.7-27.9	34	5.6	03.1-08.1	5	1.2	00.0-02.4
\$50,000- 74,999	726	78,857	2	0.3	00.0-00.7	191	24.3	20.2-28.4	343	49.0	44.3-53.7	147	20.0	16.5-23.5	38	4.9	02.9-06.9	5	1.5	00.0-03.1
\$75,000+	1281	140,689	1	0.0	00.0-00.0	305	21.3	18.6-24.0	595	47.6	44.1-51.1	300	23.8	20.9-26.7	73	6.8	04.8-08.8	7	0.5	00.1-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2117	266,692	2	0.0	00.0-00.0	166	9.2	07.4-11.0	1086	50.5	47.8-53.2	660	29.9	27.4-32.4	179	8.8	07.2-10.4	24	1.6	00.8-02.4
Native	54	12,987	2	0.8	00.0-01.8	2	4.7	00.0-12.0	27	47.4	30.5-64.3	15	29.2	14.1-44.3	6	15.6	01.9-29.3	2	2.4	00.0-05.9
Non-Native	2028	249,849				159	9.1	07.3-10.9	1043	50.9	48.0-53.8	632	29.9	27.4-32.4	172	8.5	06.9-10.1	22	1.5	00.7-02.3
18-24	123	41,512				25	19.3	11.7-26.9	68	56.5	46.9-66.1	21	16.5	09.4-23.6	8	6.6	01.5-11.7	1	1.0	00.0-03.0
25-34	269	48,817				26	11.3	06.4-16.2	136	48.7	41.4-56.0	73	26.2	19.9-32.5	31	12.6	07.7-17.5	3	1.2	00.0-03.0
35-44	259	39,688				13	4.6	01.7-07.5	113	45.3	37.7-52.9	99	34.5	27.4-41.6	28	11.8	06.7-16.9	6	3.9	00.2-07.6
45-54	405	45,697				20	4.9	02.4-07.4	195	49.4	43.5-55.3	137	33.8	28.1-39.5	47	10.5	07.0-14.0	6	1.4	00.0-02.8
55-64	493	44,400				29	6.2	03.3-09.1	236	45.5	40.0-51.0	185	40.1	34.6-45.6	37	6.2	04.0-08.4	6	2.1	00.3-03.9
65+	560	45,765	2	0.2	00.0-00.6	51	8.7	06.2-11.2	334	57.9	53.0-62.8	143	28.1	23.4-32.8	28	4.9	02.9-06.9	2	0.2	00.0-00.4
Less Than H.S.	167	31,516	2	0.3	00.0-00.7	20	14.7	07.3-22.1	82	44.5	34.9-54.1	47	28.8	20.4-37.2	13	8.3	03.0-13.6	3	3.5	00.0-07.8
H.S. or G.E.D.	653	82,996				60	10.7	07.6-13.8	321	51.1	46.2-56.0	206	29.7	25.4-34.0	58	7.5	05.1-09.9	8	1.2	00.2-02.2
Some Post-H.S.	645	94,690				37	6.7	04.0-09.4	326	49.9	45.0-54.8	218	31.7	27.2-36.2	56	9.8	06.7-12.9	8	1.9	00.3-03.5
College Graduate	652	57,491				49	8.3	05.4-11.2	357	54.2	49.3-59.1	189	27.8	23.5-32.1	52	9.2	06.1-12.3	5	0.5	00.1-00.9
Less than \$15,000	121	17,641				21	20.7	10.7-30.7	62	50.4	38.6-62.2	22	18.7	09.9-27.5	13	9.2	03.1-15.3	3	1.0	00.0-02.4
\$15,000- 24,999	232	31,988	1	0.2	00.0-00.6	28	10.7	06.0-15.4	122	47.8	39.4-56.2	67	31.8	23.6-40.0	12	7.4	01.9-12.9	2	2.1	00.0-05.4
\$25,000- 34,999	210	28,094				24	10.9	05.0-16.8	102	54.5	45.1-63.9	62	25.1	17.3-32.9	21	9.4	04.5-14.3	1	0.1	00.0-00.3
\$35,000- 49,999	372	46,015				23	9.3	05.0-13.6	205	49.4	42.9-55.9	113	32.1	26.0-38.2	27	7.3	03.6-11.0	4	1.8	00.0-04.0
\$50,000- 74,999	338	40,655				21	7.0	02.9-11.1	176	52.6	45.7-59.5	107	30.1	24.0-36.2	29	7.4	04.1-10.7	5	2.9	00.2-05.6
\$75,000+	693	79,913				34	5.5	03.1-07.9	330	47.1	42.2-52.0	255	35.8	31.3-40.3	67	10.8	07.7-13.9	7	0.9	00.1-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2553	248,560	33	1.4	00.6-02.2	1217	46.6	44.1-49.1	1044	41.2	38.7-43.7	207	8.4	07.0-09.8	45	2.0	01.2-02.8	7	0.5	00.1-00.9
Native	68	10,611	2	1.8	00.0-04.3	19	23.9	11.6-36.2	35	56.3	40.8-71.8	10	15.9	04.7-27.1	2	2.1	00.0-05.2			
Non-Native	2462	235,658	31	1.4	00.6-02.2	1185	47.6	44.9-50.3	1000	40.4	37.9-42.9	196	8.1	06.7-09.5	43	2.0	01.2-02.8	7	0.5	00.1-00.9
18-24	119	35,157	3	2.8	00.0-06.1	70	59.1	49.1-69.1	37	32.2	22.6-41.8	5	3.7	00.0-07.4	2	1.1	00.0-02.9	2	1.2	00.0-02.8
25-34	233	40,747	1	1.3	00.0-03.8	113	47.2	39.6-54.8	85	37.6	30.2-45.0	26	10.8	06.1-15.5	8	3.0	00.6-05.4			
35-44	269	34,146	1	0.2	00.0-00.6	114	38.0	30.9-45.1	115	45.9	38.5-53.3	28	10.8	06.1-15.5	9	3.9	01.0-06.8	2	1.3	00.0-03.3
45-54	427	42,248	3	1.1	00.0-02.7	182	42.4	36.7-48.1	183	43.8	37.9-49.7	47	10.5	07.0-14.0	10	1.6	00.4-02.8	2	0.7	00.0-01.7
55-64	514	39,231	3	0.8	00.0-01.8	217	40.6	35.5-45.7	225	44.8	39.7-49.9	57	11.1	07.8-14.4	11	2.7	00.9-04.5	1	0.1	00.0-00.3
65+	973	55,877	20	2.0	01.0-03.0	508	50.4	46.7-54.1	396	42.5	38.8-46.2	44	4.7	03.1-06.3	5	0.5	00.1-00.9			
Less Than H.S.	163	19,236	6	4.7	00.0-10.4	73	40.1	30.3-49.9	68	45.9	35.1-56.7	16	9.4	04.3-14.5						
H.S. or G.E.D.	710	59,016	7	0.5	00.1-00.9	351	47.8	42.9-52.7	292	41.0	36.1-45.9	48	8.5	05.4-11.6	10	1.6	00.4-02.8	2	0.5	00.0-01.3
Some Post-H.S.	837	104,059	10	1.6	00.4-02.8	377	45.2	40.7-49.7	355	41.7	37.2-46.2	71	8.3	05.9-10.7	20	2.5	01.1-03.9	4	0.8	00.0-01.6
College Graduate	843	66,250	10	1.0	00.0-02.0	416	49.7	45.4-54.0	329	39.1	34.8-43.4	72	8.2	05.8-10.6	15	2.1	00.7-03.5	1	0.0	00.0-00.0
Less than \$15,000	217	21,591	4	3.5	00.0-08.6	96	43.9	33.3-54.5	92	42.7	31.9-53.5	18	6.5	03.0-10.0	6	2.9	00.5-05.3	1	0.5	00.0-01.5
\$15,000- 24,999	367	32,760	3	0.6	00.0-01.4	170	44.7	37.3-52.1	149	41.1	33.7-48.5	31	8.5	04.2-12.8	10	2.8	00.4-05.2	4	2.3	00.0-04.8
\$25,000- 34,999	276	26,205	9	3.0	00.5-05.5	121	42.5	34.7-50.3	116	41.2	33.4-49.0	25	11.0	05.5-16.5	4	1.5	00.0-03.1	1	0.9	00.0-02.5
\$35,000- 49,999	319	31,616	3	1.9	00.0-05.0	153	50.6	43.2-58.0	122	32.6	25.9-39.3	33	11.6	06.7-16.5	7	3.1	00.4-05.8	1	0.2	00.0-00.6
\$50,000- 74,999	388	38,202	2	0.5	00.0-01.5	170	42.7	36.4-49.0	167	45.3	39.0-51.6	40	9.2	06.1-12.3	9	2.2	00.6-03.8			
\$75,000+	588	60,776	1	0.0	00.0-00.0	271	42.0	36.9-47.1	265	48.4	43.1-53.7	45	8.2	05.3-11.1	6	1.5	00.0-03.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4625	507,578	39	1.1	00.7-01.5	1474	32.8	31.0-34.6	1754	36.6	34.8-38.4	931	19.7	18.1-21.3	427	9.7	08.5-10.9	
Male	2110	265,649	13	0.9	00.3-01.5	485	25.3	22.8-27.8	925	41.9	39.2-44.6	488	22.0	19.8-24.2	199	9.9	08.1-11.7	
Female	2515	241,929	26	1.3	00.5-02.1	989	41.0	38.5-43.5	829	30.9	28.5-33.3	443	17.2	15.2-19.2	228	9.5	07.9-11.1	
Native	122	23,599	3	0.8	00.0-01.8	25	20.5	11.3-29.7	48	37.0	25.8-48.2	30	30.0	18.2-41.8	16	11.7	05.0-18.4	
Non-Native	4447	478,189	34	1.0	00.6-01.4	1435	33.6	31.6-35.6	1684	36.6	34.6-38.6	887	19.2	17.6-20.8	407	9.7	08.5-10.9	
18-24	233	74,447	4	2.4	00.0-04.9	131	55.1	48.0-62.2	57	24.4	18.3-30.5	25	11.9	07.0-16.8	16	6.2	02.9-09.5	
25-34	481	85,843	2	0.5	00.0-01.3	173	37.9	32.6-43.2	184	36.8	31.7-41.9	74	14.7	11.2-18.2	48	10.1	06.8-13.4	
35-44	525	73,551	4	0.8	00.0-01.8	150	24.2	19.9-28.5	189	38.0	32.7-43.3	118	23.2	18.5-27.9	64	13.8	10.1-17.5	
45-54	829	87,393	4	0.9	00.0-01.9	234	26.8	23.3-30.3	308	38.4	34.3-42.5	189	23.2	19.7-26.7	94	10.7	08.2-13.2	
55-64	1006	83,500	4	0.4	00.0-00.8	272	24.9	21.8-28.0	388	38.6	34.9-42.3	229	23.7	20.4-27.0	113	12.4	09.9-14.9	
65+	1526	100,942	19	1.5	00.7-02.3	502	29.9	27.2-32.6	620	41.5	38.6-44.4	293	21.0	18.5-23.5	92	6.1	04.7-07.5	
Less Than H.S.	326	49,698	9	3.0	00.0-06.1	90	29.4	22.5-36.3	111	29.5	23.2-35.8	82	27.3	20.6-34.0	34	10.8	06.3-15.3	
H.S. or G.E.D.	1352	139,242	9	0.8	00.0-01.6	417	31.7	28.4-35.0	514	37.8	34.3-41.3	279	19.4	16.7-22.1	133	10.2	08.0-12.4	
Some Post-H.S.	1468	196,411	13	1.2	00.4-02.0	415	30.8	27.7-33.9	588	38.1	35.0-41.2	302	19.3	16.8-21.8	150	10.6	08.6-12.6	
College Graduate	1479	122,227	8	0.4	00.0-00.8	552	38.7	35.6-41.8	541	36.0	32.9-39.1	268	17.6	15.1-20.1	110	7.3	05.5-09.1	
Less than \$15,000	334	37,901	4	1.1	00.0-02.7	111	38.3	30.3-46.3	113	29.7	22.8-36.6	65	19.6	12.7-26.5	41	11.4	07.1-15.7	
\$15,000- 24,999	595	64,198	9	2.5	00.5-04.5	186	30.0	24.9-35.1	213	35.5	30.2-40.8	123	21.4	16.5-26.3	64	10.7	07.2-14.2	
\$25,000- 34,999	481	53,752	6	0.9	00.0-01.9	144	32.9	26.8-39.0	187	39.5	33.2-45.8	93	16.4	12.3-20.5	51	10.3	06.8-13.8	
\$35,000- 49,999	685	76,525	3	0.8	00.0-02.2	217	34.1	29.4-38.8	249	33.0	28.5-37.5	152	22.0	18.1-25.9	64	10.2	07.1-13.3	
\$50,000- 74,999	715	77,081	2	0.4	00.0-01.0	211	31.2	26.7-35.7	273	37.4	32.9-41.9	155	20.8	17.1-24.5	74	10.2	07.5-12.9	
\$75,000+	1270	138,796	4	0.3	00.0-00.7	376	28.4	25.3-31.5	521	40.7	37.2-44.2	273	21.7	18.8-24.6	96	8.9	06.7-11.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2110	265,649	13	0.9	00.3-01.5	485	25.3	22.8-27.8	925	41.9	39.2-44.6	488	22.0	19.8-24.2	199	9.9	08.1-11.7	
Native	54	12,987	2	0.8	00.0-01.8	10	20.5	06.8-34.2	24	41.6	24.9-58.3	11	25.6	10.1-41.1	7	11.5	02.1-20.9	
Non-Native	2021	248,806	9	0.6	00.2-01.0	469	25.8	23.3-28.3	884	41.9	39.2-44.6	468	21.8	19.6-24.0	191	9.9	08.1-11.7	
18-24	121	41,344	2	2.7	00.0-06.4	59	46.7	36.9-56.5	37	32.2	23.0-41.4	15	12.5	06.0-19.0	8	5.9	01.6-10.2	
25-34	269	48,817	1	0.5	00.0-01.5	71	29.4	22.7-36.1	123	41.8	34.7-48.9	46	16.8	11.5-22.1	28	11.5	06.8-16.2	
35-44	259	39,688				46	17.3	11.6-23.0	115	46.2	38.6-53.8	69	22.9	16.8-29.0	29	13.7	08.2-19.2	
45-54	402	45,145	1	0.3	00.0-00.9	78	18.2	13.7-22.7	168	42.7	36.8-48.6	108	28.1	22.8-33.4	47	10.6	06.9-14.3	
55-64	492	44,269	1	0.1	00.0-00.3	93	17.7	13.6-21.8	214	42.0	36.5-47.5	133	28.9	23.6-34.2	51	11.3	07.8-14.8	
65+	559	45,573	8	1.7	00.1-03.3	136	23.3	19.2-27.4	264	45.8	40.9-50.7	115	22.7	18.4-27.0	36	6.5	04.1-08.9	
Less Than H.S.	166	31,323	4	3.1	00.0-07.6	41	29.8	20.4-39.2	60	29.1	20.7-37.5	43	26.1	17.9-34.3	18	11.9	05.6-18.2	
H.S. or G.E.D.	651	82,622	4	1.1	00.0-02.3	156	26.3	21.8-30.8	267	41.5	36.4-46.6	154	21.2	17.5-24.9	70	9.9	07.2-12.6	
Some Post-H.S.	643	94,351	3	0.4	00.0-01.0	123	21.3	17.0-25.6	295	44.9	40.0-49.8	157	22.6	18.5-26.7	65	10.8	07.7-13.9	
College Graduate	650	57,352	2	0.1	00.0-00.3	165	28.0	23.5-32.5	303	44.4	39.7-49.1	134	20.2	16.3-24.1	46	7.3	04.6-10.0	
Less than \$15,000	120	17,510	2	0.3	00.0-00.7	34	36.7	24.7-48.7	48	35.9	24.7-47.1	22	17.9	09.1-26.7	14	9.1	03.4-14.8	
\$15,000- 24,999	231	31,933	5	3.3	00.0-06.6	62	23.9	17.0-30.8	97	41.8	33.4-50.2	45	20.5	13.1-27.9	22	10.4	05.1-15.7	
\$25,000- 34,999	210	28,094				54	29.7	20.5-38.9	87	44.4	34.8-54.0	44	15.1	09.6-20.6	25	10.7	05.4-16.0	
\$35,000- 49,999	371	45,808	1	0.1	00.0-00.3	96	27.9	21.8-34.0	147	37.6	31.3-43.9	94	24.8	19.3-30.3	33	9.5	05.6-13.4	
\$50,000- 74,999	336	40,380				65	23.4	16.9-29.9	157	43.0	36.3-49.7	84	24.5	18.8-30.2	30	9.1	05.2-13.0	
\$75,000+	692	79,651	3	0.5	00.0-01.1	133	20.8	16.7-24.9	317	42.9	38.2-47.6	179	26.2	21.9-30.5	60	9.6	06.7-12.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2515	241,929	26	1.3	00.5-02.1	989	41.0	38.5-43.5	829	30.9	28.5-33.3	443	17.2	15.2-19.2	228	9.5	07.9-11.1
Native	68	10,611	1	0.8	00.0-02.4	15	20.4	08.6-32.2	24	31.3	18.0-44.6	19	35.4	18.3-52.5	9	12.1	02.5-21.7
Non-Native	2426	229,383	25	1.4	00.6-02.2	966	42.0	39.3-44.7	800	30.9	28.5-33.3	419	16.3	14.3-18.3	216	9.4	07.8-11.0
18-24	112	33,103	2	2.1	00.0-05.2	72	65.6	55.6-75.6	20	14.6	07.9-21.3	10	11.2	03.6-18.8	8	6.5	01.6-11.4
25-34	212	37,026	1	0.6	00.0-01.8	102	49.0	41.0-57.0	61	30.3	22.9-37.7	28	11.8	07.1-16.5	20	8.3	04.2-12.4
35-44	266	33,863	4	1.7	00.0-03.9	104	32.3	25.6-39.0	74	28.5	21.8-35.2	49	23.6	16.5-30.7	35	13.8	08.7-18.9
45-54	427	42,248	3	1.6	00.0-03.6	156	36.0	30.5-41.5	140	33.8	28.3-39.3	81	17.9	13.4-22.4	47	10.8	07.3-14.3
55-64	514	39,231	3	0.6	00.0-01.6	179	33.1	28.4-37.8	174	34.9	30.0-39.8	96	17.7	14.0-21.4	62	13.7	10.0-17.4
65+	967	55,369	11	1.4	00.6-02.2	366	35.3	31.8-38.8	356	37.9	34.2-41.6	178	19.6	16.5-22.7	56	5.8	04.0-07.6
Less Than H.S.	160	18,375	5	3.0	00.0-06.5	49	28.7	19.9-37.5	51	30.2	21.0-39.4	39	29.2	18.2-40.2	16	8.8	03.9-13.7
H.S. or G.E.D.	701	56,620	5	0.4	00.0-00.8	261	39.6	34.7-44.5	247	32.4	27.9-36.9	125	16.9	13.4-20.4	63	10.7	07.6-13.8
Some Post-H.S.	825	102,059	10	1.9	00.5-03.3	292	39.6	35.1-44.1	293	31.8	27.7-35.9	145	16.3	13.0-19.6	85	10.5	07.8-13.2
College Graduate	829	64,875	6	0.8	00.0-01.6	387	48.2	43.9-52.5	238	28.5	24.6-32.4	134	15.4	12.3-18.5	64	7.2	05.0-09.4
Less than \$15,000	214	20,390	2	1.7	00.0-04.6	77	39.7	29.1-50.3	65	24.3	16.3-32.3	43	21.0	11.0-31.0	27	13.3	06.8-19.8
\$15,000- 24,999	364	32,266	4	1.6	00.0-03.8	124	36.1	28.8-43.4	116	29.2	22.7-35.7	78	22.2	15.7-28.7	42	10.9	06.4-15.4
\$25,000- 34,999	271	25,659	6	1.9	00.0-03.9	90	36.3	28.3-44.3	100	34.1	26.7-41.5	49	17.8	11.7-23.9	26	9.9	05.4-14.4
\$35,000- 49,999	314	30,717	2	1.9	00.0-05.0	121	43.2	35.8-50.6	102	26.0	20.3-31.7	58	17.8	12.3-23.3	31	11.1	06.2-16.0
\$50,000- 74,999	379	36,702	2	0.8	00.0-02.0	146	39.7	33.4-46.0	116	31.3	25.4-37.2	71	16.8	12.3-21.3	44	11.4	07.7-15.1
\$75,000+	578	59,144	1	0.1	00.0-00.3	243	38.6	33.5-43.7	204	37.6	32.3-42.9	94	15.7	12.0-19.4	36	7.9	04.8-11.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4625	507,578	67	1.8	01.2-02.4	1441	32.0	30.2-33.8	1751	36.6	34.8-38.4	1366	29.7	27.9-31.5
Male	2110	265,649	21	1.4	00.6-02.2	474	24.6	22.1-27.1	922	41.7	39.0-44.4	693	32.3	29.8-34.8
Female	2515	241,929	46	2.2	01.4-03.0	967	40.2	37.7-42.7	829	30.9	28.5-33.3	673	26.7	24.3-29.1
Native	122	23,599	3	0.8	00.0-01.8	25	20.5	11.3-29.7	48	37.0	25.8-48.2	46	41.8	30.0-53.6
Non-Native	4447	478,189	62	1.7	01.1-02.3	1403	32.7	30.7-34.7	1680	36.5	34.5-38.5	1302	29.1	27.3-30.9
18-24	233	74,447	6	3.2	00.5-05.9	128	53.6	46.5-60.7	58	25.0	18.9-31.1	41	18.1	12.4-23.8
25-34	481	85,843	4	1.1	00.1-02.1	170	37.2	31.9-42.5	183	36.2	31.1-41.3	124	25.5	21.0-30.0
35-44	525	73,551	12	2.7	00.9-04.5	142	22.3	18.2-26.4	188	37.9	32.6-43.2	183	37.1	31.8-42.4
45-54	829	87,393	10	1.5	00.3-02.7	228	26.2	22.7-29.7	308	38.4	34.3-42.5	283	33.9	30.0-37.8
55-64	1006	83,500	6	0.5	00.0-01.1	269	24.7	21.6-27.8	387	38.5	34.8-42.2	344	36.2	32.5-39.9
65+	1526	100,942	27	1.9	00.9-02.9	493	29.5	26.8-32.2	618	41.3	38.4-44.2	388	27.3	24.6-30.0
Less Than H.S.	326	49,698	12	3.6	00.5-06.7	87	28.8	21.9-35.7	110	29.2	22.9-35.5	117	38.3	31.2-45.4
H.S. or G.E.D.	1352	139,242	19	1.5	00.5-02.5	406	31.0	27.7-34.3	512	37.6	34.1-41.1	415	29.9	26.8-33.0
Some Post-H.S.	1468	196,411	22	2.1	00.9-03.3	402	29.5	26.4-32.6	590	38.2	35.1-41.3	454	30.2	27.1-33.3
College Graduate	1479	122,227	14	0.7	00.3-01.1	546	38.4	35.3-41.5	539	35.9	32.8-39.0	380	25.0	22.3-27.7
Less than \$15,000	334	37,901	10	3.3	00.2-06.4	103	34.8	27.0-42.6	115	31.0	23.9-38.1	106	30.9	23.5-38.3
\$15,000- 24,999	595	64,198	11	2.6	00.6-04.6	184	29.9	24.8-35.0	213	35.5	30.2-40.8	187	32.1	26.6-37.6
\$25,000- 34,999	481	53,752	13	2.4	00.6-04.2	136	31.3	25.2-37.4	187	39.5	33.2-45.8	145	26.8	21.7-31.9
\$35,000- 49,999	685	76,525	7	2.0	00.0-04.0	212	32.8	28.1-37.5	249	33.0	28.5-37.5	217	32.2	27.7-36.7
\$50,000- 74,999	715	77,081	3	0.6	00.0-01.2	209	30.8	26.3-35.3	273	37.5	33.0-42.0	230	31.1	26.8-35.4
\$75,000+	1270	138,796	9	0.7	00.1-01.3	371	28.0	24.9-31.1	517	40.1	36.6-43.6	373	31.2	27.9-34.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2110	265,649	21	1.4	00.6-02.2	474	24.6	22.1-27.1	922	41.7	39.0-44.4	693	32.3	29.8-34.8
Native	54	12,987	2	0.8	00.0-01.8	10	20.5	06.8-34.2	24	41.6	24.9-58.3	18	37.1	20.6-53.6
Non-Native	2021	248,806	17	1.2	00.6-01.8	458	25.0	22.5-27.5	881	41.7	39.0-44.4	665	32.1	29.6-34.6
18-24	121	41,344	4	4.2	00.0-08.5	56	44.0	34.4-53.6	38	33.4	24.2-42.6	23	18.4	11.0-25.8
25-34	269	48,817	2	0.8	00.0-02.0	69	28.9	22.2-35.6	122	40.7	33.6-47.8	76	29.6	22.9-36.3
35-44	259	39,688	1	0.8	00.0-02.4	45	16.5	11.0-22.0	114	45.9	38.3-53.5	99	36.8	29.5-44.1
45-54	402	45,145	2	0.5	00.0-01.3	77	18.0	13.5-22.5	168	42.7	36.8-48.6	155	38.7	32.8-44.6
55-64	492	44,269	2	0.2	00.0-00.6	91	17.5	13.4-21.6	213	41.8	36.5-47.1	186	40.5	35.0-46.0
65+	559	45,573	10	2.1	00.5-03.7	134	22.9	18.8-27.0	263	45.4	40.5-50.3	152	29.6	24.9-34.3
Less Than H.S.	166	31,323	5	3.6	00.0-08.1	40	29.3	19.9-38.7	59	28.6	20.4-36.8	62	38.5	29.3-47.7
H.S. or G.E.D.	651	82,622	6	1.3	00.1-02.5	154	26.2	21.7-30.7	265	41.1	36.0-46.2	226	31.5	27.2-35.8
Some Post-H.S.	643	94,351	7	1.5	00.1-02.9	116	19.6	15.5-23.7	296	45.0	40.1-49.9	224	33.9	29.2-38.6
College Graduate	650	57,352	3	0.2	00.0-00.4	164	27.9	23.4-32.4	302	44.4	39.7-49.1	181	27.5	23.2-31.8
Less than \$15,000	120	17,510	5	4.3	00.0-09.8	30	30.0	18.6-41.4	49	38.7	27.3-50.1	36	27.0	17.0-37.0
\$15,000- 24,999	231	31,933	5	3.3	00.0-06.6	62	23.9	17.0-30.8	97	41.8	33.4-50.2	67	31.0	22.8-39.2
\$25,000- 34,999	210	28,094	2	0.6	00.0-01.4	51	29.0	19.8-38.2	88	44.5	34.9-54.1	69	25.9	18.6-33.2
\$35,000- 49,999	371	45,808	3	1.1	00.0-02.7	94	26.9	21.0-32.8	147	37.6	31.3-43.9	127	34.3	28.2-40.4
\$50,000- 74,999	336	40,380				64	23.2	16.7-29.7	157	43.1	36.4-49.8	115	33.7	27.2-40.2
\$75,000+	692	79,651	4	0.6	00.0-01.2	132	20.7	16.6-24.8	313	41.9	37.2-46.6	243	36.8	32.1-41.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2515	241,929	46	2.2	01.4-03.0	967	40.2	37.7-42.7	829	30.9	28.5-33.3	673	26.7	24.3-29.1
Native	68	10,611	1	0.8	00.0-02.4	15	20.4	08.6-32.2	24	31.3	18.0-44.6	28	47.5	31.2-63.8
Non-Native	2426	229,383	45	2.3	01.3-03.3	945	41.1	38.4-43.8	799	30.9	28.5-33.3	637	25.8	23.4-28.2
18-24	112	33,103	2	2.1	00.0-05.2	72	65.6	55.6-75.6	20	14.6	07.9-21.3	18	17.7	09.1-26.3
25-34	212	37,026	2	1.4	00.0-03.4	101	48.2	40.2-56.2	61	30.3	22.9-37.7	48	20.1	14.2-26.0
35-44	266	33,863	11	4.9	01.4-08.4	97	29.1	22.8-35.4	74	28.5	21.8-35.2	84	37.4	30.0-44.8
45-54	427	42,248	8	2.5	00.3-04.7	151	35.0	29.5-40.5	140	33.8	28.3-39.3	128	28.7	23.4-34.0
55-64	514	39,231	4	0.8	00.0-01.8	178	32.9	28.2-37.6	174	34.9	30.0-39.8	158	31.4	26.5-36.3
65+	967	55,369	17	1.7	00.7-02.7	359	34.9	31.4-38.4	355	37.9	34.2-41.6	236	25.5	22.2-28.8
Less Than H.S.	160	18,375	7	3.7	00.2-07.2	47	28.0	19.2-36.8	51	30.2	21.0-39.4	55	38.0	27.0-49.0
H.S. or G.E.D.	701	56,620	13	1.9	00.5-03.3	252	38.1	33.2-43.0	247	32.4	27.9-36.9	189	27.6	23.3-31.9
Some Post-H.S.	825	102,059	15	2.7	00.9-04.5	286	38.7	34.2-43.2	294	31.8	27.7-35.9	230	26.8	22.9-30.7
College Graduate	829	64,875	11	1.2	00.4-02.0	382	47.7	43.4-52.0	237	28.4	24.5-32.3	199	22.7	19.2-26.2
Less than \$15,000	214	20,390	5	2.3	00.0-05.4	73	39.0	28.4-49.6	66	24.4	16.4-32.4	70	34.3	23.7-44.9
\$15,000- 24,999	364	32,266	6	1.8	00.0-04.0	122	35.9	28.6-43.2	116	29.2	22.7-35.7	120	33.2	25.9-40.5
\$25,000- 34,999	271	25,659	11	4.5	01.2-07.8	85	33.8	26.0-41.6	99	34.0	26.6-41.4	76	27.8	20.7-34.9
\$35,000- 49,999	314	30,717	4	3.4	00.0-07.5	118	41.6	34.2-49.0	102	26.0	20.3-31.7	90	29.0	22.3-35.7
\$50,000- 74,999	379	36,702	3	1.2	00.0-02.6	145	39.2	32.9-45.5	116	31.3	25.4-37.2	115	28.2	22.9-33.5
\$75,000+	578	59,144	5	0.9	00.0-01.9	239	37.9	32.8-43.0	204	37.6	32.3-42.9	130	23.6	19.1-28.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4625	507,578	1508	33.8	31.8-35.8	3117	66.2	64.2-68.2
Male	2110	265,649	495	26.0	23.5-28.5	1615	74.0	71.5-76.5
Female	2515	241,929	1013	42.3	39.6-45.0	1502	57.7	55.0-60.4
Native	122	23,599	28	21.3	12.1-30.5	94	78.7	69.5-87.9
Non-Native	4447	478,189	1465	34.4	32.4-36.4	2982	65.6	63.6-67.6
18-24	233	74,447	134	56.9	49.8-64.0	99	43.1	36.0-50.2
25-34	481	85,843	174	38.3	33.0-43.6	307	61.7	56.4-67.0
35-44	525	73,551	154	25.0	20.7-29.3	371	75.0	70.7-79.3
45-54	829	87,393	238	27.7	24.0-31.4	591	72.3	68.6-76.0
55-64	1006	83,500	275	25.2	22.1-28.3	731	74.8	71.7-77.9
65+	1526	100,942	520	31.4	28.7-34.1	1006	68.6	65.9-71.3
Less Than H.S.	326	49,698	99	32.5	25.4-39.6	227	67.5	60.4-74.6
H.S. or G.E.D.	1352	139,242	425	32.5	29.2-35.8	927	67.5	64.2-70.8
Some Post-H.S.	1468	196,411	424	31.7	28.4-35.0	1044	68.3	65.0-71.6
College Graduate	1479	122,227	560	39.1	36.0-42.2	919	60.9	57.8-64.0
Less than \$15,000	334	37,901	113	38.1	30.3-45.9	221	61.9	54.1-69.7
\$15,000- 24,999	595	64,198	195	32.5	27.2-37.8	400	67.5	62.2-72.8
\$25,000- 34,999	481	53,752	149	33.7	27.6-39.8	332	66.3	60.2-72.4
\$35,000- 49,999	685	76,525	219	34.8	29.9-39.7	466	65.2	60.3-70.1
\$50,000- 74,999	715	77,081	212	31.4	26.9-35.9	503	68.6	64.1-73.1
\$75,000+	1270	138,796	380	28.7	25.4-32.0	890	71.3	68.0-74.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2110	265,649	495	26.0	23.5-28.5	1615	74.0	71.5-76.5
Native	54	12,987	12	21.3	07.6-35.0	42	78.7	65.0-92.4
Non-Native	2021	248,806	475	26.1	23.6-28.6	1546	73.9	71.4-76.4
18-24	121	41,344	60	48.2	38.4-58.0	61	51.8	42.0-61.6
25-34	269	48,817	71	29.7	22.8-36.6	198	70.3	63.4-77.2
35-44	259	39,688	46	17.3	11.6-23.0	213	82.7	77.0-88.4
45-54	402	45,145	79	18.5	14.0-23.0	323	81.5	77.0-86.0
55-64	492	44,269	93	17.7	13.6-21.8	399	82.3	78.2-86.4
65+	559	45,573	144	25.0	20.9-29.1	415	75.0	70.9-79.1
Less Than H.S.	166	31,323	45	32.9	23.1-42.7	121	67.1	57.3-76.9
H.S. or G.E.D.	651	82,622	160	27.4	22.9-31.9	491	72.6	68.1-77.1
Some Post-H.S.	643	94,351	123	21.1	16.8-25.4	520	78.9	74.6-83.2
College Graduate	650	57,352	167	28.1	23.6-32.6	483	71.9	67.4-76.4
Less than \$15,000	120	17,510	35	34.3	22.5-46.1	85	65.7	53.9-77.5
\$15,000- 24,999	231	31,933	67	27.2	19.9-34.5	164	72.8	65.5-80.1
\$25,000- 34,999	210	28,094	53	29.6	20.4-38.8	157	70.4	61.2-79.6
\$35,000- 49,999	371	45,808	97	28.0	21.9-34.1	274	72.0	65.9-78.1
\$50,000- 74,999	336	40,380	64	23.2	16.7-29.7	272	76.8	70.3-83.3
\$75,000+	692	79,651	136	21.3	17.0-25.6	556	78.7	74.4-83.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2515	241,929	1013	42.3	39.8-44.8	1502	57.7	55.2-60.2
Native	68	10,611	16	21.2	09.2-33.2	52	78.8	66.8-90.8
Non-Native	2426	229,383	990	43.4	40.7-46.1	1436	56.6	53.9-59.3
18-24	112	33,103	74	67.7	57.9-77.5	38	32.3	22.5-42.1
25-34	212	37,026	103	49.6	41.6-57.6	109	50.4	42.4-58.4
35-44	266	33,863	108	34.0	27.3-40.7	158	66.0	59.3-72.7
45-54	427	42,248	159	37.5	31.8-43.2	268	62.5	56.8-68.2
55-64	514	39,231	182	33.7	29.0-38.4	332	66.3	61.6-71.0
65+	967	55,369	376	36.6	33.1-40.1	591	63.4	59.9-66.9
Less Than H.S.	160	18,375	54	31.7	22.5-40.9	106	68.3	59.1-77.5
H.S. or G.E.D.	701	56,620	265	39.9	35.0-44.8	436	60.1	55.2-65.0
Some Post-H.S.	825	102,059	301	41.4	36.9-45.9	524	58.6	54.1-63.1
College Graduate	829	64,875	393	48.9	44.6-53.2	436	51.1	46.8-55.4
Less than \$15,000	214	20,390	78	41.3	30.7-51.9	136	58.7	48.1-69.3
\$15,000- 24,999	364	32,266	128	37.7	30.3-45.1	236	62.3	54.9-69.7
\$25,000- 34,999	271	25,659	96	38.3	30.3-46.3	175	61.7	53.7-69.7
\$35,000- 49,999	314	30,717	122	45.0	37.4-52.6	192	55.0	47.4-62.6
\$50,000- 74,999	379	36,702	148	40.5	34.2-46.8	231	59.5	53.2-65.8
\$75,000+	578	59,144	244	38.7	33.6-43.8	334	61.3	56.2-66.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4875	539,927	3658	67.4	65.6-69.2	463	13.3	11.9-14.7	427	10.9	09.7-12.1	225	5.2	04.4-06.0	68	2.0	01.4-02.6	34	1.1	00.7-01.5
Male	2144	271,611	1612	70.5	68.0-73.0	192	12.5	10.3-14.7	201	9.9	08.1-11.7	97	4.6	03.4-05.8	31	1.8	01.0-02.6	11	0.7	00.1-01.3
Female	2731	268,316	2046	64.4	61.9-66.9	271	14.1	12.1-16.1	226	12.0	10.0-14.0	128	5.9	04.7-07.1	37	2.2	01.2-03.2	23	1.5	00.7-02.3
Native	126	24,600	70	43.8	32.6-55.0	20	18.7	09.7-27.7	21	24.8	13.4-36.2	8	4.7	01.2-08.2	6	7.5	01.2-13.8	1	0.6	00.0-01.8
Non-Native	4684	507,468	3539	68.5	66.7-70.3	439	13.1	11.7-14.5	399	10.2	09.0-11.4	215	5.3	04.5-06.1	62	1.8	01.2-02.4	30	1.1	00.7-01.5
18-24	253	80,808	175	69.8	63.3-76.3	48	18.4	13.1-23.7	19	7.8	03.7-11.9	7	2.1	00.3-03.9	2	1.0	00.0-02.4	2	1.0	00.0-02.4
25-34	520	93,489	193	41.4	36.3-46.5	110	21.9	17.6-26.2	119	19.3	15.4-23.2	72	11.3	08.2-14.4	17	3.9	01.7-06.1	9	2.2	00.6-03.8
35-44	550	77,202	126	27.2	22.3-32.1	87	16.7	12.8-20.6	177	31.0	26.3-35.7	104	14.5	11.4-17.6	41	7.7	04.8-10.6	15	2.9	01.3-04.5
45-54	863	91,628	556	64.7	60.8-68.6	164	19.7	16.4-23.0	94	9.7	07.3-12.1	35	4.6	02.8-06.4	8	0.7	00.1-01.3	6	0.6	00.0-01.2
55-64	1060	87,344	1005	93.5	91.3-95.7	41	5.2	03.0-07.4	11	0.9	00.3-01.5	2	0.3	00.0-00.9				1	0.1	00.0-00.3
65+	1586	105,778	1567	98.5	97.7-99.3	12	0.8	00.2-01.4	3	0.3	00.0-00.7	3	0.3	00.0-00.7				1	0.1	00.0-00.3
Less Than H.S.	339	53,047	298	75.9	68.6-83.2	18	11.9	06.2-17.6	11	5.5	01.2-09.8	4	2.1	00.0-04.5	3	2.4	00.0-05.1	5	2.2	00.0-04.4
H.S. or G.E.D.	1412	147,139	1161	73.4	70.1-76.7	109	12.3	09.6-15.0	73	7.1	05.1-09.1	47	4.6	03.0-06.2	12	1.6	00.6-02.6	10	1.0	00.2-01.8
Some Post-H.S.	1559	209,572	1146	63.6	60.3-66.9	163	14.6	12.1-17.1	151	13.2	10.8-15.6	68	5.3	03.9-06.7	23	2.4	01.2-03.6	8	0.9	00.1-01.7
College Graduate	1560	128,893	1048	63.0	59.9-66.1	173	13.0	10.8-15.2	192	13.9	11.7-16.1	106	7.2	05.6-08.8	30	1.9	01.1-02.7	11	1.0	00.4-01.6
Less than \$15,000	350	40,590	309	78.0	70.4-85.6	19	10.2	04.9-15.5	14	8.4	02.5-14.3	5	1.6	00.0-03.2	2	1.5	00.0-04.0	1	0.3	00.0-00.9
\$15,000- 24,999	610	65,885	531	77.2	71.9-82.5	33	9.1	05.4-12.8	27	8.1	04.2-12.0	14	4.2	01.8-06.6	3	1.0	00.0-02.2	2	0.3	00.0-00.7
\$25,000- 34,999	504	55,988	419	74.4	68.7-80.1	44	13.4	08.7-18.1	29	8.2	04.5-11.9	7	2.6	00.4-04.8	2	0.8	00.0-02.0	3	0.6	00.0-01.4
\$35,000- 49,999	714	80,186	570	71.4	66.7-76.1	58	12.4	08.9-15.9	41	8.6	05.5-11.7	30	4.4	02.6-06.2	7	1.3	00.0-02.7	8	2.0	00.4-03.6
\$50,000- 74,999	752	81,714	513	63.1	58.6-67.6	89	15.4	11.9-18.9	83	12.8	09.7-15.9	50	6.5	04.3-08.7	10	1.2	00.4-02.0	7	1.0	00.2-01.8
\$75,000+	1321	145,299	788	53.9	50.4-57.4	185	17.5	14.6-20.4	204	16.2	13.7-18.7	98	7.7	05.9-09.5	37	3.6	02.0-05.2	9	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 47: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2144	271,611	1612	70.5	68.0-73.0	192	12.5	10.3-14.7	201	9.9	08.1-11.7	97	4.6	03.4-05.8	31	1.8	01.0-02.6	11	0.7	00.1-01.3
Native	54	12,987	32	47.4	30.5-64.3	11	25.4	10.7-40.1	8	19.4	04.5-34.3				3	7.7	00.0-16.7			
Non-Native	2052	254,261	1552	71.5	69.0-74.0	180	12.0	09.8-14.2	188	9.4	07.8-11.0	95	4.9	03.7-06.1	28	1.6	00.8-02.4	9	0.7	00.1-01.3
18-24	125	42,838	99	76.9	68.3-85.5	19	16.9	09.1-24.7	5	4.6	00.1-09.1	1	0.9	00.0-02.7				1	0.7	00.0-02.1
25-34	273	49,656	128	51.8	44.7-58.9	48	18.8	13.1-24.5	59	15.9	11.0-20.8	26	8.4	04.5-12.3	11	4.3	01.4-07.2	1	0.9	00.0-02.7
35-44	262	40,347	72	33.6	26.2-41.0	44	17.5	11.6-23.4	77	28.8	22.1-35.5	46	11.7	08.2-15.2	17	6.3	02.6-10.0	6	2.2	00.2-04.2
45-54	410	46,335	275	67.4	61.9-72.9	59	15.4	11.1-19.7	50	9.7	06.6-12.8	21	6.3	03.2-09.4	3	0.8	00.0-02.0	2	0.4	00.0-01.0
55-64	497	44,780	469	91.6	87.7-95.5	19	6.7	03.0-10.4	8	1.1	00.3-01.9	1	0.5	00.0-01.5						
65+	566	46,634	559	98.4	97.2-99.6	3	0.5	00.0-01.1	2	0.6	00.0-01.4	1	0.2	00.0-00.6				1	0.2	00.0-00.6
Less Than H.S.	170	32,648	148	78.6	69.8-87.4	10	11.9	04.3-19.5	5	2.8	00.0-05.7	1	1.5	00.0-04.4	2	2.2	00.0-05.3	4	3.0	00.0-06.3
H.S. or G.E.D.	658	83,629	520	72.5	67.8-77.2	56	13.3	09.4-17.2	46	7.5	05.0-10.0	25	4.3	02.3-06.3	7	1.7	00.3-03.1	4	0.8	00.0-01.6
Some Post-H.S.	654	96,760	473	66.4	61.7-71.1	68	13.5	10.0-17.0	68	12.6	09.1-16.1	36	5.6	03.4-07.8	7	1.7	00.3-03.1	2	0.2	00.0-00.6
College Graduate	660	58,090	469	69.4	65.1-73.7	58	10.3	07.4-13.2	82	12.8	09.7-15.9	35	5.2	03.2-07.2	15	2.2	01.0-03.4	1	0.1	00.0-00.3
Less than \$15,000	122	17,676	109	83.3	73.3-93.3	8	10.9	02.7-19.1	3	4.7	00.0-11.4	2	1.1	00.0-02.7						
\$15,000- 24,999	236	32,712	210	80.0	72.2-87.8	6	6.5	01.2-11.8	11	8.1	02.2-14.0	4	2.8	00.1-05.5	3	1.9	00.0-04.3	2	0.7	00.0-01.7
\$25,000- 34,999	212	28,381	180	79.4	71.2-87.6	14	9.6	03.1-16.1	12	7.2	01.9-12.5	4	2.9	00.0-05.8				2	0.8	00.0-02.0
\$35,000- 49,999	375	46,610	312	76.2	70.1-82.3	25	11.5	06.8-16.2	19	6.0	02.7-09.3	13	3.3	01.1-05.5	4	1.7	00.0-03.7	2	1.3	00.0-03.1
\$50,000- 74,999	342	41,316	230	63.4	56.7-70.1	41	15.6	10.3-20.9	37	12.0	07.5-16.5	25	6.8	03.7-09.9	7	1.8	00.2-03.4	2	0.5	00.0-01.3
\$75,000+	697	80,238	447	60.5	55.8-65.2	81	14.4	10.7-18.1	111	15.8	12.5-19.1	43	6.7	04.3-09.1	13	1.9	00.5-03.3	2	0.7	00.0-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2731	268,316	2046	64.4	61.9-66.9	271	14.1	12.1-16.1	226	12.0	10.0-14.0	128	5.9	04.7-07.1	37	2.2	01.2-03.2	23	1.5	00.7-02.3
Native	72	11,612	38	39.7	25.6-53.8	9	11.2	02.4-20.0	13	30.9	14.2-47.6	8	9.9	02.5-17.3	3	7.1	00.0-15.7	1	1.2	00.0-03.6
Non-Native	2632	253,207	1987	65.5	63.0-68.0	259	14.2	12.2-16.2	211	11.0	09.2-12.8	120	5.8	04.6-07.0	34	2.0	01.0-03.0	21	1.5	00.7-02.3
18-24	128	37,970	76	61.7	52.3-71.1	29	20.1	12.7-27.5	14	11.5	04.6-18.4	6	3.4	00.5-06.3	2	2.1	00.0-05.0	1	1.3	00.0-03.8
25-34	247	43,833	65	29.6	22.9-36.3	62	25.5	18.8-32.2	60	23.2	16.9-29.5	46	14.6	09.7-19.5	6	3.4	00.1-06.7	8	3.8	00.9-06.7
35-44	288	36,855	54	20.3	14.4-26.2	43	15.9	10.4-21.4	100	33.4	26.7-40.1	58	17.5	12.6-22.4	24	9.2	04.7-13.7	9	3.7	01.0-06.4
45-54	453	45,293	281	62.0	56.5-67.5	105	24.0	19.1-28.9	44	9.6	06.3-12.9	14	2.8	01.2-04.4	5	0.7	00.1-01.3	4	0.9	00.0-01.9
55-64	563	42,563	536	95.5	93.5-97.5	22	3.6	01.8-05.4	3	0.6	00.0-01.4	1	0.2	00.0-00.6				1	0.1	00.0-00.3
65+	1020	59,144	1008	98.5	97.5-99.5	9	1.1	00.3-01.9	1	0.0	00.0-00.0	2	0.4	00.0-01.0						
Less Than H.S.	169	20,399	150	71.7	59.9-83.5	8	11.9	03.5-20.3	6	9.6	00.0-19.2	3	3.1	00.0-06.6	1	2.7	00.0-07.8	1	1.1	00.0-03.1
H.S. or G.E.D.	754	63,510	641	74.6	69.9-79.3	53	10.9	07.6-14.2	27	6.7	04.0-09.4	22	5.0	02.6-07.4	5	1.4	00.0-02.8	6	1.4	00.2-02.6
Some Post-H.S.	905	112,811	673	61.2	56.7-65.7	95	15.6	12.1-19.1	83	13.7	10.4-17.0	32	5.1	03.1-07.1	16	3.0	01.2-04.8	6	1.5	00.1-02.9
College Graduate	900	70,803	579	57.8	53.7-61.9	115	15.3	12.2-18.4	110	14.8	11.7-17.9	71	8.8	06.4-11.2	15	1.6	00.6-02.6	10	1.7	00.5-02.9
Less than \$15,000	228	22,914	200	74.0	63.2-84.8	11	9.6	02.5-16.7	11	11.3	02.3-20.3	3	2.0	00.0-04.4	2	2.6	00.0-07.3	1	0.5	00.0-01.5
\$15,000- 24,999	374	33,173	321	74.4	67.1-81.7	27	11.7	06.4-17.0	16	8.2	03.1-13.3	10	5.7	01.8-09.6						
\$25,000- 34,999	292	27,607	239	69.2	61.4-77.0	30	17.2	10.5-23.9	17	9.2	04.1-14.3	3	2.3	00.0-05.2	2	1.6	00.0-04.1	1	0.5	00.0-01.5
\$35,000- 49,999	339	33,575	258	64.6	57.2-72.0	33	13.7	08.2-19.2	22	12.2	06.3-18.1	17	5.8	02.7-08.9	3	0.8	00.0-02.0	6	2.9	00.4-05.4
\$50,000- 74,999	410	40,398	283	62.8	56.7-68.9	48	15.2	10.5-19.9	46	13.8	09.3-18.3	25	6.3	03.6-09.0	3	0.6	00.0-01.4	5	1.4	00.0-02.8
\$75,000+	624	65,060	341	45.8	40.7-50.9	104	21.2	16.5-25.9	93	16.7	13.0-20.4	55	8.9	06.2-11.6	24	5.7	02.8-08.6	7	1.6	00.2-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 49: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4873	538,922	339	9.8	08.4-11.2	1413	27.3	25.7-28.9	1560	38.9	36.9-40.9	1561	23.9	22.5-25.3
Male	2143	271,258	170	12.0	09.8-14.2	658	30.8	28.3-33.3	655	35.7	33.0-38.4	660	21.4	19.4-23.4
Female	2730	267,665	169	7.6	06.0-09.2	755	23.8	21.8-25.8	905	42.1	39.6-44.6	901	26.5	24.5-28.5
Native	126	24,600	25	21.7	11.3-32.1	32	25.9	16.1-35.7	43	42.0	30.4-53.6	26	10.5	05.4-15.6
Non-Native	4683	507,339	296	8.9	07.7-10.1	1366	27.4	25.6-29.2	1501	39.0	37.0-41.0	1520	24.7	23.1-26.3
18-24	252	80,305	16	9.2	04.5-13.9	92	35.2	28.7-41.7	91	39.8	32.9-46.7	53	15.7	11.4-20.0
25-34	519	93,085	17	6.5	03.2-09.8	114	22.5	18.4-26.6	170	40.1	34.8-45.4	218	30.9	26.6-35.2
35-44	551	77,332	9	3.8	00.9-06.7	111	20.9	16.8-25.0	184	44.2	38.9-49.5	247	31.1	26.8-35.4
45-54	864	91,658	34	7.5	04.8-10.2	237	27.8	24.3-31.3	294	40.3	36.2-44.4	299	24.5	21.4-27.6
55-64	1060	87,272	45	8.3	05.6-11.0	258	24.4	21.3-27.5	352	39.3	35.6-43.0	405	28.0	25.1-30.9
65+	1585	105,697	214	20.8	18.1-23.5	594	32.9	30.2-35.6	452	31.3	28.6-34.0	325	15.0	13.2-16.8
Less Than H.S.	339	53,047	339	100.0	0100-0100									
H.S. or G.E.D.	1413	147,251				1413	100.0	0100-0100						
Some Post-H.S.	1560	209,702							1560	100.0	0100-0100			
College Graduate	1561	128,923										1561	100.0	0100-0100
Less than \$15,000	350	40,590	67	19.9	13.4-26.4	127	29.0	22.3-35.7	112	38.3	30.5-46.1	44	12.8	08.1-17.5
\$15,000- 24,999	609	65,805	75	16.3	12.0-20.6	259	35.5	30.4-40.6	185	36.0	30.3-41.7	90	12.2	08.9-15.5
\$25,000- 34,999	504	55,988	49	15.7	10.6-20.8	190	35.8	29.9-41.7	154	31.9	26.2-37.6	111	16.6	12.7-20.5
\$35,000- 49,999	715	80,216	30	6.8	04.1-09.5	225	28.1	24.0-32.2	242	41.6	36.7-46.5	218	23.5	19.8-27.2
\$50,000- 74,999	752	81,714	17	3.2	01.4-05.0	167	21.6	18.1-25.1	277	47.2	42.5-51.9	291	28.0	24.3-31.7
\$75,000+	1321	144,907	18	3.3	01.5-05.1	232	19.6	16.9-22.3	396	39.4	35.9-42.9	675	37.7	34.6-40.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 50: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2143	271,258	170	12.0	09.8-14.2	658	30.8	28.3-33.3	655	35.7	33.0-38.4	660	21.4	19.4-23.4
Native	54	12,987	14	22.8	08.9-36.7	12	25.1	10.4-39.8	23	50.0	33.1-66.9	5	2.1	00.0-04.3
Non-Native	2052	254,311	145	11.0	08.8-13.2	639	31.3	28.8-33.8	624	35.2	32.5-37.9	644	22.5	20.3-24.7
18-24	125	42,838	9	11.3	04.0-18.6	56	42.9	33.3-52.5	31	27.8	18.8-36.8	29	18.0	11.5-24.5
25-34	272	49,253	15	10.3	04.8-15.8	77	27.6	21.5-33.7	88	39.4	32.1-46.7	92	22.8	17.7-27.9
35-44	263	40,477	5	4.9	00.2-09.6	66	24.6	18.3-30.9	99	46.8	39.2-54.4	93	23.6	18.1-29.1
45-54	410	46,335	20	8.4	04.7-12.1	135	34.2	28.5-39.9	145	39.2	33.3-45.1	110	18.2	14.3-22.1
55-64	497	44,780	29	11.9	07.0-16.8	128	25.3	20.8-29.8	149	34.4	29.1-39.7	191	28.4	24.1-32.7
65+	565	46,554	89	23.7	18.8-28.6	194	30.9	26.6-35.2	140	27.6	23.1-32.1	142	17.7	14.6-20.8
Less Than H.S.	170	32,648	170	100.0	0100-0100									
H.S. or G.E.D.	658	83,629				658	100.0	0100-0100						
Some Post-H.S.	655	96,891							655	100.0	0100-0100			
College Graduate	660	58,090										660	100.0	0100-0100
Less than \$15,000	122	17,676	18	11.5	05.8-17.2	40	30.9	19.9-41.9	39	37.1	25.1-49.1	25	20.4	11.2-29.6
\$15,000- 24,999	235	32,632	48	23.1	15.8-30.4	96	36.9	28.9-44.9	57	26.4	18.6-34.2	34	13.6	08.1-19.1
\$25,000- 34,999	212	28,381	33	23.9	14.9-32.9	82	35.8	26.8-44.8	57	28.2	19.6-36.8	40	12.1	07.2-17.0
\$35,000- 49,999	375	46,610	24	10.2	05.7-14.7	135	32.0	26.1-37.9	120	40.3	33.6-47.0	96	17.6	13.3-21.9
\$50,000- 74,999	342	41,316	9	3.6	00.9-06.3	89	25.7	19.8-31.6	132	47.9	41.0-54.8	112	22.8	17.9-27.7
\$75,000+	697	80,238	14	4.8	01.9-07.7	154	25.5	21.2-29.8	213	37.1	32.4-41.8	316	32.6	28.5-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 51: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2730	267,665	169	7.6	06.0-09.2	755	23.8	21.8-25.8	905	42.1	39.6-44.6	901	26.5	24.5-28.5
Native	72	11,612	11	20.4	04.9-35.9	20	26.7	14.4-39.0	20	33.1	18.6-47.6	21	19.9	09.7-30.1
Non-Native	2631	253,029	151	6.8	05.4-08.2	727	23.5	21.3-25.7	877	42.8	40.3-45.3	876	27.0	24.8-29.2
18-24	127	37,467	7	6.9	01.0-12.8	36	26.3	18.3-34.3	60	53.6	44.0-63.2	24	13.1	07.6-18.6
25-34	247	43,833	2	2.2	00.0-05.3	37	16.9	11.4-22.4	82	40.8	33.4-48.2	126	40.1	33.0-47.2
35-44	288	36,855	4	2.6	00.0-05.7	45	16.8	11.5-22.1	85	41.4	34.0-48.8	154	39.2	32.5-45.9
45-54	454	45,323	14	6.5	02.8-10.2	102	21.2	16.9-25.5	149	41.5	35.8-47.2	189	30.8	26.1-35.5
55-64	563	42,491	16	4.5	02.1-06.9	130	23.5	19.4-27.6	203	44.6	39.7-49.5	214	27.4	23.5-31.3
65+	1020	59,144	125	18.5	15.2-21.8	400	34.4	31.1-37.7	312	34.3	30.8-37.8	183	12.8	10.6-15.0
Less Than H.S.	169	20,399	169	100.0	0100-0100									
H.S. or G.E.D.	755	63,622				755	100.0	0100-0100						
Some Post-H.S.	905	112,811							905	100.0	0100-0100			
College Graduate	901	70,833										901	100.0	0100-0100
Less than \$15,000	228	22,914	49	26.3	16.3-36.3	87	27.6	19.4-35.8	73	39.2	29.0-49.4	19	6.8	02.5-11.1
\$15,000- 24,999	374	33,173	27	9.7	05.6-13.8	163	34.1	27.6-40.6	128	45.4	38.0-52.8	56	10.7	06.8-14.6
\$25,000- 34,999	292	27,607	16	7.1	03.0-11.2	108	35.9	28.5-43.3	97	35.7	28.1-43.3	71	21.3	15.2-27.4
\$35,000- 49,999	340	33,605	6	2.0	00.2-03.8	90	22.7	17.2-28.2	122	43.5	36.2-50.8	122	31.8	25.3-38.3
\$50,000- 74,999	410	40,398	8	2.7	00.5-04.9	78	17.3	13.2-21.4	145	46.5	40.2-52.8	179	33.4	27.9-38.9
\$75,000+	624	64,669	4	1.5	00.0-03.3	78	12.2	08.9-15.5	183	42.3	37.0-47.6	359	44.0	39.1-48.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 52: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4253	469,803	350	8.6	07.4-09.8	610	14.0	12.6-15.4	504	11.9	10.5-13.3	715	17.1	15.5-18.7	2074	48.3	46.3-50.3
Male	1984	246,935	122	7.2	05.6-08.8	236	13.2	11.0-15.4	212	11.5	09.5-13.5	375	18.9	16.7-21.1	1039	49.2	46.3-52.1
Female	2269	222,868	228	10.3	08.3-12.3	374	14.9	12.9-16.9	292	12.4	10.6-14.2	340	15.1	13.1-17.1	1035	47.4	44.7-50.1
Native	105	19,863	27	28.2	15.9-40.5	21	22.1	10.9-33.3	18	17.3	07.9-26.7	13	10.0	03.3-16.7	26	22.3	12.1-32.5
Non-Native	4096	444,597	316	7.7	06.5-08.9	578	13.7	12.3-15.1	476	11.6	10.2-13.0	694	17.4	15.8-19.0	2032	49.7	47.7-51.7
18-24	198	63,656	40	22.2	15.7-28.7	38	18.1	12.2-24.0	25	13.1	07.6-18.6	34	16.1	10.6-21.6	61	30.5	23.4-37.6
25-34	481	85,830	23	5.1	02.6-07.6	43	10.5	07.2-13.8	52	13.7	09.8-17.6	81	16.5	12.6-20.4	282	54.2	48.9-59.5
35-44	510	70,531	22	5.5	02.8-08.2	31	10.2	06.3-14.1	38	8.1	05.2-11.0	66	15.0	10.9-19.1	353	61.3	55.8-66.8
45-54	809	85,613	52	5.9	03.9-07.9	62	8.5	06.0-11.0	69	9.0	06.5-11.5	106	15.5	12.4-18.6	520	61.2	57.1-65.3
55-64	965	79,065	58	5.9	04.1-07.7	91	10.2	07.5-12.9	95	9.4	07.0-11.8	178	19.7	16.6-22.8	543	54.9	51.0-58.8
65+	1264	82,794	151	9.9	08.1-11.7	341	27.2	24.3-30.1	219	17.6	15.1-20.1	246	19.4	16.9-21.9	307	25.8	22.9-28.7
Less Than H.S.	256	40,402	67	20.0	13.5-26.5	75	26.6	19.7-33.5	49	21.7	14.6-28.8	30	13.4	08.1-18.7	35	18.3	11.6-25.0
H.S. or G.E.D.	1200	123,739	127	9.5	07.1-11.9	259	18.9	16.0-21.8	190	16.2	13.3-19.1	225	18.2	15.5-20.9	399	37.2	33.5-40.9
Some Post-H.S.	1366	186,162	112	8.4	06.2-10.6	185	12.7	10.3-15.1	154	9.6	07.6-11.6	242	17.9	15.2-20.6	673	51.4	47.9-54.9
College Graduate	1429	118,917	44	4.4	02.8-06.0	90	6.7	04.7-08.7	111	7.8	05.8-09.8	218	15.9	13.4-18.4	966	65.2	61.9-68.5
Less than \$15,000	350	40,590	350	100.0	0100-0100												
\$15,000- 24,999	610	65,885				610	100.0	0100-0100									
\$25,000- 34,999	504	55,988							504	100.0	0100-0100						
\$35,000- 49,999	715	80,216										715	100.0	0100-0100			
\$50,000- 74,999	752	81,714													752	100.0	0100-0100
\$75,000+	1322	145,410													1322	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 53: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 to 25,000			\$25,000 to 35,000			\$35,000 to 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1984	246,935	122	7.2	05.6-08.8	236	13.2	11.0-15.4	212	11.5	09.5-13.5	375	18.9	16.7-21.1	1039	49.2	46.3-52.1
Non-Native	1903	232,281	102	6.0	04.6-07.4	222	13.0	11.0-15.0	199	11.3	09.3-13.3	363	19.1	16.7-21.5	1017	50.7	47.8-53.6
18-24	103	34,903	20	18.4	10.4-26.4	21	19.7	11.3-28.1	13	15.6	07.2-24.0	16	14.3	07.2-21.4	33	31.9	21.9-41.9
25-34	255	45,813	16	6.5	02.6-10.4	19	7.8	04.1-11.5	26	13.7	08.0-19.4	45	17.1	11.6-22.6	149	54.9	47.5-62.3
35-44	251	38,168	7	3.6	00.5-06.7	15	10.1	04.8-15.4	17	7.6	03.5-11.7	37	17.6	11.3-23.9	175	61.1	53.3-68.9
45-54	392	44,354	22	4.8	02.4-07.2	31	8.5	05.0-12.0	28	6.8	03.7-09.9	59	19.4	14.3-24.5	252	60.4	54.3-66.5
55-64	470	42,357	27	5.7	03.2-08.2	32	9.9	05.4-14.4	43	8.7	05.6-11.8	97	21.9	17.2-26.6	271	53.8	48.1-59.5
65+	508	40,723	29	5.2	03.0-07.4	117	25.4	20.7-30.1	84	16.8	12.7-20.9	121	22.4	18.3-26.5	157	30.1	25.4-34.8
Less Than H.S.	146	26,449	18	7.7	03.8-11.6	48	28.5	19.5-37.5	33	25.7	16.1-35.3	24	18.0	10.4-25.6	23	20.1	11.1-29.1
H.S. or G.E.D.	596	73,662	40	7.4	04.5-10.3	96	16.3	12.4-20.2	82	13.8	09.9-17.7	135	20.2	16.3-24.1	243	42.2	37.1-47.3
Some Post-H.S.	618	91,466	39	7.2	04.3-10.1	57	9.4	06.3-12.5	57	8.7	05.8-11.6	120	20.5	16.4-24.6	345	54.2	49.1-59.3
College Graduate	623	55,277	25	6.5	03.4-09.6	34	8.0	04.7-11.3	40	6.2	03.7-08.7	96	14.8	11.3-18.3	428	64.4	59.5-69.3
Less than \$15,000	122	17,676	122	100.0	0100-0100												
\$15,000- 24,999	236	32,712				236	100.0	0100-0100									
\$25,000- 34,999	212	28,381							212	100.0	0100-0100						
\$35,000- 49,999	375	46,610										375	100.0	0100-0100			
\$50,000- 74,999	342	41,316													342	100.0	0100-0100
\$75,000+	697	80,238													697	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 7: DEMOGRAPHICS**

**TABLE 54: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2269	222,868	228	10.3	08.3-12.3	374	14.9	12.9-16.9	292	12.4	10.6-14.2	340	15.1	13.1-17.1	1035	47.4	44.7-50.1
Native	56	8,225	11	27.0	07.2-46.8	14	29.1	12.4-45.8	12	20.3	07.4-33.2	5	4.1	00.0-08.2	14	19.5	07.7-31.3
Non-Native	2193	212,315	214	9.5	07.7-11.3	356	14.4	12.4-16.4	277	11.9	10.1-13.7	331	15.6	13.4-17.8	1015	48.6	45.9-51.3
18-24	95	28,753	20	26.8	16.2-37.4	17	16.3	08.5-24.1	12	10.0	04.1-15.9	18	18.2	09.8-26.6	28	28.8	18.8-38.8
25-34	226	40,018	7	3.5	00.2-06.8	24	13.5	07.8-19.2	26	13.9	08.2-19.6	36	15.7	10.2-21.2	133	53.4	45.6-61.2
35-44	259	32,363	15	7.7	03.0-12.4	16	10.3	04.6-16.0	21	8.7	04.4-13.0	29	11.8	06.7-16.9	178	61.5	53.9-69.1
45-54	417	41,258	30	7.0	03.9-10.1	31	8.4	04.7-12.1	41	11.3	07.2-15.4	47	11.3	07.6-15.0	268	62.0	56.1-67.9
55-64	495	36,708	31	6.0	03.5-08.5	59	10.5	07.4-13.6	52	10.2	06.9-13.5	81	17.1	13.2-21.0	272	56.2	50.9-61.5
65+	756	42,071	122	14.5	11.8-17.2	224	29.1	25.2-33.0	135	18.3	15.0-21.6	125	16.6	13.5-19.7	150	21.6	18.1-25.1
Less Than H.S.	110	13,953	49	43.3	29.8-56.8	27	23.0	13.2-32.8	16	14.1	05.9-22.3	6	4.8	00.5-09.1	12	14.8	05.4-24.2
H.S. or G.E.D.	604	50,077	87	12.6	08.9-16.3	163	22.6	18.3-26.9	108	19.8	15.3-24.3	90	15.3	11.6-19.0	156	29.7	25.0-34.4
Some Post-H.S.	748	94,696	73	9.5	06.4-12.6	128	15.9	12.4-19.4	97	10.4	07.7-13.1	122	15.4	12.1-18.7	328	48.8	44.1-53.5
College Graduate	806	63,640	19	2.5	00.9-04.1	56	5.6	03.6-07.6	71	9.3	06.6-12.0	122	16.8	13.3-20.3	538	65.9	61.6-70.2
Less than \$15,000	228	22,914	228	100.0	0100-0100												
\$15,000- 24,999	374	33,173				374	100.0	0100-0100									
\$25,000- 34,999	292	27,607							292	100.0	0100-0100						
\$35,000- 49,999	340	33,605										340	100.0	0100-0100			
\$50,000- 74,999	410	40,398													410	100.0	0100-0100
\$75,000+	625	65,172													625	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 9: TOBACCO USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4817	531,297	589	15.5	13.9-17.1	209	5.7	04.7-06.7	1378	24.7	23.1-26.3	2641	54.1	52.1-56.1
Male	2117	267,499	303	16.9	14.7-19.1	104	6.8	05.2-08.4	705	28.0	25.6-30.4	1005	48.4	45.7-51.1
Female	2700	263,798	286	14.1	12.1-16.1	105	4.7	03.5-05.9	673	21.3	19.3-23.3	1636	59.9	57.4-62.4
Native	123	24,237	37	27.8	18.0-37.6	17	18.4	09.2-27.6	31	16.2	08.9-23.5	38	37.6	25.6-49.6
Non-Native	4631	499,687	544	14.8	13.2-16.4	189	5.2	04.2-06.2	1330	25.0	23.4-26.6	2568	55.0	53.0-57.0
18-24	245	77,848	34	14.4	09.5-19.3	19	8.0	04.3-11.7	10	4.4	01.5-07.3	182	73.3	67.2-79.4
25-34	511	92,100	87	21.5	17.0-26.0	40	9.9	06.6-13.2	92	18.4	14.3-22.5	292	50.2	44.9-55.5
35-44	546	76,662	83	20.0	15.5-24.5	25	5.7	03.0-08.4	112	22.9	18.4-27.4	326	51.5	46.2-56.8
45-54	853	90,377	150	19.8	16.3-23.3	33	4.2	02.6-05.8	187	22.6	19.1-26.1	483	53.3	49.2-57.4
55-64	1054	86,955	135	14.0	11.3-16.7	50	4.3	02.9-05.7	325	31.3	27.8-34.8	544	50.4	46.7-54.1
65+	1569	103,966	98	5.6	04.4-06.8	42	3.0	01.8-04.2	641	42.9	40.0-45.8	788	48.5	45.6-51.4
Less Than H.S.	332	51,799	70	29.4	22.3-36.5	15	3.9	01.5-06.3	110	30.5	24.0-37.0	137	36.3	29.4-43.2
H.S. or G.E.D.	1390	144,304	226	20.7	17.8-23.6	81	7.2	05.2-09.2	456	26.4	23.7-29.1	627	45.6	42.1-49.1
Some Post-H.S.	1539	206,494	195	14.1	11.7-16.5	76	6.5	04.5-08.5	462	25.5	22.8-28.2	806	53.9	50.6-57.2
College Graduate	1550	127,352	97	6.2	04.6-07.8	37	3.5	02.1-04.9	349	19.2	16.8-21.6	1067	71.1	68.4-73.8
Less than \$15,000	346	40,069	83	23.2	16.9-29.5	25	8.7	04.0-13.4	88	19.0	13.5-24.5	150	49.0	41.2-56.8
\$15,000- 24,999	601	65,068	94	21.4	16.5-26.3	27	4.8	02.3-07.3	192	26.3	21.8-30.8	288	47.5	41.8-53.2
\$25,000- 34,999	498	55,503	78	21.0	15.7-26.3	25	6.6	03.5-09.7	161	27.5	22.0-33.0	234	44.9	38.8-51.0
\$35,000- 49,999	707	78,936	75	12.7	09.2-16.2	36	7.6	04.5-10.7	232	29.0	24.9-33.1	364	50.7	45.8-55.6
\$50,000- 74,999	745	80,552	95	15.6	12.1-19.1	27	4.3	02.3-06.3	202	24.3	20.6-28.0	421	55.8	51.3-60.3
\$75,000+	1313	144,544	107	10.6	08.2-13.0	47	5.0	03.2-06.8	345	24.0	21.1-26.9	814	60.4	56.9-63.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2117	267,499	303	16.9	14.7-19.1	104	6.8	05.2-08.4	705	28.0	25.6-30.4	1005	48.4	45.7-51.1
Native	54	12,987	14	19.4	06.9-31.9	8	20.4	06.3-34.5	12	17.1	05.5-28.7	20	43.1	26.0-60.2
Non-Native	2026	250,260	283	16.6	14.4-18.8	95	6.2	04.6-07.8	682	28.5	26.1-30.9	966	48.8	45.9-51.7
18-24	122	41,693	19	16.5	09.2-23.8	14	10.3	04.6-16.0	8	6.9	01.6-12.2	81	66.2	57.0-75.4
25-34	270	49,438	53	24.7	18.2-31.2	27	12.7	07.4-18.0	49	17.9	12.4-23.4	141	44.7	37.6-51.8
35-44	258	39,807	35	18.5	12.2-24.8	14	6.8	02.9-10.7	58	23.6	16.9-30.3	151	51.2	43.6-58.8
45-54	405	45,592	75	18.7	14.0-23.4	15	4.0	01.8-06.2	102	26.8	21.5-32.1	213	50.5	44.6-56.4
55-64	495	44,685	69	15.3	11.2-19.4	20	3.9	01.9-05.9	173	35.4	30.1-40.7	233	45.4	39.9-50.9
65+	559	45,516	51	7.1	04.9-09.3	14	2.8	01.0-04.6	313	56.2	51.3-61.1	181	33.9	29.2-38.6
Less Than H.S.	165	31,715	44	33.2	23.6-42.8	8	4.2	00.7-07.7	72	37.5	28.1-46.9	41	25.1	16.5-33.7
H.S. or G.E.D.	647	82,310	121	21.3	17.2-25.4	39	7.4	04.7-10.1	235	28.0	23.9-32.1	252	43.2	38.1-48.3
Some Post-H.S.	647	95,529	90	13.8	10.5-17.1	41	8.6	05.5-11.7	218	28.7	24.6-32.8	298	48.9	44.0-53.8
College Graduate	656	57,461	48	6.7	04.3-09.1	16	4.2	01.8-06.6	179	21.6	18.1-25.1	413	67.4	63.1-71.7
Less than \$15,000	120	17,259	36	22.2	13.0-31.4	12	15.1	05.5-24.7	32	23.7	14.3-33.1	40	39.1	27.3-50.9
\$15,000- 24,999	231	32,283	42	19.3	12.4-26.2	12	5.8	01.9-09.7	84	28.5	21.4-35.6	93	46.4	37.8-55.0
\$25,000- 34,999	210	28,171	43	24.2	15.8-32.6	13	8.4	03.1-13.7	82	31.3	22.7-39.9	72	36.1	26.9-45.3
\$35,000- 49,999	372	45,862	46	15.1	10.2-20.0	21	8.1	04.0-12.2	149	35.2	29.1-41.3	156	41.6	35.1-48.1
\$50,000- 74,999	339	40,701	50	18.6	13.1-24.1	13	4.9	01.8-08.0	98	25.1	19.4-30.8	178	51.4	44.5-58.3
\$75,000+	691	79,702	61	11.1	07.8-14.4	26	4.8	02.4-07.2	214	26.4	22.5-30.3	390	57.8	53.1-62.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2700	263,798	286	14.1	12.1-16.1	105	4.7	03.5-05.9	673	21.3	19.3-23.3	1636	59.9	57.4-62.4
Native	69	11,250	23	37.4	22.5-52.3	9	16.0	04.6-27.4	19	15.2	07.2-23.2	18	31.3	15.0-47.6
Non-Native	2605	249,427	261	13.0	11.0-15.0	94	4.2	03.0-05.4	648	21.5	19.5-23.5	1602	61.3	58.8-63.8
18-24	123	36,155	15	11.9	05.8-18.0	5	5.3	00.6-10.0	2	1.4	00.0-03.4	101	81.4	74.0-88.8
25-34	241	42,661	34	17.7	11.6-23.8	13	6.7	02.8-10.6	43	18.9	12.8-25.0	151	56.6	49.0-64.2
35-44	288	36,855	48	21.6	15.1-28.1	11	4.5	00.8-08.2	54	22.1	16.0-28.2	175	51.8	44.5-59.1
45-54	448	44,785	75	21.0	15.9-26.1	18	4.4	01.9-06.9	85	18.4	14.1-22.7	270	56.2	50.5-61.9
55-64	559	42,270	66	12.7	09.2-16.2	30	4.6	02.8-06.4	152	27.0	22.7-31.3	311	55.7	50.8-60.6
65+	1010	58,450	47	4.4	03.0-05.8	28	3.3	01.9-04.7	328	32.5	29.0-36.0	607	59.8	56.1-63.5
Less Than H.S.	167	20,084	26	23.2	13.6-32.8	7	3.5	00.6-06.4	38	19.4	12.0-26.8	96	53.9	43.5-64.3
H.S. or G.E.D.	743	61,994	105	20.0	15.7-24.3	42	6.9	04.2-09.6	221	24.3	20.6-28.0	375	48.8	43.9-53.7
Some Post-H.S.	892	110,965	105	14.4	11.1-17.7	35	4.7	02.5-06.9	244	22.7	19.4-26.0	508	58.2	53.9-62.5
College Graduate	894	69,891	49	5.8	03.8-07.8	21	3.0	01.4-04.6	170	17.1	14.0-20.2	654	74.1	70.4-77.8
Less than \$15,000	226	22,810	47	24.0	15.4-32.6	13	3.9	01.4-06.4	56	15.4	09.3-21.5	110	56.6	46.6-66.6
\$15,000- 24,999	370	32,784	52	23.5	16.4-30.6	15	3.8	00.5-07.1	108	24.1	18.2-30.0	195	48.6	41.2-56.0
\$25,000- 34,999	288	27,332	35	17.7	11.2-24.2	12	4.7	01.0-08.4	79	23.5	17.2-29.8	162	54.1	46.3-61.9
\$35,000- 49,999	335	33,074	29	9.4	04.9-13.9	15	6.8	01.9-11.7	83	20.4	15.3-25.5	208	63.3	56.2-70.4
\$50,000- 74,999	406	39,851	45	12.6	08.5-16.7	14	3.6	01.4-05.8	104	23.5	18.4-28.6	243	60.3	54.4-66.2
\$75,000+	622	64,843	46	10.0	06.5-13.5	21	5.2	02.5-07.9	131	21.2	16.9-25.5	424	63.6	58.5-68.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 9: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4817	531,297	4019	78.8	77.0-80.6	798	21.2	19.4-23.0
Male	2117	267,499	1710	76.4	73.9-78.9	407	23.6	21.1-26.1
Female	2700	263,798	2309	81.2	79.0-83.4	391	18.8	16.6-21.0
Native	123	24,237	69	53.8	42.2-65.4	54	46.2	34.6-57.8
Non-Native	4631	499,687	3898	80.1	78.5-81.7	733	19.9	18.3-21.5
18-24	245	77,848	192	77.6	71.9-83.3	53	22.4	16.7-28.1
25-34	511	92,100	384	68.6	63.5-73.7	127	31.4	26.3-36.5
35-44	546	76,662	438	74.3	69.4-79.2	108	25.7	20.8-30.6
45-54	853	90,377	670	75.9	72.2-79.6	183	24.1	20.4-27.8
55-64	1054	86,955	869	81.7	78.8-84.6	185	18.3	15.4-21.2
65+	1569	103,966	1429	91.4	89.8-93.0	140	8.6	07.0-10.2
Less Than H.S.	332	51,799	247	66.7	59.6-73.8	85	33.3	26.2-40.4
H.S. or G.E.D.	1390	144,304	1083	72.1	68.8-75.4	307	27.9	24.6-31.2
Some Post-H.S.	1539	206,494	1268	79.4	76.7-82.1	271	20.6	17.9-23.3
College Graduate	1550	127,352	1416	90.3	88.3-92.3	134	9.7	07.7-11.7
Less than \$15,000	346	40,069	238	68.0	60.7-75.3	108	32.0	24.7-39.3
\$15,000- 24,999	601	65,068	480	73.8	68.5-79.1	121	26.2	20.9-31.5
\$25,000- 34,999	498	55,503	395	72.4	66.7-78.1	103	27.6	21.9-33.3
\$35,000- 49,999	707	78,936	596	79.7	75.4-84.0	111	20.3	16.0-24.6
\$50,000- 74,999	745	80,552	623	80.1	76.4-83.8	122	19.9	16.2-23.6
\$75,000+	1313	144,544	1159	84.4	81.7-87.1	154	15.6	12.9-18.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 9: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2117	267,499	1710	76.4	73.9-78.9	407	23.6	21.1-26.1
Native	54	12,987	32	60.2	43.7-76.7	22	39.8	23.3-56.3
Non-Native	2026	250,260	1648	77.3	74.8-79.8	378	22.7	20.2-25.2
18-24	122	41,693	89	73.2	64.6-81.8	33	26.8	18.2-35.4
25-34	270	49,438	190	62.6	55.3-69.9	80	37.4	30.1-44.7
35-44	258	39,807	209	74.8	67.7-81.9	49	25.2	18.1-32.3
45-54	405	45,592	315	77.3	72.4-82.2	90	22.7	17.8-27.6
55-64	495	44,685	406	80.8	76.3-85.3	89	19.2	14.7-23.7
65+	559	45,516	494	90.1	87.4-92.8	65	9.9	07.2-12.6
Less Than H.S.	165	31,715	113	62.6	52.8-72.4	52	37.4	27.6-47.2
H.S. or G.E.D.	647	82,310	487	71.3	66.6-76.0	160	28.7	24.0-33.4
Some Post-H.S.	647	95,529	516	77.6	73.3-81.9	131	22.4	18.1-26.7
College Graduate	656	57,461	592	89.1	85.8-92.4	64	10.9	07.6-14.2
Less than \$15,000	120	17,259	72	62.8	51.2-74.4	48	37.2	25.6-48.8
\$15,000- 24,999	231	32,283	177	74.9	67.3-82.5	54	25.1	17.5-32.7
\$25,000- 34,999	210	28,171	154	67.4	58.4-76.4	56	32.6	23.6-41.6
\$35,000- 49,999	372	45,862	305	76.8	70.9-82.7	67	23.2	17.3-29.1
\$50,000- 74,999	339	40,701	276	76.5	70.4-82.6	63	23.5	17.4-29.6
\$75,000+	691	79,702	604	84.2	80.3-88.1	87	15.8	11.9-19.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 9: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2700	263,798	2309	81.2	79.0-83.4	391	18.8	16.6-21.0
Native	69	11,250	37	46.5	30.6-62.4	32	53.5	37.6-69.4
Non-Native	2605	249,427	2250	82.8	80.6-85.0	355	17.2	15.0-19.4
18-24	123	36,155	103	82.8	75.5-90.1	20	17.2	09.9-24.5
25-34	241	42,661	194	75.5	68.6-82.4	47	24.5	17.6-31.4
35-44	288	36,855	229	73.9	67.0-80.8	59	26.1	19.2-33.0
45-54	448	44,785	355	74.6	69.3-79.9	93	25.4	20.1-30.7
55-64	559	42,270	463	82.7	79.0-86.4	96	17.3	13.6-21.0
65+	1010	58,450	935	92.3	90.3-94.3	75	7.7	05.7-09.7
Less Than H.S.	167	20,084	134	73.3	63.5-83.1	33	26.7	16.9-36.5
H.S. or G.E.D.	743	61,994	596	73.1	68.6-77.6	147	26.9	22.4-31.4
Some Post-H.S.	892	110,965	752	80.9	77.2-84.6	140	19.1	15.4-22.8
College Graduate	894	69,891	824	91.2	88.7-93.7	70	8.8	06.3-11.3
Less than \$15,000	226	22,810	166	72.0	63.2-80.8	60	28.0	19.2-36.8
\$15,000- 24,999	370	32,784	303	72.7	65.3-80.1	67	27.3	19.9-34.7
\$25,000- 34,999	288	27,332	241	77.6	70.5-84.7	47	22.4	15.3-29.5
\$35,000- 49,999	335	33,074	291	83.8	77.5-90.1	44	16.2	09.9-22.5
\$50,000- 74,999	406	39,851	347	83.8	79.3-88.3	59	16.2	11.7-20.7
\$75,000+	622	64,843	555	84.8	80.7-88.9	67	15.2	11.1-19.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4790	526,814	2770	60.6	58.8-62.4	2020	39.4	37.6-41.2
Male	2097	264,164	1416	67.8	65.3-70.3	681	32.2	29.7-34.7
Female	2693	262,650	1354	53.4	50.9-55.9	1339	46.6	44.1-49.1
Native	122	24,140	51	45.1	33.3-56.9	71	54.9	43.1-66.7
Non-Native	4608	496,106	2693	61.7	59.9-63.5	1915	38.3	36.5-40.1
18-24	241	75,733	150	62.7	55.8-69.6	91	37.3	30.4-44.2
25-34	510	91,501	363	70.9	66.2-75.6	147	29.1	24.4-33.8
35-44	545	76,536	373	65.7	60.6-70.8	172	34.3	29.2-39.4
45-54	847	89,693	561	65.4	61.5-69.3	286	34.6	30.7-38.5
55-64	1052	86,807	647	58.3	54.6-62.0	405	41.7	38.0-45.4
65+	1559	103,300	658	44.1	41.2-47.0	901	55.9	53.0-58.8
Less Than H.S.	331	50,917	127	42.7	35.4-50.0	204	57.3	50.0-64.6
H.S. or G.E.D.	1387	143,994	744	58.0	54.5-61.5	643	42.0	38.5-45.5
Some Post-H.S.	1527	204,330	903	62.8	59.7-65.9	624	37.2	34.1-40.3
College Graduate	1540	126,728	993	67.4	64.5-70.3	547	32.6	29.7-35.5
Less than \$15,000	344	39,468	125	48.5	40.7-56.3	219	51.5	43.7-59.3
\$15,000- 24,999	600	64,824	261	52.5	46.8-58.2	339	47.5	41.8-53.2
\$25,000- 34,999	495	55,301	243	56.8	50.9-62.7	252	43.2	37.3-49.1
\$35,000- 49,999	710	79,019	425	61.3	56.6-66.0	285	38.7	34.0-43.4
\$50,000- 74,999	742	80,336	499	66.9	62.6-71.2	243	33.1	28.8-37.4
\$75,000+	1308	143,021	966	73.0	69.9-76.1	342	27.0	23.9-30.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2097	264,164	1416	67.8	65.3-70.3	681	32.2	29.7-34.7
Native	53	12,924	25	51.1	34.0-68.2	28	48.9	31.8-66.0
Non-Native	2010	247,371	1374	69.0	66.5-71.5	636	31.0	28.5-33.5
18-24	120	40,450	83	67.6	58.2-77.0	37	32.4	23.0-41.8
25-34	268	48,732	211	78.8	73.1-84.5	57	21.2	15.5-26.9
35-44	258	39,810	181	67.3	60.0-74.6	77	32.7	25.4-40.0
45-54	399	44,881	291	72.7	67.4-78.0	108	27.3	22.0-32.6
55-64	493	44,562	329	61.6	56.1-67.1	164	38.4	32.9-43.9
65+	552	45,014	316	57.9	53.0-62.8	236	42.1	37.2-47.0
Less Than H.S.	163	30,772	90	55.6	45.8-65.4	73	44.4	34.6-54.2
H.S. or G.E.D.	642	81,807	410	65.7	61.0-70.4	232	34.3	29.6-39.0
Some Post-H.S.	638	94,118	449	71.4	67.1-75.7	189	28.6	24.3-32.9
College Graduate	652	56,983	465	71.2	66.9-75.5	187	28.8	24.5-33.1
Less than \$15,000	120	17,358	60	58.9	47.5-70.3	60	41.1	29.7-52.5
\$15,000- 24,999	231	32,226	129	57.0	48.6-65.4	102	43.0	34.6-51.4
\$25,000- 34,999	207	27,940	122	69.9	62.1-77.7	85	30.1	22.3-37.9
\$35,000- 49,999	371	45,575	249	66.6	60.5-72.7	122	33.4	27.3-39.5
\$50,000- 74,999	337	40,618	247	72.2	66.1-78.3	90	27.8	21.7-33.9
\$75,000+	687	78,629	537	76.5	72.4-80.6	150	23.5	19.4-27.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2693	262,650	1354	53.4	50.9-55.9	1339	46.6	44.1-49.1
Native	69	11,216	26	38.3	22.2-54.4	43	61.7	45.6-77.8
Non-Native	2598	248,735	1319	54.4	51.9-56.9	1279	45.6	43.1-48.1
18-24	121	35,283	67	57.0	47.2-66.8	54	43.0	33.2-52.8
25-34	242	42,769	152	61.9	54.5-69.3	90	38.1	30.7-45.5
35-44	287	36,726	192	64.0	56.9-71.1	95	36.0	28.9-43.1
45-54	448	44,812	270	58.0	52.3-63.7	178	42.0	36.3-47.7
55-64	559	42,245	318	54.8	49.9-59.7	241	45.2	40.3-50.1
65+	1007	58,285	342	33.4	29.9-36.9	665	66.6	63.1-70.1
Less Than H.S.	168	20,145	37	23.0	13.2-32.8	131	77.0	67.2-86.8
H.S. or G.E.D.	745	62,187	334	47.9	43.0-52.8	411	52.1	47.2-57.0
Some Post-H.S.	889	110,212	454	55.4	51.1-59.7	435	44.6	40.3-48.9
College Graduate	888	69,745	528	64.2	60.3-68.1	360	35.8	31.9-39.7
Less than \$15,000	224	22,110	65	40.4	29.6-51.2	159	59.6	48.8-70.4
\$15,000- 24,999	369	32,599	132	48.0	40.6-55.4	237	52.0	44.6-59.4
\$25,000- 34,999	288	27,361	121	43.5	35.7-51.3	167	56.5	48.7-64.3
\$35,000- 49,999	339	33,444	176	54.0	46.9-61.1	163	46.0	38.9-53.1
\$50,000- 74,999	405	39,719	252	61.5	55.4-67.6	153	38.5	32.4-44.6
\$75,000+	621	64,392	429	68.8	63.9-73.7	192	31.2	26.3-36.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4790	526,814	1770	38.4	36.4-40.4	578	13.3	11.9-14.7	183	4.2	03.4-05.0	239	4.7	03.9-05.5	2020	39.4	37.6-41.2
Male	2097	264,164	778	37.7	35.0-40.4	331	16.4	14.2-18.6	128	6.2	04.8-07.6	179	7.5	06.1-08.9	681	32.2	29.7-34.7
Female	2693	262,650	992	39.1	36.6-41.6	247	10.1	08.5-11.7	55	2.2	01.4-03.0	60	2.0	01.2-02.8	1339	46.6	44.1-49.1
Native	122	24,140	41	40.2	28.2-52.2	7	3.5	00.6-06.4	2	1.3	00.0-03.3	1	0.2	00.0-00.6	71	54.9	43.1-66.7
Non-Native	4608	496,106	1712	38.5	36.5-40.5	566	13.9	12.5-15.3	181	4.4	03.6-05.2	234	5.0	04.2-05.8	1915	38.3	36.5-40.1
18-24	241	75,733	94	39.1	32.2-46.0	45	18.8	13.5-24.1	6	2.6	00.2-05.0	5	2.2	00.0-04.6	91	37.3	30.4-44.2
25-34	510	91,501	231	45.1	39.8-50.4	89	15.8	12.3-19.3	24	5.7	03.2-08.2	19	4.3	01.9-06.7	147	29.1	24.4-33.8
35-44	545	76,536	259	44.7	39.4-50.0	76	12.6	09.3-15.9	13	2.8	01.0-04.6	25	5.6	02.9-08.3	172	34.3	29.2-39.4
45-54	847	89,693	359	40.8	36.7-44.9	132	15.2	12.3-18.1	41	5.9	03.7-08.1	29	3.4	01.8-05.0	286	34.6	30.7-38.5
55-64	1052	86,807	406	36.3	32.8-39.8	136	12.3	09.9-14.7	53	4.6	03.2-06.0	52	5.2	03.4-07.0	405	41.7	38.0-45.4
65+	1559	103,300	410	26.8	24.1-29.5	95	6.5	05.1-07.9	46	3.5	02.1-04.9	107	7.2	05.6-08.8	901	55.9	53.0-58.8
Less Than H.S.	331	50,917	77	26.7	19.8-33.6	17	5.5	02.4-08.6	11	4.4	01.3-07.5	22	6.1	03.0-09.2	204	57.3	50.0-64.6
H.S. or G.E.D.	1387	143,994	474	35.6	32.3-38.9	141	11.9	09.5-14.3	44	3.2	02.0-04.4	85	7.3	05.1-09.5	643	42.0	38.5-45.5
Some Post-H.S.	1527	204,330	589	40.1	36.8-43.4	190	14.2	11.8-16.6	58	5.1	03.5-06.7	66	3.4	02.4-04.4	624	37.2	34.1-40.3
College Graduate	1540	126,728	628	43.3	40.2-46.4	229	16.5	14.0-19.0	70	4.0	02.8-05.2	66	3.6	02.4-04.8	547	32.6	29.7-35.5
Less than \$15,000	344	39,468	81	32.6	24.6-40.6	28	11.9	06.6-17.2	7	2.4	00.0-04.8	9	1.7	00.1-03.3	219	51.5	43.7-59.3
\$15,000- 24,999	600	64,824	177	34.0	28.5-39.5	41	11.1	07.2-15.0	9	2.4	00.4-04.4	34	5.0	03.0-07.0	339	47.5	41.8-53.2
\$25,000- 34,999	495	55,301	150	33.3	27.2-39.4	41	10.2	06.1-14.3	16	4.3	01.6-07.0	36	8.9	04.8-13.0	252	43.2	37.3-49.1
\$35,000- 49,999	710	79,019	284	40.3	35.6-45.0	81	12.4	09.1-15.7	29	4.4	02.2-06.6	31	4.2	02.2-06.2	285	38.7	34.0-43.4
\$50,000- 74,999	742	80,336	316	42.0	37.5-46.5	119	16.2	12.7-19.7	33	5.4	02.9-07.9	31	3.3	01.9-04.7	243	33.1	28.8-37.4
\$75,000+	1308	143,021	580	43.6	40.1-47.1	222	17.3	14.8-19.8	84	6.4	04.6-08.2	80	5.7	04.1-07.3	342	27.0	23.9-30.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2097	264,164	778	37.7	35.0-40.4	331	16.4	14.2-18.6	128	6.2	04.8-07.6	179	7.5	06.1-08.9	681	32.2	29.7-34.7
Native	53	12,924	17	44.1	26.9-61.3	5	4.2	00.1-08.3	2	2.4	00.0-06.1	1	0.4	00.0-01.2	28	48.9	31.8-66.0
Non-Native	2010	247,371	750	37.4	34.7-40.1	324	17.3	15.1-19.5	126	6.5	04.9-08.1	174	7.8	06.2-09.4	636	31.0	28.5-33.5
18-24	120	40,450	46	35.6	26.2-45.0	30	25.0	16.6-33.4	3	3.1	00.0-06.8	4	3.9	00.0-08.2	37	32.4	23.0-41.8
25-34	268	48,732	116	44.7	37.4-52.0	62	19.9	14.4-25.4	18	7.4	03.5-11.3	15	6.8	02.9-10.7	57	21.2	15.5-26.9
35-44	258	39,810	108	40.5	32.9-48.1	40	13.7	09.0-18.4	13	5.3	01.8-08.8	20	7.9	03.6-12.2	77	32.7	25.4-40.0
45-54	399	44,881	167	40.3	34.4-46.2	72	18.0	13.3-22.7	28	8.5	05.0-12.0	24	5.9	03.0-08.8	108	27.3	22.0-32.6
55-64	493	44,562	174	33.2	28.3-38.1	74	13.3	09.8-16.8	40	7.2	04.5-09.9	41	7.9	05.2-10.6	164	38.4	32.9-43.9
65+	552	45,014	164	31.1	26.6-35.6	52	9.2	06.7-11.7	26	5.5	02.6-08.4	74	12.1	09.0-15.2	236	42.1	37.2-47.0
Less Than H.S.	163	30,772	48	31.7	22.5-40.9	16	8.4	03.3-13.5	7	6.2	01.3-11.1	19	9.3	04.2-14.4	73	44.4	34.6-54.2
H.S. or G.E.D.	642	81,807	234	37.1	32.2-42.0	82	13.4	10.1-16.7	32	4.5	02.7-06.3	62	10.7	07.4-14.0	232	34.3	29.6-39.0
Some Post-H.S.	638	94,118	254	39.5	34.6-44.4	108	18.7	14.6-22.8	39	7.9	05.0-10.8	48	5.4	03.4-07.4	189	28.6	24.3-32.9
College Graduate	652	56,983	241	38.3	33.6-43.0	124	21.4	17.3-25.5	50	6.2	04.0-08.4	50	5.3	03.5-07.1	187	28.8	24.5-33.1
Less than \$15,000	120	17,358	36	36.2	24.2-48.2	16	17.1	07.9-26.3	3	2.6	00.0-06.1	5	3.0	00.0-06.3	60	41.1	29.7-52.5
\$15,000- 24,999	231	32,226	74	31.8	23.6-40.0	24	14.1	07.8-20.4	6	3.2	00.3-06.1	25	7.9	04.4-11.4	102	43.0	34.6-51.4
\$25,000- 34,999	207	27,940	60	35.2	25.8-44.6	24	13.7	06.8-20.6	10	6.0	01.3-10.7	28	15.0	07.6-22.4	85	30.1	22.3-37.9
\$35,000- 49,999	371	45,575	146	38.3	31.8-44.8	59	16.6	11.7-21.5	20	5.8	02.5-09.1	24	5.9	03.0-08.8	122	33.4	27.3-39.5
\$50,000- 74,999	337	40,618	132	37.6	31.1-44.1	66	20.4	14.7-26.1	26	9.5	04.8-14.2	23	4.8	02.3-07.3	90	27.8	21.7-33.9
\$75,000+	687	78,629	283	41.2	36.5-45.9	127	18.4	14.7-22.1	62	8.7	06.0-11.4	65	8.2	05.7-10.7	150	23.5	19.4-27.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2693	262,650	992	39.1	36.6-41.6	247	10.1	08.5-11.7	55	2.2	01.4-03.0	60	2.0	01.2-02.8	1339	46.6	44.1-49.1
Native	69	11,216	24	35.7	19.6-51.8	2	2.6	00.0-06.7							43	61.7	45.6-77.8
Non-Native	2598	248,735	962	39.5	37.0-42.0	242	10.5	08.9-12.1	55	2.3	01.5-03.1	60	2.1	01.3-02.9	1279	45.6	43.1-48.1
18-24	121	35,283	48	43.1	33.1-53.1	15	11.6	05.5-17.7	3	2.0	00.0-04.5	1	0.2	00.0-00.6	54	43.0	33.2-52.8
25-34	242	42,769	115	45.5	38.1-52.9	27	11.1	06.6-15.6	6	3.8	00.5-07.1	4	1.5	00.0-03.1	90	38.1	30.7-45.5
35-44	287	36,726	151	49.3	42.0-56.6	36	11.5	07.0-16.0				5	3.2	00.1-06.3	95	36.0	28.9-43.1
45-54	448	44,812	192	41.4	35.9-46.9	60	12.5	08.8-16.2	13	3.3	01.1-05.5	5	0.8	00.0-01.8	178	42.0	36.3-47.7
55-64	559	42,245	232	39.5	34.8-44.2	62	11.3	08.2-14.4	13	1.7	00.7-02.7	11	2.3	00.5-04.1	241	45.2	40.3-50.1
65+	1007	58,285	246	23.5	20.4-26.6	43	4.4	02.8-06.0	20	2.0	01.0-03.0	33	3.5	02.1-04.9	665	66.6	63.1-70.1
Less Than H.S.	168	20,145	29	19.0	09.4-28.6	1	1.1	00.0-03.3	4	1.5	00.0-03.1	3	1.4	00.0-03.2	131	77.0	67.2-86.8
H.S. or G.E.D.	745	62,187	240	33.7	29.2-38.2	59	10.0	07.1-12.9	12	1.5	00.3-02.7	23	2.8	01.2-04.4	411	52.1	47.2-57.0
Some Post-H.S.	889	110,212	335	40.7	36.4-45.0	82	10.4	07.7-13.1	19	2.7	01.1-04.3	18	1.6	00.6-02.6	435	44.6	40.3-48.9
College Graduate	888	69,745	387	47.4	43.1-51.7	105	12.4	09.5-15.3	20	2.2	00.8-03.6	16	2.2	00.8-03.6	360	35.8	31.9-39.7
Less than \$15,000	224	22,110	45	29.8	19.2-40.4	12	7.8	01.7-13.9	4	2.2	00.0-05.1	4	0.6	00.0-01.2	159	59.6	48.8-70.4
\$15,000- 24,999	369	32,599	103	36.1	28.5-43.7	17	8.1	03.2-13.0	3	1.7	00.0-04.4	9	2.1	00.3-03.9	237	52.0	44.6-59.4
\$25,000- 34,999	288	27,361	90	31.3	23.9-38.7	17	6.7	03.0-10.4	6	2.7	00.2-05.2	8	2.8	00.0-05.7	167	56.5	48.7-64.3
\$35,000- 49,999	339	33,444	138	43.1	36.0-50.2	22	6.5	02.6-10.4	9	2.5	00.3-04.7	7	1.8	00.2-03.4	163	46.0	38.9-53.1
\$50,000- 74,999	405	39,719	184	46.5	40.4-52.6	53	12.0	08.3-15.7	7	1.3	00.3-02.3	8	1.7	00.1-03.3	153	38.5	32.4-44.6
\$75,000+	621	64,392	297	46.4	41.3-51.5	95	16.0	12.3-19.7	22	3.7	01.5-05.9	15	2.6	00.8-04.4	192	31.2	26.3-36.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4750	521,504	3885	75.9	74.1-77.7	865	24.1	22.3-25.9
Male	2071	260,553	1546	70.0	67.3-72.7	525	30.0	27.3-32.7
Female	2679	260,951	2339	81.9	79.7-84.1	340	18.1	15.9-20.3
Native	119	23,989	89	71.2	60.0-82.4	30	28.8	17.6-40.0
Non-Native	4573	491,126	3743	75.9	74.1-77.7	830	24.1	22.3-25.9
18-24	237	74,681	149	60.8	53.7-67.9	88	39.2	32.1-46.3
25-34	507	90,709	312	59.8	54.7-64.9	195	40.2	35.1-45.3
35-44	542	76,318	376	71.5	66.8-76.2	166	28.5	23.8-33.2
45-54	837	88,293	642	76.0	72.5-79.5	195	24.0	20.5-27.5
55-64	1045	86,155	890	86.0	83.5-88.5	155	14.0	11.5-16.5
65+	1546	102,105	1482	95.9	94.7-97.1	64	4.1	02.9-05.3
Less Than H.S.	324	50,113	289	85.3	79.4-91.2	35	14.7	08.8-20.6
H.S. or G.E.D.	1378	142,698	1106	72.4	69.1-75.7	272	27.6	24.3-30.9
Some Post-H.S.	1514	202,248	1231	75.3	72.2-78.4	283	24.7	21.6-27.8
College Graduate	1529	125,599	1254	77.1	74.2-80.0	275	22.9	20.0-25.8
Less than \$15,000	338	39,069	276	68.8	60.8-76.8	62	31.2	23.2-39.2
\$15,000- 24,999	592	63,889	516	79.0	73.9-84.1	76	21.0	15.9-26.1
\$25,000- 34,999	491	54,627	419	76.8	70.7-82.9	72	23.2	17.1-29.3
\$35,000- 49,999	707	78,723	582	76.5	72.0-81.0	125	23.5	19.0-28.0
\$50,000- 74,999	737	79,476	573	73.7	69.4-78.0	164	26.3	22.0-30.6
\$75,000+	1300	141,930	994	73.0	69.9-76.1	306	27.0	23.9-30.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2071	260,553	1546	70.0	67.3-72.7	525	30.0	27.3-32.7
Native	50	12,773	36	68.7	52.6-84.8	14	31.3	15.2-47.4
Non-Native	1989	244,091	1481	69.7	67.0-72.4	508	30.3	27.6-33.0
18-24	120	40,450	70	56.0	46.2-65.8	50	44.0	34.2-53.8
25-34	265	47,940	140	50.9	43.6-58.2	125	49.1	41.8-56.4
35-44	257	39,680	155	65.6	58.5-72.7	102	34.4	27.3-41.5
45-54	390	43,665	269	68.6	62.9-74.3	121	31.4	25.7-37.1
55-64	488	44,080	392	83.0	79.1-86.9	96	17.0	13.1-20.9
65+	544	44,024	513	95.2	93.4-97.0	31	4.8	03.0-06.6
Less Than H.S.	158	30,094	132	82.8	75.2-90.4	26	17.2	09.6-24.8
H.S. or G.E.D.	635	80,671	459	64.4	59.3-69.5	176	35.6	30.5-40.7
Some Post-H.S.	629	92,648	460	68.4	63.5-73.3	169	31.6	26.7-36.5
College Graduate	647	56,656	493	73.3	68.8-77.8	154	26.7	22.2-31.2
Less than \$15,000	116	17,084	81	61.7	49.5-73.9	35	38.3	26.1-50.5
\$15,000- 24,999	225	31,355	184	76.6	69.0-84.2	41	23.4	15.8-31.0
\$25,000- 34,999	206	27,606	162	68.6	58.8-78.4	44	31.4	21.6-41.2
\$35,000- 49,999	368	45,279	280	71.5	65.2-77.8	88	28.5	22.2-34.8
\$50,000- 74,999	332	39,757	235	67.0	60.1-73.9	97	33.0	26.1-39.9
\$75,000+	682	78,094	482	67.4	62.7-72.1	200	32.6	27.9-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2679	260,951	2339	81.9	79.7-84.1	340	18.1	15.9-20.3
Native	69	11,216	53	74.0	58.1-89.9	16	26.0	10.1-41.9
Non-Native	2584	247,036	2262	82.1	79.9-84.3	322	17.9	15.7-20.1
18-24	117	34,231	79	66.4	56.6-76.2	38	33.6	23.8-43.4
25-34	242	42,769	172	69.7	62.8-76.6	70	30.3	23.4-37.2
35-44	285	36,639	221	77.8	71.7-83.9	64	22.2	16.1-28.3
45-54	447	44,627	373	83.2	78.9-87.5	74	16.8	12.5-21.1
55-64	557	42,074	498	89.2	86.1-92.3	59	10.8	07.7-13.9
65+	1002	58,081	969	96.4	95.0-97.8	33	3.6	02.2-05.0
Less Than H.S.	166	20,019	157	88.9	79.1-98.7	9	11.1	01.3-20.9
H.S. or G.E.D.	743	62,027	647	82.8	78.9-86.7	96	17.2	13.3-21.1
Some Post-H.S.	885	109,599	771	81.1	77.2-85.0	114	18.9	15.0-22.8
College Graduate	882	68,943	761	80.3	76.6-84.0	121	19.7	16.0-23.4
Less than \$15,000	222	21,985	195	74.2	63.2-85.2	27	25.8	14.8-36.8
\$15,000- 24,999	367	32,534	332	81.4	74.3-88.5	35	18.6	11.5-25.7
\$25,000- 34,999	285	27,021	257	85.1	78.6-91.6	28	14.9	08.4-21.4
\$35,000- 49,999	339	33,444	302	83.3	77.2-89.4	37	16.7	10.6-22.8
\$50,000- 74,999	405	39,719	338	80.3	75.0-85.6	67	19.7	14.4-25.0
\$75,000+	618	63,837	512	79.9	75.6-84.2	106	20.1	15.8-24.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4754	522,391	2145	45.2	43.2-47.2	438	10.5	09.1-11.9	114	3.4	02.6-04.2	24	0.8	00.4-01.2	13	0.4	00.2-00.6	2020	39.7	37.9-41.5
Male	2071	261,090	945	44.3	41.6-47.0	319	15.6	13.4-17.8	95	5.7	04.3-07.1	19	1.1	00.5-01.7	12	0.7	00.1-01.3	681	32.6	29.9-35.3
Female	2683	261,301	1200	46.2	43.7-48.7	119	5.4	04.0-06.8	19	1.1	00.5-01.7	5	0.5	00.1-00.9	1	0.0	00.0-00.0	1339	46.8	44.3-49.3
Native	122	24,140	38	31.6	20.6-42.6	9	11.5	02.1-20.9	3	1.8	00.0-04.0				1	0.2	00.0-00.6	71	54.9	43.1-66.7
Non-Native	4573	491,732	2087	46.1	44.1-48.1	424	10.5	09.3-11.7	111	3.5	02.7-04.3	24	0.8	00.4-01.2	12	0.4	00.2-00.6	1915	38.6	36.8-40.4
18-24	239	75,004	96	39.5	32.6-46.4	36	15.8	10.5-21.1	11	5.2	01.9-08.5	4	1.4	00.0-03.0	1	0.4	00.0-01.2	91	37.7	30.8-44.6
25-34	508	91,198	270	51.1	45.8-56.4	62	13.2	09.5-16.9	22	5.1	02.7-07.5	4	0.6	00.0-01.4	3	0.8	00.0-01.8	147	29.2	24.5-33.9
35-44	544	76,361	297	49.8	44.5-55.1	48	9.3	06.2-12.4	20	4.4	02.0-06.8	7	2.2	00.4-04.0				172	34.3	29.2-39.4
45-54	842	88,769	444	51.1	47.0-55.2	85	10.1	07.6-12.6	16	2.3	00.9-03.7	5	0.6	00.0-01.2	6	0.9	00.1-01.7	286	35.0	31.1-38.9
55-64	1042	85,902	506	45.7	42.0-49.4	104	9.3	07.1-11.5	22	2.4	01.2-03.6	4	0.4	00.0-00.8	1	0.1	00.0-00.3	405	42.1	38.4-45.8
65+	1543	101,914	515	34.8	31.9-37.7	102	6.7	05.1-08.3	23	1.7	00.9-02.5				2	0.1	00.0-00.3	901	56.7	53.8-59.6
Less Than H.S.	328	50,684	88	29.2	22.5-35.9	24	10.7	05.2-16.2	9	1.7	00.1-03.3	1	0.3	00.0-00.9	2	0.6	00.0-01.6	204	57.6	50.3-64.9
H.S. or G.E.D.	1375	142,559	540	39.0	35.5-42.5	128	10.9	08.5-13.3	51	5.6	03.6-07.6	8	1.2	00.2-02.2	5	0.9	00.1-01.7	643	42.4	38.9-45.9
Some Post-H.S.	1510	201,903	703	47.6	44.3-50.9	136	10.6	08.4-12.8	38	3.5	02.1-04.9	6	0.5	00.0-01.1	3	0.1	00.0-00.3	624	37.7	34.6-40.8
College Graduate	1536	126,399	811	54.9	51.8-58.0	150	9.9	07.9-11.9	16	1.4	00.4-02.4	9	1.0	00.2-01.8	3	0.1	00.0-00.3	547	32.7	29.8-35.6
Less than \$15,000	338	39,022	85	30.8	23.4-38.2	19	10.0	03.5-16.5	10	5.2	01.3-09.1	2	1.0	00.0-02.8	3	1.0	00.0-02.4	219	52.0	44.0-60.0
\$15,000- 24,999	597	64,653	198	37.6	31.9-43.3	39	9.1	05.6-12.6	17	4.8	02.1-07.5	4	0.8	00.0-01.8				339	47.7	42.0-53.4
\$25,000- 34,999	492	55,097	175	38.6	32.3-44.9	49	12.7	08.2-17.2	11	3.9	00.8-07.0	4	1.3	00.0-02.9	1	0.2	00.0-00.6	252	43.3	37.2-49.4
\$35,000- 49,999	707	78,788	343	47.5	42.6-52.4	58	9.8	06.7-12.9	14	2.5	00.9-04.1	4	0.7	00.0-01.7	3	0.5	00.0-01.1	285	38.9	34.2-43.6
\$50,000- 74,999	732	78,822	388	50.5	45.8-55.2	78	11.9	08.4-15.4	19	2.9	01.3-04.5	3	0.7	00.0-01.7	1	0.1	00.0-00.3	243	33.7	29.4-38.0
\$75,000+	1302	142,223	740	55.0	51.5-58.5	175	13.2	10.8-15.6	37	3.6	02.0-05.2	5	0.7	00.0-01.5	3	0.4	00.0-01.0	342	27.1	24.0-30.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2071	261,090	945	44.3	41.6-47.0	319	15.6	13.4-17.8	95	5.7	04.3-07.1	19	1.1	00.5-01.7	12	0.7	00.1-01.3	681	32.6	29.9-35.3
Native	53	12,924	14	35.0	18.1-51.9	7	12.3	00.9-23.7	3	3.3	00.0-07.4				1	0.4	00.0-01.2	28	48.9	31.8-66.0
Non-Native	1985	244,347	919	44.9	42.0-47.8	308	15.9	13.7-18.1	92	5.9	04.3-07.5	19	1.2	00.6-01.8	11	0.7	00.1-01.3	636	31.3	28.8-33.8
18-24	120	40,450	47	36.3	26.9-45.7	23	20.3	12.3-28.3	9	8.5	02.6-14.4	3	1.9	00.0-04.3	1	0.7	00.0-02.1	37	32.4	23.0-41.8
25-34	266	48,429	134	48.2	40.9-55.5	48	19.5	13.4-25.6	20	8.4	04.3-12.5	4	1.2	00.0-02.6	3	1.4	00.0-03.2	57	21.3	15.6-27.0
35-44	257	39,635	119	44.3	36.7-51.9	40	14.6	09.3-19.9	16	6.0	02.7-09.3	5	2.3	00.0-04.7				77	32.8	25.5-40.1
45-54	395	44,076	203	51.2	45.1-57.3	61	14.1	10.0-18.2	14	4.2	01.5-06.9	3	0.9	00.0-02.1	6	1.8	00.0-03.6	108	27.8	22.5-33.1
55-64	484	43,791	219	42.0	36.7-47.3	77	14.0	10.3-17.7	19	4.0	01.8-06.2	4	0.8	00.0-01.8	1	0.1	00.0-00.3	164	39.1	33.4-44.8
65+	542	43,994	219	42.4	37.5-47.3	69	11.2	08.3-14.1	17	3.2	01.4-05.0				1	0.1	00.0-00.3	236	43.1	38.2-48.0
Less Than H.S.	162	30,662	59	38.5	28.9-48.1	19	12.9	06.2-19.6	8	2.7	00.2-05.2	1	0.4	00.0-01.2	2	0.9	00.0-02.5	73	44.6	34.8-54.4
H.S. or G.E.D.	632	80,572	258	39.2	34.3-44.1	87	14.1	10.4-17.8	45	9.1	05.8-12.4	5	1.3	00.1-02.5	5	1.6	00.2-03.0	232	34.8	30.1-39.5
Some Post-H.S.	627	92,718	301	46.9	41.8-52.0	101	17.4	13.3-21.5	29	5.7	03.2-08.2	5	0.7	00.0-01.5	2	0.2	00.0-00.4	189	29.0	24.5-33.5
College Graduate	648	56,654	325	49.9	45.0-54.8	112	16.2	12.7-19.7	13	2.5	00.7-04.3	8	2.1	00.3-03.9	3	0.3	00.0-00.7	187	29.0	24.5-33.5
Less than \$15,000	116	17,035	34	31.6	20.2-43.0	11	12.8	03.4-22.2	8	11.5	02.9-20.1				3	2.2	00.0-05.5	60	41.8	30.2-53.4
\$15,000- 24,999	228	32,055	86	38.3	29.9-46.7	24	10.8	05.5-16.1	13	6.1	02.2-10.0	3	1.5	00.0-03.5				102	43.2	34.8-51.6
\$25,000- 34,999	205	27,778	72	41.5	31.9-51.1	35	19.4	11.6-27.2	9	7.0	00.9-13.1	3	1.4	00.0-03.0	1	0.3	00.0-00.9	85	30.3	22.3-38.3
\$35,000- 49,999	370	45,504	182	46.3	39.8-52.8	48	14.3	09.4-19.2	12	4.0	01.3-06.7	4	1.2	00.0-02.8	2	0.7	00.0-01.9	122	33.5	27.2-39.8
\$50,000- 74,999	327	39,103	159	44.9	38.0-51.8	57	18.9	12.8-25.0	17	5.6	02.3-08.9	3	1.5	00.0-03.5	1	0.2	00.0-00.6	90	28.8	22.5-35.1
\$75,000+	683	78,315	354	49.9	45.0-54.8	139	19.3	15.4-23.2	33	5.6	03.1-08.1	4	0.7	00.0-01.5	3	0.8	00.0-01.8	150	23.6	19.5-27.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2683	261,301	1200	46.2	43.7-48.7	119	5.4	04.0-06.8	19	1.1	00.5-01.7	5	0.5	00.1-00.9	1	0.0	00.0-00.0	1339	46.8	44.3-49.3
Native	69	11,216	24	27.7	15.2-40.2	2	10.6	00.0-26.3										43	61.7	45.6-77.8
Non-Native	2588	247,386	1168	47.3	44.8-49.8	116	5.2	04.0-06.4	19	1.1	00.3-01.9	5	0.5	00.0-01.1	1	0.0	00.0-00.0	1279	45.8	43.3-48.3
18-24	119	34,554	49	43.1	33.3-52.9	13	10.6	03.5-17.7	2	1.4	00.0-03.4	1	0.9	00.0-02.7				54	43.9	34.1-53.7
25-34	242	42,769	136	54.4	47.0-61.8	14	6.1	02.8-09.4	2	1.4	00.0-03.6							90	38.1	30.7-45.5
35-44	287	36,726	178	55.7	48.4-63.0	8	3.5	00.4-06.6	4	2.7	00.0-05.6	2	2.1	00.0-04.8				95	36.0	28.9-43.1
45-54	447	44,692	241	50.9	45.2-56.6	24	6.2	03.1-09.3	2	0.5	00.0-01.3	2	0.3	00.0-00.7				178	42.1	36.4-47.8
55-64	558	42,111	287	49.5	44.6-54.4	27	4.5	02.5-06.5	3	0.7	00.0-01.5							241	45.3	40.4-50.2
65+	1001	57,920	296	29.1	25.8-32.4	33	3.3	01.9-04.7	6	0.5	00.1-00.9				1	0.1	00.0-00.3	665	67.0	63.5-70.5
Less Than H.S.	166	20,022	29	15.0	08.9-21.1	5	7.3	00.0-16.5	1	0.2	00.0-00.6							131	77.5	67.7-87.3
H.S. or G.E.D.	743	61,987	282	38.7	34.0-43.4	41	6.7	04.2-09.2	6	1.0	00.0-02.2	3	1.2	00.0-02.8				411	52.3	47.4-57.2
Some Post-H.S.	883	109,185	402	48.1	43.6-52.6	35	4.8	02.8-06.8	9	1.6	00.2-03.0	1	0.4	00.0-01.2	1	0.1	00.0-00.3	435	45.0	40.7-49.3
College Graduate	888	69,745	486	58.9	54.8-63.0	38	4.8	02.8-06.8	3	0.5	00.0-01.1	1	0.0	00.0-00.0				360	35.8	31.9-39.7
Less than \$15,000	222	21,987	51	30.1	20.3-39.9	8	7.9	00.0-16.7	2	0.3	00.0-00.7	2	1.8	00.0-04.7				159	60.0	49.2-70.8
\$15,000- 24,999	369	32,599	112	36.9	29.5-44.3	15	7.4	02.5-12.3	4	3.6	00.0-07.3	1	0.1	00.0-00.3				237	52.0	44.6-59.4
\$25,000- 34,999	287	27,318	103	35.5	27.9-43.1	14	5.9	02.2-09.6	2	0.7	00.0-01.9	1	1.3	00.0-03.8				167	56.6	48.8-64.4
\$35,000- 49,999	337	33,284	161	49.2	41.9-56.5	10	3.8	00.7-06.9	2	0.5	00.0-01.3				1	0.2	00.0-00.6	163	46.2	38.9-53.5
\$50,000- 74,999	405	39,719	229	56.1	50.0-62.2	21	5.1	02.4-07.8	2	0.3	00.0-00.7							153	38.5	32.4-44.6
\$75,000+	619	63,908	386	61.2	56.1-66.3	36	5.7	03.3-08.1	4	1.0	00.0-02.4	1	0.6	00.0-01.8				192	31.5	26.6-36.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4754	522,391	1047	20.0	18.6-21.4	683	15.6	14.2-17.0	544	12.5	11.1-13.9	309	7.6	06.4-08.8	151	4.6	03.6-05.6	2020	39.7	37.9-41.5
Male	2071	261,090	375	16.7	14.7-18.7	335	15.7	13.7-17.7	323	16.0	13.8-18.2	231	11.5	09.5-13.5	126	7.6	06.0-09.2	681	32.6	29.9-35.3
Female	2683	261,301	672	23.3	21.1-25.5	348	15.5	13.5-17.5	221	9.0	07.4-10.6	78	3.8	02.6-05.0	25	1.6	00.8-02.4	1339	46.8	44.3-49.3
Native	122	24,140	10	7.3	00.6-14.0	16	15.7	07.3-24.1	13	9.1	02.8-15.4	8	11.1	01.7-20.5	4	2.0	00.0-04.4	71	54.9	43.1-66.7
Non-Native	4573	491,732	1024	20.6	19.0-22.2	664	15.7	14.3-17.1	525	12.8	11.4-14.2	298	7.5	06.3-08.7	147	4.8	03.8-05.8	1915	38.6	36.8-40.4
18-24	239	75,004	37	15.1	10.0-20.2	38	15.5	10.6-20.4	27	11.3	07.0-15.6	30	13.4	08.3-18.5	16	7.0	03.3-10.7	91	37.7	30.8-44.6
25-34	508	91,198	98	16.4	12.7-20.1	106	20.9	16.6-25.2	80	17.9	13.8-22.0	48	9.1	06.0-12.2	29	6.5	03.8-09.2	147	29.2	24.5-33.9
35-44	544	76,361	125	20.9	16.8-25.0	114	19.5	15.4-23.6	70	11.9	08.6-15.2	36	6.7	04.0-09.4	27	6.6	03.7-09.5	172	34.3	29.2-39.4
45-54	842	88,769	184	20.8	17.5-24.1	161	18.4	15.3-21.5	114	13.5	10.8-16.2	70	8.5	06.1-10.9	27	3.8	02.0-05.6	286	35.0	31.1-38.9
55-64	1042	85,902	275	25.3	22.2-28.4	145	12.4	10.0-14.8	119	11.4	09.0-13.8	71	5.9	04.3-07.5	27	2.8	01.6-04.0	405	42.1	38.4-45.8
65+	1543	101,914	319	20.9	18.5-23.3	115	7.8	06.2-09.4	130	9.3	07.3-11.3	53	3.6	02.4-04.8	25	1.8	01.0-02.6	901	56.7	53.8-59.6
Less Than H.S.	328	50,684	45	12.8	08.1-17.5	23	8.4	04.3-12.5	31	12.6	07.5-17.7	13	6.1	01.6-10.6	12	2.6	00.8-04.4	204	57.6	50.3-64.9
H.S. or G.E.D.	1375	142,559	268	17.7	15.2-20.2	169	14.0	11.5-16.5	145	10.7	08.5-12.9	86	7.5	05.5-09.5	64	7.7	05.3-10.1	643	42.4	38.9-45.9
Some Post-H.S.	1510	201,903	338	20.2	17.7-22.7	228	16.7	14.2-19.2	172	12.7	10.3-15.1	101	8.5	06.5-10.5	47	4.2	02.8-05.6	624	37.7	34.6-40.8
College Graduate	1536	126,399	394	25.0	22.3-27.7	262	18.3	15.8-20.8	196	14.4	12.0-16.8	109	7.1	05.5-08.7	28	2.5	01.3-03.7	547	32.7	29.8-35.6
Less than \$15,000	338	39,022	36	8.9	05.0-12.8	33	17.7	11.0-24.4	21	6.8	02.9-10.7	14	7.4	01.5-13.3	15	7.2	02.7-11.7	219	52.0	44.0-60.0
\$15,000- 24,999	597	64,653	107	16.5	12.2-20.8	61	14.2	09.9-18.5	49	11.3	07.4-15.2	20	4.6	01.9-07.3	21	5.6	02.7-08.5	339	47.7	42.0-53.4
\$25,000- 34,999	492	55,097	94	18.1	13.4-22.8	47	10.2	06.3-14.1	47	14.2	09.1-19.3	36	8.8	05.3-12.3	16	5.4	01.9-08.9	252	43.3	37.2-49.4
\$35,000- 49,999	707	78,788	167	22.5	18.6-26.4	102	12.2	09.3-15.1	94	15.2	11.5-18.9	38	7.4	04.5-10.3	21	3.8	01.8-05.8	285	38.9	34.2-43.6
\$50,000- 74,999	732	78,822	192	23.4	19.7-27.1	126	17.9	14.2-21.6	90	11.0	08.3-13.7	58	10.3	07.0-13.6	23	3.8	01.8-05.8	243	33.7	29.4-38.0
\$75,000+	1302	142,223	324	22.5	19.8-25.2	260	20.3	17.6-23.0	201	15.6	13.1-18.1	130	9.7	07.5-11.9	45	4.7	02.9-06.5	342	27.1	24.0-30.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2071	261,090	375	16.7	14.7-18.7	335	15.7	13.7-17.7	323	16.0	13.8-18.2	231	11.5	09.5-13.5	126	7.6	06.0-09.2	681	32.6	29.9-35.3
Native	53	12,924	3	7.4	00.0-18.6	7	18.6	05.1-32.1	5	9.7	00.0-20.1	6	11.6	00.2-23.0	4	3.7	00.0-08.0	28	48.9	31.8-66.0
Non-Native	1985	244,347	364	17.0	14.8-19.2	326	15.7	13.7-17.7	314	16.5	14.3-18.7	223	11.6	09.6-13.6	122	7.9	06.1-09.7	636	31.3	28.8-33.8
18-24	120	40,450	18	14.0	06.9-21.1	18	12.6	06.5-18.7	15	13.3	06.6-20.0	19	16.6	09.2-24.0	13	11.0	04.7-17.3	37	32.4	23.0-41.8
25-34	266	48,429	37	12.0	07.5-16.5	57	19.8	14.1-25.5	49	21.9	15.6-28.2	39	14.1	09.0-19.2	27	11.0	06.5-15.5	57	21.3	15.6-27.0
35-44	257	39,635	29	12.9	07.4-18.4	56	19.6	13.5-25.7	45	15.6	10.5-20.7	29	10.8	06.1-15.5	21	8.3	04.2-12.4	77	32.8	25.5-40.1
45-54	395	44,076	70	16.7	12.4-21.0	75	19.0	14.1-23.9	68	17.3	12.8-21.8	51	12.2	08.3-16.1	23	6.9	03.6-10.2	108	27.8	22.5-33.1
55-64	484	43,791	105	21.3	17.0-25.6	69	12.8	09.3-16.3	69	13.4	09.7-17.1	53	8.5	05.8-11.2	24	4.9	02.5-07.3	164	39.1	33.4-44.8
65+	542	43,994	113	22.8	18.7-26.9	60	10.1	07.4-12.8	76	14.0	10.3-17.7	39	6.7	04.3-09.1	18	3.3	01.3-05.3	236	43.1	38.2-48.0
Less Than H.S.	162	30,662	29	16.9	09.6-24.2	15	10.8	04.5-17.1	24	17.6	10.0-25.2	10	6.1	01.6-10.6	11	4.1	01.2-07.0	73	44.6	34.8-54.4
H.S. or G.E.D.	632	80,572	103	15.1	11.6-18.6	99	16.0	12.3-19.7	82	12.2	09.1-15.3	61	10.1	07.0-13.2	55	11.9	08.2-15.6	232	34.8	30.1-39.5
Some Post-H.S.	627	92,718	119	16.5	13.0-20.0	102	15.3	11.8-18.8	104	18.2	14.3-22.1	77	14.4	10.5-18.3	36	6.6	04.1-09.1	189	29.0	24.5-33.5
College Graduate	648	56,654	123	18.7	15.0-22.4	118	18.5	14.8-22.2	113	17.1	13.4-20.8	83	11.8	08.9-14.7	24	4.9	02.4-07.4	187	29.0	24.5-33.5
Less than \$15,000	116	17,035	11	6.0	01.9-10.1	17	22.3	11.3-33.3	9	8.9	02.0-15.8	8	7.3	00.0-14.7	11	13.8	04.8-22.8	60	41.8	30.2-53.4
\$15,000- 24,999	228	32,055	37	13.7	07.6-19.8	28	14.0	07.9-20.1	32	15.4	09.1-21.7	13	6.0	01.9-10.1	16	7.6	03.3-11.9	102	43.2	34.8-51.6
\$25,000- 34,999	205	27,778	31	15.9	08.6-23.2	23	10.7	05.0-16.4	27	21.9	12.9-30.9	26	12.5	06.4-18.6	13	8.7	02.4-15.0	85	30.3	22.3-38.3
\$35,000- 49,999	370	45,504	73	19.0	13.9-24.1	56	10.7	07.4-14.0	69	20.0	14.5-25.5	32	10.9	06.4-15.4	18	6.0	02.9-09.1	122	33.5	27.2-39.8
\$50,000- 74,999	327	39,103	68	20.1	14.6-25.6	58	15.5	10.8-20.2	45	11.2	07.3-15.1	45	17.0	10.9-23.1	21	7.4	03.7-11.1	90	28.8	22.5-35.1
\$75,000+	683	78,315	123	16.1	12.8-19.4	140	20.8	16.9-24.7	127	17.9	14.4-21.4	103	14.5	11.0-18.0	40	7.2	04.5-09.9	150	23.6	19.5-27.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2683	261,301	672	23.3	21.1-25.5	348	15.5	13.5-17.5	221	9.0	07.4-10.6	78	3.8	02.6-05.0	25	1.6	00.8-02.4	1339	46.8	44.3-49.3
Native	69	11,216	7	7.2	00.9-13.5	9	12.2	02.8-21.6	8	8.3	01.8-14.8	2	10.6	00.0-26.3				43	61.7	45.6-77.8
Non-Native	2588	247,386	660	24.2	22.0-26.4	338	15.8	13.8-17.8	211	9.1	07.5-10.7	75	3.5	02.5-04.5	25	1.7	00.9-02.5	1279	45.8	43.3-48.3
18-24	119	34,554	19	16.4	09.1-23.7	20	18.8	11.0-26.6	12	9.0	03.7-14.3	11	9.6	02.7-16.5	3	2.3	00.0-05.0	54	43.9	34.1-53.7
25-34	242	42,769	61	21.4	15.3-27.5	49	22.2	15.9-28.5	31	13.4	08.3-18.5	9	3.5	01.0-06.0	2	1.4	00.0-03.6	90	38.1	30.7-45.5
35-44	287	36,726	96	29.6	23.3-35.9	58	19.3	13.8-24.8	25	7.9	04.2-11.6	7	2.3	00.1-04.5	6	4.8	00.7-08.9	95	36.0	28.9-43.1
45-54	447	44,692	114	24.8	19.9-29.7	86	17.7	13.8-21.6	46	9.9	06.6-13.2	19	4.7	02.2-07.2	4	0.7	00.0-01.7	178	42.1	36.4-47.8
55-64	558	42,111	170	29.6	25.3-33.9	76	12.1	09.2-15.0	50	9.3	06.4-12.2	18	3.1	01.5-04.7	3	0.7	00.0-01.5	241	45.3	40.4-50.2
65+	1001	57,920	206	19.4	16.5-22.3	55	6.0	04.0-08.0	54	5.7	03.9-07.5	14	1.3	00.5-02.1	7	0.6	00.0-01.2	665	67.0	63.5-70.5
Less Than H.S.	166	20,022	16	6.4	03.1-09.7	8	4.8	00.9-08.7	7	4.9	01.0-08.8	3	6.1	00.0-15.3	1	0.2	00.0-00.6	131	77.5	67.7-87.3
H.S. or G.E.D.	743	61,987	165	21.2	17.3-25.1	70	11.5	08.4-14.6	63	8.7	06.2-11.2	25	4.1	02.1-06.1	9	2.3	00.3-04.3	411	52.3	47.4-57.2
Some Post-H.S.	883	109,185	219	23.4	19.9-26.9	126	18.0	14.5-21.5	68	8.0	05.6-10.4	24	3.5	01.7-05.3	11	2.1	00.5-03.7	435	45.0	40.7-49.3
College Graduate	888	69,745	271	30.1	26.2-34.0	144	18.3	15.0-21.6	83	12.1	09.0-15.2	26	3.2	01.6-04.8	4	0.6	00.0-01.4	360	35.8	31.9-39.7
Less than \$15,000	222	21,987	25	11.1	04.8-17.4	16	14.1	06.1-22.1	12	5.2	00.9-09.5	6	7.5	00.0-16.3	4	2.1	00.0-05.0	159	60.0	49.2-70.8
\$15,000- 24,999	369	32,599	70	19.3	13.0-25.6	33	14.5	08.6-20.4	17	7.3	02.8-11.8	7	3.3	00.0-06.8	5	3.7	00.0-07.4	237	52.0	44.6-59.4
\$25,000- 34,999	287	27,318	63	20.4	14.1-26.7	24	9.7	04.4-15.0	20	6.2	02.7-09.7	10	5.0	01.5-08.5	3	2.0	00.0-04.7	167	56.6	48.8-64.4
\$35,000- 49,999	337	33,284	94	27.4	21.3-33.5	46	14.4	09.1-19.7	25	8.5	04.2-12.8	6	2.7	00.0-05.6	3	0.7	00.0-01.7	163	46.2	38.9-53.5
\$50,000- 74,999	405	39,719	124	26.6	21.7-31.5	68	20.2	14.7-25.7	45	10.8	07.1-14.5	13	3.6	01.1-06.1	2	0.3	00.0-00.7	153	38.5	32.4-44.6
\$75,000+	619	63,908	201	30.4	25.9-34.9	120	19.7	15.8-23.6	74	12.9	09.4-16.4	27	3.9	02.1-05.7	5	1.6	00.0-03.4	192	31.5	26.6-36.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4754	522,391	4525	93.6	92.6-94.6	229	6.4	05.4-07.4
Male	2071	261,090	1945	92.4	90.8-94.0	126	7.6	06.0-09.2
Female	2683	261,301	2580	94.7	93.3-96.1	103	5.3	03.9-06.7
Native	122	24,140	116	93.1	85.1-0100	6	6.9	00.0-14.9
Non-Native	4573	491,732	4351	93.5	92.5-94.5	222	6.5	05.5-07.5
18-24	239	75,004	212	88.6	83.9-93.3	27	11.4	06.7-16.1
25-34	508	91,198	470	91.8	88.9-94.7	38	8.2	05.3-11.1
35-44	544	76,361	510	92.3	89.2-95.4	34	7.7	04.6-10.8
45-54	842	88,769	796	93.8	91.6-96.0	46	6.2	04.0-08.4
55-64	1042	85,902	997	95.6	94.0-97.2	45	4.4	02.8-06.0
65+	1543	101,914	1504	97.5	96.5-98.5	39	2.5	01.5-03.5
Less Than H.S.	328	50,684	313	95.0	90.9-99.1	15	5.0	00.9-09.1
H.S. or G.E.D.	1375	142,559	1286	90.5	88.1-92.9	89	9.5	07.1-11.9
Some Post-H.S.	1510	201,903	1439	94.0	92.2-95.8	71	6.0	04.2-07.8
College Graduate	1536	126,399	1482	95.7	94.1-97.3	54	4.3	02.7-05.9
Less than \$15,000	338	39,022	317	88.6	82.1-95.1	21	11.4	04.9-17.9
\$15,000- 24,999	597	64,653	569	92.7	89.4-96.0	28	7.3	04.0-10.6
\$25,000- 34,999	492	55,097	466	92.1	88.2-96.0	26	7.9	04.0-11.8
\$35,000- 49,999	707	78,788	680	95.1	92.7-97.5	27	4.9	02.5-07.3
\$50,000- 74,999	732	78,822	696	94.4	92.0-96.8	36	5.6	03.2-08.0
\$75,000+	1302	142,223	1230	93.6	91.6-95.6	72	6.4	04.4-08.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2071	261,090	1945	92.4	90.8-94.0	126	7.6	06.0-09.2
Native	53	12,924	49	96.3	92.0-100	4	3.7	00.0-08.0
Non-Native	1985	244,347	1863	92.1	90.3-93.9	122	7.9	06.1-09.7
18-24	120	40,450	107	89.0	82.7-95.3	13	11.0	04.7-17.3
25-34	266	48,429	239	89.0	84.5-93.5	27	11.0	06.5-15.5
35-44	257	39,635	236	91.7	87.6-95.8	21	8.3	04.2-12.4
45-54	395	44,076	372	93.1	89.8-96.4	23	6.9	03.6-10.2
55-64	484	43,791	460	95.1	92.7-97.5	24	4.9	02.5-07.3
65+	542	43,994	524	96.7	94.7-98.7	18	3.3	01.3-05.3
Less Than H.S.	162	30,662	151	95.9	93.0-98.8	11	4.1	01.2-07.0
H.S. or G.E.D.	632	80,572	577	88.1	84.4-91.8	55	11.9	08.2-15.6
Some Post-H.S.	627	92,718	591	93.4	90.9-95.9	36	6.6	04.1-09.1
College Graduate	648	56,654	624	95.1	92.6-97.6	24	4.9	02.4-07.4
Less than \$15,000	116	17,035	105	86.2	77.2-95.2	11	13.8	04.8-22.8
\$15,000- 24,999	228	32,055	212	92.4	88.1-96.7	16	7.6	03.3-11.9
\$25,000- 34,999	205	27,778	192	91.3	85.0-97.6	13	8.7	02.4-15.0
\$35,000- 49,999	370	45,504	352	94.0	90.9-97.1	18	6.0	02.9-09.1
\$50,000- 74,999	327	39,103	306	92.6	88.9-96.3	21	7.4	03.7-11.1
\$75,000+	683	78,315	643	92.8	90.1-95.5	40	7.2	04.5-09.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2683	261,301	2580	94.7	93.3-96.1	103	5.3	03.9-06.7
Native	69	11,216	67	89.4	73.7-0100	2	10.6	00.0-26.3
Non-Native	2588	247,386	2488	94.9	93.5-96.3	100	5.1	03.7-06.5
18-24	119	34,554	105	88.1	80.8-95.4	14	11.9	04.6-19.2
25-34	242	42,769	231	95.1	91.8-98.4	11	4.9	01.6-08.2
35-44	287	36,726	274	92.9	88.4-97.4	13	7.1	02.6-11.6
45-54	447	44,692	424	94.5	91.8-97.2	23	5.5	02.8-08.2
55-64	558	42,111	537	96.2	94.2-98.2	21	3.8	01.8-05.8
65+	1001	57,920	980	98.1	97.3-98.9	21	1.9	01.1-02.7
Less Than H.S.	166	20,022	162	93.6	84.4-0100	4	6.4	00.0-15.6
H.S. or G.E.D.	743	61,987	709	93.6	90.9-96.3	34	6.4	03.7-09.1
Some Post-H.S.	883	109,185	848	94.4	92.0-96.8	35	5.6	03.2-08.0
College Graduate	888	69,745	858	96.2	94.4-98.0	30	3.8	02.0-05.6
Less than \$15,000	222	21,987	212	90.4	81.2-99.6	10	9.6	00.4-18.8
\$15,000- 24,999	369	32,599	357	93.1	88.2-98.0	12	6.9	02.0-11.8
\$25,000- 34,999	287	27,318	274	93.0	88.5-97.5	13	7.0	02.5-11.5
\$35,000- 49,999	337	33,284	328	96.6	93.5-99.7	9	3.4	00.3-06.5
\$50,000- 74,999	405	39,719	390	96.1	93.6-98.6	15	3.9	01.4-06.4
\$75,000+	619	63,908	587	94.5	92.0-97.0	32	5.5	03.0-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 19: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (\_RFDRMN4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2071	261,090	1945	92.4	90.8-94.0	126	7.6	06.0-09.2
Native	53	12,924	49	96.3	92.0-100.0	4	3.7	00.0-08.0
Non-Native	1985	244,347	1863	92.1	90.3-93.9	122	7.9	06.1-09.7
18-24	120	40,450	107	89.0	82.7-95.3	13	11.0	04.7-17.3
25-34	266	48,429	239	89.0	84.5-93.5	27	11.0	06.5-15.5
35-44	257	39,635	236	91.7	87.6-95.8	21	8.3	04.2-12.4
45-54	395	44,076	372	93.1	89.8-96.4	23	6.9	03.6-10.2
55-64	484	43,791	460	95.1	92.7-97.5	24	4.9	02.5-07.3
65+	542	43,994	524	96.7	94.7-98.7	18	3.3	01.3-05.3
Less Than H.S.	162	30,662	151	95.9	93.0-98.8	11	4.1	01.2-07.0
H.S. or G.E.D.	632	80,572	577	88.1	84.4-91.8	55	11.9	08.2-15.6
Some Post-H.S.	627	92,718	591	93.4	90.9-95.9	36	6.6	04.1-09.1
College Graduate	648	56,654	624	95.1	92.6-97.6	24	4.9	02.4-07.4
Less than \$15,000	116	17,035	105	86.2	77.2-95.2	11	13.8	04.8-22.8
\$15,000- 24,999	228	32,055	212	92.4	88.1-96.7	16	7.6	03.3-11.9
\$25,000- 34,999	205	27,778	192	91.3	85.0-97.6	13	8.7	02.4-15.0
\$35,000- 49,999	370	45,504	352	94.0	90.9-97.1	18	6.0	02.9-09.1
\$50,000- 74,999	327	39,103	306	92.6	88.9-96.3	21	7.4	03.7-11.1
\$75,000+	683	78,315	643	92.8	90.1-95.5	40	7.2	04.5-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 20: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRWM4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2683	261,301	2580	94.7	93.3-96.1	103	5.3	03.9-06.7
Native	69	11,216	67	89.4	73.7-0100	2	10.6	00.0-26.3
Non-Native	2588	247,386	2488	94.9	93.5-96.3	100	5.1	03.7-06.5
18-24	119	34,554	105	88.1	80.8-95.4	14	11.9	04.6-19.2
25-34	242	42,769	231	95.1	91.8-98.4	11	4.9	01.6-08.2
35-44	287	36,726	274	92.9	88.4-97.4	13	7.1	02.6-11.6
45-54	447	44,692	424	94.5	91.8-97.2	23	5.5	02.8-08.2
55-64	558	42,111	537	96.2	94.2-98.2	21	3.8	01.8-05.8
65+	1001	57,920	980	98.1	97.3-98.9	21	1.9	01.1-02.7
Less Than H.S.	166	20,022	162	93.6	84.4-0100	4	6.4	00.0-15.6
H.S. or G.E.D.	743	61,987	709	93.6	90.9-96.3	34	6.4	03.7-09.1
Some Post-H.S.	883	109,185	848	94.4	92.0-96.8	35	5.6	03.2-08.0
College Graduate	888	69,745	858	96.2	94.4-98.0	30	3.8	02.0-05.6
Less than \$15,000	222	21,987	212	90.4	81.2-99.6	10	9.6	00.4-18.8
\$15,000- 24,999	369	32,599	357	93.1	88.2-98.0	12	6.9	02.0-11.8
\$25,000- 34,999	287	27,318	274	93.0	88.5-97.5	13	7.0	02.5-11.5
\$35,000- 49,999	337	33,284	328	96.6	93.5-99.7	9	3.4	00.3-06.5
\$50,000- 74,999	405	39,719	390	96.1	93.6-98.6	15	3.9	01.4-06.4
\$75,000+	619	63,908	587	94.5	92.0-97.0	32	5.5	03.0-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 11: IMMUNIZATION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)	
1	MALES AND FEMALES	122
2	MALES ONLY	123
3	FEMALES ONLY	124
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	125
5	MALES ONLY	126
6	FEMALES ONLY	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 11: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT5)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1567	103,585	970	59.7	56.8-62.6	597	40.3	37.4-43.2
Male	557	45,132	321	56.6	51.7-61.5	236	43.4	38.5-48.3
Female	1010	58,452	649	62.0	58.3-65.7	361	38.0	34.3-41.7
Non-Native	1520	99,995	948	60.1	57.2-63.0	572	39.9	37.0-42.8
65+	1567	103,585	970	59.7	56.8-62.6	597	40.3	37.4-43.2
Less Than H.S.	209	21,094	118	55.0	47.0-63.0	91	45.0	37.0-53.0
H.S. or G.E.D.	587	34,397	360	59.3	54.4-64.2	227	40.7	35.8-45.6
Some Post-H.S.	448	32,329	300	64.9	59.6-70.2	148	35.1	29.8-40.4
College Graduate	322	15,684	191	55.7	49.2-62.2	131	44.3	37.8-50.8
Less than \$15,000	151	8,222	79	50.4	41.0-59.8	72	49.6	40.2-59.0
\$15,000- 24,999	335	22,032	220	62.7	56.0-69.4	115	37.3	30.6-44.0
\$25,000- 34,999	217	14,304	148	63.5	54.9-72.1	69	36.5	27.9-45.1
\$35,000- 49,999	245	16,037	150	59.0	51.7-66.3	95	41.0	33.7-48.3
\$50,000- 74,999	146	10,256	93	64.8	56.0-73.6	53	35.2	26.4-44.0
\$75,000+	159	10,925	96	57.4	48.2-66.6	63	42.6	33.4-51.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 11: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT5)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	557	45,132	321	56.6	51.7-61.5	236	43.4	38.5-48.3
Non-Native	537	43,873	314	57.1	52.2-62.0	223	42.9	38.0-47.8
65+	557	45,132	321	56.6	51.7-61.5	236	43.4	38.5-48.3
Less Than H.S.	86	10,493	48	53.2	40.9-65.5	38	46.8	34.5-59.1
H.S. or G.E.D.	192	14,227	105	55.1	46.9-63.3	87	44.9	36.7-53.1
Some Post-H.S.	137	12,158	86	61.8	52.6-71.0	51	38.2	29.0-47.4
College Graduate	141	8,173	81	55.4	46.0-64.8	60	44.6	35.2-54.0
\$15,000- 24,999	116	10,232	67	57.4	46.6-68.2	49	42.6	31.8-53.4
\$25,000- 34,999	82	6,607	46	49.2	35.5-62.9	36	50.8	37.1-64.5
\$35,000- 49,999	121	9,133	68	54.1	44.1-64.1	53	45.9	35.9-55.9
\$50,000- 74,999	61	4,712	39	68.3	55.6-81.0	22	31.7	19.0-44.4
\$75,000+	94	7,381	54	55.4	43.2-67.6	40	44.6	32.4-56.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 11: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT5)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1010	58,452	649	62.0	58.3-65.7	361	38.0	34.3-41.7
Non-Native	983	56,122	634	62.4	58.7-66.1	349	37.6	33.9-41.3
65+	1010	58,452	649	62.0	58.3-65.7	361	38.0	34.3-41.7
Less Than H.S.	123	10,600	70	56.8	46.6-67.0	53	43.2	33.0-53.4
H.S. or G.E.D.	395	20,170	255	62.2	56.3-68.1	140	37.8	31.9-43.7
Some Post-H.S.	311	20,171	214	66.8	60.5-73.1	97	33.2	26.9-39.5
College Graduate	181	7,510	110	56.0	47.4-64.6	71	44.0	35.4-52.6
Less than \$15,000	122	6,089	63	48.4	38.2-58.6	59	51.6	41.4-61.8
\$15,000- 24,999	219	11,801	153	67.2	59.6-74.8	66	32.8	25.2-40.4
\$25,000- 34,999	135	7,697	102	75.7	67.3-84.1	33	24.3	15.9-32.7
\$35,000- 49,999	124	6,904	82	65.5	55.5-75.5	42	34.5	24.5-44.5
\$50,000- 74,999	85	5,544	54	61.9	49.7-74.1	31	38.1	25.9-50.3
\$75,000+	65	3,544	42	61.5	47.8-75.2	23	38.5	24.8-52.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 11: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1496	97,792	1077	68.8	65.9-71.7	419	31.2	28.3-34.1
Male	520	41,447	344	62.8	57.9-67.7	176	37.2	32.3-42.1
Female	976	56,344	733	73.2	69.7-76.7	243	26.8	23.3-30.3
Non-Native	1451	94,427	1049	69.1	66.2-72.0	402	30.9	28.0-33.8
65+	1496	97,792	1077	68.8	65.9-71.7	419	31.2	28.3-34.1
Less Than H.S.	199	19,463	141	67.1	59.1-75.1	58	32.9	24.9-40.9
H.S. or G.E.D.	570	33,271	414	68.8	63.9-73.7	156	31.2	26.3-36.1
Some Post-H.S.	422	30,139	310	71.2	66.1-76.3	112	28.8	23.7-33.9
College Graduate	305	14,919	212	66.4	60.1-72.7	93	33.6	27.3-39.9
Less than \$15,000	148	7,948	105	72.1	63.7-80.5	43	27.9	19.5-36.3
\$15,000- 24,999	319	20,698	250	75.8	69.7-81.9	69	24.2	18.1-30.3
\$25,000- 34,999	211	13,408	152	68.3	60.7-75.9	59	31.7	24.1-39.3
\$35,000- 49,999	239	15,682	160	63.4	56.1-70.7	79	36.6	29.3-43.9
\$50,000- 74,999	139	9,711	105	75.4	67.2-83.6	34	24.6	16.4-32.8
\$75,000+	148	10,379	88	53.1	43.5-62.7	60	46.9	37.3-56.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 11: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	520	41,447	344	62.8	57.9-67.7	176	37.2	32.3-42.1
Non-Native	501	40,289	333	62.8	57.7-67.9	168	37.2	32.1-42.3
65+	520	41,447	344	62.8	57.9-67.7	176	37.2	32.3-42.1
Less Than H.S.	80	9,393	52	63.2	50.9-75.5	28	36.8	24.5-49.1
H.S. or G.E.D.	184	13,633	123	63.1	54.7-71.5	61	36.9	28.5-45.3
Some Post-H.S.	125	10,874	80	60.8	51.0-70.6	45	39.2	29.4-49.0
College Graduate	131	7,547	89	64.8	55.2-74.4	42	35.2	25.6-44.8
\$15,000- 24,999	105	9,220	71	67.4	56.4-78.4	34	32.6	21.6-43.6
\$25,000- 34,999	78	5,851	52	62.7	49.8-75.6	26	37.3	24.4-50.2
\$35,000- 49,999	117	8,890	75	60.3	50.1-70.5	42	39.7	29.5-49.9
\$50,000- 74,999	56	4,309	39	68.1	54.0-82.2	17	31.9	17.8-46.0
\$75,000+	88	6,998	55	54.9	42.4-67.4	33	45.1	32.6-57.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 11: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	976	56,344	733	73.2	69.7-76.7	243	26.8	23.3-30.3
Non-Native	950	54,138	716	73.9	70.4-77.4	234	26.1	22.6-29.6
65+	976	56,344	733	73.2	69.7-76.7	243	26.8	23.3-30.3
Less Than H.S.	119	10,070	89	70.7	60.5-80.9	30	29.3	19.1-39.5
H.S. or G.E.D.	386	19,638	291	72.7	67.2-78.2	95	27.3	21.8-32.8
Some Post-H.S.	297	19,265	230	77.1	71.8-82.4	67	22.9	17.6-28.2
College Graduate	174	7,372	123	68.0	59.6-76.4	51	32.0	23.6-40.4
Less than \$15,000	121	6,046	85	70.7	61.3-80.1	36	29.3	19.9-38.7
\$15,000- 24,999	214	11,478	179	82.6	76.3-88.9	35	17.4	11.1-23.7
\$25,000- 34,999	133	7,557	100	72.7	63.9-81.5	33	27.3	18.5-36.1
\$35,000- 49,999	122	6,792	85	67.3	57.3-77.3	37	32.7	22.7-42.7
\$50,000- 74,999	83	5,402	66	81.2	71.8-90.6	17	18.8	09.4-28.2
\$75,000+	60	3,381	33	49.4	35.5-63.3	27	50.6	36.7-64.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 13: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	129
2	MALES ONLY	130
3	FEMALES ONLY	131
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	132
5	MALES ONLY	133
6	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4778	525,073	4224	85.3	83.7-86.9	554	14.7	13.1-16.3
Male	2090	262,975	1717	78.9	76.4-81.4	373	21.1	18.6-23.6
Female	2688	262,098	2507	91.7	90.1-93.3	181	8.3	06.7-09.9
Native	120	22,796	102	83.6	74.8-92.4	18	16.4	07.6-25.2
Non-Native	4597	495,102	4071	85.3	83.7-86.9	526	14.7	13.1-16.3
18-24	242	77,062	195	80.0	74.3-85.7	47	20.0	14.3-25.7
25-34	506	90,633	422	81.6	77.3-85.9	84	18.4	14.1-22.7
35-44	536	74,805	461	83.0	78.7-87.3	75	17.0	12.7-21.3
45-54	845	89,595	738	86.2	83.3-89.1	107	13.8	10.9-16.7
55-64	1044	85,969	935	89.2	86.8-91.6	109	10.8	08.4-13.2
65+	1566	103,544	1438	90.0	88.0-92.0	128	10.0	08.0-12.0
Less Than H.S.	330	51,271	261	73.4	66.5-80.3	69	26.6	19.7-33.5
H.S. or G.E.D.	1383	143,401	1180	81.9	79.0-84.8	203	18.1	15.2-21.0
Some Post-H.S.	1522	202,623	1341	85.3	82.8-87.8	181	14.7	12.2-17.2
College Graduate	1538	126,502	1437	93.7	92.1-95.3	101	6.3	04.7-07.9
Less than \$15,000	346	40,130	305	83.9	78.0-89.8	41	16.1	10.2-22.0
\$15,000- 24,999	592	63,837	528	86.2	82.1-90.3	64	13.8	09.7-17.9
\$25,000- 34,999	495	54,080	431	81.5	76.0-87.0	64	18.5	13.0-24.0
\$35,000- 49,999	706	78,638	617	84.5	80.8-88.2	89	15.5	11.8-19.2
\$50,000- 74,999	742	79,534	646	84.1	80.6-87.6	96	15.9	12.4-19.4
\$75,000+	1299	143,409	1166	87.4	84.9-89.9	133	12.6	10.1-15.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 13: SEATBELT USE**

**TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2090	262,975	1717	78.9	76.4-81.4	373	21.1	18.6-23.6
Native	52	12,281	45	86.6	74.1-99.1	7	13.4	00.9-25.9
Non-Native	2004	246,721	1642	78.3	75.8-80.8	362	21.7	19.2-24.2
18-24	119	40,866	87	72.6	63.8-81.4	32	27.4	18.6-36.2
25-34	267	48,514	204	73.6	66.7-80.5	63	26.4	19.5-33.3
35-44	252	38,709	201	76.9	70.0-83.8	51	23.1	16.2-30.0
45-54	399	44,997	325	80.4	75.5-85.3	74	19.6	14.7-24.5
55-64	488	43,931	411	84.7	81.0-88.4	77	15.3	11.6-19.0
65+	555	45,023	480	84.6	80.9-88.3	75	15.4	11.7-19.1
Less Than H.S.	164	31,510	114	64.6	54.8-74.4	50	35.4	25.6-45.2
H.S. or G.E.D.	639	81,406	493	75.5	71.2-79.8	146	24.5	20.2-28.8
Some Post-H.S.	634	92,680	522	78.6	74.3-82.9	112	21.4	17.1-25.7
College Graduate	651	56,894	586	91.8	89.4-94.2	65	8.2	05.8-10.6
Less than \$15,000	120	17,298	97	71.7	60.1-83.3	23	28.3	16.7-39.9
\$15,000- 24,999	228	31,893	189	84.0	77.7-90.3	39	16.0	09.7-22.3
\$25,000- 34,999	206	26,869	168	73.9	64.7-83.1	38	26.1	16.9-35.3
\$35,000- 49,999	368	45,242	296	76.7	70.8-82.6	72	23.3	17.4-29.2
\$50,000- 74,999	336	39,791	267	77.3	71.4-83.2	69	22.7	16.8-28.6
\$75,000+	682	78,975	584	82.4	78.3-86.5	98	17.6	13.5-21.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 13: SEATBELT USE**

**TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2688	262,098	2507	91.7	90.1-93.3	181	8.3	06.7-09.9
Native	68	10,516	57	80.1	67.9-92.3	11	19.9	07.7-32.1
Non-Native	2593	248,381	2429	92.3	90.9-93.7	164	7.7	06.3-09.1
18-24	123	36,196	108	88.4	82.3-94.5	15	11.6	05.5-17.7
25-34	239	42,120	218	90.7	86.4-95.0	21	9.3	05.0-13.6
35-44	284	36,096	260	89.6	85.1-94.1	24	10.4	05.9-14.9
45-54	446	44,598	413	92.0	88.9-95.1	33	8.0	04.9-11.1
55-64	556	42,038	524	93.8	91.4-96.2	32	6.2	03.8-08.6
65+	1011	58,521	958	94.1	92.3-95.9	53	5.9	04.1-07.7
Less Than H.S.	166	19,761	147	87.5	81.0-94.0	19	12.5	06.0-19.0
H.S. or G.E.D.	744	61,995	687	90.2	87.3-93.1	57	9.8	06.9-12.7
Some Post-H.S.	888	109,943	819	90.9	88.4-93.4	69	9.1	06.6-11.6
College Graduate	887	69,608	851	95.3	93.5-97.1	36	4.7	02.9-06.5
Less than \$15,000	226	22,832	208	93.2	89.3-97.1	18	6.8	02.9-10.7
\$15,000- 24,999	364	31,944	339	88.4	82.9-93.9	25	11.6	06.1-17.1
\$25,000- 34,999	289	27,211	263	89.0	83.9-94.1	26	11.0	05.9-16.1
\$35,000- 49,999	338	33,396	321	95.2	92.5-97.9	17	4.8	02.1-07.5
\$50,000- 74,999	406	39,743	379	91.0	87.1-94.9	27	9.0	05.1-12.9
\$75,000+	617	64,433	582	93.4	90.9-95.9	35	6.6	04.1-09.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4778	525,073	3261	65.2	63.4-67.0	1517	34.8	33.0-36.6
Male	2090	262,975	1188	55.7	53.0-58.4	902	44.3	41.6-47.0
Female	2688	262,098	2073	74.6	72.2-77.0	615	25.4	23.0-27.8
Native	120	22,796	80	63.5	51.9-75.1	40	36.5	24.9-48.1
Non-Native	4597	495,102	3134	65.0	63.0-67.0	1463	35.0	33.0-37.0
18-24	242	77,062	138	58.4	51.5-65.3	104	41.6	34.7-48.5
25-34	506	90,633	300	58.4	53.3-63.5	206	41.6	36.5-46.7
35-44	536	74,805	348	64.0	58.9-69.1	188	36.0	30.9-41.1
45-54	845	89,595	563	67.4	63.7-71.1	282	32.6	28.9-36.3
55-64	1044	85,969	715	68.4	65.1-71.7	329	31.6	28.3-34.9
65+	1566	103,544	1165	71.7	69.0-74.4	401	28.3	25.6-31.0
Less Than H.S.	330	51,271	212	61.3	54.2-68.4	118	38.7	31.6-45.8
H.S. or G.E.D.	1383	143,401	893	60.7	57.2-64.2	490	39.3	35.8-42.8
Some Post-H.S.	1522	202,623	1017	63.6	60.5-66.7	505	36.4	33.3-39.5
College Graduate	1538	126,502	1135	73.9	71.2-76.6	403	26.1	23.4-28.8
Less than \$15,000	346	40,130	240	63.6	56.2-71.0	106	36.4	29.0-43.8
\$15,000- 24,999	592	63,837	430	67.0	61.5-72.5	162	33.0	27.5-38.5
\$25,000- 34,999	495	54,080	334	65.2	59.1-71.3	161	34.8	28.7-40.9
\$35,000- 49,999	706	78,638	440	60.3	55.6-65.0	266	39.7	35.0-44.4
\$50,000- 74,999	742	79,534	492	64.4	59.9-68.9	250	35.6	31.1-40.1
\$75,000+	1299	143,409	883	64.9	61.4-68.4	416	35.1	31.6-38.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 13: SEATBELT USE**

**TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2090	262,975	1188	55.7	53.0-58.4	902	44.3	41.6-47.0
Native	52	12,281	35	61.3	43.9-78.7	17	38.7	21.3-56.1
Non-Native	2004	246,721	1126	55.0	52.1-57.9	878	45.0	42.1-47.9
18-24	119	40,866	64	54.0	44.2-63.8	55	46.0	36.2-55.8
25-34	267	48,514	131	47.4	40.1-54.7	136	52.6	45.3-59.9
35-44	252	38,709	129	54.7	47.1-62.3	123	45.3	37.7-52.9
45-54	399	44,997	219	57.5	51.6-63.4	180	42.5	36.6-48.4
55-64	488	43,931	279	58.6	53.3-63.9	209	41.4	36.1-46.7
65+	555	45,023	358	62.2	57.3-67.1	197	37.8	32.9-42.7
Less Than H.S.	164	31,510	93	53.4	43.6-63.2	71	46.6	36.8-56.4
H.S. or G.E.D.	639	81,406	336	53.1	48.0-58.2	303	46.9	41.8-52.0
Some Post-H.S.	634	92,680	351	52.8	47.7-57.9	283	47.2	42.1-52.3
College Graduate	651	56,894	406	65.0	60.5-69.5	245	35.0	30.5-39.5
Less than \$15,000	120	17,298	70	47.1	35.3-58.9	50	52.9	41.1-64.7
\$15,000- 24,999	228	31,893	147	63.5	55.1-71.9	81	36.5	28.1-44.9
\$25,000- 34,999	206	26,869	122	56.0	46.4-65.6	84	44.0	34.4-53.6
\$35,000- 49,999	368	45,242	190	51.4	44.7-58.1	178	48.6	41.9-55.3
\$50,000- 74,999	336	39,791	169	52.0	45.1-58.9	167	48.0	41.1-54.9
\$75,000+	682	78,975	396	55.3	50.4-60.2	286	44.7	39.8-49.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 13: SEATBELT USE**

**TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2688	262,098	2073	74.6	72.2-77.0	615	25.4	23.0-27.8
Native	68	10,516	45	66.1	52.0-80.2	23	33.9	19.8-48.0
Non-Native	2593	248,381	2008	75.0	72.6-77.4	585	25.0	22.6-27.4
18-24	123	36,196	74	63.4	54.2-72.6	49	36.6	27.4-45.8
25-34	239	42,120	169	71.1	64.2-78.0	70	28.9	22.0-35.8
35-44	284	36,096	219	74.0	67.7-80.3	65	26.0	19.7-32.3
45-54	446	44,598	344	77.5	73.0-82.0	102	22.5	18.0-27.0
55-64	556	42,038	436	78.7	74.8-82.6	120	21.3	17.4-25.2
65+	1011	58,521	807	79.0	76.1-81.9	204	21.0	18.1-23.9
Less Than H.S.	166	19,761	119	73.8	65.6-82.0	47	26.2	18.0-34.4
H.S. or G.E.D.	744	61,995	557	70.7	66.2-75.2	187	29.3	24.8-33.8
Some Post-H.S.	888	109,943	666	72.8	68.9-76.7	222	27.2	23.3-31.1
College Graduate	887	69,608	729	81.2	77.9-84.5	158	18.8	15.5-22.1
Less than \$15,000	226	22,832	170	76.1	68.3-83.9	56	23.9	16.1-31.7
\$15,000- 24,999	364	31,944	283	70.5	63.2-77.8	81	29.5	22.2-36.8
\$25,000- 34,999	289	27,211	212	74.3	67.8-80.8	77	25.7	19.2-32.2
\$35,000- 49,999	338	33,396	250	72.4	66.1-78.7	88	27.6	21.3-33.9
\$50,000- 74,999	406	39,743	323	76.8	71.3-82.3	83	23.2	17.7-28.7
\$75,000+	617	64,433	487	76.6	72.1-81.1	130	23.4	18.9-27.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	136
2	WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	137
3	WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	138



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_RFMAM2Y)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 40 years old  
Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2141	160,763	1611	73.6	71.1-76.1	530	26.4	23.9-28.9
Non-Native	2074	153,762	1568	74.2	71.7-76.7	506	25.8	23.3-28.3
40-44	141	16,766	81	57.5	47.5-67.5	60	42.5	32.5-52.5
45-54	444	44,383	333	71.8	66.3-77.3	111	28.2	22.7-33.7
55-64	553	41,518	437	80.2	76.3-84.1	116	19.8	15.9-23.7
65+	1003	58,095	760	74.8	71.3-78.3	243	25.2	21.7-28.7
Less Than H.S.	152	15,516	92	54.9	44.9-64.9	60	45.1	35.1-55.1
H.S. or G.E.D.	650	42,733	485	75.4	71.3-79.5	165	24.6	20.5-28.7
Some Post-H.S.	694	63,781	535	74.0	69.7-78.3	159	26.0	21.7-30.3
College Graduate	643	38,476	497	78.2	74.5-81.9	146	21.8	18.1-25.5
Less than \$15,000	189	12,006	112	58.4	49.0-67.8	77	41.6	32.2-51.0
\$15,000- 24,999	314	20,567	213	63.7	56.3-71.1	101	36.3	28.9-43.7
\$25,000- 34,999	236	17,238	188	77.2	69.8-84.6	48	22.8	15.4-30.2
\$35,000- 49,999	261	18,994	203	78.7	72.8-84.6	58	21.3	15.4-27.2
\$50,000- 74,999	305	24,534	231	72.8	66.7-78.9	74	27.2	21.1-33.3
\$75,000+	466	39,879	383	79.8	74.7-84.9	83	20.2	15.1-25.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_MAM502Y)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old  
Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1816	123,901	1402	76.9	74.5-79.3	414	23.1	20.7-25.5
Non-Native	1762	118,909	1366	77.5	75.1-79.9	396	22.5	20.1-24.9
50-54	260	24,288	205	76.4	69.9-82.9	55	23.6	17.1-30.1
55-64	553	41,518	437	80.2	76.3-84.1	116	19.8	15.9-23.7
65+	1003	58,095	760	74.8	71.3-78.3	243	25.2	21.7-28.7
Less Than H.S.	141	13,290	89	59.9	50.1-69.7	52	40.1	30.3-49.9
H.S. or G.E.D.	583	35,169	442	77.3	73.4-81.2	141	22.7	18.8-26.6
Some Post-H.S.	592	48,514	473	79.3	75.2-83.4	119	20.7	16.6-24.8
College Graduate	498	26,673	396	80.6	76.5-84.7	102	19.4	15.3-23.5
Less than \$15,000	169	9,893	106	65.3	56.1-74.5	63	34.7	25.5-43.9
\$15,000- 24,999	291	17,068	206	69.3	62.6-76.0	85	30.7	24.0-37.4
\$25,000- 34,999	209	13,348	173	84.9	79.4-90.4	36	15.1	09.6-20.6
\$35,000- 49,999	229	15,394	180	78.9	72.6-85.2	49	21.1	14.8-27.4
\$50,000- 74,999	249	18,813	196	77.7	71.6-83.8	53	22.3	16.2-28.4
\$75,000+	324	24,700	281	86.0	81.1-90.9	43	14.0	09.1-18.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (\_RFPAP32)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1810	195,356	1397	76.3	73.6-79.0	413	23.7	21.0-26.4
Non-Native	1749	185,367	1354	76.4	73.5-79.3	395	23.6	20.7-26.5
18-24	120	35,303	67	53.3	43.3-63.3	53	46.7	36.7-56.7
25-34	233	40,858	212	90.5	85.8-95.2	21	9.5	04.8-14.2
35-44	246	31,568	213	85.0	79.3-90.7	33	15.0	09.3-20.7
45-54	324	31,292	276	81.9	76.2-87.6	48	18.1	12.4-23.8
55-64	350	25,993	294	85.7	81.8-89.6	56	14.3	10.4-18.2
65+	537	30,341	335	60.9	56.0-65.8	202	39.1	34.2-44.0
Less Than H.S.	77	10,657	38	58.1	42.8-73.4	39	41.9	26.6-57.2
H.S. or G.E.D.	459	43,391	327	68.7	62.8-74.6	132	31.3	25.4-37.2
Some Post-H.S.	600	84,014	464	74.2	69.3-79.1	136	25.8	20.9-30.7
College Graduate	672	56,719	567	89.2	86.7-91.7	105	10.8	08.3-13.3
Less than \$15,000	131	16,514	81	68.6	56.6-80.6	50	31.4	19.4-43.4
\$15,000- 24,999	218	22,647	147	70.0	61.6-78.4	71	30.0	21.6-38.4
\$25,000- 34,999	196	20,494	144	67.3	57.9-76.7	52	32.7	23.3-42.1
\$35,000- 49,999	235	26,037	183	79.7	72.3-87.1	52	20.3	12.9-27.7
\$50,000- 74,999	296	30,779	245	81.7	75.8-87.6	51	18.3	12.4-24.2
\$75,000+	465	51,328	416	87.5	83.0-92.0	49	12.5	08.0-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
1	MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21) MALES ONLY	140

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 1: MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (\_RFPSA21)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1493	144,394	729	44.8	41.7-47.9	764	55.2	52.1-58.3
Non-Native	1437	137,846	712	45.9	42.8-49.0	725	54.1	51.0-57.2
40-44	132	17,883	21	15.2	07.2-23.2	111	84.8	76.8-92.8
45-54	376	42,553	104	26.1	20.8-31.4	272	73.9	68.6-79.2
55-64	462	41,322	261	54.1	48.4-59.8	201	45.9	40.2-51.6
65+	523	42,635	343	66.7	62.0-71.4	180	33.3	28.6-38.0
Less Than H.S.	119	17,773	56	44.1	33.5-54.7	63	55.9	45.3-66.5
H.S. or G.E.D.	461	43,386	206	42.4	36.9-47.9	255	57.6	52.1-63.1
Some Post-H.S.	442	50,315	212	43.9	38.4-49.4	230	56.1	50.6-61.6
College Graduate	470	32,838	254	49.3	44.0-54.6	216	50.7	45.4-56.0
Less than \$15,000	75	7,096	24	28.7	16.4-41.0	51	71.3	59.0-83.6
\$15,000- 24,999	171	18,510	75	39.0	30.0-48.0	96	61.0	52.0-70.0
\$25,000- 34,999	150	13,403	74	49.9	39.5-60.3	76	50.1	39.7-60.5
\$35,000- 49,999	279	27,199	143	44.3	37.2-51.4	136	55.7	48.6-62.8
\$50,000- 74,999	247	24,033	119	40.4	33.1-47.7	128	59.6	52.3-66.9
\$75,000+	480	44,913	248	49.1	43.6-54.6	232	50.9	45.4-56.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDS2) .	
1	MALES AND FEMALES	142
2	MALES ONLY	143
3	FEMALES ONLY	144
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2) .	
4	MALES AND FEMALES	145
5	MALES ONLY	146
6	FEMALES ONLY	147

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (\_RFLDLS2).**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3037	235,318	452	13.8	12.4-15.2	2585	86.2	84.8-87.6
Male	1251	113,345	170	12.4	10.2-14.6	1081	87.6	85.4-89.8
Female	1786	121,974	282	15.0	13.0-17.0	1504	85.0	83.0-87.0
Native	59	6,638	2	3.5	00.0-08.4	57	96.5	91.6-0100
Non-Native	2939	225,585	443	14.0	12.6-15.4	2496	86.0	84.6-87.4
50-54	488	50,607	42	7.5	05.0-10.0	446	92.5	90.0-95.0
55-64	1028	84,313	143	13.0	10.6-15.4	885	87.0	84.6-89.4
65+	1521	100,398	267	17.6	15.4-19.8	1254	82.4	80.2-84.6
Less Than H.S.	262	30,095	49	16.6	11.7-21.5	213	83.4	78.5-88.3
H.S. or G.E.D.	954	67,972	125	12.7	10.3-15.1	829	87.3	84.9-89.7
Some Post-H.S.	940	85,030	142	13.5	11.0-16.0	798	86.5	84.0-89.0
College Graduate	878	51,885	136	14.0	11.5-16.5	742	86.0	83.5-88.5
Less than \$15,000	239	15,727	39	16.1	10.6-21.6	200	83.9	78.4-89.4
\$15,000- 24,999	445	32,893	60	10.9	07.6-14.2	385	89.1	85.8-92.4
\$25,000- 34,999	346	25,082	52	16.0	10.9-21.1	294	84.0	78.9-89.1
\$35,000- 49,999	473	38,266	78	14.0	10.7-17.3	395	86.0	82.7-89.3
\$50,000- 74,999	439	35,605	76	16.0	12.1-19.9	363	84.0	80.1-87.9
\$75,000+	689	57,059	95	12.1	09.4-14.8	594	87.9	85.2-90.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (\_RFBLS2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1251	113,345	170	12.4	10.4-14.4	1081	87.6	85.6-89.6
Non-Native	1206	108,554	167	12.8	10.6-15.0	1039	87.2	85.0-89.4
50-54	229	26,439	13	5.2	02.1-08.3	216	94.8	91.7-97.9
55-64	479	42,970	66	12.8	09.3-16.3	413	87.2	83.7-90.7
65+	543	43,935	91	16.3	12.8-19.8	452	83.7	80.2-87.2
Less Than H.S.	123	17,231	15	11.6	05.7-17.5	108	88.4	82.5-94.3
H.S. or G.E.D.	389	33,860	53	13.1	09.2-17.0	336	86.9	83.0-90.8
Some Post-H.S.	354	36,760	49	11.9	08.2-15.6	305	88.1	84.4-91.8
College Graduate	384	25,413	53	12.7	09.0-16.4	331	87.3	83.6-91.0
Less than \$15,000	69	5,765	6	8.5	00.5-16.5	63	91.5	83.5-99.5
\$15,000- 24,999	158	15,964	19	10.0	04.9-15.1	139	90.0	84.9-95.1
\$25,000- 34,999	140	11,849	23	18.3	09.7-26.9	117	81.7	73.1-90.3
\$35,000- 49,999	247	22,978	38	12.1	08.0-16.2	209	87.9	83.8-92.0
\$50,000- 74,999	191	16,907	27	12.1	07.2-17.0	164	87.9	83.0-92.8
\$75,000+	368	32,545	45	11.9	08.2-15.6	323	88.1	84.4-91.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (\_RFBLS2).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1786	121,974	282	15.0	13.0-17.0	1504	85.0	83.0-87.0
Non-Native	1733	117,031	276	15.1	13.1-17.1	1457	84.9	82.9-86.9
50-54	259	24,168	29	10.1	06.0-14.2	230	89.9	85.8-94.0
55-64	549	41,342	77	13.1	10.0-16.2	472	86.9	83.8-90.0
65+	978	56,463	176	18.5	15.6-21.4	802	81.5	78.6-84.4
Less Than H.S.	139	12,863	34	23.2	15.4-31.0	105	76.8	69.0-84.6
H.S. or G.E.D.	565	34,112	72	12.2	09.3-15.1	493	87.8	84.9-90.7
Some Post-H.S.	586	48,270	93	14.8	11.5-18.1	493	85.2	81.9-88.5
College Graduate	494	26,472	83	15.3	11.8-18.8	411	84.7	81.2-88.2
Less than \$15,000	170	9,963	33	20.5	13.4-27.6	137	79.5	72.4-86.6
\$15,000- 24,999	287	16,929	41	11.7	07.8-15.6	246	88.3	84.4-92.2
\$25,000- 34,999	206	13,233	29	14.0	08.1-19.9	177	86.0	80.1-91.9
\$35,000- 49,999	226	15,288	40	17.0	11.5-22.5	186	83.0	77.5-88.5
\$50,000- 74,999	248	18,699	49	19.5	13.8-25.2	199	80.5	74.8-86.2
\$75,000+	321	24,513	50	12.4	08.9-15.9	271	87.6	84.1-91.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2).**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3068	237,505	1996	62.0	59.8-64.2	1072	38.0	35.8-40.2
Male	1263	114,632	782	59.3	56.0-62.6	481	40.7	37.4-44.0
Female	1805	122,873	1214	64.5	61.8-67.2	591	35.5	32.8-38.2
Native	59	6,638	22	33.4	18.5-48.3	37	66.6	51.7-81.5
Non-Native	2968	227,628	1949	62.8	60.6-65.0	1019	37.2	35.0-39.4
50-54	488	50,630	197	39.4	34.1-44.7	291	60.6	55.3-65.9
55-64	1037	85,187	655	61.6	57.9-65.3	382	38.4	34.7-42.1
65+	1543	101,688	1144	73.5	70.8-76.2	399	26.5	23.8-29.2
Less Than H.S.	264	30,145	156	54.4	47.1-61.7	108	45.6	38.3-52.9
H.S. or G.E.D.	963	68,321	601	60.4	56.7-64.1	362	39.6	35.9-43.3
Some Post-H.S.	951	86,402	631	63.0	59.3-66.7	320	37.0	33.3-40.7
College Graduate	887	52,300	605	66.4	62.7-70.1	282	33.6	29.9-37.3
Less than \$15,000	240	15,790	125	51.2	43.6-58.8	115	48.8	41.2-56.4
\$15,000- 24,999	448	33,224	293	60.7	54.6-66.8	155	39.3	33.2-45.4
\$25,000- 34,999	349	25,243	232	65.3	59.0-71.6	117	34.7	28.4-41.0
\$35,000- 49,999	476	38,163	315	61.8	56.3-67.3	161	38.2	32.7-43.7
\$50,000- 74,999	443	35,979	285	59.4	53.9-64.9	158	40.6	35.1-46.1
\$75,000+	692	57,349	465	64.6	60.3-68.9	227	35.4	31.1-39.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1263	114,632	782	59.3	56.0-62.6	481	40.7	37.4-44.0
Non-Native	1217	109,777	760	60.1	56.8-63.4	457	39.9	36.6-43.2
50-54	229	26,462	82	37.3	29.7-44.9	147	62.7	55.1-70.3
55-64	483	43,427	296	59.0	53.5-64.5	187	41.0	35.5-46.5
65+	551	44,743	404	72.6	68.1-77.1	147	27.4	22.9-31.9
Less Than H.S.	124	17,231	69	52.7	42.1-63.3	55	47.3	36.7-57.9
H.S. or G.E.D.	391	34,003	223	56.8	50.9-62.7	168	43.2	37.3-49.1
Some Post-H.S.	359	37,706	211	56.5	50.4-62.6	148	43.5	37.4-49.6
College Graduate	388	25,612	278	70.9	65.4-76.4	110	29.1	23.6-34.6
Less than \$15,000	69	5,765	29	46.4	32.7-60.1	40	53.6	39.9-67.3
\$15,000- 24,999	158	16,196	94	57.5	47.3-67.7	64	42.5	32.3-52.7
\$25,000- 34,999	141	11,928	85	61.4	51.2-71.6	56	38.6	28.4-48.8
\$35,000- 49,999	247	22,794	146	53.7	46.1-61.3	101	46.3	38.7-53.9
\$50,000- 74,999	193	17,180	121	58.2	49.8-66.6	72	41.8	33.4-50.2
\$75,000+	370	32,802	253	65.2	59.3-71.1	117	34.8	28.9-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1805	122,873	1214	64.5	61.8-67.2	591	35.5	32.8-38.2
Non-Native	1751	117,851	1189	65.4	62.7-68.1	562	34.6	31.9-37.3
50-54	259	24,168	115	41.7	34.4-49.0	144	58.3	51.0-65.6
55-64	554	41,760	359	64.4	59.7-69.1	195	35.6	30.9-40.3
65+	992	56,945	740	74.2	70.9-77.5	252	25.8	22.5-29.1
Less Than H.S.	140	12,915	87	56.7	47.1-66.3	53	43.3	33.7-52.9
H.S. or G.E.D.	572	34,318	378	63.9	59.2-68.6	194	36.1	31.4-40.8
Some Post-H.S.	592	48,696	420	68.1	63.4-72.8	172	31.9	27.2-36.6
College Graduate	499	26,688	327	62.1	56.8-67.4	172	37.9	32.6-43.2
Less than \$15,000	171	10,025	96	53.9	44.7-63.1	75	46.1	36.9-55.3
\$15,000- 24,999	290	17,028	199	63.7	56.6-70.8	91	36.3	29.2-43.4
\$25,000- 34,999	208	13,316	147	68.8	61.2-76.4	61	31.2	23.6-38.8
\$35,000- 49,999	229	15,369	169	73.7	66.8-80.6	60	26.3	19.4-33.2
\$50,000- 74,999	250	18,799	164	60.4	53.1-67.7	86	39.6	32.3-46.9
\$75,000+	322	24,547	212	63.7	57.2-70.2	110	36.3	29.8-42.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 18: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	149
2	MALES ONLY	150
3	FEMALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 18: HIV/AIDS**

**TABLE 1: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4597	504,492	870	25.4	23.6-27.2	3727	74.6	72.8-76.4
Male	2007	252,062	402	25.3	22.8-27.8	1605	74.7	72.2-77.2
Female	2590	252,430	468	25.5	23.0-28.0	2122	74.5	72.0-77.0
Native	112	21,293	38	41.9	29.7-54.1	74	58.1	45.9-70.3
Non-Native	4427	476,580	822	24.8	23.0-26.6	3605	75.2	73.4-77.0
18-24	237	75,584	54	22.6	16.7-28.5	183	77.4	71.5-83.3
25-34	491	87,309	205	48.1	42.8-53.4	286	51.9	46.6-57.2
35-44	513	71,087	212	45.2	39.7-50.7	301	54.8	49.3-60.3
45-54	815	85,569	183	23.2	19.5-26.9	632	76.8	73.1-80.5
55-64	1012	83,338	129	12.7	10.2-15.2	883	87.3	84.8-89.8
65+	1490	98,142	83	6.3	04.5-08.1	1407	93.7	91.9-95.5
Less Than H.S.	314	48,320	36	18.1	11.6-24.6	278	81.9	75.4-88.4
H.S. or G.E.D.	1341	139,373	196	22.4	19.1-25.7	1145	77.6	74.3-80.9
Some Post-H.S.	1456	194,050	298	28.0	24.9-31.1	1158	72.0	68.9-75.1
College Graduate	1481	121,804	338	27.6	24.7-30.5	1143	72.4	69.5-75.3
Less than \$15,000	336	38,622	82	29.9	22.5-37.3	254	70.1	62.7-77.5
\$15,000- 24,999	569	61,136	106	27.8	22.1-33.5	463	72.2	66.5-77.9
\$25,000- 34,999	480	52,535	82	26.9	20.8-33.0	398	73.1	67.0-79.2
\$35,000- 49,999	684	76,167	113	23.5	19.0-28.0	571	76.5	72.0-81.0
\$50,000- 74,999	715	76,842	152	26.6	22.3-30.9	563	73.4	69.1-77.7
\$75,000+	1258	138,486	278	27.7	24.2-31.2	980	72.3	68.8-75.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 18: HIV/AIDS**

**TABLE 2: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2007	252,062	402	25.3	22.8-27.8	1605	74.7	72.2-77.2
Non-Native	1926	236,922	379	24.5	22.0-27.0	1547	75.5	73.0-78.0
18-24	118	40,429	18	16.2	08.8-23.6	100	83.8	76.4-91.2
25-34	262	47,112	93	43.1	35.8-50.4	169	56.9	49.6-64.2
35-44	242	36,473	85	44.6	36.6-52.6	157	55.4	47.4-63.4
45-54	384	42,385	82	22.4	17.3-27.5	302	77.6	72.5-82.7
55-64	466	42,053	70	15.1	10.8-19.4	396	84.9	80.6-89.2
65+	525	42,674	52	10.5	06.8-14.2	473	89.5	85.8-93.2
Less Than H.S.	154	29,520	22	20.3	11.3-29.3	132	79.7	70.7-88.7
H.S. or G.E.D.	623	79,194	118	25.1	20.4-29.8	505	74.9	70.2-79.6
Some Post-H.S.	603	88,466	132	29.0	24.1-33.9	471	71.0	66.1-75.9
College Graduate	626	54,801	130	22.1	18.0-26.2	496	77.9	73.8-82.0
Less than \$15,000	116	16,850	34	32.4	20.4-44.4	82	67.6	55.6-79.6
\$15,000- 24,999	217	30,203	42	21.9	14.5-29.3	175	78.1	70.7-85.5
\$25,000- 34,999	200	26,377	41	30.4	21.0-39.8	159	69.6	60.2-79.0
\$35,000- 49,999	354	43,291	60	21.6	15.7-27.5	294	78.4	72.5-84.3
\$50,000- 74,999	319	37,799	70	30.6	23.7-37.5	249	69.4	62.5-76.3
\$75,000+	662	76,493	134	25.0	20.5-29.5	528	75.0	70.5-79.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012  
SECTION 18: HIV/AIDS**

**TABLE 3: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2590	252,430	468	25.5	23.1-27.9	2122	74.5	72.1-76.9
Native	63	9,660	20	37.3	21.4-53.2	43	62.7	46.8-78.6
Non-Native	2501	239,658	443	25.1	22.6-27.6	2058	74.9	72.4-77.4
18-24	119	35,155	36	30.0	21.0-39.0	83	70.0	61.0-79.0
25-34	229	40,197	112	53.8	46.2-61.4	117	46.2	38.6-53.8
35-44	271	34,614	127	45.8	38.4-53.2	144	54.2	46.8-61.6
45-54	431	43,183	101	24.0	18.7-29.3	330	76.0	70.7-81.3
55-64	546	41,284	59	10.2	07.1-13.3	487	89.8	86.7-92.9
65+	965	55,469	31	3.1	01.7-04.5	934	96.9	95.5-98.3
Less Than H.S.	160	18,799	14	14.6	06.0-23.2	146	85.4	76.8-94.0
H.S. or G.E.D.	718	60,179	78	18.8	14.3-23.3	640	81.2	76.7-85.7
Some Post-H.S.	853	105,584	166	27.1	22.8-31.4	687	72.9	68.6-77.2
College Graduate	855	67,003	208	32.1	28.0-36.2	647	67.9	63.8-72.0
Less than \$15,000	220	21,772	48	28.0	18.6-37.4	172	72.0	62.6-81.4
\$15,000- 24,999	352	30,933	64	33.5	25.7-41.3	288	66.5	58.7-74.3
\$25,000- 34,999	280	26,158	41	23.3	15.5-31.1	239	76.7	68.9-84.5
\$35,000- 49,999	330	32,876	53	26.2	18.9-33.5	277	73.8	66.5-81.1
\$50,000- 74,999	396	39,043	82	22.8	17.5-28.1	314	77.2	71.9-82.5
\$75,000+	596	61,993	144	31.0	25.9-36.1	452	69.0	63.9-74.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012**

End of Calculated Variable Data Report