

NORTH DAKOTA

2012 ADULT Land Line Only Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3362	478,523	2112	52.1	49.4-54.8	1250	47.9	45.2-50.6
Male	1351	237,705	827	47.6	43.7-51.5	524	52.4	48.5-56.3
Female	2011	240,817	1285	56.4	52.9-59.9	726	43.6	40.1-47.1
Native	79	21,221	47	54.9	40.4-69.4	32	45.1	30.6-59.6
Non-Native	3236	451,551	2043	52.1	49.4-54.8	1193	47.9	45.2-50.6
18-24	80	69,800	22	24.7	14.7-34.7	58	75.3	65.3-85.3
25-34	246	97,275	116	42.5	35.4-49.6	130	57.5	50.4-64.6
35-44	389	73,559	199	49.2	43.5-54.9	190	50.8	45.1-56.5
45-54	638	81,967	390	58.6	54.3-62.9	248	41.4	37.1-45.7
55-64	797	72,648	554	68.3	64.6-72.0	243	31.7	28.0-35.4
65+	1178	80,523	810	68.6	65.7-71.5	368	31.4	28.5-34.3
Less Than H.S.	221	44,062	124	43.6	33.2-54.0	97	56.4	46.0-66.8
H.S. or G.E.D.	970	130,567	581	48.6	43.3-53.9	389	51.4	46.1-56.7
Some Post-H.S.	1073	188,128	694	54.3	49.8-58.8	379	45.7	41.2-50.2
College Graduate	1096	115,615	711	55.5	51.0-60.0	385	44.5	40.0-49.0
Less than \$15,000	208	29,558	123	50.8	39.4-62.2	85	49.2	37.8-60.6
\$15,000- 24,999	403	49,798	248	47.7	39.3-56.1	155	52.3	43.9-60.7
\$25,000- 34,999	322	43,928	191	45.7	36.5-54.9	131	54.3	45.1-63.5
\$35,000- 49,999	491	69,764	319	55.7	48.4-63.0	172	44.3	37.0-51.6
\$50,000- 74,999	553	80,314	355	56.5	50.4-62.6	198	43.5	37.4-49.6
\$75,000+	952	135,493	625	56.3	51.6-61.0	327	43.7	39.0-48.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1351	237,705	827	47.6	43.7-51.5	524	52.4	48.5-56.3
Non-Native	1294	225,948	791	47.0	42.9-51.1	503	53.0	48.9-57.1
25-34	108	49,883	38	33.4	23.6-43.2	70	66.6	56.8-76.4
35-44	167	37,608	87	53.2	44.8-61.6	80	46.8	38.4-55.2
45-54	278	40,025	175	58.7	52.0-65.4	103	41.3	34.6-48.0
55-64	352	36,381	250	69.4	63.7-75.1	102	30.6	24.9-36.3
65+	399	34,621	268	67.0	61.9-72.1	131	33.0	27.9-38.1
Less Than H.S.	108	25,571	51	32.0	21.0-43.0	57	68.0	57.0-79.0
H.S. or G.E.D.	397	71,377	229	44.6	37.0-52.2	168	55.4	47.8-63.0
Some Post-H.S.	416	86,421	264	52.8	46.1-59.5	152	47.2	40.5-53.9
College Graduate	429	54,258	282	50.6	43.3-57.9	147	49.4	42.1-56.7
Less than \$15,000	67	15,401	31	41.7	23.7-59.7	36	58.3	40.3-76.3
\$15,000- 24,999	142	25,551	73	39.8	27.3-52.3	69	60.2	47.7-72.7
\$25,000- 34,999	114	17,055	70	47.2	32.5-61.9	44	52.8	38.1-67.5
\$35,000- 49,999	246	41,614	161	52.1	42.3-61.9	85	47.9	38.1-57.7
\$50,000- 74,999	230	38,553	142	50.6	41.8-59.4	88	49.4	40.6-58.2
\$75,000+	456	76,098	299	51.7	45.0-58.4	157	48.3	41.6-55.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2011	240,817	1285	56.4	52.9-59.9	726	43.6	40.1-47.1
Native	51	13,496	28	47.5	29.5-65.5	23	52.5	34.5-70.5
Non-Native	1942	225,603	1252	57.2	53.5-60.9	690	42.8	39.1-46.5
25-34	138	47,392	78	52.0	41.8-62.2	60	48.0	37.8-58.2
35-44	222	35,951	112	45.0	37.6-52.4	110	55.0	47.6-62.4
45-54	360	41,942	215	58.5	52.8-64.2	145	41.5	35.8-47.2
55-64	445	36,267	304	67.2	62.3-72.1	141	32.8	27.9-37.7
65+	779	45,902	542	69.8	66.3-73.3	237	30.2	26.7-33.7
Less Than H.S.	113	18,491	73	59.6	42.9-76.3	40	40.4	23.7-57.1
H.S. or G.E.D.	573	59,190	352	53.5	46.4-60.6	221	46.5	39.4-53.6
Some Post-H.S.	657	101,707	430	55.5	49.4-61.6	227	44.5	38.4-50.6
College Graduate	667	61,357	429	59.8	54.7-64.9	238	40.2	35.1-45.3
Less than \$15,000	141	14,157	92	60.7	48.4-73.0	49	39.3	27.0-51.6
\$15,000- 24,999	261	24,247	175	56.2	45.6-66.8	86	43.8	33.2-54.4
\$25,000- 34,999	208	26,873	121	44.8	32.8-56.8	87	55.2	43.2-67.2
\$35,000- 49,999	245	28,150	158	61.1	51.7-70.5	87	38.9	29.5-48.3
\$50,000- 74,999	323	41,760	213	61.9	54.1-69.7	110	38.1	30.3-45.9
\$75,000+	496	59,395	326	62.1	56.2-68.0	170	37.9	32.0-43.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3460	492,104	276	5.7	04.9-06.5	19	0.8	00.0-01.6	3165	93.5	92.3-94.7
Male	1398	246,081	120	5.9	04.5-07.3				1278	94.1	92.7-95.5
Female	2062	246,023	156	5.5	04.3-06.7	19	1.6	00.2-03.0	1887	92.8	91.0-94.6
Native	79	21,221	4	7.6	00.0-15.4				75	92.4	84.6-0100
Non-Native	3333	465,028	267	5.6	04.8-06.4	19	0.9	00.1-01.7	3047	93.5	92.5-94.5
18-24	80	69,800							80	100.0	0100-0100
25-34	259	102,743	4	1.2	00.0-02.6	3	2.5	00.0-05.6	252	96.3	93.0-99.6
35-44	398	75,043	20	5.7	03.0-08.4	6	1.0	00.2-01.8	372	93.3	90.4-96.2
45-54	654	84,075	47	7.9	05.5-10.3	4	0.4	00.0-00.8	603	91.8	89.3-94.3
55-64	818	74,571	70	8.6	06.4-10.8	3	0.4	00.0-00.8	745	91.0	88.8-93.2
65+	1215	82,964	134	11.6	09.6-13.6	2	0.1	00.0-00.3	1079	88.3	86.3-90.3
Less Than H.S.	222	44,340	23	7.4	03.7-11.1	1	3.4	00.0-09.9	198	89.2	82.1-96.3
H.S. or G.E.D.	1001	134,484	73	5.3	03.7-06.9	4	0.2	00.0-00.4	924	94.5	92.9-96.1
Some Post-H.S.	1103	193,273	97	6.4	04.8-08.0	6	0.8	00.0-01.6	1000	92.8	91.0-94.6
College Graduate	1131	119,727	82	4.5	03.3-05.7	8	0.6	00.2-01.0	1041	94.8	93.6-96.0
Less than \$15,000	215	29,961	17	6.5	02.6-10.4				198	93.5	89.6-97.4
\$15,000- 24,999	410	51,220	41	6.8	04.1-09.5	1	0.1	00.0-00.3	368	93.1	90.4-95.8
\$25,000- 34,999	331	44,716	29	5.7	03.3-08.1	2	3.4	00.0-09.9	300	90.9	84.4-97.4
\$35,000- 49,999	506	71,493	47	7.0	04.5-09.5	2	0.3	00.0-00.7	457	92.7	90.2-95.2
\$50,000- 74,999	569	82,914	45	5.8	03.6-08.0	5	0.9	00.0-01.9	519	93.3	90.9-95.7
\$75,000+	981	140,685	64	5.2	03.6-06.8	5	0.4	00.0-00.8	912	94.4	92.8-96.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1398	246,081	120	5.9	04.5-07.3	1278	94.1	92.7-95.5
Non-Native	1340	234,219	116	5.9	04.5-07.3	1224	94.1	92.7-95.5
25-34	116	53,519	1	0.4	00.0-01.2	115	99.6	98.8-0100
35-44	172	38,544	8	6.2	01.5-10.9	164	93.8	89.1-98.5
45-54	286	41,287	23	9.1	05.2-13.0	263	90.9	87.0-94.8
55-64	367	37,940	34	9.0	05.7-12.3	333	91.0	87.7-94.3
65+	410	35,602	54	13.5	09.8-17.2	356	86.5	82.8-90.2
Less Than H.S.	109	25,845	12	8.9	03.0-14.8	97	91.1	85.2-97.0
H.S. or G.E.D.	411	74,296	32	5.3	03.1-07.5	379	94.7	92.5-96.9
Some Post-H.S.	429	89,863	41	6.7	04.3-09.1	388	93.3	90.9-95.7
College Graduate	448	55,999	35	4.1	02.5-05.7	413	95.9	94.3-97.5
Less than \$15,000	69	15,301	5	3.8	00.1-07.5	64	96.2	92.5-99.9
\$15,000- 24,999	146	26,039	10	5.7	01.4-10.0	136	94.3	90.0-98.6
\$25,000- 34,999	115	17,133	14	7.7	03.2-12.2	101	92.3	87.8-96.8
\$35,000- 49,999	254	42,785	29	8.1	04.4-11.8	225	91.9	88.2-95.6
\$50,000- 74,999	237	40,110	14	4.9	01.6-08.2	223	95.1	91.8-98.4
\$75,000+	477	80,633	39	5.7	03.5-07.9	438	94.3	92.1-96.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2062	246,023	156	5.5	04.3-06.7	19	1.6	00.2-03.0	1887	92.8	91.0-94.6
Native	51	13,496	3	7.7	00.0-17.1				48	92.3	82.9-0100
Non-Native	1993	230,809	151	5.4	04.4-06.4	19	1.7	00.3-03.1	1823	92.9	91.1-94.7
25-34	143	49,223	3	2.1	00.0-04.8	3	5.1	00.0-11.6	137	92.8	85.9-99.7
35-44	226	36,499	12	5.1	02.2-08.0	6	2.1	00.3-03.9	208	92.8	89.5-96.1
45-54	368	42,788	24	6.7	03.8-09.6	4	0.7	00.0-01.5	340	92.6	89.5-95.7
55-64	451	36,630	36	8.1	05.4-10.8	3	0.7	00.0-01.7	412	91.1	88.2-94.0
65+	805	47,361	80	10.2	07.8-12.6	2	0.2	00.0-00.4	723	89.6	87.2-92.0
Less Than H.S.	113	18,495	11	5.3	01.6-09.0	1	8.1	00.0-22.8	101	86.6	72.1-0100
H.S. or G.E.D.	590	60,188	41	5.2	03.0-07.4	4	0.5	00.0-01.1	545	94.3	92.1-96.5
Some Post-H.S.	674	103,410	56	6.1	04.1-08.1	6	1.4	00.0-03.0	612	92.5	90.0-95.0
College Graduate	683	63,728	47	4.9	03.3-06.5	8	1.2	00.4-02.0	628	94.0	92.2-95.8
Less than \$15,000	146	14,660	12	9.4	02.7-16.1				134	90.6	83.9-97.3
\$15,000- 24,999	264	25,180	31	7.9	04.8-11.0	1	0.2	00.0-00.6	232	91.9	88.8-95.0
\$25,000- 34,999	216	27,583	15	4.4	01.7-07.1	2	5.6	00.0-15.8	199	90.0	79.8-0100
\$35,000- 49,999	252	28,708	18	5.4	02.7-08.1	2	0.7	00.0-01.9	232	93.9	91.0-96.8
\$50,000- 74,999	332	42,804	31	6.6	03.7-09.5	5	1.7	00.0-03.5	296	91.6	88.3-94.9
\$75,000+	504	60,052	25	4.5	02.1-06.9	5	0.8	00.0-01.6	474	94.7	92.2-97.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28	MALES AND FEMALES	38
29	MALES ONLY	39
30	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	467	44,287	8	4.2	00.0-09.1	16	4.7	02.0-07.4	90	24.0	18.9-29.1	186	38.6	33.3-43.9	167	28.6	24.1-33.1
Male	217	23,806	5	2.7	00.0-05.4	8	5.1	00.8-09.4	44	26.0	18.6-33.4	89	38.6	31.2-46.0	71	27.7	21.4-34.0
Female	250	20,481	3	5.9	00.0-15.9	8	4.3	00.8-07.8	46	21.6	14.9-28.3	97	38.5	30.7-46.3	96	29.6	22.9-36.3
Non-Native	448	41,557	8	4.5	00.0-09.8	13	4.4	01.5-07.3	84	22.5	17.4-27.6	179	38.8	33.3-44.3	164	29.8	25.1-34.5
45-54	51	7,107	2	6.1	00.0-14.7	1	2.2	00.0-06.5	29	57.3	42.2-72.4	19	34.4	19.9-48.9			
55-64	121	11,890	3	1.6	00.0-03.6	4	2.7	00.0-05.8	31	27.0	17.2-36.8	75	60.3	50.1-70.5	8	8.4	02.5-14.3
65+	280	21,211	2	0.6	00.0-01.4	7	2.5	00.5-04.5	21	7.0	03.9-10.1	91	34.9	28.6-41.2	159	54.9	48.4-61.4
Less Than H.S.	65	8,160	2	1.6	00.0-03.8	4	11.7	00.3-23.1	4	10.0	00.0-20.8	20	31.8	19.1-44.5	35	44.9	31.4-58.4
H.S. or G.E.D.	146	12,073	1	0.8	00.0-02.4	6	3.2	00.5-05.9	31	28.0	18.4-37.6	57	41.0	31.8-50.2	51	27.0	19.4-34.6
Some Post-H.S.	145	16,494	3	9.3	00.0-21.6	3	2.7	00.0-05.8	26	22.5	13.7-31.3	63	40.4	30.4-50.4	50	25.1	17.5-32.7
College Graduate	111	7,560	2	1.3	00.0-03.1	3	4.1	00.0-09.8	29	35.7	24.5-46.9	46	37.9	27.9-47.9	31	21.0	13.6-28.4
Less than \$15,000	64	6,570	2	5.2	00.0-13.4	6	13.2	02.2-24.2	11	21.6	08.3-34.9	26	39.5	24.8-54.2	19	20.5	10.9-30.1
\$15,000- 24,999	81	8,259	1	13.3	00.0-36.0	2	5.6	00.0-14.8	12	16.4	04.8-28.0	28	31.3	17.6-45.0	38	33.4	19.9-46.9
\$25,000- 34,999	70	6,450	1	1.1	00.0-03.3	4	3.2	00.0-06.7	14	31.4	15.5-47.3	19	26.5	14.2-38.8	32	37.8	24.3-51.3
\$35,000- 49,999	67	6,270	1	1.5	00.0-04.4				10	18.0	07.0-29.0	33	50.9	38.0-63.8	23	29.5	18.1-40.9
\$50,000- 74,999	54	4,926				1	1.2	00.0-03.6	16	33.0	18.3-47.7	26	46.8	32.1-61.5	11	19.0	07.8-30.2
\$75,000+	64	6,365	3	4.0	00.0-09.3	1	3.4	00.0-09.9	18	34.0	20.5-47.5	34	46.0	32.5-59.5	8	12.6	03.4-21.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	217	23,806	5	2.7	00.0-05.4	8	5.1	00.8-09.4	44	26.0	18.6-33.4	89	38.6	31.2-46.0	71	27.7	21.4-34.0
Non-Native	207	21,989	5	2.9	00.0-05.8	6	4.6	00.3-08.9	41	24.2	16.8-31.6	86	39.1	31.7-46.5	69	29.1	22.4-35.8
55-64	60	6,698	2	2.0	00.0-04.9	2	3.1	00.0-08.2	15	28.1	13.6-42.6	36	57.3	42.2-72.4	5	9.5	01.3-17.7
65+	118	10,611	1	0.7	00.0-02.1	3	2.3	00.0-05.0	7	5.8	01.1-10.5	41	35.2	25.8-44.6	66	56.1	46.5-65.7
H.S. or G.E.D.	69	7,144	1	1.4	00.0-04.1	3	3.4	00.0-07.3	12	24.4	10.3-38.5	34	49.3	35.6-63.0	19	21.5	11.7-31.3
Some Post-H.S.	63	8,165	2	5.3	00.0-12.7	1	1.9	00.0-05.6	15	28.0	15.3-40.7	25	38.7	25.6-51.8	20	26.0	15.0-37.0
College Graduate	57	4,234	1	0.9	00.0-02.7	2	5.9	00.0-15.7	14	32.9	17.8-48.0	24	37.7	23.8-51.6	16	22.6	11.6-33.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	250	20,481	3	5.9	00.0-15.9	8	4.3	00.8-07.8	46	21.6	14.9-28.3	97	38.5	30.7-46.3	96	29.6	22.9-36.3
Non-Native	241	19,568	3	6.2	00.0-16.6	7	4.2	00.5-07.9	43	20.5	14.0-27.0	93	38.5	30.5-46.5	95	30.6	23.7-37.5
55-64	61	5,191	1	1.1	00.0-03.3	2	2.2	00.0-05.3	16	25.6	13.8-37.4	39	64.1	51.0-77.2	3	6.9	00.0-14.7
65+	162	10,600	1	0.6	00.0-01.8	4	2.8	00.0-05.7	14	8.2	03.9-12.5	50	34.7	26.5-42.9	93	53.8	45.4-62.2
H.S. or G.E.D.	77	4,930				3	2.8	00.0-05.9	19	33.2	21.0-45.4	23	29.0	18.2-39.8	32	35.1	23.7-46.5
Some Post-H.S.	82	8,329	1	13.2	00.0-35.7	2	3.5	00.0-08.8	11	17.1	05.7-28.5	38	42.1	26.8-57.4	30	24.1	13.5-34.7
College Graduate	54	3,326	1	1.8	00.0-05.3	1	1.8	00.0-05.3	15	39.4	22.9-55.9	22	38.2	23.5-52.9	15	18.9	09.1-28.7
\$15,000- 24,999	50	4,690	1	23.4	00.0-59.1				6	13.2	01.2-25.2	20	33.7	13.7-53.7	23	29.7	11.9-47.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	485	45,438	157	33.8	28.1-39.5	328	66.2	60.5-71.9
Male	223	24,384	71	31.7	24.6-38.8	152	68.3	61.2-75.4
Female	262	21,053	86	36.2	27.2-45.2	176	63.8	54.8-72.8
Non-Native	464	42,543	144	32.6	26.7-38.5	320	67.4	61.5-73.3
45-54	50	6,816	17	35.2	20.5-49.9	33	64.8	50.1-79.5
55-64	123	12,030	49	34.6	25.2-44.0	74	65.4	56.0-74.8
65+	294	22,153	86	31.9	25.8-38.0	208	68.1	62.0-74.2
Less Than H.S.	70	8,701	22	30.6	18.8-42.4	48	69.4	57.6-81.2
H.S. or G.E.D.	150	12,306	51	34.4	25.6-43.2	99	65.6	56.8-74.4
Some Post-H.S.	148	16,486	43	34.2	22.6-45.8	105	65.8	54.2-77.4
College Graduate	117	7,944	41	35.3	25.1-45.5	76	64.7	54.5-74.9
Less than \$15,000	65	6,383	25	39.8	25.3-54.3	40	60.2	45.7-74.7
\$15,000- 24,999	83	8,358	23	33.7	14.1-53.3	60	66.3	46.7-85.9
\$25,000- 34,999	73	6,672	26	37.6	24.1-51.1	47	62.4	48.9-75.9
\$35,000- 49,999	69	6,453	19	28.9	17.3-40.5	50	71.1	59.5-82.7
\$50,000- 74,999	54	4,926	17	29.4	16.3-42.5	37	70.6	57.5-83.7
\$75,000+	66	6,459	22	32.6	19.7-45.5	44	67.4	54.5-80.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	223	24,384	71	31.7	24.6-38.8	152	68.3	61.2-75.4
Non-Native	213	22,568	65	30.8	23.7-37.9	148	69.2	62.1-76.3
55-64	60	6,698	22	31.5	18.2-44.8	38	68.5	55.2-81.8
65+	123	10,955	36	33.0	23.6-42.4	87	67.0	57.6-76.4
H.S. or G.E.D.	69	7,144	21	29.5	17.2-41.8	48	70.5	58.2-82.8
Some Post-H.S.	64	8,266	18	30.4	18.1-42.7	46	69.6	57.3-81.9
College Graduate	61	4,477	21	33.6	20.3-46.9	40	66.4	53.1-79.7
\$75,000+	50	4,990	17	31.2	17.1-45.3	33	68.8	54.7-82.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	21,053	86	36.2	27.2-45.2	176	63.8	54.8-72.8
Non-Native	251	19,975	79	34.6	25.4-43.8	172	65.4	56.2-74.6
55-64	63	5,332	27	38.4	25.7-51.1	36	61.6	48.9-74.3
65+	171	11,199	50	30.8	23.2-38.4	121	69.2	61.6-76.8
H.S. or G.E.D.	81	5,163	30	41.3	29.5-53.1	51	58.7	46.9-70.5
Some Post-H.S.	84	8,221	25	38.0	19.2-56.8	59	62.0	43.2-80.8
College Graduate	56	3,467	20	37.6	22.1-53.1	36	62.4	46.9-77.9
\$15,000- 24,999	52	4,789	15	42.8	14.8-70.8	37	57.2	29.2-85.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	484	45,520	49	10.2	07.1-13.3	132	28.4	22.7-34.1	293	59.0	53.1-64.9	10	2.4	00.6-04.2
Male	222	24,239	21	10.3	05.8-14.8	65	30.6	23.2-38.0	130	56.1	48.3-63.9	6	3.0	00.1-05.9
Female	262	21,281	28	10.1	06.0-14.2	67	25.9	16.9-34.9	163	62.4	53.6-71.2	4	1.7	00.0-03.5
Non-Native	463	42,625	48	10.8	07.5-14.1	128	28.4	22.5-34.3	277	58.3	52.4-64.2	10	2.5	00.7-04.3
45-54	51	7,107	6	10.7	02.1-19.3	14	25.1	11.8-38.4	30	60.3	45.4-75.2	1	3.9	00.0-11.3
55-64	122	11,885	15	12.7	06.0-19.4	29	22.4	14.4-30.4	73	61.6	51.8-71.4	5	3.3	00.0-06.6
65+	293	22,090	26	9.2	05.5-12.9	82	25.4	20.1-30.7	182	64.0	57.9-70.1	3	1.3	00.0-03.1
Less Than H.S.	70	8,701	9	13.0	04.2-21.8	20	26.3	14.3-38.3	41	60.6	47.5-73.7			
H.S. or G.E.D.	149	12,161	12	7.6	03.1-12.1	37	25.5	16.5-34.5	98	65.6	56.2-75.0	2	1.3	00.0-03.1
Some Post-H.S.	148	16,714	20	12.7	06.8-18.6	35	28.7	16.7-40.7	89	54.5	43.3-65.7	4	4.1	00.0-08.4
College Graduate	117	7,944	8	5.9	01.2-10.6	40	34.4	24.4-44.4	65	56.7	46.3-67.1	4	3.1	00.0-06.4
Less than \$15,000	66	6,674	9	12.6	03.6-21.6	11	15.9	04.7-27.1	44	66.6	52.3-80.9	2	4.9	00.0-12.9
\$15,000- 24,999	81	8,149	8	9.0	01.7-16.3	24	35.5	15.3-55.7	49	55.5	36.9-74.1			
\$25,000- 34,999	73	6,672	6	9.0	01.0-17.0	19	32.1	16.6-47.6	47	57.8	42.7-72.9	1	1.1	00.0-03.3
\$35,000- 49,999	69	6,453	5	6.8	00.7-12.9	19	28.7	16.9-40.5	43	61.1	48.6-73.6	2	3.5	00.0-08.8
\$50,000- 74,999	54	4,926	5	8.6	01.0-16.2	17	29.0	16.3-41.7	32	62.5	48.6-76.4			
\$75,000+	66	6,459	8	13.1	04.1-22.1	19	27.7	15.7-39.7	36	55.8	42.5-69.1	3	3.4	00.0-07.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	222	24,239	21	10.3	05.8-14.8	65	30.6	23.2-38.0	130	56.1	48.3-63.9	6	3.0	00.1-05.9
Non-Native	212	22,422	21	11.1	06.2-16.0	62	29.7	22.4-37.0	123	55.9	48.1-63.7	6	3.2	00.1-06.3
55-64	59	6,553	8	13.9	03.9-23.9	17	25.4	13.4-37.4	33	60.2	46.1-74.3	1	0.5	00.0-01.7
65+	123	10,955	7	7.4	01.7-13.1	35	25.6	17.6-33.6	78	64.3	55.1-73.5	3	2.7	00.0-06.2
H.S. or G.E.D.	68	6,998	4	6.4	00.1-12.7	16	28.3	14.4-42.2	47	64.2	50.1-78.3	1	1.1	00.0-03.3
Some Post-H.S.	64	8,266	9	12.7	04.5-20.9	14	26.3	13.0-39.6	39	55.4	41.5-69.3	2	5.5	00.0-13.1
College Graduate	61	4,477	4	7.0	00.0-14.4	27	45.4	31.5-59.3	27	43.3	29.4-57.2	3	4.4	00.0-09.9
\$75,000+	50	4,990	5	12.9	02.1-23.7	18	34.2	19.9-48.5	25	50.0	34.5-65.5	2	2.9	00.0-07.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	21,281	28	10.1	06.0-14.2	67	25.9	16.9-34.9	163	62.4	53.6-71.2	4	1.7	00.0-03.5
Non-Native	251	20,202	27	10.4	06.1-14.7	66	26.8	17.4-36.2	154	61.0	52.0-70.0	4	1.8	00.0-03.8
55-64	63	5,332	7	11.3	02.7-19.9	12	18.7	08.1-29.3	40	63.3	50.2-76.4	4	6.7	00.0-13.6
65+	170	11,135	19	11.0	05.9-16.1	47	25.3	18.2-32.4	104	63.7	55.9-71.5			
H.S. or G.E.D.	81	5,163	8	9.2	02.9-15.5	21	21.7	12.5-30.9	51	67.6	56.8-78.4	1	1.6	00.0-04.5
Some Post-H.S.	84	8,448	11	12.6	04.4-20.8	21	31.1	11.7-50.5	50	53.5	36.3-70.7	2	2.7	00.0-06.6
College Graduate	56	3,467	4	4.4	00.0-09.1	13	20.1	09.1-31.1	38	74.1	62.1-86.1	1	1.4	00.0-04.1
\$15,000- 24,999	51	4,726	7	12.1	00.9-23.3	16	40.4	11.4-69.4	28	47.5	22.6-72.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	478	45,166	267	57.7	52.2-63.2	114	23.0	18.5-27.5	35	6.9	04.4-09.4	10	1.7	00.5-02.9	52	10.7	07.4-14.0
Male	219	24,046	121	57.3	49.9-64.7	50	21.9	15.4-28.4	14	6.2	02.7-09.7	7	2.7	00.5-04.9	27	11.9	06.8-17.0
Female	259	21,119	146	58.2	50.4-66.0	64	24.3	17.8-30.8	21	7.6	03.7-11.5	3	0.6	00.0-01.4	25	9.3	05.2-13.4
Non-Native	459	42,423	255	58.3	52.8-63.8	109	21.8	17.5-26.1	35	7.3	04.6-10.0	9	1.6	00.4-02.8	51	10.9	07.6-14.2
45-54	50	6,963	29	57.7	42.4-73.0	12	22.6	09.9-35.3	5	11.5	00.9-22.1				4	8.2	00.4-16.0
55-64	123	12,030	76	60.4	50.4-70.4	23	20.2	11.8-28.6	10	7.0	02.3-11.7	3	2.4	00.0-05.1	11	10.0	04.1-15.9
65+	287	21,735	150	54.5	48.2-60.8	76	25.8	20.3-31.3	20	6.7	03.6-09.8	7	2.3	00.3-04.3	34	10.6	06.9-14.3
Less Than H.S.	69	8,598	37	53.9	40.4-67.4	18	23.6	12.6-34.6	5	7.6	00.9-14.3	1	1.6	00.0-04.7	8	13.3	02.9-23.7
H.S. or G.E.D.	145	11,955	76	54.5	45.1-63.9	38	27.1	18.5-35.7	9	4.8	01.5-08.1	4	2.2	00.0-04.6	18	11.4	05.9-16.9
Some Post-H.S.	147	16,669	88	61.5	51.7-71.3	33	20.5	12.9-28.1	11	7.8	02.5-13.1	1	0.6	00.0-01.8	14	9.5	04.2-14.8
College Graduate	117	7,944	66	58.8	48.6-69.0	25	21.4	12.4-30.4	10	7.3	02.8-11.8	4	3.4	00.0-07.1	12	9.1	03.6-14.6
Less than \$15,000	65	6,610	35	54.8	40.1-69.5	15	23.6	10.9-36.3	4	7.9	00.0-17.1	1	1.2	00.0-03.6	10	12.4	04.2-20.6
\$15,000- 24,999	80	8,218	46	62.5	47.0-78.0	18	18.2	08.0-28.4	5	5.1	00.0-10.2				11	14.1	02.9-25.3
\$25,000- 34,999	72	6,527	41	60.8	46.7-74.9	17	24.7	11.6-37.8	6	5.0	00.7-09.3	3	4.4	00.0-09.7	5	5.1	00.2-10.0
\$35,000- 49,999	69	6,453	43	63.1	50.9-75.3	13	20.8	10.0-31.6	6	6.9	01.4-12.4	2	3.3	00.0-07.8	5	5.8	00.7-10.9
\$50,000- 74,999	53	4,883	28	56.1	41.4-70.8	17	25.5	13.7-37.3	3	6.6	00.0-14.6				5	11.7	01.7-21.7
\$75,000+	66	6,459	37	55.8	42.5-69.1	12	19.7	08.3-31.1	5	7.4	00.5-14.3	2	1.6	00.0-04.0	10	15.4	06.0-24.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	24,046	121	57.3	49.9-64.7	50	21.9	15.4-28.4	14	6.2	02.7-09.7	7	2.7	00.5-04.9	27	11.9	07.0-16.8
Non-Native	210	22,333	116	58.3	50.9-65.7	48	20.4	14.5-26.3	14	6.7	03.0-10.4	6	2.5	00.3-04.7	26	12.0	06.9-17.1
55-64	60	6,698	34	58.9	44.6-73.2	15	24.2	11.5-36.9	4	6.3	00.0-13.0	3	4.3	00.0-09.2	4	6.3	00.0-12.6
65+	120	10,761	64	55.3	45.7-64.9	26	21.4	13.6-29.2	8	6.9	02.0-11.8	4	3.3	00.0-06.8	18	13.1	07.0-19.2
H.S. or G.E.D.	66	6,909	36	55.7	41.8-69.6	15	24.8	12.3-37.3	3	3.4	00.0-07.3	2	2.6	00.0-06.1	10	13.5	05.1-21.9
Some Post-H.S.	64	8,266	39	62.3	49.4-75.2	16	23.3	11.7-34.9	4	6.5	00.0-13.0	1	1.2	00.0-03.6	4	6.7	00.2-13.2
College Graduate	61	4,477	31	56.3	42.6-70.0	15	20.5	10.3-30.7	3	4.4	00.0-09.3	3	5.0	00.0-11.1	9	13.8	04.4-23.2
\$75,000+	50	4,990	26	55.7	40.8-70.6	8	14.6	04.4-24.8	5	9.5	00.9-18.1	2	2.1	00.0-05.2	9	17.9	06.5-29.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	259	21,119	146	58.2	50.4-66.0	64	24.3	17.8-30.8	21	7.6	03.7-11.5	3	0.6	00.0-01.4	25	9.3	05.2-13.4
Non-Native	249	20,090	139	58.2	50.2-66.2	61	23.4	17.1-29.7	21	8.0	03.9-12.1	3	0.7	00.0-01.5	25	9.8	05.5-14.1
55-64	63	5,332	42	62.3	49.0-75.6	8	15.2	04.8-25.6	6	7.9	01.6-14.2				7	14.5	04.1-24.9
65+	167	10,974	86	53.8	45.6-62.0	50	30.2	22.6-37.8	12	6.6	02.5-10.7	3	1.2	00.0-02.6	16	8.2	03.9-12.5
H.S. or G.E.D.	79	5,046	40	52.9	40.9-64.9	23	30.2	19.0-41.4	6	6.8	01.1-12.5	2	1.7	00.0-04.1	8	8.5	02.4-14.6
Some Post-H.S.	83	8,403	49	60.7	45.8-75.6	17	17.8	08.4-27.2	7	9.0	00.8-17.2				10	12.4	04.0-20.8
College Graduate	56	3,467	35	62.0	46.3-77.7	10	22.6	06.9-38.3	7	10.9	02.7-19.1	1	1.4	00.0-04.1	3	3.0	00.0-06.5
\$15,000- 24,999	51	4,740	27	62.1	40.7-83.5	13	21.1	06.4-35.8	4	5.9	00.0-12.6				7	10.8	00.4-21.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	475	44,941	86	16.8	13.1-20.5	124	26.1	21.2-31.0	64	13.4	09.9-16.9	80	17.5	12.2-22.8	49	10.5	07.2-13.8	72	15.8	11.9-19.7
Male	219	23,932	34	15.1	10.0-20.2	60	29.1	21.7-36.5	25	11.0	06.5-15.5	36	14.7	09.8-19.6	27	12.7	07.6-17.8	37	17.5	11.4-23.6
Female	256	21,009	52	18.7	13.0-24.4	64	22.6	16.5-28.7	39	16.2	10.5-21.9	44	20.6	11.2-30.0	22	8.1	04.2-12.0	35	13.8	08.9-18.7
Non-Native	455	42,116	85	17.5	13.6-21.4	118	25.6	20.7-30.5	60	13.5	09.8-17.2	78	18.0	12.5-23.5	42	8.6	05.7-11.5	72	16.8	12.7-20.9
45-54	51	7,107	7	13.7	03.3-24.1	15	30.3	16.0-44.6	10	20.8	08.6-33.0	8	12.3	03.7-20.9	5	12.4	01.2-23.6	6	10.6	02.2-19.0
55-64	122	11,960	21	17.0	09.6-24.4	34	26.4	17.2-35.6	17	14.5	07.6-21.4	25	19.8	12.2-27.4	10	7.9	02.0-13.8	15	14.5	07.1-21.9
65+	285	21,671	56	19.5	14.4-24.6	68	22.7	17.4-28.0	36	11.8	07.9-15.7	43	15.1	10.4-19.8	34	13.5	09.0-18.0	48	17.4	12.5-22.3
Less Than H.S.	69	8,466	12	15.0	06.4-23.6	14	20.9	09.1-32.7	8	12.5	03.1-21.9	7	10.4	03.0-17.8	11	14.3	05.5-23.1	17	27.0	14.7-39.3
H.S. or G.E.D.	143	11,988	26	17.2	10.3-24.1	39	28.1	18.9-37.3	25	17.9	10.6-25.2	23	16.4	09.5-23.3	14	10.5	04.2-16.8	16	9.8	04.7-14.9
Some Post-H.S.	146	16,543	28	17.6	10.7-24.5	39	27.5	18.3-36.7	20	12.1	06.4-17.8	26	21.0	09.0-33.0	9	6.5	01.8-11.2	24	15.2	08.7-21.7
College Graduate	117	7,944	20	16.2	08.4-24.0	32	25.5	16.9-34.1	11	10.2	03.9-16.5	24	19.1	11.5-26.7	15	15.0	06.6-23.4	15	14.0	06.0-22.0
Less than \$15,000	65	6,640	9	8.7	02.6-14.8	18	29.1	15.2-43.0	10	16.2	04.8-27.6	9	13.4	04.4-22.4	8	18.6	05.7-31.5	11	14.1	05.1-23.1
\$15,000- 24,999	78	8,108	17	19.1	08.3-29.9	19	21.6	09.3-33.9	9	10.2	02.6-17.8	10	21.2	00.0-43.2	6	5.4	00.5-10.3	17	22.4	09.5-35.3
\$25,000- 34,999	72	6,608	11	13.5	04.9-22.1	27	42.1	27.0-57.2	11	14.7	04.9-24.5	11	12.1	04.1-20.1	7	10.5	02.1-18.9	5	7.1	00.6-13.6
\$35,000- 49,999	67	6,283	11	13.2	05.2-21.2	14	21.6	10.8-32.4	11	16.8	07.4-26.2	14	20.5	10.3-30.7	6	8.2	01.7-14.7	11	19.7	08.3-31.1
\$50,000- 74,999	54	4,926	11	23.7	10.0-37.4	7	10.3	02.7-17.9	6	13.1	02.7-23.5	14	23.3	11.1-35.5	5	6.3	00.6-12.0	11	23.3	10.6-36.0
\$75,000+	66	6,459	13	18.5	07.9-29.1	21	30.9	18.6-43.2	8	12.1	03.7-20.5	10	15.7	06.1-25.3	7	12.0	02.4-21.6	7	10.8	02.0-19.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	23,932	34	15.1	10.0-20.2	60	29.1	21.7-36.5	25	11.0	06.5-15.5	36	14.7	09.8-19.6	27	12.7	07.6-17.8	37	17.5	11.4-23.6
Non-Native	209	22,115	34	16.3	10.8-21.8	57	28.1	20.8-35.4	23	11.2	06.5-15.9	35	15.1	10.0-20.2	23	10.4	05.9-14.9	37	18.9	12.4-25.4
55-64	60	6,698	11	18.1	07.1-29.1	19	30.7	16.8-44.6	8	14.4	04.6-24.2	11	16.9	06.7-27.1	4	8.2	00.0-17.6	7	11.7	02.3-21.1
65+	120	10,737	19	16.7	09.4-24.0	30	24.2	16.0-32.4	12	8.2	03.5-12.9	18	14.7	07.6-21.8	19	17.4	09.8-25.0	22	18.8	11.2-26.4
H.S. or G.E.D.	67	7,026	11	15.3	05.9-24.7	18	29.7	16.0-43.4	13	19.0	08.6-29.4	12	17.1	07.3-26.9	7	11.0	01.6-20.4	6	8.0	01.5-14.5
Some Post-H.S.	63	8,165	10	15.4	06.4-24.4	16	29.4	15.7-43.1	7	11.4	03.0-19.8	11	15.8	06.4-25.2	7	11.1	02.3-19.9	12	16.9	07.5-26.3
College Graduate	61	4,477	10	18.3	06.3-30.3	18	27.1	15.1-39.1	3	5.0	00.0-10.9	10	14.2	05.2-23.2	8	14.0	04.4-23.6	12	21.5	08.6-34.4
\$75,000+	50	4,990	7	16.0	03.7-28.3	17	32.6	18.3-46.9	5	9.3	00.7-17.9	10	20.4	08.1-32.7	5	9.1	01.1-17.1	6	12.7	01.5-23.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LANDWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	256	21,009	52	18.7	13.0-24.4	64	22.6	16.5-28.7	39	16.2	10.5-21.9	44	20.6	11.2-30.0	22	8.1	04.2-12.0	35	13.8	08.9-18.7
Non-Native	246	20,001	51	18.8	12.9-24.7	61	22.8	16.5-29.1	37	16.1	10.2-22.0	43	21.2	11.4-31.0	19	6.6	03.5-09.7	35	14.5	09.4-19.6
55-64	62	5,262	10	15.6	05.8-25.4	15	20.8	10.6-31.0	9	14.6	05.0-24.2	14	23.4	11.6-35.2	6	7.5	01.6-13.4	8	18.1	06.5-29.7
65+	165	10,934	37	22.3	15.2-29.4	38	21.3	14.6-28.0	24	15.3	09.0-21.6	25	15.4	09.3-21.5	15	9.7	04.8-14.6	26	16.1	10.0-22.2
H.S. or G.E.D.	76	4,961	15	19.9	10.1-29.7	21	25.8	15.2-36.4	12	16.4	07.2-25.6	11	15.6	06.6-24.6	7	9.8	02.7-16.9	10	12.5	04.9-20.1
Some Post-H.S.	83	8,378	18	19.7	08.9-30.5	23	25.7	13.5-37.9	13	12.9	04.9-20.9	15	26.1	05.7-46.5	2	2.1	00.0-05.0	12	13.5	04.9-22.1
College Graduate	56	3,467	10	13.6	04.8-22.4	14	23.3	11.3-35.3	8	16.9	05.1-28.7	14	25.5	12.6-38.4	7	16.4	01.9-30.9	3	4.3	00.0-09.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	460	43,657	246	53.0	47.1-58.9	137	30.3	24.6-36.0	7	2.0	00.0-04.0	3	0.6	00.0-01.4	51	9.7	06.8-12.6	16	4.5	01.8-07.2
Male	209	23,054	110	51.3	43.3-59.3	63	29.3	22.4-36.2	1	1.3	00.0-03.8	2	0.7	00.0-01.9	26	11.8	07.1-16.5	7	5.7	01.0-10.4
Female	251	20,603	136	54.9	46.3-63.5	74	31.5	22.3-40.7	6	2.7	00.0-05.4	1	0.4	00.0-01.2	25	7.5	04.2-10.8	9	3.1	00.7-05.5
Non-Native	443	41,162	237	53.0	47.1-58.9	134	31.6	25.7-37.5	5	0.7	00.1-01.3	3	0.6	00.0-01.4	49	9.5	06.6-12.4	15	4.5	01.6-07.4
45-54	50	6,949	25	52.1	36.8-67.4	18	35.3	20.8-49.8	1	3.8	00.0-11.1				6	8.9	01.5-16.3			
55-64	119	11,559	63	53.1	42.7-63.5	44	34.8	25.2-44.4	2	3.2	00.0-08.3				7	5.3	01.2-09.4	3	3.7	00.0-08.0
65+	274	20,783	149	54.4	47.9-60.9	69	24.6	19.1-30.1	4	1.1	00.0-02.3	3	1.2	00.0-02.6	37	13.5	09.0-18.0	12	5.2	01.9-08.5
Less Than H.S.	62	7,847	32	55.7	41.8-69.6	10	15.0	05.6-24.4	1	1.1	00.0-03.3	1	1.1	00.0-03.3	12	15.6	06.6-24.6	6	11.3	02.3-20.3
H.S. or G.E.D.	139	11,635	71	48.6	39.0-58.2	43	33.4	24.4-42.4	2	3.2	00.0-08.3				17	8.8	04.3-13.3	6	6.1	00.0-13.5
Some Post-H.S.	144	16,349	82	55.0	43.8-66.2	42	33.1	21.3-44.9	1	0.3	00.0-00.9	2	1.0	00.0-02.6	15	9.0	04.1-13.9	2	1.5	00.0-03.9
College Graduate	115	7,825	61	52.4	41.8-63.0	42	35.1	25.3-44.9	3	4.4	00.0-10.9				7	6.8	00.5-13.1	2	1.3	00.0-03.1
Less than \$15,000	64	6,451	28	50.6	35.7-65.5	13	18.9	07.5-30.3	3	6.8	00.0-16.0				17	18.8	09.2-28.4	3	4.9	00.0-11.4
\$15,000- 24,999	75	7,844	41	50.9	32.5-69.3	25	39.4	19.4-59.4				1	1.1	00.0-03.3	7	6.7	00.8-12.6	1	1.8	00.0-05.3
\$25,000- 34,999	69	6,426	39	53.3	38.4-68.2	18	23.0	11.4-34.6				1	0.8	00.0-02.4	7	9.4	02.3-16.5	4	13.5	00.0-27.6
\$35,000- 49,999	64	6,044	34	51.2	37.9-64.5	25	39.3	26.6-52.0							5	9.4	00.2-18.6			
\$50,000- 74,999	54	4,926	28	53.5	38.8-68.2	20	37.8	23.3-52.3							4	6.1	00.0-12.2	2	2.6	00.0-06.3
\$75,000+	65	6,301	39	55.9	42.2-69.6	19	28.0	16.0-40.0	1	4.2	00.0-12.0	1	1.9	00.0-05.6	3	6.0	00.0-12.9	2	4.0	00.0-09.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	209	23,054	110	51.3	43.3-59.3	63	29.3	22.4-36.2	1	1.3	00.0-03.8	2	0.7	00.0-01.9	26	11.8	07.1-16.5	7	5.7	00.8-10.6
Non-Native	201	21,513	107	51.4	43.4-59.4	61	30.6	23.5-37.7				2	0.8	00.0-02.0	24	11.1	06.4-15.8	7	6.1	01.0-11.2
55-64	58	6,352	32	54.1	39.0-69.2	19	32.5	19.0-46.0	1	4.8	00.0-14.0				5	5.4	00.3-10.5	1	3.2	00.0-09.5
65+	112	10,129	61	52.1	41.9-62.3	29	23.8	15.6-32.0				2	1.7	00.0-04.2	15	15.9	08.3-23.5	5	6.5	00.4-12.6
H.S. or G.E.D.	63	6,691	32	45.7	31.6-59.8	23	35.4	22.1-48.7	1	4.6	00.0-13.2				6	7.8	01.5-14.1	1	6.6	00.0-18.9
Some Post-H.S.	60	7,907	32	54.6	40.7-68.5	18	30.6	17.7-43.5				2	2.1	00.0-05.2	6	9.4	02.0-16.8	2	3.2	00.0-07.9
College Graduate	60	4,409	36	58.3	44.0-72.6	17	29.5	17.0-42.0							6	11.1	00.3-21.9	1	1.1	00.0-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	251	20,603	136	54.9	46.3-63.5	74	31.5	22.3-40.7	6	2.7	00.0-05.4	1	0.4	00.0-01.2	25	7.5	04.2-10.8	9	3.1	00.7-05.5
Non-Native	242	19,648	130	54.8	45.8-63.8	73	32.6	23.2-42.0	5	1.4	00.0-02.8	1	0.5	00.0-01.5	25	7.9	04.6-11.2	8	2.8	00.6-05.0
55-64	61	5,207	31	51.8	38.1-65.5	25	37.6	24.5-50.7	1	1.1	00.0-03.3				2	5.2	00.0-12.3	2	4.3	00.0-10.4
65+	162	10,654	88	56.6	48.4-64.8	40	25.4	18.0-32.8	4	2.1	00.0-04.3	1	0.8	00.0-02.4	22	11.1	06.4-15.8	7	3.9	00.8-07.0
H.S. or G.E.D.	76	4,945	39	52.5	40.5-64.5	20	30.7	19.1-42.3	1	1.4	00.0-04.1				11	10.1	04.0-16.2	5	5.3	00.4-10.2
Some Post-H.S.	84	8,442	50	55.4	38.0-72.8	24	35.4	16.4-54.4	1	0.5	00.0-01.5				9	8.7	02.4-15.0			
College Graduate	55	3,416	25	44.8	29.7-59.9	25	42.4	27.3-57.5	3	10.1	00.0-24.2				1	1.2	00.0-03.6	1	1.5	00.0-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	480	45,231	120	25.6	20.7-30.5	112	22.5	18.0-27.0	47	11.0	07.7-14.3	62	14.0	08.9-19.1	30	6.2	03.7-08.7	109	20.7	16.6-24.8
Male	219	24,066	51	24.6	17.7-31.5	55	24.7	17.8-31.6	23	12.2	07.1-17.3	26	10.6	06.3-14.9	12	6.3	02.4-10.2	52	21.6	15.7-27.5
Female	261	21,165	69	26.6	19.7-33.5	57	20.0	14.3-25.7	24	9.6	05.5-13.7	36	17.8	08.4-27.2	18	6.2	03.1-09.3	57	19.7	14.0-25.4
Non-Native	463	42,672	116	25.5	20.6-30.4	107	22.1	17.6-26.6	47	11.6	08.1-15.1	60	14.2	08.9-19.5	29	5.9	03.5-08.3	104	20.7	16.4-25.0
45-54	51	7,107	12	24.7	11.4-38.0	13	25.7	12.0-39.4	9	17.9	06.3-29.5	5	8.2	00.8-15.6	4	6.6	00.0-13.3	8	16.8	05.4-28.2
55-64	121	11,888	31	24.0	15.8-32.2	32	26.5	17.1-35.9	12	13.1	05.8-20.4	16	11.7	05.8-17.6	6	5.8	00.1-11.5	24	18.9	11.1-26.7
65+	290	21,798	71	24.9	19.4-30.4	63	20.4	15.5-25.3	25	8.7	05.0-12.4	39	14.5	09.8-19.2	20	7.6	03.9-11.3	72	23.8	18.5-29.1
Less Than H.S.	68	8,528	14	24.8	12.1-37.5	10	14.0	03.4-24.6	6	9.2	01.4-17.0	11	13.5	05.5-21.5	5	7.3	00.6-14.0	22	31.3	19.1-43.5
H.S. or G.E.D.	147	12,045	33	20.1	13.2-27.0	42	32.5	23.1-41.9	15	11.6	05.3-17.9	17	11.8	06.1-17.5	9	7.1	01.4-12.8	31	16.9	10.4-23.4
Some Post-H.S.	148	16,715	46	31.1	21.7-40.5	30	18.0	10.7-25.3	16	11.9	05.6-18.2	18	16.0	04.2-27.8	8	5.0	01.3-08.7	30	18.0	11.3-24.7
College Graduate	117	7,944	27	22.9	14.1-31.7	30	26.2	16.8-35.6	10	9.9	03.4-16.4	16	13.5	06.4-20.6	8	6.5	01.8-11.2	26	21.0	12.4-29.6
Less than \$15,000	64	6,493	13	23.6	10.1-37.1	17	24.2	11.5-36.9	4	8.2	00.0-17.4	8	11.2	03.0-19.4	4	8.6	00.0-18.4	18	24.1	11.9-36.3
\$15,000- 24,999	82	8,288	18	19.6	07.8-31.4	19	20.7	08.7-32.7	8	6.8	00.9-12.7	11	23.6	02.4-44.8	9	10.9	03.1-18.7	17	18.4	08.0-28.8
\$25,000- 34,999	73	6,672	16	25.0	11.7-38.3	17	22.7	09.4-36.0	10	16.6	06.0-27.2	6	5.4	00.5-10.3	3	6.1	00.0-13.4	21	24.1	13.3-34.9
\$35,000- 49,999	69	6,453	20	26.7	15.5-37.9	13	19.6	09.4-29.8	8	14.1	05.1-23.1	14	18.9	09.3-28.5	2	3.3	00.0-07.8	12	17.3	07.1-27.5
\$50,000- 74,999	52	4,784	16	31.9	17.2-46.6	11	22.0	09.7-34.3	4	9.8	00.0-19.8	10	14.9	05.5-24.3	4	5.6	00.1-11.1	7	15.8	04.6-27.0
\$75,000+	66	6,459	17	28.4	16.1-40.7	21	31.5	18.8-44.2	7	9.7	02.1-17.3	3	7.5	00.0-15.7	2	2.3	00.0-05.4	16	20.7	10.5-30.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	24,066	51	24.6	17.7-31.5	55	24.7	17.6-31.8	23	12.2	07.1-17.3	26	10.6	06.3-14.9	12	6.3	02.4-10.2	52	21.6	15.7-27.5
Non-Native	212	22,506	50	24.6	17.9-31.3	53	24.8	17.7-31.9	23	13.0	07.5-18.5	25	10.6	06.3-14.9	11	5.4	02.1-08.7	50	21.7	15.6-27.8
55-64	59	6,636	15	24.2	12.2-36.2	17	29.5	15.2-43.8	6	12.8	02.8-22.8	4	7.2	00.1-14.3	4	8.6	00.0-18.2	13	17.7	06.9-28.5
65+	120	10,699	27	23.3	14.9-31.7	30	23.0	15.2-30.8	10	8.5	03.0-14.0	18	14.8	07.7-21.9	6	6.0	00.7-11.3	29	24.4	16.0-32.8
H.S. or G.E.D.	68	7,061	13	16.3	07.5-25.1	23	36.0	22.1-49.9	9	13.8	04.2-23.4	9	12.1	04.3-19.9	3	7.1	00.0-15.9	11	14.7	05.5-23.9
Some Post-H.S.	63	8,203	18	31.1	18.2-44.0	13	21.4	09.8-33.0	7	13.2	03.4-23.0	8	10.6	03.0-18.2	5	6.5	00.4-12.6	12	17.2	07.8-26.6
College Graduate	61	4,477	14	25.3	12.4-38.2	16	22.4	11.8-33.0	4	7.3	00.0-14.7	7	11.4	01.8-21.0	2	4.3	00.0-10.4	18	29.1	15.8-42.4
\$75,000+	50	4,990	13	31.3	16.4-46.2	14	25.2	12.1-38.3	4	6.7	00.0-14.0	3	9.7	00.0-20.3	2	2.9	00.0-07.0	14	24.2	11.7-36.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	261	21,165	69	26.6	19.9-33.3	57	20.0	14.3-25.7	24	9.6	05.5-13.7	36	17.8	08.4-27.2	18	6.2	03.1-09.3	57	19.7	14.0-25.4
Non-Native	251	20,167	66	26.4	19.5-33.3	54	19.1	13.6-24.6	24	10.1	05.6-14.6	35	18.3	08.5-28.1	18	6.5	03.4-09.6	54	19.5	13.6-25.4
55-64	62	5,252	16	23.8	12.4-35.2	15	22.7	11.5-33.9	6	13.6	03.0-24.2	12	17.3	07.9-26.7	2	2.3	00.0-05.4	11	20.3	08.9-31.7
65+	170	11,100	44	26.4	19.1-33.7	33	18.0	11.9-24.1	15	8.9	04.2-13.6	21	14.2	08.1-20.3	14	9.2	04.1-14.3	43	23.3	16.6-30.0
H.S. or G.E.D.	79	4,984	20	25.6	15.0-36.2	19	27.5	16.3-38.7	6	8.6	01.3-15.9	8	11.3	03.3-19.3	6	7.0	01.1-12.9	20	20.0	11.4-28.6
Some Post-H.S.	85	8,512	28	31.1	17.8-44.4	17	14.7	06.9-22.5	9	10.7	02.9-18.5	10	21.2	00.4-42.0	3	3.6	00.0-07.7	18	18.7	08.9-28.5
College Graduate	56	3,467	13	19.7	08.9-30.5	14	31.1	15.2-47.0	6	13.2	02.2-24.2	9	16.3	05.9-26.7	6	9.2	01.8-16.6	8	10.5	02.9-18.1
\$15,000- 24,999	52	4,789	12	16.6	04.6-28.6	9	12.4	02.0-22.8	5	6.5	00.0-13.9	7	33.0	01.4-64.6	7	12.7	01.9-23.5	12	18.7	05.0-32.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	481	45,336	93	17.4	13.7-21.1	268	54.5	48.8-60.2	53	12.0	08.5-15.5	60	14.6	10.3-18.9	7	1.5	00.3-02.7
Male	219	24,052	37	17.1	11.4-22.8	125	53.3	45.5-61.1	26	11.2	06.7-15.7	28	16.9	10.0-23.8	3	1.5	00.0-03.5
Female	262	21,284	56	17.8	12.7-22.9	143	55.8	47.8-63.8	27	12.9	07.4-18.4	32	12.1	07.4-16.8	4	1.5	00.0-03.1
Non-Native	460	42,441	87	17.2	13.3-21.1	260	55.4	49.7-61.1	50	11.9	08.4-15.4	56	14.0	09.9-18.1	7	1.6	00.2-03.0
45-54	50	7,034	8	12.2	03.6-20.8	26	54.1	39.2-69.0	7	16.5	04.5-28.5	9	17.2	06.2-28.2			
55-64	122	11,968	19	13.5	07.4-19.6	61	51.6	41.4-61.8	18	15.3	08.0-22.6	20	15.5	08.4-22.6	4	4.2	00.0-08.5
65+	291	21,896	61	20.9	15.6-26.2	175	59.9	53.6-66.2	27	10.3	06.4-14.2	25	8.1	04.8-11.4	3	0.8	00.0-01.8
Less Than H.S.	69	8,641	13	19.7	09.1-30.3	35	46.0	32.5-59.5	6	7.9	01.4-14.4	13	22.4	10.2-34.6	2	4.0	00.0-09.5
H.S. or G.E.D.	149	12,228	35	19.1	12.4-25.8	83	57.3	47.9-66.7	10	6.9	02.6-11.2	20	15.9	07.7-24.1	1	0.8	00.0-02.4
Some Post-H.S.	147	16,596	26	15.8	09.3-22.3	82	55.5	45.1-65.9	22	17.1	09.8-24.4	15	11.0	04.5-17.5	2	0.7	00.0-01.7
College Graduate	116	7,871	19	15.8	08.2-23.4	68	57.2	46.6-67.8	15	13.4	05.4-21.4	12	12.0	04.4-19.6	2	1.5	00.0-03.7
Less than \$15,000	66	6,674	17	20.3	09.7-30.9	33	58.7	44.6-72.8	3	2.7	00.0-06.0	11	14.2	04.2-24.2	2	4.0	00.0-10.1
\$15,000- 24,999	82	8,280	14	11.5	04.4-18.6	46	61.4	45.9-76.9	11	12.3	03.9-20.7	9	12.4	02.0-22.8	2	2.4	00.0-06.1
\$25,000- 34,999	72	6,553	12	13.6	04.4-22.8	41	50.6	35.9-65.3	10	14.2	05.2-23.2	7	19.1	03.4-34.8	2	2.5	00.0-06.0
\$35,000- 49,999	69	6,453	15	23.2	12.2-34.2	36	48.4	35.7-61.1	9	13.7	05.1-22.3	8	13.9	04.1-23.7	1	0.8	00.0-02.4
\$50,000- 74,999	53	4,864	9	13.1	04.7-21.5	35	63.3	48.4-78.2	4	11.4	00.0-23.7	5	12.2	01.6-22.8			
\$75,000+	65	6,386	10	18.5	07.5-29.5	39	55.1	41.4-68.8	8	15.1	04.1-26.1	8	11.3	02.3-20.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	24,052	37	17.1	11.4-22.8	125	53.3	45.5-61.1	26	11.2	06.7-15.7	28	16.9	10.0-23.8	3	1.5	00.0-03.5
Non-Native	209	22,236	33	16.4	10.7-22.1	122	54.4	46.6-62.2	25	11.8	07.1-16.5	26	15.8	09.1-22.5	3	1.7	00.0-03.9
55-64	59	6,636	6	8.9	01.6-16.2	31	54.9	40.4-69.4	7	12.3	03.1-21.5	13	19.4	08.6-30.2	2	4.6	00.0-11.1
65+	121	10,758	25	24.0	15.2-32.8	75	59.4	49.8-69.0	15	12.6	06.1-19.1	5	3.4	00.1-06.7	1	0.6	00.0-01.8
H.S. or G.E.D.	68	7,066	11	14.4	06.0-22.8	42	60.2	46.3-74.1	5	6.6	00.9-12.3	9	17.5	04.6-30.4	1	1.4	00.0-04.1
Some Post-H.S.	62	8,085	9	13.6	04.6-22.6	35	53.3	39.6-67.0	11	17.7	07.7-27.7	7	15.3	03.5-27.1			
College Graduate	60	4,404	9	16.6	05.0-28.2	37	60.2	45.5-74.9	6	7.1	01.0-13.2	7	14.5	02.7-26.3	1	1.6	00.0-04.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	21,284	56	17.8	12.7-22.9	143	55.8	47.8-63.8	27	12.9	07.4-18.4	32	12.1	07.4-16.8	4	1.5	00.0-03.1
Non-Native	251	20,205	54	18.0	12.7-23.3	138	56.4	48.2-64.6	25	12.0	06.7-17.3	30	12.0	07.3-16.7	4	1.5	00.0-03.3
55-64	63	5,332	13	19.2	09.0-29.4	30	47.5	34.0-61.0	11	19.0	07.6-30.4	7	10.6	02.4-18.8	2	3.7	00.0-09.2
65+	170	11,138	36	18.0	12.1-23.9	100	60.5	52.5-68.5	12	8.0	03.3-12.7	20	12.5	06.8-18.2	2	1.0	00.0-02.4
H.S. or G.E.D.	81	5,163	24	25.5	15.5-35.5	41	53.4	41.6-65.2	5	7.4	00.9-13.9	11	13.7	05.7-21.7			
Some Post-H.S.	85	8,512	17	17.8	08.4-27.2	47	57.5	42.2-72.8	11	16.5	05.9-27.1	8	6.8	01.5-12.1	2	1.4	00.0-03.4
College Graduate	56	3,467	10	14.9	05.7-24.1	31	53.4	37.9-68.9	9	21.4	05.9-36.9	5	8.8	00.8-16.8	1	1.5	00.0-04.4
\$15,000- 24,999	52	4,789	10	13.2	02.8-23.6	27	59.0	36.7-81.3	7	13.1	00.9-25.3	6	10.5	00.9-20.1	2	4.1	00.0-10.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	482	45,350	65	15.6	11.5-19.7	417	84.4	80.3-88.5
Male	220	24,055	35	18.8	12.5-25.1	185	81.2	74.9-87.5
Female	262	21,295	30	12.0	07.3-16.7	232	88.0	83.3-92.7
Non-Native	461	42,455	58	14.7	10.6-18.8	403	85.3	81.2-89.4
45-54	51	7,107	9	20.8	07.9-33.7	42	79.2	66.3-92.1
55-64	123	12,030	19	13.8	07.5-20.1	104	86.2	79.9-92.5
65+	290	21,775	33	13.2	08.7-17.7	257	86.8	82.3-91.3
Less Than H.S.	70	8,701	10	19.9	07.7-32.1	60	80.1	67.9-92.3
H.S. or G.E.D.	148	12,165	29	17.5	11.0-24.0	119	82.5	76.0-89.0
Some Post-H.S.	147	16,540	15	12.5	06.0-19.0	132	87.5	81.0-94.0
College Graduate	117	7,944	11	14.2	05.2-23.2	106	85.8	76.8-94.8
Less than \$15,000	66	6,674	16	25.2	12.7-37.7	50	74.8	62.3-87.3
\$15,000- 24,999	81	8,216	10	14.1	03.1-25.1	71	85.9	74.9-96.9
\$25,000- 34,999	73	6,672	11	13.6	04.6-22.6	62	86.4	77.4-95.4
\$35,000- 49,999	67	6,216	9	16.0	06.0-26.0	58	84.0	74.0-94.0
\$50,000- 74,999	54	4,926	5	11.0	01.4-20.6	49	89.0	79.4-98.6
\$75,000+	66	6,459	8	16.0	04.4-27.6	58	84.0	72.4-95.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	220	24,055	35	18.8	12.5-25.1	185	81.2	74.9-87.5
Non-Native	210	22,239	31	18.3	11.8-24.8	179	81.7	75.2-88.2
55-64	60	6,698	9	12.7	04.1-21.3	51	87.3	78.7-95.9
65+	120	10,626	16	15.9	08.3-23.5	104	84.1	76.5-91.7
H.S. or G.E.D.	68	7,051	13	15.7	06.9-24.5	55	84.3	75.5-93.1
Some Post-H.S.	62	8,029	8	16.0	05.2-26.8	54	84.0	73.2-94.8
College Graduate	61	4,477	7	15.0	03.4-26.6	54	85.0	73.4-96.6
\$75,000+	50	4,990	5	13.1	01.3-24.9	45	86.9	75.1-98.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	21,295	30	12.0	07.3-16.7	232	88.0	83.3-92.7
Non-Native	251	20,216	27	10.6	06.3-14.9	224	89.4	85.1-93.7
55-64	63	5,332	10	15.3	05.9-24.7	53	84.7	75.3-94.1
65+	170	11,149	17	10.6	05.5-15.7	153	89.4	84.3-94.5
H.S. or G.E.D.	80	5,113	16	20.1	10.9-29.3	64	79.9	70.7-89.1
Some Post-H.S.	85	8,512	7	9.2	01.9-16.5	78	90.8	83.5-98.1
College Graduate	56	3,467	4	13.1	00.0-27.6	52	86.9	72.4-0100
\$15,000- 24,999	51	4,740	6	11.6	01.0-22.2	45	88.4	77.8-99.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	480	45,275	269	55.8	50.1-61.5	211	44.2	38.5-49.9
Male	221	24,097	116	49.6	42.0-57.2	105	50.4	42.8-58.0
Female	259	21,178	153	62.9	55.5-70.3	106	37.1	29.7-44.5
Non-Native	459	42,380	260	56.9	51.2-62.6	199	43.1	37.4-48.8
45-54	51	7,107	28	55.9	41.2-70.6	23	44.1	29.4-58.8
55-64	123	12,030	81	61.1	50.7-71.5	42	38.9	28.5-49.3
65+	288	21,700	151	54.2	47.9-60.5	137	45.8	39.5-52.1
Less Than H.S.	67	8,353	31	39.0	26.3-51.7	36	61.0	48.3-73.7
H.S. or G.E.D.	148	12,238	79	53.4	43.8-63.0	69	46.6	37.0-56.2
Some Post-H.S.	149	16,777	87	63.1	53.5-72.7	62	36.9	27.3-46.5
College Graduate	116	7,907	72	61.6	51.4-71.8	44	38.4	28.2-48.6
Less than \$15,000	64	6,579	29	45.4	30.5-60.3	35	54.6	39.7-69.5
\$15,000- 24,999	83	8,358	43	54.2	37.3-71.1	40	45.8	28.9-62.7
\$25,000- 34,999	71	6,384	46	55.8	40.5-71.1	25	44.2	28.9-59.5
\$35,000- 49,999	69	6,453	44	69.0	57.6-80.4	25	31.0	19.6-42.4
\$50,000- 74,999	54	4,926	29	55.7	41.0-70.4	25	44.3	29.6-59.0
\$75,000+	66	6,459	43	62.9	49.6-76.2	23	37.1	23.8-50.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	221	24,097	116	49.6	42.0-57.2	105	50.4	42.8-58.0
Non-Native	211	22,281	113	51.0	43.4-58.6	98	49.0	41.4-56.6
55-64	60	6,698	36	52.6	37.7-67.5	24	47.4	32.5-62.3
65+	121	10,667	60	50.3	40.7-59.9	61	49.7	40.1-59.3
H.S. or G.E.D.	69	7,144	38	51.1	37.2-65.0	31	48.9	35.0-62.8
Some Post-H.S.	64	8,266	35	54.4	41.1-67.7	29	45.6	32.3-58.9
College Graduate	61	4,477	34	59.2	45.7-72.7	27	40.8	27.3-54.3
\$75,000+	50	4,990	32	63.8	48.9-78.7	18	36.2	21.3-51.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	259	21,178	153	62.9	55.5-70.3	106	37.1	29.7-44.5
Non-Native	248	20,100	147	63.5	55.9-71.1	101	36.5	28.9-44.1
55-64	63	5,332	45	71.6	59.3-83.9	18	28.4	16.1-40.7
65+	167	11,032	91	58.0	50.0-66.0	76	42.0	34.0-50.0
H.S. or G.E.D.	79	5,094	41	56.8	45.0-68.6	38	43.2	31.4-55.0
Some Post-H.S.	85	8,512	52	71.6	59.8-83.4	33	28.4	16.6-40.2
College Graduate	55	3,430	38	64.7	48.8-80.6	17	35.3	19.4-51.2
\$15,000- 24,999	52	4,789	29	66.9	47.9-85.9	23	33.1	14.1-52.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012

MODULE 6: EXCESS SUN EXPOSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES DID YOU HAVE A RED OR PAINFUL SUNBURN THAT LASTED A DAY OR MORE? (NUMBURN2)	
1	MALES AND FEMALES	42
2	MALES ONLY	43
3	FEMALES ONLY	44

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 6: EXCESS SUN EXPOSURE**

TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES DID YOU HAVE A RED OR PAINFUL SUNBURN THAT LASTED A DAY OR MORE? (NUMBURN2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four			Five or More			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3829	519,360	504	17.3	15.1-19.5	221	8.3	06.9-09.7	85	3.9	02.7-05.1	13	0.4	00.2-00.6	49	2.4	01.4-03.4	2957	67.7	65.2-70.2
Male	1557	260,310	210	17.9	14.6-21.2	119	8.0	06.2-09.8	48	4.7	02.9-06.5	9	0.5	00.1-00.9	28	2.7	01.1-04.3	1143	66.1	62.4-69.8
Female	2272	259,050	294	16.7	14.0-19.4	102	8.6	06.2-11.0	37	3.1	01.5-04.7	4	0.3	00.0-00.7	21	2.0	00.6-03.4	1814	69.2	65.9-72.5
Native	88	22,095	6	6.0	00.5-11.5	8	15.4	03.6-27.2	1	2.6	00.0-07.7				2	1.2	00.0-03.0	71	74.8	61.9-87.7
Non-Native	3693	491,881	495	17.8	15.6-20.0	210	8.0	06.6-09.4	84	4.0	02.8-05.2	13	0.5	00.3-00.7	46	2.4	01.4-03.4	2845	67.3	64.8-69.8
18-24	77	68,787	19	25.8	15.2-36.4	11	10.9	03.8-18.0	6	7.6	01.3-13.9				4	5.6	00.0-11.5	37	50.1	37.9-62.3
25-34	249	98,471	56	21.4	15.1-27.7	32	11.9	07.4-16.4	12	5.8	02.1-09.5	2	0.6	00.0-01.4	8	3.3	00.8-05.8	139	57.0	49.7-64.3
35-44	396	74,951	99	22.7	18.0-27.4	52	12.9	09.2-16.6	24	5.8	03.3-08.3	2	0.8	00.0-02.0	10	2.8	00.8-04.8	209	55.0	49.3-60.7
45-54	683	87,990	135	19.6	16.3-22.9	62	9.4	06.9-11.9	24	3.8	02.0-05.6	5	0.8	00.0-01.6	14	1.9	00.9-02.9	443	64.4	60.3-68.5
55-64	920	84,349	132	14.4	11.9-16.9	40	4.1	02.7-05.5	9	1.1	00.3-01.9	3	0.4	00.0-00.8	9	1.1	00.3-01.9	727	78.8	75.9-81.7
65+	1469	101,951	61	4.3	03.1-05.5	23	2.1	01.1-03.1	10	0.9	00.3-01.5	1	0.1	00.0-00.3	4	0.4	00.0-00.8	1370	92.2	90.6-93.8
Less Than H.S.	283	50,353	13	8.9	02.4-15.4	8	5.2	00.0-10.7	6	7.9	00.6-15.2				3	2.9	00.0-07.4	253	75.2	65.0-85.4
H.S. or G.E.D.	1111	141,135	107	16.2	11.7-20.7	48	5.4	03.4-07.4	15	1.7	00.7-02.7	4	0.6	00.0-01.4	14	2.4	00.4-04.4	923	73.7	68.8-78.6
Some Post-H.S.	1211	201,202	169	19.6	15.9-23.3	69	9.4	06.7-12.1	31	4.6	02.4-06.8	5	0.4	00.0-00.8	20	2.6	01.0-04.2	917	63.4	59.1-67.7
College Graduate	1221	126,391	215	18.3	15.4-21.2	96	11.0	08.3-13.7	33	3.8	02.0-05.6	4	0.4	00.0-00.8	12	1.7	00.1-03.3	861	64.8	60.9-68.7
Less than \$15,000	273	36,777	21	11.5	04.2-18.8	2	1.0	00.0-02.4	2	0.9	00.0-02.1				2	1.0	00.0-02.6	246	85.7	78.3-93.1
\$15,000- 24,999	474	57,327	36	15.0	07.7-22.3	9	3.8	00.0-07.7	4	1.4	00.0-03.2	1	0.2	00.0-00.6	5	2.4	00.0-05.3	419	77.2	69.0-85.4
\$25,000- 34,999	394	50,038	39	15.8	08.2-23.4	14	8.4	02.1-14.7	4	1.5	00.0-03.1	1	0.2	00.0-00.6	5	1.6	00.0-03.2	331	72.5	63.7-81.3
\$35,000- 49,999	566	76,440	77	21.7	15.4-28.0	32	7.0	04.1-09.9	11	4.8	00.5-09.1	1	0.2	00.0-00.6	6	1.5	00.1-02.9	439	64.9	58.0-71.8
\$50,000- 74,999	613	85,716	117	19.7	15.4-24.0	52	11.2	07.5-14.9	20	6.0	02.5-09.5	2	0.5	00.0-01.3	8	2.4	00.0-05.1	414	60.3	54.6-66.0
\$75,000+	1017	141,760	179	18.1	15.0-21.2	99	11.9	09.2-14.6	38	4.5	02.7-06.3	7	1.0	00.2-01.8	19	3.8	01.3-06.3	675	60.7	56.4-65.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 6: EXCESS SUN EXPOSURE**

TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES DID YOU HAVE A RED OR PAINFUL SUNBURN THAT LASTED A DAY OR MORE? (NUMBURN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four			Five or More			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1557	260,310	210	17.9	14.6-21.2	119	8.0	06.2-09.8	48	4.7	02.9-06.5	9	0.5	00.1-00.9	28	2.7	01.1-04.3	1143	66.1	62.4-69.8
Non-Native	1497	247,932	204	18.0	14.7-21.3	112	7.9	06.1-09.7	47	4.8	02.8-06.8	9	0.6	00.2-01.0	27	2.8	01.2-04.4	1098	66.1	62.2-70.0
25-34	113	51,906	29	25.4	16.0-34.8	15	11.2	05.3-17.1	8	7.4	02.1-12.7				3	2.7	00.0-06.0	58	53.3	42.9-63.7
35-44	169	38,157	31	18.3	11.8-24.8	26	14.7	08.8-20.6	12	6.8	02.5-11.1	2	1.5	00.0-03.9	7	3.6	00.9-06.3	91	55.2	46.8-63.6
45-54	307	43,827	53	17.4	12.7-22.1	33	10.1	06.6-13.6	12	4.9	01.8-08.0	4	1.0	00.0-02.0	7	2.0	00.4-03.6	198	64.5	58.6-70.4
55-64	412	43,262	66	16.4	12.3-20.5	28	5.9	03.5-08.3	6	1.4	00.2-02.6	2	0.5	00.0-01.3	7	1.8	00.4-03.2	303	74.0	69.3-78.7
65+	510	44,245	22	3.9	02.1-05.7	15	3.6	01.6-05.6	8	1.8	00.4-03.2	1	0.3	00.0-00.9	2	0.4	00.0-01.0	462	90.1	87.2-93.0
Less Than H.S.	131	28,351	5	9.3	00.1-18.5	5	3.0	00.3-05.7	2	5.7	00.0-14.1				2	4.7	00.0-12.7	117	77.2	64.1-90.3
H.S. or G.E.D.	454	77,435	62	22.7	15.3-30.1	25	4.9	02.5-07.3	10	2.1	00.5-03.7	3	0.8	00.0-02.0	10	3.6	00.3-06.9	344	65.8	58.2-73.4
Some Post-H.S.	473	94,012	72	18.5	13.4-23.6	36	9.7	06.0-13.4	21	6.4	02.9-09.9	4	0.5	00.0-01.1	10	2.3	00.5-04.1	330	62.7	56.6-68.8
College Graduate	498	60,434	71	14.9	10.4-19.4	53	11.7	08.2-15.2	15	5.0	01.5-08.5	2	0.4	00.0-01.0	6	1.2	00.0-02.4	351	66.8	60.7-72.9
Less than \$15,000	83	18,306	10	16.9	03.4-30.4	2	2.0	00.0-04.7	1	0.6	00.0-01.8							70	80.4	66.7-94.1
\$15,000- 24,999	166	28,118	14	21.5	08.2-34.8	4	1.7	00.0-03.7	1	0.4	00.0-01.2	1	0.4	00.0-01.2	3	1.5	00.0-03.3	143	74.6	61.5-87.7
\$25,000- 34,999	149	20,608	18	19.6	06.1-33.1	7	7.6	00.5-14.7	2	0.9	00.0-02.3				3	2.1	00.0-04.5	119	69.8	56.1-83.5
\$35,000- 49,999	283	45,292	42	24.3	15.1-33.5	18	7.6	03.3-11.9	6	4.8	00.0-10.3				6	2.5	00.1-04.9	210	60.5	51.1-69.9
\$50,000- 74,999	257	41,790	46	18.6	12.7-24.5	29	11.6	06.5-16.7	11	8.9	02.2-15.6	1	0.2	00.0-00.6	4	3.7	00.0-09.2	166	56.9	48.3-65.5
\$75,000+	507	81,637	70	14.3	10.2-18.4	56	11.8	08.1-15.5	24	5.9	03.2-08.6	5	1.2	00.0-02.4	11	3.4	00.3-06.5	341	63.5	57.6-69.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012
MODULE 6: EXCESS SUN EXPOSURE**

TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES DID YOU HAVE A RED OR PAINFUL SUNBURN THAT LASTED A DAY OR MORE? (NUMBURN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four			Five or More			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2272	259,050	294	16.7	14.0-19.4	102	8.6	06.2-11.0	37	3.1	01.5-04.7	4	0.3	00.0-00.7	21	2.0	00.6-03.4	1814	69.2	65.9-72.5
Native	56	13,254	2	2.4	00.0-05.7	4	18.7	01.3-36.1							2	2.0	00.0-04.9	48	77.0	59.8-94.2
Non-Native	2196	243,948	291	17.6	14.9-20.3	98	8.1	05.7-10.5	37	3.3	01.7-04.9	4	0.4	00.0-00.8	19	2.0	00.6-03.4	1747	68.6	65.1-72.1
25-34	136	46,565	27	17.0	09.2-24.8	17	12.7	06.0-19.4	4	4.1	00.0-09.0	2	1.2	00.0-03.0	5	3.9	00.0-08.0	81	61.1	51.1-71.1
35-44	227	36,794	68	27.3	20.6-34.0	26	11.1	06.6-15.6	12	4.7	02.0-07.4				3	2.1	00.0-04.8	118	54.8	47.4-62.2
45-54	376	44,163	82	21.8	17.1-26.5	29	8.7	05.2-12.2	12	2.7	01.1-04.3	1	0.5	00.0-01.5	7	1.9	00.5-03.3	245	64.4	58.9-69.9
55-64	508	41,088	66	12.3	09.4-15.2	12	2.3	00.9-03.7	3	0.9	00.0-01.9	1	0.3	00.0-00.9	2	0.3	00.0-00.7	424	83.9	80.6-87.2
65+	959	57,706	39	4.7	03.1-06.3	8	0.9	00.3-01.5	2	0.3	00.0-00.7				2	0.4	00.0-01.0	908	93.7	91.9-95.5
Less Than H.S.	152	22,002	8	8.3	00.0-17.5	3	7.9	00.0-19.7	4	10.7	00.0-22.9				1	0.6	00.0-01.8	136	72.5	56.6-88.4
H.S. or G.E.D.	657	63,700	45	8.3	05.2-11.4	23	6.1	03.0-09.2	5	1.2	00.0-02.4	1	0.4	00.0-01.2	4	0.8	00.0-01.6	579	83.3	78.8-87.8
Some Post-H.S.	738	107,191	97	20.6	15.3-25.9	33	9.1	05.2-13.0	10	3.0	00.6-05.4	1	0.3	00.0-00.9	10	2.9	00.4-05.4	587	64.0	58.1-69.9
College Graduate	723	65,957	144	21.4	17.7-25.1	43	10.3	06.2-14.4	18	2.7	01.3-04.1	2	0.5	00.0-01.1	6	2.2	00.0-04.7	510	63.0	57.9-68.1
Less than \$15,000	190	18,470	11	6.0	01.9-10.1				1	1.1	00.0-03.3				2	2.0	00.0-04.9	176	90.8	85.3-96.3
\$15,000- 24,999	308	29,209	22	8.8	03.9-13.7	5	5.8	00.0-13.2	3	2.4	00.0-05.7				2	3.2	00.0-08.7	276	79.8	70.2-89.4
\$25,000- 34,999	245	29,430	21	13.1	04.7-21.5	7	9.0	00.0-18.4	2	1.8	00.0-04.3	1	0.4	00.0-01.2	2	1.3	00.0-03.5	212	74.4	63.0-85.8
\$35,000- 49,999	283	31,149	35	17.7	10.6-24.8	14	6.2	02.5-09.9	5	4.8	00.0-11.5							229	71.3	62.3-80.3
\$50,000- 74,999	356	43,926	71	20.7	14.4-27.0	23	10.8	05.1-16.5	9	3.1	00.7-05.5	1	0.8	00.0-02.4	4	1.1	00.0-02.3	248	63.4	56.1-70.7
\$75,000+	510	60,123	109	23.4	18.5-28.3	43	12.0	07.9-16.1	14	2.6	01.2-04.0	2	0.7	00.0-01.7	8	4.4	00.1-08.7	334	56.9	51.0-62.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012**

End of Module Data Report