

# NORTH DAKOTA

## 2014 Calculated Variables Report

### Behavioral Risk Factor Surveillance System

August 5, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 1: HEALTH STATUS**

**TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7734	581,028	6558	85.9	84.7-87.1	1176	14.1	12.9-15.3
Male	3223	294,741	2707	85.4	83.6-87.2	516	14.6	12.8-16.4
Female	4511	286,288	3851	86.5	84.9-88.1	660	13.5	11.9-15.1
Native	246	24,668	172	75.2	66.2-84.2	74	24.8	15.8-33.8
Non-Native	7358	544,990	6290	86.7	85.5-87.9	1068	13.3	12.1-14.5
18-24	348	89,743	331	94.4	91.3-97.5	17	5.6	02.5-08.7
25-34	658	104,358	617	91.4	88.3-94.5	41	8.6	05.5-11.7
35-44	841	84,601	761	89.7	86.8-92.6	80	10.3	07.4-13.2
45-54	1198	90,470	1022	83.0	79.9-86.1	176	17.0	13.9-20.1
55-64	1851	94,143	1571	83.0	80.6-85.4	280	17.0	14.6-19.4
65+	2754	112,617	2183	76.1	73.7-78.5	571	23.9	21.5-26.3
Less Than H.S.	468	53,170	304	68.5	62.2-74.8	164	31.5	25.2-37.8
H.S. or G.E.D.	2313	152,701	1870	82.4	80.0-84.8	443	17.6	15.2-20.0
Some Post-H.S.	2465	225,809	2115	87.9	85.9-89.9	350	12.1	10.1-14.1
College Graduate	2436	143,556	2223	93.0	91.6-94.4	213	7.0	05.6-08.4
Less than \$15,000	457	44,439	270	67.1	60.4-73.8	187	32.9	26.2-39.6
\$15,000- 24,999	881	73,897	638	75.7	71.2-80.2	243	24.3	19.8-28.8
\$25,000- 34,999	697	56,563	561	84.8	80.9-88.7	136	15.2	11.3-19.1
\$35,000- 49,999	984	68,988	854	86.4	82.7-90.1	130	13.6	09.9-17.3
\$50,000- 74,999	1197	86,937	1066	90.6	88.4-92.8	131	9.4	07.2-11.6
\$75,000+	2485	175,029	2322	95.0	93.8-96.2	163	5.0	03.8-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 1: HEALTH STATUS**

**TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3223	294,741	2707	85.4	83.6-87.2	516	14.6	12.8-16.4
Native	80	8,721	62	83.3	69.2-97.4	18	16.7	02.6-30.8
Non-Native	3068	278,336	2591	85.9	84.1-87.7	477	14.1	12.3-15.9
18-24	189	48,482	178	94.4	90.1-98.7	11	5.6	01.3-09.9
25-34	310	55,445	287	90.3	85.8-94.8	23	9.7	05.2-14.2
35-44	379	44,138	345	89.2	84.7-93.7	34	10.8	06.3-15.3
45-54	515	46,080	438	84.0	79.3-88.7	77	16.0	11.3-20.7
55-64	785	48,580	650	81.1	77.4-84.8	135	18.9	15.2-22.6
65+	1019	50,122	786	73.0	68.9-77.1	233	27.0	22.9-31.1
Less Than H.S.	225	32,149	146	69.4	60.8-78.0	79	30.6	22.0-39.2
H.S. or G.E.D.	983	79,961	774	81.6	78.3-84.9	209	18.4	15.1-21.7
Some Post-H.S.	970	111,969	844	88.4	85.5-91.3	126	11.6	08.7-14.5
College Graduate	1027	67,670	928	92.5	90.5-94.5	99	7.5	05.5-09.5
Less than \$15,000	157	18,736	91	70.5	60.7-80.3	66	29.5	19.7-39.3
\$15,000- 24,999	301	35,571	201	71.3	63.9-78.7	100	28.7	21.3-36.1
\$25,000- 34,999	261	26,958	206	84.1	78.0-90.2	55	15.9	09.8-22.0
\$35,000- 49,999	419	37,618	360	85.9	80.2-91.6	59	14.1	08.4-19.8
\$50,000- 74,999	534	47,371	465	89.6	86.3-92.9	69	10.4	07.1-13.7
\$75,000+	1235	97,183	1134	93.8	92.0-95.6	101	6.2	04.4-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 1: HEALTH STATUS**

**TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4511	286,288	3851	86.5	84.9-88.1	660	13.5	11.9-15.1
Native	166	15,947	110	70.8	59.0-82.6	56	29.2	17.4-41.0
Non-Native	4290	266,654	3699	87.6	86.0-89.2	591	12.4	10.8-14.0
18-24	159	41,261	153	94.4	89.9-98.9	6	5.6	01.1-10.1
25-34	348	48,912	330	92.7	88.2-97.2	18	7.3	02.8-11.8
35-44	462	40,463	416	90.3	86.6-94.0	46	9.7	06.0-13.4
45-54	683	44,390	584	81.9	77.6-86.2	99	18.1	13.8-22.4
55-64	1066	45,563	921	85.1	82.2-88.0	145	14.9	12.0-17.8
65+	1735	62,495	1397	78.6	75.9-81.3	338	21.4	18.7-24.1
Less Than H.S.	243	21,021	158	67.0	58.2-75.8	85	33.0	24.2-41.8
H.S. or G.E.D.	1330	72,740	1096	83.2	79.9-86.5	234	16.8	13.5-20.1
Some Post-H.S.	1495	113,840	1271	87.4	84.9-89.9	224	12.6	10.1-15.1
College Graduate	1409	75,886	1295	93.5	91.7-95.3	114	6.5	04.7-08.3
Less than \$15,000	300	25,703	179	64.7	55.5-73.9	121	35.3	26.1-44.5
\$15,000- 24,999	580	38,326	437	79.9	75.0-84.8	143	20.1	15.2-25.0
\$25,000- 34,999	436	29,605	355	85.5	80.4-90.6	81	14.5	09.4-19.6
\$35,000- 49,999	565	31,370	494	87.0	82.5-91.5	71	13.0	08.5-17.5
\$50,000- 74,999	663	39,566	601	91.7	88.8-94.6	62	8.3	05.4-11.2
\$75,000+	1250	77,847	1188	96.6	95.4-97.8	62	3.4	02.2-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4897	461,341	4519	89.5	87.9-91.1	378	10.5	08.9-12.1
Male	2179	241,402	1971	87.9	85.7-90.1	208	12.1	09.9-14.3
Female	2718	219,939	2548	91.4	89.2-93.6	170	8.6	06.4-10.8
Native	205	23,167	192	85.3	75.1-95.5	13	14.7	04.5-24.9
Non-Native	4624	429,744	4273	90.0	88.4-91.6	351	10.0	08.4-11.6
18-24	335	86,932	283	84.5	79.4-89.6	52	15.5	10.4-20.6
25-34	663	104,986	593	87.5	84.0-91.0	70	12.5	09.0-16.0
35-44	842	84,153	768	89.6	86.5-92.7	74	10.4	07.3-13.5
45-54	1204	90,923	1123	92.7	90.7-94.7	81	7.3	05.3-09.3
55-64	1853	94,347	1752	93.3	91.5-95.1	101	6.7	04.9-08.5
Less Than H.S.	181	31,644	144	74.7	65.1-84.3	37	25.3	15.7-34.9
H.S. or G.E.D.	1306	114,631	1140	82.5	79.0-86.0	166	17.5	14.0-21.0
Some Post-H.S.	1639	187,107	1532	92.4	90.2-94.6	107	7.6	05.4-09.8
College Graduate	1743	123,424	1677	95.4	93.8-97.0	66	4.6	03.0-06.2
Less than \$15,000	245	33,710	205	83.5	76.4-90.6	40	16.5	09.4-23.6
\$15,000- 24,999	402	51,126	318	76.8	70.5-83.1	84	23.2	16.9-29.5
\$25,000- 34,999	328	42,589	281	83.6	77.5-89.7	47	16.4	10.3-22.5
\$35,000- 49,999	568	52,352	510	89.0	84.9-93.1	58	11.0	06.9-15.1
\$50,000- 74,999	843	72,939	802	94.7	92.2-97.2	41	5.3	02.8-07.8
\$75,000+	2001	157,510	1939	95.7	93.9-97.5	62	4.3	02.5-06.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2179	241,402	1971	87.9	85.7-90.1	208	12.1	09.9-14.3
Native	70	8,003	68	91.5	79.9-100	2	8.5	00.0-20.1
Non-Native	2064	227,120	1869	88.1	85.9-90.3	195	11.9	09.7-14.1
18-24	180	46,411	149	84.5	77.8-91.2	31	15.5	08.8-22.2
25-34	314	55,731	275	86.1	81.2-91.0	39	13.9	09.0-18.8
35-44	378	44,066	337	87.4	82.5-92.3	41	12.6	07.7-17.5
45-54	518	46,373	480	90.9	87.4-94.4	38	9.1	05.6-12.6
55-64	789	48,821	730	90.8	87.7-93.9	59	9.2	06.1-12.3
Less Than H.S.	103	21,558	83	77.1	66.1-88.1	20	22.9	11.9-33.9
H.S. or G.E.D.	651	63,354	561	79.2	74.1-84.3	90	20.8	15.7-25.9
Some Post-H.S.	723	97,106	661	92.4	89.7-95.1	62	7.6	04.9-10.3
College Graduate	688	56,592	654	94.0	91.5-96.5	34	6.0	03.5-08.5
Less than \$15,000	102	14,481	80	76.5	64.7-88.3	22	23.5	11.7-35.3
\$15,000- 24,999	165	26,005	126	74.2	64.8-83.6	39	25.8	16.4-35.2
\$25,000- 34,999	137	20,860	106	79.3	70.7-87.9	31	20.7	12.1-29.3
\$35,000- 49,999	245	29,484	209	87.3	81.8-92.8	36	12.7	07.2-18.2
\$50,000- 74,999	368	39,411	344	93.1	89.0-97.2	24	6.9	02.8-11.0
\$75,000+	959	86,279	924	95.0	92.3-97.7	35	5.0	02.3-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2718	219,939	2548	91.4	89.4-93.4	170	8.6	06.6-10.6
Native	135	15,163	124	82.0	67.9-96.1	11	18.0	03.9-32.1
Non-Native	2560	202,624	2404	92.1	90.1-94.1	156	7.9	05.9-09.9
18-24	155	40,521	134	84.6	76.8-92.4	21	15.4	07.6-23.2
25-34	349	49,255	318	89.1	84.0-94.2	31	10.9	05.8-16.0
35-44	464	40,088	431	92.1	88.6-95.6	33	7.9	04.4-11.4
45-54	686	44,549	643	94.6	92.4-96.8	43	5.4	03.2-07.6
55-64	1064	45,526	1022	96.0	94.4-97.6	42	4.0	02.4-05.6
Less Than H.S.	78	10,086	61	69.6	51.8-87.4	17	30.4	12.6-48.2
H.S. or G.E.D.	655	51,277	579	86.7	82.4-91.0	76	13.3	09.0-17.6
Some Post-H.S.	916	90,002	871	92.4	89.1-95.7	45	7.6	04.3-10.9
College Graduate	1055	66,832	1023	96.6	94.6-98.6	32	3.4	01.4-05.4
Less than \$15,000	143	19,229	125	88.9	80.5-97.3	18	11.1	02.7-19.5
\$15,000- 24,999	237	25,121	192	79.4	71.0-87.8	45	20.6	12.2-29.0
\$25,000- 34,999	191	21,729	175	87.6	79.0-96.2	16	12.4	03.8-21.0
\$35,000- 49,999	323	22,868	301	91.2	84.9-97.5	22	8.8	02.5-15.1
\$50,000- 74,999	475	33,528	458	96.5	94.0-99.0	17	3.5	01.0-06.0
\$75,000+	1042	71,231	1015	96.5	94.7-98.3	27	3.5	01.7-05.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7764	582,632	5940	78.7	77.3-80.1	1824	21.3	19.9-22.7
Male	3242	295,590	2458	78.5	76.3-80.7	784	21.5	19.3-23.7
Female	4522	287,042	3482	78.8	77.0-80.6	1040	21.2	19.4-23.0
Native	245	24,652	177	77.2	68.8-85.6	68	22.8	14.4-31.2
Non-Native	7390	546,792	5679	79.0	77.6-80.4	1711	21.0	19.6-22.4
18-24	347	89,640	303	90.0	86.3-93.7	44	10.0	06.3-13.7
25-34	663	104,910	557	83.1	79.2-87.0	106	16.9	13.0-20.8
35-44	845	84,791	710	83.1	79.4-86.8	135	16.9	13.2-20.6
45-54	1206	90,962	946	76.8	73.5-80.1	260	23.2	19.9-26.5
55-64	1855	94,406	1424	73.9	71.2-76.6	431	26.1	23.4-28.8
65+	2764	112,827	1935	67.6	65.1-70.1	829	32.4	29.9-34.9
Less Than H.S.	470	53,265	276	59.5	52.6-66.4	194	40.5	33.6-47.4
H.S. or G.E.D.	2317	152,868	1578	72.3	69.6-75.0	739	27.7	25.0-30.4
Some Post-H.S.	2480	226,621	1930	81.2	79.0-83.4	550	18.8	16.6-21.0
College Graduate	2445	144,086	2121	88.6	86.8-90.4	324	11.4	09.6-13.2
Less than \$15,000	458	44,558	291	69.4	62.5-76.3	167	30.6	23.7-37.5
\$15,000- 24,999	881	73,576	568	68.0	63.1-72.9	313	32.0	27.1-36.9
\$25,000- 34,999	700	56,747	491	75.5	70.6-80.4	209	24.5	19.6-29.4
\$35,000- 49,999	993	69,691	770	81.0	77.5-84.5	223	19.0	15.5-22.5
\$50,000- 74,999	1208	87,655	968	79.9	76.2-83.6	240	20.1	16.4-23.8
\$75,000+	2495	175,509	2117	86.7	84.9-88.5	378	13.3	11.5-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3242	295,590	2458	78.5	76.3-80.7	784	21.5	19.3-23.7
Native	80	8,721	62	87.2	77.0-97.4	18	12.8	02.6-23.0
Non-Native	3088	279,366	2345	78.6	76.4-80.8	743	21.4	19.2-23.6
18-24	188	48,379	166	90.7	85.4-96.0	22	9.3	04.0-14.6
25-34	313	55,593	251	80.3	74.6-86.0	62	19.7	14.0-25.4
35-44	381	44,289	307	81.6	76.1-87.1	74	18.4	12.9-23.9
45-54	519	46,333	398	77.2	72.3-82.1	121	22.8	17.9-27.7
55-64	789	48,807	577	71.3	67.0-75.6	212	28.7	24.4-33.0
65+	1026	50,297	741	70.2	66.3-74.1	285	29.8	25.9-33.7
Less Than H.S.	227	32,180	121	55.9	46.1-65.7	106	44.1	34.3-53.9
H.S. or G.E.D.	987	80,120	679	74.3	70.6-78.0	308	25.7	22.0-29.4
Some Post-H.S.	978	112,427	756	82.1	79.0-85.2	222	17.9	14.8-21.0
College Graduate	1032	67,872	888	87.7	84.8-90.6	144	12.3	09.4-15.2
Less than \$15,000	158	18,775	103	69.7	58.5-80.9	55	30.3	19.1-41.5
\$15,000- 24,999	299	35,211	195	70.7	63.3-78.1	104	29.3	21.9-36.7
\$25,000- 34,999	263	27,153	178	73.1	65.7-80.5	85	26.9	19.5-34.3
\$35,000- 49,999	424	38,040	330	82.8	77.7-87.9	94	17.2	12.1-22.3
\$50,000- 74,999	540	47,705	404	75.7	70.0-81.4	136	24.3	18.6-30.0
\$75,000+	1244	97,622	1015	84.8	82.1-87.5	229	15.2	12.5-17.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4522	287,042	3482	78.8	77.0-80.6	1040	21.2	19.4-23.0
Native	165	15,930	115	71.7	60.1-83.3	50	28.3	16.7-39.9
Non-Native	4302	267,425	3334	79.4	77.6-81.2	968	20.6	18.8-22.4
18-24	159	41,261	137	89.1	83.8-94.4	22	10.9	05.6-16.2
25-34	350	49,317	306	86.2	80.9-91.5	44	13.8	08.5-19.1
35-44	464	40,502	403	84.6	79.9-89.3	61	15.4	10.7-20.1
45-54	687	44,629	548	76.4	71.9-80.9	139	23.6	19.1-28.1
55-64	1066	45,599	847	76.7	73.2-80.2	219	23.3	19.8-26.8
65+	1738	62,530	1194	65.4	62.3-68.5	544	34.6	31.5-37.7
Less Than H.S.	243	21,085	155	65.1	56.3-73.9	88	34.9	26.1-43.7
H.S. or G.E.D.	1330	72,748	899	70.2	66.3-74.1	431	29.8	25.9-33.7
Some Post-H.S.	1502	114,194	1174	80.4	77.3-83.5	328	19.6	16.5-22.7
College Graduate	1413	76,214	1233	89.4	87.0-91.8	180	10.6	08.2-13.0
Less than \$15,000	300	25,783	188	69.1	60.5-77.7	112	30.9	22.3-39.5
\$15,000- 24,999	582	38,365	373	65.5	59.2-71.8	209	34.5	28.2-40.8
\$25,000- 34,999	437	29,594	313	77.8	71.7-83.9	124	22.2	16.1-28.3
\$35,000- 49,999	569	31,651	440	78.8	73.9-83.7	129	21.2	16.3-26.1
\$50,000- 74,999	668	39,950	564	85.0	80.7-89.3	104	15.0	10.7-19.3
\$75,000+	1251	77,886	1102	89.1	86.6-91.6	149	10.9	08.4-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
1 MALES AND FEMALES	15
2 MALES ONLY	16
3 FEMALES ONLY	17
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
4 MALES AND FEMALES	18
5 MALES ONLY	19
6 FEMALES ONLY	20
COMPUTED ASTHMA STATUS (_ASTHMS1)	
7 MALES AND FEMALES	21
8 MALES ONLY	22
9 FEMALES ONLY	23
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
10 MALES AND FEMALES	24
11 MALES ONLY	25
12 FEMALES ONLY	26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7771	581,281	6905	87.8	86.6-89.0	866	12.2	11.0-13.4
Male	3252	295,795	2948	89.9	88.3-91.5	304	10.1	08.5-11.7
Female	4519	285,486	3957	85.7	83.9-87.5	562	14.3	12.5-16.1
Native	246	23,840	199	83.9	76.8-91.0	47	16.1	09.0-23.2
Non-Native	7395	546,368	6594	88.0	86.8-89.2	801	12.0	10.8-13.2
18-24	345	88,131	306	89.1	85.2-93.0	39	10.9	07.0-14.8
25-34	662	104,931	568	83.0	78.9-87.1	94	17.0	12.9-21.1
35-44	845	84,509	738	87.1	84.0-90.2	107	12.9	09.8-16.0
45-54	1208	91,105	1095	92.0	90.0-94.0	113	8.0	06.0-10.0
55-64	1857	94,395	1658	88.5	86.5-90.5	199	11.5	09.5-13.5
65+	2771	113,256	2466	88.2	86.4-90.0	305	11.8	10.0-13.6
Less Than H.S.	471	52,613	392	82.8	77.5-88.1	79	17.2	11.9-22.5
H.S. or G.E.D.	2328	153,097	2107	89.4	87.2-91.6	221	10.6	08.4-12.8
Some Post-H.S.	2480	226,240	2178	87.1	84.9-89.3	302	12.9	10.7-15.1
College Graduate	2440	143,540	2181	89.2	87.2-91.2	259	10.8	08.8-12.8
Less than \$15,000	457	44,285	358	78.7	72.6-84.8	99	21.3	15.2-27.4
\$15,000- 24,999	886	74,044	763	85.5	81.4-89.6	123	14.5	10.4-18.6
\$25,000- 34,999	701	56,511	633	88.4	83.9-92.9	68	11.6	07.1-16.1
\$35,000- 49,999	993	69,686	891	88.2	84.9-91.5	102	11.8	08.5-15.1
\$50,000- 74,999	1206	87,224	1086	89.9	87.2-92.6	120	10.1	07.4-12.8
\$75,000+	2495	175,496	2247	89.4	87.4-91.4	248	10.6	08.6-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3252	295,795	2948	89.9	88.3-91.5	304	10.1	08.5-11.7
Native	80	8,721	69	85.8	74.0-97.6	11	14.2	02.4-26.0
Non-Native	3097	279,688	2815	90.1	88.3-91.9	282	9.9	08.1-11.7
18-24	188	48,122	171	91.5	87.0-96.0	17	8.5	04.0-13.0
25-34	314	55,731	276	86.8	81.5-92.1	38	13.2	07.9-18.5
35-44	380	43,986	338	89.8	85.9-93.7	42	10.2	06.3-14.1
45-54	521	46,494	482	93.4	90.5-96.3	39	6.6	03.7-09.5
55-64	791	48,924	724	91.0	88.3-93.7	67	9.0	06.3-11.7
65+	1032	50,646	936	88.9	85.8-92.0	96	11.1	08.0-14.2
Less Than H.S.	228	32,351	194	85.3	78.0-92.6	34	14.7	07.4-22.0
H.S. or G.E.D.	996	80,417	914	91.2	88.5-93.9	82	8.8	06.1-11.5
Some Post-H.S.	978	112,162	881	90.4	87.7-93.1	97	9.6	06.9-12.3
College Graduate	1032	67,874	943	90.0	87.3-92.7	89	10.0	07.3-12.7
Less than \$15,000	158	18,775	137	85.9	77.5-94.3	21	14.1	05.7-22.5
\$15,000- 24,999	303	35,614	270	87.3	81.0-93.6	33	12.7	06.4-19.0
\$25,000- 34,999	264	26,854	235	91.0	85.5-96.5	29	9.0	03.5-14.5
\$35,000- 49,999	425	38,100	385	88.3	83.4-93.2	40	11.7	06.8-16.6
\$50,000- 74,999	540	47,705	497	90.9	86.8-95.0	43	9.1	05.0-13.2
\$75,000+	1244	97,622	1137	91.4	89.2-93.6	107	8.6	06.4-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4519	285,486	3957	85.7	83.9-87.5	562	14.3	12.5-16.1
Native	166	15,119	130	82.8	74.0-91.6	36	17.2	08.4-26.0
Non-Native	4298	266,680	3779	85.8	83.8-87.8	519	14.2	12.2-16.2
18-24	157	40,010	135	86.2	79.7-92.7	22	13.8	07.3-20.3
25-34	348	49,200	292	78.8	72.3-85.3	56	21.2	14.7-27.7
35-44	465	40,523	400	84.2	79.1-89.3	65	15.8	10.7-20.9
45-54	687	44,612	613	90.6	87.9-93.3	74	9.4	06.7-12.1
55-64	1066	45,472	934	85.8	82.9-88.7	132	14.2	11.3-17.1
65+	1739	62,610	1530	87.7	85.5-89.9	209	12.3	10.1-14.5
Less Than H.S.	243	20,262	198	78.7	71.4-86.0	45	21.3	14.0-28.6
H.S. or G.E.D.	1332	72,680	1193	87.5	84.2-90.8	139	12.5	09.2-15.8
Some Post-H.S.	1502	114,077	1297	83.9	80.6-87.2	205	16.1	12.8-19.4
College Graduate	1408	75,665	1238	88.6	86.1-91.1	170	11.4	08.9-13.9
Less than \$15,000	299	25,510	221	73.4	65.0-81.8	78	26.6	18.2-35.0
\$15,000- 24,999	583	38,430	493	83.8	78.5-89.1	90	16.2	10.9-21.5
\$25,000- 34,999	437	29,657	398	86.0	79.3-92.7	39	14.0	07.3-20.7
\$35,000- 49,999	568	31,586	506	88.1	83.6-92.6	62	11.9	07.4-16.4
\$50,000- 74,999	666	39,519	589	88.6	85.1-92.1	77	11.4	07.9-14.9
\$75,000+	1251	77,873	1110	86.9	83.6-90.2	141	13.1	09.8-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7747	579,752	7107	91.3	90.3-92.3	640	8.7	07.7-09.7
Male	3244	295,047	3026	92.9	91.5-94.3	218	7.1	05.7-08.5
Female	4503	284,705	4081	89.6	88.0-91.2	422	10.4	08.8-12.0
Native	246	23,840	209	88.1	82.0-94.2	37	11.9	05.8-18.0
Non-Native	7374	544,930	6783	91.5	90.5-92.5	591	8.5	07.5-09.5
18-24	343	87,561	317	93.3	90.4-96.2	26	6.7	03.8-09.6
25-34	660	104,839	608	89.6	86.3-92.9	52	10.4	07.1-13.7
35-44	845	84,509	761	89.6	86.9-92.3	84	10.4	07.7-13.1
45-54	1205	91,009	1115	93.4	91.4-95.4	90	6.6	04.6-08.6
55-64	1851	94,029	1700	91.4	89.6-93.2	151	8.6	06.8-10.4
65+	2761	112,865	2527	90.7	88.9-92.5	234	9.3	07.5-11.1
Less Than H.S.	470	52,441	411	85.7	80.6-90.8	59	14.3	09.2-19.4
H.S. or G.E.D.	2322	152,616	2151	91.9	89.9-93.9	171	8.1	06.1-10.1
Some Post-H.S.	2471	225,600	2250	91.3	89.5-93.1	221	8.7	06.9-10.5
College Graduate	2432	143,303	2246	92.6	91.0-94.2	186	7.4	05.8-09.0
Less than \$15,000	453	44,230	382	85.6	80.5-90.7	71	14.4	09.3-19.5
\$15,000- 24,999	884	74,001	789	88.6	84.9-92.3	95	11.4	07.7-15.1
\$25,000- 34,999	700	56,487	653	92.7	89.4-96.0	47	7.3	04.0-10.6
\$35,000- 49,999	992	69,605	914	91.0	88.1-93.9	78	9.0	06.1-11.9
\$50,000- 74,999	1203	87,123	1112	92.6	90.4-94.8	91	7.4	05.2-09.6
\$75,000+	2488	174,903	2313	92.8	91.2-94.4	175	7.2	05.6-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3244	295,047	3026	92.9	91.5-94.3	218	7.1	05.7-08.5
Native	80	8,721	72	89.6	78.6-0100	8	10.4	00.0-21.4
Non-Native	3089	278,940	2887	93.1	91.7-94.5	202	6.9	05.5-08.3
18-24	186	47,551	178	96.6	93.9-99.3	8	3.4	00.7-06.1
25-34	313	55,722	294	92.1	87.8-96.4	19	7.9	03.6-12.2
35-44	380	43,986	347	91.8	88.1-95.5	33	8.2	04.5-11.9
45-54	520	46,456	492	94.7	92.0-97.4	28	5.3	02.6-08.0
55-64	789	48,831	738	92.9	90.4-95.4	51	7.1	04.6-09.6
65+	1030	50,608	953	90.1	87.0-93.2	77	9.9	06.8-13.0
Less Than H.S.	228	32,351	200	86.5	79.4-93.6	28	13.5	06.4-20.6
H.S. or G.E.D.	994	80,063	935	94.1	91.9-96.3	59	5.9	03.7-08.1
Some Post-H.S.	973	111,778	908	93.7	91.5-95.9	65	6.3	04.1-08.5
College Graduate	1031	67,865	966	93.5	91.3-95.7	65	6.5	04.3-08.7
Less than \$15,000	158	18,775	142	91.4	85.1-97.7	16	8.6	02.3-14.9
\$15,000- 24,999	303	35,614	276	89.6	83.7-95.5	27	10.4	04.5-16.3
\$25,000- 34,999	263	26,830	247	95.9	92.2-99.6	16	4.1	00.4-07.8
\$35,000- 49,999	424	38,019	393	90.7	86.6-94.8	31	9.3	05.2-13.4
\$50,000- 74,999	538	47,656	506	93.8	90.9-96.7	32	6.2	03.3-09.1
\$75,000+	1242	97,279	1170	94.2	92.2-96.2	72	5.8	03.8-07.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4503	284,705	4081	89.6	88.0-91.2	422	10.4	08.8-12.0
Native	166	15,119	137	87.2	79.8-94.6	29	12.8	05.4-20.2
Non-Native	4285	265,990	3896	89.7	88.1-91.3	389	10.3	08.7-11.9
18-24	157	40,010	139	89.3	83.6-95.0	18	10.7	05.0-16.4
25-34	347	49,118	314	86.8	81.5-92.1	33	13.2	07.9-18.5
35-44	465	40,523	414	87.2	82.9-91.5	51	12.8	08.5-17.1
45-54	685	44,553	623	91.9	89.2-94.6	62	8.1	05.4-10.8
55-64	1062	45,198	962	89.8	87.3-92.3	100	10.2	07.7-12.7
65+	1731	62,257	1574	91.2	89.4-93.0	157	8.8	07.0-10.6
Less Than H.S.	242	20,090	211	84.6	77.9-91.3	31	15.4	08.7-22.1
H.S. or G.E.D.	1328	72,553	1216	89.4	86.3-92.5	112	10.6	07.5-13.7
Some Post-H.S.	1498	113,822	1342	88.8	86.3-91.3	156	11.2	08.7-13.7
College Graduate	1401	75,439	1280	91.9	89.5-94.3	121	8.1	05.7-10.5
Less than \$15,000	295	25,455	240	81.3	74.0-88.6	55	18.7	11.4-26.0
\$15,000- 24,999	581	38,387	513	87.7	83.2-92.2	68	12.3	07.8-16.8
\$25,000- 34,999	437	29,657	406	89.9	84.4-95.4	31	10.1	04.6-15.6
\$35,000- 49,999	568	31,586	521	91.2	87.1-95.3	47	8.8	04.7-12.9
\$50,000- 74,999	665	39,466	606	91.3	88.0-94.6	59	8.7	05.4-12.0
\$75,000+	1246	77,623	1143	90.9	88.2-93.6	103	9.1	06.4-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 7: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7747	579,752	640	8.7	07.7-09.7	202	3.2	02.4-04.0	6905	88.0	86.8-89.2
Male	3244	295,047	218	7.1	05.7-08.5	78	2.8	01.8-03.8	2948	90.1	88.5-91.7
Female	4503	284,705	422	10.4	08.8-12.0	124	3.6	02.4-04.8	3957	85.9	84.1-87.7
Native	246	23,840	37	11.9	05.8-18.0	10	4.2	00.5-07.9	199	83.9	76.8-91.0
Non-Native	7374	544,930	591	8.5	07.5-09.5	189	3.2	02.4-04.0	6594	88.3	87.1-89.5
18-24	343	87,561	26	6.7	03.8-09.6	11	3.6	01.2-06.0	306	89.7	86.0-93.4
25-34	660	104,839	52	10.4	07.1-13.7	40	6.5	03.8-09.2	568	83.1	79.0-87.2
35-44	845	84,509	84	10.4	07.7-13.1	23	2.5	00.7-04.3	738	87.1	84.0-90.2
45-54	1205	91,009	90	6.6	04.6-08.6	20	1.2	00.4-02.0	1095	92.1	90.1-94.1
55-64	1851	94,029	151	8.6	06.8-10.4	42	2.6	01.6-03.6	1658	88.8	86.8-90.8
65+	2761	112,865	234	9.3	07.5-11.1	61	2.2	01.4-03.0	2466	88.5	86.7-90.3
Less Than H.S.	470	52,441	59	14.3	09.2-19.4	19	2.7	01.1-04.3	392	83.0	77.7-88.3
H.S. or G.E.D.	2322	152,616	171	8.1	06.1-10.1	44	2.2	01.2-03.2	2107	89.7	87.5-91.9
Some Post-H.S.	2471	225,600	221	8.7	06.9-10.5	72	3.9	02.3-05.5	2178	87.4	85.2-89.6
College Graduate	2432	143,303	186	7.4	05.8-09.0	65	3.3	02.1-04.5	2181	89.4	87.4-91.4
Less than \$15,000	453	44,230	71	14.4	09.3-19.5	24	6.8	02.7-10.9	358	78.8	72.7-84.9
\$15,000- 24,999	884	74,001	95	11.4	07.7-15.1	26	3.1	01.1-05.1	763	85.5	81.4-89.6
\$25,000- 34,999	700	56,487	47	7.3	04.0-10.6	20	4.3	01.2-07.4	633	88.4	83.9-92.9
\$35,000- 49,999	992	69,605	78	9.0	06.1-11.9	23	2.6	00.8-04.4	891	88.3	85.0-91.6
\$50,000- 74,999	1203	87,123	91	7.4	05.2-09.6	26	2.7	00.9-04.5	1086	90.0	87.3-92.7
\$75,000+	2488	174,903	175	7.2	05.6-08.8	66	3.0	01.8-04.2	2247	89.7	87.7-91.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 8: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3244	295,047	218	7.1	05.7-08.5	78	2.8	01.8-03.8	2948	90.1	88.5-91.7
Native	80	8,721	8	10.4	00.0-21.4	3	3.8	00.0-09.1	69	85.8	74.0-97.6
Non-Native	3089	278,940	202	6.9	05.5-08.3	72	2.7	01.7-03.7	2815	90.4	88.8-92.0
18-24	186	47,551	8	3.4	00.7-06.1	7	4.0	00.7-07.3	171	92.6	88.3-96.9
25-34	313	55,722	19	7.9	03.6-12.2	18	5.3	02.2-08.4	276	86.8	81.5-92.1
35-44	380	43,986	33	8.2	04.5-11.9	9	2.0	00.2-03.8	338	89.8	85.9-93.7
45-54	520	46,456	28	5.3	02.6-08.0	10	1.3	00.1-02.5	482	93.5	90.6-96.4
55-64	789	48,831	51	7.1	04.6-09.6	14	1.8	00.6-03.0	724	91.1	88.4-93.8
65+	1030	50,608	77	9.9	06.8-13.0	17	1.1	00.3-01.9	936	89.0	85.9-92.1
Less Than H.S.	228	32,351	28	13.5	06.4-20.6	6	1.2	00.0-02.6	194	85.3	78.0-92.6
H.S. or G.E.D.	994	80,063	59	5.9	03.7-08.1	21	2.5	00.7-04.3	914	91.6	88.9-94.3
Some Post-H.S.	973	111,778	65	6.3	04.1-08.5	27	3.0	01.2-04.8	881	90.7	88.0-93.4
College Graduate	1031	67,865	65	6.5	04.3-08.7	23	3.5	01.7-05.3	943	90.0	87.3-92.7
Less than \$15,000	158	18,775	16	8.6	02.3-14.9	5	5.5	00.0-11.8	137	85.9	77.5-94.3
\$15,000- 24,999	303	35,614	27	10.4	04.5-16.3	6	2.3	00.0-04.8	270	87.3	81.0-93.6
\$25,000- 34,999	263	26,830	16	4.1	00.4-07.8	12	4.8	00.5-09.1	235	91.1	85.6-96.6
\$35,000- 49,999	424	38,019	31	9.3	05.2-13.4	8	2.2	00.0-04.9	385	88.5	83.6-93.4
\$50,000- 74,999	538	47,656	32	6.2	03.3-09.1	9	2.8	00.0-05.7	497	91.0	86.9-95.1
\$75,000+	1242	97,279	72	5.8	03.8-07.8	33	2.5	01.3-03.7	1137	91.7	89.5-93.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 9: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4503	284,705	422	10.4	08.8-12.0	124	3.6	02.4-04.8	3957	85.9	84.1-87.7
Native	166	15,119	29	12.8	05.4-20.2	7	4.4	00.0-09.5	130	82.8	74.0-91.6
Non-Native	4285	265,990	389	10.3	08.7-11.9	117	3.6	02.4-04.8	3779	86.1	84.1-88.1
18-24	157	40,010	18	10.7	05.0-16.4	4	3.0	00.0-06.5	135	86.2	79.7-92.7
25-34	347	49,118	33	13.2	07.9-18.5	22	7.8	03.5-12.1	292	79.0	72.5-85.5
35-44	465	40,523	51	12.8	08.5-17.1	14	3.0	00.1-05.9	400	84.2	79.1-89.3
45-54	685	44,553	62	8.1	05.4-10.8	10	1.2	00.2-02.2	613	90.7	88.0-93.4
55-64	1062	45,198	100	10.2	07.7-12.7	28	3.5	01.9-05.1	934	86.3	83.4-89.2
65+	1731	62,257	157	8.8	07.0-10.6	44	3.1	01.9-04.3	1530	88.2	86.0-90.4
Less Than H.S.	242	20,090	31	15.4	08.7-22.1	13	5.2	01.5-08.9	198	79.4	72.1-86.7
H.S. or G.E.D.	1328	72,553	112	10.6	07.5-13.7	23	1.7	00.5-02.9	1193	87.7	84.4-91.0
Some Post-H.S.	1498	113,822	156	11.2	08.7-13.7	45	4.8	02.4-07.2	1297	84.1	80.8-87.4
College Graduate	1401	75,439	121	8.1	05.7-10.5	42	3.0	01.8-04.2	1238	88.8	86.3-91.3
Less than \$15,000	295	25,455	55	18.7	11.4-26.0	19	7.8	02.5-13.1	221	73.5	65.1-81.9
\$15,000- 24,999	581	38,387	68	12.3	07.8-16.8	20	3.8	00.9-06.7	493	83.9	78.6-89.2
\$25,000- 34,999	437	29,657	31	10.1	04.6-15.6	8	3.9	00.0-08.4	398	86.0	79.3-92.7
\$35,000- 49,999	568	31,586	47	8.8	04.7-12.9	15	3.1	00.7-05.5	506	88.1	83.6-92.6
\$50,000- 74,999	665	39,466	59	8.7	05.4-12.0	17	2.6	00.8-04.4	589	88.7	85.2-92.2
\$75,000+	1246	77,623	103	9.1	06.4-11.8	33	3.7	01.5-05.9	1110	87.2	83.9-90.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 10: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7747	580,296	2677	25.0	23.6-26.4	5070	75.0	73.6-76.4
Male	3241	294,474	933	21.2	19.2-23.2	2308	78.8	76.8-80.8
Female	4506	285,823	1744	28.9	26.9-30.9	2762	71.1	69.1-73.1
Native	247	24,688	94	23.8	16.0-31.6	153	76.2	68.4-84.0
Non-Native	7370	544,466	2535	24.9	23.5-26.3	4835	75.1	73.7-76.5
18-24	347	89,244	9	3.0	00.6-05.4	338	97.0	94.6-99.4
25-34	659	104,505	34	4.5	02.3-06.7	625	95.5	93.3-97.7
35-44	844	84,712	106	15.1	11.6-18.6	738	84.9	81.4-88.4
45-54	1199	89,995	318	28.5	24.8-32.2	881	71.5	67.8-75.2
55-64	1856	94,419	733	41.6	38.5-44.7	1123	58.4	55.3-61.5
65+	2760	112,500	1450	52.0	49.5-54.5	1310	48.0	45.5-50.5
Less Than H.S.	465	52,279	228	36.7	30.4-43.0	237	63.3	57.0-69.6
H.S. or G.E.D.	2322	153,005	902	28.2	25.7-30.7	1420	71.8	69.3-74.3
Some Post-H.S.	2470	225,694	893	25.7	23.3-28.1	1577	74.3	71.9-76.7
College Graduate	2438	143,526	633	16.2	14.4-18.0	1805	83.8	82.0-85.6
Less than \$15,000	455	44,431	221	33.6	26.9-40.3	234	66.4	59.7-73.1
\$15,000- 24,999	882	73,647	385	29.0	24.7-33.3	497	71.0	66.7-75.3
\$25,000- 34,999	699	56,716	311	27.3	22.6-32.0	388	72.7	68.0-77.4
\$35,000- 49,999	993	69,433	353	25.0	21.3-28.7	640	75.0	71.3-78.7
\$50,000- 74,999	1203	87,398	409	26.5	23.0-30.0	794	73.5	70.0-77.0
\$75,000+	2493	175,408	592	17.0	15.0-19.0	1901	83.0	81.0-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 11: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3241	294,474	933	21.2	19.4-23.0	2308	78.8	77.0-80.6
Native	80	8,721	24	24.0	09.3-38.7	56	76.0	61.3-90.7
Non-Native	3086	278,297	883	20.8	19.0-22.6	2203	79.2	77.4-81.0
18-24	188	47,983	1	0.8	00.0-02.4	187	99.2	97.6-0100
25-34	312	55,324	20	4.8	01.9-07.7	292	95.2	92.3-98.1
35-44	380	44,224	41	13.3	08.2-18.4	339	86.7	81.6-91.8
45-54	518	45,928	118	23.4	18.3-28.5	400	76.6	71.5-81.7
55-64	789	48,808	288	39.2	34.5-43.9	501	60.8	56.1-65.5
65+	1028	50,313	459	46.2	41.9-50.5	569	53.8	49.5-58.1
Less Than H.S.	224	31,237	95	32.2	23.8-40.6	129	67.8	59.4-76.2
H.S. or G.E.D.	995	80,515	310	22.3	19.0-25.6	685	77.7	74.4-81.0
Some Post-H.S.	976	112,309	285	21.6	18.3-24.9	691	78.4	75.1-81.7
College Graduate	1028	67,421	239	14.7	12.3-17.1	789	85.3	82.9-87.7
Less than \$15,000	157	18,686	60	22.2	14.4-30.0	97	77.8	70.0-85.6
\$15,000- 24,999	301	35,456	108	23.5	17.0-30.0	193	76.5	70.0-83.0
\$25,000- 34,999	263	27,083	107	25.3	18.6-32.0	156	74.7	68.0-81.4
\$35,000- 49,999	424	37,861	119	22.2	16.7-27.7	305	77.8	72.3-83.3
\$50,000- 74,999	538	47,600	158	22.8	18.1-27.5	380	77.2	72.5-81.9
\$75,000+	1244	97,622	281	16.2	13.7-18.7	963	83.8	81.3-86.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 12: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4506	285,823	1744	28.9	26.9-30.9	2762	71.1	69.1-73.1
Native	167	15,967	70	23.7	14.7-32.7	97	76.3	67.3-85.3
Non-Native	4284	266,169	1652	29.2	27.2-31.2	2632	70.8	68.8-72.8
18-24	159	41,261	8	5.5	00.8-10.2	151	94.5	89.8-99.2
25-34	347	49,181	14	4.1	01.2-07.0	333	95.9	93.0-98.8
35-44	464	40,488	65	17.0	11.9-22.1	399	83.0	77.9-88.1
45-54	681	44,066	200	33.9	29.0-38.8	481	66.1	61.2-71.0
55-64	1067	45,611	445	44.2	40.1-48.3	622	55.8	51.7-59.9
65+	1732	62,187	991	56.6	53.5-59.7	741	43.4	40.3-46.5
Less Than H.S.	241	21,042	133	43.3	34.3-52.3	108	56.7	47.7-65.7
H.S. or G.E.D.	1327	72,490	592	34.8	30.9-38.7	735	65.2	61.3-69.1
Some Post-H.S.	1494	113,385	608	29.7	26.2-33.2	886	70.3	66.8-73.8
College Graduate	1410	76,105	394	17.6	15.1-20.1	1016	82.4	79.9-84.9
Less than \$15,000	298	25,745	161	41.9	32.5-51.3	137	58.1	48.7-67.5
\$15,000- 24,999	581	38,191	277	34.0	28.1-39.9	304	66.0	60.1-71.9
\$25,000- 34,999	436	29,633	204	29.1	22.4-35.8	232	70.9	64.2-77.6
\$35,000- 49,999	569	31,573	234	28.4	23.3-33.5	335	71.6	66.5-76.7
\$50,000- 74,999	665	39,798	251	31.0	25.7-36.3	414	69.0	63.7-74.3
\$75,000+	1249	77,786	311	18.0	15.3-20.7	938	82.0	79.3-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 7: ORAL HEALTH CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1 MALES AND FEMALES	28
2 MALES ONLY	29
3 FEMALES ONLY	30
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4 MALES AND FEMALES	31
5 MALES ONLY	32
6 FEMALES ONLY	33
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7 MALES AND FEMALES	34
8 MALES ONLY	35
9 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7617	573,552	3565	58.0	56.2-59.8	4052	42.0	40.2-43.8
Male	3206	292,882	1514	57.9	55.4-60.4	1692	42.1	39.6-44.6
Female	4411	280,670	2051	58.1	55.7-60.5	2360	41.9	39.5-44.3
Native	240	24,450	77	36.3	26.1-46.5	163	63.7	53.5-73.9
Non-Native	7255	538,447	3442	59.1	57.3-60.9	3813	40.9	39.1-42.7
18-24	345	89,373	310	89.5	85.4-93.6	35	10.5	06.4-14.6
25-34	663	104,903	522	77.8	73.3-82.3	141	22.2	17.7-26.7
35-44	840	84,434	602	68.8	64.3-73.3	238	31.2	26.7-35.7
45-54	1197	90,016	678	55.5	51.6-59.4	519	44.5	40.6-48.4
55-64	1830	92,821	749	38.0	35.1-40.9	1081	62.0	59.1-64.9
65+	2667	107,262	672	24.1	21.9-26.3	1995	75.9	73.7-78.1
Less Than H.S.	444	50,431	118	39.5	31.9-47.1	326	60.5	52.9-68.1
H.S. or G.E.D.	2273	150,733	804	46.7	43.4-50.0	1469	53.3	50.0-56.6
Some Post-H.S.	2431	223,680	1119	59.4	56.5-62.3	1312	40.6	37.7-43.5
College Graduate	2421	143,123	1498	74.1	71.7-76.5	923	25.9	23.5-28.3
Less than \$15,000	440	43,663	143	50.4	42.6-58.2	297	49.6	41.8-57.4
\$15,000- 24,999	865	72,550	285	50.7	45.2-56.2	580	49.3	43.8-54.8
\$25,000- 34,999	690	56,175	217	49.9	43.6-56.2	473	50.1	43.8-56.4
\$35,000- 49,999	981	68,483	392	52.3	47.2-57.4	589	47.7	42.6-52.8
\$50,000- 74,999	1198	87,108	587	59.7	55.4-64.0	611	40.3	36.0-44.6
\$75,000+	2470	174,360	1498	67.9	65.2-70.6	972	32.1	29.4-34.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3206	292,882	1514	57.9	55.4-60.4	1692	42.1	39.6-44.6
Native	77	8,521	25	28.2	13.7-42.7	52	71.8	57.3-86.3
Non-Native	3057	277,062	1466	59.1	56.6-61.6	1591	40.9	38.4-43.4
18-24	187	48,324	169	91.0	85.9-96.1	18	9.0	03.9-14.1
25-34	313	55,586	248	75.3	68.8-81.8	65	24.7	18.2-31.2
35-44	380	44,113	265	67.7	61.2-74.2	115	32.3	25.8-38.8
45-54	518	46,332	286	54.8	48.7-60.9	232	45.2	39.1-51.3
55-64	778	47,954	293	35.7	31.2-40.2	485	64.3	59.8-68.8
65+	1008	48,819	247	22.1	18.6-25.6	761	77.9	74.4-81.4
Less Than H.S.	220	31,130	64	45.2	34.8-55.6	156	54.8	44.4-65.2
H.S. or G.E.D.	985	79,927	375	47.9	43.2-52.6	610	52.1	47.4-56.8
Some Post-H.S.	962	111,549	457	59.4	54.9-63.9	505	40.6	36.1-45.1
College Graduate	1023	67,374	608	72.4	68.9-75.9	415	27.6	24.1-31.1
Less than \$15,000	156	18,718	52	48.7	36.4-61.0	104	51.3	39.0-63.6
\$15,000- 24,999	298	34,947	106	52.0	43.4-60.6	192	48.0	39.4-56.6
\$25,000- 34,999	259	26,743	71	46.9	37.3-56.5	188	53.1	43.5-62.7
\$35,000- 49,999	420	37,359	164	52.6	45.2-60.0	256	47.4	40.0-54.8
\$50,000- 74,999	533	47,338	241	57.9	51.6-64.2	292	42.1	35.8-48.4
\$75,000+	1230	96,741	720	65.6	61.7-69.5	510	34.4	30.5-38.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4411	280,670	2051	58.1	55.7-60.5	2360	41.9	39.5-44.3
Native	163	15,929	52	40.6	27.3-53.9	111	59.4	46.1-72.7
Non-Native	4198	261,385	1976	59.2	56.8-61.6	2222	40.8	38.4-43.2
18-24	158	41,049	141	87.6	80.7-94.5	17	12.4	05.5-19.3
25-34	350	49,317	274	80.7	74.8-86.6	76	19.3	13.4-25.2
35-44	460	40,321	337	70.1	64.0-76.2	123	29.9	23.8-36.0
45-54	679	43,684	392	56.2	51.1-61.3	287	43.8	38.7-48.9
55-64	1052	44,867	456	40.4	36.5-44.3	596	59.6	55.7-63.5
65+	1659	58,443	425	25.8	22.9-28.7	1234	74.2	71.3-77.1
Less Than H.S.	224	19,301	54	30.3	20.9-39.7	170	69.7	60.3-79.1
H.S. or G.E.D.	1288	70,806	429	45.3	40.6-50.0	859	54.7	50.0-59.4
Some Post-H.S.	1469	112,131	662	59.4	55.5-63.3	807	40.6	36.7-44.5
College Graduate	1398	75,749	890	75.7	72.6-78.8	508	24.3	21.2-27.4
Less than \$15,000	284	24,944	91	51.7	41.7-61.7	193	48.3	38.3-58.3
\$15,000- 24,999	567	37,603	179	49.4	42.3-56.5	388	50.6	43.5-57.7
\$25,000- 34,999	431	29,431	146	52.6	44.4-60.8	285	47.4	39.2-55.6
\$35,000- 49,999	561	31,124	228	51.9	45.0-58.8	333	48.1	41.2-55.0
\$50,000- 74,999	665	39,770	346	61.9	56.2-67.6	319	38.1	32.4-43.8
\$75,000+	1240	77,619	778	70.8	67.1-74.5	462	29.2	25.5-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2667	107,262	2317	85.7	83.7-87.7	350	14.3	12.3-16.3
Male	1008	48,819	897	87.2	84.1-90.3	111	12.8	09.7-15.9
Female	1659	58,443	1420	84.5	82.0-87.0	239	15.5	13.0-18.0
Non-Native	2583	103,778	2251	86.2	84.2-88.2	332	13.8	11.8-15.8
65+	2667	107,262	2317	85.7	83.7-87.7	350	14.3	12.3-16.3
Less Than H.S.	260	18,035	202	79.1	71.7-86.5	58	20.9	13.5-28.3
H.S. or G.E.D.	958	34,943	779	81.6	78.3-84.9	179	18.4	15.1-21.7
Some Post-H.S.	779	34,739	696	87.9	84.8-91.0	83	12.1	09.0-15.2
College Graduate	652	18,537	626	96.9	95.5-98.3	26	3.1	01.7-04.5
Less than \$15,000	193	9,313	137	68.1	57.5-78.7	56	31.9	21.3-42.5
\$15,000- 24,999	456	20,704	374	83.5	78.6-88.4	82	16.5	11.6-21.4
\$25,000- 34,999	355	13,125	309	86.5	81.6-91.4	46	13.5	08.6-18.4
\$35,000- 49,999	410	16,193	361	87.8	83.5-92.1	49	12.2	07.9-16.5
\$50,000- 74,999	353	13,725	339	95.8	92.9-98.7	14	4.2	01.3-07.1
\$75,000+	471	16,968	438	93.1	90.0-96.2	33	6.9	03.8-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1008	48,819	897	87.2	84.1-90.3	111	12.8	09.7-15.9
Non-Native	974	46,926	869	88.2	85.3-91.1	105	11.8	08.9-14.7
65+	1008	48,819	897	87.2	84.1-90.3	111	12.8	09.7-15.9
Less Than H.S.	116	9,131	94	82.0	71.0-93.0	22	18.0	07.0-29.0
H.S. or G.E.D.	328	15,463	274	81.4	75.7-87.1	54	18.6	12.9-24.3
Some Post-H.S.	236	13,574	214	89.9	84.6-95.2	22	10.1	04.8-15.4
College Graduate	325	10,474	313	97.4	95.6-99.2	12	2.6	00.8-04.4
Less than \$15,000	53	3,612	36	62.2	40.6-83.8	17	37.8	16.2-59.4
\$15,000- 24,999	128	8,247	110	85.8	77.4-94.2	18	14.2	05.8-22.6
\$25,000- 34,999	122	5,849	109	92.2	85.9-98.5	13	7.8	01.5-14.1
\$35,000- 49,999	172	7,782	146	86.4	80.5-92.3	26	13.6	07.7-19.5
\$50,000- 74,999	165	7,980	157	94.2	89.5-98.9	8	5.8	01.1-10.5
\$75,000+	276	10,788	262	93.3	89.0-97.6	14	6.7	02.4-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1659	58,443	1420	84.5	82.0-87.0	239	15.5	13.0-18.0
Non-Native	1609	56,853	1382	84.6	82.1-87.1	227	15.4	12.9-17.9
65+	1659	58,443	1420	84.5	82.0-87.0	239	15.5	13.0-18.0
Less Than H.S.	144	8,904	108	76.0	66.2-85.8	36	24.0	14.2-33.8
H.S. or G.E.D.	630	19,480	505	81.7	77.8-85.6	125	18.3	14.4-22.2
Some Post-H.S.	543	21,166	482	86.6	82.7-90.5	61	13.4	09.5-17.3
College Graduate	327	8,063	313	96.2	93.8-98.6	14	3.8	01.4-06.2
Less than \$15,000	140	5,701	101	71.8	62.0-81.6	39	28.2	18.4-38.0
\$15,000- 24,999	328	12,457	264	82.0	75.9-88.1	64	18.0	11.9-24.1
\$25,000- 34,999	233	7,276	200	82.0	74.9-89.1	33	18.0	10.9-25.1
\$35,000- 49,999	238	8,411	215	89.1	82.8-95.4	23	10.9	04.6-17.2
\$50,000- 74,999	188	5,745	182	98.0	95.8-0100	6	2.0	00.0-04.2
\$75,000+	195	6,180	176	92.8	88.5-97.1	19	7.2	02.9-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7745	579,253	5374	65.5	63.7-67.3	2371	34.5	32.7-36.3
Male	3241	294,372	2072	58.9	56.2-61.6	1169	41.1	38.4-43.8
Female	4504	284,881	3302	72.3	70.1-74.5	1202	27.7	25.5-29.9
Native	243	23,832	130	47.5	36.9-58.1	113	52.5	41.9-63.1
Non-Native	7376	544,322	5181	66.7	64.9-68.5	2195	33.3	31.5-35.1
18-24	346	88,859	220	66.3	60.0-72.6	126	33.7	27.4-40.0
25-34	661	104,046	403	59.6	54.5-64.7	258	40.4	35.3-45.5
35-44	844	84,762	579	65.5	60.8-70.2	265	34.5	29.8-39.2
45-54	1208	91,019	836	65.0	61.1-68.9	372	35.0	31.1-38.9
55-64	1853	94,352	1387	70.7	67.8-73.6	466	29.3	26.4-32.2
65+	2750	111,188	1891	66.4	63.9-68.9	859	33.6	31.1-36.1
Less Than H.S.	457	51,657	206	44.8	37.7-51.9	251	55.2	48.1-62.3
H.S. or G.E.D.	2319	152,580	1406	57.2	53.9-60.5	913	42.8	39.5-46.1
Some Post-H.S.	2474	225,322	1772	68.7	65.8-71.6	702	31.3	28.4-34.2
College Graduate	2443	143,903	1956	77.1	74.4-79.8	487	22.9	20.2-25.6
Less than \$15,000	453	43,857	201	49.8	42.0-57.6	252	50.2	42.4-58.0
\$15,000- 24,999	884	73,844	494	48.9	43.4-54.4	390	51.1	45.6-56.6
\$25,000- 34,999	699	56,390	413	53.9	47.6-60.2	286	46.1	39.8-52.4
\$35,000- 49,999	994	69,744	670	57.2	52.1-62.3	324	42.8	37.7-47.9
\$50,000- 74,999	1206	87,226	915	72.3	68.0-76.6	291	27.7	23.4-32.0
\$75,000+	2492	175,148	1968	78.4	75.9-80.9	524	21.6	19.1-24.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3241	294,372	2072	58.9	56.2-61.6	1169	41.1	38.4-43.8
Native	78	8,245	36	40.0	23.1-56.9	42	60.0	43.1-76.9
Non-Native	3090	278,629	2000	60.0	57.3-62.7	1090	40.0	37.3-42.7
18-24	189	48,482	114	60.4	51.4-69.4	75	39.6	30.6-48.6
25-34	311	54,729	158	50.4	43.1-57.7	153	49.6	42.3-56.9
35-44	380	44,268	230	57.0	49.9-64.1	150	43.0	35.9-50.1
45-54	521	46,494	324	58.8	52.9-64.7	197	41.2	35.3-47.1
55-64	790	48,911	536	63.5	58.8-68.2	254	36.5	31.8-41.2
65+	1024	49,595	696	65.0	60.9-69.1	328	35.0	30.9-39.1
Less Than H.S.	224	31,522	92	42.4	32.6-52.2	132	57.6	47.8-67.4
H.S. or G.E.D.	993	80,342	541	50.3	45.6-55.0	452	49.7	45.0-54.4
Some Post-H.S.	975	111,884	627	62.5	58.0-67.0	348	37.5	33.0-42.0
College Graduate	1031	67,633	802	71.5	67.2-75.8	229	28.5	24.2-32.8
Less than \$15,000	157	18,322	58	38.6	26.6-50.6	99	61.4	49.4-73.4
\$15,000- 24,999	302	35,584	143	38.7	30.5-46.9	159	61.3	53.1-69.5
\$25,000- 34,999	263	26,932	122	40.3	31.3-49.3	141	59.7	50.7-68.7
\$35,000- 49,999	424	38,073	254	47.0	39.7-54.3	170	53.0	45.7-60.3
\$50,000- 74,999	538	47,276	371	66.3	60.2-72.4	167	33.7	27.6-39.8
\$75,000+	1243	97,391	916	73.2	69.5-76.9	327	26.8	23.1-30.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4504	284,881	3302	72.3	70.1-74.5	1202	27.7	25.5-29.9
Native	165	15,586	94	51.5	38.0-65.0	71	48.5	35.0-62.0
Non-Native	4286	265,693	3181	73.8	71.6-76.0	1105	26.2	24.0-28.4
18-24	157	40,377	106	73.4	65.0-81.8	51	26.6	18.2-35.0
25-34	350	49,317	245	69.9	62.6-77.2	105	30.1	22.8-37.4
35-44	464	40,494	349	74.8	69.1-80.5	115	25.2	19.5-30.9
45-54	687	44,526	512	71.5	66.6-76.4	175	28.5	23.6-33.4
55-64	1063	45,441	851	78.5	75.0-82.0	212	21.5	18.0-25.0
65+	1726	61,593	1195	67.5	64.4-70.6	531	32.5	29.4-35.6
Less Than H.S.	233	20,135	114	48.4	38.6-58.2	119	51.6	41.8-61.4
H.S. or G.E.D.	1326	72,237	865	64.8	60.3-69.3	461	35.2	30.7-39.7
Some Post-H.S.	1499	113,439	1145	74.7	71.0-78.4	354	25.3	21.6-29.0
College Graduate	1412	76,269	1154	82.1	78.8-85.4	258	17.9	14.6-21.2
Less than \$15,000	296	25,535	143	57.9	48.3-67.5	153	42.1	32.5-51.7
\$15,000- 24,999	582	38,260	351	58.3	51.4-65.2	231	41.7	34.8-48.6
\$25,000- 34,999	436	29,459	291	66.2	58.2-74.2	145	33.8	25.8-41.8
\$35,000- 49,999	570	31,671	416	69.4	63.3-75.5	154	30.6	24.5-36.7
\$50,000- 74,999	668	39,950	544	79.4	73.5-85.3	124	20.6	14.7-26.5
\$75,000+	1249	77,758	1052	84.8	81.3-88.3	197	15.2	11.7-18.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	85
47	MALES ONLY	86
48	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (\_PRACE1).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7692	574,854	7324	91.8	90.6-93.0	38	1.4	00.8-02.0	280	5.2	04.2-06.2	36	1.4	00.8-02.0	4	0.1	00.0-00.3	10	0.2	00.0-00.4
Male	3198	290,052	3055	92.1	90.3-93.9	23	1.7	00.7-02.7	93	3.9	02.7-05.1	21	1.8	00.8-02.8	2	0.2	00.0-00.6	4	0.2	00.0-00.4
Female	4494	284,802	4269	91.5	89.7-93.3	15	1.0	00.4-01.6	187	6.5	04.9-08.1	15	0.9	00.1-01.7	2	0.0	00.0-00.0	6	0.1	00.0-00.3
18-24	339	88,078	292	83.9	78.6-89.2	9	4.1	01.0-07.2	34	9.5	05.4-13.6	3	1.9	00.0-04.1	1	0.6	00.0-01.8			
25-34	659	104,459	593	87.3	83.4-91.2	5	1.4	00.0-02.8	44	6.9	04.2-09.6	12	3.8	01.3-06.3				5	0.7	00.0-01.5
35-44	835	82,687	762	91.0	88.3-93.7	13	1.8	00.4-03.2	55	6.9	04.4-09.4	4	0.3	00.1-00.5	1	0.0	00.0-00.0			
45-54	1198	90,266	1134	93.7	91.3-96.1	7	1.1	00.1-02.1	48	4.7	02.5-06.9	5	0.3	00.1-00.5	1	0.0	00.0-00.0	3	0.2	00.0-00.6
55-64	1837	92,782	1770	96.3	95.1-97.5	4	0.4	00.0-00.8	56	2.7	01.7-03.7	6	0.6	00.2-01.0	1	0.1	00.0-00.3			
65+	2747	111,885	2700	97.9	96.7-99.1				41	1.5	00.5-02.5	5	0.6	00.0-01.2				1	0.0	00.0-00.0
Less Than H.S.	459	51,325	411	81.1	74.4-87.8	6	3.3	00.0-07.0	38	13.3	07.6-19.0	4	2.4	00.0-05.1						
H.S. or G.E.D.	2304	150,780	2207	92.5	90.1-94.9	6	1.1	00.0-02.3	78	5.4	03.4-07.4	6	0.5	00.0-01.1	3	0.4	00.0-01.0	4	0.2	00.0-00.4
Some Post-H.S.	2456	224,555	2337	93.0	91.0-95.0	7	0.9	00.1-01.7	104	5.2	03.6-06.8	5	0.8	00.0-01.8	1	0.0	00.0-00.0	2	0.1	00.0-00.3
College Graduate	2424	142,616	2326	93.6	91.6-95.6	19	1.8	00.6-03.0	57	2.1	01.3-02.9	19	2.2	00.8-03.6				3	0.3	00.0-00.7
Less than \$15,000	452	42,861	392	79.0	72.1-85.9	3	0.7	00.0-01.5	54	18.2	11.5-24.9	2	1.4	00.0-03.8				1	0.7	00.0-02.1
\$15,000- 24,999	874	72,843	803	87.6	83.3-91.9	5	1.2	00.0-02.6	55	8.1	04.6-11.6	7	2.2	00.2-04.2	3	0.8	00.0-02.2	1	0.1	00.0-00.3
\$25,000- 34,999	694	56,175	655	90.3	86.2-94.4	6	2.6	00.1-05.1	32	6.4	03.3-09.5	1	0.7	00.0-02.1						
\$35,000- 49,999	986	69,095	941	94.7	92.2-97.2	8	1.4	00.0-02.8	32	3.4	01.4-05.4	4	0.3	00.0-00.7				1	0.2	00.0-00.6
\$50,000- 74,999	1200	87,347	1163	95.3	92.9-97.7	7	1.9	00.1-03.7	27	2.3	00.9-03.7	3	0.6	00.0-01.4						
\$75,000+	2483	173,563	2415	95.6	93.8-97.4	3	0.5	00.0-01.5	46	2.0	01.0-03.0	15	1.8	00.4-03.2				4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 2: PREFERRED RACE CATEGORY (\_PRACE1).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3198	290,052	3055	92.1	90.3-93.9	23	1.7	00.7-02.7	93	3.9	02.7-05.1	21	1.8	00.8-02.8	2	0.2	00.0-00.6	4	0.2	00.0-00.4
18-24	187	47,580	163	83.5	76.1-90.9	6	6.1	00.8-11.4	15	6.7	02.4-11.0	2	2.7	00.0-06.4	1	1.0	00.0-03.0			
25-34	311	55,252	285	89.8	85.3-94.3	3	1.2	00.0-02.8	12	3.6	00.9-06.3	8	4.2	01.1-07.3				3	1.2	00.0-02.6
35-44	373	42,352	349	93.7	90.2-97.2	6	0.8	00.0-01.6	17	5.3	01.8-08.8	1	0.2	00.0-00.6						
45-54	515	46,076	485	93.1	89.4-96.8	5	1.8	00.0-03.8	21	4.6	01.3-07.9	3	0.4	00.0-00.8	1	0.1	00.0-00.3			
55-64	773	47,293	749	96.8	95.2-98.4	3	0.6	00.0-01.4	18	1.9	00.9-02.9	3	0.7	00.0-01.5						
65+	1016	49,681	1003	97.1	94.7-99.5				10	1.7	00.0-03.7	3	1.1	00.0-02.5						
Less Than H.S.	220	30,624	197	81.9	73.1-90.7	4	5.0	00.0-11.1	15	9.2	03.3-15.1	4	3.9	00.0-08.4						
H.S. or G.E.D.	979	78,819	941	93.1	89.8-96.4	4	1.4	00.0-03.2	29	3.9	01.5-06.3	2	0.7	00.0-01.9	2	0.7	00.0-01.9	1	0.2	00.0-00.6
Some Post-H.S.	960	110,529	920	93.9	91.2-96.6	5	1.0	00.0-02.4	31	4.1	01.9-06.3	3	0.8	00.0-02.0				1	0.2	00.0-00.6
College Graduate	1023	67,234	984	93.8	91.1-96.5	10	1.9	00.3-03.5	17	1.2	00.4-02.0	10	2.5	00.5-04.5				2	0.5	00.0-01.3
Less than \$15,000	156	17,769	135	81.3	71.1-91.5	2	1.1	00.0-02.7	16	12.6	03.8-21.4	2	3.3	00.0-08.8				1	1.6	00.0-04.7
\$15,000- 24,999	293	34,536	268	86.8	80.3-93.3	5	2.6	00.0-05.3	14	5.9	01.4-10.4	4	3.1	00.0-06.6	2	1.5	00.0-04.2			
\$25,000- 34,999	260	26,716	243	87.9	80.6-95.2	4	4.2	00.0-09.3	12	6.4	01.5-11.3	1	1.5	00.0-04.4						
\$35,000- 49,999	419	37,569	405	95.4	91.9-98.9	5	1.4	00.0-03.4	7	2.6	00.0-05.3	1	0.2	00.0-00.6				1	0.4	00.0-01.2
\$50,000- 74,999	536	47,470	521	94.7	91.0-98.4	3	1.9	00.0-04.8	9	2.4	00.2-04.6	3	1.1	00.0-02.5						
\$75,000+	1233	95,854	1196	95.1	92.6-97.6	2	0.9	00.0-02.7	26	2.1	00.7-03.5	8	1.6	00.0-03.2				1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 3: PREFERRED RACE CATEGORY (\_PRACE1).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4494	284,802	4269	91.5	89.7-93.3	15	1.0	00.4-01.6	187	6.5	04.9-08.1	15	0.9	00.1-01.7	2	0.0	00.0-00.0	6	0.1	00.0-00.3
18-24	152	40,498	129	84.4	76.8-92.0	3	1.8	00.0-04.5	19	12.8	05.7-19.9	1	1.0	00.0-03.0						
25-34	348	49,208	308	84.5	78.2-90.8	2	1.6	00.0-03.8	32	10.5	05.6-15.4	4	3.3	00.0-07.2				2	0.1	00.0-00.3
35-44	462	40,335	413	88.3	84.0-92.6	7	2.8	00.3-05.3	38	8.5	05.0-12.0	3	0.4	00.0-00.8	1	0.1	00.0-00.3			
45-54	683	44,190	649	94.3	91.8-96.8	2	0.3	00.0-00.7	27	4.9	02.4-07.4	2	0.1	00.0-00.3				3	0.4	00.0-01.2
55-64	1064	45,489	1021	95.8	94.0-97.6	1	0.1	00.0-00.3	38	3.5	01.9-05.1	3	0.4	00.0-01.0	1	0.1	00.0-00.3			
65+	1731	62,204	1697	98.5	97.7-99.3				31	1.3	00.7-01.9	2	0.2	00.0-00.4				1	0.1	00.0-00.3
Less Than H.S.	239	20,701	214	79.8	69.2-90.4	2	0.8	00.0-02.0	23	19.4	08.8-30.0									
H.S. or G.E.D.	1325	71,961	1266	91.8	88.3-95.3	2	0.7	00.0-01.9	49	7.0	03.7-10.3	4	0.3	00.0-00.7	1	0.1	00.0-00.3	3	0.1	00.0-00.3
Some Post-H.S.	1496	114,025	1417	92.2	89.5-94.9	2	0.7	00.0-01.7	73	6.2	04.0-08.4	2	0.8	00.0-02.4	1	0.0	00.0-00.0	1	0.0	00.0-00.0
College Graduate	1401	75,381	1342	93.5	91.0-96.0	9	1.7	00.1-03.3	40	2.9	01.5-04.3	9	1.9	00.1-03.7				1	0.0	00.0-00.0
Less than \$15,000	296	25,093	257	77.4	68.2-86.6	1	0.5	00.0-01.5	38	22.1	12.9-31.3									
\$15,000- 24,999	581	38,306	535	88.3	82.8-93.8				41	10.0	04.7-15.3	3	1.4	00.0-03.4	1	0.2	00.0-00.6	1	0.1	00.0-00.3
\$25,000- 34,999	434	29,459	412	92.4	87.9-96.9	2	1.1	00.0-03.1	20	6.5	02.4-10.6									
\$35,000- 49,999	567	31,526	536	93.8	90.3-97.3	3	1.3	00.0-03.5	25	4.4	01.5-07.3	3	0.4	00.0-01.0						
\$50,000- 74,999	664	39,878	642	96.0	93.5-98.5	4	1.9	00.0-04.1	18	2.1	00.7-03.5									
\$75,000+	1250	77,709	1219	96.1	93.6-98.6	1	0.0	00.0-00.0	20	1.8	00.6-03.0	7	1.9	00.0-04.3				3	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7692	574,854	7295	90.9	89.5-92.3	38	1.4	00.8-02.0	264	4.8	03.8-05.8	36	1.4	00.8-02.0	3	0.1	00.0-00.3	56	1.5	00.9-02.1
Male	3198	290,052	3043	91.3	89.3-93.3	23	1.7	00.7-02.7	88	3.5	02.3-04.7	21	1.8	00.8-02.8	2	0.2	00.0-00.6	21	1.5	00.7-02.3
Female	4494	284,802	4252	90.6	88.8-92.4	15	1.0	00.4-01.6	176	6.0	04.4-07.6	15	0.9	00.1-01.7	1	0.0	00.0-00.0	35	1.5	00.7-02.3
18-24	339	88,078	289	83.1	77.8-88.4	9	4.1	01.0-07.2	31	8.1	04.4-11.8	3	1.9	00.0-04.1	1	0.6	00.0-01.8	6	2.2	00.2-04.2
25-34	659	104,459	585	85.1	81.0-89.2	5	1.4	00.0-02.8	40	6.4	03.7-09.1	12	3.8	01.3-06.3				17	3.4	01.4-05.4
35-44	835	82,687	756	89.9	87.0-92.8	13	1.8	00.4-03.2	50	6.4	04.0-08.8	4	0.3	00.1-00.5				12	1.6	00.4-02.8
45-54	1198	90,266	1127	92.7	90.2-95.2	7	1.1	00.1-02.1	45	4.5	02.3-06.7	5	0.3	00.1-00.5	1	0.0	00.0-00.0	13	1.4	00.4-02.4
55-64	1837	92,782	1768	96.2	95.0-97.4	4	0.4	00.0-00.8	55	2.7	01.7-03.7	6	0.6	00.2-01.0	1	0.1	00.0-00.3	3	0.1	00.0-00.3
65+	2747	111,885	2697	97.7	96.5-98.9				41	1.5	00.5-02.5	5	0.6	00.0-01.2				4	0.2	00.0-00.4
Less Than H.S.	459	51,325	411	81.1	74.4-87.8	6	3.3	00.0-07.0	38	13.3	07.6-19.0	4	2.4	00.0-05.1						
H.S. or G.E.D.	2304	150,780	2198	91.5	89.0-94.0	6	1.1	00.0-02.3	76	5.0	03.0-07.0	6	0.5	00.0-01.1	3	0.4	00.0-01.0	15	1.6	00.6-02.6
Some Post-H.S.	2456	224,555	2327	92.1	90.1-94.1	7	0.9	00.1-01.7	98	4.6	03.2-06.0	5	0.8	00.0-01.8				19	1.6	00.6-02.6
College Graduate	2424	142,616	2316	92.6	90.6-94.6	19	1.8	00.6-03.0	49	1.8	01.0-02.6	19	2.2	00.8-03.6				21	1.6	00.6-02.6
Less than \$15,000	452	42,861	391	78.7	71.8-85.6	3	0.7	00.0-01.5	50	17.8	11.1-24.5	2	1.4	00.0-03.8				6	1.4	00.0-03.0
\$15,000- 24,999	874	72,843	800	86.5	82.2-90.8	5	1.2	00.0-02.6	54	7.3	04.0-10.6	7	2.2	00.2-04.2	3	0.8	00.0-02.2	5	1.9	00.0-04.1
\$25,000- 34,999	694	56,175	654	89.5	85.2-93.8	6	2.6	00.1-05.1	30	5.2	02.5-07.9	1	0.7	00.0-02.1				3	1.9	00.0-04.1
\$35,000- 49,999	986	69,095	935	93.3	90.6-96.0	8	1.4	00.0-02.8	32	3.4	01.4-05.4	4	0.3	00.0-00.7				7	1.6	00.2-03.0
\$50,000- 74,999	1200	87,347	1156	93.5	90.6-96.4	7	1.9	00.1-03.7	24	2.1	00.7-03.5	3	0.6	00.0-01.4				10	2.0	00.2-03.8
\$75,000+	2483	173,563	2408	95.1	93.1-97.1	3	0.5	00.0-01.5	42	1.7	00.9-02.5	15	1.8	00.4-03.2				15	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3198	290,052	3043	91.3	89.3-93.3	23	1.7	00.7-02.7	88	3.5	02.3-04.7	21	1.8	00.8-02.8	2	0.2	00.0-00.6	21	1.5	00.7-02.3
18-24	187	47,580	162	83.3	75.9-90.7	6	6.1	00.8-11.4	13	4.8	01.5-08.1	2	2.7	00.0-06.4	1	1.0	00.0-03.0	3	2.0	00.0-04.7
25-34	311	55,252	280	87.2	82.1-92.3	3	1.2	00.0-02.8	12	3.6	00.9-06.3	8	4.2	01.1-07.3				8	3.8	00.9-06.7
35-44	373	42,352	346	92.4	88.5-96.3	6	0.8	00.0-01.6	16	4.8	01.5-08.1	1	0.2	00.0-00.6				4	1.7	00.0-03.7
45-54	515	46,076	483	92.3	88.4-96.2	5	1.8	00.0-03.8	20	4.5	01.2-07.8	3	0.4	00.0-00.8	1	0.1	00.0-00.3	3	0.8	00.0-02.2
55-64	773	47,293	748	96.7	95.1-98.3	3	0.6	00.0-01.4	17	1.9	00.9-02.9	3	0.7	00.0-01.5				2	0.2	00.0-00.4
65+	1016	49,681	1003	97.1	94.7-99.5				10	1.7	00.0-03.7	3	1.1	00.0-02.5						
Less Than H.S.	220	30,624	197	81.9	73.1-90.7	4	5.0	00.0-11.1	15	9.2	03.3-15.1	4	3.9	00.0-08.4						
H.S. or G.E.D.	979	78,819	937	92.2	88.9-95.5	4	1.4	00.0-03.2	28	3.5	01.3-05.7	2	0.7	00.0-01.9	2	0.7	00.0-01.9	6	1.5	00.1-02.9
Some Post-H.S.	960	110,529	916	92.8	89.9-95.7	5	1.0	00.0-02.4	29	3.4	01.6-05.2	3	0.8	00.0-02.0				7	2.0	00.2-03.8
College Graduate	1023	67,234	980	92.9	90.2-95.6	10	1.9	00.3-03.5	15	1.2	00.4-02.0	10	2.5	00.5-04.5				8	1.5	00.1-02.9
Less than \$15,000	156	17,769	134	80.5	70.1-90.9	2	1.1	00.0-02.7	15	12.5	03.7-21.3	2	3.3	00.0-08.8				3	2.6	00.0-06.1
\$15,000- 24,999	293	34,536	268	86.8	80.3-93.3	5	2.6	00.0-05.3	13	4.3	00.8-07.8	4	3.1	00.0-06.6	2	1.5	00.0-04.2	1	1.6	00.0-04.7
\$25,000- 34,999	260	26,716	243	87.9	80.6-95.2	4	4.2	00.0-09.3	12	6.4	01.5-11.3	1	1.5	00.0-04.4						
\$35,000- 49,999	419	37,569	402	93.3	89.2-97.4	5	1.4	00.0-03.4	7	2.6	00.0-05.3	1	0.2	00.0-00.6				4	2.5	00.0-05.0
\$50,000- 74,999	536	47,470	518	92.9	88.4-97.4	3	1.9	00.0-04.8	9	2.4	00.2-04.6	3	1.1	00.0-02.5				3	1.8	00.0-04.3
\$75,000+	1233	95,854	1192	94.5	91.8-97.2	2	0.9	00.0-02.7	24	1.8	00.6-03.0	8	1.6	00.0-03.2				7	1.2	00.0-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4494	284,802	4252	90.6	88.8-92.4	15	1.0	00.4-01.6	176	6.0	04.4-07.6	15	0.9	00.1-01.7	1	0.0	00.0-00.0	35	1.5	00.7-02.3
18-24	152	40,498	127	82.8	75.0-90.6	3	1.8	00.0-04.5	18	12.0	04.9-19.1	1	1.0	00.0-03.0				3	2.5	00.0-05.2
25-34	348	49,208	305	87.3	82.8-91.8	2	1.6	00.0-03.8	28	9.5	04.6-14.4	4	3.3	00.0-07.2				9	2.9	00.2-05.6
35-44	462	40,335	410	87.3	82.8-91.8	7	2.8	00.3-05.3	34	8.1	04.6-11.6	3	0.4	00.0-00.8				8	1.4	00.0-02.8
45-54	683	44,190	644	93.1	90.4-95.8	2	0.3	00.0-00.7	25	4.4	02.0-06.8	2	0.1	00.0-00.3				10	2.1	00.5-03.7
55-64	1064	45,489	1020	95.7	93.9-97.5	1	0.1	00.0-00.3	38	3.5	01.9-05.1	3	0.4	00.0-01.0	1	0.1	00.0-00.3	1	0.1	00.0-00.3
65+	1731	62,204	1694	98.2	97.4-99.0				31	1.3	00.7-01.9	2	0.2	00.0-00.4				4	0.4	00.0-00.8
Less Than H.S.	239	20,701	214	79.8	69.2-90.4	2	0.8	00.0-02.0	23	19.4	08.8-30.0									
H.S. or G.E.D.	1325	71,961	1261	90.7	87.0-94.4	2	0.7	00.0-01.9	48	6.6	03.5-09.7	4	0.3	00.0-00.7	1	0.1	00.0-00.3	9	1.7	00.1-03.3
Some Post-H.S.	1496	114,025	1411	91.3	88.4-94.2	2	0.7	00.0-01.7	69	5.8	03.6-08.0	2	0.8	00.0-02.4				12	1.3	00.1-02.5
College Graduate	1401	75,381	1336	92.3	89.6-95.0	9	1.7	00.1-03.3	34	2.3	00.9-03.7	9	1.9	00.1-03.7				13	1.8	00.4-03.2
Less than \$15,000	296	25,093	257	77.4	68.2-86.6	1	0.5	00.0-01.5	35	21.6	12.4-30.8							3	0.5	00.0-01.1
\$15,000- 24,999	581	38,306	532	86.2	80.3-92.1				41	10.0	04.7-15.3	3	1.4	00.0-03.4	1	0.2	00.0-00.6	4	2.2	00.0-04.9
\$25,000- 34,999	434	29,459	411	91.0	85.9-96.1	2	1.1	00.0-03.1	18	4.2	01.5-06.9							3	3.7	00.0-07.8
\$35,000- 49,999	567	31,526	533	93.2	89.5-96.9	3	1.3	00.0-03.5	25	4.4	01.5-07.3	3	0.4	00.0-01.0				3	0.6	00.0-01.4
\$50,000- 74,999	664	39,878	638	94.1	90.8-97.4	4	1.9	00.0-04.1	15	1.8	00.6-03.0							7	2.2	00.0-04.6
\$75,000+	1250	77,709	1216	95.8	93.3-98.3	1	0.0	00.0-00.0	18	1.5	00.5-02.5	7	1.9	00.0-04.3				8	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (\_RACE).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7575	558,247	7203	91.5	90.1-92.9	34	1.2	00.6-01.8	247	4.4	03.4-05.4	36	1.4	00.8-02.0	3	0.1	00.0-00.3	52	1.4	00.8-02.0
Male	3132	278,178	2991	92.1	90.3-93.9	20	1.4	00.4-02.4	80	3.1	02.1-04.1	21	1.9	00.9-02.9	2	0.2	00.0-00.6	18	1.3	00.5-02.1
Female	4443	280,069	4212	91.0	89.2-92.8	14	0.9	00.3-01.5	167	5.7	04.3-07.1	15	0.9	00.1-01.7	1	0.0	00.0-00.0	34	1.5	00.7-02.3
18-24	319	81,992	277	85.1	79.8-90.4	7	3.2	00.5-05.9	25	6.7	03.2-10.2	3	2.0	00.0-04.4	1	0.6	00.0-01.8	6	2.4	00.2-04.6
25-34	642	101,079	576	85.9	81.8-90.0	4	1.2	00.0-02.6	36	6.2	03.5-08.9	12	3.9	01.4-06.4				14	2.7	00.7-04.7
35-44	819	80,351	745	90.1	87.2-93.0	13	1.8	00.4-03.2	45	6.2	03.7-08.7	4	0.3	00.0-00.7				12	1.6	00.4-02.8
45-54	1179	87,954	1109	92.7	90.2-95.2	6	1.0	00.0-02.0	45	4.6	02.4-06.8	5	0.3	00.1-00.5	1	0.0	00.0-00.0	13	1.5	00.5-02.5
55-64	1825	91,567	1756	96.2	95.0-97.4	4	0.4	00.0-00.8	55	2.7	01.7-03.7	6	0.6	00.0-01.2	1	0.1	00.0-00.3	3	0.1	00.0-00.3
65+	2716	110,675	2668	97.9	96.7-99.1				40	1.3	00.3-02.3	5	0.6	00.0-01.2				3	0.2	00.0-00.4
Less Than H.S.	437	46,939	394	81.7	75.0-88.4	4	1.6	00.0-03.8	35	14.2	08.1-20.3	4	2.6	00.0-05.5						
H.S. or G.E.D.	2263	145,843	2165	92.4	90.0-94.8	6	1.1	00.0-02.3	69	4.0	02.4-05.6	6	0.5	00.0-01.3	3	0.4	00.0-01.0	14	1.6	00.6-02.6
Some Post-H.S.	2425	219,718	2302	92.2	90.0-94.4	7	0.9	00.1-01.7	93	4.5	03.1-05.9	5	0.8	00.0-01.8				18	1.5	00.5-02.5
College Graduate	2402	140,297	2300	93.3	91.3-95.3	17	1.6	00.6-02.6	47	1.6	00.8-02.4	19	2.2	00.8-03.6				19	1.2	00.4-02.0
Less than \$15,000	441	40,487	384	80.9	74.2-87.6	3	0.8	00.0-01.8	47	16.2	09.9-22.5	2	1.5	00.0-03.9				5	0.7	00.0-01.5
\$15,000- 24,999	845	69,101	775	86.5	82.0-91.0	3	0.9	00.0-02.1	52	7.4	04.1-10.7	7	2.3	00.1-04.5	3	0.8	00.0-02.2	5	2.0	00.0-04.2
\$25,000- 34,999	685	55,063	647	89.8	85.5-94.1	6	2.6	00.0-05.3	28	4.9	02.2-07.6	1	0.7	00.0-02.1				3	2.0	00.0-04.2
\$35,000- 49,999	974	67,339	929	94.4	91.9-96.9	8	1.4	00.0-02.8	27	2.6	00.8-04.4	4	0.3	00.0-00.7				6	1.2	00.0-02.4
\$50,000- 74,999	1190	86,172	1147	93.6	90.7-96.5	7	1.9	00.0-03.9	23	1.9	00.7-03.1	3	0.6	00.0-01.4				10	2.0	00.2-03.8
\$75,000+	2455	169,131	2383	95.6	93.8-97.4	2	0.0	00.0-00.0	41	1.7	00.9-02.5	15	1.8	00.4-03.2				14	0.9	00.3-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: RACE/ETHNICITY CATEGORIES (\_RACE).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3132	278,178	2991	92.1	90.3-93.9	20	1.4	00.4-02.4	80	3.1	02.1-04.1	21	1.9	00.9-02.9	2	0.2	00.0-00.6	18	1.3	00.5-02.1
18-24	175	43,194	155	86.0	78.9-93.1	5	4.8	00.1-09.5	9	2.8	00.6-05.0	2	3.0	00.0-06.9	1	1.1	00.0-03.3	3	2.2	00.0-05.1
25-34	300	52,673	274	88.6	83.5-93.7	2	0.9	00.0-02.5	11	3.6	00.7-06.5	8	4.4	01.1-07.7				5	2.5	00.0-05.0
35-44	363	40,439	338	92.3	88.2-96.4	6	0.8	00.0-01.6	14	4.9	01.4-08.4	1	0.2	00.0-00.6				4	1.8	00.0-04.0
45-54	503	44,633	472	92.4	88.3-96.5	4	1.6	00.0-03.6	20	4.7	01.2-08.2	3	0.4	00.0-01.0	1	0.1	00.0-00.3	3	0.8	00.0-02.2
55-64	765	46,303	740	96.6	95.0-98.2	3	0.6	00.0-01.6	17	1.9	00.9-02.9	3	0.7	00.0-01.5				2	0.2	00.0-00.4
65+	1003	49,117	991	97.4	95.0-99.8				9	1.4	00.0-03.2	3	1.2	00.0-02.6						
Less Than H.S.	205	27,027	187	83.6	75.2-92.0	2	2.1	00.0-05.6	12	9.8	03.3-16.3	4	4.5	00.0-09.6						
H.S. or G.E.D.	962	75,751	922	93.2	90.1-96.3	4	1.4	00.0-03.4	26	2.4	01.0-03.8	2	0.8	00.0-02.2	2	0.7	00.0-01.9	6	1.5	00.1-02.9
Some Post-H.S.	939	106,475	899	93.0	90.1-95.9	5	1.1	00.0-02.5	26	3.2	01.4-05.0	3	0.8	00.0-02.0				6	1.8	00.0-03.6
College Graduate	1010	66,081	970	94.0	91.5-96.5	9	1.6	00.0-03.2	15	1.2	00.4-02.0	10	2.6	00.6-04.6				6	0.6	00.0-01.2
Less than \$15,000	153	16,841	133	84.4	75.2-93.6	2	1.2	00.0-02.8	14	10.0	02.6-17.4	2	3.5	00.0-09.2				2	1.0	00.0-02.6
\$15,000- 24,999	280	31,910	258	87.1	80.2-94.0	3	1.9	00.0-04.6	12	4.3	00.6-08.0	4	3.3	00.0-07.0	2	1.6	00.0-04.5	1	1.7	00.0-05.0
\$25,000- 34,999	256	26,073	239	87.6	80.2-95.0	4	4.3	00.0-09.4	12	6.5	01.4-11.6	1	1.5	00.0-04.4						
\$35,000- 49,999	411	35,955	398	95.2	91.9-98.5	5	1.5	00.0-03.5	4	1.3	00.0-03.3	1	0.2	00.0-00.6				3	1.8	00.0-04.0
\$50,000- 74,999	530	46,571	512	92.8	88.3-97.3	3	1.9	00.0-04.8	9	2.4	00.2-04.6	3	1.1	00.0-02.5				3	1.8	00.0-04.3
\$75,000+	1211	92,075	1173	95.5	93.3-97.7	1	0.0	00.0-00.0	23	1.8	00.6-03.0	8	1.7	00.1-03.3				6	1.0	00.0-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: RACE/ETHNICITY CATEGORIES (\_RACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4443	280,069	4212	91.0	89.2-92.8	14	0.9	00.3-01.5	167	5.7	04.3-07.1	15	0.9	00.1-01.7	1	0.0	00.0-00.0	34	1.5	00.7-02.3
18-24	144	38,798	122	84.1	76.3-91.9	2	1.5	00.0-04.2	16	10.9	04.0-17.8	1	1.0	00.0-03.0				3	2.6	00.0-05.5
25-34	342	48,406	302	83.0	76.3-89.7	2	1.6	00.0-03.8	25	9.1	04.2-14.0	4	3.4	00.0-07.5				9	3.0	00.1-05.9
35-44	456	39,913	407	87.9	83.6-92.2	7	2.8	00.3-05.3	31	7.5	04.0-11.0	3	0.4	00.0-00.8				8	1.4	00.0-02.8
45-54	676	43,321	637	93.0	90.1-95.9	2	0.3	00.0-00.7	25	4.5	02.1-06.9	2	0.1	00.0-00.3				10	2.1	00.5-03.7
55-64	1060	45,264	1016	95.7	93.9-97.5	1	0.1	00.0-00.3	38	3.5	01.9-05.1	3	0.4	00.0-01.0	1	0.1	00.0-00.3	1	0.1	00.0-00.3
65+	1713	61,557	1677	98.2	97.4-99.0				31	1.3	00.7-01.9	2	0.2	00.0-00.4				3	0.3	00.0-00.7
Less Than H.S.	232	19,912	207	79.0	68.2-89.8	2	0.8	00.0-02.2	23	20.2	09.4-31.0									
H.S. or G.E.D.	1301	70,093	1243	91.6	88.1-95.1	2	0.7	00.0-01.9	43	5.7	02.8-08.6				1	0.1	00.0-00.3	8	1.7	00.1-03.3
Some Post-H.S.	1486	113,244	1403	91.5	88.6-94.4	2	0.8	00.0-01.8	67	5.6	03.4-07.8	2	0.8	00.0-02.4				12	1.3	00.1-02.5
College Graduate	1392	74,216	1330	92.7	90.0-95.4	8	1.5	00.1-02.9	32	2.1	00.9-03.3	9	1.9	00.1-03.7				13	1.8	00.4-03.2
Less than \$15,000	288	23,646	251	78.3	69.1-87.5	1	0.5	00.0-01.5	33	20.6	11.4-29.8							3	0.6	00.0-01.4
\$15,000- 24,999	565	37,191	517	86.0	79.9-92.1				40	10.1	04.8-15.4	3	1.4	00.0-03.6	1	0.2	00.0-00.6	4	2.3	00.0-05.0
\$25,000- 34,999	429	28,990	408	91.8	86.7-96.9	2	1.1	00.0-03.1	16	3.4	01.0-05.8							3	3.7	00.0-07.8
\$35,000- 49,999	563	31,384	531	93.5	89.8-97.2	3	1.3	00.0-03.5	23	4.2	01.3-07.1	3	0.4	00.0-01.0				3	0.6	00.0-01.4
\$50,000- 74,999	660	39,600	635	94.6	91.3-97.9	4	1.9	00.0-04.1	14	1.3	00.5-02.1							7	2.2	00.0-04.6
\$75,000+	1244	77,055	1210	95.8	93.3-98.3	1	0.0	00.0-00.0	18	1.5	00.5-02.5	7	1.9	00.0-04.3				8	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7655	572,391	7203	89.3	87.9-90.7	452	10.7	09.3-12.1
Male	3179	288,775	2991	88.7	86.5-90.9	188	11.3	09.1-13.5
Female	4476	283,615	4212	89.8	87.8-91.8	264	10.2	08.2-12.2
18-24	342	88,923	277	78.5	72.6-84.4	65	21.5	15.6-27.4
25-34	659	104,244	576	83.3	79.0-87.6	83	16.7	12.4-21.0
35-44	832	81,879	745	88.4	85.3-91.5	87	11.6	08.5-14.7
45-54	1193	89,383	1109	91.2	88.7-93.7	84	8.8	06.3-11.3
55-64	1831	92,407	1756	95.3	93.7-96.9	75	4.7	03.1-06.3
65+	2723	110,925	2668	97.7	96.5-98.9	55	2.3	01.1-03.5
Less Than H.S.	453	51,197	394	74.9	67.3-82.5	59	25.1	17.5-32.7
H.S. or G.E.D.	2293	150,914	2165	89.3	86.6-92.0	128	10.7	08.0-13.4
Some Post-H.S.	2444	222,648	2302	91.0	88.8-93.2	142	9.0	06.8-11.2
College Graduate	2416	142,053	2300	92.2	90.0-94.4	116	7.8	05.6-10.0
Less than \$15,000	449	43,001	384	76.1	68.7-83.5	65	23.9	16.5-31.3
\$15,000- 24,999	864	72,179	775	82.8	77.7-87.9	89	17.2	12.1-22.3
\$25,000- 34,999	691	56,009	647	88.3	83.8-92.8	44	11.7	07.2-16.2
\$35,000- 49,999	983	69,037	929	92.1	88.8-95.4	54	7.9	04.6-11.2
\$50,000- 74,999	1197	86,666	1147	93.1	90.2-96.0	50	6.9	04.0-09.8
\$75,000+	2474	173,129	2383	93.4	91.2-95.6	91	6.6	04.4-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 11: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3179	288,775	2991	88.7	86.5-90.9	188	11.3	09.1-13.5
18-24	188	48,410	155	76.7	68.1-85.3	33	23.3	14.7-31.9
25-34	311	55,036	274	84.8	79.3-90.3	37	15.2	09.7-20.7
35-44	371	41,583	338	89.7	85.2-94.2	33	10.3	05.8-14.8
45-54	512	45,607	472	90.4	86.1-94.7	40	9.6	05.3-13.9
55-64	769	47,003	740	95.2	92.8-97.6	29	4.8	02.4-07.2
65+	1005	49,315	991	97.0	94.6-99.4	14	3.0	00.6-05.4
Less Than H.S.	216	30,811	187	73.4	63.0-83.8	29	26.6	16.2-37.0
H.S. or G.E.D.	976	79,171	922	89.2	85.3-93.1	54	10.8	06.9-14.7
Some Post-H.S.	953	109,082	899	90.8	87.5-94.1	54	9.2	05.9-12.5
College Graduate	1018	66,867	970	92.9	90.2-95.6	48	7.1	04.4-09.8
Less than \$15,000	157	18,483	133	76.9	65.1-88.7	24	23.1	11.3-34.9
\$15,000- 24,999	289	34,155	258	81.4	73.2-89.6	31	18.6	10.4-26.8
\$25,000- 34,999	259	26,666	239	85.6	78.0-93.2	20	14.4	06.8-22.0
\$35,000- 49,999	419	37,611	398	91.0	85.9-96.1	21	9.0	03.9-14.1
\$50,000- 74,999	532	46,757	512	92.4	87.9-96.9	20	7.6	03.1-12.1
\$75,000+	1225	95,437	1173	92.1	89.0-95.2	52	7.9	04.8-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 12: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4476	283,615	4212	89.8	87.8-91.8	264	10.2	08.2-12.2
18-24	154	40,513	122	80.5	72.5-88.5	32	19.5	11.5-27.5
25-34	348	49,208	302	81.7	75.0-88.4	46	18.3	11.6-25.0
35-44	461	40,296	407	87.0	82.5-91.5	54	13.0	08.5-17.5
45-54	681	43,776	637	92.0	88.9-95.1	44	8.0	04.9-11.1
55-64	1062	45,404	1016	95.4	93.6-97.2	46	4.6	02.8-06.4
65+	1718	61,610	1677	98.2	97.4-99.0	41	1.8	01.0-02.6
Less Than H.S.	237	20,386	207	77.2	66.6-87.8	30	22.8	12.2-33.4
H.S. or G.E.D.	1317	71,743	1243	89.4	85.5-93.3	74	10.6	06.7-14.5
Some Post-H.S.	1491	113,566	1403	91.2	88.3-94.1	88	8.8	05.9-11.7
College Graduate	1398	75,186	1330	91.5	88.6-94.4	68	8.5	05.6-11.4
Less than \$15,000	292	24,518	251	75.5	65.9-85.1	41	24.5	14.9-34.1
\$15,000- 24,999	575	38,024	517	84.1	77.8-90.4	58	15.9	09.6-22.2
\$25,000- 34,999	432	29,343	408	90.7	85.6-95.8	24	9.3	04.2-14.4
\$35,000- 49,999	564	31,426	531	93.3	89.6-97.0	33	6.7	03.0-10.4
\$50,000- 74,999	665	39,909	635	93.8	90.5-97.1	30	6.2	02.9-09.5
\$75,000+	1249	77,692	1210	95.0	92.3-97.7	39	5.0	02.3-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7655	572,391	7203	89.3	87.9-90.7	34	1.1	00.5-01.7	286	5.8	04.8-06.8	52	1.3	00.7-01.9	80	2.5	01.7-03.3
Male	3179	288,775	2991	88.7	86.5-90.9	20	1.4	00.6-02.2	103	5.0	03.6-06.4	18	1.2	00.4-02.0	47	3.7	02.3-05.1
Female	4476	283,615	4212	89.8	87.8-91.8	14	0.9	00.3-01.5	183	6.5	04.9-08.1	34	1.5	00.7-02.3	33	1.3	00.7-01.9
18-24	342	88,923	277	78.5	72.6-84.4	7	3.0	00.5-05.5	29	8.6	04.7-12.5	6	2.2	00.2-04.2	23	7.8	03.7-11.9
25-34	659	104,244	576	83.3	79.0-87.6	4	1.2	00.0-02.6	48	9.8	06.3-13.3	14	2.6	00.8-04.4	17	3.0	01.2-04.8
35-44	832	81,879	745	88.4	85.3-91.5	13	1.8	00.4-03.2	49	6.4	04.0-08.8	12	1.6	00.4-02.8	13	1.9	00.5-03.3
45-54	1193	89,383	1109	91.2	88.7-93.7	6	0.9	00.0-01.9	51	4.8	02.6-07.0	13	1.5	00.5-02.5	14	1.6	00.6-02.6
55-64	1831	92,407	1756	95.3	93.7-96.9	4	0.4	00.0-00.8	62	3.3	02.3-04.3	3	0.1	00.0-00.3	6	0.9	00.0-01.9
65+	2723	110,925	2668	97.7	96.5-98.9				45	1.9	00.7-03.1	3	0.2	00.0-00.4	7	0.2	00.0-00.6
Less Than H.S.	453	51,197	394	74.9	67.3-82.5	4	1.4	00.0-03.4	39	15.4	09.3-21.5				16	8.3	02.6-14.0
H.S. or G.E.D.	2293	150,914	2165	89.3	86.6-92.0	6	1.1	00.0-02.3	78	4.7	02.9-06.5	14	1.5	00.5-02.5	30	3.4	01.6-05.2
Some Post-H.S.	2444	222,648	2302	91.0	88.8-93.2	7	0.9	00.1-01.7	98	5.2	03.6-06.8	18	1.5	00.5-02.5	19	1.3	00.5-02.1
College Graduate	2416	142,053	2300	92.2	90.0-94.4	17	1.6	00.6-02.6	66	3.8	02.2-05.4	19	1.2	00.4-02.0	14	1.2	00.4-02.0
Less than \$15,000	449	43,001	384	76.1	68.7-83.5	3	0.7	00.0-01.5	49	16.6	10.3-22.9	5	0.7	00.0-01.5	8	5.8	00.7-10.9
\$15,000- 24,999	864	72,179	775	82.8	77.7-87.9	3	0.8	00.0-02.0	62	10.1	06.2-14.0	5	1.9	00.0-04.1	19	4.3	01.2-07.4
\$25,000- 34,999	691	56,009	647	88.3	83.8-92.8	6	2.6	00.1-05.1	29	5.5	02.6-08.4	3	1.9	00.0-04.1	6	1.7	00.1-03.3
\$35,000- 49,999	983	69,037	929	92.1	88.8-95.4	8	1.4	00.0-02.8	31	2.9	01.1-04.7	6	1.2	00.0-02.4	9	2.5	00.1-04.9
\$50,000- 74,999	1197	86,666	1147	93.1	90.2-96.0	7	1.9	00.0-03.9	26	2.5	01.1-03.9	10	2.0	00.2-03.8	7	0.6	00.0-01.2
\$75,000+	2474	173,129	2383	93.4	91.2-95.6	2	0.0	00.0-00.0	56	3.4	01.8-05.0	14	0.9	00.3-01.5	19	2.3	00.9-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3179	288,775	2991	88.7	86.5-90.9	20	1.4	00.6-02.2	103	5.0	03.6-06.4	18	1.2	00.4-02.0	47	3.7	02.3-05.1
18-24	188	48,410	155	76.7	68.1-85.3	5	4.3	00.0-08.6	12	6.2	01.7-10.7	3	2.0	00.0-04.5	13	10.8	03.9-17.7
25-34	311	55,036	274	84.8	79.3-90.3	2	0.9	00.0-02.5	19	7.7	03.6-11.8	5	2.4	00.0-04.8	11	4.3	01.4-07.2
35-44	371	41,583	338	89.7	85.2-94.2	6	0.8	00.0-01.6	15	4.9	01.6-08.2	4	1.8	00.0-04.0	8	2.8	00.3-05.3
45-54	512	45,607	472	90.4	86.1-94.7	4	1.6	00.0-03.4	24	5.1	01.8-08.4	3	0.8	00.0-02.2	9	2.1	00.5-03.7
55-64	769	47,003	740	95.2	92.8-97.6	3	0.6	00.0-01.6	20	2.6	01.2-04.0	2	0.2	00.0-00.4	4	1.5	00.0-03.5
65+	1005	49,315	991	97.0	94.6-99.4				12	2.6	00.2-05.0				2	0.4	00.0-01.2
Less Than H.S.	216	30,811	187	73.4	63.0-83.8	2	1.9	00.0-05.0	16	12.5	05.4-19.6				11	12.3	03.3-21.3
H.S. or G.E.D.	976	79,171	922	89.2	85.3-93.1	4	1.4	00.0-03.2	30	3.7	01.5-05.9	6	1.5	00.1-02.9	14	4.3	01.6-07.0
Some Post-H.S.	953	109,082	899	90.8	87.5-94.1	5	1.1	00.0-02.5	29	4.0	01.8-06.2	6	1.8	00.2-03.4	14	2.4	00.8-04.0
College Graduate	1018	66,867	970	92.9	90.2-95.6	9	1.6	00.0-03.2	25	3.7	01.5-05.9	6	0.6	00.0-01.2	8	1.2	00.0-02.4
Less than \$15,000	157	18,483	133	76.9	65.1-88.7	2	1.1	00.0-02.7	16	12.3	03.9-20.7	2	0.9	00.0-02.3	4	8.9	00.0-18.9
\$15,000- 24,999	289	34,155	258	81.4	73.2-89.6	3	1.7	00.0-04.2	18	8.7	03.2-14.2	1	1.6	00.0-04.7	9	6.6	00.7-12.5
\$25,000- 34,999	259	26,666	239	85.6	78.0-93.2	4	4.2	00.0-09.3	13	7.9	02.2-13.6				3	2.2	00.0-05.1
\$35,000- 49,999	419	37,611	398	91.0	85.9-96.1	5	1.4	00.0-03.4	5	1.4	00.0-03.2	3	1.7	00.0-03.7	8	4.4	00.3-08.5
\$50,000- 74,999	532	46,757	512	92.4	87.9-96.9	3	1.9	00.0-04.8	12	3.5	01.0-06.0	3	1.8	00.0-04.3	2	0.4	00.0-01.0
\$75,000+	1225	95,437	1173	92.1	89.0-95.2	1	0.0	00.0-00.0	31	3.3	01.3-05.3	6	1.0	00.0-02.0	14	3.5	01.1-05.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4476	283,615	4212	89.8	87.8-91.8	14	0.9	00.3-01.5	183	6.5	04.9-08.1	34	1.5	00.7-02.3	33	1.3	00.7-01.9
18-24	154	40,513	122	80.5	72.5-88.5	2	1.4	00.0-03.9	17	11.4	04.5-18.3	3	2.5	00.0-05.2	10	4.2	00.5-07.9
25-34	348	49,208	302	81.7	75.0-88.4	2	1.6	00.0-03.8	29	12.2	06.3-18.1	9	2.9	00.2-05.6	6	1.6	00.0-03.4
35-44	461	40,296	407	87.0	82.5-91.5	7	2.8	00.3-05.3	34	7.8	04.3-11.3	8	1.4	00.0-02.8	5	1.0	00.0-02.0
45-54	681	43,776	637	92.0	88.9-95.1	2	0.3	00.0-00.7	27	4.6	02.2-07.0	10	2.1	00.5-03.7	5	1.0	00.0-02.2
55-64	1062	45,404	1016	95.4	93.6-97.2	1	0.1	00.0-00.3	42	4.1	02.3-05.9	1	0.1	00.0-00.3	2	0.3	00.0-00.9
65+	1718	61,610	1677	98.2	97.4-99.0				33	1.5	00.7-02.3	3	0.3	00.0-00.7	5	0.1	00.1-00.1
Less Than H.S.	237	20,386	207	77.2	66.6-87.8	2	0.8	00.0-02.0	23	19.7	09.1-30.3				5	2.3	00.1-04.5
H.S. or G.E.D.	1317	71,743	1243	89.4	85.5-93.3	2	0.7	00.0-01.9	48	5.9	03.0-08.8	8	1.6	00.0-03.2	16	2.3	00.3-04.3
Some Post-H.S.	1491	113,566	1403	91.2	88.3-94.1	2	0.8	00.0-01.8	69	6.4	03.9-08.9	12	1.3	00.1-02.5	5	0.3	00.0-00.7
College Graduate	1398	75,186	1330	91.5	88.6-94.4	8	1.5	00.1-02.9	41	3.9	01.7-06.1	13	1.8	00.4-03.2	6	1.3	00.0-02.7
Less than \$15,000	292	24,518	251	75.5	65.9-85.1	1	0.5	00.0-01.5	33	19.9	10.9-28.9	3	0.5	00.0-01.3	4	3.6	00.0-08.5
\$15,000- 24,999	575	38,024	517	84.1	77.8-90.4				44	11.4	05.9-16.9	4	2.2	00.0-04.9	10	2.2	00.0-04.6
\$25,000- 34,999	432	29,343	408	90.7	85.6-95.8	2	1.1	00.0-03.1	16	3.3	00.9-05.7	3	3.7	00.0-07.8	3	1.2	00.0-02.8
\$35,000- 49,999	564	31,426	531	93.3	89.6-97.0	3	1.3	00.0-03.5	26	4.6	01.7-07.5	3	0.6	00.0-01.4	1	0.1	00.0-00.3
\$50,000- 74,999	665	39,909	635	93.8	90.5-97.1	4	1.9	00.0-04.1	14	1.3	00.5-02.1	7	2.2	00.0-04.6	5	0.8	00.0-01.8
\$75,000+	1249	77,692	1210	95.0	92.3-97.7	1	0.0	00.0-00.0	25	3.5	01.0-06.0	8	0.7	00.1-01.3	5	0.8	00.0-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7702	578,670	655	24.9	22.9-26.9	785	16.4	15.0-17.8	906	13.2	12.0-14.4	1612	17.4	16.2-18.6	1785	14.4	13.4-15.4	1959	13.7	12.9-14.5
Male	3229	294,571	337	26.5	23.6-29.4	357	16.9	14.7-19.1	397	13.3	11.5-15.1	694	17.5	15.7-19.3	759	14.1	12.7-15.5	685	11.7	10.5-12.9
Female	4473	284,099	318	23.4	20.7-26.1	428	16.0	14.0-18.0	509	13.2	11.6-14.8	918	17.2	15.6-18.8	1026	14.6	13.4-15.8	1274	15.7	14.5-16.9
Native	246	24,678	43	37.0	25.8-48.2	44	21.4	13.4-29.4	44	16.6	09.3-23.9	43	13.4	07.3-19.5	47	7.9	04.6-11.2	25	3.8	00.1-07.5
Non-Native	7334	543,084	603	24.7	22.7-26.7	732	16.3	14.7-17.9	849	12.8	11.6-14.0	1545	17.5	16.3-18.7	1710	14.6	13.6-15.6	1895	14.1	13.3-14.9
Less Than H.S.	468	53,115	48	28.5	20.5-36.5	25	6.7	03.6-09.8	29	8.3	04.4-12.2	67	15.2	10.7-19.7	52	8.9	05.8-12.0	247	32.4	26.7-38.1
H.S. or G.E.D.	2313	152,362	203	25.3	21.8-28.8	169	13.5	11.0-16.0	199	10.5	08.5-12.5	473	17.4	15.4-19.4	501	15.7	13.7-17.7	768	17.6	15.8-19.4
Some Post-H.S.	2455	224,804	211	26.1	22.6-29.6	219	14.7	12.2-17.2	309	14.4	12.2-16.6	567	19.1	16.9-21.3	604	15.2	13.6-16.8	545	10.5	09.3-11.7
College Graduate	2418	142,731	187	21.0	17.9-24.1	367	25.9	23.0-28.8	365	16.2	14.0-18.4	493	15.3	13.5-17.1	624	14.1	12.5-15.7	382	7.4	06.4-08.4
Less than \$15,000	452	43,683	61	40.5	32.1-48.9	24	7.9	03.8-12.0	35	7.5	04.2-10.8	90	16.7	12.0-21.4	72	7.9	05.4-10.4	170	19.5	15.0-24.0
\$15,000- 24,999	882	73,818	94	34.9	28.8-41.0	57	11.2	07.5-14.9	57	7.3	04.8-09.8	101	9.3	06.8-11.8	187	13.5	10.8-16.2	386	23.8	20.3-27.3
\$25,000- 34,999	697	56,578	77	36.3	29.4-43.2	31	9.2	05.3-13.1	49	9.6	06.1-13.1	112	13.9	10.4-17.4	134	11.8	08.9-14.7	294	19.2	15.9-22.5
\$35,000- 49,999	991	69,344	78	21.5	16.2-26.8	88	16.8	12.5-21.1	95	14.1	10.6-17.6	162	13.5	10.6-16.4	288	18.6	15.7-21.5	280	15.4	12.9-17.9
\$50,000- 74,999	1203	87,370	78	19.1	14.4-23.8	165	21.5	17.4-25.6	151	13.7	10.8-16.6	268	18.9	16.0-21.8	327	18.4	15.7-21.1	214	8.5	06.9-10.1
\$75,000+	2484	174,937	176	16.5	13.6-19.4	371	23.7	20.8-26.6	447	19.2	16.8-21.6	689	22.4	20.2-24.6	554	13.1	11.7-14.5	247	5.2	04.2-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3229	294,571	337	26.5	23.8-29.2	357	16.9	14.7-19.1	397	13.3	11.5-15.1	694	17.5	15.7-19.3	759	14.1	12.7-15.5	685	11.7	10.5-12.9
Native	80	8,721	12	28.4	12.1-44.7	15	15.8	05.2-26.4	19	25.7	10.0-41.4	14	15.3	03.0-27.6	15	7.9	02.4-13.4	5	6.9	00.0-16.9
Non-Native	3076	278,235	322	27.0	24.1-29.9	338	17.0	14.8-19.2	368	12.3	10.7-13.9	661	17.5	15.7-19.3	726	14.3	12.9-15.7	661	11.9	10.7-13.1
Less Than H.S.	227	32,190	28	32.2	21.2-43.2	12	6.3	02.2-10.4	15	10.0	04.1-15.9	39	16.4	09.9-22.9	28	9.4	05.1-13.7	105	25.8	18.7-32.9
H.S. or G.E.D.	991	80,127	111	25.6	20.7-30.5	96	16.2	12.3-20.1	102	11.4	08.5-14.3	232	18.0	15.1-20.9	202	14.6	11.9-17.3	248	14.2	11.8-16.6
Some Post-H.S.	973	112,005	111	28.4	23.5-33.3	107	15.2	11.7-18.7	136	14.5	11.4-17.6	233	19.4	16.3-22.5	237	14.7	12.2-17.2	149	7.7	06.1-09.3
College Graduate	1021	67,280	83	20.9	16.4-25.4	138	25.4	20.9-29.9	143	14.8	11.9-17.7	185	14.4	11.9-16.9	292	15.5	13.1-17.9	180	9.0	07.2-10.8
Less than \$15,000	156	18,113	25	39.3	26.0-52.6	12	9.0	03.1-14.9	13	9.0	02.7-15.3	38	16.9	09.6-24.2	25	8.8	04.5-13.1	43	17.0	09.4-24.6
\$15,000- 24,999	301	35,532	46	40.9	31.7-50.1	26	10.6	05.3-15.9	23	7.1	03.2-11.0	41	9.7	05.8-13.6	64	12.4	08.1-16.7	101	19.2	13.9-24.5
\$25,000- 34,999	265	27,214	38	34.6	24.8-44.4	19	13.2	06.5-19.9	18	9.6	04.1-15.1	39	13.1	07.8-18.4	47	10.6	06.3-14.9	104	18.9	13.8-24.0
\$35,000- 49,999	423	37,829	44	26.5	18.9-34.1	39	16.3	10.2-22.4	40	14.1	08.8-19.4	68	12.8	08.5-17.1	109	15.3	11.4-19.2	123	15.1	11.4-18.8
\$50,000- 74,999	539	47,662	38	19.3	12.8-25.8	67	21.8	15.7-27.9	63	12.7	08.4-17.0	122	18.6	14.3-22.9	147	18.0	14.1-21.9	102	9.6	07.1-12.1
\$75,000+	1240	97,358	100	18.6	14.3-22.9	170	21.1	17.4-24.8	215	17.6	14.5-20.7	326	23.3	20.2-26.4	283	13.1	11.1-15.1	146	6.3	04.9-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4473	284,099	318	23.4	20.7-26.1	428	16.0	14.0-18.0	509	13.2	11.6-14.8	918	17.2	15.6-18.8	1026	14.6	13.4-15.8	1274	15.7	14.5-16.9
Native	166	15,956	31	41.6	27.3-55.9	29	24.4	13.4-35.4	25	11.6	05.1-18.1	29	12.3	05.8-18.8	32	8.0	03.9-12.1	20	2.1	00.9-03.3
Non-Native	4258	264,850	281	22.3	19.6-25.0	394	15.5	13.5-17.5	481	13.4	11.8-15.0	884	17.5	15.9-19.1	984	15.0	13.6-16.4	1234	16.4	15.2-17.6
Less Than H.S.	241	20,925	20	22.7	11.9-33.5	13	7.5	02.6-12.4	14	5.6	02.5-08.7	28	13.4	07.3-19.5	24	8.3	04.0-12.6	142	42.6	33.8-51.4
H.S. or G.E.D.	1322	72,235	92	24.9	19.6-30.2	73	10.7	07.6-13.8	97	9.5	07.1-11.9	241	16.7	14.0-19.4	299	16.9	14.4-19.4	520	21.3	18.6-24.0
Some Post-H.S.	1482	112,799	100	23.9	19.0-28.8	112	14.3	10.8-17.8	173	14.3	11.6-17.0	334	18.7	16.0-21.4	367	15.7	13.5-17.9	396	13.2	11.2-15.2
College Graduate	1397	75,451	104	21.2	16.7-25.7	229	26.4	22.5-30.3	222	17.5	14.6-20.4	308	16.0	13.6-18.4	332	12.9	10.9-14.9	202	6.0	04.8-07.2
Less than \$15,000	296	25,570	36	41.3	30.5-52.1	12	7.1	01.6-12.6	22	6.4	02.9-09.9	52	16.6	10.3-22.9	47	7.4	04.3-10.5	127	21.3	15.6-27.0
\$15,000- 24,999	581	38,286	48	29.4	21.4-37.4	31	11.8	06.7-16.9	34	7.4	04.3-10.5	60	8.9	05.6-12.2	123	14.5	11.0-18.0	285	28.1	23.2-33.0
\$25,000- 34,999	432	29,364	39	37.8	28.4-47.2	12	5.4	01.1-09.7	31	9.6	05.3-13.9	73	14.7	09.8-19.6	87	12.9	09.0-16.8	190	19.5	15.0-24.0
\$35,000- 49,999	568	31,515	34	15.6	08.7-22.5	49	17.5	11.4-23.6	55	14.2	09.5-18.9	94	14.4	10.5-18.3	179	22.7	18.0-27.4	157	15.6	12.1-19.1
\$50,000- 74,999	664	39,708	40	18.8	12.1-25.5	98	21.1	15.6-26.6	88	14.9	10.8-19.0	146	19.2	15.3-23.1	180	18.8	15.1-22.5	112	7.3	05.5-09.1
\$75,000+	1244	77,579	76	13.8	10.1-17.5	201	26.9	22.4-31.4	232	21.3	17.8-24.8	363	21.3	18.4-24.2	271	13.0	11.0-15.0	101	3.8	02.8-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7702	578,670	4925	80.4	79.4-81.4	2777	19.6	18.6-20.6
Male	3229	294,571	2196	82.8	81.4-84.2	1033	17.2	15.8-18.6
Female	4473	284,099	2729	77.9	76.3-79.5	1744	22.1	20.5-23.7
Native	246	24,678	206	94.0	90.1-97.9	40	6.0	02.1-09.9
Non-Native	7334	543,084	4651	79.8	78.8-80.8	2683	20.2	19.2-21.2
Less Than H.S.	468	53,115	185	61.7	55.6-67.8	283	38.3	32.2-44.4
H.S. or G.E.D.	2313	152,362	1314	76.0	73.8-78.2	999	24.0	21.8-26.2
Some Post-H.S.	2455	224,804	1647	83.8	82.2-85.4	808	16.2	14.6-17.8
College Graduate	2418	142,731	1751	86.7	85.3-88.1	667	13.3	11.9-14.7
Less than \$15,000	452	43,683	245	77.2	72.3-82.1	207	22.8	17.9-27.7
\$15,000- 24,999	882	73,818	408	70.6	66.5-74.7	474	29.4	25.3-33.5
\$25,000- 34,999	697	56,578	330	75.6	71.7-79.5	367	24.4	20.5-28.3
\$35,000- 49,999	991	69,344	571	75.6	72.3-78.9	420	24.4	21.1-27.7
\$50,000- 74,999	1203	87,370	845	84.0	81.6-86.4	358	16.0	13.6-18.4
\$75,000+	2484	174,937	2005	90.2	89.0-91.4	479	9.8	08.6-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3229	294,571	2196	82.8	81.4-84.2	1033	17.2	15.8-18.6
Native	80	8,721	71	92.1	82.1-0100	9	7.9	00.0-17.9
Non-Native	3076	278,235	2080	82.5	81.1-83.9	996	17.5	16.1-18.9
Less Than H.S.	227	32,190	105	69.0	61.4-76.6	122	31.0	23.4-38.6
H.S. or G.E.D.	991	80,127	657	80.3	77.6-83.0	334	19.7	17.0-22.4
Some Post-H.S.	973	112,005	729	87.4	85.2-89.6	244	12.6	10.4-14.8
College Graduate	1021	67,280	691	84.2	81.8-86.6	330	15.8	13.4-18.2
Less than \$15,000	156	18,113	102	79.9	72.1-87.7	54	20.1	12.3-27.9
\$15,000- 24,999	301	35,532	170	75.9	70.0-81.8	131	24.1	18.2-30.0
\$25,000- 34,999	265	27,214	138	76.9	71.0-82.8	127	23.1	17.2-29.0
\$35,000- 49,999	423	37,829	247	78.0	73.5-82.5	176	22.0	17.5-26.5
\$50,000- 74,999	539	47,662	369	82.8	79.3-86.3	170	17.2	13.7-20.7
\$75,000+	1240	97,358	962	88.8	87.0-90.6	278	11.2	09.4-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4473	284,099	2729	77.9	76.5-79.3	1744	22.1	20.7-23.5
Native	166	15,956	135	95.0	92.3-97.7	31	5.0	02.3-07.7
Non-Native	4258	264,850	2571	77.0	75.4-78.6	1687	23.0	21.4-24.6
Less Than H.S.	241	20,925	80	50.4	41.0-59.8	161	49.6	40.2-59.0
H.S. or G.E.D.	1322	72,235	657	71.4	68.3-74.5	665	28.6	25.5-31.7
Some Post-H.S.	1482	112,799	918	80.2	77.8-82.6	564	19.8	17.4-22.2
College Graduate	1397	75,451	1060	88.8	87.0-90.6	337	11.2	09.4-13.0
Less than \$15,000	296	25,570	143	75.2	68.9-81.5	153	24.8	18.5-31.1
\$15,000- 24,999	581	38,286	238	65.8	60.3-71.3	343	34.2	28.7-39.7
\$25,000- 34,999	432	29,364	192	74.4	69.1-79.7	240	25.6	20.3-30.9
\$35,000- 49,999	568	31,515	324	72.7	67.8-77.6	244	27.3	22.4-32.2
\$50,000- 74,999	664	39,708	476	85.5	82.6-88.4	188	14.5	11.6-17.4
\$75,000+	1244	77,579	1043	91.8	90.2-93.4	201	8.2	06.6-09.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	7613	564,673	1	0.0	00.0-00.0	332	3.0	02.6-03.4	3463	39.6	37.8-41.4	3168	45.4	43.6-47.2	648	12.0	10.6-13.4	1	0.0	00.0-00.0	
Male	3195	288,119				6	0.2	00.0-00.4	284	9.0	07.4-10.6	2270	67.7	65.2-70.2	634	23.1	20.7-25.5	1	0.0	00.0-00.0	
Female	4418	276,554	1	0.0	00.0-00.0	326	5.9	04.9-06.9	3179	71.5	69.1-73.9	898	22.2	20.0-24.4	14	0.5	00.1-00.9				
Native	236	23,304	1	0.1	00.0-00.3	11	2.1	00.3-03.9	103	47.6	36.6-58.6	105	44.2	33.6-54.8	16	6.0	01.1-10.9				
Non-Native	7252	530,399				314	2.9	02.5-03.3	3315	39.3	37.5-41.1	3003	45.6	43.6-47.6	619	12.2	10.8-13.6	1	0.0	00.0-00.0	
18-24	345	88,665				6	1.1	00.0-02.3	122	38.0	31.5-44.5	158	43.5	36.8-50.2	59	17.4	12.3-22.5				
25-34	650	101,838				8	1.3	00.1-02.5	234	32.6	27.7-37.5	317	51.1	45.8-56.4	91	15.1	11.4-18.8				
35-44	827	81,806				14	1.4	00.6-02.2	322	34.9	30.4-39.4	389	48.0	43.1-52.9	102	15.7	11.8-19.6				
45-54	1174	86,728				37	3.3	01.9-04.7	498	39.7	36.0-43.4	520	45.3	41.4-49.2	119	11.7	09.0-14.4				
55-64	1824	91,359				58	2.4	01.6-03.2	830	42.5	39.4-45.6	789	45.4	42.3-48.5	146	9.6	07.6-11.6	1	0.1	00.0-00.3	
65+	2725	109,811	1	0.0	00.0-00.0	203	7.1	05.7-08.5	1414	47.3	44.8-49.8	978	40.8	38.3-43.3	129	4.8	03.6-06.0				
Less Than H.S.	460	51,328				36	4.8	02.8-06.8	219	43.0	35.9-50.1	172	40.5	33.2-47.8	33	11.7	06.2-17.2				
H.S. or G.E.D.	2276	148,356	1	0.0	00.0-00.0	144	4.3	03.1-05.5	1043	39.2	35.9-42.5	918	44.7	41.4-48.0	170	11.8	09.4-14.2				
Some Post-H.S.	2445	221,921				97	2.4	01.6-03.2	1146	38.9	35.8-42.0	1006	47.0	43.9-50.1	195	11.8	09.4-14.2	1	0.0	00.0-00.0	
College Graduate	2409	140,559				53	1.8	01.0-02.6	1043	39.9	36.8-43.0	1064	45.6	42.5-48.7	249	12.7	10.5-14.9				
Less than \$15,000	453	44,221				37	4.9	02.4-07.4	229	46.1	38.5-53.7	165	43.3	35.5-51.1	22	5.8	02.7-08.9				
\$15,000- 24,999	879	73,458				77	5.6	03.6-07.6	451	40.8	35.5-46.1	304	43.4	37.7-49.1	47	10.3	06.2-14.4				
\$25,000- 34,999	701	56,449				41	2.6	01.6-03.6	366	45.6	39.3-51.9	245	37.8	31.7-43.9	49	13.9	09.0-18.8				
\$35,000- 49,999	992	69,498				34	2.4	01.2-03.6	459	38.6	33.7-43.5	425	47.1	42.0-52.2	74	12.0	08.3-15.7				
\$50,000- 74,999	1198	86,939				29	1.5	00.7-02.3	500	33.9	29.8-38.0	557	51.7	47.2-56.2	112	13.0	09.7-16.3				
\$75,000+	2491	175,310				51	1.8	01.0-02.6	967	34.9	32.0-37.8	1184	48.8	45.7-51.9	288	14.5	12.1-16.9	1	0.0	00.0-00.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3195	288,119	6	0.2	00.0-00.4	284	9.0	07.4-10.6	2270	67.7	65.2-70.2	634	23.1	20.7-25.5	1	0.0	00.0-00.0
Native	77	8,154				5	10.4	00.0-22.7	57	72.9	56.8-89.0	15	16.6	03.7-29.5			
Non-Native	3044	272,466	6	0.2	00.0-00.4	269	8.7	07.1-10.3	2162	67.9	65.2-70.6	606	23.2	20.7-25.7	1	0.0	00.0-00.0
18-24	188	47,902				11	6.2	01.7-10.7	119	62.1	53.1-71.1	58	31.6	23.0-40.2			
25-34	310	54,668				21	6.2	02.9-09.5	201	66.2	59.3-73.1	88	27.6	21.1-34.1			
35-44	374	43,153	1	0.5	00.0-01.5	19	5.5	02.4-08.6	256	65.3	58.4-72.2	98	28.7	22.0-35.4			
45-54	504	43,836				47	10.2	06.3-14.1	340	67.0	61.3-72.7	117	22.8	17.9-27.7			
55-64	778	47,178	1	0.1	00.0-00.3	78	13.0	09.5-16.5	556	68.4	64.1-72.7	142	18.2	14.7-21.7	1	0.2	00.0-00.6
65+	1021	49,728	3	0.4	00.0-00.8	107	12.0	09.1-14.9	782	77.0	73.5-80.5	129	10.6	08.2-13.0			
Less Than H.S.	223	30,917	1	0.7	00.0-02.1	38	20.5	12.9-28.1	151	59.5	49.5-69.5	33	19.4	10.6-28.2			
H.S. or G.E.D.	974	78,266	3	0.3	00.0-00.7	98	8.2	05.8-10.6	707	69.6	65.1-74.1	166	21.9	17.8-26.0			
Some Post-H.S.	968	110,826				81	7.2	05.0-09.4	695	69.6	65.1-74.1	191	23.2	19.1-27.3	1	0.1	00.0-00.3
College Graduate	1020	66,259	2	0.1	00.0-00.3	65	7.0	04.6-09.4	710	66.8	62.3-71.3	243	26.1	21.8-30.4			
Less than \$15,000	157	18,730				22	12.0	04.6-19.4	114	74.6	64.6-84.6	21	13.5	06.2-20.8			
\$15,000- 24,999	302	35,576	2	0.3	00.0-00.7	36	13.3	07.4-19.2	219	65.9	57.3-74.5	45	20.5	12.5-28.5			
\$25,000- 34,999	264	26,992				41	14.0	08.3-19.7	175	57.1	47.7-66.5	48	28.8	19.6-38.0			
\$35,000- 49,999	425	38,054	1	0.1	00.0-00.3	40	7.3	04.2-10.4	311	71.0	64.1-77.9	73	21.6	15.1-28.1			
\$50,000- 74,999	539	47,618				37	6.3	03.8-08.8	392	70.5	64.4-76.6	110	23.2	17.5-28.9			
\$75,000+	1242	97,453	2	0.3	00.0-00.7	83	6.5	04.5-08.5	872	67.6	63.5-71.7	284	25.6	21.7-29.5	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4418	276,554	1	0.0	00.0-00.0	326	5.9	04.9-06.9	3179	71.5	69.1-73.9	898	22.2	20.0-24.4	14	0.5	00.1-00.9
Native	159	15,150	1	0.1	00.0-00.3	11	3.2	00.7-05.7	98	67.6	55.3-79.9	48	28.8	16.6-41.0	1	0.2	00.0-00.6
Non-Native	4208	257,933				308	5.8	04.8-06.8	3046	71.7	69.3-74.1	841	22.0	19.8-24.2	13	0.5	00.1-00.9
18-24	157	40,763				6	2.4	00.0-04.9	111	75.3	67.1-83.5	39	21.7	13.7-29.7	1	0.6	00.0-01.8
25-34	340	47,170				8	2.8	00.4-05.2	213	63.2	55.9-70.5	116	33.5	26.2-40.8	3	0.5	00.0-01.1
35-44	453	38,652				13	2.5	00.9-04.1	303	67.6	61.3-73.9	133	28.8	22.7-34.9	4	1.2	00.0-02.4
45-54	670	42,892				37	6.7	04.2-09.2	451	69.9	65.2-74.6	180	23.0	18.9-27.1	2	0.4	00.0-01.0
55-64	1046	44,181				57	4.9	03.1-06.7	752	74.0	70.5-77.5	233	20.7	17.4-24.0	4	0.4	00.0-01.0
65+	1704	60,084	1	0.0	00.0-00.0	200	12.7	10.3-15.1	1307	76.5	73.8-79.2	196	10.8	08.8-12.8			
Less Than H.S.	237	20,411				35	10.9	06.2-15.6	181	77.2	69.6-84.8	21	11.8	05.3-18.3			
H.S. or G.E.D.	1302	70,090	1	0.0	00.0-00.0	141	8.7	06.5-10.9	945	73.9	70.0-77.8	211	16.9	13.6-20.2	4	0.4	00.0-00.8
Some Post-H.S.	1477	111,095				97	4.7	03.3-06.1	1065	70.5	66.4-74.6	311	24.4	20.5-28.3	4	0.4	00.0-00.8
College Graduate	1389	74,300				51	3.3	01.9-04.7	978	69.2	65.3-73.1	354	26.7	23.0-30.4	6	0.8	00.0-01.6
Less than \$15,000	296	25,491				37	8.4	03.9-12.9	207	71.1	61.9-80.3	51	20.3	11.7-28.9	1	0.1	00.0-00.3
\$15,000- 24,999	577	37,882				75	10.6	07.1-14.1	415	66.5	59.2-73.8	85	22.3	15.2-29.4	2	0.6	00.0-01.4
\$25,000- 34,999	437	29,457				41	5.0	02.8-07.2	325	74.6	67.2-82.0	70	20.1	12.7-27.5	1	0.3	00.0-00.9
\$35,000- 49,999	567	31,445				33	5.0	02.6-07.4	419	76.5	70.8-82.2	114	18.1	12.8-23.4	1	0.4	00.0-01.2
\$50,000- 74,999	659	39,321				29	3.2	01.6-04.8	463	67.3	61.4-73.2	165	28.9	23.0-34.8	2	0.6	00.0-01.6
\$75,000+	1249	77,858				49	3.7	02.1-05.3	884	70.4	66.5-74.3	312	25.3	21.6-29.0	4	0.6	00.0-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7616	565,347	1	0.0	00.0-00.0	332	3.0	02.6-03.4	3466	39.7	37.9-41.5	3168	45.3	43.5-47.1	648	12.0	10.6-13.4	1	0.0	00.0-00.0
Male	3195	288,119				6	0.2	00.0-00.4	284	9.0	07.4-10.6	2270	67.7	65.2-70.2	634	23.1	20.7-25.5	1	0.0	00.0-00.0
Female	4421	277,229	1	0.0	00.0-00.0	326	5.9	04.9-06.9	3182	71.6	69.4-73.8	898	22.1	19.9-24.3	14	0.5	00.1-00.9			
Native	236	23,304	1	0.1	00.0-00.3	11	2.1	00.3-03.9	103	47.6	36.6-58.6	105	44.2	33.6-54.8	16	6.0	01.1-10.9			
Non-Native	7255	531,073				314	2.9	02.5-03.3	3318	39.4	37.6-41.2	3003	45.5	43.5-47.5	619	12.2	10.8-13.6	1	0.0	00.0-00.0
18-24	345	88,665				6	1.1	00.0-02.3	122	38.0	31.5-44.5	158	43.5	36.8-50.2	59	17.4	12.3-22.5			
25-34	651	102,193				8	1.3	00.1-02.5	235	32.8	27.9-37.7	317	50.9	45.6-56.2	91	15.0	11.3-18.7			
35-44	828	82,043				14	1.4	00.6-02.2	323	35.1	30.6-39.6	389	47.9	43.0-52.8	102	15.6	11.7-19.5			
45-54	1174	86,728				37	3.3	01.9-04.7	498	39.7	36.0-43.4	520	45.3	41.4-49.2	119	11.7	09.0-14.4			
55-64	1825	91,441				58	2.4	01.6-03.2	831	42.6	39.5-45.7	789	45.3	42.2-48.4	146	9.6	07.8-11.4	1	0.1	00.0-00.3
65+	2725	109,811	1	0.0	00.0-00.0	203	7.1	05.7-08.5	1414	47.3	44.8-49.8	978	40.8	38.3-43.3	129	4.8	03.6-06.0			
Less Than H.S.	460	51,328				36	4.8	02.8-06.8	219	43.0	35.9-50.1	172	40.5	33.2-47.8	33	11.7	06.2-17.2			
H.S. or G.E.D.	2276	148,356	1	0.0	00.0-00.0	144	4.3	03.1-05.5	1043	39.2	35.9-42.5	918	44.7	41.4-48.0	170	11.8	09.4-14.2			
Some Post-H.S.	2446	222,159				97	2.4	01.6-03.2	1147	38.9	35.8-42.0	1006	46.9	43.8-50.0	195	11.8	09.4-14.2	1	0.0	00.0-00.0
College Graduate	2411	140,996				53	1.8	01.0-02.6	1045	40.1	37.0-43.2	1064	45.5	42.4-48.6	249	12.7	10.5-14.9			
Less than \$15,000	453	44,221				37	4.9	02.4-07.4	229	46.1	38.5-53.7	165	43.3	35.5-51.1	22	5.8	02.7-08.9			
\$15,000- 24,999	880	73,696				77	5.6	03.6-07.6	452	41.0	35.7-46.3	304	43.3	37.6-49.0	47	10.2	06.1-14.3			
\$25,000- 34,999	701	56,449				41	2.6	01.6-03.6	366	45.6	39.3-51.9	245	37.8	31.7-43.9	49	13.9	09.0-18.8			
\$35,000- 49,999	992	69,498				34	2.4	01.2-03.6	459	38.6	33.7-43.5	425	47.1	42.0-52.2	74	12.0	08.3-15.7			
\$50,000- 74,999	1198	86,939				29	1.5	00.7-02.3	500	33.9	29.8-38.0	557	51.7	47.2-56.2	112	13.0	09.7-16.3			
\$75,000+	2491	175,310				51	1.8	01.0-02.6	967	34.9	32.0-37.8	1184	48.8	45.7-51.9	288	14.5	12.1-16.9	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3195	288,119	6	0.2	00.0-00.4	284	9.0	07.4-10.6	2270	67.7	65.2-70.2	634	23.1	20.7-25.5	1	0.0	00.0-00.0
Native	77	8,154				5	10.4	00.0-22.7	57	72.9	56.8-89.0	15	16.6	03.7-29.5			
Non-Native	3044	272,466	6	0.2	00.0-00.4	269	8.7	07.1-10.3	2162	67.9	65.2-70.6	606	23.2	20.7-25.7	1	0.0	00.0-00.0
18-24	188	47,902				11	6.2	01.7-10.7	119	62.1	53.1-71.1	58	31.6	23.0-40.2			
25-34	310	54,668				21	6.2	02.9-09.5	201	66.2	59.3-73.1	88	27.6	21.1-34.1			
35-44	374	43,153	1	0.5	00.0-01.5	19	5.5	02.4-08.6	256	65.3	58.4-72.2	98	28.7	22.0-35.4			
45-54	504	43,836				47	10.2	06.3-14.1	340	67.0	61.3-72.7	117	22.8	17.9-27.7			
55-64	778	47,178	1	0.1	00.0-00.3	78	13.0	09.5-16.5	556	68.4	64.1-72.7	142	18.2	14.7-21.7	1	0.2	00.0-00.6
65+	1021	49,728	3	0.4	00.0-00.8	107	12.0	09.1-14.9	782	77.0	73.5-80.5	129	10.6	08.2-13.0			
Less Than H.S.	223	30,917	1	0.7	00.0-02.1	38	20.5	12.9-28.1	151	59.5	49.5-69.5	33	19.4	10.6-28.2			
H.S. or G.E.D.	974	78,266	3	0.3	00.0-00.7	98	8.2	05.8-10.6	707	69.6	65.1-74.1	166	21.9	17.8-26.0			
Some Post-H.S.	968	110,826				81	7.2	05.0-09.4	695	69.6	65.1-74.1	191	23.2	19.1-27.3	1	0.1	00.0-00.3
College Graduate	1020	66,259	2	0.1	00.0-00.3	65	7.0	04.6-09.4	710	66.8	62.3-71.3	243	26.1	21.8-30.4			
Less than \$15,000	157	18,730				22	12.0	04.6-19.4	114	74.6	64.6-84.6	21	13.5	06.2-20.8			
\$15,000- 24,999	302	35,576	2	0.3	00.0-00.7	36	13.3	07.4-19.2	219	65.9	57.3-74.5	45	20.5	12.5-28.5			
\$25,000- 34,999	264	26,992				41	14.0	08.3-19.7	175	57.1	47.7-66.5	48	28.8	19.6-38.0			
\$35,000- 49,999	425	38,054	1	0.1	00.0-00.3	40	7.3	04.2-10.4	311	71.0	64.1-77.9	73	21.6	15.1-28.1			
\$50,000- 74,999	539	47,618				37	6.3	03.8-08.8	392	70.5	64.4-76.6	110	23.2	17.5-28.9			
\$75,000+	1242	97,453	2	0.3	00.0-00.7	83	6.5	04.5-08.5	872	67.6	63.5-71.7	284	25.6	21.7-29.5	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4421	277,229	1	0.0	00.0-00.0	326	5.9	04.9-06.9	3182	71.6	69.4-73.8	898	22.1	19.9-24.3	14	0.5	00.1-00.9
Native	159	15,150	1	0.1	00.0-00.3	11	3.2	00.7-05.7	98	67.6	55.3-79.9	48	28.8	16.6-41.0	1	0.2	00.0-00.6
Non-Native	4211	258,607				308	5.8	04.8-06.8	3049	71.8	69.4-74.2	841	21.9	19.7-24.1	13	0.5	00.1-00.9
18-24	157	40,763				6	2.4	00.0-04.9	111	75.3	67.1-83.5	39	21.7	13.7-29.7	1	0.6	00.0-01.8
25-34	341	47,525				8	2.8	00.4-05.2	214	63.5	56.2-70.8	116	33.2	26.1-40.3	3	0.5	00.0-01.1
35-44	454	38,890				13	2.4	00.8-04.0	304	67.8	61.7-73.9	133	28.6	22.5-34.7	4	1.2	00.0-02.4
45-54	670	42,892				37	6.7	04.2-09.2	451	69.9	65.2-74.6	180	23.0	18.9-27.1	2	0.4	00.0-01.0
55-64	1047	44,263				57	4.9	03.1-06.7	753	74.0	70.5-77.5	233	20.7	17.6-23.8	4	0.4	00.0-01.0
65+	1704	60,084	1	0.0	00.0-00.0	200	12.7	10.3-15.1	1307	76.5	73.8-79.2	196	10.8	08.8-12.8			
Less Than H.S.	237	20,411				35	10.9	06.2-15.6	181	77.2	69.6-84.8	21	11.8	05.3-18.3			
H.S. or G.E.D.	1302	70,090	1	0.0	00.0-00.0	141	8.7	06.5-10.9	945	73.9	70.0-77.8	211	16.9	13.6-20.2	4	0.4	00.0-00.8
Some Post-H.S.	1478	111,332				97	4.7	03.3-06.1	1066	70.5	66.4-74.6	311	24.4	20.5-28.3	4	0.4	00.0-00.8
College Graduate	1391	74,738				51	3.3	01.9-04.7	980	69.4	65.5-73.3	354	26.6	22.9-30.3	6	0.8	00.0-01.6
Less than \$15,000	296	25,491				37	8.4	03.9-12.9	207	71.1	61.9-80.3	51	20.3	11.7-28.9	1	0.1	00.0-00.3
\$15,000- 24,999	578	38,119				75	10.5	07.0-14.0	416	66.7	59.6-73.8	85	22.1	15.0-29.2	2	0.6	00.0-01.4
\$25,000- 34,999	437	29,457				41	5.0	02.8-07.2	325	74.6	67.2-82.0	70	20.1	12.7-27.5	1	0.3	00.0-00.9
\$35,000- 49,999	567	31,445				33	5.0	02.6-07.4	419	76.5	70.8-82.2	114	18.1	12.8-23.4	1	0.4	00.0-01.2
\$50,000- 74,999	659	39,321				29	3.2	01.6-04.8	463	67.3	61.4-73.2	165	28.9	23.0-34.8	2	0.6	00.0-01.6
\$75,000+	1249	77,858				49	3.7	02.1-05.3	884	70.4	66.5-74.3	312	25.3	21.6-29.0	4	0.6	00.0-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7324	546,872	54	0.6	00.4-00.8	2081	26.5	24.7-28.3	3267	43.1	41.3-44.9	1480	22.2	20.6-23.8	366	6.3	05.3-07.3	76	1.3	00.9-01.7
Male	3175	286,580	1	0.0	00.0-00.0	228	8.7	07.1-10.3	1547	46.6	43.9-49.3	1070	33.3	30.8-35.8	270	9.3	07.7-10.9	59	2.0	01.2-02.8
Female	4149	260,293	53	1.2	00.8-01.6	1853	46.1	43.6-48.6	1720	39.2	36.7-41.7	410	10.0	08.6-11.4	96	2.9	02.1-03.7	17	0.5	00.1-00.9
Native	230	22,038	4	0.9	00.0-02.3	46	22.7	12.3-33.1	92	43.6	32.6-54.6	62	20.7	12.7-28.7	20	9.0	03.3-14.7	6	3.1	00.0-06.6
Non-Native	6975	514,108	50	0.6	00.4-00.8	2007	26.8	25.0-28.6	3128	43.2	41.2-45.2	1388	22.3	20.7-23.9	332	5.9	04.9-06.9	70	1.2	00.8-01.6
18-24	335	86,648	1	0.1	00.0-00.3	140	42.5	35.8-49.2	123	37.4	30.7-44.1	52	14.6	09.9-19.3	17	5.1	02.2-08.0	2	0.3	00.0-00.7
25-34	634	98,922	1	0.1	00.0-00.3	173	25.6	20.9-30.3	250	39.8	34.7-44.9	152	26.5	21.8-31.2	48	6.3	03.9-08.7	10	1.8	00.4-03.2
35-44	803	79,939	1	0.1	00.0-00.3	187	17.0	13.7-20.3	340	43.6	38.7-48.5	193	25.9	21.4-30.4	64	10.1	06.8-13.4	18	3.3	01.1-05.5
45-54	1119	83,895	7	0.8	00.0-01.6	275	20.5	17.6-23.4	471	43.3	39.2-47.4	272	25.4	21.9-28.9	82	8.9	06.4-11.4	12	1.0	00.0-02.0
55-64	1743	88,295	13	1.1	00.3-01.9	404	19.6	17.2-22.0	818	46.8	43.7-49.9	409	26.1	23.2-29.0	76	4.9	03.3-06.5	23	1.4	00.6-02.2
65+	2642	106,789	31	1.1	00.5-01.7	877	31.4	28.9-33.9	1248	47.4	44.7-50.1	396	16.2	14.2-18.2	79	3.6	02.6-04.6	11	0.3	00.1-00.5
Less Than H.S.	450	50,029	6	0.7	00.1-01.3	142	32.1	25.2-39.0	200	40.9	33.8-48.0	72	19.0	13.3-24.7	28	6.8	03.3-10.3	2	0.5	00.0-01.3
H.S. or G.E.D.	2187	143,585	20	0.8	00.4-01.2	620	25.2	22.3-28.1	985	44.0	40.7-47.3	405	20.2	17.5-22.9	138	8.3	06.3-10.3	19	1.4	00.4-02.4
Some Post-H.S.	2348	213,693	16	0.6	00.2-01.0	645	24.6	21.7-27.5	1049	42.6	39.5-45.7	492	24.2	21.5-26.9	115	6.6	05.0-08.2	31	1.4	00.6-02.2
College Graduate	2321	137,589	12	0.3	00.1-00.5	667	28.9	26.0-31.8	1026	43.5	40.4-46.6	507	22.4	19.9-24.9	85	3.6	02.4-04.8	24	1.2	00.4-02.0
Less than \$15,000	435	42,324	6	0.7	00.0-01.5	144	33.6	25.8-41.4	170	39.8	32.2-47.4	72	13.7	09.0-18.4	36	11.6	06.7-16.5	7	0.6	00.0-01.2
\$15,000- 24,999	852	70,747	12	0.7	00.1-01.3	279	28.9	23.8-34.0	371	40.6	35.1-46.1	144	23.5	18.4-28.6	33	5.0	02.6-07.4	13	1.3	00.1-02.5
\$25,000- 34,999	679	55,375	8	0.9	00.1-01.7	210	27.4	21.7-33.1	309	46.5	40.0-53.0	111	14.5	10.8-18.2	32	8.6	04.5-12.7	9	2.0	00.2-03.8
\$35,000- 49,999	958	67,547	6	0.5	00.0-01.1	277	24.6	20.3-28.9	434	41.8	36.7-46.9	185	25.1	20.2-30.0	46	5.8	03.4-08.2	10	2.3	00.3-04.3
\$50,000- 74,999	1166	84,472	8	0.7	00.1-01.3	267	18.3	15.0-21.6	537	44.5	40.0-49.0	278	28.6	24.3-32.9	66	7.1	04.6-09.6	10	0.8	00.0-01.6
\$75,000+	2425	172,079	4	0.1	00.0-00.3	580	24.0	21.3-26.7	1115	45.8	42.7-48.9	583	23.9	21.4-26.4	122	5.2	03.8-06.6	21	1.0	00.4-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3175	286,580	1	0.0	00.0-00.0	228	8.7	07.1-10.3	1547	46.6	43.9-49.3	1070	33.3	30.8-35.8	270	9.3	07.7-10.9	59	2.0	01.2-02.8
Native	76	8,131				5	13.9	00.8-27.0	28	41.6	24.4-58.8	31	26.4	12.5-40.3	9	12.6	00.6-24.6	3	5.5	00.0-13.7
Non-Native	3024	270,826	1	0.0	00.0-00.0	216	8.6	06.8-10.4	1491	47.0	44.3-49.7	1012	33.6	31.1-36.1	248	8.8	07.2-10.4	56	2.0	01.2-02.8
18-24	185	47,471				39	19.1	12.0-26.2	86	48.0	38.8-57.2	42	23.3	15.7-30.9	16	9.0	03.9-14.1	2	0.5	00.0-01.3
25-34	307	54,091				23	8.3	04.4-12.2	136	41.2	34.1-48.3	108	39.4	32.1-46.7	32	8.6	04.9-12.3	8	2.6	00.6-04.6
35-44	373	42,917				14	3.7	01.0-06.4	167	44.4	37.3-51.5	132	32.1	25.6-38.6	46	15.0	09.5-20.5	14	4.7	01.2-08.2
45-54	503	44,093				22	4.6	01.9-07.3	222	45.1	39.0-51.2	192	37.4	31.7-43.1	59	11.3	07.6-15.0	8	1.6	00.0-03.4
55-64	772	47,432				42	5.6	03.4-07.8	364	46.6	41.9-51.3	293	38.6	34.1-43.1	56	6.9	04.5-09.3	17	2.3	00.9-03.7
65+	1018	49,712	1	0.1	00.0-00.3	87	10.3	07.4-13.2	562	54.4	50.1-58.7	297	28.4	24.7-32.1	61	6.2	04.2-08.2	10	0.7	00.1-01.3
Less Than H.S.	222	30,864				35	21.1	12.3-29.9	109	44.0	34.0-54.0	57	25.3	17.1-33.5	19	8.8	03.5-14.1	2	0.8	00.0-02.0
H.S. or G.E.D.	968	77,987				80	9.6	06.7-12.5	464	47.4	42.7-52.1	303	29.0	24.9-33.1	105	11.4	08.3-14.5	16	2.5	00.9-04.1
Some Post-H.S.	962	110,225				57	5.9	03.7-08.1	453	44.0	39.3-48.7	349	37.7	33.0-42.4	80	10.0	07.1-12.9	23	2.4	01.0-03.8
College Graduate	1015	66,058	1	0.1	00.0-00.3	55	6.6	03.9-09.3	517	50.8	46.3-55.3	358	34.9	30.6-39.2	66	6.2	03.8-08.6	18	1.4	00.4-02.4
Less than \$15,000	155	18,010				26	19.8	09.0-30.6	70	43.6	31.3-55.9	37	19.6	11.2-28.0	19	16.0	07.0-25.0	3	1.0	00.0-02.2
\$15,000- 24,999	297	35,364				39	16.1	09.4-22.8	142	40.1	31.7-48.5	85	34.1	25.5-42.7	23	7.7	03.4-12.0	8	1.9	00.0-03.9
\$25,000- 34,999	265	27,214				21	7.0	02.9-11.1	143	55.5	46.5-64.5	74	21.8	15.3-28.3	20	12.4	05.1-19.7	7	3.3	00.2-06.4
\$35,000- 49,999	421	37,785				45	8.8	04.9-12.7	208	43.4	36.1-50.7	131	36.3	28.9-43.7	28	7.5	03.8-11.2	9	4.0	00.5-07.5
\$50,000- 74,999	539	47,570				21	3.7	01.7-05.7	264	46.8	40.3-53.3	197	37.9	31.4-44.4	51	10.8	06.5-15.1	6	0.8	00.0-01.6
\$75,000+	1241	97,392	1	0.0	00.0-00.0	48	4.9	02.7-07.1	596	49.0	44.7-53.3	468	35.9	32.0-39.8	107	8.4	06.0-10.8	21	1.7	00.5-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4149	260,293	53	1.2	00.8-01.6	1853	46.1	43.6-48.6	1720	39.2	36.7-41.7	410	10.0	08.6-11.4	96	2.9	02.1-03.7	17	0.5	00.1-00.9
Native	154	13,907	4	1.5	00.0-03.7	41	27.9	13.8-42.0	64	44.8	30.7-58.9	31	17.3	07.5-27.1	11	6.9	01.6-12.2	3	1.7	00.0-04.6
Non-Native	3951	243,282	49	1.2	00.8-01.6	1791	47.0	44.3-49.7	1637	39.0	36.5-41.5	376	9.7	08.3-11.1	84	2.6	01.8-03.4	14	0.4	00.0-00.8
18-24	150	39,177	1	0.3	00.0-00.9	101	70.8	61.8-79.8	37	24.5	15.9-33.1	10	3.9	01.0-06.8	1	0.4	00.0-01.2			
25-34	327	44,831	1	0.2	00.0-00.6	150	46.5	38.7-54.3	114	38.1	30.5-45.7	44	10.9	06.4-15.4	16	3.5	01.1-05.9	2	0.8	00.0-02.4
35-44	430	37,022	1	0.1	00.0-00.3	173	32.4	26.5-38.3	173	42.7	36.0-49.4	61	18.7	13.0-24.4	18	4.4	01.7-07.1	4	1.7	00.0-03.7
45-54	616	39,802	7	1.8	00.2-03.4	253	38.1	33.0-43.2	249	41.4	36.1-46.7	80	12.1	08.8-15.4	23	6.2	02.9-09.5	4	0.4	00.0-00.8
55-64	971	40,863	13	2.4	00.8-04.0	362	35.9	31.8-40.0	454	47.1	42.8-51.4	116	11.6	09.1-14.1	20	2.6	01.0-04.2	6	0.3	00.0-00.7
65+	1624	57,078	30	2.1	01.1-03.1	790	49.8	46.5-53.1	686	41.3	38.0-44.6	99	5.6	04.2-07.0	18	1.3	00.5-02.1	1	0.0	00.0-00.0
Less Than H.S.	228	19,165	6	1.8	00.2-03.4	107	49.8	40.2-59.4	91	35.9	27.1-44.7	15	8.7	02.0-15.4	9	3.7	00.6-06.8			
H.S. or G.E.D.	1219	65,598	20	1.7	00.7-02.7	540	43.7	38.8-48.6	521	40.0	35.3-44.7	102	9.8	07.1-12.5	33	4.6	02.4-06.8	3	0.2	00.0-00.4
Some Post-H.S.	1386	103,468	16	1.2	00.4-02.0	588	44.5	40.0-49.0	596	41.2	36.9-45.5	143	9.8	07.4-12.2	35	2.9	01.5-04.3	8	0.4	00.0-00.8
College Graduate	1306	71,531	11	0.6	00.2-01.0	612	49.5	45.2-53.8	509	36.8	32.7-40.9	149	10.9	08.4-13.4	19	1.3	00.3-02.3	6	0.9	00.0-02.1
Less than \$15,000	280	24,315	6	1.2	00.0-02.4	118	43.7	33.3-54.1	100	37.0	27.4-46.6	35	9.4	03.9-14.9	17	8.3	03.4-13.2	4	0.4	00.0-00.8
\$15,000- 24,999	555	35,382	12	1.4	00.4-02.4	240	41.7	34.6-48.8	229	41.0	33.9-48.1	59	12.8	08.1-17.5	10	2.3	00.7-03.9	5	0.7	00.0-01.5
\$25,000- 34,999	414	28,160	8	1.9	00.1-03.7	189	47.2	38.4-56.0	166	37.8	29.4-46.2	37	7.6	04.1-11.1	12	4.8	00.7-08.9	2	0.7	00.0-02.1
\$35,000- 49,999	537	29,762	6	1.2	00.0-02.4	232	44.5	37.2-51.8	226	39.8	32.7-46.9	54	10.8	06.5-15.1	18	3.5	01.5-05.5	1	0.1	00.0-00.3
\$50,000- 74,999	627	36,902	8	1.5	00.3-02.7	246	37.0	30.9-43.1	273	41.6	35.3-47.9	81	16.7	11.6-21.8	15	2.3	00.7-03.9	4	0.9	00.0-02.5
\$75,000+	1184	74,687	3	0.3	00.0-00.7	532	48.9	44.4-53.4	519	41.5	37.2-45.8	115	8.3	06.1-10.5	15	1.0	00.2-01.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7269	540,755	64	1.2	00.6-01.8	2100	30.1	28.3-31.9	2776	36.8	35.0-38.6	1509	20.2	18.6-21.8	820	11.7	10.5-12.9
Male	3166	285,266	12	1.0	00.2-01.8	646	22.7	20.3-25.1	1403	42.2	39.5-44.9	737	22.2	20.0-24.4	368	11.9	10.1-13.7
Female	4103	255,489	52	1.4	00.8-02.0	1454	38.5	36.0-41.0	1373	30.7	28.3-33.1	772	17.9	15.9-19.9	452	11.6	10.0-13.2
Native	225	21,502	2	2.8	00.0-07.1	39	22.0	12.0-32.0	85	34.3	23.9-44.7	49	20.1	11.3-28.9	50	20.9	12.7-29.1
Non-Native	6926	508,651	62	1.1	00.5-01.7	2035	30.8	29.0-32.6	2647	36.8	35.0-38.6	1428	20.1	18.5-21.7	754	11.2	10.0-12.4
18-24	331	85,541	4	1.9	00.0-04.1	171	54.2	47.3-61.1	98	27.6	21.5-33.7	34	10.9	06.6-15.2	24	5.3	02.6-08.0
25-34	606	95,997	5	1.1	00.0-02.5	194	30.2	25.3-35.1	221	37.3	32.0-42.6	101	19.5	15.0-24.0	85	11.9	08.6-15.2
35-44	796	79,339	4	0.5	00.0-01.1	210	21.8	18.1-25.5	290	35.6	30.9-40.3	173	23.3	19.0-27.6	119	18.8	14.7-22.9
45-54	1115	83,342	7	0.4	00.0-00.8	301	24.2	20.9-27.5	405	38.8	34.7-42.9	253	22.5	19.2-25.8	149	14.0	11.1-16.9
55-64	1740	87,773	19	1.4	00.6-02.2	424	22.0	19.5-24.5	674	39.4	36.3-42.5	411	24.4	21.7-27.1	212	12.7	10.3-15.1
65+	2633	106,379	25	1.4	00.4-02.4	780	28.0	25.6-30.4	1070	40.9	38.4-43.4	528	20.5	18.3-22.7	230	9.2	07.6-10.8
Less Than H.S.	446	49,576	7	3.8	00.0-07.7	127	32.0	24.7-39.3	160	31.2	24.9-37.5	93	20.8	14.9-26.7	59	12.2	08.1-16.3
H.S. or G.E.D.	2176	142,241	18	0.7	00.3-01.1	597	27.7	24.6-30.8	829	38.8	35.5-42.1	472	20.1	17.6-22.6	260	12.8	10.4-15.2
Some Post-H.S.	2332	211,443	23	1.0	00.4-01.6	625	28.2	25.1-31.3	888	36.3	33.2-39.4	500	21.5	19.0-24.0	296	12.9	10.7-15.1
College Graduate	2297	135,519	16	1.0	00.2-01.8	745	34.9	31.8-38.0	892	37.5	34.4-40.6	441	18.1	15.7-20.5	203	8.6	06.8-10.4
Less than \$15,000	430	41,861	8	3.6	00.0-08.1	132	31.9	24.3-39.5	133	29.4	22.5-36.3	85	20.8	14.3-27.3	72	14.3	09.4-19.2
\$15,000- 24,999	849	70,136	17	2.2	00.6-03.8	250	31.3	25.8-36.8	290	32.5	27.2-37.8	168	19.7	15.2-24.2	124	14.4	10.9-17.9
\$25,000- 34,999	672	54,138	10	2.3	00.1-04.5	194	32.4	26.1-38.7	256	36.1	30.0-42.2	132	14.4	10.7-18.1	80	14.8	10.1-19.5
\$35,000- 49,999	953	67,088	10	1.1	00.0-02.3	276	28.1	23.4-32.8	363	37.1	32.0-42.2	198	20.6	16.3-24.9	106	13.1	09.6-16.6
\$50,000- 74,999	1160	83,751	10	0.7	00.1-01.3	286	22.8	19.1-26.5	457	39.8	35.3-44.3	274	25.3	21.2-29.4	133	11.4	08.7-14.1
\$75,000+	2408	170,699	3	0.2	00.0-00.6	681	30.1	27.2-33.0	984	40.6	37.7-43.5	509	20.0	17.6-22.4	231	9.1	07.3-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3166	285,266	12	1.0	00.2-01.8	646	22.7	20.3-25.1	1403	42.2	39.5-44.9	737	22.2	20.0-24.4	368	11.9	10.1-13.7
Native	76	8,131	1	5.6	00.0-16.0	12	21.9	08.2-35.6	29	43.6	26.2-61.0	22	10.3	04.2-16.4	12	18.7	05.0-32.4
Non-Native	3016	269,636	11	0.9	00.1-01.7	621	22.9	20.4-25.4	1349	42.4	39.7-45.1	691	22.4	20.0-24.8	344	11.5	09.7-13.3
18-24	185	47,471	3	2.9	00.0-06.6	83	44.9	35.7-54.1	62	30.8	22.6-39.0	19	13.3	06.6-20.0	18	8.1	03.4-12.8
25-34	307	54,091	1	0.8	00.0-02.4	68	21.5	15.6-27.4	134	43.8	36.5-51.1	65	23.1	16.8-29.4	39	10.8	06.7-14.9
35-44	372	42,839	1	0.2	00.0-00.6	65	17.2	12.1-22.3	155	39.3	32.4-46.2	90	24.5	18.2-30.8	61	18.8	12.9-24.7
45-54	500	43,550				90	16.7	12.2-21.2	214	47.5	41.4-53.6	128	24.0	19.1-28.9	68	11.8	08.1-15.5
55-64	770	46,916	2	0.2	00.0-00.4	128	15.9	12.6-19.2	346	44.6	39.9-49.3	198	26.1	22.0-30.2	96	13.3	09.8-16.8
65+	1015	49,534	5	1.7	00.0-03.7	210	19.3	16.2-22.4	484	47.1	42.8-51.4	231	22.3	18.8-25.8	85	9.7	07.2-12.2
Less Than H.S.	222	30,864	4	5.1	00.0-11.2	57	29.8	20.0-39.6	89	32.2	23.4-41.0	46	21.2	13.0-29.4	26	11.7	06.4-17.0
H.S. or G.E.D.	965	77,466	3	0.2	00.0-00.4	188	21.3	17.2-25.4	405	44.3	39.6-49.0	240	20.5	17.2-23.8	129	13.7	10.4-17.0
Some Post-H.S.	958	109,693	3	0.2	00.0-00.6	171	19.9	16.0-23.8	434	41.9	37.2-46.6	226	24.7	20.6-28.8	124	13.2	10.1-16.3
College Graduate	1013	65,797	2	1.2	00.0-02.8	228	25.1	21.0-29.2	472	45.1	40.6-49.6	223	21.0	17.3-24.7	88	7.7	05.5-09.9
Less than \$15,000	154	17,965	3	7.7	00.0-17.5	44	25.2	15.0-35.4	52	28.6	18.6-38.6	32	24.9	13.7-36.1	23	13.6	05.6-21.6
\$15,000- 24,999	297	35,364	5	2.5	00.0-05.2	83	29.7	21.5-37.9	107	36.1	27.7-44.5	57	18.0	11.5-24.5	45	13.7	08.2-19.2
\$25,000- 34,999	264	26,992	1	0.3	00.0-00.9	54	28.8	19.6-38.0	124	39.3	30.5-48.1	55	13.3	08.4-18.2	30	18.3	10.5-26.1
\$35,000- 49,999	421	37,785	2	1.1	00.0-03.1	97	20.3	14.6-26.0	184	41.3	34.0-48.6	96	25.0	18.1-31.9	42	12.2	07.3-17.1
\$50,000- 74,999	538	47,483				93	17.2	12.5-21.9	248	45.4	38.9-51.9	138	28.6	22.5-34.7	59	8.8	05.9-11.7
\$75,000+	1239	97,276				219	19.7	16.0-23.4	579	47.7	43.4-52.0	304	22.0	18.7-25.3	137	10.6	08.1-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4103	255,489	52	1.4	00.8-02.0	1454	38.5	36.0-41.0	1373	30.7	28.3-33.1	772	17.9	15.9-19.9	452	11.6	10.0-13.2
Native	149	13,371	1	1.1	00.0-03.3	27	22.1	08.2-36.0	56	28.6	16.4-40.8	27	26.0	12.9-39.1	38	22.2	11.8-32.6
Non-Native	3910	239,015	51	1.4	00.8-02.0	1414	39.7	37.0-42.4	1298	30.5	28.1-32.9	737	17.5	15.7-19.3	410	11.0	09.4-12.6
18-24	146	38,070	1	0.7	00.0-02.1	88	65.9	56.5-75.3	36	23.6	15.0-32.2	15	8.0	02.9-13.1	6	1.9	00.0-03.9
25-34	299	41,906	4	1.6	00.0-04.1	126	41.4	33.4-49.4	87	28.9	21.6-36.2	36	14.8	08.7-20.9	46	13.3	08.2-18.4
35-44	424	36,500	3	1.0	00.0-02.2	145	27.1	21.6-32.6	135	31.2	24.9-37.5	83	21.8	15.9-27.7	58	18.8	12.9-24.7
45-54	615	39,792	7	0.9	00.1-01.7	211	32.5	27.6-37.4	191	29.3	24.6-34.0	125	20.9	16.6-25.2	81	16.4	11.9-20.9
55-64	970	40,858	17	2.9	01.1-04.7	296	29.1	25.4-32.8	328	33.5	29.4-37.6	213	22.4	18.9-25.9	116	12.1	09.2-15.0
65+	1618	56,845	20	1.2	00.6-01.8	570	35.6	32.5-38.7	586	35.5	32.4-38.6	297	19.0	16.5-21.5	145	8.7	06.9-10.5
Less Than H.S.	224	18,712	3	1.6	00.0-03.4	70	35.6	25.6-45.6	71	29.4	21.2-37.6	47	20.3	12.3-28.3	33	13.1	07.0-19.2
H.S. or G.E.D.	1211	64,776	15	1.2	00.4-02.0	409	35.3	30.6-40.0	424	32.2	27.7-36.7	232	19.6	15.7-23.5	131	11.7	08.8-14.6
Some Post-H.S.	1374	101,750	20	1.9	00.5-03.3	454	37.2	32.5-41.9	454	30.3	26.4-34.2	274	18.1	15.0-21.2	172	12.6	09.9-15.3
College Graduate	1284	69,722	14	0.7	00.1-01.3	517	44.1	39.6-48.6	420	30.4	26.5-34.3	218	15.3	12.4-18.2	115	9.4	06.9-11.9
Less than \$15,000	276	23,896	5	0.5	00.0-01.1	88	36.9	26.3-47.5	81	30.0	20.6-39.4	53	17.7	10.6-24.8	49	14.8	08.5-21.1
\$15,000- 24,999	552	34,772	12	1.8	00.6-03.0	167	32.9	25.8-40.0	183	28.7	22.6-34.8	111	21.4	15.3-27.5	79	15.2	10.5-19.9
\$25,000- 34,999	408	27,146	9	4.4	00.3-08.5	140	35.9	27.1-44.7	132	32.9	24.5-41.3	77	15.4	09.9-20.9	50	11.4	06.3-16.5
\$35,000- 49,999	532	29,303	8	1.2	00.0-02.4	179	38.0	30.7-45.3	179	31.6	24.9-38.3	102	15.0	10.7-19.3	64	14.2	09.5-18.9
\$50,000- 74,999	622	36,268	10	1.6	00.4-02.8	193	30.2	24.1-36.3	209	32.4	26.3-38.5	136	21.0	16.5-25.5	74	14.7	09.6-19.8
\$75,000+	1169	73,423	3	0.5	00.0-01.3	462	43.8	39.3-48.3	405	31.2	27.3-35.1	205	17.4	13.9-20.9	94	7.1	05.1-09.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7269	540,755	87	1.4	00.8-02.0	2070	29.8	28.0-31.6	2771	36.6	34.8-38.4	2341	32.2	30.4-34.0
Male	3166	285,266	15	1.0	00.2-01.8	637	22.5	20.1-24.9	1398	41.8	39.3-44.3	1116	34.7	32.2-37.2
Female	4103	255,489	72	1.8	01.2-02.4	1433	38.0	35.5-40.5	1373	30.7	28.3-33.1	1225	29.5	27.1-31.9
Native	225	21,502	2	2.8	00.0-07.1	39	22.0	12.0-32.0	85	34.3	23.9-44.7	99	40.9	30.1-51.7
Non-Native	6926	508,651	85	1.4	00.8-02.0	2005	30.4	28.6-32.2	2643	36.7	34.9-38.5	2193	31.5	29.7-33.3
18-24	331	85,541	5	2.0	00.0-04.2	169	54.1	47.2-61.0	98	27.6	21.5-33.7	59	16.3	11.4-21.2
25-34	606	95,997	7	1.4	00.0-02.8	192	30.0	25.1-34.9	219	36.7	31.6-41.8	188	32.0	26.9-37.1
35-44	796	79,339	4	0.5	00.0-01.1	209	21.7	18.0-25.4	289	35.1	30.4-39.8	294	42.7	37.8-47.6
45-54	1115	83,342	8	0.7	00.0-01.5	300	23.9	20.6-27.2	402	38.6	34.5-42.7	405	36.8	32.9-40.7
55-64	1740	87,773	21	1.5	00.7-02.3	420	21.8	19.3-24.3	675	39.5	36.4-42.6	624	37.2	34.1-40.3
65+	2633	106,379	42	2.0	01.0-03.0	760	27.3	24.9-29.7	1070	40.8	38.3-43.3	761	29.9	27.5-32.3
Less Than H.S.	446	49,576	8	3.9	00.0-07.8	125	31.7	24.4-39.0	160	31.1	24.8-37.4	153	33.3	26.6-40.0
H.S. or G.E.D.	2176	142,241	29	1.0	00.6-01.4	586	27.4	24.3-30.5	828	38.7	35.4-42.0	733	33.0	29.9-36.1
Some Post-H.S.	2332	211,443	29	1.3	00.5-02.1	617	27.9	24.8-31.0	885	35.9	32.8-39.0	801	34.9	31.8-38.0
College Graduate	2297	135,519	21	1.1	00.3-01.9	736	34.6	31.5-37.7	891	37.5	34.6-40.4	649	26.9	24.2-29.6
Less than \$15,000	430	41,861	10	3.7	00.0-08.2	130	31.8	24.2-39.4	133	29.4	22.5-36.3	157	35.1	27.7-42.5
\$15,000- 24,999	849	70,136	25	2.6	01.0-04.2	242	30.9	25.4-36.4	289	32.3	27.0-37.6	293	34.3	29.0-39.6
\$25,000- 34,999	672	54,138	13	2.6	00.4-04.8	191	32.1	25.8-38.4	255	35.9	29.8-42.0	213	29.4	23.9-34.9
\$35,000- 49,999	953	67,088	12	1.2	00.0-02.4	272	27.9	23.2-32.6	364	37.1	32.0-42.2	305	33.8	28.9-38.7
\$50,000- 74,999	1160	83,751	12	0.9	00.3-01.5	282	22.4	18.7-26.1	458	39.8	35.3-44.3	408	36.8	32.3-41.3
\$75,000+	2408	170,699	5	0.3	00.0-00.7	676	29.9	27.0-32.8	979	40.0	37.1-42.9	748	29.8	27.1-32.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3166	285,266	15	1.0	00.2-01.8	637	22.5	20.1-24.9	1398	41.8	39.3-44.3	1116	34.7	32.2-37.2
Native	76	8,131	1	5.6	00.0-16.0	12	21.9	08.2-35.6	29	43.6	26.2-61.0	34	28.9	14.4-43.4
Non-Native	3016	269,636	14	0.9	00.1-01.7	612	22.7	20.2-25.2	1345	42.2	39.5-44.9	1045	34.2	31.7-36.7
18-24	185	47,471	4	3.0	00.0-06.7	81	44.7	35.5-53.9	62	30.9	22.7-39.1	38	21.4	13.8-29.0
25-34	307	54,091	1	0.8	00.0-02.4	68	21.5	15.6-27.4	133	42.9	35.6-50.2	105	34.8	27.9-41.7
35-44	372	42,839	1	0.2	00.0-00.6	64	17.1	12.0-22.2	154	38.4	31.7-45.1	153	44.4	37.3-51.5
45-54	500	43,550				90	16.7	12.2-21.2	211	47.0	40.9-53.1	199	36.3	30.6-42.0
55-64	770	46,916	3	0.3	00.0-00.7	125	15.5	12.2-18.8	347	44.7	40.0-49.4	295	39.5	35.0-44.0
65+	1015	49,534	6	1.7	00.0-03.7	207	19.1	16.0-22.2	483	46.8	42.5-51.1	319	32.4	28.5-36.3
Less Than H.S.	222	30,864	4	5.1	00.0-11.2	56	29.6	19.8-39.4	89	32.1	23.3-40.9	73	33.2	24.0-42.4
H.S. or G.E.D.	965	77,466	5	0.3	00.1-00.5	186	21.3	17.2-25.4	404	44.2	39.5-48.9	370	34.3	30.0-38.6
Some Post-H.S.	958	109,693	3	0.2	00.0-00.6	170	19.8	15.9-23.7	430	41.0	36.5-45.5	355	38.9	34.2-43.6
College Graduate	1013	65,797	3	1.3	00.0-02.9	223	24.7	20.6-28.8	472	45.1	40.6-49.6	315	28.9	24.8-33.0
Less than \$15,000	154	17,965	3	7.7	00.0-17.5	44	25.2	15.0-35.4	52	28.6	18.6-38.6	55	38.5	26.3-50.7
\$15,000- 24,999	297	35,364	6	2.6	00.0-05.3	82	29.6	21.4-37.8	106	35.8	27.4-44.2	103	32.0	24.2-39.8
\$25,000- 34,999	264	26,992	1	0.3	00.0-00.9	54	28.8	19.6-38.0	123	38.9	30.1-47.7	86	32.0	23.4-40.6
\$35,000- 49,999	421	37,785	3	1.2	00.0-03.2	95	20.1	14.4-25.8	184	41.4	34.1-48.7	139	37.3	29.9-44.7
\$50,000- 74,999	538	47,483	1	0.1	00.0-00.3	90	16.8	12.1-21.5	249	45.5	39.0-52.0	198	37.6	31.3-43.9
\$75,000+	1239	97,276				216	19.6	15.9-23.3	575	46.7	42.4-51.0	448	33.7	29.8-37.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4103	255,489	72	1.8	01.2-02.4	1433	38.0	35.5-40.5	1373	30.7	28.3-33.1	1225	29.5	27.1-31.9
Native	149	13,371	1	1.1	00.0-03.3	27	22.1	08.2-36.0	56	28.6	16.4-40.8	65	48.2	33.9-62.5
Non-Native	3910	239,015	71	1.9	01.3-02.5	1393	39.2	36.5-41.9	1298	30.4	28.0-32.8	1148	28.5	26.1-30.9
18-24	146	38,070	1	0.7	00.0-02.1	88	65.9	56.5-75.3	36	23.6	15.0-32.2	21	9.9	04.4-15.4
25-34	299	41,906	6	2.1	00.0-04.6	124	40.9	32.9-48.9	86	28.7	21.6-35.8	83	28.4	21.1-35.7
35-44	424	36,500	3	1.0	00.0-02.2	145	27.1	21.6-32.6	135	31.2	24.9-37.5	141	40.7	33.8-47.6
45-54	615	39,792	8	1.6	00.0-03.2	210	31.8	26.9-36.7	191	29.3	24.6-34.0	206	37.3	32.0-42.6
55-64	970	40,858	18	3.0	01.2-04.8	295	29.1	25.4-32.8	328	33.5	29.4-37.6	329	34.5	30.6-38.4
65+	1618	56,845	36	2.3	01.3-03.3	553	34.4	31.3-37.5	587	35.6	32.5-38.7	442	27.7	24.8-30.6
Less Than H.S.	224	18,712	4	1.9	00.0-03.9	69	35.3	25.3-45.3	71	29.4	21.2-37.6	80	33.4	24.2-42.6
H.S. or G.E.D.	1211	64,776	24	1.8	00.8-02.8	400	34.7	30.0-39.4	424	32.2	27.7-36.7	363	31.3	26.8-35.8
Some Post-H.S.	1374	101,750	26	2.4	01.0-03.8	447	36.6	31.9-41.3	455	30.3	26.4-34.2	446	30.7	26.8-34.6
College Graduate	1284	69,722	18	0.9	00.3-01.5	513	43.9	39.4-48.4	419	30.3	26.4-34.2	334	24.9	21.2-28.6
Less than \$15,000	276	23,896	7	0.6	00.0-01.4	86	36.8	26.2-47.4	81	30.0	20.6-39.4	102	32.6	23.6-41.6
\$15,000- 24,999	552	34,772	19	2.5	01.1-03.9	160	32.2	25.1-39.3	183	28.7	22.6-34.8	190	36.6	29.7-43.5
\$25,000- 34,999	408	27,146	12	4.8	00.7-08.9	137	35.4	26.6-44.2	132	32.9	24.5-41.3	127	26.8	19.7-33.9
\$35,000- 49,999	532	29,303	9	1.3	00.1-02.5	177	37.9	30.6-45.2	180	31.6	24.9-38.3	166	29.2	23.1-35.3
\$50,000- 74,999	622	36,268	11	2.0	00.4-03.6	192	29.8	23.9-35.7	209	32.4	26.3-38.5	210	35.7	29.6-41.8
\$75,000+	1169	73,423	5	0.7	00.0-01.5	460	43.6	39.1-48.1	404	31.0	27.1-34.9	300	24.7	20.8-28.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7269	540,755	2157	31.2	29.4-33.0	5112	68.8	67.0-70.6
Male	3166	285,266	652	23.5	21.0-26.0	2514	76.5	74.0-79.0
Female	4103	255,489	1505	39.8	37.3-42.3	2598	60.2	57.7-62.7
Native	225	21,502	41	24.8	14.4-35.2	184	75.2	64.8-85.6
Non-Native	6926	508,651	2090	31.8	29.8-33.8	4836	68.2	66.2-70.2
18-24	331	85,541	174	56.1	49.2-63.0	157	43.9	37.0-50.8
25-34	606	95,997	199	31.3	26.2-36.4	407	68.7	63.6-73.8
35-44	796	79,339	213	22.3	18.6-26.0	583	77.7	74.0-81.4
45-54	1115	83,342	308	24.6	21.3-27.9	807	75.4	72.1-78.7
55-64	1740	87,773	441	23.3	20.8-25.8	1299	76.7	74.2-79.2
65+	2633	106,379	802	29.3	26.9-31.7	1831	70.7	68.3-73.1
Less Than H.S.	446	49,576	133	35.6	28.2-43.0	313	64.4	57.0-71.8
H.S. or G.E.D.	2176	142,241	615	28.3	25.2-31.4	1561	71.7	68.6-74.8
Some Post-H.S.	2332	211,443	646	29.2	26.1-32.3	1686	70.8	67.7-73.9
College Graduate	2297	135,519	757	35.7	32.6-38.8	1540	64.3	61.2-67.4
Less than \$15,000	430	41,861	140	35.5	27.5-43.5	290	64.5	56.5-72.5
\$15,000- 24,999	849	70,136	267	33.4	27.9-38.9	582	66.6	61.1-72.1
\$25,000- 34,999	672	54,138	204	34.7	28.2-41.2	468	65.3	58.8-71.8
\$35,000- 49,999	953	67,088	284	29.1	24.4-33.8	669	70.9	66.2-75.6
\$50,000- 74,999	1160	83,751	294	23.4	19.7-27.1	866	76.6	72.9-80.3
\$75,000+	2408	170,699	681	30.2	27.3-33.1	1727	69.8	66.9-72.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3166	285,266	652	23.5	21.0-26.0	2514	76.5	74.0-79.0
Native	76	8,131	13	27.4	11.7-43.1	63	72.6	56.9-88.3
Non-Native	3016	269,636	626	23.6	21.1-26.1	2390	76.4	73.9-78.9
18-24	185	47,471	85	47.7	38.5-56.9	100	52.3	43.1-61.5
25-34	307	54,091	69	22.3	16.4-28.2	238	77.7	71.8-83.6
35-44	372	42,839	65	17.3	12.2-22.4	307	82.7	77.6-87.8
45-54	500	43,550	90	16.7	12.2-21.2	410	83.3	78.8-87.8
55-64	770	46,916	128	15.7	12.4-19.0	642	84.3	81.0-87.6
65+	1015	49,534	213	20.8	17.3-24.3	802	79.2	75.7-82.7
Less Than H.S.	222	30,864	60	34.7	24.3-45.1	162	65.3	54.9-75.7
H.S. or G.E.D.	965	77,466	191	21.5	17.4-25.6	774	78.5	74.4-82.6
Some Post-H.S.	958	109,693	173	20.1	16.2-24.0	785	79.9	76.0-83.8
College Graduate	1013	65,797	226	26.0	21.7-30.3	787	74.0	69.7-78.3
Less than \$15,000	154	17,965	47	32.9	20.7-45.1	107	67.1	54.9-79.3
\$15,000- 24,999	297	35,364	88	32.2	23.8-40.6	209	67.8	59.4-76.2
\$25,000- 34,999	264	26,992	55	29.1	19.9-38.3	209	70.9	61.7-80.1
\$35,000- 49,999	421	37,785	98	21.3	15.4-27.2	323	78.7	72.8-84.6
\$50,000- 74,999	538	47,483	91	16.9	12.2-21.6	447	83.1	78.4-87.8
\$75,000+	1239	97,276	216	19.6	15.9-23.3	1023	80.4	76.7-84.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4103	255,489	1505	39.8	37.3-42.3	2598	60.2	57.7-62.7
Native	149	13,371	28	23.2	09.3-37.1	121	76.8	62.9-90.7
Non-Native	3910	239,015	1464	41.1	38.4-43.8	2446	58.9	56.2-61.6
18-24	146	38,070	89	66.5	57.1-75.9	57	33.5	24.1-42.9
25-34	299	41,906	130	43.0	35.0-51.0	169	57.0	49.0-65.0
35-44	424	36,500	148	28.1	22.4-33.8	276	71.9	66.2-77.6
45-54	615	39,792	218	33.4	28.5-38.3	397	66.6	61.7-71.5
55-64	970	40,858	313	32.0	28.1-35.9	657	68.0	64.1-71.9
65+	1618	56,845	589	36.7	33.6-39.8	1029	63.3	60.2-66.4
Less Than H.S.	224	18,712	73	37.2	27.2-47.2	151	62.8	52.8-72.8
H.S. or G.E.D.	1211	64,776	424	36.5	31.8-41.2	787	63.5	58.8-68.2
Some Post-H.S.	1374	101,750	473	39.0	34.3-43.7	901	61.0	56.3-65.7
College Graduate	1284	69,722	531	44.8	40.3-49.3	753	55.2	50.7-59.7
Less than \$15,000	276	23,896	93	37.4	26.8-48.0	183	62.6	52.0-73.2
\$15,000- 24,999	552	34,772	179	34.7	27.6-41.8	373	65.3	58.2-72.4
\$25,000- 34,999	408	27,146	149	40.3	31.3-49.3	259	59.7	50.7-68.7
\$35,000- 49,999	532	29,303	186	39.2	31.9-46.5	346	60.8	53.5-68.1
\$50,000- 74,999	622	36,268	203	31.8	25.7-37.9	419	68.2	62.1-74.3
\$75,000+	1169	73,423	465	44.3	39.8-48.8	704	55.7	51.2-60.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7744	578,777	5969	67.5	65.7-69.3	662	12.3	10.9-13.7	596	11.3	10.1-12.5	329	5.6	04.8-06.4	135	2.1	01.5-02.7	53	1.2	00.8-01.6
Male	3234	293,025	2480	69.9	67.4-72.4	284	10.7	08.9-12.5	247	11.1	09.3-12.9	139	4.9	03.7-06.1	60	2.1	01.3-02.9	24	1.4	00.6-02.2
Female	4510	285,752	3489	65.1	62.6-67.6	378	14.0	12.0-16.0	349	11.4	09.6-13.2	190	6.4	05.0-07.8	75	2.1	01.3-02.9	29	1.0	00.6-01.4
Native	246	24,669	126	38.8	28.6-49.0	40	22.7	13.5-31.9	43	20.0	11.8-28.2	19	12.4	04.8-20.0	14	4.0	00.9-07.1	4	2.1	00.0-04.8
Non-Native	7372	543,034	5736	68.7	66.9-70.5	616	11.9	10.5-13.3	549	10.9	09.7-12.1	306	5.3	04.5-06.1	118	2.0	01.4-02.6	47	1.1	00.7-01.5
18-24	348	89,743	236	74.8	69.3-80.3	71	17.6	12.9-22.3	27	5.6	02.7-08.5	11	1.8	00.4-03.2	2	0.2	00.0-00.4	1	0.1	00.0-00.3
25-34	658	103,637	252	44.0	38.7-49.3	112	15.3	11.6-19.0	152	21.4	17.1-25.7	94	12.5	09.2-15.8	34	4.4	02.4-06.4	14	2.4	00.8-04.0
35-44	839	83,721	187	25.0	20.7-29.3	133	16.8	13.3-20.3	257	29.7	25.4-34.0	161	17.4	13.9-20.9	76	7.5	05.1-09.9	25	3.7	01.9-05.5
45-54	1198	89,991	778	64.4	60.7-68.1	221	19.0	15.9-22.1	121	11.7	09.0-14.4	53	3.3	02.3-04.3	17	0.9	00.5-01.3	8	0.6	00.2-01.0
55-64	1854	94,172	1714	89.9	87.7-92.1	91	6.2	04.6-07.8	31	2.1	01.3-02.9	10	0.6	00.2-01.0	6	0.5	00.1-00.9	2	0.7	00.0-01.7
65+	2765	112,670	2728	98.0	97.2-98.8	30	1.6	00.8-02.4	5	0.4	00.0-00.8							2	0.1	00.0-00.3
Less Than H.S.	469	52,862	389	73.6	67.1-80.1	31	10.2	05.9-14.5	23	9.5	04.8-14.2	11	2.9	00.4-05.4	9	1.4	00.4-02.4	6	2.3	00.3-04.3
H.S. or G.E.D.	2328	153,140	1903	70.2	66.9-73.5	174	11.9	09.5-14.3	128	8.3	06.3-10.3	76	5.5	03.7-07.3	32	2.7	01.5-03.9	15	1.4	00.4-02.4
Some Post-H.S.	2471	225,239	1916	66.7	63.6-69.8	230	13.5	11.1-15.9	178	12.0	09.6-14.4	86	5.0	03.4-06.6	45	1.7	00.9-02.5	16	1.1	00.5-01.7
College Graduate	2441	143,863	1728	63.0	60.1-65.9	225	11.7	09.5-13.9	267	14.2	12.0-16.4	156	8.0	06.4-09.6	49	2.4	01.6-03.2	16	0.7	00.1-01.3
Less than \$15,000	457	44,389	391	75.8	68.9-82.7	33	12.8	07.3-18.3	17	6.3	02.2-10.4	7	2.3	00.0-05.0	7	1.9	00.1-03.7	2	0.9	00.0-02.3
\$15,000- 24,999	886	74,026	770	76.2	71.1-81.3	53	11.7	07.8-15.6	32	6.7	03.6-09.8	18	3.3	01.3-05.3	6	0.9	00.0-02.1	7	1.3	00.1-02.5
\$25,000- 34,999	699	56,462	604	75.8	70.1-81.5	45	13.1	08.2-18.0	26	4.6	02.1-07.1	13	2.8	00.8-04.8	6	1.8	00.0-03.6	5	1.8	00.0-03.6
\$35,000- 49,999	995	69,688	816	73.4	68.7-78.1	67	8.6	05.7-11.5	66	11.1	07.6-14.6	24	3.3	01.3-05.3	14	2.3	00.7-03.9	8	1.3	00.0-02.7
\$50,000- 74,999	1205	87,055	904	63.4	58.7-68.1	113	13.4	10.1-16.7	93	13.3	09.6-17.0	65	7.3	04.8-09.8	23	1.9	00.7-03.1	7	0.8	00.0-01.6
\$75,000+	2495	175,501	1617	54.5	51.4-57.6	283	14.3	12.1-16.5	320	17.2	14.7-19.7	186	9.5	07.5-11.5	68	3.2	02.2-04.2	21	1.2	00.4-02.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3234	293,025	2480	69.9	67.4-72.4	284	10.7	08.9-12.5	247	11.1	09.3-12.9	139	4.9	03.7-06.1	60	2.1	01.3-02.9	24	1.4	00.6-02.2
Native	80	8,721	45	44.0	27.1-60.9	15	18.1	06.3-29.9	10	20.9	05.4-36.4	7	16.2	02.3-30.1	3	0.7	00.0-01.7			
Non-Native	3082	276,902	2373	70.7	68.2-73.2	266	10.5	08.7-12.3	234	10.7	08.9-12.5	130	4.5	03.5-05.5	56	2.2	01.4-03.0	23	1.5	00.7-02.3
18-24	189	48,482	147	84.6	78.7-90.5	27	8.6	04.5-12.7	10	5.9	01.4-10.4	4	0.7	00.0-01.5				1	0.2	00.0-00.6
25-34	310	54,458	157	52.5	45.2-59.8	51	14.2	09.3-19.1	54	18.1	12.4-23.8	29	8.9	04.8-13.0	15	3.8	01.3-06.3	4	2.6	00.1-05.1
35-44	375	43,288	107	29.8	23.1-36.5	51	14.5	09.4-19.6	102	27.7	21.4-34.0	72	16.7	11.8-21.6	33	8.0	04.3-11.7	10	3.4	00.9-05.9
45-54	517	45,908	324	63.1	57.2-69.0	89	17.8	12.9-22.7	62	13.7	09.4-18.0	27	3.5	01.9-05.1	9	0.9	00.3-01.5	6	1.0	00.0-02.0
55-64	789	48,834	710	87.1	83.8-90.4	51	7.9	05.2-10.6	16	2.3	01.1-03.5	7	0.7	00.1-01.3	3	0.7	00.0-01.5	2	1.3	00.0-03.3
65+	1030	50,413	1013	98.3	97.3-99.3	14	1.0	00.4-01.6	3	0.6	00.0-01.4									
Less Than H.S.	225	31,752	187	75.6	67.0-84.2	14	7.6	02.5-12.7	13	11.9	04.6-19.2	4	1.4	00.0-02.8	3	0.8	00.0-02.0	4	2.8	00.0-05.7
H.S. or G.E.D.	994	80,304	780	71.1	66.6-75.6	84	10.6	07.5-13.7	67	9.4	06.3-12.5	35	3.7	02.1-05.3	19	2.9	01.1-04.7	9	2.2	00.4-04.0
Some Post-H.S.	972	111,343	724	67.9	63.4-72.4	103	11.9	09.0-14.8	84	12.6	09.3-15.9	38	4.9	02.7-07.1	16	1.6	00.4-02.8	7	1.1	00.0-02.3
College Graduate	1031	67,693	777	67.9	63.6-72.2	83	10.4	07.3-13.5	83	10.4	07.7-13.1	62	8.1	05.6-10.6	22	2.8	01.4-04.2	4	0.4	00.0-00.8
Less than \$15,000	156	18,597	144	86.7	78.3-95.1	7	8.1	01.4-14.8	3	3.3	00.0-07.8				1	0.4	00.0-01.2	1	1.6	00.0-04.5
\$15,000- 24,999	303	35,614	267	80.0	72.4-87.6	13	6.7	01.8-11.6	13	9.3	03.4-15.2	5	2.3	00.0-04.8	2	0.1	00.0-00.3	3	1.5	00.0-03.5
\$25,000- 34,999	262	26,879	226	80.4	73.1-87.7	16	8.8	03.7-13.9	9	3.6	00.3-06.9	2	1.6	00.0-04.0	5	2.6	00.0-05.3	4	3.1	00.0-06.4
\$35,000- 49,999	426	38,106	353	75.0	68.3-81.7	26	5.8	02.7-08.9	23	10.6	05.7-15.5	13	3.8	00.9-06.7	8	3.7	00.8-06.6	3	1.2	00.0-03.2
\$50,000- 74,999	539	47,173	420	66.2	59.7-72.7	44	12.8	08.3-17.3	42	13.6	08.3-18.9	25	6.2	02.7-09.7	7	0.8	00.0-01.8	1	0.3	00.0-00.9
\$75,000+	1243	97,603	817	57.4	53.1-61.7	154	14.7	11.6-17.8	139	14.5	11.4-17.6	88	8.3	05.9-10.7	35	3.7	02.1-05.3	10	1.3	00.1-02.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4510	285,752	3489	65.1	62.6-67.6	378	14.0	12.0-16.0	349	11.4	09.6-13.2	190	6.4	05.0-07.8	75	2.1	01.3-02.9	29	1.0	00.6-01.4
Native	166	15,947	81	36.0	23.3-48.7	25	25.2	12.5-37.9	33	19.5	09.9-29.1	12	10.3	01.5-19.1	11	5.8	00.9-10.7	4	3.3	00.0-07.4
Non-Native	4290	266,132	3363	66.6	64.1-69.1	350	13.4	11.4-15.4	315	11.1	09.3-12.9	176	6.2	04.8-07.6	62	1.8	01.0-02.6	24	0.8	00.4-01.2
18-24	159	41,261	89	63.3	54.1-72.5	44	28.1	19.5-36.7	17	5.2	01.7-08.7	7	3.1	00.4-05.8	2	0.3	00.0-00.9			
25-34	348	49,178	95	34.7	27.4-42.0	61	16.6	10.9-22.3	98	25.1	18.4-31.8	65	16.5	11.2-21.8	19	5.0	02.1-07.9	10	2.1	00.5-03.7
35-44	464	40,433	80	19.8	14.5-25.1	82	19.3	14.2-24.4	155	31.9	25.8-38.0	89	18.2	13.1-23.3	43	6.9	03.8-10.0	15	3.9	01.2-06.6
45-54	681	44,082	454	65.8	60.9-70.7	132	20.3	16.2-24.4	59	9.7	06.4-13.0	26	3.2	01.8-04.6	8	0.9	00.1-01.7	2	0.1	00.0-00.3
55-64	1065	45,337	1004	93.0	90.6-95.4	40	4.4	02.4-06.4	15	1.8	00.6-03.0	3	0.4	00.0-01.0	3	0.3	00.0-00.7			
65+	1735	62,257	1715	97.7	96.3-99.1	16	2.0	00.8-03.2	2	0.1	00.0-00.3							2	0.1	00.0-00.3
Less Than H.S.	244	21,110	202	70.6	61.2-80.0	17	14.3	06.5-22.1	10	5.9	01.6-10.2	7	5.3	00.0-11.0	6	2.5	00.5-04.5	2	1.5	00.0-03.9
H.S. or G.E.D.	1334	72,836	1123	69.1	64.4-73.8	90	13.4	09.7-17.1	61	7.1	04.6-09.6	41	7.5	04.4-10.6	13	2.4	00.6-04.2	6	0.5	00.0-01.1
Some Post-H.S.	1499	113,896	1192	65.5	61.2-69.8	127	15.1	11.6-18.6	94	11.4	08.3-14.5	48	5.1	03.1-07.1	29	1.8	00.8-02.8	9	1.1	00.3-01.9
College Graduate	1410	76,170	951	58.6	54.5-62.7	142	12.8	09.9-15.7	184	17.5	14.2-20.8	94	7.8	05.8-09.8	27	2.2	01.0-03.4	12	1.1	00.1-02.1
Less than \$15,000	301	25,792	247	67.9	58.1-77.7	26	16.2	08.2-24.2	14	8.5	02.4-14.6	7	4.0	00.0-08.9	6	2.9	00.0-05.8	1	0.4	00.0-01.2
\$15,000- 24,999	583	38,411	503	72.6	65.7-79.5	40	16.4	10.3-22.5	19	4.2	01.1-07.3	13	4.2	01.3-07.1	4	1.6	00.0-03.8	4	1.0	00.0-02.4
\$25,000- 34,999	437	29,582	378	71.7	63.3-80.1	29	17.0	09.4-24.6	17	5.6	01.7-09.5	11	3.9	00.8-07.0	1	1.2	00.0-03.6	1	0.7	00.0-02.1
\$35,000- 49,999	569	31,582	463	71.5	64.8-78.2	41	11.9	06.8-17.0	43	11.8	06.7-16.9	11	2.8	00.8-04.8	6	0.7	00.0-01.5	5	1.4	00.0-03.2
\$50,000- 74,999	666	39,883	484	60.0	53.5-66.5	69	14.1	09.0-19.2	51	12.9	07.8-18.0	40	8.6	04.9-12.3	16	3.1	00.7-05.5	6	1.3	00.0-02.9
\$75,000+	1252	77,898	800	50.9	46.6-55.2	129	13.8	10.7-16.9	181	20.6	16.7-24.5	98	11.1	08.0-14.2	33	2.5	01.3-03.7	11	1.2	00.4-02.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7734	577,975	472	9.2	08.0-10.4	2331	26.6	25.0-28.2	2483	39.2	37.4-41.0	2448	25.0	23.6-26.4
Male	3237	293,473	228	11.0	09.0-13.0	997	27.5	25.1-29.9	979	38.3	35.6-41.0	1033	23.1	21.1-25.1
Female	4497	284,501	244	7.4	06.0-08.8	1334	25.6	23.4-27.8	1504	40.1	37.6-42.6	1415	26.8	24.8-28.8
Native	244	24,559	35	27.1	16.5-37.7	69	23.5	14.7-32.3	93	39.9	29.7-50.1	47	9.4	05.1-13.7
Non-Native	7362	542,254	418	8.2	07.0-09.4	2224	26.8	25.2-28.4	2351	39.3	37.3-41.3	2369	25.8	24.2-27.4
18-24	346	88,998	35	12.0	07.1-16.9	131	31.2	25.3-37.1	124	43.6	36.9-50.3	56	13.2	09.3-17.1
25-34	657	103,260	20	5.2	02.3-08.1	158	21.6	17.5-25.7	181	35.8	30.5-41.1	298	37.4	32.5-42.3
35-44	841	84,171	31	5.9	03.4-08.4	172	19.9	16.2-23.6	251	38.7	33.8-43.6	387	35.5	31.2-39.8
45-54	1204	90,507	49	7.1	04.6-09.6	323	24.2	21.1-27.3	450	45.9	42.0-49.8	382	22.8	20.1-25.5
55-64	1849	93,798	50	5.7	03.7-07.7	530	28.8	26.1-31.5	641	41.1	38.0-44.2	628	24.4	22.0-26.8
65+	2757	112,278	283	18.1	15.6-20.6	999	32.5	30.1-34.9	808	32.4	30.0-34.8	667	17.0	15.4-18.6
Less Than H.S.	472	53,461	472	100.0	0100-0100									
H.S. or G.E.D.	2331	153,613				2331	100.0	0100-0100						
Some Post-H.S.	2483	226,692							2483	100.0	0100-0100			
College Graduate	2448	144,209										2448	100.0	0100-0100
Less than \$15,000	458	44,518	88	26.6	19.3-33.9	193	32.0	25.1-38.9	119	30.9	23.5-38.3	58	10.4	06.3-14.5
\$15,000- 24,999	883	73,472	121	18.5	14.0-23.0	355	34.2	29.1-39.3	271	34.8	29.3-40.3	136	12.4	09.1-15.7
\$25,000- 34,999	702	56,487	56	10.5	07.0-14.0	286	34.9	29.2-40.6	232	41.5	35.0-48.0	128	13.2	09.7-16.7
\$35,000- 49,999	995	69,754	42	6.1	03.6-08.6	313	28.2	23.9-32.5	330	40.2	35.1-45.3	310	25.5	21.4-29.6
\$50,000- 74,999	1207	87,625	28	3.4	01.6-05.2	305	23.2	19.5-26.9	418	44.2	39.7-48.7	456	29.2	25.3-33.1
\$75,000+	2493	175,321	51	2.7	01.5-03.9	507	17.6	15.4-19.8	792	41.3	38.2-44.4	1143	38.4	35.7-41.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3237	293,473	228	11.0	09.0-13.0	997	27.5	25.1-29.9	979	38.3	35.6-41.0	1033	23.1	21.1-25.1
Native	79	8,638	12	30.6	13.4-47.8	26	20.7	08.7-32.7	26	39.7	22.5-56.9	15	9.1	02.6-15.6
Non-Native	3084	277,292	204	10.2	08.2-12.2	950	27.9	25.5-30.3	927	38.1	35.4-40.8	1003	23.8	21.6-26.0
18-24	188	48,158	21	15.5	07.9-23.1	72	30.8	22.8-38.8	64	41.9	32.9-50.9	31	11.9	06.8-17.0
25-34	309	54,406	11	6.6	02.1-11.1	87	23.8	17.9-29.7	95	36.2	28.9-43.5	116	33.4	26.9-39.9
35-44	378	43,718	15	7.4	03.1-11.7	100	24.8	18.9-30.7	113	38.5	31.4-45.6	150	29.3	23.6-35.0
45-54	519	46,305	29	9.5	05.2-13.8	157	24.3	19.6-29.0	197	48.1	42.0-54.2	136	18.1	14.4-21.8
55-64	788	48,540	29	7.4	04.3-10.5	241	29.7	25.6-33.8	260	39.1	34.4-43.8	258	23.8	20.3-27.3
65+	1030	50,475	122	19.7	15.6-23.8	334	31.3	27.6-35.0	244	27.9	24.2-31.6	330	21.1	18.4-23.8
Less Than H.S.	228	32,351	228	100.0	0100-0100									
H.S. or G.E.D.	997	80,777				997	100.0	0100-0100						
Some Post-H.S.	979	112,465							979	100.0	0100-0100			
College Graduate	1033	67,880										1033	100.0	0100-0100
Less than \$15,000	158	18,775	32	31.3	18.8-43.8	64	32.0	21.4-42.6	42	24.1	14.1-34.1	20	12.6	05.3-19.9
\$15,000- 24,999	301	35,046	56	26.2	18.0-34.4	120	35.0	27.0-43.0	78	26.9	18.9-34.9	47	11.8	06.9-16.7
\$25,000- 34,999	264	26,814	36	17.0	10.3-23.7	111	35.7	27.1-44.3	61	32.9	23.3-42.5	56	14.3	09.0-19.6
\$35,000- 49,999	426	38,106	20	5.8	01.9-09.7	159	29.8	23.3-36.3	127	41.1	33.7-48.5	120	23.3	17.6-29.0
\$50,000- 74,999	540	47,705	20	5.3	02.2-08.4	155	25.4	20.1-30.7	185	44.5	37.8-51.2	180	24.9	19.8-30.0
\$75,000+	1242	97,482	32	3.1	01.1-05.1	283	19.6	16.5-22.7	397	44.5	40.2-48.8	530	32.8	29.3-36.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4497	284,501	244	7.4	06.0-08.8	1334	25.6	23.4-27.8	1504	40.1	37.6-42.6	1415	26.8	24.8-28.8
Native	165	15,920	23	25.3	12.0-38.6	43	25.1	13.3-36.9	67	40.1	27.4-52.8	32	9.6	03.9-15.3
Non-Native	4278	264,961	214	6.2	05.2-07.2	1274	25.6	23.4-27.8	1424	40.5	38.0-43.0	1366	27.8	25.6-30.0
18-24	158	40,841	14	7.8	02.5-13.1	59	31.7	22.7-40.7	60	45.7	35.7-55.7	25	14.7	08.4-21.0
25-34	348	48,854	9	3.8	00.5-07.1	71	19.2	13.5-24.9	86	35.3	27.5-43.1	182	41.8	34.5-49.1
35-44	463	40,452	16	4.3	01.8-06.8	72	14.6	10.3-18.9	138	38.9	32.2-45.6	237	42.2	35.9-48.5
45-54	685	44,202	20	4.6	02.1-07.1	166	24.2	19.9-28.5	253	43.6	38.5-48.7	246	27.6	23.5-31.7
55-64	1061	45,257	21	3.9	01.9-05.9	289	27.9	24.4-31.4	381	43.3	39.2-47.4	370	24.9	21.8-28.0
65+	1727	61,803	161	16.8	13.9-19.7	665	33.5	30.6-36.4	564	36.1	33.0-39.2	337	13.6	11.6-15.6
Less Than H.S.	244	21,110	244	100.0	0100-0100									
H.S. or G.E.D.	1334	72,836				1334	100.0	0100-0100						
Some Post-H.S.	1504	114,227							1504	100.0	0100-0100			
College Graduate	1415	76,329										1415	100.0	0100-0100
Less than \$15,000	300	25,743	56	23.2	15.0-31.4	129	32.0	23.0-41.0	77	35.9	25.7-46.1	38	8.8	04.3-13.3
\$15,000- 24,999	582	38,426	65	11.5	08.0-15.0	235	33.5	27.2-39.8	193	42.1	34.8-49.4	89	12.9	08.4-17.4
\$25,000- 34,999	438	29,673	20	4.5	02.0-07.0	175	34.1	26.5-41.7	171	49.2	40.8-57.6	72	12.1	07.2-17.0
\$35,000- 49,999	569	31,648	22	6.5	03.2-09.8	154	26.3	20.4-32.2	203	39.0	32.1-45.9	190	28.2	22.1-34.3
\$50,000- 74,999	667	39,920	8	1.1	00.1-02.1	150	20.7	15.8-25.6	233	43.8	37.5-50.1	276	34.5	28.8-40.2
\$75,000+	1251	77,838	19	2.3	01.1-03.5	224	15.1	12.2-18.0	395	37.2	32.7-41.7	613	45.3	41.0-49.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6749	508,458	459	8.8	07.4-10.2	887	14.6	13.0-16.2	703	11.2	09.8-12.6	996	13.7	12.3-15.1	3704	51.8	49.8-53.8
Male	2936	265,037	158	7.1	05.5-08.7	303	13.4	11.2-15.6	265	10.3	08.5-12.1	426	14.4	12.4-16.4	1784	54.8	52.1-57.5
Female	3813	243,421	301	10.6	08.6-12.6	584	15.8	13.8-17.8	438	12.2	10.2-14.2	570	13.0	11.2-14.8	1920	48.4	45.7-51.1
Native	218	20,620	47	31.7	20.7-42.7	52	25.0	14.8-35.2	28	13.0	05.9-20.1	27	8.6	03.1-14.1	64	21.7	13.7-29.7
Non-Native	6440	479,401	402	7.6	06.4-08.8	812	14.0	12.4-15.6	663	11.1	09.7-12.5	956	14.0	12.6-15.4	3607	53.3	51.3-55.3
18-24	288	75,730	40	16.6	10.7-22.5	63	23.0	16.7-29.3	51	20.3	14.4-26.2	33	9.1	05.0-13.2	101	31.0	24.5-37.5
25-34	606	95,299	29	6.9	03.8-10.0	60	14.9	10.8-19.0	38	8.1	05.0-11.2	89	16.0	12.1-19.9	390	54.2	48.7-59.7
35-44	795	78,474	36	4.8	02.8-06.8	52	6.9	04.4-09.4	40	6.5	04.0-09.0	83	11.4	08.1-14.7	584	70.3	65.8-74.8
45-54	1083	81,310	60	7.0	04.6-09.4	78	7.6	05.4-09.8	75	9.1	06.6-11.6	127	12.9	10.0-15.8	743	63.4	59.3-67.5
55-64	1632	81,394	80	6.2	04.4-08.0	155	11.1	08.7-13.5	126	8.8	06.6-11.0	239	13.4	11.2-15.6	1032	60.5	57.2-63.8
65+	2305	93,523	207	10.7	08.7-12.7	474	23.2	20.7-25.7	367	14.7	12.7-16.7	420	18.1	15.9-20.3	837	33.3	30.8-35.8
Less Than H.S.	386	43,422	88	27.3	20.0-34.6	121	31.4	24.3-38.5	56	13.6	09.1-18.1	42	9.8	05.7-13.9	79	17.9	12.2-23.6
H.S. or G.E.D.	1959	130,020	193	11.0	08.5-13.5	355	19.3	16.4-22.2	286	15.1	12.4-17.8	313	15.1	12.6-17.6	812	39.4	36.1-42.7
Some Post-H.S.	2162	201,887	119	6.8	04.8-08.8	271	12.7	10.3-15.1	232	11.6	09.2-14.0	330	13.9	11.5-16.3	1210	55.0	51.7-58.3
College Graduate	2231	131,848	58	3.5	02.1-04.9	136	6.9	04.9-08.9	128	5.6	04.0-07.2	310	13.5	11.1-15.9	1599	70.5	67.4-73.6
Less than \$15,000	459	44,567	459	100.0	0100-0100												
\$15,000- 24,999	887	74,051				887	100.0	0100-0100									
\$25,000- 34,999	703	56,887							703	100.0	0100-0100						
\$35,000- 49,999	996	69,777										996	100.0	0100-0100			
\$50,000- 74,999	1208	87,655													1208	100.0	0100-0100
\$75,000+	2496	175,521													2496	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2936	265,037	158	7.1	05.5-08.7	303	13.4	11.2-15.6	265	10.3	08.5-12.1	426	14.4	12.4-16.4	1784	54.8	52.1-57.5
Native	74	7,978	14	21.0	06.3-35.7	12	17.3	03.8-30.8	12	21.4	06.3-36.5	4	5.7	00.0-13.9	32	34.5	18.2-50.8
Non-Native	2807	251,131	143	6.7	05.1-08.3	277	13.0	10.8-15.2	247	9.9	08.1-11.7	415	14.8	12.8-16.8	1725	55.5	52.6-58.4
18-24	157	42,029	19	13.3	06.0-20.6	29	21.8	13.4-30.2	25	17.9	10.5-25.3	20	10.6	04.7-16.5	64	36.4	27.2-45.6
25-34	288	50,380	10	4.2	01.3-07.1	31	16.5	10.4-22.6	19	6.7	03.0-10.4	45	19.4	13.3-25.5	183	53.2	45.8-60.6
35-44	355	40,749	16	5.0	02.3-07.7	22	6.1	02.6-09.6	20	7.6	03.5-11.7	34	10.5	06.0-15.0	263	70.8	64.1-77.5
45-54	484	42,224	23	5.2	02.1-08.3	34	6.3	03.8-08.8	31	8.8	05.1-12.5	52	13.2	08.7-17.7	344	66.5	60.4-72.6
55-64	704	42,463	34	5.9	03.5-08.3	54	10.3	06.8-13.8	43	7.5	04.6-10.4	96	12.9	09.8-16.0	477	63.4	58.5-68.3
65+	936	45,862	54	7.9	05.0-10.8	131	18.7	14.8-22.6	127	13.7	10.8-16.6	176	18.1	14.8-21.4	448	41.6	37.3-45.9
Less Than H.S.	196	27,341	32	21.5	11.9-31.1	56	33.6	23.4-43.8	36	16.7	09.8-23.6	20	8.1	02.6-13.6	52	20.2	12.0-28.4
H.S. or G.E.D.	892	70,433	64	8.5	05.6-11.4	120	17.4	13.3-21.5	111	13.6	10.1-17.1	159	16.1	12.6-19.6	438	44.3	39.4-49.2
Some Post-H.S.	890	103,047	42	4.4	02.4-06.4	78	9.1	06.0-12.2	61	8.6	05.5-11.7	127	15.2	11.7-18.7	582	62.7	57.8-67.6
College Graduate	953	63,106	20	3.8	01.6-06.0	47	6.6	03.9-09.3	56	6.1	03.9-08.3	120	14.0	10.5-17.5	710	69.5	65.0-74.0
Less than \$15,000	158	18,775	158	100.0	0100-0100												
\$15,000- 24,999	303	35,614				303	100.0	0100-0100									
\$25,000- 34,999	265	27,214							265	100.0	0100-0100						
\$35,000- 49,999	426	38,106										426	100.0	0100-0100			
\$50,000- 74,999	540	47,705													540	100.0	0100-0100
\$75,000+	1244	97,622													1244	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3813	243,421	301	10.6	08.6-12.6	584	15.8	13.8-17.8	438	12.2	10.2-14.2	570	13.0	11.2-14.8	1920	48.4	45.7-51.1
Native	144	12,641	33	38.5	24.0-53.0	40	29.8	15.9-43.7	16	7.7	02.2-13.2	23	10.4	03.1-17.7	32	13.6	06.7-20.5
Non-Native	3633	228,270	259	8.6	06.8-10.4	535	15.0	13.0-17.0	416	12.4	10.4-14.4	541	13.2	11.4-15.0	1882	50.8	48.1-53.5
18-24	131	33,701	21	20.8	11.4-30.2	34	24.6	15.6-33.6	26	23.1	13.9-32.3	13	7.2	01.7-12.7	37	24.3	15.5-33.1
25-34	318	44,918	19	9.9	04.4-15.4	29	13.0	07.3-18.7	19	9.6	04.7-14.5	44	12.2	07.3-17.1	207	55.3	47.3-63.3
35-44	440	37,725	20	4.6	01.9-07.3	30	7.8	04.5-11.1	20	5.4	02.3-08.5	49	12.5	07.8-17.2	321	69.8	63.7-75.9
45-54	599	39,086	37	9.0	05.3-12.7	44	9.0	05.7-12.3	44	9.5	05.8-13.2	75	12.5	09.0-16.0	399	60.1	54.6-65.6
55-64	928	38,931	46	6.5	04.0-09.0	101	11.9	09.0-14.8	83	10.2	07.3-13.1	143	13.9	11.0-16.8	555	57.4	53.1-61.7
65+	1369	47,661	153	13.3	10.6-16.0	343	27.5	24.2-30.8	240	15.8	13.3-18.3	244	18.1	15.2-21.0	389	25.4	22.5-28.3
Less Than H.S.	190	16,080	56	37.2	26.6-47.8	65	27.6	19.6-35.6	20	8.4	03.9-12.9	22	12.8	06.3-19.3	27	14.0	07.7-20.3
H.S. or G.E.D.	1067	59,586	129	13.8	09.7-17.9	235	21.6	17.5-25.7	175	17.0	12.9-21.1	154	14.0	10.7-17.3	374	33.6	29.1-38.1
Some Post-H.S.	1272	98,839	77	9.3	06.0-12.6	193	16.4	12.9-19.9	171	14.8	11.3-18.3	203	12.5	09.8-15.2	628	47.0	42.3-51.7
College Graduate	1278	68,742	38	3.3	01.7-04.9	89	7.2	04.7-09.7	72	5.2	03.0-07.4	190	13.0	09.9-16.1	889	71.3	67.2-75.4
Less than \$15,000	301	25,792	301	100.0	0100-0100												
\$15,000- 24,999	584	38,437				584	100.0	0100-0100									
\$25,000- 34,999	438	29,673							438	100.0	0100-0100						
\$35,000- 49,999	570	31,671										570	100.0	0100-0100			
\$50,000- 74,999	668	39,950													668	100.0	0100-0100
\$75,000+	1252	77,898													1252	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 9: TOBACCO USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7499	551,782	839	14.4	13.0-15.8	324	5.5	04.5-06.5	2166	24.1	22.5-25.7	4170	56.0	54.2-57.8
Male	3141	282,839	392	17.4	15.0-19.8	154	5.9	04.5-07.3	1067	26.8	24.6-29.0	1528	49.9	47.2-52.6
Female	4358	268,943	447	11.2	09.6-12.8	170	5.1	03.9-06.3	1099	21.2	19.2-23.2	2642	62.4	60.0-64.8
Native	228	21,441	47	27.3	17.5-37.1	43	20.6	11.4-29.8	59	13.5	07.4-19.6	79	38.6	27.8-49.4
Non-Native	7152	519,861	772	13.8	12.4-15.2	279	5.0	04.2-05.8	2072	24.5	22.9-26.1	4029	56.8	54.8-58.8
18-24	338	85,326	47	13.8	08.9-18.7	24	7.0	03.7-10.3	18	7.6	03.7-11.5	249	71.7	65.4-78.0
25-34	639	99,870	104	17.1	13.2-21.0	45	6.9	04.2-09.6	120	19.1	14.8-23.4	370	56.9	51.6-62.2
35-44	813	79,661	123	19.0	14.9-23.1	46	6.6	04.1-09.1	142	18.4	14.7-22.1	502	56.0	51.1-60.9
45-54	1169	85,462	192	18.2	15.1-21.3	55	5.0	03.2-06.8	248	23.2	19.9-26.5	674	53.6	49.7-57.5
55-64	1795	89,855	205	12.6	10.4-14.8	84	5.8	04.0-07.6	539	30.6	27.7-33.5	967	51.0	47.9-54.1
65+	2671	107,095	159	6.9	05.3-08.5	68	2.6	01.8-03.4	1081	41.6	39.1-44.1	1363	48.8	46.1-51.5
Less Than H.S.	443	48,822	89	31.6	24.0-39.2	27	9.6	05.1-14.1	145	23.3	18.0-28.6	182	35.6	28.9-42.3
H.S. or G.E.D.	2232	143,490	360	21.8	18.9-24.7	116	5.9	04.1-07.7	704	26.0	23.3-28.7	1052	46.3	43.0-49.6
Some Post-H.S.	2408	217,887	260	11.6	09.6-13.6	109	5.8	04.2-07.4	762	26.6	23.9-29.3	1277	56.0	52.9-59.1
College Graduate	2392	139,012	130	5.3	03.9-06.7	69	2.9	01.9-03.9	551	18.7	16.3-21.1	1642	73.0	70.3-75.7
Less than \$15,000	449	43,668	77	21.8	14.5-29.1	45	13.2	07.7-18.7	113	20.0	14.5-25.5	214	45.1	37.5-52.7
\$15,000- 24,999	861	71,046	121	17.5	13.0-22.0	49	6.7	03.8-09.6	258	24.5	20.0-29.0	433	51.3	45.6-57.0
\$25,000- 34,999	689	55,239	93	18.9	14.0-23.8	36	6.5	03.6-09.4	228	24.6	19.5-29.7	332	50.0	43.7-56.3
\$35,000- 49,999	983	67,459	118	14.7	11.0-18.4	38	4.7	02.2-07.2	316	27.9	23.6-32.2	511	52.7	47.6-57.8
\$50,000- 74,999	1186	85,437	111	11.9	08.8-15.0	44	5.3	02.9-07.7	371	28.6	24.5-32.7	660	54.2	49.7-58.7
\$75,000+	2460	173,577	245	11.8	09.6-14.0	83	3.6	02.4-04.8	662	22.8	20.4-25.2	1470	61.8	58.9-64.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3141	282,839	392	17.4	15.0-19.8	154	5.9	04.5-07.3	1067	26.8	24.6-29.0	1528	49.9	47.2-52.6
Native	73	7,989	12	31.6	14.2-49.0	11	11.2	01.8-20.6	20	11.3	04.2-18.4	30	45.9	28.3-63.5
Non-Native	3002	267,816	369	16.8	14.4-19.2	141	5.9	04.5-07.3	1026	27.3	24.9-29.7	1466	50.1	47.4-52.8
18-24	187	47,477	28	18.0	10.2-25.8	18	8.8	03.7-13.9	8	7.3	02.0-12.6	133	65.8	56.8-74.8
25-34	304	53,608	57	19.9	14.0-25.8	26	6.6	03.5-09.7	65	22.2	15.9-28.5	156	51.3	44.0-58.6
35-44	370	42,302	59	22.9	16.4-29.4	19	6.6	02.9-10.3	72	18.4	13.1-23.7	220	52.1	45.0-59.2
45-54	500	43,288	86	21.3	16.2-26.4	23	3.0	01.2-04.8	101	22.2	17.1-27.3	290	53.5	47.4-59.6
55-64	763	46,121	92	13.9	10.4-17.4	38	7.1	04.4-09.8	273	36.5	32.0-41.0	360	42.5	38.0-47.0
65+	996	48,381	66	8.3	05.6-11.0	30	3.6	01.8-05.4	542	53.7	49.4-58.0	358	34.4	30.3-38.5
Less Than H.S.	214	30,002	51	39.7	28.9-50.5	13	6.9	02.6-11.2	88	25.7	17.9-33.5	62	27.7	18.9-36.5
H.S. or G.E.D.	958	76,640	157	23.6	19.3-27.9	59	5.8	03.4-08.2	343	28.9	24.8-33.0	399	41.8	37.1-46.5
Some Post-H.S.	950	109,189	127	13.8	10.7-16.9	51	6.9	04.4-09.4	349	28.1	24.2-32.0	423	51.2	46.5-55.9
College Graduate	1009	65,162	57	6.4	03.9-08.9	29	3.3	01.7-04.9	287	23.4	19.7-27.1	636	66.8	62.5-71.1
Less than \$15,000	154	18,112	34	29.9	17.0-42.8	13	8.7	02.0-15.4	44	22.0	13.0-31.0	63	39.4	27.6-51.2
\$15,000- 24,999	296	34,889	51	21.8	14.0-29.6	21	8.1	03.2-13.0	106	28.5	21.1-35.9	118	41.5	32.7-50.3
\$25,000- 34,999	261	26,976	42	26.3	17.9-34.7	13	5.9	01.6-10.2	95	24.9	17.5-32.3	111	42.9	33.7-52.1
\$35,000- 49,999	417	36,698	55	16.2	10.5-21.9	20	6.6	02.3-10.9	161	30.4	23.7-37.1	181	46.8	39.4-54.2
\$50,000- 74,999	532	46,596	60	14.3	09.6-19.0	24	5.7	02.6-08.8	200	30.8	25.1-36.5	248	49.2	42.7-55.7
\$75,000+	1224	96,528	124	13.4	10.1-16.7	49	4.8	03.0-06.6	379	25.4	22.1-28.7	672	56.5	52.4-60.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4358	268,943	447	11.2	09.6-12.8	170	5.1	03.9-06.3	1099	21.2	19.2-23.2	2642	62.4	60.0-64.8
Native	155	13,453	35	24.7	13.3-36.1	32	26.2	13.3-39.1	39	14.8	06.2-23.4	49	34.3	21.0-47.6
Non-Native	4150	252,045	403	10.5	08.9-12.1	138	4.0	03.0-05.0	1046	21.5	19.5-23.5	2563	64.0	61.6-66.4
18-24	151	37,849	19	8.4	03.7-13.1	6	4.6	00.3-08.9	10	8.0	01.7-14.3	116	79.0	70.8-87.2
25-34	335	46,262	47	13.8	08.5-19.1	19	7.2	02.7-11.7	55	15.4	09.7-21.1	214	63.5	56.1-70.9
35-44	443	37,359	64	14.5	09.8-19.2	27	6.5	03.0-10.0	70	18.4	12.9-23.9	282	60.5	53.8-67.2
45-54	669	42,174	106	15.1	11.8-18.4	32	7.0	03.9-10.1	147	24.1	19.6-28.6	384	53.8	48.7-58.9
55-64	1032	43,734	113	11.2	08.7-13.7	46	4.4	02.6-06.2	266	24.4	20.9-27.9	607	60.0	55.9-64.1
65+	1675	58,714	93	5.8	04.2-07.4	38	1.8	01.0-02.6	539	31.6	28.5-34.7	1005	60.7	57.6-63.8
Less Than H.S.	229	18,820	38	18.6	11.2-26.0	14	14.0	05.0-23.0	57	19.3	12.8-25.8	120	48.1	38.9-57.3
H.S. or G.E.D.	1274	66,850	203	19.8	16.1-23.5	57	6.0	03.5-08.5	361	22.8	19.3-26.3	653	51.5	46.8-56.2
Some Post-H.S.	1458	108,698	133	9.4	07.0-11.8	58	4.6	02.6-06.6	413	25.1	21.4-28.8	854	60.8	56.5-65.1
College Graduate	1383	73,850	73	4.4	02.8-06.0	40	2.6	01.4-03.8	264	14.6	11.9-17.3	1006	78.5	75.4-81.6
Less than \$15,000	295	25,556	43	16.0	08.2-23.8	32	16.3	08.5-24.1	69	18.5	11.6-25.4	151	49.1	39.1-59.1
\$15,000- 24,999	565	36,158	70	13.3	09.0-17.6	28	5.3	02.0-08.6	152	20.7	15.4-26.0	315	60.8	54.1-67.5
\$25,000- 34,999	428	28,263	51	11.8	06.9-16.7	23	7.1	03.0-11.2	133	24.3	17.2-31.4	221	56.7	48.3-65.1
\$35,000- 49,999	566	30,762	63	12.9	08.6-17.2	18	2.6	00.6-04.6	155	24.8	19.1-30.5	330	59.6	53.1-66.1
\$50,000- 74,999	654	38,841	51	9.0	05.5-12.5	20	4.9	01.8-08.0	171	26.0	20.1-31.9	412	60.2	53.9-66.5
\$75,000+	1236	77,048	121	9.8	07.4-12.2	34	2.1	00.9-03.3	283	19.5	16.2-22.8	798	68.6	64.7-72.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7499	551,782	6336	80.1	78.5-81.7	1163	19.9	18.3-21.5
Male	3141	282,839	2595	76.6	74.1-79.1	546	23.4	20.9-25.9
Female	4358	268,943	3741	83.7	81.7-85.7	617	16.3	14.3-18.3
Native	228	21,441	138	52.1	41.1-63.1	90	47.9	36.9-58.9
Non-Native	7152	519,861	6101	81.3	79.7-82.9	1051	18.7	17.1-20.3
18-24	338	85,326	267	79.3	73.6-85.0	71	20.7	15.0-26.4
25-34	639	99,870	490	76.0	71.5-80.5	149	24.0	19.5-28.5
35-44	813	79,661	644	74.4	69.9-78.9	169	25.6	21.1-30.1
45-54	1169	85,462	922	76.8	73.5-80.1	247	23.2	19.9-26.5
55-64	1795	89,855	1506	81.6	79.1-84.1	289	18.4	15.9-20.9
65+	2671	107,095	2444	90.4	88.6-92.2	227	9.6	07.8-11.4
Less Than H.S.	443	48,822	327	58.8	51.2-66.4	116	41.2	33.6-48.8
H.S. or G.E.D.	2232	143,490	1756	72.3	69.2-75.4	476	27.7	24.6-30.8
Some Post-H.S.	2408	217,887	2039	82.6	80.2-85.0	369	17.4	15.0-19.8
College Graduate	2392	139,012	2193	91.7	89.9-93.5	199	8.3	06.5-10.1
Less than \$15,000	449	43,668	327	65.1	57.3-72.9	122	34.9	27.1-42.7
\$15,000- 24,999	861	71,046	691	75.8	70.7-80.9	170	24.2	19.1-29.3
\$25,000- 34,999	689	55,239	560	74.6	69.1-80.1	129	25.4	19.9-30.9
\$35,000- 49,999	983	67,459	827	80.6	76.3-84.9	156	19.4	15.1-23.7
\$50,000- 74,999	1186	85,437	1031	82.8	79.3-86.3	155	17.2	13.7-20.7
\$75,000+	2460	173,577	2132	84.6	82.2-87.0	328	15.4	13.0-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3141	282,839	2595	76.6	74.1-79.1	546	23.4	20.9-25.9
Native	73	7,989	50	57.2	39.6-74.8	23	42.8	25.2-60.4
Non-Native	3002	267,816	2492	77.4	74.9-79.9	510	22.6	20.1-25.1
18-24	187	47,477	141	73.1	64.5-81.7	46	26.9	18.3-35.5
25-34	304	53,608	221	73.5	67.2-79.8	83	26.5	20.2-32.8
35-44	370	42,302	292	70.5	63.6-77.4	78	29.5	22.6-36.4
45-54	500	43,288	391	75.8	70.5-81.1	109	24.2	18.9-29.5
55-64	763	46,121	633	79.0	74.7-83.3	130	21.0	16.7-25.3
65+	996	48,381	900	88.1	85.0-91.2	96	11.9	08.8-15.0
Less Than H.S.	214	30,002	150	53.4	43.0-63.8	64	46.6	36.2-57.0
H.S. or G.E.D.	958	76,640	742	70.6	66.1-75.1	216	29.4	24.9-33.9
Some Post-H.S.	950	109,189	772	79.3	75.6-83.0	178	20.7	17.0-24.4
College Graduate	1009	65,162	923	90.2	87.3-93.1	86	9.8	06.9-12.7
Less than \$15,000	154	18,112	107	61.4	48.5-74.3	47	38.6	25.7-51.5
\$15,000- 24,999	296	34,889	224	70.0	61.6-78.4	72	30.0	21.6-38.4
\$25,000- 34,999	261	26,976	206	67.8	59.0-76.6	55	32.2	23.4-41.0
\$35,000- 49,999	417	36,698	342	77.3	70.6-84.0	75	22.7	16.0-29.4
\$50,000- 74,999	532	46,596	448	80.0	74.5-85.5	84	20.0	14.5-25.5
\$75,000+	1224	96,528	1051	81.8	78.3-85.3	173	18.2	14.7-21.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4358	268,943	3741	83.7	81.7-85.7	617	16.3	14.3-18.3
Native	155	13,453	88	49.1	35.2-63.0	67	50.9	37.0-64.8
Non-Native	4150	252,045	3609	85.4	83.6-87.2	541	14.6	12.8-16.4
18-24	151	37,849	126	87.0	80.7-93.3	25	13.0	06.7-19.3
25-34	335	46,262	269	78.9	72.4-85.4	66	21.1	14.6-27.6
35-44	443	37,359	352	78.9	73.4-84.4	91	21.1	15.6-26.6
45-54	669	42,174	531	77.9	73.6-82.2	138	22.1	17.8-26.4
55-64	1032	43,734	873	84.4	81.5-87.3	159	15.6	12.7-18.5
65+	1675	58,714	1544	92.3	90.5-94.1	131	7.7	05.9-09.5
Less Than H.S.	229	18,820	177	67.4	57.6-77.2	52	32.6	22.8-42.4
H.S. or G.E.D.	1274	66,850	1014	74.2	70.1-78.3	260	25.8	21.7-29.9
Some Post-H.S.	1458	108,698	1267	86.0	83.1-88.9	191	14.0	11.1-16.9
College Graduate	1383	73,850	1270	93.1	91.3-94.9	113	6.9	05.1-08.7
Less than \$15,000	295	25,556	220	67.6	57.8-77.4	75	32.4	22.6-42.2
\$15,000- 24,999	565	36,158	467	81.5	76.2-86.8	98	18.5	13.2-23.8
\$25,000- 34,999	428	28,263	354	81.1	75.0-87.2	74	18.9	12.8-25.0
\$35,000- 49,999	566	30,762	485	84.5	79.8-89.2	81	15.5	10.8-20.2
\$50,000- 74,999	654	38,841	583	86.1	81.6-90.6	71	13.9	09.4-18.4
\$75,000+	1236	77,048	1081	88.1	85.6-90.6	155	11.9	09.4-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 10: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	97
2 MALES ONLY	98
3 FEMALES ONLY	99
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	100
5 MALES ONLY	101
6 FEMALES ONLY	102
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	103
8 MALES ONLY	104
9 FEMALES ONLY	105
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)	
10 MALES AND FEMALES	106
11 MALES ONLY	107
12 FEMALES ONLY	108
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)	
13 MALES AND FEMALES	109
14 MALES ONLY	110
15 FEMALES ONLY	111

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)	
16	MALES AND FEMALES	112
17	MALES ONLY	113
18	FEMALES ONLY	114
	ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)	
19	MALES ONLY	115
	ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)	
20	FEMALES ONLY	116



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7418	546,069	4264	61.1	59.3-62.9	3154	38.9	37.1-40.7
Male	3099	279,042	2030	66.8	64.3-69.3	1069	33.2	30.7-35.7
Female	4319	267,027	2234	55.3	52.8-57.8	2085	44.7	42.2-47.2
Native	226	21,481	89	41.9	30.9-52.9	137	58.1	47.1-69.1
Non-Native	7073	514,129	4123	62.2	60.4-64.0	2950	37.8	36.0-39.6
18-24	333	84,213	207	62.1	55.4-68.8	126	37.9	31.2-44.6
25-34	632	99,068	458	70.6	65.5-75.7	174	29.4	24.3-34.5
35-44	807	79,284	560	69.8	65.3-74.3	247	30.2	25.7-34.7
45-54	1158	84,517	735	62.7	58.8-66.6	423	37.3	33.4-41.2
55-64	1777	88,921	1050	58.5	55.4-61.6	727	41.5	38.4-44.6
65+	2639	105,617	1222	46.4	43.7-49.1	1417	53.6	50.9-56.3
Less Than H.S.	432	47,413	165	43.2	35.8-50.6	267	56.8	49.4-64.2
H.S. or G.E.D.	2202	141,614	1133	56.0	52.7-59.3	1069	44.0	40.7-47.3
Some Post-H.S.	2393	216,625	1423	62.7	59.6-65.8	970	37.3	34.2-40.4
College Graduate	2370	138,193	1537	70.5	67.8-73.2	833	29.5	26.8-32.2
Less than \$15,000	445	42,981	146	45.8	37.8-53.8	299	54.2	46.2-62.2
\$15,000- 24,999	846	70,013	360	50.6	44.9-56.3	486	49.4	43.7-55.1
\$25,000- 34,999	681	54,507	325	55.8	49.5-62.1	356	44.2	37.9-50.5
\$35,000- 49,999	973	67,458	570	65.1	60.4-69.8	403	34.9	30.2-39.6
\$50,000- 74,999	1181	84,708	744	66.9	62.6-71.2	437	33.1	28.8-37.4
\$75,000+	2447	172,513	1704	69.8	66.9-72.7	743	30.2	27.3-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3099	279,042	2030	66.8	64.3-69.3	1069	33.2	30.7-35.7
Native	72	7,947	41	61.6	44.5-78.7	31	38.4	21.3-55.5
Non-Native	2960	264,070	1951	67.0	64.3-69.7	1009	33.0	30.3-35.7
18-24	183	46,164	119	61.6	52.4-70.8	64	38.4	29.2-47.6
25-34	300	53,123	239	75.8	69.3-82.3	61	24.2	17.7-30.7
35-44	365	42,185	271	73.2	66.7-79.7	94	26.8	20.3-33.3
45-54	497	42,688	340	68.9	63.4-74.4	157	31.1	25.6-36.6
55-64	751	45,674	484	63.9	59.4-68.4	267	36.1	31.6-40.6
65+	984	47,610	568	56.8	52.5-61.1	416	43.2	38.9-47.5
Less Than H.S.	210	29,290	105	52.3	41.9-62.7	105	47.7	37.3-58.1
H.S. or G.E.D.	943	75,160	574	63.8	59.3-68.3	369	36.2	31.7-40.7
Some Post-H.S.	941	108,272	644	69.2	64.9-73.5	297	30.8	26.5-35.1
College Graduate	997	64,792	703	73.1	69.0-77.2	294	26.9	22.8-31.0
Less than \$15,000	151	17,450	64	49.0	36.5-61.5	87	51.0	38.5-63.5
\$15,000- 24,999	291	34,583	155	58.1	49.3-66.9	136	41.9	33.1-50.7
\$25,000- 34,999	256	26,527	139	60.1	51.1-69.1	117	39.9	30.9-48.9
\$35,000- 49,999	414	36,895	266	72.8	66.9-78.7	148	27.2	21.3-33.1
\$50,000- 74,999	530	46,053	369	72.1	66.2-78.0	161	27.9	22.0-33.8
\$75,000+	1217	95,892	897	72.5	68.6-76.4	320	27.5	23.6-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4319	267,027	2234	55.3	52.8-57.8	2085	44.7	42.2-47.2
Native	154	13,534	48	30.3	17.2-43.4	106	69.7	56.6-82.8
Non-Native	4113	250,059	2172	57.1	54.6-59.6	1941	42.9	40.4-45.4
18-24	150	38,048	88	62.8	53.2-72.4	62	37.2	27.6-46.8
25-34	332	45,946	219	64.7	57.1-72.3	113	35.3	27.7-42.9
35-44	442	37,099	289	65.9	59.4-72.4	153	34.1	27.6-40.6
45-54	661	41,830	395	56.4	51.3-61.5	266	43.6	38.5-48.7
55-64	1026	43,247	566	52.7	48.6-56.8	460	47.3	43.2-51.4
65+	1655	58,007	654	37.9	34.8-41.0	1001	62.1	59.0-65.2
Less Than H.S.	222	18,123	60	28.4	19.4-37.4	162	71.6	62.6-80.6
H.S. or G.E.D.	1259	66,455	559	47.1	42.4-51.8	700	52.9	48.2-57.6
Some Post-H.S.	1452	108,353	779	56.3	52.0-60.6	673	43.7	39.4-48.0
College Graduate	1373	73,401	834	68.3	64.6-72.0	539	31.7	28.0-35.4
Less than \$15,000	294	25,531	82	43.6	33.2-54.0	212	56.4	46.0-66.8
\$15,000- 24,999	555	35,430	205	43.3	36.0-50.6	350	56.7	49.4-64.0
\$25,000- 34,999	425	27,980	186	51.7	43.1-60.3	239	48.3	39.7-56.9
\$35,000- 49,999	559	30,563	304	55.8	49.1-62.5	255	44.2	37.5-50.9
\$50,000- 74,999	651	38,655	375	60.7	54.6-66.8	276	39.3	33.2-45.4
\$75,000+	1230	76,621	807	66.4	62.1-70.7	423	33.6	29.3-37.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION  
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7418	546,069	2713	38.1	36.3-39.9	852	13.2	11.8-14.6	293	4.8	04.0-05.6	406	5.1	04.3-05.9	3154	38.9	37.1-40.7
Male	3099	279,042	1108	36.0	33.5-38.5	457	16.0	14.0-18.0	187	6.9	05.3-08.5	278	7.8	06.4-09.2	1069	33.2	30.7-35.7
Female	4319	267,027	1605	40.3	37.8-42.8	395	10.2	08.6-11.8	106	2.5	01.7-03.3	128	2.2	01.6-02.8	2085	44.7	42.2-47.2
Native	226	21,481	66	22.5	13.9-31.1	14	12.2	04.2-20.2	5	4.3	00.0-09.8	4	2.9	00.0-06.8	137	58.1	47.1-69.1
Non-Native	7073	514,129	2615	39.0	37.0-41.0	828	13.3	11.9-14.7	284	4.7	03.9-05.5	396	5.2	04.4-06.0	2950	37.8	36.0-39.6
18-24	333	84,213	128	38.7	32.0-45.4	54	16.0	10.9-21.1	15	4.4	01.7-07.1	10	3.0	00.1-05.9	126	37.9	31.2-44.6
25-34	632	99,068	287	44.1	38.8-49.4	109	16.0	12.3-19.7	40	7.3	04.4-10.2	22	3.2	01.4-05.0	174	29.4	24.3-34.5
35-44	807	79,284	386	47.6	42.7-52.5	107	13.7	10.2-17.2	32	4.1	01.9-06.3	35	4.4	02.4-06.4	247	30.2	25.7-34.7
45-54	1158	84,517	487	38.5	34.8-42.2	152	13.5	10.8-16.2	47	5.7	03.5-07.9	49	4.9	03.1-06.7	423	37.3	33.4-41.2
55-64	1777	88,921	654	33.9	31.0-36.8	228	14.1	11.9-16.3	66	3.7	02.5-04.9	102	6.8	05.0-08.6	727	41.5	38.4-44.6
65+	2639	105,617	747	28.3	25.9-30.7	197	6.9	05.5-08.3	91	3.4	02.6-04.2	187	7.8	06.4-09.2	1417	53.6	50.9-56.3
Less Than H.S.	432	47,413	104	23.1	17.4-28.8	22	6.7	03.0-10.4	8	3.3	00.0-06.6	31	10.1	04.6-15.6	267	56.8	49.4-64.2
H.S. or G.E.D.	2202	141,614	743	36.9	33.6-40.2	216	10.9	08.9-12.9	68	4.1	02.7-05.5	106	4.1	02.9-05.3	1069	44.0	40.7-47.3
Some Post-H.S.	2393	216,625	892	38.3	35.2-41.4	290	14.2	11.8-16.6	97	5.1	03.5-06.7	144	5.0	03.8-06.2	970	37.3	34.2-40.4
College Graduate	2370	138,193	970	44.4	41.3-47.5	323	16.2	13.8-18.6	119	5.5	04.1-06.9	125	4.5	03.3-05.7	833	29.5	26.8-32.2
Less than \$15,000	445	42,981	103	27.6	20.3-34.9	21	11.1	05.4-16.8	4	1.3	00.0-03.1	18	5.8	01.3-10.3	299	54.2	46.2-62.2
\$15,000- 24,999	846	70,013	265	36.3	30.8-41.8	52	6.4	03.9-08.9	15	5.3	02.0-08.6	28	2.5	01.1-03.9	486	49.4	43.7-55.1
\$25,000- 34,999	681	54,507	217	37.8	31.5-44.1	51	10.9	06.2-15.6	22	2.6	00.6-04.6	35	4.5	02.3-06.7	356	44.2	37.9-50.5
\$35,000- 49,999	973	67,458	354	36.7	31.8-41.6	109	15.4	11.3-19.5	41	5.7	03.2-08.2	66	7.3	04.6-10.0	403	34.9	30.2-39.6
\$50,000- 74,999	1181	84,708	485	40.5	36.0-45.0	147	16.2	12.5-19.9	46	5.6	03.1-08.1	66	4.6	03.2-06.0	437	33.1	28.8-37.4
\$75,000+	2447	172,513	1015	41.4	38.5-44.3	393	16.2	14.0-18.4	139	6.1	04.7-07.5	157	6.2	04.6-07.8	743	30.2	27.3-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION  
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3099	279,042	1108	36.0	33.5-38.5	457	16.0	14.0-18.0	187	6.9	05.3-08.5	278	7.8	06.4-09.2	1069	33.2	30.7-35.7
Native	72	7,947	27	29.3	13.8-44.8	9	22.8	06.9-38.7	2	3.7	00.0-09.2	3	5.9	00.0-15.3	31	38.4	21.3-55.5
Non-Native	2960	264,070	1059	36.2	33.5-38.9	440	15.9	13.7-18.1	181	6.9	05.3-08.5	271	8.0	06.6-09.4	1009	33.0	30.3-35.7
18-24	183	46,164	59	31.4	23.0-39.8	39	18.9	11.8-26.0	13	6.3	02.2-10.4	8	4.8	00.0-09.9	64	38.4	29.2-47.6
25-34	300	53,123	123	39.5	32.4-46.6	67	19.9	14.2-25.6	30	10.6	05.7-15.5	19	5.8	02.7-08.9	61	24.2	17.7-30.7
35-44	365	42,185	159	43.0	35.9-50.1	64	17.6	12.1-23.1	21	5.9	02.2-09.6	27	6.8	03.5-10.1	94	26.8	20.3-33.3
45-54	497	42,688	203	36.6	30.7-42.5	71	15.3	10.8-19.8	33	9.8	05.9-13.7	33	7.3	04.4-10.2	157	31.1	25.6-36.6
55-64	751	45,674	262	32.7	28.4-37.0	118	16.4	12.9-19.9	38	4.7	02.7-06.7	66	10.2	07.3-13.1	267	36.1	31.6-40.6
65+	984	47,610	295	32.5	28.4-36.6	96	7.5	05.5-09.5	52	4.3	02.9-05.7	125	12.6	09.9-15.3	416	43.2	38.9-47.5
Less Than H.S.	210	29,290	57	24.1	16.3-31.9	17	8.1	03.0-13.2	8	5.4	00.1-10.7	23	14.8	06.2-23.4	105	47.7	37.3-58.1
H.S. or G.E.D.	943	75,160	339	39.5	34.8-44.2	117	11.8	08.9-14.7	47	6.8	04.1-09.5	71	5.8	04.0-07.6	369	36.2	31.7-40.7
Some Post-H.S.	941	108,272	338	36.3	31.6-41.0	153	17.9	14.0-21.8	62	7.6	04.9-10.3	91	7.5	05.5-09.5	297	30.8	26.5-35.1
College Graduate	997	64,792	372	36.9	32.4-41.4	169	21.5	17.4-25.6	69	6.8	04.4-09.2	93	7.9	05.5-10.3	294	26.9	22.8-31.0
Less than \$15,000	151	17,450	33	21.6	12.0-31.2	13	11.0	03.7-18.3	4	3.2	00.0-07.5	14	13.2	02.8-23.6	87	51.0	38.5-63.5
\$15,000- 24,999	291	34,583	107	39.5	30.7-48.3	24	8.3	03.8-12.8	8	6.7	01.4-12.0	16	3.7	01.2-06.2	136	41.9	33.1-50.7
\$25,000- 34,999	256	26,527	83	38.0	28.6-47.4	20	10.4	03.7-17.1	14	4.5	00.8-08.2	22	7.2	03.1-11.3	117	39.9	30.9-48.9
\$35,000- 49,999	414	36,895	136	34.2	26.9-41.5	62	21.0	14.1-27.9	25	7.3	03.2-11.4	43	10.3	06.0-14.6	148	27.2	21.3-33.1
\$50,000- 74,999	530	46,053	212	39.9	33.6-46.2	83	17.7	12.4-23.0	30	7.6	03.3-11.9	44	6.8	04.4-09.2	161	27.9	22.0-33.8
\$75,000+	1217	95,892	461	35.3	31.4-39.2	221	19.4	16.1-22.7	92	8.6	06.2-11.0	123	9.2	06.7-11.7	320	27.5	23.6-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION  
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4319	267,027	1605	40.3	37.8-42.8	395	10.2	08.6-11.8	106	2.5	01.7-03.3	128	2.2	01.6-02.8	2085	44.7	42.2-47.2
Native	154	13,534	39	18.5	08.5-28.5	5	6.0	00.0-14.2	3	4.6	00.0-12.6	1	1.1	00.0-03.3	106	69.7	56.6-82.8
Non-Native	4113	250,059	1556	41.8	39.3-44.3	388	10.5	08.9-12.1	103	2.4	01.6-03.2	125	2.3	01.7-02.9	1941	42.9	40.4-45.4
18-24	150	38,048	69	47.5	37.3-57.7	15	12.4	05.1-19.7	2	2.1	00.0-05.2	2	0.8	00.0-02.0	62	37.2	27.6-46.8
25-34	332	45,946	164	49.4	41.6-57.2	42	11.5	07.0-16.0	10	3.4	00.5-06.3	3	0.3	00.0-00.7	113	35.3	27.7-42.9
35-44	442	37,099	227	52.8	46.1-59.5	43	9.2	05.3-13.1	11	2.2	00.2-04.2	8	1.7	00.0-03.5	153	34.1	27.6-40.6
45-54	661	41,830	284	40.4	35.5-45.3	81	11.8	08.7-14.9	14	1.6	00.6-02.6	16	2.6	01.2-04.0	266	43.6	38.5-48.7
55-64	1026	43,247	392	35.1	31.2-39.0	110	11.6	08.9-14.3	28	2.7	01.5-03.9	36	3.3	01.9-04.7	460	47.3	43.2-51.4
65+	1655	58,007	452	24.8	22.1-27.5	101	6.4	04.6-08.2	39	2.7	01.7-03.7	62	3.9	02.5-05.3	1001	62.1	59.0-65.2
Less Than H.S.	222	18,123	47	21.5	13.5-29.5	5	4.4	00.0-10.3				8	2.6	00.6-04.6	162	71.6	62.6-80.6
H.S. or G.E.D.	1259	66,455	404	33.9	29.4-38.4	99	9.9	07.2-12.6	21	1.0	00.4-01.6	35	2.3	01.3-03.3	700	52.9	48.2-57.6
Some Post-H.S.	1452	108,353	554	40.3	36.0-44.6	137	10.6	07.7-13.5	35	2.7	01.1-04.3	53	2.6	01.6-03.6	673	43.7	39.4-48.0
College Graduate	1373	73,401	598	51.0	46.7-55.3	154	11.5	08.8-14.2	50	4.3	02.5-06.1	32	1.5	00.9-02.1	539	31.7	28.0-35.4
Less than \$15,000	294	25,531	70	31.7	21.7-41.7	8	11.2	03.0-19.4				4	0.7	00.0-01.5	212	56.4	46.0-66.8
\$15,000- 24,999	555	35,430	158	33.2	26.3-40.1	28	4.7	02.2-07.2	7	4.0	00.0-08.1	12	1.4	00.4-02.4	350	56.7	49.4-64.0
\$25,000- 34,999	425	27,980	134	37.7	29.1-46.3	31	11.4	04.7-18.1	8	0.8	00.0-01.6	13	1.9	00.7-03.1	239	48.3	39.7-56.9
\$35,000- 49,999	559	30,563	218	39.6	32.9-46.3	47	8.7	05.4-12.0	16	3.7	00.6-06.8	23	3.8	01.4-06.2	255	44.2	37.5-50.9
\$50,000- 74,999	651	38,655	273	41.1	34.8-47.4	64	14.3	09.4-19.2	16	3.3	00.9-05.7	22	2.0	01.0-03.0	276	39.3	33.2-45.4
\$75,000+	1230	76,621	554	49.0	44.5-53.5	172	12.1	09.6-14.6	47	2.9	01.9-03.9	34	2.3	01.3-03.3	423	33.6	29.3-37.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7353	541,816	6186	76.0	74.2-77.8	1167	24.0	22.2-25.8
Male	3066	276,310	2356	70.1	67.4-72.8	710	29.9	27.2-32.6
Female	4287	265,506	3830	82.2	79.8-84.6	457	17.8	15.4-20.2
Native	222	21,254	176	70.2	59.6-80.8	46	29.8	19.2-40.4
Non-Native	7012	510,103	5905	76.2	74.4-78.0	1107	23.8	22.0-25.6
18-24	326	83,337	210	62.8	55.9-69.7	116	37.2	30.3-44.1
25-34	627	98,452	397	63.3	58.2-68.4	230	36.7	31.6-41.8
35-44	801	78,799	580	69.7	65.0-74.4	221	30.3	25.6-35.0
45-54	1152	84,165	908	75.4	71.9-78.9	244	24.6	21.1-28.1
55-64	1760	88,053	1534	86.0	83.8-88.2	226	14.0	11.8-16.2
65+	2618	104,895	2490	94.8	93.4-96.2	128	5.2	03.8-06.6
Less Than H.S.	428	46,770	372	79.0	71.9-86.1	56	21.0	13.9-28.1
H.S. or G.E.D.	2175	139,810	1841	79.3	76.4-82.2	334	20.7	17.8-23.6
Some Post-H.S.	2370	215,324	1943	71.9	68.8-75.0	427	28.1	25.0-31.2
College Graduate	2359	137,688	2011	78.1	75.2-81.0	348	21.9	19.0-24.8
Less than \$15,000	443	42,939	382	71.4	63.4-79.4	61	28.6	20.6-36.6
\$15,000- 24,999	840	69,180	745	79.3	74.0-84.6	95	20.7	15.4-26.0
\$25,000- 34,999	676	54,258	596	78.4	72.1-84.7	80	21.6	15.3-27.9
\$35,000- 49,999	969	67,063	818	73.2	68.1-78.3	151	26.8	21.7-31.9
\$50,000- 74,999	1169	83,952	983	75.8	71.3-80.3	186	24.2	19.7-28.7
\$75,000+	2431	171,760	1914	72.8	69.9-75.7	517	27.2	24.3-30.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3066	276,310	2356	70.1	67.4-72.8	710	29.9	27.2-32.6
Native	72	7,947	46	51.0	33.2-68.8	26	49.0	31.2-66.8
Non-Native	2927	261,338	2254	70.7	68.0-73.4	673	29.3	26.6-32.0
18-24	179	45,422	102	60.2	51.0-69.4	77	39.8	30.6-49.0
25-34	297	52,550	163	59.4	52.1-66.7	134	40.6	33.3-47.9
35-44	362	41,873	236	62.8	55.7-69.9	126	37.2	30.1-44.3
45-54	492	42,390	350	67.3	61.4-73.2	142	32.7	26.8-38.6
55-64	745	45,377	603	80.4	76.7-84.1	142	19.6	15.9-23.3
65+	974	47,359	887	90.7	88.0-93.4	87	9.3	06.6-12.0
Less Than H.S.	206	28,648	168	72.3	62.1-82.5	38	27.7	17.5-37.9
H.S. or G.E.D.	929	74,055	709	72.7	68.2-77.2	220	27.3	22.8-31.8
Some Post-H.S.	930	107,407	666	64.9	60.2-69.6	264	35.1	30.4-39.8
College Graduate	993	64,671	807	74.9	70.6-79.2	186	25.1	20.8-29.4
Less than \$15,000	150	17,414	114	63.2	50.5-75.9	36	36.8	24.1-49.5
\$15,000- 24,999	289	33,936	237	74.9	66.7-83.1	52	25.1	16.9-33.3
\$25,000- 34,999	255	26,516	216	75.5	66.3-84.7	39	24.5	15.3-33.7
\$35,000- 49,999	412	36,624	321	63.5	55.7-71.3	91	36.5	28.7-44.3
\$50,000- 74,999	522	45,442	406	70.7	64.2-77.2	116	29.3	22.8-35.8
\$75,000+	1207	95,505	875	66.8	62.7-70.9	332	33.2	29.1-37.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4287	265,506	3830	82.2	79.8-84.6	457	17.8	15.4-20.2
Native	150	13,307	130	81.7	69.5-93.9	20	18.3	06.1-30.5
Non-Native	4085	248,765	3651	82.1	79.7-84.5	434	17.9	15.5-20.3
18-24	147	37,915	108	65.9	55.7-76.1	39	34.1	23.9-44.3
25-34	330	45,902	234	67.8	60.5-75.1	96	32.2	24.9-39.5
35-44	439	36,926	344	77.6	71.9-83.3	95	22.4	16.7-28.1
45-54	660	41,775	558	83.7	80.0-87.4	102	16.3	12.6-20.0
55-64	1015	42,676	931	91.9	89.5-94.3	84	8.1	05.7-10.5
65+	1644	57,536	1603	98.2	97.4-99.0	41	1.8	01.0-02.6
Less Than H.S.	222	18,123	204	89.7	82.6-96.8	18	10.3	03.2-17.4
H.S. or G.E.D.	1246	65,755	1132	86.7	83.0-90.4	114	13.3	09.6-17.0
Some Post-H.S.	1440	107,916	1277	78.9	74.6-83.2	163	21.1	16.8-25.4
College Graduate	1366	73,017	1204	80.9	77.0-84.8	162	19.1	15.2-23.0
Less than \$15,000	293	25,525	268	77.0	66.6-87.4	25	23.0	12.6-33.4
\$15,000- 24,999	551	35,244	508	83.5	76.8-90.2	43	16.5	09.8-23.2
\$25,000- 34,999	421	27,742	380	81.2	72.8-89.6	41	18.8	10.4-27.2
\$35,000- 49,999	557	30,439	497	84.9	79.8-90.0	60	15.1	10.0-20.2
\$50,000- 74,999	647	38,510	577	81.8	75.9-87.7	70	18.2	12.3-24.1
\$75,000+	1224	76,255	1039	80.3	76.4-84.2	185	19.7	15.8-23.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7354	541,511	3352	46.0	44.0-48.0	617	10.1	08.9-11.3	197	3.9	03.1-04.7	21	0.4	00.2-00.6	13	0.4	00.2-00.6	3154	39.2	37.4-41.0
Male	3066	276,110	1399	44.2	41.5-46.9	406	14.1	12.1-16.1	158	6.7	05.1-08.3	21	0.7	00.3-01.1	13	0.7	00.1-01.3	1069	33.6	31.1-36.1
Female	4288	265,402	1953	48.0	45.5-50.5	211	6.1	04.7-07.5	39	0.9	00.3-01.5							2085	45.0	42.5-47.5
Native	222	21,039	62	19.4	11.6-27.2	10	11.9	03.3-20.5	9	7.2	00.9-13.5	2	0.9	00.0-02.3	2	1.3	00.0-03.3	137	59.3	48.3-70.3
Non-Native	7014	510,062	3253	47.5	45.5-49.5	597	10.0	08.8-11.2	185	3.7	02.9-04.5	18	0.3	00.1-00.5	11	0.3	00.1-00.5	2950	38.1	36.3-39.9
18-24	328	83,030	139	44.9	38.0-51.8	45	10.9	06.8-15.0	14	5.0	01.7-08.3	3	0.5	00.0-01.3	1	0.2	00.0-00.6	126	38.4	31.7-45.1
25-34	624	98,032	348	50.5	45.2-55.8	78	14.6	10.7-18.5	22	4.5	02.1-06.9				2	0.7	00.0-01.9	174	29.7	24.6-34.8
35-44	801	78,616	441	53.2	48.3-58.1	77	10.7	07.4-14.0	27	4.6	02.1-07.1	4	0.3	00.0-00.7	5	0.8	00.0-01.6	247	30.5	26.0-35.0
45-54	1153	84,243	594	47.9	44.0-51.8	89	9.0	06.6-11.4	41	4.9	02.9-06.9	3	0.4	00.0-00.8	3	0.4	00.0-00.8	423	37.4	33.5-41.3
55-64	1765	88,389	842	45.5	42.4-48.6	142	8.5	06.7-10.3	47	3.1	01.9-04.3	7	1.1	00.1-02.1				727	41.8	38.7-44.9
65+	2611	104,751	960	36.3	33.8-38.8	183	7.4	06.0-08.8	46	1.9	01.1-02.7	3	0.1	00.1-00.1	2	0.2	00.0-00.6	1417	54.0	51.3-56.7
Less Than H.S.	424	45,994	111	24.8	18.9-30.7	21	5.3	02.0-08.6	17	7.5	02.6-12.4	4	1.5	00.0-03.3	4	2.5	00.0-05.2	267	58.5	51.2-65.8
H.S. or G.E.D.	2180	140,600	885	43.6	40.3-46.9	147	7.3	05.5-09.1	69	4.2	02.6-05.8	5	0.2	00.0-00.4	5	0.3	00.0-00.7	1069	44.3	41.0-47.6
Some Post-H.S.	2370	215,500	1107	46.3	43.0-49.6	209	11.4	09.2-13.6	74	4.4	02.8-06.0	9	0.4	00.0-00.8	1	0.0	00.0-00.0	970	37.5	34.4-40.6
College Graduate	2359	137,192	1244	55.5	52.4-58.6	240	12.8	10.4-15.2	36	1.6	00.8-02.4	3	0.2	00.0-00.4	3	0.2	00.0-00.4	833	29.7	27.0-32.4
Less than \$15,000	441	42,889	105	28.6	21.2-36.0	20	8.1	03.6-12.6	11	6.9	01.6-12.2	5	1.4	00.0-02.8	1	0.7	00.0-02.1	299	54.3	46.3-62.3
\$15,000- 24,999	840	69,883	292	38.9	33.2-44.6	37	6.4	03.3-09.5	20	3.6	01.2-06.0	2	0.4	00.0-01.2	3	1.2	00.0-02.8	486	49.5	43.8-55.2
\$25,000- 34,999	673	53,714	253	42.4	35.9-48.9	43	7.5	03.8-11.2	19	4.8	01.7-07.9	2	0.4	00.0-01.0				356	44.9	38.6-51.2
\$35,000- 49,999	967	66,954	444	47.4	42.3-52.5	87	11.7	07.8-15.6	32	5.7	03.0-08.4	1	0.0	00.0-00.0				403	35.2	30.5-39.9
\$50,000- 74,999	1173	84,200	598	50.7	46.2-55.2	103	11.3	08.2-14.4	31	4.1	01.7-06.5	2	0.4	00.0-01.0	2	0.2	00.0-00.6	437	33.3	29.0-37.6
\$75,000+	2431	170,854	1322	52.6	49.5-55.7	281	13.2	11.0-15.4	70	3.0	01.8-04.2	8	0.3	00.0-00.7	7	0.4	00.0-00.8	743	30.5	27.6-33.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3066	276,110	1399	44.2	41.5-46.9	406	14.1	12.1-16.1	158	6.7	05.1-08.3	21	0.7	00.3-01.1	13	0.7	00.1-01.3	1069	33.6	31.1-36.1
Native	70	7,541	26	26.1	11.2-41.0	4	11.4	00.0-23.7	5	16.0	00.9-31.1	2	2.5	00.0-06.4	2	3.6	00.0-09.3	31	40.5	22.9-58.1
Non-Native	2930	261,593	1346	44.9	42.2-47.6	395	14.0	12.0-16.0	151	6.4	04.8-08.0	18	0.7	00.3-01.1	11	0.7	00.1-01.3	1009	33.3	30.6-36.0
18-24	181	45,309	65	37.4	28.6-46.2	35	14.2	08.3-20.1	13	8.0	02.5-13.5	3	0.9	00.0-02.3	1	0.5	00.0-01.5	64	39.2	30.0-48.4
25-34	294	52,454	155	46.8	39.4-54.2	55	19.4	13.5-25.3	21	7.9	03.6-12.2				2	1.3	00.0-03.3	61	24.6	17.9-31.3
35-44	361	41,591	184	48.9	41.6-56.2	52	14.1	09.0-19.2	22	7.9	03.4-12.4	4	0.5	00.0-01.3	5	1.5	00.0-03.1	94	27.1	20.6-33.6
45-54	494	42,520	243	45.3	39.2-51.4	56	13.2	09.1-17.3	32	8.8	04.9-12.7	3	0.8	00.0-01.8	3	0.7	00.0-01.7	157	31.2	25.7-36.7
55-64	745	45,435	346	45.0	40.3-49.7	90	11.5	08.6-14.4	35	5.1	02.9-07.3	7	2.1	00.3-03.9				267	36.3	31.8-40.8
65+	972	47,202	398	41.0	36.7-45.3	118	11.7	09.2-14.2	35	3.2	01.8-04.6	3	0.1	00.0-00.3	2	0.4	00.0-01.0	416	43.6	39.3-47.9
Less Than H.S.	203	27,897	62	27.5	19.1-35.9	14	4.7	01.4-08.0	14	11.3	03.5-19.1	4	2.4	00.0-05.1	4	4.1	00.0-08.6	105	50.0	39.4-60.6
H.S. or G.E.D.	933	74,760	408	45.4	40.5-50.3	91	10.1	07.2-13.0	55	7.2	04.5-09.9	5	0.4	00.0-00.8	5	0.6	00.0-01.2	369	36.4	31.7-41.1
Some Post-H.S.	932	107,648	425	43.9	39.2-48.6	140	16.7	13.0-20.4	60	7.6	04.9-10.3	9	0.8	00.2-01.4	1	0.0	00.0-00.0	297	31.0	26.7-35.3
College Graduate	990	64,275	501	50.5	45.8-55.2	161	18.7	15.0-22.4	28	2.8	01.2-04.4	3	0.4	00.0-01.0	3	0.5	00.0-01.1	294	27.1	23.0-31.2
Less than \$15,000	149	17,417	34	20.1	10.9-29.3	12	10.0	02.9-17.1	10	13.7	02.9-24.5	5	3.4	00.1-06.7	1	1.7	00.0-04.8	87	51.1	38.6-63.6
\$15,000- 24,999	290	34,548	114	40.2	31.4-49.0	21	8.8	03.9-13.7	14	5.7	01.4-10.0	2	0.8	00.0-02.2	3	2.5	00.0-05.8	136	41.9	33.1-50.7
\$25,000- 34,999	253	26,008	96	41.1	31.5-50.7	27	8.9	04.2-13.6	11	8.3	02.4-14.2	2	0.9	00.0-02.3				117	40.7	31.7-49.7
\$35,000- 49,999	411	36,691	184	47.1	39.7-54.5	50	15.4	09.1-21.7	28	10.1	05.2-15.0	1	0.1	00.0-00.3				148	27.4	21.3-33.5
\$50,000- 74,999	526	45,641	267	50.7	44.2-57.2	70	13.2	08.9-17.5	24	6.9	02.8-11.0	2	0.7	00.0-01.7	2	0.4	00.0-01.0	161	28.2	22.3-34.1
\$75,000+	1204	94,403	612	47.0	42.7-51.3	198	18.8	15.5-22.1	59	5.0	03.0-07.0	8	0.5	00.0-01.1	7	0.7	00.1-01.3	320	27.9	23.8-32.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1						>1, <=2			>2, <=5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4288	265,402	1953	48.0	45.5-50.5	211	6.1	04.7-07.5	39	0.9	00.3-01.5	2085	45.0	42.5-47.5			
Native	152	13,498	36	15.6	06.6-24.6	6	12.1	00.5-23.7	4	2.4	00.0-06.1	106	69.9	56.6-83.2			
Non-Native	4084	248,469	1907	50.2	47.7-52.7	202	5.7	04.3-07.1	34	0.8	00.2-01.4	1941	43.2	40.7-45.7			
18-24	147	37,721	74	54.0	43.8-64.2	10	7.0	01.3-12.7	1	1.5	00.0-04.4	62	37.5	27.9-47.1			
25-34	330	45,578	193	54.8	47.0-62.6	23	9.2	04.5-13.9	1	0.5	00.0-01.5	113	35.6	28.0-43.2			
35-44	440	37,026	257	57.9	51.2-64.6	25	7.0	03.1-10.9	5	0.9	00.0-02.3	153	34.2	27.7-40.7			
45-54	659	41,723	351	50.6	45.5-55.7	33	4.6	02.6-06.6	9	1.0	00.2-01.8	266	43.7	38.6-48.8			
55-64	1020	42,954	496	45.9	41.8-50.0	52	5.4	03.4-07.4	12	1.0	00.4-01.6	460	47.6	43.5-51.7			
65+	1639	57,549	562	32.5	29.4-35.6	65	4.0	02.8-05.2	11	0.9	00.1-01.7	1001	62.6	59.5-65.7			
Less Than H.S.	221	18,097	49	20.6	13.2-28.0	7	6.2	00.0-13.1	3	1.5	00.0-03.3	162	71.7	62.7-80.7			
H.S. or G.E.D.	1247	65,841	477	41.6	36.9-46.3	56	4.2	02.4-06.0	14	0.9	00.3-01.5	700	53.4	48.7-58.1			
Some Post-H.S.	1438	107,852	682	48.8	44.3-53.3	69	6.1	03.7-08.5	14	1.2	00.0-02.4	673	43.9	39.6-48.2			
College Graduate	1369	72,916	743	59.8	55.7-63.9	79	7.7	05.0-10.4	8	0.5	00.0-01.1	539	32.0	28.3-35.7			
Less than \$15,000	292	25,472	71	34.4	24.0-44.8	8	6.8	01.1-12.5	1	2.3	00.0-06.6	212	56.5	46.1-66.9			
\$15,000- 24,999	550	35,334	178	37.6	30.5-44.7	16	4.0	00.0-08.1	6	1.5	00.0-03.1	350	56.9	49.6-64.2			
\$25,000- 34,999	420	27,706	157	43.7	34.9-52.5	16	6.1	00.4-11.8	8	1.5	00.0-03.1	239	48.8	40.2-57.4			
\$35,000- 49,999	556	30,263	260	47.9	41.2-54.6	37	7.1	03.4-10.8	4	0.4	00.0-01.0	255	44.6	37.9-51.3			
\$50,000- 74,999	647	38,559	331	50.7	44.2-57.2	33	9.2	04.7-13.7	7	0.7	00.1-01.3	276	39.4	33.3-45.5			
\$75,000+	1227	76,451	710	59.4	55.1-63.7	83	6.3	04.5-08.1	11	0.6	00.0-01.2	423	33.7	29.4-38.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7354	541,511	1724	21.3	19.7-22.9	1007	14.8	13.4-16.2	816	12.2	11.0-13.4	422	8.0	06.8-09.2	231	4.6	03.6-05.6	3154	39.2	37.4-41.0
Male	3066	276,110	584	16.6	14.6-18.6	477	15.5	13.5-17.5	446	14.5	12.5-16.5	298	11.6	09.8-13.4	192	8.2	06.4-10.0	1069	33.6	31.1-36.1
Female	4288	265,402	1140	26.1	23.9-28.3	530	14.0	12.2-15.8	370	9.8	08.2-11.4	124	4.2	03.0-05.4	39	0.9	00.3-01.5	2085	45.0	42.5-47.5
Native	222	21,039	31	8.5	02.8-14.2	18	5.0	02.1-07.9	14	6.5	01.0-12.0	9	11.3	02.7-19.9	13	9.4	02.7-16.1	137	59.3	48.3-70.3
Non-Native	7014	510,062	1670	21.9	20.3-23.5	980	15.3	13.9-16.7	797	12.5	11.1-13.9	403	7.7	06.5-08.9	214	4.4	03.4-05.4	2950	38.1	36.3-39.9
18-24	328	83,030	55	15.7	11.0-20.4	48	16.1	10.8-21.4	46	15.1	10.0-20.2	35	8.9	05.2-12.6	18	5.8	02.5-09.1	126	38.4	31.7-45.1
25-34	624	98,032	136	21.8	17.5-26.1	124	16.5	12.8-20.2	104	14.4	10.9-17.9	62	12.5	08.8-16.2	24	5.1	02.6-07.6	174	29.7	24.6-34.8
35-44	801	78,616	198	22.9	18.8-27.0	164	21.5	17.6-25.4	98	10.8	07.9-13.7	58	8.8	05.9-11.7	36	5.6	02.9-08.3	247	30.5	26.0-35.0
45-54	1153	84,243	274	21.1	18.0-24.2	190	15.9	13.0-18.8	150	12.2	09.7-14.7	69	7.6	05.2-10.0	47	5.7	03.5-07.9	423	37.4	33.5-41.3
55-64	1765	88,389	446	23.7	21.0-26.4	232	11.1	09.3-12.9	210	13.1	10.9-15.3	96	6.1	04.5-07.7	54	4.2	02.8-05.6	727	41.8	38.7-44.9
65+	2611	104,751	597	21.7	19.5-23.9	240	9.5	07.9-11.1	206	8.2	06.6-09.8	100	4.4	03.2-05.6	51	2.2	01.4-03.0	1417	54.0	51.3-56.7
Less Than H.S.	424	45,994	67	13.8	09.5-18.1	28	5.4	02.7-08.1	25	6.1	02.4-09.8	12	4.7	01.4-08.0	25	11.4	05.7-17.1	267	58.5	51.2-65.8
H.S. or G.E.D.	2180	140,600	470	20.0	17.5-22.5	245	14.8	12.3-17.3	217	10.3	08.3-12.3	100	5.8	04.0-07.6	79	4.7	03.1-06.3	1069	44.3	41.0-47.6
Some Post-H.S.	2370	215,500	563	20.9	18.4-23.4	332	14.4	12.0-16.8	276	13.6	11.2-16.0	145	8.8	06.8-10.8	84	4.8	03.2-06.4	970	37.5	34.4-40.6
College Graduate	2359	137,192	620	25.5	22.8-28.2	402	18.8	16.3-21.3	297	14.1	11.9-16.3	165	10.0	07.8-12.2	42	2.0	01.2-02.8	833	29.7	27.0-32.4
Less than \$15,000	441	42,889	62	15.3	09.4-21.2	31	9.0	04.3-13.7	15	4.8	00.7-08.9	17	7.6	03.3-11.9	17	9.0	03.5-14.5	299	54.3	46.3-62.3
\$15,000- 24,999	840	69,883	175	17.6	13.7-21.5	76	14.7	10.2-19.2	52	7.4	04.3-10.5	26	5.5	02.4-08.6	25	5.2	02.3-08.1	486	49.5	43.8-55.2
\$25,000- 34,999	673	53,714	153	23.1	17.8-28.4	62	10.2	06.1-14.3	53	11.3	06.2-16.4	28	5.3	02.6-08.0	21	5.2	02.1-08.3	356	44.9	38.6-51.2
\$35,000- 49,999	967	66,954	231	20.9	16.8-25.0	133	13.1	10.0-16.2	103	14.9	10.8-19.0	64	10.1	06.4-13.8	33	5.7	03.0-08.4	403	35.2	30.5-39.9
\$50,000- 74,999	1173	84,200	317	23.6	19.9-27.3	173	16.7	13.4-20.0	142	13.4	10.1-16.7	69	8.3	05.6-11.0	35	4.6	02.2-07.0	437	33.3	29.0-37.6
\$75,000+	2431	170,854	601	22.6	20.1-25.1	428	17.1	14.9-19.3	381	15.9	13.7-18.1	193	10.2	08.2-12.2	85	3.7	02.5-04.9	743	30.5	27.6-33.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3066	276,110	584	16.6	14.6-18.6	477	15.5	13.5-17.5	446	14.5	12.5-16.5	298	11.6	09.8-13.4	192	8.2	06.4-10.0	1069	33.6	31.1-36.1
Native	70	7,541	12	6.6	00.9-12.3	8	5.4	00.7-10.1	7	15.8	01.9-29.7	3	9.7	00.0-21.7	9	22.1	06.2-38.0	31	40.5	22.9-58.1
Non-Native	2930	261,593	557	17.0	15.0-19.0	462	16.0	14.0-18.0	434	14.5	12.5-16.5	288	11.5	09.7-13.3	180	7.8	06.0-09.6	1009	33.3	30.6-36.0
18-24	181	45,309	17	9.4	04.3-14.5	24	12.3	06.4-18.2	31	17.3	10.4-24.2	28	12.5	06.8-18.2	17	9.3	03.6-15.0	64	39.2	30.0-48.4
25-34	294	52,454	37	14.7	09.2-20.2	64	18.1	12.8-23.4	66	17.2	12.1-22.3	43	16.3	10.8-21.8	23	9.2	04.5-13.9	61	24.6	17.9-31.3
35-44	361	41,591	74	18.0	12.7-23.3	70	20.6	15.1-26.1	50	11.9	07.4-16.4	42	12.4	07.5-17.3	31	9.9	05.0-14.8	94	27.1	20.6-33.6
45-54	494	42,520	89	15.5	11.2-19.8	90	18.0	13.3-22.7	76	13.3	09.4-17.2	44	11.7	07.6-15.8	38	10.3	06.4-14.2	157	31.2	25.7-36.7
55-64	745	45,435	153	19.7	16.0-23.4	107	12.3	09.6-15.0	108	15.8	12.3-19.3	68	8.7	06.2-11.2	42	7.2	04.5-09.9	267	36.3	31.8-40.8
65+	972	47,202	207	21.3	17.8-24.8	122	12.8	10.1-15.5	114	10.8	07.9-13.7	73	7.7	05.5-09.9	40	3.8	02.4-05.2	416	43.6	39.3-47.9
Less Than H.S.	203	27,897	33	13.8	07.9-19.7	18	5.6	02.5-08.7	16	8.3	02.2-14.4	9	4.4	01.1-07.7	22	17.8	08.8-26.8	105	50.0	39.4-60.6
H.S. or G.E.D.	933	74,760	171	17.5	14.0-21.0	133	17.3	13.6-21.0	128	12.5	09.6-15.4	67	8.2	05.5-10.9	65	8.2	05.3-11.1	369	36.4	31.7-41.1
Some Post-H.S.	932	107,648	167	16.1	12.6-19.6	150	15.0	11.7-18.3	141	15.4	11.9-18.9	107	14.1	10.6-17.6	70	8.4	05.7-11.1	297	31.0	26.7-35.3
College Graduate	990	64,275	211	17.2	13.9-20.5	176	19.2	15.7-22.7	160	18.2	14.5-21.9	115	14.5	11.0-18.0	34	3.7	01.9-05.5	294	27.1	23.0-31.2
Less than \$15,000	149	17,417	15	8.4	01.9-14.9	11	6.5	01.6-11.4	9	6.1	00.4-11.8	11	9.1	02.2-16.0	16	18.8	07.6-30.0	87	51.1	38.6-63.6
\$15,000- 24,999	290	34,548	60	16.2	10.3-22.1	38	17.3	10.0-24.6	21	7.9	03.2-12.6	16	7.5	02.8-12.2	19	9.0	03.5-14.5	136	41.9	33.1-50.7
\$25,000- 34,999	253	26,008	48	18.8	11.5-26.1	27	8.8	03.7-13.9	29	14.4	06.6-22.2	19	8.0	03.3-12.7	13	9.3	03.2-15.4	117	40.7	31.7-49.7
\$35,000- 49,999	411	36,691	71	15.3	10.0-20.6	63	13.6	08.9-18.3	61	19.8	13.3-26.3	39	13.9	07.8-20.0	29	10.1	05.2-15.0	148	27.4	21.3-33.5
\$50,000- 74,999	526	45,641	117	19.8	14.9-24.7	87	18.3	13.2-23.4	82	16.1	11.2-21.0	51	9.8	05.9-13.7	28	7.9	03.6-12.2	161	28.2	22.3-34.1
\$75,000+	1204	94,403	236	16.0	13.1-18.9	214	17.8	14.7-20.9	216	16.6	13.9-19.3	144	15.4	12.1-18.7	74	6.3	04.1-08.5	320	27.9	23.8-32.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4288	265,402	1140	26.1	23.9-28.3	530	14.0	12.2-15.8	370	9.8	08.2-11.4	124	4.2	03.0-05.4	39	0.9	00.3-01.5	2085	45.0	42.5-47.5
Native	152	13,498	19	9.5	01.3-17.7	10	4.8	01.1-08.5	7	1.4	00.0-02.8	6	12.1	00.5-23.7	4	2.4	00.0-06.1	106	69.9	56.6-83.2
Non-Native	4084	248,469	1113	27.1	24.7-29.5	518	14.7	12.7-16.7	363	10.4	08.6-12.2	115	3.8	02.8-04.8	34	0.8	00.2-01.4	1941	43.2	40.7-45.7
18-24	147	37,721	38	23.1	15.1-31.1	24	20.7	11.9-29.5	15	12.5	05.1-19.9	7	4.6	00.5-08.7	1	1.5	00.0-04.4	62	37.5	27.9-47.1
25-34	330	45,578	99	29.9	22.8-37.0	60	14.7	09.8-19.6	38	11.2	06.5-15.9	19	8.1	03.4-12.8	1	0.5	00.0-01.5	113	35.6	28.0-43.2
35-44	440	37,026	124	28.3	22.0-34.6	94	22.5	17.2-27.8	48	9.5	05.8-13.2	16	4.6	01.5-07.7	5	0.9	00.0-02.3	153	34.2	27.7-40.7
45-54	659	41,723	185	26.7	22.4-31.0	100	13.9	10.6-17.2	74	11.1	08.0-14.2	25	3.5	01.9-05.1	9	1.0	00.2-01.8	266	43.7	38.6-48.8
55-64	1020	42,954	293	27.8	24.1-31.5	125	9.9	07.7-12.1	102	10.3	07.8-12.8	28	3.3	01.7-04.9	12	1.0	00.4-01.6	460	47.6	43.5-51.7
65+	1639	57,549	390	22.0	19.3-24.7	118	6.7	05.1-08.3	92	6.1	04.5-07.7	27	1.7	00.7-02.7	11	0.9	00.1-01.7	1001	62.6	59.5-65.7
Less Than H.S.	221	18,097	34	13.8	07.9-19.7	10	5.0	00.0-10.1	9	2.7	00.5-04.9	3	5.3	00.0-12.0	3	1.5	00.0-03.3	162	71.7	62.7-80.7
H.S. or G.E.D.	1247	65,841	299	22.8	19.1-26.5	112	12.0	08.5-15.5	89	7.8	05.3-10.3	33	3.1	01.3-04.9	14	0.9	00.3-01.5	700	53.4	48.7-58.1
Some Post-H.S.	1438	107,852	396	25.8	22.1-29.5	182	13.8	10.7-16.9	135	11.8	08.7-14.9	38	3.5	01.7-05.3	14	1.2	00.0-02.4	673	43.9	39.6-48.2
College Graduate	1369	72,916	409	32.7	28.6-36.8	226	18.4	15.1-21.7	137	10.4	07.9-12.9	50	6.0	03.5-08.5	8	0.5	00.0-01.1	539	32.0	28.3-35.7
Less than \$15,000	292	25,472	47	20.1	11.5-28.7	20	10.7	03.4-18.0	6	3.9	00.0-09.6	6	6.6	00.9-12.3	1	2.3	00.0-06.6	212	56.5	46.1-66.9
\$15,000- 24,999	550	35,334	115	18.9	13.8-24.0	38	12.2	06.7-17.7	31	6.9	03.0-10.8	10	3.6	00.0-07.7	6	1.5	00.0-03.1	350	56.9	49.6-64.2
\$25,000- 34,999	420	27,706	105	27.2	19.6-34.8	35	11.5	05.0-18.0	24	8.4	02.1-14.7	9	2.6	00.1-05.1	8	1.5	00.0-03.1	239	48.8	40.2-57.4
\$35,000- 49,999	556	30,263	160	27.8	21.7-33.9	70	12.6	08.7-16.5	42	8.9	05.0-12.8	25	5.6	02.1-09.1	4	0.4	00.0-01.0	255	44.6	37.9-51.3
\$50,000- 74,999	647	38,559	200	28.2	22.5-33.9	86	14.8	10.5-19.1	60	10.3	06.2-14.4	18	6.6	02.5-10.7	7	0.7	00.1-01.3	276	39.4	33.3-45.5
\$75,000+	1227	76,451	365	30.8	26.7-34.9	214	16.2	13.3-19.1	165	15.0	11.7-18.3	49	3.8	02.4-05.2	11	0.6	00.0-01.2	423	33.7	29.4-38.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7354	541,511	6999	93.3	92.3-94.3	355	6.7	05.7-07.7
Male	3066	276,110	2874	91.8	90.0-93.6	192	8.2	06.4-10.0
Female	4288	265,402	4125	94.8	93.4-96.2	163	5.2	03.8-06.6
Native	222	21,039	203	82.8	73.4-92.2	19	17.2	07.8-26.6
Non-Native	7014	510,062	6685	93.8	92.8-94.8	329	6.2	05.2-07.2
18-24	328	83,030	303	92.1	88.2-96.0	25	7.9	04.0-11.8
25-34	624	98,032	581	91.1	87.8-94.4	43	8.9	05.6-12.2
35-44	801	78,616	749	92.2	89.1-95.3	52	7.8	04.7-10.9
45-54	1153	84,243	1081	92.6	90.4-94.8	72	7.4	05.2-09.6
55-64	1765	88,389	1683	94.2	92.6-95.8	82	5.8	04.2-07.4
65+	2611	104,751	2533	96.9	95.9-97.9	78	3.1	02.1-04.1
Less Than H.S.	424	45,994	396	86.5	80.4-92.6	28	13.5	07.4-19.6
H.S. or G.E.D.	2180	140,600	2068	93.8	92.0-95.6	112	6.2	04.4-08.0
Some Post-H.S.	2370	215,500	2248	93.4	91.6-95.2	122	6.6	04.8-08.4
College Graduate	2359	137,192	2267	94.8	93.2-96.4	92	5.2	03.6-06.8
Less than \$15,000	441	42,889	418	87.1	80.8-93.4	23	12.9	06.6-19.2
\$15,000- 24,999	840	69,883	805	92.9	89.4-96.4	35	7.1	03.6-10.6
\$25,000- 34,999	673	53,714	643	93.4	90.1-96.7	30	6.6	03.3-09.9
\$35,000- 49,999	967	66,954	909	91.7	88.6-94.8	58	8.3	05.2-11.4
\$50,000- 74,999	1173	84,200	1120	92.4	89.5-95.3	53	7.6	04.7-10.5
\$75,000+	2431	170,854	2297	94.6	93.2-96.0	134	5.4	04.0-06.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3066	276,110	2874	91.8	90.0-93.6	192	8.2	06.4-10.0
Native	70	7,541	61	77.9	62.0-93.8	9	22.1	06.2-38.0
Non-Native	2930	261,593	2750	92.2	90.4-94.0	180	7.8	06.0-09.6
18-24	181	45,309	164	90.7	85.0-96.4	17	9.3	03.6-15.0
25-34	294	52,454	271	90.8	86.1-95.5	23	9.2	04.5-13.9
35-44	361	41,591	330	90.1	85.2-95.0	31	9.9	05.0-14.8
45-54	494	42,520	456	89.7	85.8-93.6	38	10.3	06.4-14.2
55-64	745	45,435	703	92.8	90.1-95.5	42	7.2	04.5-09.9
65+	972	47,202	932	96.2	94.8-97.6	40	3.8	02.4-05.2
Less Than H.S.	203	27,897	181	82.2	73.2-91.2	22	17.8	08.8-26.8
H.S. or G.E.D.	933	74,760	868	91.8	88.9-94.7	65	8.2	05.3-11.1
Some Post-H.S.	932	107,648	862	91.6	88.9-94.3	70	8.4	05.7-11.1
College Graduate	990	64,275	956	96.3	94.5-98.1	34	3.7	01.9-05.5
Less than \$15,000	149	17,417	133	81.2	70.0-92.4	16	18.8	07.6-30.0
\$15,000- 24,999	290	34,548	271	91.0	85.5-96.5	19	9.0	03.5-14.5
\$25,000- 34,999	253	26,008	240	90.7	84.6-96.8	13	9.3	03.2-15.4
\$35,000- 49,999	411	36,691	382	89.9	85.0-94.8	29	10.1	05.2-15.0
\$50,000- 74,999	526	45,641	498	92.1	87.8-96.4	28	7.9	03.6-12.2
\$75,000+	1204	94,403	1130	93.7	91.5-95.9	74	6.3	04.1-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4288	265,402	4125	94.8	93.4-96.2	163	5.2	03.8-06.6
Native	152	13,498	142	85.5	73.5-97.5	10	14.5	02.5-26.5
Non-Native	4084	248,469	3935	95.4	94.2-96.6	149	4.6	03.4-05.8
18-24	147	37,721	139	93.8	88.7-98.9	8	6.2	01.1-11.3
25-34	330	45,578	310	91.4	86.7-96.1	20	8.6	03.9-13.3
35-44	440	37,026	419	94.5	91.2-97.8	21	5.5	02.2-08.8
45-54	659	41,723	625	95.5	93.7-97.3	34	4.5	02.7-06.3
55-64	1020	42,954	980	95.6	93.8-97.4	40	4.4	02.6-06.2
65+	1639	57,549	1601	97.4	96.2-98.6	38	2.6	01.4-03.8
Less Than H.S.	221	18,097	215	93.2	86.3-0100	6	6.8	00.0-13.7
H.S. or G.E.D.	1247	65,841	1200	96.0	94.2-97.8	47	4.0	02.2-05.8
Some Post-H.S.	1438	107,852	1386	95.3	93.1-97.5	52	4.7	02.5-06.9
College Graduate	1369	72,916	1311	93.5	91.0-96.0	58	6.5	04.0-09.0
Less than \$15,000	292	25,472	285	91.2	84.1-98.3	7	8.8	01.7-15.9
\$15,000- 24,999	550	35,334	534	94.9	90.6-99.2	16	5.1	00.8-09.4
\$25,000- 34,999	420	27,706	403	95.9	92.8-99.0	17	4.1	01.0-07.2
\$35,000- 49,999	556	30,263	527	94.0	90.3-97.7	29	6.0	02.3-09.7
\$50,000- 74,999	647	38,559	622	92.6	88.5-96.7	25	7.4	03.3-11.5
\$75,000+	1227	76,451	1167	95.7	94.1-97.3	60	4.3	02.7-05.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 19: ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (\_RFDRMN4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3066	276,110	2874	91.8	90.0-93.6	192	8.2	06.4-10.0
Native	70	7,541	61	77.9	62.0-93.8	9	22.1	06.2-38.0
Non-Native	2930	261,593	2750	92.2	90.4-94.0	180	7.8	06.0-09.6
18-24	181	45,309	164	90.7	85.0-96.4	17	9.3	03.6-15.0
25-34	294	52,454	271	90.8	86.1-95.5	23	9.2	04.5-13.9
35-44	361	41,591	330	90.1	85.2-95.0	31	9.9	05.0-14.8
45-54	494	42,520	456	89.7	85.8-93.6	38	10.3	06.4-14.2
55-64	745	45,435	703	92.8	90.1-95.5	42	7.2	04.5-09.9
65+	972	47,202	932	96.2	94.8-97.6	40	3.8	02.4-05.2
Less Than H.S.	203	27,897	181	82.2	73.2-91.2	22	17.8	08.8-26.8
H.S. or G.E.D.	933	74,760	868	91.8	88.9-94.7	65	8.2	05.3-11.1
Some Post-H.S.	932	107,648	862	91.6	88.9-94.3	70	8.4	05.7-11.1
College Graduate	990	64,275	956	96.3	94.5-98.1	34	3.7	01.9-05.5
Less than \$15,000	149	17,417	133	81.2	70.0-92.4	16	18.8	07.6-30.0
\$15,000- 24,999	290	34,548	271	91.0	85.5-96.5	19	9.0	03.5-14.5
\$25,000- 34,999	253	26,008	240	90.7	84.6-96.8	13	9.3	03.2-15.4
\$35,000- 49,999	411	36,691	382	89.9	85.0-94.8	29	10.1	05.2-15.0
\$50,000- 74,999	526	45,641	498	92.1	87.8-96.4	28	7.9	03.6-12.2
\$75,000+	1204	94,403	1130	93.7	91.5-95.9	74	6.3	04.1-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 20: ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRWM4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4288	265,402	4125	94.8	93.4-96.2	163	5.2	03.8-06.6
Native	152	13,498	142	85.5	73.5-97.5	10	14.5	02.5-26.5
Non-Native	4084	248,469	3935	95.4	94.2-96.6	149	4.6	03.4-05.8
18-24	147	37,721	139	93.8	88.7-98.9	8	6.2	01.1-11.3
25-34	330	45,578	310	91.4	86.7-96.1	20	8.6	03.9-13.3
35-44	440	37,026	419	94.5	91.2-97.8	21	5.5	02.2-08.8
45-54	659	41,723	625	95.5	93.7-97.3	34	4.5	02.7-06.3
55-64	1020	42,954	980	95.6	93.8-97.4	40	4.4	02.6-06.2
65+	1639	57,549	1601	97.4	96.2-98.6	38	2.6	01.4-03.8
Less Than H.S.	221	18,097	215	93.2	86.3-0100	6	6.8	00.0-13.7
H.S. or G.E.D.	1247	65,841	1200	96.0	94.2-97.8	47	4.0	02.2-05.8
Some Post-H.S.	1438	107,852	1386	95.3	93.1-97.5	52	4.7	02.5-06.9
College Graduate	1369	72,916	1311	93.5	91.0-96.0	58	6.5	04.0-09.0
Less than \$15,000	292	25,472	285	91.2	84.1-98.3	7	8.8	01.7-15.9
\$15,000- 24,999	550	35,334	534	94.9	90.6-99.2	16	5.1	00.8-09.4
\$25,000- 34,999	420	27,706	403	95.9	92.8-99.0	17	4.1	01.0-07.2
\$35,000- 49,999	556	30,263	527	94.0	90.3-97.7	29	6.0	02.3-09.7
\$50,000- 74,999	647	38,559	622	92.6	88.5-96.7	25	7.4	03.3-11.5
\$75,000+	1227	76,451	1167	95.7	94.1-97.3	60	4.3	02.7-05.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 11: IMMUNIZATION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	118
2	MALES ONLY	119
3	FEMALES ONLY	120
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	121
5	MALES ONLY	122
6	FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2661	106,323	1601	61.4	58.9-63.9	1060	38.6	36.1-41.1
Male	999	48,124	571	60.8	56.7-64.9	428	39.2	35.1-43.3
Female	1662	58,199	1030	62.0	58.9-65.1	632	38.0	34.9-41.1
Non-Native	2576	103,074	1554	62.0	59.5-64.5	1022	38.0	35.5-40.5
65+	2661	106,323	1601	61.4	58.9-63.9	1060	38.6	36.1-41.1
Less Than H.S.	267	18,594	154	56.1	47.9-64.3	113	43.9	35.7-52.1
H.S. or G.E.D.	950	33,979	536	59.2	55.1-63.3	414	40.8	36.7-44.9
Some Post-H.S.	782	34,968	477	63.3	59.0-67.6	305	36.7	32.4-41.0
College Graduate	653	18,400	427	66.8	62.1-71.5	226	33.2	28.5-37.9
Less than \$15,000	200	9,653	109	56.3	45.9-66.7	91	43.7	33.3-54.1
\$15,000- 24,999	462	20,683	272	61.2	54.9-67.5	190	38.8	32.5-45.1
\$25,000- 34,999	358	13,460	234	67.2	60.7-73.7	124	32.8	26.3-39.3
\$35,000- 49,999	415	16,675	242	56.0	49.3-62.7	173	44.0	37.3-50.7
\$50,000- 74,999	354	13,741	225	66.0	59.3-72.7	129	34.0	27.3-40.7
\$75,000+	465	16,598	275	61.0	55.3-66.7	190	39.0	33.3-44.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	999	48,124	571	60.8	56.7-64.9	428	39.2	35.1-43.3
Non-Native	968	46,687	559	61.8	57.7-65.9	409	38.2	34.1-42.3
65+	999	48,124	571	60.8	56.7-64.9	428	39.2	35.1-43.3
Less Than H.S.	115	9,124	66	59.7	47.0-72.4	49	40.3	27.6-53.0
H.S. or G.E.D.	322	15,130	168	59.5	52.6-66.4	154	40.5	33.6-47.4
Some Post-H.S.	238	13,638	128	58.4	50.6-66.2	110	41.6	33.8-49.4
College Graduate	323	10,215	208	66.8	60.3-73.3	115	33.2	26.7-39.7
Less than \$15,000	53	3,539	25	54.2	33.6-74.8	28	45.8	25.2-66.4
\$15,000- 24,999	129	8,280	68	63.0	51.8-74.2	61	37.0	25.8-48.2
\$25,000- 34,999	124	6,117	77	72.7	63.3-82.1	47	27.3	17.9-36.7
\$35,000- 49,999	173	8,189	91	50.8	40.6-61.0	82	49.2	39.0-59.4
\$50,000- 74,999	170	8,221	113	68.5	59.9-77.1	57	31.5	22.9-40.1
\$75,000+	268	10,321	155	59.2	51.6-66.8	113	40.8	33.2-48.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1662	58,199	1030	62.0	58.9-65.1	632	38.0	34.9-41.1
Non-Native	1608	56,388	995	62.1	58.8-65.4	613	37.9	34.6-41.2
65+	1662	58,199	1030	62.0	58.9-65.1	632	38.0	34.9-41.1
Less Than H.S.	152	9,470	88	52.7	42.3-63.1	64	47.3	36.9-57.7
H.S. or G.E.D.	628	18,849	368	59.0	53.9-64.1	260	41.0	35.9-46.1
Some Post-H.S.	544	21,330	349	66.5	61.4-71.6	195	33.5	28.4-38.6
College Graduate	330	8,185	219	66.9	60.0-73.8	111	33.1	26.2-40.0
Less than \$15,000	147	6,114	84	57.5	46.5-68.5	63	42.5	31.5-53.5
\$15,000- 24,999	333	12,403	204	60.0	52.7-67.3	129	40.0	32.7-47.3
\$25,000- 34,999	234	7,343	157	62.6	54.0-71.2	77	37.4	28.8-46.0
\$35,000- 49,999	242	8,485	151	61.1	52.5-69.7	91	38.9	30.3-47.5
\$50,000- 74,999	184	5,520	112	62.5	52.7-72.3	72	37.5	27.7-47.3
\$75,000+	197	6,276	120	63.9	55.5-72.3	77	36.1	27.7-44.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2566	101,996	1840	72.1	69.7-74.5	726	27.9	25.5-30.3
Male	945	45,350	617	69.1	65.2-73.0	328	30.9	27.0-34.8
Female	1621	56,646	1223	74.5	71.6-77.4	398	25.5	22.6-28.4
Non-Native	2484	98,808	1783	72.3	69.9-74.7	701	27.7	25.3-30.1
65+	2566	101,996	1840	72.1	69.7-74.5	726	27.9	25.5-30.3
Less Than H.S.	258	17,742	177	67.6	59.8-75.4	81	32.4	24.6-40.2
H.S. or G.E.D.	918	33,012	667	74.5	70.8-78.2	251	25.5	21.8-29.2
Some Post-H.S.	751	33,124	548	73.3	69.2-77.4	203	26.7	22.6-30.8
College Graduate	630	17,737	442	70.1	65.4-74.8	188	29.9	25.2-34.6
Less than \$15,000	192	9,245	140	72.6	63.6-81.6	52	27.4	18.4-36.4
\$15,000- 24,999	443	19,831	320	71.6	65.5-77.7	123	28.4	22.3-34.5
\$25,000- 34,999	347	13,081	279	80.3	74.8-85.8	68	19.7	14.2-25.2
\$35,000- 49,999	401	15,888	278	71.2	64.9-77.5	123	28.8	22.5-35.1
\$50,000- 74,999	342	13,228	247	76.7	71.0-82.4	95	23.3	17.6-29.0
\$75,000+	449	15,812	287	63.0	57.3-68.7	162	37.0	31.3-42.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	945	45,350	617	69.1	65.2-73.0	328	30.9	27.0-34.8
Non-Native	917	43,973	602	69.2	65.3-73.1	315	30.8	26.9-34.7
65+	945	45,350	617	69.1	65.2-73.0	328	30.9	27.0-34.8
Less Than H.S.	108	8,336	71	70.5	58.5-82.5	37	29.5	17.5-41.5
H.S. or G.E.D.	309	14,716	199	70.0	63.7-76.3	110	30.0	23.7-36.3
Some Post-H.S.	221	12,492	147	69.1	61.8-76.4	74	30.9	23.6-38.2
College Graduate	306	9,790	199	66.5	59.6-73.4	107	33.5	26.6-40.4
Less than \$15,000	50	3,369	32	67.7	50.1-85.3	18	32.3	14.7-49.9
\$15,000- 24,999	118	7,768	78	69.5	58.1-80.9	40	30.5	19.1-41.9
\$25,000- 34,999	117	5,812	91	81.8	73.4-90.2	26	18.2	09.8-26.6
\$35,000- 49,999	164	7,559	108	69.3	59.5-79.1	56	30.7	20.9-40.5
\$50,000- 74,999	165	8,053	114	78.0	70.9-85.1	51	22.0	14.9-29.1
\$75,000+	255	9,602	144	55.4	47.6-63.2	111	44.6	36.8-52.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1621	56,646	1223	74.5	71.6-77.4	398	25.5	22.6-28.4
Non-Native	1567	54,834	1181	74.9	71.8-78.0	386	25.1	22.0-28.2
65+	1621	56,646	1223	74.5	71.6-77.4	398	25.5	22.6-28.4
Less Than H.S.	150	9,406	106	65.0	54.6-75.4	44	35.0	24.6-45.4
H.S. or G.E.D.	609	18,297	468	78.2	73.9-82.5	141	21.8	17.5-26.1
Some Post-H.S.	530	20,632	401	75.8	70.9-80.7	129	24.2	19.3-29.1
College Graduate	324	7,946	243	74.6	68.1-81.1	81	25.4	18.9-31.9
Less than \$15,000	142	5,876	108	75.3	64.9-85.7	34	24.7	14.3-35.1
\$15,000- 24,999	325	12,062	242	73.0	66.1-79.9	83	27.0	20.1-33.9
\$25,000- 34,999	230	7,269	188	79.1	71.8-86.4	42	20.9	13.6-28.2
\$35,000- 49,999	237	8,329	170	73.0	64.8-81.2	67	27.0	18.8-35.2
\$50,000- 74,999	177	5,175	133	74.8	65.2-84.4	44	25.2	15.6-34.8
\$75,000+	194	6,209	143	74.7	67.3-82.1	51	25.3	17.9-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 13: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7441	546,378	6649	87.4	86.0-88.8	792	12.6	11.2-14.0
Male	3115	279,496	2613	82.6	80.4-84.8	502	17.4	15.2-19.6
Female	4326	266,883	4036	92.5	91.1-93.9	290	7.5	06.1-08.9
Native	226	21,706	192	82.8	74.6-91.0	34	17.2	09.0-25.4
Non-Native	7096	514,444	6364	88.0	86.6-89.4	732	12.0	10.6-13.4
18-24	334	84,279	281	85.1	80.2-90.0	53	14.9	10.0-19.8
25-34	638	99,831	549	86.7	83.2-90.2	89	13.3	09.8-16.8
35-44	803	79,288	711	88.1	84.6-91.6	92	11.9	08.4-15.4
45-54	1153	83,712	999	84.1	81.0-87.2	154	15.9	12.8-19.0
55-64	1786	89,263	1614	89.5	87.5-91.5	172	10.5	08.5-12.5
65+	2652	105,465	2428	90.3	88.5-92.1	224	9.7	07.9-11.5
Less Than H.S.	433	47,132	366	76.2	68.9-83.5	67	23.8	16.5-31.1
H.S. or G.E.D.	2212	142,368	1906	85.1	82.7-87.5	306	14.9	12.5-17.3
Some Post-H.S.	2395	216,105	2142	88.3	86.1-90.5	253	11.7	09.5-13.9
College Graduate	2378	138,272	2215	92.3	90.5-94.1	163	7.7	05.9-09.5
Less than \$15,000	442	42,665	378	82.6	76.1-89.1	64	17.4	10.9-23.9
\$15,000- 24,999	848	69,865	751	88.1	84.4-91.8	97	11.9	08.2-15.6
\$25,000- 34,999	680	54,021	604	86.9	82.8-91.0	76	13.1	09.0-17.2
\$35,000- 49,999	979	67,772	859	84.6	80.9-88.3	120	15.4	11.7-19.1
\$50,000- 74,999	1181	84,825	1069	86.9	83.4-90.4	112	13.1	09.6-16.6
\$75,000+	2447	172,194	2208	89.5	87.5-91.5	239	10.5	08.5-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3115	279,496	2613	82.6	80.4-84.8	502	17.4	15.2-19.6
Native	72	7,917	61	80.9	66.6-95.2	11	19.1	04.8-33.4
Non-Native	2976	264,785	2502	83.2	81.0-85.4	474	16.8	14.6-19.0
18-24	184	46,518	147	80.5	73.1-87.9	37	19.5	12.1-26.9
25-34	303	53,720	252	85.3	80.2-90.4	51	14.7	09.6-19.8
35-44	365	42,120	300	81.8	75.9-87.7	65	18.2	12.3-24.1
45-54	489	41,885	388	76.6	71.1-82.1	101	23.4	17.9-28.9
55-64	762	46,206	644	84.8	81.5-88.1	118	15.2	11.9-18.5
65+	990	47,357	864	85.2	81.7-88.7	126	14.8	11.3-18.3
Less Than H.S.	206	28,747	160	67.9	57.3-78.5	46	32.1	21.5-42.7
H.S. or G.E.D.	953	76,039	760	81.0	77.5-84.5	193	19.0	15.5-22.5
Some Post-H.S.	945	108,186	784	83.1	79.6-86.6	161	16.9	13.4-20.4
College Graduate	1002	64,746	901	89.7	87.0-92.4	101	10.3	07.6-13.0
Less than \$15,000	151	17,561	116	76.1	64.3-87.9	35	23.9	12.1-35.7
\$15,000- 24,999	288	34,007	238	82.8	75.9-89.7	50	17.2	10.3-24.1
\$25,000- 34,999	257	26,212	215	82.9	76.2-89.6	42	17.1	10.4-23.8
\$35,000- 49,999	418	37,096	331	77.5	71.2-83.8	87	22.5	16.2-28.8
\$50,000- 74,999	530	46,225	457	83.4	78.1-88.7	73	16.6	11.3-21.9
\$75,000+	1217	95,921	1044	85.0	81.9-88.1	173	15.0	11.9-18.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4326	266,883	4036	92.5	91.1-93.9	290	7.5	06.1-08.9
Native	154	13,789	131	83.9	73.7-94.1	23	16.1	05.9-26.3
Non-Native	4120	249,659	3862	93.0	91.6-94.4	258	7.0	05.6-08.4
18-24	150	37,761	134	90.7	85.0-96.4	16	9.3	03.6-15.0
25-34	335	46,111	297	88.3	83.4-93.2	38	11.7	06.8-16.6
35-44	438	37,168	411	95.2	92.5-97.9	27	4.8	02.1-07.5
45-54	664	41,826	611	91.6	88.9-94.3	53	8.4	05.7-11.1
55-64	1024	43,057	970	94.6	92.8-96.4	54	5.4	03.6-07.2
65+	1662	58,109	1564	94.5	93.1-95.9	98	5.5	04.1-06.9
Less Than H.S.	227	18,385	206	89.2	82.7-95.7	21	10.8	04.3-17.3
H.S. or G.E.D.	1259	66,329	1146	89.8	86.9-92.7	113	10.2	07.3-13.1
Some Post-H.S.	1450	107,919	1358	93.5	91.1-95.9	92	6.5	04.1-08.9
College Graduate	1376	73,525	1314	94.5	92.3-96.7	62	5.5	03.3-07.7
Less than \$15,000	291	25,104	262	87.2	80.3-94.1	29	12.8	05.9-19.7
\$15,000- 24,999	560	35,858	513	93.1	90.4-95.8	47	6.9	04.2-09.6
\$25,000- 34,999	423	27,809	389	90.6	85.9-95.3	34	9.4	04.7-14.1
\$35,000- 49,999	561	30,676	528	93.2	89.7-96.7	33	6.8	03.3-10.3
\$50,000- 74,999	651	38,600	612	91.0	86.1-95.9	39	9.0	04.1-13.9
\$75,000+	1230	76,273	1164	95.1	93.3-96.9	66	4.9	03.1-06.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7441	546,378	5258	69.7	67.9-71.5	2183	30.3	28.5-32.1
Male	3115	279,496	1901	62.0	59.3-64.7	1214	38.0	35.3-40.7
Female	4326	266,883	3357	77.8	75.6-80.0	969	22.2	20.0-24.4
Native	226	21,706	158	67.7	57.7-77.7	68	32.3	22.3-42.3
Non-Native	7096	514,444	5033	70.1	68.3-71.9	2063	29.9	28.1-31.7
18-24	334	84,279	224	71.6	65.5-77.7	110	28.4	22.3-34.5
25-34	638	99,831	409	65.4	60.3-70.5	229	34.6	29.5-39.7
35-44	803	79,288	553	68.6	63.9-73.3	250	31.4	26.7-36.1
45-54	1153	83,712	771	65.2	61.3-69.1	382	34.8	30.9-38.7
55-64	1786	89,263	1270	71.8	69.1-74.5	516	28.2	25.5-30.9
65+	2652	105,465	1977	74.3	71.9-76.7	675	25.7	23.3-28.1
Less Than H.S.	433	47,132	285	64.8	57.5-72.1	148	35.2	27.9-42.5
H.S. or G.E.D.	2212	142,368	1486	66.4	63.3-69.5	726	33.6	30.5-36.7
Some Post-H.S.	2395	216,105	1642	67.0	63.9-70.1	753	33.0	29.9-36.1
College Graduate	2378	138,272	1826	78.5	76.0-81.0	552	21.5	19.0-24.0
Less than \$15,000	442	42,665	311	68.6	61.2-76.0	131	31.4	24.0-38.8
\$15,000- 24,999	848	69,865	609	70.4	65.1-75.7	239	29.6	24.3-34.9
\$25,000- 34,999	680	54,021	477	69.7	64.0-75.4	203	30.3	24.6-36.0
\$35,000- 49,999	979	67,772	670	65.1	60.2-70.0	309	34.9	30.0-39.8
\$50,000- 74,999	1181	84,825	812	65.1	60.4-69.8	369	34.9	30.2-39.6
\$75,000+	2447	172,194	1746	72.2	69.5-74.9	701	27.8	25.1-30.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3115	279,496	1901	62.0	59.3-64.7	1214	38.0	35.3-40.7
Native	72	7,917	45	59.5	42.1-76.9	27	40.5	23.1-57.9
Non-Native	2976	264,785	1820	62.4	59.7-65.1	1156	37.6	34.9-40.3
18-24	184	46,518	114	67.5	58.9-76.1	70	32.5	23.9-41.1
25-34	303	53,720	183	62.0	54.9-69.1	120	38.0	30.9-45.1
35-44	365	42,120	209	57.5	50.4-64.6	156	42.5	35.4-49.6
45-54	489	41,885	276	55.9	49.8-62.0	213	44.1	38.0-50.2
55-64	762	46,206	461	63.0	58.5-67.5	301	37.0	32.5-41.5
65+	990	47,357	646	64.4	60.1-68.7	344	35.6	31.3-39.9
Less Than H.S.	206	28,747	115	55.7	45.1-66.3	91	44.3	33.7-54.9
H.S. or G.E.D.	953	76,039	530	59.4	54.7-64.1	423	40.6	35.9-45.3
Some Post-H.S.	945	108,186	543	57.8	53.1-62.5	402	42.2	37.5-46.9
College Graduate	1002	64,746	706	73.9	70.0-77.8	296	26.1	22.2-30.0
Less than \$15,000	151	17,561	95	62.9	50.7-75.1	56	37.1	24.9-49.3
\$15,000- 24,999	288	34,007	190	63.1	54.5-71.7	98	36.9	28.3-45.5
\$25,000- 34,999	257	26,212	151	62.0	53.0-71.0	106	38.0	29.0-47.0
\$35,000- 49,999	418	37,096	236	56.8	49.4-64.2	182	43.2	35.8-50.6
\$50,000- 74,999	530	46,225	313	57.9	51.2-64.6	217	42.1	35.4-48.8
\$75,000+	1217	95,921	760	64.2	60.1-68.3	457	35.8	31.7-39.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4326	266,883	3357	77.8	75.6-80.0	969	22.2	20.0-24.4
Native	154	13,789	113	72.3	60.1-84.5	41	27.7	15.5-39.9
Non-Native	4120	249,659	3213	78.2	76.0-80.4	907	21.8	19.6-24.0
18-24	150	37,761	110	76.7	68.1-85.3	40	23.3	14.7-31.9
25-34	335	46,111	226	69.4	62.3-76.5	109	30.6	23.5-37.7
35-44	438	37,168	344	81.3	75.8-86.8	94	18.7	13.2-24.2
45-54	664	41,826	495	74.5	70.2-78.8	169	25.5	21.2-29.8
55-64	1024	43,057	809	81.3	78.2-84.4	215	18.7	15.6-21.8
65+	1662	58,109	1331	82.3	79.9-84.7	331	17.7	15.3-20.1
Less Than H.S.	227	18,385	170	79.0	71.4-86.6	57	21.0	13.4-28.6
H.S. or G.E.D.	1259	66,329	956	74.5	70.4-78.6	303	25.5	21.4-29.6
Some Post-H.S.	1450	107,919	1099	76.3	72.4-80.2	351	23.7	19.8-27.6
College Graduate	1376	73,525	1120	82.5	79.2-85.8	256	17.5	14.2-20.8
Less than \$15,000	291	25,104	216	72.6	63.4-81.8	75	27.4	18.2-36.6
\$15,000- 24,999	560	35,858	419	77.3	71.4-83.2	141	22.7	16.8-28.6
\$25,000- 34,999	423	27,809	326	77.1	69.8-84.4	97	22.9	15.6-30.2
\$35,000- 49,999	561	30,676	434	75.0	68.9-81.1	127	25.0	18.9-31.1
\$50,000- 74,999	651	38,600	499	73.7	67.6-79.8	152	26.3	20.2-32.4
\$75,000+	1230	76,273	986	82.3	79.0-85.6	244	17.7	14.4-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	132
2	WOMEN RESPONDENTS AGED 50+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	133
3	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021) FEMALES ONLY	134
4	WOMEN RESPONDENTS AGED 18+ WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	135
5	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33) FEMALES ONLY	136

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_RFMAM2Y)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 40 years old  
Denominator excludes: Respondents who are male**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3540	159,448	2596	72.4	70.2-74.6	944	27.6	25.4-29.8
Native	98	4,863	60	59.0	43.9-74.1	38	41.0	25.9-56.1
Non-Native	3406	152,399	2512	73.0	70.8-75.2	894	27.0	24.8-29.2
40-44	213	17,310	115	60.8	51.8-69.8	98	39.2	30.2-48.2
45-54	662	41,694	470	72.6	67.9-77.3	192	27.4	22.7-32.1
55-64	1020	42,844	794	77.6	74.1-81.1	226	22.4	18.9-25.9
65+	1645	57,600	1217	72.0	68.9-75.1	428	28.0	24.9-31.1
Less Than H.S.	195	13,109	132	64.4	55.6-73.2	63	35.6	26.8-44.4
H.S. or G.E.D.	1084	42,468	779	70.7	66.8-74.6	305	29.3	25.4-33.2
Some Post-H.S.	1223	65,961	902	72.9	69.2-76.6	321	27.1	23.4-30.8
College Graduate	1028	37,455	776	76.3	72.8-79.8	252	23.7	20.2-27.2
Less than \$15,000	235	12,541	132	53.3	44.1-62.5	103	46.7	37.5-55.9
\$15,000- 24,999	479	21,087	324	64.8	58.5-71.1	155	35.2	28.9-41.5
\$25,000- 34,999	368	15,371	258	67.5	60.4-74.6	110	32.5	25.4-39.6
\$35,000- 49,999	478	20,768	358	74.7	69.0-80.4	120	25.3	19.6-31.0
\$50,000- 74,999	511	22,751	390	77.6	72.3-82.9	121	22.4	17.1-27.7
\$75,000+	948	44,841	746	79.9	76.6-83.2	202	20.1	16.8-23.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: WOMEN RESPONDENTS AGED 50+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_MAM502Y)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old  
Denominator excludes: Respondents who are male**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3054	124,836	2289	73.7	71.3-76.1	765	26.3	23.9-28.7
Native	77	3,419	50	64.8	47.2-82.4	27	35.2	17.6-52.8
Non-Native	2944	119,523	2216	74.1	71.7-76.5	728	25.9	23.5-28.3
50-54	389	24,392	278	71.0	64.5-77.5	111	29.0	22.5-35.5
55-64	1020	42,844	794	77.6	74.1-81.1	226	22.4	18.9-25.9
65+	1645	57,600	1217	72.0	68.9-75.1	428	28.0	24.9-31.1
Less Than H.S.	182	12,086	126	65.5	56.3-74.7	56	34.5	25.3-43.7
H.S. or G.E.D.	990	36,003	722	71.6	67.7-75.5	268	28.4	24.5-32.3
Some Post-H.S.	1058	51,316	800	74.6	70.9-78.3	258	25.4	21.7-29.1
College Graduate	814	24,977	634	78.9	75.2-82.6	180	21.1	17.4-24.8
Less than \$15,000	213	10,903	121	52.3	42.5-62.1	92	47.7	37.9-57.5
\$15,000- 24,999	447	18,614	307	66.2	59.5-72.9	140	33.8	27.1-40.5
\$25,000- 34,999	339	12,906	247	69.5	62.4-76.6	92	30.5	23.4-37.6
\$35,000- 49,999	424	16,294	325	77.8	72.3-83.3	99	22.2	16.7-27.7
\$50,000- 74,999	425	17,192	330	79.8	74.9-84.7	95	20.2	15.3-25.1
\$75,000+	722	29,015	594	83.2	79.7-86.7	128	16.8	13.3-20.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_MAM5021)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old or greater than 74 years old  
Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2218	95,134	1720	76.0	73.5-78.5	498	24.0	21.5-26.5
Native	66	3,218	44	65.2	46.6-83.8	22	34.8	16.2-53.4
Non-Native	2129	90,627	1659	76.5	74.0-79.0	470	23.5	21.0-26.0
50-54	389	24,392	278	71.0	64.5-77.5	111	29.0	22.5-35.5
55-64	1020	42,844	794	77.6	74.1-81.1	226	22.4	18.9-25.9
65+	809	27,898	648	78.0	73.7-82.3	161	22.0	17.7-26.3
Less Than H.S.	74	5,580	51	60.5	44.8-76.2	23	39.5	23.8-55.2
H.S. or G.E.D.	651	26,206	482	72.5	67.6-77.4	169	27.5	22.6-32.4
Some Post-H.S.	801	41,027	631	77.3	73.2-81.4	170	22.7	18.6-26.8
College Graduate	686	22,079	550	81.4	77.5-85.3	136	18.6	14.7-22.5
Less than \$15,000	122	7,195	68	51.1	38.0-64.2	54	48.9	35.8-62.0
\$15,000- 24,999	243	10,804	172	68.6	59.4-77.8	71	31.4	22.2-40.6
\$25,000- 34,999	211	8,835	159	70.1	61.1-79.1	52	29.9	20.9-38.9
\$35,000- 49,999	320	12,716	252	77.7	71.0-84.4	68	22.3	15.6-29.0
\$50,000- 74,999	365	15,773	293	82.0	76.9-87.1	72	18.0	12.9-23.1
\$75,000+	671	27,394	552	83.4	79.7-87.1	119	16.6	12.9-20.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 4: WOMEN RESPONDENTS AGED 18+ WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (\_RFPAP32)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old or greater than 74 years old  
Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2864	201,359	2077	73.8	71.1-76.5	787	26.2	23.5-28.9
Native	119	11,710	81	66.2	51.5-80.9	38	33.8	19.1-48.5
Non-Native	2717	187,354	1979	74.5	71.8-77.2	738	25.5	22.8-28.2
18-24	150	37,761	78	52.7	42.5-62.9	72	47.3	37.1-57.5
25-34	325	43,763	294	89.2	83.9-94.5	31	10.8	05.5-16.1
35-44	389	32,628	338	86.8	81.9-91.7	51	13.2	08.3-18.1
45-54	468	29,504	382	80.8	76.1-85.5	86	19.2	14.5-23.9
55-64	671	27,771	540	79.4	75.1-83.7	131	20.6	16.3-24.9
65+	861	29,931	445	51.7	47.0-56.4	416	48.3	43.6-53.0
Less Than H.S.	127	11,755	59	49.8	37.6-62.0	68	50.2	38.0-62.4
H.S. or G.E.D.	764	47,251	507	66.6	60.5-72.7	257	33.4	27.3-39.5
Some Post-H.S.	934	80,035	672	74.0	69.1-78.9	262	26.0	21.1-30.9
College Graduate	1032	61,908	833	83.4	79.7-87.1	199	16.6	12.9-20.3
Less than \$15,000	178	19,072	88	53.0	40.5-65.5	90	47.0	34.5-59.5
\$15,000- 24,999	334	26,325	191	58.9	49.7-68.1	143	41.1	31.9-50.3
\$25,000- 34,999	273	22,434	164	64.8	54.8-74.8	109	35.2	25.2-45.2
\$35,000- 49,999	386	23,077	281	77.7	71.6-83.8	105	22.3	16.2-28.4
\$50,000- 74,999	456	29,250	378	83.7	77.4-90.0	78	16.3	10.0-22.6
\$75,000+	892	60,713	754	87.3	84.2-90.4	138	12.7	09.6-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (\_RFPAP33)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old or greater than 74 years old  
Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1959	155,315	1610	81.6	78.7-84.5	349	18.4	15.5-21.3
Native	95	9,825	68	71.3	56.4-86.2	27	28.7	13.8-43.6
Non-Native	1847	144,009	1528	82.3	79.4-85.2	319	17.7	14.8-20.6
18-24	90	22,819	59	65.2	52.5-77.9	31	34.8	22.1-47.5
25-34	297	40,799	269	89.8	84.5-95.1	28	10.2	04.9-15.5
35-44	383	31,884	333	87.3	82.4-92.2	50	12.7	07.8-17.6
45-54	467	29,483	381	80.8	76.1-85.5	86	19.2	14.5-23.9
55-64	669	27,737	538	79.4	75.1-83.7	131	20.6	16.3-24.9
65+	53	2,593	30	57.3	37.7-76.9	23	42.7	23.1-62.3
Less Than H.S.	50	5,502	30	57.4	39.2-75.6	20	42.6	24.4-60.8
H.S. or G.E.D.	432	31,592	340	75.4	68.1-82.7	92	24.6	17.3-31.9
Some Post-H.S.	635	62,465	516	83.5	78.8-88.2	119	16.5	11.8-21.2
College Graduate	840	55,577	722	85.2	81.1-89.3	118	14.8	10.7-18.9
Less than \$15,000	97	12,419	60	63.9	48.8-79.0	37	36.1	21.0-51.2
\$15,000- 24,999	159	17,056	109	68.2	56.6-79.8	50	31.8	20.2-43.4
\$25,000- 34,999	136	15,318	95	71.9	59.6-84.2	41	28.1	15.8-40.4
\$35,000- 49,999	264	18,687	217	83.0	76.3-89.7	47	17.0	10.3-23.7
\$50,000- 74,999	353	24,875	315	89.9	84.8-95.0	38	10.1	05.0-15.2
\$75,000+	776	55,176	680	90.3	87.6-93.0	96	9.7	07.0-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
1 MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21) MALES ONLY	138

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (\_RFPSA21)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2323	147,905	1112	41.2	38.5-43.9	1211	58.8	56.1-61.5
Non-Native	2223	138,910	1075	42.0	39.3-44.7	1148	58.0	55.3-60.7
40-44	178	19,519	21	11.5	04.1-18.9	157	88.5	81.1-95.9
45-54	480	40,347	137	26.6	21.3-31.9	343	73.4	68.1-78.7
55-64	719	42,719	350	46.6	41.7-51.5	369	53.4	48.5-58.3
65+	946	45,320	604	62.0	57.7-66.3	342	38.0	33.7-42.3
Less Than H.S.	155	15,207	55	34.2	24.0-44.4	100	65.8	55.6-76.0
H.S. or G.E.D.	716	41,441	310	37.0	32.3-41.7	406	63.0	58.3-67.7
Some Post-H.S.	697	57,305	341	43.0	37.9-48.1	356	57.0	51.9-62.1
College Graduate	752	33,799	403	46.2	41.5-50.9	349	53.8	49.1-58.5
Less than \$15,000	108	8,248	37	35.2	22.5-47.9	71	64.8	52.1-77.5
\$15,000- 24,999	207	15,150	90	38.1	29.3-46.9	117	61.9	53.1-70.7
\$25,000- 34,999	189	12,854	86	31.0	22.8-39.2	103	69.0	60.8-77.2
\$35,000- 49,999	316	19,449	156	42.8	35.0-50.6	160	57.2	49.4-65.0
\$50,000- 74,999	417	26,831	200	40.4	33.7-47.1	217	59.6	52.9-66.3
\$75,000+	920	55,310	461	45.4	40.9-49.9	459	54.6	50.1-59.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 17: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (_RFB LDS2)	
1 MALES AND FEMALES	140
2 MALES ONLY	141
3 FEMALES ONLY	142
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)	
4 MALES AND FEMALES	143
5 MALES ONLY	144
6 FEMALES ONLY	145
RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2)	
7 MALES AND FEMALES	146
8 MALES ONLY	147
9 FEMALES ONLY	148
RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)	
10 MALES AND FEMALES	149
11 MALES ONLY	150
12 FEMALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (\_RFBIDS2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5018	238,706	633	11.7	10.5-12.9	4385	88.3	87.1-89.5
Male	2006	116,012	219	10.6	08.8-12.4	1787	89.4	87.6-91.2
Female	3012	122,694	414	12.7	11.1-14.3	2598	87.3	85.7-88.9
Native	105	5,340	8	6.7	00.0-13.8	97	93.3	86.2-0100
Non-Native	4837	229,021	620	11.9	10.7-13.1	4217	88.1	86.9-89.3
50-54	668	48,432	40	4.7	02.9-06.5	628	95.3	93.5-97.1
55-64	1760	87,611	216	12.2	10.0-14.4	1544	87.8	85.6-90.0
65+	2590	102,662	377	14.6	12.6-16.6	2213	85.4	83.4-87.4
Less Than H.S.	330	25,740	49	14.1	09.0-19.2	281	85.9	80.8-91.0
H.S. or G.E.D.	1613	69,439	195	12.5	10.3-14.7	1418	87.5	85.3-89.7
Some Post-H.S.	1630	93,295	208	10.5	08.7-12.3	1422	89.5	87.7-91.3
College Graduate	1431	49,390	177	11.1	08.9-13.3	1254	88.9	86.7-91.1
Less than \$15,000	308	17,378	30	8.3	04.4-12.2	278	91.7	87.8-95.6
\$15,000- 24,999	627	30,663	78	14.0	10.1-17.9	549	86.0	82.1-89.9
\$25,000- 34,999	516	23,690	70	11.6	07.9-15.3	446	88.4	84.7-92.1
\$35,000- 49,999	710	31,962	95	13.1	09.8-16.4	615	86.9	83.6-90.2
\$50,000- 74,999	782	38,412	109	12.8	09.7-15.9	673	87.2	84.1-90.3
\$75,000+	1438	68,028	162	10.1	08.1-12.1	1276	89.9	87.9-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 2: RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (\_RFBIDS2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2006	116,012	219	10.6	08.8-12.4	1787	89.4	87.6-91.2
Non-Native	1934	111,564	213	10.7	08.9-12.5	1721	89.3	87.5-91.1
50-54	286	24,637	15	4.4	01.9-06.9	271	95.6	93.1-98.1
55-64	750	45,239	84	11.4	08.5-14.3	666	88.6	85.7-91.5
65+	970	46,136	120	13.0	10.1-15.9	850	87.0	84.1-89.9
Less Than H.S.	148	13,502	20	14.9	06.9-22.9	128	85.1	77.1-93.1
H.S. or G.E.D.	636	34,061	72	12.6	09.1-16.1	564	87.4	83.9-90.9
Some Post-H.S.	584	43,101	56	7.3	04.9-09.7	528	92.7	90.3-95.1
College Graduate	634	24,959	70	10.9	08.0-13.8	564	89.1	86.2-92.0
Less than \$15,000	97	6,595	9	7.2	01.5-12.9	88	92.8	87.1-98.5
\$15,000- 24,999	190	12,839	18	12.0	05.1-18.9	172	88.0	81.1-94.9
\$25,000- 34,999	180	10,972	17	8.4	03.3-13.5	163	91.6	86.5-96.7
\$35,000- 49,999	290	15,793	35	12.3	07.0-17.6	255	87.7	82.4-93.0
\$50,000- 74,999	364	21,587	52	13.0	08.5-17.5	312	87.0	82.5-91.5
\$75,000+	726	39,320	75	9.6	07.1-12.1	651	90.4	87.9-92.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (\_RFBIDS2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3012	122,694	414	12.7	11.1-14.3	2598	87.3	85.7-88.9
Native	77	3,419	5	7.4	00.0-17.6	72	92.6	82.4-0100
Non-Native	2903	117,458	407	13.0	11.4-14.6	2496	87.0	85.4-88.6
50-54	382	23,796	25	5.0	02.5-07.5	357	95.0	92.5-97.5
55-64	1010	42,372	132	13.0	10.3-15.7	878	87.0	84.3-89.7
65+	1620	56,526	257	15.8	13.4-18.2	1363	84.2	81.8-86.6
Less Than H.S.	182	12,237	29	13.2	07.3-19.1	153	86.8	80.9-92.7
H.S. or G.E.D.	977	35,378	123	12.5	09.6-15.4	854	87.5	84.6-90.4
Some Post-H.S.	1046	50,194	152	13.2	10.7-15.7	894	86.8	84.3-89.3
College Graduate	797	24,431	107	11.4	08.7-14.1	690	88.6	85.9-91.3
Less than \$15,000	211	10,784	21	9.0	03.7-14.3	190	91.0	85.7-96.3
\$15,000- 24,999	437	17,824	60	15.5	10.8-20.2	377	84.5	79.8-89.2
\$25,000- 34,999	336	12,718	53	14.4	08.9-19.9	283	85.6	80.1-91.1
\$35,000- 49,999	420	16,170	60	13.9	09.6-18.2	360	86.1	81.8-90.4
\$50,000- 74,999	418	16,825	57	12.6	08.5-16.7	361	87.4	83.3-91.5
\$75,000+	712	28,708	87	10.8	07.9-13.7	625	89.2	86.3-92.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFB LDS3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3906	194,608	281	6.6	05.6-07.6	3625	93.4	92.4-94.4
Male	1638	98,272	99	6.0	04.4-07.6	1539	94.0	92.4-95.6
Female	2268	96,336	182	7.2	05.8-08.6	2086	92.8	91.4-94.2
Native	93	4,685	4	5.1	00.0-12.7	89	94.9	87.3-0100
Non-Native	3753	186,366	273	6.6	05.6-07.6	3480	93.4	92.4-94.4
50-54	668	48,432	27	3.2	01.6-04.8	641	96.8	95.2-98.4
55-64	1760	87,611	116	6.7	05.1-08.3	1644	93.3	91.7-94.9
65+	1478	58,565	138	9.2	07.2-11.2	1340	90.8	88.8-92.8
Less Than H.S.	165	15,073	13	8.4	02.3-14.5	152	91.6	85.5-97.7
H.S. or G.E.D.	1164	54,317	93	8.3	06.1-10.5	1071	91.7	89.5-93.9
Some Post-H.S.	1334	80,432	95	5.7	04.3-07.1	1239	94.3	92.9-95.7
College Graduate	1233	44,156	78	5.3	03.9-06.7	1155	94.7	93.3-96.1
Less than \$15,000	192	11,695	13	6.0	01.7-10.3	179	94.0	89.7-98.3
\$15,000- 24,999	374	19,575	28	9.8	05.1-14.5	346	90.2	85.5-94.9
\$25,000- 34,999	348	17,680	30	7.0	03.7-10.3	318	93.0	89.7-96.3
\$35,000- 49,999	541	25,343	41	6.3	03.9-08.7	500	93.7	91.3-96.1
\$50,000- 74,999	683	35,155	60	8.4	05.5-11.3	623	91.6	88.7-94.5
\$75,000+	1340	64,521	75	5.0	03.6-06.4	1265	95.0	93.6-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 5: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFB LDS3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1638	98,272	99	6.0	04.4-07.6	1539	94.0	92.4-95.6
Non-Native	1574	94,465	96	6.0	04.4-07.6	1478	94.0	92.4-95.6
50-54	286	24,637	10	2.8	01.0-04.6	276	97.2	95.4-99.0
55-64	750	45,239	44	6.5	04.0-09.0	706	93.5	91.0-96.0
65+	602	28,397	45	7.9	04.8-11.0	557	92.1	89.0-95.2
Less Than H.S.	82	8,634	7	11.1	01.3-20.9	75	88.9	79.1-98.7
H.S. or G.E.D.	492	27,686	40	9.2	05.7-12.7	452	90.8	87.3-94.3
Some Post-H.S.	520	39,533	24	3.4	01.8-05.0	496	96.6	95.0-98.2
College Graduate	540	22,031	27	4.5	02.7-06.3	513	95.5	93.7-97.3
Less than \$15,000	66	4,305	3	3.4	00.0-07.5	63	96.6	92.5-0100
\$15,000- 24,999	123	8,864	6	9.4	01.0-17.8	117	90.6	82.2-99.0
\$25,000- 34,999	124	8,421	8	5.8	00.9-10.7	116	94.2	89.3-99.1
\$35,000- 49,999	215	12,461	14	5.6	02.1-09.1	201	94.4	90.9-97.9
\$50,000- 74,999	313	19,380	30	9.1	04.8-13.4	283	90.9	86.6-95.2
\$75,000+	666	36,953	32	4.3	02.3-06.3	634	95.7	93.7-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFB LDS3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2268	96,336	182	7.2	05.8-08.6	2086	92.8	91.4-94.2
Native	67	3,222	4	7.5	00.0-18.3	63	92.5	81.7-0100
Non-Native	2179	91,901	177	7.2	05.8-08.6	2002	92.8	91.4-94.2
50-54	382	23,796	17	3.6	01.2-06.0	365	96.4	94.0-98.8
55-64	1010	42,372	72	6.8	04.8-08.8	938	93.2	91.2-95.2
65+	876	30,168	93	10.5	08.0-13.0	783	89.5	87.0-92.0
Less Than H.S.	83	6,439	6	4.9	00.0-10.6	77	95.1	89.4-0100
H.S. or G.E.D.	672	26,631	53	7.4	05.0-09.8	619	92.6	90.2-95.0
Some Post-H.S.	814	40,899	71	7.9	05.5-10.3	743	92.1	89.7-94.5
College Graduate	693	22,124	51	6.2	04.0-08.4	642	93.8	91.6-96.0
Less than \$15,000	126	7,390	10	7.4	00.9-13.9	116	92.6	86.1-99.1
\$15,000- 24,999	251	10,710	22	10.1	05.4-14.8	229	89.9	85.2-94.6
\$25,000- 34,999	224	9,259	22	8.1	03.8-12.4	202	91.9	87.6-96.2
\$35,000- 49,999	326	12,881	27	7.0	03.9-10.1	299	93.0	89.9-96.1
\$50,000- 74,999	370	15,774	30	7.5	04.0-11.0	340	92.5	89.0-96.0
\$75,000+	674	27,567	43	5.9	03.7-08.1	631	94.1	91.9-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5076	241,763	3420	65.3	63.3-67.3	1656	34.7	32.7-36.7
Male	2021	117,406	1343	64.0	61.1-66.9	678	36.0	33.1-38.9
Female	3055	124,357	2077	66.5	64.1-68.9	978	33.5	31.1-35.9
Native	105	5,340	66	61.2	45.9-76.5	39	38.8	23.5-54.1
Non-Native	4891	231,833	3307	65.7	63.7-67.7	1584	34.3	32.3-36.3
50-54	673	48,908	291	45.6	40.3-50.9	382	54.4	49.1-59.7
55-64	1772	88,265	1132	63.7	60.6-66.8	640	36.3	33.2-39.4
65+	2631	104,589	1997	75.8	73.4-78.2	634	24.2	21.8-26.6
Less Than H.S.	339	26,422	213	62.0	54.9-69.1	126	38.0	30.9-45.1
H.S. or G.E.D.	1627	69,855	1041	62.7	59.4-66.0	586	37.3	34.0-40.6
Some Post-H.S.	1646	94,680	1103	63.9	60.6-67.2	543	36.1	32.8-39.4
College Graduate	1449	49,914	1051	73.3	70.4-76.2	398	26.7	23.8-29.6
Less than \$15,000	312	17,598	182	57.3	49.3-65.3	130	42.7	34.7-50.7
\$15,000- 24,999	641	31,803	410	59.6	54.1-65.1	231	40.4	34.9-45.9
\$25,000- 34,999	522	23,900	351	60.6	54.3-66.9	171	39.4	33.1-45.7
\$35,000- 49,999	714	32,174	483	70.4	65.7-75.1	231	29.6	24.9-34.3
\$50,000- 74,999	789	38,815	574	70.1	65.6-74.6	215	29.9	25.4-34.4
\$75,000+	1447	68,537	991	67.1	63.6-70.6	456	32.9	29.4-36.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2021	117,406	1343	64.0	61.1-66.9	678	36.0	33.1-38.9
Non-Native	1947	112,800	1298	64.2	61.3-67.1	649	35.8	32.9-38.7
50-54	288	24,969	105	41.3	33.3-49.3	183	58.7	50.7-66.7
55-64	751	45,441	472	61.8	57.1-66.5	279	38.2	33.5-42.9
65+	982	46,996	766	78.2	74.5-81.9	216	21.8	18.1-25.5
Less Than H.S.	155	14,085	95	63.8	53.8-73.8	60	36.2	26.2-46.2
H.S. or G.E.D.	636	34,090	372	57.9	52.8-63.0	264	42.1	37.0-47.2
Some Post-H.S.	590	43,824	387	61.5	56.0-67.0	203	38.5	33.0-44.0
College Graduate	636	25,019	486	77.2	73.1-81.3	150	22.8	18.7-26.9
Less than \$15,000	99	6,746	52	55.8	42.3-69.3	47	44.2	30.7-57.7
\$15,000- 24,999	194	13,582	120	55.6	46.0-65.2	74	44.4	34.8-54.0
\$25,000- 34,999	183	11,049	123	58.0	47.6-68.4	60	42.0	31.6-52.4
\$35,000- 49,999	291	15,913	190	69.2	61.9-76.5	101	30.8	23.5-38.1
\$50,000- 74,999	366	21,670	265	70.1	63.4-76.8	101	29.9	23.2-36.6
\$75,000+	728	39,665	489	64.4	59.3-69.5	239	35.6	30.5-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3055	124,357	2077	66.5	64.1-68.9	978	33.5	31.1-35.9
Native	77	3,419	47	54.6	36.6-72.6	30	45.4	27.4-63.4
Non-Native	2944	119,033	2009	67.2	64.8-69.6	935	32.8	30.4-35.2
50-54	385	23,939	186	50.0	43.3-56.7	199	50.0	43.3-56.7
55-64	1021	42,825	660	65.7	61.6-69.8	361	34.3	30.2-38.4
65+	1649	57,593	1231	73.9	71.0-76.8	418	26.1	23.2-29.0
Less Than H.S.	184	12,337	118	59.9	50.3-69.5	66	40.1	30.5-49.7
H.S. or G.E.D.	991	35,766	669	67.4	63.3-71.5	322	32.6	28.5-36.7
Some Post-H.S.	1056	50,856	716	66.0	62.1-69.9	340	34.0	30.1-37.9
College Graduate	813	24,895	565	69.3	65.0-73.6	248	30.7	26.4-35.0
Less than \$15,000	213	10,852	130	58.3	48.3-68.3	83	41.7	31.7-51.7
\$15,000- 24,999	447	18,221	290	62.7	56.4-69.0	157	37.3	31.0-43.6
\$25,000- 34,999	339	12,851	228	62.8	55.2-70.4	111	37.2	29.6-44.8
\$35,000- 49,999	423	16,262	293	71.6	65.5-77.7	130	28.4	22.3-34.5
\$50,000- 74,999	423	17,145	309	70.0	63.7-76.3	114	30.0	23.7-36.3
\$75,000+	719	28,872	502	70.8	66.5-75.1	217	29.2	24.9-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3817	190,302	2430	61.8	59.6-64.0	1387	38.2	36.0-40.4
Male	1591	95,792	992	60.4	57.1-63.7	599	39.6	36.3-42.9
Female	2226	94,509	1438	63.3	60.4-66.2	788	36.7	33.8-39.6
Native	91	4,618	51	55.6	40.1-71.1	40	44.4	28.9-59.9
Non-Native	3668	182,267	2345	62.2	60.0-64.4	1323	37.8	35.6-40.0
50-54	660	48,313	273	43.2	37.9-48.5	387	56.8	51.5-62.1
55-64	1730	85,749	1083	63.4	60.3-66.5	647	36.6	33.5-39.7
65+	1427	56,240	1074	75.4	72.3-78.5	353	24.6	21.5-27.7
Less Than H.S.	158	14,553	91	54.4	44.2-64.6	67	45.6	35.4-55.8
H.S. or G.E.D.	1136	52,772	670	57.4	53.5-61.3	466	42.6	38.7-46.5
Some Post-H.S.	1314	79,609	831	61.5	57.8-65.2	483	38.5	34.8-42.2
College Graduate	1199	42,738	830	70.5	67.2-73.8	369	29.5	26.2-32.8
Less than \$15,000	186	11,388	96	47.8	37.8-57.8	90	52.2	42.2-62.2
\$15,000- 24,999	363	19,143	204	53.3	46.0-60.6	159	46.7	39.4-54.0
\$25,000- 34,999	342	17,229	204	53.9	46.3-61.5	138	46.1	38.5-53.7
\$35,000- 49,999	529	24,722	344	66.2	60.3-72.1	185	33.8	27.9-39.7
\$50,000- 74,999	674	34,495	481	70.3	65.6-75.0	193	29.7	25.0-34.4
\$75,000+	1309	63,251	851	63.6	59.9-67.3	458	36.4	32.7-40.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1591	95,792	992	60.4	57.1-63.7	599	39.6	36.3-42.9
Non-Native	1529	92,128	956	60.5	57.0-64.0	573	39.5	36.0-43.0
50-54	284	24,722	98	38.8	30.8-46.8	186	61.2	53.2-69.2
55-64	733	44,073	453	62.4	57.7-67.1	280	37.6	32.9-42.3
65+	574	26,998	441	76.9	72.2-81.6	133	23.1	18.4-27.8
Less Than H.S.	78	8,170	42	54.6	40.5-68.7	36	45.4	31.3-59.5
H.S. or G.E.D.	480	26,891	258	52.9	47.0-58.8	222	47.1	41.2-53.0
Some Post-H.S.	509	39,068	315	59.5	53.6-65.4	194	40.5	34.6-46.4
College Graduate	520	21,275	374	74.1	69.4-78.8	146	25.9	21.2-30.6
Less than \$15,000	64	4,177	29	41.9	26.8-57.0	35	58.1	43.0-73.2
\$15,000- 24,999	118	8,731	59	45.4	33.2-57.6	59	54.6	42.4-66.8
\$25,000- 34,999	120	8,095	68	51.2	39.0-63.4	52	48.8	36.6-61.0
\$35,000- 49,999	212	12,239	130	65.7	56.9-74.5	82	34.3	25.5-43.1
\$50,000- 74,999	306	18,925	216	70.9	63.8-78.0	90	29.1	22.0-36.2
\$75,000+	646	36,146	416	60.9	55.6-66.2	230	39.1	33.8-44.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2226	94,509	1438	63.3	60.4-66.2	788	36.7	33.8-39.6
Native	65	3,156	36	55.1	36.1-74.1	29	44.9	25.9-63.9
Non-Native	2139	90,139	1389	63.8	60.9-66.7	750	36.2	33.3-39.1
50-54	376	23,591	175	47.8	41.1-54.5	201	52.2	45.5-58.9
55-64	997	41,676	630	64.5	60.4-68.6	367	35.5	31.4-39.6
65+	853	29,243	633	74.0	69.7-78.3	220	26.0	21.7-30.3
Less Than H.S.	80	6,384	49	54.2	39.5-68.9	31	45.8	31.1-60.5
H.S. or G.E.D.	656	25,881	412	61.9	56.6-67.2	244	38.1	32.8-43.4
Some Post-H.S.	805	40,540	516	63.5	59.0-68.0	289	36.5	32.0-41.0
College Graduate	679	21,463	456	67.0	62.3-71.7	223	33.0	28.3-37.7
Less than \$15,000	122	7,211	67	51.3	38.2-64.4	55	48.7	35.6-61.8
\$15,000- 24,999	245	10,412	145	59.8	51.2-68.4	100	40.2	31.6-48.8
\$25,000- 34,999	222	9,135	136	56.3	46.9-65.7	86	43.7	34.3-53.1
\$35,000- 49,999	317	12,482	214	66.8	59.2-74.4	103	33.2	25.6-40.8
\$50,000- 74,999	368	15,570	265	69.6	63.1-76.1	103	30.4	23.9-36.9
\$75,000+	663	27,104	435	67.2	62.5-71.9	228	32.8	28.1-37.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 18: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	153
2	MALES ONLY	154
3	FEMALES ONLY	155



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7184	526,385	1282	25.6	23.8-27.4	5902	74.4	72.6-76.2
Male	2988	268,532	556	24.9	22.4-27.4	2432	75.1	72.6-77.6
Female	4196	257,853	726	26.4	23.9-28.9	3470	73.6	71.1-76.1
Native	220	20,531	93	51.0	40.0-62.0	127	49.0	38.0-60.0
Non-Native	6858	496,331	1170	24.6	22.8-26.4	5688	75.4	73.6-77.2
18-24	329	82,170	72	25.0	18.7-31.3	257	75.0	68.7-81.3
25-34	621	95,299	264	43.9	38.4-49.4	357	56.1	50.6-61.6
35-44	782	77,152	302	42.8	37.7-47.9	480	57.2	52.1-62.3
45-54	1112	80,010	288	27.0	23.3-30.7	824	73.0	69.3-76.7
55-64	1735	86,211	219	13.1	10.9-15.3	1516	86.9	84.7-89.1
65+	2537	101,480	128	5.7	04.3-07.1	2409	94.3	92.9-95.7
Less Than H.S.	420	45,120	64	27.2	19.6-34.8	356	72.8	65.2-80.4
H.S. or G.E.D.	2125	136,702	289	21.6	18.5-24.7	1836	78.4	75.3-81.5
Some Post-H.S.	2315	208,637	446	27.1	24.0-30.2	1869	72.9	69.8-76.0
College Graduate	2302	133,489	476	26.5	23.6-29.4	1826	73.5	70.6-76.4
Less than \$15,000	422	40,589	96	29.7	22.3-37.1	326	70.3	62.9-77.7
\$15,000- 24,999	823	67,562	131	25.7	20.0-31.4	692	74.3	68.6-80.0
\$25,000- 34,999	660	51,938	96	27.2	20.7-33.7	564	72.8	66.3-79.3
\$35,000- 49,999	947	65,945	161	25.9	20.8-31.0	786	74.1	69.0-79.2
\$50,000- 74,999	1141	82,397	219	25.9	21.4-30.4	922	74.1	69.6-78.6
\$75,000+	2375	167,296	496	26.9	24.0-29.8	1879	73.1	70.2-76.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2988	268,532	556	24.9	22.4-27.4	2432	75.1	72.6-77.6
Native	72	7,917	33	51.6	34.0-69.2	39	48.4	30.8-66.0
Non-Native	2859	254,378	514	24.0	21.5-26.5	2345	76.0	73.5-78.5
18-24	182	45,514	34	22.4	14.2-30.6	148	77.6	69.4-85.8
25-34	296	51,606	97	36.4	29.1-43.7	199	63.6	56.3-70.9
35-44	356	40,887	126	41.9	34.6-49.2	230	58.1	50.8-65.4
45-54	472	39,632	131	29.0	23.3-34.7	341	71.0	65.3-76.7
55-64	734	44,280	97	13.3	10.0-16.6	637	86.7	83.4-90.0
65+	927	44,968	67	6.8	04.6-09.0	860	93.2	91.0-95.4
Less Than H.S.	198	27,912	40	33.8	22.8-44.8	158	66.2	55.2-77.2
H.S. or G.E.D.	910	73,065	141	21.7	17.2-26.2	769	78.3	73.8-82.8
Some Post-H.S.	904	103,610	183	24.7	20.4-29.0	721	75.3	71.0-79.6
College Graduate	967	62,168	187	24.2	20.1-28.3	780	75.8	71.7-79.9
Less than \$15,000	145	16,982	38	27.8	17.0-38.6	107	72.2	61.4-83.0
\$15,000- 24,999	276	32,503	50	28.1	19.1-37.1	226	71.9	62.9-80.9
\$25,000- 34,999	248	25,220	48	28.9	19.3-38.5	200	71.1	61.5-80.7
\$35,000- 49,999	399	35,944	59	23.7	16.6-30.8	340	76.3	69.2-83.4
\$50,000- 74,999	508	44,337	94	24.1	18.0-30.2	414	75.9	69.8-82.0
\$75,000+	1178	93,292	234	24.4	20.5-28.3	944	75.6	71.7-79.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4196	257,853	726	26.4	23.9-28.9	3470	73.6	71.1-76.1
Native	148	12,613	60	50.5	36.6-64.4	88	49.5	35.6-63.4
Non-Native	3999	241,953	656	25.2	22.7-27.7	3343	74.8	72.3-77.3
18-24	147	36,657	38	28.4	18.8-38.0	109	71.6	62.0-81.2
25-34	325	43,693	167	52.9	45.1-60.7	158	47.1	39.3-54.9
35-44	426	36,265	176	43.8	36.9-50.7	250	56.2	49.3-63.1
45-54	640	40,379	157	24.9	20.4-29.4	483	75.1	70.6-79.6
55-64	1001	41,931	122	13.0	10.1-15.9	879	87.0	84.1-89.9
65+	1610	56,512	61	4.8	03.2-06.4	1549	95.2	93.6-96.8
Less Than H.S.	222	17,208	24	16.5	08.5-24.5	198	83.5	75.5-91.5
H.S. or G.E.D.	1215	63,638	148	21.5	17.2-25.8	1067	78.5	74.2-82.8
Some Post-H.S.	1411	105,027	263	29.4	24.9-33.9	1148	70.6	66.1-75.1
College Graduate	1335	71,321	289	28.5	24.4-32.6	1046	71.5	67.4-75.6
Less than \$15,000	277	23,607	58	31.1	20.9-41.3	219	68.9	58.7-79.1
\$15,000- 24,999	547	35,059	81	23.4	16.7-30.1	466	76.6	69.9-83.3
\$25,000- 34,999	412	26,718	48	25.5	16.7-34.3	364	74.5	65.7-83.3
\$35,000- 49,999	548	30,001	102	28.5	21.6-35.4	446	71.5	64.6-78.4
\$50,000- 74,999	633	38,060	125	28.0	21.5-34.5	508	72.0	65.5-78.5
\$75,000+	1197	74,004	262	30.1	25.6-34.6	935	69.9	65.4-74.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2014**

End of Calculated Variable Data Report