

NORTH DAKOTA

2014 Core Variables Report

Behavioral Risk Factor Surveillance System

August 5, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7734	581,028	1243	17.9	16.3-19.5	2781	36.9	35.1-38.7	2534	31.1	29.5-32.7	898	11.0	09.8-12.2	278	3.1	02.5-03.7
Male	3223	294,741	516	18.7	16.3-21.1	1143	36.4	33.9-38.9	1048	30.2	27.8-32.6	387	11.0	09.4-12.6	129	3.6	02.6-04.6
Female	4511	286,288	727	17.0	15.0-19.0	1638	37.3	34.9-39.7	1486	32.1	29.7-34.5	511	11.0	09.4-12.6	149	2.6	02.0-03.2
Native	246	24,668	29	12.4	05.5-19.3	50	18.9	11.5-26.3	93	43.9	33.3-54.5	51	18.6	10.0-27.2	23	6.3	02.0-10.6
Non-Native	7358	544,990	1192	18.2	16.6-19.8	2698	38.0	36.2-39.8	2400	30.6	28.8-32.4	824	10.4	09.2-11.6	244	2.8	02.2-03.4
18-24	348	89,743	86	26.0	20.1-31.9	152	44.8	38.1-51.5	93	23.6	17.9-29.3	15	5.4	02.3-08.5	2	0.2	00.0-00.6
25-34	658	104,358	151	21.8	17.5-26.1	281	41.6	36.5-46.7	185	28.1	23.4-32.8	37	7.1	04.2-10.0	4	1.5	00.0-03.1
35-44	841	84,601	163	16.7	13.2-20.2	349	39.0	34.3-43.7	249	34.0	29.3-38.7	69	9.1	06.4-11.8	11	1.2	00.2-02.2
45-54	1198	90,470	205	16.4	13.7-19.1	436	35.5	31.8-39.2	381	31.0	27.3-34.7	135	13.2	10.3-16.1	41	3.8	02.2-05.4
55-64	1851	94,143	288	15.5	13.1-17.9	694	36.0	33.1-38.9	589	31.5	28.6-34.4	207	12.2	10.0-14.4	73	4.7	03.3-06.1
65+	2754	112,617	331	11.8	10.2-13.4	846	27.1	24.9-29.3	1006	37.2	34.7-39.7	425	17.4	15.2-19.6	146	6.5	04.9-08.1
Less Than H.S.	468	53,170	54	15.7	10.0-21.4	80	18.0	12.5-23.5	170	34.8	27.9-41.7	127	24.2	18.5-29.9	37	7.4	03.9-10.9
H.S. or G.E.D.	2313	152,701	275	15.1	12.6-17.6	707	31.1	28.0-34.2	888	36.3	33.2-39.4	331	13.5	11.3-15.7	112	4.1	03.1-05.1
Some Post-H.S.	2465	225,809	374	17.8	15.3-20.3	945	40.8	37.7-43.9	796	29.4	26.7-32.1	271	9.7	07.9-11.5	79	2.4	01.6-03.2
College Graduate	2436	143,556	533	21.8	19.3-24.3	1033	44.8	41.7-47.9	657	26.4	23.7-29.1	166	5.5	04.3-06.7	47	1.5	00.9-02.1
Less than \$15,000	457	44,439	30	8.8	03.9-13.7	89	20.3	13.8-26.8	151	38.0	30.4-45.6	134	23.9	17.8-30.0	53	9.0	05.7-12.3
\$15,000- 24,999	881	73,897	99	20.4	15.1-25.7	229	23.7	19.2-28.2	310	31.6	26.5-36.7	175	17.7	13.8-21.6	68	6.6	04.1-09.1
\$25,000- 34,999	697	56,563	80	15.0	10.5-19.5	227	38.9	32.6-45.2	254	31.0	25.5-36.5	94	10.4	07.1-13.7	42	4.8	02.6-07.0
\$35,000- 49,999	984	68,988	144	14.8	11.3-18.3	347	38.1	33.0-43.2	363	33.4	28.7-38.1	101	11.0	07.5-14.5	29	2.6	01.2-04.0
\$50,000- 74,999	1197	86,937	205	16.0	12.7-19.3	478	42.4	37.9-46.9	383	32.2	28.1-36.3	111	8.1	05.9-10.3	20	1.3	00.5-02.1
\$75,000+	2485	175,029	516	22.0	19.5-24.5	1106	47.0	43.9-50.1	700	26.0	23.5-28.5	134	4.2	03.2-05.2	29	0.8	00.4-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3223	294,741	516	18.7	16.5-20.9	1143	36.4	33.9-38.9	1048	30.2	27.8-32.6	387	11.0	09.4-12.6	129	3.6	02.6-04.6
Native	80	8,721	12	18.6	05.9-31.3	28	36.7	20.4-53.0	22	28.0	12.5-43.5	12	14.1	00.2-28.0	6	2.6	00.0-05.3
Non-Native	3068	278,336	488	18.7	16.3-21.1	1098	36.7	34.2-39.2	1005	30.5	28.0-33.0	361	10.6	09.0-12.2	116	3.6	02.6-04.6
18-24	189	48,482	53	31.6	23.0-40.2	78	38.7	29.9-47.5	47	24.1	16.1-32.1	9	5.2	00.9-09.5	2	0.4	00.0-01.2
25-34	310	55,445	69	22.6	16.5-28.7	133	43.9	36.8-51.0	85	23.9	18.0-29.8	19	6.9	03.2-10.6	4	2.8	00.0-05.7
35-44	379	44,138	73	18.2	12.7-23.7	160	38.4	31.7-45.1	112	32.6	25.9-39.3	30	10.0	05.5-14.5	4	0.8	00.0-01.8
45-54	515	46,080	76	14.1	10.2-18.0	199	38.7	32.8-44.6	163	31.1	25.4-36.8	60	12.9	08.4-17.4	17	3.1	01.1-05.1
55-64	785	48,580	116	15.0	11.7-18.3	280	34.0	29.7-38.3	254	32.0	27.7-36.3	91	12.0	08.9-15.1	44	7.0	04.6-09.4
65+	1019	50,122	125	10.7	08.2-13.2	286	25.2	21.7-28.7	375	37.1	33.0-41.2	175	19.4	15.9-22.9	58	7.6	04.9-10.3
Less Than H.S.	225	32,149	30	18.1	09.7-26.5	34	19.0	10.8-27.2	82	32.4	23.2-41.6	62	23.5	15.9-31.1	17	7.0	02.1-11.9
H.S. or G.E.D.	983	79,961	121	15.2	11.5-18.9	294	32.7	28.2-37.2	359	33.7	29.2-38.2	155	13.4	10.3-16.5	54	4.9	03.3-06.5
Some Post-H.S.	970	111,969	156	20.9	16.8-25.0	375	39.9	35.4-44.4	313	27.6	23.7-31.5	92	8.8	06.1-11.5	34	2.8	01.6-04.0
College Graduate	1027	67,670	207	19.6	15.9-23.3	434	44.3	39.8-48.8	287	28.6	24.3-32.9	78	6.1	04.3-07.9	21	1.4	00.6-02.2
Less than \$15,000	157	18,736	13	11.5	03.1-19.9	28	19.4	09.2-29.6	50	39.6	27.3-51.9	40	18.6	10.4-26.8	26	10.9	05.4-16.4
\$15,000- 24,999	301	35,571	35	23.7	14.9-32.5	70	21.0	14.7-27.3	96	26.6	19.2-34.0	75	20.9	14.4-27.4	25	7.8	03.3-12.3
\$25,000- 34,999	261	26,958	35	17.4	10.1-24.7	71	30.5	21.5-39.5	100	36.2	27.4-45.0	36	8.5	04.2-12.8	19	7.4	02.9-11.9
\$35,000- 49,999	419	37,618	53	13.3	08.2-18.4	152	39.4	32.0-46.8	155	33.2	26.5-39.9	46	11.8	06.5-17.1	13	2.4	00.4-04.4
\$50,000- 74,999	534	47,371	82	16.2	10.9-21.5	205	40.4	33.9-46.9	178	33.1	27.0-39.2	56	8.7	05.6-11.8	13	1.6	00.4-02.8
\$75,000+	1235	97,183	247	20.8	17.3-24.3	529	47.4	43.1-51.7	358	25.6	22.1-29.1	83	5.2	03.4-07.0	18	1.0	00.4-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4511	286,288	727	17.0	15.0-19.0	1638	37.3	34.9-39.7	1486	32.1	29.7-34.5	511	11.0	09.4-12.6	149	2.6	02.0-03.2
Native	166	15,947	17	9.1	01.3-16.9	22	9.1	03.8-14.4	71	52.6	39.3-65.9	39	21.0	10.2-31.8	17	8.3	02.0-14.6
Non-Native	4290	266,654	704	17.6	15.6-19.6	1600	39.2	36.7-41.7	1395	30.8	28.6-33.0	463	10.3	08.9-11.7	128	2.1	01.5-02.7
18-24	159	41,261	33	19.4	12.0-26.8	74	51.9	42.1-61.7	46	23.1	15.1-31.1	6	5.6	01.1-10.1			
25-34	348	48,912	82	21.0	14.9-27.1	148	38.9	31.6-46.2	100	32.8	25.5-40.1	18	7.3	02.8-11.8			
35-44	462	40,463	90	15.0	10.9-19.1	189	39.8	33.5-46.1	137	35.5	29.0-42.0	39	8.1	04.8-11.4	7	1.7	00.0-03.7
45-54	683	44,390	129	18.8	14.9-22.7	237	32.2	27.7-36.7	218	31.0	26.3-35.7	75	13.6	09.7-17.5	24	4.5	02.1-06.9
55-64	1066	45,563	172	16.0	13.1-18.9	414	38.2	34.3-42.1	335	31.0	27.3-34.7	116	12.5	09.6-15.4	29	2.4	01.4-03.4
65+	1735	62,495	206	12.8	10.6-15.0	560	28.6	25.9-31.3	631	37.2	34.1-40.3	250	15.7	13.2-18.2	88	5.7	04.1-07.3
Less Than H.S.	243	21,021	24	12.2	06.1-18.3	46	16.4	10.3-22.5	88	38.4	28.8-48.0	65	25.1	17.1-33.1	20	7.9	02.8-13.0
H.S. or G.E.D.	1330	72,740	154	14.9	11.4-18.4	413	29.2	24.9-33.5	529	39.1	34.8-43.4	176	13.6	10.3-16.9	58	3.1	01.9-04.3
Some Post-H.S.	1495	113,840	218	14.7	11.6-17.8	570	41.7	37.4-46.0	483	31.1	27.2-35.0	179	10.7	08.3-13.1	45	1.9	01.1-02.7
College Graduate	1409	75,886	326	23.8	20.3-27.3	599	45.2	40.9-49.5	370	24.5	20.8-28.2	88	4.9	03.3-06.5	26	1.6	00.8-02.4
Less than \$15,000	300	25,703	17	6.8	00.7-12.9	61	21.0	12.6-29.4	101	36.9	27.1-46.7	94	27.7	19.3-36.1	27	7.6	03.3-11.9
\$15,000- 24,999	580	38,326	64	17.4	11.5-23.3	159	26.1	19.6-32.6	214	36.4	29.7-43.1	100	14.6	10.3-18.9	43	5.5	03.1-07.9
\$25,000- 34,999	436	29,605	45	12.8	07.1-18.5	156	46.5	37.9-55.1	154	26.3	19.8-32.8	58	12.1	07.2-17.0	23	2.4	01.2-03.6
\$35,000- 49,999	565	31,370	91	16.6	11.9-21.3	195	36.6	29.5-43.7	208	33.8	27.5-40.1	55	10.1	06.0-14.2	16	2.9	00.9-04.9
\$50,000- 74,999	663	39,566	123	15.8	11.9-19.7	273	44.8	38.5-51.1	205	31.1	25.4-36.8	55	7.3	04.6-10.0	7	1.0	00.2-01.8
\$75,000+	1250	77,847	269	23.7	19.8-27.6	577	46.5	42.2-50.8	342	26.4	22.7-30.1	51	2.9	01.7-04.1	11	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	7560	570,220	5079	68.0	66.2-69.8	851	12.0	10.8-13.2	722	9.3	08.1-10.5	516	6.0	05.2-06.8	392	4.6	03.8-05.4	
Male	3171	290,021	2231	70.3	67.8-72.8	367	12.4	10.4-14.4	247	8.3	06.7-09.9	172	4.8	03.8-05.8	154	4.2	03.2-05.2	
Female	4389	280,199	2848	65.7	63.3-68.1	484	11.6	10.0-13.2	475	10.5	08.9-12.1	344	7.2	06.0-08.4	238	5.0	04.0-06.0	
Native	233	23,689	131	65.4	55.6-75.2	30	9.3	03.6-15.0	29	9.9	03.6-16.2	29	10.8	04.5-17.1	14	4.7	01.2-08.2	
Non-Native	7202	535,688	4873	68.3	66.5-70.1	808	12.2	10.8-13.6	678	9.2	08.0-10.4	476	5.7	04.9-06.5	367	4.6	03.8-05.4	
18-24	346	89,635	238	69.1	63.0-75.2	56	15.0	10.3-19.7	39	11.9	07.6-16.2	10	3.1	00.7-05.5	3	0.9	00.0-02.1	
25-34	660	104,054	488	73.5	68.8-78.2	87	12.9	09.6-16.2	51	8.9	05.8-12.0	27	3.0	01.4-04.6	7	1.7	00.0-03.5	
35-44	833	83,404	560	65.2	60.5-69.9	111	14.2	10.7-17.7	78	9.4	06.7-12.1	53	7.3	04.8-09.8	31	3.9	02.1-05.7	
45-54	1188	89,468	776	67.1	63.4-70.8	145	11.1	08.7-13.5	120	8.3	06.3-10.3	88	7.2	05.2-09.2	59	6.3	04.1-08.5	
55-64	1822	92,051	1233	67.6	64.7-70.5	212	10.3	08.5-12.1	151	7.8	06.2-09.4	117	6.6	05.0-08.2	109	7.6	05.8-09.4	
65+	2631	106,664	1726	65.1	62.6-67.6	232	8.9	07.3-10.5	277	10.0	08.4-11.6	214	8.8	07.0-10.6	182	7.2	05.6-08.8	
Less Than H.S.	434	50,104	258	63.4	56.3-70.5	38	8.5	04.2-12.8	42	9.2	04.9-13.5	54	9.1	05.6-12.6	42	9.8	05.7-13.9	
H.S. or G.E.D.	2245	149,949	1468	66.1	63.0-69.2	236	11.2	09.0-13.4	234	10.2	08.0-12.4	171	7.5	05.7-09.3	136	5.0	03.8-06.2	
Some Post-H.S.	2416	221,885	1615	67.2	64.3-70.1	270	13.0	10.8-15.2	233	9.6	07.6-11.6	161	5.4	04.0-06.8	137	4.8	03.6-06.0	
College Graduate	2417	142,729	1705	73.1	70.4-75.8	304	12.8	10.8-14.8	207	7.7	06.1-09.3	126	4.5	03.3-05.7	75	2.0	01.4-02.6	
Less than \$15,000	437	43,311	202	50.0	42.2-57.8	45	14.0	07.7-20.3	54	10.8	05.9-15.7	77	15.6	10.7-20.5	59	9.7	06.4-13.0	
\$15,000- 24,999	843	72,086	493	60.3	54.8-65.8	95	9.8	06.7-12.9	99	13.9	09.6-18.2	88	9.0	06.1-11.9	68	6.9	04.2-09.6	
\$25,000- 34,999	678	55,823	431	67.2	61.3-73.1	73	9.3	06.2-12.4	77	12.6	08.1-17.1	48	5.9	03.2-08.6	49	5.0	02.6-07.4	
\$35,000- 49,999	971	67,746	652	63.5	58.4-68.6	106	15.4	11.3-19.5	106	10.0	06.7-13.3	54	5.1	02.7-07.5	53	6.1	03.6-08.6	
\$50,000- 74,999	1185	85,980	815	69.9	65.8-74.0	155	14.7	11.4-18.0	101	6.9	04.9-08.9	65	4.6	03.0-06.2	49	3.9	02.5-05.3	
\$75,000+	2471	173,742	1814	76.0	73.5-78.5	298	12.1	10.1-14.1	190	6.3	04.9-07.7	104	3.3	02.5-04.1	65	2.3	01.5-03.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3171	290,021	2231	70.3	67.8-72.8	367	12.4	10.4-14.4	247	8.3	06.7-09.9	172	4.8	03.8-05.8	154	4.2	03.2-05.2
Native	74	8,115	44	65.7	48.6-82.8	10	12.0	00.0-24.5	5	1.7	00.0-03.7	11	15.6	02.5-28.7	4	5.0	00.0-12.8
Non-Native	3024	274,588	2138	70.4	67.9-72.9	352	12.7	10.7-14.7	236	8.4	06.8-10.0	155	4.4	03.4-05.4	143	4.2	03.2-05.2
18-24	188	48,455	132	70.0	61.6-78.4	34	17.7	10.6-24.8	18	9.9	04.4-15.4	3	2.1	00.0-04.8	1	0.4	00.0-01.2
25-34	312	55,214	230	71.2	64.5-77.9	46	14.0	09.1-18.9	21	9.8	05.1-14.5	11	3.0	00.8-05.2	4	2.0	00.0-04.7
35-44	376	43,792	268	69.1	62.6-75.6	51	13.9	08.8-19.0	32	9.0	05.1-12.9	14	4.7	01.8-07.6	11	3.3	00.8-05.8
45-54	511	45,657	372	76.7	71.8-81.6	54	8.4	05.3-11.5	33	4.5	02.3-06.7	33	6.2	03.7-08.7	19	4.2	01.5-06.9
55-64	769	47,129	552	71.9	67.8-76.0	81	9.6	06.9-12.3	49	6.0	03.8-08.2	38	4.6	02.6-06.6	49	7.8	05.3-10.3
65+	990	47,903	655	63.0	58.7-67.3	100	9.9	07.4-12.4	92	10.2	07.5-12.9	73	8.8	05.9-11.7	70	8.2	05.5-10.9
Less Than H.S.	209	30,490	131	64.9	55.1-74.7	16	8.7	02.0-15.4	19	8.4	02.7-14.1	23	7.6	03.1-12.1	20	10.4	04.5-16.3
H.S. or G.E.D.	969	79,290	672	70.0	65.7-74.3	101	10.5	07.4-13.6	79	8.4	05.7-11.1	57	6.2	04.0-08.4	60	4.9	03.1-06.7
Some Post-H.S.	956	110,054	674	70.4	66.1-74.7	114	13.7	10.2-17.2	78	8.5	05.8-11.2	49	3.9	02.3-05.5	41	3.5	01.9-05.1
College Graduate	1020	67,264	742	73.1	69.0-77.2	135	14.2	10.9-17.5	70	7.5	05.0-10.0	42	3.5	01.9-05.1	31	1.6	00.8-02.4
Less than \$15,000	150	18,059	72	50.2	37.7-62.7	17	18.5	06.7-30.3	12	6.7	01.0-12.4	26	14.5	06.9-22.1	23	10.0	04.5-15.5
\$15,000- 24,999	289	34,781	166	58.4	49.6-67.2	43	11.5	06.2-16.8	34	16.4	09.1-23.7	25	7.2	02.9-11.5	21	6.6	02.1-11.1
\$25,000- 34,999	257	26,672	171	68.4	59.8-77.0	29	8.3	03.6-13.0	25	12.9	06.0-19.8	15	5.3	01.2-09.4	17	5.1	01.8-08.4
\$35,000- 49,999	417	37,301	297	65.2	57.9-72.5	39	15.7	09.8-21.6	46	10.0	05.5-14.5	18	3.7	01.2-06.2	17	5.5	01.8-09.2
\$50,000- 74,999	530	46,911	372	70.9	65.0-76.8	78	16.4	11.3-21.5	39	6.8	03.7-09.9	16	2.6	01.0-04.2	25	3.3	01.7-04.9
\$75,000+	1232	96,482	939	79.9	76.8-83.0	139	10.3	07.8-12.8	71	5.2	03.6-06.8	49	3.0	01.8-04.2	34	1.6	00.8-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None						1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	4389	280,199	2848	65.7	63.3-68.1	484	11.6	10.0-13.2	475	10.5	08.9-12.1	344	7.2	06.0-08.4	238	5.0	04.0-06.0			
Native	159	15,574	87	65.2	53.0-77.4	20	7.8	02.1-13.5	24	14.2	04.8-23.6	18	8.3	02.0-14.6	10	4.5	00.8-08.2			
Non-Native	4178	261,100	2735	66.1	63.7-68.5	456	11.8	10.2-13.4	442	10.0	08.4-11.6	321	7.2	06.0-08.4	224	5.0	04.0-06.0			
18-24	158	41,180	106	68.0	59.0-77.0	22	11.7	06.0-17.4	21	14.3	07.4-21.2	7	4.3	00.4-08.2	2	1.6	00.0-04.0			
25-34	348	48,840	258	76.1	69.6-82.6	41	11.6	06.9-16.3	30	7.9	03.4-12.4	16	3.1	00.9-05.3	3	1.3	00.0-03.3			
35-44	457	39,612	292	61.0	54.5-67.5	60	14.6	09.7-19.5	46	9.8	06.3-13.3	39	10.0	05.9-14.1	20	4.6	02.1-07.1			
45-54	677	43,811	404	57.1	52.0-62.2	91	13.9	10.4-17.4	87	12.2	09.1-15.3	55	8.1	05.0-11.2	40	8.6	05.1-12.1			
55-64	1053	44,922	681	63.1	59.2-67.0	131	11.0	08.6-13.4	102	9.7	07.2-12.2	79	8.8	06.4-11.2	60	7.4	05.0-09.8			
65+	1641	58,761	1071	66.9	63.8-70.0	132	8.1	06.3-09.9	185	9.8	07.8-11.8	141	8.7	06.7-10.7	112	6.5	04.9-08.1			
Less Than H.S.	225	19,614	127	61.1	51.7-70.5	22	8.3	03.8-12.8	23	10.4	03.9-16.9	31	11.4	05.9-16.9	22	8.8	03.7-13.9			
H.S. or G.E.D.	1276	70,659	796	61.8	57.3-66.3	135	11.9	08.8-15.0	155	12.2	08.9-15.5	114	9.0	06.3-11.7	76	5.1	03.3-06.9			
Some Post-H.S.	1460	111,831	941	64.0	59.9-68.1	156	12.3	09.4-15.2	155	10.7	08.0-13.4	112	6.8	04.8-08.8	96	6.2	04.4-08.0			
College Graduate	1397	75,464	963	73.1	69.8-76.4	169	11.5	09.1-13.9	137	7.8	05.8-09.8	84	5.3	03.7-06.9	44	2.3	01.3-03.3			
Less than \$15,000	287	25,252	130	49.9	39.7-60.1	28	10.7	04.0-17.4	42	13.7	06.4-21.0	51	16.3	09.6-23.0	36	9.4	05.1-13.7			
\$15,000- 24,999	554	37,305	327	62.1	55.4-68.8	52	8.3	05.0-11.6	65	11.7	07.2-16.2	63	10.8	06.9-14.7	47	7.2	04.1-10.3			
\$25,000- 34,999	421	29,151	260	66.1	58.3-73.9	44	10.2	06.1-14.3	52	12.4	06.3-18.5	33	6.5	02.8-10.2	32	4.9	01.6-08.2			
\$35,000- 49,999	554	30,445	355	61.5	54.4-68.6	67	14.9	09.4-20.4	60	10.1	05.4-14.8	36	6.8	02.9-10.7	36	6.8	03.5-10.1			
\$50,000- 74,999	655	39,070	443	68.7	63.2-74.2	77	12.7	08.4-17.0	62	6.9	04.5-09.3	49	7.0	04.1-09.9	24	4.6	02.2-07.0			
\$75,000+	1239	77,260	875	71.1	67.2-75.0	159	14.3	11.2-17.4	119	7.6	05.4-09.8	55	3.8	02.4-05.2	31	3.2	01.4-05.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	7635	570,725	5601	68.8	67.0-70.6	655	9.1	08.1-10.1	665	10.7	09.5-11.9	474	7.7	06.7-08.7	240	3.7	02.9-04.5
Male	3191	288,926	2477	74.1	71.7-76.5	237	7.9	06.3-09.5	236	8.7	07.1-10.3	158	6.1	04.7-07.5	83	3.1	02.1-04.1
Female	4444	281,799	3124	63.3	60.8-65.8	418	10.2	08.8-11.6	429	12.8	10.8-14.8	316	9.3	07.7-10.9	157	4.4	03.4-05.4
Native	240	22,998	156	70.9	62.1-79.7	22	5.9	01.8-10.0	26	12.4	05.7-19.1	23	7.0	02.5-11.5	13	3.8	01.1-06.5
Non-Native	7274	537,627	5366	68.9	67.1-70.7	622	9.2	08.0-10.4	628	10.7	09.3-12.1	436	7.6	06.6-08.6	222	3.6	02.8-04.4
18-24	343	88,435	185	55.2	48.5-61.9	44	11.4	07.5-15.3	61	18.7	13.6-23.8	47	12.2	08.1-16.3	6	2.5	00.1-04.9
25-34	654	103,025	434	67.8	62.9-72.7	79	9.5	06.8-12.2	80	11.9	08.6-15.2	46	7.6	04.9-10.3	15	3.2	01.2-05.2
35-44	835	82,810	547	64.1	59.6-68.6	93	9.4	06.9-11.9	92	12.0	08.7-15.3	66	8.6	06.1-11.1	37	5.9	03.5-08.3
45-54	1194	89,772	790	64.8	60.9-68.7	133	11.5	09.0-14.0	129	10.9	08.4-13.4	88	8.2	06.0-10.4	54	4.7	02.9-06.5
55-64	1826	92,367	1394	76.4	73.9-78.9	134	6.9	05.3-08.5	138	6.9	05.3-08.5	104	6.3	04.7-07.9	56	3.5	02.3-04.7
65+	2704	109,900	2187	80.4	78.2-82.6	165	6.4	05.0-07.8	163	5.7	04.5-06.9	118	4.3	03.1-05.5	71	3.2	02.2-04.2
Less Than H.S.	440	49,215	306	68.4	61.5-75.3	32	6.0	03.1-08.9	42	9.8	04.9-14.7	40	10.5	06.2-14.8	20	5.4	01.7-09.1
H.S. or G.E.D.	2279	150,413	1700	69.1	66.0-72.2	151	7.1	05.3-08.9	190	11.2	08.8-13.6	153	8.0	06.2-09.8	85	4.6	03.0-06.2
Some Post-H.S.	2440	222,696	1755	67.6	64.5-70.7	222	9.8	07.8-11.8	222	11.1	08.9-13.3	153	7.8	06.0-09.6	88	3.7	02.5-04.9
College Graduate	2425	142,845	1802	70.5	67.6-73.4	246	11.1	09.1-13.1	208	10.3	08.1-12.5	123	6.1	04.5-07.7	46	2.1	01.3-02.9
Less than \$15,000	436	42,442	271	58.3	50.5-66.1	26	5.1	02.4-07.8	38	9.8	05.1-14.5	57	15.5	09.8-21.2	44	11.2	05.9-16.5
\$15,000- 24,999	866	72,737	585	59.5	54.0-65.0	72	9.2	06.1-12.3	90	13.2	09.3-17.1	73	12.3	08.2-16.4	46	5.8	03.4-08.2
\$25,000- 34,999	687	55,617	485	63.6	57.3-69.9	55	9.7	05.8-13.6	75	11.8	07.7-15.9	49	10.7	06.4-15.0	23	4.2	01.7-06.7
\$35,000- 49,999	987	69,464	703	66.8	61.9-71.7	94	11.7	08.0-15.4	93	11.9	08.4-15.4	69	7.5	05.0-10.0	28	2.1	00.9-03.3
\$50,000- 74,999	1196	85,975	891	72.8	68.7-76.9	103	7.9	05.5-10.3	115	12.2	08.7-15.7	62	5.1	03.3-06.9	25	2.1	01.1-03.1
\$75,000+	2475	173,280	1903	74.3	71.6-77.0	233	9.6	07.8-11.4	192	9.5	07.3-11.7	102	4.7	03.3-06.1	45	1.9	01.1-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3191	288,926	2477	74.1	71.7-76.5	237	7.9	06.3-09.5	236	8.7	07.1-10.3	158	6.1	04.7-07.5	83	3.1	02.1-04.1
Native	77	7,447	49	66.7	50.8-82.6	8	9.2	00.0-19.6	9	15.6	03.4-27.8	7	5.6	00.0-11.5	4	2.9	00.0-07.0
Non-Native	3043	274,947	2379	74.7	72.2-77.2	222	7.9	06.3-09.5	220	8.5	06.7-10.3	145	6.0	04.6-07.4	77	2.9	01.9-03.9
18-24	187	47,676	114	62.9	54.1-71.7	24	12.4	06.5-18.3	22	11.3	05.6-17.0	24	11.0	05.7-16.3	3	2.4	00.0-05.9
25-34	309	54,581	219	72.1	65.6-78.6	35	9.7	05.6-13.8	31	10.0	05.7-14.3	18	6.1	02.6-09.6	6	2.0	00.2-03.8
35-44	375	42,942	269	70.8	64.5-77.1	34	5.4	02.9-07.9	34	11.5	06.8-16.2	19	5.5	02.8-08.2	19	6.8	03.1-10.5
45-54	515	45,682	373	72.8	67.3-78.3	49	9.9	06.2-13.6	52	10.0	06.1-13.9	24	4.5	02.1-06.9	17	2.8	00.8-04.8
55-64	775	47,355	634	81.7	78.0-85.4	41	4.7	02.7-06.7	49	6.0	03.8-08.2	38	5.8	03.4-08.2	13	1.8	00.6-03.0
65+	1005	48,957	846	83.7	80.6-86.8	53	5.3	03.5-07.1	48	3.9	02.3-05.5	34	3.9	02.1-05.7	24	3.2	01.6-04.8
Less Than H.S.	212	29,261	152	68.7	58.7-78.7	15	5.7	01.6-09.8	20	9.8	02.7-16.9	17	10.2	04.3-16.1	8	5.7	00.0-11.6
H.S. or G.E.D.	975	79,250	751	73.6	69.3-77.9	63	6.4	04.2-08.6	75	9.2	06.3-12.1	55	6.8	04.4-09.2	31	4.0	02.0-06.0
Some Post-H.S.	967	110,844	741	74.1	69.8-78.4	86	10.2	07.3-13.1	77	8.9	06.2-11.6	35	4.1	02.1-06.1	28	2.7	01.3-04.1
College Graduate	1020	66,816	821	77.1	73.2-81.0	71	7.2	04.8-09.6	63	7.5	05.0-10.0	49	6.5	04.0-09.0	16	1.8	00.6-03.0
Less than \$15,000	148	17,340	92	62.0	49.7-74.3	6	4.7	00.2-09.2	14	8.1	02.2-14.0	19	14.1	06.1-22.1	17	11.1	01.5-20.7
\$15,000- 24,999	289	34,555	201	64.4	55.8-73.0	24	8.0	03.3-12.7	28	10.3	04.6-16.0	25	13.2	06.7-19.7	11	4.1	00.8-07.4
\$25,000- 34,999	258	26,458	196	72.2	63.4-81.0	19	9.4	02.9-15.9	25	8.7	04.0-13.4	14	7.5	02.0-13.0	4	2.2	00.0-04.9
\$35,000- 49,999	422	37,876	323	71.5	64.4-78.6	35	10.3	05.2-15.4	34	11.4	06.3-16.5	24	5.0	02.3-07.7	6	1.7	00.0-03.5
\$50,000- 74,999	535	46,700	420	78.7	73.6-83.8	44	7.2	04.1-10.3	46	9.4	05.5-13.3	15	2.9	01.1-04.7	10	1.9	00.5-03.3
\$75,000+	1234	96,239	1008	78.4	74.7-82.1	87	7.3	05.1-09.5	76	8.3	05.4-11.2	42	4.0	02.4-05.6	21	2.0	00.6-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4444	281,799	3124	63.3	60.8-65.8	418	10.2	08.8-11.6	429	12.8	10.8-14.8	316	9.3	07.7-10.9	157	4.4	03.4-05.4
Native	163	15,551	107	72.9	62.3-83.5	14	4.4	01.3-07.5	17	10.9	03.1-18.7	16	7.7	01.6-13.8	9	4.2	00.7-07.7
Non-Native	4231	262,680	2987	62.8	60.3-65.3	400	10.5	08.9-12.1	408	13.0	11.0-15.0	291	9.3	07.7-10.9	145	4.3	03.1-05.5
18-24	156	40,759	71	46.2	36.2-56.2	20	10.3	05.0-15.6	39	27.3	18.7-35.9	23	13.7	07.0-20.4	3	2.5	00.0-05.8
25-34	345	48,444	215	62.9	55.6-70.2	44	9.3	05.6-13.0	49	14.1	08.8-19.4	28	9.2	04.9-13.5	9	4.5	01.0-08.0
35-44	460	39,867	278	56.8	50.3-63.3	59	13.7	09.2-18.2	58	12.7	08.4-17.0	47	11.9	07.8-16.0	18	4.9	02.0-07.8
45-54	679	44,090	417	56.5	51.4-61.6	84	13.2	09.5-16.9	77	11.8	08.5-15.1	64	12.0	08.3-15.7	37	6.6	03.9-09.3
55-64	1051	45,012	760	70.9	67.2-74.6	93	9.2	06.8-11.6	89	7.7	05.5-09.9	66	6.9	04.7-09.1	43	5.3	03.3-07.3
65+	1699	60,942	1341	77.8	75.1-80.5	112	7.2	05.4-09.0	115	7.1	05.3-08.9	84	4.7	03.3-06.1	47	3.1	01.9-04.3
Less Than H.S.	228	19,954	154	67.9	59.3-76.5	17	6.4	02.7-10.1	22	9.8	04.1-15.5	23	11.0	05.1-16.9	12	4.9	01.4-08.4
H.S. or G.E.D.	1304	71,163	949	64.2	59.5-68.9	88	7.9	05.2-10.6	115	13.3	09.6-17.0	98	9.3	06.8-11.8	54	5.3	02.9-07.7
Some Post-H.S.	1473	111,852	1014	61.1	56.8-65.4	136	9.5	07.1-11.9	145	13.2	09.9-16.5	118	11.4	08.3-14.5	60	4.8	03.0-06.6
College Graduate	1405	76,028	981	64.7	60.6-68.8	175	14.5	11.6-17.4	145	12.8	09.7-15.9	74	5.7	03.9-07.5	30	2.3	01.1-03.5
Less than \$15,000	288	25,103	179	55.8	45.8-65.8	20	5.4	02.1-08.7	24	10.9	04.0-17.8	38	16.5	08.9-24.1	27	11.3	05.4-17.2
\$15,000- 24,999	577	38,182	384	55.0	47.9-62.1	48	10.2	05.9-14.5	62	15.9	10.2-21.6	48	11.5	06.4-16.6	35	7.3	03.8-10.8
\$25,000- 34,999	429	29,159	289	55.9	47.3-64.5	36	9.9	05.0-14.8	50	14.7	08.2-21.2	35	13.7	07.2-20.2	19	5.9	01.8-10.0
\$35,000- 49,999	565	31,588	380	61.1	54.2-68.0	59	13.3	07.8-18.8	59	12.6	07.9-17.3	45	10.5	06.0-15.0	22	2.6	01.2-04.0
\$50,000- 74,999	661	39,275	471	65.8	59.5-72.1	59	8.8	05.5-12.1	69	15.5	09.6-21.4	47	7.7	04.8-10.6	15	2.2	00.8-03.6
\$75,000+	1241	77,041	895	69.2	65.1-73.3	146	12.4	09.7-15.1	116	11.1	08.2-14.0	60	5.7	03.5-07.9	24	1.7	00.7-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3606	282,158	2367	66.1	63.6-68.6	354	11.1	09.3-12.9	372	9.6	08.0-11.2	324	8.6	07.2-10.0	189	4.6	03.4-05.8
Male	1340	128,813	895	68.2	64.3-72.1	137	10.4	07.9-12.9	119	7.4	05.4-09.4	111	8.6	06.4-10.8	78	5.4	03.4-07.4
Female	2266	153,345	1472	64.2	60.9-67.5	217	11.7	09.3-14.1	253	11.4	09.0-13.8	213	8.6	06.8-10.4	111	4.0	02.8-05.2
Native	138	12,436	81	61.0	47.5-74.5	7	6.2	00.0-14.4	18	12.6	03.8-21.4	25	16.7	07.1-26.3	7	3.5	00.0-07.0
Non-Native	3400	263,924	2249	66.6	64.1-69.1	340	11.5	09.7-13.3	345	9.4	07.8-11.0	292	7.9	06.5-09.3	174	4.6	03.4-05.8
18-24	205	51,152	148	70.7	62.9-78.5	25	12.7	07.2-18.2	20	10.4	04.9-15.9	8	2.5	00.5-04.5	4	3.6	00.0-07.5
25-34	314	47,665	219	67.2	59.9-74.5	50	15.7	10.2-21.2	25	8.3	03.8-12.8	15	6.2	02.5-09.9	5	2.6	00.0-05.9
35-44	417	43,761	255	59.2	52.5-65.9	56	12.4	07.9-16.9	56	13.0	08.5-17.5	44	13.7	09.0-18.4	6	1.8	00.2-03.4
45-54	617	46,113	399	67.7	62.6-72.8	59	8.3	05.4-11.2	64	9.3	06.2-12.4	58	8.4	05.7-11.1	37	6.3	03.6-09.0
55-64	812	41,266	517	62.1	57.6-66.6	87	10.6	07.9-13.3	74	8.4	05.9-10.9	82	12.6	09.1-16.1	52	6.2	04.2-08.2
65+	1212	50,270	810	68.5	64.8-72.2	74	6.0	04.2-07.8	129	8.3	06.3-10.3	115	9.6	06.9-12.3	84	7.5	05.1-09.9
Less Than H.S.	258	29,483	161	64.1	55.1-73.1	12	4.0	00.1-07.9	29	8.5	04.4-12.6	34	12.0	06.5-17.5	22	11.4	04.1-18.7
H.S. or G.E.D.	1089	75,184	721	65.9	61.2-70.6	72	8.3	05.4-11.2	122	10.2	07.3-13.1	102	9.6	06.9-12.3	72	6.0	03.8-08.2
Some Post-H.S.	1160	109,643	772	66.0	61.7-70.3	124	12.6	09.5-15.7	108	10.0	07.1-12.9	105	8.3	05.9-10.7	51	3.1	01.7-04.5
College Graduate	1075	64,842	697	67.4	63.1-71.7	144	14.5	11.0-18.0	110	8.7	06.0-11.4	81	6.6	04.4-08.8	43	2.8	01.6-04.0
Less than \$15,000	288	28,452	125	48.8	39.0-58.6	26	8.3	03.0-13.6	39	11.3	05.6-17.0	61	19.2	12.7-25.7	37	12.5	05.6-19.4
\$15,000- 24,999	482	41,283	306	62.5	55.4-69.6	26	6.1	02.6-09.6	54	12.9	07.8-18.0	54	10.8	06.7-14.9	42	7.7	03.8-11.6
\$25,000- 34,999	362	30,384	232	62.9	54.5-71.3	24	8.7	03.8-13.6	40	13.8	07.3-20.3	39	6.8	03.7-09.9	27	7.9	03.0-12.8
\$35,000- 49,999	477	35,920	331	69.3	62.2-76.4	46	14.3	08.2-20.4	45	6.4	02.9-09.9	36	7.4	03.9-10.9	19	2.5	00.5-04.5
\$50,000- 74,999	548	40,910	360	65.2	58.9-71.5	79	17.7	12.2-23.2	53	8.1	04.6-11.6	37	6.3	03.6-09.0	19	2.7	01.1-04.3
\$75,000+	1004	69,750	703	71.8	67.5-76.1	124	11.4	08.5-14.3	95	9.0	06.1-11.9	58	6.5	04.0-09.0	24	1.3	00.7-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1340	128,813	895	68.2	64.3-72.1	137	10.4	07.9-12.9	119	7.4	05.4-09.4	111	8.6	06.4-10.8	78	5.4	03.4-07.4
Non-Native	1258	119,999	843	68.2	64.3-72.1	131	10.8	08.3-13.3	113	7.7	05.5-09.9	98	7.7	05.7-09.7	73	5.6	03.4-07.8
18-24	101	25,292	78	75.2	64.2-86.2	11	11.3	03.7-18.9	8	6.8	00.9-12.7	1	1.0	00.0-03.0	3	5.7	00.0-12.8
25-34	136	23,078	92	68.4	58.4-78.4	24	14.1	07.2-21.0	8	6.1	01.2-11.0	8	8.3	02.2-14.4	4	3.0	00.0-08.1
35-44	166	20,578	109	61.3	51.1-71.5	18	10.8	04.1-17.5	18	10.3	03.8-16.8	17	14.8	07.2-22.4	4	2.8	00.0-05.9
45-54	220	18,886	149	74.9	67.6-82.2	19	5.5	02.4-08.6	19	7.7	03.2-12.2	18	6.6	02.9-10.3	15	5.3	01.6-09.0
55-64	297	18,524	187	62.2	54.9-69.5	38	12.0	07.7-16.3	24	7.2	03.3-11.1	30	12.3	06.8-17.8	18	6.3	03.0-09.6
65+	413	21,595	276	67.2	60.5-73.9	25	5.5	03.0-08.0	41	7.1	04.2-10.0	37	10.5	05.4-15.6	34	9.7	05.2-14.2
Less Than H.S.	117	17,802	75	65.1	52.2-78.0	2	0.5	00.0-01.1	12	6.5	01.8-11.2	17	12.6	04.8-20.4	11	15.3	03.9-26.7
H.S. or G.E.D.	418	34,412	289	66.3	59.4-73.2	24	7.7	03.2-12.2	43	9.2	05.3-13.1	34	10.1	05.6-14.6	28	6.8	03.1-10.5
Some Post-H.S.	400	47,904	274	71.4	65.1-77.7	48	12.7	08.0-17.4	29	6.7	03.0-10.4	31	7.1	03.6-10.6	18	2.2	00.8-03.6
College Graduate	398	27,505	253	67.3	60.4-74.2	62	15.4	10.1-20.7	35	7.5	03.2-11.8	28	6.7	03.2-10.2	20	3.1	01.3-04.9
Less than \$15,000	98	12,382	43	47.5	31.8-63.2	10	8.8	00.4-17.2	9	7.5	01.6-13.4	22	19.8	08.8-30.8	14	16.4	03.1-29.7
\$15,000- 24,999	154	18,165	100	64.7	53.1-76.3	7	2.5	00.0-05.0	19	13.3	05.1-21.5	15	12.1	04.3-19.9	13	7.4	00.5-14.3
\$25,000- 34,999	121	12,715	75	68.1	55.9-80.3	7	2.7	00.2-05.2	16	12.9	04.5-21.3	10	5.8	00.5-11.1	13	10.5	02.5-18.5
\$35,000- 49,999	180	18,180	131	75.6	66.2-85.0	17	11.7	04.3-19.1	11	2.4	00.6-04.2	15	7.4	01.9-12.9	6	3.0	00.0-06.5
\$50,000- 74,999	224	19,995	152	66.7	57.5-75.9	35	20.9	12.3-29.5	17	5.4	01.7-09.1	12	4.3	01.4-07.2	8	2.7	00.5-04.9
\$75,000+	434	33,919	302	71.9	65.4-78.4	56	13.0	08.1-17.9	36	7.1	03.2-11.0	24	6.2	02.7-09.7	16	1.8	00.6-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2266	153,345	1472	64.2	60.9-67.5	217	11.7	09.3-14.1	253	11.4	09.0-13.8	213	8.6	06.8-10.4	111	4.0	02.8-05.2
Native	91	6,990	50	48.3	31.1-65.5	5	9.3	00.0-23.4	15	21.1	06.4-35.8	16	18.6	06.8-30.4	5	2.7	00.0-05.4
Non-Native	2142	143,925	1406	65.2	61.9-68.5	209	12.0	09.5-14.5	232	10.9	08.5-13.3	194	8.1	06.3-09.9	101	3.9	02.7-05.1
18-24	104	25,860	70	66.4	55.0-77.8	14	14.0	06.0-22.0	12	14.0	05.0-23.0	7	4.0	00.7-07.3	1	1.6	00.0-04.7
25-34	178	24,587	127	65.9	55.3-76.5	26	17.3	08.9-25.7	17	10.4	03.1-17.7	7	4.3	00.2-08.4	1	2.1	00.0-06.2
35-44	251	23,183	146	57.3	48.7-65.9	38	13.9	07.6-20.2	38	15.3	08.8-21.8	27	12.7	06.8-18.6	2	0.9	00.0-02.3
45-54	397	27,227	250	62.7	56.0-69.4	40	10.3	05.8-14.8	45	10.4	06.1-14.7	40	9.6	05.7-13.5	22	6.9	03.2-10.6
55-64	515	22,742	330	62.1	56.4-67.8	49	9.5	06.0-13.0	50	9.4	06.1-12.7	52	12.8	08.5-17.1	34	6.2	03.7-08.7
65+	799	28,675	534	69.5	65.2-73.8	49	6.5	04.0-09.0	88	9.3	06.8-11.8	78	8.9	06.4-11.4	50	5.9	03.9-07.9
Less Than H.S.	141	11,681	86	62.7	51.1-74.3	10	9.4	00.2-18.6	17	11.4	04.1-18.7	17	11.0	04.1-17.9	11	5.6	00.7-10.5
H.S. or G.E.D.	671	40,772	432	65.5	59.2-71.8	48	8.8	04.7-12.9	79	11.1	06.6-15.6	68	9.2	06.1-12.3	44	5.3	02.8-07.8
Some Post-H.S.	760	61,740	498	61.8	55.9-67.7	76	12.6	08.5-16.7	79	12.6	08.1-17.1	74	9.3	06.4-12.2	33	3.8	01.6-06.0
College Graduate	677	37,337	444	67.4	61.9-72.9	82	13.9	09.2-18.6	75	9.6	06.3-12.9	53	6.5	03.8-09.2	23	2.6	01.2-04.0
Less than \$15,000	190	16,069	82	49.7	37.4-62.0	16	7.9	01.0-14.8	30	14.2	05.4-23.0	39	18.7	10.9-26.5	23	9.4	03.7-15.1
\$15,000- 24,999	328	23,118	206	60.8	52.0-69.6	19	8.9	02.8-15.0	35	12.7	06.2-19.2	39	9.7	05.4-14.0	29	7.9	03.4-12.4
\$25,000- 34,999	241	17,669	157	59.2	48.0-70.4	17	13.0	05.0-21.0	24	14.4	05.0-23.8	29	7.5	03.8-11.2	14	5.9	00.0-11.8
\$35,000- 49,999	297	17,740	200	62.9	52.9-72.9	29	16.9	07.7-26.1	34	10.6	03.9-17.3	21	7.5	03.0-12.0	13	2.0	00.6-03.4
\$50,000- 74,999	324	20,915	208	63.8	55.2-72.4	44	14.6	08.1-21.1	36	10.7	04.6-16.8	25	8.1	03.4-12.8	11	2.8	00.6-05.0
\$75,000+	570	35,831	401	71.7	65.8-77.6	68	10.0	06.7-13.3	59	10.7	06.2-15.2	34	6.8	03.3-10.3	8	0.9	00.1-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 3: HEALTH CARE ACCESS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7747	579,456	7326	91.2	90.0-92.4	421	8.8	07.6-10.0
Male	3234	293,781	3003	89.6	87.8-91.4	231	10.4	08.6-12.2
Female	4513	285,675	4323	92.9	91.3-94.5	190	7.1	05.5-08.7
Native	246	24,661	232	85.8	76.2-95.4	14	14.2	04.6-23.8
Non-Native	7370	543,420	6980	91.6	90.4-92.8	390	8.4	07.2-09.6
18-24	335	86,932	283	84.5	79.4-89.6	52	15.5	10.4-20.6
25-34	663	104,986	593	87.5	84.0-91.0	70	12.5	09.0-16.0
35-44	842	84,153	768	89.6	86.5-92.7	74	10.4	07.3-13.5
45-54	1204	90,923	1123	92.7	90.7-94.7	81	7.3	05.3-09.3
55-64	1853	94,347	1752	93.3	91.5-95.1	101	6.7	04.9-08.5
65+	2768	113,110	2730	97.9	97.1-98.7	38	2.1	01.3-02.9
Less Than H.S.	466	52,204	415	82.4	76.1-88.7	51	17.6	11.3-23.9
H.S. or G.E.D.	2319	152,252	2139	86.4	83.9-88.9	180	13.6	11.1-16.1
Some Post-H.S.	2473	225,311	2356	93.5	91.7-95.3	117	6.5	04.7-08.3
College Graduate	2438	143,919	2369	95.9	94.5-97.3	69	4.1	02.7-05.5
Less than \$15,000	459	44,567	412	86.2	80.7-91.7	47	13.8	08.3-19.3
\$15,000- 24,999	880	73,015	787	82.8	78.3-87.3	93	17.2	12.7-21.7
\$25,000- 34,999	701	56,690	651	87.6	83.1-92.1	50	12.4	07.9-16.9
\$35,000- 49,999	993	69,702	932	91.6	88.5-94.7	61	8.4	05.3-11.5
\$50,000- 74,999	1205	87,173	1160	95.1	92.9-97.3	45	4.9	02.7-07.1
\$75,000+	2492	175,297	2426	96.0	94.4-97.6	66	4.0	02.4-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3234	293,781	3003	89.6	87.8-91.4	231	10.4	08.6-12.2
Native	79	8,694	77	92.2	81.4-0100	2	7.8	00.0-18.6
Non-Native	3079	277,399	2863	89.8	88.0-91.6	216	10.2	08.4-12.0
18-24	180	46,411	149	84.5	77.8-91.2	31	15.5	08.8-22.2
25-34	314	55,731	275	86.1	81.2-91.0	39	13.9	09.0-18.8
35-44	378	44,066	337	87.4	82.5-92.3	41	12.6	07.7-17.5
45-54	518	46,373	480	90.9	87.4-94.4	38	9.1	05.6-12.6
55-64	789	48,821	730	90.8	87.7-93.9	59	9.2	06.1-12.3
65+	1030	50,507	1008	97.3	95.7-98.9	22	2.7	01.1-04.3
Less Than H.S.	225	31,564	197	82.2	74.4-90.0	28	17.8	10.0-25.6
H.S. or G.E.D.	990	79,812	893	83.1	79.0-87.2	97	16.9	12.8-21.0
Some Post-H.S.	973	111,632	907	93.2	90.8-95.6	66	6.8	04.4-09.2
College Graduate	1029	67,803	992	94.7	92.5-96.9	37	5.3	03.1-07.5
Less than \$15,000	158	18,775	132	79.7	70.1-89.3	26	20.3	10.7-29.9
\$15,000- 24,999	298	34,651	253	79.3	72.0-86.6	45	20.7	13.4-28.0
\$25,000- 34,999	264	27,135	230	83.9	77.2-90.6	34	16.1	09.4-22.8
\$35,000- 49,999	424	38,069	386	90.1	86.0-94.2	38	9.9	05.8-14.0
\$50,000- 74,999	538	47,658	510	93.5	90.0-97.0	28	6.5	03.0-10.0
\$75,000+	1241	97,407	1205	95.6	93.2-98.0	36	4.4	02.0-06.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4513	285,675	4323	92.9	91.3-94.5	190	7.1	05.5-08.7
Native	167	15,967	155	82.3	68.8-95.8	12	17.7	04.2-31.2
Non-Native	4291	266,022	4117	93.6	92.0-95.2	174	6.4	04.8-08.0
18-24	155	40,521	134	84.6	76.8-92.4	21	15.4	07.6-23.2
25-34	349	49,255	318	89.1	84.0-94.2	31	10.9	05.8-16.0
35-44	464	40,088	431	92.1	88.6-95.6	33	7.9	04.4-11.4
45-54	686	44,549	643	94.6	92.4-96.8	43	5.4	03.2-07.6
55-64	1064	45,526	1022	96.0	94.4-97.6	42	4.0	02.4-05.6
65+	1738	62,603	1722	98.3	97.3-99.3	16	1.7	00.7-02.7
Less Than H.S.	241	20,640	218	82.6	72.6-92.6	23	17.4	07.4-27.4
H.S. or G.E.D.	1329	72,439	1246	90.1	87.0-93.2	83	9.9	06.8-13.0
Some Post-H.S.	1500	113,679	1449	93.7	91.0-96.4	51	6.3	03.6-09.0
College Graduate	1409	76,116	1377	97.0	95.2-98.8	32	3.0	01.2-04.8
Less than \$15,000	301	25,792	280	90.9	84.4-97.4	21	9.1	02.6-15.6
\$15,000- 24,999	582	38,364	534	86.0	80.3-91.7	48	14.0	08.3-19.7
\$25,000- 34,999	437	29,556	421	90.9	84.4-97.4	16	9.1	02.6-15.6
\$35,000- 49,999	569	31,632	546	93.5	89.0-98.0	23	6.5	02.0-11.0
\$50,000- 74,999	667	39,515	650	97.0	94.8-99.2	17	3.0	00.8-05.2
\$75,000+	1251	77,890	1221	96.6	94.8-98.4	30	3.4	01.6-05.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7717	576,855	5467	62.7	60.9-64.5	722	8.4	07.4-09.4	1528	29.0	27.2-30.8
Male	3220	292,604	1985	53.8	51.1-56.5	325	8.1	06.7-09.5	910	38.1	35.4-40.8
Female	4497	284,251	3482	71.8	69.4-74.2	397	8.6	07.2-10.0	618	19.6	17.2-22.0
Native	246	24,649	122	36.9	27.1-46.7	36	14.4	07.1-21.7	88	48.7	38.1-59.3
Non-Native	7341	541,275	5259	63.9	61.9-65.9	670	8.0	07.0-09.0	1412	28.0	26.2-29.8
18-24	341	87,739	147	42.0	35.3-48.7	35	9.8	05.9-13.7	159	48.2	41.3-55.1
25-34	658	103,740	320	47.6	42.3-52.9	62	8.2	05.5-10.9	276	44.2	38.9-49.5
35-44	838	83,940	492	57.7	53.0-62.4	71	6.2	04.0-08.4	275	36.1	31.4-40.8
45-54	1202	90,674	804	66.9	63.2-70.6	125	9.0	06.8-11.2	273	24.1	20.8-27.4
55-64	1843	93,615	1379	75.0	72.3-77.7	160	7.2	05.6-08.8	304	17.8	15.4-20.2
65+	2752	112,095	2263	81.9	79.9-83.9	262	9.5	07.9-11.1	227	8.5	07.1-09.9
Less Than H.S.	460	51,743	310	54.8	47.5-62.1	47	9.8	06.1-13.5	103	35.4	27.8-43.0
H.S. or G.E.D.	2312	152,072	1619	63.0	59.7-66.3	219	8.7	06.7-10.7	474	28.2	25.1-31.3
Some Post-H.S.	2466	225,460	1756	62.8	59.7-65.9	222	8.0	06.2-09.8	488	29.2	26.1-32.3
College Graduate	2429	142,655	1749	64.7	61.6-67.8	224	7.8	06.0-09.6	456	27.5	24.6-30.4
Less than \$15,000	454	43,561	312	57.1	49.1-65.1	47	7.3	04.4-10.2	95	35.6	27.4-43.8
\$15,000- 24,999	878	73,478	633	59.3	53.6-65.0	79	12.9	08.8-17.0	166	27.8	22.3-33.3
\$25,000- 34,999	693	55,659	505	62.0	55.7-68.3	64	8.4	05.1-11.7	124	29.6	23.3-35.9
\$35,000- 49,999	995	69,677	721	61.8	56.7-66.9	84	7.0	04.6-09.4	190	31.2	26.1-36.3
\$50,000- 74,999	1200	86,889	867	63.9	59.2-68.6	99	5.9	03.9-07.9	234	30.2	25.5-34.9
\$75,000+	2481	174,403	1695	64.0	61.1-66.9	239	7.7	06.1-09.3	547	28.3	25.4-31.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3220	292,604	1985	53.8	51.1-56.5	325	8.1	06.7-09.5	910	38.1	35.4-40.8
Native	79	8,682	34	34.7	18.4-51.0	11	11.0	01.6-20.4	34	54.3	37.2-71.4
Non-Native	3065	276,233	1905	54.5	51.8-57.2	304	8.0	06.6-09.4	856	37.5	34.8-40.2
18-24	186	47,462	66	36.3	27.7-44.9	20	7.4	02.9-11.9	100	56.3	47.3-65.3
25-34	312	55,233	104	33.1	26.4-39.8	31	9.5	05.4-13.6	177	57.4	50.3-64.5
35-44	375	43,446	172	47.4	40.3-54.5	28	5.6	02.7-08.5	175	47.0	39.9-54.1
45-54	517	46,099	294	56.6	50.7-62.5	52	8.2	05.1-11.3	171	35.2	29.5-40.9
55-64	782	48,443	529	69.3	65.0-73.6	70	6.6	04.4-08.8	183	24.1	20.0-28.2
65+	1022	50,029	803	80.1	76.8-83.4	122	11.1	08.6-13.6	97	8.8	06.4-11.2
Less Than H.S.	222	31,526	140	52.5	42.3-62.7	23	8.7	03.8-13.6	59	38.8	28.4-49.2
H.S. or G.E.D.	988	79,853	582	54.7	50.0-59.4	106	8.2	05.7-10.7	300	37.1	32.4-41.8
Some Post-H.S.	971	111,700	575	51.0	46.3-55.7	98	8.6	06.1-11.1	298	40.4	35.7-45.1
College Graduate	1023	67,401	677	57.3	52.6-62.0	96	7.1	04.7-09.5	250	35.6	31.1-40.1
Less than \$15,000	156	18,395	94	49.4	37.2-61.6	14	5.2	00.7-09.7	48	45.4	32.9-57.9
\$15,000- 24,999	301	35,336	184	51.4	42.6-60.2	37	16.0	09.1-22.9	80	32.5	23.9-41.1
\$25,000- 34,999	257	26,246	157	52.1	42.7-61.5	29	7.6	03.3-11.9	71	40.3	30.7-49.9
\$35,000- 49,999	425	38,006	262	50.6	43.2-58.0	41	6.8	03.7-09.9	122	42.6	35.2-50.0
\$50,000- 74,999	533	47,268	346	58.1	51.4-64.8	44	4.6	02.6-06.6	143	37.4	30.7-44.1
\$75,000+	1236	97,191	753	54.7	50.4-59.0	120	7.0	05.2-08.8	363	38.3	34.0-42.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4497	284,251	3482	71.8	69.4-74.2	397	8.6	07.2-10.0	618	19.6	17.2-22.0
Native	167	15,967	88	38.1	25.9-50.3	25	16.2	06.4-26.0	54	45.6	32.1-59.1
Non-Native	4276	265,043	3354	73.8	71.4-76.2	366	8.1	06.7-09.5	556	18.1	15.9-20.3
18-24	155	40,277	81	48.7	38.7-58.7	15	12.7	06.0-19.4	59	38.6	28.6-48.6
25-34	346	48,507	216	64.1	56.8-71.4	31	6.7	03.2-10.2	99	29.2	22.1-36.3
35-44	463	40,494	320	68.7	62.6-74.8	43	6.8	03.9-09.7	100	24.5	18.8-30.2
45-54	685	44,575	510	77.5	73.4-81.6	73	9.9	06.8-13.0	102	12.6	09.7-15.5
55-64	1061	45,172	850	81.1	78.0-84.2	90	7.9	05.5-10.3	121	11.0	08.6-13.4
65+	1730	62,066	1460	83.4	80.9-85.9	140	8.3	06.3-10.3	130	8.3	06.3-10.3
Less Than H.S.	238	20,218	170	58.4	48.4-68.4	24	11.6	06.1-17.1	44	30.0	19.6-40.4
H.S. or G.E.D.	1324	72,219	1037	72.2	67.7-76.7	113	9.3	06.4-12.2	174	18.4	14.5-22.3
Some Post-H.S.	1495	113,760	1181	74.4	70.3-78.5	124	7.4	05.2-09.6	190	18.3	14.4-22.2
College Graduate	1406	75,254	1072	71.4	67.3-75.5	128	8.4	05.9-10.9	206	20.3	16.4-24.2
Less than \$15,000	298	25,166	218	62.7	52.3-73.1	33	8.8	04.7-12.9	47	28.5	17.9-39.1
\$15,000- 24,999	577	38,142	449	66.5	59.1-73.9	42	10.0	05.1-14.9	86	23.5	16.6-30.4
\$25,000- 34,999	436	29,413	348	70.8	62.6-79.0	35	9.2	04.3-14.1	53	20.0	12.4-27.6
\$35,000- 49,999	570	31,671	459	75.3	69.0-81.6	43	7.3	03.6-11.0	68	17.4	11.9-22.9
\$50,000- 74,999	667	39,621	521	70.9	64.4-77.4	55	7.5	04.0-11.0	91	21.6	15.3-27.9
\$75,000+	1245	77,213	942	75.6	71.7-79.5	119	8.6	05.9-11.3	184	15.8	12.7-18.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7768	582,901	373	7.0	06.0-08.0	7395	93.0	92.0-94.0
Male	3247	296,103	149	6.1	04.7-07.5	3098	93.9	92.5-95.3
Female	4521	286,798	224	7.8	06.2-09.4	4297	92.2	90.6-93.8
Native	246	24,672	26	11.1	03.5-18.7	220	88.9	81.3-96.5
Non-Native	7391	546,854	330	6.6	05.6-07.6	7061	93.4	92.4-94.4
18-24	348	89,743	26	7.6	03.9-11.3	322	92.4	88.7-96.1
25-34	663	104,972	43	8.4	05.5-11.3	620	91.6	88.7-94.5
35-44	846	84,812	64	8.8	06.1-11.5	782	91.2	88.5-93.9
45-54	1207	90,960	91	9.2	06.8-11.6	1116	90.8	88.4-93.2
55-64	1854	94,458	92	6.1	04.5-07.7	1762	93.9	92.3-95.5
65+	2767	112,888	54	2.9	01.7-04.1	2713	97.1	95.9-98.3
Less Than H.S.	468	53,183	43	12.3	07.2-17.4	425	87.7	82.6-92.8
H.S. or G.E.D.	2322	153,189	119	8.4	06.2-10.6	2203	91.6	89.4-93.8
Some Post-H.S.	2480	226,567	125	6.6	05.0-08.2	2355	93.4	91.8-95.0
College Graduate	2446	144,170	79	3.6	02.4-04.8	2367	96.4	95.2-97.6
Less than \$15,000	456	44,391	60	14.7	09.8-19.6	396	85.3	80.4-90.2
\$15,000- 24,999	882	73,733	94	16.2	12.1-20.3	788	83.8	79.7-87.9
\$25,000- 34,999	703	56,887	42	10.0	05.9-14.1	661	90.0	85.9-94.1
\$35,000- 49,999	995	69,759	44	5.0	02.8-07.2	951	95.0	92.8-97.2
\$50,000- 74,999	1208	87,655	39	4.4	02.2-06.6	1169	95.6	93.4-97.8
\$75,000+	2493	175,465	41	1.8	00.8-02.8	2452	98.2	97.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3247	296,103	149	6.1	04.7-07.5	3098	93.9	92.5-95.3
Native	80	8,721	6	2.6	00.2-05.0	74	97.4	95.0-99.8
Non-Native	3091	279,693	134	6.0	04.6-07.4	2957	94.0	92.6-95.4
18-24	189	48,482	7	4.7	00.6-08.8	182	95.3	91.2-99.4
25-34	313	55,655	23	7.6	04.1-11.1	290	92.4	88.9-95.9
35-44	381	44,289	23	7.9	04.0-11.8	358	92.1	88.2-96.0
45-54	521	46,494	33	7.3	04.2-10.4	488	92.7	89.6-95.8
55-64	789	48,895	37	6.0	03.5-08.5	752	94.0	91.5-96.5
65+	1029	50,424	25	3.6	01.4-05.8	1004	96.4	94.2-98.6
Less Than H.S.	227	32,275	26	12.5	05.8-19.2	201	87.5	80.8-94.2
H.S. or G.E.D.	993	80,597	49	7.9	05.0-10.8	944	92.1	89.2-95.0
Some Post-H.S.	977	112,370	39	4.1	02.3-05.9	938	95.9	94.1-97.7
College Graduate	1032	67,870	33	4.3	02.3-06.3	999	95.7	93.7-97.7
Less than \$15,000	158	18,775	24	16.4	08.4-24.4	134	83.6	75.6-91.6
\$15,000- 24,999	301	35,512	39	16.1	10.2-22.0	262	83.9	78.0-89.8
\$25,000- 34,999	265	27,214	16	8.5	03.4-13.6	249	91.5	86.4-96.6
\$35,000- 49,999	425	38,088	17	4.8	01.7-07.9	408	95.2	92.1-98.3
\$50,000- 74,999	540	47,705	17	3.7	01.2-06.2	523	96.3	93.8-98.8
\$75,000+	1243	97,612	20	1.8	00.0-03.6	1223	98.2	96.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4521	286,798	224	7.8	06.2-09.4	4297	92.2	90.6-93.8
Native	166	15,951	20	15.8	04.4-27.2	146	84.2	72.8-95.6
Non-Native	4300	267,161	196	7.2	05.8-08.6	4104	92.8	91.4-94.2
18-24	159	41,261	19	11.1	04.8-17.4	140	88.9	82.6-95.2
25-34	350	49,317	20	9.3	04.4-14.2	330	90.7	85.8-95.6
35-44	465	40,523	41	9.9	06.0-13.8	424	90.1	86.2-94.0
45-54	686	44,467	58	11.1	07.6-14.6	628	88.9	85.4-92.4
55-64	1065	45,563	55	6.2	04.2-08.2	1010	93.8	91.8-95.8
65+	1738	62,463	29	2.3	01.1-03.5	1709	97.7	96.5-98.9
Less Than H.S.	241	20,908	17	12.0	03.8-20.2	224	88.0	79.8-96.2
H.S. or G.E.D.	1329	72,592	70	9.0	05.9-12.1	1259	91.0	87.9-94.1
Some Post-H.S.	1503	114,197	86	9.1	06.4-11.8	1417	90.9	88.2-93.6
College Graduate	1414	76,300	46	3.1	01.7-04.5	1368	96.9	95.5-98.3
Less than \$15,000	298	25,616	36	13.6	07.5-19.7	262	86.4	80.3-92.5
\$15,000- 24,999	581	38,221	55	16.3	10.6-22.0	526	83.7	78.0-89.4
\$25,000- 34,999	438	29,673	26	11.4	04.9-17.9	412	88.6	82.1-95.1
\$35,000- 49,999	570	31,671	27	5.3	02.6-08.0	543	94.7	92.0-97.4
\$50,000- 74,999	668	39,950	22	5.2	01.9-08.5	646	94.8	91.5-98.1
\$75,000+	1250	77,852	21	1.7	00.7-02.7	1229	98.3	97.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7720	578,446	5460	64.3	62.5-66.1	935	13.5	12.1-14.9	644	10.4	09.2-11.6	630	10.9	09.7-12.1	51	0.9	00.5-01.3
Male	3233	294,776	2073	56.7	54.0-59.4	394	13.6	11.6-15.6	355	13.9	11.9-15.9	384	14.5	12.5-16.5	27	1.3	00.7-01.9
Female	4487	283,670	3387	72.2	69.8-74.6	541	13.4	11.6-15.2	289	6.8	05.6-08.0	246	7.1	05.5-08.7	24	0.5	00.1-00.9
Native	244	23,688	151	50.0	39.6-60.4	34	16.4	08.0-24.8	34	19.0	10.6-27.4	23	13.1	05.5-20.7	2	1.5	00.0-04.2
Non-Native	7347	543,708	5223	65.1	63.3-66.9	886	13.3	11.9-14.7	601	10.2	09.0-11.4	588	10.5	09.3-11.7	49	0.9	00.5-01.3
18-24	346	88,834	171	52.6	45.9-59.3	71	18.0	12.9-23.1	64	17.5	12.6-22.4	36	11.5	07.0-16.0	4	0.5	00.1-00.9
25-34	660	104,265	358	53.1	47.8-58.4	108	15.8	12.1-19.5	91	12.8	09.5-16.1	93	16.5	12.6-20.4	10	1.8	00.2-03.4
35-44	839	84,137	499	57.0	52.3-61.7	132	14.8	11.5-18.1	102	12.9	09.8-16.0	97	13.7	10.2-17.2	9	1.5	00.1-02.9
45-54	1199	90,722	772	63.2	59.5-66.9	169	14.5	11.8-17.2	116	9.1	06.9-11.3	137	12.9	10.2-15.6	5	0.3	00.0-00.7
55-64	1845	93,999	1321	72.3	69.6-75.0	219	11.2	09.2-13.2	138	7.3	05.7-08.9	158	8.4	06.6-10.2	9	0.7	00.1-01.3
65+	2751	112,113	2282	83.3	81.3-85.3	227	7.9	06.5-09.3	128	4.5	03.5-05.5	102	3.8	02.6-05.0	12	0.4	00.0-00.8
Less Than H.S.	464	52,113	336	64.8	57.9-71.7	47	11.2	06.9-15.5	30	7.3	03.8-10.8	44	14.0	08.3-19.7	7	2.7	00.0-05.4
H.S. or G.E.D.	2311	151,806	1637	62.7	59.4-66.0	267	14.5	12.0-17.0	180	10.0	07.8-12.2	207	12.0	09.6-14.4	20	0.8	00.4-01.2
Some Post-H.S.	2462	225,232	1704	63.4	60.3-66.5	304	13.1	10.9-15.3	233	11.7	09.5-13.9	205	11.0	08.8-13.2	16	0.8	00.2-01.4
College Graduate	2432	143,571	1745	67.0	64.1-69.9	311	13.4	11.2-15.6	196	10.2	08.0-12.4	173	8.9	06.9-10.9	7	0.5	00.0-01.1
Less than \$15,000	453	43,663	301	63.3	55.7-70.9	44	10.4	05.5-15.3	44	11.3	06.6-16.0	54	13.4	07.7-19.1	10	1.6	00.2-03.0
\$15,000- 24,999	878	73,628	621	62.2	56.7-67.7	102	10.9	07.6-14.2	57	8.3	05.0-11.6	92	17.3	12.6-22.0	6	1.4	00.0-03.2
\$25,000- 34,999	700	56,489	495	57.0	50.7-63.3	85	19.3	14.0-24.6	58	11.8	07.3-16.3	57	11.2	07.5-14.9	5	0.6	00.0-01.2
\$35,000- 49,999	990	69,486	705	60.9	55.6-66.2	112	14.0	10.3-17.7	82	14.4	10.3-18.5	88	10.2	07.1-13.3	3	0.5	00.0-01.5
\$50,000- 74,999	1201	87,087	854	65.8	61.3-70.3	150	12.4	09.7-15.1	110	11.2	08.1-14.3	84	10.4	07.1-13.7	3	0.2	00.0-00.4
\$75,000+	2487	174,903	1728	66.7	63.8-69.6	329	13.5	11.3-15.7	229	9.8	08.0-11.6	189	9.3	07.3-11.3	12	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3233	294,776	2073	56.7	54.0-59.4	394	13.6	11.6-15.6	355	13.9	11.9-15.9	384	14.5	12.5-16.5	27	1.3	00.7-01.9
Native	79	8,653	41	35.3	19.8-50.8	14	23.1	07.2-39.0	13	22.2	07.9-36.5	10	15.5	02.2-28.8	1	3.8	00.0-11.2
Non-Native	3079	278,557	1983	57.4	54.7-60.1	373	13.4	11.4-15.4	338	13.9	11.9-15.9	359	14.1	12.1-16.1	26	1.2	00.6-01.8
18-24	189	48,482	76	44.9	35.9-53.9	38	17.7	10.8-24.6	49	24.6	17.0-32.2	23	12.1	06.0-18.2	3	0.7	00.0-01.5
25-34	313	55,673	133	41.9	34.8-49.0	48	15.3	10.0-20.6	59	17.6	12.3-22.9	67	22.7	16.8-28.6	6	2.5	00.0-05.0
35-44	377	44,068	188	45.8	38.7-52.9	58	15.6	10.3-20.9	54	15.7	10.8-20.6	70	20.2	14.5-25.9	7	2.8	00.3-05.3
45-54	518	46,423	289	54.6	48.7-60.5	83	16.5	12.2-20.8	59	11.6	07.9-15.3	84	17.2	12.7-21.7	3	0.2	00.0-00.6
55-64	785	48,660	523	68.6	64.3-72.9	89	10.7	08.0-13.4	78	9.2	06.7-11.7	90	10.3	07.4-13.2	5	1.1	00.0-02.3
65+	1027	50,168	848	84.3	81.2-87.4	77	6.3	04.3-08.3	54	4.6	02.8-06.4	46	4.7	02.5-06.9	2	0.2	00.0-00.6
Less Than H.S.	226	32,292	166	64.8	55.0-74.6	17	9.7	03.6-15.8	15	6.1	02.4-09.8	23	15.6	07.6-23.6	5	3.9	00.0-08.2
H.S. or G.E.D.	992	79,990	627	56.2	51.5-60.9	116	13.1	09.8-16.4	108	12.9	09.6-16.2	133	16.9	13.2-20.6	8	0.9	00.1-01.7
Some Post-H.S.	970	111,861	584	53.4	48.7-58.1	135	15.6	12.1-19.1	125	16.4	12.7-20.1	118	13.5	10.4-16.6	8	1.2	00.2-02.2
College Graduate	1028	67,710	688	59.4	54.9-63.9	122	11.7	09.0-14.4	104	14.8	11.1-18.5	109	13.6	10.3-16.9	5	0.6	00.0-01.4
Less than \$15,000	155	18,186	88	55.4	43.2-67.6	18	9.4	02.9-15.9	23	15.8	06.8-24.8	22	16.5	07.9-25.1	4	2.9	00.0-06.2
\$15,000- 24,999	300	35,401	192	55.3	46.5-64.1	29	6.7	02.8-10.6	28	11.6	05.5-17.7	48	23.8	15.8-31.8	3	2.7	00.0-06.2
\$25,000- 34,999	265	27,214	170	49.3	40.1-58.5	36	22.2	13.8-30.6	30	17.2	09.8-24.6	27	10.6	05.5-15.7	2	0.7	00.0-01.7
\$35,000- 49,999	424	37,984	275	53.7	46.3-61.1	44	12.8	07.3-18.3	47	19.7	13.0-26.4	57	13.8	08.9-18.7	1	0.0	00.0-00.0
\$50,000- 74,999	540	47,705	369	61.9	55.4-68.4	51	8.5	05.2-11.8	65	16.3	11.0-21.6	53	13.1	08.6-17.6	2	0.3	00.0-00.7
\$75,000+	1238	97,457	775	57.6	53.3-61.9	181	16.1	12.8-19.4	138	12.1	09.4-14.8	135	13.1	10.0-16.2	9	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4487	283,670	3387	72.2	69.8-74.6	541	13.4	11.6-15.2	289	6.8	05.6-08.0	246	7.1	05.5-08.7	24	0.5	00.1-00.9
Native	165	15,035	110	58.5	45.4-71.6	20	12.6	03.4-21.8	21	17.1	06.7-27.5	13	11.7	02.5-20.9	1	0.1	00.0-00.3
Non-Native	4268	265,151	3240	73.1	70.7-75.5	513	13.3	11.5-15.1	263	6.2	05.0-07.4	229	6.8	05.2-08.4	23	0.6	00.2-01.0
18-24	157	40,352	95	61.9	52.3-71.5	33	18.3	10.9-25.7	15	8.9	03.6-14.2	13	10.8	04.1-17.5	1	0.2	00.0-00.6
25-34	347	48,591	225	65.9	58.8-73.0	60	16.3	11.2-21.4	32	7.3	03.4-11.2	26	9.4	04.7-14.1	4	1.1	00.0-02.7
35-44	462	40,069	311	69.4	63.5-75.3	74	14.0	09.9-18.1	48	10.0	06.1-13.9	27	6.6	03.1-10.1	2	0.1	00.0-00.3
45-54	681	44,298	483	72.2	67.7-76.7	86	12.4	09.1-15.7	57	6.5	04.3-08.7	53	8.5	05.4-11.6	2	0.4	00.0-01.0
55-64	1060	45,339	798	76.2	72.7-79.7	130	11.7	09.2-14.2	60	5.3	03.5-07.1	68	6.4	04.4-08.4	4	0.4	00.0-00.8
65+	1724	61,945	1434	82.6	80.1-85.1	150	9.2	07.2-11.2	74	4.4	03.0-05.8	56	3.1	02.1-04.1	10	0.6	00.0-01.2
Less Than H.S.	238	19,821	170	64.8	55.8-73.8	30	13.8	08.1-19.5	15	9.4	02.9-15.9	21	11.4	04.5-18.3	2	0.6	00.0-01.6
H.S. or G.E.D.	1319	71,816	1010	70.0	65.5-74.5	151	16.0	12.3-19.7	72	6.8	04.1-09.5	74	6.6	04.2-09.0	12	0.6	00.0-01.2
Some Post-H.S.	1492	113,370	1120	73.2	69.3-77.1	169	10.7	08.0-13.4	108	7.0	05.0-09.0	87	8.5	05.6-11.4	8	0.5	00.1-00.9
College Graduate	1404	75,861	1057	73.9	70.0-77.8	189	15.0	11.9-18.1	92	6.0	03.8-08.2	64	4.7	02.7-06.7	2	0.4	00.0-01.2
Less than \$15,000	298	25,478	213	68.9	59.1-78.7	26	11.1	04.0-18.2	21	8.1	03.2-13.0	32	11.1	03.7-18.5	6	0.7	00.0-01.5
\$15,000- 24,999	578	38,227	429	68.6	61.9-75.3	73	14.7	09.6-19.8	29	5.3	02.6-08.0	44	11.2	06.5-15.9	3	0.1	00.0-00.3
\$25,000- 34,999	435	29,274	325	64.1	55.9-72.3	49	16.6	10.5-22.7	28	6.9	02.0-11.8	30	11.8	06.3-17.3	3	0.6	00.0-01.4
\$35,000- 49,999	566	31,502	430	69.6	62.9-76.3	68	15.4	10.5-20.3	35	8.0	04.1-11.9	31	6.0	02.1-09.9	2	1.0	00.0-03.0
\$50,000- 74,999	661	39,382	485	70.6	64.5-76.7	99	17.2	12.5-21.9	45	5.1	02.7-07.5	31	7.0	02.3-11.7	1	0.0	00.0-00.0
\$75,000+	1249	77,447	953	78.1	74.8-81.4	148	10.2	08.0-12.4	91	6.9	04.7-09.1	54	4.5	02.5-06.5	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014

SECTION 4: EXERCISE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 4: EXERCISE**

**TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7764	582,632	5940	78.7	77.3-80.1	1824	21.3	19.9-22.7
Male	3242	295,590	2458	78.5	76.3-80.7	784	21.5	19.3-23.7
Female	4522	287,042	3482	78.8	77.0-80.6	1040	21.2	19.4-23.0
Native	245	24,652	177	77.2	68.8-85.6	68	22.8	14.4-31.2
Non-Native	7390	546,792	5679	79.0	77.6-80.4	1711	21.0	19.6-22.4
18-24	347	89,640	303	90.0	86.3-93.7	44	10.0	06.3-13.7
25-34	663	104,910	557	83.1	79.2-87.0	106	16.9	13.0-20.8
35-44	845	84,791	710	83.1	79.4-86.8	135	16.9	13.2-20.6
45-54	1206	90,962	946	76.8	73.5-80.1	260	23.2	19.9-26.5
55-64	1855	94,406	1424	73.9	71.2-76.6	431	26.1	23.4-28.8
65+	2764	112,827	1935	67.6	65.1-70.1	829	32.4	29.9-34.9
Less Than H.S.	470	53,265	276	59.5	52.6-66.4	194	40.5	33.6-47.4
H.S. or G.E.D.	2317	152,868	1578	72.3	69.6-75.0	739	27.7	25.0-30.4
Some Post-H.S.	2480	226,621	1930	81.2	79.0-83.4	550	18.8	16.6-21.0
College Graduate	2445	144,086	2121	88.6	86.8-90.4	324	11.4	09.6-13.2
Less than \$15,000	458	44,558	291	69.4	62.5-76.3	167	30.6	23.7-37.5
\$15,000- 24,999	881	73,576	568	68.0	63.1-72.9	313	32.0	27.1-36.9
\$25,000- 34,999	700	56,747	491	75.5	70.6-80.4	209	24.5	19.6-29.4
\$35,000- 49,999	993	69,691	770	81.0	77.5-84.5	223	19.0	15.5-22.5
\$50,000- 74,999	1208	87,655	968	79.9	76.2-83.6	240	20.1	16.4-23.8
\$75,000+	2495	175,509	2117	86.7	84.9-88.5	378	13.3	11.5-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 4: EXERCISE**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3242	295,590	2458	78.5	76.3-80.7	784	21.5	19.3-23.7
Native	80	8,721	62	87.2	77.0-97.4	18	12.8	02.6-23.0
Non-Native	3088	279,366	2345	78.6	76.4-80.8	743	21.4	19.2-23.6
18-24	188	48,379	166	90.7	85.4-96.0	22	9.3	04.0-14.6
25-34	313	55,593	251	80.3	74.6-86.0	62	19.7	14.0-25.4
35-44	381	44,289	307	81.6	76.1-87.1	74	18.4	12.9-23.9
45-54	519	46,333	398	77.2	72.3-82.1	121	22.8	17.9-27.7
55-64	789	48,807	577	71.3	67.0-75.6	212	28.7	24.4-33.0
65+	1026	50,297	741	70.2	66.3-74.1	285	29.8	25.9-33.7
Less Than H.S.	227	32,180	121	55.9	46.1-65.7	106	44.1	34.3-53.9
H.S. or G.E.D.	987	80,120	679	74.3	70.6-78.0	308	25.7	22.0-29.4
Some Post-H.S.	978	112,427	756	82.1	79.0-85.2	222	17.9	14.8-21.0
College Graduate	1032	67,872	888	87.7	84.8-90.6	144	12.3	09.4-15.2
Less than \$15,000	158	18,775	103	69.7	58.5-80.9	55	30.3	19.1-41.5
\$15,000- 24,999	299	35,211	195	70.7	63.3-78.1	104	29.3	21.9-36.7
\$25,000- 34,999	263	27,153	178	73.1	65.7-80.5	85	26.9	19.5-34.3
\$35,000- 49,999	424	38,040	330	82.8	77.7-87.9	94	17.2	12.1-22.3
\$50,000- 74,999	540	47,705	404	75.7	70.0-81.4	136	24.3	18.6-30.0
\$75,000+	1244	97,622	1015	84.8	82.1-87.5	229	15.2	12.5-17.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 4: EXERCISE**

**TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4522	287,042	3482	78.8	77.0-80.6	1040	21.2	19.4-23.0
Native	165	15,930	115	71.7	60.1-83.3	50	28.3	16.7-39.9
Non-Native	4302	267,425	3334	79.4	77.6-81.2	968	20.6	18.8-22.4
18-24	159	41,261	137	89.1	83.8-94.4	22	10.9	05.6-16.2
25-34	350	49,317	306	86.2	80.9-91.5	44	13.8	08.5-19.1
35-44	464	40,502	403	84.6	79.9-89.3	61	15.4	10.7-20.1
45-54	687	44,629	548	76.4	71.9-80.9	139	23.6	19.1-28.1
55-64	1066	45,599	847	76.7	73.2-80.2	219	23.3	19.8-26.8
65+	1738	62,530	1194	65.4	62.3-68.5	544	34.6	31.5-37.7
Less Than H.S.	243	21,085	155	65.1	56.3-73.9	88	34.9	26.1-43.7
H.S. or G.E.D.	1330	72,748	899	70.2	66.3-74.1	431	29.8	25.9-33.7
Some Post-H.S.	1502	114,194	1174	80.4	77.3-83.5	328	19.6	16.5-22.7
College Graduate	1413	76,214	1233	89.4	87.0-91.8	180	10.6	08.2-13.0
Less than \$15,000	300	25,783	188	69.1	60.5-77.7	112	30.9	22.3-39.5
\$15,000- 24,999	582	38,365	373	65.5	59.2-71.8	209	34.5	28.2-40.8
\$25,000- 34,999	437	29,594	313	77.8	71.7-83.9	124	22.2	16.1-28.3
\$35,000- 49,999	569	31,651	440	78.8	73.9-83.7	129	21.2	16.3-26.1
\$50,000- 74,999	668	39,950	564	85.0	80.7-89.3	104	15.0	10.7-19.3
\$75,000+	1251	77,886	1102	89.1	86.6-91.6	149	10.9	08.4-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014

SECTION 5: INADEQUATE SLEEP CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 5: INADEQUATE SLEEP**

**TABLE 1: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7712	579,362	2115	31.0	29.2-32.8	5382	66.2	64.4-68.0	215	2.8	02.2-03.4
Male	3220	294,049	933	32.3	29.8-34.8	2202	64.9	62.4-67.4	85	2.7	01.7-03.7
Female	4492	285,312	1182	29.6	27.2-32.0	3180	67.6	65.2-70.0	130	2.8	02.0-03.6
Native	243	24,410	89	41.2	30.6-51.8	148	56.1	45.5-66.7	6	2.6	00.0-06.3
Non-Native	7342	543,764	1992	30.5	28.7-32.3	5148	66.7	64.9-68.5	202	2.7	02.1-03.3
18-24	347	89,565	94	27.1	21.2-33.0	239	69.4	63.3-75.5	14	3.4	00.9-05.9
25-34	662	104,929	240	40.4	35.3-45.5	411	57.7	52.6-62.8	11	1.8	00.6-03.0
35-44	842	84,666	285	37.2	32.5-41.9	545	61.6	56.9-66.3	12	1.3	00.1-02.5
45-54	1203	90,885	375	33.6	29.9-37.3	804	63.9	60.2-67.6	24	2.4	01.0-03.8
55-64	1844	93,646	483	27.2	24.5-29.9	1326	70.9	68.0-73.8	35	1.9	00.9-02.9
65+	2737	111,288	614	21.5	19.3-23.7	2006	73.3	70.9-75.7	117	5.2	03.8-06.6
Less Than H.S.	463	52,801	166	34.4	27.5-41.3	265	57.8	50.7-64.9	32	7.8	03.7-11.9
H.S. or G.E.D.	2305	151,936	649	31.7	28.6-34.8	1583	65.6	62.5-68.7	73	2.7	01.5-03.9
Some Post-H.S.	2456	225,027	684	31.4	28.5-34.3	1703	66.4	63.3-69.5	69	2.3	01.5-03.1
College Graduate	2436	143,807	597	27.4	24.7-30.1	1799	70.8	67.9-73.7	40	1.8	00.8-02.8
Less than \$15,000	448	43,492	144	32.6	25.3-39.9	272	58.5	50.7-66.3	32	8.9	03.8-14.0
\$15,000- 24,999	878	73,679	262	36.1	30.6-41.6	572	59.7	54.2-65.2	44	4.1	02.3-05.9
\$25,000- 34,999	694	56,526	203	34.3	28.2-40.4	464	62.8	56.7-68.9	27	2.9	01.3-04.5
\$35,000- 49,999	990	69,445	267	32.4	27.3-37.5	699	66.0	60.9-71.1	24	1.5	00.7-02.3
\$50,000- 74,999	1204	87,576	275	25.1	21.0-29.2	904	72.5	68.4-76.6	25	2.4	00.8-04.0
\$75,000+	2486	175,092	681	30.7	27.8-33.6	1778	68.4	65.5-71.3	27	0.9	00.5-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 5: INADEQUATE SLEEP**

**TABLE 2: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3220	294,049	933	32.3	29.8-34.8	2202	64.9	62.4-67.4	85	2.7	01.7-03.7
Native	78	8,604	28	41.6	24.5-58.7	48	52.9	35.5-70.3	2	5.5	00.0-15.5
Non-Native	3068	277,893	885	32.0	29.5-34.5	2103	65.4	62.7-68.1	80	2.7	01.7-03.7
18-24	189	48,482	55	29.5	21.1-37.9	128	66.5	57.7-75.3	6	4.0	00.0-08.1
25-34	312	55,612	133	42.1	35.0-49.2	175	56.1	49.0-63.2	4	1.8	00.0-03.6
35-44	378	44,164	138	39.6	32.5-46.7	234	58.6	51.5-65.7	6	1.8	00.0-03.8
45-54	518	46,328	176	37.0	31.1-42.9	335	62.4	56.5-68.3	7	0.6	00.0-01.2
55-64	782	48,330	222	27.6	23.5-31.7	549	71.0	66.7-75.3	11	1.4	00.2-02.6
65+	1017	49,752	201	18.3	15.2-21.4	765	75.0	71.1-78.9	51	6.6	03.9-09.3
Less Than H.S.	225	32,135	71	33.1	23.5-42.7	138	58.5	48.5-68.5	16	8.4	02.1-14.7
H.S. or G.E.D.	984	79,729	300	34.1	29.6-38.6	654	62.6	57.9-67.3	30	3.3	01.3-05.3
Some Post-H.S.	966	111,588	278	32.6	28.1-37.1	663	65.7	61.2-70.2	25	1.7	00.9-02.5
College Graduate	1027	67,606	275	28.2	24.1-32.3	738	70.6	66.3-74.9	14	1.2	00.2-02.2
Less than \$15,000	152	17,943	50	27.8	17.4-38.2	90	60.9	48.6-73.2	12	11.4	01.2-21.6
\$15,000- 24,999	297	35,385	88	37.9	29.1-46.7	195	58.2	49.4-67.0	14	3.9	00.8-07.0
\$25,000- 34,999	260	26,894	81	36.9	27.7-46.1	169	59.8	50.6-69.0	10	3.2	00.7-05.7
\$35,000- 49,999	423	37,869	119	34.4	27.0-41.8	296	64.3	56.9-71.7	8	1.3	00.3-02.3
\$50,000- 74,999	537	47,638	132	26.6	20.7-32.5	390	71.0	65.1-76.9	15	2.4	00.6-04.2
\$75,000+	1235	97,206	370	32.0	27.9-36.1	851	67.2	63.1-71.3	14	0.8	00.2-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 5: INADEQUATE SLEEP**

**TABLE 3: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4492	285,312	1182	29.6	27.2-32.0	3180	67.6	65.2-70.0	130	2.8	02.0-03.6
Native	165	15,806	61	41.0	27.7-54.3	100	57.9	44.6-71.2	4	1.1	00.0-02.5
Non-Native	4274	265,871	1107	29.0	26.6-31.4	3045	68.2	65.8-70.6	122	2.8	02.0-03.6
18-24	158	41,083	39	24.4	16.2-32.6	111	72.9	64.5-81.3	8	2.8	00.3-05.3
25-34	350	49,317	107	38.6	31.2-46.0	236	59.5	52.1-66.9	7	1.9	00.1-03.7
35-44	464	40,502	147	34.5	28.2-40.8	311	64.8	58.5-71.1	6	0.7	00.0-01.7
45-54	685	44,556	199	30.2	25.5-34.9	469	65.5	60.6-70.4	17	4.3	01.8-06.8
55-64	1062	45,317	261	26.8	23.1-30.5	777	70.7	67.0-74.4	24	2.4	01.0-03.8
65+	1720	61,536	413	24.0	21.3-26.7	1241	72.0	69.1-74.9	66	4.0	02.6-05.4
Less Than H.S.	238	20,666	95	36.4	27.2-45.6	127	56.7	47.3-66.1	16	6.9	02.6-11.2
H.S. or G.E.D.	1321	72,206	349	28.9	24.8-33.0	929	68.9	64.8-73.0	43	2.1	01.3-02.9
Some Post-H.S.	1490	113,439	406	30.2	26.1-34.3	1040	67.0	62.9-71.1	44	2.8	01.6-04.0
College Graduate	1409	76,201	322	26.7	23.0-30.4	1061	70.9	67.0-74.8	26	2.4	00.8-04.0
Less than \$15,000	296	25,549	94	35.9	26.1-45.7	182	56.9	46.9-66.9	20	7.2	02.7-11.7
\$15,000- 24,999	581	38,294	174	34.4	27.9-40.9	377	61.2	54.5-67.9	30	4.4	02.2-06.6
\$25,000- 34,999	434	29,631	122	32.0	24.2-39.8	295	65.4	57.6-73.2	17	2.6	00.8-04.4
\$35,000- 49,999	567	31,576	148	30.1	23.4-36.8	403	68.1	61.4-74.8	16	1.8	00.4-03.2
\$50,000- 74,999	667	39,938	143	23.4	17.9-28.9	514	74.3	68.4-80.2	10	2.4	00.0-04.9
\$75,000+	1251	77,886	311	29.0	24.9-33.1	927	69.9	65.8-74.0	13	1.1	00.3-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	51
14 MALES ONLY	52
15 FEMALES ONLY	53
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	54
17 MALES ONLY	55
18 FEMALES ONLY	56
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	57
20 MALES ONLY	58
21 FEMALES ONLY	59

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY	62
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY	65
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY	68
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY	71
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY	74
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7750	581,435	516	4.6	04.0-05.2	7234	95.4	94.8-96.0
Male	3243	295,332	307	6.2	05.2-07.2	2936	93.8	92.8-94.8
Female	4507	286,103	209	3.0	02.4-03.6	4298	97.0	96.4-97.6
Native	244	24,302	18	1.8	00.6-03.0	226	98.2	97.0-99.4
Non-Native	7376	545,852	484	4.7	04.1-05.3	6892	95.3	94.7-95.9
18-24	348	89,743				348	100.0	0100-0100
25-34	663	104,958	2	0.3	00.0-00.9	661	99.7	99.1-0100
35-44	843	84,393	7	1.4	00.0-02.8	836	98.6	97.2-0100
45-54	1206	90,770	30	3.0	01.6-04.4	1176	97.0	95.6-98.4
55-64	1849	93,819	102	5.6	04.2-07.0	1747	94.4	93.0-95.8
65+	2757	112,655	369	14.9	12.9-16.9	2388	85.1	83.1-87.1
Less Than H.S.	463	52,673	61	8.9	05.8-12.0	402	91.1	88.0-94.2
H.S. or G.E.D.	2321	153,269	185	5.2	04.2-06.2	2136	94.8	93.8-95.8
Some Post-H.S.	2474	225,963	154	4.2	03.2-05.2	2320	95.8	94.8-96.8
College Graduate	2441	143,974	113	3.2	02.4-04.0	2328	96.8	96.0-97.6
Less than \$15,000	451	43,857	46	6.6	03.9-09.3	405	93.4	90.7-96.1
\$15,000- 24,999	881	73,795	86	6.0	04.2-07.8	795	94.0	92.2-95.8
\$25,000- 34,999	697	56,658	60	3.8	02.2-05.4	637	96.2	94.6-97.8
\$35,000- 49,999	992	69,630	78	5.6	03.8-07.4	914	94.4	92.6-96.2
\$50,000- 74,999	1207	87,625	63	3.8	02.2-05.4	1144	96.2	94.6-97.8
\$75,000+	2492	175,094	99	2.9	02.1-03.7	2393	97.1	96.3-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3243	295,332	307	6.2	05.2-07.2	2936	93.8	92.8-94.8
Native	80	8,721	7	2.8	00.1-05.5	73	97.2	94.5-99.9
Non-Native	3088	279,017	292	6.2	05.2-07.2	2796	93.8	92.8-94.8
18-24	189	48,482				189	100.0	0100-0100
25-34	314	55,731	1	0.5	00.0-01.5	313	99.5	98.5-0100
35-44	379	43,927	6	2.5	00.0-05.0	373	97.5	95.0-0100
45-54	521	46,494	17	3.4	01.2-05.6	504	96.6	94.4-98.8
55-64	786	48,378	69	8.3	05.8-10.8	717	91.7	89.2-94.2
65+	1028	50,427	211	22.0	18.3-25.7	817	78.0	74.3-81.7
Less Than H.S.	225	32,141	40	10.9	06.4-15.4	185	89.1	84.6-93.6
H.S. or G.E.D.	994	80,641	104	6.4	04.6-08.2	890	93.6	91.8-95.4
Some Post-H.S.	976	111,979	81	5.5	03.9-07.1	895	94.5	92.9-96.1
College Graduate	1031	67,817	81	4.9	03.3-06.5	950	95.1	93.5-96.7
Less than \$15,000	157	18,615	16	7.9	02.6-13.2	141	92.1	86.8-97.4
\$15,000- 24,999	301	35,472	38	7.2	04.1-10.3	263	92.8	89.7-95.9
\$25,000- 34,999	261	27,067	33	5.2	02.5-07.9	228	94.8	92.1-97.5
\$35,000- 49,999	425	38,063	48	7.0	04.3-09.7	377	93.0	90.3-95.7
\$50,000- 74,999	540	47,705	50	6.3	03.6-09.0	490	93.7	91.0-96.4
\$75,000+	1242	97,280	83	4.6	03.2-06.0	1159	95.4	94.0-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4507	286,103	209	3.0	02.4-03.6	4298	97.0	96.4-97.6
Native	164	15,581	11	1.3	00.3-02.3	153	98.7	97.7-99.7
Non-Native	4288	266,835	192	3.0	02.4-03.6	4096	97.0	96.4-97.6
18-24	159	41,261				159	100.0	0100-0100
25-34	349	49,226	1	0.1	00.0-00.3	348	99.9	99.7-0100
35-44	464	40,466	1	0.2	00.0-00.6	463	99.8	99.4-0100
45-54	685	44,277	13	2.7	00.9-04.5	672	97.3	95.5-99.1
55-64	1063	45,441	33	2.8	01.6-04.0	1030	97.2	96.0-98.4
65+	1729	62,228	158	9.2	07.2-11.2	1571	90.8	88.8-92.8
Less Than H.S.	238	20,533	21	5.9	02.6-09.2	217	94.1	90.8-97.4
H.S. or G.E.D.	1327	72,629	81	3.8	02.8-04.8	1246	96.2	95.2-97.2
Some Post-H.S.	1498	113,983	73	2.9	01.9-03.9	1425	97.1	96.1-98.1
College Graduate	1410	76,157	32	1.6	00.8-02.4	1378	98.4	97.6-99.2
Less than \$15,000	294	25,241	30	5.6	03.1-08.1	264	94.4	91.9-96.9
\$15,000- 24,999	580	38,323	48	4.9	02.9-06.9	532	95.1	93.1-97.1
\$25,000- 34,999	436	29,591	27	2.6	01.0-04.2	409	97.4	95.8-99.0
\$35,000- 49,999	567	31,567	30	3.9	02.1-05.7	537	96.1	94.3-97.9
\$50,000- 74,999	667	39,919	13	0.8	00.2-01.4	654	99.2	98.6-99.8
\$75,000+	1250	77,814	16	0.8	00.4-01.2	1234	99.2	98.8-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7723	580,784	482	4.0	03.4-04.6	7241	96.0	95.4-96.6
Male	3226	294,943	252	5.0	04.2-05.8	2974	95.0	94.2-95.8
Female	4497	285,841	230	3.1	02.5-03.7	4267	96.9	96.3-97.5
Native	246	24,488	19	2.3	00.7-03.9	227	97.7	96.1-99.3
Non-Native	7348	544,992	450	4.0	03.4-04.6	6898	96.0	95.4-96.6
18-24	348	89,743				348	100.0	0100-0100
25-34	663	104,958	3	0.3	00.0-00.9	660	99.7	99.1-0100
35-44	845	84,452	5	0.7	00.0-01.5	840	99.3	98.5-0100
45-54	1201	90,680	22	2.0	00.8-03.2	1179	98.0	96.8-99.2
55-64	1850	94,321	109	6.1	04.5-07.7	1741	93.9	92.3-95.5
65+	2732	111,534	338	13.4	11.6-15.2	2394	86.6	84.8-88.4
Less Than H.S.	468	53,029	40	6.2	03.7-08.7	428	93.8	91.3-96.3
H.S. or G.E.D.	2309	152,805	170	4.9	03.9-05.9	2139	95.1	94.1-96.1
Some Post-H.S.	2464	225,555	142	3.6	02.8-04.4	2322	96.4	95.6-97.2
College Graduate	2431	143,653	126	3.1	02.3-03.9	2305	96.9	96.1-97.7
Less than \$15,000	453	44,421	50	6.2	03.8-08.6	403	93.8	91.4-96.2
\$15,000- 24,999	873	73,229	77	5.8	03.8-07.8	796	94.2	92.2-96.2
\$25,000- 34,999	697	56,601	52	3.3	01.9-04.7	645	96.7	95.3-98.1
\$35,000- 49,999	989	69,468	80	5.4	03.8-07.0	909	94.6	93.0-96.2
\$50,000- 74,999	1199	87,018	56	2.8	01.8-03.8	1143	97.2	96.2-98.2
\$75,000+	2487	175,277	101	2.9	02.1-03.7	2386	97.1	96.3-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3226	294,943	252	5.0	04.2-05.8	2974	95.0	94.2-95.8
Native	80	8,721	7	3.6	00.1-07.1	73	96.4	92.9-99.9
Non-Native	3070	278,533	236	4.9	04.1-05.7	2834	95.1	94.3-95.9
18-24	189	48,482				189	100.0	0100-0100
25-34	314	55,731	2	0.5	00.0-01.5	312	99.5	98.5-0100
35-44	380	43,929	3	1.1	00.0-02.7	377	98.9	97.3-0100
45-54	517	46,337	11	2.1	00.3-03.9	506	97.9	96.1-99.7
55-64	786	48,777	67	8.5	06.0-11.0	719	91.5	89.0-94.0
65+	1014	49,794	166	17.6	14.3-20.9	848	82.4	79.1-85.7
Less Than H.S.	226	31,940	22	7.5	03.6-11.4	204	92.5	88.6-96.4
H.S. or G.E.D.	987	80,407	86	6.1	04.3-07.9	901	93.9	92.1-95.7
Some Post-H.S.	971	111,994	67	4.3	02.9-05.7	904	95.7	94.3-97.1
College Graduate	1024	67,611	76	4.0	02.6-05.4	948	96.0	94.6-97.4
Less than \$15,000	158	18,775	15	7.3	02.6-12.0	143	92.7	88.0-97.4
\$15,000- 24,999	294	34,978	25	5.8	02.7-08.9	269	94.2	91.1-97.3
\$25,000- 34,999	262	27,000	25	4.1	01.6-06.6	237	95.9	93.4-98.4
\$35,000- 49,999	422	38,060	42	6.5	04.0-09.0	380	93.5	91.0-96.0
\$50,000- 74,999	533	47,273	38	4.2	02.4-06.0	495	95.8	94.0-97.6
\$75,000+	1239	97,481	80	4.3	02.9-05.7	1159	95.7	94.3-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4497	285,841	230	3.1	02.5-03.7	4267	96.9	96.3-97.5
Native	166	15,767	12	1.6	00.4-02.8	154	98.4	97.2-99.6
Non-Native	4278	266,459	214	3.1	02.5-03.7	4064	96.9	96.3-97.5
18-24	159	41,261				159	100.0	0100-0100
25-34	349	49,226	1	0.1	00.0-00.3	348	99.9	99.7-0100
35-44	465	40,523	2	0.2	00.0-00.6	463	99.8	99.4-0100
45-54	684	44,343	11	1.9	00.3-03.5	673	98.1	96.5-99.7
55-64	1064	45,544	42	3.5	02.3-04.7	1022	96.5	95.3-97.7
65+	1718	61,740	172	10.0	08.0-12.0	1546	90.0	88.0-92.0
Less Than H.S.	242	21,089	18	4.2	01.5-06.9	224	95.8	93.1-98.5
H.S. or G.E.D.	1322	72,399	84	3.7	02.7-04.7	1238	96.3	95.3-97.3
Some Post-H.S.	1493	113,561	75	2.9	01.9-03.9	1418	97.1	96.1-98.1
College Graduate	1407	76,041	50	2.3	01.5-03.1	1357	97.7	96.9-98.5
Less than \$15,000	295	25,647	35	5.4	03.0-07.8	260	94.6	92.2-97.0
\$15,000- 24,999	579	38,251	52	5.8	03.4-08.2	527	94.2	91.8-96.6
\$25,000- 34,999	435	29,601	27	2.6	01.4-03.8	408	97.4	96.2-98.6
\$35,000- 49,999	567	31,408	38	4.0	02.4-05.6	529	96.0	94.4-97.6
\$50,000- 74,999	666	39,745	18	1.1	00.5-01.7	648	98.9	98.3-99.5
\$75,000+	1248	77,796	21	1.1	00.5-01.7	1227	98.9	98.3-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7764	582,547	265	2.4	02.0-02.8	7499	97.6	97.2-98.0
Male	3245	295,622	115	2.8	02.0-03.6	3130	97.2	96.4-98.0
Female	4519	286,925	150	1.9	01.5-02.3	4369	98.1	97.7-98.5
Native	246	24,665	9	2.4	00.0-05.9	237	97.6	94.1-0100
Non-Native	7390	546,620	249	2.3	01.9-02.7	7141	97.7	97.3-98.1
18-24	347	89,649	1	0.4	00.0-01.2	346	99.6	98.8-0100
25-34	663	104,958				663	100.0	0100-0100
35-44	844	84,412	5	0.8	00.0-01.6	839	99.2	98.4-0100
45-54	1208	91,105	18	1.8	00.6-03.0	1190	98.2	97.0-99.4
55-64	1853	94,361	44	2.1	01.3-02.9	1809	97.9	97.1-98.7
65+	2766	112,980	196	8.1	06.5-09.7	2570	91.9	90.3-93.5
Less Than H.S.	470	52,997	35	5.5	03.0-08.0	435	94.5	92.0-97.0
H.S. or G.E.D.	2326	153,436	107	3.3	02.3-04.3	2219	96.7	95.7-97.7
Some Post-H.S.	2474	226,313	80	1.8	01.2-02.4	2394	98.2	97.6-98.8
College Graduate	2442	144,010	43	1.2	00.8-01.6	2399	98.8	98.4-99.2
Less than \$15,000	455	44,437	47	6.4	03.5-09.3	408	93.6	90.7-96.5
\$15,000- 24,999	880	73,529	57	3.1	01.9-04.3	823	96.9	95.7-98.1
\$25,000- 34,999	701	56,762	20	2.1	00.7-03.5	681	97.9	96.5-99.3
\$35,000- 49,999	996	69,777	32	3.2	01.6-04.8	964	96.8	95.2-98.4
\$50,000- 74,999	1206	87,619	26	1.6	00.8-02.4	1180	98.4	97.6-99.2
\$75,000+	2494	175,422	40	0.9	00.5-01.3	2454	99.1	98.7-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3245	295,622	115	2.8	02.0-03.6	3130	97.2	96.4-98.0
Native	79	8,698	1	5.2	00.0-15.0	78	94.8	85.0-0100
Non-Native	3091	279,269	108	2.6	02.0-03.2	2983	97.4	96.8-98.0
18-24	188	48,388	1	0.7	00.0-02.1	187	99.3	97.9-0100
25-34	314	55,731				314	100.0	0100-0100
35-44	380	43,929	3	1.1	00.0-02.7	377	98.9	97.3-0100
45-54	521	46,494	8	2.7	00.5-04.9	513	97.3	95.1-99.5
55-64	788	48,790	25	2.8	01.4-04.2	763	97.2	95.8-98.6
65+	1028	50,396	77	9.6	06.7-12.5	951	90.4	87.5-93.3
Less Than H.S.	226	31,887	14	5.1	01.6-08.6	212	94.9	91.4-98.4
H.S. or G.E.D.	995	80,717	47	4.4	02.6-06.2	948	95.6	93.8-97.4
Some Post-H.S.	975	112,201	32	2.0	01.2-02.8	943	98.0	97.2-98.8
College Graduate	1031	67,825	22	1.4	00.6-02.2	1009	98.6	97.8-99.4
Less than \$15,000	157	18,701	11	6.5	00.8-12.2	146	93.5	87.8-99.2
\$15,000- 24,999	300	35,195	21	3.9	01.7-06.1	279	96.1	93.9-98.3
\$25,000- 34,999	263	27,090	10	3.2	00.7-05.7	253	96.8	94.3-99.3
\$35,000- 49,999	426	38,106	19	4.2	01.5-06.9	407	95.8	93.1-98.5
\$50,000- 74,999	540	47,705	17	2.3	00.9-03.7	523	97.7	96.3-99.1
\$75,000+	1243	97,549	23	1.0	00.4-01.6	1220	99.0	98.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4519	286,925	150	1.9	01.5-02.3	4369	98.1	97.7-98.5
Native	167	15,967	8	0.9	00.1-01.7	159	99.1	98.3-99.9
Non-Native	4299	267,352	141	2.0	01.6-02.4	4158	98.0	97.6-98.4
18-24	159	41,261				159	100.0	0100-0100
25-34	349	49,226				349	100.0	0100-0100
35-44	464	40,483	2	0.4	00.0-01.0	462	99.6	99.0-0100
45-54	687	44,612	10	1.0	00.2-01.8	677	99.0	98.2-99.8
55-64	1065	45,571	19	1.4	00.6-02.2	1046	98.6	97.8-99.4
65+	1738	62,583	119	6.8	05.2-08.4	1619	93.2	91.6-94.8
Less Than H.S.	244	21,110	21	6.2	02.7-09.7	223	93.8	90.3-97.3
H.S. or G.E.D.	1331	72,719	60	2.2	01.4-03.0	1271	97.8	97.0-98.6
Some Post-H.S.	1499	114,111	48	1.6	01.0-02.2	1451	98.4	97.8-99.0
College Graduate	1411	76,184	21	1.1	00.5-01.7	1390	98.9	98.3-99.5
Less than \$15,000	298	25,735	36	6.3	03.6-09.0	262	93.7	91.0-96.4
\$15,000- 24,999	580	38,334	36	2.4	01.4-03.4	544	97.6	96.6-98.6
\$25,000- 34,999	438	29,673	10	1.0	00.0-02.0	428	99.0	98.0-0100
\$35,000- 49,999	570	31,671	13	2.0	00.4-03.6	557	98.0	96.4-99.6
\$50,000- 74,999	666	39,914	9	0.9	00.3-01.5	657	99.1	98.5-99.7
\$75,000+	1251	77,873	17	0.8	00.2-01.4	1234	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7771	581,281	866	12.2	11.0-13.4	6905	87.8	86.6-89.0
Male	3252	295,795	304	10.1	08.5-11.7	2948	89.9	88.3-91.5
Female	4519	285,486	562	14.3	12.5-16.1	3957	85.7	83.9-87.5
Native	246	23,840	47	16.1	09.0-23.2	199	83.9	76.8-91.0
Non-Native	7395	546,368	801	12.0	10.8-13.2	6594	88.0	86.8-89.2
18-24	345	88,131	39	10.9	07.0-14.8	306	89.1	85.2-93.0
25-34	662	104,931	94	17.0	12.9-21.1	568	83.0	78.9-87.1
35-44	845	84,509	107	12.9	09.8-16.0	738	87.1	84.0-90.2
45-54	1208	91,105	113	8.0	06.0-10.0	1095	92.0	90.0-94.0
55-64	1857	94,395	199	11.5	09.5-13.5	1658	88.5	86.5-90.5
65+	2771	113,256	305	11.8	10.0-13.6	2466	88.2	86.4-90.0
Less Than H.S.	471	52,613	79	17.2	11.9-22.5	392	82.8	77.5-88.1
H.S. or G.E.D.	2328	153,097	221	10.6	08.4-12.8	2107	89.4	87.2-91.6
Some Post-H.S.	2480	226,240	302	12.9	10.7-15.1	2178	87.1	84.9-89.3
College Graduate	2440	143,540	259	10.8	08.8-12.8	2181	89.2	87.2-91.2
Less than \$15,000	457	44,285	99	21.3	15.2-27.4	358	78.7	72.6-84.8
\$15,000- 24,999	886	74,044	123	14.5	10.4-18.6	763	85.5	81.4-89.6
\$25,000- 34,999	701	56,511	68	11.6	07.1-16.1	633	88.4	83.9-92.9
\$35,000- 49,999	993	69,686	102	11.8	08.5-15.1	891	88.2	84.9-91.5
\$50,000- 74,999	1206	87,224	120	10.1	07.4-12.8	1086	89.9	87.2-92.6
\$75,000+	2495	175,496	248	10.6	08.6-12.6	2247	89.4	87.4-91.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3252	295,795	304	10.1	08.5-11.7	2948	89.9	88.3-91.5
Native	80	8,721	11	14.2	02.4-26.0	69	85.8	74.0-97.6
Non-Native	3097	279,688	282	9.9	08.1-11.7	2815	90.1	88.3-91.9
18-24	188	48,122	17	8.5	04.0-13.0	171	91.5	87.0-96.0
25-34	314	55,731	38	13.2	07.9-18.5	276	86.8	81.5-92.1
35-44	380	43,986	42	10.2	06.3-14.1	338	89.8	85.9-93.7
45-54	521	46,494	39	6.6	03.7-09.5	482	93.4	90.5-96.3
55-64	791	48,924	67	9.0	06.3-11.7	724	91.0	88.3-93.7
65+	1032	50,646	96	11.1	08.0-14.2	936	88.9	85.8-92.0
Less Than H.S.	228	32,351	34	14.7	07.4-22.0	194	85.3	78.0-92.6
H.S. or G.E.D.	996	80,417	82	8.8	06.1-11.5	914	91.2	88.5-93.9
Some Post-H.S.	978	112,162	97	9.6	06.9-12.3	881	90.4	87.7-93.1
College Graduate	1032	67,874	89	10.0	07.3-12.7	943	90.0	87.3-92.7
Less than \$15,000	158	18,775	21	14.1	05.7-22.5	137	85.9	77.5-94.3
\$15,000- 24,999	303	35,614	33	12.7	06.4-19.0	270	87.3	81.0-93.6
\$25,000- 34,999	264	26,854	29	9.0	03.5-14.5	235	91.0	85.5-96.5
\$35,000- 49,999	425	38,100	40	11.7	06.8-16.6	385	88.3	83.4-93.2
\$50,000- 74,999	540	47,705	43	9.1	05.0-13.2	497	90.9	86.8-95.0
\$75,000+	1244	97,622	107	8.6	06.4-10.8	1137	91.4	89.2-93.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4519	285,486	562	14.3	12.5-16.1	3957	85.7	83.9-87.5
Native	166	15,119	36	17.2	08.4-26.0	130	82.8	74.0-91.6
Non-Native	4298	266,680	519	14.2	12.2-16.2	3779	85.8	83.8-87.8
18-24	157	40,010	22	13.8	07.3-20.3	135	86.2	79.7-92.7
25-34	348	49,200	56	21.2	14.7-27.7	292	78.8	72.3-85.3
35-44	465	40,523	65	15.8	10.7-20.9	400	84.2	79.1-89.3
45-54	687	44,612	74	9.4	06.7-12.1	613	90.6	87.9-93.3
55-64	1066	45,472	132	14.2	11.3-17.1	934	85.8	82.9-88.7
65+	1739	62,610	209	12.3	10.1-14.5	1530	87.7	85.5-89.9
Less Than H.S.	243	20,262	45	21.3	14.0-28.6	198	78.7	71.4-86.0
H.S. or G.E.D.	1332	72,680	139	12.5	09.2-15.8	1193	87.5	84.2-90.8
Some Post-H.S.	1502	114,077	205	16.1	12.8-19.4	1297	83.9	80.6-87.2
College Graduate	1408	75,665	170	11.4	08.9-13.9	1238	88.6	86.1-91.1
Less than \$15,000	299	25,510	78	26.6	18.2-35.0	221	73.4	65.0-81.8
\$15,000- 24,999	583	38,430	90	16.2	10.9-21.5	493	83.8	78.5-89.1
\$25,000- 34,999	437	29,657	39	14.0	07.3-20.7	398	86.0	79.3-92.7
\$35,000- 49,999	568	31,586	62	11.9	07.4-16.4	506	88.1	83.6-92.6
\$50,000- 74,999	666	39,519	77	11.4	07.9-14.9	589	88.6	85.1-92.1
\$75,000+	1251	77,873	141	13.1	09.8-16.4	1110	86.9	83.6-90.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	842	69,310	640	72.9	67.8-78.0	202	27.1	22.0-32.2
Male	296	29,266	218	71.3	63.1-79.5	78	28.7	20.5-36.9
Female	546	40,044	422	74.1	67.6-80.6	124	25.9	19.4-32.4
Non-Native	780	63,922	591	72.9	67.6-78.2	189	27.1	21.8-32.4
25-34	92	17,706	52	61.5	48.4-74.6	40	38.5	25.4-51.6
35-44	107	10,862	84	80.6	69.0-92.2	23	19.4	07.8-31.0
45-54	110	7,165	90	84.3	75.3-93.3	20	15.7	06.7-24.7
55-64	193	10,531	151	76.8	69.0-84.6	42	23.2	15.4-31.0
65+	295	12,923	234	80.8	74.5-87.1	61	19.2	12.9-25.5
Less Than H.S.	78	8,899	59	84.0	74.4-93.6	19	16.0	06.4-25.6
H.S. or G.E.D.	215	15,703	171	79.1	70.1-88.1	44	20.9	11.9-29.9
Some Post-H.S.	293	28,498	221	69.2	59.8-78.6	72	30.8	21.4-40.2
College Graduate	251	15,242	186	69.2	60.6-77.8	65	30.8	22.2-39.4
Less than \$15,000	95	9,382	71	68.0	52.3-83.7	24	32.0	16.3-47.7
\$15,000- 24,999	121	10,716	95	78.7	66.4-91.0	26	21.3	09.0-33.6
\$25,000- 34,999	67	6,550	47	62.6	41.8-83.4	20	37.4	16.6-58.2
\$35,000- 49,999	101	8,132	78	77.4	63.9-90.9	23	22.6	09.1-36.1
\$50,000- 74,999	117	8,751	91	73.2	58.7-87.7	26	26.8	12.3-41.3
\$75,000+	241	17,979	175	70.4	61.0-79.8	66	29.6	20.2-39.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	296	29,266	218	71.3	63.1-79.5	78	28.7	20.5-36.9
Non-Native	274	26,863	202	71.6	63.0-80.2	72	28.4	19.8-37.0
55-64	65	4,325	51	80.0	68.2-91.8	14	20.0	08.2-31.8
65+	94	5,560	77	89.8	82.7-96.9	17	10.2	03.1-17.3
H.S. or G.E.D.	80	6,757	59	70.1	53.8-86.4	21	29.9	13.6-46.2
Some Post-H.S.	92	10,351	65	67.8	52.1-83.5	27	32.2	16.5-47.9
College Graduate	88	6,809	65	64.8	50.5-79.1	23	35.2	20.9-49.5
\$75,000+	105	8,035	72	70.0	58.0-82.0	33	30.0	18.0-42.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	546	40,044	422	74.1	67.6-80.6	124	25.9	19.4-32.4
Non-Native	506	37,059	389	73.8	66.9-80.7	117	26.2	19.3-33.1
25-34	55	10,332	33	62.9	45.8-80.0	22	37.1	20.0-54.2
35-44	65	6,391	51	80.9	64.6-97.2	14	19.1	02.8-35.4
45-54	72	4,137	62	87.0	76.8-97.2	10	13.0	02.8-23.2
55-64	128	6,206	100	74.6	64.0-85.2	28	25.4	14.8-36.0
65+	201	7,364	157	74.0	65.0-83.0	44	26.0	17.0-35.0
H.S. or G.E.D.	135	8,947	112	85.9	77.1-94.7	23	14.1	05.3-22.9
Some Post-H.S.	201	18,147	156	69.9	58.1-81.7	45	30.1	18.3-41.9
College Graduate	163	8,433	121	72.8	62.6-83.0	42	27.2	17.0-37.4
Less than \$15,000	74	6,740	55	70.7	53.5-87.9	19	29.3	12.1-46.5
\$15,000- 24,999	88	6,189	68	76.5	60.4-92.6	20	23.5	07.4-39.6
\$35,000- 49,999	62	3,764	47	73.6	56.4-90.8	15	26.4	09.2-43.6
\$50,000- 74,999	76	4,456	59	77.0	63.3-90.7	17	23.0	09.3-36.7
\$75,000+	136	9,944	103	70.8	56.7-84.9	33	29.2	15.1-43.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7769	582,811	563	4.4	03.8-05.0	7206	95.6	95.0-96.2
Male	3248	296,120	239	4.4	03.6-05.2	3009	95.6	94.8-96.4
Female	4521	286,690	324	4.3	03.7-04.9	4197	95.7	95.1-96.3
Native	247	24,688	2	0.2	00.0-00.6	245	99.8	99.4-100.0
Non-Native	7392	546,786	546	4.5	03.9-05.1	6846	95.5	94.9-96.1
18-24	347	89,587				347	100.0	0100-0100
25-34	663	104,958	4	0.6	00.0-01.2	659	99.4	98.8-0100
35-44	846	84,812	10	0.8	00.2-01.4	836	99.2	98.6-99.8
45-54	1205	90,993	45	2.9	01.7-04.1	1160	97.1	95.9-98.3
55-64	1857	94,513	107	6.2	04.6-07.8	1750	93.8	92.2-95.4
65+	2767	112,852	393	13.7	11.9-15.5	2374	86.3	84.5-88.1
Less Than H.S.	470	53,417	47	6.9	04.4-09.4	423	93.1	90.6-95.6
H.S. or G.E.D.	2329	153,493	164	4.0	03.2-04.8	2165	96.0	95.2-96.8
Some Post-H.S.	2477	226,216	181	4.4	03.4-05.4	2296	95.6	94.6-96.6
College Graduate	2441	143,893	169	3.7	02.9-04.5	2272	96.3	95.5-97.1
Less than \$15,000	459	44,567	29	4.1	02.1-06.1	430	95.9	93.9-97.9
\$15,000- 24,999	886	73,895	71	5.1	03.3-06.9	815	94.9	93.1-96.7
\$25,000- 34,999	699	56,715	73	5.0	03.2-06.8	626	95.0	93.2-96.8
\$35,000- 49,999	996	69,777	90	5.7	03.9-07.5	906	94.3	92.5-96.1
\$50,000- 74,999	1205	87,407	83	3.6	02.6-04.6	1122	96.4	95.4-97.4
\$75,000+	2494	175,405	144	3.7	02.9-04.5	2350	96.3	95.5-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3248	296,120	239	4.4	03.6-05.2	3009	95.6	94.8-96.4
Native	80	8,721	1	0.5	00.0-01.5	79	99.5	98.5-0100
Non-Native	3093	279,749	230	4.5	03.7-05.3	2863	95.5	94.7-96.3
18-24	189	48,482				189	100.0	0100-0100
25-34	314	55,731	3	0.7	00.0-01.5	311	99.3	98.5-0100
35-44	381	44,289	4	0.6	00.0-01.4	377	99.4	98.6-0100
45-54	520	46,478	17	2.6	00.8-04.4	503	97.4	95.6-99.2
55-64	790	48,902	37	6.0	03.5-08.5	753	94.0	91.5-96.5
65+	1028	50,345	178	16.3	13.2-19.4	850	83.7	80.6-86.8
Less Than H.S.	227	32,331	26	6.2	02.9-09.5	201	93.8	90.5-97.1
H.S. or G.E.D.	997	80,777	63	3.4	02.2-04.6	934	96.6	95.4-97.8
Some Post-H.S.	976	112,222	67	4.8	03.2-06.4	909	95.2	93.6-96.8
College Graduate	1030	67,800	82	4.2	03.0-05.4	948	95.8	94.6-97.0
Less than \$15,000	158	18,775	5	1.7	00.1-03.3	153	98.3	96.7-99.9
\$15,000- 24,999	303	35,614	22	4.8	02.1-07.5	281	95.2	92.5-97.9
\$25,000- 34,999	265	27,214	28	5.4	02.5-08.3	237	94.6	91.7-97.5
\$35,000- 49,999	426	38,106	41	5.7	03.2-08.2	385	94.3	91.8-96.8
\$50,000- 74,999	537	47,457	40	3.8	02.4-05.2	497	96.2	94.8-97.6
\$75,000+	1244	97,622	80	4.3	02.9-05.7	1164	95.7	94.3-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4521	286,690	324	4.3	03.7-04.9	4197	95.7	95.1-96.3
Native	167	15,967	1	0.0	00.0-00.0	166	100.0	0100-0100
Non-Native	4299	267,037	316	4.4	03.8-05.0	3983	95.6	95.0-96.2
18-24	158	41,105				158	100.0	0100-0100
25-34	349	49,226	1	0.4	00.0-01.2	348	99.6	98.8-0100
35-44	465	40,523	6	0.9	00.1-01.7	459	99.1	98.3-99.9
45-54	685	44,515	28	3.3	01.7-04.9	657	96.7	95.1-98.3
55-64	1067	45,611	70	6.3	04.3-08.3	997	93.7	91.7-95.7
65+	1739	62,506	215	11.6	09.6-13.6	1524	88.4	86.4-90.4
Less Than H.S.	243	21,086	21	8.0	04.1-11.9	222	92.0	88.1-95.9
H.S. or G.E.D.	1332	72,716	101	4.8	03.6-06.0	1231	95.2	94.0-96.4
Some Post-H.S.	1501	113,994	114	4.0	03.0-05.0	1387	96.0	95.0-97.0
College Graduate	1411	76,094	87	3.3	02.3-04.3	1324	96.7	95.7-97.7
Less than \$15,000	301	25,792	24	5.9	02.8-09.0	277	94.1	91.0-97.2
\$15,000- 24,999	583	38,281	49	5.4	03.2-07.6	534	94.6	92.4-96.8
\$25,000- 34,999	434	29,501	45	4.7	02.9-06.5	389	95.3	93.5-97.1
\$35,000- 49,999	570	31,671	49	5.7	03.5-07.9	521	94.3	92.1-96.5
\$50,000- 74,999	668	39,950	43	3.5	02.1-04.9	625	96.5	95.1-97.9
\$75,000+	1250	77,782	64	2.9	01.9-03.9	1186	97.1	96.1-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7775	582,938	726	6.2	05.4-07.0	7049	93.8	93.0-94.6
Male	3254	296,458	261	5.2	04.2-06.2	2993	94.8	93.8-95.8
Female	4521	286,480	465	7.3	06.3-08.3	4056	92.7	91.7-93.7
Native	246	24,607	18	4.7	00.4-09.0	228	95.3	91.0-99.6
Non-Native	7398	546,955	687	6.3	05.5-07.1	6711	93.7	92.9-94.5
18-24	348	89,743	3	1.3	00.0-03.3	345	98.7	96.7-100.0
25-34	662	104,642	9	0.9	00.1-01.7	653	99.1	98.3-99.9
35-44	846	84,812	22	2.0	00.6-03.4	824	98.0	96.6-99.4
45-54	1205	90,965	50	4.7	02.7-06.7	1155	95.3	93.3-97.3
55-64	1857	94,491	168	8.8	07.0-10.6	1689	91.2	89.4-93.0
65+	2773	113,189	469	17.3	15.3-19.3	2304	82.7	80.7-84.7
Less Than H.S.	472	53,461	73	10.5	06.4-14.6	399	89.5	85.4-93.6
H.S. or G.E.D.	2328	153,459	243	7.2	05.8-08.6	2085	92.8	91.4-94.2
Some Post-H.S.	2482	226,633	202	5.3	04.3-06.3	2280	94.7	93.7-95.7
College Graduate	2441	143,594	203	5.2	04.2-06.2	2238	94.8	93.8-95.8
Less than \$15,000	458	44,486	55	9.7	05.4-14.0	403	90.3	86.0-94.6
\$15,000- 24,999	886	74,045	116	7.4	05.4-09.4	770	92.6	90.6-94.6
\$25,000- 34,999	702	56,859	94	6.7	04.7-08.7	608	93.3	91.3-95.3
\$35,000- 49,999	995	69,462	108	7.7	05.5-09.9	887	92.3	90.1-94.5
\$50,000- 74,999	1207	87,596	89	5.5	03.7-07.3	1118	94.5	92.7-96.3
\$75,000+	2494	175,452	165	4.0	03.2-04.8	2329	96.0	95.2-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3254	296,458	261	5.2	04.2-06.2	2993	94.8	93.8-95.8
Native	80	8,721	6	8.8	00.0-20.2	74	91.2	79.8-0100
Non-Native	3098	280,048	243	5.1	04.1-06.1	2855	94.9	93.9-95.9
18-24	189	48,482	1	1.8	00.0-05.1	188	98.2	94.9-0100
25-34	314	55,731	2	0.2	00.0-00.6	312	99.8	99.4-0100
35-44	381	44,289	6	1.2	00.0-02.6	375	98.8	97.4-0100
45-54	521	46,494	8	3.2	00.3-06.1	513	96.8	93.9-99.7
55-64	791	48,924	51	6.5	04.3-08.7	740	93.5	91.3-95.7
65+	1032	50,646	191	18.2	15.1-21.3	841	81.8	78.7-84.9
Less Than H.S.	228	32,351	31	10.1	03.8-16.4	197	89.9	83.6-96.2
H.S. or G.E.D.	996	80,771	85	5.6	04.0-07.2	911	94.4	92.8-96.0
Some Post-H.S.	979	112,465	64	4.0	02.6-05.4	915	96.0	94.6-97.4
College Graduate	1033	67,880	78	4.4	03.0-05.8	955	95.6	94.2-97.0
Less than \$15,000	158	18,775	17	10.0	01.2-18.8	141	90.0	81.2-98.8
\$15,000- 24,999	302	35,609	33	5.0	02.8-07.2	269	95.0	92.8-97.2
\$25,000- 34,999	265	27,214	27	5.4	02.7-08.1	238	94.6	91.9-97.3
\$35,000- 49,999	426	38,106	52	8.5	05.0-12.0	374	91.5	88.0-95.0
\$50,000- 74,999	540	47,705	35	3.7	02.1-05.3	505	96.3	94.7-97.9
\$75,000+	1244	97,622	71	3.4	02.2-04.6	1173	96.6	95.4-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4521	286,480	465	7.3	06.3-08.3	4056	92.7	91.7-93.7
Native	166	15,886	12	2.4	00.4-04.4	154	97.6	95.6-99.6
Non-Native	4300	266,907	444	7.5	06.5-08.5	3856	92.5	91.5-93.5
18-24	159	41,261	2	0.7	00.0-01.9	157	99.3	98.1-0100
25-34	348	48,911	7	1.8	00.2-03.4	341	98.2	96.6-99.8
35-44	465	40,523	16	2.9	00.5-05.3	449	97.1	94.7-99.5
45-54	684	44,472	42	6.4	03.9-08.9	642	93.6	91.1-96.1
55-64	1066	45,567	117	11.3	08.8-13.8	949	88.7	86.2-91.2
65+	1741	62,543	278	16.6	14.2-19.0	1463	83.4	81.0-85.8
Less Than H.S.	244	21,110	42	11.2	06.9-15.5	202	88.8	84.5-93.1
H.S. or G.E.D.	1332	72,687	158	9.0	07.0-11.0	1174	91.0	89.0-93.0
Some Post-H.S.	1503	114,168	138	6.5	04.9-08.1	1365	93.5	91.9-95.1
College Graduate	1408	75,713	125	5.9	04.3-07.5	1283	94.1	92.5-95.7
Less than \$15,000	300	25,711	38	9.5	05.6-13.4	262	90.5	86.6-94.4
\$15,000- 24,999	584	38,437	83	9.6	06.7-12.5	501	90.4	87.5-93.3
\$25,000- 34,999	437	29,645	67	7.9	05.2-10.6	370	92.1	89.4-94.8
\$35,000- 49,999	569	31,356	56	6.6	04.1-09.1	513	93.4	90.9-95.9
\$50,000- 74,999	667	39,891	54	7.6	04.5-10.7	613	92.4	89.3-95.5
\$75,000+	1250	77,829	94	4.7	03.5-05.9	1156	95.3	94.1-96.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7739	581,375	461	4.7	04.1-05.3	7278	95.3	94.7-95.9
Male	3240	295,651	170	4.5	03.5-05.5	3070	95.5	94.5-96.5
Female	4499	285,725	291	4.9	04.1-05.7	4208	95.1	94.3-95.9
Native	246	24,619	24	5.0	00.9-09.1	222	95.0	90.9-99.1
Non-Native	7366	545,533	428	4.7	04.1-05.3	6938	95.3	94.7-95.9
18-24	345	89,474	3	0.4	00.0-01.0	342	99.6	99.0-100.0
25-34	662	104,870	16	3.2	01.2-05.2	646	96.8	94.8-98.8
35-44	843	84,610	9	0.8	00.0-01.6	834	99.2	98.4-100.0
45-54	1207	91,086	43	4.1	02.5-05.7	1164	95.9	94.3-97.5
55-64	1853	94,329	112	7.0	05.2-08.8	1741	93.0	91.2-94.8
65+	2746	112,208	274	11.0	09.2-12.8	2472	89.0	87.2-90.8
Less Than H.S.	463	53,068	48	9.0	05.3-12.7	415	91.0	87.3-94.7
H.S. or G.E.D.	2319	153,097	201	6.3	05.1-07.5	2118	93.7	92.5-94.9
Some Post-H.S.	2466	225,548	142	4.4	03.2-05.6	2324	95.6	94.4-96.8
College Graduate	2439	143,870	68	2.1	01.3-02.9	2371	97.9	97.1-98.7
Less than \$15,000	453	44,288	73	9.7	06.2-13.2	380	90.3	86.8-93.8
\$15,000- 24,999	880	73,695	107	9.6	06.9-12.3	773	90.4	87.7-93.1
\$25,000- 34,999	694	56,509	58	5.2	03.2-07.2	636	94.8	92.8-96.8
\$35,000- 49,999	992	69,632	69	6.1	03.9-08.3	923	93.9	91.7-96.1
\$50,000- 74,999	1208	87,655	31	2.8	01.0-04.6	1177	97.2	95.4-99.0
\$75,000+	2490	175,322	71	1.7	01.1-02.3	2419	98.3	97.7-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3240	295,651	170	4.5	03.5-05.5	3070	95.5	94.5-96.5
Native	80	8,721	3	6.5	00.0-16.5	77	93.5	83.5-0100
Non-Native	3086	279,341	162	4.4	03.4-05.4	2924	95.6	94.6-96.6
18-24	187	48,316				187	100.0	0100-0100
25-34	313	55,643	8	4.0	00.7-07.3	305	96.0	92.7-99.3
35-44	381	44,289	1	0.1	00.0-00.3	380	99.9	99.7-0100
45-54	521	46,494	19	3.5	01.1-05.9	502	96.5	94.1-98.9
55-64	787	48,738	46	7.2	04.7-09.7	741	92.8	90.3-95.3
65+	1025	50,278	95	11.7	08.6-14.8	930	88.3	85.2-91.4
Less Than H.S.	226	32,231	25	10.0	04.3-15.7	201	90.0	84.3-95.7
H.S. or G.E.D.	991	80,483	73	4.9	03.3-06.5	918	95.1	93.5-96.7
Some Post-H.S.	974	112,151	47	4.4	02.6-06.2	927	95.6	93.8-97.4
College Graduate	1031	67,795	25	1.8	00.8-02.8	1006	98.2	97.2-99.2
Less than \$15,000	158	18,775	27	12.6	05.7-19.5	131	87.4	80.5-94.3
\$15,000- 24,999	299	35,415	28	8.5	04.0-13.0	271	91.5	87.0-96.0
\$25,000- 34,999	260	26,977	15	3.3	01.1-05.5	245	96.7	94.5-98.9
\$35,000- 49,999	424	38,013	32	5.7	02.8-08.6	392	94.3	91.4-97.2
\$50,000- 74,999	540	47,705	12	3.3	00.4-06.2	528	96.7	93.8-99.6
\$75,000+	1242	97,477	38	1.7	00.9-02.5	1204	98.3	97.5-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4499	285,725	291	4.9	04.1-05.7	4208	95.1	94.3-95.9
Native	166	15,898	21	4.1	01.2-07.0	145	95.9	93.0-98.8
Non-Native	4280	266,193	266	5.0	04.2-05.8	4014	95.0	94.2-95.8
18-24	158	41,158	3	1.0	00.0-02.4	155	99.0	97.6-100
25-34	349	49,226	8	2.2	00.0-04.4	341	97.8	95.6-100
35-44	462	40,322	8	1.6	00.0-03.4	454	98.4	96.6-100
45-54	686	44,593	24	4.7	02.3-07.1	662	95.3	92.9-97.7
55-64	1066	45,592	66	6.9	04.7-09.1	1000	93.1	90.9-95.3
65+	1721	61,930	179	10.5	08.5-12.5	1542	89.5	87.5-91.5
Less Than H.S.	237	20,837	23	7.3	03.6-11.0	214	92.7	89.0-96.4
H.S. or G.E.D.	1328	72,614	128	7.9	05.9-09.9	1200	92.1	90.1-94.1
Some Post-H.S.	1492	113,397	95	4.4	03.0-05.8	1397	95.6	94.2-97.0
College Graduate	1408	76,075	43	2.3	01.1-03.5	1365	97.7	96.5-98.9
Less than \$15,000	295	25,513	46	7.6	04.3-10.9	249	92.4	89.1-95.7
\$15,000- 24,999	581	38,279	79	10.6	07.3-13.9	502	89.4	86.1-92.7
\$25,000- 34,999	434	29,532	43	6.9	03.8-10.0	391	93.1	90.0-96.2
\$35,000- 49,999	568	31,619	37	6.5	03.4-09.6	531	93.5	90.4-96.6
\$50,000- 74,999	668	39,950	19	2.2	00.8-03.6	649	97.8	96.4-99.2
\$75,000+	1248	77,845	33	1.7	00.9-02.5	1215	98.3	97.5-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7747	580,296	2677	25.0	23.6-26.4	5070	75.0	73.6-76.4
Male	3241	294,474	933	21.2	19.2-23.2	2308	78.8	76.8-80.8
Female	4506	285,823	1744	28.9	26.9-30.9	2762	71.1	69.1-73.1
Native	247	24,688	94	23.8	16.0-31.6	153	76.2	68.4-84.0
Non-Native	7370	544,466	2535	24.9	23.5-26.3	4835	75.1	73.7-76.5
18-24	347	89,244	9	3.0	00.6-05.4	338	97.0	94.6-99.4
25-34	659	104,505	34	4.5	02.3-06.7	625	95.5	93.3-97.7
35-44	844	84,712	106	15.1	11.6-18.6	738	84.9	81.4-88.4
45-54	1199	89,995	318	28.5	24.8-32.2	881	71.5	67.8-75.2
55-64	1856	94,419	733	41.6	38.5-44.7	1123	58.4	55.3-61.5
65+	2760	112,500	1450	52.0	49.5-54.5	1310	48.0	45.5-50.5
Less Than H.S.	465	52,279	228	36.7	30.4-43.0	237	63.3	57.0-69.6
H.S. or G.E.D.	2322	153,005	902	28.2	25.7-30.7	1420	71.8	69.3-74.3
Some Post-H.S.	2470	225,694	893	25.7	23.3-28.1	1577	74.3	71.9-76.7
College Graduate	2438	143,526	633	16.2	14.4-18.0	1805	83.8	82.0-85.6
Less than \$15,000	455	44,431	221	33.6	26.9-40.3	234	66.4	59.7-73.1
\$15,000- 24,999	882	73,647	385	29.0	24.7-33.3	497	71.0	66.7-75.3
\$25,000- 34,999	699	56,716	311	27.3	22.6-32.0	388	72.7	68.0-77.4
\$35,000- 49,999	993	69,433	353	25.0	21.3-28.7	640	75.0	71.3-78.7
\$50,000- 74,999	1203	87,398	409	26.5	23.0-30.0	794	73.5	70.0-77.0
\$75,000+	2493	175,408	592	17.0	15.0-19.0	1901	83.0	81.0-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3241	294,474	933	21.2	19.4-23.0	2308	78.8	77.0-80.6
Native	80	8,721	24	24.0	09.3-38.7	56	76.0	61.3-90.7
Non-Native	3086	278,297	883	20.8	19.0-22.6	2203	79.2	77.4-81.0
18-24	188	47,983	1	0.8	00.0-02.4	187	99.2	97.6-100
25-34	312	55,324	20	4.8	01.9-07.7	292	95.2	92.3-98.1
35-44	380	44,224	41	13.3	08.2-18.4	339	86.7	81.6-91.8
45-54	518	45,928	118	23.4	18.3-28.5	400	76.6	71.5-81.7
55-64	789	48,808	288	39.2	34.5-43.9	501	60.8	56.1-65.5
65+	1028	50,313	459	46.2	41.9-50.5	569	53.8	49.5-58.1
Less Than H.S.	224	31,237	95	32.2	23.8-40.6	129	67.8	59.4-76.2
H.S. or G.E.D.	995	80,515	310	22.3	19.0-25.6	685	77.7	74.4-81.0
Some Post-H.S.	976	112,309	285	21.6	18.3-24.9	691	78.4	75.1-81.7
College Graduate	1028	67,421	239	14.7	12.3-17.1	789	85.3	82.9-87.7
Less than \$15,000	157	18,686	60	22.2	14.4-30.0	97	77.8	70.0-85.6
\$15,000- 24,999	301	35,456	108	23.5	17.0-30.0	193	76.5	70.0-83.0
\$25,000- 34,999	263	27,083	107	25.3	18.6-32.0	156	74.7	68.0-81.4
\$35,000- 49,999	424	37,861	119	22.2	16.7-27.7	305	77.8	72.3-83.3
\$50,000- 74,999	538	47,600	158	22.8	18.1-27.5	380	77.2	72.5-81.9
\$75,000+	1244	97,622	281	16.2	13.7-18.7	963	83.8	81.3-86.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4506	285,823	1744	28.9	26.9-30.9	2762	71.1	69.1-73.1
Native	167	15,967	70	23.7	14.7-32.7	97	76.3	67.3-85.3
Non-Native	4284	266,169	1652	29.2	27.2-31.2	2632	70.8	68.8-72.8
18-24	159	41,261	8	5.5	00.8-10.2	151	94.5	89.8-99.2
25-34	347	49,181	14	4.1	01.2-07.0	333	95.9	93.0-98.8
35-44	464	40,488	65	17.0	11.9-22.1	399	83.0	77.9-88.1
45-54	681	44,066	200	33.9	29.0-38.8	481	66.1	61.2-71.0
55-64	1067	45,611	445	44.2	40.1-48.3	622	55.8	51.7-59.9
65+	1732	62,187	991	56.6	53.5-59.7	741	43.4	40.3-46.5
Less Than H.S.	241	21,042	133	43.3	34.3-52.3	108	56.7	47.7-65.7
H.S. or G.E.D.	1327	72,490	592	34.8	30.9-38.7	735	65.2	61.3-69.1
Some Post-H.S.	1494	113,385	608	29.7	26.2-33.2	886	70.3	66.8-73.8
College Graduate	1410	76,105	394	17.6	15.1-20.1	1016	82.4	79.9-84.9
Less than \$15,000	298	25,745	161	41.9	32.5-51.3	137	58.1	48.7-67.5
\$15,000- 24,999	581	38,191	277	34.0	28.1-39.9	304	66.0	60.1-71.9
\$25,000- 34,999	436	29,633	204	29.1	22.4-35.8	232	70.9	64.2-77.6
\$35,000- 49,999	569	31,573	234	28.4	23.3-33.5	335	71.6	66.5-76.7
\$50,000- 74,999	665	39,798	251	31.0	25.7-36.3	414	69.0	63.7-74.3
\$75,000+	1249	77,786	311	18.0	15.3-20.7	938	82.0	79.3-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7756	580,532	1200	17.3	15.9-18.7	6556	82.7	81.3-84.1
Male	3243	294,810	334	11.6	09.8-13.4	2909	88.4	86.6-90.2
Female	4513	285,722	866	23.1	20.9-25.3	3647	76.9	74.7-79.1
Native	244	24,229	51	16.2	08.9-23.5	193	83.8	76.5-91.1
Non-Native	7381	544,928	1118	16.9	15.5-18.3	6263	83.1	81.7-84.5
18-24	347	89,402	48	13.9	09.4-18.4	299	86.1	81.6-90.6
25-34	661	104,599	108	19.9	15.4-24.4	553	80.1	75.6-84.6
35-44	842	84,086	131	18.8	14.9-22.7	711	81.2	77.3-85.1
45-54	1205	90,580	230	20.3	17.2-23.4	975	79.7	76.6-82.8
55-64	1853	94,143	320	17.0	14.6-19.4	1533	83.0	80.6-85.4
65+	2766	112,959	356	14.1	12.1-16.1	2410	85.9	83.9-87.9
Less Than H.S.	469	52,925	81	20.1	14.0-26.2	388	79.9	73.8-86.0
H.S. or G.E.D.	2322	152,696	358	18.8	16.1-21.5	1964	81.2	78.5-83.9
Some Post-H.S.	2472	225,177	401	17.5	15.1-19.9	2071	82.5	80.1-84.9
College Graduate	2441	143,944	354	14.5	12.3-16.7	2087	85.5	83.3-87.7
Less than \$15,000	453	43,958	143	31.9	24.8-39.0	310	68.1	61.0-75.2
\$15,000- 24,999	883	73,385	190	21.7	17.4-26.0	693	78.3	74.0-82.6
\$25,000- 34,999	703	56,887	121	18.8	14.1-23.5	582	81.2	76.5-85.9
\$35,000- 49,999	994	69,719	159	17.8	13.9-21.7	835	82.2	78.3-86.1
\$50,000- 74,999	1207	87,352	171	15.4	12.1-18.7	1036	84.6	81.3-87.9
\$75,000+	2491	175,401	288	13.1	10.7-15.5	2203	86.9	84.5-89.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3243	294,810	334	11.6	09.8-13.4	2909	88.4	86.6-90.2
Native	80	8,721	16	11.9	00.5-23.3	64	88.1	76.7-99.5
Non-Native	3087	278,400	305	11.1	09.3-12.9	2782	88.9	87.1-90.7
18-24	188	48,141	16	8.6	03.3-13.9	172	91.4	86.1-96.7
25-34	313	55,725	34	14.8	09.3-20.3	279	85.2	79.7-90.7
35-44	380	43,986	35	11.8	06.9-16.7	345	88.2	83.3-93.1
45-54	520	46,075	52	9.1	05.8-12.4	468	90.9	87.6-94.2
55-64	788	48,597	94	12.4	09.5-15.3	694	87.6	84.7-90.5
65+	1028	50,393	102	11.9	09.0-14.8	926	88.1	85.2-91.0
Less Than H.S.	227	31,932	30	19.6	10.8-28.4	197	80.4	71.6-89.2
H.S. or G.E.D.	991	80,276	103	12.2	08.9-15.5	888	87.8	84.5-91.1
Some Post-H.S.	974	111,731	100	10.2	07.5-12.9	874	89.8	87.1-92.5
College Graduate	1033	67,880	99	9.9	07.4-12.4	934	90.1	87.6-92.6
Less than \$15,000	157	18,712	42	26.0	15.0-37.0	115	74.0	63.0-85.0
\$15,000- 24,999	300	35,186	47	16.2	09.7-22.7	253	83.8	77.3-90.3
\$25,000- 34,999	265	27,214	37	15.5	08.6-22.4	228	84.5	77.6-91.4
\$35,000- 49,999	426	38,106	40	10.8	06.3-15.3	386	89.2	84.7-93.7
\$50,000- 74,999	539	47,403	48	10.1	06.0-14.2	491	89.9	85.8-94.0
\$75,000+	1243	97,601	87	7.4	05.0-09.8	1156	92.6	90.2-95.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4513	285,722	866	23.1	20.9-25.3	3647	76.9	74.7-79.1
Native	164	15,508	35	18.7	09.5-27.9	129	81.3	72.1-90.5
Non-Native	4294	266,528	813	23.0	20.8-25.2	3481	77.0	74.8-79.2
18-24	159	41,261	32	20.1	12.5-27.7	127	79.9	72.3-87.5
25-34	348	48,874	74	25.7	18.8-32.6	274	74.3	67.4-81.2
35-44	462	40,100	96	26.6	20.7-32.5	366	73.4	67.5-79.3
45-54	685	44,505	178	31.8	26.9-36.7	507	68.2	63.3-73.1
55-64	1065	45,546	226	22.0	18.5-25.5	839	78.0	74.5-81.5
65+	1738	62,566	254	15.8	13.4-18.2	1484	84.2	81.8-86.6
Less Than H.S.	242	20,992	51	20.7	13.6-27.8	191	79.3	72.2-86.4
H.S. or G.E.D.	1331	72,420	255	26.2	21.9-30.5	1076	73.8	69.5-78.1
Some Post-H.S.	1498	113,446	301	24.6	20.7-28.5	1197	75.4	71.5-79.3
College Graduate	1408	76,064	255	18.6	15.5-21.7	1153	81.4	78.3-84.5
Less than \$15,000	296	25,246	101	36.2	26.8-45.6	195	63.8	54.4-73.2
\$15,000- 24,999	583	38,199	143	26.6	20.7-32.5	440	73.4	67.5-79.3
\$25,000- 34,999	438	29,673	84	21.8	15.3-28.3	354	78.2	71.7-84.7
\$35,000- 49,999	568	31,613	119	26.2	19.7-32.7	449	73.8	67.3-80.3
\$50,000- 74,999	668	39,950	123	21.8	16.5-27.1	545	78.2	72.9-83.5
\$75,000+	1248	77,800	201	20.3	16.2-24.4	1047	79.7	75.6-83.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7760	582,210	231	2.2	01.8-02.6	7529	97.8	97.4-98.2
Male	3247	295,475	84	2.1	01.5-02.7	3163	97.9	97.3-98.5
Female	4513	286,736	147	2.3	01.7-02.9	4366	97.7	97.1-98.3
Native	247	24,688	9	1.6	00.0-03.4	238	98.4	96.6-0100
Non-Native	7384	546,552	216	2.1	01.7-02.5	7168	97.9	97.5-98.3
18-24	348	89,743				348	100.0	0100-0100
25-34	663	104,958	3	0.4	00.0-01.0	660	99.6	99.0-0100
35-44	846	84,812	13	1.5	00.5-02.5	833	98.5	97.5-99.5
45-54	1205	90,556	22	2.4	01.0-03.8	1183	97.6	96.2-99.0
55-64	1855	94,224	49	2.9	01.7-04.1	1806	97.1	95.9-98.3
65+	2760	112,913	142	5.5	04.3-06.7	2618	94.5	93.3-95.7
Less Than H.S.	467	52,584	27	3.5	01.7-05.3	440	96.5	94.7-98.3
H.S. or G.E.D.	2322	153,328	79	2.9	01.9-03.9	2243	97.1	96.1-98.1
Some Post-H.S.	2478	226,513	63	1.8	01.2-02.4	2415	98.2	97.6-98.8
College Graduate	2441	143,994	58	1.7	01.1-02.3	2383	98.3	97.7-98.9
Less than \$15,000	456	44,478	29	4.3	01.8-06.8	427	95.7	93.2-98.2
\$15,000- 24,999	881	73,690	43	2.8	01.6-04.0	838	97.2	96.0-98.4
\$25,000- 34,999	700	56,788	29	3.1	01.1-05.1	671	96.9	94.9-98.9
\$35,000- 49,999	996	69,777	25	2.4	01.0-03.8	971	97.6	96.2-99.0
\$50,000- 74,999	1207	87,601	24	1.5	00.9-02.1	1183	98.5	97.9-99.1
\$75,000+	2490	175,324	46	1.3	00.9-01.7	2444	98.7	98.3-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3247	295,475	84	2.1	01.5-02.7	3163	97.9	97.3-98.5
Native	80	8,721	1	0.2	00.0-00.6	79	99.8	99.4-0100
Non-Native	3093	279,470	80	2.0	01.4-02.6	3013	98.0	97.4-98.6
18-24	189	48,482				189	100.0	0100-0100
25-34	314	55,731	1	0.5	00.0-01.5	313	99.5	98.5-0100
35-44	381	44,289	7	2.0	00.2-03.8	374	98.0	96.2-99.8
45-54	519	45,952	8	1.6	00.2-03.0	511	98.4	97.0-99.8
55-64	789	48,619	20	3.2	01.4-05.0	769	96.8	95.0-98.6
65+	1029	50,508	48	5.3	03.3-07.3	981	94.7	92.7-96.7
Less Than H.S.	224	31,565	8	2.9	00.4-05.4	216	97.1	94.6-99.6
H.S. or G.E.D.	994	80,595	28	2.8	01.4-04.2	966	97.2	95.8-98.6
Some Post-H.S.	978	112,443	19	1.3	00.5-02.1	959	98.7	97.9-99.5
College Graduate	1033	67,880	27	2.2	01.0-03.4	1006	97.8	96.6-99.0
Less than \$15,000	157	18,769	14	6.5	01.4-11.6	143	93.5	88.4-98.6
\$15,000- 24,999	302	35,331	11	2.4	00.4-04.4	291	97.6	95.6-99.6
\$25,000- 34,999	264	27,170	4	1.6	00.0-03.6	260	98.4	96.4-0100
\$35,000- 49,999	426	38,106	12	2.4	00.4-04.4	414	97.6	95.6-99.6
\$50,000- 74,999	539	47,652	8	1.1	00.3-01.9	531	98.9	98.1-99.7
\$75,000+	1243	97,601	28	1.5	00.9-02.1	1215	98.5	97.9-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4513	286,736	147	2.3	01.7-02.9	4366	97.7	97.1-98.3
Native	167	15,967	8	2.4	00.0-05.1	159	97.6	94.9-0100
Non-Native	4291	267,082	136	2.3	01.7-02.9	4155	97.7	97.1-98.3
18-24	159	41,261				159	100.0	0100-0100
25-34	349	49,226	2	0.3	00.0-00.9	347	99.7	99.1-0100
35-44	465	40,523	6	1.0	00.0-02.0	459	99.0	98.0-0100
45-54	686	44,604	14	3.2	00.8-05.6	672	96.8	94.4-99.2
55-64	1066	45,605	29	2.6	01.4-03.8	1037	97.4	96.2-98.6
65+	1731	62,405	94	5.6	04.2-07.0	1637	94.4	93.0-95.8
Less Than H.S.	243	21,018	19	4.2	01.7-06.7	224	95.8	93.3-98.3
H.S. or G.E.D.	1328	72,733	51	3.0	02.0-04.0	1277	97.0	96.0-98.0
Some Post-H.S.	1500	114,070	44	2.3	01.1-03.5	1456	97.7	96.5-98.9
College Graduate	1408	76,114	31	1.2	00.6-01.8	1377	98.8	98.2-99.4
Less than \$15,000	299	25,709	15	2.8	00.8-04.8	284	97.2	95.2-99.2
\$15,000- 24,999	579	38,359	32	3.1	01.7-04.5	547	96.9	95.5-98.3
\$25,000- 34,999	436	29,618	25	4.5	01.2-07.8	411	95.5	92.2-98.8
\$35,000- 49,999	570	31,671	13	2.4	00.6-04.2	557	97.6	95.8-99.4
\$50,000- 74,999	668	39,950	16	1.9	00.7-03.1	652	98.1	96.9-99.3
\$75,000+	1247	77,723	18	0.9	00.3-01.5	1229	99.1	98.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7773	581,536	870	8.6	07.8-09.4	41	0.5	00.3-00.7	6757	90.0	89.0-91.0	105	0.9	00.7-01.1
Male	3251	294,804	403	9.4	08.0-10.8				2800	89.8	88.4-91.2	48	0.8	00.6-01.0
Female	4522	286,732	467	7.8	06.6-09.0	41	1.0	00.4-01.6	3957	90.2	89.0-91.4	57	0.9	00.5-01.3
Native	246	24,534	66	15.0	08.9-21.1	4	1.0	00.0-02.2	172	83.3	77.0-89.6	4	0.7	00.0-01.5
Non-Native	7396	545,626	792	8.4	07.6-09.2	37	0.5	00.1-00.9	6468	90.2	89.2-91.2	99	0.9	00.7-01.1
18-24	345	88,418	4	1.0	00.0-02.4	1	0.8	00.0-02.4	339	98.1	95.9-0100	1	0.1	00.0-00.3
25-34	663	104,958	13	1.6	00.4-02.8	5	0.3	00.1-00.5	644	98.0	96.6-99.4	1	0.1	00.0-00.3
35-44	845	84,679	38	5.4	03.2-07.6	9	0.8	00.2-01.4	789	92.9	90.5-95.3	9	1.0	00.2-01.8
45-54	1207	90,687	97	9.5	07.0-12.0	15	1.1	00.3-01.9	1088	89.1	86.4-91.8	7	0.3	00.0-00.7
55-64	1855	94,377	228	13.5	11.3-15.7	4	0.1	00.0-00.3	1589	84.9	82.7-87.1	34	1.5	00.9-02.1
65+	2774	113,321	485	19.0	16.8-21.2	7	0.1	00.0-00.3	2229	78.8	76.6-81.0	53	2.0	01.2-02.8
Less Than H.S.	470	52,212	85	13.0	09.1-16.9				375	85.3	81.2-89.4	10	1.7	00.5-02.9
H.S. or G.E.D.	2329	153,255	284	9.9	08.3-11.5	9	0.3	00.1-00.5	1998	88.9	87.1-90.7	38	1.0	00.6-01.4
Some Post-H.S.	2479	226,364	285	8.5	07.1-09.9	13	0.8	00.0-01.6	2154	89.9	88.3-91.5	27	0.8	00.4-01.2
College Graduate	2443	143,913	209	5.8	04.6-07.0	19	0.5	00.3-00.7	2185	93.1	91.9-94.3	30	0.6	00.4-00.8
Less than \$15,000	458	43,737	95	12.2	08.7-15.7	1	0.2	00.0-00.6	359	87.4	83.7-91.1	3	0.3	00.0-00.7
\$15,000- 24,999	885	73,556	131	10.4	07.9-12.9	5	0.5	00.0-01.1	735	88.4	85.7-91.1	14	0.6	00.2-01.0
\$25,000- 34,999	702	56,871	93	10.0	07.1-12.9	4	0.6	00.0-01.4	597	89.2	86.1-92.3	8	0.3	00.1-00.5
\$35,000- 49,999	995	69,645	120	8.5	06.3-10.7	6	0.3	00.1-00.5	848	90.1	87.9-92.3	21	1.2	00.6-01.8
\$50,000- 74,999	1206	87,550	115	8.2	06.0-10.4	7	1.3	00.0-03.1	1064	89.2	86.5-91.9	20	1.3	00.5-02.1
\$75,000+	2494	175,445	181	5.8	04.4-07.2	15	0.4	00.2-00.6	2276	93.1	91.7-94.5	22	0.7	00.3-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3251	294,804	403	9.4	08.0-10.8	2800	89.8	88.4-91.2	48	0.8	00.6-01.0
Native	80	8,721	21	16.4	04.2-28.6	59	83.6	71.4-95.8			
Non-Native	3095	278,394	377	9.4	08.0-10.8	2672	89.8	88.4-91.2	46	0.8	00.4-01.2
18-24	187	47,311	3	0.5	00.0-01.3	184	99.5	98.7-0100			
25-34	314	55,731	5	1.5	00.0-03.1	309	98.5	96.9-0100			
35-44	381	44,289	14	4.9	01.6-08.2	364	94.5	91.2-97.8	3	0.6	00.0-01.4
45-54	520	46,075	60	12.9	08.6-17.2	456	86.8	82.5-91.1	4	0.3	00.0-00.7
55-64	790	48,853	118	15.1	11.8-18.4	657	83.2	79.9-86.5	15	1.7	00.7-02.7
65+	1033	50,652	200	21.6	18.1-25.1	807	76.2	72.5-79.9	26	2.1	00.9-03.3
Less Than H.S.	226	31,102	41	12.8	07.3-18.3	181	86.3	80.8-91.8	4	0.9	00.0-02.1
H.S. or G.E.D.	996	80,436	135	11.4	08.7-14.1	846	87.8	85.1-90.5	15	0.7	00.1-01.3
Some Post-H.S.	978	112,395	106	7.8	05.8-09.8	857	91.3	89.1-93.5	15	0.9	00.3-01.5
College Graduate	1033	67,880	116	7.9	05.9-09.9	903	91.5	89.5-93.5	14	0.6	00.2-01.0
Less than \$15,000	157	17,945	34	13.0	06.9-19.1	122	86.8	80.7-92.9	1	0.2	00.0-00.6
\$15,000- 24,999	302	35,273	47	11.1	06.8-15.4	250	88.4	84.1-92.7	5	0.5	00.0-01.1
\$25,000- 34,999	265	27,214	43	11.1	06.8-15.4	220	88.7	84.4-93.0	2	0.2	00.0-00.6
\$35,000- 49,999	426	38,106	61	9.6	06.5-12.7	354	89.1	85.8-92.4	11	1.3	00.5-02.1
\$50,000- 74,999	539	47,635	67	10.4	07.1-13.7	461	88.1	84.6-91.6	11	1.6	00.4-02.8
\$75,000+	1244	97,622	108	6.2	04.4-08.0	1124	93.2	91.4-95.0	12	0.6	00.2-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4522	286,732	467	7.8	06.6-09.0	41	1.0	00.4-01.6	3957	90.2	89.0-91.4	57	0.9	00.5-01.3
Native	166	15,813	45	14.2	07.5-20.9	4	1.6	00.0-03.4	113	83.2	75.9-90.5	4	1.0	00.0-02.4
Non-Native	4301	267,232	415	7.5	06.3-08.7	37	1.0	00.4-01.6	3796	90.6	89.2-92.0	53	0.9	00.5-01.3
18-24	158	41,107	1	1.4	00.0-04.1	1	1.8	00.0-05.3	155	96.6	92.3-0100	1	0.1	00.0-00.3
25-34	349	49,226	8	1.7	00.0-03.7	5	0.6	00.0-01.2	335	97.4	95.2-99.6	1	0.3	00.0-00.9
35-44	464	40,390	24	5.9	03.0-08.8	9	1.6	00.2-03.0	425	91.2	87.9-94.5	6	1.3	00.1-02.5
45-54	687	44,612	37	5.9	03.2-08.6	15	2.3	00.9-03.7	632	91.4	88.3-94.5	3	0.3	00.0-00.7
55-64	1065	45,524	110	11.7	09.0-14.4	4	0.3	00.0-00.7	932	86.8	83.9-89.7	19	1.3	00.5-02.1
65+	1741	62,669	285	16.9	14.4-19.4	7	0.3	00.1-00.5	1422	80.9	78.2-83.6	27	1.9	00.9-02.9
Less Than H.S.	244	21,110	44	13.4	08.1-18.7				194	83.8	78.1-89.5	6	2.8	00.3-05.3
H.S. or G.E.D.	1333	72,819	149	8.2	06.2-10.2	9	0.6	00.2-01.0	1152	90.0	88.0-92.0	23	1.3	00.5-02.1
Some Post-H.S.	1501	113,969	179	9.2	07.0-11.4	13	1.7	00.3-03.1	1297	88.5	86.0-91.0	12	0.7	00.3-01.1
College Graduate	1410	76,033	93	3.9	02.7-05.1	19	0.9	00.3-01.5	1282	94.6	93.2-96.0	16	0.6	00.2-01.0
Less than \$15,000	301	25,792	61	11.6	07.3-15.9	1	0.3	00.0-00.9	237	87.8	83.3-92.3	2	0.3	00.0-00.9
\$15,000- 24,999	583	38,283	84	9.8	06.9-12.7	5	1.1	00.0-02.3	485	88.3	85.0-91.6	9	0.8	00.2-01.4
\$25,000- 34,999	437	29,656	50	8.9	04.8-13.0	4	1.1	00.0-02.7	377	89.6	85.3-93.9	6	0.4	00.0-00.8
\$35,000- 49,999	569	31,539	59	7.1	04.4-09.8	6	0.6	00.0-01.2	494	91.3	88.4-94.2	10	1.0	00.2-01.8
\$50,000- 74,999	667	39,915	48	5.6	03.1-08.1	7	2.9	00.0-06.4	603	90.5	86.2-94.8	9	1.0	00.0-02.0
\$75,000+	1250	77,822	73	5.2	03.0-07.4	15	1.0	00.4-01.6	1152	93.0	90.6-95.4	10	0.8	00.2-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	834	48,064	18	5.7	02.0-09.4	48	7.3	04.8-09.8	167	25.2	20.5-29.9	347	38.8	33.9-43.7	254	22.9	19.2-26.6
Male	388	26,572	7	4.8	00.5-09.1	26	7.2	03.7-10.7	74	23.4	16.9-29.9	171	42.4	35.3-49.5	110	22.2	16.9-27.5
Female	446	21,492	11	6.8	00.3-13.3	22	7.5	03.6-11.4	93	27.4	20.7-34.1	176	34.4	27.9-40.9	144	23.8	18.5-29.1
Native	62	3,567				10	16.4	03.3-29.5	18	24.2	08.3-40.1	26	51.8	30.2-73.4	8	7.6	00.5-14.7
Non-Native	765	44,274	18	6.2	02.1-10.3	37	6.6	03.9-09.3	149	25.4	20.5-30.3	319	37.9	33.0-42.8	242	23.9	20.0-27.8
45-54	95	8,487	2	0.9	00.0-02.3	7	4.4	00.1-08.7	55	56.3	41.6-71.0	31	38.4	23.5-53.3			
55-64	222	12,269	4	1.9	00.0-04.3	11	5.1	01.6-08.6	45	19.3	12.6-26.0	147	68.0	60.2-75.8	15	5.6	02.3-08.9
65+	459	20,097	2	0.8	00.0-02.0	9	2.7	00.3-05.1	42	10.5	06.2-14.8	167	34.7	28.6-40.8	239	51.3	44.8-57.8
Less Than H.S.	77	6,098				4	6.3	00.0-15.3	10	14.7	04.1-25.3	27	39.8	23.1-56.5	36	39.2	23.9-54.5
H.S. or G.E.D.	275	14,694	3	3.2	00.0-08.1	12	4.0	01.1-06.9	47	23.1	14.5-31.7	125	45.9	37.3-54.5	88	23.8	17.3-30.3
Some Post-H.S.	273	18,566	10	11.0	02.6-19.4	22	10.4	05.3-15.5	68	27.8	19.6-36.0	99	32.4	24.6-40.2	74	18.3	12.8-23.8
College Graduate	202	8,083	5	2.9	00.0-06.0	9	6.5	01.4-11.6	39	28.3	18.5-38.1	95	42.5	32.9-52.1	54	19.8	13.3-26.3
Less than \$15,000	90	4,815	1	2.6	00.0-07.5	8	13.8	01.3-26.3	22	28.8	15.7-41.9	34	35.5	21.0-50.0	25	19.3	08.7-29.9
\$15,000- 24,999	125	7,426	3	6.4	00.0-15.8	7	6.4	00.9-11.9	28	24.4	13.0-35.8	44	31.2	19.6-42.8	43	31.5	19.9-43.1
\$25,000- 34,999	87	5,243	2	1.0	00.0-02.4	5	4.2	00.0-08.7	16	23.5	07.6-39.4	31	41.7	26.6-56.8	33	29.7	17.0-42.4
\$35,000- 49,999	119	5,910	1	1.8	00.0-05.3	3	2.3	00.0-05.2	14	15.6	05.2-26.0	55	43.4	30.9-55.9	46	36.8	24.6-49.0
\$50,000- 74,999	113	7,128	4	8.0	00.0-18.0	6	9.1	00.3-17.9	26	29.8	16.5-43.1	53	39.4	26.5-52.3	24	13.7	06.3-21.1
\$75,000+	178	10,100	6	13.8	00.5-27.1	12	6.6	01.9-11.3	42	26.6	15.8-37.4	78	38.5	27.3-49.7	40	14.4	08.7-20.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	388	26,572	7	4.8	00.5-09.1	26	7.2	03.7-10.7	74	23.4	16.9-29.9	171	42.4	35.3-49.5	110	22.2	16.9-27.5
Non-Native	366	25,098	7	5.1	00.6-09.6	20	5.9	02.6-09.2	70	24.2	17.5-30.9	163	42.0	34.9-49.1	106	22.8	17.3-28.3
45-54	60	5,934	2	1.3	00.0-03.3	5	5.0	00.0-10.9	33	52.3	33.9-70.7	20	41.3	22.7-59.9			
55-64	113	6,974	2	2.9	00.0-06.8	7	6.1	01.0-11.2	16	13.0	05.9-20.1	79	72.3	62.7-81.9	9	5.7	01.6-09.8
65+	192	10,368				4	2.1	00.0-04.8	15	8.5	02.6-14.4	72	36.4	27.4-45.4	101	53.0	43.4-62.6
H.S. or G.E.D.	131	9,092	1	4.0	00.0-11.6	7	5.0	00.5-09.5	27	28.8	16.3-41.3	60	43.5	31.7-55.3	36	18.7	11.1-26.3
Some Post-H.S.	102	8,369	4	9.3	00.0-19.3	9	7.5	01.8-13.2	20	21.3	09.5-33.1	40	41.4	28.5-54.3	29	20.6	11.4-29.8
College Graduate	113	5,219	2	2.6	00.0-06.7	6	7.4	00.1-14.7	20	23.6	11.8-35.4	57	46.9	34.2-59.6	28	19.5	10.9-28.1
\$35,000- 49,999	60	3,655	1	2.9	00.0-08.6	1	1.3	00.0-03.8	3	4.5	00.0-10.2	31	51.7	35.0-68.4	24	39.5	22.8-56.2
\$50,000- 74,999	66	4,907	3	10.5	00.0-24.6	3	4.8	00.0-11.9	12	26.7	10.4-43.0	33	43.2	26.5-59.9	15	14.8	05.0-24.6
\$75,000+	107	6,067	2	4.7	00.0-12.7	7	4.1	00.2-08.0	26	30.9	15.8-46.0	48	45.1	30.8-59.4	24	15.2	07.8-22.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	446	21,492	11	6.8	00.3-13.3	22	7.5	03.6-11.4	93	27.4	20.7-34.1	176	34.4	27.9-40.9	144	23.8	18.5-29.1
Non-Native	399	19,177	11	7.6	00.3-14.9	17	7.5	03.2-11.8	79	27.0	19.7-34.3	156	32.5	25.8-39.2	136	25.3	19.6-31.0
55-64	109	5,295	2	0.6	00.0-01.6	4	3.8	00.0-08.1	29	27.7	16.1-39.3	68	62.3	50.0-74.6	6	5.6	00.1-11.1
65+	267	9,729	2	1.6	00.0-04.1	5	3.3	00.0-07.0	27	12.7	06.2-19.2	95	32.8	24.8-40.8	138	49.6	41.0-58.2
H.S. or G.E.D.	144	5,602	2	1.8	00.0-04.3	5	2.6	00.0-05.3	20	13.8	06.4-21.2	65	49.7	37.9-61.5	52	32.1	21.7-42.5
Some Post-H.S.	171	10,197	6	12.3	00.0-25.2	13	12.9	05.1-20.7	48	33.1	21.9-44.3	59	25.1	16.3-33.9	45	16.5	09.8-23.2
College Graduate	89	2,864	3	3.6	00.0-08.1	3	4.7	00.0-10.8	19	36.9	20.2-53.6	38	34.3	21.4-47.2	26	20.4	11.0-29.8
Less than \$15,000	60	2,944	1	4.2	00.0-12.2	3	1.7	00.0-03.7	16	29.6	14.5-44.7	23	44.0	25.0-63.0	17	20.4	06.7-34.1
\$15,000- 24,999	80	3,581	2	3.0	00.0-07.3	2	1.9	00.0-04.6	18	32.6	16.3-48.9	31	31.4	17.7-45.1	27	31.1	17.2-45.0
\$35,000- 49,999	59	2,255				2	3.9	00.0-10.6	11	33.6	12.4-54.8	24	30.1	12.9-47.3	22	32.5	16.2-48.8
\$75,000+	71	4,034	4	27.5	00.6-54.4	5	10.4	00.0-21.0	16	20.3	08.0-32.6	30	28.6	12.7-44.5	16	13.2	04.2-22.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014

SECTION 7: ORAL HEALTH CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	75
2	MALES ONLY	76
3	FEMALES ONLY	77
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	78
5	MALES ONLY	79
6	FEMALES ONLY	80

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7745	579,253	5374	65.5	63.7-67.3	838	12.7	11.3-14.1	750	10.6	09.4-11.8	763	10.6	09.4-11.8	20	0.6	00.2-01.0
Male	3241	294,372	2072	58.9	56.2-61.6	383	14.3	12.3-16.3	360	12.4	10.6-14.2	414	13.7	11.7-15.7	12	0.8	00.2-01.4
Female	4504	284,881	3302	72.3	70.1-74.5	455	11.1	09.5-12.7	390	8.9	07.5-10.3	349	7.3	06.1-08.5	8	0.4	00.0-00.8
Native	243	23,832	130	47.5	36.9-58.1	42	16.2	08.9-23.5	47	22.0	12.8-31.2	23	12.4	05.0-19.8	1	2.0	00.0-05.7
Non-Native	7376	544,322	5181	66.7	64.9-68.5	776	12.5	11.1-13.9	680	10.0	08.8-11.2	720	10.3	09.1-11.5	19	0.5	00.1-00.9
18-24	346	88,859	220	66.3	60.0-72.6	67	19.3	14.2-24.4	38	7.2	04.1-10.3	20	6.2	02.7-09.7	1	1.0	00.0-02.8
25-34	661	104,046	403	59.6	54.5-64.7	86	12.0	08.7-15.3	91	14.4	10.5-18.3	76	12.9	09.2-16.6	5	1.0	00.0-02.2
35-44	844	84,762	579	65.5	60.8-70.2	107	13.7	10.4-17.0	90	11.9	08.6-15.2	64	8.4	05.7-11.1	4	0.6	00.0-01.4
45-54	1208	91,019	836	65.0	61.1-68.9	141	12.8	10.1-15.5	126	10.6	08.1-13.1	103	11.3	08.6-14.0	2	0.3	00.0-00.7
55-64	1853	94,352	1387	70.7	67.8-73.6	163	8.8	06.8-10.8	159	9.6	07.6-11.6	141	10.6	08.4-12.8	3	0.3	00.0-00.7
65+	2750	111,188	1891	66.4	63.9-68.9	260	10.1	08.5-11.7	243	10.1	08.3-11.9	351	13.0	11.2-14.8	5	0.4	00.0-00.8
Less Than H.S.	457	51,657	206	44.8	37.7-51.9	70	13.6	09.5-17.7	66	13.3	08.6-18.0	109	25.4	18.7-32.1	6	3.0	00.0-06.5
H.S. or G.E.D.	2319	152,580	1406	57.2	53.9-60.5	296	16.1	13.4-18.8	260	11.7	09.5-13.9	350	14.6	12.2-17.0	7	0.4	00.0-00.8
Some Post-H.S.	2474	225,322	1772	68.7	65.8-71.6	255	11.9	09.7-14.1	247	10.7	08.7-12.7	196	8.4	06.6-10.2	4	0.3	00.0-00.7
College Graduate	2443	143,903	1956	77.1	74.4-79.8	211	10.0	08.0-12.0	173	8.4	06.4-10.4	100	4.0	02.8-05.2	3	0.4	00.0-00.8
Less than \$15,000	453	43,857	201	49.8	42.0-57.6	71	14.4	09.7-19.1	68	13.1	08.4-17.8	108	19.2	13.3-25.1	5	3.5	00.0-07.6
\$15,000- 24,999	884	73,844	494	48.9	43.4-54.4	118	18.0	13.5-22.5	129	16.4	12.5-20.3	141	16.0	11.7-20.3	2	0.6	00.0-01.8
\$25,000- 34,999	699	56,390	413	53.9	47.6-60.2	87	17.0	11.9-22.1	92	13.6	09.3-17.9	106	15.1	10.8-19.4	1	0.4	00.0-01.2
\$35,000- 49,999	994	69,744	670	57.2	52.1-62.3	119	17.1	12.8-21.4	106	13.6	10.1-17.1	96	11.8	08.5-15.1	3	0.3	00.0-00.7
\$50,000- 74,999	1206	87,226	915	72.3	68.0-76.6	113	9.9	07.0-12.8	96	8.8	06.1-11.5	80	8.9	06.0-11.8	2	0.2	00.0-00.4
\$75,000+	2492	175,148	1968	78.4	75.9-80.9	230	9.7	07.9-11.5	170	6.6	05.0-08.2	120	5.0	03.6-06.4	4	0.3	00.1-00.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3241	294,372	2072	58.9	56.2-61.6	383	14.3	12.3-16.3	360	12.4	10.6-14.2	414	13.7	11.7-15.7	12	0.8	00.2-01.4
Native	78	8,245	36	40.0	23.1-56.9	14	11.8	03.6-20.0	19	31.9	15.2-48.6	9	16.3	02.2-30.4			
Non-Native	3090	278,629	2000	60.0	57.3-62.7	359	14.3	12.3-16.3	327	11.4	09.6-13.2	392	13.5	11.5-15.5	12	0.8	00.0-01.6
18-24	189	48,482	114	60.4	51.4-69.4	40	22.0	14.6-29.4	22	8.0	03.5-12.5	12	7.9	02.2-13.6	1	1.8	00.0-05.1
25-34	311	54,729	158	50.4	43.1-57.7	43	13.6	08.9-18.3	52	17.3	11.8-22.8	55	17.9	12.2-23.6	3	0.8	00.0-01.8
35-44	380	44,268	230	57.0	49.9-64.1	58	16.2	10.7-21.7	48	14.5	09.4-19.6	41	11.4	06.7-16.1	3	1.0	00.0-02.4
45-54	521	46,494	324	58.8	52.9-64.7	67	12.9	09.0-16.8	63	12.3	08.2-16.4	66	15.5	11.0-20.0	1	0.5	00.0-01.5
55-64	790	48,911	536	63.5	58.8-68.2	78	10.2	07.3-13.1	73	9.7	07.0-12.4	101	16.3	12.6-20.0	2	0.3	00.0-00.7
65+	1024	49,595	696	65.0	60.9-69.1	91	9.9	07.4-12.4	101	12.1	09.2-15.0	134	12.6	09.9-15.3	2	0.3	00.0-00.7
Less Than H.S.	224	31,522	92	42.4	32.6-52.2	31	11.7	06.2-17.2	29	11.2	05.5-16.9	68	30.5	20.9-40.1	4	4.1	00.0-09.6
H.S. or G.E.D.	993	80,342	541	50.3	45.6-55.0	132	16.6	12.7-20.5	136	14.3	11.0-17.6	181	18.4	14.7-22.1	3	0.3	00.0-00.7
Some Post-H.S.	975	111,884	627	62.5	58.0-67.0	126	15.2	11.5-18.9	116	12.0	09.1-14.9	104	10.2	07.7-12.7	2	0.1	00.0-00.3
College Graduate	1031	67,633	802	71.5	67.2-75.8	93	11.2	08.1-14.3	76	10.8	07.7-13.9	57	5.8	03.6-08.0	3	0.8	00.0-01.8
Less than \$15,000	157	18,322	58	38.6	26.6-50.6	24	14.9	07.1-22.7	25	14.8	07.5-22.1	45	23.3	12.9-33.7	5	8.4	00.0-17.8
\$15,000- 24,999	302	35,584	143	38.7	30.5-46.9	41	20.0	12.7-27.3	54	19.2	12.7-25.7	64	22.2	14.6-29.8			
\$25,000- 34,999	263	26,932	122	40.3	31.3-49.3	38	21.3	13.3-29.3	47	18.5	10.9-26.1	55	19.0	12.3-25.7	1	0.8	00.0-02.4
\$35,000- 49,999	424	38,073	254	47.0	39.7-54.3	56	19.7	12.8-26.6	54	17.5	11.6-23.4	58	15.5	10.2-20.8	2	0.3	00.0-00.7
\$50,000- 74,999	538	47,276	371	66.3	60.2-72.4	56	12.5	07.8-17.2	54	9.2	05.5-12.9	55	11.7	07.8-15.6	2	0.4	00.0-01.0
\$75,000+	1243	97,391	916	73.2	69.5-76.9	139	11.0	08.5-13.5	93	7.6	05.4-09.8	93	8.0	05.6-10.4	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4504	284,881	3302	72.3	70.1-74.5	455	11.1	09.5-12.7	390	8.9	07.5-10.3	349	7.3	06.1-08.5	8	0.4	00.0-00.8
Native	165	15,586	94	51.5	38.0-65.0	28	18.4	08.2-28.6	28	16.8	06.2-27.4	14	10.3	01.9-18.7	1	3.0	00.0-08.7
Non-Native	4286	265,693	3181	73.8	71.6-76.0	417	10.5	08.9-12.1	353	8.4	07.0-09.8	328	7.0	05.8-08.2	7	0.3	00.1-00.5
18-24	157	40,377	106	73.4	65.0-81.8	27	16.0	09.1-22.9	16	6.3	01.8-10.8	8	4.2	00.1-08.3			
25-34	350	49,317	245	69.9	62.6-77.2	43	10.3	05.8-14.8	39	11.2	05.9-16.5	21	7.3	03.0-11.6	2	1.3	00.0-03.3
35-44	464	40,494	349	74.8	69.1-80.5	49	10.9	07.2-14.6	42	9.0	04.9-13.1	23	5.2	02.3-08.1	1	0.2	00.0-00.6
45-54	687	44,526	512	71.5	66.6-76.4	74	12.6	08.9-16.3	63	8.9	06.0-11.8	37	6.9	04.0-09.8	1	0.1	00.0-00.3
55-64	1063	45,441	851	78.5	75.0-82.0	85	7.3	05.1-09.5	86	9.4	06.9-11.9	40	4.5	02.7-06.3	1	0.3	00.0-00.9
65+	1726	61,593	1195	67.5	64.4-70.6	169	10.3	08.3-12.3	142	8.5	06.7-10.3	217	13.3	10.9-15.7	3	0.5	00.0-01.3
Less Than H.S.	233	20,135	114	48.4	38.6-58.2	39	16.4	10.1-22.7	37	16.6	08.8-24.4	41	17.4	10.0-24.8	2	1.2	00.0-03.4
H.S. or G.E.D.	1326	72,237	865	64.8	60.3-69.3	164	15.6	11.9-19.3	124	8.9	06.5-11.3	169	10.3	07.8-12.8	4	0.4	00.0-01.0
Some Post-H.S.	1499	113,439	1145	74.7	71.0-78.4	129	8.8	06.4-11.2	131	9.4	06.7-12.1	92	6.6	04.4-08.8	2	0.5	00.0-01.3
College Graduate	1412	76,269	1154	82.1	78.8-85.4	118	9.1	06.7-11.5	97	6.3	04.1-08.5	43	2.5	01.3-03.7			
Less than \$15,000	296	25,535	143	57.9	48.3-67.5	47	14.1	08.4-19.8	43	11.8	05.9-17.7	63	16.2	09.7-22.7			
\$15,000- 24,999	582	38,260	351	58.3	51.4-65.2	77	16.3	10.8-21.8	75	13.9	09.2-18.6	77	10.3	06.6-14.0	2	1.2	00.0-03.6
\$25,000- 34,999	436	29,459	291	66.2	58.2-74.2	49	13.1	06.6-19.6	45	9.2	05.3-13.1	51	11.5	06.2-16.8			
\$35,000- 49,999	570	31,671	416	69.4	63.3-75.5	63	13.9	09.2-18.6	52	8.9	05.4-12.4	38	7.5	04.2-10.8	1	0.2	00.0-00.6
\$50,000- 74,999	668	39,950	544	79.4	73.5-85.3	57	6.8	04.1-09.5	42	8.2	04.1-12.3	25	5.6	01.3-09.9			
\$75,000+	1249	77,758	1052	84.8	81.3-88.3	91	8.1	05.6-10.6	77	5.5	03.0-08.0	27	1.2	00.6-01.8	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7617	573,552	2629	28.8	27.2-30.4	957	9.1	08.3-09.9	466	4.1	03.5-04.7	3565	58.0	56.2-59.8
Male	3206	292,882	1124	29.3	26.9-31.7	407	9.2	07.8-10.6	161	3.6	02.8-04.4	1514	57.9	55.4-60.4
Female	4411	280,670	1505	28.3	26.1-30.5	550	8.9	07.9-09.9	305	4.7	03.9-05.5	2051	58.1	55.7-60.5
Native	240	24,450	99	45.0	34.2-55.8	46	12.1	06.0-18.2	18	6.6	01.7-11.5	77	36.3	26.1-46.5
Non-Native	7255	538,447	2492	28.2	26.6-29.8	888	8.8	08.0-09.6	433	3.9	03.3-04.5	3442	59.1	57.3-60.9
18-24	345	89,373	35	10.5	06.4-14.6							310	89.5	85.4-93.6
25-34	663	104,903	126	19.9	15.6-24.2	14	2.1	00.5-03.7	1	0.1	00.0-00.3	522	77.8	73.3-82.3
35-44	840	84,434	204	26.4	22.1-30.7	27	3.8	01.8-05.8	7	1.0	00.0-02.0	602	68.8	64.3-73.3
45-54	1197	90,016	402	32.3	28.6-36.0	93	9.3	06.8-11.8	24	2.9	01.3-04.5	678	55.5	51.6-59.4
55-64	1830	92,821	770	43.6	40.5-46.7	231	13.4	11.2-15.6	80	5.0	03.6-06.4	749	38.0	35.1-40.9
65+	2667	107,262	1060	38.4	35.9-40.9	585	23.2	20.8-25.6	350	14.3	12.3-16.3	672	24.1	21.9-26.3
Less Than H.S.	444	50,431	141	30.8	24.1-37.5	107	17.7	13.4-22.0	78	12.0	08.1-15.9	118	39.5	31.9-47.1
H.S. or G.E.D.	2273	150,733	842	34.2	31.1-37.3	401	13.0	11.0-15.0	226	6.1	04.9-07.3	804	46.7	43.4-50.0
Some Post-H.S.	2431	223,680	905	29.5	26.8-32.2	284	7.9	06.5-09.3	123	3.3	02.5-04.1	1119	59.4	56.5-62.3
College Graduate	2421	143,123	728	21.3	19.1-23.5	160	3.9	03.1-04.7	35	0.7	00.5-00.9	1498	74.1	71.7-76.5
Less than \$15,000	440	43,663	130	24.9	18.6-31.2	90	13.8	09.5-18.1	77	10.9	07.0-14.8	143	50.4	42.6-58.2
\$15,000- 24,999	865	72,550	303	28.1	23.4-32.8	178	14.8	11.7-17.9	99	6.5	04.5-08.5	285	50.7	45.2-56.2
\$25,000- 34,999	690	56,175	265	30.1	24.8-35.4	139	13.0	09.7-16.3	69	7.0	04.6-09.4	217	49.9	43.6-56.2
\$35,000- 49,999	981	68,483	385	34.4	29.7-39.1	146	9.1	07.1-11.1	58	4.3	02.7-05.9	392	52.3	47.2-57.4
\$50,000- 74,999	1198	87,108	456	31.1	27.2-35.0	127	7.6	05.4-09.8	28	1.6	00.8-02.4	587	59.7	55.4-64.0
\$75,000+	2470	174,360	770	26.6	24.1-29.1	153	4.4	03.4-05.4	49	1.1	00.7-01.5	1498	67.9	65.2-70.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3206	292,882	1124	29.3	26.9-31.7	407	9.2	07.8-10.6	161	3.6	02.8-04.4	1514	57.9	55.4-60.4
Native	77	8,521	29	40.8	23.2-58.4	15	18.1	04.2-32.0	8	12.8	00.6-25.0	25	28.2	13.7-42.7
Non-Native	3057	277,062	1064	29.0	26.6-31.4	380	8.7	07.3-10.1	147	3.2	02.4-04.0	1466	59.1	56.6-61.6
18-24	187	48,324	18	9.0	03.9-14.1							169	91.0	85.9-96.1
25-34	313	55,586	58	21.8	15.5-28.1	6	2.7	00.0-05.4	1	0.2	00.0-00.6	248	75.3	68.8-81.8
35-44	380	44,113	99	27.5	21.4-33.6	13	4.0	01.3-06.7	3	0.8	00.0-01.8	265	67.7	61.2-74.2
45-54	518	46,332	182	33.1	27.6-38.6	39	9.3	05.4-13.2	11	2.9	00.5-05.3	286	54.8	48.7-60.9
55-64	778	47,954	336	44.1	39.4-48.8	114	15.1	11.6-18.6	35	5.1	03.1-07.1	293	35.7	31.2-40.2
65+	1008	48,819	419	41.3	37.2-45.4	231	23.7	20.2-27.2	111	12.8	09.7-15.9	247	22.1	18.6-25.6
Less Than H.S.	220	31,130	70	30.1	21.5-38.7	57	16.4	10.7-22.1	29	8.4	03.7-13.1	64	45.2	34.8-55.6
H.S. or G.E.D.	985	79,927	371	34.1	29.8-38.4	167	12.6	09.9-15.3	72	5.4	03.8-07.0	375	47.9	43.2-52.6
Some Post-H.S.	962	111,549	352	29.8	25.9-33.7	111	8.2	06.0-10.4	42	2.7	01.7-03.7	457	59.4	54.9-63.9
College Graduate	1023	67,374	328	23.1	19.8-26.4	70	3.8	02.6-05.0	17	0.8	00.4-01.2	608	72.4	68.9-75.9
Less than \$15,000	156	18,718	48	24.6	15.6-33.6	32	15.8	08.2-23.4	24	10.9	04.0-17.8	52	48.7	36.4-61.0
\$15,000- 24,999	298	34,947	108	28.8	21.4-36.2	56	14.2	09.3-19.1	28	5.0	02.5-07.5	106	52.0	43.4-60.6
\$25,000- 34,999	259	26,743	107	31.0	23.0-39.0	56	14.7	09.4-20.0	25	7.4	03.5-11.3	71	46.9	37.3-56.5
\$35,000- 49,999	420	37,359	166	36.0	28.9-43.1	59	7.1	04.7-09.5	31	4.3	02.3-06.3	164	52.6	45.2-60.0
\$50,000- 74,999	533	47,338	214	31.8	26.3-37.3	65	8.7	05.4-12.0	13	1.6	00.6-02.6	241	57.9	51.6-64.2
\$75,000+	1230	96,741	386	27.6	23.9-31.3	105	5.7	03.9-07.5	19	1.1	00.5-01.7	720	65.6	61.7-69.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4411	280,670	1505	28.3	26.1-30.5	550	8.9	07.9-09.9	305	4.7	03.9-05.5	2051	58.1	55.7-60.5
Native	163	15,929	70	47.3	33.8-60.8	31	8.9	03.6-14.2	10	3.2	00.0-06.7	52	40.6	27.3-53.9
Non-Native	4198	261,385	1428	27.3	25.3-29.3	508	8.8	07.6-10.0	286	4.6	03.8-05.4	1976	59.2	56.8-61.6
18-24	158	41,049	17	12.4	05.5-19.3							141	87.6	80.7-94.5
25-34	350	49,317	68	17.8	12.1-23.5	8	1.5	00.0-03.1				274	80.7	74.8-86.6
35-44	460	40,321	105	25.2	19.5-30.9	14	3.5	01.0-06.0	4	1.2	00.0-02.6	337	70.1	64.0-76.2
45-54	679	43,684	220	31.5	26.8-36.2	54	9.4	06.3-12.5	13	2.9	00.7-05.1	392	56.2	51.1-61.3
55-64	1052	44,867	434	43.0	38.9-47.1	117	11.7	09.2-14.2	45	5.0	03.0-07.0	456	40.4	36.5-44.3
65+	1659	58,443	641	36.0	32.9-39.1	354	22.7	20.0-25.4	239	15.5	13.0-18.0	425	25.8	22.9-28.7
Less Than H.S.	224	19,301	71	31.9	21.7-42.1	50	20.0	13.3-26.7	49	17.8	11.1-24.5	54	30.3	20.9-39.7
H.S. or G.E.D.	1288	70,806	471	34.4	30.1-38.7	234	13.4	10.9-15.9	154	6.9	05.3-08.5	429	45.3	40.6-50.0
Some Post-H.S.	1469	112,131	553	29.2	25.7-32.7	173	7.6	06.0-09.2	81	3.8	02.6-05.0	662	59.4	55.5-63.3
College Graduate	1398	75,749	400	19.7	16.8-22.6	90	4.0	03.0-05.0	18	0.6	00.2-01.0	890	75.7	72.6-78.8
Less than \$15,000	284	24,944	82	25.1	16.7-33.5	58	12.3	07.8-16.8	53	10.9	06.6-15.2	91	51.7	41.7-61.7
\$15,000- 24,999	567	37,603	195	27.3	21.6-33.0	122	15.4	11.7-19.1	71	7.8	04.9-10.7	179	49.4	42.3-56.5
\$25,000- 34,999	431	29,431	158	29.2	22.1-36.3	83	11.5	07.6-15.4	44	6.7	04.0-09.4	146	52.6	44.4-60.8
\$35,000- 49,999	561	31,124	219	32.5	26.4-38.6	87	11.4	07.9-14.9	27	4.2	01.8-06.6	228	51.9	45.0-58.8
\$50,000- 74,999	665	39,770	242	30.3	25.0-35.6	62	6.3	04.1-08.5	15	1.5	00.3-02.7	346	61.9	56.2-67.6
\$75,000+	1240	77,619	384	25.3	21.8-28.8	48	2.8	01.6-04.0	30	1.1	00.5-01.7	778	70.8	67.1-74.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	WHAT IS YOUR AGE? (AGE)	
1	MALES AND FEMALES	85
2	MALES ONLY	86
3	FEMALES ONLY	87
	ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
4	MALES AND FEMALES	88
5	MALES ONLY	89
6	FEMALES ONLY	90
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)	
7	MALES AND FEMALES	91
8	MALES ONLY	92
9	FEMALES ONLY	93
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10	MALES AND FEMALES	94
11	MALES ONLY	95
12	FEMALES ONLY	96
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
13	MALES AND FEMALES	97
14	MALES ONLY	98
15	FEMALES ONLY	99
	ARE YOU: (MARITAL STATUS) (MARITAL)	
16	MALES AND FEMALES	100
17	MALES ONLY	101
18	FEMALES ONLY	102
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19	MALES AND FEMALES	103
20	MALES ONLY	104
21	FEMALES ONLY	105

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22	MALES AND FEMALES	106
23	MALES ONLY	107
24	FEMALES ONLY	108
	ARE YOU CURRENTLY...? (EMPLOY1)	
25	MALES AND FEMALES	109
26	MALES ONLY	110
27	FEMALES ONLY	111
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28	MALES AND FEMALES	112
29	MALES ONLY	113
30	FEMALES ONLY	114
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31	MALES AND FEMALES	115
32	MALES ONLY	116
33	FEMALES ONLY	117
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34	MALES AND FEMALES	118
35	MALES ONLY	119
36	FEMALES ONLY	120
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37	MALES AND FEMALES	121
38	MALES ONLY	122
39	FEMALES ONLY	123
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40	MALES AND FEMALES	124
41	MALES ONLY	125
42	FEMALES ONLY	126

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43	MALES AND FEMALES	127
44	MALES ONLY	128
45	FEMALES ONLY	129
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46	MALES AND FEMALES	130
	DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47	FEMALES ONLY	131
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52	MALES AND FEMALES	136
53	MALES ONLY	137
54	FEMALES ONLY	138
	HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
55	MALES AND FEMALES	139
56	MALES ONLY	140
57	FEMALES ONLY	141
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
58	MALES AND FEMALES	142
59	MALES ONLY	143
60	FEMALES ONLY	144
	INDICATE SEX OF RESPONDENT. (SEX)	
61	MALES AND FEMALES	145
62	MALES ONLY	146
63	FEMALES ONLY	147
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
64	MALES AND FEMALES	148
65	MALES ONLY	149
66	FEMALES ONLY	150
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
67 MALES AND FEMALES	151
68 MALES ONLY	152
69 FEMALES ONLY	153
DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
70 MALES AND FEMALES	154
71 MALES ONLY	155
72 FEMALES ONLY	156
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
73 MALES AND FEMALES	157
74 MALES ONLY	158
75 FEMALES ONLY	159
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
76 MALES AND FEMALES	160
77 MALES ONLY	161
78 FEMALES ONLY	162
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
79 MALES AND FEMALES	163
80 MALES ONLY	164
81 FEMALES ONLY	165
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
82 MALES AND FEMALES	166
83 MALES ONLY	167
84 FEMALES ONLY	168
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
85 MALES AND FEMALES	169
86 MALES ONLY	170
87 FEMALES ONLY	171



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7702	578,670	348	15.5	13.7-17.3	664	18.2	16.6-19.8	846	14.7	13.3-16.1	1209	15.7	14.5-16.9	1858	16.3	15.3-17.3	2777	19.6	18.6-20.6
Male	3229	294,571	189	16.5	14.0-19.0	314	18.9	16.5-21.3	381	15.0	13.0-17.0	521	15.8	14.0-17.6	791	16.6	15.0-18.2	1033	17.2	15.8-18.6
Female	4473	284,099	159	14.5	12.0-17.0	350	17.4	15.0-19.8	465	14.3	12.5-16.1	688	15.7	14.1-17.3	1067	16.1	14.7-17.5	1744	22.1	20.5-23.7
Native	246	24,678	25	22.1	11.9-32.3	36	25.4	15.6-35.2	45	20.1	12.5-27.7	45	16.4	09.1-23.7	55	10.0	06.1-13.9	40	6.0	02.1-09.9
Non-Native	7334	543,084	317	15.4	13.6-17.2	623	18.0	16.4-19.6	787	14.2	12.8-15.6	1148	15.7	14.5-16.9	1776	16.6	15.6-17.6	2683	20.2	19.2-21.2
Less Than H.S.	468	53,115	35	20.0	12.6-27.4	20	10.2	04.9-15.5	31	9.4	05.3-13.5	49	12.1	07.8-16.4	50	10.0	06.5-13.5	283	38.3	32.2-44.4
H.S. or G.E.D.	2313	152,362	131	18.2	14.9-21.5	158	14.7	12.0-17.4	172	11.0	08.8-13.2	323	14.4	12.4-16.4	530	17.8	15.8-19.8	999	24.0	21.8-26.2
Some Post-H.S.	2455	224,804	124	17.3	14.2-20.4	181	16.4	13.7-19.1	251	14.5	12.1-16.9	450	18.5	16.3-20.7	641	17.2	15.4-19.0	808	16.2	14.6-17.8
College Graduate	2418	142,731	56	8.2	05.8-10.6	298	27.0	23.9-30.1	387	20.9	18.4-23.4	382	14.4	12.6-16.2	628	16.0	14.4-17.6	667	13.3	11.9-14.7
Less than \$15,000	452	43,683	40	28.8	20.2-37.4	29	15.0	08.7-21.3	36	8.7	05.2-12.2	60	13.1	08.6-17.6	80	11.6	08.3-14.9	207	22.8	17.9-27.7
\$15,000- 24,999	882	73,818	63	23.6	17.7-29.5	60	19.2	14.1-24.3	52	7.3	04.8-09.8	78	8.3	05.9-10.7	155	12.2	09.5-14.9	474	29.4	25.3-33.5
\$25,000- 34,999	697	56,578	51	27.1	20.2-34.0	38	13.6	08.7-18.5	40	9.1	05.6-12.6	75	13.1	09.4-16.8	126	12.7	09.6-15.8	367	24.4	20.5-28.3
\$35,000- 49,999	991	69,344	33	9.9	05.6-14.2	89	22.0	17.1-26.9	83	13.0	09.3-16.7	127	15.1	11.6-18.6	239	15.7	13.0-18.4	420	24.4	21.1-27.7
\$50,000- 74,999	1203	87,370	31	10.3	06.4-14.2	111	17.1	13.2-21.0	166	20.5	16.6-24.4	200	16.7	13.8-19.6	337	19.4	16.7-22.1	358	16.0	13.6-18.4
\$75,000+	2484	174,937	70	8.3	05.9-10.7	279	21.0	18.1-23.9	418	21.3	18.8-23.8	543	21.1	18.9-23.3	695	18.5	16.7-20.3	479	9.8	08.6-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3229	294,571	189	16.5	14.0-19.0	314	18.9	16.5-21.3	381	15.0	13.0-17.0	521	15.8	14.0-17.6	791	16.6	15.0-18.2	1033	17.2	15.8-18.6
Native	80	8,721	9	14.0	03.6-24.4	11	21.6	06.5-36.7	14	22.5	08.0-37.0	20	23.9	08.2-39.6	17	10.0	03.7-16.3	9	7.9	00.0-17.9
Non-Native	3076	278,235	179	17.0	14.3-19.7	300	19.1	16.7-21.5	357	14.2	12.2-16.2	492	15.6	13.8-17.4	752	16.6	15.0-18.2	996	17.5	16.1-18.9
Less Than H.S.	227	32,190	21	23.1	12.5-33.7	11	11.1	03.8-18.4	15	10.1	04.2-16.0	29	13.7	07.4-20.0	29	11.1	06.2-16.0	122	31.0	23.4-38.6
H.S. or G.E.D.	991	80,127	72	18.5	13.8-23.2	87	16.2	12.3-20.1	100	13.5	10.2-16.8	157	14.1	11.2-17.0	241	18.0	15.1-20.9	334	19.7	17.0-22.4
Some Post-H.S.	973	112,005	64	18.0	13.5-22.5	95	17.6	13.5-21.7	113	15.0	11.5-18.5	197	19.9	16.6-23.2	260	17.0	14.3-19.7	244	12.6	10.4-14.8
College Graduate	1021	67,280	31	8.5	05.0-12.0	116	27.0	22.3-31.7	150	19.0	15.5-22.5	136	12.5	10.0-15.0	258	17.2	14.7-19.7	330	15.8	13.4-18.2
Less than \$15,000	156	18,113	19	30.9	17.2-44.6	10	11.6	03.8-19.4	16	11.4	05.1-17.7	23	12.1	05.0-19.2	34	13.9	08.0-19.8	54	20.1	12.3-27.9
\$15,000- 24,999	301	35,532	29	25.7	16.7-34.7	31	23.5	15.3-31.7	22	7.0	02.9-11.1	34	7.5	04.4-10.6	54	12.3	07.8-16.8	131	24.1	18.2-30.0
\$25,000- 34,999	265	27,214	25	27.7	17.9-37.5	19	12.5	05.8-19.2	20	11.4	05.5-17.3	31	13.7	07.8-19.6	43	11.7	06.8-16.6	127	23.1	17.2-29.0
\$35,000- 49,999	423	37,829	20	11.8	05.5-18.1	45	25.8	18.5-33.1	34	11.3	06.4-16.2	52	14.7	09.6-19.8	96	14.4	10.5-18.3	176	22.0	17.5-26.5
\$50,000- 74,999	539	47,662	20	11.9	06.4-17.4	46	17.4	11.5-23.3	71	19.4	13.9-24.9	79	14.8	10.5-19.1	153	19.3	15.4-23.2	170	17.2	13.7-20.7
\$75,000+	1240	97,358	44	9.9	06.4-13.4	137	19.0	15.3-22.7	192	20.1	16.6-23.6	265	21.6	18.3-24.9	324	18.2	15.7-20.7	278	11.2	09.4-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4473	284,099	159	14.5	12.0-17.0	350	17.4	15.0-19.8	465	14.3	12.5-16.1	688	15.7	14.1-17.3	1067	16.1	14.7-17.5	1744	22.1	20.7-23.5
Native	166	15,956	16	26.5	12.4-40.6	25	27.5	14.8-40.2	31	18.8	10.0-27.6	25	12.3	05.6-19.0	38	9.9	05.0-14.8	31	5.0	02.3-07.7
Non-Native	4258	264,850	138	13.7	11.2-16.2	323	16.9	14.5-19.3	430	14.1	12.3-15.9	656	15.8	14.2-17.4	1024	16.5	15.1-17.9	1687	23.0	21.4-24.6
Less Than H.S.	241	20,925	14	15.3	05.9-24.7	9	8.8	01.2-16.4	16	8.4	03.5-13.3	20	9.6	04.3-14.9	21	8.3	04.0-12.6	161	49.6	40.2-59.0
H.S. or G.E.D.	1322	72,235	59	17.9	12.8-23.0	71	13.0	09.1-16.9	72	8.2	05.7-10.7	166	14.8	11.9-17.7	289	17.5	14.8-20.2	665	28.6	25.5-31.7
Some Post-H.S.	1482	112,799	60	16.5	12.0-21.0	86	15.3	11.4-19.2	138	13.9	11.0-16.8	253	17.1	14.4-19.8	381	17.4	15.0-19.8	564	19.8	17.4-22.2
College Graduate	1397	75,451	25	8.0	04.7-11.3	182	27.1	22.8-31.4	237	22.6	19.1-26.1	246	16.2	13.7-18.7	370	15.0	13.0-17.0	337	11.2	09.4-13.0
Less than \$15,000	296	25,570	21	27.4	16.4-38.4	19	17.4	08.4-26.4	20	6.7	02.8-10.6	37	13.8	07.9-19.7	46	10.0	05.9-14.1	153	24.8	18.5-31.1
\$15,000- 24,999	581	38,286	34	21.6	14.2-29.0	29	15.2	08.7-21.7	30	7.7	04.4-11.0	44	9.1	05.6-12.6	101	12.1	08.8-15.4	343	34.2	28.7-39.7
\$25,000- 34,999	432	29,364	26	26.6	17.2-36.0	19	14.8	07.5-22.1	20	6.9	03.0-10.8	44	12.6	07.7-17.5	83	13.5	09.4-17.6	240	25.6	20.3-30.9
\$35,000- 49,999	568	31,515	13	7.7	02.0-13.4	44	17.4	10.9-23.9	49	15.0	09.5-20.5	75	15.5	11.0-20.0	143	17.2	13.3-21.1	244	27.3	22.4-32.2
\$50,000- 74,999	664	39,708	11	8.3	02.6-14.0	65	16.8	11.5-22.1	95	21.8	16.1-27.5	121	19.0	14.9-23.1	184	19.6	15.9-23.3	188	14.5	11.6-17.4
\$75,000+	1244	77,579	26	6.3	03.4-09.2	142	23.4	18.9-27.9	226	22.8	19.1-26.5	278	20.5	17.6-23.4	371	18.8	16.3-21.3	201	8.2	06.6-09.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7712	577,485	50	1.5	00.9-02.1	8	0.5	00.1-00.9	3	0.1	00.0-00.3	17	0.3	00.1-00.5	2	0.1	00.0-00.3	7632	97.6	96.8-98.4
Male	3213	292,188	25	2.0	01.0-03.0	5	0.8	00.0-01.6	3	0.2	00.0-00.6	12	0.5	00.1-00.9	2	0.1	00.0-00.3	3166	96.4	95.0-97.8
Female	4499	285,297	25	1.0	00.4-01.6	3	0.1	00.0-00.3				5	0.2	00.0-00.4				4466	98.8	98.2-99.4
18-24	346	89,561	16	5.3	02.0-08.6	2	1.9	00.0-04.4				4	0.6	00.0-01.4	1	0.1	00.0-00.3	323	92.3	88.2-96.4
25-34	661	104,502	9	1.4	00.2-02.6	3	0.7	00.0-01.5	1	0.1	00.0-00.3	3	0.5	00.0-01.1	1	0.3	00.0-00.9	644	97.0	95.2-98.8
35-44	838	83,163	9	1.5	00.1-02.9	1	0.0	00.0-00.0				3	0.3	00.0-00.7				825	98.2	96.8-99.6
45-54	1197	89,685	9	0.8	00.0-01.6	1	0.2	00.0-00.6	1	0.1	00.0-00.3	3	0.4	00.0-01.0				1183	98.4	97.4-99.4
55-64	1846	93,577	2	0.1	00.0-00.3				1	0.5	00.0-01.5	3	0.3	00.0-00.7				1840	99.1	98.1-0100
65+	2746	112,266	5	0.2	00.0-00.6	1	0.0	00.0-00.0				1	0.0	00.0-00.0				2739	99.8	99.4-0100
Less Than H.S.	459	52,090	10	3.9	00.2-07.6	2	3.2	00.0-07.5	2	0.5	00.0-01.1	1	0.1	00.0-00.3	1	0.6	00.0-01.8	443	91.8	86.1-97.5
H.S. or G.E.D.	2310	152,455	20	2.3	00.7-03.9	3	0.4	00.0-01.0	1	0.3	00.0-00.9	6	0.3	00.0-00.7				2280	96.7	94.9-98.5
Some Post-H.S.	2463	224,313	12	0.9	00.1-01.7	1	0.1	00.0-00.3				5	0.3	00.1-00.5	1	0.0	00.0-00.0	2444	98.7	97.9-99.5
College Graduate	2429	142,902	7	0.5	00.0-01.1	2	0.2	00.0-00.4				5	0.6	00.0-01.2				2415	98.8	98.0-99.6
Less than \$15,000	453	43,680	3	2.5	00.0-05.8	1	1.9	00.0-05.6				4	1.4	00.0-03.0				445	94.2	89.1-99.3
\$15,000- 24,999	872	73,131	10	2.8	00.0-05.7	2	0.3	00.0-00.9	2	0.3	00.0-00.7	4	0.4	00.0-00.8	1	0.4	00.0-01.2	853	95.8	92.7-98.9
\$25,000- 34,999	699	56,538	4	0.7	00.0-01.5	2	1.0	00.0-02.4										693	98.3	96.7-99.9
\$35,000- 49,999	989	69,346	5	1.8	00.0-04.0	1	0.1	00.0-00.3				3	0.6	00.0-01.4				980	97.6	95.2-0100
\$50,000- 74,999	1198	86,779	7	0.6	00.0-01.2													1191	99.4	98.8-0100
\$75,000+	2483	174,293	11	1.4	00.4-02.4	2	0.6	00.0-01.6				5	0.3	00.0-00.7	1	0.0	00.0-00.0	2464	97.7	96.3-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3213	292,188	25	2.0	01.0-03.0	5	0.8	00.0-01.6	3	0.2	00.0-00.6	12	0.5	00.1-00.9	2	0.1	00.0-00.3	3166	96.4	95.0-97.8
18-24	189	48,482	8	6.9	01.4-12.4	2	3.4	00.0-08.1				2	0.3	00.0-00.7	1	0.1	00.0-00.3	176	89.2	82.3-96.1
25-34	312	55,205	4	1.6	00.0-03.6	2	1.0	00.0-02.4	1	0.2	00.0-00.6	3	0.9	00.0-02.1	1	0.5	00.0-01.5	301	95.7	92.8-98.6
35-44	375	42,704	6	2.2	00.0-04.6							2	0.5	00.0-01.1				367	97.3	94.9-99.7
45-54	515	45,741	4	0.6	00.0-01.4	1	0.4	00.0-01.2	1	0.3	00.0-00.9	3	0.8	00.0-01.8				506	97.9	96.3-99.5
55-64	781	48,051	2	0.2	00.0-00.4				1	0.9	00.0-02.7	1	0.4	00.0-01.2				777	98.5	96.5-100.0
65+	1016	50,120	1	0.3	00.0-00.9							1	0.1	00.0-00.3				1014	99.6	99.0-100.0
Less Than H.S.	220	31,480	5	4.9	00.0-10.8	2	5.3	00.0-12.4	2	0.8	00.0-01.8	1	0.1	00.0-00.3	1	1.0	00.0-03.0	209	88.0	79.2-96.8
H.S. or G.E.D.	986	80,059	9	2.8	00.4-05.2	2	0.7	00.0-01.7	1	0.5	00.0-01.5	2	0.3	00.0-00.7				972	95.7	93.0-98.4
Some Post-H.S.	966	110,577	8	1.7	00.1-03.3							5	0.6	00.0-01.2	1	0.1	00.0-00.3	952	97.6	96.0-99.2
College Graduate	1023	67,080	3	0.1	00.0-00.3	1	0.3	00.0-00.9				4	0.8	00.0-01.8				1015	98.8	97.6-100.0
Less than \$15,000	157	18,483	1	2.9	00.0-08.6	1	4.5	00.0-12.9				2	1.5	00.0-03.7				153	91.1	81.1-100.0
\$15,000- 24,999	296	35,085	3	4.0	00.0-09.5	1	0.5	00.0-01.5	2	0.7	00.0-01.7	2	0.3	00.0-00.7	1	0.9	00.0-02.7	287	93.6	87.7-99.5
\$25,000- 34,999	263	26,982	2	0.9	00.0-02.1	1	1.3	00.0-03.8										260	97.8	95.1-100.0
\$35,000- 49,999	423	37,818	5	3.4	00.0-07.3							3	1.0	00.0-02.6				415	95.6	91.5-99.7
\$50,000- 74,999	533	46,870	2	0.4	00.0-01.0													531	99.6	99.0-100.0
\$75,000+	1232	96,412	7	1.9	00.3-03.5	2	1.1	00.0-02.9				4	0.5	00.0-01.1	1	0.1	00.0-00.3	1218	96.5	94.1-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4499	285,297	25	1.0	00.4-01.6	3	0.1	00.0-00.3	5	0.2	00.0-00.4	4466	98.8	98.2-99.4
18-24	157	41,079	8	3.3	00.0-06.6				2	0.9	00.0-02.5	147	95.8	92.3-99.3
25-34	349	49,296	5	1.2	00.0-02.8	1	0.4	00.0-01.2				343	98.4	96.6-0100
35-44	463	40,459	3	0.8	00.0-01.8	1	0.1	00.0-00.3	1	0.1	00.0-00.3	458	99.1	98.1-0100
45-54	682	43,944	5	1.0	00.0-02.2							677	99.0	97.8-0100
55-64	1065	45,526							2	0.3	00.0-00.9	1063	99.7	99.1-0100
65+	1730	62,146	4	0.0	00.0-00.0	1	0.0	00.0-00.0				1725	99.9	99.9-99.9
Less Than H.S.	239	20,609	5	2.3	00.1-04.5							234	97.7	95.5-99.9
H.S. or G.E.D.	1324	72,396	11	1.9	00.0-03.9	1	0.0	00.0-00.0	4	0.3	00.0-00.7	1308	97.7	95.7-99.7
Some Post-H.S.	1497	113,736	4	0.1	00.0-00.3	1	0.2	00.0-00.6				1492	99.7	99.3-0100
College Graduate	1406	75,822	4	0.8	00.0-01.8	1	0.1	00.0-00.3	1	0.4	00.0-01.2	1400	98.7	97.3-0100
Less than \$15,000	296	25,197	2	2.2	00.0-06.3				2	1.3	00.0-03.7	292	96.5	91.8-0100
\$15,000- 24,999	576	38,046	7	1.7	00.0-03.9	1	0.1	00.0-00.3	2	0.4	00.0-01.0	566	97.8	95.4-0100
\$25,000- 34,999	436	29,556	2	0.5	00.0-01.5	1	0.7	00.0-02.1				433	98.8	97.2-0100
\$35,000- 49,999	566	31,528				1	0.1	00.0-00.3				565	99.9	99.7-0100
\$50,000- 74,999	665	39,909	5	0.8	00.0-01.8							660	99.2	98.2-0100
\$75,000+	1251	77,881	4	0.7	00.0-01.7				1	0.1	00.0-00.3	1246	99.2	98.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7692	574,854	7635	98.5	97.9-99.1	53	1.4	00.8-02.0	2	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.0	00.0-00.0
Male	3198	290,052	3176	98.5	97.7-99.3	18	1.3	00.5-02.1	2	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.1	00.0-00.3
Female	4494	284,802	4459	98.5	97.7-99.3	35	1.5	00.7-02.3									
18-24	339	88,078	333	97.8	95.8-99.8	6	2.2	00.2-04.2									
25-34	659	104,459	641	96.5	94.5-98.5	16	3.1	01.1-05.1	1	0.3	00.0-00.9				1	0.2	00.0-00.6
35-44	835	82,687	823	98.4	97.2-99.6	11	1.5	00.3-02.7				1	0.0	00.0-00.0			
45-54	1198	90,266	1185	98.6	97.6-99.6	13	1.4	00.4-02.4									
55-64	1837	92,782	1834	99.9	99.7-0100	3	0.1	00.0-00.3									
65+	2747	111,885	2743	99.8	99.6-0100	4	0.2	00.0-00.4									
Less Than H.S.	459	51,325	459	100.0	0100-0100												
H.S. or G.E.D.	2304	150,780	2289	98.4	97.4-99.4	15	1.6	00.6-02.6									
Some Post-H.S.	2456	224,555	2436	98.3	97.3-99.3	18	1.6	00.6-02.6				1	0.0	00.0-00.0	1	0.1	00.0-00.3
College Graduate	2424	142,616	2403	98.4	97.4-99.4	19	1.4	00.6-02.2	2	0.3	00.0-00.7						
Less than \$15,000	452	42,861	446	98.6	97.0-0100	6	1.4	00.0-03.0									
\$15,000- 24,999	874	72,843	869	98.1	95.9-0100	5	1.9	00.0-04.1									
\$25,000- 34,999	694	56,175	691	98.1	95.9-0100	3	1.9	00.0-04.1									
\$35,000- 49,999	986	69,095	979	98.4	97.0-99.8	6	1.2	00.0-02.4	1	0.4	00.0-01.2						
\$50,000- 74,999	1200	87,347	1190	98.0	96.2-99.8	10	2.0	00.2-03.8									
\$75,000+	2483	173,563	2467	98.9	98.1-99.7	14	0.9	00.3-01.5				1	0.0	00.0-00.0	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3198	290,052	3176	98.5	97.7-99.3	18	1.3	00.5-02.1	2	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.1	00.0-00.3
18-24	187	47,580	184	98.0	95.3-0100	3	2.0	00.0-04.7									
25-34	311	55,252	302	95.9	93.0-98.8	7	3.2	00.5-05.9	1	0.5	00.0-01.5				1	0.4	00.0-01.2
35-44	373	42,352	369	98.3	96.3-0100	3	1.7	00.0-03.7				1	0.1	00.0-00.3			
45-54	515	46,076	512	99.2	97.8-0100	3	0.8	00.0-02.2									
55-64	773	47,293	771	99.8	99.6-0100	2	0.2	00.0-00.4									
65+	1016	49,681	1016	100.0	0100-0100												
Less Than H.S.	220	30,624	220	100.0	0100-0100												
H.S. or G.E.D.	979	78,819	973	98.5	97.1-99.9	6	1.5	00.1-02.9									
Some Post-H.S.	960	110,529	952	97.9	96.1-99.7	6	1.9	00.3-03.5				1	0.0	00.0-00.0	1	0.2	00.0-00.6
College Graduate	1023	67,234	1015	98.5	97.1-99.9	6	0.9	00.0-01.9	2	0.5	00.0-01.3						
Less than \$15,000	156	17,769	153	97.4	93.9-0100	3	2.6	00.0-06.1									
\$15,000- 24,999	293	34,536	292	98.4	95.3-0100	1	1.6	00.0-04.7									
\$25,000- 34,999	260	26,716	260	100.0	0100-0100												
\$35,000- 49,999	419	37,569	415	97.5	95.0-0100	3	1.7	00.0-03.7	1	0.8	00.0-02.4						
\$50,000- 74,999	536	47,470	533	98.2	95.7-0100	3	1.8	00.0-04.3									
\$75,000+	1233	95,854	1225	98.6	97.4-99.8	6	1.1	00.0-02.3				1	0.0	00.0-00.0	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			White Only		N	Black Afr. Amer. Only	
	TOTAL	WEIGHTED	N	%	C.I. (95%)		%	C.I. (95%)
Female	4494	284,802	4459	98.5	97.7-99.3	35	1.5	00.7-02.3
18-24	152	40,498	149	97.5	94.8-0100	3	2.5	00.0-05.2
25-34	348	49,208	339	97.1	94.4-99.8	9	2.9	00.2-05.6
35-44	462	40,335	454	98.6	97.2-0100	8	1.4	00.0-02.8
45-54	683	44,190	673	97.9	96.3-99.5	10	2.1	00.5-03.7
55-64	1064	45,489	1063	99.9	99.7-0100	1	0.1	00.0-00.3
65+	1731	62,204	1727	99.6	99.2-0100	4	0.4	00.0-00.8
Less Than H.S.	239	20,701	239	100.0	0100-0100			
H.S. or G.E.D.	1325	71,961	1316	98.3	96.7-99.9	9	1.7	00.1-03.3
Some Post-H.S.	1496	114,025	1484	98.7	97.5-99.9	12	1.3	00.1-02.5
College Graduate	1401	75,381	1388	98.2	96.8-99.6	13	1.8	00.4-03.2
Less than \$15,000	296	25,093	293	99.5	98.9-0100	3	0.5	00.0-01.1
\$15,000- 24,999	581	38,306	577	97.8	95.1-0100	4	2.2	00.0-04.9
\$25,000- 34,999	434	29,459	431	96.3	92.2-0100	3	3.7	00.0-07.8
\$35,000- 49,999	567	31,526	564	99.4	98.6-0100	3	0.6	00.0-01.4
\$50,000- 74,999	664	39,878	657	97.8	95.4-0100	7	2.2	00.0-04.6
\$75,000+	1250	77,709	1242	99.3	98.7-99.9	8	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)**

**Denominator Excludes: Respondents reporting only one race**

**Denominator excludes: Respondents with do not know/refused/missing responses**

There is not enough data (less than 50 total observations) to print this table.

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7774	582,772	982	12.0	10.8-13.2	6792	88.0	86.8-89.2
Male	3247	295,948	924	22.4	20.4-24.4	2323	77.6	75.6-79.6
Female	4527	286,824	58	1.4	00.8-02.0	4469	98.6	98.0-99.2
18-24	348	89,743	12	4.4	01.5-07.3	336	95.6	92.7-98.5
25-34	662	104,777	49	8.8	05.9-11.7	613	91.2	88.3-94.1
35-44	845	84,666	62	10.3	07.2-13.4	783	89.7	86.6-92.8
45-54	1206	90,869	105	10.0	07.6-12.4	1101	90.0	87.6-92.4
55-64	1857	94,493	184	12.4	10.2-14.6	1673	87.6	85.4-89.8
65+	2772	113,127	561	23.9	21.5-26.3	2211	76.1	73.7-78.5
Less Than H.S.	472	53,461	53	10.5	06.6-14.4	419	89.5	85.6-93.4
H.S. or G.E.D.	2331	153,613	320	13.7	11.5-15.9	2011	86.3	84.1-88.5
Some Post-H.S.	2478	226,465	315	12.4	10.4-14.4	2163	87.6	85.6-89.6
College Graduate	2445	144,085	291	10.6	08.8-12.4	2154	89.4	87.6-91.2
Less than \$15,000	457	44,502	43	6.9	03.8-10.0	414	93.1	90.0-96.2
\$15,000- 24,999	886	74,013	107	12.3	08.8-15.8	779	87.7	84.2-91.2
\$25,000- 34,999	703	56,887	105	14.0	09.7-18.3	598	86.0	81.7-90.3
\$35,000- 49,999	996	69,777	156	15.2	11.9-18.5	840	84.8	81.5-88.1
\$50,000- 74,999	1207	87,614	170	13.2	10.5-15.9	1037	86.8	84.1-89.5
\$75,000+	2495	175,502	311	12.2	10.2-14.2	2184	87.8	85.8-89.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3247	295,948	924	22.4	20.4-24.4	2323	77.6	75.6-79.6
18-24	189	48,482	9	7.6	02.3-12.9	180	92.4	87.1-97.7
25-34	312	55,460	42	14.4	09.3-19.5	270	85.6	80.5-90.7
35-44	381	44,289	56	18.4	12.9-23.9	325	81.6	76.1-87.1
45-54	519	46,439	92	18.1	13.6-22.6	427	81.9	77.4-86.4
55-64	790	48,882	168	22.5	18.6-26.4	622	77.5	73.6-81.4
65+	1030	50,503	550	53.0	48.7-57.3	480	47.0	42.7-51.3
Less Than H.S.	228	32,351	52	17.3	10.8-23.8	176	82.7	76.2-89.2
H.S. or G.E.D.	997	80,777	312	25.3	21.4-29.2	685	74.7	70.8-78.6
Some Post-H.S.	975	112,384	293	23.5	19.8-27.2	682	76.5	72.8-80.2
College Graduate	1031	67,805	264	19.9	16.6-23.2	767	80.1	76.8-83.4
Less than \$15,000	157	18,758	41	16.0	08.7-23.3	116	84.0	76.7-91.3
\$15,000- 24,999	302	35,576	98	24.1	17.2-31.0	204	75.9	69.0-82.8
\$25,000- 34,999	265	27,214	98	27.9	19.7-36.1	167	72.1	63.9-80.3
\$35,000- 49,999	426	38,106	149	26.8	20.9-32.7	277	73.2	67.3-79.1
\$50,000- 74,999	539	47,664	163	23.0	18.1-27.9	376	77.0	72.1-81.9
\$75,000+	1243	97,603	291	20.2	17.1-23.3	952	79.8	76.7-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4527	286,824	58	1.4	00.8-02.0	4469	98.6	98.0-99.2
18-24	159	41,261	3	0.7	00.0-01.5	156	99.3	98.5-0100
25-34	350	49,317	7	2.5	00.1-04.9	343	97.5	95.1-99.9
35-44	464	40,377	6	1.5	00.0-03.1	458	98.5	96.9-0100
45-54	687	44,430	13	1.5	00.3-02.7	674	98.5	97.3-99.7
55-64	1067	45,611	16	1.6	00.6-02.6	1051	98.4	97.4-99.4
65+	1742	62,624	11	0.4	00.0-00.8	1731	99.6	99.2-0100
Less Than H.S.	244	21,110	1	0.1	00.0-00.3	243	99.9	99.7-0100
H.S. or G.E.D.	1334	72,836	8	0.7	00.1-01.3	1326	99.3	98.7-99.9
Some Post-H.S.	1503	114,081	22	1.5	00.5-02.5	1481	98.5	97.5-99.5
College Graduate	1414	76,280	27	2.3	00.9-03.7	1387	97.7	96.3-99.1
Less than \$15,000	300	25,744	2	0.2	00.0-00.6	298	99.8	99.4-0100
\$15,000- 24,999	584	38,437	9	1.5	00.0-03.5	575	98.5	96.5-0100
\$25,000- 34,999	438	29,673	7	1.2	00.0-02.4	431	98.8	97.6-0100
\$35,000- 49,999	570	31,671	7	1.1	00.1-02.1	563	98.9	97.9-99.9
\$50,000- 74,999	668	39,950	7	1.5	00.1-02.9	661	98.5	97.1-99.9
\$75,000+	1252	77,898	20	2.1	00.7-03.5	1232	97.9	96.5-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7726	576,793	4601	56.0	54.2-57.8	848	9.1	08.1-10.1	1124	6.7	06.1-07.3	62	0.9	00.5-01.3	951	23.8	22.0-25.6	140	3.6	02.8-04.4
Male	3233	293,276	2028	55.3	52.6-58.0	343	9.4	07.8-11.0	203	3.1	02.5-03.7	29	0.7	00.3-01.1	577	28.4	25.7-31.1	53	3.1	01.9-04.3
Female	4493	283,517	2573	56.8	54.3-59.3	505	8.7	07.5-09.9	921	10.5	09.5-11.5	33	1.0	00.4-01.6	374	19.0	16.5-21.5	87	4.1	02.7-05.5
Native	243	24,253	89	30.3	21.3-39.3	47	12.6	06.5-18.7	23	3.4	00.9-05.9	7	3.8	00.0-07.7	62	43.4	32.2-54.6	15	6.5	01.8-11.2
Non-Native	7359	541,786	4448	57.1	55.1-59.1	783	8.7	07.7-09.7	1077	6.8	06.2-07.4	53	0.8	00.4-01.2	875	23.1	21.1-25.1	123	3.5	02.7-04.3
18-24	343	88,676	37	9.7	06.0-13.4	2	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.3	00.0-00.9	280	82.7	77.6-87.8	22	7.2	03.5-10.9
25-34	660	103,734	383	53.0	47.7-58.3	36	6.7	04.0-09.4				9	1.3	00.1-02.5	194	32.8	27.9-37.7	38	6.1	03.6-08.6
35-44	840	83,496	609	70.5	66.0-75.0	82	10.1	07.0-13.2	11	1.1	00.3-01.9	12	1.7	00.5-02.9	98	11.4	08.3-14.5	28	5.3	02.9-07.7
45-54	1197	89,841	842	69.3	65.6-73.0	173	15.1	12.2-18.0	27	2.6	01.2-04.0	8	0.5	00.0-01.1	128	10.8	08.3-13.3	19	1.7	00.7-02.7
55-64	1850	93,845	1278	71.2	68.3-74.1	285	14.3	12.1-16.5	107	4.5	03.3-05.7	19	1.1	00.5-01.7	135	6.8	05.2-08.4	26	2.0	00.8-03.2
65+	2761	112,633	1402	60.3	57.8-62.8	262	8.3	06.7-09.9	969	27.4	25.2-29.6	13	0.4	00.2-00.6	108	3.4	02.6-04.2	7	0.2	00.0-00.4
Less Than H.S.	469	52,914	200	36.4	30.3-42.5	44	12.4	07.7-17.1	149	16.5	12.8-20.2	4	0.7	00.0-01.9	65	30.2	22.4-38.0	7	3.8	00.7-06.9
H.S. or G.E.D.	2323	152,866	1268	52.0	48.7-55.3	276	10.5	08.5-12.5	435	8.4	07.2-09.6	20	1.6	00.6-02.6	290	24.1	20.8-27.4	34	3.4	01.8-05.0
Some Post-H.S.	2463	224,572	1436	56.2	52.9-59.5	302	9.1	07.5-10.7	349	5.7	04.9-06.5	19	0.6	00.2-01.0	303	24.7	21.4-28.0	54	3.9	02.3-05.5
College Graduate	2436	143,076	1678	67.5	64.4-70.6	224	6.4	05.2-07.6	184	2.7	02.1-03.3	19	0.7	00.3-01.1	286	19.3	16.4-22.2	45	3.4	02.0-04.8
Less than \$15,000	454	44,024	58	14.2	09.3-19.1	114	17.5	12.4-22.6	143	15.0	11.3-18.7	11	2.1	00.3-03.9	120	45.9	38.1-53.7	8	5.3	00.8-09.8
\$15,000- 24,999	883	73,498	256	30.2	25.5-34.9	166	14.5	11.0-18.0	258	13.8	11.3-16.3	11	1.9	00.3-03.5	178	36.5	30.6-42.4	14	3.2	00.8-05.6
\$25,000- 34,999	698	56,034	267	36.8	30.9-42.7	109	11.4	08.3-14.5	171	9.8	07.4-12.2	4	0.8	00.0-01.8	127	34.3	27.8-40.8	20	6.9	02.8-11.0
\$35,000- 49,999	995	69,728	554	56.2	51.1-61.3	134	12.0	08.9-15.1	147	5.3	04.1-06.5	8	0.4	00.0-00.8	131	20.9	16.0-25.8	21	5.3	02.4-08.2
\$50,000- 74,999	1206	87,627	861	71.0	66.5-75.5	112	7.9	05.5-10.3	99	2.8	02.0-03.6	5	0.3	00.0-00.7	107	16.0	11.9-20.1	22	1.9	00.7-03.1
\$75,000+	2493	175,412	2045	78.2	75.3-81.1	128	4.2	03.0-05.4	102	1.8	01.2-02.4	14	0.5	00.1-00.9	160	12.6	09.9-15.3	44	2.7	01.7-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3233	293,276	2028	55.3	52.6-58.0	343	9.4	07.8-11.0	203	3.1	02.5-03.7	29	0.7	00.3-01.1	577	28.4	25.7-31.1	53	3.1	01.9-04.3
Native	79	8,694	33	30.8	15.5-46.1	16	20.4	06.7-34.1	3	0.4	00.0-00.8	1	0.2	00.0-00.6	24	47.1	29.9-64.3	2	1.2	00.0-03.4
Non-Native	3079	276,928	1951	55.9	53.2-58.6	316	8.8	07.4-10.2	191	3.1	02.5-03.7	28	0.8	00.4-01.2	544	28.4	25.7-31.1	49	3.1	01.9-04.3
18-24	187	48,091	14	9.3	04.2-14.4	2	0.2	00.0-00.6	1	0.0	00.0-00.0				162	86.1	79.8-92.4	8	4.4	00.5-08.3
25-34	311	54,508	154	49.1	41.8-56.4	15	5.4	01.9-08.9				3	0.8	00.0-02.0	122	39.6	32.5-46.7	17	5.1	02.0-08.2
35-44	379	43,799	260	64.6	57.5-71.7	39	12.9	07.4-18.4	3	0.4	00.0-01.0	5	1.4	00.0-02.8	58	14.5	09.4-19.6	14	6.1	02.4-09.8
45-54	518	46,029	339	65.9	60.2-71.6	69	14.4	10.1-18.7	11	2.0	00.4-03.6	6	0.9	00.0-01.9	86	14.8	10.7-18.9	7	1.9	00.1-03.7
55-64	787	48,671	552	70.4	66.1-74.7	122	15.6	12.1-19.1	21	2.6	01.0-04.2	6	0.7	00.0-01.5	80	9.2	06.5-11.9	6	1.5	00.0-03.3
65+	1029	50,501	694	72.3	68.6-76.0	95	9.0	06.3-11.7	166	13.0	10.5-15.5	9	0.6	00.2-01.0	64	5.0	03.4-06.6	1	0.0	00.0-00.0
Less Than H.S.	226	31,905	117	36.5	28.1-44.9	29	16.9	09.5-24.3	32	5.8	03.1-08.5	2	1.0	00.0-02.8	43	35.8	25.2-46.4	3	4.0	00.0-08.7
H.S. or G.E.D.	993	80,548	569	50.3	45.6-55.0	124	11.1	08.2-14.0	78	4.2	02.8-05.6	9	0.9	00.1-01.7	195	28.7	24.0-33.4	18	4.7	02.0-07.4
Some Post-H.S.	973	111,902	595	56.7	52.0-61.4	115	8.5	06.3-10.7	56	2.4	01.6-03.2	10	0.4	00.0-00.8	177	29.5	24.8-34.2	20	2.5	00.9-04.1
College Graduate	1029	67,296	740	67.5	63.0-72.0	74	5.5	03.7-07.3	36	1.3	00.7-01.9	8	1.0	00.2-01.8	159	22.9	18.6-27.2	12	1.9	00.5-03.3
Less than \$15,000	155	18,705	25	18.2	09.2-27.2	37	16.7	08.9-24.5	18	5.5	02.0-09.0	4	1.6	00.0-03.4	70	56.5	44.7-68.3	1	1.5	00.0-04.4
\$15,000- 24,999	302	35,114	110	32.4	25.0-39.8	46	10.5	05.8-15.2	34	5.5	03.0-08.0	4	1.4	00.0-03.4	103	45.6	36.8-54.4	5	4.7	00.4-09.0
\$25,000- 34,999	264	27,067	118	38.4	29.6-47.2	40	12.8	07.5-18.1	29	4.8	01.9-07.7	4	1.6	00.0-03.6	67	39.5	30.1-48.9	6	2.9	00.0-06.0
\$35,000- 49,999	426	38,106	253	54.3	46.9-61.7	51	12.0	07.1-16.9	33	2.5	01.3-03.7	3	0.3	00.0-00.7	77	25.8	18.5-33.1	9	5.0	00.7-09.3
\$50,000- 74,999	540	47,705	376	65.7	59.0-72.4	54	9.3	05.4-13.2	30	2.5	01.5-03.5	4	0.6	00.0-01.4	68	20.1	13.8-26.4	8	1.8	00.0-03.6
\$75,000+	1242	97,584	971	72.7	68.4-77.0	84	6.0	04.0-08.0	39	1.5	00.9-02.1	6	0.4	00.0-01.0	124	17.3	13.2-21.4	18	2.1	00.9-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4493	283,517	2573	56.8	54.3-59.3	505	8.7	07.5-09.9	921	10.5	09.5-11.5	33	1.0	00.4-01.6	374	19.0	16.5-21.5	87	4.1	02.7-05.5
Native	164	15,559	56	30.1	18.9-41.3	31	8.2	03.3-13.1	20	5.1	01.2-09.0	6	5.9	00.0-11.8	38	41.4	26.9-55.9	13	9.5	02.4-16.6
Non-Native	4280	264,858	2497	58.4	55.9-60.9	467	8.7	07.3-10.1	886	10.7	09.7-11.7	25	0.7	00.3-01.1	331	17.7	15.2-20.2	74	3.8	02.4-05.2
18-24	156	40,585	23	10.1	04.4-15.8							1	0.6	00.0-01.8	118	78.7	70.5-86.9	14	10.6	03.9-17.3
25-34	349	49,226	229	57.3	49.7-64.9	21	8.1	03.6-12.6				6	1.9	00.0-04.1	72	25.4	18.5-32.3	21	7.2	03.1-11.3
35-44	461	39,697	349	77.0	71.7-82.3	43	7.1	04.4-09.8	8	1.8	00.2-03.4	7	1.9	00.0-04.1	40	7.9	04.8-11.0	14	4.3	01.2-07.4
45-54	679	43,812	503	72.8	68.1-77.5	104	15.8	11.9-19.7	16	3.2	01.0-05.4	2	0.1	00.0-00.3	42	6.6	03.9-09.3	12	1.4	00.4-02.4
55-64	1063	45,174	726	72.2	68.5-75.9	163	12.9	10.2-15.6	86	6.5	04.5-08.5	13	1.6	00.4-02.8	55	4.2	02.6-05.8	20	2.6	01.2-04.0
65+	1732	62,132	708	50.5	47.2-53.8	167	7.6	06.0-09.2	803	39.1	36.0-42.2	4	0.3	00.0-00.7	44	2.0	01.2-02.8	6	0.4	00.0-00.8
Less Than H.S.	243	21,009	83	36.2	27.8-44.6	15	5.6	01.7-09.5	117	32.7	25.1-40.3	2	0.2	00.0-00.6	22	21.8	11.0-32.6	4	3.5	00.0-07.4
H.S. or G.E.D.	1330	72,318	699	53.8	49.1-58.5	152	9.9	07.5-12.3	357	13.0	11.0-15.0	11	2.3	00.5-04.1	95	18.9	14.0-23.8	16	2.0	00.6-03.4
Some Post-H.S.	1490	112,671	841	55.6	51.1-60.1	187	9.6	07.2-12.0	293	8.9	07.3-10.5	9	0.8	00.2-01.4	126	19.9	15.6-24.2	34	5.2	02.7-07.7
College Graduate	1407	75,779	938	67.5	63.2-71.8	150	7.2	05.4-09.0	148	4.0	03.0-05.0	11	0.5	00.1-00.9	127	16.1	12.2-20.0	33	4.7	02.3-07.1
Less than \$15,000	299	25,319	33	11.3	06.0-16.6	77	18.1	11.6-24.6	125	22.0	16.1-27.9	7	2.4	00.0-05.3	50	38.1	27.5-48.7	7	8.1	00.7-15.5
\$15,000- 24,999	581	38,384	146	28.2	22.5-33.9	120	18.1	12.8-23.4	224	21.4	17.1-25.7	7	2.3	00.0-04.7	75	28.1	20.5-35.7	9	1.9	00.3-03.5
\$25,000- 34,999	434	28,967	149	35.3	27.5-43.1	69	10.1	06.4-13.8	142	14.5	10.8-18.2				60	29.5	20.9-38.1	14	10.6	03.3-17.9
\$35,000- 49,999	569	31,622	301	58.4	51.5-65.3	83	12.0	08.1-15.9	114	8.6	06.2-11.0	5	0.5	00.0-01.1	54	14.9	08.8-21.0	12	5.6	01.5-09.7
\$50,000- 74,999	666	39,921	485	77.4	71.9-82.9	58	6.3	03.8-08.8	69	3.2	02.2-04.2	1	0.0	00.0-00.0	39	11.1	06.0-16.2	14	2.1	00.3-03.9
\$75,000+	1251	77,827	1074	85.1	81.6-88.6	44	1.9	01.1-02.7	63	2.3	01.5-03.1	8	0.5	00.0-01.1	36	6.8	03.7-09.9	26	3.4	01.6-05.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7744	578,777	662	12.3	10.9-13.7	596	11.3	10.1-12.5	329	5.6	04.8-06.4	135	2.1	01.5-02.7	53	1.2	00.8-01.6	5969	67.5	65.7-69.3
Male	3234	293,025	284	10.7	08.9-12.5	247	11.1	09.3-12.9	139	4.9	03.7-06.1	60	2.1	01.3-02.9	24	1.4	00.6-02.2	2480	69.9	67.4-72.4
Female	4510	285,752	378	14.0	12.0-16.0	349	11.4	09.6-13.2	190	6.4	05.0-07.8	75	2.1	01.3-02.9	29	1.0	00.6-01.4	3489	65.1	62.6-67.6
Native	246	24,669	40	22.7	13.5-31.9	43	20.0	11.8-28.2	19	12.4	04.8-20.0	14	4.0	00.9-07.1	4	2.1	00.0-04.8	126	38.8	28.6-49.0
Non-Native	7372	543,034	616	11.9	10.5-13.3	549	10.9	09.7-12.1	306	5.3	04.5-06.1	118	2.0	01.4-02.6	47	1.1	00.7-01.5	5736	68.7	66.9-70.5
18-24	348	89,743	71	17.6	12.9-22.3	27	5.6	02.7-08.5	11	1.8	00.4-03.2	2	0.2	00.0-00.4	1	0.1	00.0-00.3	236	74.8	69.3-80.3
25-34	658	103,637	112	15.3	11.6-19.0	152	21.4	17.1-25.7	94	12.5	09.2-15.8	34	4.4	02.4-06.4	14	2.4	00.8-04.0	252	44.0	38.7-49.3
35-44	839	83,721	133	16.8	13.3-20.3	257	29.7	25.4-34.0	161	17.4	13.9-20.9	76	7.5	05.1-09.9	25	3.7	01.9-05.5	187	25.0	20.7-29.3
45-54	1198	89,991	221	19.0	15.9-22.1	121	11.7	09.0-14.4	53	3.3	02.3-04.3	17	0.9	00.5-01.3	8	0.6	00.2-01.0	778	64.4	60.7-68.1
55-64	1854	94,172	91	6.2	04.6-07.8	31	2.1	01.3-02.9	10	0.6	00.2-01.0	6	0.5	00.1-00.9	2	0.7	00.0-01.7	1714	89.9	87.7-92.1
65+	2765	112,670	30	1.6	00.8-02.4	5	0.4	00.0-00.8							2	0.1	00.0-00.3	2728	98.0	97.2-98.8
Less Than H.S.	469	52,862	31	10.2	05.9-14.5	23	9.5	04.8-14.2	11	2.9	00.4-05.4	9	1.4	00.4-02.4	6	2.3	00.3-04.3	389	73.6	67.1-80.1
H.S. or G.E.D.	2328	153,140	174	11.9	09.5-14.3	128	8.3	06.3-10.3	76	5.5	03.7-07.3	32	2.7	01.5-03.9	15	1.4	00.4-02.4	1903	70.2	66.9-73.5
Some Post-H.S.	2471	225,239	230	13.5	11.1-15.9	178	12.0	09.6-14.4	86	5.0	03.4-06.6	45	1.7	00.9-02.5	16	1.1	00.5-01.7	1916	66.7	63.6-69.8
College Graduate	2441	143,863	225	11.7	09.5-13.9	267	14.2	12.0-16.4	156	8.0	06.4-09.6	49	2.4	01.6-03.2	16	0.7	00.1-01.3	1728	63.0	60.1-65.9
Less than \$15,000	457	44,389	33	12.8	07.3-18.3	17	6.3	02.2-10.4	7	2.3	00.0-05.0	7	1.9	00.1-03.7	2	0.9	00.0-02.3	391	75.8	68.9-82.7
\$15,000- 24,999	886	74,026	53	11.7	07.8-15.6	32	6.7	03.6-09.8	18	3.3	01.3-05.3	6	0.9	00.0-02.1	7	1.3	00.1-02.5	770	76.2	71.1-81.3
\$25,000- 34,999	699	56,462	45	13.1	08.2-18.0	26	4.6	02.1-07.1	13	2.8	00.8-04.8	6	1.8	00.0-03.6	5	1.8	00.0-03.6	604	75.8	70.1-81.5
\$35,000- 49,999	995	69,688	67	8.6	05.7-11.5	66	11.1	07.6-14.6	24	3.3	01.3-05.3	14	2.3	00.7-03.9	8	1.3	00.0-02.7	816	73.4	68.7-78.1
\$50,000- 74,999	1205	87,055	113	13.4	10.1-16.7	93	13.3	09.6-17.0	65	7.3	04.8-09.8	23	1.9	00.7-03.1	7	0.8	00.0-01.6	904	63.4	58.7-68.1
\$75,000+	2495	175,501	283	14.3	12.1-16.5	320	17.2	14.7-19.7	186	9.5	07.5-11.5	68	3.2	02.2-04.2	21	1.2	00.4-02.0	1617	54.5	51.4-57.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3234	293,025	284	10.7	08.9-12.5	247	11.1	09.3-12.9	139	4.9	03.7-06.1	60	2.1	01.3-02.9	24	1.4	00.6-02.2	2480	69.9	67.4-72.4
Native	80	8,721	15	18.1	06.3-29.9	10	20.9	05.4-36.4	7	16.2	02.3-30.1	3	0.7	00.0-01.7				45	44.0	27.1-60.9
Non-Native	3082	276,902	266	10.5	08.7-12.3	234	10.7	08.9-12.5	130	4.5	03.5-05.5	56	2.2	01.4-03.0	23	1.5	00.7-02.3	2373	70.7	68.2-73.2
18-24	189	48,482	27	8.6	04.5-12.7	10	5.9	01.4-10.4	4	0.7	00.0-01.5				1	0.2	00.0-00.6	147	84.6	78.7-90.5
25-34	310	54,458	51	14.2	09.3-19.1	54	18.1	12.4-23.8	29	8.9	04.8-13.0	15	3.8	01.3-06.3	4	2.6	00.1-05.1	157	52.5	45.2-59.8
35-44	375	43,288	51	14.5	09.4-19.6	102	27.7	21.4-34.0	72	16.7	11.8-21.6	33	8.0	04.3-11.7	10	3.4	00.9-05.9	107	29.8	23.1-36.5
45-54	517	45,908	89	17.8	12.9-22.7	62	13.7	09.4-18.0	27	3.5	01.9-05.1	9	0.9	00.3-01.5	6	1.0	00.0-02.0	324	63.1	57.2-69.0
55-64	789	48,834	51	7.9	05.2-10.6	16	2.3	01.1-03.5	7	0.7	00.1-01.3	3	0.7	00.0-01.5	2	1.3	00.0-03.3	710	87.1	83.8-90.4
65+	1030	50,413	14	1.0	00.4-01.6	3	0.6	00.0-01.4										1013	98.3	97.3-99.3
Less Than H.S.	225	31,752	14	7.6	02.5-12.7	13	11.9	04.6-19.2	4	1.4	00.0-02.8	3	0.8	00.0-02.0	4	2.8	00.0-05.7	187	75.6	67.0-84.2
H.S. or G.E.D.	994	80,304	84	10.6	07.5-13.7	67	9.4	06.3-12.5	35	3.7	02.1-05.3	19	2.9	01.1-04.7	9	2.2	00.4-04.0	780	71.1	66.6-75.6
Some Post-H.S.	972	111,343	103	11.9	09.0-14.8	84	12.6	09.3-15.9	38	4.9	02.7-07.1	16	1.6	00.4-02.8	7	1.1	00.0-02.3	724	67.9	63.4-72.4
College Graduate	1031	67,693	83	10.4	07.3-13.5	83	10.4	07.7-13.1	62	8.1	05.6-10.6	22	2.8	01.4-04.2	4	0.4	00.0-00.8	777	67.9	63.6-72.2
Less than \$15,000	156	18,597	7	8.1	01.4-14.8	3	3.3	00.0-07.8				1	0.4	00.0-01.2	1	1.6	00.0-04.5	144	86.7	78.3-95.1
\$15,000- 24,999	303	35,614	13	6.7	01.8-11.6	13	9.3	03.4-15.2	5	2.3	00.0-04.8	2	0.1	00.0-00.3	3	1.5	00.0-03.5	267	80.0	72.4-87.6
\$25,000- 34,999	262	26,879	16	8.8	03.7-13.9	9	3.6	00.3-06.9	2	1.6	00.0-04.0	5	2.6	00.0-05.3	4	3.1	00.0-06.4	226	80.4	73.1-87.7
\$35,000- 49,999	426	38,106	26	5.8	02.7-08.9	23	10.6	05.7-15.5	13	3.8	00.9-06.7	8	3.7	00.8-06.6	3	1.2	00.0-03.2	353	75.0	68.3-81.7
\$50,000- 74,999	539	47,173	44	12.8	08.3-17.3	42	13.6	08.3-18.9	25	6.2	02.7-09.7	7	0.8	00.0-01.8	1	0.3	00.0-00.9	420	66.2	59.7-72.7
\$75,000+	1243	97,603	154	14.7	11.6-17.8	139	14.5	11.4-17.6	88	8.3	05.9-10.7	35	3.7	02.1-05.3	10	1.3	00.1-02.5	817	57.4	53.1-61.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4510	285,752	378	14.0	12.0-16.0	349	11.4	09.6-13.2	190	6.4	05.0-07.8	75	2.1	01.3-02.9	29	1.0	00.6-01.4	3489	65.1	62.6-67.6
Native	166	15,947	25	25.2	12.5-37.9	33	19.5	09.9-29.1	12	10.3	01.5-19.1	11	5.8	00.9-10.7	4	3.3	00.0-07.4	81	36.0	23.3-48.7
Non-Native	4290	266,132	350	13.4	11.4-15.4	315	11.1	09.3-12.9	176	6.2	04.8-07.6	62	1.8	01.0-02.6	24	0.8	00.4-01.2	3363	66.6	64.1-69.1
18-24	159	41,261	44	28.1	19.5-36.7	17	5.2	01.7-08.7	7	3.1	00.4-05.8	2	0.3	00.0-00.9				89	63.3	54.1-72.5
25-34	348	49,178	61	16.6	10.9-22.3	98	25.1	18.4-31.8	65	16.5	11.2-21.8	19	5.0	02.1-07.9	10	2.1	00.5-03.7	95	34.7	27.4-42.0
35-44	464	40,433	82	19.3	14.2-24.4	155	31.9	25.8-38.0	89	18.2	13.1-23.3	43	6.9	03.8-10.0	15	3.9	01.2-06.6	80	19.8	14.5-25.1
45-54	681	44,082	132	20.3	16.2-24.4	59	9.7	06.4-13.0	26	3.2	01.8-04.6	8	0.9	00.1-01.7	2	0.1	00.0-00.3	454	65.8	60.9-70.7
55-64	1065	45,337	40	4.4	02.4-06.4	15	1.8	00.6-03.0	3	0.4	00.0-01.0	3	0.3	00.0-00.7				1004	93.0	90.6-95.4
65+	1735	62,257	16	2.0	00.8-03.2	2	0.1	00.0-00.3							2	0.1	00.0-00.3	1715	97.7	96.3-99.1
Less Than H.S.	244	21,110	17	14.3	06.5-22.1	10	5.9	01.6-10.2	7	5.3	00.0-11.0	6	2.5	00.5-04.5	2	1.5	00.0-03.9	202	70.6	61.2-80.0
H.S. or G.E.D.	1334	72,836	90	13.4	09.7-17.1	61	7.1	04.6-09.6	41	7.5	04.4-10.6	13	2.4	00.6-04.2	6	0.5	00.0-01.1	1123	69.1	64.4-73.8
Some Post-H.S.	1499	113,896	127	15.1	11.6-18.6	94	11.4	08.3-14.5	48	5.1	03.1-07.1	29	1.8	00.8-02.8	9	1.1	00.3-01.9	1192	65.5	61.2-69.8
College Graduate	1410	76,170	142	12.8	09.9-15.7	184	17.5	14.2-20.8	94	7.8	05.8-09.8	27	2.2	01.0-03.4	12	1.1	00.1-02.1	951	58.6	54.5-62.7
Less than \$15,000	301	25,792	26	16.2	08.2-24.2	14	8.5	02.4-14.6	7	4.0	00.0-08.9	6	2.9	00.0-05.8	1	0.4	00.0-01.2	247	67.9	58.1-77.7
\$15,000- 24,999	583	38,411	40	16.4	10.3-22.5	19	4.2	01.1-07.3	13	4.2	01.3-07.1	4	1.6	00.0-03.8	4	1.0	00.0-02.4	503	72.6	65.7-79.5
\$25,000- 34,999	437	29,582	29	17.0	09.4-24.6	17	5.6	01.7-09.5	11	3.9	00.8-07.0	1	1.2	00.0-03.6	1	0.7	00.0-02.1	378	71.7	63.3-80.1
\$35,000- 49,999	569	31,582	41	11.9	06.8-17.0	43	11.8	06.7-16.9	11	2.8	00.8-04.8	6	0.7	00.0-01.5	5	1.4	00.0-03.2	463	71.5	64.8-78.2
\$50,000- 74,999	666	39,883	69	14.1	09.0-19.2	51	12.9	07.8-18.0	40	8.6	04.9-12.3	16	3.1	00.7-05.5	6	1.3	00.0-02.9	484	60.0	53.5-66.5
\$75,000+	1252	77,898	129	13.8	10.7-16.9	181	20.6	16.7-24.5	98	11.1	08.0-14.2	33	2.5	01.3-03.7	11	1.2	00.4-02.0	800	50.9	46.6-55.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7734	577,975	2	0.1	00.0-00.3	196	3.0	02.4-03.6	274	6.2	05.2-07.2	2331	26.6	25.0-28.2	2483	39.2	37.4-41.0	2448	25.0	23.6-26.4
Male	3237	293,473	1	0.1	00.0-00.3	92	3.4	02.4-04.4	135	7.5	05.7-09.3	997	27.5	25.1-29.9	979	38.3	35.6-41.0	1033	23.1	21.1-25.1
Female	4497	284,501	1	0.0	00.0-00.0	104	2.6	01.8-03.4	139	4.8	03.6-06.0	1334	25.6	23.4-27.8	1504	40.1	37.6-42.6	1415	26.8	24.8-28.8
Native	244	24,559				11	6.6	00.7-12.5	24	20.6	10.6-30.6	69	23.5	14.7-32.3	93	39.9	29.7-50.1	47	9.4	05.1-13.7
Non-Native	7362	542,254	2	0.1	00.0-00.3	176	2.8	02.2-03.4	240	5.4	04.4-06.4	2224	26.8	25.2-28.4	2351	39.3	37.3-41.3	2369	25.8	24.2-27.4
18-24	346	88,998				4	1.2	00.0-03.0	31	10.8	06.1-15.5	131	31.2	25.3-37.1	124	43.6	36.9-50.3	56	13.2	09.3-17.1
25-34	657	103,260				5	1.8	00.0-03.6	15	3.4	01.2-05.6	158	21.6	17.5-25.7	181	35.8	30.5-41.1	298	37.4	32.5-42.3
35-44	841	84,171				2	0.5	00.0-01.3	29	5.5	03.1-07.9	172	19.9	16.2-23.6	251	38.7	33.8-43.6	387	35.5	31.2-39.8
45-54	1204	90,507				9	1.4	00.2-02.6	40	5.7	03.3-08.1	323	24.2	21.1-27.3	450	45.9	42.0-49.8	382	22.8	20.1-25.5
55-64	1849	93,798	1	0.1	00.0-00.3	11	1.3	00.3-02.3	38	4.3	02.7-05.9	530	28.8	26.1-31.5	641	41.1	38.0-44.2	628	24.4	22.0-26.8
65+	2757	112,278	1	0.3	00.0-00.9	162	10.1	08.1-12.1	120	7.7	05.9-09.5	999	32.5	30.1-34.9	808	32.4	30.0-34.8	667	17.0	15.4-18.6
Less than \$15,000	458	44,518				43	10.7	06.4-15.0	45	15.9	09.2-22.6	193	32.0	25.1-38.9	119	30.9	23.5-38.3	58	10.4	06.3-14.5
\$15,000- 24,999	883	73,472	1	0.4	00.0-01.2	61	8.0	05.1-10.9	59	10.1	06.4-13.8	355	34.2	29.1-39.3	271	34.8	29.3-40.3	136	12.4	09.1-15.7
\$25,000- 34,999	702	56,487				17	2.3	00.9-03.7	39	8.1	04.8-11.4	286	34.9	29.2-40.6	232	41.5	35.0-48.0	128	13.2	09.7-16.7
\$35,000- 49,999	995	69,754				15	1.6	00.4-02.8	27	4.6	02.2-07.0	313	28.2	23.9-32.5	330	40.2	35.1-45.3	310	25.5	21.4-29.6
\$50,000- 74,999	1207	87,625				7	0.4	00.0-00.8	21	3.0	01.2-04.8	305	23.2	19.5-26.9	418	44.2	39.7-48.7	456	29.2	25.3-33.1
\$75,000+	2493	175,321	1	0.0	00.0-00.0	9	0.8	00.0-01.8	41	1.9	01.1-02.7	507	17.6	15.4-19.8	792	41.3	38.2-44.4	1143	38.4	35.7-41.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3237	293,473	1	0.1	00.0-00.3	92	3.4	02.4-04.4	135	7.5	05.7-09.3	997	27.5	25.1-29.9	979	38.3	35.6-41.0	1033	23.1	21.1-25.1
Native	79	8,638				4	5.5	00.0-14.1	8	25.1	08.6-41.6	26	20.7	08.7-32.7	26	39.7	22.5-56.9	15	9.1	02.6-15.6
Non-Native	3084	277,292	1	0.1	00.0-00.3	83	3.2	02.2-04.2	120	6.8	05.0-08.6	950	27.9	25.5-30.3	927	38.1	35.4-40.8	1003	23.8	21.6-26.0
18-24	188	48,158				3	2.0	00.0-05.3	18	13.4	06.1-20.7	72	30.8	22.8-38.8	64	41.9	32.9-50.9	31	11.9	06.8-17.0
25-34	309	54,406				3	2.3	00.0-05.2	8	4.2	00.7-07.7	87	23.8	17.9-29.7	95	36.2	28.9-43.5	116	33.4	26.9-39.9
35-44	378	43,718				1	0.0	00.0-00.0	14	7.4	03.1-11.7	100	24.8	18.9-30.7	113	38.5	31.4-45.6	150	29.3	23.6-35.0
45-54	519	46,305				5	1.7	00.0-03.7	24	7.8	03.7-11.9	157	24.3	19.6-29.0	197	48.1	42.0-54.2	136	18.1	14.4-21.8
55-64	788	48,540				7	2.2	00.2-04.2	22	5.2	02.7-07.7	241	29.7	25.6-33.8	260	39.1	34.4-43.8	258	23.8	20.3-27.3
65+	1030	50,475	1	0.6	00.0-01.8	72	11.3	08.2-14.4	49	7.9	05.0-10.8	334	31.3	27.6-35.0	244	27.9	24.2-31.6	330	21.1	18.4-23.8
Less than \$15,000	158	18,775				16	9.9	03.8-16.0	16	21.4	08.9-33.9	64	32.0	21.4-42.6	42	24.1	14.1-34.1	20	12.6	05.3-19.9
\$15,000- 24,999	301	35,046	1	0.9	00.0-02.7	31	12.5	06.6-18.4	24	12.8	05.9-19.7	120	35.0	27.0-43.0	78	26.9	18.9-34.9	47	11.8	06.9-16.7
\$25,000- 34,999	264	26,814				11	3.4	01.0-05.8	25	13.6	07.1-20.1	111	35.7	27.1-44.3	61	32.9	23.3-42.5	56	14.3	09.0-19.6
\$35,000- 49,999	426	38,106				8	1.4	00.0-03.0	12	4.4	00.7-08.1	159	29.8	23.3-36.3	127	41.1	33.7-48.5	120	23.3	17.6-29.0
\$50,000- 74,999	540	47,705				5	0.4	00.0-00.8	15	4.9	01.8-08.0	155	25.4	20.1-30.7	185	44.5	37.8-51.2	180	24.9	19.8-30.0
\$75,000+	1242	97,482				7	1.2	00.0-03.0	25	1.9	00.9-02.9	283	19.6	16.5-22.7	397	44.5	40.2-48.8	530	32.8	29.3-36.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4497	284,501	1	0.0	00.0-00.0	104	2.6	01.8-03.4	139	4.8	03.6-06.0	1334	25.6	23.4-27.8	1504	40.1	37.6-42.6	1415	26.8	24.8-28.8
Native	165	15,920				7	7.1	00.0-14.9	16	18.1	05.8-30.4	43	25.1	13.3-36.9	67	40.1	27.4-52.8	32	9.6	03.9-15.3
Non-Native	4278	264,961	1	0.0	00.0-00.0	93	2.3	01.7-02.9	120	3.9	02.9-04.9	1274	25.6	23.4-27.8	1424	40.5	38.0-43.0	1366	27.8	25.6-30.0
18-24	158	40,841				1	0.2	00.0-00.6	13	7.7	02.4-13.0	59	31.7	22.7-40.7	60	45.7	35.7-55.7	25	14.7	08.4-21.0
25-34	348	48,854				2	1.2	00.0-03.4	7	2.6	00.0-05.3	71	19.2	13.5-24.9	86	35.3	27.5-43.1	182	41.8	34.5-49.1
35-44	463	40,452				1	0.9	00.0-02.7	15	3.4	01.4-05.4	72	14.6	10.3-18.9	138	38.9	32.2-45.6	237	42.2	35.9-48.5
45-54	685	44,202				4	1.0	00.0-02.0	16	3.5	01.1-05.9	166	24.2	19.9-28.5	253	43.6	38.5-48.7	246	27.6	23.5-31.7
55-64	1061	45,257	1	0.2	00.0-00.6	4	0.4	00.0-00.8	16	3.3	01.3-05.3	289	27.9	24.4-31.4	381	43.3	39.2-47.4	370	24.9	21.8-28.0
65+	1727	61,803				90	9.2	07.0-11.4	71	7.6	05.2-10.0	665	33.5	30.6-36.4	564	36.1	33.0-39.2	337	13.6	11.6-15.6
Less than \$15,000	300	25,743				27	11.3	05.4-17.2	29	11.9	05.4-18.4	129	32.0	23.0-41.0	77	35.9	25.7-46.1	38	8.8	04.3-13.3
\$15,000- 24,999	582	38,426				30	3.9	02.3-05.5	35	7.6	04.5-10.7	235	33.5	27.2-39.8	193	42.1	34.8-49.4	89	12.9	08.4-17.4
\$25,000- 34,999	438	29,673				6	1.4	00.0-02.8	14	3.2	01.0-05.4	175	34.1	26.5-41.7	171	49.2	40.8-57.6	72	12.1	07.2-17.0
\$35,000- 49,999	569	31,648				7	1.7	00.1-03.3	15	4.8	01.7-07.9	154	26.3	20.4-32.2	203	39.0	32.1-45.9	190	28.2	22.1-34.3
\$50,000- 74,999	667	39,920				2	0.3	00.0-00.9	6	0.8	00.0-01.6	150	20.7	15.8-25.6	233	43.8	37.5-50.1	276	34.5	28.8-40.2
\$75,000+	1251	77,838	1	0.1	00.0-00.3	2	0.4	00.0-01.0	16	1.9	00.7-03.1	224	15.1	12.2-18.0	395	37.2	32.7-41.7	613	45.3	41.0-49.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7698	574,935	4377	65.7	63.9-67.5	159	3.1	02.3-03.9	507	5.8	05.0-06.6	136	5.5	04.3-06.7	2224	16.0	15.0-17.0	295	3.9	03.1-04.7
Male	3217	291,379	2125	72.5	70.1-74.9	67	3.0	02.0-04.0	7	0.3	00.0-00.7	67	5.1	03.5-06.7	825	15.1	13.7-16.5	126	4.0	03.0-05.0
Female	4481	283,556	2252	58.7	56.3-61.1	92	3.2	02.0-04.4	500	11.4	09.8-13.0	69	5.9	04.1-07.7	1399	16.9	15.7-18.1	169	3.9	03.1-04.7
Native	242	24,589	113	54.0	43.4-64.6	25	11.7	05.0-18.4	20	10.5	04.2-16.8	10	9.8	01.4-18.2	42	7.5	03.2-11.8	32	6.4	02.7-10.1
Non-Native	7333	539,666	4203	66.5	64.7-68.3	130	2.6	02.0-03.2	483	5.7	04.9-06.5	124	5.3	04.1-06.5	2144	16.4	15.4-17.4	249	3.5	02.9-04.1
18-24	347	89,323	210	62.7	56.2-69.2	25	6.6	03.3-09.9	11	1.3	00.3-02.3	100	28.5	22.6-34.4				1	1.0	00.0-02.8
25-34	659	103,382	534	80.8	76.5-85.1	15	2.3	00.7-03.9	80	9.8	06.7-12.9	21	4.9	02.5-07.3	1	0.4	00.0-01.2	8	1.9	00.1-03.7
35-44	837	83,197	722	86.0	82.7-89.3	26	3.7	01.7-05.7	63	7.0	04.6-09.4	5	0.4	00.0-01.0	3	0.4	00.0-01.2	18	2.5	00.9-04.1
45-54	1193	89,542	1027	85.4	82.5-88.3	29	3.1	01.7-04.5	51	3.2	02.0-04.4	7	0.5	00.1-00.9	16	1.5	00.5-02.5	63	6.4	04.2-08.6
55-64	1844	93,250	1305	70.0	67.1-72.9	46	2.8	01.8-03.8	83	4.4	03.2-05.6	2	0.1	00.1-00.1	290	14.1	11.9-16.3	118	8.6	06.6-10.6
65+	2741	111,400	535	19.5	17.5-21.5	18	0.8	00.2-01.4	211	8.1	06.7-09.5				1892	68.2	65.8-70.6	85	3.5	02.5-04.5
Less Than H.S.	460	51,514	154	44.3	37.0-51.6	16	3.9	01.5-06.3	47	9.0	05.7-12.3	6	4.1	00.0-08.2	189	28.0	22.5-33.5	48	10.7	06.0-15.4
H.S. or G.E.D.	2321	153,183	1158	61.7	58.6-64.8	63	5.8	03.6-08.0	198	6.9	05.3-08.5	25	2.5	01.1-03.9	763	18.2	16.4-20.0	114	4.7	03.5-05.9
Some Post-H.S.	2463	224,996	1434	67.2	64.3-70.1	48	2.0	01.0-03.0	159	5.5	04.1-06.9	62	7.5	05.3-09.7	669	14.4	12.8-16.0	91	3.4	02.2-04.6
College Graduate	2433	142,859	1620	75.4	72.9-77.9	31	1.5	00.7-02.3	100	3.9	02.7-05.1	42	5.7	03.7-07.7	598	12.0	10.6-13.4	42	1.5	00.9-02.1
Less than \$15,000	456	44,404	98	35.4	27.4-43.4	29	7.9	04.4-11.4	39	6.5	03.4-09.6	21	10.3	04.8-15.8	162	18.1	13.6-22.6	107	21.7	15.6-27.8
\$15,000- 24,999	881	73,257	326	51.6	46.1-57.1	38	5.1	02.6-07.6	58	5.3	03.1-07.5	26	8.8	04.9-12.7	359	22.6	19.1-26.1	74	6.6	04.2-09.0
\$25,000- 34,999	698	56,282	319	63.5	57.8-69.2	13	2.4	00.6-04.2	39	3.7	01.9-05.5	14	7.4	02.9-11.9	290	20.0	16.5-23.5	23	3.0	01.0-05.0
\$35,000- 49,999	991	69,401	543	67.1	62.6-71.6	13	2.3	00.0-04.7	55	5.5	03.5-07.5	11	3.3	00.9-05.7	353	20.4	17.3-23.5	16	1.4	00.4-02.4
\$50,000- 74,999	1204	87,540	798	73.5	69.8-77.2	14	2.1	00.5-03.7	68	5.1	03.3-06.9	13	3.6	01.2-06.0	298	14.6	12.2-17.0	13	1.1	00.3-01.9
\$75,000+	2485	174,392	1850	79.1	76.6-81.6	24	1.1	00.5-01.7	157	6.9	05.1-08.7	28	3.3	01.7-04.9	407	8.7	07.5-09.9	19	0.9	00.3-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3217	291,379	2125	72.5	70.1-74.9	67	3.0	02.0-04.0	7	0.3	00.0-00.7	67	5.1	03.5-06.7	825	15.1	13.7-16.5	126	4.0	03.0-05.0
Native	80	8,721	49	72.1	57.8-86.4	7	7.0	00.7-13.3	1	0.7	00.0-02.1	1	1.4	00.0-04.1	11	9.5	00.0-19.7	11	9.2	00.0-18.4
Non-Native	3068	275,597	2038	72.8	70.4-75.2	58	2.8	01.8-03.8	6	0.3	00.0-00.7	65	5.2	03.6-06.8	792	15.3	13.9-16.7	109	3.5	02.5-04.5
18-24	189	48,482	127	72.2	64.2-80.2	12	3.4	00.9-05.9				49	22.7	15.4-30.0				1	1.8	00.0-05.1
25-34	310	54,399	279	86.9	81.8-92.0	11	3.5	00.8-06.2				13	6.6	02.9-10.3	1	0.7	00.0-02.1	6	2.4	00.0-04.9
35-44	375	43,036	346	89.3	84.6-94.0	11	4.4	01.1-07.7	6	2.0	00.0-04.0				2	0.8	00.0-02.2	10	3.5	00.8-06.2
45-54	513	45,531	464	89.8	86.1-93.5	11	3.2	01.0-05.4				4	0.6	00.0-01.4	8	1.5	00.0-03.3	26	4.9	02.4-07.4
55-64	783	48,200	612	74.9	70.8-79.0	19	3.2	01.6-04.8				1	0.0	00.0-00.0	93	13.1	09.8-16.4	58	8.8	06.1-11.5
65+	1024	49,930	280	24.0	20.7-27.3	3	0.6	00.0-01.4	1	0.2	00.0-00.6				716	72.4	68.9-75.9	24	2.8	01.4-04.2
Less Than H.S.	222	30,801	88	52.3	42.3-62.3	10	4.2	01.1-07.3	1	0.9	00.0-02.7	2	2.2	00.0-06.1	99	28.9	21.1-36.7	22	11.5	04.2-18.8
H.S. or G.E.D.	992	80,424	631	71.9	68.0-75.8	26	4.7	02.3-07.1	2	0.2	00.0-00.4	12	2.1	00.5-03.7	270	16.2	13.7-18.7	51	4.9	03.1-06.7
Some Post-H.S.	967	111,088	685	76.6	72.9-80.3	18	2.0	00.6-03.4	4	0.5	00.0-01.1	26	6.2	03.3-09.1	199	12.0	09.8-14.2	35	2.7	01.3-04.1
College Graduate	1027	67,238	715	75.8	72.1-79.5	12	1.9	00.5-03.3				26	7.6	04.5-10.7	256	13.1	10.9-15.3	18	1.6	00.6-02.6
Less than \$15,000	158	18,775	39	29.4	17.4-41.4	15	11.5	05.2-17.8	3	2.6	00.0-05.9	10	13.7	04.3-23.1	48	19.9	11.7-28.1	43	22.9	12.7-33.1
\$15,000- 24,999	300	34,904	137	56.4	48.0-64.8	14	6.0	02.1-09.9	2	1.1	00.0-02.9	11	8.4	02.7-14.1	107	20.2	14.7-25.7	29	7.8	03.5-12.1
\$25,000- 34,999	263	26,972	130	68.8	61.2-76.4	8	3.4	00.5-06.3				4	4.4	00.0-09.1	111	20.9	15.2-26.6	10	2.5	00.5-04.5
\$35,000- 49,999	424	37,838	254	75.0	69.7-80.3	3	0.3	00.0-00.7				6	3.0	00.3-05.7	150	19.5	15.2-23.8	11	2.3	00.3-04.3
\$50,000- 74,999	536	47,590	379	77.6	72.7-82.5	8	2.5	00.0-05.0				7	2.0	00.0-04.2	136	16.7	12.8-20.6	6	1.2	00.2-02.2
\$75,000+	1236	96,624	1006	85.1	82.2-88.0	10	1.2	00.0-02.4	1	0.0	00.0-00.0	17	3.8	01.6-06.0	193	8.7	07.1-10.3	9	1.1	00.0-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4481	283,556	2252	58.7	56.3-61.1	92	3.2	02.0-04.4	500	11.4	09.8-13.0	69	5.9	04.1-07.7	1399	16.9	15.7-18.1	169	3.9	03.1-04.7
Native	162	15,868	64	44.1	30.8-57.4	18	14.2	04.6-23.8	19	15.9	06.3-25.5	9	14.4	02.1-26.7	31	6.5	02.8-10.2	21	4.9	02.2-07.6
Non-Native	4265	264,069	2165	59.8	57.4-62.2	72	2.3	01.3-03.3	477	11.3	09.7-12.9	59	5.4	03.8-07.0	1352	17.6	16.2-19.0	140	3.5	02.7-04.3
18-24	158	40,841	83	51.4	41.4-61.4	13	10.4	04.1-16.7	11	2.8	00.8-04.8	51	35.4	26.0-44.8				2	1.3	00.0-03.7
25-34	349	48,983	255	74.0	67.1-80.9	4	1.0	00.0-02.4	80	20.6	14.3-26.9	8	3.1	00.2-06.0				8	1.4	00.4-02.4
35-44	462	40,161	376	82.5	77.6-87.4	15	3.0	00.8-05.2	57	12.3	08.0-16.6	5	0.8	00.0-02.2	1	0.0	00.0-00.0	8	1.4	00.4-02.4
45-54	680	44,012	563	80.8	76.5-85.1	18	3.1	01.3-04.9	51	6.4	04.0-08.8	3	0.3	00.0-00.9	8	1.4	00.2-02.6	37	7.9	04.4-11.4
55-64	1061	45,050	693	64.7	60.8-68.6	27	2.5	01.3-03.7	83	9.0	06.6-11.4	1	0.1	00.0-00.3	197	15.2	12.5-17.9	60	8.4	05.7-11.1
65+	1717	61,469	255	15.7	13.2-18.2	15	0.9	00.1-01.7	210	14.5	12.1-16.9				1176	64.8	61.7-67.9	61	4.1	02.7-05.5
Less Than H.S.	238	20,713	66	32.3	22.9-41.7	6	3.5	00.2-06.8	46	21.1	14.0-28.2	4	7.0	00.0-15.4	90	26.7	19.6-33.8	26	9.5	04.8-14.2
H.S. or G.E.D.	1329	72,759	527	50.5	46.0-55.0	37	7.1	03.6-10.6	196	14.4	11.3-17.5	13	3.0	00.8-05.2	493	20.5	18.0-23.0	63	4.5	03.1-05.9
Some Post-H.S.	1496	113,908	749	58.1	53.8-62.4	30	2.0	00.8-03.2	155	10.3	07.8-12.8	36	8.8	05.5-12.1	470	16.7	14.5-18.9	56	4.1	02.3-05.9
College Graduate	1406	75,621	905	75.0	71.7-78.3	19	1.1	00.5-01.7	100	7.4	05.2-09.6	16	4.0	01.6-06.4	342	11.1	09.5-12.7	24	1.5	00.7-02.3
Less than \$15,000	298	25,629	59	39.8	29.2-50.4	14	5.4	01.3-09.5	36	9.3	04.4-14.2	11	7.8	01.1-14.5	114	16.8	12.1-21.5	64	20.8	13.5-28.1
\$15,000- 24,999	581	38,353	189	47.2	40.1-54.3	24	4.4	01.1-07.7	56	9.1	05.4-12.8	15	9.1	03.6-14.6	252	24.7	20.2-29.2	45	5.6	03.6-07.6
\$25,000- 34,999	435	29,310	189	58.7	50.5-66.9	5	1.5	00.0-03.7	39	7.1	03.6-10.6	10	10.2	02.9-17.5	179	19.1	14.8-23.4	13	3.4	00.1-06.7
\$35,000- 49,999	567	31,564	289	57.7	50.8-64.6	10	4.7	00.0-09.8	55	12.0	07.9-16.1	5	3.6	00.0-07.3	203	21.6	17.3-25.9	5	0.4	00.0-00.8
\$50,000- 74,999	668	39,950	419	68.6	62.7-74.5	6	1.7	00.0-03.7	68	11.2	07.5-14.9	6	5.6	01.1-10.1	162	12.0	09.5-14.5	7	0.9	00.1-01.7
\$75,000+	1249	77,768	844	71.7	67.6-75.8	14	0.9	00.3-01.5	156	15.3	11.6-19.0	11	2.8	00.6-05.0	214	8.6	07.0-10.2	10	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6749	508,458	206	4.5	03.5-05.5	253	4.2	03.2-05.2	370	6.4	05.4-07.4	517	8.2	07.0-09.4	703	11.2	09.8-12.6	4700	65.5	63.5-67.5
Male	2936	265,037	76	3.9	02.7-05.1	82	3.2	02.0-04.4	127	6.0	04.4-07.6	176	7.4	05.8-09.0	265	10.3	08.5-12.1	2210	69.2	66.5-71.9
Female	3813	243,421	130	5.2	03.6-06.8	171	5.4	04.0-06.8	243	6.8	05.4-08.2	341	9.0	07.4-10.6	438	12.2	10.2-14.2	2490	61.4	58.7-64.1
Native	218	20,620	30	24.8	14.2-35.4	17	6.9	02.0-11.8	24	9.0	03.1-14.9	28	16.0	06.8-25.2	28	13.0	05.9-20.1	91	30.3	21.1-39.5
Non-Native	6440	479,401	172	3.6	02.8-04.4	230	4.0	03.0-05.0	335	6.2	05.2-07.2	477	7.8	06.6-09.0	663	11.1	09.7-12.5	4563	67.3	65.3-69.3
18-24	288	75,730	21	8.7	04.4-13.0	19	8.0	03.7-12.3	25	9.8	05.5-14.1	38	13.3	08.4-18.2	51	20.3	14.4-26.2	134	40.1	33.0-47.2
25-34	606	95,299	17	4.0	01.6-06.4	12	2.9	00.9-04.9	31	7.6	04.5-10.7	29	7.3	04.2-10.4	38	8.1	05.0-11.2	479	70.2	64.9-75.5
35-44	795	78,474	19	2.5	01.1-03.9	17	2.3	00.9-03.7	16	2.0	00.6-03.4	36	4.9	02.7-07.1	40	6.5	04.0-09.0	667	81.8	78.1-85.5
45-54	1083	81,310	34	4.3	02.3-06.3	26	2.7	01.1-04.3	32	2.7	01.5-03.9	46	4.9	03.1-06.7	75	9.1	06.6-11.6	870	76.3	72.6-80.0
55-64	1632	81,394	38	3.3	02.1-04.5	42	3.0	01.8-04.2	70	5.8	04.0-07.6	85	5.2	03.6-06.8	126	8.8	06.6-11.0	1271	73.9	70.8-77.0
65+	2305	93,523	74	4.1	02.7-05.5	133	6.5	04.9-08.1	193	9.8	07.8-11.8	281	13.4	11.4-15.4	367	14.7	12.7-16.7	1257	51.4	48.5-54.3
Less Than H.S.	386	43,422	44	14.7	09.0-20.4	44	12.6	06.7-18.5	64	14.0	09.1-18.9	57	17.4	11.3-23.5	56	13.6	09.1-18.1	121	27.7	21.0-34.4
H.S. or G.E.D.	1959	130,020	88	5.7	03.7-07.7	105	5.3	03.5-07.1	137	8.1	05.9-10.3	218	11.3	08.9-13.7	286	15.1	12.4-17.8	1125	54.5	51.0-58.0
Some Post-H.S.	2162	201,887	54	3.4	01.8-05.0	65	3.4	02.2-04.6	109	5.6	03.8-07.4	162	7.0	05.2-08.8	232	11.6	09.2-14.0	1540	68.9	65.6-72.2
College Graduate	2231	131,848	20	1.8	00.8-02.8	38	1.8	01.0-02.6	60	3.4	02.0-04.8	76	3.5	02.1-04.9	128	5.6	04.0-07.2	1909	83.9	81.4-86.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2936	265,037	76	3.9	02.7-05.1	82	3.2	02.0-04.4	127	6.0	04.4-07.6	176	7.4	05.8-09.0	265	10.3	08.5-12.1	2210	69.2	66.5-71.9
Native	74	7,978	9	18.1	03.6-32.6	5	2.9	00.0-06.0	5	2.1	00.0-04.3	7	15.3	01.8-28.8	12	21.4	06.3-36.5	36	40.3	23.2-57.4
Non-Native	2807	251,131	66	3.4	02.2-04.6	77	3.3	02.1-04.5	114	5.9	04.3-07.5	163	7.1	05.5-08.7	247	9.9	08.1-11.7	2140	70.3	67.6-73.0
18-24	157	42,029	9	6.7	01.8-11.6	10	6.7	00.8-12.6	12	10.1	03.6-16.6	17	11.7	05.4-18.0	25	17.9	10.5-25.3	84	47.0	37.2-56.8
25-34	288	50,380	6	2.7	00.2-05.2	4	1.5	00.0-03.1	17	8.5	04.0-13.0	14	8.0	03.5-12.5	19	6.7	03.0-10.4	228	72.5	65.4-79.6
35-44	355	40,749	8	2.2	00.4-04.0	8	2.9	00.5-05.3	6	1.4	00.0-03.0	16	4.7	01.6-07.8	20	7.6	03.5-11.7	297	81.3	75.6-87.0
45-54	484	42,224	14	4.1	01.2-07.0	9	1.1	00.1-02.1	15	2.7	00.7-04.7	19	3.6	01.8-05.4	31	8.8	05.1-12.5	396	79.7	74.6-84.8
55-64	704	42,463	18	3.4	01.6-05.2	16	2.5	00.9-04.1	26	5.6	02.9-08.3	28	4.7	02.3-07.1	43	7.5	04.6-10.4	573	76.3	71.8-80.8
65+	936	45,862	20	3.5	01.1-05.9	34	4.4	02.4-06.4	50	7.1	04.4-09.8	81	11.6	08.5-14.7	127	13.7	10.8-16.6	624	59.7	55.2-64.2
Less Than H.S.	196	27,341	16	9.2	03.5-14.9	16	12.3	03.7-20.9	25	13.2	06.1-20.3	31	20.5	11.5-29.5	36	16.7	09.8-23.6	72	28.3	19.1-37.5
H.S. or G.E.D.	892	70,433	33	5.4	02.7-08.1	31	3.1	01.5-04.7	50	8.0	04.7-11.3	70	9.4	06.5-12.3	111	13.6	10.1-17.1	597	60.4	55.3-65.5
Some Post-H.S.	890	103,047	18	2.8	01.0-04.6	24	1.6	00.8-02.4	34	4.9	02.4-07.4	44	4.3	02.3-06.3	61	8.6	05.5-11.7	709	77.9	73.6-82.2
College Graduate	953	63,106	9	1.9	00.1-03.7	11	1.9	00.3-03.5	18	2.6	01.0-04.2	29	4.0	01.6-06.4	56	6.1	03.9-08.3	830	83.6	79.7-87.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3813	243,421	130	5.2	03.6-06.8	171	5.4	04.0-06.8	243	6.8	05.4-08.2	341	9.0	07.4-10.6	438	12.2	10.2-14.2	2490	61.4	58.7-64.1
Native	144	12,641	21	29.1	14.6-43.6	12	9.4	02.0-16.8	19	13.4	04.0-22.8	21	16.4	04.1-28.7	16	7.7	02.2-13.2	55	24.0	14.0-34.0
Non-Native	3633	228,270	106	3.8	02.4-05.2	153	4.8	03.4-06.2	221	6.4	05.0-07.8	314	8.6	07.0-10.2	416	12.4	10.4-14.4	2423	64.0	61.3-66.7
18-24	131	33,701	12	11.2	03.6-18.8	9	9.6	03.1-16.1	13	9.4	03.7-15.1	21	15.2	07.4-23.0	26	23.1	13.9-32.3	50	31.5	21.7-41.3
25-34	318	44,918	11	5.4	01.3-09.5	8	4.5	00.6-08.4	14	6.5	02.4-10.6	15	6.4	02.1-10.7	19	9.6	04.7-14.5	251	67.5	59.7-75.3
35-44	440	37,725	11	2.9	00.5-05.3	9	1.6	00.2-03.0	10	2.5	00.5-04.5	20	5.2	02.5-07.9	20	5.4	02.3-08.5	370	82.3	77.4-87.2
45-54	599	39,086	20	4.6	02.1-07.1	17	4.4	01.5-07.3	17	2.7	01.1-04.3	27	6.2	03.1-09.3	44	9.5	05.8-13.2	474	72.5	67.2-77.8
55-64	928	38,931	20	3.1	01.3-04.9	26	3.5	01.5-05.5	44	6.0	03.6-08.4	57	5.9	03.9-07.9	83	10.2	07.3-13.1	698	71.4	67.3-75.5
65+	1369	47,661	54	4.7	03.1-06.3	99	8.6	06.4-10.8	143	12.4	09.9-14.9	200	15.1	12.6-17.6	240	15.8	13.3-18.3	633	43.4	39.9-46.9
Less Than H.S.	190	16,080	28	24.1	13.5-34.7	28	13.1	06.8-19.4	39	15.4	09.1-21.7	26	12.2	06.7-17.7	20	8.4	03.9-12.9	49	26.8	18.4-35.2
H.S. or G.E.D.	1067	59,586	55	6.1	03.4-08.8	74	7.8	04.5-11.1	87	8.2	05.7-10.7	148	13.4	09.9-16.9	175	17.0	12.9-21.1	528	47.6	42.5-52.7
Some Post-H.S.	1272	98,839	36	4.1	01.7-06.5	41	5.2	02.8-07.6	75	6.4	04.2-08.6	118	9.9	06.8-13.0	171	14.8	11.3-18.3	831	59.5	54.8-64.2
College Graduate	1278	68,742	11	1.6	00.2-03.0	27	1.7	00.7-02.7	42	4.1	01.9-06.3	47	3.1	01.5-04.7	72	5.2	03.0-07.4	1079	84.3	80.8-87.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7324	546,872	51	0.6	00.4-00.8	2056	26.0	24.2-27.8	3292	43.5	41.7-45.3	1477	22.2	20.6-23.8	441	7.5	06.5-08.5	7	0.3	00.0-00.7
Male	3175	286,580	1	0.0	00.0-00.0	221	8.5	06.9-10.1	1553	46.8	44.1-49.5	1067	33.3	30.8-35.8	330	11.4	09.6-13.2	3	0.0	00.0-00.0
Female	4149	260,293	50	1.2	00.8-01.6	1835	45.2	42.7-47.7	1739	39.8	37.3-42.3	410	10.0	08.6-11.4	111	3.3	02.5-04.1	4	0.5	00.0-01.3
Native	230	22,038	4	0.9	00.0-02.3	45	20.6	10.8-30.4	93	45.7	34.7-56.7	62	20.7	12.7-28.7	26	12.1	05.6-18.6			
Non-Native	6975	514,108	47	0.6	00.4-00.8	1984	26.3	24.5-28.1	3151	43.5	41.5-45.5	1385	22.3	20.7-23.9	401	7.1	06.1-08.1	7	0.3	00.0-00.7
18-24	335	86,648	1	0.1	00.0-00.3	138	42.2	35.5-48.9	125	37.7	31.0-44.4	52	14.6	09.9-19.3	19	5.4	02.5-08.3			
25-34	634	98,922	1	0.1	00.0-00.3	170	24.2	19.7-28.7	252	40.3	35.2-45.4	152	26.5	21.8-31.2	57	7.7	05.2-10.2	2	1.2	00.0-03.0
35-44	803	79,939	1	0.1	00.0-00.3	185	16.6	13.5-19.7	341	44.0	39.1-48.9	192	25.8	21.5-30.1	83	13.5	09.8-17.2	1	0.0	00.0-00.0
45-54	1119	83,895	7	0.8	00.0-01.6	272	20.4	17.5-23.3	474	43.4	39.3-47.5	271	25.4	21.9-28.9	95	9.9	07.2-12.6			
55-64	1743	88,295	13	1.1	00.3-01.9	401	19.4	17.0-21.8	820	46.9	43.8-50.0	409	26.1	23.2-29.0	98	6.3	04.5-08.1	2	0.1	00.0-00.3
65+	2642	106,789	28	1.0	00.4-01.6	866	30.7	28.3-33.1	1262	48.3	45.6-51.0	395	16.2	14.2-18.2	89	3.9	02.7-05.1	2	0.0	00.0-00.0
Less Than H.S.	450	50,029	4	0.5	00.0-01.1	143	31.9	25.0-38.8	201	41.2	34.1-48.3	72	19.0	13.3-24.7	30	7.3	03.8-10.8			
H.S. or G.E.D.	2187	143,585	20	0.8	00.4-01.2	608	24.7	21.8-27.6	997	44.5	41.2-47.8	405	20.2	17.5-22.9	157	9.8	07.6-12.0			
Some Post-H.S.	2348	213,693	16	0.6	00.2-01.0	636	23.8	20.9-26.7	1056	43.0	39.9-46.1	490	24.2	21.5-26.9	148	8.1	06.3-09.9	2	0.4	00.0-01.2
College Graduate	2321	137,589	11	0.3	00.1-00.5	662	28.5	25.6-31.4	1031	43.9	40.8-47.0	506	22.4	19.9-24.9	106	4.5	03.1-05.9	5	0.4	00.0-01.0
Less than \$15,000	435	42,324	5	0.6	00.0-01.2	144	33.5	25.7-41.3	171	40.0	32.4-47.6	72	13.7	09.0-18.4	43	12.2	07.3-17.1			
\$15,000- 24,999	852	70,747	12	0.7	00.1-01.3	278	28.3	23.4-33.2	372	41.2	35.7-46.7	144	23.5	18.4-28.6	46	6.3	03.8-08.8			
\$25,000- 34,999	679	55,375	7	0.9	00.1-01.7	206	26.8	21.1-32.5	314	47.3	41.0-53.6	111	14.5	10.8-18.2	40	10.5	06.0-15.0	1	0.0	00.0-00.0
\$35,000- 49,999	958	67,547	6	0.5	00.0-01.1	271	24.2	19.9-28.5	439	42.1	37.0-47.2	185	25.1	20.2-30.0	56	8.0	05.1-10.9	1	0.0	00.0-00.0
\$50,000- 74,999	1166	84,472	8	0.7	00.1-01.3	264	18.0	14.7-21.3	540	44.8	40.3-49.3	278	28.6	24.3-32.9	76	7.9	05.2-10.6			
\$75,000+	2425	172,079	3	0.1	00.0-00.3	575	23.3	20.8-25.8	1120	46.0	42.9-49.1	580	23.8	21.3-26.3	144	6.2	04.6-07.8	3	0.5	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3175	286,580	1	0.0	00.0-00.0	221	8.5	06.9-10.1	1553	46.8	44.1-49.5	1067	33.3	30.8-35.8	330	11.4	09.6-13.2	3	0.0	00.0-00.0
Native	76	8,131				5	13.9	00.8-27.0	28	41.6	24.4-58.8	31	26.4	12.5-40.3	12	18.1	04.4-31.8			
Non-Native	3024	270,826	1	0.0	00.0-00.0	209	8.4	06.6-10.2	1497	47.2	44.5-49.9	1009	33.5	31.0-36.0	305	10.8	09.0-12.6	3	0.0	00.0-00.0
18-24	185	47,471				39	19.1	12.0-26.2	86	48.0	38.8-57.2	42	23.3	15.7-30.9	18	9.6	04.5-14.7			
25-34	307	54,091				23	8.3	04.4-12.2	136	41.2	34.1-48.3	108	39.4	32.1-46.7	40	11.1	06.8-15.4			
35-44	373	42,917				13	3.7	01.0-06.4	167	44.4	37.3-51.5	131	31.9	25.4-38.4	61	19.9	13.6-26.2	1	0.0	00.0-00.0
45-54	503	44,093				21	4.5	01.8-07.2	223	45.2	39.1-51.3	191	37.3	31.6-43.0	68	13.0	08.9-17.1			
55-64	772	47,432				42	5.6	03.4-07.8	364	46.6	41.9-51.3	293	38.6	34.1-43.1	72	9.1	06.4-11.8	1	0.1	00.0-00.3
65+	1018	49,712	1	0.1	00.0-00.3	82	9.3	06.4-12.2	567	55.4	51.1-59.7	296	28.3	24.6-32.0	71	6.9	04.7-09.1	1	0.1	00.0-00.3
Less Than H.S.	222	30,864				34	20.5	11.9-29.1	110	44.5	34.5-54.5	57	25.3	17.1-33.5	21	9.6	04.3-14.9			
H.S. or G.E.D.	968	77,987				76	9.3	06.4-12.2	468	47.8	43.1-52.5	303	29.0	24.9-33.1	121	13.9	10.6-17.2			
Some Post-H.S.	962	110,225				55	5.8	03.6-08.0	454	44.1	39.4-48.8	347	37.6	32.9-42.3	105	12.5	09.4-15.6	1	0.0	00.0-00.0
College Graduate	1015	66,058	1	0.1	00.0-00.3	55	6.6	03.9-09.3	517	50.8	46.3-55.3	357	34.9	30.6-39.2	83	7.6	05.1-10.1	2	0.1	00.0-00.3
Less than \$15,000	155	18,010				26	19.8	09.0-30.6	70	43.6	31.3-55.9	37	19.6	11.2-28.0	22	16.9	07.9-25.9			
\$15,000- 24,999	297	35,364				39	16.1	09.4-22.8	142	40.1	31.7-48.5	85	34.1	25.5-42.7	31	9.7	05.0-14.4			
\$25,000- 34,999	265	27,214				19	6.1	02.2-10.0	145	56.4	47.4-65.4	74	21.8	15.3-28.3	27	15.7	08.1-23.3			
\$35,000- 49,999	421	37,785				43	8.7	04.8-12.6	209	43.4	36.1-50.7	131	36.3	28.9-43.7	37	11.5	06.6-16.4	1	0.0	00.0-00.0
\$50,000- 74,999	539	47,570				19	3.2	01.2-05.2	266	47.3	40.8-53.8	197	37.9	31.4-44.4	57	11.6	07.3-15.9			
\$75,000+	1241	97,392	1	0.0	00.0-00.0	48	4.9	02.7-07.1	596	49.0	44.7-53.3	465	35.7	31.8-39.6	129	10.2	07.7-12.7	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4149	260,293	50	1.2	00.8-01.6	1835	45.2	42.7-47.7	1739	39.8	37.3-42.3	410	10.0	08.6-11.4	111	3.3	02.5-04.1	4	0.5	00.0-01.3
Native	154	13,907	4	1.5	00.0-03.7	40	24.5	11.0-38.0	65	48.1	33.8-62.4	31	17.3	07.5-27.1	14	8.6	02.5-14.7			
Non-Native	3951	243,282	46	1.2	00.8-01.6	1775	46.3	43.8-48.8	1654	39.4	36.9-41.9	376	9.7	08.3-11.1	96	2.9	02.1-03.7	4	0.5	00.0-01.3
18-24	150	39,177	1	0.3	00.0-00.9	99	70.2	61.2-79.2	39	25.2	16.6-33.8	10	3.9	01.0-06.8	1	0.4	00.0-01.2			
25-34	327	44,831	1	0.2	00.0-00.6	147	43.5	35.9-51.1	116	39.2	31.6-46.8	44	10.9	06.4-15.4	17	3.6	01.2-06.0	2	2.7	00.0-06.6
35-44	430	37,022	1	0.1	00.0-00.3	172	31.6	25.7-37.5	174	43.5	36.8-50.2	61	18.7	13.0-24.4	22	6.1	02.8-09.4			
45-54	616	39,802	7	1.8	00.2-03.4	251	38.0	32.9-43.1	251	41.5	36.2-46.8	80	12.1	08.8-15.4	27	6.5	03.2-09.8			
55-64	971	40,863	13	2.4	00.8-04.0	359	35.5	31.6-39.4	456	47.3	43.0-51.6	116	11.6	09.1-14.1	26	2.9	01.3-04.5	1	0.2	00.0-00.6
65+	1624	57,078	27	1.9	00.9-02.9	784	49.2	45.9-52.5	695	42.1	38.8-45.4	99	5.6	04.2-07.0	18	1.3	00.5-02.1	1	0.0	00.0-00.0
Less Than H.S.	228	19,165	4	1.4	00.0-03.0	109	50.3	40.7-59.9	91	35.9	27.1-44.7	15	8.7	02.0-15.4	9	3.7	00.6-06.8			
H.S. or G.E.D.	1219	65,598	20	1.7	00.7-02.7	532	43.2	38.3-48.1	529	40.6	35.9-45.3	102	9.8	07.1-12.5	36	4.8	02.6-07.0			
Some Post-H.S.	1386	103,468	16	1.2	00.4-02.0	581	43.0	38.5-47.5	602	41.9	37.6-46.2	143	9.8	07.4-12.2	43	3.3	01.9-04.7	1	0.8	00.0-02.4
College Graduate	1306	71,531	10	0.5	00.1-00.9	607	48.8	44.3-53.3	514	37.5	33.2-41.8	149	10.9	08.4-13.4	23	1.7	00.5-02.9	3	0.6	00.0-01.6
Less than \$15,000	280	24,315	5	1.0	00.0-02.2	118	43.6	33.2-54.0	101	37.3	27.5-47.1	35	9.4	03.9-14.9	21	8.7	03.8-13.6			
\$15,000- 24,999	555	35,382	12	1.4	00.4-02.4	239	40.4	33.3-47.5	230	42.3	35.2-49.4	59	12.8	08.1-17.5	15	3.0	01.2-04.8			
\$25,000- 34,999	414	28,160	7	1.7	00.1-03.3	187	46.8	38.0-55.6	169	38.4	30.0-46.8	37	7.6	04.1-11.1	13	5.5	01.2-09.8	1	0.0	00.0-00.0
\$35,000- 49,999	537	29,762	6	1.2	00.0-02.4	228	43.9	36.6-51.2	230	40.4	33.3-47.5	54	10.8	06.5-15.1	19	3.6	01.6-05.6			
\$50,000- 74,999	627	36,902	8	1.5	00.3-02.7	245	37.0	30.9-43.1	274	41.6	35.3-47.9	81	16.7	11.6-21.8	19	3.1	00.9-05.3			
\$75,000+	1184	74,687	2	0.2	00.0-00.6	527	47.2	42.7-51.7	524	42.1	37.8-46.4	115	8.3	06.1-10.5	15	1.0	00.2-01.8	1	1.2	00.0-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7616	565,347	333	3.0	02.6-03.4	3463	39.5	37.7-41.3	3168	45.3	43.5-47.1	638	11.8	10.4-13.2	11	0.2	00.0-00.4	3	0.1	00.0-00.3
Male	3195	288,119	6	0.2	00.0-00.4	284	9.0	07.4-10.6	2270	67.7	65.2-70.2	624	22.7	20.3-25.1	11	0.4	00.0-00.8			
Female	4421	277,229	327	5.9	04.9-06.9	3179	71.3	68.9-73.7	898	22.1	19.9-24.3	14	0.5	00.1-00.9				3	0.2	00.0-00.6
Native	236	23,304	12	2.2	00.4-04.0	103	47.6	36.6-58.6	105	44.2	33.6-54.8	16	6.0	01.1-10.9						
Non-Native	7255	531,073	314	2.9	02.5-03.3	3315	39.3	37.5-41.1	3003	45.5	43.5-47.5	609	11.9	10.5-13.3	11	0.2	00.0-00.4	3	0.1	00.0-00.3
18-24	345	88,665	6	1.1	00.0-02.3	122	38.0	31.5-44.5	158	43.5	36.8-50.2	59	17.4	12.3-22.5						
25-34	651	102,193	8	1.3	00.1-02.5	234	32.5	27.6-37.4	317	50.9	45.6-56.2	88	14.2	10.5-17.9	3	0.8	00.0-01.8	1	0.3	00.0-00.9
35-44	828	82,043	14	1.4	00.6-02.2	322	34.8	30.3-39.3	389	47.9	43.0-52.8	100	15.4	11.7-19.1	2	0.2	00.0-00.6	1	0.3	00.0-00.9
45-54	1174	86,728	37	3.3	01.9-04.7	498	39.7	36.0-43.4	520	45.3	41.4-49.2	118	11.6	08.9-14.3	1	0.1	00.0-00.3			
55-64	1825	91,441	58	2.4	01.6-03.2	830	42.5	39.4-45.6	789	45.3	42.2-48.4	144	9.5	07.7-11.3	3	0.2	00.0-00.4	1	0.1	00.0-00.3
65+	2725	109,811	204	7.2	05.8-08.6	1414	47.3	44.8-49.8	978	40.8	38.3-43.3	127	4.8	03.6-06.0	2	0.0	00.0-00.0			
Less Than H.S.	460	51,328	36	4.8	02.8-06.8	219	43.0	35.9-50.1	172	40.5	33.2-47.8	32	11.3	05.8-16.8	1	0.3	00.0-00.9			
H.S. or G.E.D.	2276	148,356	145	4.3	03.1-05.5	1043	39.2	35.9-42.5	918	44.7	41.4-48.0	168	11.7	09.3-14.1	2	0.1	00.1-00.1			
Some Post-H.S.	2446	222,159	97	2.4	01.6-03.2	1146	38.8	35.7-41.9	1006	46.9	43.8-50.0	194	11.7	09.3-14.1	2	0.1	00.0-00.3	1	0.1	00.0-00.3
College Graduate	2411	140,996	53	1.8	01.0-02.6	1043	39.8	36.7-42.9	1064	45.5	42.4-48.6	244	12.4	10.2-14.6	5	0.3	00.0-00.7	2	0.3	00.0-00.9
Less than \$15,000	453	44,221	37	4.9	02.4-07.4	229	46.1	38.5-53.7	165	43.3	35.5-51.1	22	5.8	02.7-08.9				1	0.3	00.0-00.9
\$15,000- 24,999	880	73,696	77	5.6	03.6-07.6	451	40.6	35.3-45.9	304	43.3	37.6-49.0	46	9.5	05.4-13.6	1	0.7	00.0-02.1			
\$25,000- 34,999	701	56,449	41	2.6	01.6-03.6	366	45.6	39.3-51.9	245	37.8	31.7-43.9	48	13.5	08.6-18.4	1	0.4	00.0-01.2			
\$35,000- 49,999	992	69,498	34	2.4	01.2-03.6	459	38.6	33.7-43.5	425	47.1	42.0-52.2	73	11.9	08.2-15.6	1	0.0	00.0-00.0			
\$50,000- 74,999	1198	86,939	29	1.5	00.7-02.3	500	33.9	29.8-38.0	557	51.7	47.2-56.2	111	12.9	09.6-16.2	1	0.1	00.0-00.3			
\$75,000+	2491	175,310	51	1.8	01.0-02.6	967	34.9	32.0-37.8	1184	48.8	45.7-51.9	283	14.3	11.9-16.7	6	0.3	00.1-00.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3195	288,119	6	0.2	00.0-00.4	284	9.0	07.4-10.6	2270	67.7	65.2-70.2	624	22.7	20.3-25.1	11	0.4	00.0-00.8
Native	77	8,154				5	10.4	00.0-22.7	57	72.9	56.8-89.0	15	16.6	03.7-29.5			
Non-Native	3044	272,466	6	0.2	00.0-00.4	269	8.7	07.1-10.3	2162	67.9	65.2-70.6	596	22.8	20.4-25.2	11	0.5	00.1-00.9
18-24	188	47,902				11	6.2	01.7-10.7	119	62.1	53.1-71.1	58	31.6	23.0-40.2			
25-34	310	54,668				21	6.2	02.9-09.5	201	66.2	59.3-73.1	85	26.1	19.8-32.4	3	1.5	00.0-03.5
35-44	374	43,153	1	0.5	00.0-01.5	19	5.5	02.4-08.6	256	65.3	58.4-72.2	96	28.2	21.5-34.9	2	0.5	00.0-01.3
45-54	504	43,836				47	10.2	06.3-14.1	340	67.0	61.3-72.7	116	22.7	17.8-27.6	1	0.1	00.0-00.3
55-64	778	47,178	1	0.1	00.0-00.3	78	13.0	09.5-16.5	556	68.4	64.1-72.7	140	18.0	14.5-21.5	3	0.4	00.0-00.8
65+	1021	49,728	3	0.4	00.0-00.8	107	12.0	09.1-14.9	782	77.0	73.5-80.5	127	10.5	08.1-12.9	2	0.1	00.0-00.3
Less Than H.S.	223	30,917	1	0.7	00.0-02.1	38	20.5	12.9-28.1	151	59.5	49.5-69.5	32	18.8	10.0-27.6	1	0.6	00.0-01.8
H.S. or G.E.D.	974	78,266	3	0.3	00.0-00.7	98	8.2	05.8-10.6	707	69.6	65.1-74.1	164	21.8	17.7-25.9	2	0.1	00.0-00.3
Some Post-H.S.	968	110,826				81	7.2	05.0-09.4	695	69.6	65.1-74.1	190	23.1	19.0-27.2	2	0.1	00.0-00.3
College Graduate	1020	66,259	2	0.1	00.0-00.3	65	7.0	04.6-09.4	710	66.8	62.3-71.3	238	25.5	21.4-29.6	5	0.6	00.0-01.4
Less than \$15,000	157	18,730				22	12.0	04.6-19.4	114	74.6	64.6-84.6	21	13.5	06.2-20.8			
\$15,000- 24,999	302	35,576	2	0.3	00.0-00.7	36	13.3	07.4-19.2	219	65.9	57.3-74.5	44	19.1	11.3-26.9	1	1.4	00.0-04.1
\$25,000- 34,999	264	26,992				41	14.0	08.3-19.7	175	57.1	47.7-66.5	47	28.0	18.8-37.2	1	0.9	00.0-02.7
\$35,000- 49,999	425	38,054	1	0.1	00.0-00.3	40	7.3	04.2-10.4	311	71.0	64.1-77.9	72	21.5	15.0-28.0	1	0.1	00.0-00.3
\$50,000- 74,999	539	47,618				37	6.3	03.8-08.8	392	70.5	64.4-76.6	109	23.1	17.4-28.8	1	0.1	00.0-00.3
\$75,000+	1242	97,453	2	0.3	00.0-00.7	83	6.5	04.5-08.5	872	67.6	63.5-71.7	279	25.2	21.3-29.1	6	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4421	277,229	327	5.9	04.9-06.9	3179	71.3	68.9-73.7	898	22.1	19.9-24.3	14	0.5	00.1-00.9	3	0.2	00.0-00.6
Native	159	15,150	12	3.4	00.7-06.1	98	67.6	55.3-79.9	48	28.8	16.6-41.0	1	0.2	00.0-00.6			
Non-Native	4211	258,607	308	5.8	04.8-06.8	3046	71.5	69.1-73.9	841	21.9	19.7-24.1	13	0.5	00.1-00.9	3	0.3	00.0-00.7
18-24	157	40,763	6	2.4	00.0-04.9	111	75.3	67.1-83.5	39	21.7	13.7-29.7	1	0.6	00.0-01.8			
25-34	341	47,525	8	2.8	00.4-05.2	213	62.8	55.5-70.1	116	33.2	26.1-40.3	3	0.5	00.0-01.1	1	0.7	00.0-02.1
35-44	454	38,890	13	2.4	00.8-04.0	303	67.2	60.9-73.5	133	28.6	22.5-34.7	4	1.2	00.0-02.4	1	0.6	00.0-01.8
45-54	670	42,892	37	6.7	04.2-09.2	451	69.9	65.2-74.6	180	23.0	18.9-27.1	2	0.4	00.0-01.0			
55-64	1047	44,263	57	4.9	03.1-06.7	752	73.8	70.3-77.3	233	20.7	17.6-23.8	4	0.4	00.0-01.0	1	0.2	00.0-00.6
65+	1704	60,084	201	12.8	10.4-15.2	1307	76.5	73.8-79.2	196	10.8	08.8-12.8						
Less Than H.S.	237	20,411	35	10.9	06.2-15.6	181	77.2	69.6-84.8	21	11.8	05.3-18.3						
H.S. or G.E.D.	1302	70,090	142	8.8	06.6-11.0	945	73.9	70.0-77.8	211	16.9	13.6-20.2	4	0.4	00.0-00.8			
Some Post-H.S.	1478	111,332	97	4.7	03.3-06.1	1065	70.3	66.2-74.4	311	24.4	20.5-28.3	4	0.4	00.0-00.8	1	0.2	00.0-00.6
College Graduate	1391	74,738	51	3.3	01.9-04.7	978	68.8	64.9-72.7	354	26.6	22.9-30.3	6	0.8	00.0-01.6	2	0.6	00.0-01.6
Less than \$15,000	296	25,491	37	8.4	03.9-12.9	207	71.1	61.9-80.3	51	20.3	11.7-28.9	1	0.1	00.0-00.3			
\$15,000- 24,999	578	38,119	75	10.5	07.0-14.0	415	66.1	59.0-73.2	85	22.1	15.0-29.2	2	0.6	00.0-01.4	1	0.6	00.0-01.8
\$25,000- 34,999	437	29,457	41	5.0	02.8-07.2	325	74.6	67.2-82.0	70	20.1	12.7-27.5	1	0.3	00.0-00.9			
\$35,000- 49,999	567	31,445	33	5.0	02.6-07.4	419	76.5	70.8-82.2	114	18.1	12.8-23.4	1	0.4	00.0-01.2			
\$50,000- 74,999	659	39,321	29	3.2	01.6-04.8	463	67.3	61.4-73.2	165	28.9	23.0-34.8	2	0.6	00.0-01.6			
\$75,000+	1249	77,858	49	3.7	02.1-05.3	884	70.4	66.5-74.3	312	25.3	21.6-29.0	4	0.6	00.0-01.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7588	553,601	7433	97.0	96.2-97.8	54	1.3	00.7-01.9	101	1.7	01.1-02.3
Male	3169	281,075	3097	96.6	95.4-97.8	28	1.5	00.7-02.3	44	1.9	01.1-02.7
Female	4419	272,527	4336	97.4	96.4-98.4	26	1.0	00.2-01.8	57	1.6	00.8-02.4
Native	234	22,540	230	95.5	88.2-0100	4	4.5	00.0-11.8			
Non-Native	7229	520,521	7086	97.1	96.3-97.9	48	1.2	00.6-01.8	95	1.7	01.1-02.3
18-24	337	85,062	319	93.8	90.3-97.3	8	3.2	00.3-06.1	10	3.0	00.8-05.2
25-34	632	97,777	613	95.4	92.9-97.9	7	2.2	00.2-04.2	12	2.4	00.6-04.2
35-44	812	78,503	795	98.3	97.3-99.3	11	0.8	00.2-01.4	6	0.9	00.0-01.9
45-54	1169	86,163	1147	98.3	97.1-99.5	7	0.5	00.1-00.9	15	1.2	00.0-02.4
55-64	1824	91,276	1790	97.7	96.7-98.7	6	0.5	00.0-01.1	28	1.7	00.9-02.5
65+	2734	109,976	2698	98.4	97.6-99.2	15	0.7	00.3-01.1	21	0.9	00.3-01.5
Less Than H.S.	457	51,095	436	92.4	87.1-97.7	11	5.8	00.9-10.7	10	1.8	00.0-03.6
H.S. or G.E.D.	2271	145,332	2227	97.4	96.2-98.6	13	0.7	00.1-01.3	31	1.9	00.9-02.9
Some Post-H.S.	2428	215,299	2384	97.7	96.7-98.7	14	0.8	00.2-01.4	30	1.5	00.7-02.3
College Graduate	2406	139,265	2367	97.6	96.4-98.8	16	1.1	00.3-01.9	23	1.3	00.5-02.1
Less than \$15,000	454	44,123	446	96.1	92.0-0100	3	2.5	00.0-06.2	5	1.4	00.0-03.4
\$15,000- 24,999	876	72,287	855	96.1	93.7-98.5	10	2.6	00.4-04.8	11	1.3	00.3-02.3
\$25,000- 34,999	695	54,469	682	96.9	94.5-99.3	6	0.6	00.0-01.2	7	2.5	00.3-04.7
\$35,000- 49,999	986	67,669	970	98.1	96.5-99.7	8	1.0	00.0-02.0	8	0.9	00.0-02.1
\$50,000- 74,999	1196	86,073	1177	97.2	95.4-99.0	6	1.2	00.0-02.4	13	1.6	00.2-03.0
\$75,000+	2459	168,925	2439	99.1	98.5-99.7	10	0.5	00.0-01.1	10	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3169	281,075	3097	96.6	95.4-97.8	28	1.5	00.7-02.3	44	1.9	01.1-02.7
Native	75	7,772	74	98.4	95.3-0100	1	1.6	00.0-04.7			
Non-Native	3022	266,260	2956	96.5	95.3-97.7	26	1.6	00.6-02.6	40	1.9	01.1-02.7
18-24	183	45,692	174	93.4	88.5-98.3	5	3.3	00.0-07.2	4	3.3	00.0-06.6
25-34	303	53,172	295	96.0	92.9-99.1	4	2.6	00.0-05.3	4	1.4	00.0-03.0
35-44	362	40,425	353	97.3	95.3-99.3	5	1.0	00.0-02.0	4	1.6	00.0-03.4
45-54	501	43,631	492	98.0	96.0-0100	3	0.4	00.0-01.0	6	1.6	00.0-03.6
55-64	774	46,810	759	97.5	95.9-99.1	4	0.7	00.0-01.5	11	1.8	00.4-03.2
65+	1023	49,635	1005	97.5	96.1-98.9	7	1.0	00.0-02.0	11	1.5	00.3-02.7
Less Than H.S.	221	30,802	209	91.6	84.7-98.5	5	5.8	00.0-12.3	7	2.6	00.0-05.5
H.S. or G.E.D.	968	76,495	948	97.3	95.7-98.9	5	0.7	00.1-01.3	15	2.0	00.6-03.4
Some Post-H.S.	953	106,545	934	97.4	95.8-99.0	9	0.9	00.1-01.7	10	1.7	00.3-03.1
College Graduate	1016	65,366	1000	97.7	95.9-99.5	9	1.5	00.1-02.9	7	0.8	00.0-01.8
Less than \$15,000	157	18,681	153	93.4	84.8-0100	3	5.9	00.0-14.5	1	0.7	00.0-02.1
\$15,000- 24,999	302	35,218	288	94.3	90.0-98.6	8	4.3	00.2-08.4	6	1.4	00.0-02.8
\$25,000- 34,999	261	25,560	256	97.6	95.1-0100	2	0.4	00.0-01.2	3	2.0	00.0-04.5
\$35,000- 49,999	422	37,071	413	97.8	95.6-0100	5	0.9	00.0-01.9	4	1.3	00.0-03.3
\$50,000- 74,999	534	47,052	523	96.0	92.9-99.1	4	1.9	00.0-04.1	7	2.1	00.0-04.5
\$75,000+	1221	93,559	1213	99.4	99.0-99.8	3	0.2	00.0-00.4	5	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4419	272,527	4336	97.4	96.4-98.4	26	1.0	00.2-01.8	57	1.6	00.8-02.4
Native	159	14,767	156	94.0	83.2-0100	3	6.0	00.0-16.8			
Non-Native	4207	254,261	4130	97.7	96.9-98.5	22	0.8	00.2-01.4	55	1.5	00.9-02.1
18-24	154	39,370	145	94.2	89.1-99.3	3	3.0	00.0-07.3	6	2.7	00.0-05.4
25-34	329	44,605	318	94.6	90.7-98.5	3	1.7	00.0-04.1	8	3.7	00.6-06.8
35-44	450	38,078	442	99.3	98.7-99.9	6	0.5	00.1-00.9	2	0.2	00.0-00.4
45-54	668	42,533	655	98.7	97.5-99.9	4	0.6	00.0-01.4	9	0.8	00.0-01.8
55-64	1050	44,466	1031	98.0	96.8-99.2	2	0.4	00.0-01.0	17	1.7	00.7-02.7
65+	1711	60,342	1693	99.0	98.4-99.6	8	0.5	00.1-00.9	10	0.5	00.1-00.9
Less Than H.S.	236	20,293	227	93.6	85.6-0100	6	5.8	00.0-13.8	3	0.7	00.0-01.9
H.S. or G.E.D.	1303	68,837	1279	97.5	95.7-99.3	8	0.7	00.0-01.5	16	1.8	00.2-03.4
Some Post-H.S.	1475	108,754	1450	98.0	96.6-99.4	5	0.6	00.0-01.4	20	1.4	00.2-02.6
College Graduate	1390	73,898	1367	97.5	95.9-99.1	7	0.7	00.0-01.5	16	1.8	00.4-03.2
Less than \$15,000	297	25,441	293	98.1	94.8-0100				4	1.9	00.0-05.2
\$15,000- 24,999	574	37,069	567	97.9	95.9-99.9	2	1.0	00.0-02.4	5	1.2	00.0-02.6
\$25,000- 34,999	434	28,909	426	96.2	92.5-99.9	4	0.8	00.0-01.8	4	3.0	00.0-06.5
\$35,000- 49,999	564	30,598	557	98.4	96.4-0100	3	1.2	00.0-03.2	4	0.4	00.0-00.8
\$50,000- 74,999	662	39,021	654	98.6	97.2-0100	2	0.4	00.0-01.0	6	1.1	00.0-02.3
\$75,000+	1238	75,365	1226	98.7	97.5-99.9	7	0.8	00.0-02.0	5	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7637	564,943	7306	95.0	94.2-95.8	2	0.1	00.1-00.1	103	1.6	01.0-02.2	226	3.3	02.7-03.9
Male	3201	288,516	3045	94.1	92.7-95.5	2	0.1	00.0-00.3	56	1.8	01.0-02.6	98	3.9	02.7-05.1
Female	4436	276,427	4261	96.0	95.0-97.0				47	1.3	00.5-02.1	128	2.7	01.9-03.5
Native	235	22,983	228	94.5	87.2-0100				6	5.1	00.0-12.2	1	0.4	00.0-01.2
Non-Native	7274	530,795	6966	95.2	94.4-96.0	2	0.1	00.1-00.1	92	1.4	01.0-01.8	214	3.4	02.6-04.2
18-24	343	87,601	319	93.4	90.1-96.7				7	2.6	00.1-05.1	17	4.0	01.6-06.4
25-34	652	102,212	618	94.1	91.6-96.6	1	0.2	00.0-00.6	7	0.9	00.0-01.9	26	4.8	02.4-07.2
35-44	828	81,896	795	95.9	93.9-97.9				10	1.5	00.1-02.9	23	2.6	01.2-04.0
45-54	1180	87,309	1143	96.9	95.3-98.5				8	0.6	00.0-01.2	29	2.5	01.1-03.9
55-64	1823	91,397	1756	95.8	94.4-97.2				18	1.1	00.5-01.7	49	3.1	01.9-04.3
65+	2732	109,724	2614	95.1	93.9-96.3	1	0.1	00.0-00.3	53	2.7	01.7-03.7	64	2.1	01.3-02.9
Less Than H.S.	460	51,572	417	90.6	86.3-94.9	1	0.2	00.0-00.6	26	6.2	02.5-09.9	16	3.0	00.8-05.2
H.S. or G.E.D.	2279	147,454	2184	95.5	94.1-96.9				27	1.2	00.4-02.0	68	3.2	02.0-04.4
Some Post-H.S.	2450	221,852	2350	96.0	94.6-97.4				32	1.2	00.4-02.0	68	2.7	01.5-03.9
College Graduate	2422	141,455	2338	95.5	94.1-96.9	1	0.2	00.0-00.4	18	0.8	00.0-01.6	65	3.6	02.4-04.8
Less than \$15,000	454	44,263	431	94.3	91.2-97.4	1	0.5	00.0-01.5	9	1.9	00.3-03.5	13	3.3	00.6-06.0
\$15,000- 24,999	879	73,205	839	94.9	92.5-97.3	1	0.1	00.0-00.3	17	1.6	00.6-02.6	22	3.4	01.2-05.6
\$25,000- 34,999	700	56,508	673	95.0	92.1-97.9				11	2.2	00.0-04.6	16	2.8	00.8-04.8
\$35,000- 49,999	993	68,707	962	95.6	93.1-98.1				12	1.3	00.1-02.5	19	3.1	00.9-05.3
\$50,000- 74,999	1203	87,060	1160	96.1	94.1-98.1				15	1.5	00.1-02.9	28	2.4	01.0-03.8
\$75,000+	2489	175,098	2425	97.5	96.5-98.5				21	0.9	00.3-01.5	43	1.6	00.8-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3201	288,516	3045	94.1	92.7-95.5	2	0.1	00.0-00.3	56	1.8	01.0-02.6	98	3.9	02.7-05.1
Native	76	8,105	73	97.8	95.1-0100				2	1.1	00.0-02.7	1	1.2	00.0-03.6
Non-Native	3051	272,856	2907	94.0	92.6-95.4	2	0.1	00.0-00.3	52	1.8	01.0-02.6	90	4.0	02.8-05.2
18-24	188	47,902	174	92.7	88.0-97.4				5	3.0	00.0-06.1	9	4.3	00.8-07.8
25-34	309	54,619	294	92.3	88.2-96.4	1	0.4	00.0-01.2	3	1.0	00.0-02.4	11	6.2	02.3-10.1
35-44	375	43,231	354	94.8	92.1-97.5				8	1.8	00.2-03.4	13	3.4	01.2-05.6
45-54	505	44,174	492	96.6	94.1-99.1				3	0.5	00.0-01.1	10	2.9	00.5-05.3
55-64	777	47,122	740	94.3	91.9-96.7				14	1.7	00.7-02.7	23	3.9	01.7-06.1
65+	1024	49,757	974	94.8	92.8-96.8	1	0.2	00.0-00.6	23	2.9	01.3-04.5	26	2.1	00.9-03.3
Less Than H.S.	223	31,242	198	91.0	86.5-95.5	1	0.3	00.0-00.9	14	4.8	01.9-07.7	10	3.9	00.6-07.2
H.S. or G.E.D.	976	78,268	930	95.1	93.1-97.1				18	1.6	00.4-02.8	28	3.2	01.4-05.0
Some Post-H.S.	968	110,601	933	95.3	92.9-97.7				12	1.3	00.1-02.5	23	3.4	01.4-05.4
College Graduate	1023	66,540	979	94.2	91.8-96.6	1	0.3	00.0-00.9	12	1.5	00.0-03.1	31	4.0	02.0-06.0
Less than \$15,000	157	18,681	146	92.5	87.2-97.8	1	1.1	00.0-03.3	4	2.0	00.0-04.4	6	4.3	00.2-08.4
\$15,000- 24,999	303	35,614	285	93.7	89.6-97.8	1	0.3	00.0-00.9	8	1.6	00.2-03.0	9	4.5	00.8-08.2
\$25,000- 34,999	265	27,214	247	92.8	87.3-98.3				10	4.4	00.0-09.3	8	2.8	00.3-05.3
\$35,000- 49,999	425	37,833	409	93.7	89.4-98.0				4	1.4	00.0-03.4	12	4.9	01.0-08.8
\$50,000- 74,999	539	47,618	521	96.3	93.6-99.0				8	1.7	00.1-03.3	10	2.0	00.0-04.2
\$75,000+	1240	97,353	1204	96.8	95.2-98.4				15	1.3	00.3-02.3	21	1.9	00.7-03.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4436	276,427	4261	96.0	95.0-97.0	47	1.3	00.5-02.1	128	2.7	01.9-03.5
Native	159	14,879	155	92.7	81.9-0100	4	7.3	00.0-18.1			
Non-Native	4223	257,939	4059	96.4	95.6-97.2	40	0.9	00.5-01.3	124	2.7	02.1-03.3
18-24	155	39,699	145	94.2	89.1-99.3	2	2.2	00.0-06.3	8	3.6	00.5-06.7
25-34	343	47,593	324	96.1	93.7-98.5	4	0.7	00.0-01.7	15	3.2	01.2-05.2
35-44	453	38,665	441	97.0	94.3-99.7	2	1.2	00.0-03.4	10	1.8	00.2-03.4
45-54	675	43,135	651	97.3	95.7-98.9	5	0.7	00.0-01.7	19	2.0	00.6-03.4
55-64	1046	44,275	1016	97.4	96.2-98.6	4	0.3	00.0-00.7	26	2.3	01.1-03.5
65+	1708	59,967	1640	95.3	93.7-96.9	30	2.6	01.2-04.0	38	2.1	01.1-03.1
Less Than H.S.	237	20,330	219	90.0	81.8-98.2	12	8.3	00.1-16.5	6	1.7	00.0-03.5
H.S. or G.E.D.	1303	69,186	1254	95.9	94.1-97.7	9	0.8	00.0-01.6	40	3.3	01.5-05.1
Some Post-H.S.	1482	111,251	1417	96.8	95.4-98.2	20	1.2	00.2-02.2	45	2.0	01.0-03.0
College Graduate	1399	74,915	1359	96.6	95.0-98.2	6	0.2	00.0-00.4	34	3.2	01.6-04.8
Less than \$15,000	297	25,581	285	95.6	91.5-99.7	5	1.9	00.0-04.1	7	2.5	00.0-06.0
\$15,000- 24,999	576	37,591	554	96.0	93.6-98.4	9	1.6	00.0-03.2	13	2.3	00.5-04.1
\$25,000- 34,999	435	29,294	426	97.1	94.2-0100	1	0.2	00.0-00.6	8	2.7	00.0-05.6
\$35,000- 49,999	568	30,874	553	97.8	96.2-99.4	8	1.2	00.0-02.6	7	0.9	00.1-01.7
\$50,000- 74,999	664	39,442	639	95.8	93.1-98.5	7	1.3	00.0-03.5	18	2.9	01.1-04.7
\$75,000+	1249	77,745	1221	98.3	97.5-99.1	6	0.4	00.0-00.8	22	1.3	00.5-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5470	280,244	185	2.7	02.1-03.3	5285	97.3	96.7-97.9
Male	2061	124,359	92	3.8	02.6-05.0	1969	96.2	95.0-97.4
Female	3409	155,886	93	1.9	01.3-02.5	3316	98.1	97.5-98.7
Native	145	9,447	4	3.7	00.0-09.2	141	96.3	90.8-0100
Non-Native	5239	266,275	181	2.8	02.2-03.4	5058	97.2	96.6-97.8
18-24	116	22,137	3	2.9	00.0-06.6	113	97.1	93.4-0100
25-34	291	24,271	8	4.5	00.4-08.6	283	95.5	91.4-99.6
35-44	517	36,411	21	4.3	01.8-06.8	496	95.7	93.2-98.2
45-54	799	47,149	27	1.8	01.0-02.6	772	98.2	97.4-99.0
55-64	1383	59,837	48	2.5	01.5-03.5	1335	97.5	96.5-98.5
65+	2299	87,376	76	2.2	01.6-02.8	2223	97.8	97.2-98.4
Less Than H.S.	346	29,002	10	4.7	00.6-08.8	336	95.3	91.2-99.4
H.S. or G.E.D.	1666	77,159	52	1.8	01.2-02.4	1614	98.2	97.6-98.8
Some Post-H.S.	1744	106,494	54	2.3	01.3-03.3	1690	97.7	96.7-98.7
College Graduate	1697	66,817	69	3.8	02.6-05.0	1628	96.2	95.0-97.4
Less than \$15,000	325	18,669	4	1.6	00.0-04.1	321	98.4	95.9-0100
\$15,000- 24,999	646	35,162	10	1.6	00.0-03.2	636	98.4	96.8-0100
\$25,000- 34,999	517	26,043	17	2.4	00.0-05.1	500	97.6	94.9-0100
\$35,000- 49,999	721	34,238	25	2.6	01.0-04.2	696	97.4	95.8-99.0
\$50,000- 74,999	857	44,079	29	2.3	01.1-03.5	828	97.7	96.5-98.9
\$75,000+	1725	88,922	75	2.9	02.1-03.7	1650	97.1	96.3-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2061	124,359	92	3.8	02.6-05.0	1969	96.2	95.0-97.4
Non-Native	1973	118,746	92	4.0	02.6-05.4	1881	96.0	94.6-97.4
18-24	57	10,503	3	6.1	00.0-13.9	54	93.9	86.1-0100
25-34	110	10,714	8	10.2	01.2-19.2	102	89.8	80.8-98.8
35-44	208	15,840	11	4.3	00.8-07.8	197	95.7	92.2-99.2
45-54	294	19,264	9	1.4	00.4-02.4	285	98.6	97.6-99.6
55-64	554	28,678	22	3.3	01.5-05.1	532	96.7	94.9-98.5
65+	821	38,568	38	2.7	01.7-03.7	783	97.3	96.3-98.3
Less Than H.S.	155	15,332	6	6.2	00.0-13.1	149	93.8	86.9-0100
H.S. or G.E.D.	621	34,105	24	2.0	01.0-03.0	597	98.0	97.0-99.0
Some Post-H.S.	610	45,671	25	3.2	01.4-05.0	585	96.8	95.0-98.6
College Graduate	672	29,093	37	5.5	03.1-07.9	635	94.5	92.1-96.9
Less than \$15,000	112	8,356	2	3.2	00.0-08.7	110	96.8	91.3-0100
\$15,000- 24,999	202	14,839	4	0.9	00.0-02.1	198	99.1	97.9-0100
\$25,000- 34,999	167	10,421	5	4.4	00.0-11.1	162	95.6	88.9-0100
\$35,000- 49,999	275	14,897	11	3.8	00.9-06.7	264	96.2	93.3-99.1
\$50,000- 74,999	353	22,026	15	2.4	01.0-03.8	338	97.6	96.2-99.0
\$75,000+	779	42,155	45	3.8	02.4-05.2	734	96.2	94.8-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3409	155,886	93	1.9	01.3-02.5	3316	98.1	97.5-98.7
Native	103	6,581	4	5.3	00.0-13.1	99	94.7	86.9-0100
Non-Native	3266	147,530	89	1.8	01.2-02.4	3177	98.2	97.6-98.8
18-24	59	11,634				59	100.0	0100-0100
25-34	181	13,558				181	100.0	0100-0100
35-44	309	20,571	10	4.3	00.8-07.8	299	95.7	92.2-99.2
45-54	505	27,885	18	2.1	00.9-03.3	487	97.9	96.7-99.1
55-64	829	31,158	26	1.7	00.7-02.7	803	98.3	97.3-99.3
65+	1478	48,809	38	1.9	01.1-02.7	1440	98.1	97.3-98.9
Less Than H.S.	191	13,670	4	2.9	00.0-06.8	187	97.1	93.2-0100
H.S. or G.E.D.	1045	43,054	28	1.6	00.6-02.6	1017	98.4	97.4-99.4
Some Post-H.S.	1134	60,823	29	1.6	00.8-02.4	1105	98.4	97.6-99.2
College Graduate	1025	37,724	32	2.4	01.2-03.6	993	97.6	96.4-98.8
Less than \$15,000	213	10,313	2	0.2	00.0-00.6	211	99.8	99.4-0100
\$15,000- 24,999	444	20,322	6	2.2	00.0-04.9	438	97.8	95.1-0100
\$25,000- 34,999	350	15,622	12	1.1	00.3-01.9	338	98.9	98.1-99.7
\$35,000- 49,999	446	19,341	14	1.7	00.5-02.9	432	98.3	97.1-99.5
\$50,000- 74,999	504	22,053	14	2.2	00.4-04.0	490	97.8	96.0-99.6
\$75,000+	946	46,767	30	2.0	01.0-03.0	916	98.0	97.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS**

**TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	182	7,536	98	76.2	68.0-84.4	65	20.9	12.9-28.9	17	2.4	00.8-04.0	1	0.2	00.0-00.6	1	0.3	00.0-00.9
Male	89	4,577	49	78.3	67.1-89.5	31	19.7	08.9-30.5	9	2.0	00.2-03.8						
Female	93	2,959	49	72.9	61.3-84.5	34	22.8	12.0-33.6	8	3.0	00.3-05.7	1	0.5	00.0-01.5	1	0.8	00.0-02.6
Non-Native	178	7,187	95	75.2	66.6-83.8	64	21.7	13.5-29.9	17	2.5	00.9-04.1	1	0.2	00.0-00.6	1	0.3	00.0-01.1
65+	76	1,951	32	60.3	46.6-74.0	35	35.0	21.7-48.3	9	4.7	00.6-08.8						
H.S. or G.E.D.	52	1,370	25	69.9	55.8-84.0	20	26.2	12.7-39.7	7	3.9	00.6-07.2						
Some Post-H.S.	52	2,300	26	65.7	46.7-84.7	23	31.7	12.9-50.5	2	2.0	00.0-05.1	1	0.6	00.0-01.8			
College Graduate	68	2,512	38	77.2	66.2-88.2	21	18.6	08.6-28.6	8	3.2	00.3-06.1				1	1.0	00.0-03.0
\$75,000+	73	2,448	40	73.8	62.6-85.0	25	21.6	11.2-32.0	7	3.6	00.1-07.1				1	1.0	00.0-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS**

**TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	89	4,577	49	78.3	67.1-89.5	31	19.7	08.9-30.5	9	2.0	00.2-03.8
Non-Native	89	4,577	49	78.3	67.1-89.5	31	19.7	08.9-30.5	9	2.0	00.2-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS**

**TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	93	2,959	49	72.9	61.1-84.7	34	22.8	12.0-33.6	8	3.0	00.3-05.7	1	0.5	00.0-01.5	1	0.8	00.0-02.6
Non-Native	89	2,610	46	69.8	57.3-82.3	33	25.4	13.6-37.2	8	3.4	00.5-06.3	1	0.5	00.0-01.5	1	1.0	00.0-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5477	279,873	4579	72.2	70.2-74.2	898	27.8	25.8-29.8
Male	2064	124,359	1737	71.8	68.7-74.9	327	28.2	25.1-31.3
Female	3413	155,514	2842	72.6	70.1-75.1	571	27.4	24.9-29.9
Native	145	9,447	103	47.2	33.7-60.7	42	52.8	39.3-66.3
Non-Native	5247	265,970	4418	73.4	71.4-75.4	829	26.6	24.6-28.6
18-24	116	22,137	108	91.5	84.1-98.9	8	8.5	01.1-15.9
25-34	291	24,271	267	82.9	74.1-91.7	24	17.1	08.3-25.9
35-44	519	36,502	483	82.9	77.0-88.8	36	17.1	11.2-23.0
45-54	798	46,708	719	78.8	73.7-83.9	79	21.2	16.1-26.3
55-64	1384	59,685	1209	75.3	71.6-79.0	175	24.7	21.0-28.4
65+	2304	87,506	1747	54.9	52.0-57.8	557	45.1	42.2-48.0
Less Than H.S.	348	29,273	197	44.9	37.6-52.2	151	55.1	47.8-62.4
H.S. or G.E.D.	1664	76,864	1318	63.8	60.1-67.5	346	36.2	32.5-39.9
Some Post-H.S.	1748	106,102	1525	78.9	75.6-82.2	223	21.1	17.8-24.4
College Graduate	1700	66,860	1529	83.5	80.4-86.6	171	16.5	13.4-19.6
Less than \$15,000	326	18,691	168	36.3	28.9-43.7	158	63.7	56.3-71.1
\$15,000- 24,999	649	35,115	448	48.6	42.5-54.7	201	51.4	45.3-57.5
\$25,000- 34,999	519	25,737	411	64.3	57.6-71.0	108	35.7	29.0-42.4
\$35,000- 49,999	721	34,054	622	73.2	67.5-78.9	99	26.8	21.1-32.5
\$50,000- 74,999	858	44,256	785	82.8	78.1-87.5	73	17.2	12.5-21.9
\$75,000+	1726	88,739	1634	89.4	86.5-92.3	92	10.6	07.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2064	124,359	1737	71.8	68.7-74.9	327	28.2	25.1-31.3
Non-Native	1976	118,746	1674	72.8	69.7-75.9	302	27.2	24.1-30.3
18-24	57	10,503	54	94.6	88.1-100.0	3	5.4	00.0-11.9
25-34	110	10,714	98	81.1	69.3-92.9	12	18.9	07.1-30.7
35-44	210	15,931	191	78.7	69.1-88.3	19	21.3	11.7-30.9
45-54	295	19,296	262	74.1	65.3-82.9	33	25.9	17.1-34.7
55-64	553	28,464	485	75.3	69.6-81.0	68	24.7	19.0-30.4
65+	822	38,659	635	56.8	51.7-61.9	187	43.2	38.1-48.3
Less Than H.S.	156	15,424	99	51.5	40.7-62.3	57	48.5	37.7-59.3
H.S. or G.E.D.	621	34,105	499	63.3	57.4-69.2	122	36.7	30.8-42.6
Some Post-H.S.	611	45,523	536	78.9	73.6-84.2	75	21.1	15.8-26.4
College Graduate	673	29,149	600	81.0	75.9-86.1	73	19.0	13.9-24.1
Less than \$15,000	112	8,356	55	35.1	23.3-46.9	57	64.9	53.1-76.7
\$15,000- 24,999	202	14,839	136	45.6	35.6-55.6	66	54.4	44.4-64.4
\$25,000- 34,999	167	10,421	129	61.0	49.2-72.8	38	39.0	27.2-50.8
\$35,000- 49,999	277	14,985	238	73.4	64.6-82.2	39	26.6	17.8-35.4
\$50,000- 74,999	353	22,026	310	74.7	66.9-82.5	43	25.3	17.5-33.1
\$75,000+	779	41,976	730	89.3	85.6-93.0	49	10.7	07.0-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3413	155,514	2842	72.6	70.1-75.1	571	27.4	24.9-29.9
Native	103	6,581	74	52.1	35.0-69.2	29	47.9	30.8-65.0
Non-Native	3271	147,224	2744	73.9	71.4-76.4	527	26.1	23.6-28.6
18-24	59	11,634	54	88.7	76.0-100.0	5	11.3	00.0-24.0
25-34	181	13,558	169	84.3	71.4-97.2	12	15.7	02.8-28.6
35-44	309	20,571	292	86.1	78.8-93.4	17	13.9	06.6-21.2
45-54	503	27,413	457	82.2	76.5-87.9	46	17.8	12.1-23.5
55-64	831	31,221	724	75.3	70.6-80.0	107	24.7	20.0-29.4
65+	1482	48,847	1112	53.3	49.8-56.8	370	46.7	43.2-50.2
Less Than H.S.	192	13,849	98	37.5	27.9-47.1	94	62.5	52.9-72.1
H.S. or G.E.D.	1043	42,759	819	64.2	59.1-69.3	224	35.8	30.7-40.9
Some Post-H.S.	1137	60,579	989	78.9	74.8-83.0	148	21.1	17.0-25.2
College Graduate	1027	37,712	929	85.4	81.7-89.1	98	14.6	10.9-18.3
Less than \$15,000	214	10,335	113	37.2	27.8-46.6	101	62.8	53.4-72.2
\$15,000- 24,999	447	20,275	312	50.8	43.4-58.2	135	49.2	41.8-56.6
\$25,000- 34,999	352	15,316	282	66.6	58.8-74.4	70	33.4	25.6-41.2
\$35,000- 49,999	444	19,069	384	73.0	65.7-80.3	60	27.0	19.7-34.3
\$50,000- 74,999	505	22,230	475	90.7	86.6-94.8	30	9.3	05.2-13.4
\$75,000+	947	46,764	904	89.4	84.7-94.1	43	10.6	05.9-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7604	560,643	5895	82.6	81.4-83.8	1709	17.4	16.2-18.6
Male	3184	287,166	2436	81.5	79.7-83.3	748	18.5	16.7-20.3
Female	4420	273,477	3459	83.7	82.1-85.3	961	16.3	14.7-17.9
18-24	341	86,308	331	97.0	94.3-99.7	10	3.0	00.3-05.7
25-34	651	102,009	639	97.8	96.2-99.4	12	2.2	00.6-03.8
35-44	826	81,564	785	93.4	90.7-96.1	41	6.6	03.9-09.3
45-54	1176	86,366	1043	86.5	83.6-89.4	133	13.5	10.6-16.4
55-64	1819	91,117	1532	77.8	74.9-80.7	287	22.2	19.3-25.1
65+	2712	108,475	1511	50.0	47.5-52.5	1201	50.0	47.5-52.5
Less Than H.S.	454	49,807	170	47.8	40.5-55.1	284	52.2	44.9-59.5
H.S. or G.E.D.	2268	146,320	1459	73.0	70.5-75.5	809	27.0	24.5-29.5
Some Post-H.S.	2437	220,591	2022	88.6	87.0-90.2	415	11.4	09.8-13.0
College Graduate	2420	141,330	2227	95.6	94.6-96.6	193	4.4	03.4-05.4
Less than \$15,000	451	43,761	213	64.8	58.3-71.3	238	35.2	28.7-41.7
\$15,000- 24,999	874	72,719	498	65.7	60.8-70.6	376	34.3	29.4-39.2
\$25,000- 34,999	698	56,001	466	78.3	74.2-82.4	232	21.7	17.6-25.8
\$35,000- 49,999	990	68,521	784	83.6	80.5-86.7	206	16.4	13.3-19.5
\$50,000- 74,999	1201	86,766	1050	89.6	87.2-92.0	151	10.4	08.0-12.8
\$75,000+	2484	174,707	2294	94.4	93.2-95.6	190	5.6	04.4-06.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 53: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3184	287,166	2436	81.5	79.7-83.3	748	18.5	16.7-20.3
18-24	188	47,902	181	96.3	92.2-100	7	3.7	00.0-07.8
25-34	309	54,619	302	97.3	94.8-99.8	7	2.7	00.2-05.2
35-44	375	43,231	346	91.3	87.4-95.2	29	8.7	04.8-12.6
45-54	502	43,668	421	82.8	78.1-87.5	81	17.2	12.5-21.9
55-64	774	46,875	607	72.8	68.3-77.3	167	27.2	22.7-31.7
65+	1013	49,162	561	48.3	44.0-52.6	452	51.7	47.4-56.0
Less Than H.S.	221	30,778	81	48.2	38.0-58.4	140	51.8	41.6-62.0
H.S. or G.E.D.	969	77,860	624	73.5	70.0-77.0	345	26.5	23.0-30.0
Some Post-H.S.	962	110,232	797	88.6	86.4-90.8	165	11.4	09.2-13.6
College Graduate	1022	66,447	925	94.5	92.7-96.3	97	5.5	03.7-07.3
Less than \$15,000	156	18,650	73	63.1	52.5-73.7	83	36.9	26.3-47.5
\$15,000- 24,999	302	35,576	159	62.7	54.7-70.7	143	37.3	29.3-45.3
\$25,000- 34,999	264	27,144	163	73.3	66.2-80.4	101	26.7	19.6-33.8
\$35,000- 49,999	423	37,752	306	81.2	76.3-86.1	117	18.8	13.9-23.7
\$50,000- 74,999	539	47,618	435	85.3	81.6-89.0	104	14.7	11.0-18.4
\$75,000+	1235	96,962	1114	93.3	91.5-95.1	121	6.7	04.9-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 54: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4420	273,477	3459	83.7	82.1-85.3	961	16.3	14.7-17.9
18-24	153	38,406	150	97.9	94.8-0100	3	2.1	00.0-05.2
25-34	342	47,390	337	98.3	96.3-0100	5	1.7	00.0-03.7
35-44	451	38,333	439	95.7	92.2-99.2	12	4.3	00.8-07.8
45-54	674	42,699	622	90.3	87.0-93.6	52	9.7	06.4-13.0
55-64	1045	44,243	925	83.1	79.6-86.6	120	16.9	13.4-20.4
65+	1699	59,313	950	51.4	48.1-54.7	749	48.6	45.3-51.9
Less Than H.S.	233	19,030	89	47.0	37.6-56.4	144	53.0	43.6-62.4
H.S. or G.E.D.	1299	68,460	835	72.4	68.7-76.1	464	27.6	23.9-31.3
Some Post-H.S.	1475	110,359	1225	88.5	86.3-90.7	250	11.5	09.3-13.7
College Graduate	1398	74,883	1302	96.5	95.5-97.5	96	3.5	02.5-04.5
Less than \$15,000	295	25,110	140	66.0	58.0-74.0	155	34.0	26.0-42.0
\$15,000- 24,999	572	37,142	339	68.5	62.6-74.4	233	31.5	25.6-37.4
\$25,000- 34,999	434	28,857	303	83.0	78.7-87.3	131	17.0	12.7-21.3
\$35,000- 49,999	567	30,769	478	86.6	82.5-90.7	89	13.4	09.3-17.5
\$50,000- 74,999	662	39,148	615	94.8	92.1-97.5	47	5.2	02.5-07.9
\$75,000+	1249	77,745	1180	95.8	94.2-97.4	69	4.2	02.6-05.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 55: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7586	558,365	6073	69.0	67.0-71.0	1302	26.9	25.1-28.7	211	4.1	03.3-04.9
Male	3183	286,180	2547	67.4	64.7-70.1	529	27.5	24.8-30.2	107	5.1	03.7-06.5
Female	4403	272,185	3526	70.6	68.1-73.1	773	26.3	23.8-28.8	104	3.1	02.1-04.1
18-24	340	86,675	112	27.8	21.9-33.7	163	55.9	49.2-62.6	65	16.4	11.7-21.1
25-34	647	101,084	401	57.5	52.2-62.8	217	40.1	34.8-45.4	29	2.5	01.3-03.7
35-44	823	80,942	645	74.9	70.4-79.4	156	22.1	17.8-26.4	22	3.0	01.2-04.8
45-54	1173	85,856	986	81.2	77.9-84.5	162	17.3	14.2-20.4	25	1.5	00.7-02.3
55-64	1819	91,144	1616	86.2	83.8-88.6	182	12.9	10.5-15.3	21	0.9	00.3-01.5
65+	2711	108,332	2254	83.4	81.4-85.4	409	15.1	13.1-17.1	48	1.6	01.0-02.2
Less Than H.S.	454	49,759	302	53.5	46.2-60.8	132	38.6	31.3-45.9	20	7.8	03.1-12.5
H.S. or G.E.D.	2266	146,213	1752	65.7	62.2-69.2	447	29.9	26.4-33.4	67	4.4	02.8-06.0
Some Post-H.S.	2435	220,133	1971	70.7	67.4-74.0	395	25.0	21.9-28.1	69	4.3	02.7-05.9
College Graduate	2408	140,186	2033	75.6	72.5-78.7	320	22.3	19.4-25.2	55	2.1	01.1-03.1
Less than \$15,000	454	44,263	218	33.6	26.7-40.5	207	56.7	49.3-64.1	29	9.7	04.6-14.8
\$15,000- 24,999	871	72,073	554	47.5	42.0-53.0	280	47.2	41.5-52.9	37	5.2	03.0-07.4
\$25,000- 34,999	695	55,585	498	54.0	47.5-60.5	177	38.3	31.8-44.8	20	7.7	03.2-12.2
\$35,000- 49,999	985	67,929	784	68.1	63.0-73.2	173	30.1	25.0-35.2	28	1.8	00.8-02.8
\$50,000- 74,999	1199	86,660	1047	80.8	76.7-84.9	131	16.7	12.8-20.6	21	2.5	00.7-04.3
\$75,000+	2484	174,647	2273	86.2	83.7-88.7	176	11.7	09.2-14.2	35	2.1	01.1-03.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 56: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3183	286,180	2547	67.4	64.7-70.1	529	27.5	25.0-30.0	107	5.1	03.7-06.5
18-24	187	47,881	60	28.5	20.5-36.5	85	51.7	42.7-60.7	42	19.8	12.7-26.9
25-34	308	54,118	169	52.0	44.7-59.3	123	44.8	37.5-52.1	16	3.2	01.2-05.2
35-44	374	42,968	283	72.7	66.2-79.2	76	23.4	17.1-29.7	15	4.0	01.3-06.7
45-54	503	43,450	416	79.7	74.6-84.8	80	19.3	14.2-24.4	7	1.0	00.0-02.0
55-64	774	46,902	691	85.7	82.2-89.2	70	12.9	09.6-16.2	13	1.3	00.3-02.3
65+	1017	49,293	911	88.5	85.4-91.6	92	10.2	07.3-13.1	14	1.3	00.5-02.1
Less Than H.S.	222	30,823	152	49.9	39.9-59.9	60	41.5	31.1-51.9	10	8.7	01.8-15.6
H.S. or G.E.D.	971	77,654	750	64.3	59.4-69.2	181	30.1	25.4-34.8	40	5.6	03.2-08.0
Some Post-H.S.	965	110,377	791	72.6	67.9-77.3	139	21.9	17.6-26.2	35	5.5	03.0-08.0
College Graduate	1017	65,996	851	71.6	66.9-76.3	144	26.1	21.4-30.8	22	2.3	00.9-03.7
Less than \$15,000	157	18,681	80	31.9	21.7-42.1	60	50.4	38.2-62.6	17	17.7	07.1-28.3
\$15,000- 24,999	300	35,032	187	43.3	35.1-51.5	97	50.6	42.0-59.2	16	6.1	02.4-09.8
\$25,000- 34,999	265	27,214	186	51.4	42.2-60.6	68	37.0	27.8-46.2	11	11.6	04.0-19.2
\$35,000- 49,999	421	37,261	322	63.5	56.1-70.9	83	34.7	27.3-42.1	16	1.8	00.8-02.8
\$50,000- 74,999	538	47,563	468	80.1	74.4-85.8	61	17.8	12.3-23.3	9	2.0	00.2-03.8
\$75,000+	1238	97,155	1101	83.3	79.6-87.0	115	14.0	10.5-17.5	22	2.7	00.9-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 57: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4403	272,185	3526	70.6	68.1-73.1	773	26.3	23.8-28.8	104	3.1	02.1-04.1
18-24	153	38,793	52	26.8	18.4-35.2	78	61.0	51.6-70.4	23	12.1	06.4-17.8
25-34	339	46,965	232	63.8	56.2-71.4	94	34.6	27.0-42.2	13	1.7	00.3-03.1
35-44	449	37,975	362	77.5	71.6-83.4	80	20.7	15.2-26.2	7	1.8	00.0-04.2
45-54	670	42,406	570	82.7	78.6-86.8	82	15.3	11.2-19.4	18	2.0	00.8-03.2
55-64	1045	44,243	925	86.8	83.9-89.7	112	12.8	09.9-15.7	8	0.4	00.0-00.8
65+	1694	59,039	1343	79.1	76.6-81.6	317	19.1	16.6-21.6	34	1.8	01.0-02.6
Less Than H.S.	232	18,936	150	59.5	50.3-68.7	72	34.0	25.4-42.6	10	6.5	00.8-12.2
H.S. or G.E.D.	1295	68,559	1002	67.3	62.4-72.2	266	29.6	24.7-34.5	27	3.1	01.3-04.9
Some Post-H.S.	1470	109,755	1180	68.8	64.1-73.5	256	28.0	23.3-32.7	34	3.2	01.4-05.0
College Graduate	1391	74,190	1182	79.1	75.2-83.0	176	18.9	15.0-22.8	33	2.0	00.6-03.4
Less than \$15,000	297	25,581	138	34.9	25.9-43.9	147	61.2	51.8-70.6	12	3.8	00.7-06.9
\$15,000- 24,999	571	37,041	367	51.5	44.2-58.8	183	44.1	36.7-51.5	21	4.4	01.9-06.9
\$25,000- 34,999	430	28,371	312	56.6	47.6-65.6	109	39.5	30.5-48.5	9	3.9	00.0-08.4
\$35,000- 49,999	564	30,668	462	73.6	66.9-80.3	90	24.6	17.9-31.3	12	1.8	00.0-03.6
\$50,000- 74,999	661	39,097	579	81.7	75.6-87.8	70	15.3	09.8-20.8	12	3.1	00.0-06.2
\$75,000+	1246	77,492	1172	89.9	86.4-93.4	61	8.8	05.3-12.3	13	1.3	00.3-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7786	583,766	3255	50.8	49.0-52.6	4531	49.2	47.4-51.0
Native	247	24,688	80	35.3	25.3-45.3	167	64.7	54.7-74.7
Non-Native	7408	547,702	3099	51.1	49.3-52.9	4309	48.9	47.1-50.7
18-24	348	89,743	189	54.0	47.3-60.7	159	46.0	39.3-52.7
25-34	664	105,048	314	53.1	48.0-58.2	350	46.9	41.8-52.0
35-44	846	84,812	381	52.2	47.5-56.9	465	47.8	43.1-52.5
45-54	1209	91,130	521	51.0	47.1-54.9	688	49.0	45.1-52.9
55-64	1858	94,534	791	51.8	48.7-54.9	1067	48.2	45.1-51.3
65+	2777	113,402	1033	44.7	42.2-47.2	1744	55.3	52.8-57.8
Less Than H.S.	472	53,461	228	60.5	54.0-67.0	244	39.5	33.0-46.0
H.S. or G.E.D.	2331	153,613	997	52.6	49.3-55.9	1334	47.4	44.1-50.7
Some Post-H.S.	2483	226,692	979	49.6	46.5-52.7	1504	50.4	47.3-53.5
College Graduate	2448	144,209	1033	47.1	44.0-50.2	1415	52.9	49.8-56.0
Less than \$15,000	459	44,567	158	42.1	34.5-49.7	301	57.9	50.3-65.5
\$15,000- 24,999	887	74,051	303	48.1	42.6-53.6	584	51.9	46.4-57.4
\$25,000- 34,999	703	56,887	265	47.8	41.5-54.1	438	52.2	45.9-58.5
\$35,000- 49,999	996	69,777	426	54.6	49.7-59.5	570	45.4	40.5-50.3
\$50,000- 74,999	1208	87,655	540	54.4	49.9-58.9	668	45.6	41.1-50.1
\$75,000+	2496	175,521	1244	55.6	52.7-58.5	1252	44.4	41.5-47.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	942	123,705	39	3.8	02.0-05.6	903	96.2	94.4-98.0
Native	65	9,613	4	5.9	00.0-15.3	61	94.1	84.7-0100
Non-Native	867	113,085	35	3.6	02.0-05.2	832	96.4	94.8-98.0
18-24	154	38,851	5	3.1	00.2-06.0	149	96.9	94.0-99.8
25-34	339	46,753	28	6.3	02.8-09.8	311	93.7	90.2-97.2
35-44	449	38,101	6	1.4	00.0-02.8	443	98.6	97.2-0100
H.S. or G.E.D.	194	25,830	6	3.6	00.1-07.1	188	96.4	92.9-99.9
Some Post-H.S.	275	49,583	11	3.3	00.6-06.0	264	96.7	94.0-99.4
College Graduate	437	42,570	20	4.2	01.5-06.9	417	95.8	93.1-98.5
Less than \$15,000	60	13,164	3	2.9	00.0-07.6	57	97.1	92.4-0100
\$15,000- 24,999	90	16,361	3	3.7	00.0-09.4	87	96.3	90.6-0100
\$25,000- 34,999	62	13,319	5	7.6	00.0-15.4	57	92.4	84.6-0100
\$35,000- 49,999	105	11,944	4	3.8	00.0-09.3	101	96.2	90.7-0100
\$50,000- 74,999	167	18,051	5	3.5	00.2-06.8	162	96.5	93.2-99.8
\$75,000+	393	40,570	15	3.1	00.6-05.6	378	96.9	94.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 60: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7546	556,438	1498	16.2	15.0-17.4	6048	83.8	82.6-85.0
Male	3164	285,367	594	15.1	13.3-16.9	2570	84.9	83.1-86.7
Female	4382	271,072	904	17.3	15.7-18.9	3478	82.7	81.1-84.3
18-24	340	85,894	26	6.4	03.1-09.7	314	93.6	90.3-96.9
25-34	645	101,152	46	7.6	04.7-10.5	599	92.4	89.5-95.3
35-44	820	80,867	87	12.5	09.2-15.8	733	87.5	84.2-90.8
45-54	1173	85,897	218	18.6	15.7-21.5	955	81.4	78.5-84.3
55-64	1812	90,774	374	22.8	20.1-25.5	1438	77.2	74.5-79.9
65+	2681	107,332	735	27.0	24.6-29.4	1946	73.0	70.6-75.4
Less Than H.S.	445	48,780	106	20.3	14.6-26.0	339	79.7	74.0-85.4
H.S. or G.E.D.	2250	145,578	485	18.9	16.5-21.3	1765	81.1	78.7-83.5
Some Post-H.S.	2424	219,545	508	16.4	14.2-18.6	1916	83.6	81.4-85.8
College Graduate	2404	140,293	395	11.7	10.1-13.3	2009	88.3	86.7-89.9
Less than \$15,000	447	43,298	200	40.3	32.9-47.7	247	59.7	52.3-67.1
\$15,000- 24,999	869	72,190	267	23.0	18.9-27.1	602	77.0	72.9-81.1
\$25,000- 34,999	693	55,457	168	15.1	11.4-18.8	525	84.9	81.2-88.6
\$35,000- 49,999	985	68,295	181	14.2	11.3-17.1	804	85.8	82.9-88.7
\$50,000- 74,999	1196	86,589	197	14.0	11.3-16.7	999	86.0	83.3-88.7
\$75,000+	2473	174,253	301	9.4	07.8-11.0	2172	90.6	89.0-92.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS**

**TABLE 61: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3164	285,367	594	15.1	13.3-16.9	2570	84.9	83.1-86.7
18-24	187	47,578	15	7.3	02.4-12.2	172	92.7	87.8-97.6
25-34	305	54,150	28	9.2	05.1-13.3	277	90.8	86.7-94.9
35-44	373	43,134	34	11.1	06.6-15.6	339	88.9	84.4-93.4
45-54	502	43,383	84	13.6	09.9-17.3	418	86.4	82.7-90.1
55-64	773	46,817	158	21.4	17.5-25.3	615	78.6	74.7-82.5
65+	1002	48,616	269	27.5	23.6-31.4	733	72.5	68.6-76.4
Less Than H.S.	215	29,955	40	17.3	09.5-25.1	175	82.7	74.9-90.5
H.S. or G.E.D.	964	77,715	186	17.0	13.5-20.5	778	83.0	79.5-86.5
Some Post-H.S.	962	110,239	192	15.1	12.2-18.0	770	84.9	82.0-87.8
College Graduate	1014	65,938	173	12.1	09.6-14.6	841	87.9	85.4-90.4
Less than \$15,000	152	17,825	74	41.5	29.3-53.7	78	58.5	46.3-70.7
\$15,000- 24,999	300	35,170	91	23.3	16.6-30.0	209	76.7	70.0-83.4
\$25,000- 34,999	263	27,106	63	14.7	09.0-20.4	200	85.3	79.6-91.0
\$35,000- 49,999	422	37,624	67	13.0	08.5-17.5	355	87.0	82.5-91.5
\$50,000- 74,999	537	47,561	83	11.5	08.2-14.8	454	88.5	85.2-91.8
\$75,000+	1229	96,809	162	9.8	07.4-12.2	1067	90.2	87.8-92.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS**

**TABLE 62: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4382	271,072	904	17.3	15.7-18.9	3478	82.7	81.1-84.3
18-24	153	38,317	11	5.3	01.4-09.2	142	94.7	90.8-98.6
25-34	340	47,002	18	5.9	02.0-09.8	322	94.1	90.2-98.0
35-44	447	37,732	53	14.1	09.2-19.0	394	85.9	81.0-90.8
45-54	671	42,514	134	23.7	19.2-28.2	537	76.3	71.8-80.8
55-64	1039	43,957	216	24.3	20.6-28.0	823	75.7	72.0-79.4
65+	1679	58,717	466	26.6	23.7-29.5	1213	73.4	70.5-76.3
Less Than H.S.	230	18,826	66	25.1	17.5-32.7	164	74.9	67.3-82.5
H.S. or G.E.D.	1286	67,864	299	21.0	17.7-24.3	987	79.0	75.7-82.3
Some Post-H.S.	1462	109,306	316	17.7	14.8-20.6	1146	82.3	79.4-85.2
College Graduate	1390	74,355	222	11.3	09.1-13.5	1168	88.7	86.5-90.9
Less than \$15,000	295	25,473	126	39.4	30.0-48.8	169	60.6	51.2-70.0
\$15,000- 24,999	569	37,020	176	22.6	17.9-27.3	393	77.4	72.7-82.1
\$25,000- 34,999	430	28,351	105	15.5	10.8-20.2	325	84.5	79.8-89.2
\$35,000- 49,999	563	30,670	114	15.6	11.7-19.5	449	84.4	80.5-88.3
\$50,000- 74,999	659	39,028	114	16.9	12.6-21.2	545	83.1	78.8-87.4
\$75,000+	1244	77,444	139	8.9	06.7-11.1	1105	91.1	88.9-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 63: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7563	557,659	677	6.9	06.1-07.7	6886	93.1	92.3-93.9
Male	3174	286,194	264	6.2	05.2-07.2	2910	93.8	92.8-94.8
Female	4389	271,465	413	7.6	06.4-08.8	3976	92.4	91.2-93.6
18-24	341	86,219	6	1.7	00.0-03.5	335	98.3	96.5-0100
25-34	645	101,226	6	1.3	00.0-02.7	639	98.7	97.3-0100
35-44	817	80,295	26	3.3	01.7-04.9	791	96.7	95.1-98.3
45-54	1173	86,257	51	5.2	03.4-07.0	1122	94.8	93.0-96.6
55-64	1816	91,048	134	8.6	06.6-10.6	1682	91.4	89.4-93.4
65+	2695	108,055	448	18.6	16.4-20.8	2247	81.4	79.2-83.6
Less Than H.S.	451	49,650	90	15.2	10.9-19.5	361	84.8	80.5-89.1
H.S. or G.E.D.	2254	145,325	228	8.0	06.4-09.6	2026	92.0	90.4-93.6
Some Post-H.S.	2427	219,818	210	5.9	04.7-07.1	2217	94.1	92.9-95.3
College Graduate	2406	140,276	146	4.2	03.2-05.2	2260	95.8	94.8-96.8
Less than \$15,000	451	43,863	116	21.1	15.4-26.8	335	78.9	73.2-84.6
\$15,000- 24,999	871	72,360	141	10.7	08.2-13.2	730	89.3	86.8-91.8
\$25,000- 34,999	694	55,509	87	7.0	04.8-09.2	607	93.0	90.8-95.2
\$35,000- 49,999	987	68,441	73	6.3	04.1-08.5	914	93.7	91.5-95.9
\$50,000- 74,999	1190	85,996	74	5.0	03.2-06.8	1116	95.0	93.2-96.8
\$75,000+	2475	174,270	76	1.6	01.0-02.2	2399	98.4	97.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 64: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQIP)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3174	286,194	264	6.2	05.2-07.2	2910	93.8	92.8-94.8
18-24	188	47,902	4	1.4	00.0-03.2	184	98.6	96.8-0100
25-34	307	54,329	4	0.9	00.0-01.9	303	99.1	98.1-0100
35-44	372	42,701	15	4.0	01.5-06.5	357	96.0	93.5-98.5
45-54	501	43,715	26	4.7	02.5-06.9	475	95.3	93.1-97.5
55-64	775	46,952	66	8.9	06.0-11.8	709	91.1	88.2-94.0
65+	1009	48,906	147	17.4	13.7-21.1	862	82.6	78.9-86.3
Less Than H.S.	218	30,589	37	12.5	07.2-17.8	181	87.5	82.2-92.8
H.S. or G.E.D.	967	77,471	84	7.1	04.9-09.3	883	92.9	90.7-95.1
Some Post-H.S.	962	110,284	72	5.0	03.4-06.6	890	95.0	93.4-96.6
College Graduate	1017	66,005	68	4.1	02.7-05.5	949	95.9	94.5-97.3
Less than \$15,000	156	18,307	37	15.9	08.6-23.2	119	84.1	76.8-91.4
\$15,000- 24,999	302	35,355	42	10.2	06.1-14.3	260	89.8	85.7-93.9
\$25,000- 34,999	263	27,106	33	7.2	03.7-10.7	230	92.8	89.3-96.3
\$35,000- 49,999	423	37,729	39	8.5	04.8-12.2	384	91.5	87.8-95.2
\$50,000- 74,999	534	46,998	37	5.2	02.8-07.6	497	94.8	92.4-97.2
\$75,000+	1231	96,889	43	1.7	00.9-02.5	1188	98.3	97.5-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 65: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4389	271,465	413	7.6	06.4-08.8	3976	92.4	91.2-93.6
18-24	153	38,317	2	2.1	00.0-05.0	151	97.9	95.0-0100
25-34	338	46,897	2	1.7	00.0-04.2	336	98.3	95.8-0100
35-44	445	37,594	11	2.6	00.6-04.6	434	97.4	95.4-99.4
45-54	672	42,541	25	5.7	02.8-08.6	647	94.3	91.4-97.2
55-64	1041	44,097	68	8.3	05.9-10.7	973	91.7	89.3-94.1
65+	1686	59,149	301	19.7	17.0-22.4	1385	80.3	77.6-83.0
Less Than H.S.	233	19,061	53	19.6	12.9-26.3	180	80.4	73.7-87.1
H.S. or G.E.D.	1287	67,854	144	9.1	06.7-11.5	1143	90.9	88.5-93.3
Some Post-H.S.	1465	109,535	138	6.8	05.0-08.6	1327	93.2	91.4-95.0
College Graduate	1389	74,270	78	4.3	02.9-05.7	1311	95.7	94.3-97.1
Less than \$15,000	295	25,556	79	24.8	16.8-32.8	216	75.2	67.2-83.2
\$15,000- 24,999	569	37,005	99	11.1	08.2-14.0	470	88.9	86.0-91.8
\$25,000- 34,999	431	28,403	54	6.9	04.4-09.4	377	93.1	90.6-95.6
\$35,000- 49,999	564	30,711	34	3.6	02.0-05.2	530	96.4	94.8-98.0
\$50,000- 74,999	656	38,998	37	4.7	02.3-07.1	619	95.3	92.9-97.7
\$75,000+	1244	77,381	33	1.5	00.9-02.1	1211	98.5	97.9-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 66: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7550	556,285	224	2.7	02.1-03.3	7326	97.3	96.7-97.9
Male	3167	285,545	72	2.1	01.3-02.9	3095	97.9	97.1-98.7
Female	4383	270,740	152	3.3	02.5-04.1	4231	96.7	95.9-97.5
18-24	340	86,065	4	1.9	00.0-03.9	336	98.1	96.1-0100
25-34	645	101,226	11	1.6	00.2-03.0	634	98.4	97.0-99.8
35-44	817	80,241	5	0.4	00.0-00.8	812	99.6	99.2-0100
45-54	1171	85,944	29	2.7	01.3-04.1	1142	97.3	95.9-98.7
55-64	1812	90,730	43	2.6	01.6-03.6	1769	97.4	96.4-98.4
65+	2691	107,567	128	5.6	04.2-07.0	2563	94.4	93.0-95.8
Less Than H.S.	448	49,319	33	5.7	03.0-08.4	415	94.3	91.6-97.0
H.S. or G.E.D.	2249	144,793	75	3.1	01.9-04.3	2174	96.9	95.7-98.1
Some Post-H.S.	2425	219,492	68	2.4	01.4-03.4	2357	97.6	96.6-98.6
College Graduate	2404	140,110	47	1.7	00.9-02.5	2357	98.3	97.5-99.1
Less than \$15,000	447	43,468	48	10.9	06.0-15.8	399	89.1	84.2-94.0
\$15,000- 24,999	866	71,802	58	5.5	03.5-07.5	808	94.5	92.5-96.5
\$25,000- 34,999	691	55,295	30	2.6	01.0-04.2	661	97.4	95.8-99.0
\$35,000- 49,999	987	68,407	20	1.5	00.7-02.3	967	98.5	97.7-99.3
\$50,000- 74,999	1192	86,086	15	0.7	00.3-01.1	1177	99.3	98.9-99.7
\$75,000+	2476	174,236	23	0.9	00.1-01.7	2453	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS**

**TABLE 67: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3167	285,545	72	2.1	01.3-02.9	3095	97.9	97.1-98.7
18-24	188	47,902	2	1.7	00.0-04.4	186	98.3	95.6-0100
25-34	307	54,329	7	1.4	00.0-02.8	300	98.6	97.2-0100
35-44	371	42,605	1	0.1	00.0-00.3	370	99.9	99.7-0100
45-54	499	43,539	7	1.1	00.0-02.3	492	98.9	97.7-0100
55-64	771	46,604	13	1.9	00.5-03.3	758	98.1	96.7-99.5
65+	1009	48,877	41	4.9	02.7-07.1	968	95.1	92.9-97.3
Less Than H.S.	217	30,583	14	4.9	01.6-08.2	203	95.1	91.8-98.4
H.S. or G.E.D.	963	77,039	20	1.9	00.3-03.5	943	98.1	96.5-99.7
Some Post-H.S.	961	110,194	20	1.8	00.4-03.2	941	98.2	96.8-99.6
College Graduate	1016	65,883	18	1.5	00.5-02.5	998	98.5	97.5-99.5
Less than \$15,000	153	17,987	20	11.2	03.9-18.5	133	88.8	81.5-96.1
\$15,000- 24,999	299	35,262	15	3.6	01.2-06.0	284	96.4	94.0-98.8
\$25,000- 34,999	260	26,892	9	2.2	00.0-04.6	251	97.8	95.4-0100
\$35,000- 49,999	423	37,729	6	0.6	00.0-01.2	417	99.4	98.8-0100
\$50,000- 74,999	536	47,088	6	0.6	00.0-01.2	530	99.4	98.8-0100
\$75,000+	1232	96,855	13	1.2	00.0-02.6	1219	98.8	97.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS**

**TABLE 68: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4383	270,740	152	3.3	02.5-04.1	4231	96.7	95.9-97.5
18-24	152	38,163	2	2.1	00.0-05.2	150	97.9	94.8-0100
25-34	338	46,897	4	1.8	00.0-04.3	334	98.2	95.7-0100
35-44	446	37,636	4	0.7	00.0-01.5	442	99.3	98.5-0100
45-54	672	42,405	22	4.3	01.9-06.7	650	95.7	93.3-98.1
55-64	1041	44,126	30	3.3	01.7-04.9	1011	96.7	95.1-98.3
65+	1682	58,690	87	6.2	04.4-08.0	1595	93.8	92.0-95.6
Less Than H.S.	231	18,736	19	7.1	02.8-11.4	212	92.9	88.6-97.2
H.S. or G.E.D.	1286	67,754	55	4.5	02.5-06.5	1231	95.5	93.5-97.5
Some Post-H.S.	1464	109,297	48	2.9	01.5-04.3	1416	97.1	95.7-98.5
College Graduate	1388	74,227	29	1.8	00.8-02.8	1359	98.2	97.2-99.2
Less than \$15,000	294	25,481	28	10.7	04.0-17.4	266	89.3	82.6-96.0
\$15,000- 24,999	567	36,540	43	7.4	04.5-10.3	524	92.6	89.7-95.5
\$25,000- 34,999	431	28,403	21	2.9	01.1-04.7	410	97.1	95.3-98.9
\$35,000- 49,999	564	30,678	14	2.6	00.8-04.4	550	97.4	95.6-99.2
\$50,000- 74,999	656	38,998	9	0.9	00.3-01.5	647	99.1	98.5-99.7
\$75,000+	1244	77,381	10	0.5	00.1-00.9	1234	99.5	99.1-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 69: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7531	554,683	448	7.1	06.1-08.1	7083	92.9	91.9-93.9
Male	3162	284,944	184	7.2	05.6-08.8	2978	92.8	91.2-94.4
Female	4369	269,740	264	7.0	05.6-08.4	4105	93.0	91.6-94.4
18-24	340	85,868	23	7.8	03.9-11.7	317	92.2	88.3-96.1
25-34	643	100,334	25	5.5	02.8-08.2	618	94.5	91.8-97.2
35-44	816	80,081	43	7.0	04.3-09.7	773	93.0	90.3-95.7
45-54	1170	86,043	74	8.6	06.1-11.1	1096	91.4	88.9-93.9
55-64	1809	90,563	100	6.4	04.6-08.2	1709	93.6	91.8-95.4
65+	2678	107,254	179	7.1	05.7-08.5	2499	92.9	91.5-94.3
Less Than H.S.	446	49,097	65	20.9	14.2-27.6	381	79.1	72.4-85.8
H.S. or G.E.D.	2236	144,054	164	8.3	06.3-10.3	2072	91.7	89.7-93.7
Some Post-H.S.	2425	218,940	126	5.2	03.8-06.6	2299	94.8	93.4-96.2
College Graduate	2400	140,022	93	4.2	03.0-05.4	2307	95.8	94.6-97.0
Less than \$15,000	447	43,461	83	21.4	14.7-28.1	364	78.6	71.9-85.3
\$15,000- 24,999	861	71,305	89	11.1	07.6-14.6	772	88.9	85.4-92.4
\$25,000- 34,999	691	55,430	58	9.0	05.5-12.5	633	91.0	87.5-94.5
\$35,000- 49,999	987	68,408	50	5.1	02.9-07.3	937	94.9	92.7-97.1
\$50,000- 74,999	1191	85,712	48	5.0	02.8-07.2	1143	95.0	92.8-97.2
\$75,000+	2474	174,133	57	2.7	01.5-03.9	2417	97.3	96.1-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 70: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3162	284,944	184	7.2	05.6-08.8	2978	92.8	91.2-94.4
18-24	188	47,902	14	10.0	03.9-16.1	174	90.0	83.9-96.1
25-34	306	53,956	14	5.8	02.1-09.5	292	94.2	90.5-97.9
35-44	370	42,445	16	6.1	02.2-10.0	354	93.9	90.0-97.8
45-54	501	43,706	26	6.6	03.3-09.9	475	93.4	90.1-96.7
55-64	770	46,519	40	6.0	03.6-08.4	730	94.0	91.6-96.4
65+	1005	48,727	73	7.9	05.5-10.3	932	92.1	89.7-94.5
Less Than H.S.	216	30,301	37	23.6	13.8-33.4	179	76.4	66.6-86.2
H.S. or G.E.D.	960	76,921	66	8.5	05.6-11.4	894	91.5	88.6-94.4
Some Post-H.S.	961	109,928	43	3.8	02.2-05.4	918	96.2	94.6-97.8
College Graduate	1015	65,949	38	4.1	02.3-05.9	977	95.9	94.1-97.7
Less than \$15,000	153	17,954	36	28.1	15.4-40.8	117	71.9	59.2-84.6
\$15,000- 24,999	298	35,014	35	13.3	07.0-19.6	263	86.7	80.4-93.0
\$25,000- 34,999	261	27,060	28	11.3	05.4-17.2	233	88.7	82.8-94.6
\$35,000- 49,999	421	37,646	19	4.2	01.7-06.7	402	95.8	93.3-98.3
\$50,000- 74,999	535	46,714	22	5.3	02.2-08.4	513	94.7	91.6-97.8
\$75,000+	1231	96,756	28	1.9	00.9-02.9	1203	98.1	97.1-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 71: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4369	269,740	264	7.0	05.6-08.4	4105	93.0	91.6-94.4
18-24	152	37,966	9	4.9	01.2-08.6	143	95.1	91.4-98.8
25-34	337	46,378	11	5.2	01.5-08.9	326	94.8	91.1-98.5
35-44	446	37,636	27	7.9	03.8-12.0	419	92.1	88.0-96.2
45-54	669	42,337	48	10.7	07.0-14.4	621	89.3	85.6-93.0
55-64	1039	44,044	60	6.9	04.5-09.3	979	93.1	90.7-95.5
65+	1673	58,527	106	6.4	04.6-08.2	1567	93.6	91.8-95.4
Less Than H.S.	230	18,796	28	16.5	09.4-23.6	202	83.5	76.4-90.6
H.S. or G.E.D.	1276	67,133	98	8.0	05.3-10.7	1178	92.0	89.3-94.7
Some Post-H.S.	1464	109,013	83	6.6	04.4-08.8	1381	93.4	91.2-95.6
College Graduate	1385	74,073	55	4.3	02.7-05.9	1330	95.7	94.1-97.3
Less than \$15,000	294	25,507	47	16.7	10.2-23.2	247	83.3	76.8-89.8
\$15,000- 24,999	563	36,290	54	8.9	05.6-12.2	509	91.1	87.8-94.4
\$25,000- 34,999	430	28,370	30	6.9	03.0-10.8	400	93.1	89.2-97.0
\$35,000- 49,999	566	30,762	31	6.2	02.9-09.5	535	93.8	90.5-97.1
\$50,000- 74,999	656	38,998	26	4.6	01.9-07.3	630	95.4	92.7-98.1
\$75,000+	1243	77,378	29	3.8	01.4-06.2	1214	96.2	93.8-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS**

**TABLE 72: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7520	554,133	984	10.4	09.4-11.4	6536	89.6	88.6-90.6
Male	3158	284,582	327	8.5	07.1-09.9	2831	91.5	90.1-92.9
Female	4362	269,551	657	12.4	11.0-13.8	3705	87.6	86.2-89.0
18-24	341	86,219	9	2.3	00.3-04.3	332	97.7	95.7-99.7
25-34	643	100,334	9	1.3	00.0-02.7	634	98.7	97.3-0100
35-44	816	80,109	38	5.4	03.2-07.6	778	94.6	92.4-96.8
45-54	1168	85,445	114	11.7	09.0-14.4	1054	88.3	85.6-91.0
55-64	1807	90,565	229	15.2	12.8-17.6	1578	84.8	82.4-87.2
65+	2670	106,921	578	24.0	21.6-26.4	2092	76.0	73.6-78.4
Less Than H.S.	445	48,785	119	23.2	17.7-28.7	326	76.8	71.3-82.3
H.S. or G.E.D.	2239	144,459	367	13.0	11.0-15.0	1872	87.0	85.0-89.0
Some Post-H.S.	2418	218,569	309	9.3	07.7-10.9	2109	90.7	89.1-92.3
College Graduate	2395	139,799	186	4.9	03.9-05.9	2209	95.1	94.1-96.1
Less than \$15,000	448	43,481	157	25.4	19.5-31.3	291	74.6	68.7-80.5
\$15,000- 24,999	862	71,458	211	19.3	15.6-23.0	651	80.7	77.0-84.4
\$25,000- 34,999	691	55,436	139	12.8	09.5-16.1	552	87.2	83.9-90.5
\$35,000- 49,999	985	68,360	114	9.6	07.1-12.1	871	90.4	87.9-92.9
\$50,000- 74,999	1188	85,549	109	6.8	05.0-08.6	1079	93.2	91.4-95.0
\$75,000+	2472	174,156	113	3.0	02.2-03.8	2359	97.0	96.2-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 73: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3158	284,582	327	8.5	07.1-09.9	2831	91.5	90.1-92.9
18-24	188	47,902	4	1.7	00.0-03.9	184	98.3	96.1-0100
25-34	306	53,956	5	1.8	00.0-04.2	301	98.2	95.8-0100
35-44	371	42,570	14	5.0	01.9-08.1	357	95.0	91.9-98.1
45-54	499	43,183	34	6.7	03.6-09.8	465	93.3	90.2-96.4
55-64	767	46,518	81	13.5	09.8-17.2	686	86.5	82.8-90.2
65+	1005	48,764	186	22.3	18.4-26.2	819	77.7	73.8-81.6
Less Than H.S.	216	30,054	44	18.6	11.5-25.7	172	81.4	74.3-88.5
H.S. or G.E.D.	961	77,085	117	9.9	07.5-12.3	844	90.1	87.7-92.5
Some Post-H.S.	959	109,803	98	7.5	05.3-09.7	861	92.5	90.3-94.7
College Graduate	1012	65,795	66	4.0	02.6-05.4	946	96.0	94.6-97.4
Less than \$15,000	152	17,919	48	21.2	12.8-29.6	104	78.8	70.4-87.2
\$15,000- 24,999	297	35,095	66	16.9	11.0-22.8	231	83.1	77.2-89.0
\$25,000- 34,999	262	27,064	43	11.2	06.1-16.3	219	88.8	83.7-93.9
\$35,000- 49,999	420	37,604	33	7.9	04.2-11.6	387	92.1	88.4-95.8
\$50,000- 74,999	534	46,670	46	6.6	04.1-09.1	488	93.4	90.9-95.9
\$75,000+	1231	96,826	58	2.5	01.5-03.5	1173	97.5	96.5-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 74: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4362	269,551	657	12.4	11.0-13.8	3705	87.6	86.2-89.0
18-24	153	38,317	5	3.1	00.0-06.4	148	96.9	93.6-0100
25-34	337	46,378	4	0.7	00.0-01.5	333	99.3	98.5-0100
35-44	445	37,539	24	5.9	02.8-09.0	421	94.1	91.0-97.2
45-54	669	42,262	80	16.9	12.6-21.2	589	83.1	78.8-87.4
55-64	1040	44,047	148	16.9	13.6-20.2	892	83.1	79.8-86.4
65+	1665	58,157	392	25.5	22.4-28.6	1273	74.5	71.4-77.6
Less Than H.S.	229	18,731	75	30.6	22.6-38.6	154	69.4	61.4-77.4
H.S. or G.E.D.	1278	67,374	250	16.6	13.5-19.7	1028	83.4	80.3-86.5
Some Post-H.S.	1459	108,766	211	11.1	08.9-13.3	1248	88.9	86.7-91.1
College Graduate	1383	74,004	120	5.7	04.1-07.3	1263	94.3	92.7-95.9
Less than \$15,000	296	25,562	109	28.4	20.6-36.2	187	71.6	63.8-79.4
\$15,000- 24,999	565	36,363	145	21.6	16.7-26.5	420	78.4	73.5-83.3
\$25,000- 34,999	429	28,373	96	14.3	10.0-18.6	333	85.7	81.4-90.0
\$35,000- 49,999	565	30,756	81	11.7	08.0-15.4	484	88.3	84.6-92.0
\$50,000- 74,999	654	38,879	63	7.0	04.5-09.5	591	93.0	90.5-95.5
\$75,000+	1241	77,329	55	3.6	02.0-05.2	1186	96.4	94.8-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 75: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7549	555,238	177	2.0	01.6-02.4	7372	98.0	97.6-98.4
Male	3167	284,967	93	2.2	01.6-02.8	3074	97.8	97.2-98.4
Female	4382	270,271	84	1.9	01.3-02.5	4298	98.1	97.5-98.7
18-24	341	86,219	2	0.4	00.0-01.0	339	99.6	99.0-100
25-34	643	100,334	2	0.5	00.0-01.3	641	99.5	98.7-100
35-44	816	80,000	8	0.7	00.1-01.3	808	99.3	98.7-99.9
45-54	1171	85,657	26	2.4	01.2-03.6	1145	97.6	96.4-98.8
55-64	1810	90,718	51	3.9	02.5-05.3	1759	96.1	94.7-97.5
65+	2693	107,769	86	3.9	02.9-04.9	2607	96.1	95.1-97.1
Less Than H.S.	448	49,053	22	3.4	01.6-05.2	426	96.6	94.8-98.4
H.S. or G.E.D.	2245	144,598	62	2.6	01.6-03.6	2183	97.4	96.4-98.4
Some Post-H.S.	2426	218,857	55	2.1	01.3-02.9	2371	97.9	97.1-98.7
College Graduate	2406	140,158	36	0.8	00.4-01.2	2370	99.2	98.8-99.6
Less than \$15,000	450	43,674	43	7.4	04.5-10.3	407	92.6	89.7-95.5
\$15,000- 24,999	865	71,358	42	4.3	02.5-06.1	823	95.7	93.9-97.5
\$25,000- 34,999	692	55,463	17	1.4	00.4-02.4	675	98.6	97.6-99.6
\$35,000- 49,999	988	68,476	12	0.8	00.2-01.4	976	99.2	98.6-99.8
\$50,000- 74,999	1191	85,712	18	1.3	00.5-02.1	1173	98.7	97.9-99.5
\$75,000+	2476	174,315	16	0.4	00.2-00.6	2460	99.6	99.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 76: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3167	284,967	93	2.2	01.6-02.8	3074	97.8	97.2-98.4
18-24	188	47,902	1	0.1	00.0-00.3	187	99.9	99.7-100
25-34	306	53,956	2	1.0	00.0-02.4	304	99.0	97.6-100
35-44	371	42,570	4	0.8	00.0-01.6	367	99.2	98.4-100
45-54	500	43,288	13	1.9	00.5-03.3	487	98.1	96.7-99.5
55-64	771	46,698	29	4.2	02.2-06.2	742	95.8	93.8-97.8
65+	1009	48,864	43	5.1	03.1-07.1	966	94.9	92.9-96.9
Less Than H.S.	216	30,054	11	3.4	00.9-05.9	205	96.6	94.1-99.1
H.S. or G.E.D.	963	77,259	34	3.3	01.7-04.9	929	96.7	95.1-98.3
Some Post-H.S.	960	109,788	25	1.7	00.9-02.5	935	98.3	97.5-99.1
College Graduate	1018	66,020	21	1.1	00.5-01.7	997	98.9	98.3-99.5
Less than \$15,000	154	18,112	22	9.0	04.1-13.9	132	91.0	86.1-95.9
\$15,000- 24,999	298	35,134	18	5.2	02.1-08.3	280	94.8	91.7-97.9
\$25,000- 34,999	262	27,064	9	1.4	00.2-02.6	253	98.6	97.4-99.8
\$35,000- 49,999	422	37,714	4	0.5	00.1-00.9	418	99.5	99.1-99.9
\$50,000- 74,999	535	46,714	14	1.7	00.7-02.7	521	98.3	97.3-99.3
\$75,000+	1233	96,938	11	0.4	00.2-00.6	1222	99.6	99.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 77: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	4382	270,271	84	1.9	01.3-02.5	4298	98.1	97.5-98.7	
18-24	153	38,317	1	0.7	00.0-02.1	152	99.3	97.9-0100	
25-34	337	46,378				337	100.0	0100-0100	
35-44	445	37,430	4	0.6	00.0-01.2	441	99.4	98.8-0100	
45-54	671	42,369	13	3.0	00.8-05.2	658	97.0	94.8-99.2	
55-64	1039	44,020	22	3.6	01.6-05.6	1017	96.4	94.4-98.4	
65+	1684	58,906	43	2.9	01.7-04.1	1641	97.1	95.9-98.3	
Less Than H.S.	232	18,999	11	3.4	01.0-05.8	221	96.6	94.2-99.0	
H.S. or G.E.D.	1282	67,339	28	1.9	01.1-02.7	1254	98.1	97.3-98.9	
Some Post-H.S.	1466	109,069	30	2.4	01.2-03.6	1436	97.6	96.4-98.8	
College Graduate	1388	74,138	15	0.6	00.2-01.0	1373	99.4	99.0-99.8	
Less than \$15,000	296	25,562	21	6.2	02.5-09.9	275	93.8	90.1-97.5	
\$15,000- 24,999	567	36,224	24	3.4	01.6-05.2	543	96.6	94.8-98.4	
\$25,000- 34,999	430	28,399	8	1.5	00.0-03.1	422	98.5	96.9-0100	
\$35,000- 49,999	566	30,762	8	1.2	00.0-02.4	558	98.8	97.6-0100	
\$50,000- 74,999	656	38,998	4	0.9	00.0-02.1	652	99.1	97.9-0100	
\$75,000+	1243	77,378	5	0.4	00.0-00.8	1238	99.6	99.2-0100	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 78: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7530	554,460	344	4.5	03.7-05.3	7186	95.5	94.7-96.3
Male	3161	284,714	119	3.8	02.8-04.8	3042	96.2	95.2-97.2
Female	4369	269,746	225	5.3	04.3-06.3	4144	94.7	93.7-95.7
18-24	340	86,206	6	2.0	00.0-04.2	334	98.0	95.8-0100
25-34	643	100,334	10	1.8	00.2-03.4	633	98.2	96.6-99.8
35-44	812	79,803	20	2.6	01.2-04.0	792	97.4	96.0-98.8
45-54	1170	85,649	48	6.0	03.8-08.2	1122	94.0	91.8-96.2
55-64	1806	90,615	64	4.9	03.3-06.5	1742	95.1	93.5-96.7
65+	2684	107,313	191	8.3	06.7-09.9	2493	91.7	90.1-93.3
Less Than H.S.	445	48,672	55	13.0	08.1-17.9	390	87.0	82.1-91.9
H.S. or G.E.D.	2242	144,480	123	5.6	04.0-07.2	2119	94.4	92.8-96.0
Some Post-H.S.	2420	218,759	112	3.8	02.8-04.8	2308	96.2	95.2-97.2
College Graduate	2399	139,979	52	1.6	01.0-02.2	2347	98.4	97.8-99.0
Less than \$15,000	449	43,653	75	17.3	11.2-23.4	374	82.7	76.6-88.8
\$15,000- 24,999	863	71,203	76	6.8	04.6-09.0	787	93.2	91.0-95.4
\$25,000- 34,999	691	55,457	42	5.3	02.9-07.7	649	94.7	92.3-97.1
\$35,000- 49,999	988	68,476	42	4.0	02.2-05.8	946	96.0	94.2-97.8
\$50,000- 74,999	1191	85,712	23	2.0	01.0-03.0	1168	98.0	97.0-99.0
\$75,000+	2471	174,164	31	1.2	00.6-01.8	2440	98.8	98.2-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 79: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3161	284,714	119	3.8	02.8-04.8	3042	96.2	95.2-97.2
18-24	187	47,889	3	2.6	00.0-06.3	184	97.4	93.7-0100
25-34	306	53,956	6	1.7	00.1-03.3	300	98.3	96.7-99.9
35-44	371	42,570	9	1.6	00.2-03.0	362	98.4	97.0-99.8
45-54	500	43,288	19	4.7	01.8-07.6	481	95.3	92.4-98.2
55-64	768	46,623	26	4.0	02.0-06.0	742	96.0	94.0-98.0
65+	1007	48,699	55	7.1	04.6-09.6	952	92.9	90.4-95.4
Less Than H.S.	215	29,882	23	12.1	05.0-19.2	192	87.9	80.8-95.0
H.S. or G.E.D.	963	77,270	43	4.9	02.7-07.1	920	95.1	92.9-97.3
Some Post-H.S.	959	109,786	32	2.1	01.1-03.1	927	97.9	96.9-98.9
College Graduate	1014	65,930	19	1.3	00.5-02.1	995	98.7	97.9-99.5
Less than \$15,000	154	18,112	33	19.9	08.9-30.9	121	80.1	69.1-91.1
\$15,000- 24,999	298	35,014	24	4.8	02.1-07.5	274	95.2	92.5-97.9
\$25,000- 34,999	262	27,064	13	5.4	01.3-09.5	249	94.6	90.5-98.7
\$35,000- 49,999	422	37,714	13	3.3	00.8-05.8	409	96.7	94.2-99.2
\$50,000- 74,999	535	46,714	11	1.8	00.4-03.2	524	98.2	96.8-99.6
\$75,000+	1230	96,849	12	0.8	00.0-01.6	1218	99.2	98.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 80: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4369	269,746	225	5.3	04.3-06.3	4144	94.7	93.7-95.7
18-24	153	38,317	3	1.3	00.0-02.9	150	98.7	97.1-0100
25-34	337	46,378	4	1.9	00.0-04.4	333	98.1	95.6-0100
35-44	441	37,233	11	3.8	01.1-06.5	430	96.2	93.5-98.9
45-54	670	42,361	29	7.4	04.3-10.5	641	92.6	89.5-95.7
55-64	1038	43,993	38	5.9	03.5-08.3	1000	94.1	91.7-96.5
65+	1677	58,614	136	9.4	07.4-11.4	1541	90.6	88.6-92.6
Less Than H.S.	230	18,790	32	14.5	08.4-20.6	198	85.5	79.4-91.6
H.S. or G.E.D.	1279	67,210	80	6.4	04.4-08.4	1199	93.6	91.6-95.6
Some Post-H.S.	1461	108,973	80	5.4	03.6-07.2	1381	94.6	92.8-96.4
College Graduate	1385	74,048	33	1.9	01.1-02.7	1352	98.1	97.3-98.9
Less than \$15,000	295	25,541	42	15.5	08.8-22.2	253	84.5	77.8-91.2
\$15,000- 24,999	565	36,189	52	8.8	05.5-12.1	513	91.2	87.9-94.5
\$25,000- 34,999	429	28,393	29	5.2	02.5-07.9	400	94.8	92.1-97.5
\$35,000- 49,999	566	30,762	29	4.7	02.2-07.2	537	95.3	92.8-97.8
\$50,000- 74,999	656	38,998	12	2.2	00.6-03.8	644	97.8	96.2-99.4
\$75,000+	1241	77,316	19	1.6	00.6-02.6	1222	98.4	97.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 9: TOBACCO USE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	169
2 MALES ONLY	170
3 FEMALES ONLY	171
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	172
5 MALES ONLY	173
6 FEMALES ONLY	174
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	175
8 MALES ONLY	176
9 FEMALES ONLY	177
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	178
11 MALES ONLY	179
12 FEMALES ONLY	180
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	181
14 MALES ONLY	182
15 FEMALES ONLY	183

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7511	552,490	3341	44.1	42.3-45.9	4170	55.9	54.1-57.7
Male	3146	283,201	1618	50.2	47.5-52.9	1528	49.8	47.1-52.5
Female	4365	269,288	1723	37.6	35.2-40.0	2642	62.4	60.0-64.8
Native	228	21,441	149	61.4	50.6-72.2	79	38.6	27.8-49.4
Non-Native	7161	520,426	3132	43.3	41.3-45.3	4029	56.7	54.7-58.7
18-24	338	85,326	89	28.3	22.0-34.6	249	71.7	65.4-78.0
25-34	639	99,870	269	43.1	37.8-48.4	370	56.9	51.6-62.2
35-44	813	79,661	311	44.0	39.1-48.9	502	56.0	51.1-60.9
45-54	1171	85,657	497	46.5	42.6-50.4	674	53.5	49.6-57.4
55-64	1801	90,257	834	49.2	46.1-52.3	967	50.8	47.7-53.9
65+	2675	107,206	1312	51.2	48.5-53.9	1363	48.8	46.1-51.5
Less Than H.S.	443	48,822	261	64.4	57.7-71.1	182	35.6	28.9-42.3
H.S. or G.E.D.	2235	143,556	1183	53.7	50.4-57.0	1052	46.3	43.0-49.6
Some Post-H.S.	2416	218,410	1139	44.1	41.0-47.2	1277	55.9	52.8-59.0
College Graduate	2393	139,131	751	27.1	24.4-29.8	1642	72.9	70.2-75.6
Less than \$15,000	449	43,668	235	54.9	47.3-62.5	214	45.1	37.5-52.7
\$15,000- 24,999	863	71,278	430	48.9	43.2-54.6	433	51.1	45.4-56.8
\$25,000- 34,999	689	55,239	357	50.0	43.7-56.3	332	50.0	43.7-56.3
\$35,000- 49,999	983	67,459	472	47.3	42.2-52.4	511	52.7	47.6-57.8
\$50,000- 74,999	1189	85,617	529	45.9	41.4-50.4	660	54.1	49.6-58.6
\$75,000+	2463	173,688	993	38.2	35.3-41.1	1470	61.8	58.9-64.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3146	283,201	1618	50.2	47.5-52.9	1528	49.8	47.1-52.5
Native	73	7,989	43	54.1	36.5-71.7	30	45.9	28.3-63.5
Non-Native	3004	268,036	1538	50.0	47.3-52.7	1466	50.0	47.3-52.7
18-24	187	47,477	54	34.2	25.2-43.2	133	65.8	56.8-74.8
25-34	304	53,608	148	48.7	41.4-56.0	156	51.3	44.0-58.6
35-44	370	42,302	150	47.9	40.8-55.0	220	52.1	45.0-59.2
45-54	500	43,288	210	46.5	40.4-52.6	290	53.5	47.4-59.6
55-64	766	46,417	406	57.8	53.3-62.3	360	42.2	37.7-46.7
65+	998	48,448	640	65.6	61.5-69.7	358	34.4	30.3-38.5
Less Than H.S.	214	30,002	152	72.3	63.5-81.1	62	27.7	18.9-36.5
H.S. or G.E.D.	958	76,640	559	58.2	53.5-62.9	399	41.8	37.1-46.5
Some Post-H.S.	955	109,551	532	49.0	44.3-53.7	423	51.0	46.3-55.7
College Graduate	1009	65,162	373	33.2	28.9-37.5	636	66.8	62.5-71.1
Less than \$15,000	154	18,112	91	60.6	48.8-72.4	63	39.4	27.6-51.2
\$15,000- 24,999	297	35,081	179	58.7	50.1-67.3	118	41.3	32.7-49.9
\$25,000- 34,999	261	26,976	150	57.1	47.9-66.3	111	42.9	33.7-52.1
\$35,000- 49,999	417	36,698	236	53.2	45.8-60.6	181	46.8	39.4-54.2
\$50,000- 74,999	534	46,699	286	50.9	44.4-57.4	248	49.1	42.6-55.6
\$75,000+	1225	96,556	553	43.5	39.4-47.6	672	56.5	52.4-60.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4365	269,288	1723	37.6	35.2-40.0	2642	62.4	60.0-64.8
Native	155	13,453	106	65.7	52.4-79.0	49	34.3	21.0-47.6
Non-Native	4157	252,390	1594	36.1	33.7-38.5	2563	63.9	61.5-66.3
18-24	151	37,849	35	21.0	12.8-29.2	116	79.0	70.8-87.2
25-34	335	46,262	121	36.5	29.1-43.9	214	63.5	56.1-70.9
35-44	443	37,359	161	39.5	32.8-46.2	282	60.5	53.8-67.2
45-54	671	42,369	287	46.5	41.4-51.6	384	53.5	48.4-58.6
55-64	1035	43,839	428	40.1	36.0-44.2	607	59.9	55.8-64.0
65+	1677	58,758	672	39.3	36.2-42.4	1005	60.7	57.6-63.8
Less Than H.S.	229	18,820	109	51.9	42.7-61.1	120	48.1	38.9-57.3
H.S. or G.E.D.	1277	66,916	624	48.6	43.9-53.3	653	51.4	46.7-56.1
Some Post-H.S.	1461	108,859	607	39.2	35.1-43.3	854	60.8	56.7-64.9
College Graduate	1384	73,968	378	21.7	18.6-24.8	1006	78.3	75.2-81.4
Less than \$15,000	295	25,556	144	50.9	40.9-60.9	151	49.1	39.1-59.1
\$15,000- 24,999	566	36,197	251	39.3	32.6-46.0	315	60.7	54.0-67.4
\$25,000- 34,999	428	28,263	207	43.3	34.9-51.7	221	56.7	48.3-65.1
\$35,000- 49,999	566	30,762	236	40.4	33.9-46.9	330	59.6	53.1-66.1
\$50,000- 74,999	655	38,918	243	40.0	33.7-46.3	412	60.0	53.7-66.3
\$75,000+	1238	77,132	440	31.5	27.6-35.4	798	68.5	64.6-72.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3329	242,844	839	32.7	30.0-35.4	324	12.6	10.6-14.6	2166	54.7	52.0-57.4
Male	1613	141,843	392	34.7	30.8-38.6	154	11.8	09.3-14.3	1067	53.4	49.5-57.3
Female	1716	101,002	447	29.9	26.4-33.4	170	13.6	10.5-16.7	1099	56.5	52.6-60.4
Native	149	13,161	47	44.4	30.9-57.9	43	33.6	20.3-46.9	59	22.0	12.4-31.6
Non-Native	3123	224,588	772	31.8	29.1-34.5	279	11.5	09.5-13.5	2072	56.6	53.7-59.5
18-24	89	24,182	47	48.5	35.0-62.0	24	24.5	13.3-35.7	18	26.9	14.4-39.4
25-34	269	43,015	104	39.7	31.7-47.7	45	16.0	10.1-21.9	120	44.3	36.1-52.5
35-44	311	35,017	123	43.2	35.6-50.8	46	15.0	09.3-20.7	142	41.9	34.3-49.5
45-54	495	39,614	192	39.3	33.6-45.0	55	10.7	07.0-14.4	248	50.0	44.1-55.9
55-64	828	44,035	205	25.7	21.6-29.8	84	11.8	08.5-15.1	539	62.5	57.8-67.2
65+	1308	54,812	159	13.6	10.7-16.5	68	5.1	03.3-06.9	1081	81.3	78.2-84.4
Less Than H.S.	261	31,463	89	49.0	39.4-58.6	27	15.0	08.1-21.9	145	36.1	27.7-44.5
H.S. or G.E.D.	1180	77,081	360	40.6	36.1-45.1	116	10.9	07.8-14.0	704	48.4	43.9-52.9
Some Post-H.S.	1131	95,877	260	26.4	22.3-30.5	109	13.1	09.8-16.4	762	60.5	56.0-65.0
College Graduate	750	37,528	130	19.7	15.0-24.4	69	10.9	07.6-14.2	551	69.4	64.1-74.7
Less than \$15,000	235	23,978	77	39.7	28.5-50.9	45	24.0	14.8-33.2	113	36.4	26.8-46.0
\$15,000- 24,999	428	34,595	121	35.9	28.1-43.7	49	13.7	08.0-19.4	258	50.4	42.6-58.2
\$25,000- 34,999	357	27,631	93	37.8	29.4-46.2	36	13.0	07.3-18.7	228	49.2	40.6-57.8
\$35,000- 49,999	472	31,926	118	31.0	24.1-37.9	38	10.0	04.9-15.1	316	58.9	51.5-66.3
\$50,000- 74,999	526	39,143	111	26.0	19.9-32.1	44	11.6	06.9-16.3	371	62.4	55.7-69.1
\$75,000+	990	66,222	245	30.9	26.2-35.6	83	9.4	06.5-12.3	662	59.7	54.8-64.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1613	141,843	392	34.7	30.8-38.6	154	11.8	09.3-14.3	1067	53.4	49.7-57.1
Non-Native	1536	133,770	369	33.6	29.7-37.5	141	11.7	09.2-14.2	1026	54.7	50.8-58.6
18-24	54	16,228	28	52.7	35.8-69.6	18	25.9	12.0-39.8	8	21.4	07.3-35.5
25-34	148	26,124	57	40.9	30.5-51.3	26	13.5	07.2-19.8	65	45.6	35.0-56.2
35-44	150	20,274	59	47.8	37.2-58.4	19	13.8	06.4-21.2	72	38.4	28.4-48.4
45-54	210	20,113	86	45.8	37.0-54.6	23	6.4	02.7-10.1	101	47.8	39.0-56.6
55-64	403	26,539	92	24.2	18.3-30.1	38	12.3	07.6-17.0	273	63.5	57.0-70.0
65+	638	31,737	66	12.6	08.5-16.7	30	5.5	03.0-08.0	542	81.9	77.2-86.6
Less Than H.S.	152	21,700	51	54.9	43.1-66.7	13	9.5	03.4-15.6	88	35.6	24.8-46.4
H.S. or G.E.D.	559	44,628	157	40.6	34.3-46.9	59	9.9	06.0-13.8	343	49.6	43.5-55.7
Some Post-H.S.	527	53,317	127	28.2	22.5-33.9	51	14.2	09.3-19.1	349	57.6	51.3-63.9
College Graduate	373	21,614	57	19.3	12.4-26.2	29	10.1	05.6-14.6	287	70.6	63.2-78.0
Less than \$15,000	91	10,968	34	49.4	32.5-66.3	13	14.3	03.3-25.3	44	36.3	21.6-51.0
\$15,000- 24,999	178	20,416	51	37.3	25.7-48.9	21	13.9	05.9-21.9	106	48.8	37.4-60.2
\$25,000- 34,999	150	15,400	42	46.1	34.1-58.1	13	10.4	03.1-17.7	95	43.5	31.9-55.1
\$35,000- 49,999	236	19,512	55	30.4	20.8-40.0	20	12.3	04.7-19.9	161	57.3	47.1-67.5
\$50,000- 74,999	284	23,667	60	28.2	19.8-36.6	24	11.2	05.1-17.3	200	60.6	51.6-69.6
\$75,000+	552	42,019	124	30.8	24.5-37.1	49	11.0	06.9-15.1	379	58.3	51.8-64.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1716	101,002	447	29.9	26.4-33.4	170	13.6	10.5-16.7	1099	56.5	52.6-60.4
Native	106	8,840	35	37.6	21.7-53.5	32	39.9	22.8-57.0	39	22.5	09.8-35.2
Non-Native	1587	90,817	403	29.3	25.6-33.0	138	11.2	08.3-14.1	1046	59.6	55.7-63.5
25-34	121	16,891	47	37.9	25.4-50.4	19	19.8	08.4-31.2	55	42.2	29.3-55.1
35-44	161	14,743	64	36.8	26.2-47.4	27	16.6	08.2-25.0	70	46.6	35.4-57.8
45-54	285	19,501	106	32.6	25.7-39.5	32	15.2	08.9-21.5	147	52.2	44.6-59.8
55-64	425	17,495	113	28.0	22.1-33.9	46	11.1	07.0-15.2	266	60.9	54.6-67.2
65+	670	23,075	93	14.8	11.1-18.5	38	4.7	02.7-06.7	539	80.5	76.4-84.6
Less Than H.S.	109	9,763	38	35.8	22.5-49.1	14	27.0	11.7-42.3	57	37.2	24.7-49.7
H.S. or G.E.D.	621	32,453	203	40.8	34.3-47.3	57	12.4	07.5-17.3	361	46.9	40.6-53.2
Some Post-H.S.	604	42,560	133	24.1	18.6-29.6	58	11.8	07.1-16.5	413	64.1	57.6-70.6
College Graduate	377	15,914	73	20.2	13.9-26.5	40	12.0	07.1-16.9	264	67.8	60.5-75.1
Less than \$15,000	144	13,009	43	31.5	17.8-45.2	32	32.1	18.4-45.8	69	36.4	23.9-48.9
\$15,000- 24,999	250	14,178	70	33.8	24.2-43.4	28	13.5	05.3-21.7	152	52.7	42.3-63.1
\$25,000- 34,999	207	12,231	51	27.4	17.2-37.6	23	16.4	07.4-25.4	133	56.2	44.4-68.0
\$35,000- 49,999	236	12,414	63	32.1	22.7-41.5	18	6.4	01.5-11.3	155	61.5	51.7-71.3
\$50,000- 74,999	242	15,476	51	22.5	14.3-30.7	20	12.3	04.7-19.9	171	65.2	55.2-75.2
\$75,000+	438	24,203	121	31.2	24.7-37.7	34	6.6	02.9-10.3	283	62.2	55.3-69.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1158	109,240	592	55.7	51.2-60.2	566	44.3	39.8-48.8
Male	544	65,678	259	52.3	46.0-58.6	285	47.7	41.4-54.0
Female	614	43,562	333	61.0	54.9-67.1	281	39.0	32.9-45.1
Native	90	10,267	48	54.9	38.6-71.2	42	45.1	28.8-61.4
Non-Native	1046	96,665	535	55.7	51.0-60.4	511	44.3	39.6-49.0
18-24	71	17,669	36	51.8	36.3-67.3	35	48.2	32.7-63.7
25-34	148	23,940	97	70.5	61.3-79.7	51	29.5	20.3-38.7
35-44	168	19,992	78	52.7	42.3-63.1	90	47.3	36.9-57.7
45-54	245	19,514	118	48.0	39.6-56.4	127	52.0	43.6-60.4
55-64	288	16,510	141	53.8	45.8-61.8	147	46.2	38.2-54.2
65+	227	10,246	118	53.0	43.4-62.6	109	47.0	37.4-56.6
Less Than H.S.	116	20,111	56	49.3	36.0-62.6	60	50.7	37.4-64.0
H.S. or G.E.D.	475	39,721	238	56.4	49.7-63.1	237	43.6	36.9-50.3
Some Post-H.S.	365	37,212	195	56.6	49.2-64.0	170	43.4	36.0-50.8
College Graduate	199	11,484	100	59.2	49.0-69.4	99	40.8	30.6-51.0
Less than \$15,000	122	15,259	78	63.0	48.5-77.5	44	37.0	22.5-51.5
\$15,000- 24,999	169	17,127	92	57.8	45.8-69.8	77	42.2	30.2-54.2
\$25,000- 34,999	128	13,829	65	51.1	38.6-63.6	63	48.9	36.4-61.4
\$35,000- 49,999	156	13,116	78	59.0	47.6-70.4	78	41.0	29.6-52.4
\$50,000- 74,999	153	14,627	85	60.6	49.4-71.8	68	39.4	28.2-50.6
\$75,000+	327	26,335	145	51.0	42.8-59.2	182	49.0	40.8-57.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	544	65,678	259	52.3	46.0-58.6	285	47.7	41.4-54.0
Non-Native	508	60,263	240	51.6	45.1-58.1	268	48.4	41.9-54.9
25-34	83	14,217	49	67.0	55.0-79.0	34	33.0	21.0-45.0
35-44	77	12,121	32	46.9	32.4-61.4	45	53.1	38.6-67.6
45-54	109	10,490	46	38.1	26.1-50.1	63	61.9	49.9-73.9
55-64	129	9,673	62	51.0	39.2-62.8	67	49.0	37.2-60.8
65+	96	5,751	46	52.3	37.8-66.8	50	47.7	33.2-62.2
Less Than H.S.	64	13,980	29	45.1	28.0-62.2	35	54.9	37.8-72.0
H.S. or G.E.D.	216	22,513	103	55.5	46.3-64.7	113	44.5	35.3-53.7
Some Post-H.S.	176	22,246	83	50.8	40.6-61.0	93	49.2	39.0-59.4
College Graduate	86	6,355	42	57.1	41.6-72.6	44	42.9	27.4-58.4
\$15,000- 24,999	72	10,457	39	55.9	38.7-73.1	33	44.1	26.9-61.3
\$25,000- 34,999	55	8,695	25	42.5	25.6-59.4	30	57.5	40.6-74.4
\$35,000- 49,999	75	8,340	38	62.7	47.6-77.8	37	37.3	22.2-52.4
\$50,000- 74,999	83	9,316	44	54.6	39.3-69.9	39	45.4	30.1-60.7
\$75,000+	172	17,179	68	47.7	36.5-58.9	104	52.3	41.1-63.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	614	43,562	333	61.0	54.9-67.1	281	39.0	32.9-45.1
Native	67	6,852	35	53.8	34.0-73.6	32	46.2	26.4-66.0
Non-Native	538	36,401	295	62.7	56.6-68.8	243	37.3	31.2-43.4
25-34	65	9,723	48	75.6	60.9-90.3	17	24.4	09.7-39.1
35-44	91	7,871	46	61.4	47.9-74.9	45	38.6	25.1-52.1
45-54	136	9,024	72	59.5	49.1-69.9	64	40.5	30.1-50.9
55-64	159	6,838	79	57.8	47.6-68.0	80	42.2	32.0-52.4
65+	131	4,495	72	53.8	42.2-65.4	59	46.2	34.6-57.8
Less Than H.S.	52	6,130	27	59.0	39.2-78.8	25	41.0	21.2-60.8
H.S. or G.E.D.	259	17,208	135	57.5	48.3-66.7	124	42.5	33.3-51.7
Some Post-H.S.	189	14,966	112	65.1	54.7-75.5	77	34.9	24.5-45.3
College Graduate	113	5,129	58	61.9	49.6-74.2	55	38.1	25.8-50.4
Less than \$15,000	75	8,270	55	70.4	51.8-89.0	20	29.6	11.0-48.2
\$15,000- 24,999	97	6,670	53	60.9	46.6-75.2	44	39.1	24.8-53.4
\$25,000- 34,999	73	5,135	40	65.8	50.1-81.5	33	34.2	18.5-49.9
\$35,000- 49,999	81	4,776	40	52.6	36.3-68.9	41	47.4	31.1-63.7
\$50,000- 74,999	70	5,312	41	71.1	58.2-84.0	29	28.9	16.0-41.8
\$75,000+	155	9,157	77	57.2	46.0-68.4	78	42.8	31.6-54.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2163	132,826	211	16.1	13.0-19.2	246	15.3	12.6-18.0	207	11.0	08.8-13.2	1440	54.6	51.3-57.9	59	3.0	01.8-04.2
Male	1067	75,790	106	17.0	12.9-21.1	116	14.9	11.0-18.8	110	12.1	09.0-15.2	708	52.6	47.9-57.3	27	3.4	01.6-05.2
Female	1096	57,036	105	14.9	10.2-19.6	130	15.9	11.8-20.0	97	9.5	06.6-12.4	732	57.2	52.1-62.3	32	2.5	01.3-03.7
Native	59	2,894	20	42.6	18.9-66.3	11	28.7	08.1-49.3	5	4.2	00.0-09.3	22	22.4	07.9-36.9	1	2.1	00.0-06.2
Non-Native	2069	127,145	187	15.3	12.2-18.4	232	15.0	12.3-17.7	198	11.3	08.9-13.7	1397	55.6	52.1-59.1	55	2.8	01.6-04.0
25-34	120	19,040	43	33.1	21.1-45.1	35	32.8	21.0-44.6	25	21.9	11.5-32.3	14	8.1	02.8-13.4	3	4.1	00.0-09.6
35-44	142	14,662	33	18.8	10.8-26.8	32	23.8	13.6-34.0	22	11.8	05.7-17.9	51	41.3	29.7-52.9	4	4.3	00.0-09.0
45-54	248	19,807	38	14.9	08.8-21.0	40	18.2	11.3-25.1	31	13.3	07.6-19.0	130	49.2	40.8-57.6	9	4.4	01.1-07.7
55-64	538	27,507	45	9.6	06.1-13.1	61	11.2	07.5-14.9	55	9.1	06.0-12.2	364	68.2	62.9-73.5	13	1.8	00.6-03.0
65+	1079	44,496	38	4.1	02.3-05.9	73	5.6	03.8-07.4	73	7.6	05.4-09.8	865	80.1	77.0-83.2	30	2.7	01.5-03.9
Less Than H.S.	145	11,353	11	14.9	01.6-28.2	10	6.9	01.6-12.2	16	9.0	03.1-14.9	104	65.5	52.4-78.6	4	3.7	00.0-08.2
H.S. or G.E.D.	703	37,306	65	15.3	10.2-20.4	80	13.7	09.6-17.8	65	11.9	07.8-16.0	474	54.0	48.1-59.9	19	5.1	01.8-08.4
Some Post-H.S.	761	57,946	77	16.8	11.5-22.1	89	17.2	12.1-22.3	73	10.6	07.1-14.1	500	53.6	47.7-59.5	22	1.8	00.8-02.8
College Graduate	550	26,039	58	16.3	10.6-22.0	67	17.4	11.7-23.1	53	11.4	07.1-15.7	358	52.6	46.1-59.1	14	2.4	00.4-04.4
Less than \$15,000	113	8,719	23	30.2	16.1-44.3	12	16.8	03.3-30.3	9	6.9	01.2-12.6	65	39.5	26.6-52.4	4	6.5	00.0-13.8
\$15,000- 24,999	258	17,433	30	29.0	17.4-40.6	33	12.1	06.2-18.0	22	7.3	02.6-12.0	169	50.6	40.2-61.0	4	1.1	00.0-02.5
\$25,000- 34,999	227	13,566	25	21.5	09.2-33.8	25	20.5	09.1-31.9	21	10.6	04.7-16.5	153	46.4	35.2-57.6	3	1.1	00.0-02.5
\$35,000- 49,999	316	18,810	25	9.8	03.5-16.1	34	15.0	06.8-23.2	38	16.2	08.4-24.0	213	57.8	48.4-67.2	6	1.2	00.2-02.2
\$50,000- 74,999	371	24,427	29	12.8	05.4-20.2	42	13.5	07.6-19.4	36	11.6	05.5-17.7	249	58.8	50.2-67.4	15	3.3	01.3-05.3
\$75,000+	660	39,467	66	12.9	08.6-17.2	81	16.8	11.9-21.7	68	12.5	08.8-16.2	427	54.7	49.0-60.4	18	3.1	00.9-05.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1067	75,790	106	17.0	12.9-21.1	116	14.9	11.0-18.8	110	12.1	09.0-15.2	708	52.6	48.1-57.1	27	3.4	01.6-05.2
Non-Native	1026	73,132	94	16.4	12.1-20.7	111	14.6	10.7-18.5	105	12.3	09.0-15.6	690	53.3	48.6-58.0	26	3.5	01.5-05.5
25-34	65	11,907	24	36.6	20.7-52.5	19	26.7	13.0-40.4	13	22.4	08.9-35.9	7	7.9	00.8-15.0	2	6.4	00.0-15.0
35-44	72	7,791	17	19.7	08.7-30.7	15	28.9	13.0-44.8	12	14.0	04.6-23.4	25	29.5	15.8-43.2	3	7.9	00.0-16.5
45-54	101	9,623	18	17.7	07.5-27.9	16	20.0	09.0-31.0	20	20.0	09.6-30.4	43	38.9	26.6-51.2	4	3.4	00.1-06.7
55-64	273	16,855	26	12.4	06.9-17.9	32	9.5	05.6-13.4	30	10.0	05.3-14.7	180	66.8	59.5-74.1	5	1.3	00.0-02.7
65+	542	25,986	14	3.2	01.0-05.4	31	4.4	02.4-06.4	35	7.0	04.1-09.9	449	82.9	78.8-87.0	13	2.4	00.8-04.0
Less Than H.S.	88	7,720	6	19.3	00.9-37.7	3	2.6	00.0-06.1	10	8.5	01.6-15.4	67	67.9	50.5-85.3	2	1.8	00.0-04.5
H.S. or G.E.D.	343	22,115	32	15.5	08.6-22.4	39	11.2	06.1-16.3	34	13.1	07.0-19.2	228	53.8	45.8-61.8	10	6.4	01.3-11.5
Some Post-H.S.	349	30,696	38	16.1	09.4-22.8	45	20.0	12.4-27.6	39	13.4	07.9-18.9	219	48.8	41.2-56.4	8	1.8	00.2-03.4
College Graduate	287	15,259	30	19.7	11.3-28.1	29	16.4	09.0-23.8	27	10.1	05.0-15.2	194	50.9	42.1-59.7	7	2.9	00.0-06.0
\$15,000- 24,999	106	9,959	16	34.0	17.9-50.1	10	9.1	01.5-16.7	10	7.5	00.6-14.4	67	47.8	33.5-62.1	3	1.5	00.0-03.7
\$25,000- 34,999	95	6,706	11	15.1	02.4-27.8	9	22.8	04.4-41.2	8	11.2	01.6-20.8	67	51.0	34.3-67.7			
\$35,000- 49,999	161	11,172	15	11.7	02.1-21.3	17	16.6	04.3-28.9	18	14.7	05.9-23.5	109	56.3	43.4-69.2	2	0.7	00.0-01.7
\$50,000- 74,999	200	14,339	16	13.4	04.8-22.0	18	13.3	04.5-22.1	24	17.3	07.7-26.9	135	52.4	41.6-63.2	7	3.6	00.7-06.5
\$75,000+	379	24,477	35	12.5	07.0-18.0	46	16.7	10.6-22.8	41	13.0	07.9-18.1	249	54.3	46.9-61.7	8	3.5	00.2-06.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1096	57,036	105	14.9	10.2-19.6	130	15.9	11.8-20.0	97	9.5	06.6-12.4	732	57.2	52.1-62.3	32	2.5	01.3-03.7
Non-Native	1043	54,013	93	13.8	09.1-18.5	121	15.5	11.4-19.6	93	9.9	07.0-12.8	707	58.8	53.5-64.1	29	2.0	01.2-02.8
25-34	55	7,133	19	27.1	09.9-44.3	16	42.9	22.9-62.9	12	21.2	04.7-37.7	7	8.5	00.1-16.9	1	0.3	00.0-00.9
35-44	70	6,872	16	17.9	05.7-30.1	17	18.1	07.5-28.7	10	9.3	02.4-16.2	26	54.6	38.3-70.9	1	0.1	00.0-00.3
45-54	147	10,184	20	12.3	05.4-19.2	24	16.5	08.5-24.5	11	6.9	01.8-12.0	87	59.0	48.4-69.6	5	5.3	00.0-10.6
55-64	265	10,652	19	5.1	02.4-07.8	29	13.9	07.0-20.8	25	7.8	04.3-11.3	184	70.4	62.8-78.0	8	2.7	00.7-04.7
65+	537	18,509	24	5.2	02.7-07.7	42	7.1	04.2-10.0	38	8.4	05.1-11.7	416	76.1	71.0-81.2	17	3.1	01.3-04.9
Less Than H.S.	57	3,633	5	5.5	00.2-10.8	7	16.1	02.2-30.0	6	10.1	00.0-20.9	37	60.6	43.0-78.2	2	7.7	00.0-20.4
H.S. or G.E.D.	360	15,191	33	15.1	07.3-22.9	41	17.3	10.2-24.4	31	10.3	05.8-14.8	246	54.2	46.0-62.4	9	3.1	00.7-05.5
Some Post-H.S.	412	27,250	39	17.5	09.1-25.9	44	14.0	07.5-20.5	34	7.6	03.1-12.1	281	59.0	50.2-67.8	14	1.9	00.7-03.1
College Graduate	263	10,780	28	11.5	05.2-17.8	38	18.8	10.2-27.4	26	13.2	05.9-20.5	164	54.9	45.1-64.7	7	1.6	00.2-03.0
Less than \$15,000	69	4,739	13	17.5	04.6-30.4	7	23.1	01.3-44.9	6	10.8	00.8-20.8	40	41.0	23.6-58.4	3	7.6	00.0-18.0
\$15,000- 24,999	152	7,474	14	22.2	06.5-37.9	23	16.0	06.8-25.2	12	6.9	01.0-12.8	102	54.4	40.1-68.7	1	0.4	00.0-01.2
\$25,000- 34,999	132	6,860	14	27.7	08.1-47.3	16	18.3	05.4-31.2	13	10.0	03.1-16.9	86	42.0	27.5-56.5	3	2.1	00.0-05.0
\$35,000- 49,999	155	7,638	10	7.1	01.4-12.8	17	12.6	04.2-21.0	20	18.5	04.8-32.2	104	59.9	46.6-73.2	4	2.0	00.0-04.2
\$50,000- 74,999	171	10,088	13	12.0	00.0-25.1	24	13.8	06.5-21.1	12	3.5	01.0-06.0	114	67.9	54.8-81.0	8	2.9	00.5-05.3
\$75,000+	281	14,990	31	13.5	06.2-20.8	35	17.0	08.6-25.4	27	11.7	06.4-17.0	178	55.2	46.0-64.4	10	2.6	00.6-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7487	551,380	232	3.8	03.0-04.6	130	2.6	02.0-03.2	7125	93.7	92.7-94.7
Male	3142	283,189	224	7.0	05.6-08.4	117	4.8	03.6-06.0	2801	88.2	86.4-90.0
Female	4345	268,191	8	0.4	00.0-00.8	13	0.2	00.0-00.4	4324	99.5	99.1-99.9
Native	230	21,816	9	7.3	00.8-13.8	8	4.9	00.2-09.6	213	87.7	80.1-95.3
Non-Native	7137	519,066	221	3.6	02.8-04.4	119	2.5	01.9-03.1	6797	93.9	92.9-94.9
18-24	338	85,566	22	4.0	01.6-06.4	12	2.8	00.8-04.8	304	93.1	90.2-96.0
25-34	640	100,130	37	5.1	02.7-07.5	35	5.0	02.8-07.2	568	89.9	86.8-93.0
35-44	810	79,553	43	5.0	02.6-07.4	27	4.0	02.0-06.0	740	91.0	88.1-93.9
45-54	1161	85,006	57	6.1	03.9-08.3	15	1.8	00.4-03.2	1089	92.1	89.6-94.6
55-64	1792	89,697	45	2.1	01.3-02.9	28	1.7	00.7-02.7	1719	96.2	95.0-97.4
65+	2673	106,948	27	1.0	00.4-01.6	13	0.5	00.3-00.7	2633	98.5	97.9-99.1
Less Than H.S.	443	48,510	14	3.4	01.4-05.4	5	2.9	00.0-06.0	424	93.7	90.0-97.4
H.S. or G.E.D.	2222	143,156	96	4.6	03.2-06.0	45	3.5	02.1-04.9	2081	91.9	89.9-93.9
Some Post-H.S.	2406	217,707	81	4.6	03.0-06.2	49	2.4	01.4-03.4	2276	93.0	91.2-94.8
College Graduate	2392	139,436	41	1.7	00.9-02.5	31	1.8	00.8-02.8	2320	96.5	95.3-97.7
Less than \$15,000	445	43,309	11	3.9	01.0-06.8	7	2.2	00.0-04.4	427	94.0	90.3-97.7
\$15,000- 24,999	859	70,945	13	1.8	00.6-03.0	16	4.3	01.4-07.2	830	93.9	90.8-97.0
\$25,000- 34,999	687	55,025	13	2.1	00.3-03.9	9	1.7	00.3-03.1	665	96.1	93.7-98.5
\$35,000- 49,999	982	67,705	20	3.9	01.5-06.3	17	2.5	00.7-04.3	945	93.5	90.6-96.4
\$50,000- 74,999	1183	85,094	32	4.2	01.8-06.6	18	2.1	00.5-03.7	1133	93.7	91.0-96.4
\$75,000+	2463	173,673	121	4.9	03.5-06.3	50	2.6	01.6-03.6	2292	92.5	90.9-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3142	283,189	224	7.0	05.6-08.4	117	4.8	03.6-06.0	2801	88.2	86.4-90.0
Native	73	7,989	8	15.7	01.2-30.2	6	12.2	00.0-24.4	59	72.2	55.1-89.3
Non-Native	3002	268,148	214	6.7	05.3-08.1	108	4.7	03.5-05.9	2680	88.6	86.8-90.4
18-24	187	47,477	21	6.5	02.6-10.4	12	5.1	01.4-08.8	154	88.4	83.3-93.5
25-34	304	53,829	35	8.7	04.6-12.8	34	9.3	05.2-13.4	235	82.0	76.5-87.5
35-44	367	42,194	42	9.4	05.1-13.7	24	7.1	03.4-10.8	301	83.5	78.2-88.8
45-54	496	42,973	56	11.9	07.8-16.0	14	3.5	01.0-06.0	426	84.6	79.9-89.3
55-64	763	46,318	42	3.8	02.2-05.4	22	2.8	01.0-04.6	699	93.4	91.0-95.8
65+	1004	48,737	27	2.2	01.0-03.4	11	0.9	00.3-01.5	966	97.0	95.8-98.2
Less Than H.S.	215	29,916	14	5.5	02.2-08.8	4	4.7	00.0-09.8	197	89.8	83.7-95.9
H.S. or G.E.D.	954	76,501	90	7.4	05.0-09.8	42	6.4	03.9-08.9	822	86.2	82.9-89.5
Some Post-H.S.	950	109,188	79	9.2	06.3-12.1	44	4.6	02.6-06.6	827	86.2	82.9-89.5
College Graduate	1013	65,739	41	3.6	01.8-05.4	27	3.6	01.6-05.6	945	92.8	90.3-95.3
Less than \$15,000	152	17,949	9	7.3	01.0-13.6	4	4.6	00.0-09.7	139	88.1	80.3-95.9
\$15,000- 24,999	297	35,077	13	3.7	01.3-06.1	13	8.2	02.3-14.1	271	88.1	82.0-94.2
\$25,000- 34,999	259	26,802	12	4.3	00.8-07.8	9	3.5	00.6-06.4	238	92.2	87.7-96.7
\$35,000- 49,999	418	37,069	20	7.2	02.9-11.5	15	4.6	01.5-07.7	383	88.2	83.1-93.3
\$50,000- 74,999	533	46,600	31	7.7	03.6-11.8	15	3.6	00.9-06.3	487	88.7	84.0-93.4
\$75,000+	1224	96,460	119	8.5	06.1-10.9	49	4.7	02.9-06.5	1056	86.7	84.0-89.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4345	268,191	8	0.4	00.0-00.8	13	0.2	00.0-00.4	4324	99.5	99.1-99.9
Native	157	13,828	1	2.5	00.0-07.4	2	0.7	00.0-01.7	154	96.7	91.8-0100
Non-Native	4135	250,917	7	0.3	00.1-00.5	11	0.1	00.1-00.1	4117	99.6	99.4-99.8
18-24	151	38,090	1	0.9	00.0-02.7				150	99.1	97.3-0100
25-34	336	46,301	2	1.0	00.0-02.4	1	0.0	00.0-00.0	333	99.0	97.6-0100
35-44	443	37,359	1	0.1	00.0-00.3	3	0.4	00.0-00.8	439	99.5	98.9-0100
45-54	665	42,033	1	0.2	00.0-00.6	1	0.0	00.0-00.0	663	99.8	99.4-0100
55-64	1029	43,379	3	0.3	00.0-00.7	6	0.4	00.0-00.8	1020	99.3	98.7-99.9
65+	1669	58,211				2	0.1	00.0-00.3	1667	99.9	99.7-0100
Less Than H.S.	228	18,594				1	0.2	00.0-00.6	227	99.8	99.4-0100
H.S. or G.E.D.	1268	66,655	6	1.4	00.0-02.8	3	0.2	00.0-00.4	1259	98.4	97.0-99.8
Some Post-H.S.	1456	108,520	2	0.1	00.0-00.3	5	0.2	00.0-00.4	1449	99.8	99.6-0100
College Graduate	1379	73,697				4	0.1	00.0-00.3	1375	99.9	99.7-0100
Less than \$15,000	293	25,360	2	1.4	00.0-03.8	3	0.4	00.0-01.0	288	98.1	95.7-0100
\$15,000- 24,999	562	35,868				3	0.5	00.0-01.1	559	99.5	98.9-0100
\$25,000- 34,999	428	28,223	1	0.1	00.0-00.3				427	99.9	99.7-0100
\$35,000- 49,999	564	30,636				2	0.0	00.0-00.0	562	100.0	0100-0100
\$50,000- 74,999	650	38,494	1	0.0	00.0-00.0	3	0.2	00.0-00.4	646	99.7	99.5-99.9
\$75,000+	1239	77,213	2	0.2	00.0-00.6	1	0.0	00.0-00.0	1236	99.7	99.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 10: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \*\*\*\*\*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\*\*\*\*\*

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	185
2 MALES ONLY	186
3 FEMALES ONLY	187
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	188
5 MALES ONLY	189
6 FEMALES ONLY	190
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	191
8 MALES ONLY	192
9 FEMALES ONLY	193
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	194
11 MALES ONLY	195
12 FEMALES ONLY	196

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7418	546,069	1058	15.8	14.4-17.2	138	1.8	0.1-02.2	2537	35.9	34.1-37.7	531	7.6	06.6-08.6	3154	38.9	37.1-40.7
Male	3099	279,042	527	18.5	16.3-20.7	95	2.8	02.0-03.6	1062	34.9	32.4-37.4	346	10.6	08.8-12.4	1069	33.2	30.7-35.7
Female	4319	267,027	531	13.0	11.2-14.8	43	0.7	00.3-01.1	1475	37.0	34.5-39.5	185	4.6	03.4-05.8	2085	44.7	42.2-47.2
Native	226	21,481	19	8.9	03.2-14.6	1	0.0	00.0-00.0	61	23.5	14.5-32.5	8	9.4	01.6-17.2	137	58.1	47.1-69.1
Non-Native	7073	514,129	1026	16.1	14.7-17.5	134	1.8	01.4-02.2	2447	36.6	34.8-38.4	516	7.6	06.6-08.6	2950	37.8	36.0-39.6
18-24	333	84,213	52	17.7	12.4-23.0	3	0.1	00.0-00.3	128	37.3	30.8-43.8	24	7.0	03.1-10.9	126	37.9	31.2-44.6
25-34	632	99,068	120	19.6	15.5-23.7	6	1.2	00.0-02.4	278	40.7	35.6-45.8	54	9.1	06.0-12.2	174	29.4	24.3-34.5
35-44	807	79,284	115	14.3	10.8-17.8	11	2.2	00.6-03.8	377	46.6	41.7-51.5	57	6.7	04.3-09.1	247	30.2	25.7-34.7
45-54	1158	84,517	199	17.3	14.2-20.4	19	2.0	01.0-03.0	445	36.0	32.3-39.7	72	7.3	05.1-09.5	423	37.3	33.4-41.2
55-64	1777	88,921	275	16.0	13.6-18.4	35	2.6	01.4-03.8	611	32.2	29.3-35.1	129	7.7	05.9-09.5	727	41.5	38.4-44.6
65+	2639	105,617	286	10.6	09.0-12.2	64	2.6	01.8-03.4	680	25.3	22.9-27.7	192	7.9	06.5-09.3	1417	53.6	50.9-56.3
Less Than H.S.	432	47,413	41	8.4	04.5-12.3	7	1.5	00.0-03.3	84	20.5	15.0-26.0	33	12.8	06.7-18.9	267	56.8	49.4-64.2
H.S. or G.E.D.	2202	141,614	296	15.8	13.3-18.3	38	1.3	00.7-01.9	679	33.7	30.6-36.8	120	5.2	03.8-06.6	1069	44.0	40.7-47.3
Some Post-H.S.	2393	216,625	359	16.6	14.1-19.1	57	2.4	01.6-03.2	840	36.4	33.3-39.5	167	7.3	05.5-09.1	970	37.3	34.2-40.4
College Graduate	2370	138,193	359	17.3	14.8-19.8	36	1.6	00.8-02.4	931	42.7	39.6-45.8	211	9.0	07.2-10.8	833	29.5	26.8-32.2
Less than \$15,000	445	42,981	27	9.2	04.3-14.1	6	1.0	00.0-02.0	96	27.9	20.5-35.3	17	7.7	02.4-13.0	299	54.2	46.2-62.2
\$15,000- 24,999	846	70,013	85	12.2	08.3-16.1	9	1.0	00.2-01.8	235	31.9	26.6-37.2	31	5.5	02.6-08.4	486	49.4	43.7-55.1
\$25,000- 34,999	681	54,507	83	17.1	12.0-22.2	13	1.9	00.3-03.5	189	31.8	25.7-37.9	40	5.0	02.1-07.9	356	44.2	37.9-50.5
\$35,000- 49,999	973	67,458	147	18.9	14.4-23.4	23	3.3	01.3-05.3	330	35.3	30.4-40.2	70	7.6	04.9-10.3	403	34.9	30.2-39.6
\$50,000- 74,999	1181	84,708	178	17.7	14.0-21.4	32	2.2	01.2-03.2	455	39.6	35.1-44.1	79	7.4	05.0-09.8	437	33.1	28.8-37.4
\$75,000+	2447	172,513	422	17.0	14.8-19.2	44	1.8	01.0-02.6	988	40.2	37.3-43.1	250	10.8	08.8-12.8	743	30.2	27.3-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3099	279,042	527	18.5	16.3-20.7	95	2.8	0.2-0.3.6	1062	34.9	32.4-37.4	346	10.6	0.8-12.4	1069	33.2	30.7-35.7
Native	72	7,947	9	14.1	0.2-5.25.7	1	0.1	0.0-0.0.3	28	41.2	23.6-58.8	3	6.3	0.0-15.9	31	38.4	21.3-55.5
Non-Native	2960	264,070	507	18.7	16.5-20.9	91	2.8	0.2-0.3.6	1014	34.7	32.0-37.4	339	10.8	0.9-12.6	1009	33.0	30.3-35.7
18-24	183	46,164	38	22.8	15.0-30.6	3	0.3	0.0-0.0.7	61	30.2	22.0-38.4	17	8.4	0.2-14.1	64	38.4	29.2-47.6
25-34	300	53,123	70	23.0	16.9-29.1	5	2.2	0.0-0.4.4	125	38.8	31.7-45.9	39	11.7	0.6-16.6	61	24.2	17.7-30.7
35-44	365	42,185	58	15.9	10.6-21.2	6	3.0	0.3-0.5.7	164	44.5	37.4-51.6	43	9.9	0.5-14.0	94	26.8	20.3-33.3
45-54	497	42,688	90	18.8	13.9-23.7	14	3.2	0.1-0.5.2	185	35.5	29.6-41.4	51	11.4	0.7-15.3	157	31.1	25.6-36.6
55-64	751	45,674	131	17.8	14.1-21.5	24	4.1	0.2-1.0.6.1	253	31.6	27.3-35.9	76	10.3	0.7-13.2	267	36.1	31.6-40.6
65+	984	47,610	138	12.4	0.9-14.9	43	4.3	0.2-0.5.9	268	28.5	24.4-32.6	119	11.7	0.9-14.4	416	43.2	38.9-47.5
Less Than H.S.	210	29,290	28	10.6	0.4-16.3	5	2.0	0.0-0.4.7	47	22.2	14.4-30.0	25	17.5	0.8-26.5	105	47.7	37.3-58.1
H.S. or G.E.D.	943	75,160	148	17.6	13.9-21.3	26	2.0	0.1-0.3.0	318	37.0	32.3-41.7	82	7.3	0.5-10.9.5	369	36.2	31.7-40.7
Some Post-H.S.	941	108,272	177	20.6	16.5-24.7	38	3.6	0.2-0.5.2	324	35.2	30.7-39.7	105	9.8	0.7-12.3	297	30.8	26.5-35.1
College Graduate	997	64,792	172	20.0	16.1-23.9	26	2.9	0.1-0.4.5	371	37.5	33.0-42.0	134	12.7	0.9-15.8	294	26.9	22.8-31.0
Less than \$15,000	151	17,450	15	10.2	0.3-17.3	5	2.1	0.0-0.4.5	32	22.4	12.6-32.2	12	14.3	0.3-25.1	87	51.0	38.5-63.5
\$15,000- 24,999	291	34,583	39	15.1	0.8-21.6	5	1.7	0.0-0.3.5	96	36.2	27.6-44.8	15	5.2	0.1-10.9.3	136	41.9	33.1-50.7
\$25,000- 34,999	256	26,527	40	21.9	13.5-30.3	8	3.1	0.0-0.6.4	70	29.8	21.0-38.6	21	5.2	0.2-0.8.1	117	39.9	30.9-48.9
\$35,000- 49,999	414	36,895	76	25.2	17.9-32.5	16	4.7	0.1-0.8.0	132	33.7	26.4-41.0	42	9.2	0.5-13.1	148	27.2	21.3-33.1
\$50,000- 74,999	530	46,053	93	18.7	13.0-24.4	22	3.3	0.1-0.4.9	201	39.8	33.5-46.1	53	10.3	0.6-14.2	161	27.9	22.0-33.8
\$75,000+	1217	95,892	220	18.2	15.1-21.3	33	2.7	0.1-0.3.9	463	36.2	32.1-40.3	181	15.4	12.3-18.5	320	27.5	23.6-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4319	267,027	531	13.0	11.2-14.8	43	0.7	00.3-01.1	1475	37.0	34.5-39.5	185	4.6	03.4-05.8	2085	44.7	42.2-47.2
Native	154	13,534	10	5.9	00.0-11.8				33	13.2	04.8-21.6	5	11.2	00.0-22.4	106	69.7	56.6-82.8
Non-Native	4113	250,059	519	13.5	11.7-15.3	43	0.8	00.4-01.2	1433	38.6	36.1-41.1	177	4.3	03.3-05.3	1941	42.9	40.4-45.4
18-24	150	38,048	14	11.5	04.8-18.2				67	46.1	36.1-56.1	7	5.3	00.2-10.4	62	37.2	27.6-46.8
25-34	332	45,946	50	15.7	10.2-21.2	1	0.0	00.0-00.0	153	42.8	35.2-50.4	15	6.1	02.2-10.0	113	35.3	27.7-42.9
35-44	442	37,099	57	12.5	08.2-16.8	5	1.3	00.0-02.9	213	49.1	42.4-55.8	14	3.0	00.6-05.4	153	34.1	27.6-40.6
45-54	661	41,830	109	15.9	12.2-19.6	5	0.8	00.0-01.6	260	36.6	31.9-41.3	21	3.1	01.5-04.7	266	43.6	38.5-48.7
55-64	1026	43,247	144	14.1	11.2-17.0	11	1.0	00.2-01.8	358	32.8	28.9-36.7	53	4.8	03.2-06.4	460	47.3	43.2-51.4
65+	1655	58,007	148	9.2	07.2-11.2	21	1.2	00.4-02.0	412	22.7	20.0-25.4	73	4.8	03.4-06.2	1001	62.1	59.0-65.2
Less Than H.S.	222	18,123	13	4.9	00.6-09.2	2	0.8	00.0-02.0	37	17.6	10.3-24.9	8	5.1	00.0-11.0	162	71.6	62.6-80.6
H.S. or G.E.D.	1259	66,455	148	13.7	10.4-17.0	12	0.5	00.1-00.9	361	30.0	25.7-34.3	38	2.9	01.7-04.1	700	52.9	48.2-57.6
Some Post-H.S.	1452	108,353	182	12.6	09.9-15.3	19	1.2	00.4-02.0	516	37.7	33.4-42.0	62	4.8	02.6-07.0	673	43.7	39.4-48.0
College Graduate	1373	73,401	187	14.9	11.8-18.0	10	0.4	00.0-00.8	560	47.3	43.0-51.6	77	5.6	03.6-07.6	539	31.7	28.0-35.4
Less than \$15,000	294	25,531	12	8.6	01.9-15.3	1	0.2	00.0-00.6	64	31.7	21.5-41.9	5	3.2	00.0-07.5	212	56.4	46.0-66.8
\$15,000- 24,999	555	35,430	46	9.5	05.0-14.0	4	0.2	00.0-00.4	139	27.8	21.3-34.3	16	5.8	01.3-10.3	350	56.7	49.4-64.0
\$25,000- 34,999	425	27,980	43	12.6	06.9-18.3	5	0.7	00.1-01.3	119	33.6	25.2-42.0	19	4.8	00.0-10.1	239	48.3	39.7-56.9
\$35,000- 49,999	559	30,563	71	11.3	06.8-15.8	7	1.6	00.0-03.2	198	37.1	30.6-43.6	28	5.7	02.2-09.2	255	44.2	37.5-50.9
\$50,000- 74,999	651	38,655	85	16.6	11.7-21.5	10	0.8	00.2-01.4	254	39.4	33.1-45.7	26	3.9	01.5-06.3	276	39.3	33.2-45.4
\$75,000+	1230	76,621	202	15.6	12.5-18.7	11	0.7	00.1-01.3	525	45.1	40.6-49.6	69	5.0	03.6-06.4	423	33.6	29.3-37.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4200	329,344	1886	33.7	31.5-35.9	1257	31.3	28.9-33.7	508	14.4	12.6-16.2	225	8.5	06.9-10.1	324	12.1	10.3-13.9
Male	1997	183,383	678	25.8	23.1-28.5	634	29.8	26.9-32.7	306	17.2	14.7-19.7	146	10.0	07.8-12.2	233	17.2	14.3-20.1
Female	2203	145,961	1208	43.5	40.2-46.8	623	33.2	29.7-36.7	202	10.9	08.7-13.1	79	6.7	04.5-08.9	91	5.8	03.8-07.8
Native	85	8,555	13	11.4	00.0-23.7	17	15.3	02.2-28.4	19	19.2	07.4-31.0	9	11.7	00.0-23.9	27	42.4	24.8-60.0
Non-Native	4064	315,625	1848	34.3	32.1-36.5	1224	31.8	29.4-34.2	487	14.5	12.7-16.3	215	8.5	06.9-10.1	290	11.0	09.2-12.8
18-24	202	51,145	41	17.9	11.6-24.2	63	34.4	26.0-42.8	38	16.9	10.6-23.2	15	10.6	04.7-16.5	45	20.3	13.2-27.4
25-34	450	68,917	110	22.4	17.3-27.5	151	32.4	26.5-38.3	76	15.2	10.9-19.5	51	13.6	09.1-18.1	62	16.3	11.4-21.2
35-44	554	54,674	167	26.1	21.2-31.0	175	30.0	24.7-35.3	92	19.2	14.3-24.1	36	9.4	05.5-13.3	84	15.3	10.6-20.0
45-54	730	52,711	262	32.4	27.9-36.9	237	32.7	28.0-37.4	114	16.5	12.6-20.4	51	7.5	05.0-10.0	66	10.9	07.4-14.4
55-64	1038	51,452	488	44.8	40.7-48.9	349	33.1	29.2-37.0	107	10.3	07.8-12.8	48	6.3	04.1-08.5	46	5.5	03.3-07.7
65+	1194	48,139	797	62.6	58.7-66.5	273	24.7	21.2-28.2	80	8.0	05.8-10.2	24	1.9	00.9-02.9	20	2.8	00.6-05.0
Less Than H.S.	157	19,068	65	25.1	16.9-33.3	30	18.2	10.2-26.2	23	18.0	09.4-26.6	10	7.3	00.8-13.8	29	31.4	19.2-43.6
H.S. or G.E.D.	1111	78,262	481	32.3	28.4-36.2	291	31.0	26.5-35.5	164	15.7	12.4-19.0	57	8.0	05.1-10.9	118	13.1	09.8-16.4
Some Post-H.S.	1400	134,777	606	31.7	28.2-35.2	432	32.0	28.1-35.9	159	13.1	10.2-16.0	92	10.5	07.6-13.4	111	12.6	09.5-15.7
College Graduate	1526	96,484	731	39.3	35.6-43.0	502	32.7	29.2-36.2	161	14.6	11.7-17.5	66	6.4	04.2-08.6	66	7.0	04.6-09.4
Less than \$15,000	142	19,599	51	21.5	12.1-30.9	38	25.3	13.7-36.9	10	8.6	02.5-14.7	11	10.3	01.5-19.1	32	34.3	21.6-47.0
\$15,000- 24,999	354	35,310	174	30.6	23.9-37.3	80	29.0	21.2-36.8	39	15.9	09.4-22.4	22	9.0	03.7-14.3	39	15.7	09.0-22.4
\$25,000- 34,999	317	29,610	159	34.6	26.4-42.8	81	27.3	19.3-35.3	43	19.5	11.7-27.3	9	4.2	00.0-08.5	25	14.3	07.4-21.2
\$35,000- 49,999	564	43,410	247	31.1	25.4-36.8	189	32.2	26.1-38.3	67	17.1	11.6-22.6	26	9.6	04.7-14.5	35	9.9	05.0-14.8
\$50,000- 74,999	736	56,151	342	33.4	28.5-38.3	208	33.1	27.6-38.6	92	15.9	11.4-20.4	50	8.5	05.4-11.6	44	9.1	05.0-13.2
\$75,000+	1688	118,724	695	34.4	31.1-37.7	551	32.7	29.4-36.0	216	12.3	10.1-14.5	95	10.1	07.4-12.8	131	10.5	08.0-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1997	183,383	678	25.8	23.1-28.5	634	29.8	26.9-32.7	306	17.2	14.7-19.7	146	10.0	07.8-12.2	233	17.2	14.3-20.1
Non-Native	1921	174,517	654	26.3	23.6-29.0	617	30.3	27.2-33.4	298	17.6	14.9-20.3	141	10.2	07.8-12.6	211	15.6	12.9-18.3
18-24	117	27,564	14	12.2	05.1-19.3	29	23.9	14.5-33.3	28	21.6	12.2-31.0	10	12.4	04.2-20.6	36	29.9	19.1-40.7
25-34	233	39,574	35	15.9	09.8-22.0	78	33.7	25.9-41.5	48	16.8	10.9-22.7	28	12.1	06.8-17.4	44	21.6	14.3-28.9
35-44	267	30,306	63	19.5	13.4-25.6	74	23.5	17.2-29.8	51	22.5	15.4-29.6	24	14.7	08.2-21.2	55	19.9	12.6-27.2
45-54	337	29,242	93	24.8	18.5-31.1	107	30.7	24.0-37.4	55	18.5	12.0-25.0	33	8.9	05.0-12.8	49	17.1	11.2-23.0
55-64	478	28,944	168	34.4	28.9-39.9	178	35.9	30.4-41.4	66	12.6	08.9-16.3	33	8.5	05.0-12.0	33	8.6	05.1-12.1
65+	556	26,635	300	52.0	46.3-57.7	165	29.7	24.6-34.8	58	11.9	08.4-15.4	18	2.2	01.0-03.4	15	4.2	00.5-07.9
Less Than H.S.	98	13,938	40	24.3	14.3-34.3	14	13.7	05.7-21.7	15	19.0	08.0-30.0	5	4.0	00.0-08.7	24	38.9	24.0-53.8
H.S. or G.E.D.	564	47,577	169	25.6	20.5-30.7	163	26.7	21.4-32.0	104	19.5	14.4-24.6	42	10.7	06.4-15.0	86	17.5	12.8-22.2
Some Post-H.S.	635	74,277	195	23.6	19.1-28.1	204	31.0	25.9-36.1	96	14.9	10.6-19.2	60	12.4	08.3-16.5	80	18.0	13.1-22.9
College Graduate	696	46,870	273	30.3	25.6-35.0	251	35.0	29.9-40.1	90	18.2	13.7-22.7	39	7.4	04.3-10.5	43	9.2	05.9-12.5
Less than \$15,000	62	8,522	13	15.2	02.9-27.5	14	12.5	03.1-21.9	6	11.8	00.8-22.8	5	4.0	00.0-08.1	24	56.5	38.9-74.1
\$15,000- 24,999	154	20,071	61	25.3	16.5-34.1	31	20.3	11.1-29.5	23	19.5	09.5-29.5	15	14.1	05.1-23.1	24	20.7	10.5-30.9
\$25,000- 34,999	136	15,418	52	24.1	13.9-34.3	40	28.5	17.5-39.5	20	17.9	07.5-28.3	5	5.2	00.0-12.5	19	24.3	12.3-36.3
\$35,000- 49,999	263	26,655	81	21.8	15.1-28.5	99	29.4	21.4-37.4	40	22.2	14.2-30.2	21	12.8	05.5-20.1	22	13.8	06.2-21.4
\$50,000- 74,999	365	32,781	130	25.7	19.6-31.8	115	34.9	27.5-42.3	57	19.5	13.0-26.0	33	10.0	05.3-14.7	30	10.0	04.5-15.5
\$75,000+	884	68,034	295	26.6	22.7-30.5	292	32.8	28.3-37.3	136	14.6	11.5-17.7	60	10.8	07.5-14.1	101	15.3	11.4-19.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2203	145,961	1208	43.5	40.2-46.8	623	33.2	29.7-36.7	202	10.9	08.7-13.1	79	6.7	04.5-08.9	91	5.8	03.8-07.8
Non-Native	2143	141,108	1194	44.2	40.9-47.5	607	33.6	30.1-37.1	189	10.6	08.2-13.0	74	6.4	04.2-08.6	79	5.3	03.3-07.3
18-24	85	23,581	27	24.6	14.2-35.0	34	46.6	33.3-59.9	10	11.3	03.7-18.9	5	8.5	00.1-16.9	9	9.0	01.7-16.3
25-34	217	29,342	75	31.2	22.8-39.6	73	30.7	22.3-39.1	28	13.1	06.8-19.4	23	15.8	08.2-23.4	18	9.3	03.2-15.4
35-44	287	24,368	104	34.4	26.6-42.2	101	38.1	30.1-46.1	41	15.2	09.1-21.3	12	2.8	00.8-04.8	29	9.5	04.6-14.4
45-54	393	23,469	169	41.9	35.6-48.2	130	35.1	28.8-41.4	59	14.1	10.0-18.2	18	5.8	02.7-08.9	17	3.2	01.4-05.0
55-64	560	22,508	320	58.3	52.8-63.8	171	29.5	24.4-34.6	41	7.4	04.3-10.5	15	3.4	01.0-05.8	13	1.5	00.5-02.5
65+	638	21,504	497	75.7	70.8-80.6	108	18.6	14.1-23.1	22	3.1	01.3-04.9	6	1.5	00.0-03.1	5	1.0	00.0-02.2
Less Than H.S.	59	5,130	25	27.2	13.1-41.3	16	30.4	11.8-49.0	8	15.4	04.0-26.8	5	16.1	00.0-34.7	5	10.9	00.0-24.4
H.S. or G.E.D.	547	30,685	312	42.7	36.2-49.2	128	37.5	30.1-44.9	60	9.8	06.1-13.5	15	3.8	01.1-06.5	32	6.1	02.4-09.8
Some Post-H.S.	765	60,499	411	41.7	36.0-47.4	228	33.3	27.4-39.2	63	10.8	06.9-14.7	32	8.3	04.0-12.6	31	5.9	02.6-09.2
College Graduate	830	49,614	458	47.9	42.4-53.4	251	30.6	25.7-35.5	71	11.1	07.4-14.8	27	5.6	02.7-08.5	23	4.9	02.0-07.8
Less than \$15,000	80	11,077	38	26.3	12.6-40.0	24	35.2	17.4-53.0	4	6.1	00.0-12.4	6	15.2	00.3-30.1	8	17.2	02.7-31.7
\$15,000- 24,999	200	15,240	113	37.5	27.3-47.7	49	40.4	28.2-52.6	16	11.0	04.1-17.9	7	2.2	00.2-04.2	15	8.9	01.5-16.3
\$25,000- 34,999	181	14,192	107	46.1	33.2-59.0	41	26.0	13.8-38.2	23	21.3	09.3-33.3	4	3.1	00.0-07.8	6	3.5	00.0-07.6
\$35,000- 49,999	301	16,755	166	46.1	37.3-54.9	90	36.7	27.7-45.7	27	9.0	03.5-14.5	5	4.5	00.0-09.2	13	3.7	00.6-06.8
\$50,000- 74,999	371	23,370	212	44.2	36.2-52.2	93	30.6	22.6-38.6	35	10.9	05.6-16.2	17	6.5	02.2-10.8	14	7.9	01.8-14.0
\$75,000+	804	50,690	400	45.0	39.7-50.3	259	32.6	27.9-37.3	80	9.3	06.6-12.0	35	9.2	04.7-13.7	30	4.0	01.8-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days  
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4199	329,649	475	14.6	12.6-16.6	249	8.0	06.4-09.6	117	3.6	02.6-04.6	90	3.7	02.5-04.9	236	9.6	07.8-11.4	3032	60.6	58.1-63.1
Male	1997	183,583	257	14.0	11.6-16.4	147	8.9	06.7-11.1	75	4.1	02.7-05.5	60	4.4	02.8-06.0	171	13.6	11.1-16.1	1287	55.0	51.7-58.3
Female	2202	146,066	218	15.3	12.4-18.2	102	6.8	04.6-09.0	42	3.0	01.6-04.4	30	2.7	01.3-04.1	65	4.5	02.7-06.3	1745	67.6	63.9-71.3
Native	85	8,770	14	9.9	03.4-16.4	11	20.9	04.0-37.8	5	13.6	00.1-27.1	7	10.2	00.2-20.2	9	17.6	03.3-31.9	39	27.8	13.1-42.5
Non-Native	4062	315,665	459	14.9	12.9-16.9	234	7.6	06.0-09.2	110	3.3	02.3-04.3	82	3.5	02.3-04.7	222	9.2	07.6-10.8	2955	61.6	59.1-64.1
18-24	200	51,452	34	19.5	12.2-26.8	39	19.0	11.9-26.1	6	2.3	00.0-04.8	12	5.8	01.5-10.1	25	13.6	07.3-19.9	84	39.7	31.3-48.1
25-34	453	69,336	108	20.7	15.6-25.8	49	9.2	05.9-12.5	14	4.1	01.4-06.8	18	5.6	02.5-08.7	41	12.5	08.2-16.8	223	47.9	41.6-54.2
35-44	554	54,856	83	15.7	11.2-20.2	42	7.4	04.3-10.5	21	4.5	02.0-07.0	23	5.0	02.3-07.7	52	10.9	06.8-15.0	333	56.5	50.6-62.4
45-54	729	52,633	110	17.0	13.1-20.9	42	5.5	03.1-07.9	32	6.6	03.5-09.7	16	2.5	00.7-04.3	44	7.7	05.0-10.4	485	60.7	55.6-65.8
55-64	1033	51,116	81	7.3	05.1-09.5	54	5.0	03.2-06.8	31	3.2	01.8-04.6	14	1.7	00.7-02.7	46	6.9	04.4-09.4	807	75.9	72.4-79.4
65+	1201	48,283	59	4.8	03.2-06.4	23	1.5	00.7-02.3	13	0.8	00.2-01.4	7	0.5	00.1-00.9	26	3.7	01.5-05.9	1073	88.8	86.1-91.5
Less Than H.S.	161	19,844	16	5.0	02.1-07.9	9	6.2	00.0-12.7	5	5.0	00.0-10.3	5	5.1	00.0-11.4	21	28.1	15.8-40.4	105	50.6	38.8-62.4
H.S. or G.E.D.	1106	77,471	128	14.1	10.6-17.6	80	8.0	05.5-10.5	32	2.7	01.3-04.1	29	3.6	01.4-05.8	65	9.0	06.1-11.9	772	62.6	57.9-67.3
Some Post-H.S.	1400	134,600	167	17.6	14.1-21.1	87	9.1	06.2-12.0	41	4.0	02.2-05.8	40	4.6	02.6-06.6	92	9.5	06.8-12.2	973	55.1	50.8-59.4
College Graduate	1526	96,980	162	12.2	09.5-14.9	73	6.9	04.7-09.1	39	3.5	01.9-05.1	16	2.1	00.7-03.5	58	6.4	04.2-08.6	1178	68.9	65.2-72.6
Less than \$15,000	144	19,648	19	15.0	06.2-23.8	10	13.8	02.8-24.8	4	4.1	00.0-09.4	7	2.7	00.2-05.2	21	26.9	14.6-39.2	83	37.5	25.7-49.3
\$15,000- 24,999	354	34,608	35	14.1	07.6-20.6	21	10.2	04.1-16.3	10	2.7	00.0-05.4	10	5.9	01.6-10.2	19	8.6	03.7-13.5	259	58.6	50.0-67.2
\$25,000- 34,999	320	30,155	28	14.3	06.3-22.3	19	9.2	03.3-15.1	9	5.3	00.8-09.8	9	2.6	00.0-06.1	15	7.3	02.4-12.2	240	61.2	51.8-70.6
\$35,000- 49,999	566	43,520	65	16.9	11.4-22.4	32	9.9	05.0-14.8	7	1.0	00.0-02.2	11	3.6	00.3-06.9	36	9.9	05.8-14.0	415	58.7	51.8-65.6
\$50,000- 74,999	732	55,903	83	17.0	12.1-21.9	36	5.0	02.5-07.5	26	5.6	02.3-08.9	12	2.4	00.2-04.6	29	6.4	03.3-09.5	546	63.6	57.7-69.5
\$75,000+	1688	119,630	214	13.7	11.2-16.2	113	7.5	05.5-09.5	55	4.1	02.7-05.5	34	3.8	02.0-05.6	101	10.0	07.3-12.7	1171	60.9	57.2-64.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1997	183,583	257	14.0	11.6-16.4	147	8.9	06.7-11.1	75	4.1	02.7-05.5	60	4.4	02.8-06.0	171	13.6	11.1-16.1	1287	55.0	51.7-58.3
Non-Native	1918	174,262	246	14.2	11.7-16.7	140	8.8	06.6-11.0	71	3.7	02.5-04.9	56	4.3	02.7-05.9	160	12.8	10.3-15.3	1245	56.0	52.5-59.5
18-24	115	27,676	19	15.9	07.1-24.7	28	24.1	14.1-34.1	3	0.9	00.0-02.3	9	6.4	00.5-12.3	18	17.9	08.3-27.5	38	34.7	23.7-45.7
25-34	236	39,670	52	16.8	10.7-22.9	27	7.9	03.8-12.0	9	4.3	00.6-08.0	14	7.0	02.7-11.3	32	17.8	11.1-24.5	102	46.2	38.0-54.4
35-44	268	30,588	41	17.3	10.6-24.0	23	8.4	03.7-13.1	11	3.1	00.7-05.5	13	6.2	01.9-10.5	38	15.9	09.2-22.6	142	49.1	40.9-57.3
45-54	335	29,111	62	18.0	12.5-23.5	21	5.6	02.3-08.9	21	10.3	05.0-15.6	10	3.3	00.6-06.0	28	10.4	05.9-14.9	193	52.4	45.0-59.8
55-64	478	28,886	45	7.7	04.8-10.6	32	6.2	03.7-08.7	23	4.7	02.5-06.9	10	2.0	00.6-03.4	32	10.2	06.1-14.3	336	69.2	63.7-74.7
65+	558	26,793	38	6.8	04.1-09.5	16	2.1	00.7-03.5	8	1.0	00.2-01.8	4	0.6	00.0-01.2	21	5.8	02.1-09.5	471	83.6	78.9-88.3
Less Than H.S.	101	14,689	8	3.6	00.7-06.5	4	3.8	00.0-09.1	3	3.7	00.0-09.2	5	6.9	00.0-15.3	18	36.2	20.9-51.5	63	45.9	32.2-59.6
H.S. or G.E.D.	560	46,873	78	13.6	09.5-17.7	54	10.8	06.7-14.9	22	3.7	01.5-05.9	19	3.4	00.9-05.9	47	11.6	07.3-15.9	340	56.9	50.6-63.2
Some Post-H.S.	633	74,036	91	17.3	12.6-22.0	53	10.2	06.3-14.1	30	4.8	02.3-07.3	25	5.4	02.5-08.3	65	13.1	09.2-17.0	369	49.0	43.1-54.9
College Graduate	699	47,265	78	11.3	07.8-14.8	36	6.7	03.6-09.8	20	3.5	01.3-05.7	11	3.2	01.0-05.4	41	9.6	06.1-13.1	513	65.7	60.2-71.2
Less than \$15,000	63	8,518	9	10.0	01.6-18.4	3	4.7	00.0-10.6	1	4.6	00.0-13.4	6	5.7	00.0-11.6	17	50.2	32.0-68.4	27	24.8	12.1-37.5
\$15,000- 24,999	153	19,459	17	13.0	04.2-21.8	10	11.9	02.9-20.9	6	1.4	00.2-02.6	6	7.2	00.5-13.9	13	10.3	03.4-17.2	101	56.2	44.2-68.2
\$25,000- 34,999	138	15,926	9	6.6	00.0-14.2	8	10.9	01.7-20.1	6	7.0	00.3-13.7	5	4.1	00.0-10.6	11	12.0	03.4-20.6	99	59.3	46.2-72.4
\$35,000- 49,999	264	26,589	36	19.0	11.0-27.0	19	12.6	05.2-20.0	6	1.5	00.0-03.3	7	4.9	00.0-10.2	23	12.4	06.3-18.5	173	49.7	40.3-59.1
\$50,000- 74,999	361	32,582	50	19.1	12.2-26.0	21	5.1	01.6-08.6	18	6.1	01.8-10.4	8	3.4	00.0-06.9	19	7.3	03.0-11.6	245	59.1	51.1-67.1
\$75,000+	887	69,136	122	13.7	10.6-16.8	78	8.9	06.2-11.6	33	4.6	02.6-06.6	24	4.3	02.1-06.5	75	14.3	10.0-18.6	555	54.1	49.2-59.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2202	146,066	218	15.3	12.4-18.2	102	6.8	04.6-09.0	42	3.0	01.6-04.4	30	2.7	01.3-04.1	65	4.5	02.7-06.3	1745	67.6	63.9-71.3
Non-Native	2144	141,404	213	15.6	12.5-18.7	94	6.1	04.1-08.1	39	2.8	01.4-04.2	26	2.4	01.0-03.8	62	4.6	02.8-06.4	1710	68.4	64.7-72.1
18-24	85	23,776	15	23.7	11.7-35.7	11	13.0	03.0-23.0	3	3.9	00.0-09.0	3	5.2	00.0-11.1	7	8.6	01.2-16.0	46	45.6	32.7-58.5
25-34	217	29,666	56	25.9	17.7-34.1	22	10.9	05.2-16.6	5	3.9	00.0-08.0	4	3.8	00.0-07.9	9	5.4	00.5-10.3	121	50.2	40.8-59.6
35-44	286	24,268	42	13.7	08.4-19.0	19	6.0	02.3-09.7	10	6.3	01.4-11.2	10	3.5	00.4-06.6	14	4.5	01.2-07.8	191	65.9	58.1-73.7
45-54	394	23,522	48	15.8	10.7-20.9	21	5.3	02.4-08.2	11	2.0	00.4-03.6	6	1.5	00.1-02.9	16	4.3	01.8-06.8	292	71.1	65.0-77.2
55-64	555	22,230	36	6.8	03.9-09.7	22	3.5	01.3-05.7	8	1.2	00.4-02.0	4	1.4	00.0-03.0	14	2.6	01.0-04.2	471	84.5	80.4-88.6
65+	643	21,491	21	2.2	01.0-03.4	7	0.8	00.2-01.4	5	0.4	00.0-00.8	3	0.3	00.0-00.7	5	1.0	00.0-02.4	602	95.2	93.2-97.2
Less Than H.S.	60	5,155	8	9.0	01.6-16.4	5	13.0	00.0-31.4	2	9.0	00.0-22.3				3	5.2	00.0-11.1	42	63.9	44.1-83.7
H.S. or G.E.D.	546	30,599	50	14.8	08.7-20.9	26	3.6	01.6-05.6	10	1.1	00.0-02.3	10	3.8	00.0-07.7	18	5.2	01.9-08.5	432	71.5	64.4-78.6
Some Post-H.S.	767	60,564	76	17.9	12.4-23.4	34	7.8	03.5-12.1	11	3.1	00.6-05.6	15	3.7	01.3-06.1	27	5.1	01.8-08.4	604	62.5	56.0-69.0
College Graduate	827	49,714	84	13.1	09.2-17.0	37	7.0	04.1-09.9	19	3.5	01.1-05.9	5	1.1	00.0-02.7	17	3.3	00.9-05.7	665	71.9	66.6-77.2
Less than \$15,000	81	11,130	10	18.9	05.0-32.8	7	20.7	03.1-38.3	3	3.7	00.0-10.0	1	0.4	00.0-01.2	4	9.1	00.0-20.1	56	47.2	29.6-64.8
\$15,000- 24,999	201	15,149	18	15.5	05.7-25.3	11	8.0	00.2-15.8	4	4.2	00.0-10.3	4	4.3	00.0-08.8	6	6.3	00.0-13.6	158	61.7	49.4-74.0
\$25,000- 34,999	182	14,229	19	22.9	09.4-36.4	11	7.3	00.8-13.8	3	3.4	00.0-09.3	4	0.9	00.0-02.1	4	2.1	00.0-05.0	141	63.4	49.7-77.1
\$35,000- 49,999	302	16,931	29	13.6	07.1-20.1	13	5.7	01.0-10.4	1	0.3	00.0-00.9	4	1.6	00.0-04.3	13	6.0	01.5-10.5	242	72.9	64.5-81.3
\$50,000- 74,999	371	23,321	33	14.1	07.2-21.0	15	4.8	01.3-08.3	8	4.9	00.0-10.2	4	1.0	00.0-02.4	10	5.1	00.6-09.6	301	70.0	61.4-78.6
\$75,000+	801	50,494	92	13.6	09.9-17.3	35	5.6	02.9-08.3	22	3.3	01.3-05.3	10	3.2	00.5-05.9	26	4.0	01.5-06.5	616	70.2	64.9-75.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4126	324,326	1123	20.6	18.8-22.4	1103	21.6	19.6-23.6	612	14.2	12.6-15.8	346	9.5	08.1-10.9	942	34.0	31.5-36.5
Male	1955	180,959	353	15.3	12.9-17.7	423	16.5	14.1-18.9	329	15.1	12.7-17.5	176	8.4	06.6-10.2	674	44.7	41.2-48.2
Female	2171	143,368	770	27.3	24.6-30.0	680	28.2	25.3-31.1	283	13.1	10.9-15.3	170	10.9	08.4-13.4	268	20.5	17.2-23.8
Native	84	8,868	5	3.5	00.0-07.6	17	10.1	00.0-21.7	11	7.1	01.6-12.6	8	11.3	01.5-21.1	43	68.0	52.7-83.3
Non-Native	3995	310,654	1100	21.1	19.3-22.9	1073	22.1	20.1-24.1	596	14.5	12.7-16.3	338	9.6	08.0-11.2	888	32.8	30.3-35.3
18-24	196	50,602	28	12.1	06.8-17.4	24	13.1	07.4-18.8	24	12.5	07.0-18.0	16	8.2	03.1-13.3	104	54.1	45.3-62.9
25-34	448	68,487	58	14.2	09.7-18.7	78	13.7	09.6-17.8	59	13.3	09.2-17.4	60	14.2	09.9-18.5	193	44.6	38.3-50.9
35-44	542	53,641	103	17.2	12.9-21.5	126	22.5	17.4-27.6	74	12.3	08.8-15.8	50	9.5	06.4-12.6	189	38.4	32.3-44.5
45-54	715	51,570	132	17.1	13.4-20.8	198	22.4	18.5-26.3	130	18.5	14.8-22.2	68	9.7	06.8-12.6	187	32.4	27.5-37.3
55-64	1016	50,736	280	25.3	21.8-28.8	300	29.4	25.5-33.3	176	16.2	13.3-19.1	87	8.2	06.0-10.4	173	20.9	17.4-24.4
65+	1178	47,059	509	41.1	37.2-45.0	361	30.2	26.7-33.7	148	13.5	10.8-16.2	65	5.8	04.0-07.6	95	9.4	06.7-12.1
Less Than H.S.	162	20,157	47	14.1	08.6-19.6	33	15.8	08.7-22.9	13	9.8	03.3-16.3	15	10.5	04.0-17.0	54	49.8	38.0-61.6
H.S. or G.E.D.	1076	75,396	292	19.6	16.5-22.7	269	22.1	18.4-25.8	162	17.5	13.8-21.2	74	6.4	04.4-08.4	279	34.5	29.8-39.2
Some Post-H.S.	1369	132,632	388	21.2	18.1-24.3	337	19.5	16.4-22.6	199	12.4	09.9-14.9	109	8.9	06.4-11.4	336	38.0	33.7-42.3
College Graduate	1513	95,387	393	22.1	19.0-25.2	463	25.5	22.2-28.8	238	15.3	12.6-18.0	148	12.7	10.0-15.4	271	24.5	21.0-28.0
Less than \$15,000	141	19,210	34	12.3	06.0-18.6	26	15.2	05.8-24.6	17	8.6	02.3-14.9	11	10.6	02.0-19.2	53	53.4	40.5-66.3
\$15,000- 24,999	348	34,736	121	21.0	15.1-26.9	78	16.4	11.1-21.7	44	16.7	10.0-23.4	25	8.9	04.2-13.6	80	37.0	28.4-45.6
\$25,000- 34,999	316	29,781	105	27.4	19.6-35.2	79	16.6	10.9-22.3	41	12.5	06.8-18.2	33	10.4	05.1-15.7	58	33.1	23.5-42.7
\$35,000- 49,999	559	42,850	152	17.6	13.3-21.9	161	23.5	18.2-28.8	80	14.3	09.6-19.0	44	9.0	05.5-12.5	122	35.6	28.5-42.7
\$50,000- 74,999	721	54,898	207	22.2	17.9-26.5	193	22.7	18.2-27.2	108	13.7	10.0-17.4	63	9.3	06.4-12.2	150	32.2	26.1-38.3
\$75,000+	1662	117,525	360	17.7	15.2-20.2	452	23.9	20.8-27.0	274	14.7	12.5-16.9	148	9.5	07.3-11.7	428	34.1	30.4-37.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1955	180,959	353	15.3	12.9-17.7	423	16.5	14.1-18.9	329	15.1	12.7-17.5	176	8.4	06.6-10.2	674	44.7	41.2-48.2
Non-Native	1881	172,077	340	15.6	13.2-18.0	406	16.8	14.4-19.2	322	15.6	13.2-18.0	173	8.6	06.8-10.4	640	43.3	39.8-46.8
18-24	112	27,554	11	9.5	02.8-16.2	8	8.3	01.6-15.0	14	13.1	05.5-20.7	5	3.3	00.0-06.6	74	65.8	54.8-76.8
25-34	232	39,468	16	10.0	04.7-15.3	23	8.5	04.0-13.0	38	16.5	10.4-22.6	26	12.3	07.2-17.4	129	52.7	44.3-61.1
35-44	260	30,032	38	14.1	08.4-19.8	44	14.4	08.5-20.3	32	11.1	06.4-15.8	25	8.6	04.7-12.5	121	51.8	43.4-60.2
45-54	329	28,671	41	12.9	07.6-18.2	64	15.4	10.5-20.3	61	16.2	10.9-21.5	30	8.6	04.3-12.9	133	46.9	39.5-54.3
55-64	467	28,445	87	17.0	12.9-21.1	109	25.6	20.1-31.1	89	17.7	13.4-22.0	47	8.3	05.4-11.2	135	31.4	25.7-37.1
65+	546	25,671	158	32.0	26.5-37.5	169	28.1	23.0-33.2	95	16.4	12.3-20.5	43	8.0	05.1-10.9	81	15.5	10.8-20.2
Less Than H.S.	103	15,032	25	12.9	06.4-19.4	21	15.9	07.3-24.5	7	4.5	00.4-08.6	9	9.0	01.9-16.1	41	57.7	44.6-70.8
H.S. or G.E.D.	542	46,077	89	14.5	10.4-18.6	109	16.5	12.0-21.0	101	19.9	14.8-25.0	36	5.9	03.4-08.4	207	43.1	36.8-49.4
Some Post-H.S.	620	72,979	111	15.5	11.4-19.6	113	15.5	11.6-19.4	99	13.3	09.6-17.0	45	5.3	03.1-07.5	252	50.4	44.5-56.3
College Graduate	686	46,150	127	16.7	12.8-20.6	179	18.2	14.5-21.9	122	16.9	12.8-21.0	86	15.7	11.6-19.8	172	32.4	26.9-37.9
Less than \$15,000	62	8,408	7	5.9	00.8-11.0	9	12.9	00.6-25.2	7	5.0	00.0-11.3	4	6.4	00.0-13.3	35	69.8	54.3-85.3
\$15,000- 24,999	152	19,780	43	18.8	10.8-26.8	27	12.2	05.5-18.9	23	18.9	09.1-28.7	8	4.3	00.4-08.2	51	45.8	33.8-57.8
\$25,000- 34,999	135	15,707	34	21.0	11.0-31.0	25	13.6	05.6-21.6	24	15.0	06.4-23.6	14	7.7	02.8-12.6	38	42.7	29.4-56.0
\$35,000- 49,999	261	26,512	42	10.9	05.8-16.0	64	16.5	10.8-22.2	45	15.4	08.9-21.9	22	7.7	03.2-12.2	88	49.4	40.0-58.8
\$50,000- 74,999	356	32,218	75	18.0	12.3-23.7	81	18.2	12.7-23.7	55	13.8	08.9-18.7	36	10.4	06.1-14.7	109	39.7	31.5-47.9
\$75,000+	867	67,309	127	12.4	09.5-15.3	193	18.2	14.3-22.1	149	14.7	11.6-17.8	83	9.8	06.9-12.7	315	44.9	39.8-50.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2171	143,368	770	27.3	24.6-30.0	680	28.2	25.3-31.1	283	13.1	10.9-15.3	170	10.9	08.4-13.4	268	20.5	17.2-23.8
Non-Native	2114	138,578	760	27.8	24.9-30.7	667	28.5	25.4-31.6	274	13.2	10.8-15.6	165	10.8	08.3-13.3	248	19.7	16.4-23.0
18-24	84	23,049	17	15.2	06.8-23.6	16	18.8	09.0-28.6	10	11.8	04.0-19.6	11	14.0	03.8-24.2	30	40.1	26.8-53.4
25-34	216	29,019	42	19.8	12.2-27.4	55	20.8	13.5-28.1	21	9.0	03.9-14.1	34	16.7	09.6-23.8	64	33.6	24.4-42.8
35-44	282	23,609	65	21.2	14.7-27.7	82	32.9	24.7-41.1	42	13.8	08.3-19.3	25	10.7	05.4-16.0	68	21.4	14.9-27.9
45-54	386	22,899	91	22.2	17.1-27.3	134	31.1	25.4-36.8	69	21.3	15.8-26.8	38	11.1	07.0-15.2	54	14.3	09.8-18.8
55-64	549	22,291	193	36.0	30.5-41.5	191	34.2	28.9-39.5	87	14.3	10.8-17.8	40	8.0	04.7-11.3	38	7.6	04.5-10.7
65+	632	21,388	351	51.9	46.6-57.2	192	32.8	27.7-37.9	53	10.0	06.3-13.7	22	3.3	01.3-05.3	14	2.0	00.6-03.4
Less Than H.S.	59	5,125	22	17.4	07.4-27.4	12	15.6	04.6-26.6	6	25.3	06.1-44.5	6	15.0	00.7-29.3	13	26.8	08.0-45.6
H.S. or G.E.D.	534	29,320	203	27.5	22.4-32.6	160	30.9	24.4-37.4	61	13.7	08.4-19.0	38	7.1	04.0-10.2	72	20.8	14.1-27.5
Some Post-H.S.	749	59,652	277	28.2	23.3-33.1	224	24.5	19.8-29.2	100	11.4	08.3-14.5	64	13.3	08.4-18.2	84	22.7	16.6-28.8
College Graduate	827	49,237	266	27.1	22.4-31.8	284	32.3	27.2-37.4	116	13.7	10.2-17.2	62	9.8	06.3-13.3	99	17.1	12.4-21.8
Less than \$15,000	79	10,802	27	17.2	06.6-27.8	17	17.0	03.3-30.7	10	11.3	01.5-21.1	7	13.8	00.0-27.7	18	40.7	22.1-59.3
\$15,000- 24,999	196	14,956	78	23.8	15.6-32.0	51	22.0	13.4-30.6	21	13.8	05.4-22.2	17	15.0	06.0-24.0	29	25.4	13.4-37.4
\$25,000- 34,999	181	14,075	71	34.4	22.1-46.7	54	20.0	12.0-28.0	17	9.8	02.7-16.9	19	13.4	03.8-23.0	20	22.4	09.1-35.7
\$35,000- 49,999	298	16,339	110	28.4	21.1-35.7	97	34.7	25.7-43.7	35	12.5	06.0-19.0	22	11.1	05.2-17.0	34	13.2	06.9-19.5
\$50,000- 74,999	365	22,680	132	28.1	21.2-35.0	112	29.1	21.5-36.7	53	13.5	08.2-18.8	27	7.7	03.8-11.6	41	21.6	13.2-30.0
\$75,000+	795	50,215	233	25.0	20.5-29.5	259	31.5	26.6-36.4	125	14.6	11.5-17.7	65	9.2	06.3-12.1	113	19.7	14.8-24.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 11: IMMUNIZATION CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1 MALES AND FEMALES	198
2 MALES ONLY	199
3 FEMALES ONLY	200
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	201
5 MALES ONLY	202
6 FEMALES ONLY	203
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7 MALES AND FEMALES	204
8 MALES ONLY	205
9 FEMALES ONLY	206
THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)	
10 MALES AND FEMALES	207
11 MALES ONLY	208
12 FEMALES ONLY	209

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7456	548,172	3524	40.4	38.6-42.2	3932	59.6	57.8-61.4
Male	3128	280,610	1247	33.5	31.0-36.0	1881	66.5	64.0-69.0
Female	4328	267,562	2277	47.6	45.1-50.1	2051	52.4	49.9-54.9
Native	227	21,645	112	46.6	35.8-57.4	115	53.4	42.6-64.2
Non-Native	7111	516,475	3370	40.4	38.6-42.2	3741	59.6	57.8-61.4
18-24	335	84,830	108	33.9	27.4-40.4	227	66.1	59.6-72.6
25-34	637	99,617	202	28.5	23.8-33.2	435	71.5	66.8-76.2
35-44	804	79,392	296	33.5	29.0-38.0	508	66.5	62.0-71.0
45-54	1157	84,205	431	34.5	30.8-38.2	726	65.5	61.8-69.2
55-64	1787	89,265	846	45.9	42.8-49.0	941	54.1	51.0-57.2
65+	2661	106,323	1601	61.4	58.9-63.9	1060	38.6	36.1-41.1
Less Than H.S.	439	47,821	200	36.5	29.8-43.2	239	63.5	56.8-70.2
H.S. or G.E.D.	2212	142,069	951	37.5	34.4-40.6	1261	62.5	59.4-65.6
Some Post-H.S.	2405	217,571	1091	37.1	34.2-40.0	1314	62.9	60.0-65.8
College Graduate	2376	138,140	1268	50.0	46.9-53.1	1108	50.0	46.9-53.1
Less than \$15,000	445	43,543	195	36.1	28.8-43.4	250	63.9	56.6-71.2
\$15,000- 24,999	857	70,464	413	39.3	34.0-44.6	444	60.7	55.4-66.0
\$25,000- 34,999	683	54,175	349	39.1	33.0-45.2	334	60.9	54.8-67.0
\$35,000- 49,999	980	67,725	456	39.4	34.5-44.3	524	60.6	55.7-65.5
\$50,000- 74,999	1179	84,623	558	41.7	37.2-46.2	621	58.3	53.8-62.8
\$75,000+	2450	172,537	1134	41.3	38.4-44.2	1316	58.7	55.8-61.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3128	280,610	1247	33.5	31.0-36.0	1881	66.5	64.0-69.0
Native	72	7,917	24	28.0	12.3-43.7	48	72.0	56.3-87.7
Non-Native	2990	266,076	1205	33.8	31.3-36.3	1785	66.2	63.7-68.7
18-24	184	46,893	52	30.5	21.9-39.1	132	69.5	60.9-78.1
25-34	303	53,558	60	19.8	14.1-25.5	243	80.2	74.5-85.9
35-44	366	42,289	98	20.7	15.6-25.8	268	79.3	74.2-84.4
45-54	492	41,981	145	27.5	22.0-33.0	347	72.5	67.0-78.0
55-64	762	46,075	310	40.2	35.5-44.9	452	59.8	55.1-64.5
65+	999	48,124	571	60.8	56.7-64.9	428	39.2	35.1-43.3
Less Than H.S.	211	29,170	86	34.7	25.3-44.1	125	65.3	55.9-74.7
H.S. or G.E.D.	954	75,741	333	32.0	27.5-36.5	621	68.0	63.5-72.5
Some Post-H.S.	950	109,095	328	28.0	23.9-32.1	622	72.0	67.9-76.1
College Graduate	1003	64,758	495	44.1	39.6-48.6	508	55.9	51.4-60.4
Less than \$15,000	154	18,112	61	32.0	21.6-42.4	93	68.0	57.6-78.4
\$15,000- 24,999	296	34,654	115	33.0	25.4-40.6	181	67.0	59.4-74.6
\$25,000- 34,999	258	26,055	116	39.9	30.7-49.1	142	60.1	50.9-69.3
\$35,000- 49,999	418	37,096	155	31.1	24.4-37.8	263	68.9	62.2-75.6
\$50,000- 74,999	530	46,196	219	34.8	28.7-40.9	311	65.2	59.1-71.3
\$75,000+	1218	95,843	481	32.2	28.5-35.9	737	67.8	64.1-71.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4328	267,562	2277	47.6	45.1-50.1	2051	52.4	49.9-54.9
Native	155	13,727	88	57.4	43.7-71.1	67	42.6	28.9-56.3
Non-Native	4121	250,400	2165	47.4	44.9-49.9	1956	52.6	50.1-55.1
18-24	151	37,936	56	38.0	28.2-47.8	95	62.0	52.2-71.8
25-34	334	46,059	142	38.6	31.3-45.9	192	61.4	54.1-68.7
35-44	438	37,103	198	47.9	41.2-54.6	240	52.1	45.4-58.8
45-54	665	42,224	286	41.5	36.6-46.4	379	58.5	53.6-63.4
55-64	1025	43,189	536	52.0	47.9-56.1	489	48.0	43.9-52.1
65+	1662	58,199	1030	62.0	58.9-65.1	632	38.0	34.9-41.1
Less Than H.S.	228	18,651	114	39.2	30.6-47.8	114	60.8	52.2-69.4
H.S. or G.E.D.	1258	66,328	618	43.9	39.2-48.6	640	56.1	51.4-60.8
Some Post-H.S.	1455	108,475	763	46.2	41.9-50.5	692	53.8	49.5-58.1
College Graduate	1373	73,382	773	55.1	50.8-59.4	600	44.9	40.6-49.2
Less than \$15,000	291	25,431	134	39.0	29.4-48.6	157	61.0	51.4-70.6
\$15,000- 24,999	561	35,811	298	45.4	38.3-52.5	263	54.6	47.5-61.7
\$25,000- 34,999	425	28,120	233	38.3	30.7-45.9	192	61.7	54.1-69.3
\$35,000- 49,999	562	30,629	301	49.5	42.8-56.2	261	50.5	43.8-57.2
\$50,000- 74,999	649	38,427	339	49.9	43.4-56.4	310	50.1	43.6-56.6
\$75,000+	1232	76,694	653	52.7	48.2-57.2	579	47.3	42.8-51.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2626	156,789	5	0.3	00.0-00.7	27	1.5	00.5-02.5	2594	98.2	97.2-99.2
Male	913	63,080	5	0.7	00.0-01.5	7	2.4	00.0-04.8	901	96.9	94.4-99.4
Female	1713	93,709				20	0.9	00.5-01.3	1693	99.1	98.7-99.5
Native	64	6,206				1	0.1	00.0-00.3	63	99.9	99.7-0100
Non-Native	2537	149,151	5	0.3	00.0-00.7	26	1.6	00.6-02.6	2506	98.1	96.9-99.3
18-24	71	17,881				6	6.9	00.0-14.7	65	93.1	85.3-0100
25-34	137	17,681	1	1.2	00.0-03.6	1	1.5	00.0-04.4	135	97.3	93.6-0100
35-44	220	20,196				3	0.6	00.0-01.4	217	99.4	98.6-0100
45-54	332	21,744				5	1.3	00.1-02.5	327	98.7	97.5-99.9
55-64	635	30,404	3	0.5	00.0-01.1	7	0.9	00.1-01.7	625	98.5	97.5-99.5
65+	1201	47,209	1	0.2	00.0-00.6	5	0.4	00.0-00.8	1195	99.4	98.8-0100
Less Than H.S.	135	10,520	1	0.9	00.0-02.7				134	99.1	97.3-0100
H.S. or G.E.D.	676	34,869				8	3.4	00.0-07.3	668	96.6	92.7-0100
Some Post-H.S.	817	58,554	1	0.1	00.0-00.3	8	0.9	00.1-01.7	808	98.9	98.1-99.7
College Graduate	990	52,458	3	0.6	00.0-01.4	11	1.2	00.0-02.4	976	98.2	96.8-99.6
Less than \$15,000	129	10,237	1	2.1	00.0-06.2	2	1.9	00.0-04.6	126	96.0	91.3-0100
\$15,000- 24,999	293	18,410	2	0.7	00.0-01.9	7	2.1	00.1-04.1	284	97.2	95.0-99.4
\$25,000- 34,999	246	14,503	1	0.3	00.0-00.9	2	0.2	00.0-00.6	243	99.4	98.6-0100
\$35,000- 49,999	351	19,532				5	1.3	00.1-02.5	346	98.7	97.5-99.9
\$50,000- 74,999	426	25,801				3	3.9	00.0-09.4	423	96.1	90.6-0100
\$75,000+	889	53,382	1	0.1	00.0-00.3	5	0.4	00.0-00.8	883	99.4	98.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	913	63,080	5	0.7	00.0-01.5	7	2.4	00.0-04.8	901	96.9	94.4-99.4
Non-Native	887	60,770	5	0.8	00.0-01.6	7	2.4	00.0-04.9	875	96.8	94.3-99.3
35-44	69	6,079							69	100.0	0100-0100
45-54	106	8,023							106	100.0	0100-0100
55-64	231	13,583	3	1.2	00.0-02.6	1	0.3	00.0-00.9	227	98.5	96.9-0100
65+	428	21,157	1	0.4	00.0-01.2				427	99.6	98.8-0100
Less Than H.S.	61	6,136	1	1.5	00.0-04.4				60	98.5	95.6-0100
H.S. or G.E.D.	224	14,923				4	6.9	00.0-15.7	220	93.1	84.3-0100
Some Post-H.S.	236	20,534	1	0.4	00.0-01.2	1	0.7	00.0-02.1	234	98.9	97.3-0100
College Graduate	388	21,266	3	1.4	00.0-03.4	2	1.4	00.0-03.8	383	97.2	94.1-0100
\$15,000- 24,999	77	6,668	2	2.0	00.0-04.9	1	2.2	00.0-06.5	74	95.8	90.5-0100
\$25,000- 34,999	83	7,104	1	0.6	00.0-01.8				82	99.4	98.2-0100
\$35,000- 49,999	124	8,910				1	0.5	00.0-01.5	123	99.5	98.5-0100
\$50,000- 74,999	158	11,187				2	8.5	00.0-20.5	156	91.5	79.5-0100
\$75,000+	364	21,351	1	0.4	00.0-01.2				363	99.6	98.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1713	93,709	20	0.9	00.5-01.3	1693	99.1	98.7-99.5	
Non-Native	1650	88,381	19	1.0	00.4-01.6	1631	99.0	98.4-99.6	
25-34	101	12,318				101	100.0	0100-0100	
35-44	151	14,118	3	0.9	00.0-01.9	148	99.1	98.1-0100	
45-54	226	13,721	5	2.1	00.1-04.1	221	97.9	95.9-99.9	
55-64	404	16,820	6	1.4	00.0-02.8	398	98.6	97.2-0100	
65+	773	26,052	5	0.7	00.0-01.5	768	99.3	98.5-0100	
Less Than H.S.	74	4,384				74	100.0	0100-0100	
H.S. or G.E.D.	452	19,946	4	0.7	00.0-01.5	448	99.3	98.5-0100	
Some Post-H.S.	581	38,020	7	1.1	00.3-01.9	574	98.9	98.1-99.7	
College Graduate	602	31,193	9	1.1	00.3-01.9	593	98.9	98.1-99.7	
Less than \$15,000	88	6,587				88	100.0	0100-0100	
\$15,000- 24,999	216	11,743	6	2.0	00.0-04.0	210	98.0	96.0-0100	
\$25,000- 34,999	163	7,399	2	0.5	00.0-01.3	161	99.5	98.7-0100	
\$35,000- 49,999	227	10,622	4	2.1	00.0-04.3	223	97.9	95.7-0100	
\$50,000- 74,999	268	14,613	1	0.3	00.0-00.9	267	99.7	99.1-0100	
\$75,000+	525	32,031	5	0.7	00.1-01.3	520	99.3	98.7-99.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6927	486,711	2827	31.1	29.5-32.7	4100	68.9	67.3-70.5
Male	2808	239,794	1042	29.6	27.2-32.0	1766	70.4	68.0-72.8
Female	4119	246,917	1785	32.5	30.3-34.7	2334	67.5	65.3-69.7
Native	205	18,436	87	27.4	18.0-36.8	118	72.6	63.2-82.0
Non-Native	6614	459,954	2693	31.1	29.5-32.7	3921	68.9	67.3-70.5
18-24	263	64,552	56	16.7	11.4-22.0	207	83.3	78.0-88.6
25-34	542	84,139	100	16.1	12.0-20.2	442	83.9	79.8-88.0
35-44	698	69,105	119	20.6	16.1-25.1	579	79.4	74.9-83.9
45-54	1086	77,513	201	16.8	13.9-19.7	885	83.2	80.3-86.1
55-64	1703	85,098	478	28.1	25.2-31.0	1225	71.9	69.0-74.8
65+	2566	101,996	1840	72.1	69.7-74.5	726	27.9	25.5-30.3
Less Than H.S.	409	42,102	218	40.8	33.7-47.9	191	59.2	52.1-66.3
H.S. or G.E.D.	2081	127,806	902	33.0	30.1-35.9	1179	67.0	64.1-69.9
Some Post-H.S.	2228	191,550	934	31.2	28.3-34.1	1294	68.8	65.9-71.7
College Graduate	2188	123,158	762	25.5	23.0-28.0	1426	74.5	72.0-77.0
Less than \$15,000	408	37,648	210	34.1	27.0-41.2	198	65.9	58.8-73.0
\$15,000- 24,999	797	62,072	438	39.9	34.6-45.2	359	60.1	54.8-65.4
\$25,000- 34,999	650	49,294	363	37.3	31.6-43.0	287	62.7	57.0-68.4
\$35,000- 49,999	921	60,751	383	33.9	29.2-38.6	538	66.1	61.4-70.8
\$50,000- 74,999	1089	74,538	400	29.8	25.7-33.9	689	70.2	66.1-74.3
\$75,000+	2262	154,766	644	21.9	19.5-24.3	1618	78.1	75.7-80.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2808	239,794	1042	29.6	27.2-32.0	1766	70.4	68.0-72.8
Native	59	5,784	17	20.7	04.8-36.6	42	79.3	63.4-95.2
Non-Native	2692	229,103	1004	29.6	27.2-32.0	1688	70.4	68.0-72.8
18-24	139	33,621	27	16.7	09.1-24.3	112	83.3	75.7-90.9
25-34	243	42,619	46	16.8	11.1-22.5	197	83.2	77.5-88.9
35-44	308	35,438	48	17.6	11.3-23.9	260	82.4	76.1-88.7
45-54	450	38,138	98	20.2	15.1-25.3	352	79.8	74.7-84.9
55-64	705	43,131	196	27.3	23.0-31.6	509	72.7	68.4-77.0
65+	945	45,350	617	69.1	65.2-73.0	328	30.9	27.0-34.8
Less Than H.S.	191	24,811	92	36.9	27.1-46.7	99	63.1	53.3-72.9
H.S. or G.E.D.	876	66,877	301	29.7	25.4-34.0	575	70.3	66.0-74.6
Some Post-H.S.	835	91,733	304	27.8	23.7-31.9	531	72.2	68.1-76.3
College Graduate	899	55,002	341	29.2	25.1-33.3	558	70.8	66.7-74.9
Less than \$15,000	132	13,609	57	37.7	24.8-50.6	75	62.3	49.4-75.2
\$15,000- 24,999	260	29,230	117	35.2	27.0-43.4	143	64.8	56.6-73.0
\$25,000- 34,999	237	23,580	123	34.2	25.8-42.6	114	65.8	57.4-74.2
\$35,000- 49,999	379	31,204	157	36.0	28.6-43.4	222	64.0	56.6-71.4
\$50,000- 74,999	481	39,356	178	30.5	24.6-36.4	303	69.5	63.6-75.4
\$75,000+	1100	84,652	317	21.4	18.3-24.5	783	78.6	75.5-81.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4119	246,917	1785	32.5	30.3-34.7	2334	67.5	65.3-69.7
Native	146	12,652	70	30.4	18.6-42.2	76	69.6	57.8-81.4
Non-Native	3922	230,851	1689	32.6	30.4-34.8	2233	67.4	65.2-69.6
18-24	124	30,931	29	16.7	09.4-24.0	95	83.3	76.0-90.6
25-34	299	41,520	54	15.4	09.3-21.5	245	84.6	78.5-90.7
35-44	390	33,667	71	23.7	17.0-30.4	319	76.3	69.6-83.0
45-54	636	39,375	103	13.4	10.1-16.7	533	86.6	83.3-89.9
55-64	998	41,967	282	28.9	25.0-32.8	716	71.1	67.2-75.0
65+	1621	56,646	1223	74.5	71.6-77.4	398	25.5	22.6-28.4
Less Than H.S.	218	17,290	126	46.5	37.1-55.9	92	53.5	44.1-62.9
H.S. or G.E.D.	1205	60,929	601	36.7	32.6-40.8	604	63.3	59.2-67.4
Some Post-H.S.	1393	99,817	630	34.3	30.4-38.2	763	65.7	61.8-69.6
College Graduate	1289	68,156	421	22.5	19.4-25.6	868	77.5	74.4-80.6
Less than \$15,000	276	24,039	153	32.0	23.8-40.2	123	68.0	59.8-76.2
\$15,000- 24,999	537	32,842	321	44.0	37.1-50.9	216	56.0	49.1-62.9
\$25,000- 34,999	413	25,714	240	40.2	32.4-48.0	173	59.8	52.0-67.6
\$35,000- 49,999	542	29,548	226	31.8	25.7-37.9	316	68.2	62.1-74.3
\$50,000- 74,999	608	35,182	222	29.0	23.3-34.7	386	71.0	65.3-76.7
\$75,000+	1162	70,113	327	22.6	18.9-26.3	835	77.4	73.7-81.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 10: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5085	242,914	1661	28.9	27.1-30.7	3424	71.1	69.3-72.9
Male	2025	117,907	571	26.0	23.5-28.5	1454	74.0	71.5-76.5
Female	3060	125,007	1090	31.7	29.5-33.9	1970	68.3	66.1-70.5
Native	102	5,308	19	19.7	04.0-35.4	83	80.3	64.6-96.0
Non-Native	4901	232,855	1622	29.3	27.5-31.1	3279	70.7	68.9-72.5
45-54	674	48,965	29	4.9	02.5-07.3	645	95.1	92.7-97.5
55-64	1770	88,683	374	20.9	18.4-23.4	1396	79.1	76.6-81.6
65+	2641	105,266	1258	46.9	44.2-49.6	1383	53.1	50.4-55.8
Less Than H.S.	341	26,301	114	33.0	26.1-39.9	227	67.0	60.1-73.9
H.S. or G.E.D.	1643	71,258	537	29.4	26.5-32.3	1106	70.6	67.7-73.5
Some Post-H.S.	1649	94,987	512	26.2	23.5-28.9	1137	73.8	71.1-76.5
College Graduate	1437	49,476	491	31.5	28.6-34.4	946	68.5	65.6-71.4
Less than \$15,000	317	17,982	94	25.3	18.2-32.4	223	74.7	67.6-81.8
\$15,000- 24,999	647	32,524	232	32.9	27.8-38.0	415	67.1	62.0-72.2
\$25,000- 34,999	521	24,062	225	32.8	27.5-38.1	296	67.2	61.9-72.5
\$35,000- 49,999	711	31,795	241	32.1	27.2-37.0	470	67.9	63.0-72.8
\$50,000- 74,999	784	38,730	252	30.3	26.0-34.6	532	69.7	65.4-74.0
\$75,000+	1449	68,374	393	23.9	21.2-26.6	1056	76.1	73.4-78.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 11: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2025	117,907	571	26.0	23.5-28.5	1454	74.0	71.5-76.5
Non-Native	1949	113,140	558	26.0	23.5-28.5	1391	74.0	71.5-76.5
45-54	290	24,882	12	4.9	01.2-08.6	278	95.1	91.4-98.8
55-64	752	45,631	126	17.2	13.7-20.7	626	82.8	79.3-86.3
65+	983	47,393	433	45.7	41.4-50.0	550	54.3	50.0-58.6
Less Than H.S.	158	14,171	48	32.3	21.9-42.7	110	67.7	57.3-78.1
H.S. or G.E.D.	646	34,949	168	25.5	21.0-30.0	478	74.5	70.0-79.0
Some Post-H.S.	592	43,854	148	22.3	18.0-26.6	444	77.7	73.4-82.0
College Graduate	625	24,544	206	30.2	25.7-34.7	419	69.8	65.3-74.3
Less than \$15,000	100	6,954	21	22.7	09.6-35.8	79	77.3	64.2-90.4
\$15,000- 24,999	200	14,074	56	28.6	19.6-37.6	144	71.4	62.4-80.4
\$25,000- 34,999	183	11,074	67	27.6	19.4-35.8	116	72.4	64.2-80.6
\$35,000- 49,999	288	15,712	81	27.1	19.8-34.4	207	72.9	65.6-80.2
\$50,000- 74,999	363	21,623	109	31.3	24.8-37.8	254	68.7	62.2-75.2
\$75,000+	729	39,272	186	21.8	18.1-25.5	543	78.2	74.5-81.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 12: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3060	125,007	1090	31.7	29.5-33.9	1970	68.3	66.1-70.5
Native	74	3,387	15	10.1	03.2-17.0	59	89.9	83.0-96.8
Non-Native	2952	119,714	1064	32.5	30.3-34.7	1888	67.5	65.3-69.7
45-54	384	24,082	17	4.9	02.4-07.4	367	95.1	92.6-97.6
55-64	1018	43,053	248	24.9	21.4-28.4	770	75.1	71.6-78.6
65+	1658	57,872	825	47.9	44.6-51.2	833	52.1	48.8-55.4
Less Than H.S.	183	12,131	66	33.9	25.1-42.7	117	66.1	57.3-74.9
H.S. or G.E.D.	997	36,308	369	33.1	29.2-37.0	628	66.9	63.0-70.8
Some Post-H.S.	1057	51,132	364	29.5	26.0-33.0	693	70.5	67.0-74.0
College Graduate	812	24,932	285	32.8	28.7-36.9	527	67.2	63.1-71.3
Less than \$15,000	217	11,028	73	26.9	18.9-34.9	144	73.1	65.1-81.1
\$15,000- 24,999	447	18,449	176	36.1	30.0-42.2	271	63.9	57.8-70.0
\$25,000- 34,999	338	12,988	158	37.2	30.3-44.1	180	62.8	55.9-69.7
\$35,000- 49,999	423	16,083	160	37.0	30.5-43.5	263	63.0	56.5-69.5
\$50,000- 74,999	421	17,108	143	29.2	23.5-34.9	278	70.8	65.1-76.5
\$75,000+	720	29,102	207	26.7	22.6-30.8	513	73.3	69.2-77.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014

SECTION 12: FALLS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	211
2	MALES ONLY	212
3	FEMALES ONLY	213
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	214
5	MALES ONLY	215
6	FEMALES ONLY	216

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 12: FALLS**

**TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5642	282,210	843	13.5	12.3-14.7	383	6.8	05.8-07.8	134	2.9	02.1-03.7	49	1.1	00.7-01.5	142	2.9	02.3-03.5	4091	72.9	71.3-74.5
Male	2247	136,655	307	12.2	10.4-14.0	162	7.5	05.9-09.1	60	3.1	01.9-04.3	19	1.1	00.3-01.9	73	3.4	02.4-04.4	1626	72.8	70.3-75.3
Female	3395	145,556	536	14.6	13.0-16.2	221	6.1	05.1-07.1	74	2.6	01.8-03.4	30	1.2	00.6-01.8	69	2.4	01.6-03.2	2465	73.1	70.9-75.3
Native	130	7,139	22	8.3	02.8-13.8	13	9.7	02.6-16.8	7	4.9	00.0-09.8	4	7.7	00.0-19.5	5	3.8	00.0-08.3	79	65.7	51.8-79.6
Non-Native	5421	269,377	801	13.4	12.2-14.6	361	6.5	05.5-07.5	126	2.9	02.1-03.7	45	1.0	00.6-01.4	133	2.8	02.2-03.4	3955	73.4	71.8-75.0
45-54	1147	83,649	137	10.7	08.3-13.1	87	7.1	05.1-09.1	32	2.7	01.5-03.9	15	1.6	00.6-02.6	29	2.8	01.4-04.2	847	75.1	71.8-78.4
55-64	1781	89,168	264	14.4	12.2-16.6	133	8.4	06.4-10.4	39	2.3	01.3-03.3	12	0.6	00.2-01.0	54	3.1	02.1-04.1	1279	71.3	68.4-74.2
65+	2643	105,085	436	15.2	13.2-17.2	157	5.2	04.0-06.4	59	2.8	01.8-03.8	22	1.2	00.2-02.2	58	2.8	01.8-03.8	1911	72.8	70.4-75.2
Less Than H.S.	357	28,059	56	12.8	08.7-16.9	27	7.7	03.8-11.6	7	1.8	00.2-03.4	4	2.1	00.0-05.2	15	5.0	01.9-08.1	248	70.7	64.2-77.2
H.S. or G.E.D.	1759	79,953	254	12.9	10.7-15.1	113	6.2	04.8-07.6	46	3.2	01.6-04.8	11	1.3	00.3-02.3	50	3.7	02.3-05.1	1285	72.8	69.9-75.7
Some Post-H.S.	1852	112,346	273	13.5	11.3-15.7	128	7.1	05.5-08.7	49	3.3	02.1-04.5	20	0.7	00.3-01.1	45	2.1	01.3-02.9	1337	73.3	70.6-76.0
College Graduate	1657	60,867	257	14.4	12.2-16.6	114	6.6	05.0-08.2	32	2.1	01.1-03.1	14	1.3	00.5-02.1	31	2.2	01.0-03.4	1209	73.4	70.5-76.3
Less than \$15,000	335	20,045	66	16.1	10.8-21.4	27	8.4	04.5-12.3	16	6.6	01.1-12.1	6	3.3	00.0-07.8	19	7.6	03.1-12.1	201	57.9	49.9-65.9
\$15,000- 24,999	682	34,977	102	12.3	09.0-15.6	63	10.3	07.0-13.6	19	3.2	01.4-05.0	9	1.6	00.4-02.8	25	3.7	01.7-05.7	464	69.0	64.1-73.9
\$25,000- 34,999	555	26,998	92	15.2	10.9-19.5	26	4.6	02.2-07.0	13	2.3	00.7-03.9	7	2.4	00.2-04.6	18	2.9	00.9-04.9	399	72.6	67.3-77.9
\$35,000- 49,999	777	37,773	127	13.5	10.2-16.8	60	7.8	04.9-10.7	17	2.3	00.9-03.7	5	0.4	00.0-00.8	16	2.9	00.9-04.9	552	73.0	68.5-77.5
\$50,000- 74,999	878	44,518	121	13.0	09.9-16.1	65	6.3	04.5-08.1	23	3.2	01.4-05.0	6	0.9	00.0-01.9	17	2.7	01.1-04.3	646	74.0	70.1-77.9
\$75,000+	1689	84,644	235	12.9	10.7-15.1	94	5.5	03.9-07.1	34	2.6	01.4-03.8	13	0.8	00.2-01.4	24	1.2	00.6-01.8	1289	77.0	74.3-79.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 12: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2247	136,655	307	12.2	10.4-14.0	162	7.5	05.9-09.1	60	3.1	01.9-04.3	19	1.1	00.3-01.9	73	3.4	02.4-04.4	1626	72.8	70.3-75.3
Non-Native	2156	130,360	294	12.3	10.3-14.3	147	6.9	05.3-08.5	58	3.2	02.0-04.4	17	0.7	00.3-01.1	71	3.5	02.3-04.7	1569	73.4	70.9-75.9
45-54	485	41,876	54	9.6	06.3-12.9	38	7.4	04.5-10.3	11	1.9	00.3-03.5	6	1.3	00.0-02.7	16	3.1	01.1-05.1	360	76.7	71.8-81.6
55-64	757	46,025	106	14.0	10.7-17.3	64	9.9	07.0-12.8	18	2.4	01.0-03.8	3	0.3	00.0-00.7	28	3.0	01.4-04.6	538	70.4	66.1-74.7
65+	984	47,144	147	13.1	10.4-15.8	56	5.1	03.1-07.1	29	3.6	01.8-05.4	10	1.6	00.0-03.6	28	4.1	02.1-06.1	714	72.5	68.4-76.6
Less Than H.S.	162	14,963	20	7.7	03.6-11.8	15	11.5	04.4-18.6	5	2.3	00.0-04.8	2	3.6	00.0-09.5	9	6.8	01.7-11.9	111	68.2	58.4-78.0
H.S. or G.E.D.	693	39,109	93	11.1	08.2-14.0	49	6.4	04.2-08.6	19	3.8	01.1-06.5	4	0.8	00.0-02.0	26	4.3	02.1-06.5	502	73.5	68.8-78.2
Some Post-H.S.	673	52,469	97	13.9	10.4-17.4	56	8.7	05.8-11.6	18	3.1	01.3-04.9	7	0.5	00.0-01.1	18	2.3	00.9-03.7	477	71.4	66.9-75.9
College Graduate	715	29,725	96	12.9	09.8-16.0	42	4.9	02.9-06.9	18	2.8	01.2-04.4	6	1.0	00.0-02.0	19	2.2	00.8-03.6	534	76.2	72.1-80.3
Less than \$15,000	106	8,160	9	6.6	01.1-12.1	13	12.0	04.2-19.8	5	10.7	00.0-22.7	1	5.6	00.0-16.0	10	11.1	02.1-20.1	68	54.0	39.5-68.5
\$15,000- 24,999	212	14,907	32	11.0	05.7-16.3	19	11.1	05.0-17.2	5	1.5	00.1-02.9	3	1.6	00.0-03.6	8	4.6	00.7-08.5	145	70.2	62.0-78.4
\$25,000- 34,999	192	12,417	30	12.0	05.9-18.1	10	4.3	00.8-07.8	5	2.7	00.0-05.6	3	2.3	00.0-05.6	11	4.7	01.0-08.4	133	74.1	65.7-82.5
\$35,000- 49,999	319	19,004	42	13.0	07.5-18.5	28	10.8	05.3-16.3	12	3.5	01.0-06.0	2	0.3	00.0-00.9	9	3.1	00.2-06.0	226	69.2	61.8-76.6
\$50,000- 74,999	396	24,152	55	13.2	08.7-17.7	34	6.4	03.9-08.9	11	3.6	01.1-06.1	4	0.8	00.0-01.8	8	2.4	00.4-04.4	284	73.6	67.9-79.3
\$75,000+	842	47,818	114	12.9	09.8-16.0	47	5.7	03.5-07.9	20	2.7	01.1-04.3	6	0.4	00.0-00.8	19	1.8	00.6-03.0	636	76.6	72.7-80.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 12: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3395	145,556	536	14.6	13.0-16.2	221	6.1	05.1-07.1	74	2.6	01.8-03.4	30	1.2	00.6-01.8	69	2.4	01.6-03.2	2465	73.1	70.9-75.3
Native	90	4,191	19	13.0	04.2-21.8	5	5.6	00.0-11.5	5	6.7	00.0-14.5	2	1.3	00.0-03.1	4	5.2	00.0-12.5	55	68.2	54.3-82.1
Non-Native	3265	139,017	507	14.4	12.8-16.0	214	6.2	05.0-07.4	68	2.5	01.7-03.3	28	1.2	00.6-01.8	62	2.2	01.4-03.0	2386	73.5	71.3-75.7
45-54	662	41,773	83	11.8	08.5-15.1	49	6.8	04.4-09.2	21	3.4	01.6-05.2	9	2.0	00.4-03.6	13	2.6	00.8-04.4	487	73.5	69.0-78.0
55-64	1024	43,142	158	14.7	11.8-17.6	69	6.8	04.6-09.0	21	2.2	00.6-03.8	9	0.9	00.3-01.5	26	3.2	01.6-04.8	741	72.2	68.5-75.9
65+	1659	57,941	289	16.9	14.4-19.4	101	5.3	03.9-06.7	30	2.2	01.2-03.2	12	0.8	00.2-01.4	30	1.8	00.8-02.8	1197	73.0	70.1-75.9
Less Than H.S.	195	13,097	36	18.6	11.5-25.7	12	3.4	00.9-05.9	2	1.2	00.0-03.0	2	0.3	00.0-00.7	6	3.0	00.0-06.3	137	73.5	65.5-81.5
H.S. or G.E.D.	1066	40,844	161	14.5	11.6-17.4	64	6.0	04.0-08.0	27	2.7	01.3-04.1	7	1.7	00.3-03.1	24	3.0	01.4-04.6	783	72.1	68.4-75.8
Some Post-H.S.	1179	59,877	176	13.2	10.7-15.7	72	5.7	03.9-07.5	31	3.4	01.8-05.0	13	0.8	00.2-01.4	27	1.9	00.9-02.9	860	74.9	71.6-78.2
College Graduate	942	31,142	161	15.9	12.8-19.0	72	8.2	05.8-10.6	14	1.4	00.6-02.2	8	1.6	00.2-03.0	12	2.2	00.4-04.0	675	70.8	66.9-74.7
Less than \$15,000	229	11,885	57	22.7	14.9-30.5	14	5.9	02.0-09.8	11	3.9	00.4-07.4	5	1.8	00.0-03.8	9	5.2	01.1-09.3	133	60.6	51.6-69.6
\$15,000- 24,999	470	20,070	70	13.2	08.7-17.7	44	9.6	05.9-13.3	14	4.4	01.5-07.3	6	1.6	00.0-03.2	17	3.0	01.2-04.8	319	68.2	62.1-74.3
\$25,000- 34,999	363	14,581	62	18.0	12.1-23.9	16	4.8	01.7-07.9	8	2.0	00.4-03.6	4	2.5	00.0-05.4	7	1.4	00.2-02.6	266	71.3	64.4-78.2
\$35,000- 49,999	458	18,770	85	14.1	10.2-18.0	32	4.9	02.5-07.3	5	1.0	00.0-02.2	3	0.6	00.0-01.2	7	2.6	00.0-05.3	326	76.9	71.8-82.0
\$50,000- 74,999	482	20,366	66	12.7	08.6-16.8	31	6.2	03.5-08.9	12	2.7	00.5-04.9	2	1.0	00.0-02.6	9	3.0	00.6-05.4	362	74.4	68.9-79.9
\$75,000+	847	36,826	121	13.0	10.1-15.9	47	5.3	03.3-07.3	14	2.5	00.7-04.3	7	1.2	00.0-02.4	5	0.5	00.0-01.1	653	77.5	73.8-81.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 12: FALLS**

**TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1543	76,008	437	27.1	24.0-30.2	84	6.9	04.9-08.9	17	0.9	00.3-01.5	7	0.7	00.1-01.3	22	2.1	00.5-03.7	976	62.3	58.8-65.8
Male	616	36,938	127	19.8	15.3-24.3	32	6.3	03.4-09.2	4	0.5	00.0-01.1	1	0.3	00.0-00.9	14	3.5	00.6-06.4	438	69.6	64.1-75.1
Female	927	39,070	310	33.9	29.6-38.2	52	7.4	04.9-09.9	13	1.3	00.1-02.5	6	1.0	00.0-02.0	8	0.9	00.1-01.7	538	55.5	51.0-60.0
Native	51	2,451	21	32.0	12.6-51.4	7	19.6	02.4-36.8				1	0.9	00.0-02.9				22	47.5	22.4-72.6
Non-Native	1458	71,241	403	26.4	23.3-29.5	74	6.4	04.4-08.4	16	1.0	00.4-01.6	6	0.7	00.1-01.3	21	2.2	00.6-03.8	938	63.2	59.7-66.7
45-54	300	20,839	80	27.9	20.8-35.0	26	11.7	06.4-17.0	3	0.5	00.0-01.1	1	0.8	00.0-02.4	5	1.3	00.0-03.1	185	57.8	50.2-65.4
55-64	499	25,332	135	26.0	20.7-31.3	25	5.6	02.9-08.3	7	1.6	00.0-03.2	3	0.5	00.0-01.3	11	1.9	00.5-03.3	318	64.3	58.6-70.0
65+	727	28,455	218	27.9	23.4-32.4	32	4.6	02.2-07.0	7	0.7	00.1-01.3	3	0.8	00.0-01.8	4	1.1	00.0-02.5	463	64.9	59.8-70.0
Less Than H.S.	107	8,184	34	30.1	18.7-41.5	3	1.4	00.0-03.2	2	0.8	00.0-02.2	1	1.3	00.0-03.8	4	5.5	00.0-11.6	63	60.9	48.6-73.2
H.S. or G.E.D.	471	21,544	140	27.1	21.6-32.6	31	9.9	05.6-14.2	7	1.2	00.2-02.2	1	0.7	00.0-02.1	7	3.5	00.0-08.0	285	57.7	51.0-64.4
Some Post-H.S.	512	29,900	139	27.8	22.1-33.5	34	7.3	03.8-10.8	3	0.7	00.0-01.9	3	0.5	00.0-01.1	6	0.9	00.1-01.7	327	62.8	56.7-68.9
College Graduate	448	16,172	123	24.3	19.2-29.4	14	4.5	01.6-07.4	5	1.0	00.0-02.2	2	0.6	00.0-01.8	5	1.1	00.0-02.3	299	68.5	62.8-74.2
Less than \$15,000	131	8,235	49	29.8	18.6-41.0	11	7.4	01.9-12.9	3	3.0	00.0-07.5	1	1.1	00.0-03.3	5	9.5	00.0-21.3	62	49.2	35.9-62.5
\$15,000- 24,999	216	10,763	62	25.8	17.6-34.0	14	10.6	03.7-17.5	6	1.8	00.2-03.4	3	1.9	00.0-04.3	4	1.2	00.0-02.4	127	58.8	49.4-68.2
\$25,000- 34,999	155	7,383	44	23.9	15.5-32.3	11	10.4	02.6-18.2				1	2.1	00.0-06.2	4	4.4	00.0-09.7	95	59.2	48.0-70.4
\$35,000- 49,999	225	10,197	64	31.9	22.3-41.5	7	2.2	00.0-04.4	3	0.8	00.0-02.0							151	65.0	55.4-74.6
\$50,000- 74,999	232	11,590	69	30.3	22.1-38.5	15	8.7	03.6-13.8	1	0.1	00.0-00.3				1	0.5	00.0-01.5	146	60.5	51.9-69.1
\$75,000+	399	19,398	95	22.5	16.6-28.4	12	4.1	00.8-07.4	3	0.7	00.0-01.7	1	0.0	00.0-00.0	1	0.2	00.0-00.6	287	72.5	66.2-78.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 12: FALLS**

**TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	616	36,938	127	19.8	15.3-24.3	32	6.3	03.4-09.2	4	0.5	00.0-01.1	1	0.3	00.0-00.9	14	3.5	00.6-06.4	438	69.6	64.1-75.1
Non-Native	582	34,423	117	20.1	15.4-24.8	28	6.0	03.1-08.9	4	0.6	00.0-01.2	1	0.3	00.0-00.9	14	3.7	00.6-06.8	418	69.3	63.8-74.8
45-54	125	9,766	21	20.9	10.5-31.3	12	12.5	04.1-20.9							5	2.8	00.0-06.3	87	63.7	51.9-75.5
55-64	216	13,356	44	20.9	13.3-28.5	6	2.8	00.1-05.5	1	0.5	00.0-01.5				5	1.5	00.0-03.1	160	74.3	66.5-82.1
65+	268	12,928	61	19.3	13.2-25.4	14	5.6	01.5-09.7	3	1.0	00.0-02.4	1	0.8	00.0-02.4	3	2.3	00.0-05.4	186	71.0	63.4-78.6
Less Than H.S.	50	4,734	8	10.1	02.1-18.1				1	1.2	00.0-03.7	1	2.3	00.0-06.8	3	9.0	00.0-19.2	37	77.3	63.8-90.8
H.S. or G.E.D.	189	10,178	38	15.7	09.2-22.2	15	12.1	05.0-19.2							4	5.5	00.0-14.7	132	66.6	56.0-77.2
Some Post-H.S.	194	14,887	39	24.7	15.9-33.5	11	6.2	01.3-11.1							3	1.1	00.0-02.5	141	68.1	58.7-77.5
College Graduate	181	7,066	41	21.5	14.1-28.9	5	2.2	00.2-04.2	3	1.9	00.0-04.4				4	1.9	00.0-04.4	128	72.5	64.3-80.7
\$15,000- 24,999	66	4,428	9	14.1	02.5-25.7	4	8.4	00.0-17.8	1	1.3	00.0-03.8	1	2.5	00.0-07.4	1	0.1	00.0-00.3	50	73.5	59.0-88.0
\$25,000- 34,999	58	3,199	16	20.2	07.1-33.3	4	10.1	00.0-22.8							3	8.8	00.0-20.6	35	60.9	42.9-78.9
\$35,000- 49,999	93	5,853	16	22.1	09.0-35.2	3	1.3	00.0-03.1	2	1.2	00.0-03.4							72	75.4	62.1-88.7
\$50,000- 74,999	112	6,378	29	22.7	12.3-33.1	5	7.6	00.2-15.0							1	0.9	00.0-02.7	77	68.8	57.0-80.6
\$75,000+	205	11,131	41	21.6	13.2-30.0	9	6.2	00.7-11.7	1	0.6	00.0-01.8				1	0.3	00.0-00.9	153	71.3	62.1-80.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 12: FALLS**

**TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	927	39,070	310	33.9	29.6-38.2	52	7.4	04.9-09.9	13	1.3	00.1-02.5	6	1.0	00.0-02.0	8	0.9	00.1-01.7	538	55.5	51.0-60.0
Non-Native	876	36,818	286	32.4	28.1-36.7	46	6.9	04.4-09.4	12	1.3	00.1-02.5	5	1.0	00.0-02.0	7	0.8	00.0-01.6	520	57.5	52.8-62.2
45-54	175	11,074	59	34.1	24.9-43.3	14	11.0	04.3-17.7	3	0.9	00.0-02.1	1	1.4	00.0-04.1				98	52.5	42.7-62.3
55-64	283	11,977	91	31.8	24.5-39.1	19	8.7	03.6-13.8	6	2.9	00.0-06.2	3	1.0	00.0-02.6	6	2.3	00.1-04.5	158	53.2	45.2-61.2
65+	459	15,527	157	35.1	28.8-41.4	18	3.8	01.4-06.2	4	0.4	00.0-00.8	2	0.8	00.0-02.0	1	0.1	00.0-00.3	277	59.8	53.5-66.1
Less Than H.S.	57	3,450	26	57.4	40.9-73.9	3	3.3	00.0-07.6	1	0.3	00.0-00.9				1	0.7	00.0-02.1	26	38.4	22.3-54.5
H.S. or G.E.D.	282	11,366	102	37.2	29.4-45.0	16	7.8	02.7-12.9	7	2.3	00.3-04.3	1	1.4	00.0-04.1	3	1.6	00.0-03.6	153	49.7	41.5-57.9
Some Post-H.S.	318	15,012	100	30.9	23.8-38.0	23	8.5	03.8-13.2	3	1.4	00.0-03.8	3	1.0	00.0-02.2	3	0.7	00.0-01.5	186	57.6	50.0-65.2
College Graduate	267	9,106	82	26.5	19.8-33.2	9	6.4	01.7-11.1	2	0.3	00.0-00.9	2	1.0	00.0-03.0	1	0.5	00.0-01.5	171	65.3	57.7-72.9
Less than \$15,000	95	4,661	41	43.8	29.5-58.1	7	6.3	00.6-12.0	3	5.3	00.0-13.1	1	1.9	00.0-05.6	1	2.1	00.0-06.2	42	40.6	26.9-54.3
\$15,000- 24,999	150	6,335	53	33.9	23.1-44.7	10	12.1	02.7-21.5	5	2.2	00.0-04.4	2	1.4	00.0-03.6	3	1.9	00.0-04.1	77	48.6	37.2-60.0
\$25,000- 34,999	97	4,184	28	26.6	15.4-37.8	7	10.6	00.8-20.4				1	3.8	00.0-11.1	1	1.0	00.0-03.0	60	58.0	44.1-71.9
\$35,000- 49,999	132	4,344	48	45.1	32.8-57.4	4	3.5	00.0-08.2	1	0.2	00.0-00.6							79	51.1	38.9-63.3
\$50,000- 74,999	120	5,212	40	39.5	27.2-51.8	10	10.0	03.1-16.9	1	0.1	00.0-00.3							69	50.3	37.8-62.8
\$75,000+	194	8,267	54	23.8	16.0-31.6	3	1.3	00.0-03.1	2	0.9	00.0-02.3	1	0.0	00.0-00.0				134	74.0	66.0-82.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014

SECTION 13: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	218
2	MALES ONLY	219
3	FEMALES ONLY	220

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom		Never		Never drive Ride in Car				
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7441	546,378	5254	69.6	67.8-71.4	1391	17.8	16.4-19.2	465	6.9	05.9-07.9	152	2.8	02.0-03.6	175	2.9	02.3-03.5	4	0.0	00.0-00.0
Male	3115	279,496	1900	62.0	59.3-64.7	712	20.6	18.4-22.8	264	8.7	07.1-10.3	105	4.0	02.8-05.2	133	4.8	03.6-06.0	1	0.0	00.0-00.0
Female	4326	266,883	3354	77.7	75.5-79.9	679	14.8	13.0-16.6	201	4.9	03.7-06.1	47	1.6	00.8-02.4	42	0.9	00.5-01.3	3	0.1	00.0-00.3
Native	226	21,706	157	67.6	57.6-77.6	34	15.2	07.8-22.6	22	11.0	03.7-18.3	7	3.4	00.0-07.1	5	2.8	00.0-06.1	1	0.1	00.0-00.3
Non-Native	7096	514,444	5030	70.0	68.2-71.8	1331	17.9	16.5-19.3	433	6.6	05.6-07.6	141	2.7	01.9-03.5	158	2.7	02.1-03.3	3	0.0	00.0-00.0
18-24	334	84,279	224	71.6	65.5-77.7	57	13.5	09.0-18.0	28	7.7	04.2-11.2	15	4.6	01.7-07.5	10	2.6	00.2-05.0			
25-34	638	99,831	409	65.4	60.3-70.5	140	21.3	17.0-25.6	56	7.6	04.9-10.3	18	2.8	01.0-04.6	15	2.9	01.1-04.7			
35-44	803	79,288	553	68.6	63.9-73.3	158	19.4	15.3-23.5	53	5.9	03.4-08.4	20	2.5	00.9-04.1	19	3.5	01.3-05.7			
45-54	1153	83,712	770	65.2	61.3-69.1	228	18.9	15.8-22.0	95	9.2	06.8-11.6	30	4.0	02.0-06.0	29	2.6	01.4-03.8	1	0.0	00.0-00.0
55-64	1786	89,263	1270	71.8	69.1-74.5	344	17.7	15.3-20.1	104	5.9	04.3-07.5	31	1.7	00.9-02.5	37	2.8	01.6-04.0			
65+	2652	105,465	1974	74.1	71.7-76.5	451	16.1	14.1-18.1	125	5.1	03.7-06.5	37	1.7	00.9-02.5	62	2.9	01.9-03.9	3	0.2	00.0-00.6
Less Than H.S.	433	47,132	283	64.4	57.1-71.7	81	11.4	07.9-14.9	35	13.9	07.8-20.0	9	1.9	00.0-03.9	23	8.0	03.1-12.9	2	0.4	00.0-01.2
H.S. or G.E.D.	2212	142,368	1484	66.4	63.3-69.5	420	18.7	16.2-21.2	165	7.8	06.0-09.6	60	3.3	01.9-04.7	81	3.8	02.6-05.0	2	0.0	00.0-00.0
Some Post-H.S.	2395	216,105	1642	67.0	63.9-70.1	500	21.3	18.6-24.0	160	6.3	04.7-07.9	54	3.6	02.2-05.0	39	1.8	01.0-02.6			
College Graduate	2378	138,272	1826	78.5	76.0-81.0	389	13.8	11.8-15.8	103	4.4	03.2-05.6	28	1.3	00.5-02.1	32	2.0	01.0-03.0			
Less than \$15,000	442	42,665	310	68.6	61.2-76.0	67	14.0	08.9-19.1	32	8.8	04.1-13.5	15	3.2	00.5-05.9	17	5.4	01.1-09.7	1	0.1	00.0-00.3
\$15,000- 24,999	848	69,865	608	70.4	65.1-75.7	142	17.7	13.4-22.0	57	4.7	02.5-06.9	16	2.9	00.9-04.9	24	4.2	01.7-06.7	1	0.0	00.0-00.0
\$25,000- 34,999	680	54,021	477	69.7	64.0-75.4	127	17.1	12.4-21.8	46	8.0	04.5-11.5	10	1.7	00.3-03.1	20	3.5	01.5-05.5			
\$35,000- 49,999	979	67,772	670	65.1	60.2-70.0	189	19.6	15.5-23.7	70	8.9	06.0-11.8	22	2.7	00.7-04.7	28	3.8	01.8-05.8			
\$50,000- 74,999	1181	84,825	811	65.0	60.3-69.7	257	21.8	17.9-25.7	67	6.9	04.4-09.4	22	3.8	01.3-06.3	23	2.4	01.2-03.6	1	0.0	00.0-00.0
\$75,000+	2447	172,194	1746	72.2	69.5-74.9	462	17.2	15.0-19.4	140	6.3	04.7-07.9	51	2.3	01.3-03.3	48	1.9	01.1-02.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3115	279,496	1900	62.0	59.3-64.7	712	20.6	18.4-22.8	264	8.7	07.1-10.3	105	4.0	02.8-05.2	133	4.8	03.6-06.0	1	0.0	00.0-00.0
Native	72	7,917	45	59.5	42.1-76.9	16	21.3	07.2-35.4	6	11.9	00.0-24.1	2	1.7	00.0-04.1	3	5.5	00.0-13.7			
Non-Native	2976	264,785	1819	62.4	59.7-65.1	682	20.8	18.6-23.0	251	8.5	06.9-10.1	100	3.9	02.7-05.1	123	4.4	03.2-05.6	1	0.0	00.0-00.0
18-24	184	46,518	114	67.5	58.9-76.1	33	13.0	07.1-18.9	18	9.9	04.2-15.6	9	4.8	00.9-08.7	10	4.8	00.5-09.1			
25-34	303	53,720	183	62.0	54.9-69.1	69	23.3	17.0-29.6	26	6.1	02.8-09.4	12	4.0	01.1-06.9	13	4.6	01.5-07.7			
35-44	365	42,120	209	57.5	50.4-64.6	91	24.3	18.2-30.4	30	7.8	03.7-11.9	16	3.8	01.1-06.5	19	6.6	02.7-10.5			
45-54	489	41,885	276	55.9	49.8-62.0	112	20.7	15.8-25.6	58	12.8	08.5-17.1	22	6.9	03.2-10.6	21	3.7	01.7-05.7			
55-64	762	46,206	461	63.0	58.5-67.5	183	21.8	18.1-25.5	67	8.4	05.9-10.9	20	2.1	00.7-03.5	31	4.6	02.6-06.6			
65+	990	47,357	645	64.4	60.1-68.7	218	20.7	17.4-24.0	64	8.1	05.2-11.0	26	2.6	01.2-04.0	36	4.1	02.3-05.9	1	0.0	00.0-00.0
Less Than H.S.	206	28,747	115	55.7	45.1-66.3	45	12.2	07.5-16.9	21	17.6	08.8-26.4	5	2.2	00.0-05.3	20	12.3	04.7-19.9			
H.S. or G.E.D.	953	76,039	529	59.3	54.6-64.0	230	21.6	17.7-25.5	88	8.7	06.2-11.2	41	4.1	02.1-06.1	64	6.3	04.3-08.3	1	0.0	00.0-00.0
Some Post-H.S.	945	108,186	543	57.8	53.1-62.5	241	25.3	21.2-29.4	95	8.3	05.9-10.7	39	5.7	03.3-08.1	27	2.8	01.2-04.4			
College Graduate	1002	64,746	706	73.9	70.0-77.8	195	15.8	12.7-18.9	59	5.5	03.5-07.5	20	1.8	00.4-03.2	22	3.0	01.2-04.8			
Less than \$15,000	151	17,561	94	62.8	50.6-75.0	21	13.2	06.3-20.1	17	11.7	03.3-20.1	6	1.1	00.1-02.1	12	11.1	01.1-21.1	1	0.1	00.0-00.3
\$15,000- 24,999	288	34,007	190	63.1	54.5-71.7	48	19.7	12.8-26.6	27	5.9	02.0-09.8	8	4.1	00.2-08.0	15	7.1	02.4-11.8			
\$25,000- 34,999	257	26,212	151	62.0	53.0-71.0	64	21.0	13.6-28.4	22	8.9	03.6-14.2	9	3.2	00.7-05.7	11	5.0	01.3-08.7			
\$35,000- 49,999	418	37,096	236	56.8	49.4-64.2	95	20.7	14.8-26.6	45	12.2	07.3-17.1	19	4.8	01.5-08.1	23	5.5	02.4-08.6			
\$50,000- 74,999	530	46,225	313	57.9	51.2-64.6	144	25.6	19.5-31.7	40	8.6	04.7-12.5	15	4.0	00.9-07.1	18	4.0	01.8-06.2			
\$75,000+	1217	95,921	760	64.2	60.1-68.3	284	20.7	17.4-24.0	90	8.2	05.7-10.7	39	3.6	02.0-05.2	44	3.2	01.6-04.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4326	266,883	3354	77.7	75.5-79.9	679	14.8	13.0-16.6	201	4.9	03.7-06.1	47	1.6	00.8-02.4	42	0.9	00.5-01.3	3	0.1	00.0-00.3
Native	154	13,789	112	72.2	60.0-84.4	18	11.6	03.4-19.8	16	10.4	01.6-19.2	5	4.5	00.0-10.0	2	1.2	00.0-02.8	1	0.1	00.0-00.3
Non-Native	4120	249,659	3211	78.1	75.9-80.3	649	14.8	12.8-16.8	182	4.7	03.7-05.7	41	1.5	00.7-02.3	35	0.9	00.5-01.3	2	0.1	00.0-00.3
18-24	150	37,761	110	76.7	68.1-85.3	24	14.0	06.9-21.1	10	4.9	01.2-08.6	6	4.4	00.0-08.9						
25-34	335	46,111	226	69.4	62.3-76.5	71	18.9	13.0-24.8	30	9.5	05.0-14.0	6	1.3	00.0-02.9	2	0.9	00.0-02.3			
35-44	438	37,168	344	81.3	75.8-86.8	67	13.9	08.8-19.0	23	3.8	01.4-06.2	4	1.1	00.0-02.7						
45-54	664	41,826	494	74.5	70.2-78.8	116	17.1	13.4-20.8	37	5.6	03.4-07.8	8	1.2	00.2-02.2	8	1.5	00.3-02.7	1	0.0	00.0-00.0
55-64	1024	43,057	809	81.3	78.2-84.4	161	13.2	10.7-15.7	37	3.3	01.9-04.7	11	1.3	00.3-02.3	6	0.8	00.0-01.8			
65+	1662	58,109	1329	81.9	79.5-84.3	233	12.2	10.2-14.2	61	2.7	01.9-03.5	11	0.9	00.3-01.5	26	1.9	00.9-02.9	2	0.3	00.0-00.9
Less Than H.S.	227	18,385	168	77.9	70.1-85.7	36	10.2	05.3-15.1	14	8.1	02.0-14.2	4	1.5	00.0-03.1	3	1.2	00.0-02.6	2	1.1	00.0-03.1
H.S. or G.E.D.	1259	66,329	955	74.5	70.4-78.6	190	15.3	12.0-18.6	77	6.7	04.3-09.1	19	2.5	00.7-04.3	17	0.9	00.3-01.5	1	0.0	00.0-00.0
Some Post-H.S.	1450	107,919	1099	76.3	72.4-80.2	259	17.2	13.9-20.5	65	4.3	02.5-06.1	15	1.4	00.0-02.8	12	0.8	00.2-01.4			
College Graduate	1376	73,525	1120	82.5	79.2-85.8	194	12.0	09.3-14.7	44	3.4	01.6-05.2	8	1.0	00.0-02.0	10	1.1	00.1-02.1			
Less than \$15,000	291	25,104	216	72.6	63.4-81.8	46	14.6	07.3-21.9	15	6.7	01.4-12.0	9	4.7	00.2-09.2	5	1.4	00.0-03.0			
\$15,000- 24,999	560	35,858	418	77.3	71.4-83.2	94	15.8	10.3-21.3	30	3.5	01.5-05.5	8	1.8	00.4-03.2	9	1.5	00.1-02.9	1	0.1	00.0-00.3
\$25,000- 34,999	423	27,809	326	77.1	69.8-84.4	63	13.5	07.6-19.4	24	7.1	02.6-11.6	1	0.4	00.0-01.2	9	2.0	00.4-03.6			
\$35,000- 49,999	561	30,676	434	75.0	68.9-81.1	94	18.2	12.7-23.7	25	4.9	02.2-07.6	3	0.3	00.1-00.5	5	1.6	00.0-03.8			
\$50,000- 74,999	651	38,600	498	73.6	67.5-79.7	113	17.4	12.7-22.1	27	5.0	01.9-08.1	7	3.5	00.0-07.4	5	0.4	00.0-01.0	1	0.0	00.0-00.0
\$75,000+	1230	76,273	986	82.3	79.0-85.6	178	12.8	09.9-15.7	50	4.0	02.4-05.6	12	0.7	00.1-01.3	4	0.2	00.0-00.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014

SECTION 14: DRINKING AND DRIVING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	222
2	MALES ONLY	223
3	FEMALES ONLY	224

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 14: DRINKING AND DRIVING**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days  
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4297	334,675	109	3.5	02.5-04.5	43	1.0	00.6-01.4	11	0.3	00.1-00.5	1	0.0	00.0-00.0	12	0.8	00.2-01.4	4121	94.4	93.2-95.6
Male	2047	186,637	78	5.1	03.5-06.7	34	1.6	00.8-02.4	9	0.3	00.0-00.7	1	0.0	00.0-00.0	10	1.2	00.0-02.4	1915	91.7	89.5-93.9
Female	2250	148,038	31	1.4	00.6-02.2	9	0.3	00.1-00.5	2	0.3	00.0-00.7	2	0.2	00.0-00.6	2206	97.8	96.8-98.8			
Native	91	9,309	6	12.4	00.8-24.0	2	0.8	00.0-02.0	1	3.9	00.0-11.3							82	82.9	69.6-96.2
Non-Native	4154	320,306	101	3.2	02.2-04.2	40	1.0	00.6-01.4	9	0.2	00.0-00.4	1	0.0	00.0-00.0	11	0.6	00.0-01.2	3992	94.9	93.7-96.1
18-24	209	52,739	11	3.9	00.8-07.0	1	0.0	00.0-00.0							2	2.0	00.0-05.1	195	94.0	89.7-98.3
25-34	464	70,154	19	4.2	01.7-06.7	6	1.4	00.0-02.8							1	0.2	00.0-00.6	438	94.3	91.4-97.2
35-44	555	54,948	19	5.1	02.2-08.0	9	1.7	00.1-03.3	3	0.8	00.0-02.2	1	0.1	00.0-00.3	4	1.8	00.0-04.0	519	90.5	86.6-94.4
45-54	731	52,489	26	4.2	01.7-06.7	9	1.5	00.1-02.9	4	0.8	00.0-01.8				4	0.5	00.0-01.1	688	93.0	90.1-95.9
55-64	1058	52,279	20	2.3	00.9-03.7	11	1.0	00.4-01.6	1	0.1	00.0-00.3				1	0.3	00.0-00.9	1025	96.3	94.7-97.9
65+	1246	49,720	14	0.9	00.3-01.5	7	0.4	00.0-00.8	3	0.3	00.0-00.7							1222	98.4	97.6-99.2
Less Than H.S.	170	20,192	3	2.1	00.0-04.8	2	2.2	00.0-05.9	2	2.0	00.0-05.5				4	8.8	00.0-18.2	159	85.0	74.6-95.4
H.S. or G.E.D.	1143	79,986	25	2.3	01.1-03.5	17	1.4	00.4-02.4	3	0.2	00.0-00.4	1	0.0	00.0-00.0	4	0.4	00.0-01.0	1093	95.7	93.9-97.5
Some Post-H.S.	1429	135,950	46	5.0	03.0-07.0	15	1.0	00.4-01.6	4	0.3	00.0-00.7				1	0.0	00.0-00.0	1363	93.7	91.5-95.9
College Graduate	1546	97,447	35	2.8	01.4-04.2	9	0.6	00.0-01.2	2	0.1	00.0-00.3				3	0.4	00.0-01.0	1497	96.1	94.5-97.7
Less than \$15,000	145	19,438	2	1.5	00.0-03.7	1	0.2	00.0-00.6	1	1.9	00.0-05.4				1	1.5	00.0-04.4	140	94.9	89.8-0100
\$15,000- 24,999	369	35,513	8	3.5	00.2-06.8	2	0.3	00.0-00.7							3	0.5	00.0-01.3	356	95.6	92.1-99.1
\$25,000- 34,999	327	30,074	5	1.9	00.0-03.9	7	2.3	00.0-05.0										315	95.8	92.5-99.1
\$35,000- 49,999	579	44,347	25	7.4	03.3-11.5	7	2.7	00.3-05.1	4	0.4	00.0-00.8				2	0.9	00.0-02.1	541	88.7	84.0-93.4
\$50,000- 74,999	744	56,776	14	2.4	00.2-04.6	7	0.5	00.1-00.9	1	0.1	00.0-00.3				1	1.0	00.0-03.0	721	96.0	93.3-98.7
\$75,000+	1701	120,040	51	3.8	02.2-05.4	16	0.9	00.3-01.5	5	0.4	00.0-00.8	1	0.0	00.0-00.0	5	1.0	00.0-02.4	1623	93.9	91.7-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 14: DRINKING AND DRIVING**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2047	186,637	78	5.1	03.5-06.7	34	1.6	00.8-02.4	9	0.3	00.0-00.7	1	0.0	00.0-00.0	10	1.2	00.0-02.4	1915	91.7	89.5-93.9
Non-Native	1966	177,410	72	4.8	03.2-06.4	32	1.6	00.8-02.4	8	0.3	00.0-00.7	1	0.0	00.0-00.0	9	1.0	00.0-02.0	1844	92.3	90.3-94.3
18-24	119	28,679	9	6.9	01.4-12.4	1	0.0	00.0-00.0							1	2.9	00.0-08.4	108	90.2	82.6-97.8
25-34	241	40,245	13	5.4	01.5-09.3	5	2.4	00.0-04.8							1	0.3	00.0-00.9	222	91.9	87.4-96.4
35-44	271	30,835	11	6.8	02.1-11.5	6	2.1	00.0-04.6	1	0.1	00.0-00.3	1	0.1	00.0-00.3	4	3.2	00.0-07.1	248	87.8	81.5-94.1
45-54	335	28,973	21	6.9	02.4-11.4	7	2.3	00.1-04.5	4	1.4	00.0-03.4				3	0.8	00.0-02.0	300	88.6	83.3-93.9
55-64	491	29,404	14	3.5	01.1-05.9	9	1.6	00.4-02.8	1	0.1	00.0-00.3				1	0.5	00.0-01.5	466	94.3	91.6-97.0
65+	579	27,346	10	1.2	00.2-02.2	6	0.7	00.1-01.3	3	0.5	00.0-01.1							560	97.6	96.4-98.8
Less Than H.S.	104	14,636	2	2.4	00.0-05.9	2	3.0	00.0-08.3	1	0.2	00.0-00.6				4	12.1	00.0-24.6	95	82.3	69.0-95.6
H.S. or G.E.D.	580	48,701	19	2.6	00.8-04.4	14	2.1	00.3-03.9	3	0.3	00.0-00.7	1	0.1	00.0-00.3	2	0.1	00.0-00.3	541	94.8	92.3-97.3
Some Post-H.S.	648	74,841	35	7.9	04.4-11.4	10	1.3	00.3-02.3	3	0.5	00.0-01.3				1	0.1	00.0-00.3	599	90.2	86.5-93.9
College Graduate	709	47,422	22	4.2	01.7-06.7	8	1.1	00.0-02.3	2	0.1	00.0-00.3				3	0.9	00.0-01.9	674	93.6	90.7-96.5
Less than \$15,000	64	8,560	2	3.4	00.0-08.1	1	0.5	00.0-01.5							1	3.4	00.0-09.9	60	92.7	84.7-0100
\$15,000- 24,999	157	19,630	7	6.2	00.3-12.1	2	0.6	00.0-01.4							2	0.8	00.0-02.0	146	92.4	86.3-98.5
\$25,000- 34,999	140	15,613	3	2.5	00.0-05.6	5	4.0	00.0-09.1										132	93.5	87.6-99.4
\$35,000- 49,999	270	27,116	16	9.9	03.4-16.4	6	4.2	00.3-08.1	4	0.6	00.0-01.2				1	0.5	00.0-01.5	243	84.8	77.5-92.1
\$50,000- 74,999	369	33,365	12	3.9	00.4-07.4	5	0.6	00.0-01.2	1	0.1	00.0-00.3				1	1.6	00.0-04.7	350	93.7	89.0-98.4
\$75,000+	896	69,519	37	5.1	02.6-07.6	12	1.1	00.3-01.9	4	0.6	00.0-01.4	1	0.1	00.0-00.3	5	1.7	00.0-04.1	837	91.5	88.0-95.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 14: DRINKING AND DRIVING**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time						Two Times			Three Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2250	148,038	31	1.4	00.6-02.2	9	0.3	00.1-00.5	2	0.3	00.0-00.7	2	0.2	00.0-00.6	2206	97.8	96.8-98.8			
Non-Native	2188	142,896	29	1.3	00.5-02.1	8	0.3	00.0-00.7	1	0.0	00.0-00.0	2	0.2	00.0-00.6	2148	98.1	97.3-98.9			
18-24	90	24,060	2	0.4	00.0-01.0							1	1.0	00.0-03.0	87	98.6	96.6-0100			
25-34	223	29,910	6	2.5	00.0-05.2	1	0.1	00.0-00.3							216	97.4	94.7-0100			
35-44	284	24,113	8	3.0	00.5-05.5	3	1.1	00.0-02.7	2	1.8	00.0-04.7				271	94.1	90.0-98.2			
45-54	396	23,517	5	1.0	00.0-02.0	2	0.6	00.0-01.4				1	0.1	00.0-00.3	388	98.3	96.9-99.7			
55-64	567	22,875	6	0.8	00.2-01.4	2	0.3	00.0-00.7							559	98.9	98.1-99.7			
65+	667	22,374	4	0.4	00.0-01.0	1	0.1	00.0-00.3							662	99.4	98.8-0100			
Less Than H.S.	66	5,556	1	1.3	00.0-03.8				1	6.5	00.0-18.7				64	92.2	79.9-0100			
H.S. or G.E.D.	563	31,285	6	1.7	00.1-03.3	3	0.3	00.0-00.7				2	0.8	00.0-02.4	552	97.2	95.0-99.4			
Some Post-H.S.	781	61,109	11	1.3	00.0-02.7	5	0.6	00.0-01.2	1	0.1	00.0-00.3				764	98.0	96.4-99.6			
College Graduate	837	50,025	13	1.4	00.4-02.4	1	0.1	00.0-00.3							823	98.5	97.5-99.5			
Less than \$15,000	81	10,878							1	3.3	00.0-09.8				80	96.7	90.2-0100			
\$15,000- 24,999	212	15,883	1	0.2	00.0-00.6							1	0.2	00.0-00.6	210	99.7	99.3-0100			
\$25,000- 34,999	187	14,461	2	1.3	00.0-03.5	2	0.4	00.0-01.0							183	98.3	96.1-0100			
\$35,000- 49,999	309	17,231	9	3.4	00.7-06.1	1	0.2	00.0-00.6				1	1.4	00.0-04.1	298	95.0	91.3-98.7			
\$50,000- 74,999	375	23,411	2	0.2	00.0-00.6	2	0.4	00.0-01.0							371	99.4	98.8-0100			
\$75,000+	805	50,521	14	2.0	00.2-03.8	4	0.7	00.0-01.5	1	0.1	00.0-00.3				786	97.2	95.2-99.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS**

\* NOTE \*\*\*\*\*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\*\*\*\*\*

TABLE	PAGE
1 A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	226
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	227
3 A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	228
4 HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	229
5 A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	230
6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	231
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	232

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4319	265,350	3503	62.7	60.0-65.4	816	37.3	34.6-40.0
Native	153	13,180	108	51.1	37.4-64.8	45	48.9	35.2-62.6
Non-Native	4114	248,735	3355	63.3	60.6-66.0	759	36.7	34.0-39.4
18-24	149	37,214	17	10.5	03.8-17.2	132	89.5	82.8-96.2
25-34	334	45,667	40	10.8	06.3-15.3	294	89.2	84.7-93.7
35-44	436	36,755	202	51.1	44.4-57.8	234	48.9	42.2-55.6
45-54	662	41,694	607	93.2	90.5-95.9	55	6.8	04.1-09.5
55-64	1023	43,011	980	95.6	93.8-97.4	43	4.4	02.6-06.2
65+	1663	58,217	1611	96.5	95.1-97.9	52	3.5	02.1-04.9
Less Than H.S.	227	17,874	193	74.5	65.3-83.7	34	25.5	16.3-34.7
H.S. or G.E.D.	1256	65,957	1073	66.7	61.4-72.0	183	33.3	28.0-38.6
Some Post-H.S.	1448	107,448	1212	65.0	60.3-69.7	236	35.0	30.3-39.7
College Graduate	1374	73,345	1011	52.3	48.0-56.6	363	47.7	43.4-52.0
Less than \$15,000	289	24,561	230	53.7	43.3-64.1	59	46.3	35.9-56.7
\$15,000- 24,999	560	35,868	467	59.0	51.4-66.6	93	41.0	33.4-48.6
\$25,000- 34,999	424	27,936	351	55.7	46.7-64.7	73	44.3	35.3-53.3
\$35,000- 49,999	560	30,129	471	70.5	63.6-77.4	89	29.5	22.6-36.4
\$50,000- 74,999	651	38,600	501	60.9	54.0-67.8	150	39.1	32.2-46.0
\$75,000+	1228	75,943	946	62.7	58.0-67.4	282	37.3	32.6-42.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3477	165,055	2089	58.8	56.3-61.3	612	17.7	15.9-19.5	261	7.2	05.8-08.6	212	6.9	05.5-08.3	303	9.5	07.9-11.1
Native	108	6,730	44	35.1	20.6-49.6	29	21.4	10.8-32.0	10	6.3	00.8-11.8	16	28.1	10.5-45.7	9	9.1	00.0-19.5
Non-Native	3331	156,171	2025	59.8	57.3-62.3	575	17.6	15.6-19.6	247	7.3	05.9-08.7	195	6.0	04.8-07.2	289	9.4	07.8-11.0
35-44	202	18,769	120	64.7	55.3-74.1	29	11.0	05.7-16.3	18	6.2	02.5-09.9	18	8.5	03.8-13.2	17	9.6	02.5-16.7
45-54	607	38,862	348	57.7	52.6-62.8	122	20.2	15.9-24.5	42	6.7	04.0-09.4	40	6.4	03.7-09.1	55	8.9	06.0-11.8
55-64	977	40,962	631	63.0	58.9-67.1	163	18.1	14.8-21.4	72	7.1	04.9-09.3	43	4.6	02.6-06.6	68	7.1	04.9-09.3
65+	1593	55,573	941	57.5	54.2-60.8	276	17.1	14.6-19.6	121	7.6	05.6-09.6	102	6.8	05.0-08.6	153	11.0	08.6-13.4
Less Than H.S.	191	13,131	100	50.2	40.6-59.8	38	18.0	11.1-24.9	13	7.4	02.3-12.5	17	9.7	04.2-15.2	23	14.7	07.3-22.1
H.S. or G.E.D.	1064	43,819	600	53.9	49.6-58.2	210	21.1	17.6-24.6	89	8.1	05.9-10.3	62	6.4	04.0-08.8	103	10.6	07.7-13.5
Some Post-H.S.	1205	69,483	715	59.7	55.4-64.0	222	17.2	14.1-20.3	77	6.9	04.5-09.3	82	7.3	04.9-09.7	109	9.0	06.3-11.7
College Graduate	1005	38,013	666	65.5	61.2-69.8	141	14.6	11.5-17.7	81	6.7	04.5-08.9	51	5.9	03.4-08.4	66	7.3	04.9-09.7
Less than \$15,000	228	13,150	101	39.1	29.7-48.5	45	19.3	12.2-26.4	24	11.7	03.7-19.7	20	14.0	06.4-21.6	38	15.9	09.0-22.8
\$15,000- 24,999	462	21,029	247	50.5	43.6-57.4	85	18.2	13.3-23.1	42	9.5	05.6-13.4	29	9.0	03.3-14.7	59	12.7	08.4-17.0
\$25,000- 34,999	347	15,293	206	54.3	45.9-62.7	60	19.1	12.4-25.8	29	10.3	05.0-15.6	21	4.8	02.1-07.5	31	11.4	04.0-18.8
\$35,000- 49,999	471	21,238	272	53.7	46.6-60.8	93	25.1	18.6-31.6	35	5.7	03.3-08.1	40	9.4	04.5-14.3	31	6.1	03.4-08.8
\$50,000- 74,999	500	23,463	327	64.5	58.0-71.0	77	16.8	12.1-21.5	43	5.5	03.5-07.5	17	3.0	01.2-04.8	36	10.2	04.9-15.5
\$75,000+	944	47,379	618	66.2	61.9-70.5	160	15.8	12.5-19.1	51	5.4	03.2-07.6	55	6.5	04.3-08.7	60	6.2	04.0-08.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?  
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4297	263,824	3997	86.9	84.7-89.1	300	13.1	10.9-15.3
Native	152	13,155	129	77.7	65.5-89.9	23	22.3	10.1-34.5
Non-Native	4097	247,507	3826	87.6	85.2-90.0	271	12.4	10.0-14.8
18-24	149	37,203	73	46.4	36.2-56.6	76	53.6	43.4-63.8
25-34	333	45,264	306	89.0	83.3-94.7	27	11.0	05.3-16.7
35-44	436	36,755	416	95.5	92.8-98.2	20	4.5	01.8-07.2
45-54	660	41,290	642	96.7	94.5-98.9	18	3.3	01.1-05.5
55-64	1019	42,881	989	96.5	94.9-98.1	30	3.5	01.9-05.1
65+	1650	57,743	1526	91.6	89.6-93.6	124	8.4	06.4-10.4
Less Than H.S.	226	17,849	188	77.0	68.8-85.2	38	23.0	14.8-31.2
H.S. or G.E.D.	1246	65,048	1129	82.8	78.3-87.3	117	17.2	12.7-21.7
Some Post-H.S.	1443	107,297	1359	87.4	83.3-91.5	84	12.6	08.5-16.7
College Graduate	1369	72,972	1309	92.2	89.1-95.3	60	7.8	04.7-10.9
Less than \$15,000	289	24,570	236	65.4	54.8-76.0	53	34.6	24.0-45.2
\$15,000- 24,999	556	35,431	482	79.5	72.6-86.4	74	20.5	13.6-27.4
\$25,000- 34,999	423	27,754	385	79.2	70.0-88.4	38	20.8	11.6-30.0
\$35,000- 49,999	560	30,668	531	94.2	91.1-97.3	29	5.8	02.7-08.9
\$50,000- 74,999	649	38,536	633	96.7	93.8-99.6	16	3.3	00.4-06.2
\$75,000+	1225	75,637	1193	94.4	91.5-97.3	32	5.6	02.7-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3943	226,904	2404	63.6	61.2-66.0	720	17.6	15.8-19.4	293	6.6	05.4-07.8	209	4.5	03.5-05.5	317	7.7	06.3-09.1
Native	128	9,877	62	58.9	44.2-73.6	31	19.1	08.1-30.1	7	3.4	00.5-06.3	12	6.5	00.8-12.2	16	12.1	01.3-22.9
Non-Native	3775	214,799	2315	63.6	61.2-66.0	684	17.7	15.7-19.7	283	6.7	05.5-07.9	195	4.4	03.4-05.4	298	7.5	06.1-08.9
18-24	71	16,843	49	72.5	59.6-85.4	17	19.3	08.3-30.3	1	0.4	00.0-01.2	2	4.2	00.0-10.7	2	3.6	00.0-10.1
25-34	305	40,252	198	65.8	58.2-73.4	64	20.2	13.9-26.5	24	6.0	02.9-09.1	9	2.5	00.1-04.9	10	5.6	00.9-10.3
35-44	413	34,913	259	68.5	62.4-74.6	78	13.9	09.8-18.0	39	10.0	05.7-14.3	19	3.7	01.5-05.9	18	3.9	01.2-06.6
45-54	638	39,806	367	59.1	54.0-64.2	126	19.9	15.8-24.0	50	6.8	04.4-09.2	33	5.0	02.6-07.4	62	9.2	06.3-12.1
55-64	977	40,781	607	63.1	59.0-67.2	177	16.8	13.7-19.9	67	6.4	04.4-08.4	43	4.0	02.4-05.6	83	9.6	06.9-12.3
65+	1495	51,896	896	59.5	56.0-63.0	248	16.4	13.9-18.9	110	6.9	05.1-08.7	101	6.7	04.9-08.5	140	10.6	08.2-13.0
Less Than H.S.	186	13,627	101	57.3	47.3-67.3	35	12.7	07.2-18.2	15	5.6	01.9-09.3	12	7.2	02.9-11.5	23	17.3	08.3-26.3
H.S. or G.E.D.	1105	52,920	631	57.5	52.8-62.2	220	22.2	17.9-26.5	94	8.5	06.1-10.9	60	4.6	03.0-06.2	100	7.1	05.1-09.1
Some Post-H.S.	1338	92,840	800	65.4	61.5-69.3	250	15.1	12.6-17.6	92	6.0	04.2-07.8	79	4.7	02.9-06.5	117	8.7	06.2-11.2
College Graduate	1302	66,909	864	67.1	63.0-71.2	212	18.4	14.9-21.9	92	6.1	04.1-08.1	58	3.6	02.0-05.2	76	4.8	03.0-06.6
Less than \$15,000	231	15,870	109	54.9	43.9-65.9	42	18.8	10.0-27.6	25	7.0	03.3-10.7	15	6.8	01.9-11.7	40	12.5	05.4-19.6
\$15,000- 24,999	474	27,814	268	58.9	51.6-66.2	91	19.5	13.8-25.2	35	7.3	03.8-10.8	24	3.4	01.8-05.0	56	10.8	06.3-15.3
\$25,000- 34,999	377	21,741	220	58.4	50.0-66.8	63	16.9	10.6-23.2	21	6.0	01.9-10.1	35	6.8	03.9-09.7	38	11.8	05.5-18.1
\$35,000- 49,999	528	28,814	315	56.0	49.1-62.9	117	25.0	18.9-31.1	38	6.8	03.9-09.7	29	6.7	02.2-11.2	29	5.6	02.9-08.3
\$50,000- 74,999	627	37,094	396	66.0	60.1-71.9	110	16.3	11.8-20.8	57	8.6	05.3-11.9	26	2.7	01.3-04.1	38	6.5	03.0-10.0
\$75,000+	1189	71,328	776	70.3	66.6-74.0	214	16.0	13.1-18.9	76	5.3	03.5-07.1	55	3.9	02.3-05.5	68	4.5	02.7-06.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4299	263,748	4111	90.8	88.8-92.8	188	9.2	07.2-11.2
Native	153	13,180	141	84.2	72.2-96.2	12	15.8	03.8-27.8
Non-Native	4097	247,383	3927	91.3	89.3-93.3	170	8.7	06.7-10.7
18-24	150	37,761	83	55.3	45.1-65.5	67	44.7	34.5-54.9
25-34	333	44,990	323	95.3	91.6-99.0	10	4.7	01.0-08.4
35-44	436	36,755	427	97.5	95.5-99.5	9	2.5	00.5-04.5
45-54	658	41,198	649	98.4	97.2-99.6	9	1.6	00.4-02.8
55-64	1022	42,935	1004	98.0	96.8-99.2	18	2.0	00.8-03.2
65+	1650	57,420	1580	95.5	94.1-96.9	70	4.5	03.1-05.9
Less Than H.S.	225	17,700	202	86.7	80.2-93.2	23	13.3	06.8-19.8
H.S. or G.E.D.	1249	65,107	1175	86.4	81.9-90.9	74	13.6	09.1-18.1
Some Post-H.S.	1444	107,332	1386	91.1	87.8-94.4	58	8.9	05.6-12.2
College Graduate	1368	72,951	1336	95.3	92.8-97.8	32	4.7	02.2-07.2
Less than \$15,000	287	24,207	255	77.2	67.0-87.4	32	22.8	12.6-33.0
\$15,000- 24,999	558	35,476	512	82.9	75.8-90.0	46	17.1	10.0-24.2
\$25,000- 34,999	422	27,817	400	87.6	80.2-95.0	22	12.4	05.0-19.8
\$35,000- 49,999	560	30,651	547	96.7	94.2-99.2	13	3.3	00.8-05.8
\$50,000- 74,999	645	38,028	635	95.4	91.5-99.3	10	4.6	00.7-08.5
\$75,000+	1226	75,654	1204	96.5	94.5-98.5	22	3.5	01.5-05.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4030	235,798	1288	42.4	39.9-44.9	828	20.6	18.6-22.6	514	11.4	10.0-12.8	415	7.4	06.2-08.6	985	18.3	16.5-20.1
Native	141	11,096	56	39.9	26.6-53.2	29	27.4	13.7-41.1	10	9.5	00.0-19.1	15	9.5	01.7-17.3	31	13.7	05.1-22.3
Non-Native	3850	222,268	1219	42.5	39.8-45.2	793	20.2	18.2-22.2	500	11.6	10.2-13.0	394	7.3	06.3-08.3	944	18.5	16.7-20.3
18-24	83	20,897	55	70.5	58.5-82.5	19	18.8	08.6-29.0	4	5.9	00.0-12.0	3	1.9	00.0-04.3	2	2.9	00.0-08.2
25-34	322	42,830	188	61.4	53.8-69.0	81	23.5	17.2-29.8	29	7.6	03.7-11.5	15	3.6	00.5-06.7	9	3.9	00.4-07.4
35-44	427	35,836	212	56.7	50.0-63.4	113	20.7	16.0-25.4	44	10.4	06.3-14.5	22	4.3	01.8-06.8	36	8.0	04.1-11.9
45-54	643	40,245	259	42.8	37.7-47.9	142	21.5	17.4-25.6	80	11.6	08.7-14.5	48	7.1	04.6-09.6	114	17.0	13.1-20.9
55-64	995	41,665	315	30.9	27.0-34.8	242	23.4	19.9-26.9	136	14.4	11.3-17.5	84	7.1	05.1-09.1	218	24.3	20.6-28.0
65+	1515	51,904	244	14.5	12.1-16.9	221	15.9	13.4-18.4	217	14.9	12.4-17.4	240	15.4	12.9-17.9	593	39.4	35.9-42.9
Less Than H.S.	196	14,839	38	23.7	14.7-32.7	33	16.7	10.0-23.4	17	13.2	04.6-21.8	29	9.5	05.0-14.0	79	37.0	27.8-46.2
H.S. or G.E.D.	1148	55,114	302	35.6	30.7-40.5	223	20.5	16.8-24.2	163	14.4	11.5-17.3	127	8.4	06.2-10.6	333	21.1	18.2-24.0
Some Post-H.S.	1360	96,490	448	45.8	41.3-50.3	271	18.1	15.0-21.2	163	9.8	07.6-12.0	143	7.5	05.7-09.3	335	18.9	16.0-21.8
College Graduate	1316	68,830	495	47.2	42.9-51.5	301	25.1	21.4-28.8	169	10.6	08.2-13.0	116	6.0	04.2-07.8	235	11.2	08.8-13.6
Less than \$15,000	248	18,339	50	35.3	24.1-46.5	39	19.1	10.7-27.5	25	10.1	03.2-17.0	34	11.9	05.8-18.0	100	23.6	16.3-30.9
\$15,000- 24,999	501	28,935	108	28.9	21.8-36.0	82	22.8	16.1-29.5	69	13.5	08.6-18.4	58	9.2	05.3-13.1	184	25.6	20.3-30.9
\$25,000- 34,999	390	23,942	91	36.3	26.9-45.7	75	20.7	13.6-27.8	56	13.5	07.8-19.2	50	6.2	03.8-08.6	118	23.4	16.7-30.1
\$35,000- 49,999	539	29,329	165	38.3	31.0-45.6	116	23.3	17.8-28.8	65	11.2	07.3-15.1	75	10.6	06.7-14.5	118	16.6	12.5-20.7
\$50,000- 74,999	628	35,997	237	45.7	39.2-52.2	134	20.8	16.1-25.5	89	12.9	09.2-16.6	54	5.3	03.5-07.1	114	15.3	11.0-19.6
\$75,000+	1196	72,655	483	52.3	47.8-56.8	291	21.7	18.4-25.0	143	9.9	07.7-12.1	86	4.8	03.4-06.2	193	11.4	08.9-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING  
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4268	260,111	1349	22.5	20.7-24.3	2919	77.5	75.7-79.3
Native	150	12,631	33	11.6	05.1-18.1	117	88.4	81.9-94.9
Non-Native	4068	244,233	1299	23.0	21.2-24.8	2769	77.0	75.2-78.8
18-24	146	36,744				146	100.0	0100-0100
25-34	306	42,482	7	2.8	00.1-05.5	299	97.2	94.5-99.9
35-44	430	36,011	47	11.5	07.0-16.0	383	88.5	84.0-93.0
45-54	659	41,269	187	28.2	23.7-32.7	472	71.8	67.3-76.3
55-64	1021	42,947	348	35.1	31.2-39.0	673	64.9	61.0-68.8
65+	1656	57,926	749	44.6	41.3-47.9	907	55.4	52.1-58.7
Less Than H.S.	225	17,616	94	31.4	23.8-39.0	131	68.6	61.0-76.2
H.S. or G.E.D.	1248	64,806	466	26.6	23.3-29.9	782	73.4	70.1-76.7
Some Post-H.S.	1433	105,789	476	24.0	20.9-27.1	957	76.0	72.9-79.1
College Graduate	1349	71,242	308	14.1	11.7-16.5	1041	85.9	83.5-88.3
Less than \$15,000	285	24,083	102	20.0	14.1-25.9	183	80.0	74.1-85.9
\$15,000- 24,999	553	34,626	214	25.4	20.5-30.3	339	74.6	69.7-79.5
\$25,000- 34,999	419	27,046	142	18.4	13.7-23.1	277	81.6	76.9-86.3
\$35,000- 49,999	557	30,231	166	23.7	18.4-29.0	391	76.3	71.0-81.6
\$50,000- 74,999	643	37,881	181	22.4	17.9-26.9	462	77.6	73.1-82.1
\$75,000+	1210	74,372	321	19.4	16.5-22.3	889	80.6	77.7-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 16: PROSTATE CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
<p>A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)</p> <p>1 MALES ONLY</p>	234
<p>HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)</p> <p>2 MALES ONLY</p>	235
<p>HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)</p> <p>3 MALES ONLY</p>	236
<p>HAVE YOU EVER HAD A PSA TEST? (PSATEST1)</p> <p>4 MALES ONLY</p>	237
<p>HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)</p> <p>5 MALES ONLY</p>	238
<p>WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1)</p> <p>6 MALES ONLY</p>	239

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2347	150,676	1503	56.7	53.8-59.6	844	43.3	40.4-46.2
Non-Native	2250	141,765	1454	57.9	55.0-60.8	796	42.1	39.2-45.0
35-44	177	19,495	45	24.3	14.9-33.7	132	75.7	66.3-85.1
45-54	482	40,890	217	40.4	34.5-46.3	265	59.6	53.7-65.5
55-64	738	44,631	504	67.0	62.5-71.5	234	33.0	28.5-37.5
65+	950	45,661	737	74.9	70.8-79.0	213	25.1	21.0-29.2
Less Than H.S.	160	16,010	84	45.4	34.8-56.0	76	54.6	44.0-65.2
H.S. or G.E.D.	718	41,783	430	54.3	49.2-59.4	288	45.7	40.6-50.8
Some Post-H.S.	710	58,606	453	56.3	51.2-61.4	257	43.7	38.6-48.8
College Graduate	755	33,890	534	65.7	61.0-70.4	221	34.3	29.6-39.0
Less than \$15,000	110	8,434	59	46.5	33.8-59.2	51	53.5	40.8-66.2
\$15,000- 24,999	209	15,510	116	49.7	40.3-59.1	93	50.3	40.9-59.7
\$25,000- 34,999	195	13,163	127	52.9	42.7-63.1	68	47.1	36.9-57.3
\$35,000- 49,999	325	20,666	204	52.8	44.8-60.8	121	47.2	39.2-55.2
\$50,000- 74,999	422	27,286	283	59.9	53.0-66.8	139	40.1	33.2-47.0
\$75,000+	917	55,384	612	62.8	58.3-67.3	305	37.2	32.7-41.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2342	149,400	529	20.5	18.3-22.7	1813	79.5	77.3-81.7
Non-Native	2245	140,517	506	20.8	18.4-23.2	1739	79.2	76.8-81.6
35-44	177	19,609	13	6.8	01.1-12.5	164	93.2	87.5-98.9
45-54	475	40,523	96	18.9	14.2-23.6	379	81.1	76.4-85.8
55-64	730	43,436	185	23.5	19.6-27.4	545	76.5	72.6-80.4
65+	960	45,832	235	24.9	21.0-28.8	725	75.1	71.2-79.0
Less Than H.S.	158	15,250	33	22.6	12.8-32.4	125	77.4	67.6-87.2
H.S. or G.E.D.	725	42,358	138	17.5	14.0-21.0	587	82.5	79.0-86.0
Some Post-H.S.	698	57,563	154	19.5	15.6-23.4	544	80.5	76.6-84.4
College Graduate	758	34,076	203	24.7	20.8-28.6	555	75.3	71.4-79.2
Less than \$15,000	111	8,461	18	11.0	04.9-17.1	93	89.0	82.9-95.1
\$15,000- 24,999	214	15,511	39	18.4	11.1-25.7	175	81.6	74.3-88.9
\$25,000- 34,999	193	12,771	47	20.1	12.7-27.5	146	79.9	72.5-87.3
\$35,000- 49,999	322	20,301	70	19.0	13.1-24.9	252	81.0	75.1-86.9
\$50,000- 74,999	415	26,811	98	24.2	17.9-30.5	317	75.8	69.5-82.1
\$75,000+	919	55,660	223	22.7	19.2-26.2	696	77.3	73.8-80.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2339	149,097	1344	50.3	47.4-53.2	995	49.7	46.8-52.6
Non-Native	2237	140,001	1295	51.3	48.4-54.2	942	48.7	45.8-51.6
35-44	177	19,286	30	17.5	08.5-26.5	147	82.5	73.5-91.5
45-54	475	40,262	188	36.0	30.1-41.9	287	64.0	58.1-69.9
55-64	735	44,292	443	59.1	54.4-63.8	292	40.9	36.2-45.6
65+	952	45,257	683	68.4	64.1-72.7	269	31.6	27.3-35.9
Less Than H.S.	159	15,494	74	43.8	33.0-54.6	85	56.2	45.4-67.0
H.S. or G.E.D.	715	41,576	387	47.8	42.7-52.9	328	52.2	47.1-57.3
Some Post-H.S.	705	57,561	419	51.4	46.3-56.5	286	48.6	43.5-53.7
College Graduate	756	34,077	461	54.0	49.3-58.7	295	46.0	41.3-50.7
Less than \$15,000	107	8,074	44	35.7	23.7-47.7	63	64.3	52.3-76.3
\$15,000- 24,999	208	15,144	106	44.4	35.2-53.6	102	55.6	46.4-64.8
\$25,000- 34,999	195	13,198	117	49.3	39.3-59.3	78	50.7	40.7-60.7
\$35,000- 49,999	318	19,861	193	49.7	41.7-57.7	125	50.3	42.3-58.3
\$50,000- 74,999	422	27,245	253	53.6	46.7-60.5	169	46.4	39.5-53.3
\$75,000+	919	55,191	537	53.9	49.2-58.6	382	46.1	41.4-50.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 16: PROSTATE CANCER SCREENING  
TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1332	74,268	1251	91.9	89.4-94.4	81	8.1	05.6-10.6
Non-Native	1284	71,065	1208	92.5	90.3-94.7	76	7.5	05.3-09.7
45-54	188	14,492	149	77.6	69.2-86.0	39	22.4	14.0-30.8
55-64	437	25,702	409	93.3	90.2-96.4	28	6.7	03.6-09.8
65+	678	30,811	672	99.5	99.1-99.9	6	0.5	00.1-00.9
Less Than H.S.	74	6,782	68	84.0	68.1-99.9	6	16.0	00.1-31.9
H.S. or G.E.D.	384	19,764	350	90.2	85.7-94.7	34	9.8	05.3-14.3
Some Post-H.S.	414	29,290	386	92.4	88.7-96.1	28	7.6	03.9-11.3
College Graduate	458	18,296	445	95.7	93.0-98.4	13	4.3	01.6-07.0
\$15,000- 24,999	105	6,723	98	92.7	84.5-0100	7	7.3	00.0-15.5
\$25,000- 34,999	114	6,461	109	94.4	88.9-99.9	5	5.6	00.1-11.1
\$35,000- 49,999	193	9,879	180	90.7	84.2-97.2	13	9.3	02.8-15.8
\$50,000- 74,999	252	14,537	236	89.9	82.3-97.5	16	10.1	02.5-17.7
\$75,000+	531	29,385	500	92.2	88.5-95.9	31	7.8	04.1-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1458	79,714	856	57.9	54.4-61.4	256	18.6	15.9-21.3	151	10.3	08.1-12.5	92	6.6	04.6-08.6	103	6.6	04.8-08.4
Non-Native	1412	76,742	826	57.3	53.6-61.0	249	18.7	16.0-21.4	147	10.4	08.2-12.6	90	6.7	04.5-08.9	100	6.8	05.0-08.6
45-54	181	14,207	104	56.2	46.0-66.4	33	19.5	11.9-27.1	21	11.0	05.3-16.7	13	10.0	02.2-17.8	10	3.4	01.0-05.8
55-64	466	26,482	256	53.6	47.5-59.7	94	21.5	16.4-26.6	53	13.0	08.5-17.5	27	4.7	02.5-06.9	36	7.2	04.3-10.1
65+	782	36,301	484	61.5	56.8-66.2	120	15.9	12.4-19.4	74	8.8	06.3-11.3	51	7.0	04.5-09.5	53	6.8	04.3-09.3
Less Than H.S.	84	7,210	41	54.1	39.8-68.4	14	18.0	07.0-29.0	7	7.9	01.4-14.4	10	9.2	01.6-16.8	12	10.8	02.0-19.6
H.S. or G.E.D.	417	21,018	238	54.0	47.5-60.5	72	18.9	13.6-24.2	38	12.0	07.1-16.9	38	7.6	04.7-10.5	31	7.4	04.1-10.7
Some Post-H.S.	431	30,682	268	63.1	56.6-69.6	73	17.3	12.4-22.2	47	8.8	05.5-12.1	17	5.8	01.7-09.9	26	5.0	02.6-07.4
College Graduate	523	20,651	306	55.2	49.5-60.9	97	20.5	15.8-25.2	59	11.7	08.2-15.2	27	5.7	03.0-08.4	34	7.0	03.9-10.1
Less than \$15,000	52	3,596	30	63.4	46.2-80.6	7	17.3	03.6-31.0	6	12.1	01.1-23.1	4	3.5	00.0-07.6	5	3.7	00.0-07.4
\$15,000- 24,999	124	8,224	66	48.8	36.8-60.8	24	21.5	11.3-31.7	15	12.4	04.8-20.0	7	5.0	00.0-10.5	12	12.4	03.8-21.0
\$25,000- 34,999	124	6,659	65	46.2	34.0-58.4	21	13.6	06.3-20.9	14	15.1	04.3-25.9	13	14.1	04.5-23.7	11	10.9	02.1-19.7
\$35,000- 49,999	206	10,669	124	61.8	52.4-71.2	32	16.3	09.6-23.0	20	8.5	03.2-13.8	19	10.0	03.7-16.3	11	3.4	00.9-05.9
\$50,000- 74,999	271	14,637	159	56.5	48.3-64.7	41	17.5	11.0-24.0	33	11.6	06.5-16.7	18	6.8	03.1-10.5	20	7.6	03.3-11.9
\$75,000+	572	30,798	350	61.9	56.2-67.6	111	19.7	15.2-24.2	54	8.9	06.0-11.8	24	4.6	01.3-07.9	33	5.0	03.0-07.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1462	79,496	1028	70.3	67.0-73.6	71	5.1	03.3-06.9	95	7.9	05.9-09.9	79	4.9	03.5-06.3	189	11.8	09.6-14.0
Non-Native	1416	76,881	998	70.0	66.7-73.3	70	5.2	03.4-07.0	93	8.1	05.9-10.3	73	4.6	03.2-06.0	182	12.0	09.6-14.4
45-54	180	14,154	126	69.8	60.8-78.8	5	1.7	00.0-03.5	20	11.5	05.4-17.6				29	17.0	09.7-24.3
55-64	466	26,675	325	71.3	66.0-76.6	21	4.6	02.2-07.0	43	9.3	06.0-12.6	13	3.0	01.2-04.8	64	11.8	07.9-15.7
65+	787	35,999	563	70.5	66.0-75.0	43	6.5	03.6-09.4	27	4.8	02.4-07.2	66	8.5	06.0-11.0	88	9.7	07.0-12.4
Less Than H.S.	82	6,754	49	58.8	44.7-72.9	10	17.9	05.4-30.4	5	5.2	00.0-11.1	7	4.0	00.5-07.5	11	14.1	04.1-24.1
H.S. or G.E.D.	417	20,778	294	69.0	62.9-75.1	19	4.0	01.5-06.5	23	7.2	03.5-10.9	28	7.4	03.9-10.9	53	12.4	08.3-16.5
Some Post-H.S.	433	31,019	313	73.7	68.2-79.2	16	2.8	01.2-04.4	31	8.4	04.9-11.9	20	4.1	02.1-06.1	53	10.9	07.0-14.8
College Graduate	527	20,792	370	70.2	64.9-75.5	26	5.5	02.2-08.8	35	8.6	05.3-11.9	24	3.7	02.1-05.3	72	12.0	08.5-15.5
Less than \$15,000	51	3,143	35	66.8	50.7-82.9	3	5.8	00.0-13.4	2	5.8	00.0-13.6	1	4.7	00.0-13.7	10	16.9	03.8-30.0
\$15,000- 24,999	122	8,072	77	59.2	47.0-71.4	9	9.7	01.7-17.7	6	8.6	00.0-17.4	14	10.9	04.2-17.6	16	11.6	04.2-19.0
\$25,000- 34,999	125	6,726	88	65.6	53.6-77.6	5	6.0	00.0-13.4	9	10.5	02.1-18.9	8	6.8	01.1-12.5	15	11.1	04.2-18.0
\$35,000- 49,999	208	10,759	146	70.4	61.2-79.6	13	6.2	00.7-11.7	6	3.0	00.0-06.1	14	5.6	01.9-09.3	29	14.8	07.4-22.2
\$50,000- 74,999	272	14,781	196	73.4	66.1-80.7	11	3.3	00.0-06.6	20	9.9	04.4-15.4	14	5.2	01.9-08.5	31	8.2	04.7-11.7
\$75,000+	574	30,909	410	73.0	68.1-77.9	27	4.7	02.5-06.9	46	8.3	05.4-11.2	23	2.8	01.6-04.0	68	11.3	07.8-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 17: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1 MALES AND FEMALES	241
2 MALES ONLY	242
3 FEMALES ONLY	243
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4 MALES AND FEMALES	244
5 MALES ONLY	245
6 FEMALES ONLY	246
SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)	
7 MALES AND FEMALES	247
8 MALES ONLY	248
9 FEMALES ONLY	249
FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCO1)	
10 MALES AND FEMALES	250
11 MALES ONLY	251
12 FEMALES ONLY	252
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13 MALES AND FEMALES	253
14 MALES ONLY	254
15 FEMALES ONLY	255

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5058	240,571	1836	32.8	31.0-34.6	3222	67.2	65.4-69.0
Male	2013	116,506	590	28.9	26.2-31.6	1423	71.1	68.4-73.8
Female	3045	124,065	1246	36.6	34.2-39.0	1799	63.4	61.0-65.8
Native	105	5,340	30	26.2	13.7-38.7	75	73.8	61.3-86.3
Non-Native	4875	230,799	1785	33.2	31.4-35.0	3090	66.8	65.0-68.6
45-54	670	48,580	112	14.6	11.3-17.9	558	85.4	82.1-88.7
55-64	1765	87,869	567	31.5	28.6-34.4	1198	68.5	65.6-71.4
65+	2623	104,122	1157	42.5	40.0-45.0	1466	57.5	55.0-60.0
Less Than H.S.	331	25,832	112	32.5	25.6-39.4	219	67.5	60.6-74.4
H.S. or G.E.D.	1628	70,221	576	32.5	29.6-35.4	1052	67.5	64.6-70.4
Some Post-H.S.	1642	93,939	592	31.7	28.8-34.6	1050	68.3	65.4-71.2
College Graduate	1442	49,688	547	35.3	32.2-38.4	895	64.7	61.6-67.8
Less than \$15,000	308	17,378	96	26.2	19.7-32.7	212	73.8	67.3-80.3
\$15,000- 24,999	636	31,051	234	33.2	28.1-38.3	402	66.8	61.7-71.9
\$25,000- 34,999	520	23,840	209	31.2	25.9-36.5	311	68.8	63.5-74.1
\$35,000- 49,999	715	32,214	272	36.1	31.0-41.2	443	63.9	58.8-69.0
\$50,000- 74,999	784	38,627	323	38.8	34.1-43.5	461	61.2	56.5-65.9
\$75,000+	1444	68,298	448	28.7	25.6-31.8	996	71.3	68.2-74.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2013	116,506	590	28.9	26.2-31.6	1423	71.1	68.4-73.8
Non-Native	1941	112,058	569	29.0	26.3-31.7	1372	71.0	68.3-73.7
45-54	286	24,637	35	11.5	06.6-16.4	251	88.5	83.6-93.4
55-64	750	45,239	197	28.5	24.2-32.8	553	71.5	67.2-75.8
65+	977	46,630	358	38.4	34.3-42.5	619	61.6	57.5-65.7
Less Than H.S.	149	13,594	45	34.4	24.0-44.8	104	65.6	55.2-76.0
H.S. or G.E.D.	639	34,367	174	27.3	22.8-31.8	465	72.7	68.2-77.2
Some Post-H.S.	586	43,193	156	25.1	20.6-29.6	430	74.9	70.4-79.4
College Graduate	635	24,963	212	34.5	29.6-39.4	423	65.5	60.6-70.4
Less than \$15,000	97	6,595	30	24.8	14.4-35.2	67	75.2	64.8-85.6
\$15,000- 24,999	192	13,065	49	26.9	18.5-35.3	143	73.1	64.7-81.5
\$25,000- 34,999	181	10,989	48	21.3	13.5-29.1	133	78.7	70.9-86.5
\$35,000- 49,999	292	15,959	89	31.6	23.8-39.4	203	68.4	60.6-76.2
\$50,000- 74,999	364	21,587	138	38.2	31.3-45.1	226	61.8	54.9-68.7
\$75,000+	726	39,320	191	26.2	21.9-30.5	535	73.8	69.5-78.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3045	124,065	1246	36.6	34.2-39.0	1799	63.4	61.0-65.8
Native	77	3,419	22	27.7	12.0-43.4	55	72.3	56.6-88.0
Non-Native	2934	118,741	1216	37.1	34.7-39.5	1718	62.9	60.5-65.3
45-54	384	23,943	77	17.7	13.0-22.4	307	82.3	77.6-87.0
55-64	1015	42,630	370	34.6	30.7-38.5	645	65.4	61.5-69.3
65+	1646	57,492	799	45.9	42.6-49.2	847	54.1	50.8-57.4
Less Than H.S.	182	12,237	67	30.5	22.1-38.9	115	69.5	61.1-77.9
H.S. or G.E.D.	989	35,853	402	37.5	33.4-41.6	587	62.5	58.4-66.6
Some Post-H.S.	1056	50,746	436	37.4	33.5-41.3	620	62.6	58.7-66.5
College Graduate	807	24,725	335	36.1	31.8-40.4	472	63.9	59.6-68.2
Less than \$15,000	211	10,784	66	27.1	18.9-35.3	145	72.9	64.7-81.1
\$15,000- 24,999	444	17,986	185	37.8	31.7-43.9	259	62.2	56.1-68.3
\$25,000- 34,999	339	12,851	161	39.7	32.6-46.8	178	60.3	53.2-67.4
\$35,000- 49,999	423	16,255	183	40.6	34.1-47.1	240	59.4	52.9-65.9
\$50,000- 74,999	420	17,040	185	39.6	33.3-45.9	235	60.4	54.1-66.7
\$75,000+	718	28,978	257	32.1	27.8-36.4	461	67.9	63.6-72.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1796	77,155	370	21.2	18.7-23.7	263	14.9	12.5-17.3	209	10.9	08.9-12.9	300	16.8	14.3-19.3	654	36.1	33.0-39.2
Male	583	33,157	123	21.6	17.1-26.1	96	15.3	11.8-18.8	58	9.6	06.7-12.5	105	19.6	15.1-24.1	201	33.9	28.6-39.2
Female	1213	43,998	247	20.9	17.8-24.0	167	14.6	11.7-17.5	151	11.9	09.5-14.3	195	14.7	12.2-17.2	453	37.8	34.1-41.5
Non-Native	1747	74,761	362	21.3	18.6-24.0	258	15.2	12.8-17.6	202	10.7	08.7-12.7	288	16.5	14.0-19.0	637	36.3	33.2-39.4
45-54	110	6,942	27	22.3	12.7-31.9	13	10.4	03.3-17.5	8	4.9	00.8-09.0	17	15.9	06.5-25.3	45	46.5	33.8-59.2
55-64	562	27,388	116	21.4	16.7-26.1	100	17.7	13.4-22.0	76	12.7	09.0-16.4	88	15.2	10.9-19.5	182	33.0	27.7-38.3
65+	1124	42,825	227	21.0	17.7-24.3	150	13.9	11.2-16.6	125	10.7	08.3-13.1	195	18.0	14.9-21.1	427	36.5	32.6-40.4
Less Than H.S.	111	8,315	31	28.4	16.4-40.4	18	15.1	07.1-23.1	8	7.4	02.1-12.7	22	20.3	10.3-30.3	32	28.8	16.8-40.8
H.S. or G.E.D.	561	22,047	120	24.5	19.6-29.4	75	15.0	10.7-19.3	64	10.6	07.5-13.7	102	16.9	13.0-20.8	200	33.0	27.9-38.1
Some Post-H.S.	580	29,150	124	19.7	15.6-23.8	84	13.9	10.4-17.4	66	10.7	07.2-14.2	87	16.9	12.4-21.4	219	38.9	33.4-44.4
College Graduate	536	17,258	92	15.3	11.6-19.0	85	16.6	12.3-20.9	69	13.4	09.9-16.9	89	15.3	11.2-19.4	201	39.4	33.9-44.9
Less than \$15,000	96	4,556	19	20.9	09.7-32.1	11	10.7	02.5-18.9	7	8.1	01.0-15.2	14	17.1	07.1-27.1	45	43.2	30.1-56.3
\$15,000- 24,999	225	9,927	51	30.5	21.5-39.5	27	12.8	06.5-19.1	25	9.6	04.7-14.5	50	18.2	11.7-24.7	72	28.8	20.8-36.8
\$25,000- 34,999	205	7,299	42	21.1	13.5-28.7	28	16.6	08.0-25.2	24	10.1	05.2-15.0	37	14.8	08.9-20.7	74	37.3	27.5-47.1
\$35,000- 49,999	267	11,387	56	20.8	13.9-27.7	39	16.0	09.9-22.1	23	5.2	02.8-07.6	46	20.6	13.0-28.2	103	37.4	28.8-46.0
\$50,000- 74,999	321	14,764	68	21.2	14.9-27.5	41	12.1	07.4-16.8	41	12.8	07.5-18.1	54	16.3	11.0-21.6	117	37.6	30.3-44.9
\$75,000+	442	19,327	81	17.8	13.1-22.5	81	17.7	13.2-22.2	56	11.5	08.0-15.0	63	15.1	10.0-20.2	161	37.8	31.7-43.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	583	33,157	123	21.6	17.1-26.1	96	15.3	11.6-19.0	58	9.6	06.7-12.5	105	19.6	15.1-24.1	201	33.9	28.6-39.2
Non-Native	562	32,022	120	21.8	17.1-26.5	93	15.5	11.8-19.2	55	9.4	06.5-12.3	99	19.0	14.3-23.7	195	34.2	28.9-39.5
55-64	197	12,894	44	23.0	15.0-31.0	40	17.0	10.7-23.3	22	10.4	04.9-15.9	29	16.4	09.1-23.7	62	33.2	24.6-41.8
65+	351	17,419	69	20.3	14.2-26.4	51	14.2	09.7-18.7	33	9.7	06.0-13.4	73	22.5	16.4-28.6	125	33.3	26.8-39.8
H.S. or G.E.D.	171	9,060	45	29.6	20.4-38.8	27	18.0	10.6-25.4	11	6.6	02.1-11.1	34	17.8	10.9-24.7	54	28.1	19.5-36.7
Some Post-H.S.	154	10,742	31	16.4	09.7-23.1	25	13.0	06.9-19.1	15	10.6	04.1-17.1	26	21.8	12.2-31.4	57	38.1	27.9-48.3
College Graduate	211	8,617	30	12.4	07.5-17.3	40	19.1	12.0-26.2	27	11.8	06.9-16.7	33	15.2	08.9-21.5	81	41.5	32.7-50.3
\$35,000- 49,999	87	4,869	20	24.6	11.3-37.9	15	15.4	05.8-25.0	3	1.5	00.0-03.3	17	23.2	09.5-36.9	32	35.3	20.2-50.4
\$50,000- 74,999	138	8,237	33	22.3	12.9-31.7	19	11.7	04.8-18.6	12	11.8	03.8-19.8	22	16.6	08.6-24.6	52	37.6	26.8-48.4
\$75,000+	191	10,305	36	17.3	10.6-24.0	39	19.3	12.6-26.0	26	11.6	06.9-16.3	30	18.6	10.2-27.0	60	33.3	24.3-42.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1213	43,998	247	20.9	17.8-24.0	167	14.6	11.7-17.5	151	11.9	09.5-14.3	195	14.7	12.2-17.2	453	37.8	34.1-41.5
Non-Native	1185	42,739	242	20.8	17.7-23.9	165	15.0	12.1-17.9	147	11.7	09.3-14.1	189	14.5	12.0-17.0	442	37.9	34.2-41.6
45-54	75	4,098	17	21.2	08.9-33.5	8	7.7	01.2-14.2	5	4.9	00.0-10.2	14	15.6	06.0-25.2	31	50.7	36.4-65.0
55-64	365	14,494	72	19.9	14.6-25.2	60	18.2	12.3-24.1	54	14.8	09.9-19.7	59	14.2	09.5-18.9	120	32.8	26.3-39.3
65+	773	25,406	158	21.4	17.5-25.3	99	13.7	10.2-17.2	92	11.3	08.4-14.2	122	14.9	11.6-18.2	302	38.6	33.9-43.3
Less Than H.S.	67	3,730	15	20.4	08.4-32.4	14	22.9	09.4-36.4	3	5.1	00.0-11.0	10	12.3	03.7-20.9	25	39.4	23.3-55.5
H.S. or G.E.D.	390	12,987	75	20.9	15.6-26.2	48	13.0	07.7-18.3	53	13.4	08.9-17.9	68	16.2	11.5-20.9	146	36.4	29.9-42.9
Some Post-H.S.	426	18,407	93	21.5	16.4-26.6	59	14.4	09.9-18.9	51	10.7	06.8-14.6	61	14.0	09.7-18.3	162	39.3	33.0-45.6
College Graduate	325	8,641	62	18.2	12.9-23.5	45	14.0	08.7-19.3	42	15.1	09.8-20.4	56	15.4	10.3-20.5	120	37.3	30.4-44.2
Less than \$15,000	66	2,919	14	23.3	08.2-38.4	7	9.8	00.4-19.2	5	8.8	00.0-18.0	7	11.3	01.3-21.3	33	46.7	30.0-63.4
\$15,000- 24,999	178	6,645	38	28.2	19.0-37.4	22	13.4	05.8-21.0	20	9.0	03.7-14.3	38	16.6	09.9-23.3	60	32.8	23.2-42.4
\$25,000- 34,999	158	4,971	33	20.6	12.4-28.8	20	16.2	05.4-27.0	21	11.5	05.4-17.6	26	15.2	08.1-22.3	58	36.5	26.5-46.5
\$35,000- 49,999	180	6,518	36	18.0	11.3-24.7	24	16.6	08.6-24.6	20	8.0	04.1-11.9	29	18.6	09.8-27.4	71	38.9	28.9-48.9
\$50,000- 74,999	183	6,527	35	19.9	11.9-27.9	22	12.7	06.2-19.2	29	14.0	07.5-20.5	32	15.9	09.2-22.6	65	37.5	27.9-47.1
\$75,000+	251	9,021	45	18.5	12.2-24.8	42	15.9	09.8-22.0	30	11.4	06.3-16.5	33	11.2	06.7-15.7	101	42.9	34.9-50.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5076	241,763	3420	65.3	63.3-67.3	1656	34.7	32.7-36.7
Male	2021	117,406	1343	64.0	61.1-66.9	678	36.0	33.1-38.9
Female	3055	124,357	2077	66.5	64.1-68.9	978	33.5	31.1-35.9
Native	105	5,340	66	61.2	45.9-76.5	39	38.8	23.5-54.1
Non-Native	4891	231,833	3307	65.7	63.7-67.7	1584	34.3	32.3-36.3
45-54	673	48,908	291	45.6	40.3-50.9	382	54.4	49.1-59.7
55-64	1772	88,265	1132	63.7	60.6-66.8	640	36.3	33.2-39.4
65+	2631	104,589	1997	75.8	73.4-78.2	634	24.2	21.8-26.6
Less Than H.S.	339	26,422	213	62.0	54.9-69.1	126	38.0	30.9-45.1
H.S. or G.E.D.	1627	69,855	1041	62.7	59.4-66.0	586	37.3	34.0-40.6
Some Post-H.S.	1646	94,680	1103	63.9	60.6-67.2	543	36.1	32.8-39.4
College Graduate	1449	49,914	1051	73.3	70.4-76.2	398	26.7	23.8-29.6
Less than \$15,000	312	17,598	182	57.3	49.3-65.3	130	42.7	34.7-50.7
\$15,000- 24,999	641	31,803	410	59.6	54.1-65.1	231	40.4	34.9-45.9
\$25,000- 34,999	522	23,900	351	60.6	54.3-66.9	171	39.4	33.1-45.7
\$35,000- 49,999	714	32,174	483	70.4	65.7-75.1	231	29.6	24.9-34.3
\$50,000- 74,999	789	38,815	574	70.1	65.6-74.6	215	29.9	25.4-34.4
\$75,000+	1447	68,537	991	67.1	63.6-70.6	456	32.9	29.4-36.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2021	117,406	1343	64.0	61.1-66.9	678	36.0	33.1-38.9
Non-Native	1947	112,800	1298	64.2	61.3-67.1	649	35.8	32.9-38.7
45-54	288	24,969	105	41.3	33.3-49.3	183	58.7	50.7-66.7
55-64	751	45,441	472	61.8	57.1-66.5	279	38.2	33.5-42.9
65+	982	46,996	766	78.2	74.5-81.9	216	21.8	18.1-25.5
Less Than H.S.	155	14,085	95	63.8	53.8-73.8	60	36.2	26.2-46.2
H.S. or G.E.D.	636	34,090	372	57.9	52.8-63.0	264	42.1	37.0-47.2
Some Post-H.S.	590	43,824	387	61.5	56.0-67.0	203	38.5	33.0-44.0
College Graduate	636	25,019	486	77.2	73.1-81.3	150	22.8	18.7-26.9
Less than \$15,000	99	6,746	52	55.8	42.3-69.3	47	44.2	30.7-57.7
\$15,000- 24,999	194	13,582	120	55.6	46.0-65.2	74	44.4	34.8-54.0
\$25,000- 34,999	183	11,049	123	58.0	47.6-68.4	60	42.0	31.6-52.4
\$35,000- 49,999	291	15,913	190	69.2	61.9-76.5	101	30.8	23.5-38.1
\$50,000- 74,999	366	21,670	265	70.1	63.4-76.8	101	29.9	23.2-36.6
\$75,000+	728	39,665	489	64.4	59.3-69.5	239	35.6	30.5-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3055	124,357	2077	66.5	64.1-68.9	978	33.5	31.1-35.9
Native	77	3,419	47	54.6	36.6-72.6	30	45.4	27.4-63.4
Non-Native	2944	119,033	2009	67.2	64.8-69.6	935	32.8	30.4-35.2
45-54	385	23,939	186	50.0	43.3-56.7	199	50.0	43.3-56.7
55-64	1021	42,825	660	65.7	61.6-69.8	361	34.3	30.2-38.4
65+	1649	57,593	1231	73.9	71.0-76.8	418	26.1	23.2-29.0
Less Than H.S.	184	12,337	118	59.9	50.3-69.5	66	40.1	30.5-49.7
H.S. or G.E.D.	991	35,766	669	67.4	63.3-71.5	322	32.6	28.5-36.7
Some Post-H.S.	1056	50,856	716	66.0	62.1-69.9	340	34.0	30.1-37.9
College Graduate	813	24,895	565	69.3	65.0-73.6	248	30.7	26.4-35.0
Less than \$15,000	213	10,852	130	58.3	48.3-68.3	83	41.7	31.7-51.7
\$15,000- 24,999	447	18,221	290	62.7	56.4-69.0	157	37.3	31.0-43.6
\$25,000- 34,999	339	12,851	228	62.8	55.2-70.4	111	37.2	29.6-44.8
\$35,000- 49,999	423	16,262	293	71.6	65.5-77.7	130	28.4	22.3-34.5
\$50,000- 74,999	423	17,145	309	70.0	63.7-76.3	114	30.0	23.7-36.3
\$75,000+	719	28,872	502	70.8	66.5-75.1	217	29.2	24.9-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3340	153,887	157	4.9	03.9-05.9	3183	95.1	94.1-96.1
Male	1302	72,931	60	4.8	03.2-06.4	1242	95.2	93.6-96.8
Female	2038	80,956	97	5.0	03.6-06.4	1941	95.0	93.6-96.4
Native	64	3,123	6	4.8	00.1-09.5	58	95.2	90.5-99.9
Non-Native	3230	148,588	149	4.9	03.9-05.9	3081	95.1	94.1-96.1
45-54	288	21,944	8	2.3	00.0-04.7	280	97.7	95.3-0100
55-64	1116	55,473	53	4.9	03.1-06.7	1063	95.1	93.3-96.9
65+	1936	76,469	96	5.7	04.1-07.3	1840	94.3	92.7-95.9
Less Than H.S.	197	15,104	7	6.4	00.9-11.9	190	93.6	88.1-99.1
H.S. or G.E.D.	1009	42,556	43	4.4	02.6-06.2	966	95.6	93.8-97.4
Some Post-H.S.	1086	59,604	46	3.8	02.4-05.2	1040	96.2	94.8-97.6
College Graduate	1036	36,076	61	6.9	04.7-09.1	975	93.1	90.9-95.3
Less than \$15,000	168	9,256	12	8.4	01.5-15.3	156	91.6	84.7-98.5
\$15,000- 24,999	394	18,170	16	3.0	00.5-05.5	378	97.0	94.5-99.5
\$25,000- 34,999	346	14,384	17	6.1	01.8-10.4	329	93.9	89.6-98.2
\$35,000- 49,999	474	21,880	26	5.5	03.0-08.0	448	94.5	92.0-97.0
\$50,000- 74,999	565	26,727	21	4.9	02.5-07.3	544	95.1	92.7-97.5
\$75,000+	984	45,690	50	5.0	03.0-07.0	934	95.0	93.0-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1302	72,931	60	4.8	03.2-06.4	1242	95.2	93.6-96.8
Non-Native	1258	70,283	56	4.8	03.0-06.6	1202	95.2	93.4-97.0
45-54	104	10,236	2	1.6	00.0-04.1	102	98.4	95.9-0100
55-64	465	27,861	21	4.6	02.1-07.1	444	95.4	92.9-97.9
65+	733	34,835	37	6.0	03.3-08.7	696	94.0	91.3-96.7
Less Than H.S.	84	8,123	5	9.6	00.4-18.8	79	90.4	81.2-99.6
H.S. or G.E.D.	356	18,981	15	3.8	01.4-06.2	341	96.2	93.8-98.6
Some Post-H.S.	377	26,556	14	3.6	01.1-06.1	363	96.4	93.9-98.9
College Graduate	482	19,119	26	5.5	03.0-08.0	456	94.5	92.0-97.0
\$15,000- 24,999	110	7,021	4	1.2	00.0-02.6	106	98.8	97.4-0100
\$25,000- 34,999	118	6,313	5	6.2	00.0-14.0	113	93.8	86.0-0100
\$35,000- 49,999	185	10,535	6	3.4	00.3-06.5	179	96.6	93.5-99.7
\$50,000- 74,999	260	14,894	13	5.9	02.4-09.4	247	94.1	90.6-97.6
\$75,000+	486	25,489	26	5.4	02.7-08.1	460	94.6	91.9-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2038	80,956	97	5.0	03.6-06.4	1941	95.0	93.6-96.4
Non-Native	1972	78,305	93	5.1	03.7-06.5	1879	94.9	93.5-96.3
45-54	184	11,709	6	2.9	00.0-06.6	178	97.1	93.4-0100
55-64	651	27,612	32	5.3	03.1-07.5	619	94.7	92.5-96.9
65+	1203	41,634	59	5.5	03.7-07.3	1144	94.5	92.7-96.3
Less Than H.S.	113	6,982	2	2.7	00.0-07.6	111	97.3	92.4-0100
H.S. or G.E.D.	653	23,575	28	4.9	02.5-07.3	625	95.1	92.7-97.5
Some Post-H.S.	709	33,048	32	3.9	02.1-05.7	677	96.1	94.3-97.9
College Graduate	554	16,957	35	8.5	04.8-12.2	519	91.5	87.8-95.2
Less than \$15,000	123	5,956	9	7.3	01.4-13.2	114	92.7	86.8-98.6
\$15,000- 24,999	284	11,148	12	4.1	00.0-08.2	272	95.9	91.8-0100
\$25,000- 34,999	228	8,072	12	6.1	01.4-10.8	216	93.9	89.2-98.6
\$35,000- 49,999	289	11,345	20	7.4	03.3-11.5	269	92.6	88.5-96.7
\$50,000- 74,999	305	11,832	8	3.7	00.6-06.8	297	96.3	93.2-99.4
\$75,000+	498	20,201	24	4.6	02.2-07.0	474	95.4	93.0-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3369	155,559	643	19.4	17.6-21.2	549	17.4	15.4-19.4	508	15.6	13.8-17.4	747	21.9	19.9-23.9	707	19.7	17.9-21.5	215	5.9	04.9-06.9
Male	1326	74,188	291	21.3	18.4-24.2	226	20.1	16.8-23.4	204	15.0	12.5-17.5	258	20.9	17.8-24.0	272	17.8	15.3-20.3	75	4.9	03.5-06.3
Female	2043	81,371	352	17.7	15.5-19.9	323	14.9	12.7-17.1	304	16.1	13.9-18.3	489	22.9	20.5-25.3	435	21.5	19.0-24.0	140	6.9	05.3-08.5
Native	65	3,244	16	40.9	18.8-63.0	18	22.9	08.8-37.0	9	11.0	01.4-20.6	9	14.1	02.3-25.9	8	4.5	00.4-08.6	5	6.6	00.0-13.9
Non-Native	3259	150,305	620	19.1	17.3-20.9	521	17.0	15.0-19.0	489	15.7	13.9-17.5	728	22.2	20.2-24.2	694	20.2	18.4-22.0	207	5.9	04.9-06.9
45-54	289	22,206	78	26.1	19.4-32.8	57	22.7	15.4-30.0	39	13.6	08.3-18.9	49	16.2	10.3-22.1	44	13.3	08.4-18.2	22	8.2	04.1-12.3
55-64	1126	55,829	204	17.8	14.9-20.7	204	19.4	16.1-22.7	158	13.6	11.1-16.1	247	23.1	19.8-26.4	251	21.1	18.2-24.0	62	5.0	03.4-06.6
65+	1954	77,524	361	18.7	16.3-21.1	288	14.4	12.2-16.6	311	17.6	15.2-20.0	451	22.7	20.2-25.2	412	20.6	18.1-23.1	131	5.9	04.5-07.3
Less Than H.S.	206	16,063	44	21.7	13.5-29.9	33	19.1	11.1-27.1	31	12.2	06.9-17.5	45	23.5	15.5-31.5	40	16.7	10.2-23.2	13	6.7	02.2-11.2
H.S. or G.E.D.	1020	42,820	192	18.2	15.3-21.1	159	17.2	13.9-20.5	159	17.7	14.4-21.0	239	21.2	17.9-24.5	197	18.5	15.6-21.4	74	7.2	05.0-09.4
Some Post-H.S.	1094	59,933	190	18.3	15.2-21.4	200	19.1	15.8-22.4	160	14.7	12.0-17.4	250	23.5	20.0-27.0	223	19.0	16.1-21.9	71	5.5	03.9-07.1
College Graduate	1038	36,252	215	21.5	18.2-24.8	155	14.1	11.4-16.8	157	16.2	13.3-19.1	209	19.5	16.4-22.6	245	24.0	20.5-27.5	57	4.8	03.2-06.4
Less than \$15,000	181	10,047	35	25.5	15.1-35.9	27	16.4	08.4-24.4	26	12.6	06.1-19.1	37	18.1	11.2-25.0	35	15.1	08.4-21.8	21	12.3	06.2-18.4
\$15,000- 24,999	403	18,741	71	18.0	12.7-23.3	53	13.9	08.6-19.2	64	17.8	12.5-23.1	88	19.0	13.7-24.3	92	23.1	16.8-29.4	35	8.1	04.6-11.6
\$25,000- 34,999	348	14,243	62	17.0	12.1-21.9	51	16.5	10.4-22.6	57	17.5	12.0-23.0	89	28.5	21.8-35.2	62	14.7	10.0-19.4	27	5.8	03.3-08.3
\$35,000- 49,999	478	22,376	87	18.6	13.3-23.9	81	18.9	13.2-24.6	75	16.0	11.5-20.5	116	24.7	19.2-30.2	101	17.7	13.6-21.8	18	4.1	01.4-06.8
\$50,000- 74,999	570	26,908	107	18.3	14.2-22.4	105	21.5	16.2-26.8	86	13.4	09.7-17.1	123	23.5	18.4-28.6	122	19.0	14.9-23.1	27	4.3	02.3-06.3
\$75,000+	984	45,758	218	22.7	19.4-26.0	169	17.7	14.4-21.0	135	14.2	11.3-17.1	193	18.5	15.2-21.8	209	20.9	17.8-24.0	60	6.0	04.0-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1326	74,188	291	21.3	18.4-24.2	226	20.1	16.8-23.4	204	15.0	12.5-17.5	258	20.9	17.8-24.0	272	17.8	15.3-20.3	75	4.9	03.5-06.3
Non-Native	1281	71,441	284	21.2	18.3-24.1	215	19.5	16.2-22.8	194	15.1	12.6-17.6	248	20.9	17.8-24.0	268	18.4	15.9-20.9	72	4.8	03.4-06.2
45-54	104	10,267	33	26.4	15.4-37.4	24	32.1	19.0-45.2	17	14.9	06.1-23.7	17	16.0	06.2-25.8	6	3.3	00.2-06.4	7	7.3	01.2-13.4
55-64	469	27,857	94	20.0	15.3-24.7	87	20.2	15.1-25.3	65	12.5	09.0-16.0	88	21.9	16.8-27.0	111	21.4	17.1-25.7	24	4.2	02.0-06.4
65+	753	36,063	164	21.0	16.9-25.1	115	16.6	12.9-20.3	122	17.1	13.4-20.8	153	21.4	17.3-25.5	155	19.2	15.5-22.9	44	4.7	02.9-06.5
Less Than H.S.	91	8,772	20	21.8	09.5-34.1	15	24.8	11.9-37.7	11	7.8	01.7-13.9	19	25.7	13.4-38.0	19	13.6	05.4-21.8	7	6.3	00.6-12.0
H.S. or G.E.D.	367	19,381	82	20.5	15.6-25.4	62	19.6	14.1-25.1	58	18.8	13.3-24.3	67	17.9	12.8-23.0	71	16.0	11.7-20.3	27	7.1	03.8-10.4
Some Post-H.S.	383	26,699	70	19.9	14.4-25.4	78	22.6	16.3-28.9	61	14.1	09.6-18.6	82	23.5	17.6-29.4	76	16.6	12.5-20.7	16	3.3	01.1-05.5
College Graduate	483	19,239	119	23.9	19.0-28.8	70	14.7	10.4-19.0	74	15.9	12.0-19.8	89	17.9	13.6-22.2	106	23.3	18.2-28.4	25	4.2	02.2-06.2
Less than \$15,000	52	3,766	10	26.3	05.5-47.1	8	20.4	04.3-36.5	10	14.4	04.4-24.4	9	17.0	04.3-29.7	12	14.0	04.2-23.8	3	7.9	00.0-17.5
\$15,000- 24,999	119	7,504	29	24.2	13.6-34.8	14	15.9	05.7-26.1	19	17.8	08.6-27.0	24	21.1	10.9-31.3	24	15.2	06.2-24.2	9	5.9	00.4-11.4
\$25,000- 34,999	123	6,404	22	19.0	10.2-27.8	23	21.0	10.0-32.0	17	13.7	05.3-22.1	30	28.4	17.2-39.6	20	11.8	04.9-18.7	11	6.1	02.0-10.2
\$35,000- 49,999	188	10,822	40	22.4	13.2-31.6	35	20.2	11.4-29.0	32	16.7	09.6-23.8	40	23.8	14.8-32.8	33	14.1	08.6-19.6	8	2.8	00.4-05.2
\$50,000- 74,999	263	15,083	56	19.3	13.4-25.2	57	26.2	18.0-34.4	35	12.1	07.2-17.0	47	20.7	13.6-27.8	59	19.2	13.5-24.9	9	2.5	00.3-04.7
\$75,000+	485	25,389	119	22.8	17.9-27.7	73	17.1	12.2-22.0	72	14.8	10.5-19.1	97	19.8	14.9-24.7	97	19.5	15.2-23.8	27	6.0	03.1-08.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2043	81,371	352	17.7	15.5-19.9	323	14.9	12.7-17.1	304	16.1	13.9-18.3	489	22.9	20.5-25.3	435	21.5	19.0-24.0	140	6.9	05.3-08.5
Non-Native	1978	78,865	336	17.2	15.0-19.4	306	14.7	12.5-16.9	295	16.2	14.0-18.4	480	23.3	20.8-25.8	426	21.9	19.4-24.4	135	6.8	05.2-08.4
45-54	185	11,938	45	25.8	18.0-33.6	33	14.6	08.1-21.1	22	12.4	06.3-18.5	32	16.3	09.6-23.0	38	21.9	13.9-29.9	15	9.0	03.3-14.7
55-64	657	27,971	110	15.6	12.3-18.9	117	18.6	14.7-22.5	93	14.8	11.1-18.5	159	24.4	20.1-28.7	140	20.8	16.7-24.9	38	5.8	03.6-08.0
65+	1201	41,461	197	16.8	13.9-19.7	173	12.5	10.1-14.9	189	18.0	14.9-21.1	298	23.8	20.7-26.9	257	21.9	18.6-25.2	87	7.0	05.0-09.0
Less Than H.S.	115	7,291	24	21.6	11.0-32.2	18	12.2	04.8-19.6	20	17.6	08.6-26.6	26	20.9	11.5-30.3	21	20.4	10.4-30.4	6	7.3	00.0-14.7
H.S. or G.E.D.	653	23,439	110	16.3	12.8-19.8	97	15.1	11.2-19.0	101	16.8	13.1-20.5	172	23.9	19.6-28.2	126	20.5	16.4-24.6	47	7.3	04.6-10.0
Some Post-H.S.	711	33,234	120	16.9	13.4-20.4	122	16.2	12.7-19.7	99	15.1	11.6-18.6	168	23.4	19.3-27.5	147	21.0	16.9-25.1	55	7.4	05.0-09.8
College Graduate	555	17,013	96	18.8	14.5-23.1	85	13.4	10.1-16.7	83	16.5	12.0-21.0	120	21.3	16.8-25.8	139	24.7	19.8-29.6	32	5.4	02.9-07.9
Less than \$15,000	129	6,281	25	25.1	14.1-36.1	19	14.0	05.6-22.4	16	11.5	03.1-19.9	28	18.7	10.9-26.5	23	15.8	07.2-24.4	18	14.9	07.1-22.7
\$15,000- 24,999	284	11,237	42	13.9	08.8-19.0	39	12.6	07.1-18.1	45	17.8	11.7-23.9	64	17.7	12.0-23.4	68	28.4	20.4-36.4	26	9.6	04.9-14.3
\$25,000- 34,999	225	7,839	40	15.3	09.8-20.8	28	12.9	06.8-19.0	40	20.6	13.5-27.7	59	28.6	20.6-36.6	42	17.0	10.5-23.5	16	5.6	02.3-08.9
\$35,000- 49,999	290	11,555	47	15.1	09.6-20.6	46	17.7	10.6-24.8	43	15.4	09.7-21.1	76	25.6	18.7-32.5	68	21.1	15.0-27.2	10	5.2	00.3-10.1
\$50,000- 74,999	307	11,824	51	17.0	11.5-22.5	48	15.6	10.5-20.7	51	15.0	09.7-20.3	76	27.0	19.9-34.1	63	18.8	12.9-24.7	18	6.6	02.9-10.3
\$75,000+	499	20,369	99	22.5	17.6-27.4	96	18.4	14.1-22.7	63	13.4	09.5-17.3	96	17.0	12.9-21.1	112	22.7	18.0-27.4	33	6.0	03.3-08.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

**SECTION 18: HIV/AIDS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1 MALES AND FEMALES	257
2 MALES ONLY	258
3 FEMALES ONLY	259
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4 MALES AND FEMALES	260
5 MALES ONLY	261
6 FEMALES ONLY	262
WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRSTST10)	
7 MALES AND FEMALES	263
8 MALES ONLY	264
9 FEMALES ONLY	265

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7184	526,385	1282	25.6	23.8-27.4	5902	74.4	72.6-76.2
Male	2988	268,532	556	24.9	22.4-27.4	2432	75.1	72.6-77.6
Female	4196	257,853	726	26.4	23.9-28.9	3470	73.6	71.1-76.1
Native	220	20,531	93	51.0	40.0-62.0	127	49.0	38.0-60.0
Non-Native	6858	496,331	1170	24.6	22.8-26.4	5688	75.4	73.6-77.2
18-24	329	82,170	72	25.0	18.7-31.3	257	75.0	68.7-81.3
25-34	621	95,299	264	43.9	38.4-49.4	357	56.1	50.6-61.6
35-44	782	77,152	302	42.8	37.7-47.9	480	57.2	52.1-62.3
45-54	1112	80,010	288	27.0	23.3-30.7	824	73.0	69.3-76.7
55-64	1735	86,211	219	13.1	10.9-15.3	1516	86.9	84.7-89.1
65+	2537	101,480	128	5.7	04.3-07.1	2409	94.3	92.9-95.7
Less Than H.S.	420	45,120	64	27.2	19.6-34.8	356	72.8	65.2-80.4
H.S. or G.E.D.	2125	136,702	289	21.6	18.5-24.7	1836	78.4	75.3-81.5
Some Post-H.S.	2315	208,637	446	27.1	24.0-30.2	1869	72.9	69.8-76.0
College Graduate	2302	133,489	476	26.5	23.6-29.4	1826	73.5	70.6-76.4
Less than \$15,000	422	40,589	96	29.7	22.3-37.1	326	70.3	62.9-77.7
\$15,000- 24,999	823	67,562	131	25.7	20.0-31.4	692	74.3	68.6-80.0
\$25,000- 34,999	660	51,938	96	27.2	20.7-33.7	564	72.8	66.3-79.3
\$35,000- 49,999	947	65,945	161	25.9	20.8-31.0	786	74.1	69.0-79.2
\$50,000- 74,999	1141	82,397	219	25.9	21.4-30.4	922	74.1	69.6-78.6
\$75,000+	2375	167,296	496	26.9	24.0-29.8	1879	73.1	70.2-76.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2988	268,532	556	24.9	22.4-27.4	2432	75.1	72.6-77.6
Native	72	7,917	33	51.6	34.0-69.2	39	48.4	30.8-66.0
Non-Native	2859	254,378	514	24.0	21.5-26.5	2345	76.0	73.5-78.5
18-24	182	45,514	34	22.4	14.2-30.6	148	77.6	69.4-85.8
25-34	296	51,606	97	36.4	29.1-43.7	199	63.6	56.3-70.9
35-44	356	40,887	126	41.9	34.6-49.2	230	58.1	50.8-65.4
45-54	472	39,632	131	29.0	23.3-34.7	341	71.0	65.3-76.7
55-64	734	44,280	97	13.3	10.0-16.6	637	86.7	83.4-90.0
65+	927	44,968	67	6.8	04.6-09.0	860	93.2	91.0-95.4
Less Than H.S.	198	27,912	40	33.8	22.8-44.8	158	66.2	55.2-77.2
H.S. or G.E.D.	910	73,065	141	21.7	17.2-26.2	769	78.3	73.8-82.8
Some Post-H.S.	904	103,610	183	24.7	20.4-29.0	721	75.3	71.0-79.6
College Graduate	967	62,168	187	24.2	20.1-28.3	780	75.8	71.7-79.9
Less than \$15,000	145	16,982	38	27.8	17.0-38.6	107	72.2	61.4-83.0
\$15,000- 24,999	276	32,503	50	28.1	19.1-37.1	226	71.9	62.9-80.9
\$25,000- 34,999	248	25,220	48	28.9	19.3-38.5	200	71.1	61.5-80.7
\$35,000- 49,999	399	35,944	59	23.7	16.6-30.8	340	76.3	69.2-83.4
\$50,000- 74,999	508	44,337	94	24.1	18.0-30.2	414	75.9	69.8-82.0
\$75,000+	1178	93,292	234	24.4	20.5-28.3	944	75.6	71.7-79.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4196	257,853	726	26.4	23.9-28.9	3470	73.6	71.1-76.1
Native	148	12,613	60	50.5	36.6-64.4	88	49.5	35.6-63.4
Non-Native	3999	241,953	656	25.2	22.7-27.7	3343	74.8	72.3-77.3
18-24	147	36,657	38	28.4	18.8-38.0	109	71.6	62.0-81.2
25-34	325	43,693	167	52.9	45.1-60.7	158	47.1	39.3-54.9
35-44	426	36,265	176	43.8	36.9-50.7	250	56.2	49.3-63.1
45-54	640	40,379	157	24.9	20.4-29.4	483	75.1	70.6-79.6
55-64	1001	41,931	122	13.0	10.1-15.9	879	87.0	84.1-89.9
65+	1610	56,512	61	4.8	03.2-06.4	1549	95.2	93.6-96.8
Less Than H.S.	222	17,208	24	16.5	08.5-24.5	198	83.5	75.5-91.5
H.S. or G.E.D.	1215	63,638	148	21.5	17.2-25.8	1067	78.5	74.2-82.8
Some Post-H.S.	1411	105,027	263	29.4	24.9-33.9	1148	70.6	66.1-75.1
College Graduate	1335	71,321	289	28.5	24.4-32.6	1046	71.5	67.4-75.6
Less than \$15,000	277	23,607	58	31.1	20.9-41.3	219	68.9	58.7-79.1
\$15,000- 24,999	547	35,059	81	23.4	16.7-30.1	466	76.6	69.9-83.3
\$25,000- 34,999	412	26,718	48	25.5	16.7-34.3	364	74.5	65.7-83.3
\$35,000- 49,999	548	30,001	102	28.5	21.6-35.4	446	71.5	64.6-78.4
\$50,000- 74,999	633	38,060	125	28.0	21.5-34.5	508	72.0	65.5-78.5
\$75,000+	1197	74,004	262	30.1	25.6-34.6	935	69.9	65.4-74.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2013			2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1048	117,186	55	2.6	01.6-03.6	85	5.7	03.7-07.7	124	9.2	06.7-11.7	177	13.8	11.1-16.5	513	59.9	55.6-64.2	94	8.8	06.3-11.3
Male	457	58,661	22	2.4	01.0-03.8	32	4.9	02.4-07.4	42	8.8	05.1-12.5	68	12.3	08.4-16.2	250	64.3	58.2-70.4	43	7.3	04.2-10.4
Female	591	58,525	33	2.8	01.6-04.0	53	6.5	03.8-09.2	82	9.7	06.2-13.2	109	15.3	11.4-19.2	263	55.4	49.1-61.7	51	10.3	06.2-14.4
Native	87	9,672	1	0.3	00.0-00.9	6	1.5	00.1-02.9	7	10.1	00.0-20.5	7	5.0	00.5-09.5	54	71.2	56.9-85.5	12	11.9	01.5-22.3
Non-Native	948	105,468	54	2.9	01.9-03.9	79	6.2	04.0-08.4	117	9.3	06.8-11.8	168	14.7	11.6-17.8	451	58.5	53.8-63.2	79	8.5	05.8-11.2
18-24	66	19,721										1	0.6	00.0-01.8	54	90.4	82.6-98.2	11	8.9	01.3-16.5
25-34	231	37,175	1	0.8	00.0-02.4				8	4.4	00.5-08.3	36	13.8	08.1-19.5	161	69.5	61.3-77.7	25	11.6	05.7-17.5
35-44	279	31,040	3	0.4	00.0-01.0	17	6.6	01.7-11.5	33	13.1	06.6-19.6	67	22.1	15.6-28.6	138	51.4	43.0-59.8	21	6.3	02.8-09.8
45-54	232	16,746	22	8.4	04.3-12.5	34	17.6	10.2-25.0	39	16.7	10.0-23.4	36	13.9	07.8-20.0	81	34.6	25.8-43.4	20	8.8	04.3-13.3
55-64	156	8,499	21	11.3	05.2-17.4	24	14.3	07.2-21.4	30	20.8	11.6-30.0	26	15.4	08.1-22.7	44	31.1	20.9-41.3	11	7.0	01.5-12.5
65+	79	3,845	7	5.6	00.5-10.7	8	10.1	00.3-19.9	14	15.3	04.9-25.7	11	10.2	01.2-19.2	33	54.0	38.5-69.5	6	4.9	00.4-09.4
H.S. or G.E.D.	233	25,494	11	2.4	00.4-04.4	20	5.8	02.5-09.1	28	5.7	03.0-08.4	41	16.6	09.7-23.5	111	61.8	53.0-70.6	22	7.7	02.8-12.6
Some Post-H.S.	374	50,782	17	2.3	00.9-03.7	30	6.4	03.1-09.7	53	13.0	07.9-18.1	56	10.8	07.3-14.3	182	57.2	49.8-64.6	36	10.4	05.5-15.3
College Graduate	389	29,823	27	4.4	02.0-06.8	32	5.1	02.7-07.5	40	8.5	04.8-12.2	73	16.2	11.1-21.3	187	58.1	51.0-65.2	30	7.7	04.2-11.2
Less than \$15,000	73	10,410	3	2.4	00.0-06.1	7	1.9	00.3-03.5	4	3.6	00.0-08.3	11	10.0	01.8-18.2	38	70.2	56.3-84.1	10	12.0	01.6-22.4
\$15,000- 24,999	112	16,040	3	0.8	00.0-01.8	7	2.8	00.0-05.7	14	6.4	00.1-12.7	12	9.1	02.0-16.2	64	67.1	54.6-79.6	12	13.9	04.3-23.5
\$25,000- 34,999	76	13,014	5	1.7	00.0-03.7	4	5.8	00.0-12.7	10	5.4	00.5-10.3	11	8.7	02.0-15.4	39	75.7	64.5-86.9	7	2.6	00.1-05.1
\$35,000- 49,999	128	14,250	5	3.0	00.0-07.1	12	8.5	01.1-15.9	20	10.8	04.5-17.1	22	16.0	05.6-26.4	63	56.5	43.4-69.6	6	5.2	00.0-10.9
\$50,000- 74,999	185	19,063	12	2.3	00.7-03.9	12	6.6	01.1-12.1	24	16.7	07.7-25.7	36	14.5	08.0-21.0	84	52.6	41.4-63.8	17	7.3	02.8-11.8
\$75,000+	411	38,507	21	3.2	01.6-04.8	35	6.5	03.6-09.4	44	9.5	05.0-14.0	79	18.2	13.1-23.3	198	53.3	46.0-60.6	34	9.3	04.4-14.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2013			2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	457	58,661	22	2.4	01.0-03.8	32	4.9	02.4-07.4	42	8.8	05.1-12.5	68	12.3	08.4-16.2	250	64.3	58.2-70.4	43	7.3	04.2-10.4
Non-Native	421	53,557	21	2.6	01.0-04.2	30	5.2	02.5-07.9	41	9.3	05.4-13.2	63	12.6	08.3-16.9	226	63.1	56.6-69.6	40	7.1	04.0-10.2
25-34	86	17,000	1	1.7	00.0-05.0				3	4.9	00.0-11.4	15	13.9	04.9-22.9	62	70.3	58.0-82.6	5	9.1	00.7-17.5
35-44	117	16,261	1	0.1	00.0-00.3	7	4.4	00.0-09.3	12	12.1	03.3-20.9	22	17.4	08.6-26.2	65	60.1	48.1-72.1	10	5.8	01.1-10.5
45-54	106	9,200	9	8.0	01.9-14.1	13	16.4	05.6-27.2	9	9.6	01.8-17.4	13	11.9	03.9-19.9	48	43.6	30.5-56.7	14	10.5	03.8-17.2
55-64	75	4,637	7	5.3	01.0-09.6	10	13.1	02.5-23.7	13	24.8	10.5-39.1	13	13.8	03.8-23.8	25	33.1	18.6-47.6	7	9.9	00.3-19.5
H.S. or G.E.D.	122	14,854	4	2.2	00.0-04.9	11	5.9	01.0-10.8	11	4.0	00.9-07.1	18	16.1	06.9-25.3	66	61.7	49.7-73.7	12	10.2	02.2-18.2
Some Post-H.S.	156	22,900	5	1.4	00.0-03.0	11	5.3	01.0-09.6	15	13.5	05.5-21.5	19	8.1	03.6-12.6	88	63.1	52.7-73.5	18	8.6	03.1-14.1
College Graduate	147	12,233	13	6.4	01.3-11.5	9	3.1	00.6-05.6	14	9.9	03.4-16.4	26	12.4	06.3-18.5	74	62.7	52.3-73.1	11	5.5	01.4-09.6
\$50,000- 74,999	82	10,075	4	2.1	00.0-04.5	5	4.1	00.0-09.4	12	15.3	04.1-26.5	12	9.6	02.9-16.3	41	63.4	49.3-77.5	8	5.5	00.8-10.2
\$75,000+	194	19,050	9	2.7	00.5-04.9	15	7.8	02.5-13.1	17	11.2	03.6-18.8	35	13.2	07.7-18.7	101	57.6	47.6-67.6	17	7.4	02.5-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2013			2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	591	58,525	33	2.8	01.6-04.0	53	6.5	03.8-09.2	82	9.7	06.2-13.2	109	15.3	11.4-19.2	263	55.4	49.1-61.7	51	10.3	06.2-14.4
Native	58	6,299				4	1.4	00.0-03.0	6	13.1	00.0-28.0	3	3.3	00.0-07.8	36	71.3	53.9-88.7	9	10.9	01.3-20.5
Non-Native	527	51,911	33	3.2	01.8-04.6	49	7.2	04.1-10.3	76	9.4	05.9-12.9	105	16.8	12.5-21.1	225	53.6	46.9-60.3	39	9.8	05.3-14.3
25-34	145	20,175							5	3.9	00.0-08.8	21	13.6	06.3-20.9	99	68.7	57.7-79.7	20	13.7	05.3-22.1
35-44	162	14,779	2	0.7	00.0-02.1	10	9.1	00.7-17.5	21	14.2	04.8-23.6	45	27.4	17.8-37.0	73	41.7	30.7-52.7	11	6.9	01.4-12.4
45-54	126	7,546	13	9.0	03.7-14.3	21	19.0	09.2-28.8	30	25.3	14.7-35.9	23	16.2	07.2-25.2	33	23.7	13.3-34.1	6	6.8	00.7-12.9
55-64	81	3,862	14	18.6	06.8-30.4	14	15.8	06.4-25.2	17	16.0	06.0-26.0	13	17.4	06.8-28.0	19	28.8	14.5-43.1	4	3.5	00.0-07.0
H.S. or G.E.D.	111	10,640	7	2.6	00.4-04.8	9	5.7	01.0-10.4	17	8.0	03.1-12.9	23	17.3	07.3-27.3	45	62.0	49.7-74.3	10	4.3	01.2-07.4
Some Post-H.S.	218	27,882	12	3.0	00.8-05.2	19	7.2	02.1-12.3	38	12.5	06.0-19.0	37	12.9	07.6-18.2	94	52.4	41.8-63.0	18	12.0	04.6-19.4
College Graduate	242	17,590	14	3.0	01.0-05.0	23	6.4	02.9-09.9	26	7.6	03.3-11.9	47	18.9	11.5-26.3	113	54.9	45.5-64.3	19	9.2	03.9-14.5
\$15,000- 24,999	68	7,215	2	1.0	00.0-02.6	5	4.2	00.0-10.1	12	11.4	00.0-23.7	8	7.0	00.5-13.5	34	59.5	41.1-77.9	7	16.9	01.8-32.0
\$35,000- 49,999	80	7,068	3	1.4	00.0-03.4	8	15.4	01.3-29.5	15	13.0	05.0-21.0	15	13.5	03.1-23.9	35	51.9	34.7-69.1	4	4.8	00.0-10.5
\$50,000- 74,999	103	8,987	8	2.5	00.3-04.7	7	9.3	00.0-19.3	12	18.2	03.9-32.5	24	20.0	08.8-31.2	43	40.6	24.5-56.7	9	9.4	01.4-17.4
\$75,000+	217	19,457	12	3.8	01.4-06.2	20	5.3	02.4-08.2	27	7.8	03.3-12.3	44	23.0	14.6-31.4	97	49.0	38.4-59.6	17	11.1	02.7-19.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1247	132,100	397	32.1	28.2-36.0	33	2.7	01.3-04.1	609	46.4	42.1-50.7	25	4.7	02.3-07.1	8	0.4	00.0-00.8	175	13.7	10.8-16.6
Male	539	65,323	136	24.4	19.1-29.7	9	1.4	00.0-02.8	263	46.0	39.7-52.3	23	9.2	04.5-13.9	7	0.9	00.1-01.7	101	18.3	13.6-23.0
Female	708	66,777	261	39.6	33.7-45.5	24	4.0	01.5-06.5	346	46.9	41.0-52.8	2	0.2	00.0-00.6	1	0.0	00.0-00.0	74	9.2	05.7-12.7
Native	91	10,096	19	14.1	05.1-23.1	1	1.8	00.0-05.3	59	67.8	53.1-82.5	2	4.6	00.0-12.0	2	0.5	00.0-01.3	8	11.2	00.2-22.2
Non-Native	1138	119,792	371	33.9	29.6-38.2	32	2.8	01.2-04.4	541	44.0	39.5-48.5	22	4.7	02.2-07.2	6	0.4	00.0-00.8	166	14.1	11.0-17.2
18-24	71	20,077	17	25.4	12.5-38.3	3	2.6	00.0-05.9	39	44.4	29.7-59.1	5	13.1	01.1-25.1				7	14.5	03.7-25.3
25-34	259	41,465	88	33.5	25.5-41.5	5	3.1	00.0-06.2	134	47.1	38.7-55.5	6	3.3	00.4-06.2	1	0.2	00.0-00.6	25	12.8	06.9-18.7
35-44	297	32,416	101	31.5	24.2-38.8	6	2.8	00.0-06.1	151	53.6	45.6-61.6	5	2.7	00.0-05.6	2	0.4	00.0-01.2	32	8.9	04.4-13.4
45-54	283	21,289	99	38.2	30.2-46.2	6	1.5	00.1-02.9	126	37.8	30.2-45.4	6	5.3	00.6-10.0	3	0.9	00.0-02.1	43	16.2	10.3-22.1
55-64	208	10,950	51	24.8	17.0-32.6	10	4.0	00.3-07.7	103	47.4	38.2-56.6	2	0.9	00.0-02.3	2	1.7	00.0-04.4	40	21.2	13.4-29.0
65+	121	5,423	40	38.2	25.7-50.7	3	1.5	00.0-03.3	53	40.2	28.2-52.2	1	0.9	00.0-02.7				24	19.2	09.6-28.8
Less Than H.S.	60	11,712	13	23.5	08.8-38.2	1	1.5	00.0-04.4	33	39.9	23.0-56.8	7	26.0	07.4-44.6	1	0.3	00.0-00.9	5	8.8	00.0-18.6
H.S. or G.E.D.	280	28,853	87	32.7	24.7-40.7	10	3.0	00.5-05.5	138	44.7	36.3-53.1	7	6.3	01.4-11.2	3	0.7	00.0-01.7	35	12.6	06.7-18.5
Some Post-H.S.	438	55,506	144	33.8	26.9-40.7	12	3.4	00.7-06.1	215	46.5	39.2-53.8	6	1.6	00.0-03.4	2	0.4	00.0-01.0	59	14.3	09.2-19.4
College Graduate	462	34,993	152	32.2	25.9-38.5	10	1.8	00.0-03.6	218	49.0	42.3-55.7	5	1.1	00.0-02.3	2	0.4	00.0-01.2	75	15.5	10.6-20.4
Less than \$15,000	91	11,494	15	15.6	06.2-25.0	1	1.6	00.0-04.7	63	59.6	44.1-75.1	6	12.1	01.3-22.9	3	2.6	00.0-05.9	3	8.6	00.0-20.6
\$15,000- 24,999	127	16,824	41	29.5	17.3-41.7	4	3.0	00.0-07.5	62	42.7	29.6-55.8	6	10.0	00.0-21.0	1	0.2	00.0-00.6	13	14.6	05.0-24.2
\$25,000- 34,999	93	13,863	20	17.6	06.6-28.6	4	3.5	00.0-08.2	56	63.5	49.4-77.6	2	3.5	00.0-08.8	1	0.1	00.0-00.3	10	11.7	01.9-21.5
\$35,000- 49,999	159	17,012	59	38.8	27.2-50.4	3	2.4	00.0-05.5	65	32.5	21.7-43.3	7	8.6	01.5-15.7	1	0.2	00.0-00.6	24	17.6	08.0-27.2
\$50,000- 74,999	212	20,647	71	35.2	25.0-45.4	8	3.9	00.0-08.2	99	46.3	35.7-56.9	1	0.6	00.0-01.8				33	14.1	07.2-21.0
\$75,000+	486	44,560	176	38.5	31.8-45.2	9	2.5	00.0-05.0	218	43.4	36.7-50.1	3	2.3	00.0-05.8	2	0.5	00.0-01.1	78	12.9	08.8-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	539	65,323	136	24.4	19.1-29.7	9	1.4	00.0-02.8	263	46.0	39.7-52.3	23	9.2	04.5-13.9	7	0.9	00.1-01.7	101	18.3	13.6-23.0
Non-Native	498	59,470	131	25.4	19.9-30.9	9	1.5	00.1-02.9	236	43.7	37.2-50.2	20	9.2	04.3-14.1	5	0.8	00.0-01.6	97	19.3	14.2-24.4
25-34	95	18,723	28	25.8	15.0-36.6	2	2.1	00.0-05.0	42	47.4	34.7-60.1	6	7.2	00.7-13.7	1	0.4	00.0-01.2	16	17.1	07.3-26.9
35-44	123	16,698	28	19.7	11.1-28.3	3	2.2	00.0-05.9	66	59.0	47.6-70.4	4	5.1	00.0-10.6	2	0.8	00.0-02.4	20	13.2	05.6-20.8
45-54	128	11,268	37	31.6	20.2-43.0	1	0.1	00.0-00.3	59	38.9	27.5-50.3	6	10.1	01.5-18.7	2	1.4	00.0-03.6	23	17.9	09.1-26.7
55-64	92	5,751	20	22.3	10.9-33.7	2	1.7	00.0-04.1	46	43.7	30.4-57.0	2	1.8	00.0-04.5	2	3.2	00.0-08.3	20	27.3	14.6-40.0
65+	64	2,913	18	33.9	16.1-51.7	1	1.3	00.0-03.8	30	38.4	22.7-54.1	1	1.7	00.0-05.0				14	24.7	09.4-40.0
H.S. or G.E.D.	136	15,634	30	20.6	10.8-30.4	3	1.2	00.0-02.8	69	46.1	33.9-58.3	6	10.9	02.3-19.5	3	1.3	00.0-03.3	25	19.9	09.9-29.9
Some Post-H.S.	181	25,000	51	26.1	17.3-34.9	3	1.6	00.0-04.1	88	47.1	36.7-57.5	6	3.6	00.0-07.3	2	0.8	00.0-02.0	31	20.9	12.1-29.7
College Graduate	180	14,856	48	28.4	19.4-37.4	3	2.1	00.0-05.6	85	49.4	39.2-59.6	4	2.3	00.0-04.8	1	0.8	00.0-02.4	39	17.0	10.3-23.7
\$35,000- 49,999	59	8,520	17	25.4	10.5-40.3	2	3.7	00.0-09.8	24	31.2	14.7-47.7	6	16.6	03.3-29.9				10	23.0	06.7-39.3
\$50,000- 74,999	88	10,000	25	27.3	13.6-41.0	2	0.5	00.0-01.3	42	48.3	33.0-63.6	1	1.3	00.0-03.8				18	22.6	09.9-35.3
\$75,000+	230	22,542	70	30.5	22.5-38.5	3	2.1	00.0-05.0	101	45.9	36.3-55.5	3	4.5	00.0-11.6	2	0.9	00.0-02.3	51	16.1	10.4-21.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	708	66,777	261	39.6	33.7-45.5	24	4.0	01.5-06.5	346	46.9	41.0-52.8	2	0.2	00.0-00.6	1	0.0	00.0-00.0	74	9.2	05.7-12.7
Native	59	6,023	14	10.6	03.2-18.0	1	3.0	00.0-08.9	39	74.6	57.5-91.7							5	11.8	00.0-27.1
Non-Native	640	60,322	240	42.2	36.1-48.3	23	4.2	01.5-06.9	305	44.4	38.3-50.5	2	0.3	00.0-00.7	1	0.1	00.0-00.3	69	9.0	05.5-12.5
25-34	164	22,741	60	39.9	28.7-51.1	3	4.0	00.0-09.1	92	46.8	35.6-58.0							9	9.2	02.3-16.1
35-44	174	15,717	73	44.0	33.2-54.8	3	3.5	00.0-09.0	85	47.8	37.0-58.6	1	0.3	00.0-00.9				12	4.4	00.5-08.3
45-54	155	10,021	62	45.7	34.9-56.5	5	3.0	00.0-06.1	67	36.6	26.6-46.6				1	0.3	00.0-00.9	20	14.4	07.0-21.8
55-64	116	5,199	31	27.4	16.6-38.2	8	6.6	00.0-13.7	57	51.4	39.2-63.6							20	14.5	06.9-22.1
65+	57	2,510	22	43.2	25.4-61.0	2	1.7	00.0-04.1	23	42.4	24.6-60.2							10	12.8	03.0-22.6
H.S. or G.E.D.	144	13,219	57	47.0	34.8-59.2	7	5.2	00.1-10.3	69	42.9	30.9-54.9	1	0.9	00.0-02.7				10	3.9	00.8-07.0
Some Post-H.S.	257	30,506	93	40.2	30.2-50.2	9	4.9	00.2-09.6	127	46.0	36.0-56.0							28	8.9	03.0-14.8
College Graduate	282	20,137	104	35.0	26.6-43.4	7	1.5	00.0-03.1	133	48.7	39.9-57.5	1	0.2	00.0-00.6	1	0.2	00.0-00.6	36	14.4	07.3-21.5
Less than \$15,000	55	6,830	11	19.7	05.4-34.0	1	2.6	00.0-07.7	40	63.3	42.3-84.3							3	14.4	00.0-33.6
\$15,000- 24,999	80	8,144	31	37.2	20.7-53.7	3	5.7	00.0-14.7	38	45.6	28.5-62.7	1	1.5	00.0-04.4				7	10.0	00.0-21.8
\$35,000- 49,999	100	8,492	42	52.1	36.8-67.4	1	1.1	00.0-03.3	41	33.9	20.2-47.6	1	0.5	00.0-01.5	1	0.4	00.0-01.2	14	12.1	02.9-21.3
\$50,000- 74,999	124	10,648	46	42.6	27.9-57.3	6	7.0	00.0-15.2	57	44.3	30.0-58.6							15	6.0	02.1-09.9
\$75,000+	256	22,018	106	46.6	36.8-56.4	6	2.8	00.0-06.7	117	40.9	31.7-50.1							27	9.7	03.8-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2014**

End of Core Data Report