

# NORTH DAKOTA

## 2016 ADULT LandLine Cellphone Module Variables Report

### Behavioral Risk Factor Surveillance System

June 2, 2017



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016**

**MODULE 6: CAREGIVER CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)	
1	MALES AND FEMALES	4
2	MALES ONLY	5
3	FEMALES ONLY	6
	WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)	
4	MALES AND FEMALES	7
5	MALES ONLY	8
6	FEMALES ONLY	9
	FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)	
7	MALES AND FEMALES	10
8	MALES ONLY	11
9	FEMALES ONLY	12
	IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)	
10	MALES AND FEMALES	13
11	MALES ONLY	14
12	FEMALES ONLY	15
	WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB2)	
13	MALES AND FEMALES	16
14	MALES ONLY	17
15	FEMALES ONLY	18
	IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING? (CRGVPEPERS)	
16	MALES AND FEMALES	19
17	MALES ONLY	20
18	FEMALES ONLY	21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016**

**MODULE 6: CAREGIVER CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE	PAGE
IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS? (CRGVHOUS)	
19 MALES AND FEMALES	22
20 MALES ONLY	23
21 FEMALES ONLY	24
OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)	
22 MALES AND FEMALES	25
23 MALES ONLY	26
24 FEMALES ONLY	27
IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)	
25 MALES AND FEMALES	28
26 MALES ONLY	29
27 FEMALES ONLY	30

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 1: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5304	527,452	853	16.1	14.7-17.5	4448	83.8	82.4-85.2	3	0.1	0.1-0.1
Male	2390	267,874	308	12.8	11.2-14.4	2080	87.1	85.5-88.7	2	0.1	0.0-0.0.3
Female	2914	259,578	545	19.5	17.5-21.5	2368	80.4	78.4-82.4	1	0.0	0.0-0.0.0
Native	139	19,200	39	28.6	19.6-37.6	100	71.4	62.4-80.4			
Non-Native	5096	501,080	805	15.7	14.3-17.1	4289	84.3	82.9-85.7	2	0.0	0.0-0.0.0
18-24	228	76,405	35	15.7	10.6-20.8	193	84.3	79.2-89.4			
25-34	528	96,632	64	13.2	10.1-16.3	464	86.8	83.7-89.9			
35-44	538	79,129	73	14.7	11.2-18.2	465	85.3	81.8-88.8			
45-54	748	75,162	150	20.8	17.5-24.1	598	79.2	75.9-82.5			
55-64	1272	89,275	225	18.2	15.8-20.6	1045	81.6	79.2-84.0	2	0.2	0.0-0.0.6
65+	1935	106,004	295	15.1	13.3-16.9	1639	84.8	83.0-86.6	1	0.1	0.0-0.0.3
Less Than H.S.	282	41,572	41	17.2	10.7-23.7	241	82.8	76.3-89.3			
H.S. or G.E.D.	1522	140,844	237	16.9	14.4-19.4	1285	83.1	80.6-85.6			
Some Post-H.S.	1727	209,554	297	16.9	14.7-19.1	1427	83.0	80.8-85.2	3	0.1	0.0-0.0.3
College Graduate	1763	134,764	278	13.9	11.9-15.9	1485	86.1	84.1-88.1			
Less than \$15,000	291	33,667	48	20.2	13.5-26.9	242	79.5	72.8-86.2	1	0.3	0.0-0.0.9
\$15,000- 24,999	582	58,068	91	18.4	13.9-22.9	490	81.4	76.9-85.9	1	0.2	0.0-0.0.6
\$25,000- 34,999	501	51,108	90	17.9	13.4-22.4	411	82.1	77.6-86.6			
\$35,000- 49,999	758	73,222	119	15.1	12.0-18.2	638	84.8	81.7-87.9	1	0.1	0.0-0.0.3
\$50,000- 74,999	890	87,934	153	15.1	12.4-17.8	737	84.9	82.2-87.6			
\$75,000+	1736	175,084	255	14.3	12.3-16.3	1481	85.7	83.7-87.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 2: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2390	267,874	308	12.8	11.2-14.4	2080	87.1	85.5-88.7	2	0.1	00.0-00.3
Native	57	8,080	16	28.3	14.6-42.0	41	71.7	58.0-85.4			
Non-Native	2296	255,434	290	12.5	10.9-14.1	2005	87.5	85.7-89.3	1	0.0	00.0-00.0
18-24	150	43,684	22	13.6	07.9-19.3	128	86.4	80.7-92.1			
25-34	289	51,336	22	7.9	04.6-11.2	267	92.1	88.8-95.4			
35-44	254	41,173	36	14.8	09.9-19.7	218	85.2	80.3-90.1			
45-54	371	38,328	53	16.1	11.8-20.4	318	83.9	79.6-88.2			
55-64	602	44,475	80	13.3	10.4-16.2	520	86.2	83.3-89.1	2	0.4	00.0-01.0
65+	711	47,756	94	12.6	09.9-15.3	617	87.4	84.7-90.1			
Less Than H.S.	137	22,561	14	11.1	04.4-17.8	123	88.9	82.2-95.6			
H.S. or G.E.D.	743	79,950	99	15.7	12.4-19.0	644	84.3	81.0-87.6			
Some Post-H.S.	751	104,565	91	10.9	08.4-13.4	658	88.9	86.4-91.4	2	0.2	00.0-00.4
College Graduate	754	60,397	104	12.9	10.2-15.6	650	87.1	84.4-89.8			
Less than \$15,000	97	13,369	14	21.6	10.0-33.2	83	78.4	66.8-90.0			
\$15,000- 24,999	221	26,297	32	15.5	09.2-21.8	188	84.2	77.9-90.5	1	0.4	00.0-01.2
\$25,000- 34,999	204	26,160	29	14.2	08.3-20.1	175	85.8	79.9-91.7			
\$35,000- 49,999	377	41,019	43	12.0	08.1-15.9	333	87.7	83.6-91.8	1	0.2	00.0-00.6
\$50,000- 74,999	438	49,221	56	11.2	07.7-14.7	382	88.8	85.3-92.3			
\$75,000+	903	95,165	115	11.8	09.4-14.2	788	88.2	85.8-90.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 3: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2914	259,578	545	19.5	17.5-21.5	2368	80.4	78.4-82.4	1	0.0	00.0-00.0
Native	82	11,120	23	28.8	16.6-41.0	59	71.2	59.0-83.4			
Non-Native	2800	245,646	515	19.0	16.8-21.2	2284	80.9	78.7-83.1	1	0.0	00.0-00.0
18-24	78	32,721	13	18.5	09.1-27.9	65	81.5	72.1-90.9			
25-34	239	45,296	42	19.2	13.5-24.9	197	80.8	75.1-86.5			
35-44	284	37,956	37	14.6	09.9-19.3	247	85.4	80.7-90.1			
45-54	377	36,834	97	25.6	20.5-30.7	280	74.4	69.3-79.5			
55-64	670	44,800	145	23.0	19.3-26.7	525	77.0	73.3-80.7			
65+	1224	58,248	201	17.2	14.7-19.7	1022	82.6	80.1-85.1	1	0.2	00.0-00.6
Less Than H.S.	145	19,011	27	24.5	13.1-35.9	118	75.5	64.1-86.9			
H.S. or G.E.D.	779	60,895	138	18.4	14.7-22.1	641	81.6	77.9-85.3			
Some Post-H.S.	976	104,989	206	22.8	19.3-26.3	769	77.1	73.6-80.6	1	0.1	00.0-00.3
College Graduate	1009	74,367	174	14.7	12.2-17.2	835	85.3	82.8-87.8			
Less than \$15,000	194	20,298	34	19.2	11.2-27.2	159	80.3	72.1-88.5	1	0.5	00.0-01.5
\$15,000- 24,999	361	31,771	59	20.9	14.4-27.4	302	79.1	72.6-85.6			
\$25,000- 34,999	297	24,948	61	21.8	14.7-28.9	236	78.2	71.1-85.3			
\$35,000- 49,999	381	32,203	76	18.9	13.8-24.0	305	81.1	76.0-86.2			
\$50,000- 74,999	452	38,714	97	20.1	15.6-24.6	355	79.9	75.4-84.4			
\$75,000+	833	79,920	140	17.2	13.9-20.5	693	82.8	79.5-86.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 4: WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	849	84,088	234	28.2	24.3-32.1	116	12.1	09.6-14.6	204	18.3	15.4-21.2	107	17.3	13.8-20.8	41	6.2	03.8-08.6	147	17.9	14.0-21.8
Male	305	34,010	78	26.2	20.1-32.3	40	11.4	07.3-15.5	87	22.1	16.8-27.4	38	17.5	11.6-23.4	16	7.1	03.4-10.8	46	15.7	10.4-21.0
Female	544	50,078	156	29.6	24.5-34.7	76	12.5	09.2-15.8	117	15.7	12.4-19.0	69	17.1	12.6-21.6	25	5.6	02.7-08.5	101	19.4	14.1-24.7
Non-Native	802	77,676	223	28.6	24.5-32.7	107	11.5	09.0-14.0	196	18.6	15.7-21.5	100	17.1	13.4-20.8	36	6.1	03.6-08.6	140	18.2	14.3-22.1
25-34	63	12,679	21	29.9	18.1-41.7	10	17.9	07.5-28.3	2	3.6	00.0-08.5	16	25.4	13.8-37.0	3	4.4	00.0-09.3	11	18.8	07.8-29.8
35-44	72	11,414	24	33.4	21.2-45.6	5	7.0	00.5-13.5	10	17.2	06.6-27.8	17	21.9	11.7-32.1	7	8.4	01.9-14.9	9	12.1	02.7-21.5
45-54	150	15,602	57	37.3	28.7-45.9	25	15.5	09.2-21.8	19	14.7	08.0-21.4	19	12.0	06.1-17.9	10	7.4	02.5-12.3	20	13.1	07.2-19.0
55-64	224	16,173	97	40.3	33.2-47.4	34	13.4	08.9-17.9	29	14.6	09.3-19.9	20	12.3	07.0-17.6	10	4.8	01.9-07.7	34	14.7	09.6-19.8
65+	295	16,039	24	8.0	04.5-11.5	40	14.2	09.5-18.9	143	51.6	45.1-58.1	22	8.1	04.6-11.6	6	1.4	00.2-02.6	60	16.7	12.2-21.2
H.S. or G.E.D.	235	23,517	46	23.2	15.9-30.5	33	12.0	07.1-16.9	67	18.4	13.5-23.3	30	18.9	11.6-26.2	16	9.5	04.6-14.4	43	18.0	11.1-24.9
Some Post-H.S.	297	35,370	94	31.4	24.9-37.9	39	11.3	07.4-15.2	73	21.0	15.7-26.3	38	14.9	09.8-20.0	14	6.4	02.1-10.7	39	15.2	08.9-21.5
College Graduate	277	18,691	90	35.0	27.9-42.1	37	12.9	08.2-17.6	57	15.6	11.1-20.1	31	15.4	09.5-21.3	10	3.7	01.2-06.2	52	17.5	12.2-22.8
\$15,000- 24,999	91	10,698	16	24.0	11.5-36.5	7	5.6	00.9-10.3	27	20.0	11.4-28.6	12	17.6	06.2-29.0	6	10.5	01.1-19.9	23	22.3	10.7-33.9
\$25,000- 34,999	90	9,136	16	18.5	08.5-28.5	13	11.6	04.0-19.2	23	20.8	11.0-30.6	9	19.4	06.5-32.3	6	8.4	00.4-16.4	23	21.3	08.6-34.0
\$35,000- 49,999	119	11,026	23	20.3	11.9-28.7	20	21.5	11.5-31.5	39	26.7	17.5-35.9	12	15.1	06.3-23.9	6	4.6	00.5-08.7	19	11.8	05.3-18.3
\$50,000- 74,999	150	12,968	53	34.9	25.5-44.3	19	12.9	05.6-20.2	30	14.4	08.9-19.9	17	11.7	05.8-17.6	13	11.4	05.1-17.7	18	14.7	05.7-23.7
\$75,000+	255	24,988	90	34.6	27.3-41.9	39	12.8	08.5-17.1	52	17.3	11.8-22.8	35	17.4	11.3-23.5	7	2.7	00.3-05.1	32	15.2	08.7-21.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 5: WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	305	34,010	78	26.2	20.1-32.3	40	11.4	07.3-15.5	87	22.1	17.0-27.2	38	17.5	11.6-23.4	16	7.1	03.4-10.8	46	15.7	10.4-21.0
Non-Native	288	31,579	74	26.0	19.7-32.3	38	11.3	07.2-15.4	83	22.3	17.0-27.6	36	17.4	11.3-23.5	14	7.2	03.3-11.1	43	15.9	10.4-21.4
45-54	53	6,170	21	36.7	22.6-50.8	6	11.4	01.8-21.0	9	18.1	06.3-29.9	4	6.2	00.1-12.3	6	12.4	02.2-22.6	7	15.2	04.4-26.0
55-64	79	5,891	28	34.1	22.7-45.5	14	15.7	07.7-23.7	13	15.5	07.3-23.7	8	11.9	03.5-20.3	2	2.2	00.0-05.3	14	20.4	10.2-30.6
65+	94	5,995	8	8.3	02.2-14.4	12	12.1	04.7-19.5	57	62.7	51.9-73.5	4	5.0	00.0-10.5				13	11.9	05.0-18.8
H.S. or G.E.D.	97	12,318	17	17.3	08.7-25.9	12	9.7	03.2-16.2	27	15.4	08.7-22.1	18	27.6	15.8-39.4	8	12.1	03.9-20.3	15	17.8	08.0-27.6
Some Post-H.S.	91	11,435	31	32.1	21.3-42.9	11	11.7	04.3-19.1	30	32.1	20.9-43.3	5	5.4	00.7-10.1	3	5.1	00.0-10.8	11	13.7	04.5-22.9
College Graduate	103	7,757	27	32.2	20.4-44.0	16	13.6	06.5-20.7	25	18.4	11.0-25.8	13	15.8	06.8-24.8	5	4.4	00.5-08.3	17	15.6	07.8-23.4
\$50,000- 74,999	53	5,197	14	27.2	13.1-41.3	6	14.3	01.8-26.8	14	16.3	07.3-25.3	4	8.7	00.0-18.1	6	14.4	02.6-26.2	9	19.1	03.0-35.2
\$75,000+	115	11,214	32	27.1	17.5-36.7	17	11.5	05.4-17.6	30	25.8	16.2-35.4	18	17.6	09.2-26.0	3	4.1	00.0-09.0	15	13.9	06.5-21.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 6: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	544	50,078	156	29.6	24.5-34.7	76	12.5	09.2-15.8	117	15.7	12.4-19.0	69	17.1	12.6-21.6	25	5.6	02.5-08.7	101	19.4	14.1-24.7
Non-Native	514	46,097	149	30.4	25.1-35.7	69	11.6	08.3-14.9	113	16.1	12.6-19.6	64	16.8	12.1-21.5	22	5.3	02.2-08.4	97	19.7	14.0-25.4
45-54	97	9,432	36	37.7	26.7-48.7	19	18.2	10.0-26.4	10	12.4	04.6-20.2	15	15.9	07.1-24.7	4	4.1	00.0-08.4	13	11.7	05.0-18.4
55-64	145	10,283	69	43.9	34.9-52.9	20	12.0	06.7-17.3	16	14.0	07.1-20.9	12	12.5	05.4-19.6	8	6.2	01.9-10.5	20	11.4	06.1-16.7
65+	201	10,043	16	7.8	03.5-12.1	28	15.4	09.3-21.5	86	45.0	37.2-52.8	18	9.9	05.2-14.6	6	2.3	00.3-04.3	47	19.6	13.7-25.5
H.S. or G.E.D.	138	11,199	29	29.8	18.8-40.8	21	14.5	07.4-21.6	40	21.7	14.3-29.1	12	9.3	03.0-15.6	8	6.5	01.6-11.4	28	18.2	09.0-27.4
Some Post-H.S.	206	23,935	63	31.0	23.2-38.8	28	11.1	06.4-15.8	43	15.6	10.3-20.9	33	19.4	12.3-26.5	11	7.0	01.3-12.7	28	15.9	07.9-23.9
College Graduate	174	10,934	63	36.9	28.1-45.7	21	12.5	06.4-18.6	32	13.5	08.0-19.0	18	15.1	07.5-22.7	5	3.2	00.0-06.5	35	18.8	11.5-26.1
\$15,000- 24,999	59	6,635	7	11.9	00.9-22.9	5	7.4	00.1-14.7	14	17.1	06.9-27.3	11	23.6	07.9-39.3	4	11.1	00.0-24.2	18	28.9	12.4-45.4
\$25,000- 34,999	61	5,427	8	13.0	02.0-24.0	10	14.0	03.0-25.0	14	22.5	08.6-36.4	6	16.1	01.8-30.4	3	3.1	00.0-07.2	20	31.2	12.6-49.8
\$35,000- 49,999	76	6,090	15	22.5	10.7-34.3	14	24.9	11.6-38.2	24	24.7	14.3-35.1	7	13.5	02.3-24.7	4	4.5	00.0-09.2	12	9.9	02.6-17.2
\$50,000- 74,999	97	7,771	39	40.0	27.7-52.3	13	11.9	03.3-20.5	16	13.1	06.2-20.0	13	13.7	06.1-21.3	7	9.4	02.3-16.5	9	11.8	01.4-22.2
\$75,000+	140	13,774	58	40.8	30.4-51.2	22	13.8	07.5-20.1	22	10.4	04.9-15.9	17	17.1	08.3-25.9	4	1.6	00.0-03.4	17	16.2	06.0-26.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 7: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	845	84,275	196	26.0	21.9-30.1	105	11.9	09.2-14.6	128	13.0	10.3-15.7	189	22.9	19.2-26.6	227	26.2	22.3-30.1
Male	306	34,170	79	26.5	20.2-32.8	48	14.1	09.4-18.8	39	12.0	07.3-16.7	65	24.3	18.4-30.2	75	23.1	17.6-28.6
Female	539	50,105	117	25.6	20.1-31.1	57	10.5	07.4-13.6	89	13.6	10.1-17.1	124	22.0	17.1-26.9	152	28.3	23.0-33.6
Non-Native	797	77,826	181	25.4	21.1-29.7	97	11.6	08.9-14.3	124	13.4	10.5-16.3	186	24.3	20.4-28.2	209	25.3	21.4-29.2
25-34	63	12,538	20	33.4	20.5-46.3	7	9.6	02.2-17.0	6	11.2	02.2-20.2	13	19.5	09.5-29.5	17	26.3	14.7-37.9
35-44	73	11,620	14	15.2	07.0-23.4	15	19.8	10.0-29.6	8	10.4	01.6-19.2	14	21.5	10.9-32.1	22	33.2	20.9-45.5
45-54	148	15,408	34	23.7	15.7-31.7	17	13.5	07.2-19.8	16	10.6	05.3-15.9	38	27.1	18.9-35.3	43	25.0	17.4-32.6
55-64	221	15,868	50	21.4	15.5-27.3	25	9.8	05.9-13.7	33	16.8	10.9-22.7	48	21.7	15.8-27.6	65	30.3	23.4-37.2
65+	294	16,011	59	20.2	14.9-25.5	37	12.9	08.6-17.2	61	20.2	14.9-25.5	65	23.0	17.5-28.5	72	23.7	18.4-29.0
H.S. or G.E.D.	235	23,524	39	18.2	11.7-24.7	30	12.5	07.0-18.0	38	14.4	08.7-20.1	55	26.0	18.6-33.4	73	28.9	21.6-36.2
Some Post-H.S.	293	35,045	70	28.6	21.3-35.9	32	10.8	06.7-14.9	37	10.1	06.4-13.8	70	22.5	17.0-28.0	84	28.1	21.8-34.4
College Graduate	277	18,677	76	29.3	22.6-36.0	41	16.0	10.7-21.3	44	15.4	09.7-21.1	54	18.0	12.7-23.3	62	21.3	15.6-27.0
\$15,000- 24,999	91	10,698	16	27.8	14.1-41.5	8	10.5	02.7-18.3	17	16.5	07.1-25.9	22	24.4	12.1-36.7	28	20.9	11.9-29.9
\$25,000- 34,999	90	9,136	20	27.1	13.2-41.0	9	10.5	00.5-20.5	21	15.6	07.6-23.6	18	22.3	11.1-33.5	22	24.5	13.1-35.9
\$35,000- 49,999	118	10,837	25	16.5	09.2-23.8	13	10.5	03.8-17.2	20	13.6	06.7-20.5	27	25.4	15.4-35.4	33	34.1	23.1-45.1
\$50,000- 74,999	152	13,156	34	26.0	15.8-36.2	18	13.0	06.3-19.7	18	9.3	04.6-14.0	37	25.8	16.8-34.8	45	25.9	18.1-33.7
\$75,000+	252	24,738	67	28.2	21.3-35.1	34	12.8	08.1-17.5	36	12.8	07.9-17.7	53	21.1	14.2-28.0	62	25.0	18.3-31.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 8: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	306	34,170	79	26.5	20.2-32.8	48	14.1	09.4-18.8	39	12.0	07.3-16.7	65	24.3	18.4-30.2	75	23.1	17.6-28.6
Non-Native	288	31,702	71	24.8	18.3-31.3	47	15.1	10.2-20.0	37	12.2	07.3-17.1	64	25.5	19.2-31.8	69	22.5	16.8-28.2
45-54	52	6,095	12	20.6	08.6-32.6	8	19.4	06.9-31.9	6	11.6	02.4-20.8	13	26.9	13.4-40.4	13	21.6	10.0-33.2
55-64	79	5,871	20	22.4	13.2-31.6	10	10.3	03.8-16.8	11	12.7	04.5-20.9	13	20.6	10.4-30.8	25	34.0	22.4-45.6
65+	94	5,995	22	23.6	14.2-33.0	18	17.4	09.4-25.4	16	19.0	09.2-28.8	19	21.0	11.6-30.4	19	19.0	10.8-27.2
H.S. or G.E.D.	98	12,515	15	17.3	07.9-26.7	10	10.7	02.3-19.1	13	15.4	06.0-24.8	26	29.0	18.2-39.8	34	27.6	17.8-37.4
Some Post-H.S.	90	11,361	24	26.1	15.3-36.9	13	13.8	06.0-21.6	10	7.3	02.4-12.2	20	26.7	15.9-37.5	23	26.1	15.3-36.9
College Graduate	104	7,794	34	31.8	21.4-42.2	25	24.2	14.8-33.6	14	13.3	03.7-22.9	16	14.6	06.8-22.4	15	16.1	07.7-24.5
\$50,000- 74,999	56	5,489	14	29.4	12.7-46.1	11	20.6	07.7-33.5	6	5.0	00.5-09.5	14	27.4	13.3-41.5	11	17.5	06.7-28.3
\$75,000+	113	11,083	30	25.7	16.3-35.1	20	14.3	07.8-20.8	15	11.4	04.9-17.9	19	18.0	09.4-26.6	29	30.7	20.1-41.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 9: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	539	50,105	117	25.6	20.1-31.1	57	10.5	07.4-13.6	89	13.6	10.1-17.1	124	22.0	17.1-26.9	152	28.3	23.0-33.6
Non-Native	509	46,124	110	25.7	20.0-31.4	50	9.2	06.3-12.1	87	14.2	10.5-17.9	122	23.5	18.4-28.6	140	27.3	21.8-32.8
45-54	96	9,313	22	25.8	15.2-36.4	9	9.6	03.3-15.9	10	10.0	03.7-16.3	25	27.3	17.1-37.5	30	27.2	17.2-37.2
55-64	142	9,996	30	20.8	13.4-28.2	15	9.5	04.4-14.6	22	19.2	11.2-27.2	35	22.3	15.0-29.6	40	28.2	19.8-36.6
65+	200	10,016	37	18.2	11.9-24.5	19	10.1	05.0-15.2	45	21.0	14.7-27.3	46	24.2	17.3-31.1	53	26.5	19.6-33.4
H.S. or G.E.D.	137	11,009	24	19.1	10.5-27.7	20	14.6	07.7-21.5	25	13.2	07.3-19.1	29	22.7	12.3-33.1	39	30.4	20.0-40.8
Some Post-H.S.	203	23,685	46	29.8	20.6-39.0	19	9.4	04.5-14.3	27	11.4	06.5-16.3	50	20.5	14.2-26.8	61	29.0	21.2-36.8
College Graduate	173	10,882	42	27.6	18.8-36.4	16	10.1	04.2-16.0	30	16.9	10.0-23.8	38	20.4	13.1-27.7	47	25.0	17.4-32.6
\$15,000- 24,999	59	6,635	8	24.9	07.7-42.1	6	13.1	02.3-23.9	10	9.8	02.4-17.2	15	27.8	10.6-45.0	20	24.4	12.1-36.7
\$25,000- 34,999	61	5,427	14	37.0	17.4-56.6	7	9.1	01.1-17.1	18	22.7	10.0-35.4	8	10.0	01.4-18.6	14	21.2	07.5-34.9
\$35,000- 49,999	75	5,900	16	15.2	06.8-23.6	4	3.8	00.0-07.7	14	14.9	06.1-23.7	18	22.2	11.2-33.2	23	43.9	29.4-58.4
\$50,000- 74,999	96	7,667	20	23.5	11.0-36.0	7	7.6	01.5-13.7	12	12.4	05.1-19.7	23	24.7	13.1-36.3	34	31.8	20.8-42.8
\$75,000+	139	13,656	37	30.3	20.5-40.1	14	11.6	04.7-18.5	21	14.0	06.7-21.3	34	23.7	13.5-33.9	33	20.4	12.2-28.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 10: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	821	82,264	548	66.4	62.1-70.7	109	13.9	10.6-17.2	58	7.4	05.0-09.8	106	12.3	09.6-15.0
Male	294	32,825	196	63.2	56.1-70.3	33	13.6	08.1-19.1	25	8.3	04.8-11.8	40	14.8	09.5-20.1
Female	527	49,439	352	68.5	63.2-73.8	76	14.0	10.1-17.9	33	6.8	03.9-09.7	66	10.7	07.6-13.8
Non-Native	774	75,852	521	67.1	62.8-71.4	102	13.6	10.3-16.9	54	6.9	04.7-09.1	97	12.3	09.4-15.2
25-34	63	12,594	44	69.0	56.7-81.3	7	12.4	03.2-21.6	4	6.8	00.0-13.7	8	11.8	03.8-19.8
35-44	69	10,750	43	59.5	46.4-72.6	15	24.0	12.0-36.0	3	4.2	00.0-09.1	8	12.2	03.8-20.6
45-54	147	15,341	103	71.5	63.3-79.7	15	9.6	04.5-14.7	10	7.3	02.6-12.0	19	11.6	05.7-17.5
55-64	215	15,352	152	69.4	62.3-76.5	29	11.7	07.2-16.2	19	11.4	06.1-16.7	15	7.5	03.6-11.4
65+	281	15,396	178	61.1	54.6-67.6	34	12.1	07.8-16.4	19	7.9	04.0-11.8	50	19.0	13.7-24.3
H.S. or G.E.D.	227	22,806	123	51.6	43.2-60.0	39	21.0	13.2-28.8	27	11.3	06.0-16.6	38	16.1	10.2-22.0
Some Post-H.S.	289	34,491	190	69.1	62.6-75.6	41	13.1	08.4-17.8	19	6.9	03.4-10.4	39	10.9	07.0-14.8
College Graduate	266	17,945	207	76.2	69.5-82.9	24	8.1	04.2-12.0	11	5.9	02.2-09.6	24	9.8	04.7-14.9
\$15,000- 24,999	89	10,556	44	47.9	34.0-61.8	13	18.9	07.1-30.7	11	8.7	02.8-14.6	21	24.5	13.1-35.9
\$25,000- 34,999	87	8,992	58	64.0	50.3-77.7	10	11.3	01.1-21.5	6	8.4	01.0-15.8	13	16.3	06.1-26.5
\$35,000- 49,999	115	10,499	77	69.2	59.2-79.2	12	11.1	04.0-18.2	11	9.2	03.3-15.1	15	10.4	04.1-16.7
\$50,000- 74,999	148	12,793	95	65.1	55.1-75.1	22	17.1	08.1-26.1	10	6.3	02.0-10.6	21	11.5	06.0-17.0
\$75,000+	247	24,167	190	76.8	70.3-83.3	31	11.6	06.9-16.3	10	4.9	01.4-08.4	16	6.7	02.8-10.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 11: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	294	32,825	196	63.2	56.1-70.3	33	13.6	08.1-19.1	25	8.3	04.8-11.8	40	14.8	09.5-20.1
Non-Native	277	30,394	186	63.4	56.1-70.7	30	12.9	07.2-18.6	24	8.3	04.6-12.0	37	15.4	09.7-21.1
45-54	52	6,095	38	69.7	55.8-83.6	5	11.8	01.8-21.8	4	8.7	00.0-17.7	5	9.8	00.8-18.8
55-64	75	5,496	53	69.3	57.9-80.7	8	9.3	02.8-15.8	7	11.8	03.2-20.4	7	9.6	02.7-16.5
65+	90	5,760	54	56.3	44.7-67.9	9	9.4	03.3-15.5	10	13.3	04.9-21.7	17	21.1	10.9-31.3
H.S. or G.E.D.	95	12,174	52	53.0	40.7-65.3	13	19.7	08.1-31.3	13	9.8	03.7-15.9	17	17.5	08.5-26.5
Some Post-H.S.	88	11,000	60	68.6	57.2-80.0	12	12.5	03.7-21.3	7	10.1	02.7-17.5	9	8.7	02.4-15.0
College Graduate	98	7,258	77	74.7	63.1-86.3	6	6.2	00.5-11.9	4	5.0	00.0-10.1	11	14.2	03.8-24.6
\$50,000- 74,999	54	5,246	39	66.3	49.4-83.2	4	14.3	00.0-30.2	5	9.5	00.5-18.5	6	9.8	01.4-18.2
\$75,000+	112	10,931	84	76.4	67.6-85.2	16	12.6	05.9-19.3	5	5.1	00.6-09.6	7	5.9	00.8-11.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 12: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	527	49,439	352	68.5	63.2-73.8	76	14.0	10.1-17.9	33	6.8	03.9-09.7	66	10.7	07.6-13.8
Non-Native	497	45,458	335	69.6	64.3-74.9	72	14.1	10.0-18.2	30	6.0	03.3-08.7	60	10.2	07.1-13.3
45-54	95	9,246	65	72.7	62.9-82.5	10	8.1	02.8-13.4	6	6.4	01.1-11.7	14	12.8	05.2-20.4
55-64	140	9,856	99	69.4	60.6-78.2	21	13.0	07.1-18.9	12	11.2	04.3-18.1	8	6.4	01.3-11.5
65+	191	9,635	124	63.9	56.3-71.5	25	13.7	08.0-19.4	9	4.6	01.5-07.7	33	17.7	11.8-23.6
H.S. or G.E.D.	132	10,631	71	50.0	38.8-61.2	26	22.4	11.6-33.2	14	13.1	04.3-21.9	21	14.6	07.5-21.7
Some Post-H.S.	201	23,492	130	69.4	61.6-77.2	29	13.3	07.6-19.0	12	5.4	01.5-09.3	30	11.9	07.0-16.8
College Graduate	168	10,687	130	77.3	69.3-85.3	18	9.4	03.9-14.9	7	6.6	01.3-11.9	13	6.8	02.3-11.3
\$15,000- 24,999	58	6,585	30	50.4	32.6-68.2	11	24.7	08.0-41.4	7	9.9	01.5-18.3	10	15.0	04.4-25.6
\$25,000- 34,999	60	5,384	42	75.6	62.1-89.1	6	4.4	00.7-08.1	3	6.2	00.0-14.4	9	13.9	03.5-24.3
\$35,000- 49,999	75	6,017	50	66.4	53.3-79.5	10	14.1	04.7-23.5	7	10.6	02.4-18.8	8	8.9	01.1-16.7
\$50,000- 74,999	94	7,547	56	64.3	52.1-76.5	18	19.0	08.2-29.8	5	4.1	00.4-07.8	15	12.7	05.4-20.0
\$75,000+	135	13,236	106	77.2	68.0-86.4	15	10.7	04.2-17.2	5	4.7	00.0-10.0	9	7.4	01.7-13.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 13: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism Asthma COPD Values (1,2,4)			Cancer (3) Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension Stroke (Values 7,8)			HIV Organ Failure Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	816	80,758	60	8.4	05.7-11.1	58	6.7	04.5-08.9	282	34.1	29.8-38.4	113	12.5	09.6-15.4	20	2.2	01.0-03.4	283	36.1	31.8-40.4
Male	294	32,522	22	6.5	03.6-09.4	23	9.1	04.4-13.8	96	32.6	25.9-39.3	41	13.8	08.9-18.7	6	2.3	00.1-04.5	106	35.7	29.0-42.4
Female	522	48,236	38	9.7	05.6-13.8	35	5.1	03.1-07.1	186	35.0	29.3-40.7	72	11.7	08.2-15.2	14	2.2	00.8-03.6	177	36.3	30.8-41.8
Non-Native	770	74,541	58	8.6	05.7-11.5	55	6.8	04.4-09.2	268	34.5	30.0-39.0	108	12.6	09.7-15.5	19	2.2	01.0-03.4	262	35.3	31.0-39.6
25-34	59	12,081	4	7.2	00.0-14.8	1	1.4	00.0-04.1	22	41.8	28.1-55.5	8	16.2	05.6-26.8	1	1.3	00.0-03.8	23	32.2	20.0-44.4
35-44	71	11,266	6	7.4	01.1-13.7	5	8.2	00.8-15.6	19	27.8	15.6-40.0	7	7.4	01.7-13.1	4	5.2	00.0-10.9	30	44.0	31.1-56.9
45-54	144	15,139	13	9.5	04.0-15.0	13	7.2	03.3-11.1	45	30.0	21.8-38.2	20	13.7	07.4-20.0	4	3.3	00.0-07.2	49	36.3	27.3-45.3
55-64	215	15,578	18	8.8	04.5-13.1	18	8.7	04.4-13.0	90	40.2	32.9-47.5	25	10.7	06.2-15.2	3	1.2	00.0-02.6	61	30.5	23.6-37.4
65+	286	15,556	17	7.3	03.8-10.8	16	5.1	02.6-07.6	92	31.0	24.9-37.1	50	16.3	11.6-21.0	8	2.4	00.6-04.2	103	37.9	31.4-44.4
H.S. or G.E.D.	219	21,759	13	5.1	02.2-08.0	19	6.6	03.3-09.9	70	35.2	26.6-43.8	30	9.8	05.7-13.9	2	0.8	00.0-02.2	85	42.5	33.9-51.1
Some Post-H.S.	288	33,644	26	9.7	05.6-13.8	16	5.8	02.1-09.5	100	33.4	26.7-40.1	36	12.9	08.0-17.8	11	3.7	01.2-06.2	99	34.6	27.9-41.3
College Graduate	268	18,196	18	6.8	03.3-10.3	21	8.4	04.5-12.3	100	33.1	26.6-39.6	37	11.8	07.3-16.3	7	2.1	00.3-03.9	85	37.9	30.5-45.3
\$15,000- 24,999	86	10,282	10	12.2	02.4-22.0	5	8.5	00.0-17.5	23	28.8	15.7-41.9	15	18.1	06.9-29.3	3	2.5	00.0-05.8	30	29.9	17.7-42.1
\$25,000- 34,999	86	8,667	6	4.9	00.4-09.4	10	7.1	02.0-12.2	36	50.2	35.7-64.7	7	4.8	00.7-08.9	2	1.4	00.0-03.4	25	31.6	17.7-45.5
\$35,000- 49,999	116	10,658	5	3.3	00.4-06.2	8	6.0	01.5-10.5	29	28.2	17.4-39.0	24	17.7	09.5-25.9	5	5.5	00.0-11.4	45	39.3	28.3-50.3
\$50,000- 74,999	144	12,381	11	9.0	03.1-14.9	7	6.2	00.0-13.1	56	35.3	25.9-44.7	14	10.2	03.7-16.7	4	1.4	00.0-03.0	52	37.9	28.1-47.7
\$75,000+	248	24,338	17	9.2	03.1-15.3	18	7.8	03.7-11.9	84	28.9	22.4-35.4	37	13.9	08.6-19.2	5	1.6	00.0-03.2	87	38.6	31.0-46.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 14: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism Asthma COPD Values (1,2,4)			Cancer (3) Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension Stroke (Values 7,8)			HIV Organ Failure Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	294	32,522	22	6.5	03.6-09.4	23	9.1	04.4-13.8	96	32.6	25.9-39.3	41	13.8	08.9-18.7	6	2.3	00.1-04.5	106	35.7	29.0-42.4
Non-Native	276	30,054	22	7.0	03.9-10.1	21	9.2	04.3-14.1	89	32.2	25.3-39.1	40	14.9	09.6-20.2	5	2.0	00.0-04.2	99	34.7	27.8-41.6
45-54	52	6,096	6	13.0	02.4-23.6	7	10.3	02.7-17.9	13	24.1	11.6-36.6	7	17.6	05.6-29.6	2	3.7	00.0-09.0	17	31.4	17.5-45.3
55-64	78	5,773	5	5.6	00.7-10.5	4	5.3	00.0-10.6	35	43.0	31.0-55.0	10	14.1	04.9-23.3				24	31.9	20.7-43.1
65+	90	5,757	8	9.6	02.9-16.3	5	4.8	00.5-09.1	24	28.8	17.6-40.0	16	15.0	07.6-22.4	2	1.6	00.0-04.0	35	40.2	28.8-51.6
H.S. or G.E.D.	90	11,419	6	4.9	00.6-09.2	5	3.5	00.4-06.6	33	44.8	31.9-57.7	8	7.4	01.7-13.1	2	1.5	00.0-04.0	36	38.0	26.0-50.0
Some Post-H.S.	87	10,941	8	9.1	02.6-15.6	9	13.4	03.4-23.4	26	26.8	16.6-37.0	13	13.4	05.8-21.0	3	4.5	00.0-10.2	28	32.8	21.2-44.4
College Graduate	103	7,661	8	7.3	02.0-12.6	8	8.5	02.4-14.6	35	29.6	19.8-39.4	15	13.8	05.8-21.8	1	1.0	00.0-03.0	36	39.8	28.0-51.6
\$50,000- 74,999	52	5,190	4	10.1	00.3-19.9	2	8.9	00.0-24.0	21	36.5	20.8-52.2	6	12.7	00.0-25.4	1	0.6	00.0-01.8	18	31.3	16.8-45.8
\$75,000+	113	10,918	7	4.3	01.0-07.6	11	11.3	03.9-18.7	36	28.9	19.3-38.5	14	11.8	04.7-18.9	2	2.1	00.0-05.2	43	41.6	30.6-52.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 15: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism Asthma COPD Values (1,2,4)			Cancer (3) Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension Stroke (Values 7,8)			HIV Organ Failure Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	522	48,236	38	9.7	05.6-13.8	35	5.1	03.1-07.1	186	35.0	29.3-40.7	72	11.7	08.2-15.2	14	2.2	00.8-03.6	177	36.3	30.8-41.8
Non-Native	494	44,487	36	9.7	05.4-14.0	34	5.1	03.1-07.1	179	36.1	30.2-42.0	68	11.2	07.7-14.7	14	2.4	00.8-04.0	163	35.6	29.9-41.3
45-54	92	9,043	7	7.2	01.7-12.7	6	5.1	00.8-09.4	32	34.0	23.0-45.0	13	11.1	04.8-17.4	2	3.0	00.0-08.5	32	39.6	28.0-51.2
55-64	137	9,805	13	10.7	04.6-16.8	14	10.6	04.7-16.5	55	38.5	29.3-47.7	15	8.6	03.9-13.3	3	1.8	00.0-04.0	37	29.7	20.9-38.5
65+	196	9,800	9	6.0	01.7-10.3	11	5.3	02.0-08.6	68	32.2	24.9-39.5	34	17.1	11.0-23.2	6	2.8	00.4-05.2	68	36.6	28.8-44.4
H.S. or G.E.D.	129	10,340	7	5.2	01.1-09.3	14	10.0	04.1-15.9	37	24.6	14.4-34.8	22	12.6	06.5-18.7				49	47.5	35.7-59.3
Some Post-H.S.	201	22,702	18	10.0	04.7-15.3	7	2.1	00.3-03.9	74	36.6	28.2-45.0	23	12.7	06.4-19.0	8	3.3	00.6-06.0	71	35.4	27.2-43.6
College Graduate	165	10,534	10	6.4	01.7-11.1	13	8.3	03.0-13.6	65	35.6	27.0-44.2	22	10.4	05.1-15.7	6	2.8	00.3-05.3	49	36.5	26.7-46.3
\$15,000- 24,999	58	6,617	6	13.1	00.0-26.8	2	3.5	00.0-08.8	15	29.9	12.8-47.0	12	23.2	07.7-38.7	3	3.9	00.0-09.0	20	26.4	13.1-39.7
\$25,000- 34,999	59	5,257	3	3.1	00.0-07.4	10	11.7	03.3-20.1	25	44.3	25.7-62.9	4	3.0	00.0-06.1	1	1.1	00.0-03.3	16	36.8	17.6-56.0
\$35,000- 49,999	74	5,854	4	5.2	00.1-10.3	4	6.2	00.0-12.9	21	34.3	19.6-49.0	12	8.9	03.2-14.6	3	2.8	00.0-06.3	30	42.5	28.4-56.6
\$50,000- 74,999	92	7,191	7	8.2	01.1-15.3	5	4.2	00.5-07.9	35	34.5	22.7-46.3	8	8.4	02.3-14.5	3	2.0	00.0-04.4	34	42.7	30.2-55.2
\$75,000+	135	13,421	10	13.2	02.8-23.6	7	5.0	01.1-08.9	48	28.9	20.1-37.7	23	15.6	08.0-23.2	3	1.3	00.0-02.9	44	36.1	25.5-46.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 16: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?  
(CRGVPERS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	849	84,438	369	45.4	40.9-49.9	480	54.6	50.1-59.1
Male	306	33,896	120	45.9	38.8-53.0	186	54.1	47.0-61.2
Female	543	50,542	249	45.1	39.4-50.8	294	54.9	49.2-60.6
Non-Native	802	78,095	343	44.0	39.5-48.5	459	56.0	51.5-60.5
25-34	64	12,727	35	57.8	44.7-70.9	29	42.2	29.1-55.3
35-44	71	11,215	29	41.4	28.7-54.1	42	58.6	45.9-71.3
45-54	150	15,602	58	39.0	30.2-47.8	92	61.0	52.2-69.8
55-64	225	16,211	96	43.8	36.5-51.1	129	56.2	48.9-63.5
65+	295	16,039	129	44.7	38.2-51.2	166	55.3	48.8-61.8
H.S. or G.E.D.	236	23,665	112	48.8	40.6-57.0	124	51.2	43.0-59.4
Some Post-H.S.	294	34,885	127	43.9	36.8-51.0	167	56.1	49.0-63.2
College Graduate	278	18,729	111	41.9	34.6-49.2	167	58.1	50.8-65.4
\$15,000- 24,999	90	10,618	49	57.9	44.4-71.4	41	42.1	28.6-55.6
\$25,000- 34,999	90	9,136	35	42.1	28.2-56.0	55	57.9	44.0-71.8
\$35,000- 49,999	118	10,752	51	44.1	32.9-55.3	67	55.9	44.7-67.1
\$50,000- 74,999	152	13,129	75	50.1	40.1-60.1	77	49.9	39.9-59.9
\$75,000+	255	24,988	96	37.1	29.8-44.4	159	62.9	55.6-70.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 17: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?  
(CRGVPER)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	306	33,896	120	45.9	38.8-53.0	186	54.1	47.0-61.2
Non-Native	288	31,428	110	44.7	37.4-52.0	178	55.3	48.0-62.6
45-54	53	6,170	15	32.8	18.5-47.1	38	67.2	52.9-81.5
55-64	80	5,928	33	44.7	32.7-56.7	47	55.3	43.3-67.3
65+	94	5,995	32	34.8	23.8-45.8	62	65.2	54.2-76.2
H.S. or G.E.D.	99	12,572	47	50.8	38.8-62.8	52	49.2	37.2-61.2
Some Post-H.S.	89	11,030	33	39.1	27.3-50.9	56	60.9	49.1-72.7
College Graduate	104	7,794	31	35.2	23.6-46.8	73	64.8	53.2-76.4
\$50,000- 74,999	55	5,358	24	49.2	32.5-65.9	31	50.8	34.1-67.5
\$75,000+	115	11,214	33	32.3	21.9-42.7	82	67.7	57.3-78.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 18: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?  
(CRGVPER)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	543	50,542	249	45.1	39.4-50.8	294	54.9	49.2-60.6
Non-Native	514	46,667	233	43.6	37.7-49.5	281	56.4	50.5-62.3
45-54	97	9,432	43	43.1	31.9-54.3	54	56.9	45.7-68.1
55-64	145	10,283	63	43.3	34.1-52.5	82	56.7	47.5-65.9
65+	201	10,043	97	50.6	42.8-58.4	104	49.4	41.6-57.2
H.S. or G.E.D.	137	11,093	65	46.6	35.6-57.6	72	53.4	42.4-64.4
Some Post-H.S.	205	23,855	94	46.2	37.4-55.0	111	53.8	45.0-62.6
College Graduate	174	10,934	80	46.6	37.4-55.8	94	53.4	44.2-62.6
\$15,000- 24,999	58	6,555	30	50.7	32.9-68.5	28	49.3	31.5-67.1
\$25,000- 34,999	61	5,427	25	43.5	25.7-61.3	36	56.5	38.7-74.3
\$35,000- 49,999	76	6,090	33	44.4	30.3-58.5	43	55.6	41.5-69.7
\$50,000- 74,999	97	7,771	51	50.7	38.2-63.2	46	49.3	36.8-61.8
\$75,000+	140	13,774	63	41.0	30.6-51.4	77	59.0	48.6-69.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 19: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?  
(CRGVHOUS)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	851	84,855	627	75.2	71.3-79.1	224	24.8	20.9-28.7
Male	307	34,234	223	76.0	70.5-81.5	84	24.0	18.5-29.5
Female	544	50,621	404	74.7	69.4-80.0	140	25.3	20.0-30.6
Non-Native	804	78,512	587	74.1	70.0-78.2	217	25.9	21.8-30.0
25-34	64	12,727	54	83.7	73.5-93.9	10	16.3	06.1-26.5
35-44	73	11,620	56	74.7	63.5-85.9	17	25.3	14.1-36.5
45-54	150	15,602	113	74.8	67.0-82.6	37	25.2	17.4-33.0
55-64	224	16,143	165	75.0	68.7-81.3	59	25.0	18.7-31.3
65+	295	16,039	205	70.6	64.7-76.5	90	29.4	23.5-35.3
H.S. or G.E.D.	235	23,598	179	79.9	73.8-86.0	56	20.1	14.0-26.2
Some Post-H.S.	297	35,370	222	72.1	65.0-79.2	75	27.9	20.8-35.0
College Graduate	278	18,729	199	72.1	65.8-78.4	79	27.9	21.6-34.2
\$15,000- 24,999	91	10,698	73	86.3	79.0-93.6	18	13.7	06.4-21.0
\$25,000- 34,999	89	9,068	61	76.4	64.2-88.6	28	23.6	11.4-35.8
\$35,000- 49,999	119	11,026	91	77.9	68.7-87.1	28	22.1	12.9-31.3
\$50,000- 74,999	153	13,260	114	75.2	66.4-84.0	39	24.8	16.0-33.6
\$75,000+	255	24,988	185	71.6	64.7-78.5	70	28.4	21.5-35.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 20: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ...MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?  
(CRGVHOUS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	307	34,234	223	76.0	70.5-81.5	84	24.0	18.5-29.5
Non-Native	289	31,766	209	75.3	69.6-81.0	80	24.7	19.0-30.4
45-54	53	6,170	38	76.4	64.8-88.0	15	23.6	12.0-35.2
55-64	79	5,861	57	70.1	58.7-81.5	22	29.9	18.5-41.3
65+	94	5,995	67	72.7	62.7-82.7	27	27.3	17.3-37.3
H.S. or G.E.D.	98	12,505	73	79.9	71.1-88.7	25	20.1	11.3-28.9
Some Post-H.S.	91	11,435	68	74.3	64.1-84.5	23	25.7	15.5-35.9
College Graduate	104	7,794	70	66.5	55.9-77.1	34	33.5	22.9-44.1
\$50,000- 74,999	56	5,489	40	79.7	68.5-90.9	16	20.3	09.1-31.5
\$75,000+	115	11,214	81	69.1	59.1-79.1	34	30.9	20.9-40.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 21: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?  
(CRGVHOUS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	544	50,621	404	74.7	69.4-80.0	140	25.3	20.0-30.6
Non-Native	515	46,746	378	73.2	67.5-78.9	137	26.8	21.1-32.5
45-54	97	9,432	75	73.8	63.4-84.2	22	26.2	15.8-36.6
55-64	145	10,283	108	77.8	70.5-85.1	37	22.2	14.9-29.5
65+	201	10,043	138	69.4	62.1-76.7	63	30.6	23.3-37.9
H.S. or G.E.D.	137	11,093	106	79.8	71.6-88.0	31	20.2	12.0-28.4
Some Post-H.S.	206	23,935	154	71.1	62.1-80.1	52	28.9	19.9-37.9
College Graduate	174	10,934	129	76.2	68.6-83.8	45	23.8	16.2-31.4
\$15,000- 24,999	59	6,635	47	87.6	79.6-95.6	12	12.4	04.4-20.4
\$25,000- 34,999	61	5,427	39	71.5	54.1-88.9	22	28.5	11.1-45.9
\$35,000- 49,999	76	6,090	60	82.7	72.1-93.3	16	17.3	06.7-27.9
\$50,000- 74,999	97	7,771	74	72.0	59.5-84.5	23	28.0	15.5-40.5
\$75,000+	140	13,774	104	73.6	64.2-83.0	36	26.4	17.0-35.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 22: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	839	83,591	8	0.9	00.1-01.7	41	5.6	03.4-07.8	15	1.7	00.5-02.9	13	1.8	00.4-03.2	32	2.9	01.7-04.1	730	87.1	84.2-90.0
Male	300	33,288	3	1.0	00.0-02.4	16	7.2	02.9-11.5	3	0.6	00.0-01.4	2	0.5	00.0-01.3	8	2.4	00.6-04.2	268	88.2	83.3-93.1
Female	539	50,303	5	0.8	00.0-01.6	25	4.4	02.4-06.4	12	2.4	00.4-04.4	11	2.7	00.5-04.9	24	3.2	01.6-04.8	462	86.4	82.7-90.1
Non-Native	792	77,248	8	1.0	00.2-01.8	41	6.0	03.6-08.4	14	1.7	00.5-02.9	13	2.0	00.6-03.4	29	2.7	01.5-03.9	687	86.6	83.5-89.7
25-34	63	12,594	1	1.6	00.0-04.7	1	1.3	00.0-03.8	1	3.0	00.0-08.7	1	1.5	00.0-04.4	1	1.6	00.0-04.7	58	91.2	83.4-99.0
35-44	70	11,104				5	11.0	01.0-21.0	1	1.9	00.0-05.6	2	1.2	00.0-02.8				62	85.9	75.3-96.5
45-54	150	15,602	2	1.9	00.0-04.6	16	11.4	05.3-17.5	4	2.0	00.0-04.2	2	1.4	00.0-03.4	4	1.3	00.0-02.7	122	82.0	74.9-89.1
55-64	223	16,029	3	1.1	00.0-02.3	11	5.2	01.9-08.5	5	1.5	00.1-02.9	3	1.8	00.0-04.2	12	6.6	02.7-10.5	189	83.8	78.3-89.3
65+	288	15,537	2	0.5	00.0-01.3	7	1.9	00.3-03.5	4	1.8	00.0-03.8	3	1.4	00.0-03.4	14	5.3	02.2-08.4	258	89.1	84.8-93.4
H.S. or G.E.D.	233	23,495	3	0.6	00.0-01.4	9	4.6	00.1-09.1	4	1.0	00.0-02.0	2	0.5	00.0-01.1	8	2.3	00.5-04.1	207	91.0	86.1-95.9
Some Post-H.S.	294	35,027	2	0.8	00.0-02.0	16	6.4	03.1-09.7	7	1.9	00.3-03.5	6	3.3	00.4-06.2	14	4.1	01.7-06.5	249	83.6	78.5-88.7
College Graduate	274	18,316	3	1.8	00.0-04.2	15	6.4	01.9-10.9	2	0.4	00.0-01.0	5	1.5	00.1-02.9	9	2.0	00.4-03.6	240	88.0	82.7-93.3
\$15,000- 24,999	90	10,472	1	2.0	00.0-05.9	6	7.2	00.0-14.6	1	3.6	00.0-10.5	2	4.8	00.0-12.6	4	3.2	00.0-06.5	76	79.3	67.0-91.6
\$25,000- 34,999	89	9,081	1	0.6	00.0-01.8	4	5.4	00.0-11.3	2	1.6	00.0-03.8	2	2.0	00.0-05.1				80	90.4	83.3-97.5
\$35,000- 49,999	118	10,893	2	0.8	00.0-02.2	2	2.1	00.0-05.0	2	1.2	00.0-02.8	1	0.6	00.0-01.8	6	4.7	00.6-08.8	105	90.6	85.1-96.1
\$50,000- 74,999	151	13,066				7	7.2	01.5-12.9	4	2.0	00.0-04.2	1	0.2	00.0-00.6	8	3.7	01.0-06.4	131	87.0	80.5-93.5
\$75,000+	253	24,764	3	1.3	00.0-03.1	11	3.0	01.0-05.0	4	1.6	00.0-03.6	3	1.6	00.0-03.6	9	3.5	01.0-06.0	223	89.0	84.7-93.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 23: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	300	33,288	3	1.0	00.0-02.4	16	7.2	02.9-11.5	3	0.6	00.0-01.4	2	0.5	00.0-01.3	8	2.4	00.6-04.2	268	88.2	83.3-93.1
Non-Native	282	30,820	3	1.1	00.0-02.5	16	7.8	03.1-12.5	3	0.7	00.0-01.5	2	0.5	00.0-01.5	8	2.6	00.6-04.6	250	87.3	82.0-92.6
45-54	53	6,170	2	4.7	00.0-11.6	5	13.9	02.1-25.7	1	1.3	00.0-03.8				1	1.4	00.0-04.1	44	78.7	65.6-91.8
55-64	79	5,877				3	2.7	00.0-05.6							5	10.5	01.7-19.3	71	86.9	77.9-95.9
65+	91	5,683	1	0.9	00.0-02.7	4	3.4	00.0-06.9	2	2.1	00.0-05.0	2	2.9	00.0-07.6	2	1.8	00.0-04.5	80	89.0	81.9-96.1
H.S. or G.E.D.	97	12,458	1	0.4	00.0-01.2	3	5.0	00.0-12.6	1	0.4	00.0-01.2				3	1.7	00.0-03.9	89	92.5	84.7-0100
Some Post-H.S.	89	11,119	1	1.9	00.0-05.6	5	8.2	00.9-15.5	1	0.6	00.0-01.8	1	1.2	00.0-03.6	4	4.5	00.0-09.0	77	83.6	74.6-92.6
College Graduate	101	7,437	1	1.1	00.0-03.3	7	9.8	00.0-19.6				1	0.3	00.0-00.9				92	88.9	78.9-98.9
\$50,000- 74,999	54	5,295				3	10.9	00.0-22.7	2	2.3	00.0-05.4	1	0.5	00.0-01.5				48	86.4	74.4-98.4
\$75,000+	113	10,989	1	0.7	00.0-02.1	5	2.0	00.2-03.8							3	3.3	00.0-07.0	104	94.0	89.7-98.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 24: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	539	50,303	5	0.8	00.0-01.6	25	4.4	02.4-06.4	12	2.4	00.4-04.4	11	2.7	00.5-04.9	24	3.2	01.6-04.8	462	86.4	82.7-90.1
Non-Native	510	46,428	5	0.9	00.0-01.9	25	4.8	02.6-07.0	11	2.4	00.4-04.4	11	2.9	00.5-05.3	21	2.8	01.4-04.2	437	86.1	82.2-90.0
45-54	97	9,432				11	9.8	03.5-16.1	3	2.5	00.0-05.4	2	2.2	00.0-05.5	3	1.3	00.0-02.9	78	84.1	76.5-91.7
55-64	144	10,152	3	1.8	00.0-03.8	8	6.7	01.8-11.6	5	2.4	00.0-04.8	3	2.9	00.0-06.4	7	4.3	01.0-07.6	118	82.0	74.9-89.1
65+	197	9,855	1	0.2	00.0-00.6	3	1.0	00.0-02.4	2	1.7	00.0-04.2	1	0.5	00.0-01.5	12	7.4	02.9-11.9	178	89.2	83.9-94.5
H.S. or G.E.D.	136	11,037	2	0.8	00.0-02.2	6	4.2	00.3-08.1	3	1.7	00.0-03.7	2	1.0	00.0-02.4	5	2.9	00.2-05.6	118	89.3	83.8-94.8
Some Post-H.S.	205	23,907	1	0.2	00.0-00.6	11	5.6	02.1-09.1	6	2.5	00.1-04.9	5	4.2	00.1-08.3	10	3.9	01.2-06.6	172	83.6	77.3-89.9
College Graduate	173	10,879	2	2.3	00.0-06.0	8	4.1	01.2-07.0	2	0.6	00.0-01.6	4	2.2	00.0-04.4	9	3.4	00.9-05.9	148	87.4	81.7-93.1
\$15,000- 24,999	59	6,635				2	1.6	00.0-04.3	1	5.6	00.0-16.2	2	7.6	00.0-19.8	3	3.9	00.0-08.6	51	81.3	65.8-96.8
\$25,000- 34,999	60	5,372	1	1.1	00.0-03.3	3	5.6	00.0-13.0	1	1.1	00.0-03.3	1	0.8	00.0-02.4				54	91.4	83.2-99.6
\$35,000- 49,999	76	6,090	2	1.5	00.0-03.9	2	3.8	00.0-08.9	2	2.1	00.0-05.0	1	1.2	00.0-03.6	3	3.7	00.0-08.2	66	87.7	79.7-95.7
\$50,000- 74,999	97	7,771				4	4.7	00.0-09.8	2	1.8	00.0-04.7				8	6.2	01.5-10.9	83	87.4	80.1-94.7
\$75,000+	140	13,774	2	1.8	00.0-04.7	6	3.8	00.5-07.1	4	2.8	00.0-06.1	3	2.8	00.0-06.1	6	3.6	00.1-07.1	119	85.1	78.0-92.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 25: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4338	433,522	510	11.0	09.8-12.2	3828	89.0	87.8-90.2
Male	2027	228,380	210	10.3	08.7-11.9	1817	89.7	88.1-91.3
Female	2311	205,142	300	11.7	09.9-13.5	2011	88.3	86.5-90.1
Native	97	13,417	14	15.3	06.1-24.5	83	84.7	75.5-93.9
Non-Native	4186	414,388	492	10.9	09.7-12.1	3694	89.1	87.9-90.3
18-24	192	64,081	20	10.3	05.6-15.0	172	89.7	85.0-94.4
25-34	459	83,246	40	9.4	06.5-12.3	419	90.6	87.7-93.5
35-44	459	66,566	49	9.4	06.7-12.1	410	90.6	87.9-93.3
45-54	586	58,271	99	15.5	12.4-18.6	487	84.5	81.4-87.6
55-64	1029	71,915	159	15.0	12.6-17.4	870	85.0	82.6-87.4
65+	1575	85,875	141	8.2	06.8-09.6	1434	91.8	90.4-93.2
Less Than H.S.	232	33,557	29	14.6	07.7-21.5	203	85.4	78.5-92.3
H.S. or G.E.D.	1255	114,738	134	10.2	08.0-12.4	1121	89.8	87.6-92.0
Some Post-H.S.	1386	170,189	155	10.6	08.6-12.6	1231	89.4	87.4-91.4
College Graduate	1455	114,319	191	11.3	09.5-13.1	1264	88.7	86.9-90.5
Less than \$15,000	241	26,501	14	6.4	02.5-10.3	227	93.6	89.7-97.5
\$15,000- 24,999	475	45,990	46	12.4	07.1-17.7	429	87.6	82.3-92.9
\$25,000- 34,999	400	40,810	42	8.9	05.6-12.2	358	91.1	87.8-94.4
\$35,000- 49,999	617	60,730	82	13.2	09.9-16.5	535	86.8	83.5-90.1
\$50,000- 74,999	722	73,409	97	11.0	08.3-13.7	625	89.0	86.3-91.7
\$75,000+	1464	148,712	180	10.7	08.9-12.5	1284	89.3	87.5-91.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 26: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2027	228,380	210	10.3	08.7-11.9	1817	89.7	88.1-91.3
Non-Native	1957	219,034	204	10.3	08.5-12.1	1753	89.7	87.9-91.5
18-24	127	37,421	16	12.8	06.7-18.9	111	87.2	81.1-93.3
25-34	264	46,919	19	8.4	04.7-12.1	245	91.6	87.9-95.3
35-44	213	34,203	23	9.4	05.3-13.5	190	90.6	86.5-94.7
45-54	313	31,594	46	13.4	09.5-17.3	267	86.6	82.7-90.5
55-64	512	37,786	58	11.9	08.8-15.0	454	88.1	85.0-91.2
65+	587	39,521	48	7.3	05.1-09.5	539	92.7	90.5-94.9
Less Than H.S.	116	19,316	16	14.3	06.7-21.9	100	85.7	78.1-93.3
H.S. or G.E.D.	626	65,598	70	10.6	07.7-13.5	556	89.4	86.5-92.3
Some Post-H.S.	643	91,404	66	10.3	07.4-13.2	577	89.7	86.8-92.6
College Graduate	637	51,659	57	8.4	05.9-10.9	580	91.6	89.1-94.1
Less than \$15,000	83	10,495	3	3.4	00.0-07.7	80	96.6	92.3-0100
\$15,000- 24,999	181	21,330	16	12.6	05.5-19.7	165	87.4	80.3-94.5
\$25,000- 34,999	168	21,631	16	8.5	03.8-13.2	152	91.5	86.8-96.2
\$35,000- 49,999	322	35,078	45	13.0	08.7-17.3	277	87.0	82.7-91.3
\$50,000- 74,999	371	42,572	39	9.7	05.8-13.6	332	90.3	86.4-94.2
\$75,000+	780	83,286	74	8.7	06.5-10.9	706	91.3	89.1-93.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 6: CAREGIVER**

**TABLE 27: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2311	205,142	300	11.7	09.9-13.5	2011	88.3	86.5-90.1
Native	58	7,810	9	16.2	03.1-29.3	49	83.8	70.7-96.9
Non-Native	2229	195,354	288	11.6	09.8-13.4	1941	88.4	86.6-90.2
18-24	65	26,660	4	6.8	00.0-14.1	61	93.2	85.9-100.0
25-34	195	36,327	21	10.7	05.8-15.6	174	89.3	84.4-94.2
35-44	246	32,363	26	9.5	05.6-13.4	220	90.5	86.6-94.4
45-54	273	26,677	53	18.0	13.1-22.9	220	82.0	77.1-86.9
55-64	517	34,129	101	18.5	14.8-22.2	416	81.5	77.8-85.2
65+	988	46,354	93	8.9	06.9-10.9	895	91.1	89.1-93.1
Less Than H.S.	116	14,241	13	15.0	02.7-27.3	103	85.0	72.7-97.3
H.S. or G.E.D.	629	49,140	64	9.7	06.8-12.6	565	90.3	87.4-93.2
Some Post-H.S.	743	78,785	89	10.9	08.2-13.6	654	89.1	86.4-91.8
College Graduate	818	62,660	134	13.7	11.0-16.4	684	86.3	83.6-89.0
Less than \$15,000	158	16,006	11	8.4	02.5-14.3	147	91.6	85.7-97.5
\$15,000- 24,999	294	24,661	30	12.2	04.4-20.0	264	87.8	80.0-95.6
\$25,000- 34,999	232	19,180	26	9.3	04.6-14.0	206	90.7	86.0-95.4
\$35,000- 49,999	295	25,652	37	13.5	08.2-18.8	258	86.5	81.2-91.8
\$50,000- 74,999	351	30,837	58	12.9	09.2-16.6	293	87.1	83.4-90.8
\$75,000+	684	65,426	106	13.3	10.4-16.2	578	86.7	83.8-89.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016

MODULE 16: EXCESS SUN EXPOSURE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES DID YOU HAVE A RED OR PAINFUL SUNBURN THAT LASTED A DAY OR MORE? (NUMBURN2)	
1	MALES AND FEMALES	32
2	MALES ONLY	33
3	FEMALES ONLY	34

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 16: EXCESS SUN EXPOSURE**

**TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES DID YOU HAVE A RED OR PAINFUL SUNBURN THAT LASTED A DAY OR MORE? (NUMBURN2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four			Five or More			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5284	524,305	570	13.8	12.4-15.2	256	6.7	05.7-07.7	130	3.7	02.9-04.5	37	1.2	00.8-01.6	80	2.5	01.9-03.1	4211	72.1	70.3-73.9
Male	2376	265,517	276	13.5	11.7-15.3	147	7.8	06.4-09.2	76	3.9	02.9-04.9	23	1.4	00.8-02.0	48	2.9	01.9-03.9	1806	70.4	68.0-72.8
Female	2908	258,788	294	14.0	12.0-16.0	109	5.5	04.1-06.9	54	3.5	02.3-04.7	14	1.0	00.4-01.6	32	2.1	01.3-02.9	2405	73.9	71.5-76.3
Native	138	19,011	7	4.8	00.7-08.9	3	3.2	00.0-07.1	4	3.1	00.0-07.0	1	1.0	00.0-03.0	3	3.4	00.0-07.9	120	84.6	76.8-92.4
Non-Native	5079	498,357	556	14.1	12.7-15.5	253	6.9	05.9-07.9	126	3.8	03.0-04.6	36	1.2	00.8-01.6	75	2.5	01.9-03.1	4033	71.5	69.7-73.3
18-24	224	74,901	45	19.3	13.8-24.8	21	8.6	04.7-12.5	20	8.3	04.6-12.0	7	3.3	00.8-05.8	14	6.0	02.9-09.1	117	54.5	47.4-61.6
25-34	528	96,604	103	20.0	16.3-23.7	64	12.3	09.2-15.4	27	5.1	03.1-07.1	8	1.3	00.3-02.3	20	3.5	01.9-05.1	306	57.7	53.2-62.2
35-44	534	78,458	113	19.1	15.6-22.6	50	9.1	06.6-11.6	27	5.3	03.1-07.5	9	1.5	00.5-02.5	12	2.6	00.8-04.4	323	62.3	57.8-66.8
45-54	747	75,038	122	16.1	13.2-19.0	51	6.1	04.3-07.9	22	2.8	01.4-04.2	4	0.8	00.0-01.6	15	2.5	01.1-03.9	533	71.7	68.2-75.2
55-64	1269	89,065	118	8.6	07.0-10.2	45	3.8	02.6-05.0	22	1.7	00.9-02.5	5	0.4	00.0-00.8	10	0.9	00.3-01.5	1069	84.5	82.3-86.7
65+	1928	105,358	63	3.3	02.3-04.3	24	1.4	00.8-02.0	12	0.5	00.1-00.9	4	0.3	00.0-00.7	8	0.4	00.0-00.8	1817	94.0	92.8-95.2
Less Than H.S.	279	40,650	15	7.4	03.3-11.5	7	2.4	00.0-04.8	6	2.8	00.0-05.9	2	1.2	00.0-02.8	5	4.5	00.4-08.6	244	81.7	75.0-88.4
H.S. or G.E.D.	1515	139,484	131	11.1	08.7-13.5	49	4.5	02.9-06.1	33	2.9	01.7-04.1	11	1.2	00.4-02.0	24	2.9	01.5-04.3	1267	77.4	74.5-80.3
Some Post-H.S.	1723	209,455	185	14.3	11.9-16.7	100	8.1	06.3-09.9	47	4.2	02.8-05.6	13	1.4	00.4-02.4	29	2.3	01.3-03.3	1349	69.6	66.7-72.5
College Graduate	1758	134,063	239	17.7	15.3-20.1	100	8.1	06.3-09.9	44	4.1	02.7-05.5	11	0.8	00.2-01.4	22	1.9	00.9-02.9	1342	67.5	64.6-70.4
Less than \$15,000	288	32,511	14	6.0	02.7-09.3	5	3.2	00.0-06.9	7	2.7	00.3-05.1	1	0.8	00.0-02.4	2	1.0	00.0-02.4	259	86.3	80.6-92.0
\$15,000- 24,999	579	57,762	28	6.3	03.2-09.4	18	4.9	02.4-07.4	12	4.4	01.5-07.3	6	2.4	00.0-04.9	8	2.7	00.3-05.1	507	79.3	74.0-84.6
\$25,000- 34,999	501	50,895	32	10.7	06.2-15.2	16	5.2	02.1-08.3	12	3.1	01.1-05.1	2	1.3	00.0-03.1	10	3.0	00.6-05.4	429	76.7	71.0-82.4
\$35,000- 49,999	754	72,869	75	13.9	10.2-17.6	38	7.9	05.0-10.8	24	5.5	02.8-08.2	5	1.1	00.0-02.3	13	2.6	01.0-04.2	599	68.9	64.0-73.8
\$50,000- 74,999	888	87,655	92	13.1	10.2-16.0	53	7.7	05.3-10.1	19	3.1	01.5-04.7	5	0.8	00.0-01.8	17	4.2	02.0-06.4	702	71.0	66.9-75.1
\$75,000+	1730	174,413	285	19.5	17.1-21.9	111	8.1	06.5-09.7	45	3.7	02.5-04.9	16	1.1	00.5-01.7	23	1.6	00.8-02.4	1250	66.0	63.3-68.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 16: EXCESS SUN EXPOSURE**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES DID YOU HAVE A RED OR PAINFUL SUNBURN THAT LASTED A DAY OR MORE? (NUMBURN2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four			Five or More			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2376	265,517	276	13.5	11.7-15.3	147	7.8	06.4-09.2	76	3.9	02.9-04.9	23	1.4	00.8-02.0	48	2.9	01.9-03.9	1806	70.4	68.0-72.8
Native	57	8,080	1	0.9	00.0-02.7	3	7.5	00.0-16.5	4	7.3	00.0-16.3				2	2.9	00.0-07.0	47	81.4	68.9-93.9
Non-Native	2283	253,206	271	14.0	12.0-16.0	144	7.9	06.5-09.3	72	3.9	02.9-04.9	23	1.4	00.6-02.2	45	2.9	01.9-03.9	1728	69.8	67.4-72.2
18-24	146	42,181	32	21.9	14.8-29.0	14	9.0	04.1-13.9	10	5.7	02.2-09.2	5	3.6	00.5-06.7	9	6.3	02.2-10.4	76	53.4	44.8-62.0
25-34	289	51,308	48	15.5	11.2-19.8	38	13.9	09.6-18.2	17	5.9	03.0-08.8	7	1.9	00.3-03.5	12	4.2	01.7-06.7	167	58.6	52.5-64.7
35-44	251	40,692	42	16.8	11.7-21.9	25	9.4	05.5-13.3	14	5.8	02.5-09.1	2	0.9	00.0-02.1	4	1.7	00.0-03.7	164	65.4	58.9-71.9
45-54	370	38,257	59	14.9	11.0-18.8	32	7.6	04.9-10.3	13	3.6	01.4-05.8	2	0.6	00.0-01.6	11	3.8	01.4-06.2	253	69.4	64.3-74.5
55-64	598	44,157	62	9.2	06.8-11.6	24	4.4	02.4-06.4	13	1.9	00.9-02.9	3	0.5	00.0-01.1	8	1.4	00.2-02.6	488	82.6	79.3-85.9
65+	708	47,591	31	4.3	02.7-05.9	13	2.1	00.7-03.5	9	0.9	00.3-01.5	4	0.7	00.0-01.7	3	0.3	00.0-00.7	648	91.7	89.3-94.1
Less Than H.S.	136	22,035	8	8.4	02.5-14.3	5	4.0	00.0-08.3	4	2.6	00.0-05.9	1	1.0	00.0-03.0	3	4.3	00.0-09.4	115	79.8	71.0-88.6
H.S. or G.E.D.	736	78,680	72	10.7	08.0-13.4	33	5.5	03.3-07.7	22	3.3	01.7-04.9	8	1.4	00.2-02.6	14	3.1	01.3-04.9	587	76.0	72.1-79.9
Some Post-H.S.	750	104,598	93	15.0	11.7-18.3	61	9.6	06.9-12.3	23	4.1	02.3-05.9	6	1.3	00.1-02.5	19	3.3	01.5-05.1	548	66.7	62.4-71.0
College Graduate	750	59,867	103	16.8	13.5-20.1	48	9.0	06.3-11.7	27	5.1	02.9-07.3	8	1.6	00.4-02.8	12	1.6	00.6-02.6	552	66.0	61.9-70.1
Less than \$15,000	96	12,526	3	5.1	00.0-10.8				4	3.0	00.0-06.3				1	1.2	00.0-03.6	88	90.6	83.7-97.5
\$15,000- 24,999	220	26,205	13	8.5	03.2-13.8	9	6.6	01.7-11.5	4	3.1	00.0-06.6	4	1.8	00.0-04.2	4	2.8	00.0-05.9	186	77.2	69.4-85.0
\$25,000- 34,999	204	25,947	11	8.9	02.8-15.0	9	4.2	00.9-07.5	9	5.1	01.6-08.6	2	2.5	00.0-06.0	3	1.5	00.0-03.3	170	77.7	69.9-85.5
\$35,000- 49,999	373	40,666	45	14.5	09.8-19.2	24	11.1	06.2-16.0	15	5.3	02.4-08.2	5	2.0	00.0-04.0	6	1.9	00.3-03.5	278	65.3	58.8-71.8
\$50,000- 74,999	437	49,090	46	12.6	08.5-16.7	32	9.0	05.5-12.5	9	2.7	00.7-04.7	2	0.5	00.0-01.3	14	6.1	02.6-09.6	334	69.2	63.5-74.9
\$75,000+	898	94,577	139	16.8	13.9-19.7	67	8.8	06.6-11.0	30	4.3	02.5-06.1	9	1.4	00.4-02.4	16	2.1	00.7-03.5	637	66.7	63.0-70.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 16: EXCESS SUN EXPOSURE**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES DID YOU HAVE A RED OR PAINFUL SUNBURN THAT LASTED A DAY OR MORE? (NUMBURN2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four			Five or More			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2908	258,788	294	14.0	12.0-16.0	109	5.5	04.1-06.9	54	3.5	02.3-04.7	14	1.0	00.4-01.6	32	2.1	01.3-02.9	2405	73.9	71.5-76.3
Native	81	10,931	6	7.6	00.5-14.7							1	1.7	00.0-05.0	1	3.7	00.0-10.8	73	86.9	76.7-97.1
Non-Native	2796	245,151	285	14.2	12.2-16.2	109	5.9	04.5-07.3	54	3.7	02.5-04.9	13	1.0	00.2-01.8	30	2.0	01.2-02.8	2305	73.3	70.8-75.8
18-24	78	32,721	13	15.9	07.7-24.1	7	8.0	01.9-14.1	10	11.8	04.5-19.1	2	2.9	00.0-07.0	5	5.5	00.6-10.4	41	55.9	44.3-67.5
25-34	239	45,296	55	25.0	18.9-31.1	26	10.6	06.3-14.9	10	4.2	01.5-06.9	1	0.7	00.0-02.1	8	2.8	00.8-04.8	139	56.7	49.8-63.6
35-44	283	37,766	71	21.7	16.6-26.8	25	8.7	05.2-12.2	13	4.8	01.9-07.7	7	2.2	00.4-04.0	8	3.6	00.7-06.5	159	59.0	52.7-65.3
45-54	377	36,781	63	17.3	12.8-21.8	19	4.6	02.2-07.0	9	1.9	00.3-03.5	2	0.9	00.0-02.3	4	1.1	00.0-02.3	280	74.2	69.1-79.3
55-64	671	44,908	56	8.1	05.7-10.5	21	3.2	01.6-04.8	9	1.6	00.4-02.8	2	0.2	00.0-00.6	2	0.4	00.0-01.0	581	86.4	83.5-89.3
65+	1220	57,766	32	2.4	01.4-03.4	11	0.9	00.3-01.5	3	0.3	00.1-00.5				5	0.5	00.0-01.1	1169	95.9	94.7-97.1
Less Than H.S.	143	18,614	7	6.1	00.4-11.8	2	0.5	00.0-01.3	2	3.2	00.0-08.7	1	1.4	00.0-04.1	2	4.8	00.0-11.3	129	84.0	74.0-94.0
H.S. or G.E.D.	779	60,804	59	11.7	08.0-15.4	16	3.3	01.1-05.5	11	2.5	00.5-04.5	3	0.8	00.0-02.0	10	2.5	00.5-04.5	680	79.2	74.5-83.9
Some Post-H.S.	973	104,857	92	13.7	10.6-16.8	39	6.5	04.1-08.9	24	4.4	02.2-06.6	7	1.5	00.1-02.9	10	1.3	00.3-02.3	801	72.6	68.5-76.7
College Graduate	1008	74,196	136	18.4	15.1-21.7	52	7.3	05.1-09.5	17	3.2	01.4-05.0	3	0.3	00.0-00.7	10	2.1	00.5-03.7	790	68.7	64.8-72.6
Less than \$15,000	192	19,985	11	6.5	02.2-10.8	5	5.1	00.0-11.0	3	2.5	00.0-05.8	1	1.3	00.0-03.8	1	0.9	00.0-02.7	171	83.6	75.6-91.6
\$15,000- 24,999	359	31,557	15	4.4	00.9-07.9	9	3.5	01.0-06.0	8	5.5	01.0-10.0	2	2.9	00.0-07.0	4	2.6	00.0-05.9	321	81.0	73.7-88.3
\$25,000- 34,999	297	24,948	21	12.4	05.7-19.1	7	6.2	00.7-11.7	3	1.0	00.0-02.4				7	4.5	00.2-08.8	259	75.7	67.3-84.1
\$35,000- 49,999	381	32,203	30	13.2	07.5-18.9	14	3.9	01.2-06.6	9	5.9	01.0-10.8				7	3.6	00.7-06.5	321	73.4	66.0-80.8
\$50,000- 74,999	451	38,565	46	13.8	09.3-18.3	21	6.1	03.0-09.2	10	3.7	01.0-06.4	3	1.3	00.0-03.3	3	1.8	00.0-04.2	368	73.3	67.4-79.2
\$75,000+	832	79,837	146	22.6	18.9-26.3	44	7.3	04.9-09.7	15	3.0	01.2-04.8	7	0.9	00.1-01.7	7	1.0	00.2-01.8	613	65.2	61.1-69.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016**

**MODULE 25: DISABILITY CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1 MALES AND FEMALES	36
2 MALES ONLY	37
3 FEMALES ONLY	38
DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4 MALES AND FEMALES	39
5 MALES ONLY	40
6 FEMALES ONLY	41

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 25: DISABILITY**

**TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5505	552,770	1184	18.1	16.9-19.3	4321	81.9	80.7-83.1
Male	2505	282,848	482	16.6	14.8-18.4	2023	83.4	81.6-85.2
Female	3000	269,922	702	19.7	17.9-21.5	2298	80.3	78.5-82.1
Native	154	22,335	48	26.9	18.5-35.3	106	73.1	64.7-81.5
Non-Native	5277	522,603	1118	17.7	16.5-18.9	4159	82.3	81.1-83.5
18-24	242	81,608	14	6.1	03.0-09.2	228	93.9	90.8-97.0
25-34	549	100,631	57	10.6	07.7-13.5	492	89.4	86.5-92.3
35-44	562	83,038	68	13.7	10.4-17.0	494	86.3	83.0-89.6
45-54	773	78,417	139	20.2	16.9-23.5	634	79.8	76.5-83.1
55-64	1317	92,877	307	25.2	22.5-27.9	1010	74.8	72.1-77.5
65+	2002	110,697	586	29.7	27.3-32.1	1416	70.3	67.9-72.7
Less Than H.S.	304	45,474	91	23.6	17.7-29.5	213	76.4	70.5-82.3
H.S. or G.E.D.	1587	147,834	347	17.6	15.4-19.8	1240	82.4	80.2-84.6
Some Post-H.S.	1798	220,075	426	20.5	18.3-22.7	1372	79.5	77.3-81.7
College Graduate	1804	138,582	316	13.2	11.4-15.0	1488	86.8	85.0-88.6
Less than \$15,000	308	35,875	141	41.4	34.1-48.7	167	58.6	51.3-65.9
\$15,000- 24,999	608	61,518	214	27.8	23.3-32.3	394	72.2	67.7-76.7
\$25,000- 34,999	517	53,434	148	23.4	18.7-28.1	369	76.6	71.9-81.3
\$35,000- 49,999	782	76,060	178	19.0	15.7-22.3	604	81.0	77.7-84.3
\$50,000- 74,999	913	90,653	167	15.8	13.1-18.5	746	84.2	81.5-86.9
\$75,000+	1793	182,510	205	9.4	07.8-11.0	1588	90.6	89.0-92.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 25: DISABILITY**

**TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2505	282,848	482	16.6	14.8-18.4	2023	83.4	81.6-85.2
Native	63	9,341	18	29.8	16.7-42.9	45	70.2	57.1-83.3
Non-Native	2401	268,547	455	16.1	14.3-17.9	1946	83.9	82.1-85.7
18-24	158	46,105	8	5.5	01.8-09.2	150	94.5	90.8-98.2
25-34	304	53,839	30	9.8	06.1-13.5	274	90.2	86.5-93.9
35-44	264	43,301	29	12.6	07.7-17.5	235	87.4	82.5-92.3
45-54	387	40,604	58	16.4	12.1-20.7	329	83.6	79.3-87.9
55-64	631	46,875	151	26.2	22.3-30.1	480	73.8	69.9-77.7
65+	744	50,440	201	28.5	24.8-32.2	543	71.5	67.8-75.2
Less Than H.S.	150	24,472	43	22.8	15.4-30.2	107	77.2	69.8-84.6
H.S. or G.E.D.	781	85,147	139	15.1	12.2-18.0	642	84.9	82.0-87.8
Some Post-H.S.	792	110,116	173	18.5	15.6-21.4	619	81.5	78.6-84.4
College Graduate	776	62,625	125	13.0	10.5-15.5	651	87.0	84.5-89.5
Less than \$15,000	107	14,720	43	38.0	26.4-49.6	64	62.0	50.4-73.6
\$15,000- 24,999	237	28,701	79	26.5	20.0-33.0	158	73.5	67.0-80.0
\$25,000- 34,999	214	27,433	55	22.6	15.9-29.3	159	77.4	70.7-84.1
\$35,000- 49,999	387	42,028	81	17.1	13.0-21.2	306	82.9	78.8-87.0
\$50,000- 74,999	447	50,268	84	16.5	12.4-20.6	363	83.5	79.4-87.6
\$75,000+	940	100,351	111	9.3	07.3-11.3	829	90.7	88.7-92.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 25: DISABILITY**

**TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3000	269,922	702	19.7	17.9-21.5	2298	80.3	78.5-82.1
Native	91	12,994	30	24.8	13.8-35.8	61	75.2	64.2-86.2
Non-Native	2876	254,057	663	19.3	17.5-21.1	2213	80.7	78.9-82.5
18-24	84	35,503	6	6.9	01.4-12.4	78	93.1	87.6-98.6
25-34	245	46,793	27	11.6	07.1-16.1	218	88.4	83.9-92.9
35-44	298	39,738	39	14.9	10.2-19.6	259	85.1	80.4-89.8
45-54	386	37,812	81	24.1	19.0-29.2	305	75.9	70.8-81.0
55-64	686	46,002	156	24.3	20.6-28.0	530	75.7	72.0-79.4
65+	1258	60,257	385	30.7	27.8-33.6	873	69.3	66.4-72.2
Less Than H.S.	154	21,002	48	24.4	15.2-33.6	106	75.6	66.4-84.8
H.S. or G.E.D.	806	62,687	208	21.1	17.6-24.6	598	78.9	75.4-82.4
Some Post-H.S.	1006	109,959	253	22.5	19.4-25.6	753	77.5	74.4-80.6
College Graduate	1028	75,957	191	13.3	10.9-15.7	837	86.7	84.3-89.1
Less than \$15,000	201	21,155	98	43.8	34.2-53.4	103	56.2	46.6-65.8
\$15,000- 24,999	371	32,817	135	29.0	22.7-35.3	236	71.0	64.7-77.3
\$25,000- 34,999	303	26,001	93	24.2	17.9-30.5	210	75.8	69.5-82.1
\$35,000- 49,999	395	34,031	97	21.4	15.9-26.9	298	78.6	73.1-84.1
\$50,000- 74,999	466	40,385	83	14.9	11.2-18.6	383	85.1	81.4-88.8
\$75,000+	853	82,159	94	9.6	07.2-12.0	759	90.4	88.0-92.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 25: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5514	552,666	561	7.6	06.8-08.4	4953	92.4	91.6-93.2
Male	2503	282,623	217	7.3	06.1-08.5	2286	92.7	91.5-93.9
Female	3011	270,043	344	8.0	07.0-09.0	2667	92.0	91.0-93.0
Native	153	22,041	26	12.9	06.8-19.0	127	87.1	81.0-93.2
Non-Native	5288	523,004	525	7.3	06.5-08.1	4763	92.7	91.9-93.5
18-24	242	81,608	1	0.5	00.0-01.5	241	99.5	98.5-0100
25-34	547	100,184	17	3.2	01.6-04.8	530	96.8	95.2-98.4
35-44	564	83,452	16	3.5	01.5-05.5	548	96.5	94.5-98.5
45-54	774	78,391	52	7.5	05.3-09.7	722	92.5	90.3-94.7
55-64	1316	92,780	102	9.1	07.3-10.9	1214	90.9	89.1-92.7
65+	2012	110,959	371	19.1	17.1-21.1	1641	80.9	78.9-82.9
Less Than H.S.	302	44,980	64	14.5	10.2-18.8	238	85.5	81.2-89.8
H.S. or G.E.D.	1586	147,630	175	8.3	06.7-09.9	1411	91.7	90.1-93.3
Some Post-H.S.	1807	220,635	197	7.7	06.5-08.9	1610	92.3	91.1-93.5
College Graduate	1807	138,628	125	4.5	03.5-05.5	1682	95.5	94.5-96.5
Less than \$15,000	308	35,948	78	20.2	14.9-25.5	230	79.8	74.5-85.1
\$15,000- 24,999	611	61,403	123	13.4	10.5-16.3	488	86.6	83.7-89.5
\$25,000- 34,999	518	53,424	80	10.3	07.6-13.0	438	89.7	87.0-92.4
\$35,000- 49,999	785	76,166	74	7.3	05.1-09.5	711	92.7	90.5-94.9
\$50,000- 74,999	916	91,004	56	5.5	03.7-07.3	860	94.5	92.7-96.3
\$75,000+	1793	182,396	67	2.9	02.1-03.7	1726	97.1	96.3-97.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 25: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2503	282,623	217	7.3	06.1-08.5	2286	92.7	91.5-93.9
Native	63	9,341	11	20.5	08.5-32.5	52	79.5	67.5-91.5
Non-Native	2400	268,532	202	6.8	05.6-08.0	2198	93.2	92.0-94.4
18-24	158	46,105	1	0.9	00.0-02.7	157	99.1	97.3-0100
25-34	303	53,686	9	3.5	01.1-05.9	294	96.5	94.1-98.9
35-44	266	43,715	10	4.8	01.5-08.1	256	95.2	91.9-98.5
45-54	386	40,435	29	8.1	05.0-11.2	357	91.9	88.8-95.0
55-64	630	46,764	57	10.7	07.8-13.6	573	89.3	86.4-92.2
65+	744	50,444	109	15.5	12.6-18.4	635	84.5	81.6-87.4
Less Than H.S.	149	24,272	22	11.7	06.2-17.2	127	88.3	82.8-93.8
H.S. or G.E.D.	779	84,879	69	7.3	05.1-09.5	710	92.7	90.5-94.9
Some Post-H.S.	795	110,508	72	7.4	05.4-09.4	723	92.6	90.6-94.6
College Graduate	775	62,540	54	5.3	03.7-06.9	721	94.7	93.1-96.3
Less than \$15,000	106	14,764	24	19.8	10.6-29.0	82	80.2	71.0-89.4
\$15,000- 24,999	239	28,801	40	11.7	07.6-15.8	199	88.3	84.2-92.4
\$25,000- 34,999	213	27,318	28	10.5	06.0-15.0	185	89.5	85.0-94.0
\$35,000- 49,999	387	42,028	43	8.6	05.5-11.7	344	91.4	88.3-94.5
\$50,000- 74,999	449	50,543	31	6.7	04.0-09.4	418	93.3	90.6-96.0
\$75,000+	939	100,198	37	3.1	01.9-04.3	902	96.9	95.7-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016  
MODULE 25: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQUIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3011	270,043	344	8.0	07.0-09.0	2667	92.0	91.0-93.0
Native	90	12,699	15	7.3	02.8-11.8	75	92.7	88.2-97.2
Non-Native	2888	254,472	323	7.9	06.9-08.9	2565	92.1	91.1-93.1
18-24	84	35,503				84	100.0	0100-0100
25-34	244	46,498	8	2.9	00.7-05.1	236	97.1	94.9-99.3
35-44	298	39,738	6	2.1	00.1-04.1	292	97.9	95.9-99.9
45-54	388	37,956	23	6.8	03.9-09.7	365	93.2	90.3-96.1
55-64	686	46,016	45	7.5	05.1-09.9	641	92.5	90.1-94.9
65+	1268	60,515	262	22.1	19.4-24.8	1006	77.9	75.2-80.6
Less Than H.S.	153	20,708	42	17.7	11.0-24.4	111	82.3	75.6-89.0
H.S. or G.E.D.	807	62,751	106	9.7	07.5-11.9	701	90.3	88.1-92.5
Some Post-H.S.	1012	110,126	125	8.0	06.4-09.6	887	92.0	90.4-93.6
College Graduate	1032	76,088	71	3.9	02.7-05.1	961	96.1	94.9-97.3
Less than \$15,000	202	21,184	54	20.5	14.0-27.0	148	79.5	73.0-86.0
\$15,000- 24,999	372	32,602	83	14.8	10.9-18.7	289	85.2	81.3-89.1
\$25,000- 34,999	305	26,106	52	10.1	06.8-13.4	253	89.9	86.6-93.2
\$35,000- 49,999	398	34,137	31	5.8	03.3-08.3	367	94.2	91.7-96.7
\$50,000- 74,999	467	40,461	25	4.0	02.0-06.0	442	96.0	94.0-98.0
\$75,000+	854	82,198	30	2.6	01.4-03.8	824	97.4	96.2-98.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2016**

End of Module Data Report