

NORTH DAKOTA

2017 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 26, 2018



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6980	587,272	5815	84.7	83.5-85.9	1165	15.3	14.1-16.5
Male	3308	301,443	2783	85.8	84.2-87.4	525	14.2	12.6-15.8
Female	3672	285,829	3032	83.6	82.0-85.2	640	16.4	14.8-18.0
Native	247	24,787	168	67.5	59.9-75.1	79	32.5	24.9-40.1
Non-Native	6644	553,430	5579	85.6	84.4-86.8	1065	14.4	13.2-15.6
18-24	370	90,063	337	91.8	88.7-94.9	33	8.2	5.1-11.3
25-34	698	112,975	634	90.2	87.7-92.7	64	9.8	7.3-12.3
35-44	713	90,371	625	86.2	83.1-89.3	88	13.8	10.7-16.9
45-54	963	83,406	812	83.0	80.1-85.9	151	17.0	14.1-19.9
55-64	1654	95,428	1398	81.7	79.3-84.1	256	18.3	15.9-20.7
65+	2582	115,029	2009	76.3	74.3-78.3	573	23.7	21.7-25.7
Less Than H.S.	396	48,651	254	69.2	63.5-74.9	142	30.8	25.1-36.5
H.S. or G.E.D.	1963	157,613	1539	82.5	80.3-84.7	424	17.5	15.3-19.7
Some Post-H.S.	2251	229,761	1863	84.3	82.3-86.3	388	15.7	13.7-17.7
College Graduate	2353	149,869	2147	92.8	91.6-94.0	206	7.2	6.0- 8.4
Less than \$15,000	427	43,107	245	64.3	58.2-70.4	182	35.7	29.6-41.8
\$15,000- 24,999	809	68,817	573	74.1	70.0-78.2	236	25.9	21.8-30.0
\$25,000- 34,999	604	48,259	493	82.1	78.0-86.2	111	17.9	13.8-22.0
\$35,000- 49,999	973	77,942	811	84.9	82.0-87.8	162	15.1	12.2-18.0
\$50,000- 74,999	1152	94,595	1008	89.0	86.8-91.2	144	11.0	8.8-13.2
\$75,000+	2226	189,913	2045	92.8	91.4-94.2	181	7.2	5.8- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3308	301,443	2783	85.8	84.2-87.4	525	14.2	12.6-15.8
Native	124	13,738	87	71.3	61.5-81.1	37	28.7	18.9-38.5
Non-Native	3129	281,984	2652	86.6	85.0-88.2	477	13.4	11.8-15.0
18-24	221	48,100	207	93.9	90.4-97.4	14	6.1	2.6- 9.6
25-34	394	61,670	358	90.3	86.8-93.8	36	9.7	6.2-13.2
35-44	391	47,350	344	88.6	85.1-92.1	47	11.4	7.9-14.9
45-54	478	43,112	405	84.4	80.5-88.3	73	15.6	11.7-19.5
55-64	779	48,672	648	80.2	76.7-83.7	131	19.8	16.3-23.3
65+	1045	52,539	821	76.8	73.7-79.9	224	23.2	20.1-26.3
Less Than H.S.	209	28,650	136	70.2	62.6-77.8	73	29.8	22.2-37.4
H.S. or G.E.D.	938	84,553	748	85.1	82.6-87.6	190	14.9	12.4-17.4
Some Post-H.S.	1054	116,552	897	86.6	84.2-89.0	157	13.4	11.0-15.8
College Graduate	1101	71,167	996	91.4	89.2-93.6	105	8.6	6.4-10.8
Less than \$15,000	182	20,023	105	64.2	55.4-73.0	77	35.8	27.0-44.6
\$15,000- 24,999	301	30,526	205	73.7	67.6-79.8	96	26.3	20.2-32.4
\$25,000- 34,999	239	23,217	192	86.8	82.1-91.5	47	13.2	8.5-17.9
\$35,000- 49,999	481	38,252	404	85.0	81.1-88.9	77	15.0	11.1-18.9
\$50,000- 74,999	601	54,417	521	89.1	86.4-91.8	80	10.9	8.2-13.6
\$75,000+	1206	105,217	1107	92.7	90.9-94.5	99	7.3	5.5- 9.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3672	285,829	3032	83.6	82.0-85.2	640	16.4	14.8-18.0
Native	123	11,049	81	62.6	50.6-74.6	42	37.4	25.4-49.4
Non-Native	3515	271,446	2927	84.6	83.0-86.2	588	15.4	13.8-17.0
18-24	149	41,963	130	89.3	84.2-94.4	19	10.7	5.6-15.8
25-34	304	51,305	276	90.1	86.0-94.2	28	9.9	5.8-14.0
35-44	322	43,021	281	83.5	78.2-88.8	41	16.5	11.2-21.8
45-54	485	40,294	407	81.6	77.5-85.7	78	18.4	14.3-22.5
55-64	875	46,756	750	83.2	80.1-86.3	125	16.8	13.7-19.9
65+	1537	62,490	1188	75.9	73.4-78.4	349	24.1	21.6-26.6
Less Than H.S.	187	20,001	118	67.8	59.2-76.4	69	32.2	23.6-40.8
H.S. or G.E.D.	1025	73,061	791	79.3	75.8-82.8	234	20.7	17.2-24.2
Some Post-H.S.	1197	113,209	966	81.9	79.0-84.8	231	18.1	15.2-21.0
College Graduate	1252	78,702	1151	94.1	92.5-95.7	101	5.9	4.3- 7.5
Less than \$15,000	245	23,084	140	64.4	56.0-72.8	105	35.6	27.2-44.0
\$15,000- 24,999	508	38,291	368	74.4	68.9-79.9	140	25.6	20.1-31.1
\$25,000- 34,999	365	25,042	301	77.8	71.3-84.3	64	22.2	15.7-28.7
\$35,000- 49,999	492	39,690	407	84.8	80.7-88.9	85	15.2	11.1-19.3
\$50,000- 74,999	551	40,178	487	88.8	85.3-92.3	64	11.2	7.7-14.7
\$75,000+	1020	84,697	938	93.0	91.0-95.0	82	7.0	5.0- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6833	576,723	4407	64.7	63.1-66.3	1713	25.6	24.2-27.0	713	9.7	8.7-10.7
Male	3261	297,615	2235	68.9	66.7-71.1	734	23.2	21.2-25.2	292	8.0	6.8- 9.2
Female	3572	279,109	2172	60.3	57.9-62.7	979	28.2	26.0-30.4	421	11.5	9.9-13.1
Native	240	24,255	144	58.1	49.7-66.5	51	23.6	16.2-31.0	45	18.2	11.7-24.7
Non-Native	6512	544,414	4215	65.0	63.4-66.6	1639	25.7	24.3-27.1	658	9.3	8.3-10.3
18-24	366	89,014	227	64.7	59.2-70.2	126	31.4	26.1-36.7	13	3.9	1.5- 6.3
25-34	692	111,955	492	69.0	64.9-73.1	162	24.3	20.6-28.0	38	6.7	4.3- 9.1
35-44	706	89,149	468	64.2	60.1-68.3	187	27.0	23.1-30.9	51	8.9	6.2-11.6
45-54	959	82,882	624	63.5	60.0-67.0	248	25.5	22.4-28.6	87	11.0	8.5-13.5
55-64	1630	94,023	1058	64.1	61.4-66.8	387	23.2	20.8-25.6	185	12.8	10.8-14.8
65+	2480	109,700	1538	62.3	59.9-64.7	603	23.2	21.2-25.2	339	14.5	12.7-16.3
Less Than H.S.	364	45,951	206	58.7	52.0-65.4	82	22.8	17.3-28.3	76	18.6	13.5-23.7
H.S. or G.E.D.	1910	153,374	1202	65.2	62.3-68.1	475	25.4	22.7-28.1	233	9.5	7.9-11.1
Some Post-H.S.	2210	226,900	1410	63.4	60.7-66.1	556	26.3	23.8-28.8	244	10.3	8.7-11.9
College Graduate	2333	149,299	1579	68.0	65.5-70.5	598	25.8	23.4-28.2	156	6.2	5.0- 7.4
Less than \$15,000	399	40,826	168	44.5	37.6-51.4	117	30.4	24.1-36.7	114	25.1	19.2-31.0
\$15,000- 24,999	783	66,674	420	55.5	50.6-60.4	224	28.9	24.4-33.4	139	15.6	12.3-18.9
\$25,000- 34,999	584	46,369	355	62.4	56.7-68.1	165	28.5	23.2-33.8	64	9.1	6.2-12.0
\$35,000- 49,999	956	76,975	620	66.0	61.9-70.1	237	25.6	21.7-29.5	99	8.4	6.4-10.4
\$50,000- 74,999	1136	93,692	795	67.0	63.1-70.9	262	26.8	23.1-30.5	79	6.3	4.3- 8.3
\$75,000+	2215	189,087	1545	69.7	67.2-72.2	531	23.7	21.3-26.1	139	6.6	5.2- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3261	297,615	2235	68.9	66.7-71.1	734	23.2	21.2-25.2	292	8.0	6.8- 9.2
Native	120	13,255	72	59.9	48.9-70.9	27	23.3	13.7-32.9	21	16.8	8.6-25.0
Non-Native	3087	278,686	2128	69.3	67.1-71.5	695	23.2	21.2-25.2	264	7.5	6.3- 8.7
18-24	219	47,886	143	69.4	62.7-76.1	72	28.9	22.2-35.6	4	1.7	0.0- 3.7
25-34	390	61,027	282	70.1	64.8-75.4	92	24.6	19.7-29.5	16	5.2	2.3- 8.1
35-44	390	47,076	273	70.7	65.4-76.0	96	24.0	19.1-28.9	21	5.3	2.8- 7.8
45-54	475	42,864	332	69.1	64.2-74.0	107	21.3	17.2-25.4	36	9.6	6.1-13.1
55-64	766	47,987	521	67.5	63.6-71.4	158	19.8	16.5-23.1	87	12.7	9.8-15.6
65+	1021	50,774	684	66.4	62.9-69.9	209	19.9	17.0-22.8	128	13.7	11.0-16.4
Less Than H.S.	197	27,665	119	62.6	54.0-71.2	43	20.5	13.6-27.4	35	16.9	10.2-23.6
H.S. or G.E.D.	919	82,725	618	69.7	66.0-73.4	205	22.9	19.4-26.4	96	7.4	5.6- 9.2
Some Post-H.S.	1046	115,727	728	69.0	65.5-72.5	232	23.5	20.2-26.8	86	7.5	5.5- 9.5
College Graduate	1093	70,977	764	70.0	66.5-73.5	254	24.1	20.8-27.4	75	5.9	4.3- 7.5
Less than \$15,000	176	19,345	80	45.7	36.1-55.3	56	36.9	27.3-46.5	40	17.4	10.9-23.9
\$15,000- 24,999	294	29,630	168	62.0	54.7-69.3	73	22.6	16.3-28.9	53	15.4	10.5-20.3
\$25,000- 34,999	235	22,791	148	71.4	64.1-78.7	68	23.1	16.4-29.8	19	5.5	2.4- 8.6
\$35,000- 49,999	474	37,711	331	71.0	65.7-76.3	99	20.7	16.0-25.4	44	8.2	5.3-11.1
\$50,000- 74,999	590	53,733	437	71.5	66.6-76.4	113	22.9	18.2-27.6	40	5.6	3.2- 8.0
\$75,000+	1198	104,492	860	71.1	67.8-74.4	268	23.2	20.1-26.3	70	5.7	4.1- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3572	279,109	2172	60.3	57.9-62.7	979	28.2	26.0-30.4	421	11.5	9.9-13.1
Native	120	11,000	72	56.0	43.3-68.7	24	24.1	12.5-35.7	24	20.0	10.0-30.0
Non-Native	3425	265,728	2087	60.5	58.1-62.9	944	28.3	26.1-30.5	394	11.2	9.6-12.8
18-24	147	41,128	84	59.2	50.4-68.0	54	34.4	26.0-42.8	9	6.4	1.9-10.9
25-34	302	50,928	210	67.6	61.3-73.9	70	23.9	18.2-29.6	22	8.5	4.8-12.2
35-44	316	42,073	195	56.9	50.4-63.4	91	30.3	24.2-36.4	30	12.8	7.9-17.7
45-54	484	40,018	292	57.5	52.4-62.6	141	30.1	25.4-34.8	51	12.4	8.9-15.9
55-64	864	46,036	537	60.5	56.6-64.4	229	26.7	23.2-30.2	98	12.8	10.1-15.5
65+	1459	58,926	854	58.7	55.6-61.8	394	26.0	23.3-28.7	211	15.2	13.0-17.4
Less Than H.S.	167	18,285	87	52.8	42.6-63.0	39	26.1	17.1-35.1	41	21.1	12.9-29.3
H.S. or G.E.D.	991	70,649	584	59.9	55.4-64.4	270	28.2	24.1-32.3	137	11.9	9.4-14.4
Some Post-H.S.	1164	111,173	682	57.6	53.5-61.7	324	29.3	25.6-33.0	158	13.1	10.4-15.8
College Graduate	1240	78,322	815	66.3	62.8-69.8	344	27.3	24.0-30.6	81	6.4	4.4- 8.4
Less than \$15,000	223	21,481	88	43.4	33.6-53.2	61	24.5	16.5-32.5	74	32.1	23.1-41.1
\$15,000- 24,999	489	37,044	252	50.3	43.6-57.0	151	33.9	27.4-40.4	86	15.7	11.2-20.2
\$25,000- 34,999	349	23,578	207	53.6	45.6-61.6	97	33.7	25.9-41.5	45	12.7	8.0-17.4
\$35,000- 49,999	482	39,265	289	61.2	54.9-67.5	138	30.2	24.1-36.3	55	8.6	5.7-11.5
\$50,000- 74,999	546	39,959	358	61.0	55.1-66.9	149	31.9	26.0-37.8	39	7.1	4.2-10.0
\$75,000+	1017	84,595	685	67.9	64.2-71.6	263	24.3	20.8-27.8	69	7.8	5.4-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6888	580,892	4889	65.3	63.7-66.9	1458	24.6	23.2-26.0	541	10.1	9.1-11.1
Male	3273	298,878	2492	70.9	68.7-73.1	568	20.9	18.9-22.9	213	8.2	6.8- 9.6
Female	3615	282,014	2397	59.3	56.9-61.7	890	28.5	26.3-30.7	328	12.2	10.4-14.0
Native	245	24,759	140	53.9	45.5-62.3	62	24.8	17.7-31.9	43	21.3	14.0-28.6
Non-Native	6556	547,165	4688	65.7	64.1-67.3	1382	24.8	23.2-26.4	486	9.6	8.6-10.6
18-24	368	89,779	185	50.7	44.8-56.6	127	33.3	27.8-38.8	56	16.0	11.7-20.3
25-34	694	112,188	406	58.7	54.4-63.0	216	30.0	26.1-33.9	72	11.3	8.4-14.2
35-44	709	89,744	433	59.4	55.1-63.7	194	28.4	24.5-32.3	82	12.2	9.3-15.1
45-54	956	82,554	652	68.3	65.0-71.6	215	23.0	19.9-26.1	89	8.7	6.5-10.9
55-64	1639	94,630	1189	72.1	69.6-74.6	323	19.4	17.2-21.6	127	8.6	6.8-10.4
65+	2522	111,997	2024	80.2	78.2-82.2	383	14.8	13.0-16.6	115	4.9	3.7- 6.1
Less Than H.S.	380	47,591	260	63.5	57.0-70.0	68	19.2	13.9-24.5	52	17.3	12.2-22.4
H.S. or G.E.D.	1930	155,785	1390	65.4	62.3-68.5	365	21.6	19.1-24.1	175	12.9	10.5-15.3
Some Post-H.S.	2216	226,444	1565	64.5	61.8-67.2	472	26.3	23.8-28.8	179	9.3	7.5-11.1
College Graduate	2344	149,600	1661	66.7	64.2-69.2	551	27.1	24.6-29.6	132	6.2	4.8- 7.6
Less than \$15,000	413	42,046	222	47.0	40.1-53.9	107	26.7	20.6-32.8	84	26.3	20.0-32.6
\$15,000- 24,999	795	67,838	514	57.1	52.2-62.0	178	26.4	21.9-30.9	103	16.5	12.6-20.4
\$25,000- 34,999	593	47,156	424	64.1	58.4-69.8	109	22.5	17.4-27.6	60	13.4	9.3-17.5
\$35,000- 49,999	964	77,739	683	64.8	60.3-69.3	213	26.3	22.2-30.4	68	8.9	6.2-11.6
\$50,000- 74,999	1141	93,605	833	68.3	64.6-72.0	245	24.7	21.2-28.2	63	7.1	4.9- 9.3
\$75,000+	2215	188,973	1619	69.4	66.9-71.9	486	25.4	22.9-27.9	110	5.2	4.0- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3273	298,878	2492	70.9	68.7-73.1	568	20.9	18.9-22.9	213	8.2	6.8- 9.6
Native	124	13,738	79	58.7	47.5-69.9	27	23.9	14.3-33.5	18	17.4	8.4-26.4
Non-Native	3094	279,419	2374	71.5	69.3-73.7	532	20.8	18.8-22.8	188	7.7	6.3- 9.1
18-24	220	48,296	129	60.2	52.8-67.6	68	29.4	22.5-36.3	23	10.5	5.8-15.2
25-34	391	61,222	244	61.9	56.2-67.6	110	27.7	22.6-32.8	37	10.4	6.7-14.1
35-44	390	47,165	264	67.3	62.0-72.6	91	23.6	18.7-28.5	35	9.1	5.8-12.4
45-54	476	42,763	365	76.5	72.0-81.0	75	16.0	12.3-19.7	36	7.5	4.6-10.4
55-64	771	48,178	612	77.7	74.2-81.2	109	15.1	12.0-18.2	50	7.2	4.8- 9.6
65+	1025	51,254	878	84.0	81.1-86.9	115	11.9	9.4-14.4	32	4.1	2.3- 5.9
Less Than H.S.	202	28,339	138	64.0	55.2-72.8	42	21.0	13.6-28.4	22	15.0	8.5-21.5
H.S. or G.E.D.	926	83,788	715	71.9	68.0-75.8	144	18.6	15.3-21.9	67	9.5	6.8-12.2
Some Post-H.S.	1041	115,031	788	70.3	66.6-74.0	180	22.0	18.7-25.3	73	7.7	5.5- 9.9
College Graduate	1097	71,104	844	73.2	69.9-76.5	202	22.0	18.9-25.1	51	4.8	3.2- 6.4
Less than \$15,000	179	19,824	104	51.1	41.5-60.7	48	28.5	19.7-37.3	27	20.4	12.2-28.6
\$15,000- 24,999	298	30,164	204	62.4	55.0-69.8	59	24.0	17.5-30.5	35	13.5	7.8-19.2
\$25,000- 34,999	236	22,915	175	68.1	60.1-76.1	44	22.7	15.4-30.0	17	9.3	4.4-14.2
\$35,000- 49,999	474	38,066	369	74.4	68.9-79.9	76	19.1	14.0-24.2	29	6.5	3.8- 9.2
\$50,000- 74,999	595	53,904	464	72.0	66.9-77.1	98	21.2	16.7-25.7	33	6.8	3.9- 9.7
\$75,000+	1199	104,507	942	74.7	71.4-78.0	203	20.3	17.2-23.4	54	5.1	3.5- 6.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3615	282,014	2397	59.3	56.9-61.7	890	28.5	26.3-30.7	328	12.2	10.4-14.0
Native	121	11,021	61	47.9	35.2-60.6	35	25.8	15.6-36.0	25	26.3	14.7-37.9
Non-Native	3462	267,745	2314	59.5	57.1-61.9	850	28.9	26.5-31.3	298	11.5	9.7-13.3
18-24	148	41,483	56	39.7	30.9-48.5	59	37.8	29.2-46.4	33	22.5	15.1-29.9
25-34	303	50,966	162	54.8	48.3-61.3	106	32.8	26.7-38.9	35	12.4	7.9-16.9
35-44	319	42,579	169	50.6	44.1-57.1	103	33.7	27.6-39.8	47	15.7	10.8-20.6
45-54	480	39,791	287	59.4	54.3-64.5	140	30.5	25.6-35.4	53	10.1	7.2-13.0
55-64	868	46,452	577	66.2	62.5-69.9	214	23.8	20.5-27.1	77	10.0	7.5-12.5
65+	1497	60,743	1146	77.1	74.6-79.6	268	17.3	15.1-19.5	83	5.6	4.2- 7.0
Less Than H.S.	178	19,253	122	62.7	52.9-72.5	26	16.6	9.2-24.0	30	20.7	12.5-28.9
H.S. or G.E.D.	1004	71,997	675	57.9	53.2-62.6	221	25.2	21.1-29.3	108	16.9	13.0-20.8
Some Post-H.S.	1175	111,412	777	58.5	54.4-62.6	292	30.7	26.8-34.6	106	10.9	8.2-13.6
College Graduate	1247	78,496	817	60.8	57.1-64.5	349	31.7	28.0-35.4	81	7.5	5.5- 9.5
Less than \$15,000	234	22,222	118	43.4	33.8-53.0	59	25.0	16.8-33.2	57	31.6	22.6-40.6
\$15,000- 24,999	497	37,674	310	52.7	46.2-59.2	119	28.4	22.3-34.5	68	18.9	13.4-24.4
\$25,000- 34,999	357	24,242	249	60.4	52.4-68.4	65	22.4	15.3-29.5	43	17.2	10.7-23.7
\$35,000- 49,999	490	39,673	314	55.5	48.8-62.2	137	33.3	26.8-39.8	39	11.2	6.5-15.9
\$50,000- 74,999	546	39,701	369	63.2	57.3-69.1	147	29.4	23.9-34.9	30	7.4	4.1-10.7
\$75,000+	1016	84,466	677	62.8	58.7-66.9	283	31.9	28.0-35.8	56	5.3	3.7- 6.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4327	464,801	3985	89.8	88.4-91.2	342	10.2	8.8-11.6
Male	2220	244,146	2018	88.9	86.9-90.9	202	11.1	9.1-13.1
Female	2107	220,654	1967	90.9	89.1-92.7	140	9.1	7.3-10.9
Native	217	23,142	196	86.1	79.2-93.0	21	13.9	7.0-20.8
Non-Native	4064	435,648	3751	90.3	88.9-91.7	313	9.7	8.3-11.1
18-24	366	88,831	312	84.0	79.5-88.5	54	16.0	11.5-20.5
25-34	693	112,030	623	88.3	85.4-91.2	70	11.7	8.8-14.6
35-44	712	90,038	668	92.5	90.1-94.9	44	7.5	5.1- 9.9
45-54	930	80,382	865	92.0	89.8-94.2	65	8.0	5.8-10.2
55-64	1626	93,520	1517	92.8	91.2-94.4	109	7.2	5.6- 8.8
Less Than H.S.	172	32,310	134	75.8	67.6-84.0	38	24.2	16.0-32.4
H.S. or G.E.D.	1129	121,370	1000	86.8	84.1-89.5	129	13.2	10.5-15.9
Some Post-H.S.	1430	185,165	1311	89.8	87.6-92.0	119	10.2	8.0-12.4
College Graduate	1587	125,020	1533	96.7	95.7-97.7	54	3.3	2.3- 4.3
Less than \$15,000	252	34,379	214	83.6	77.5-89.7	38	16.4	10.3-22.5
\$15,000- 24,999	375	47,420	307	77.9	72.2-83.6	68	22.1	16.4-27.8
\$25,000- 34,999	287	34,514	243	85.2	79.5-90.9	44	14.8	9.1-20.5
\$35,000- 49,999	536	58,372	483	86.7	82.6-90.8	53	13.3	9.2-17.4
\$50,000- 74,999	757	76,789	716	93.1	90.7-95.5	41	6.9	4.5- 9.3
\$75,000+	1730	168,604	1672	95.9	94.3-97.5	58	4.1	2.5- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2220	244,146	2018	88.9	87.1-90.7	202	11.1	9.3-12.9
Native	112	13,056	98	81.4	71.0-91.8	14	18.6	8.2-29.0
Non-Native	2074	227,048	1891	89.6	87.8-91.4	183	10.4	8.6-12.2
18-24	218	47,185	185	83.2	76.9-89.5	33	16.8	10.5-23.1
25-34	391	61,163	347	87.3	83.4-91.2	44	12.7	8.8-16.6
35-44	390	47,017	361	90.4	86.9-93.9	29	9.6	6.1-13.1
45-54	461	41,464	425	91.8	88.7-94.9	36	8.2	5.1-11.3
55-64	760	47,318	700	92.5	90.3-94.7	60	7.5	5.3- 9.7
Less Than H.S.	107	20,534	81	73.0	61.8-84.2	26	27.0	15.8-38.2
H.S. or G.E.D.	637	68,964	550	85.8	82.3-89.3	87	14.2	10.7-17.7
Some Post-H.S.	744	96,359	682	89.9	87.2-92.6	62	10.1	7.4-12.8
College Graduate	727	57,744	701	96.6	95.0-98.2	26	3.4	1.8- 5.0
Less than \$15,000	125	16,459	103	79.4	70.0-88.8	22	20.6	11.2-30.0
\$15,000- 24,999	174	22,392	140	76.3	67.9-84.7	34	23.7	15.3-32.1
\$25,000- 34,999	139	17,616	111	80.1	70.7-89.5	28	19.9	10.5-29.3
\$35,000- 49,999	275	27,907	243	86.8	81.7-91.9	32	13.2	8.1-18.3
\$50,000- 74,999	399	43,874	374	92.5	89.2-95.8	25	7.5	4.2-10.8
\$75,000+	917	92,028	880	94.5	92.0-97.0	37	5.5	3.0- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2107	220,654	1967	90.9	89.1-92.7	140	9.1	7.3-10.9
Native	105	10,086	98	92.3	85.2-99.4	7	7.7	0.6-14.8
Non-Native	1990	208,600	1860	91.1	89.1-93.1	130	8.9	6.9-10.9
18-24	148	41,646	127	84.9	78.4-91.4	21	15.1	8.6-21.6
25-34	302	50,867	276	89.5	85.2-93.8	26	10.5	6.2-14.8
35-44	322	43,021	307	94.7	91.8-97.6	15	5.3	2.4- 8.2
45-54	469	38,918	440	92.2	89.1-95.3	29	7.8	4.7-10.9
55-64	866	46,202	817	93.1	90.7-95.5	49	6.9	4.5- 9.3
Less Than H.S.	65	11,776	53	80.6	69.2-92.0	12	19.4	8.0-30.8
H.S. or G.E.D.	492	52,407	450	88.1	83.8-92.4	42	11.9	7.6-16.2
Some Post-H.S.	686	88,807	629	89.6	86.5-92.7	57	10.4	7.3-13.5
College Graduate	860	67,276	832	96.8	95.2-98.4	28	3.2	1.6- 4.8
Less than \$15,000	127	17,921	111	87.4	79.8-95.0	16	12.6	5.0-20.2
\$15,000- 24,999	201	25,028	167	79.4	71.6-87.2	34	20.6	12.8-28.4
\$25,000- 34,999	148	16,898	132	90.5	84.6-96.4	16	9.5	3.6-15.4
\$35,000- 49,999	261	30,464	240	86.5	80.0-93.0	21	13.5	7.0-20.0
\$50,000- 74,999	358	32,915	342	93.9	90.4-97.4	16	6.1	2.6- 9.6
\$75,000+	813	76,576	792	97.7	96.5-98.9	21	2.3	1.1- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6977	587,202	4164	70.4	69.0-71.8	2813	29.6	28.2-31.0
Male	3308	301,544	1933	68.0	66.0-70.0	1375	32.0	30.0-34.0
Female	3669	285,658	2231	73.0	71.2-74.8	1438	27.0	25.2-28.8
Native	246	24,497	139	62.3	54.5-70.1	107	37.7	29.9-45.5
Non-Native	6641	553,590	3972	70.8	69.4-72.2	2669	29.2	27.8-30.6
18-24	371	90,486	352	95.4	93.0-97.8	19	4.6	2.2- 7.0
25-34	696	112,585	611	87.7	84.8-90.6	85	12.3	9.4-15.2
35-44	713	90,418	578	79.4	75.9-82.9	135	20.6	17.1-24.1
45-54	964	83,436	664	68.6	65.1-72.1	300	31.4	27.9-34.9
55-64	1654	95,405	926	56.0	53.3-58.7	728	44.0	41.3-46.7
65+	2579	114,872	1033	40.1	37.7-42.5	1546	59.9	57.5-62.3
Less Than H.S.	395	48,672	192	62.9	57.0-68.8	203	37.1	31.2-43.0
H.S. or G.E.D.	1963	157,671	1082	68.1	65.6-70.6	881	31.9	29.4-34.4
Some Post-H.S.	2247	229,357	1308	69.2	66.8-71.6	939	30.8	28.4-33.2
College Graduate	2353	149,969	1568	77.1	75.1-79.1	785	22.9	20.9-24.9
Less than \$15,000	428	43,143	211	64.4	58.5-70.3	217	35.6	29.7-41.5
\$15,000- 24,999	805	68,275	395	62.3	57.8-66.8	410	37.7	33.2-42.2
\$25,000- 34,999	603	48,166	328	70.0	65.3-74.7	275	30.0	25.3-34.7
\$35,000- 49,999	976	78,241	550	68.6	64.9-72.3	426	31.4	27.7-35.1
\$50,000- 74,999	1151	94,580	695	69.8	66.5-73.1	456	30.2	26.9-33.5
\$75,000+	2224	189,655	1521	76.1	73.9-78.3	703	23.9	21.7-26.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3308	301,544	1933	68.0	66.0-70.0	1375	32.0	30.0-34.0
Native	123	13,448	62	58.4	47.4-69.4	61	41.6	30.6-52.6
Non-Native	3129	282,315	1837	68.4	66.4-70.4	1292	31.6	29.6-33.6
18-24	222	48,523	207	93.7	90.4-97.0	15	6.3	3.0-9.6
25-34	392	61,280	325	83.2	78.7-87.7	67	16.8	12.3-21.3
35-44	391	47,397	298	75.1	70.0-80.2	93	24.9	19.8-30.0
45-54	478	43,112	302	63.8	58.7-68.9	176	36.2	31.1-41.3
55-64	781	48,754	385	50.9	46.8-55.0	396	49.1	45.0-53.2
65+	1044	52,478	416	39.4	35.9-42.9	628	60.6	57.1-64.1
Less Than H.S.	209	28,826	111	65.5	57.7-73.3	98	34.5	26.7-42.3
H.S. or G.E.D.	938	84,519	532	67.1	63.4-70.8	406	32.9	29.2-36.6
Some Post-H.S.	1051	116,217	602	67.2	63.9-70.5	449	32.8	29.5-36.1
College Graduate	1102	71,307	681	71.2	68.1-74.3	421	28.8	25.7-31.9
Less than \$15,000	183	20,068	92	63.3	54.7-71.9	91	36.7	28.1-45.3
\$15,000- 24,999	299	30,186	158	62.5	55.4-69.6	141	37.5	30.4-44.6
\$25,000- 34,999	238	23,124	140	72.9	66.4-79.4	98	27.1	20.6-33.6
\$35,000- 49,999	482	38,392	260	64.0	58.7-69.3	222	36.0	30.7-41.3
\$50,000- 74,999	599	54,261	346	66.8	62.1-71.5	253	33.2	28.5-37.9
\$75,000+	1205	105,024	749	70.7	67.6-73.8	456	29.3	26.2-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3669	285,658	2231	73.0	71.2-74.8	1438	27.0	25.2-28.8
Native	123	11,049	77	67.0	55.8-78.2	46	33.0	21.8-44.2
Non-Native	3512	271,274	2135	73.3	71.5-75.1	1377	26.7	24.9-28.5
18-24	149	41,963	145	97.3	94.4- 100	4	2.7	0.0- 5.6
25-34	304	51,305	286	93.2	89.9-96.5	18	6.8	3.5-10.1
35-44	322	43,021	280	84.1	79.0-89.2	42	15.9	10.8-21.0
45-54	486	40,324	362	73.8	69.1-78.5	124	26.2	21.5-30.9
55-64	873	46,651	541	61.4	57.5-65.3	332	38.6	34.7-42.5
65+	1535	62,394	617	40.7	37.8-43.6	918	59.3	56.4-62.2
Less Than H.S.	186	19,846	81	59.0	50.0-68.0	105	41.0	32.0-50.0
H.S. or G.E.D.	1025	73,153	550	69.3	65.8-72.8	475	30.7	27.2-34.2
Some Post-H.S.	1196	113,140	706	71.3	68.2-74.4	490	28.7	25.6-31.8
College Graduate	1251	78,662	887	82.4	80.0-84.8	364	17.6	15.2-20.0
Less than \$15,000	245	23,075	119	65.4	57.4-73.4	126	34.6	26.6-42.6
\$15,000- 24,999	506	38,088	237	62.2	56.5-67.9	269	37.8	32.1-43.5
\$25,000- 34,999	365	25,042	188	67.3	60.6-74.0	177	32.7	26.0-39.4
\$35,000- 49,999	494	39,849	290	73.1	68.2-78.0	204	26.9	22.0-31.8
\$50,000- 74,999	552	40,319	349	74.0	69.5-78.5	203	26.0	21.5-30.5
\$75,000+	1019	84,631	772	82.9	80.2-85.6	247	17.1	14.4-19.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS
TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6812	565,569	5974	80.9	79.5-82.3	349	6.0	5.2- 6.8	489	13.1	11.7-14.5
Male	3228	290,878	2736	77.8	75.6-80.0	200	7.1	5.9- 8.3	292	15.1	13.1-17.1
Female	3584	274,691	3238	84.2	82.2-86.2	149	4.9	3.9- 5.9	197	10.9	9.1-12.7
Native	241	24,140	196	73.6	65.2-82.0	13	7.2	2.1-12.3	32	19.3	11.5-27.1
Non-Native	6492	533,480	5706	81.2	79.6-82.8	334	6.0	5.2- 6.8	452	12.8	11.4-14.2
18-24	332	81,164	187	57.5	51.4-63.6	18	4.4	1.9- 6.9	127	38.0	31.9-44.1
25-34	661	107,372	449	68.7	64.6-72.8	52	7.9	5.5-10.3	160	23.5	19.8-27.2
35-44	689	87,633	556	81.5	78.2-84.8	66	9.1	6.7-11.5	67	9.5	7.0-12.0
45-54	951	82,251	824	86.4	83.9-88.9	65	7.3	5.3- 9.3	62	6.4	4.6- 8.2
55-64	1637	94,326	1496	90.8	89.0-92.6	98	6.0	4.6- 7.4	43	3.2	2.0- 4.4
65+	2542	112,823	2462	96.5	95.7-97.3	50	2.2	1.4- 3.0	30	1.2	0.6- 1.8
Less Than H.S.	381	47,219	314	70.5	63.4-77.6	25	7.3	4.0-10.6	42	22.2	15.3-29.1
H.S. or G.E.D.	1909	150,602	1641	78.5	75.8-81.2	113	6.8	5.2- 8.4	155	14.7	12.2-17.2
Some Post-H.S.	2187	220,095	1925	81.9	79.5-84.3	101	5.4	4.0- 6.8	161	12.6	10.4-14.8
College Graduate	2319	146,408	2082	85.3	83.1-87.5	110	5.7	4.5- 6.9	127	9.0	7.2-10.8
Less than \$15,000	414	40,936	341	70.1	63.2-77.0	24	9.3	4.8-13.8	49	20.6	14.3-26.9
\$15,000- 24,999	783	65,838	688	83.6	79.7-87.5	39	5.0	3.0- 7.0	56	11.4	7.9-14.9
\$25,000- 34,999	595	47,190	507	75.8	69.9-81.7	36	4.8	2.8- 6.8	52	19.4	13.7-25.1
\$35,000- 49,999	964	76,920	839	79.5	75.6-83.4	52	6.8	4.4- 9.2	73	13.7	10.2-17.2
\$50,000- 74,999	1129	91,242	1003	83.5	80.2-86.8	66	7.1	4.9- 9.3	60	9.4	6.7-12.1
\$75,000+	2189	184,752	1956	84.4	82.0-86.8	100	5.6	4.2- 7.0	133	10.0	8.0-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3228	290,878	2736	77.8	75.6-80.0	200	7.1	5.9- 8.3	292	15.1	13.1-17.1
Native	121	13,457	98	73.4	62.4-84.4	4	6.1	0.0-12.8	19	20.5	10.7-30.3
Non-Native	3058	272,438	2593	77.8	75.6-80.0	195	7.2	6.0- 8.4	270	15.0	13.0-17.0
18-24	197	43,076	108	53.3	45.3-61.3	15	6.7	2.8-10.6	74	39.9	31.9-47.9
25-34	379	59,383	240	63.6	57.9-69.3	37	10.0	6.5-13.5	102	26.4	21.1-31.7
35-44	379	46,141	301	80.1	75.6-84.6	35	8.1	5.2-11.0	43	11.7	8.0-15.4
45-54	469	42,151	394	83.7	79.8-87.6	42	8.9	5.8-12.0	33	7.3	4.6-10.0
55-64	766	47,905	697	90.6	88.1-93.1	45	5.7	3.7- 7.7	24	3.6	1.8- 5.4
65+	1038	52,222	996	95.6	94.2-97.0	26	2.8	1.6- 4.0	16	1.6	0.8- 2.4
Less Than H.S.	203	28,104	158	67.7	58.5-76.9	15	6.9	2.8-11.0	30	25.4	16.2-34.6
H.S. or G.E.D.	911	81,304	741	74.4	70.5-78.3	70	8.7	6.3-11.1	100	16.9	13.4-20.4
Some Post-H.S.	1023	111,522	870	79.1	75.6-82.6	52	5.8	3.8- 7.8	101	15.1	11.8-18.4
College Graduate	1084	69,331	963	84.2	81.3-87.1	63	7.4	5.4- 9.4	58	8.4	6.0-10.8
Less than \$15,000	178	19,250	141	65.6	55.6-75.6	10	9.8	2.9-16.7	27	24.7	15.3-34.1
\$15,000- 24,999	295	29,578	241	77.0	70.1-83.9	23	7.1	3.6-10.6	31	15.9	9.6-22.2
\$25,000- 34,999	234	22,487	181	68.9	60.1-77.7	21	6.9	3.4-10.4	32	24.2	15.4-33.0
\$35,000- 49,999	473	37,439	396	74.7	68.8-80.6	34	9.2	5.7-12.7	43	16.1	10.8-21.4
\$50,000- 74,999	590	52,740	509	79.2	74.5-83.9	38	8.1	5.0-11.2	43	12.7	8.6-16.8
\$75,000+	1185	102,735	1052	84.0	80.9-87.1	58	5.8	4.0- 7.6	75	10.2	7.5-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3584	274,691	3238	84.2	82.2-86.2	149	4.9	3.9- 5.9	197	10.9	9.1-12.7
Native	120	10,683	98	73.8	60.5-87.1	9	8.4	0.8-16.0	13	17.8	5.3-30.3
Non-Native	3434	261,042	3113	84.7	82.7-86.7	139	4.8	3.8- 5.8	182	10.5	8.7-12.3
18-24	135	38,088	79	62.3	53.3-71.3	3	1.8	0.0- 4.5	53	35.9	27.1-44.7
25-34	282	47,989	209	75.0	68.9-81.1	15	5.2	2.1- 8.3	58	19.8	14.3-25.3
35-44	310	41,492	255	82.9	78.0-87.8	31	10.1	6.2-14.0	24	7.0	3.5-10.5
45-54	482	40,100	430	89.2	85.9-92.5	23	5.5	3.0- 8.0	29	5.3	3.1- 7.5
55-64	871	46,421	799	91.1	88.7-93.5	53	6.2	4.2- 8.2	19	2.7	1.3- 4.1
65+	1504	60,601	1466	97.4	96.4-98.4	24	1.7	0.9- 2.5	14	0.9	0.3- 1.5
Less Than H.S.	178	19,115	156	74.6	64.2-85.0	10	7.9	2.0-13.8	12	17.4	7.4-27.4
H.S. or G.E.D.	998	69,298	900	83.2	79.3-87.1	43	4.5	2.7- 6.3	55	12.2	8.5-15.9
Some Post-H.S.	1164	108,572	1055	84.9	81.6-88.2	49	5.1	3.3- 6.9	60	10.0	7.1-12.9
College Graduate	1235	77,077	1119	86.3	83.4-89.2	47	4.3	2.7- 5.9	69	9.5	6.8-12.2
Less than \$15,000	236	21,686	200	74.1	64.7-83.5	14	8.9	2.8-15.0	22	17.0	8.8-25.2
\$15,000- 24,999	488	36,259	447	89.0	85.1-92.9	16	3.3	1.3- 5.3	25	7.7	4.2-11.2
\$25,000- 34,999	361	24,703	326	82.1	74.7-89.5	15	2.9	0.9- 4.9	20	14.9	7.5-22.3
\$35,000- 49,999	491	39,480	443	84.0	78.7-89.3	18	4.6	1.7- 7.5	30	11.4	6.7-16.1
\$50,000- 74,999	539	38,502	494	89.4	85.3-93.5	28	5.8	3.1- 8.5	17	4.8	1.7- 7.9
\$75,000+	1004	82,017	904	84.9	81.6-88.2	42	5.3	3.3- 7.3	58	9.8	6.9-12.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6291	489,384	3767	68.9	67.5-70.3	2524	31.1	29.7-32.5
Male	2916	245,287	1768	68.6	66.6-70.6	1148	31.4	29.4-33.4
Female	3375	244,097	1999	69.3	67.3-71.3	1376	30.7	28.7-32.7
Native	207	19,028	137	68.7	60.9-76.5	70	31.3	23.5-39.1
Non-Native	6011	463,575	3584	68.9	67.5-70.3	2427	31.1	29.7-32.5
18-24	203	49,530	194	95.1	91.6-98.6	9	4.9	1.4- 8.4
25-34	500	82,104	448	89.7	86.6-92.8	52	10.3	7.2-13.4
35-44	620	79,164	497	79.5	75.8-83.2	123	20.5	16.8-24.2
45-54	887	76,913	610	68.5	65.0-72.0	277	31.5	28.0-35.0
55-64	1590	91,128	887	54.8	51.9-57.7	703	45.2	42.3-48.1
65+	2491	110,546	1131	46.3	43.9-48.7	1360	53.7	51.3-56.1
Less Than H.S.	337	36,604	193	66.7	60.6-72.8	144	33.3	27.2-39.4
H.S. or G.E.D.	1744	127,297	1037	68.8	66.1-71.5	707	31.2	28.5-33.9
Some Post-H.S.	2015	191,869	1166	67.6	65.1-70.1	849	32.4	29.9-34.9
College Graduate	2183	132,865	1361	71.4	69.2-73.6	822	28.6	26.4-30.8
Less than \$15,000	361	31,923	200	66.8	60.5-73.1	161	33.2	26.9-39.5
\$15,000- 24,999	724	58,154	404	65.9	61.2-70.6	320	34.1	29.4-38.8
\$25,000- 34,999	538	37,869	309	68.7	63.6-73.8	229	31.3	26.2-36.4
\$35,000- 49,999	884	65,714	499	67.2	63.3-71.1	385	32.8	28.9-36.7
\$50,000- 74,999	1066	82,577	641	69.1	65.6-72.6	425	30.9	27.4-34.4
\$75,000+	2050	165,928	1312	71.9	69.5-74.3	738	28.1	25.7-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2916	245,287	1768	68.6	66.6-70.6	1148	31.4	29.4-33.4
Native	100	10,247	61	66.9	55.9-77.9	39	33.1	22.1-44.1
Non-Native	2770	230,454	1677	68.7	66.7-70.7	1093	31.3	29.3-33.3
18-24	121	25,123	118	98.4	96.2- 100	3	1.6	0.0- 3.8
25-34	276	43,622	242	88.0	83.7-92.3	34	12.0	7.7-16.3
35-44	335	40,638	249	74.3	69.0-79.6	86	25.7	20.4-31.0
45-54	435	39,014	289	67.0	61.9-72.1	146	33.0	27.9-38.1
55-64	739	46,049	416	55.6	51.3-59.9	323	44.4	40.1-48.7
65+	1010	50,841	454	45.7	42.0-49.4	556	54.3	50.6-58.0
Less Than H.S.	171	20,824	96	65.9	57.7-74.1	75	34.1	25.9-42.3
H.S. or G.E.D.	806	66,680	500	70.3	66.6-74.0	306	29.7	26.0-33.4
Some Post-H.S.	914	94,288	549	68.2	64.7-71.7	365	31.8	28.3-35.3
College Graduate	1021	63,306	619	68.3	65.0-71.6	402	31.7	28.4-35.0
Less than \$15,000	148	13,964	85	65.3	56.1-74.5	63	34.7	25.5-43.9
\$15,000- 24,999	263	24,853	152	67.7	60.8-74.6	111	32.3	25.4-39.2
\$25,000- 34,999	199	16,900	125	73.0	65.9-80.1	74	27.0	19.9-34.1
\$35,000- 49,999	424	30,783	245	66.0	60.5-71.5	179	34.0	28.5-39.5
\$50,000- 74,999	545	45,960	335	68.4	63.7-73.1	210	31.6	26.9-36.3
\$75,000+	1107	92,124	677	69.5	66.4-72.6	430	30.5	27.4-33.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3375	244,097	1999	69.3	67.3-71.3	1376	30.7	28.7-32.7
Native	107	8,781	76	70.8	59.6-82.0	31	29.2	18.0-40.4
Non-Native	3241	233,121	1907	69.2	67.0-71.4	1334	30.8	28.6-33.0
18-24	82	24,407	76	91.8	85.1-98.5	6	8.2	1.5-14.9
25-34	224	38,482	206	91.5	87.2-95.8	18	8.5	4.2-12.8
35-44	285	38,525	248	84.9	79.6-90.2	37	15.1	9.8-20.4
45-54	452	37,899	321	69.9	65.0-74.8	131	30.1	25.2-35.0
55-64	851	45,079	471	53.9	50.0-57.8	380	46.1	42.2-50.0
65+	1481	59,705	677	46.8	43.7-49.9	804	53.2	50.1-56.3
Less Than H.S.	166	15,780	97	67.8	59.0-76.6	69	32.2	23.4-41.0
H.S. or G.E.D.	938	60,618	537	67.1	63.0-71.2	401	32.9	28.8-37.0
Some Post-H.S.	1101	97,581	617	67.1	63.6-70.6	484	32.9	29.4-36.4
College Graduate	1162	69,559	742	74.3	71.4-77.2	420	25.7	22.8-28.6
Less than \$15,000	213	17,959	115	68.0	59.8-76.2	98	32.0	23.8-40.2
\$15,000- 24,999	461	33,301	252	64.5	58.2-70.8	209	35.5	29.2-41.8
\$25,000- 34,999	339	20,969	184	65.2	58.1-72.3	155	34.8	27.7-41.9
\$35,000- 49,999	460	34,931	254	68.1	62.6-73.6	206	31.9	26.4-37.4
\$50,000- 74,999	521	36,616	306	69.9	64.8-75.0	215	30.1	25.0-35.2
\$75,000+	943	73,804	635	74.9	71.6-78.2	308	25.1	21.8-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	29
2 MALES ONLY	30
3 FEMALES ONLY	31
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	32
5 MALES ONLY	33
6 FEMALES ONLY	34
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	35
8 MALES ONLY	36
9 FEMALES ONLY	37
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	38
11 MALES ONLY	39
12 FEMALES ONLY	40
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	41
14 MALES ONLY	42
15 FEMALES ONLY	43

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6937	584,895	618	6.1	5.5- 6.7	6319	93.9	93.3-94.5
Male	3287	300,097	350	7.0	6.0- 8.0	2937	93.0	92.0-94.0
Female	3650	284,799	268	5.2	4.4- 6.0	3382	94.8	94.0-95.6
Native	242	24,438	28	9.3	5.0-13.6	214	90.7	86.4-95.0
Non-Native	6606	551,397	580	5.9	5.3- 6.5	6026	94.1	93.5-94.7
18-24	369	89,977	2	0.7	0.0- 1.7	367	99.3	98.3- 100
25-34	693	112,584	8	1.5	0.3- 2.7	685	98.5	97.3-99.7
35-44	713	90,441	12	2.2	0.8- 3.6	701	97.8	96.4-99.2
45-54	960	82,944	37	3.9	2.3- 5.5	923	96.1	94.5-97.7
55-64	1643	94,822	119	7.8	6.2- 9.4	1524	92.2	90.6-93.8
65+	2559	114,128	440	18.2	16.4-20.0	2119	81.8	80.0-83.6
Less Than H.S.	390	48,394	67	11.2	8.1-14.3	323	88.8	85.7-91.9
H.S. or G.E.D.	1951	156,822	215	7.2	6.0- 8.4	1736	92.8	91.6-94.0
Some Post-H.S.	2237	228,853	183	5.5	4.5- 6.5	2054	94.5	93.5-95.5
College Graduate	2340	149,294	152	4.3	3.3- 5.3	2188	95.7	94.7-96.7
Less than \$15,000	423	42,459	67	11.8	7.9-15.7	356	88.2	84.3-92.1
\$15,000- 24,999	800	68,491	106	9.3	7.1-11.5	694	90.7	88.5-92.9
\$25,000- 34,999	602	48,202	75	8.8	6.3-11.3	527	91.2	88.7-93.7
\$35,000- 49,999	967	77,659	101	6.8	5.0- 8.6	866	93.2	91.4-95.0
\$50,000- 74,999	1146	94,220	89	5.3	3.9- 6.7	1057	94.7	93.3-96.1
\$75,000+	2220	189,663	115	3.2	2.4- 4.0	2105	96.8	96.0-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3287	300,097	350	7.0	6.0- 8.0	2937	93.0	92.0-94.0
Native	122	13,597	18	9.5	4.6-14.4	104	90.5	85.6-95.4
Non-Native	3109	280,720	328	6.9	5.9- 7.9	2781	93.1	92.1-94.1
18-24	221	48,363				221	100.0	100.0- 100
25-34	391	61,371	2	0.3	0.0- 0.7	389	99.7	99.3- 100
35-44	391	47,420	8	2.2	0.6- 3.8	383	97.8	96.2-99.4
45-54	475	42,600	25	5.5	3.0- 8.0	450	94.5	92.0-97.0
55-64	775	48,302	81	10.5	8.0-13.0	694	89.5	87.0-92.0
65+	1034	52,040	234	23.8	20.7-26.9	800	76.2	73.1-79.3
Less Than H.S.	207	28,692	34	10.0	6.1-13.9	173	90.0	86.1-93.9
H.S. or G.E.D.	932	84,141	117	7.7	6.1- 9.3	815	92.3	90.7-93.9
Some Post-H.S.	1047	115,874	105	6.8	5.2- 8.4	942	93.2	91.6-94.8
College Graduate	1093	70,714	94	5.3	4.1- 6.5	999	94.7	93.5-95.9
Less than \$15,000	178	19,399	30	11.2	6.5-15.9	148	88.8	84.1-93.5
\$15,000- 24,999	299	30,468	51	12.3	8.4-16.2	248	87.7	83.8-91.6
\$25,000- 34,999	239	23,217	36	8.9	5.4-12.4	203	91.1	87.6-94.6
\$35,000- 49,999	477	38,003	65	9.3	6.6-12.0	412	90.7	88.0-93.4
\$50,000- 74,999	596	53,977	61	6.2	4.2- 8.2	535	93.8	91.8-95.8
\$75,000+	1201	105,015	86	4.5	3.3- 5.7	1115	95.5	94.3-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3650	284,799	268	5.2	4.4- 6.0	3382	94.8	94.0-95.6
Native	120	10,841	10	9.1	1.8-16.4	110	90.9	83.6-98.2
Non-Native	3497	270,677	252	4.8	4.0- 5.6	3245	95.2	94.4-96.0
18-24	148	41,614	2	1.4	0.0- 3.4	146	98.6	96.6- 100
25-34	302	51,213	6	2.9	0.4- 5.4	296	97.1	94.6-99.6
35-44	322	43,021	4	2.3	0.0- 4.7	318	97.7	95.3- 100
45-54	485	40,344	12	2.3	0.9- 3.7	473	97.7	96.3-99.1
55-64	868	46,519	38	5.0	3.2- 6.8	830	95.0	93.2-96.8
65+	1525	62,088	206	13.6	11.4-15.8	1319	86.4	84.2-88.6
Less Than H.S.	183	19,702	33	12.8	7.3-18.3	150	87.2	81.7-92.7
H.S. or G.E.D.	1019	72,681	98	6.7	4.7- 8.7	921	93.3	91.3-95.3
Some Post-H.S.	1190	112,978	78	4.0	2.6- 5.4	1112	96.0	94.6-97.4
College Graduate	1247	78,580	58	3.5	2.1- 4.9	1189	96.5	95.1-97.9
Less than \$15,000	245	23,061	37	12.2	6.3-18.1	208	87.8	81.9-93.7
\$15,000- 24,999	501	38,023	55	6.8	4.4- 9.2	446	93.2	90.8-95.6
\$25,000- 34,999	363	24,984	39	8.8	4.9-12.7	324	91.2	87.3-95.1
\$35,000- 49,999	490	39,656	36	4.5	2.5- 6.5	454	95.5	93.5-97.5
\$50,000- 74,999	550	40,244	28	4.0	2.0- 6.0	522	96.0	94.0-98.0
\$75,000+	1019	84,648	29	1.7	0.9- 2.5	990	98.3	97.5-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6976	586,597	6188	87.1	85.9-88.3	788	12.9	11.7-14.1
Male	3301	300,566	2984	89.2	87.8-90.6	317	10.8	9.4-12.2
Female	3675	286,031	3204	84.9	83.1-86.7	471	15.1	13.3-16.9
Native	247	24,787	202	81.5	75.2-87.8	45	18.5	12.2-24.8
Non-Native	6640	552,733	5913	87.4	86.2-88.6	727	12.6	11.4-13.8
18-24	369	89,915	301	80.3	75.6-85.0	68	19.7	15.0-24.4
25-34	698	112,975	610	86.8	83.9-89.7	88	13.2	10.3-16.1
35-44	713	90,453	629	87.3	84.4-90.2	84	12.7	9.8-15.6
45-54	963	83,152	858	89.6	87.4-91.8	105	10.4	8.2-12.6
55-64	1652	95,214	1476	88.5	86.5-90.5	176	11.5	9.5-13.5
65+	2581	114,888	2314	89.5	88.1-90.9	267	10.5	9.1-11.9
Less Than H.S.	393	48,181	333	82.2	76.9-87.5	60	17.8	12.5-23.1
H.S. or G.E.D.	1966	157,568	1744	86.7	84.5-88.9	222	13.3	11.1-15.5
Some Post-H.S.	2247	229,451	1979	86.5	84.5-88.5	268	13.5	11.5-15.5
College Graduate	2351	149,864	2118	90.1	88.5-91.7	233	9.9	8.3-11.5
Less than \$15,000	426	42,711	351	80.5	75.0-86.0	75	19.5	14.0-25.0
\$15,000- 24,999	809	68,770	689	83.4	79.7-87.1	120	16.6	12.9-20.3
\$25,000- 34,999	604	48,259	536	86.8	82.7-90.9	68	13.2	9.1-17.3
\$35,000- 49,999	972	77,839	857	86.0	82.7-89.3	115	14.0	10.7-17.3
\$50,000- 74,999	1152	94,637	1054	90.4	88.0-92.8	98	9.6	7.2-12.0
\$75,000+	2223	189,338	1994	89.1	87.3-90.9	229	10.9	9.1-12.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3301	300,566	2984	89.2	87.6-90.8	317	10.8	9.2-12.4
Native	124	13,738	107	85.6	77.8-93.4	17	14.4	6.6-22.2
Non-Native	3122	281,084	2831	89.4	87.8-91.0	291	10.6	9.0-12.2
18-24	220	47,952	186	84.1	78.6-89.6	34	15.9	10.4-21.4
25-34	394	61,670	350	87.7	83.8-91.6	44	12.3	8.4-16.2
35-44	391	47,432	357	91.3	88.2-94.4	34	8.7	5.6-11.8
45-54	476	42,631	439	92.8	90.1-95.5	37	7.2	4.5- 9.9
55-64	778	48,509	692	88.3	85.6-91.0	86	11.7	9.0-14.4
65+	1042	52,371	960	91.7	89.5-93.9	82	8.3	6.1-10.5
Less Than H.S.	207	28,250	176	83.3	76.4-90.2	31	16.7	9.8-23.6
H.S. or G.E.D.	937	84,292	844	89.5	87.0-92.0	93	10.5	8.0-13.0
Some Post-H.S.	1050	116,186	942	88.7	86.2-91.2	108	11.3	8.8-13.8
College Graduate	1099	71,162	1015	92.0	89.8-94.2	84	8.0	5.8-10.2
Less than \$15,000	180	19,596	148	83.3	75.7-90.9	32	16.7	9.1-24.3
\$15,000- 24,999	301	30,526	259	85.4	80.3-90.5	42	14.6	9.5-19.7
\$25,000- 34,999	239	23,217	216	89.4	83.7-95.1	23	10.6	4.9-16.3
\$35,000- 49,999	478	37,990	436	90.6	87.3-93.9	42	9.4	6.1-12.7
\$50,000- 74,999	600	54,318	557	91.4	88.1-94.7	43	8.6	5.3-11.9
\$75,000+	1204	104,693	1093	89.7	87.3-92.1	111	10.3	7.9-12.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3675	286,031	3204	84.9	83.1-86.7	471	15.1	13.3-16.9
Native	123	11,049	95	76.4	66.4-86.4	28	23.6	13.6-33.6
Non-Native	3518	271,648	3082	85.3	83.5-87.1	436	14.7	12.9-16.5
18-24	149	41,963	115	76.0	68.4-83.6	34	24.0	16.4-31.6
25-34	304	51,305	260	85.8	81.1-90.5	44	14.2	9.5-18.9
35-44	322	43,021	272	82.8	77.9-87.7	50	17.2	12.3-22.1
45-54	487	40,521	419	86.2	82.7-89.7	68	13.8	10.3-17.3
55-64	874	46,705	784	88.8	86.3-91.3	90	11.2	8.7-13.7
65+	1539	62,517	1354	87.7	85.7-89.7	185	12.3	10.3-14.3
Less Than H.S.	186	19,931	157	80.5	72.3-88.7	29	19.5	11.3-27.7
H.S. or G.E.D.	1029	73,277	900	83.5	79.8-87.2	129	16.5	12.8-20.2
Some Post-H.S.	1197	113,265	1037	84.3	81.2-87.4	160	15.7	12.6-18.8
College Graduate	1252	78,702	1103	88.4	86.0-90.8	149	11.6	9.2-14.0
Less than \$15,000	246	23,115	203	78.2	70.4-86.0	43	21.8	14.0-29.6
\$15,000- 24,999	508	38,243	430	81.8	76.7-86.9	78	18.2	13.1-23.3
\$25,000- 34,999	365	25,042	320	84.4	78.5-90.3	45	15.6	9.7-21.5
\$35,000- 49,999	494	39,849	421	81.7	76.0-87.4	73	18.3	12.6-24.0
\$50,000- 74,999	552	40,319	497	89.2	85.7-92.7	55	10.8	7.3-14.3
\$75,000+	1019	84,645	901	88.4	85.7-91.1	118	11.6	8.9-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6960	585,080	6406	91.4	90.4-92.4	554	8.6	7.6- 9.6
Male	3292	299,644	3097	94.0	93.0-95.0	195	6.0	5.0- 7.0
Female	3668	285,436	3309	88.6	87.0-90.2	359	11.4	9.8-13.0
Native	247	24,787	214	87.9	83.0-92.8	33	12.1	7.2-17.0
Non-Native	6625	551,365	6116	91.6	90.6-92.6	509	8.4	7.4- 9.4
18-24	367	89,666	326	87.4	83.5-91.3	41	12.6	8.7-16.5
25-34	695	112,557	645	93.4	91.2-95.6	50	6.6	4.4- 8.8
35-44	712	90,272	653	90.7	88.2-93.2	59	9.3	6.8-11.8
45-54	958	82,659	882	92.3	90.3-94.3	76	7.7	5.7- 9.7
55-64	1650	95,128	1527	91.9	90.3-93.5	123	8.1	6.5- 9.7
65+	2578	114,797	2373	91.9	90.5-93.3	205	8.1	6.7- 9.5
Less Than H.S.	392	47,899	343	86.6	82.3-90.9	49	13.4	9.1-17.7
H.S. or G.E.D.	1958	156,989	1803	91.1	89.1-93.1	155	8.9	6.9-10.9
Some Post-H.S.	2245	229,319	2051	90.7	88.9-92.5	194	9.3	7.5-11.1
College Graduate	2346	149,340	2193	94.4	93.2-95.6	153	5.6	4.4- 6.8
Less than \$15,000	424	42,288	363	85.7	81.0-90.4	61	14.3	9.6-19.0
\$15,000- 24,999	809	68,770	709	85.7	82.2-89.2	100	14.3	10.8-17.8
\$25,000- 34,999	602	48,168	559	91.5	88.0-95.0	43	8.5	5.0-12.0
\$35,000- 49,999	969	77,597	887	90.0	87.1-92.9	82	10.0	7.1-12.9
\$50,000- 74,999	1152	94,637	1083	93.9	92.1-95.7	69	6.1	4.3- 7.9
\$75,000+	2218	188,810	2077	94.1	92.9-95.3	141	5.9	4.7- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3292	299,644	3097	94.0	93.0-95.0	195	6.0	5.0- 7.0
Native	124	13,738	115	93.6	88.7-98.5	9	6.4	1.5-11.3
Non-Native	3114	280,313	2936	94.1	92.9-95.3	178	5.9	4.7- 7.1
18-24	218	47,703	204	93.0	89.1-96.9	14	7.0	3.1-10.9
25-34	391	61,252	372	95.9	93.7-98.1	19	4.1	1.9- 6.3
35-44	391	47,432	367	93.0	90.1-95.9	24	7.0	4.1- 9.9
45-54	475	42,481	453	95.7	93.5-97.9	22	4.3	2.1- 6.5
55-64	777	48,479	720	92.2	89.8-94.6	57	7.8	5.4-10.2
65+	1040	52,297	981	94.0	92.2-95.8	59	6.0	4.2- 7.8
Less Than H.S.	206	27,968	180	87.3	81.6-93.0	26	12.7	7.0-18.4
H.S. or G.E.D.	932	83,812	877	94.5	92.7-96.3	55	5.5	3.7- 7.3
Some Post-H.S.	1049	116,123	985	94.1	92.3-95.9	64	5.9	4.1- 7.7
College Graduate	1097	71,066	1048	96.0	94.6-97.4	49	4.0	2.6- 5.4
Less than \$15,000	178	19,173	154	91.9	88.2-95.6	24	8.1	4.4-11.8
\$15,000- 24,999	301	30,526	270	88.8	84.3-93.3	31	11.2	6.7-15.7
\$25,000- 34,999	238	23,154	228	94.8	90.1-99.5	10	5.2	0.5- 9.9
\$35,000- 49,999	476	37,910	449	93.8	90.9-96.7	27	6.2	3.3- 9.1
\$50,000- 74,999	600	54,318	572	95.2	92.8-97.6	28	4.8	2.4- 7.2
\$75,000+	1202	104,499	1140	94.9	93.3-96.5	62	5.1	3.5- 6.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3668	285,436	3309	88.6	87.0-90.2	359	11.4	9.8-13.0
Native	123	11,049	99	80.9	71.9-89.9	24	19.1	10.1-28.1
Non-Native	3511	271,052	3180	89.0	87.4-90.6	331	11.0	9.4-12.6
18-24	149	41,963	122	81.1	74.0-88.2	27	18.9	11.8-26.0
25-34	304	51,305	273	90.5	86.6-94.4	31	9.5	5.6-13.4
35-44	321	42,840	286	88.1	83.8-92.4	35	11.9	7.6-16.2
45-54	483	40,178	429	88.7	85.4-92.0	54	11.3	8.0-14.6
55-64	873	46,649	807	91.6	89.2-94.0	66	8.4	6.0-10.8
65+	1538	62,501	1392	90.2	88.2-92.2	146	9.8	7.8-11.8
Less Than H.S.	186	19,931	163	85.6	78.7-92.5	23	14.4	7.5-21.3
H.S. or G.E.D.	1026	73,177	926	87.2	83.9-90.5	100	12.8	9.5-16.1
Some Post-H.S.	1196	113,196	1066	87.1	84.4-89.8	130	12.9	10.2-15.6
College Graduate	1249	78,275	1145	93.0	91.2-94.8	104	7.0	5.2- 8.8
Less than \$15,000	246	23,115	209	80.6	73.0-88.2	37	19.4	11.8-27.0
\$15,000- 24,999	508	38,243	439	83.2	78.1-88.3	69	16.8	11.7-21.9
\$25,000- 34,999	364	25,014	331	88.5	83.2-93.8	33	11.5	6.2-16.8
\$35,000- 49,999	493	39,687	438	86.3	81.2-91.4	55	13.7	8.6-18.8
\$50,000- 74,999	552	40,319	511	92.1	89.2-95.0	41	7.9	5.0-10.8
\$75,000+	1016	84,311	937	93.2	91.2-95.2	79	6.8	4.8- 8.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6960	585,080	554	8.6	7.6- 9.6	218	4.1	3.3- 4.9	6188	87.3	86.1-88.5
Male	3292	299,644	195	6.0	5.0- 7.0	113	4.6	3.6- 5.6	2984	89.5	88.1-90.9
Female	3668	285,436	359	11.4	9.8-13.0	105	3.6	2.6- 4.6	3204	85.0	83.2-86.8
Native	247	24,787	33	12.1	7.2-17.0	12	6.4	2.1-10.7	202	81.5	75.2-87.8
Non-Native	6625	551,365	509	8.4	7.4- 9.4	203	4.0	3.2- 4.8	5913	87.6	86.4-88.8
18-24	367	89,666	41	12.6	8.7-16.5	25	6.9	4.0- 9.8	301	80.5	75.8-85.2
25-34	695	112,557	50	6.6	4.4- 8.8	35	6.3	4.1- 8.5	610	87.1	84.2-90.0
35-44	712	90,272	59	9.3	6.8-11.8	24	3.3	1.7- 4.9	629	87.4	84.5-90.3
45-54	958	82,659	76	7.7	5.7- 9.7	24	2.2	1.2- 3.2	858	90.1	87.9-92.3
55-64	1650	95,128	123	8.1	6.5- 9.7	51	3.3	2.3- 4.3	1476	88.6	86.6-90.6
65+	2578	114,797	205	8.1	6.7- 9.5	59	2.3	1.7- 2.9	2314	89.6	88.2-91.0
Less Than H.S.	392	47,899	49	13.4	9.1-17.7	10	4.0	0.9- 7.1	333	82.7	77.6-87.8
H.S. or G.E.D.	1958	156,989	155	8.9	6.9-10.9	59	4.1	2.7- 5.5	1744	87.0	84.8-89.2
Some Post-H.S.	2245	229,319	194	9.3	7.5-11.1	72	4.1	2.9- 5.3	1979	86.6	84.6-88.6
College Graduate	2346	149,340	153	5.6	4.4- 6.8	75	4.0	2.8- 5.2	2118	90.4	88.8-92.0
Less than \$15,000	424	42,288	61	14.3	9.6-19.0	12	4.4	1.1- 7.7	351	81.3	75.8-86.8
\$15,000- 24,999	809	68,770	100	14.3	10.8-17.8	20	2.3	0.9- 3.7	689	83.4	79.7-87.1
\$25,000- 34,999	602	48,168	43	8.5	5.0-12.0	23	4.5	2.1- 6.9	536	87.0	82.9-91.1
\$35,000- 49,999	969	77,597	82	10.0	7.1-12.9	30	3.7	1.9- 5.5	857	86.3	83.0-89.6
\$50,000- 74,999	1152	94,637	69	6.1	4.3- 7.9	29	3.5	1.9- 5.1	1054	90.4	88.0-92.8
\$75,000+	2218	188,810	141	5.9	4.7- 7.1	83	4.8	3.6- 6.0	1994	89.4	87.6-91.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3292	299,644	195	6.0	5.0-7.0	113	4.6	3.6-5.6	2984	89.5	88.1-90.9
Native	124	13,738	9	6.4	1.5-11.3	8	8.0	1.5-14.5	107	85.6	77.8-93.4
Non-Native	3114	280,313	178	5.9	4.7-7.1	105	4.5	3.3-5.7	2831	89.6	88.0-91.2
18-24	218	47,703	14	7.0	3.1-10.9	18	8.4	4.3-12.5	186	84.5	79.0-90.0
25-34	391	61,252	19	4.1	1.9-6.3	22	7.7	4.4-11.0	350	88.3	84.4-92.2
35-44	391	47,432	24	7.0	4.1-9.9	10	1.8	0.4-3.2	357	91.3	88.2-94.4
45-54	475	42,481	22	4.3	2.1-6.5	14	2.6	0.8-4.4	439	93.1	90.4-95.8
55-64	777	48,479	57	7.8	5.4-10.2	28	3.9	2.3-5.5	692	88.3	85.6-91.0
65+	1040	52,297	59	6.0	4.2-7.8	21	2.2	1.2-3.2	960	91.8	89.6-94.0
Less Than H.S.	206	27,968	26	12.7	7.0-18.4	4	3.1	0.0-7.0	176	84.2	77.5-90.9
H.S. or G.E.D.	932	83,812	55	5.5	3.7-7.3	33	4.5	2.5-6.5	844	90.0	87.5-92.5
Some Post-H.S.	1049	116,123	64	5.9	4.1-7.7	43	5.3	3.3-7.3	942	88.8	86.3-91.3
College Graduate	1097	71,066	49	4.0	2.6-5.4	33	4.0	2.2-5.8	1015	92.1	89.9-94.3
Less than \$15,000	178	19,173	24	8.1	4.4-11.8	6	6.8	0.1-13.5	148	85.1	77.8-92.4
\$15,000- 24,999	301	30,526	31	11.2	6.7-15.7	11	3.5	0.6-6.4	259	85.4	80.3-90.5
\$25,000- 34,999	238	23,154	10	5.2	0.5-9.9	12	5.1	1.6-8.6	216	89.7	84.0-95.4
\$35,000- 49,999	476	37,910	27	6.2	3.3-9.1	13	3.1	1.1-5.1	436	90.8	87.5-94.1
\$50,000- 74,999	600	54,318	28	4.8	2.4-7.2	15	3.9	1.5-6.3	557	91.4	88.1-94.7
\$75,000+	1202	104,499	62	5.1	3.5-6.7	47	5.0	3.2-6.8	1093	89.9	87.5-92.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3668	285,436	359	11.4	9.8-13.0	105	3.6	2.6- 4.6	3204	85.0	83.2-86.8
Native	123	11,049	24	19.1	10.1-28.1	4	4.4	0.0-10.1	95	76.4	66.4-86.4
Non-Native	3511	271,052	331	11.0	9.4-12.6	98	3.5	2.5- 4.5	3082	85.5	83.7-87.3
18-24	149	41,963	27	18.9	11.8-26.0	7	5.1	1.2- 9.0	115	76.0	68.4-83.6
25-34	304	51,305	31	9.5	5.6-13.4	13	4.7	2.0- 7.4	260	85.8	81.1-90.5
35-44	321	42,840	35	11.9	7.6-16.2	14	4.9	2.2- 7.6	272	83.2	78.3-88.1
45-54	483	40,178	54	11.3	8.0-14.6	10	1.8	0.6- 3.0	419	86.9	83.6-90.2
55-64	873	46,649	66	8.4	6.0-10.8	23	2.7	1.5- 3.9	784	88.9	86.4-91.4
65+	1538	62,501	146	9.8	7.8-11.8	38	2.4	1.6- 3.2	1354	87.7	85.7-89.7
Less Than H.S.	186	19,931	23	14.4	7.5-21.3	6	5.1	0.0-10.6	157	80.5	72.3-88.7
H.S. or G.E.D.	1026	73,177	100	12.8	9.5-16.1	26	3.5	1.5- 5.5	900	83.6	79.9-87.3
Some Post-H.S.	1196	113,196	130	12.9	10.2-15.6	29	2.8	1.4- 4.2	1037	84.3	81.2-87.4
College Graduate	1249	78,275	104	7.0	5.2- 8.8	42	4.1	2.5- 5.7	1103	88.9	86.5-91.3
Less than \$15,000	246	23,115	37	19.4	11.8-27.0	6	2.4	0.0- 5.1	203	78.2	70.4-86.0
\$15,000- 24,999	508	38,243	69	16.8	11.7-21.9	9	1.4	0.4- 2.4	430	81.8	76.7-86.9
\$25,000- 34,999	364	25,014	33	11.5	6.2-16.8	11	4.0	0.9- 7.1	320	84.5	78.6-90.4
\$35,000- 49,999	493	39,687	55	13.7	8.6-18.8	17	4.2	1.5- 6.9	421	82.1	76.6-87.6
\$50,000- 74,999	552	40,319	41	7.9	5.0-10.8	14	2.9	0.7- 5.1	497	89.2	85.7-92.7
\$75,000+	1016	84,311	79	6.8	4.8- 8.8	36	4.4	2.6- 6.2	901	88.8	86.1-91.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6959	584,830	2321	24.3	23.1-25.5	4638	75.7	74.5-76.9
Male	3295	300,390	866	19.3	17.7-20.9	2429	80.7	79.1-82.3
Female	3664	284,441	1455	29.5	27.5-31.5	2209	70.5	68.5-72.5
Native	245	24,171	90	34.3	26.5-42.1	155	65.7	57.9-73.5
Non-Native	6625	551,596	2200	23.9	22.7-25.1	4425	76.1	74.9-77.3
18-24	367	89,593	13	4.3	1.6- 7.0	354	95.7	93.0-98.4
25-34	695	112,544	55	8.9	6.4-11.4	640	91.1	88.6-93.6
35-44	710	89,873	116	18.2	14.7-21.7	594	81.8	78.3-85.3
45-54	960	82,918	250	26.9	23.6-30.2	710	73.1	69.8-76.4
55-64	1651	95,142	611	36.1	33.4-38.8	1040	63.9	61.2-66.6
65+	2576	114,760	1276	47.8	45.4-50.2	1300	52.2	49.8-54.6
Less Than H.S.	392	48,417	169	33.8	27.7-39.9	223	66.2	60.1-72.3
H.S. or G.E.D.	1956	156,525	732	25.0	22.6-27.4	1224	75.0	72.6-77.4
Some Post-H.S.	2244	228,949	757	25.1	22.9-27.3	1487	74.9	72.7-77.1
College Graduate	2348	149,407	659	19.2	17.4-21.0	1689	80.8	79.0-82.6
Less than \$15,000	424	42,548	204	31.5	26.0-37.0	220	68.5	63.0-74.0
\$15,000- 24,999	806	68,348	361	34.3	30.0-38.6	445	65.7	61.4-70.0
\$25,000- 34,999	601	47,443	229	26.6	22.1-31.1	372	73.4	68.9-77.9
\$35,000- 49,999	970	77,705	352	26.3	23.0-29.6	618	73.7	70.4-77.0
\$50,000- 74,999	1149	94,441	347	22.2	19.3-25.1	802	77.8	74.9-80.7
\$75,000+	2222	189,617	576	19.6	17.6-21.6	1646	80.4	78.4-82.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3295	300,390	866	19.3	17.7-20.9	2429	80.7	79.1-82.3
Native	123	13,591	41	29.9	19.7-40.1	82	70.1	59.9-80.3
Non-Native	3116	281,019	806	18.6	17.0-20.2	2310	81.4	79.8-83.0
18-24	221	48,473	6	3.9	0.0- 8.0	215	96.1	92.0- 100
25-34	392	61,396	19	5.3	2.6- 8.0	373	94.7	92.0-97.4
35-44	390	47,322	50	13.5	9.6-17.4	340	86.5	82.6-90.4
45-54	474	42,417	107	22.5	18.0-27.0	367	77.5	73.0-82.0
55-64	777	48,436	263	32.8	28.9-36.7	514	67.2	63.3-71.1
65+	1041	52,346	421	39.9	36.4-43.4	620	60.1	56.6-63.6
Less Than H.S.	206	28,438	66	25.1	17.3-32.9	140	74.9	67.1-82.7
H.S. or G.E.D.	933	83,943	279	19.4	16.7-22.1	654	80.6	77.9-83.3
Some Post-H.S.	1050	116,338	269	19.0	16.5-21.5	781	81.0	78.5-83.5
College Graduate	1098	70,995	250	17.3	14.8-19.8	848	82.7	80.2-85.2
Less than \$15,000	181	19,655	63	21.6	15.1-28.1	118	78.4	71.9-84.9
\$15,000- 24,999	299	30,393	106	25.7	20.0-31.4	193	74.3	68.6-80.0
\$25,000- 34,999	238	23,079	59	15.7	10.8-20.6	179	84.3	79.4-89.2
\$35,000- 49,999	477	38,117	147	22.8	18.5-27.1	330	77.2	72.9-81.5
\$50,000- 74,999	599	54,208	150	19.5	15.6-23.4	449	80.5	76.6-84.4
\$75,000+	1204	104,990	279	17.7	15.0-20.4	925	82.3	79.6-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3664	284,441	1455	29.5	27.5-31.5	2209	70.5	68.5-72.5
Native	122	10,580	49	40.0	27.8-52.2	73	60.0	47.8-72.2
Non-Native	3509	270,577	1394	29.3	27.3-31.3	2115	70.7	68.7-72.7
18-24	146	41,120	7	4.8	1.1- 8.5	139	95.2	91.5-98.9
25-34	303	51,149	36	13.3	8.6-18.0	267	86.7	82.0-91.4
35-44	320	42,551	66	23.5	17.6-29.4	254	76.5	70.6-82.4
45-54	486	40,501	143	31.4	26.5-36.3	343	68.6	63.7-73.5
55-64	874	46,706	348	39.6	35.7-43.5	526	60.4	56.5-64.3
65+	1535	62,414	855	54.5	51.6-57.4	680	45.5	42.6-48.4
Less Than H.S.	186	19,978	103	46.1	36.5-55.7	83	53.9	44.3-63.5
H.S. or G.E.D.	1023	72,582	453	31.4	27.7-35.1	570	68.6	64.9-72.3
Some Post-H.S.	1194	112,611	488	31.4	28.1-34.7	706	68.6	65.3-71.9
College Graduate	1250	78,413	409	21.0	18.5-23.5	841	79.0	76.5-81.5
Less than \$15,000	243	22,892	141	40.0	31.4-48.6	102	60.0	51.4-68.6
\$15,000- 24,999	507	37,955	255	41.2	35.1-47.3	252	58.8	52.7-64.9
\$25,000- 34,999	363	24,363	170	36.9	29.6-44.2	193	63.1	55.8-70.4
\$35,000- 49,999	493	39,589	205	29.7	24.4-35.0	288	70.3	65.0-75.6
\$50,000- 74,999	550	40,234	197	25.7	21.0-30.4	353	74.3	69.6-79.0
\$75,000+	1018	84,627	297	22.0	19.1-24.9	721	78.0	75.1-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 7: ARTHRITIS BURDEN CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT1)	
1	MALES AND FEMALES	45
2	MALES ONLY	46
3	FEMALES ONLY	47
	LIMITED WORK ACTIVITIES (_LMTWRK1)	
4	MALES AND FEMALES	48
5	MALES ONLY	49
6	FEMALES ONLY	50
	LIMITED SOCIAL ACTIVITIES (_LMTSCL1)	
7	MALES AND FEMALES	51
8	MALES ONLY	52
9	FEMALES ONLY	53

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6946	583,970	1057	11.4	10.4-12.4	1251	12.8	11.8-13.8	4638	75.9	74.7-77.1
Male	3291	300,011	372	8.4	7.4- 9.4	490	10.7	9.5-11.9	2429	80.8	79.2-82.4
Female	3655	283,960	685	14.5	12.9-16.1	761	14.9	13.5-16.3	2209	70.6	68.6-72.6
Native	244	24,061	60	24.6	17.3-31.9	29	9.4	4.9-13.9	155	66.0	58.2-73.8
Non-Native	6613	550,845	979	10.8	9.8-11.8	1209	13.0	12.0-14.0	4425	76.2	75.0-77.4
18-24	367	89,593	3	1.2	0.0- 2.6	10	3.2	0.7- 5.7	354	95.7	93.0-98.4
25-34	695	112,544	27	4.0	2.2- 5.8	28	4.9	2.9- 6.9	640	91.1	88.6-93.6
35-44	708	89,666	57	10.4	7.5-13.3	57	7.7	5.3-10.1	594	82.0	78.5-85.5
45-54	959	82,892	118	13.7	11.0-16.4	131	13.1	10.6-15.6	710	73.2	69.9-76.5
55-64	1649	94,946	289	17.0	14.8-19.2	320	19.0	16.8-21.2	1040	64.0	61.3-66.7
65+	2568	114,329	563	21.1	19.1-23.1	705	26.6	24.6-28.6	1300	52.4	50.0-54.8
Less Than H.S.	389	48,144	85	17.7	13.0-22.4	81	15.6	10.9-20.3	223	66.6	60.5-72.7
H.S. or G.E.D.	1952	156,362	318	11.4	9.8-13.0	410	13.5	11.7-15.3	1224	75.1	72.7-77.5
Some Post-H.S.	2240	228,546	358	12.2	10.6-13.8	395	12.8	11.2-14.4	1487	75.0	72.8-77.2
College Graduate	2346	149,387	294	8.1	6.9- 9.3	363	11.1	9.7-12.5	1689	80.8	79.0-82.6
Less than \$15,000	423	42,485	133	22.3	17.4-27.2	70	9.1	6.2-12.0	220	68.6	62.9-74.3
\$15,000- 24,999	803	68,140	195	20.0	16.3-23.7	163	14.1	11.4-16.8	445	65.9	61.6-70.2
\$25,000- 34,999	598	47,264	101	12.8	9.3-16.3	125	13.5	10.4-16.6	372	73.7	69.2-78.2
\$35,000- 49,999	969	77,640	156	11.0	8.8-13.2	195	15.3	12.6-18.0	618	73.7	70.4-77.0
\$50,000- 74,999	1148	94,332	134	8.6	6.6-10.6	212	13.4	11.0-15.8	802	77.9	75.0-80.8
\$75,000+	2220	189,415	231	7.5	6.3- 8.7	343	12.1	10.3-13.9	1646	80.5	78.5-82.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3291	300,011	372	8.4	7.4- 9.4	490	10.7	9.5-11.9	2429	80.8	79.2-82.4
Native	123	13,591	26	18.6	10.0-27.2	15	11.3	4.2-18.4	82	70.1	59.9-80.3
Non-Native	3112	280,640	334	7.8	6.8- 8.8	468	10.7	9.3-12.1	2310	81.5	79.9-83.1
18-24	221	48,473				6	3.9	0.0- 8.0	215	96.1	92.0- 100
25-34	392	61,396	9	2.7	0.5- 4.9	10	2.6	0.6- 4.6	373	94.7	92.0-97.4
35-44	389	47,229	23	7.3	4.2-10.4	26	6.0	3.5- 8.5	340	86.7	82.8-90.6
45-54	474	42,417	43	8.9	6.0-11.8	64	13.5	9.8-17.2	367	77.5	73.0-82.0
55-64	777	48,436	126	16.0	13.1-18.9	137	16.8	13.7-19.9	514	67.2	63.3-71.1
65+	1038	52,060	171	16.7	14.0-19.4	247	22.9	20.0-25.8	620	60.5	57.0-64.0
Less Than H.S.	204	28,228	31	11.3	6.2-16.4	33	13.2	6.5-19.9	140	75.5	67.7-83.3
H.S. or G.E.D.	932	83,867	117	7.8	6.2- 9.4	161	11.5	9.1-13.9	654	80.7	78.0-83.4
Some Post-H.S.	1049	116,245	122	9.1	7.1-11.1	146	9.8	7.8-11.8	781	81.1	78.6-83.6
College Graduate	1098	70,995	101	6.9	5.3- 8.5	149	10.4	8.2-12.6	848	82.7	80.2-85.2
Less than \$15,000	181	19,655	38	13.2	8.1-18.3	25	8.4	4.5-12.3	118	78.4	71.9-84.9
\$15,000- 24,999	298	30,248	57	14.4	9.9-18.9	48	10.9	7.2-14.6	193	74.7	69.0-80.4
\$25,000- 34,999	236	22,911	25	6.5	3.6- 9.4	32	8.6	4.9-12.3	179	84.9	80.0-89.8
\$35,000- 49,999	476	38,051	53	9.0	6.1-11.9	93	13.7	10.4-17.0	330	77.3	73.0-81.6
\$50,000- 74,999	599	54,208	61	7.8	5.1-10.5	89	11.8	8.9-14.7	449	80.5	76.6-84.4
\$75,000+	1204	104,990	112	6.8	5.4- 8.2	167	10.9	8.5-13.3	925	82.3	79.6-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3655	283,960	685	14.5	12.9-16.1	761	14.9	13.5-16.3	2209	70.6	68.6-72.6
Native	121	10,470	34	32.4	20.4-44.4	14	7.0	2.3-11.7	73	60.6	48.4-72.8
Non-Native	3501	270,206	645	13.9	12.5-15.3	741	15.3	13.9-16.7	2115	70.8	68.8-72.8
18-24	146	41,120	3	2.5	0.0- 5.4	4	2.3	0.0- 4.7	139	95.2	91.5-98.9
25-34	303	51,149	18	5.6	2.5- 8.7	18	7.6	3.9-11.3	267	86.7	82.0-91.4
35-44	319	42,437	34	13.8	8.9-18.7	31	9.5	5.6-13.4	254	76.7	70.8-82.6
45-54	485	40,476	75	18.8	14.5-23.1	67	12.6	9.3-15.9	343	68.6	63.7-73.5
55-64	872	46,510	163	18.0	15.1-20.9	183	21.3	18.0-24.6	526	60.7	56.8-64.6
65+	1530	62,269	392	24.7	22.2-27.2	458	29.6	26.9-32.3	680	45.6	42.7-48.5
Less Than H.S.	185	19,916	54	26.8	18.4-35.2	48	19.1	12.4-25.8	83	54.1	44.5-63.7
H.S. or G.E.D.	1020	72,494	201	15.5	12.6-18.4	249	15.9	13.4-18.4	570	68.7	65.0-72.4
Some Post-H.S.	1191	112,300	236	15.4	12.9-17.9	249	15.9	13.4-18.4	706	68.8	65.5-72.1
College Graduate	1248	78,392	193	9.3	7.5-11.1	214	11.7	9.7-13.7	841	79.0	76.5-81.5
Less than \$15,000	242	22,830	95	30.0	22.2-37.8	45	9.8	5.5-14.1	102	60.2	51.6-68.8
\$15,000- 24,999	505	37,893	138	24.5	19.2-29.8	115	16.6	12.7-20.5	252	58.9	52.8-65.0
\$25,000- 34,999	362	24,353	76	18.8	12.9-24.7	93	18.1	13.2-23.0	193	63.2	55.9-70.5
\$35,000- 49,999	493	39,589	103	12.9	9.6-16.2	102	16.8	12.5-21.1	288	70.3	65.0-75.6
\$50,000- 74,999	549	40,124	73	9.8	6.7-12.9	123	15.7	11.8-19.6	353	74.5	69.8-79.2
\$75,000+	1016	84,425	119	8.3	6.5-10.1	176	13.5	11.0-16.0	721	78.2	75.3-81.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6927	582,819	723	8.3	7.5- 9.1	1566	15.7	14.7-16.7	4638	76.0	74.8-77.2
Male	3285	299,843	278	6.3	5.3- 7.3	578	12.9	11.5-14.3	2429	80.9	79.3-82.5
Female	3642	282,976	445	10.5	9.1-11.9	988	18.7	17.1-20.3	2209	70.8	68.8-72.8
Native	243	23,815	55	20.6	14.1-27.1	33	12.8	7.1-18.5	155	66.7	58.9-74.5
Non-Native	6596	549,997	656	7.8	7.0- 8.6	1515	15.9	14.9-16.9	4425	76.4	75.2-77.6
18-24	367	89,593	3	1.0	0.0- 2.2	10	3.3	0.8- 5.8	354	95.7	93.0-98.4
25-34	695	112,544	26	4.0	2.2- 5.8	29	5.0	3.0- 7.0	640	91.1	88.6-93.6
35-44	708	89,306	50	7.9	5.5-10.3	64	9.8	7.1-12.5	594	82.3	78.8-85.8
45-54	959	82,807	96	11.2	8.7-13.7	153	15.5	12.8-18.2	710	73.2	69.9-76.5
55-64	1647	94,915	213	13.1	11.1-15.1	394	22.8	20.4-25.2	1040	64.0	61.3-66.7
65+	2551	113,653	335	12.5	10.9-14.1	916	34.8	32.6-37.0	1300	52.7	50.3-55.1
Less Than H.S.	387	47,762	67	14.8	10.3-19.3	97	18.1	13.2-23.0	223	67.1	61.0-73.2
H.S. or G.E.D.	1948	155,855	241	9.2	7.6-10.8	483	15.5	13.7-17.3	1224	75.4	73.0-77.8
Some Post-H.S.	2233	228,505	238	8.1	6.7- 9.5	508	16.9	15.1-18.7	1487	75.1	72.9-77.3
College Graduate	2340	149,164	175	5.7	4.7- 6.7	476	13.4	11.8-15.0	1689	80.9	79.1-82.7
Less than \$15,000	419	42,097	114	19.0	14.5-23.5	85	11.8	8.5-15.1	220	69.2	63.7-74.7
\$15,000- 24,999	802	67,972	138	14.4	11.3-17.5	219	19.5	16.2-22.8	445	66.1	61.8-70.4
\$25,000- 34,999	597	47,370	74	12.0	8.5-15.5	151	14.4	11.3-17.5	372	73.6	69.1-78.1
\$35,000- 49,999	964	77,516	101	8.6	6.4-10.8	245	17.5	14.8-20.2	618	73.8	70.5-77.1
\$50,000- 74,999	1148	94,395	84	5.1	3.5- 6.7	262	17.0	14.3-19.7	802	77.9	75.0-80.8
\$75,000+	2219	189,456	141	4.9	3.9- 5.9	432	14.7	12.9-16.5	1646	80.5	78.5-82.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3285	299,843	278	6.3	5.3- 7.3	578	12.9	11.5-14.3	2429	80.9	79.3-82.5
Native	122	13,537	23	13.9	7.0-20.8	17	15.7	7.1-24.3	82	70.4	60.2-80.6
Non-Native	3107	280,526	244	5.7	4.7- 6.7	553	12.7	11.3-14.1	2310	81.5	79.9-83.1
18-24	221	48,473				6	3.9	0.0- 8.0	215	96.1	92.0- 100
25-34	392	61,396	8	2.1	0.3- 3.9	11	3.2	1.0- 5.4	373	94.7	92.0-97.4
35-44	390	47,322	23	5.7	3.2- 8.2	27	7.8	4.5-11.1	340	86.5	82.6-90.4
45-54	473	42,306	31	7.1	4.4- 9.8	75	15.2	11.3-19.1	367	77.7	73.2-82.2
55-64	774	48,243	98	12.5	9.8-15.2	162	20.1	16.8-23.4	514	67.4	63.5-71.3
65+	1035	52,102	118	11.0	8.8-13.2	297	28.6	25.5-31.7	620	60.4	56.9-63.9
Less Than H.S.	205	28,373	29	9.6	5.1-14.1	36	15.3	8.2-22.4	140	75.1	67.3-82.9
H.S. or G.E.D.	929	83,650	95	6.9	5.3- 8.5	180	12.2	9.8-14.6	654	80.9	78.2-83.6
Some Post-H.S.	1047	116,223	82	5.6	4.2- 7.0	184	13.2	11.0-15.4	781	81.1	78.6-83.6
College Graduate	1096	70,921	71	5.2	3.8- 6.6	177	12.0	9.8-14.2	848	82.8	80.3-85.3
Less than \$15,000	181	19,655	40	14.0	8.7-19.3	23	7.6	3.9-11.3	118	78.4	71.9-84.9
\$15,000- 24,999	297	30,228	46	11.7	7.6-15.8	58	13.6	9.3-17.9	193	74.7	69.0-80.4
\$25,000- 34,999	237	23,060	25	6.1	3.4- 8.8	33	9.5	5.4-13.6	179	84.4	79.5-89.3
\$35,000- 49,999	475	38,038	34	6.2	3.8- 8.6	111	16.4	12.7-20.1	330	77.3	73.0-81.6
\$50,000- 74,999	598	54,161	36	4.0	2.0- 6.0	113	15.5	12.0-19.0	449	80.5	76.6-84.4
\$75,000+	1203	104,944	77	5.0	3.6- 6.4	201	12.7	10.2-15.2	925	82.3	79.6-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3642	282,976	445	10.5	9.1-11.9	988	18.7	17.1-20.3	2209	70.8	68.8-72.8
Native	121	10,278	32	29.4	18.0-40.8	16	8.9	3.2-14.6	73	61.7	49.7-73.7
Non-Native	3489	269,471	412	9.9	8.5-11.3	962	19.1	17.5-20.7	2115	71.0	69.0-73.0
18-24	146	41,120	3	2.3	0.0- 4.8	4	2.5	0.0- 5.2	139	95.2	91.5-98.9
25-34	303	51,149	18	6.2	2.9- 9.5	18	7.1	3.6-10.6	267	86.7	82.0-91.4
35-44	318	41,984	27	10.4	6.1-14.7	37	12.1	7.6-16.6	254	77.5	71.8-83.2
45-54	486	40,501	65	15.6	11.5-19.7	78	15.8	12.1-19.5	343	68.6	63.7-73.5
55-64	873	46,672	115	13.8	11.1-16.5	232	25.7	22.2-29.2	526	60.5	56.6-64.4
65+	1516	61,551	217	13.8	11.8-15.8	619	40.1	37.2-43.0	680	46.2	43.3-49.1
Less Than H.S.	182	19,389	38	22.2	13.8-30.6	61	22.2	15.3-29.1	83	55.5	45.9-65.1
H.S. or G.E.D.	1019	72,205	146	11.8	9.3-14.3	303	19.3	16.6-22.0	570	68.9	65.2-72.6
Some Post-H.S.	1186	112,282	156	10.6	8.4-12.8	324	20.6	17.7-23.5	706	68.8	65.3-72.3
College Graduate	1244	78,242	104	6.3	4.7- 7.9	299	14.6	12.4-16.8	841	79.1	76.6-81.6
Less than \$15,000	238	22,441	74	23.3	16.2-30.4	62	15.5	10.0-21.0	102	61.2	52.6-69.8
\$15,000- 24,999	505	37,744	92	16.6	12.1-21.1	161	24.3	19.4-29.2	252	59.1	53.0-65.2
\$25,000- 34,999	360	24,309	49	17.6	11.5-23.7	118	19.1	14.4-23.8	193	63.3	56.0-70.6
\$35,000- 49,999	489	39,478	67	10.9	7.4-14.4	134	18.6	14.5-22.7	288	70.5	65.2-75.8
\$50,000- 74,999	550	40,234	48	6.7	4.3- 9.1	149	19.0	14.7-23.3	353	74.3	69.6-79.0
\$75,000+	1016	84,512	64	4.7	3.3- 6.1	231	17.1	14.4-19.8	721	78.1	75.2-81.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 7: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6950	584,114	321	3.9	3.3- 4.5	620	6.7	5.9- 7.5	1371	13.6	12.6-14.6	4638	75.8	74.6-77.0
Male	3292	300,161	88	1.9	1.3- 2.5	213	5.1	4.3- 5.9	562	12.2	10.8-13.6	2429	80.8	79.2-82.4
Female	3658	283,953	233	5.9	4.9- 6.9	407	8.4	7.2- 9.6	809	15.1	13.7-16.5	2209	70.6	68.6-72.6
Native	245	24,171	36	13.0	7.5-18.5	24	10.2	5.1-15.3	30	11.1	6.0-16.2	155	65.7	57.9-73.5
Non-Native	6616	550,880	279	3.5	2.9- 4.1	584	6.5	5.7- 7.3	1328	13.8	12.8-14.8	4425	76.2	75.0-77.4
18-24	367	89,593				6	1.7	0.3- 3.1	7	2.6	0.2- 5.0	354	95.7	93.0-98.4
25-34	695	112,544	8	1.6	0.4- 2.8	15	2.2	0.8- 3.6	32	5.1	3.1- 7.1	640	91.1	88.6-93.6
35-44	709	89,704	21	4.2	2.2- 6.2	36	5.7	3.5- 7.9	58	8.1	5.7-10.5	594	81.9	78.4-85.4
45-54	958	82,776	40	5.2	3.4- 7.0	68	7.8	5.6-10.0	140	13.7	11.2-16.2	710	73.3	70.0-76.6
55-64	1649	94,938	90	5.8	4.4- 7.2	154	9.4	7.6-11.2	365	20.8	18.4-23.2	1040	64.0	61.3-66.7
65+	2572	114,558	162	6.3	5.1- 7.5	341	12.7	11.1-14.3	769	28.7	26.5-30.9	1300	52.3	49.9-54.7
Less Than H.S.	391	48,347	45	10.4	6.7-14.1	51	10.5	6.8-14.2	72	12.8	8.3-17.3	223	66.3	60.2-72.4
H.S. or G.E.D.	1952	156,301	113	4.6	3.4- 5.8	203	6.5	5.3- 7.7	412	13.7	11.9-15.5	1224	75.1	72.7-77.5
Some Post-H.S.	2240	228,526	96	3.2	2.4- 4.0	210	7.4	6.2- 8.6	447	14.3	12.5-16.1	1487	75.0	72.8-77.2
College Graduate	2348	149,407	66	2.0	1.4- 2.6	156	4.6	3.6- 5.6	437	12.7	11.1-14.3	1689	80.8	79.0-82.6
Less than \$15,000	423	42,497	65	13.1	9.0-17.2	65	10.1	6.8-13.4	73	8.2	5.7-10.7	220	68.6	62.9-74.3
\$15,000- 24,999	804	68,099	83	8.8	6.3-11.3	104	9.3	6.9-11.7	172	16.0	12.9-19.1	445	65.9	61.6-70.2
\$25,000- 34,999	600	47,421	28	4.3	2.1- 6.5	74	8.5	5.8-11.2	126	13.8	10.7-16.9	372	73.5	69.0-78.0
\$35,000- 49,999	969	77,681	40	3.5	2.1- 4.9	95	7.5	5.5- 9.5	216	15.3	12.8-17.8	618	73.7	70.4-77.0
\$50,000- 74,999	1149	94,441	35	1.9	1.1- 2.7	81	5.6	3.8- 7.4	231	14.7	12.2-17.2	802	77.8	74.9-80.7
\$75,000+	2220	189,401	35	1.2	0.8- 1.6	137	4.8	3.8- 5.8	402	13.6	11.8-15.4	1646	80.5	78.5-82.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 8: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3292	300,161	88	1.9	1.3- 2.5	213	5.1	4.3- 5.9	562	12.2	10.8-13.6	2429	80.8	79.2-82.4
Native	123	13,591	12	6.2	1.9-10.5	13	10.5	3.6-17.4	16	13.1	5.3-20.9	82	70.1	59.9-80.3
Non-Native	3113	280,790	71	1.7	1.3- 2.1	192	4.7	3.9- 5.5	540	12.2	10.8-13.6	2310	81.4	79.8-83.0
18-24	221	48,473				1	0.6	0.0- 1.8	5	3.3	0.0- 7.2	215	96.1	92.0- 100
25-34	392	61,396	1	0.5	0.0- 1.5	5	1.6	0.0- 3.4	13	3.3	1.3- 5.3	373	94.7	92.0-97.4
35-44	390	47,322	7	2.0	0.4- 3.6	18	4.7	2.3- 7.1	25	6.7	3.8- 9.6	340	86.5	82.6-90.4
45-54	474	42,417	9	2.1	0.7- 3.5	23	5.6	3.1- 8.1	75	14.8	11.1-18.5	367	77.5	73.0-82.0
55-64	775	48,232	33	4.1	2.5- 5.7	63	8.1	5.7-10.5	165	20.3	17.0-23.6	514	67.4	63.5-71.3
65+	1040	52,321	38	3.3	2.1- 4.5	103	10.6	8.2-13.0	279	26.0	22.9-29.1	620	60.2	56.7-63.7
Less Than H.S.	206	28,438	14	5.0	2.1- 7.9	17	7.0	2.7-11.3	35	13.2	6.5-19.9	140	74.9	67.1-82.7
H.S. or G.E.D.	931	83,867	35	2.4	1.4- 3.4	66	4.7	3.3- 6.1	176	12.2	9.8-14.6	654	80.7	78.0-83.4
Some Post-H.S.	1049	116,185	16	1.1	0.5- 1.7	73	5.4	3.8- 7.0	179	12.4	10.2-14.6	781	81.1	78.6-83.6
College Graduate	1098	70,995	22	1.5	0.7- 2.3	57	4.4	3.0- 5.8	171	11.4	9.4-13.4	848	82.7	80.2-85.2
Less than \$15,000	180	19,605	22	8.6	4.3-12.9	22	7.6	3.9-11.3	18	5.3	2.4- 8.2	118	78.6	72.1-85.1
\$15,000- 24,999	299	30,393	14	2.9	1.1- 4.7	37	10.0	6.1-13.9	55	12.8	8.9-16.7	193	74.3	68.6-80.0
\$25,000- 34,999	238	23,079	5	1.6	0.0- 3.2	18	4.2	2.0- 6.4	36	9.9	5.8-14.0	179	84.3	79.4-89.2
\$35,000- 49,999	476	38,092	11	2.0	0.6- 3.4	29	5.1	2.9- 7.3	106	15.7	12.2-19.2	330	77.2	72.9-81.5
\$50,000- 74,999	599	54,208	11	0.9	0.3- 1.5	36	5.1	2.7- 7.5	103	13.4	10.3-16.5	449	80.5	76.6-84.4
\$75,000+	1203	104,837	18	1.0	0.4- 1.6	60	3.7	2.7- 4.7	200	12.9	10.4-15.4	925	82.4	79.7-85.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 9: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3658	283,953	233	5.9	4.9- 6.9	407	8.4	7.2- 9.6	809	15.1	13.7-16.5	2209	70.6	68.6-72.6
Native	122	10,580	24	21.7	11.3-32.1	11	9.9	2.1-17.7	14	8.5	3.0-14.0	73	60.0	47.8-72.2
Non-Native	3503	270,089	208	5.4	4.4- 6.4	392	8.4	7.2- 9.6	788	15.4	14.0-16.8	2115	70.8	68.8-72.8
18-24	146	41,120				5	3.0	0.3- 5.7	2	1.7	0.0- 4.2	139	95.2	91.5-98.9
25-34	303	51,149	7	3.0	0.5- 5.5	10	3.0	0.6- 5.4	19	7.3	3.8-10.8	267	86.7	82.0-91.4
35-44	319	42,382	14	6.7	2.8-10.6	18	6.8	3.3-10.3	33	9.7	6.0-13.4	254	76.8	71.1-82.5
45-54	484	40,359	31	8.5	5.2-11.8	45	10.1	6.8-13.4	65	12.6	9.3-15.9	343	68.8	63.9-73.7
55-64	874	46,706	57	7.6	5.4- 9.8	91	10.7	8.2-13.2	200	21.3	18.2-24.4	526	60.4	56.5-64.3
65+	1532	62,237	124	8.8	7.0-10.6	238	14.5	12.3-16.7	490	31.0	28.3-33.7	680	45.7	42.8-48.6
Less Than H.S.	185	19,909	31	18.1	10.5-25.7	34	15.6	8.9-22.3	37	12.2	7.1-17.3	83	54.1	44.5-63.7
H.S. or G.E.D.	1021	72,434	78	7.2	5.0- 9.4	137	8.7	6.7-10.7	236	15.4	12.9-17.9	570	68.7	65.0-72.4
Some Post-H.S.	1191	112,341	80	5.5	3.9- 7.1	137	9.5	7.5-11.5	268	16.3	13.8-18.8	706	68.7	65.4-72.0
College Graduate	1250	78,413	44	2.4	1.4- 3.4	99	4.8	3.6- 6.0	266	13.8	11.6-16.0	841	79.0	76.5-81.5
Less than \$15,000	243	22,892	43	17.0	10.5-23.5	43	12.3	7.0-17.6	55	10.7	6.8-14.6	102	60.0	51.4-68.6
\$15,000- 24,999	505	37,706	69	13.6	9.3-17.9	67	8.7	6.0-11.4	117	18.5	14.0-23.0	252	59.2	53.1-65.3
\$25,000- 34,999	362	24,342	23	6.8	3.1-10.5	56	12.5	7.6-17.4	90	17.5	12.6-22.4	193	63.2	55.9-70.5
\$35,000- 49,999	493	39,589	29	5.0	2.8- 7.2	66	9.8	6.7-12.9	110	14.8	11.1-18.5	288	70.3	65.0-75.6
\$50,000- 74,999	550	40,234	24	3.1	1.5- 4.7	45	6.2	3.5- 8.9	128	16.4	12.5-20.3	353	74.3	69.6-79.0
\$75,000+	1017	84,564	17	1.3	0.5- 2.1	77	6.1	4.5- 7.7	202	14.5	12.0-17.0	721	78.1	75.2-81.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	57
2 MALES ONLY	58
3 FEMALES ONLY	59
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	60
5 MALES ONLY	61
6 FEMALES ONLY	62
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	63
8 MALES ONLY	64
9 FEMALES ONLY	65
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	66
11 MALES ONLY	67
12 FEMALES ONLY	68
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	69
14 MALES ONLY	70
15 FEMALES ONLY	71
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	72
17 MALES ONLY	73
18 FEMALES ONLY	74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19	MALES AND FEMALES	75
20	MALES ONLY	76
21	FEMALES ONLY	77
	REPORTED HEIGHT IN INCHES (HTIN4).	
22	MALES AND FEMALES	78
23	MALES ONLY	79
24	FEMALES ONLY	80
	REPORTED HEIGHT IN METERS (HTM4).	
25	MALES AND FEMALES	81
26	MALES ONLY	82
27	FEMALES ONLY	83
	REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28	MALES AND FEMALES	84
29	MALES ONLY	85
30	FEMALES ONLY	86
	BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31	MALES AND FEMALES	87
32	MALES ONLY	88
33	FEMALES ONLY	89
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34	MALES AND FEMALES	90
35	MALES ONLY	91
36	FEMALES ONLY	92
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37	MALES AND FEMALES	93
38	MALES ONLY	94
39	FEMALES ONLY	95

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	96
41	MALES ONLY	97
42	FEMALES ONLY	98
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	99
44	MALES ONLY	100
45	FEMALES ONLY	101
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	102
47	MALES ONLY	103
48	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6915	579,929	6494	89.7	88.5-90.9	76	3.1	2.3- 3.9	274	5.0	4.2- 5.8	51	1.6	1.0- 2.2	10	0.3	0.1- 0.5	10	0.3	0.1- 0.5
Male	3260	295,974	3036	88.8	87.0-90.6	48	3.5	2.3- 4.7	140	5.5	4.3- 6.7	27	1.6	1.0- 2.2	3	0.2	0.0- 0.4	6	0.4	0.0- 0.8
Female	3655	283,955	3458	90.6	88.8-92.4	28	2.7	1.5- 3.9	134	4.5	3.5- 5.5	24	1.6	0.8- 2.4	7	0.4	0.0- 0.8	4	0.2	0.0- 0.4
18-24	365	88,614	306	80.9	76.0-85.8	20	9.4	5.3-13.5	29	6.5	3.8- 9.2	7	2.4	0.4- 4.4	1	0.4	0.0- 1.2	2	0.5	0.0- 1.1
25-34	690	111,957	589	83.5	80.2-86.8	26	5.1	2.9- 7.3	53	7.4	5.0- 9.8	15	2.7	1.3- 4.1	3	0.5	0.0- 1.1	4	0.7	0.0- 1.5
35-44	706	89,171	632	88.4	85.5-91.3	15	2.7	1.3- 4.1	44	5.3	3.3- 7.3	13	3.0	1.2- 4.8	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6
45-54	950	81,747	872	91.0	88.6-93.4	10	1.5	0.5- 2.5	57	5.8	4.0- 7.6	7	1.0	0.2- 1.8	2	0.5	0.0- 1.3	2	0.2	0.0- 0.4
55-64	1638	94,356	1567	95.0	93.6-96.4	4	0.3	0.0- 0.7	59	4.1	2.9- 5.3	6	0.5	0.1- 0.9	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3
65+	2566	114,083	2528	98.0	97.2-98.8	1	0.1	0.0- 0.3	32	1.6	1.0- 2.2	3	0.1	0.0- 0.3	2	0.1	0.0- 0.3			
Less Than H.S.	395	48,910	353	81.7	75.6-87.8	3	3.2	0.0- 7.1	32	11.5	6.8-16.2	4	1.9	0.0- 3.9	1	0.6	0.0- 1.8	2	1.1	0.0- 2.7
H.S. or G.E.D.	1943	154,690	1810	88.6	86.2-91.0	24	4.1	2.3- 5.9	99	6.0	4.6- 7.4	5	0.6	0.0- 1.4	2	0.4	0.0- 1.0	3	0.4	0.0- 0.8
Some Post-H.S.	2228	226,119	2090	90.1	88.1-92.1	26	3.3	1.9- 4.7	92	5.1	3.9- 6.3	13	1.3	0.5- 2.1	5	0.2	0.0- 0.4	2	0.0	0.0- 0.0
College Graduate	2333	148,965	2226	92.8	91.2-94.4	23	1.9	0.9- 2.9	51	1.9	1.1- 2.7	28	2.8	1.6- 4.0	2	0.3	0.0- 0.7	3	0.3	0.0- 0.7
Less than \$15,000	421	42,727	350	75.3	69.0-81.6	10	6.8	2.3-11.3	53	14.1	9.4-18.8	4	2.5	0.0- 5.2	1	0.7	0.0- 2.1	3	0.6	0.0- 1.4
\$15,000- 24,999	803	67,934	712	80.9	76.4-85.4	15	5.2	2.1- 8.3	65	11.0	7.9-14.1	8	2.5	0.5- 4.5	2	0.2	0.0- 0.4	1	0.3	0.0- 0.9
\$25,000- 34,999	598	46,883	545	82.4	76.9-87.9	16	10.1	5.0-15.2	35	7.0	3.9-10.1	2	0.5	0.0- 1.3						
\$35,000- 49,999	969	77,751	932	93.5	91.0-96.0	12	2.6	1.0- 4.2	17	1.9	0.7- 3.1	6	1.3	0.1- 2.5	1	0.5	0.0- 1.5	1	0.1	0.0- 0.3
\$50,000- 74,999	1142	92,924	1092	94.2	92.0-96.4	5	0.7	0.0- 1.7	34	2.9	1.5- 4.3	9	1.7	0.3- 3.1	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6
\$75,000+	2210	188,448	2143	95.1	93.5-96.7	9	1.2	0.2- 2.2	42	2.5	1.5- 3.5	13	1.0	0.4- 1.6	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3260	295,974	3036	88.8	87.0-90.6	48	3.5	2.3- 4.7	140	5.5	4.3- 6.7	27	1.6	1.0- 2.2	3	0.2	0.0- 0.4	6	0.4	0.0- 0.8
18-24	217	46,936	178	79.9	73.2-86.6	10	8.3	3.0-13.6	23	8.9	4.8-13.0	4	2.1	0.0- 4.3				2	0.9	0.0- 2.1
25-34	387	60,896	328	82.0	77.5-86.5	18	6.4	3.5- 9.3	27	7.0	4.1- 9.9	11	3.6	1.4- 5.8	1	0.1	0.0- 0.3	2	0.9	0.0- 2.1
35-44	386	46,719	340	86.7	82.6-90.8	12	3.9	1.5- 6.3	24	5.5	3.0- 8.0	8	2.8	0.6- 5.0	1	0.6	0.0- 1.8	1	0.4	0.0- 1.2
45-54	467	41,621	437	92.0	88.7-95.3	5	1.3	0.1- 2.5	23	5.8	3.1- 8.5	1	0.2	0.0- 0.6	1	0.7	0.0- 2.1			
55-64	766	47,771	729	94.4	92.2-96.6	3	0.4	0.0- 1.0	31	4.7	2.7- 6.7	2	0.4	0.0- 1.0				1	0.1	0.0- 0.3
65+	1037	52,032	1024	98.7	97.9-99.5				12	1.3	0.5- 2.1	1	0.1	0.0- 0.3						
Less Than H.S.	210	29,135	189	83.0	74.8-91.2	2	4.6	0.0-10.9	15	8.6	3.5-13.7	1	1.1	0.0- 3.3	1	1.0	0.0- 3.0	2	1.8	0.0- 4.3
H.S. or G.E.D.	920	82,137	835	86.3	83.0-89.6	14	3.8	1.6- 6.0	66	8.5	6.1-10.9	2	0.6	0.0- 1.6	1	0.3	0.0- 0.9	2	0.5	0.0- 1.3
Some Post-H.S.	1036	113,577	970	90.4	87.9-92.9	17	3.7	1.9- 5.5	42	4.7	2.9- 6.5	6	1.2	0.2- 2.2				1	0.0	0.0- 0.0
College Graduate	1087	70,509	1036	91.5	89.0-94.0	15	2.5	1.1- 3.9	17	2.2	0.8- 3.6	17	3.4	1.6- 5.2	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6
Less than \$15,000	180	19,911	147	77.6	68.8-86.4	3	4.4	0.0-10.1	26	14.7	7.6-21.8	1	0.7	0.0- 2.1	1	1.5	0.0- 4.4	2	1.1	0.0- 2.9
\$15,000- 24,999	297	30,095	246	75.2	68.1-82.3	10	6.1	2.2-10.0	34	14.4	8.7-20.1	6	3.7	0.2- 7.2				1	0.6	0.0- 1.8
\$25,000- 34,999	234	21,859	207	80.3	72.5-88.1	10	11.9	4.8-19.0	15	6.7	2.8-10.6	2	1.1	0.0- 2.7						
\$35,000- 49,999	475	37,902	456	94.0	90.9-97.1	8	3.3	0.8- 5.8	9	1.8	0.4- 3.2	2	0.8	0.0- 2.0						
\$50,000- 74,999	594	53,158	569	93.6	90.7-96.5	3	0.5	0.0- 1.1	15	2.9	1.1- 4.7	5	2.1	0.0- 4.3	1	0.5	0.0- 1.5	1	0.4	0.0- 1.2
\$75,000+	1191	103,829	1155	94.8	92.6-97.0	7	1.8	0.0- 3.6	22	2.4	1.2- 3.6	6	0.7	0.1- 1.3				1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3655	283,955	3458	90.6	88.8-92.4	28	2.7	1.5- 3.9	134	4.5	3.5- 5.5	24	1.6	0.8- 2.4	7	0.4	0.0- 0.8	4	0.2	0.0- 0.4
18-24	148	41,679	128	82.0	74.6-89.4	10	10.7	4.2-17.2	6	3.7	0.4- 7.0	3	2.8	0.0- 5.9	1	0.9	0.0- 2.7			
25-34	303	51,062	261	85.3	80.4-90.2	8	3.6	0.9- 6.3	26	8.0	4.3-11.7	4	1.6	0.0- 3.4	2	1.0	0.0- 2.4	2	0.5	0.0- 1.3
35-44	320	42,452	292	90.3	86.0-94.6	3	1.3	0.0- 2.9	20	5.1	2.2- 8.0	5	3.3	0.4- 6.2						
45-54	483	40,127	435	90.0	86.9-93.1	5	1.7	0.1- 3.3	34	5.8	3.4- 8.2	6	1.9	0.3- 3.5	1	0.2	0.0- 0.6	2	0.4	0.0- 1.0
55-64	872	46,585	838	95.7	93.9-97.5	1	0.2	0.0- 0.6	28	3.4	1.8- 5.0	4	0.6	0.0- 1.2	1	0.1	0.0- 0.3			
65+	1529	62,051	1504	97.5	96.3-98.7	1	0.2	0.0- 0.6	20	1.9	0.9- 2.9	2	0.2	0.0- 0.4	2	0.2	0.0- 0.4			
Less Than H.S.	185	19,775	164	79.8	70.6-89.0	1	1.2	0.0- 3.6	17	15.9	7.3-24.5	3	3.1	0.0- 7.0						
H.S. or G.E.D.	1023	72,553	975	91.1	87.8-94.4	10	4.4	1.5- 7.3	33	3.3	1.9- 4.7	3	0.6	0.0- 1.6	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3
Some Post-H.S.	1192	112,543	1120	89.8	86.9-92.7	9	2.9	0.9- 4.9	50	5.4	3.6- 7.2	7	1.5	0.1- 2.9	5	0.4	0.0- 0.8	1	0.0	0.0- 0.0
College Graduate	1246	78,456	1190	93.9	91.7-96.1	8	1.4	0.2- 2.6	34	1.6	1.0- 2.2	11	2.3	0.7- 3.9	1	0.5	0.0- 1.5	2	0.4	0.0- 1.0
Less than \$15,000	241	22,816	203	73.2	64.2-82.2	7	8.9	2.2-15.6	27	13.6	7.3-19.9	3	4.1	0.0- 9.0				1	0.2	0.0- 0.6
\$15,000- 24,999	506	37,839	466	85.4	79.7-91.1	5	4.5	0.0- 9.0	31	8.3	4.8-11.8	2	1.5	0.0- 3.7	2	0.3	0.0- 0.7			
\$25,000- 34,999	364	25,023	338	84.1	76.3-91.9	6	8.5	1.4-15.6	20	7.4	2.9-11.9									
\$35,000- 49,999	494	39,849	476	93.1	89.2-97.0	4	2.0	0.0- 4.2	8	2.0	0.0- 4.0	4	1.7	0.0- 3.7	1	0.9	0.0- 2.7	1	0.2	0.0- 0.6
\$50,000- 74,999	548	39,766	523	95.0	92.1-97.9	2	1.0	0.0- 3.0	19	2.8	0.8- 4.8	4	1.2	0.0- 2.4						
\$75,000+	1019	84,619	988	95.3	93.1-97.5	2	0.4	0.0- 1.0	20	2.6	1.0- 4.2	7	1.3	0.1- 2.5	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6915	579,929	6456	88.6	87.4-89.8	73	3.0	2.2- 3.8	255	4.5	3.7- 5.3	50	1.5	0.9- 2.1	10	0.3	0.1- 0.5	71	2.0	1.4- 2.6
Male	3260	295,974	3020	88.0	86.2-89.8	46	3.4	2.2- 4.6	128	4.8	3.8- 5.8	26	1.5	0.9- 2.1	3	0.2	0.0- 0.4	37	2.1	1.3- 2.9
Female	3655	283,955	3436	89.1	87.3-90.9	27	2.7	1.5- 3.9	127	4.2	3.2- 5.2	24	1.6	0.8- 2.4	7	0.4	0.0- 0.8	34	2.0	1.2- 2.8
18-24	365	88,614	300	79.2	74.1-84.3	20	9.4	5.3-13.5	26	5.8	3.3- 8.3	7	2.4	0.4- 4.4	1	0.4	0.0- 1.2	11	2.8	1.0- 4.6
25-34	690	111,957	577	80.9	77.2-84.6	24	4.9	2.9- 6.9	46	6.2	4.0- 8.4	14	2.3	0.9- 3.7	3	0.5	0.0- 1.1	26	5.2	3.0- 7.4
35-44	706	89,171	627	87.7	84.8-90.6	14	2.5	1.1- 3.9	41	4.8	3.0- 6.6	13	3.0	1.2- 4.8	1	0.3	0.0- 0.9	10	1.8	0.6- 3.0
45-54	950	81,747	868	90.6	88.2-93.0	10	1.5	0.5- 2.5	54	5.3	3.7- 6.9	7	1.0	0.2- 1.8	2	0.5	0.0- 1.3	9	1.1	0.1- 2.1
55-64	1638	94,356	1560	94.4	92.8-96.0	4	0.3	0.0- 0.7	59	4.1	2.9- 5.3	6	0.5	0.1- 0.9	1	0.0	0.0- 0.0	8	0.7	0.1- 1.3
65+	2566	114,083	2524	97.8	97.0-98.6	1	0.1	0.0- 0.3	29	1.5	0.9- 2.1	3	0.1	0.0- 0.3	2	0.1	0.0- 0.3	7	0.3	0.1- 0.5
Less Than H.S.	395	48,910	353	81.7	75.6-87.8	3	3.2	0.0- 7.1	30	9.9	5.6-14.2	4	1.9	0.0- 3.9	1	0.6	0.0- 1.8	4	2.7	0.0- 5.4
H.S. or G.E.D.	1943	154,690	1795	86.7	84.2-89.2	24	4.1	2.3- 5.9	94	5.8	4.4- 7.2	5	0.6	0.0- 1.4	2	0.4	0.0- 1.0	23	2.4	1.2- 3.6
Some Post-H.S.	2228	226,119	2079	89.1	86.9-91.3	25	3.2	1.8- 4.6	82	4.4	3.2- 5.6	12	1.2	0.4- 2.0	5	0.2	0.0- 0.4	25	2.0	1.0- 3.0
College Graduate	2333	148,965	2215	92.0	90.2-93.8	21	1.7	0.9- 2.5	49	1.7	1.1- 2.3	28	2.8	1.6- 4.0	2	0.3	0.0- 0.7	18	1.5	0.7- 2.3
Less than \$15,000	421	42,727	346	74.1	67.6-80.6	10	6.8	2.3-11.3	51	13.9	9.2-18.6	4	2.5	0.0- 5.2	1	0.7	0.0- 2.1	9	1.9	0.0- 3.9
\$15,000- 24,999	803	67,934	708	80.1	75.6-84.6	15	5.2	2.1- 8.3	60	9.5	6.6-12.4	8	2.5	0.5- 4.5	2	0.2	0.0- 0.4	10	2.6	0.6- 4.6
\$25,000- 34,999	598	46,883	544	82.0	76.5-87.5	15	9.9	4.8-15.0	32	6.5	3.6- 9.4	2	0.5	0.0- 1.3				5	1.1	0.1- 2.1
\$35,000- 49,999	969	77,751	928	92.8	90.3-95.3	12	2.6	1.0- 4.2	17	1.9	0.7- 3.1	6	1.3	0.1- 2.5	1	0.5	0.0- 1.5	5	0.9	0.0- 1.9
\$50,000- 74,999	1142	92,924	1088	93.2	90.8-95.6	5	0.7	0.0- 1.7	31	2.7	1.3- 4.1	8	1.3	0.3- 2.3	1	0.3	0.0- 0.9	9	1.9	0.3- 3.5
\$75,000+	2210	188,448	2129	93.8	92.0-95.6	8	1.1	0.1- 2.1	39	2.2	1.2- 3.2	13	1.0	0.4- 1.6	1	0.1	0.0- 0.3	20	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3260	295,974	3020	88.0	86.2-89.8	46	3.4	2.2- 4.6	128	4.8	3.8- 5.8	26	1.5	0.9- 2.1	3	0.2	0.0- 0.4	37	2.1	1.3- 2.9
18-24	217	46,936	175	78.2	71.3-85.1	10	8.3	3.0-13.6	20	7.7	3.8-11.6	4	2.1	0.0- 4.3				8	3.8	1.1- 6.5
25-34	387	60,896	324	80.8	76.1-85.5	16	6.0	3.1- 8.9	23	5.7	3.2- 8.2	10	2.9	0.9- 4.9	1	0.1	0.0- 0.3	13	4.4	1.7- 7.1
35-44	386	46,719	340	86.7	82.6-90.8	12	3.9	1.5- 6.3	22	4.8	2.4- 7.2	8	2.8	0.6- 5.0	1	0.6	0.0- 1.8	3	1.2	0.0- 2.6
45-54	467	41,621	434	91.3	88.0-94.6	5	1.3	0.1- 2.5	21	4.9	2.5- 7.3	1	0.2	0.0- 0.6	1	0.7	0.0- 2.1	5	1.6	0.0- 3.4
55-64	766	47,771	725	93.7	91.3-96.1	3	0.4	0.0- 1.0	31	4.7	2.7- 6.7	2	0.4	0.0- 1.0				5	0.9	0.0- 1.9
65+	1037	52,032	1022	98.5	97.5-99.5				11	1.2	0.4- 2.0	1	0.1	0.0- 0.3				3	0.2	0.0- 0.4
Less Than H.S.	210	29,135	189	83.0	74.8-91.2	2	4.6	0.0-10.9	13	5.8	2.1- 9.5	1	1.1	0.0- 3.3	1	1.0	0.0- 3.0	4	4.6	0.1- 9.1
H.S. or G.E.D.	920	82,137	829	84.8	81.3-88.3	14	3.8	1.6- 6.0	63	8.2	5.8-10.6	2	0.6	0.0- 1.6	1	0.3	0.0- 0.9	11	2.3	0.7- 3.9
Some Post-H.S.	1036	113,577	966	89.9	87.2-92.6	16	3.6	1.8- 5.4	37	4.0	2.4- 5.6	5	0.8	0.0- 1.6				12	1.7	0.5- 2.9
College Graduate	1087	70,509	1030	90.9	88.4-93.4	14	2.3	0.9- 3.7	15	1.8	0.6- 3.0	17	3.4	1.6- 5.2	1	0.1	0.0- 0.3	10	1.5	0.5- 2.5
Less than \$15,000	180	19,911	144	75.3	66.1-84.5	3	4.4	0.0-10.1	25	14.5	7.4-21.6	1	0.7	0.0- 2.1	1	1.5	0.0- 4.4	6	3.5	0.0- 7.6
\$15,000- 24,999	297	30,095	245	75.0	67.9-82.1	10	6.1	2.2-10.0	31	12.3	7.2-17.4	6	3.7	0.2- 7.2				5	3.0	0.0- 6.1
\$25,000- 34,999	234	21,859	206	79.6	71.8-87.4	9	11.4	4.3-18.5	13	5.8	2.1- 9.5	2	1.1	0.0- 2.7				4	2.0	0.0- 4.2
\$35,000- 49,999	475	37,902	454	93.1	89.8-96.4	8	3.3	0.8- 5.8	9	1.8	0.4- 3.2	2	0.8	0.0- 2.0				2	0.9	0.0- 2.5
\$50,000- 74,999	594	53,158	568	93.0	89.9-96.1	3	0.5	0.0- 1.1	13	2.7	0.9- 4.5	4	1.4	0.0- 3.0	1	0.5	0.0- 1.5	5	2.0	0.0- 4.0
\$75,000+	1191	103,829	1148	94.0	91.6-96.4	7	1.8	0.0- 3.6	21	2.2	1.0- 3.4	6	0.7	0.1- 1.3				9	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3655	283,955	3436	89.1	87.3-90.9	27	2.7	1.5- 3.9	127	4.2	3.2- 5.2	24	1.6	0.8- 2.4	7	0.4	0.0- 0.8	34	2.0	1.2- 2.8
18-24	148	41,679	125	80.3	72.7-87.9	10	10.7	4.2-17.2	6	3.7	0.4- 7.0	3	2.8	0.0- 5.9	1	0.9	0.0- 2.7	3	1.7	0.0- 3.9
25-34	303	51,062	253	80.9	75.2-86.6	8	3.6	0.9- 6.3	23	6.9	3.4-10.4	4	1.6	0.0- 3.4	2	1.0	0.0- 2.4	13	6.1	2.6- 9.6
35-44	320	42,452	287	88.7	84.2-93.2	2	0.9	0.0- 2.3	19	4.6	1.9- 7.3	5	3.3	0.4- 6.2				7	2.5	0.5- 4.5
45-54	483	40,127	434	89.9	86.8-93.0	5	1.7	0.1- 3.3	33	5.7	3.3- 8.1	6	1.9	0.3- 3.5	1	0.2	0.0- 0.6	4	0.6	0.0- 1.2
55-64	872	46,585	835	95.1	93.3-96.9	1	0.2	0.0- 0.6	28	3.4	1.8- 5.0	4	0.6	0.0- 1.2	1	0.1	0.0- 0.3	3	0.6	0.0- 1.4
65+	1529	62,051	1502	97.3	96.1-98.5	1	0.2	0.0- 0.6	18	1.7	0.7- 2.7	2	0.2	0.0- 0.4	2	0.2	0.0- 0.4	4	0.5	0.1- 0.9
Less Than H.S.	185	19,775	164	79.8	70.6-89.0	1	1.2	0.0- 3.6	17	15.9	7.3-24.5	3	3.1	0.0- 7.0						
H.S. or G.E.D.	1023	72,553	966	88.8	85.1-92.5	10	4.4	1.5- 7.3	31	3.1	1.7- 4.5	3	0.6	0.0- 1.6	1	0.4	0.0- 1.2	12	2.6	0.8- 4.4
Some Post-H.S.	1192	112,543	1113	88.3	85.2-91.4	9	2.9	0.9- 4.9	45	4.7	2.9- 6.5	7	1.5	0.1- 2.9	5	0.4	0.0- 0.8	13	2.2	0.6- 3.8
College Graduate	1246	78,456	1185	93.0	90.6-95.4	7	1.1	0.1- 2.1	34	1.6	1.0- 2.2	11	2.3	0.7- 3.9	1	0.5	0.0- 1.5	8	1.5	0.3- 2.7
Less than \$15,000	241	22,816	202	73.1	64.1-82.1	7	8.9	2.2-15.6	26	13.4	7.1-19.7	3	4.1	0.0- 9.0				3	0.5	0.0- 1.1
\$15,000- 24,999	506	37,839	463	84.2	78.3-90.1	5	4.5	0.0- 9.0	29	7.3	4.2-10.4	2	1.5	0.0- 3.7	2	0.3	0.0- 0.7	5	2.2	0.0- 4.6
\$25,000- 34,999	364	25,023	338	84.1	76.3-91.9	6	8.5	1.4-15.6	19	7.1	2.6-11.6							1	0.3	0.0- 0.9
\$35,000- 49,999	494	39,849	474	92.5	88.6-96.4	4	2.0	0.0- 4.2	8	2.0	0.0- 4.0	4	1.7	0.0- 3.7	1	0.9	0.0- 2.7	3	0.9	0.0- 2.1
\$50,000- 74,999	548	39,766	520	93.4	89.7-97.1	2	1.0	0.0- 3.0	18	2.7	0.9- 4.5	4	1.2	0.0- 2.4				4	1.7	0.0- 4.1
\$75,000+	1019	84,619	981	93.5	91.0-96.0	1	0.1	0.0- 0.3	18	2.1	0.5- 3.7	7	1.3	0.1- 2.5	1	0.2	0.0- 0.6	11	2.7	0.9- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6902	579,448	6398	87.0	85.6-88.4	70	2.9	2.1- 3.7	257	4.6	3.8- 5.4	45	1.3	0.9- 1.7	66	1.9	1.3- 2.5	66	2.3	1.7- 2.9
Male	3258	296,545	2991	86.1	84.1-88.1	45	3.3	2.1- 4.5	127	4.9	3.9- 5.9	24	1.3	0.7- 1.9	34	1.9	1.1- 2.7	37	2.5	1.5- 3.5
Female	3644	282,903	3407	87.9	85.9-89.9	25	2.4	1.2- 3.6	130	4.3	3.3- 5.3	21	1.3	0.7- 1.9	32	1.9	1.1- 2.7	29	2.2	1.2- 3.2
18-24	368	89,481	290	75.4	70.1-80.7	19	9.0	4.9-13.1	24	5.5	3.0- 8.0	7	2.4	0.6- 4.2	11	2.8	1.0- 4.6	17	5.0	2.5- 7.5
25-34	688	111,349	563	78.1	74.2-82.0	22	4.4	2.4- 6.4	47	6.3	4.1- 8.5	12	2.0	0.8- 3.2	24	4.6	2.4- 6.8	20	4.6	2.4- 6.8
35-44	706	88,971	623	87.2	84.1-90.3	14	2.5	1.1- 3.9	42	5.1	3.1- 7.1	11	2.1	0.7- 3.5	9	1.6	0.4- 2.8	7	1.6	0.2- 3.0
45-54	950	81,839	859	89.0	86.5-91.5	10	1.5	0.5- 2.5	54	5.6	3.8- 7.4	7	1.0	0.2- 1.8	8	1.0	0.0- 2.0	12	2.0	0.8- 3.2
55-64	1636	94,371	1555	93.9	92.3-95.5	4	0.3	0.0- 0.7	60	4.1	2.9- 5.3	5	0.5	0.1- 0.9	7	0.7	0.1- 1.3	5	0.6	0.0- 1.2
65+	2554	113,437	2508	97.5	96.7-98.3	1	0.1	0.0- 0.3	30	1.5	0.9- 2.1	3	0.1	0.0- 0.3	7	0.3	0.1- 0.5	5	0.4	0.0- 0.8
Less Than H.S.	391	48,242	346	79.9	73.6-86.2	3	3.3	0.0- 7.2	28	9.1	5.0-13.2	3	1.2	0.0- 2.6	3	2.0	0.0- 4.4	8	4.5	1.2- 7.8
H.S. or G.E.D.	1938	154,587	1774	84.8	82.3-87.3	21	3.5	1.9- 5.1	92	5.9	4.3- 7.5	4	0.6	0.0- 1.2	21	2.1	1.1- 3.1	26	3.1	1.7- 4.5
Some Post-H.S.	2226	226,488	2063	87.6	85.4-89.8	25	3.2	1.8- 4.6	87	4.6	3.4- 5.8	10	0.8	0.2- 1.4	24	1.9	0.9- 2.9	17	1.9	0.9- 2.9
College Graduate	2332	148,946	2202	90.7	88.7-92.7	21	1.7	0.9- 2.5	50	1.8	1.0- 2.6	27	2.7	1.5- 3.9	17	1.5	0.7- 2.3	15	1.6	0.6- 2.6
Less than \$15,000	419	42,775	340	72.7	66.2-79.2	10	6.8	2.3-11.3	49	13.6	9.1-18.1	4	2.5	0.0- 5.2	9	1.9	0.0- 3.9	7	2.5	0.3- 4.7
\$15,000- 24,999	797	67,325	698	79.1	74.6-83.6	13	4.4	1.5- 7.3	60	9.5	6.6-12.4	7	2.3	0.3- 4.3	10	2.6	0.6- 4.6	9	2.2	0.6- 3.8
\$25,000- 34,999	596	47,062	534	78.0	72.1-83.9	15	9.8	4.9-14.7	32	6.5	3.6- 9.4	2	0.5	0.0- 1.3	5	1.1	0.1- 2.1	8	4.1	1.2- 7.0
\$35,000- 49,999	969	77,842	921	90.8	87.9-93.7	12	2.6	1.0- 4.2	17	1.9	0.7- 3.1	6	1.3	0.1- 2.5	5	0.9	0.0- 1.9	8	2.4	0.6- 4.2
\$50,000- 74,999	1147	93,926	1082	90.6	87.7-93.5	5	0.7	0.0- 1.5	31	2.8	1.4- 4.2	8	1.3	0.3- 2.3	8	1.6	0.2- 3.0	13	3.1	1.3- 4.9
\$75,000+	2209	188,240	2119	93.1	91.3-94.9	8	1.1	0.1- 2.1	39	2.2	1.2- 3.2	11	0.7	0.3- 1.1	18	1.7	0.9- 2.5	14	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3258	296,545	2991	86.1	84.3-87.9	45	3.3	2.1- 4.5	127	4.9	3.9- 5.9	24	1.3	0.7- 1.9	34	1.9	1.1- 2.7	37	2.5	1.5- 3.5
18-24	219	47,518	171	75.2	68.1-82.3	10	8.2	2.9-13.5	18	7.0	3.3-10.7	4	2.0	0.0- 4.2	8	3.7	1.0- 6.4	8	3.9	1.0- 6.8
25-34	386	60,685	316	77.6	72.5-82.7	15	5.6	2.9- 8.3	23	5.6	3.1- 8.1	8	2.3	0.7- 3.9	12	3.9	1.4- 6.4	12	5.2	2.1- 8.3
35-44	387	46,891	337	85.3	81.0-89.6	12	3.9	1.5- 6.3	23	5.4	2.9- 7.9	8	2.8	0.6- 5.0	2	0.7	0.0- 1.7	5	1.9	0.1- 3.7
45-54	469	42,025	430	89.1	85.4-92.8	5	1.3	0.1- 2.5	21	5.5	2.8- 8.2	1	0.2	0.0- 0.6	5	1.6	0.0- 3.4	7	2.4	0.6- 4.2
55-64	765	47,810	721	92.8	90.3-95.3	3	0.4	0.0- 1.0	31	4.7	2.7- 6.7	2	0.4	0.0- 1.0	4	0.7	0.0- 1.5	4	1.0	0.0- 2.0
65+	1032	51,616	1016	98.4	97.4-99.4				11	1.2	0.4- 2.0	1	0.1	0.0- 0.3	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3
Less Than H.S.	207	28,860	183	79.4	70.8-88.0	2	4.6	0.0-11.1	13	6.8	2.7-10.9	1	1.1	0.0- 3.3	3	3.4	0.0- 7.3	5	4.8	0.3- 9.3
H.S. or G.E.D.	920	82,499	820	82.7	79.0-86.4	13	3.4	1.4- 5.4	62	8.2	5.7-10.7	2	0.6	0.0- 1.6	10	2.0	0.6- 3.4	13	3.0	1.2- 4.8
Some Post-H.S.	1039	114,138	961	88.3	85.4-91.2	16	3.5	1.7- 5.3	37	4.0	2.4- 5.6	4	0.6	0.0- 1.4	11	1.7	0.5- 2.9	10	2.0	0.6- 3.4
College Graduate	1086	70,490	1022	89.6	86.9-92.3	14	2.3	0.9- 3.7	15	1.6	0.6- 2.6	16	3.2	1.6- 4.8	10	1.5	0.5- 2.5	9	1.9	0.7- 3.1
Less than \$15,000	179	19,894	141	73.3	63.9-82.7	3	4.4	0.0-10.1	25	15.9	8.5-23.3	1	0.7	0.0- 2.1	6	3.5	0.0- 7.6	3	2.1	0.0- 5.0
\$15,000- 24,999	294	29,551	240	73.7	66.6-80.8	9	5.2	1.5- 8.9	30	12.3	7.2-17.4	5	3.3	0.0- 6.8	5	3.0	0.0- 6.1	5	2.4	0.2- 4.6
\$25,000- 34,999	235	22,280	204	75.8	67.4-84.2	9	11.2	4.1-18.3	13	5.7	2.0- 9.4	2	1.1	0.0- 2.7	4	2.0	0.0- 4.0	3	4.2	0.0- 9.1
\$35,000- 49,999	475	37,993	451	92.4	88.9-95.9	8	3.3	0.8- 5.8	9	1.8	0.4- 3.2	2	0.8	0.0- 2.0	2	0.9	0.0- 2.5	3	0.8	0.0- 1.8
\$50,000- 74,999	599	54,160	564	89.3	85.4-93.2	3	0.5	0.0- 1.1	13	2.8	0.8- 4.8	4	1.4	0.0- 3.0	4	1.6	0.0- 3.4	11	4.5	1.8- 7.2
\$75,000+	1191	103,915	1141	92.9	90.4-95.4	7	1.8	0.0- 3.6	20	2.0	1.0- 3.0	6	0.7	0.1- 1.3	8	1.1	0.3- 1.9	9	1.4	0.4- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3644	282,903	3407	87.9	85.9-89.9	25	2.4	1.2- 3.6	130	4.3	3.3- 5.3	21	1.3	0.7- 1.9	32	1.9	1.1- 2.7	29	2.2	1.2- 3.2
18-24	149	41,963	119	75.6	67.6-83.6	9	10.0	3.7-16.3	6	3.7	0.4- 7.0	3	2.7	0.0- 5.8	3	1.7	0.0- 3.7	9	6.3	2.2-10.4
25-34	302	50,664	247	78.7	72.8-84.6	7	2.9	0.4- 5.4	24	7.2	3.5-10.9	4	1.6	0.0- 3.4	12	5.5	2.0- 9.0	8	4.0	1.3- 6.7
35-44	319	42,080	286	89.2	84.9-93.5	2	0.9	0.0- 2.3	19	4.7	2.0- 7.4	3	1.4	0.0- 3.0	7	2.5	0.3- 4.7	2	1.3	0.0- 3.3
45-54	481	39,814	429	88.8	85.5-92.1	5	1.7	0.0- 3.5	33	5.7	3.3- 8.1	6	2.0	0.4- 3.6	3	0.3	0.0- 0.7	5	1.5	0.1- 2.9
55-64	871	46,561	834	95.1	93.3-96.9	1	0.2	0.0- 0.6	29	3.5	1.9- 5.1	3	0.5	0.0- 1.1	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3
65+	1522	61,822	1492	96.8	95.4-98.2	1	0.2	0.0- 0.6	19	1.7	0.7- 2.7	2	0.2	0.0- 0.4	4	0.5	0.1- 0.9	4	0.7	0.0- 1.5
Less Than H.S.	184	19,382	163	80.7	71.7-89.7	1	1.2	0.0- 3.6	15	12.6	4.8-20.4	2	1.3	0.0- 3.1				3	4.2	0.0- 9.3
H.S. or G.E.D.	1018	72,087	954	87.3	83.6-91.0	8	3.6	0.9- 6.3	30	3.2	1.6- 4.8	2	0.5	0.0- 1.5	11	2.2	0.6- 3.8	13	3.2	1.2- 5.2
Some Post-H.S.	1187	112,349	1102	86.9	83.6-90.2	9	2.9	0.9- 4.9	50	5.1	3.3- 6.9	6	1.1	0.1- 2.1	13	2.2	0.6- 3.8	7	1.8	0.4- 3.2
College Graduate	1246	78,456	1180	91.7	89.2-94.2	7	1.1	0.1- 2.1	35	2.1	0.9- 3.3	11	2.3	0.7- 3.9	7	1.4	0.2- 2.6	6	1.4	0.2- 2.6
Less than \$15,000	240	22,881	199	72.2	63.2-81.2	7	8.8	2.1-15.5	24	11.5	5.8-17.2	3	4.1	0.0- 9.0	3	0.5	0.0- 1.1	4	2.8	0.0- 6.1
\$15,000- 24,999	503	37,774	458	83.3	77.4-89.2	4	3.7	0.0- 8.0	30	7.3	4.2-10.4	2	1.5	0.0- 3.7	5	2.3	0.0- 4.7	4	2.0	0.0- 4.2
\$25,000- 34,999	361	24,783	330	80.0	71.8-88.2	6	8.6	1.5-15.7	19	7.1	2.6-11.6				1	0.3	0.0- 0.9	5	4.0	0.3- 7.7
\$35,000- 49,999	494	39,849	470	89.4	84.7-94.1	4	2.0	0.0- 4.2	8	2.0	0.0- 4.0	4	1.7	0.0- 3.7	3	0.9	0.0- 2.1	5	4.0	0.5- 7.5
\$50,000- 74,999	548	39,766	518	92.2	88.3-96.1	2	1.0	0.0- 3.0	18	2.7	0.9- 4.5	4	1.2	0.0- 2.4	4	1.7	0.0- 4.1	2	1.2	0.0- 3.0
\$75,000+	1018	84,325	978	93.3	90.8-95.8	1	0.1	0.0- 0.3	19	2.4	0.8- 4.0	5	0.7	0.0- 1.5	10	2.3	0.7- 3.9	5	1.1	0.0- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6902	579,448	6398	87.0	85.6-88.4	504	13.0	11.6-14.4
Male	3258	296,545	2991	86.1	84.1-88.1	267	13.9	11.9-15.9
Female	3644	282,903	3407	87.9	85.9-89.9	237	12.1	10.1-14.1
18-24	368	89,481	290	75.4	70.1-80.7	78	24.6	19.3-29.9
25-34	688	111,349	563	78.1	74.2-82.0	125	21.9	18.0-25.8
35-44	706	88,971	623	87.2	84.1-90.3	83	12.8	9.7-15.9
45-54	950	81,839	859	89.0	86.5-91.5	91	11.0	8.5-13.5
55-64	1636	94,371	1555	93.9	92.3-95.5	81	6.1	4.5- 7.7
65+	2554	113,437	2508	97.5	96.7-98.3	46	2.5	1.7- 3.3
Less Than H.S.	391	48,242	346	79.9	73.6-86.2	45	20.1	13.8-26.4
H.S. or G.E.D.	1938	154,587	1774	84.8	82.3-87.3	164	15.2	12.7-17.7
Some Post-H.S.	2226	226,488	2063	87.6	85.4-89.8	163	12.4	10.2-14.6
College Graduate	2332	148,946	2202	90.7	88.7-92.7	130	9.3	7.3-11.3
Less than \$15,000	419	42,775	340	72.7	66.2-79.2	79	27.3	20.8-33.8
\$15,000- 24,999	797	67,325	698	79.1	74.6-83.6	99	20.9	16.4-25.4
\$25,000- 34,999	596	47,062	534	78.0	72.1-83.9	62	22.0	16.1-27.9
\$35,000- 49,999	969	77,842	921	90.8	87.9-93.7	48	9.2	6.3-12.1
\$50,000- 74,999	1147	93,926	1082	90.6	87.7-93.5	65	9.4	6.5-12.3
\$75,000+	2209	188,240	2119	93.1	91.3-94.9	90	6.9	5.1- 8.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3258	296,545	2991	86.1	84.3-87.9	267	13.9	12.1-15.7
18-24	219	47,518	171	75.2	68.1-82.3	48	24.8	17.7-31.9
25-34	386	60,685	316	77.6	72.5-82.7	70	22.4	17.3-27.5
35-44	387	46,891	337	85.3	81.0-89.6	50	14.7	10.4-19.0
45-54	469	42,025	430	89.1	85.4-92.8	39	10.9	7.2-14.6
55-64	765	47,810	721	92.8	90.3-95.3	44	7.2	4.7- 9.7
65+	1032	51,616	1016	98.4	97.4-99.4	16	1.6	0.6- 2.6
Less Than H.S.	207	28,860	183	79.4	70.8-88.0	24	20.6	12.0-29.2
H.S. or G.E.D.	920	82,499	820	82.7	79.0-86.4	100	17.3	13.6-21.0
Some Post-H.S.	1039	114,138	961	88.3	85.4-91.2	78	11.7	8.8-14.6
College Graduate	1086	70,490	1022	89.6	86.9-92.3	64	10.4	7.7-13.1
Less than \$15,000	179	19,894	141	73.3	63.9-82.7	38	26.7	17.3-36.1
\$15,000- 24,999	294	29,551	240	73.7	66.6-80.8	54	26.3	19.2-33.4
\$25,000- 34,999	235	22,280	204	75.8	67.4-84.2	31	24.2	15.8-32.6
\$35,000- 49,999	475	37,993	451	92.4	88.9-95.9	24	7.6	4.1-11.1
\$50,000- 74,999	599	54,160	564	89.3	85.4-93.2	35	10.7	6.8-14.6
\$75,000+	1191	103,915	1141	92.9	90.4-95.4	50	7.1	4.6- 9.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3644	282,903	3407	87.9	85.9-89.9	237	12.1	10.1-14.1
18-24	149	41,963	119	75.6	67.6-83.6	30	24.4	16.4-32.4
25-34	302	50,664	247	78.7	72.8-84.6	55	21.3	15.4-27.2
35-44	319	42,080	286	89.2	84.9-93.5	33	10.8	6.5-15.1
45-54	481	39,814	429	88.8	85.5-92.1	52	11.2	7.9-14.5
55-64	871	46,561	834	95.1	93.3-96.9	37	4.9	3.1- 6.7
65+	1522	61,822	1492	96.8	95.4-98.2	30	3.2	1.8- 4.6
Less Than H.S.	184	19,382	163	80.7	71.7-89.7	21	19.3	10.3-28.3
H.S. or G.E.D.	1018	72,087	954	87.3	83.6-91.0	64	12.7	9.0-16.4
Some Post-H.S.	1187	112,349	1102	86.9	83.6-90.2	85	13.1	9.8-16.4
College Graduate	1246	78,456	1180	91.7	89.2-94.2	66	8.3	5.8-10.8
Less than \$15,000	240	22,881	199	72.2	63.2-81.2	41	27.8	18.8-36.8
\$15,000- 24,999	503	37,774	458	83.3	77.4-89.2	45	16.7	10.8-22.6
\$25,000- 34,999	361	24,783	330	80.0	71.8-88.2	31	20.0	11.8-28.2
\$35,000- 49,999	494	39,849	470	89.4	84.7-94.1	24	10.6	5.9-15.3
\$50,000- 74,999	548	39,766	518	92.2	88.3-96.1	30	7.8	3.9-11.7
\$75,000+	1018	84,325	978	93.3	90.8-95.8	40	6.7	4.2- 9.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6902	579,448	6398	87.0	85.6-88.4	70	2.9	2.1- 3.7	306	6.0	5.2- 6.8	62	1.8	1.2- 2.4	66	2.3	1.7- 2.9
Male	3258	296,545	2991	86.1	84.1-88.1	45	3.3	2.1- 4.5	154	6.3	5.1- 7.5	31	1.7	0.9- 2.5	37	2.5	1.5- 3.5
Female	3644	282,903	3407	87.9	85.9-89.9	25	2.4	1.2- 3.6	152	5.7	4.5- 6.9	31	1.8	1.0- 2.6	29	2.2	1.2- 3.2
18-24	368	89,481	290	75.4	70.1-80.7	19	9.0	4.9-13.1	32	8.1	5.0-11.2	10	2.5	0.7- 4.3	17	5.0	2.5- 7.5
25-34	688	111,349	563	78.1	74.2-82.0	22	4.4	2.4- 6.4	61	8.6	6.1-11.1	22	4.3	2.1- 6.5	20	4.6	2.4- 6.8
35-44	706	88,971	623	87.2	84.1-90.3	14	2.5	1.1- 3.9	53	7.2	4.8- 9.6	9	1.6	0.4- 2.8	7	1.6	0.2- 3.0
45-54	950	81,839	859	89.0	86.5-91.5	10	1.5	0.5- 2.5	61	6.6	4.6- 8.6	8	1.0	0.0- 2.0	12	2.0	0.8- 3.2
55-64	1636	94,371	1555	93.9	92.3-95.5	4	0.3	0.0- 0.7	66	4.6	3.2- 6.0	6	0.6	0.0- 1.2	5	0.6	0.0- 1.2
65+	2554	113,437	2508	97.5	96.7-98.3	1	0.1	0.0- 0.3	33	1.6	1.0- 2.2	7	0.3	0.1- 0.5	5	0.4	0.0- 0.8
Less Than H.S.	391	48,242	346	79.9	73.6-86.2	3	3.3	0.0- 7.2	31	10.3	6.0-14.6	3	2.0	0.0- 4.4	8	4.5	1.2- 7.8
H.S. or G.E.D.	1938	154,587	1774	84.8	82.3-87.3	21	3.5	1.9- 5.1	97	6.6	5.0- 8.2	20	2.0	1.0- 3.0	26	3.1	1.7- 4.5
Some Post-H.S.	2226	226,488	2063	87.6	85.4-89.8	25	3.2	1.8- 4.6	98	5.4	4.0- 6.8	23	1.9	0.9- 2.9	17	1.9	0.9- 2.9
College Graduate	2332	148,946	2202	90.7	88.7-92.7	21	1.7	0.9- 2.5	79	4.8	3.4- 6.2	15	1.2	0.4- 2.0	15	1.6	0.6- 2.6
Less than \$15,000	419	42,775	340	72.7	66.2-79.2	10	6.8	2.3-11.3	54	16.2	11.1-21.3	8	1.8	0.0- 3.8	7	2.5	0.3- 4.7
\$15,000- 24,999	797	67,325	698	79.1	74.6-83.6	13	4.4	1.5- 7.3	68	12.0	8.7-15.3	9	2.3	0.5- 4.1	9	2.2	0.6- 3.8
\$25,000- 34,999	596	47,062	534	78.0	72.1-83.9	15	9.8	4.9-14.7	34	7.0	3.9-10.1	5	1.1	0.1- 2.1	8	4.1	1.2- 7.0
\$35,000- 49,999	969	77,842	921	90.8	87.9-93.7	12	2.6	1.0- 4.2	23	3.2	1.4- 5.0	5	0.9	0.0- 1.9	8	2.4	0.6- 4.2
\$50,000- 74,999	1147	93,926	1082	90.6	87.7-93.5	5	0.7	0.0- 1.5	39	4.0	2.2- 5.8	8	1.6	0.2- 3.0	13	3.1	1.3- 4.9
\$75,000+	2209	188,240	2119	93.1	91.3-94.9	8	1.1	0.1- 2.1	52	3.1	2.1- 4.1	16	1.4	0.6- 2.2	14	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3258	296,545	2991	86.1	84.3-87.9	45	3.3	2.1- 4.5	154	6.3	5.1- 7.5	31	1.7	0.9- 2.5	37	2.5	1.5- 3.5
18-24	219	47,518	171	75.2	68.1-82.3	10	8.2	2.9-13.5	23	9.5	5.2-13.8	7	3.2	0.7- 5.7	8	3.9	1.0- 6.8
25-34	386	60,685	316	77.6	72.5-82.7	15	5.6	2.9- 8.3	32	8.1	5.0-11.2	11	3.6	1.1- 6.1	12	5.2	2.1- 8.3
35-44	387	46,891	337	85.3	81.0-89.6	12	3.9	1.5- 6.3	31	8.2	4.9-11.5	2	0.7	0.0- 1.7	5	1.9	0.1- 3.7
45-54	469	42,025	430	89.1	85.4-92.8	5	1.3	0.1- 2.5	22	5.6	2.9- 8.3	5	1.6	0.0- 3.4	7	2.4	0.6- 4.2
55-64	765	47,810	721	92.8	90.3-95.3	3	0.4	0.0- 1.0	34	5.2	3.0- 7.4	3	0.6	0.0- 1.4	4	1.0	0.0- 2.0
65+	1032	51,616	1016	98.4	97.4-99.4				12	1.3	0.5- 2.1	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3
Less Than H.S.	207	28,860	183	79.4	70.8-88.0	2	4.6	0.0-11.1	14	7.9	3.2-12.6	3	3.4	0.0- 7.3	5	4.8	0.3- 9.3
H.S. or G.E.D.	920	82,499	820	82.7	79.0-86.4	13	3.4	1.4- 5.4	65	9.1	6.4-11.8	9	1.7	0.3- 3.1	13	3.0	1.2- 4.8
Some Post-H.S.	1039	114,138	961	88.3	85.4-91.2	16	3.5	1.7- 5.3	42	4.6	2.8- 6.4	10	1.6	0.4- 2.8	10	2.0	0.6- 3.4
College Graduate	1086	70,490	1022	89.6	86.9-92.3	14	2.3	0.9- 3.7	32	5.1	3.1- 7.1	9	1.3	0.3- 2.3	9	1.9	0.7- 3.1
Less than \$15,000	179	19,894	141	73.3	63.9-82.7	3	4.4	0.0-10.1	27	16.8	9.4-24.2	5	3.3	0.0- 7.4	3	2.1	0.0- 5.0
\$15,000- 24,999	294	29,551	240	73.7	66.6-80.8	9	5.2	1.5- 8.9	36	16.3	10.2-22.4	4	2.4	0.0- 5.3	5	2.4	0.2- 4.6
\$25,000- 34,999	235	22,280	204	75.8	67.4-84.2	9	11.2	4.1-18.3	15	6.8	2.9-10.7	4	2.0	0.0- 4.0	3	4.2	0.0- 9.1
\$35,000- 49,999	475	37,993	451	92.4	88.9-95.9	8	3.3	0.8- 5.8	11	2.6	0.8- 4.4	2	0.9	0.0- 2.5	3	0.8	0.0- 1.8
\$50,000- 74,999	599	54,160	564	89.3	85.4-93.2	3	0.5	0.0- 1.1	17	4.2	1.8- 6.6	4	1.6	0.0- 3.4	11	4.5	1.8- 7.2
\$75,000+	1191	103,915	1141	92.9	90.4-95.4	7	1.8	0.0- 3.6	27	2.9	1.5- 4.3	7	0.9	0.1- 1.7	9	1.4	0.4- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3644	282,903	3407	87.9	85.9-89.9	25	2.4	1.2- 3.6	152	5.7	4.5- 6.9	31	1.8	1.0- 2.6	29	2.2	1.2- 3.2
18-24	149	41,963	119	75.6	67.6-83.6	9	10.0	3.7-16.3	9	6.4	2.1-10.7	3	1.7	0.0- 3.7	9	6.3	2.2-10.4
25-34	302	50,664	247	78.7	72.8-84.6	7	2.9	0.4- 5.4	29	9.2	5.3-13.1	11	5.2	1.9- 8.5	8	4.0	1.3- 6.7
35-44	319	42,080	286	89.2	84.9-93.5	2	0.9	0.0- 2.3	22	6.1	3.0- 9.2	7	2.5	0.3- 4.7	2	1.3	0.0- 3.3
45-54	481	39,814	429	88.8	85.5-92.1	5	1.7	0.0- 3.5	39	7.6	4.9-10.3	3	0.3	0.0- 0.7	5	1.5	0.1- 2.9
55-64	871	46,561	834	95.1	93.3-96.9	1	0.2	0.0- 0.6	32	4.0	2.4- 5.6	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3
65+	1522	61,822	1492	96.8	95.4-98.2	1	0.2	0.0- 0.6	21	1.9	0.9- 2.9	4	0.5	0.1- 0.9	4	0.7	0.0- 1.5
Less Than H.S.	184	19,382	163	80.7	71.7-89.7	1	1.2	0.0- 3.6	17	13.8	6.0-21.6				3	4.2	0.0- 9.3
H.S. or G.E.D.	1018	72,087	954	87.3	83.6-91.0	8	3.6	0.9- 6.3	32	3.8	2.0- 5.6	11	2.2	0.6- 3.8	13	3.2	1.2- 5.2
Some Post-H.S.	1187	112,349	1102	86.9	83.6-90.2	9	2.9	0.9- 4.9	56	6.3	4.3- 8.3	13	2.2	0.6- 3.8	7	1.8	0.4- 3.2
College Graduate	1246	78,456	1180	91.7	89.2-94.2	7	1.1	0.1- 2.1	47	4.6	2.6- 6.6	6	1.2	0.0- 2.4	6	1.4	0.2- 2.6
Less than \$15,000	240	22,881	199	72.2	63.2-81.2	7	8.8	2.1-15.5	27	15.6	8.5-22.7	3	0.5	0.0- 1.1	4	2.8	0.0- 6.1
\$15,000- 24,999	503	37,774	458	83.3	77.4-89.2	4	3.7	0.0- 8.0	32	8.8	5.1-12.5	5	2.3	0.0- 4.7	4	2.0	0.0- 4.2
\$25,000- 34,999	361	24,783	330	80.0	71.8-88.2	6	8.6	1.5-15.7	19	7.1	2.6-11.6	1	0.3	0.0- 0.9	5	4.0	0.3- 7.7
\$35,000- 49,999	494	39,849	470	89.4	84.7-94.1	4	2.0	0.0- 4.2	12	3.8	1.1- 6.5	3	0.9	0.0- 2.1	5	4.0	0.5- 7.5
\$50,000- 74,999	548	39,766	518	92.2	88.3-96.1	2	1.0	0.0- 3.0	22	3.9	1.7- 6.1	4	1.7	0.0- 4.1	2	1.2	0.0- 3.0
\$75,000+	1018	84,325	978	93.3	90.8-95.8	1	0.1	0.0- 0.3	25	3.3	1.5- 5.1	9	2.1	0.5- 3.7	5	1.1	0.0- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6909	582,003	693	24.4	22.6-26.2	753	18.8	17.4-20.2	717	12.7	11.7-13.7	1312	16.1	15.1-17.1	1702	14.8	14.0-15.6	1732	13.2	12.4-14.0
Male	3277	298,899	411	26.1	23.7-28.5	414	19.3	17.3-21.3	396	13.7	12.1-15.3	603	15.1	13.7-16.5	804	14.9	13.7-16.1	649	10.9	9.9-11.9
Female	3632	283,103	282	22.6	20.1-25.1	339	18.2	16.2-20.2	321	11.7	10.1-13.3	709	17.3	15.7-18.9	898	14.6	13.4-15.8	1083	15.6	14.4-16.8
Native	246	24,758	39	24.7	16.7-32.7	47	27.6	19.4-35.8	44	14.7	9.4-20.0	61	21.4	15.3-27.5	42	8.6	5.3-11.9	13	2.9	0.9- 4.9
Non-Native	6584	549,419	645	24.4	22.6-26.2	696	18.3	16.9-19.7	669	12.7	11.7-13.7	1240	15.9	14.9-16.9	1640	15.0	14.2-15.8	1694	13.6	12.8-14.4
Less Than H.S.	395	48,826	52	29.9	22.8-37.0	31	15.6	10.1-21.1	16	4.5	1.8- 7.2	59	13.5	9.8-17.2	39	7.4	4.9- 9.9	198	29.1	24.2-34.0
H.S. or G.E.D.	1953	156,532	225	28.5	25.2-31.8	164	15.9	13.4-18.4	159	10.5	8.7-12.3	355	15.3	13.5-17.1	419	13.5	11.9-15.1	631	16.4	14.8-18.0
Some Post-H.S.	2220	227,040	221	24.1	21.2-27.0	235	18.5	16.1-20.9	223	12.6	10.8-14.4	453	17.5	15.7-19.3	606	16.7	15.1-18.3	482	10.6	9.4-11.8
College Graduate	2328	148,494	194	18.9	16.4-21.4	320	23.2	20.7-25.7	317	17.9	15.9-19.9	444	16.0	14.4-17.6	635	15.6	14.2-17.0	418	8.5	7.5- 9.5
Less than \$15,000	426	42,886	62	35.9	28.6-43.2	34	16.0	10.5-21.5	29	6.2	3.5- 8.9	82	16.8	12.7-20.9	92	11.6	8.7-14.5	127	13.5	10.6-16.4
\$15,000- 24,999	807	68,646	91	29.1	23.8-34.4	67	15.3	11.4-19.2	46	6.3	4.1- 8.5	98	11.9	9.2-14.6	178	14.3	11.8-16.8	327	23.1	19.8-26.4
\$25,000- 34,999	599	47,625	81	34.1	27.6-40.6	44	14.1	9.6-18.6	39	7.8	4.9-10.7	74	11.6	8.5-14.7	125	11.7	9.2-14.2	236	20.7	17.2-24.2
\$35,000- 49,999	966	77,878	109	29.2	24.3-34.1	88	14.8	11.5-18.1	72	9.0	6.6-11.4	154	14.1	11.6-16.6	248	15.9	13.5-18.3	295	17.1	14.7-19.5
\$50,000- 74,999	1146	94,060	107	20.8	16.9-24.7	131	20.9	17.2-24.6	125	14.3	11.6-17.0	224	16.5	14.0-19.0	330	16.9	14.7-19.1	229	10.6	9.0-12.2
\$75,000+	2211	188,901	152	15.2	12.7-17.7	339	24.7	22.2-27.2	354	19.3	17.1-21.5	562	20.4	18.4-22.4	554	15.1	13.5-16.7	250	5.3	4.5- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3277	298,899	411	26.1	23.7-28.5	414	19.3	17.3-21.3	396	13.7	12.1-15.3	603	15.1	13.7-16.5	804	14.9	13.7-16.1	649	10.9	9.9-11.9
Native	124	13,738	26	32.1	20.7-43.5	22	20.1	10.9-29.3	23	17.8	9.6-26.0	30	21.0	12.6-29.4	18	7.3	3.2-11.4	5	1.7	0.0- 3.5
Non-Native	3104	280,104	376	25.7	23.3-28.1	385	19.3	17.3-21.3	372	13.8	12.2-15.4	566	14.8	13.4-16.2	771	15.2	14.0-16.4	634	11.3	10.3-12.3
Less Than H.S.	210	29,083	37	36.4	26.8-46.0	18	13.6	6.9-20.3	9	4.6	1.3- 7.9	36	13.9	9.0-18.8	25	8.0	4.5-11.5	85	23.6	17.5-29.7
H.S. or G.E.D.	933	84,008	141	30.4	26.1-34.7	110	18.6	15.1-22.1	96	11.7	9.2-14.2	169	13.6	11.2-16.0	222	14.5	12.3-16.7	195	11.1	9.3-12.9
Some Post-H.S.	1040	114,780	132	24.5	20.6-28.4	138	20.5	17.2-23.8	130	13.9	11.4-16.4	212	16.8	14.3-19.3	267	16.2	14.0-18.4	161	8.0	6.6- 9.4
College Graduate	1088	70,441	100	19.4	15.9-22.9	147	20.5	17.2-23.8	160	19.6	16.7-22.5	186	14.5	12.1-16.9	288	16.0	13.8-18.2	207	10.0	8.4-11.6
Less than \$15,000	182	20,020	33	36.7	26.5-46.9	16	13.3	6.2-20.4	13	5.7	2.2- 9.2	43	20.8	13.9-27.7	44	13.9	9.0-18.8	33	9.5	5.4-13.6
\$15,000- 24,999	300	30,401	48	33.8	25.8-41.8	31	15.2	9.5-20.9	25	7.5	4.0-11.0	39	11.5	7.6-15.4	63	12.2	8.5-15.9	94	19.8	14.9-24.7
\$25,000- 34,999	237	22,741	52	41.3	32.1-50.5	24	16.3	9.4-23.2	13	6.7	2.4-11.0	27	8.6	4.9-12.3	49	10.6	7.1-14.1	72	16.6	11.9-21.3
\$35,000- 49,999	477	38,231	65	29.6	23.3-35.9	41	13.9	9.4-18.4	34	7.0	4.3- 9.7	75	14.0	10.3-17.7	130	18.1	14.6-21.6	132	17.4	13.9-20.9
\$50,000- 74,999	599	54,048	69	22.9	17.8-28.0	79	20.9	16.2-25.6	83	17.3	13.4-21.2	99	13.4	10.3-16.5	148	15.0	12.3-17.7	121	10.5	8.3-12.7
\$75,000+	1197	104,508	87	15.2	11.9-18.5	191	24.9	21.4-28.4	199	19.7	17.0-22.4	276	18.8	16.3-21.3	299	15.7	13.5-17.9	145	5.7	4.7- 6.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3632	283,103	282	22.6	20.1-25.1	339	18.2	16.2-20.2	321	11.7	10.1-13.3	709	17.3	15.7-18.9	898	14.6	13.4-15.8	1083	15.6	14.4-16.8
Native	122	11,020	13	15.5	5.3-25.7	25	37.0	23.7-50.3	21	10.7	4.8-16.6	31	22.0	13.2-30.8	24	10.3	5.0-15.6	8	4.5	0.6- 8.4
Non-Native	3480	269,315	269	23.1	20.6-25.6	311	17.3	15.3-19.3	297	11.6	10.0-13.2	674	17.1	15.5-18.7	869	14.8	13.6-16.0	1060	16.0	14.8-17.2
Less Than H.S.	185	19,743	15	20.3	10.9-29.7	13	18.5	8.9-28.1	7	4.4	0.3- 8.5	23	12.9	7.2-18.6	14	6.5	2.6-10.4	113	37.4	29.0-45.8
H.S. or G.E.D.	1020	72,524	84	26.2	21.1-31.3	54	12.7	9.2-16.2	63	9.1	6.6-11.6	186	17.3	14.6-20.0	197	12.3	10.1-14.5	436	22.4	19.7-25.1
Some Post-H.S.	1180	112,260	89	23.7	19.4-28.0	97	16.4	13.1-19.7	93	11.3	8.8-13.8	241	18.2	15.7-20.7	339	17.2	15.0-19.4	321	13.2	11.4-15.0
College Graduate	1240	78,054	94	18.5	14.8-22.2	173	25.5	21.8-29.2	157	16.4	13.7-19.1	258	17.3	14.9-19.7	347	15.2	13.2-17.2	211	7.2	6.0- 8.4
Less than \$15,000	244	22,866	29	35.2	25.0-45.4	18	18.4	10.2-26.6	16	6.6	2.5-10.7	39	13.2	8.5-17.9	48	9.5	6.0-13.0	94	17.0	12.5-21.5
\$15,000- 24,999	507	38,244	43	25.4	18.3-32.5	36	15.4	10.1-20.7	21	5.3	2.6- 8.0	59	12.3	8.8-15.8	115	16.0	12.5-19.5	233	25.6	21.3-29.9
\$25,000- 34,999	362	24,884	29	27.5	18.5-36.5	20	12.0	6.3-17.7	26	8.9	4.8-13.0	47	14.4	9.5-19.3	76	12.8	9.1-16.5	164	24.4	19.3-29.5
\$35,000- 49,999	489	39,647	44	28.8	21.5-36.1	47	15.6	10.7-20.5	38	11.0	7.1-14.9	79	14.1	10.4-17.8	118	13.8	10.7-16.9	163	16.7	13.4-20.0
\$50,000- 74,999	547	40,012	38	17.9	12.0-23.8	52	21.1	15.2-27.0	42	10.2	6.7-13.7	125	20.7	16.4-25.0	182	19.5	16.0-23.0	108	10.7	8.2-13.2
\$75,000+	1014	84,393	65	15.2	11.3-19.1	148	24.5	20.6-28.4	155	18.8	15.5-22.1	286	22.4	19.5-25.3	255	14.3	12.1-16.5	105	4.8	3.6- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6909	582,003	4343	80.4	79.4-81.4	2566	19.6	18.6-20.6
Male	3277	298,899	2231	82.4	81.2-83.6	1046	17.6	16.4-18.8
Female	3632	283,103	2112	78.2	76.8-79.6	1520	21.8	20.4-23.2
Native	246	24,758	218	93.7	90.8-96.6	28	6.3	3.4- 9.2
Non-Native	6584	549,419	4078	79.8	78.8-80.8	2506	20.2	19.2-21.2
Less Than H.S.	395	48,826	173	66.6	61.3-71.9	222	33.4	28.1-38.7
H.S. or G.E.D.	1953	156,532	1134	78.3	76.5-80.1	819	21.7	19.9-23.5
Some Post-H.S.	2220	227,040	1437	82.1	80.5-83.7	783	17.9	16.3-19.5
College Graduate	2328	148,494	1590	84.5	83.1-85.9	738	15.5	14.1-16.9
Less than \$15,000	426	42,886	255	81.2	77.5-84.9	171	18.8	15.1-22.5
\$15,000- 24,999	807	68,646	375	69.1	65.4-72.8	432	30.9	27.2-34.6
\$25,000- 34,999	599	47,625	287	72.5	68.4-76.6	312	27.5	23.4-31.6
\$35,000- 49,999	966	77,878	538	75.4	72.5-78.3	428	24.6	21.7-27.5
\$50,000- 74,999	1146	94,060	758	82.1	79.9-84.3	388	17.9	15.7-20.1
\$75,000+	2211	188,901	1734	89.5	88.3-90.7	477	10.5	9.3-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3277	298,899	2231	82.4	81.2-83.6	1046	17.6	16.4-18.8
Native	124	13,738	113	95.4	92.1-98.7	11	4.6	1.3- 7.9
Non-Native	3104	280,104	2083	81.8	80.4-83.2	1021	18.2	16.8-19.6
Less Than H.S.	210	29,083	108	71.3	64.6-78.0	102	28.7	22.0-35.4
H.S. or G.E.D.	933	84,008	641	83.1	80.7-85.5	292	16.9	14.5-19.3
Some Post-H.S.	1040	114,780	748	84.6	82.6-86.6	292	15.4	13.4-17.4
College Graduate	1088	70,441	729	82.5	80.3-84.7	359	17.5	15.3-19.7
Less than \$15,000	182	20,020	128	84.5	79.4-89.6	54	15.5	10.4-20.6
\$15,000- 24,999	300	30,401	174	73.7	68.2-79.2	126	26.3	20.8-31.8
\$25,000- 34,999	237	22,741	139	77.5	72.0-83.0	98	22.5	17.0-28.0
\$35,000- 49,999	477	38,231	277	74.0	69.9-78.1	200	26.0	21.9-30.1
\$50,000- 74,999	599	54,048	400	82.0	79.1-84.9	199	18.0	15.1-20.9
\$75,000+	1197	104,508	920	88.5	86.9-90.1	277	11.5	9.9-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3632	283,103	2112	78.2	76.8-79.6	1520	21.8	20.4-23.2
Native	122	11,020	105	91.5	86.4-96.6	17	8.5	3.4-13.6
Non-Native	3480	269,315	1995	77.7	76.3-79.1	1485	22.3	20.9-23.7
Less Than H.S.	185	19,743	65	59.6	50.8-68.4	120	40.4	31.6-49.2
H.S. or G.E.D.	1020	72,524	493	72.7	69.6-75.8	527	27.3	24.2-30.4
Some Post-H.S.	1180	112,260	689	79.5	77.1-81.9	491	20.5	18.1-22.9
College Graduate	1240	78,054	861	86.2	84.4-88.0	379	13.8	12.0-15.6
Less than \$15,000	244	22,866	127	78.4	73.1-83.7	117	21.6	16.3-26.9
\$15,000- 24,999	507	38,244	201	65.4	60.3-70.5	306	34.6	29.5-39.7
\$25,000- 34,999	362	24,884	148	67.9	62.0-73.8	214	32.1	26.2-38.0
\$35,000- 49,999	489	39,647	261	76.8	72.9-80.7	228	23.2	19.3-27.1
\$50,000- 74,999	547	40,012	358	82.3	79.2-85.4	189	17.7	14.6-20.8
\$75,000+	1014	84,393	814	90.8	89.2-92.4	200	9.2	7.6-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	6783	568,119	1	0.1	0.0- 0.3	308	3.6	3.0- 4.2	2820	37.9	36.3-39.5	2996	46.2	44.6-47.8	658	12.3	11.1-13.5	
Male	3205	289,606				2	0.1	0.0- 0.3	262	8.2	6.8- 9.6	2286	67.8	65.6-70.0	655	23.9	21.9-25.9	
Female	3578	278,513	1	0.1	0.0- 0.3	306	7.1	5.9- 8.3	2558	68.8	66.6-71.0	710	23.7	21.5-25.9	3	0.3	0.0- 0.7	
Native	231	23,044				5	1.7	0.0- 3.5	93	36.0	27.8-44.2	105	47.8	39.2-56.4	28	14.6	8.5-20.7	
Non-Native	6481	538,448	1	0.1	0.0- 0.3	299	3.6	3.0- 4.2	2704	37.9	36.3-39.5	2855	46.2	44.4-48.0	622	12.2	11.0-13.4	
18-24	363	88,134	1	0.3	0.0- 0.9	12	3.4	1.2- 5.6	104	34.3	28.4-40.2	176	43.7	38.0-49.4	70	18.3	13.8-22.8	
25-34	673	108,432				12	2.3	0.7- 3.9	189	29.5	25.4-33.6	374	53.3	48.8-57.8	98	14.9	11.8-18.0	
35-44	681	86,477				8	1.3	0.3- 2.3	225	36.9	32.6-41.2	341	46.5	42.2-50.8	107	15.3	12.2-18.4	
45-54	928	79,808				20	2.6	1.2- 4.0	345	37.5	33.8-41.2	459	48.3	44.6-52.0	104	11.6	9.2-14.0	
55-64	1608	92,496				63	3.4	2.4- 4.4	681	41.1	38.4-43.8	729	46.6	43.7-49.5	135	8.8	7.0-10.6	
65+	2530	112,772				193	7.5	6.3- 8.7	1276	47.1	44.7-49.5	917	39.3	36.9-41.7	144	6.2	5.0- 7.4	
Less Than H.S.	384	47,382				32	6.1	3.6- 8.6	162	37.3	30.8-43.8	156	44.0	37.3-50.7	34	12.6	7.7-17.5	
H.S. or G.E.D.	1911	152,440	1	0.2	0.0- 0.6	122	4.8	3.6- 6.0	818	37.0	34.1-39.9	814	46.5	43.4-49.6	156	11.5	9.3-13.7	
Some Post-H.S.	2190	221,696				94	3.3	2.3- 4.3	943	39.8	37.1-42.5	937	44.3	41.6-47.0	216	12.5	10.5-14.5	
College Graduate	2285	145,761				60	1.8	1.2- 2.4	891	36.0	33.5-38.5	1083	49.4	46.7-52.1	251	12.7	10.9-14.5	
Less than \$15,000	419	41,490				26	3.6	1.4- 5.8	187	36.5	30.0-43.0	168	47.7	40.8-54.6	38	12.2	7.7-16.7	
\$15,000- 24,999	797	67,535				66	6.0	4.0- 8.0	401	45.7	40.8-50.6	280	38.9	34.0-43.8	50	9.4	6.1-12.7	
\$25,000- 34,999	597	47,460				41	4.9	2.7- 7.1	292	45.0	39.1-50.9	222	41.0	35.1-46.9	42	9.0	5.5-12.5	
\$35,000- 49,999	968	77,440				40	3.5	1.7- 5.3	408	40.7	36.4-45.0	436	44.0	39.7-48.3	84	11.8	8.7-14.9	
\$50,000- 74,999	1143	93,966				38	3.2	1.6- 4.8	417	30.2	26.7-33.7	574	52.9	49.0-56.8	114	13.8	10.9-16.7	
\$75,000+	2213	188,915				51	1.7	1.1- 2.3	776	34.3	31.8-36.8	1087	49.1	46.4-51.8	299	15.0	13.0-17.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3205	289,606	2	0.1	0.0- 0.3	262	8.2	6.8- 9.6	2286	67.8	65.6-70.0	655	23.9	21.9-25.9
Native	113	12,186				11	7.7	2.2-13.2	74	64.7	53.5-75.9	28	27.5	16.9-38.1
Non-Native	3047	273,276	1	0.0	0.0- 0.0	246	8.0	6.6- 9.4	2181	68.1	65.7-70.5	619	23.8	21.6-26.0
18-24	216	46,579				11	5.9	1.4-10.4	136	60.2	52.6-67.8	69	33.8	26.5-41.1
25-34	379	58,921	1	0.5	0.0- 1.5	24	8.5	5.0-12.0	256	63.7	58.0-69.4	98	27.4	22.1-32.7
35-44	374	45,340				21	6.2	3.3- 9.1	247	65.3	59.6-71.0	106	28.5	23.2-33.8
45-54	459	40,505				28	7.0	4.3- 9.7	327	70.2	65.3-75.1	104	22.8	18.3-27.3
55-64	753	46,842	1	0.2	0.0- 0.6	65	9.8	7.1-12.5	553	72.6	68.7-76.5	134	17.3	14.2-20.4
65+	1024	51,419				113	11.1	8.7-13.5	767	75.2	72.1-78.3	144	13.6	11.2-16.0
Less Than H.S.	201	27,683				32	14.5	7.4-21.6	136	64.1	54.9-73.3	33	21.4	13.6-29.2
H.S. or G.E.D.	906	81,060	1	0.1	0.0- 0.3	91	9.6	7.1-12.1	659	69.2	65.1-73.3	155	21.1	17.4-24.8
Some Post-H.S.	1023	111,391	1	0.2	0.0- 0.6	81	7.9	5.7-10.1	726	67.1	63.4-70.8	215	24.7	21.2-28.2
College Graduate	1068	68,998				57	4.5	3.1- 5.9	760	68.7	65.2-72.2	251	26.8	23.3-30.3
Less than \$15,000	177	19,282				18	5.8	2.5- 9.1	121	67.9	59.1-76.7	38	26.3	17.7-34.9
\$15,000- 24,999	293	29,437	1	0.3	0.0- 0.9	34	11.2	6.7-15.7	210	67.8	60.4-75.2	48	20.6	13.7-27.5
\$25,000- 34,999	235	22,773				33	17.9	10.6-25.2	160	63.3	54.7-71.9	42	18.8	11.7-25.9
\$35,000- 49,999	477	37,853				41	9.7	6.0-13.4	353	67.2	61.3-73.1	83	23.0	17.5-28.5
\$50,000- 74,999	597	54,179				37	4.4	2.6- 6.2	446	71.7	66.8-76.6	114	23.9	19.0-28.8
\$75,000+	1200	104,692				75	6.9	4.5- 9.3	826	66.1	62.6-69.6	299	27.0	23.7-30.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3578	278,513	1	0.1	0.0- 0.3	306	7.1	5.9- 8.3	2558	68.8	66.6-71.0	710	23.7	21.5-25.9	3	0.3	0.0- 0.7	
Native	118	10,858				5	3.7	0.0- 7.4	82	67.7	55.2-80.2	31	28.7	16.4-41.0				
Non-Native	3434	265,172	1	0.1	0.0- 0.3	298	7.3	6.1- 8.5	2458	68.7	66.3-71.1	674	23.6	21.4-25.8	3	0.3	0.0- 0.7	
18-24	147	41,555	1	0.7	0.0- 2.1	12	7.1	2.8-11.4	93	66.1	57.7-74.5	40	25.1	17.5-32.7	1	1.0	0.0- 3.0	
25-34	294	49,512				11	4.4	1.3- 7.5	165	54.5	47.8-61.2	118	41.0	34.3-47.7				
35-44	307	41,137				8	2.8	0.8- 4.8	204	70.8	65.1-76.5	94	25.7	20.2-31.2	1	0.6	0.0- 1.8	
45-54	469	39,303				20	5.3	2.8- 7.8	317	69.0	64.3-73.7	132	25.7	21.2-30.2				
55-64	855	45,654				62	6.7	4.7- 8.7	616	73.3	69.8-76.8	176	19.9	16.8-23.0	1	0.1	0.0- 0.3	
65+	1506	61,353				193	13.7	11.5-15.9	1163	77.2	74.7-79.7	150	9.1	7.5-10.7				
Less Than H.S.	183	19,699				32	14.7	8.6-20.8	130	69.3	60.1-78.5	20	15.8	7.6-24.0	1	0.2	0.0- 0.6	
H.S. or G.E.D.	1005	71,379	1	0.4	0.0- 1.2	121	10.0	7.5-12.5	727	68.2	63.9-72.5	155	20.8	16.9-24.7	1	0.6	0.0- 1.8	
Some Post-H.S.	1167	110,305				93	6.5	4.5- 8.5	862	72.0	68.3-75.7	211	21.3	17.8-24.8	1	0.2	0.0- 0.6	
College Graduate	1217	76,763				60	3.5	2.3- 4.7	834	64.4	60.7-68.1	323	32.1	28.4-35.8				
Less than \$15,000	242	22,208				26	6.8	2.9-10.7	169	63.1	53.7-72.5	47	30.1	20.7-39.5				
\$15,000- 24,999	504	38,098				65	10.4	7.1-13.7	367	72.3	66.6-78.0	70	16.5	11.4-21.6	2	0.8	0.0- 2.2	
\$25,000- 34,999	362	24,688				41	9.5	5.6-13.4	259	70.1	63.0-77.2	62	20.5	14.2-26.8				
\$35,000- 49,999	491	39,587				40	6.8	3.5-10.1	367	70.3	64.0-76.6	83	21.8	16.1-27.5	1	1.0	0.0- 3.0	
\$50,000- 74,999	546	39,787				38	7.5	3.8-11.2	380	65.3	59.2-71.4	128	27.3	21.6-33.0				
\$75,000+	1013	84,223				51	3.8	2.4- 5.2	701	68.4	64.7-72.1	261	27.9	24.2-31.6				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6789	569,178	1	0.1	0.0- 0.3	308	3.6	3.0- 4.2	2824	37.9	36.3-39.5	2998	46.2	44.6-47.8	658	12.3	11.1-13.5
Male	3207	290,099				2	0.1	0.0- 0.3	262	8.2	6.8- 9.6	2288	67.8	65.6-70.0	655	23.9	21.9-25.9
Female	3582	279,079	1	0.1	0.0- 0.3	306	7.1	5.9- 8.3	2562	68.8	66.6-71.0	710	23.7	21.5-25.9	3	0.3	0.0- 0.7
Native	231	23,044				5	1.7	0.0- 3.5	93	36.0	27.8-44.2	105	47.8	39.2-56.4	28	14.6	8.5-20.7
Non-Native	6486	539,141	1	0.1	0.0- 0.3	299	3.6	3.0- 4.2	2708	38.0	36.4-39.6	2856	46.1	44.3-47.9	622	12.2	11.0-13.4
18-24	364	88,500	1	0.3	0.0- 0.9	12	3.3	1.3- 5.3	104	34.2	28.3-40.1	177	43.9	38.2-49.6	70	18.3	14.0-22.6
25-34	676	108,955				12	2.3	0.7- 3.9	192	29.8	25.7-33.9	374	53.1	48.6-57.6	98	14.8	11.7-17.9
35-44	681	86,477				8	1.3	0.3- 2.3	225	36.9	32.6-41.2	341	46.5	42.2-50.8	107	15.3	12.2-18.4
45-54	929	79,851				20	2.6	1.2- 4.0	346	37.6	33.9-41.3	459	48.2	44.5-51.9	104	11.6	9.2-14.0
55-64	1609	92,624				63	3.4	2.4- 4.4	681	41.1	38.4-43.8	730	46.7	43.8-49.6	135	8.8	7.0-10.6
65+	2530	112,772				193	7.5	6.3- 8.7	1276	47.1	44.7-49.5	917	39.3	36.9-41.7	144	6.2	5.0- 7.4
Less Than H.S.	384	47,382				32	6.1	3.6- 8.6	162	37.3	30.8-43.8	156	44.0	37.3-50.7	34	12.6	7.7-17.5
H.S. or G.E.D.	1912	152,637	1	0.2	0.0- 0.6	122	4.8	3.6- 6.0	819	37.1	34.2-40.0	814	46.4	43.3-49.5	156	11.5	9.3-13.7
Some Post-H.S.	2192	222,189				94	3.3	2.3- 4.3	943	39.7	37.0-42.4	939	44.4	41.7-47.1	216	12.5	10.5-14.5
College Graduate	2288	146,130				60	1.8	1.2- 2.4	894	36.2	33.7-38.7	1083	49.3	46.6-52.0	251	12.7	10.9-14.5
Less than \$15,000	420	41,617				26	3.6	1.4- 5.8	187	36.4	29.9-42.9	169	47.8	40.9-54.7	38	12.2	7.9-16.5
\$15,000- 24,999	798	67,663				66	6.0	4.0- 8.0	402	45.8	40.9-50.7	280	38.8	33.9-43.7	50	9.4	6.1-12.7
\$25,000- 34,999	597	47,460				41	4.9	2.7- 7.1	292	45.0	39.1-50.9	222	41.0	35.1-46.9	42	9.0	5.5-12.5
\$35,000- 49,999	970	77,681				40	3.5	1.7- 5.3	410	40.9	36.6-45.2	436	43.9	39.6-48.2	84	11.7	8.6-14.8
\$50,000- 74,999	1144	94,163				38	3.2	1.6- 4.8	418	30.3	26.8-33.8	574	52.8	48.9-56.7	114	13.7	10.8-16.6
\$75,000+	2213	188,915				51	1.7	1.1- 2.3	776	34.3	31.8-36.8	1087	49.1	46.4-51.8	299	15.0	13.0-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3207	290,099	2	0.1	0.0- 0.3	262	8.2	6.8- 9.6	2288	67.8	65.6-70.0	655	23.9	21.9-25.9
Native	113	12,186				11	7.7	2.2-13.2	74	64.7	53.5-75.9	28	27.5	16.9-38.1
Non-Native	3048	273,403	1	0.0	0.0- 0.0	246	8.0	6.6- 9.4	2182	68.1	65.7-70.5	619	23.8	21.6-26.0
18-24	217	46,945				11	5.9	1.6-10.2	137	60.6	53.0-68.2	69	33.6	26.3-40.9
25-34	379	58,921	1	0.5	0.0- 1.5	24	8.5	5.0-12.0	256	63.7	58.0-69.4	98	27.4	22.1-32.7
35-44	374	45,340				21	6.2	3.3- 9.1	247	65.3	59.6-71.0	106	28.5	23.2-33.8
45-54	459	40,505				28	7.0	4.3- 9.7	327	70.2	65.3-75.1	104	22.8	18.3-27.3
55-64	754	46,969	1	0.2	0.0- 0.6	65	9.8	7.1-12.5	554	72.7	69.0-76.4	134	17.3	14.2-20.4
65+	1024	51,419				113	11.1	8.7-13.5	767	75.2	72.1-78.3	144	13.6	11.2-16.0
Less Than H.S.	201	27,683				32	14.5	7.4-21.6	136	64.1	54.9-73.3	33	21.4	13.6-29.2
H.S. or G.E.D.	906	81,060	1	0.1	0.0- 0.3	91	9.6	7.1-12.1	659	69.2	65.1-73.3	155	21.1	17.4-24.8
Some Post-H.S.	1025	111,884	1	0.2	0.0- 0.6	81	7.9	5.7-10.1	728	67.3	63.6-71.0	215	24.6	21.1-28.1
College Graduate	1068	68,998				57	4.5	3.1- 5.9	760	68.7	65.2-72.2	251	26.8	23.3-30.3
Less than \$15,000	178	19,409				18	5.8	2.7- 8.9	122	68.1	59.3-76.9	38	26.1	17.5-34.7
\$15,000- 24,999	293	29,437	1	0.3	0.0- 0.9	34	11.2	6.7-15.7	210	67.8	60.4-75.2	48	20.6	13.7-27.5
\$25,000- 34,999	235	22,773				33	17.9	10.6-25.2	160	63.3	54.7-71.9	42	18.8	11.7-25.9
\$35,000- 49,999	477	37,853				41	9.7	6.0-13.4	353	67.2	61.3-73.1	83	23.0	17.5-28.5
\$50,000- 74,999	597	54,179				37	4.4	2.6- 6.2	446	71.7	66.8-76.6	114	23.9	19.0-28.8
\$75,000+	1200	104,692				75	6.9	4.5- 9.3	826	66.1	62.6-69.6	299	27.0	23.7-30.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3582	279,079	1	0.1	0.0- 0.3	306	7.1	5.9- 8.3	2562	68.8	66.6-71.0	710	23.7	21.5-25.9	3	0.3	0.0- 0.7
Native	118	10,858				5	3.7	0.0- 7.4	82	67.7	55.2-80.2	31	28.7	16.4-41.0			
Non-Native	3438	265,738	1	0.1	0.0- 0.3	298	7.3	6.1- 8.5	2462	68.8	66.4-71.2	674	23.5	21.3-25.7	3	0.3	0.0- 0.7
18-24	147	41,555	1	0.7	0.0- 2.1	12	7.1	2.8-11.4	93	66.1	57.7-74.5	40	25.1	17.5-32.7	1	1.0	0.0- 3.0
25-34	297	50,034				11	4.4	1.3- 7.5	168	55.0	48.3-61.7	118	40.6	34.1-47.1			
35-44	307	41,137				8	2.8	0.8- 4.8	204	70.8	65.1-76.5	94	25.7	20.2-31.2	1	0.6	0.0- 1.8
45-54	470	39,346				20	5.3	2.8- 7.8	318	69.1	64.4-73.8	132	25.6	21.3-29.9			
55-64	855	45,654				62	6.7	4.7- 8.7	616	73.3	69.8-76.8	176	19.9	16.8-23.0	1	0.1	0.0- 0.3
65+	1506	61,353				193	13.7	11.5-15.9	1163	77.2	74.7-79.7	150	9.1	7.5-10.7			
Less Than H.S.	183	19,699				32	14.7	8.6-20.8	130	69.3	60.1-78.5	20	15.8	7.6-24.0	1	0.2	0.0- 0.6
H.S. or G.E.D.	1006	71,576	1	0.4	0.0- 1.2	121	10.0	7.5-12.5	728	68.3	64.0-72.6	155	20.7	16.8-24.6	1	0.6	0.0- 1.8
Some Post-H.S.	1167	110,305				93	6.5	4.5- 8.5	862	72.0	68.3-75.7	211	21.3	17.8-24.8	1	0.2	0.0- 0.6
College Graduate	1220	77,132				60	3.5	2.3- 4.7	837	64.5	60.8-68.2	323	32.0	28.3-35.7			
Less than \$15,000	242	22,208				26	6.8	2.9-10.7	169	63.1	53.7-72.5	47	30.1	20.7-39.5			
\$15,000- 24,999	505	38,226				65	10.4	7.1-13.7	368	72.4	66.7-78.1	70	16.4	11.3-21.5	2	0.8	0.0- 2.2
\$25,000- 34,999	362	24,688				41	9.5	5.6-13.4	259	70.1	63.0-77.2	62	20.5	14.2-26.8			
\$35,000- 49,999	493	39,828				40	6.8	3.5-10.1	369	70.5	64.4-76.6	83	21.7	16.2-27.2	1	1.0	0.0- 3.0
\$50,000- 74,999	547	39,984				38	7.4	3.7-11.1	381	65.4	59.3-71.5	128	27.1	21.4-32.8			
\$75,000+	1013	84,223				51	3.8	2.4- 5.2	701	68.4	64.7-72.1	261	27.9	24.2-31.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6594	555,655	39	0.5	0.3- 0.7	1696	25.9	24.3-27.5	2960	43.9	42.3-45.5	1455	22.2	20.8-23.6	355	5.9	5.1- 6.7	89	1.6	1.2- 2.0
Male	3190	288,501	1	0.1	0.0- 0.3	239	9.5	7.9-11.1	1503	46.5	44.1-48.9	1081	32.2	30.0-34.4	291	9.2	7.8-10.6	75	2.5	1.7- 3.3
Female	3404	267,154	38	1.0	0.4- 1.6	1457	43.6	41.2-46.0	1457	41.1	38.7-43.5	374	11.4	9.8-13.0	64	2.3	1.5- 3.1	14	0.6	0.2- 1.0
Native	232	23,273				39	20.0	12.4-27.6	100	39.7	31.3-48.1	67	29.7	22.1-37.3	16	7.9	3.4-12.4	10	2.7	0.7- 4.7
Non-Native	6294	525,656	39	0.5	0.3- 0.7	1642	26.2	24.6-27.8	2830	44.0	42.2-45.8	1371	21.9	20.5-23.3	335	5.8	5.0- 6.6	77	1.5	1.1- 1.9
18-24	361	87,920	4	1.6	0.0- 3.2	117	34.9	29.2-40.6	153	43.2	37.3-49.1	64	15.2	11.3-19.1	18	4.3	2.1- 6.5	5	0.9	0.1- 1.7
25-34	669	107,863	2	0.2	0.0- 0.6	164	27.0	22.9-31.1	298	40.9	36.6-45.2	152	23.4	19.7-27.1	39	6.3	3.9- 8.7	14	2.1	0.7- 3.5
35-44	662	83,530				139	21.2	17.5-24.9	274	42.3	37.8-46.8	172	25.8	21.9-29.7	57	8.1	5.7-10.5	20	2.6	1.2- 4.0
45-54	903	78,292	3	0.3	0.0- 0.7	187	20.4	17.3-23.5	400	44.8	41.1-48.5	218	24.0	20.7-27.3	72	8.3	6.1-10.5	23	2.3	1.3- 3.3
55-64	1538	88,601	6	0.3	0.1- 0.5	325	20.7	18.3-23.1	709	45.5	42.6-48.4	387	26.4	23.7-29.1	91	5.6	4.2- 7.0	20	1.5	0.7- 2.3
65+	2461	109,448	24	0.7	0.3- 1.1	764	29.2	27.0-31.4	1126	46.8	44.4-49.2	462	19.3	17.3-21.3	78	3.6	2.6- 4.6	7	0.3	0.0- 0.7
Less Than H.S.	381	47,022	1	0.1	0.0- 0.3	127	33.2	26.7-39.7	171	41.3	34.6-48.0	57	16.0	10.9-21.1	18	7.1	3.4-10.8	7	2.2	0.4- 4.0
H.S. or G.E.D.	1856	148,622	17	0.8	0.2- 1.4	467	24.4	21.5-27.3	841	45.2	42.1-48.3	390	21.3	18.8-23.8	114	6.4	4.8- 8.0	27	1.8	1.0- 2.6
Some Post-H.S.	2119	216,347	11	0.4	0.0- 0.8	526	24.2	21.7-26.7	912	42.9	40.2-45.6	517	24.5	22.1-26.9	122	6.2	4.8- 7.6	31	1.8	1.0- 2.6
College Graduate	2228	143,059	10	0.5	0.0- 1.1	572	27.5	25.0-30.0	1032	45.0	42.3-47.7	490	21.8	19.6-24.0	100	4.5	3.5- 5.5	24	0.8	0.4- 1.2
Less than \$15,000	412	40,589	9	1.1	0.1- 2.1	123	28.5	22.2-34.8	163	41.2	34.3-48.1	81	19.8	14.5-25.1	28	8.0	4.5-11.5	8	1.5	0.3- 2.7
\$15,000- 24,999	779	66,112	6	0.8	0.0- 1.8	247	32.4	27.5-37.3	345	41.0	36.1-45.9	135	18.1	14.4-21.8	32	5.4	3.0- 7.8	14	2.3	0.7- 3.9
\$25,000- 34,999	578	46,299	3	0.2	0.0- 0.4	181	30.1	24.6-35.6	259	44.8	38.7-50.9	97	18.0	13.5-22.5	31	4.7	2.7- 6.7	7	2.2	0.4- 4.0
\$35,000- 49,999	950	76,437	7	0.7	0.0- 1.7	215	23.1	19.4-26.8	438	44.1	39.8-48.4	229	25.3	21.4-29.2	45	4.7	2.9- 6.5	16	2.0	0.8- 3.2
\$50,000- 74,999	1118	92,078	2	0.1	0.0- 0.3	230	19.6	16.3-22.9	526	47.6	43.7-51.5	277	23.9	20.6-27.2	70	7.4	5.2- 9.6	13	1.3	0.5- 2.1
\$75,000+	2171	186,403	2	0.1	0.0- 0.3	490	24.3	21.8-26.8	980	43.8	41.1-46.5	554	25.2	22.8-27.6	122	5.7	4.3- 7.1	23	0.9	0.5- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3190	288,501	1	0.1	0.0- 0.3	239	9.5	7.9-11.1	1503	46.5	44.1-48.9	1081	32.2	30.0-34.4	291	9.2	7.8-10.6	75	2.5	1.7- 3.3
Native	114	12,405				10	12.2	4.0-20.4	36	31.3	20.1-42.5	47	38.8	27.6-50.0	14	14.0	6.0-22.0	7	3.7	0.6- 6.8
Non-Native	3032	271,637	1	0.1	0.0- 0.3	226	9.3	7.7-10.9	1446	47.2	44.8-49.6	1020	32.1	29.9-34.3	273	9.0	7.6-10.4	66	2.4	1.6- 3.2
18-24	217	46,784				44	21.5	14.8-28.2	100	48.5	40.9-56.1	53	21.7	15.6-27.8	15	6.6	2.9-10.3	5	1.6	0.2- 3.0
25-34	379	58,988	1	0.3	0.0- 0.9	36	11.2	7.3-15.1	192	46.6	40.7-52.5	106	28.9	23.6-34.2	31	9.3	5.6-13.0	13	3.7	1.3- 6.1
35-44	370	44,484				19	4.0	2.0- 6.0	156	43.3	37.4-49.2	129	36.3	30.6-42.0	51	12.8	9.1-16.5	15	3.5	1.3- 5.7
45-54	458	40,627				26	5.3	3.1- 7.5	197	43.2	37.9-48.5	162	36.2	31.1-41.3	55	12.0	8.7-15.3	18	3.3	1.5- 5.1
55-64	748	46,570				37	6.5	4.1- 8.9	335	44.2	40.1-48.3	278	37.4	33.3-41.5	79	9.3	6.9-11.7	19	2.5	1.1- 3.9
65+	1018	51,048				77	7.4	5.4- 9.4	523	52.0	48.3-55.7	353	34.1	30.6-37.6	60	6.2	4.2- 8.2	5	0.4	0.0- 0.8
Less Than H.S.	201	27,593				39	20.4	12.6-28.2	101	45.7	36.5-54.9	43	22.0	14.4-29.6	13	9.3	3.8-14.8	5	2.7	0.2- 5.2
H.S. or G.E.D.	905	81,092				73	10.8	7.9-13.7	410	45.9	41.6-50.2	303	30.5	26.8-34.2	94	10.0	7.5-12.5	25	2.9	1.5- 4.3
Some Post-H.S.	1012	110,602				64	8.0	5.5-10.5	458	44.9	41.0-48.8	363	34.4	30.7-38.1	103	9.8	7.4-12.2	24	2.9	1.5- 4.3
College Graduate	1065	68,739	1	0.2	0.0- 0.6	61	5.8	4.0- 7.6	531	50.2	46.5-53.9	371	34.9	31.4-38.4	80	7.5	5.5- 9.5	21	1.5	0.7- 2.3
Less than \$15,000	177	19,214				23	13.0	6.7-19.3	79	49.1	39.3-58.9	50	26.0	18.0-34.0	18	9.5	4.4-14.6	7	2.4	0.4- 4.4
\$15,000- 24,999	293	29,373				42	19.3	12.6-26.0	138	42.7	35.3-50.1	82	27.0	20.3-33.7	22	8.4	4.3-12.5	9	2.6	0.2- 5.0
\$25,000- 34,999	234	22,722				30	16.7	9.6-23.8	118	49.4	40.6-58.2	60	22.8	16.1-29.5	21	7.2	3.5-10.9	5	3.9	0.4- 7.4
\$35,000- 49,999	476	37,645				36	8.5	5.0-12.0	222	44.7	38.8-50.6	168	35.7	30.0-41.4	36	7.6	4.5-10.7	14	3.6	1.4- 5.8
\$50,000- 74,999	596	53,637				28	4.7	2.5- 6.9	286	49.5	44.2-54.8	212	33.0	28.3-37.7	59	10.9	7.4-14.4	11	1.9	0.5- 3.3
\$75,000+	1197	104,551	1	0.2	0.0- 0.6	55	6.9	4.4- 9.4	557	45.2	41.7-48.7	452	37.3	33.8-40.8	111	9.0	6.8-11.2	21	1.5	0.7- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3404	267,154	38	1.0	0.4- 1.6	1457	43.6	41.2-46.0	1457	41.1	38.7-43.5	374	11.4	9.8-13.0	64	2.3	1.5- 3.1	14	0.6	0.2- 1.0
Native	118	10,868				29	28.8	16.1-41.5	64	49.3	36.6-62.0	20	19.4	9.0-29.8	2	0.9	0.0- 2.1	3	1.6	0.0- 3.6
Non-Native	3262	254,019	38	1.1	0.5- 1.7	1416	44.3	41.8-46.8	1384	40.6	38.2-43.0	351	11.1	9.5-12.7	62	2.4	1.6- 3.2	11	0.5	0.1- 0.9
18-24	144	41,136	4	3.3	0.0- 6.6	73	50.1	41.1-59.1	53	37.1	28.3-45.9	11	7.8	2.9-12.7	3	1.7	0.0- 3.9			
25-34	290	48,875	1	0.2	0.0- 0.6	128	46.1	39.4-52.8	106	34.0	27.7-40.3	46	16.8	11.7-21.9	8	2.8	0.4- 5.2	1	0.2	0.0- 0.6
35-44	292	39,046				120	40.7	34.0-47.4	118	41.1	34.4-47.8	43	13.8	9.3-18.3	6	2.8	0.3- 5.3	5	1.6	0.0- 3.4
45-54	445	37,665	3	0.5	0.0- 1.3	161	36.7	31.4-42.0	203	46.5	41.0-52.0	56	10.8	7.7-13.9	17	4.4	2.0- 6.8	5	1.2	0.2- 2.2
55-64	790	42,031	6	0.6	0.2- 1.0	288	36.5	32.4-40.6	374	46.9	42.8-51.0	109	14.3	11.6-17.0	12	1.4	0.4- 2.4	1	0.4	0.0- 1.2
65+	1443	58,400	24	1.3	0.7- 1.9	687	48.4	45.3-51.5	603	42.3	39.2-45.4	109	6.4	5.0- 7.8	18	1.3	0.5- 2.1	2	0.3	0.0- 0.7
Less Than H.S.	180	19,430	1	0.3	0.0- 0.9	88	51.4	41.4-61.4	70	35.2	26.0-44.4	14	7.6	1.9-13.3	5	4.0	0.0- 8.5	2	1.5	0.0- 3.7
H.S. or G.E.D.	951	67,530	17	1.8	0.4- 3.2	394	40.9	36.2-45.6	431	44.4	39.7-49.1	87	10.3	7.6-13.0	20	2.2	1.0- 3.4	2	0.4	0.0- 1.0
Some Post-H.S.	1107	105,745	11	0.8	0.0- 1.6	462	41.0	36.9-45.1	454	40.8	36.7-44.9	154	14.1	11.2-17.0	19	2.5	1.1- 3.9	7	0.7	0.1- 1.3
College Graduate	1163	74,319	9	0.7	0.0- 1.7	511	47.6	43.7-51.5	501	40.1	36.4-43.8	119	9.7	7.5-11.9	20	1.7	0.7- 2.7	3	0.2	0.0- 0.4
Less than \$15,000	235	21,375	9	2.0	0.2- 3.8	100	42.5	32.9-52.1	84	34.1	24.9-43.3	31	14.2	7.3-21.1	10	6.6	1.7-11.5	1	0.6	0.0- 1.8
\$15,000- 24,999	486	36,739	6	1.4	0.0- 3.4	205	42.9	36.2-49.6	207	39.6	33.3-45.9	53	11.1	7.0-15.2	10	2.9	0.4- 5.4	5	2.1	0.0- 4.3
\$25,000- 34,999	344	23,578	3	0.4	0.0- 1.0	151	43.0	34.8-51.2	141	40.5	32.5-48.5	37	13.3	7.4-19.2	10	2.3	0.5- 4.1	2	0.5	0.0- 1.3
\$35,000- 49,999	474	38,792	7	1.4	0.0- 3.4	179	37.3	31.0-43.6	216	43.6	37.1-50.1	61	15.3	10.2-20.4	9	1.9	0.3- 3.5	2	0.5	0.0- 1.3
\$50,000- 74,999	522	38,441	2	0.3	0.0- 0.9	202	40.5	34.4-46.6	240	45.0	38.9-51.1	65	11.2	7.9-14.5	11	2.6	0.2- 5.0	2	0.5	0.0- 1.1
\$75,000+	974	81,852	1	0.0	0.0- 0.0	435	46.6	42.3-50.9	423	42.1	38.0-46.2	102	9.7	7.5-11.9	11	1.5	0.5- 2.5	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6532	547,940	55	1.2	0.8- 1.6	1786	29.7	28.1-31.3	2455	36.1	34.5-37.7	1424	20.6	19.2-22.0	812	12.4	11.2-13.6
Male	3173	286,728	20	1.1	0.5- 1.7	641	23.2	21.2-25.2	1348	41.0	38.8-43.2	770	22.6	20.8-24.4	394	12.1	10.5-13.7
Female	3359	261,212	35	1.3	0.7- 1.9	1145	36.9	34.5-39.3	1107	30.7	28.5-32.9	654	18.4	16.4-20.4	418	12.7	11.1-14.3
Native	226	22,733				42	23.3	15.3-31.3	73	30.4	22.6-38.2	61	27.5	19.7-35.3	50	18.9	12.8-25.0
Non-Native	6239	518,664	55	1.2	0.8- 1.6	1729	30.0	28.4-31.6	2353	36.3	34.7-37.9	1346	20.2	18.8-21.6	756	12.2	11.0-13.4
18-24	356	86,847	16	4.8	2.3- 7.3	160	45.9	40.0-51.8	99	27.8	22.5-33.1	49	13.5	9.6-17.4	32	7.9	5.0-10.8
25-34	640	103,615	4	0.6	0.0- 1.4	228	35.4	31.1-39.7	218	32.6	28.3-36.9	106	17.2	13.7-20.7	84	14.1	10.8-17.4
35-44	656	82,732	2	0.2	0.0- 0.4	173	25.3	21.6-29.0	235	36.3	32.0-40.6	141	22.6	18.9-26.3	105	15.6	12.5-18.7
45-54	897	77,576	5	0.5	0.0- 1.1	201	21.5	18.4-24.6	338	40.3	36.6-44.0	218	23.8	20.7-26.9	135	13.9	11.4-16.4
55-64	1531	88,209	6	0.4	0.0- 0.8	353	22.7	20.2-25.2	580	38.4	35.5-41.3	364	23.9	21.4-26.4	228	14.6	12.4-16.8
65+	2452	108,962	22	0.7	0.3- 1.1	671	26.2	24.0-28.4	985	41.1	38.7-43.5	546	22.9	20.9-24.9	228	9.1	7.7-10.5
Less Than H.S.	376	46,440	3	1.4	0.0- 3.2	123	34.1	27.4-40.8	131	33.6	27.1-40.1	81	21.0	15.7-26.3	38	9.8	5.9-13.7
H.S. or G.E.D.	1844	147,133	24	1.5	0.5- 2.5	466	27.9	25.0-30.8	648	33.9	31.0-36.8	449	22.6	20.1-25.1	257	14.1	11.9-16.3
Some Post-H.S.	2100	213,126	12	0.9	0.1- 1.7	529	26.6	23.9-29.3	798	37.1	34.4-39.8	465	21.2	18.8-23.6	296	14.2	12.2-16.2
College Graduate	2202	140,637	16	1.1	0.3- 1.9	664	34.6	31.9-37.3	875	37.8	35.3-40.3	427	17.6	15.6-19.6	220	8.9	7.5-10.3
Less than \$15,000	407	40,000	11	2.9	0.5- 5.3	124	31.6	25.1-38.1	118	28.2	21.9-34.5	92	23.5	17.6-29.4	62	13.8	9.5-18.1
\$15,000- 24,999	770	65,210	12	2.4	0.4- 4.4	222	31.4	26.5-36.3	242	29.5	25.0-34.0	183	22.6	18.5-26.7	111	14.2	10.9-17.5
\$25,000- 34,999	573	45,449	4	0.2	0.0- 0.4	173	33.3	27.4-39.2	209	35.1	29.4-40.8	109	16.3	12.2-20.4	78	15.1	10.8-19.4
\$35,000- 49,999	945	76,091	5	0.9	0.0- 2.1	232	26.3	22.4-30.2	352	34.5	30.4-38.6	232	24.5	20.8-28.2	124	13.8	10.7-16.9
\$50,000- 74,999	1105	90,226	6	0.6	0.0- 1.4	271	26.7	23.0-30.4	433	39.8	35.9-43.7	247	19.9	16.8-23.0	148	13.0	10.3-15.7
\$75,000+	2152	184,284	9	0.7	0.1- 1.3	564	29.0	26.3-31.7	885	40.1	37.4-42.8	472	20.5	18.3-22.7	222	9.7	8.1-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3173	286,728	20	1.1	0.5- 1.7	641	23.2	21.2-25.2	1348	41.0	38.8-43.2	770	22.6	20.8-24.4	394	12.1	10.5-13.7
Native	113	12,186				21	21.7	11.7-31.7	31	29.9	18.5-41.3	31	26.0	16.2-35.8	30	22.4	13.6-31.2
Non-Native	3017	270,266	20	1.2	0.6- 1.8	614	23.2	21.0-25.4	1296	41.4	39.0-43.8	727	22.5	20.5-24.5	360	11.7	10.1-13.3
18-24	216	46,600	9	4.7	1.4- 8.0	92	43.7	36.1-51.3	68	33.3	25.9-40.7	27	10.7	6.2-15.2	20	7.6	4.1-11.1
25-34	377	58,566	3	1.0	0.0- 2.2	114	28.0	22.9-33.1	144	37.4	31.7-43.1	71	19.8	15.1-24.5	45	13.8	9.5-18.1
35-44	369	44,347	1	0.1	0.0- 0.3	64	16.4	12.1-20.7	155	42.8	36.9-48.7	89	25.5	20.4-30.6	60	15.1	11.0-19.2
45-54	454	40,030	2	0.4	0.0- 1.0	66	14.0	10.5-17.5	190	44.5	39.2-49.8	126	27.1	22.4-31.8	70	14.0	10.5-17.5
55-64	742	46,296				116	16.6	13.5-19.7	312	41.7	37.6-45.8	199	27.7	23.8-31.6	115	14.0	11.3-16.7
65+	1015	50,890	5	0.3	0.0- 0.7	189	17.7	15.0-20.4	479	47.3	43.6-51.0	258	26.0	22.9-29.1	84	8.7	6.5-10.9
Less Than H.S.	200	27,559	3	2.4	0.0- 5.3	61	30.9	22.1-39.7	69	35.1	26.1-44.1	47	20.3	13.6-27.0	20	11.4	5.9-16.9
H.S. or G.E.D.	898	80,273	9	1.1	0.1- 2.1	172	23.2	19.3-27.1	352	38.5	34.4-42.6	227	22.9	19.4-26.4	138	14.2	11.5-16.9
Some Post-H.S.	1009	110,056	5	1.2	0.0- 2.4	181	20.1	16.8-23.4	429	41.8	37.9-45.7	258	23.7	20.6-26.8	136	13.2	10.7-15.7
College Graduate	1059	68,365	3	0.5	0.0- 1.1	225	24.6	21.1-28.1	495	45.1	41.4-48.8	237	21.4	18.5-24.3	99	8.4	6.4-10.4
Less than \$15,000	175	19,094	3	2.8	0.0- 6.7	44	23.9	16.1-31.7	53	36.7	26.7-46.7	47	24.4	16.4-32.4	28	12.1	7.0-17.2
\$15,000- 24,999	291	29,202	5	3.1	0.0- 6.8	86	32.9	25.5-40.3	94	30.2	23.1-37.3	62	18.7	13.2-24.2	44	15.1	9.8-20.4
\$25,000- 34,999	232	22,352	1	0.1	0.0- 0.3	55	27.6	19.4-35.8	102	43.2	34.4-52.0	41	14.4	9.1-19.7	33	14.6	8.7-20.5
\$35,000- 49,999	474	37,583				99	23.2	17.9-28.5	193	37.9	32.2-43.6	132	27.6	22.3-32.9	50	11.3	7.6-15.0
\$50,000- 74,999	594	53,477	3	0.8	0.0- 2.0	102	20.0	15.5-24.5	270	45.0	39.7-50.3	144	21.7	17.6-25.8	75	12.6	9.1-16.1
\$75,000+	1193	104,165	6	1.1	0.1- 2.1	199	19.5	16.4-22.6	551	44.5	41.0-48.0	310	24.8	21.7-27.9	127	10.1	7.9-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3359	261,212	35	1.3	0.7- 1.9	1145	36.9	34.5-39.3	1107	30.7	28.5-32.9	654	18.4	16.4-20.4	418	12.7	11.1-14.3
Native	113	10,547				21	25.0	12.1-37.9	42	30.9	20.1-41.7	30	29.1	16.6-41.6	20	14.9	7.1-22.7
Non-Native	3222	248,398	35	1.3	0.7- 1.9	1115	37.5	35.0-40.0	1057	30.7	28.5-32.9	619	17.7	15.9-19.5	396	12.7	11.1-14.3
18-24	140	40,247	7	5.0	1.1- 8.9	68	48.5	39.3-57.7	31	21.4	14.0-28.8	22	16.8	9.9-23.7	12	8.3	3.4-13.2
25-34	263	45,049	1	0.2	0.0- 0.6	114	45.0	37.9-52.1	74	26.4	20.3-32.5	35	13.8	8.9-18.7	39	14.6	9.5-19.7
35-44	287	38,386	1	0.2	0.0- 0.6	109	35.6	29.1-42.1	80	28.8	22.5-35.1	52	19.3	13.8-24.8	45	16.1	11.0-21.2
45-54	443	37,546	3	0.7	0.0- 1.7	135	29.4	24.5-34.3	148	35.8	30.5-41.1	92	20.4	16.1-24.7	65	13.8	10.3-17.3
55-64	789	41,913	6	0.8	0.0- 1.6	237	29.4	25.7-33.1	268	34.8	30.9-38.7	165	19.7	16.6-22.8	113	15.4	12.3-18.5
65+	1437	58,072	17	1.0	0.4- 1.6	482	33.6	30.7-36.5	506	35.7	32.8-38.6	288	20.2	17.7-22.7	144	9.5	7.7-11.3
Less Than H.S.	176	18,880				62	38.9	28.7-49.1	62	31.5	22.7-40.3	34	22.0	13.2-30.8	18	7.6	2.5-12.7
H.S. or G.E.D.	946	66,861	15	2.1	0.5- 3.7	294	33.5	28.8-38.2	296	28.4	24.5-32.3	222	22.1	18.4-25.8	119	13.9	10.6-17.2
Some Post-H.S.	1091	103,069	7	0.6	0.0- 1.4	348	33.6	29.5-37.7	369	32.1	28.2-36.0	207	18.4	15.1-21.7	160	15.3	12.4-18.2
College Graduate	1143	72,272	13	1.8	0.4- 3.2	439	44.1	40.2-48.0	380	30.8	27.3-34.3	190	13.9	11.4-16.4	121	9.4	7.2-11.6
Less than \$15,000	232	20,906	8	3.0	0.0- 6.1	80	38.6	28.8-48.4	65	20.4	13.5-27.3	45	22.6	14.0-31.2	34	15.3	8.4-22.2
\$15,000- 24,999	479	36,008	7	1.8	0.0- 3.8	136	30.3	23.8-36.8	148	28.9	23.2-34.6	121	25.7	19.8-31.6	67	13.4	9.1-17.7
\$25,000- 34,999	341	23,097	3	0.3	0.0- 0.7	118	38.7	30.5-46.9	107	27.2	20.5-33.9	68	18.1	11.8-24.4	45	15.6	9.3-21.9
\$35,000- 49,999	471	38,508	5	1.8	0.0- 4.0	133	29.4	23.5-35.3	159	31.2	25.1-37.3	100	21.4	15.9-26.9	74	16.3	11.4-21.2
\$50,000- 74,999	511	36,749	3	0.4	0.0- 1.0	169	36.3	30.2-42.4	163	32.4	26.5-38.3	103	17.3	13.0-21.6	73	13.6	9.5-17.7
\$75,000+	959	80,119	3	0.3	0.0- 0.7	365	41.4	37.1-45.7	334	34.3	30.4-38.2	162	14.9	12.2-17.6	95	9.1	6.9-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6532	547,940	81	1.6	1.0- 2.2	1749	29.1	27.5-30.7	2461	36.2	34.6-37.8	2241	33.1	31.5-34.7
Male	3173	286,728	26	1.4	0.8- 2.0	625	22.5	20.5-24.5	1353	41.2	38.8-43.6	1169	35.0	32.8-37.2
Female	3359	261,212	55	1.8	1.0- 2.6	1124	36.3	33.9-38.7	1108	30.7	28.5-32.9	1072	31.1	28.9-33.3
Native	226	22,733				42	23.3	15.3-31.3	73	30.4	22.6-38.2	111	46.4	37.8-55.0
Non-Native	6239	518,664	80	1.7	1.1- 2.3	1693	29.4	27.8-31.0	2359	36.4	34.8-38.0	2107	32.5	30.9-34.1
18-24	356	86,847	18	5.4	2.7- 8.1	156	44.7	38.8-50.6	101	28.5	23.2-33.8	81	21.4	16.7-26.1
25-34	640	103,615	5	0.8	0.0- 1.6	225	34.8	30.5-39.1	219	32.8	28.5-37.1	191	31.5	27.2-35.8
35-44	656	82,732	4	0.6	0.0- 1.4	170	24.8	21.1-28.5	235	36.1	31.8-40.4	247	38.5	34.2-42.8
45-54	897	77,576	12	1.1	0.3- 1.9	193	20.8	17.7-23.9	338	40.2	36.5-43.9	354	37.9	34.2-41.6
55-64	1531	88,209	12	0.6	0.2- 1.0	345	22.3	19.8-24.8	581	38.4	35.5-41.3	593	38.6	35.7-41.5
65+	2452	108,962	30	1.1	0.5- 1.7	660	25.7	23.7-27.7	987	41.1	38.7-43.5	775	32.1	29.9-34.3
Less Than H.S.	376	46,440	7	2.8	0.4- 5.2	119	32.8	26.1-39.5	131	33.6	27.1-40.1	119	30.8	24.7-36.9
H.S. or G.E.D.	1844	147,133	30	1.9	0.9- 2.9	457	27.3	24.4-30.2	650	34.2	31.3-37.1	707	36.7	33.8-39.6
Some Post-H.S.	2100	213,126	21	1.2	0.4- 2.0	517	26.1	23.4-28.8	798	37.1	34.4-39.8	764	35.6	32.9-38.3
College Graduate	2202	140,637	23	1.5	0.7- 2.3	652	34.0	31.3-36.7	879	38.0	35.5-40.5	648	26.6	24.2-29.0
Less than \$15,000	407	40,000	18	4.9	2.0- 7.8	117	29.6	23.1-36.1	118	28.2	21.9-34.5	154	37.2	30.5-43.9
\$15,000- 24,999	770	65,210	16	2.6	0.6- 4.6	216	30.8	25.9-35.7	244	29.9	25.4-34.4	294	36.7	32.0-41.4
\$25,000- 34,999	573	45,449	5	0.4	0.0- 0.8	171	33.1	27.2-39.0	209	35.0	29.3-40.7	188	31.5	26.0-37.0
\$35,000- 49,999	945	76,091	9	1.6	0.2- 3.0	226	24.9	21.0-28.8	354	35.2	30.9-39.5	356	38.3	34.0-42.6
\$50,000- 74,999	1105	90,226	6	0.6	0.0- 1.4	270	26.6	22.9-30.3	432	39.6	35.7-43.5	397	33.1	29.4-36.8
\$75,000+	2152	184,284	14	0.9	0.3- 1.5	555	28.6	25.9-31.3	887	40.1	37.4-42.8	696	30.4	27.9-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3173	286,728	26	1.4	0.8- 2.0	625	22.5	20.5-24.5	1353	41.2	38.8-43.6	1169	35.0	32.8-37.2
Native	113	12,186				21	21.7	11.7-31.7	31	29.9	18.5-41.3	61	48.4	36.6-60.2
Non-Native	3017	270,266	26	1.4	0.6- 2.2	598	22.5	20.3-24.7	1301	41.7	39.3-44.1	1092	34.4	32.2-36.6
18-24	216	46,600	11	5.7	2.0- 9.4	88	41.5	33.9-49.1	70	34.6	27.2-42.0	47	18.3	12.8-23.8
25-34	377	58,566	3	1.0	0.0- 2.2	112	27.3	22.2-32.4	145	37.8	32.1-43.5	117	33.9	28.2-39.6
35-44	369	44,347	1	0.1	0.0- 0.3	63	16.3	12.0-20.6	155	42.4	36.5-48.3	150	41.1	35.2-47.0
45-54	454	40,030	5	0.7	0.0- 1.5	62	13.4	9.9-16.9	190	44.4	39.1-49.7	197	41.5	36.2-46.8
55-64	742	46,296				114	16.5	13.4-19.6	313	41.7	37.6-45.8	315	41.9	37.8-46.0
65+	1015	50,890	6	0.6	0.0- 1.2	186	17.4	14.7-20.1	480	47.3	43.6-51.0	343	34.7	31.2-38.2
Less Than H.S.	200	27,559	5	4.0	0.3- 7.7	59	29.2	20.6-37.8	69	35.1	26.1-44.1	67	31.7	23.7-39.7
H.S. or G.E.D.	898	80,273	10	1.1	0.1- 2.1	168	22.7	19.0-26.4	354	39.0	34.9-43.1	366	37.2	33.1-41.3
Some Post-H.S.	1009	110,056	8	1.4	0.2- 2.6	175	19.5	16.2-22.8	429	41.8	37.9-45.7	397	37.3	33.6-41.0
College Graduate	1059	68,365	3	0.5	0.0- 1.1	221	24.0	20.7-27.3	498	45.5	41.8-49.2	337	30.0	26.7-33.3
Less than \$15,000	175	19,094	5	4.4	0.0- 8.9	42	22.3	14.7-29.9	53	36.7	26.7-46.7	75	36.5	27.5-45.5
\$15,000- 24,999	291	29,202	7	3.3	0.0- 7.0	82	31.8	24.5-39.1	96	31.1	24.0-38.2	106	33.8	26.7-40.9
\$25,000- 34,999	232	22,352	1	0.1	0.0- 0.3	55	27.6	19.4-35.8	101	43.1	34.3-51.9	75	29.2	21.8-36.6
\$35,000- 49,999	474	37,583	1	0.8	0.0- 2.4	96	21.0	16.1-25.9	195	39.3	33.4-45.2	182	38.9	33.2-44.6
\$50,000- 74,999	594	53,477	3	0.8	0.0- 2.0	101	20.0	15.5-24.5	269	44.6	39.3-49.9	221	34.7	29.8-39.6
\$75,000+	1193	104,165	7	1.1	0.1- 2.1	194	19.1	16.0-22.2	553	44.5	41.0-48.0	439	35.3	31.8-38.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3359	261,212	55	1.8	1.0- 2.6	1124	36.3	33.9-38.7	1108	30.7	28.5-32.9	1072	31.1	28.9-33.3
Native	113	10,547				21	25.0	12.1-37.9	42	30.9	20.1-41.7	50	44.0	31.1-56.9
Non-Native	3222	248,398	54	1.9	1.1- 2.7	1095	36.9	34.4-39.4	1058	30.7	28.5-32.9	1015	30.5	28.1-32.9
18-24	140	40,247	7	5.0	1.1- 8.9	68	48.5	39.3-57.7	31	21.4	14.0-28.8	34	25.1	17.1-33.1
25-34	263	45,049	2	0.6	0.0- 1.6	113	44.6	37.5-51.7	74	26.4	20.3-32.5	74	28.5	22.0-35.0
35-44	287	38,386	3	1.2	0.0- 2.8	107	34.6	28.3-40.9	80	28.8	22.5-35.1	97	35.4	28.7-42.1
45-54	443	37,546	7	1.5	0.3- 2.7	131	28.6	23.7-33.5	148	35.8	30.5-41.1	157	34.1	29.0-39.2
55-64	789	41,913	12	1.3	0.3- 2.3	231	28.8	25.1-32.5	268	34.8	30.9-38.7	278	35.1	31.2-39.0
65+	1437	58,072	24	1.6	0.8- 2.4	474	32.9	30.0-35.8	507	35.7	32.8-38.6	432	29.8	27.1-32.5
Less Than H.S.	176	18,880	2	1.0	0.0- 2.4	60	38.0	27.8-48.2	62	31.5	22.7-40.3	52	29.6	20.2-39.0
H.S. or G.E.D.	946	66,861	20	2.7	0.9- 4.5	289	32.8	28.1-37.5	296	28.4	24.5-32.3	341	36.0	31.5-40.5
Some Post-H.S.	1091	103,069	13	1.0	0.2- 1.8	342	33.2	29.1-37.3	369	32.1	28.2-36.0	367	33.7	29.8-37.6
College Graduate	1143	72,272	20	2.4	0.8- 4.0	431	43.4	39.5-47.3	381	30.8	27.3-34.3	311	23.3	20.2-26.4
Less than \$15,000	232	20,906	13	5.3	1.2- 9.4	75	36.3	26.5-46.1	65	20.4	13.5-27.3	79	37.9	28.3-47.5
\$15,000- 24,999	479	36,008	9	2.0	0.0- 4.2	134	30.0	23.5-36.5	148	28.9	23.2-34.6	188	39.1	32.6-45.6
\$25,000- 34,999	341	23,097	4	0.6	0.0- 1.4	116	38.3	30.1-46.5	108	27.2	20.5-33.9	113	33.8	26.0-41.6
\$35,000- 49,999	471	38,508	8	2.5	0.1- 4.9	130	28.7	22.8-34.6	159	31.2	25.1-37.3	174	37.7	31.2-44.2
\$50,000- 74,999	511	36,749	3	0.4	0.0- 1.0	169	36.3	30.2-42.4	163	32.4	26.5-38.3	176	30.8	25.3-36.3
\$75,000+	959	80,119	7	0.7	0.1- 1.3	361	41.0	36.7-45.3	334	34.3	30.4-38.2	257	24.0	20.7-27.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6532	547,940	1830	30.6	29.0-32.2	4702	69.4	67.8-71.0
Male	3173	286,728	651	23.8	21.6-26.0	2522	76.2	74.0-78.4
Female	3359	261,212	1179	38.1	35.7-40.5	2180	61.9	59.5-64.3
Native	226	22,733	42	23.3	15.3-31.3	184	76.7	68.7-84.7
Non-Native	6239	518,664	1773	31.0	29.4-32.6	4466	69.0	67.4-70.6
18-24	356	86,847	174	50.1	44.2-56.0	182	49.9	44.0-55.8
25-34	640	103,615	230	35.6	31.3-39.9	410	64.4	60.1-68.7
35-44	656	82,732	174	25.4	21.7-29.1	482	74.6	70.9-78.3
45-54	897	77,576	205	21.9	18.8-25.0	692	78.1	75.0-81.2
55-64	1531	88,209	357	22.9	20.4-25.4	1174	77.1	74.6-79.6
65+	2452	108,962	690	26.8	24.6-29.0	1762	73.2	71.0-75.4
Less Than H.S.	376	46,440	126	35.5	28.8-42.2	250	64.5	57.8-71.2
H.S. or G.E.D.	1844	147,133	487	29.2	26.1-32.3	1357	70.8	67.7-73.9
Some Post-H.S.	2100	213,126	538	27.3	24.6-30.0	1562	72.7	70.0-75.4
College Graduate	2202	140,637	675	35.5	32.8-38.2	1527	64.5	61.8-67.2
Less than \$15,000	407	40,000	135	34.6	27.9-41.3	272	65.4	58.7-72.1
\$15,000- 24,999	770	65,210	232	33.4	28.3-38.5	538	66.6	61.5-71.7
\$25,000- 34,999	573	45,449	176	33.4	27.5-39.3	397	66.6	60.7-72.5
\$35,000- 49,999	945	76,091	235	26.5	22.6-30.4	710	73.5	69.6-77.4
\$50,000- 74,999	1105	90,226	276	27.3	23.6-31.0	829	72.7	69.0-76.4
\$75,000+	2152	184,284	569	29.5	26.8-32.2	1583	70.5	67.8-73.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3173	286,728	651	23.8	21.6-26.0	2522	76.2	74.0-78.4
Native	113	12,186	21	21.7	11.7-31.7	92	78.3	68.3-88.3
Non-Native	3017	270,266	624	23.9	21.7-26.1	2393	76.1	73.9-78.3
18-24	216	46,600	99	47.2	39.6-54.8	117	52.8	45.2-60.4
25-34	377	58,566	115	28.3	23.0-33.6	262	71.7	66.4-77.0
35-44	369	44,347	64	16.4	12.1-20.7	305	83.6	79.3-87.9
45-54	454	40,030	67	14.2	10.7-17.7	387	85.8	82.3-89.3
55-64	742	46,296	114	16.5	13.4-19.6	628	83.5	80.4-86.6
65+	1015	50,890	192	18.0	15.3-20.7	823	82.0	79.3-84.7
Less Than H.S.	200	27,559	64	33.2	24.4-42.0	136	66.8	58.0-75.6
H.S. or G.E.D.	898	80,273	178	23.8	19.9-27.7	720	76.2	72.3-80.1
Some Post-H.S.	1009	110,056	183	20.9	17.6-24.2	826	79.1	75.8-82.4
College Graduate	1059	68,365	224	24.5	21.0-28.0	835	75.5	72.0-79.0
Less than \$15,000	175	19,094	47	26.8	18.4-35.2	128	73.2	64.8-81.6
\$15,000- 24,999	291	29,202	89	35.1	27.5-42.7	202	64.9	57.3-72.5
\$25,000- 34,999	232	22,352	56	27.7	19.5-35.9	176	72.3	64.1-80.5
\$35,000- 49,999	474	37,583	97	21.8	16.7-26.9	377	78.2	73.1-83.3
\$50,000- 74,999	594	53,477	104	20.7	16.2-25.2	490	79.3	74.8-83.8
\$75,000+	1193	104,165	201	20.2	16.9-23.5	992	79.8	76.5-83.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3359	261,212	1179	38.1	35.7-40.5	2180	61.9	59.5-64.3
Native	113	10,547	21	25.0	12.1-37.9	92	75.0	62.1-87.9
Non-Native	3222	248,398	1149	38.8	36.3-41.3	2073	61.2	58.7-63.7
18-24	140	40,247	75	53.5	44.3-62.7	65	46.5	37.3-55.7
25-34	263	45,049	115	45.2	38.1-52.3	148	54.8	47.7-61.9
35-44	287	38,386	110	35.8	29.3-42.3	177	64.2	57.7-70.7
45-54	443	37,546	138	30.1	25.0-35.2	305	69.9	64.8-75.0
55-64	789	41,913	243	30.1	26.4-33.8	546	69.9	66.2-73.6
65+	1437	58,072	498	34.5	31.6-37.4	939	65.5	62.6-68.4
Less Than H.S.	176	18,880	62	38.9	28.7-49.1	114	61.1	50.9-71.3
H.S. or G.E.D.	946	66,861	309	35.6	30.9-40.3	637	64.4	59.7-69.1
Some Post-H.S.	1091	103,069	355	34.2	30.1-38.3	736	65.8	61.7-69.9
College Graduate	1143	72,272	451	45.9	42.0-49.8	692	54.1	50.2-58.0
Less than \$15,000	232	20,906	88	41.7	31.9-51.5	144	58.3	48.5-68.1
\$15,000- 24,999	479	36,008	143	32.0	25.3-38.7	336	68.0	61.3-74.7
\$25,000- 34,999	341	23,097	120	39.0	30.8-47.2	221	61.0	52.8-69.2
\$35,000- 49,999	471	38,508	138	31.2	25.1-37.3	333	68.8	62.7-74.9
\$50,000- 74,999	511	36,749	172	36.8	30.7-42.9	339	63.2	57.1-69.3
\$75,000+	959	80,119	368	41.7	37.4-46.0	591	58.3	54.0-62.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6891	577,987	5394	67.5	65.9-69.1	547	11.8	10.6-13.0	532	11.6	10.4-12.8	276	6.1	5.3- 6.9	92	1.9	1.5- 2.3	50	1.0	0.6- 1.4
Male	3253	295,093	2486	68.7	66.5-70.9	277	11.6	10.0-13.2	276	10.7	9.3-12.1	137	6.0	4.8- 7.2	49	1.8	1.2- 2.4	28	1.2	0.6- 1.8
Female	3638	282,894	2908	66.2	63.8-68.6	270	12.1	10.3-13.9	256	12.5	10.7-14.3	139	6.3	5.1- 7.5	43	2.1	1.3- 2.9	22	0.8	0.4- 1.2
Native	240	23,987	129	47.2	38.8-55.6	41	19.0	12.3-25.7	26	10.9	5.4-16.4	23	11.1	5.8-16.4	11	7.0	2.3-11.7	10	4.8	1.1- 8.5
Non-Native	6569	545,947	5195	68.3	66.7-69.9	500	11.5	10.3-12.7	503	11.7	10.5-12.9	252	5.9	5.1- 6.7	79	1.7	1.3- 2.1	40	0.9	0.5- 1.3
18-24	367	89,258	258	70.7	65.4-76.0	48	12.5	8.8-16.2	36	10.3	6.6-14.0	15	4.4	1.7- 7.1	5	1.0	0.0- 2.0	5	1.1	0.1- 2.1
25-34	684	111,036	327	49.6	45.3-53.9	119	17.4	14.1-20.7	128	17.7	14.4-21.0	76	10.4	7.9-12.9	29	4.1	2.5- 5.7	5	0.8	0.0- 1.6
35-44	688	86,771	166	25.3	21.6-29.0	114	18.7	15.2-22.2	202	28.7	24.8-32.6	130	18.1	14.8-21.4	44	5.1	3.3- 6.9	32	4.2	2.4- 6.0
45-54	950	82,373	609	63.5	60.0-67.0	171	18.7	15.8-21.6	112	12.1	9.7-14.5	43	3.9	2.5- 5.3	11	1.3	0.3- 2.3	4	0.5	0.0- 1.1
55-64	1631	94,041	1509	91.2	89.4-93.0	65	4.8	3.4- 6.2	41	2.6	1.6- 3.6	11	0.9	0.3- 1.5	3	0.3	0.0- 0.7	2	0.1	0.0- 0.3
65+	2571	114,507	2525	97.7	96.9-98.5	30	1.6	1.0- 2.2	13	0.7	0.3- 1.1	1	0.1	0.0- 0.3				2	0.0	0.0- 0.0
Less Than H.S.	391	48,080	321	68.3	61.4-75.2	29	13.8	8.7-18.9	21	8.5	4.4-12.6	13	7.3	2.6-12.0	3	1.4	0.0- 3.2	4	0.8	0.0- 1.8
H.S. or G.E.D.	1944	155,593	1588	69.5	66.6-72.4	148	11.9	9.7-14.1	117	10.8	8.6-13.0	51	4.3	2.9- 5.7	24	2.1	1.1- 3.1	16	1.4	0.6- 2.2
Some Post-H.S.	2224	226,084	1765	69.2	66.5-71.9	188	12.4	10.4-14.4	153	10.4	8.6-12.2	78	5.5	4.1- 6.9	31	1.9	1.1- 2.7	9	0.7	0.3- 1.1
College Graduate	2315	147,005	1706	62.5	59.8-65.2	181	10.3	8.5-12.1	241	15.4	13.2-17.6	133	8.6	7.0-10.2	34	2.0	1.2- 2.8	20	1.2	0.6- 1.8
Less than \$15,000	429	43,183	382	81.2	75.5-86.9	21	7.2	3.5-10.9	12	4.5	1.6- 7.4	9	4.2	1.3- 7.1	3	1.7	0.0- 3.7	2	1.2	0.0- 3.0
\$15,000- 24,999	810	68,855	689	76.9	72.6-81.2	40	7.6	4.9-10.3	42	8.9	5.8-12.0	23	4.2	2.0- 6.4	10	1.5	0.3- 2.7	6	0.8	0.0- 1.8
\$25,000- 34,999	602	48,145	514	72.9	67.2-78.6	38	11.3	7.2-15.4	25	7.4	3.7-11.1	16	4.8	1.9- 7.7	7	3.1	0.7- 5.5	2	0.5	0.0- 1.3
\$35,000- 49,999	976	78,241	803	70.7	66.4-75.0	69	12.6	9.3-15.9	61	10.6	7.5-13.7	27	3.9	2.1- 5.7	8	1.0	0.0- 2.0	8	1.1	0.3- 1.9
\$50,000- 74,999	1150	93,956	901	67.1	63.2-71.0	99	13.7	10.6-16.8	79	10.1	7.4-12.8	48	6.4	4.2- 8.6	13	1.6	0.6- 2.6	10	1.2	0.4- 2.0
\$75,000+	2218	188,960	1487	55.8	53.1-58.5	240	13.7	11.7-15.7	285	17.6	15.4-19.8	139	9.0	7.2-10.8	48	2.8	1.8- 3.8	19	1.2	0.6- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3253	295,093	2486	68.7	66.5-70.9	277	11.6	10.0-13.2	276	10.7	9.3-12.1	137	6.0	4.8- 7.2	49	1.8	1.2- 2.4	28	1.2	0.6- 1.8
Native	119	12,991	70	54.2	42.8-65.6	18	19.4	9.8-29.0	13	9.5	3.6-15.4	10	9.4	2.9-15.9	4	3.3	0.0- 7.4	4	4.1	0.0- 8.8
Non-Native	3084	277,119	2374	69.2	67.0-71.4	254	11.2	9.6-12.8	262	10.9	9.3-12.5	127	5.9	4.7- 7.1	43	1.6	1.0- 2.2	24	1.1	0.5- 1.7
18-24	219	47,340	163	75.7	69.0-82.4	25	11.1	6.4-15.8	18	7.0	3.5-10.5	7	3.6	0.0- 7.5	2	1.2	0.0- 3.0	4	1.4	0.0- 2.8
25-34	385	60,321	216	58.2	52.5-63.9	59	14.9	10.8-19.0	64	15.1	11.2-19.0	35	9.0	5.7-12.3	10	2.4	0.8- 4.0	1	0.5	0.0- 1.5
35-44	376	45,238	111	29.6	24.3-34.9	61	18.6	13.9-23.3	94	23.7	18.8-28.6	65	17.7	13.4-22.0	27	5.5	3.0- 8.0	18	5.0	2.5- 7.5
45-54	470	42,378	280	58.4	53.1-63.7	80	18.4	14.3-22.5	73	15.9	12.0-19.8	26	5.0	2.8- 7.2	8	1.5	0.3- 2.7	3	0.8	0.0- 1.8
55-64	767	47,776	701	89.6	86.9-92.3	38	5.9	3.7- 8.1	21	3.0	1.4- 4.6	4	0.9	0.0- 1.9	2	0.4	0.0- 1.2	1	0.1	0.0- 0.3
65+	1036	52,039	1015	97.5	96.1-98.9	14	1.9	0.7- 3.1	6	0.6	0.0- 1.2							1	0.0	0.0- 0.0
Less Than H.S.	206	28,237	169	73.6	64.8-82.4	18	14.4	7.3-21.5	11	6.2	1.9-10.5	5	4.5	0.0-10.4	1	0.6	0.0- 1.8	2	0.7	0.0- 1.9
H.S. or G.E.D.	921	82,863	717	68.1	64.0-72.2	83	12.2	9.3-15.1	72	12.2	9.1-15.3	27	4.2	2.4- 6.0	14	1.9	0.7- 3.1	8	1.4	0.4- 2.4
Some Post-H.S.	1037	113,652	793	69.6	66.1-73.1	91	11.2	8.7-13.7	83	9.4	7.2-11.6	47	6.9	4.7- 9.1	18	2.1	0.9- 3.3	5	0.9	0.1- 1.7
College Graduate	1081	69,665	801	66.0	62.3-69.7	84	10.1	7.7-12.5	110	13.2	10.7-15.7	58	7.4	5.2- 9.6	16	1.7	0.7- 2.7	12	1.6	0.4- 2.8
Less than \$15,000	183	20,068	169	89.5	83.8-95.2	5	3.8	0.3- 7.3	5	3.2	0.1- 6.3	3	2.7	0.0- 6.0				1	0.8	0.0- 2.4
\$15,000- 24,999	301	30,526	248	77.0	70.5-83.5	21	10.5	5.4-15.6	17	6.8	3.1-10.5	10	4.5	1.4- 7.6	5	1.2	0.0- 2.6			
\$25,000- 34,999	238	23,176	205	74.6	66.2-83.0	13	11.4	4.7-18.1	7	3.8	0.9- 6.7	9	6.5	1.2-11.8	3	3.2	0.0- 7.1	1	0.6	0.0- 1.8
\$35,000- 49,999	482	38,392	401	74.1	68.4-79.8	33	11.4	7.1-15.7	30	9.7	5.8-13.6	10	2.9	0.7- 5.1	4	0.6	0.0- 1.4	4	1.3	0.0- 2.7
\$50,000- 74,999	598	53,637	464	70.0	65.1-74.9	52	11.2	7.9-14.5	36	7.8	4.7-10.9	31	7.6	4.7-10.5	7	1.9	0.3- 3.5	8	1.6	0.2- 3.0
\$75,000+	1201	104,872	797	56.9	53.2-60.6	131	13.3	10.8-15.8	165	17.5	14.8-20.2	69	8.0	5.6-10.4	28	2.7	1.5- 3.9	11	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3638	282,894	2908	66.2	63.8-68.6	270	12.1	10.3-13.9	256	12.5	10.7-14.3	139	6.3	5.1- 7.5	43	2.1	1.3- 2.9	22	0.8	0.4- 1.2
Native	121	10,995	59	38.9	26.7-51.1	23	18.6	9.6-27.6	13	12.5	2.9-22.1	13	13.1	4.3-21.9	7	11.3	2.7-19.9	6	5.6	0.0-11.7
Non-Native	3485	268,827	2821	67.3	64.9-69.7	246	11.8	10.0-13.6	241	12.5	10.7-14.3	125	5.9	4.7- 7.1	36	1.7	1.1- 2.3	16	0.7	0.3- 1.1
18-24	148	41,918	95	65.0	56.4-73.6	23	14.2	8.1-20.3	18	13.9	7.4-20.4	8	5.3	1.2- 9.4	3	0.8	0.0- 1.8	1	0.8	0.0- 2.4
25-34	299	50,715	111	39.3	32.8-45.8	60	20.4	15.1-25.7	64	20.9	15.6-26.2	41	12.1	8.0-16.2	19	6.3	3.2- 9.4	4	1.1	0.0- 2.5
35-44	312	41,532	55	20.7	15.2-26.2	53	18.8	13.5-24.1	108	34.1	28.0-40.2	65	18.5	13.6-23.4	17	4.5	2.1- 6.9	14	3.3	1.3- 5.3
45-54	480	39,995	329	68.9	64.0-73.8	91	19.0	14.9-23.1	39	8.0	5.1-10.9	17	2.8	1.2- 4.4	3	1.1	0.0- 2.5	1	0.1	0.0- 0.3
55-64	864	46,265	808	92.9	90.9-94.9	27	3.7	2.1- 5.3	20	2.2	1.2- 3.2	7	1.0	0.2- 1.8	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0
65+	1535	62,469	1510	97.9	96.9-98.9	16	1.3	0.5- 2.1	7	0.7	0.1- 1.3	1	0.1	0.0- 0.3				1	0.0	0.0- 0.0
Less Than H.S.	185	19,842	152	60.7	50.3-71.1	11	12.9	5.5-20.3	10	11.7	4.1-19.3	8	11.2	3.6-18.8	2	2.5	0.0- 6.2	2	1.0	0.0- 2.4
H.S. or G.E.D.	1023	72,730	871	71.2	66.7-75.7	65	11.6	8.5-14.7	45	9.2	6.1-12.3	24	4.4	2.4- 6.4	10	2.3	0.7- 3.9	8	1.4	0.2- 2.6
Some Post-H.S.	1187	112,432	972	68.8	64.7-72.9	97	13.5	10.4-16.6	70	11.3	8.4-14.2	31	4.2	2.4- 6.0	13	1.8	0.8- 2.8	4	0.5	0.0- 1.1
College Graduate	1234	77,339	905	59.2	55.3-63.1	97	10.4	8.0-12.8	131	17.5	14.4-20.6	75	9.7	7.2-12.2	18	2.3	1.1- 3.5	8	0.9	0.1- 1.7
Less than \$15,000	246	23,115	213	74.0	65.0-83.0	16	10.2	3.9-16.5	7	5.6	0.7-10.5	6	5.5	0.8-10.2	3	3.2	0.0- 6.9	1	1.5	0.0- 4.4
\$15,000- 24,999	509	38,329	441	76.8	70.9-82.7	19	5.3	2.6- 8.0	25	10.6	5.9-15.3	13	4.0	1.3- 6.7	5	1.8	0.2- 3.4	6	1.5	0.0- 3.3
\$25,000- 34,999	364	24,969	309	71.4	63.6-79.2	25	11.2	6.3-16.1	18	10.7	4.4-17.0	7	3.2	0.5- 5.9	4	3.0	0.0- 6.1	1	0.5	0.0- 1.5
\$35,000- 49,999	494	39,849	402	67.4	60.9-73.9	36	13.8	8.9-18.7	31	11.5	6.6-16.4	17	5.0	2.1- 7.9	4	1.4	0.0- 3.4	4	0.9	0.0- 1.9
\$50,000- 74,999	552	40,319	437	63.1	56.8-69.4	47	17.0	11.5-22.5	43	13.2	8.7-17.7	17	4.8	1.9- 7.7	6	1.2	0.2- 2.2	2	0.6	0.0- 1.6
\$75,000+	1017	84,089	690	54.3	50.2-58.4	109	14.1	11.2-17.0	120	17.7	14.4-21.0	70	10.2	7.5-12.9	20	2.9	1.5- 4.3	8	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6973	587,030	398	8.4	7.4- 9.4	1969	26.9	25.5-28.3	2252	39.2	37.6-40.8	2354	25.6	24.4-26.8
Male	3306	301,649	211	9.7	8.1-11.3	939	28.0	26.0-30.0	1054	38.6	36.4-40.8	1102	23.6	22.0-25.2
Female	3667	285,381	187	7.0	5.6- 8.4	1030	25.7	23.7-27.7	1198	39.7	37.3-42.1	1252	27.6	25.6-29.6
Native	247	24,787	27	16.5	9.4-23.6	90	34.5	26.7-42.3	82	39.8	31.6-48.0	48	9.2	5.7-12.7
Non-Native	6640	553,476	364	8.0	7.0- 9.0	1848	26.4	25.0-27.8	2144	39.1	37.3-40.9	2284	26.5	25.1-27.9
18-24	371	90,583	33	11.3	7.2-15.4	155	39.0	33.5-44.5	114	36.0	30.3-41.7	69	13.8	10.3-17.3
25-34	698	112,975	33	7.4	4.7-10.1	161	22.1	18.6-25.6	226	40.0	35.7-44.3	278	30.5	26.8-34.2
35-44	709	89,814	26	5.7	3.3- 8.1	145	20.7	17.4-24.0	213	39.0	34.7-43.3	325	34.6	30.9-38.3
45-54	964	83,609	33	5.0	3.0- 7.0	232	23.9	20.8-27.0	324	40.6	36.9-44.3	375	30.5	27.4-33.6
55-64	1651	95,234	51	5.3	3.7- 6.9	452	26.0	23.6-28.4	585	44.2	41.3-47.1	563	24.5	22.3-26.7
65+	2580	114,816	222	14.2	12.2-16.2	824	29.9	27.9-31.9	790	35.7	33.3-38.1	744	20.2	18.6-21.8
Less Than H.S.	398	49,216	398	100.0	100.0- 100									
H.S. or G.E.D.	1969	157,902				1969	100.0	100.0- 100						
Some Post-H.S.	2252	229,903							2252	100.0	100.0- 100			
College Graduate	2354	150,009										2354	100.0	100.0- 100
Less than \$15,000	428	43,124	86	21.4	16.1-26.7	159	29.9	24.0-35.8	121	37.6	30.7-44.5	62	11.2	7.5-14.9
\$15,000- 24,999	808	68,744	83	14.2	10.7-17.7	349	38.4	33.7-43.1	254	37.0	32.1-41.9	122	10.4	7.9-12.9
\$25,000- 34,999	604	48,259	46	11.5	7.2-15.8	202	32.7	27.2-38.2	227	41.8	35.9-47.7	129	14.0	10.7-17.3
\$35,000- 49,999	975	78,204	48	7.7	5.0-10.4	320	30.1	26.2-34.0	349	43.1	38.6-47.6	258	19.1	16.0-22.2
\$50,000- 74,999	1150	94,614	27	3.8	2.0- 5.6	294	25.2	21.9-28.5	397	44.7	40.8-48.6	432	26.3	23.2-29.4
\$75,000+	2225	189,783	35	3.3	1.7- 4.9	377	18.0	15.8-20.2	650	36.2	33.5-38.9	1163	42.5	40.0-45.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3306	301,649	211	9.7	8.1-11.3	939	28.0	26.0-30.0	1054	38.6	36.4-40.8	1102	23.6	22.0-25.2
Native	124	13,738	12	12.0	4.6-19.4	61	47.5	36.3-58.7	37	33.0	22.2-43.8	14	7.4	2.3-12.5
Non-Native	3128	282,250	195	9.6	7.8-11.4	859	26.9	24.9-28.9	1002	38.8	36.4-41.2	1072	24.6	22.8-26.4
18-24	222	48,620	23	15.0	8.5-21.5	90	37.6	30.3-44.9	69	33.5	26.2-40.8	40	13.9	9.4-18.4
25-34	394	61,670	22	8.7	4.8-12.6	113	28.1	23.0-33.2	132	39.4	33.7-45.1	127	23.8	19.5-28.1
35-44	390	47,158	16	6.0	2.9-9.1	90	22.6	17.9-27.3	127	41.6	35.7-47.5	157	29.8	25.1-34.5
45-54	478	43,112	18	5.4	2.7-8.1	122	25.2	20.7-29.7	159	40.2	34.9-45.5	179	29.2	24.9-33.5
55-64	777	48,547	30	6.3	3.9-8.7	232	27.2	23.7-30.7	275	44.1	40.0-48.2	240	22.5	19.6-25.4
65+	1045	52,542	102	15.9	12.8-19.0	292	27.1	24.0-30.2	292	33.5	30.0-37.0	359	23.5	21.0-26.0
Less Than H.S.	211	29,216	211	100.0	100.0- 100									
H.S. or G.E.D.	939	84,575				939	100.0	100.0- 100						
Some Post-H.S.	1054	116,552							1054	100.0	100.0- 100			
College Graduate	1102	71,307										1102	100.0	100.0- 100
Less than \$15,000	182	20,009	40	24.7	16.5-32.9	67	33.1	24.3-41.9	45	30.7	21.3-40.1	30	11.6	6.3-16.9
\$15,000- 24,999	300	30,484	45	18.7	12.6-24.8	112	34.6	27.5-41.7	89	34.1	26.8-41.4	54	12.6	8.5-16.7
\$25,000- 34,999	239	23,217	23	15.9	8.3-23.5	81	30.3	22.7-37.9	88	39.1	30.7-47.5	47	14.7	9.4-20.0
\$35,000- 49,999	482	38,392	32	10.3	6.0-14.6	177	34.3	28.8-39.8	160	40.5	34.6-46.4	113	14.9	11.4-18.4
\$50,000- 74,999	601	54,417	19	4.4	2.0-6.8	169	28.9	24.0-33.8	215	43.4	38.1-48.7	198	23.4	19.5-27.3
\$75,000+	1205	105,086	25	4.4	2.0-6.8	232	21.0	18.1-23.9	368	39.0	35.3-42.7	580	35.5	32.4-38.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3667	285,381	187	7.0	5.6- 8.4	1030	25.7	23.7-27.7	1198	39.7	37.3-42.1	1252	27.6	25.6-29.6
Native	123	11,049	15	22.0	9.5-34.5	29	18.3	10.3-26.3	45	48.3	35.6-61.0	34	11.4	6.5-16.3
Non-Native	3512	271,226	169	6.2	5.0- 7.4	989	25.8	23.6-28.0	1142	39.5	37.1-41.9	1212	28.5	26.5-30.5
18-24	149	41,963	10	7.0	2.5-11.5	65	40.6	32.0-49.2	45	38.8	29.8-47.8	29	13.6	8.3-18.9
25-34	304	51,305	11	5.8	2.1- 9.5	48	14.8	10.3-19.3	94	40.8	34.1-47.5	151	38.5	32.4-44.6
35-44	319	42,655	10	5.3	1.6- 9.0	55	18.6	13.7-23.5	86	36.1	29.6-42.6	168	39.9	33.8-46.0
45-54	486	40,497	15	4.7	2.2- 7.2	110	22.5	18.2-26.8	165	41.0	35.7-46.3	196	31.9	27.4-36.4
55-64	874	46,687	21	4.1	2.1- 6.1	220	24.9	21.6-28.2	310	44.4	40.5-48.3	323	26.6	23.5-29.7
65+	1535	62,274	120	12.8	10.3-15.3	532	32.2	29.5-34.9	498	37.5	34.6-40.4	385	17.5	15.5-19.5
Less Than H.S.	187	20,001	187	100.0	100.0- 100									
H.S. or G.E.D.	1030	73,328				1030	100.0	100.0- 100						
Some Post-H.S.	1198	113,351							1198	100.0	100.0- 100			
College Graduate	1252	78,702										1252	100.0	100.0- 100
Less than \$15,000	246	23,115	46	18.5	11.8-25.2	92	27.1	19.5-34.7	76	43.7	34.1-53.3	32	10.8	5.3-16.3
\$15,000- 24,999	508	38,260	38	10.6	6.5-14.7	237	41.5	35.2-47.8	165	39.3	32.8-45.8	68	8.6	5.5-11.7
\$25,000- 34,999	365	25,042	23	7.5	3.4-11.6	121	34.9	27.1-42.7	139	44.2	36.4-52.0	82	13.4	9.1-17.7
\$35,000- 49,999	493	39,812	16	5.2	1.9- 8.5	143	26.1	20.6-31.6	189	45.6	39.1-52.1	145	23.1	18.2-28.0
\$50,000- 74,999	549	40,197	8	2.9	0.2- 5.6	125	20.3	16.0-24.6	182	46.4	40.3-52.5	234	30.4	25.5-35.3
\$75,000+	1020	84,697	10	2.0	0.2- 3.8	145	14.3	11.4-17.2	282	32.6	28.5-36.7	583	51.1	47.0-55.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6198	523,188	429	8.3	7.3- 9.3	810	13.2	12.0-14.4	604	9.2	8.2-10.2	976	15.0	13.8-16.2	3379	54.4	52.6-56.2
Male	3012	271,837	183	7.4	6.0- 8.8	301	11.2	9.6-12.8	239	8.5	7.1- 9.9	482	14.1	12.5-15.7	1807	58.7	56.3-61.1
Female	3186	251,351	246	9.2	7.6-10.8	509	15.2	13.4-17.0	365	10.0	8.4-11.6	494	15.9	13.9-17.9	1572	49.7	47.2-52.2
Native	222	22,142	48	24.8	17.0-32.6	58	28.3	20.3-36.3	32	13.7	7.6-19.8	16	5.2	2.3- 8.1	68	28.0	20.0-36.0
Non-Native	5915	495,028	371	7.5	6.5- 8.5	739	12.3	11.1-13.5	564	8.9	7.9- 9.9	953	15.5	14.3-16.7	3288	55.7	53.9-57.5
18-24	316	77,114	45	16.5	11.6-21.4	55	18.3	13.4-23.2	49	14.8	10.3-19.3	52	16.6	11.9-21.3	115	33.8	27.9-39.7
25-34	645	103,573	41	7.4	4.9- 9.9	67	11.0	8.3-13.7	53	8.0	5.6-10.4	113	17.0	13.7-20.3	371	56.6	52.1-61.1
35-44	657	82,536	19	3.6	1.6- 5.6	56	8.7	6.2-11.2	40	6.8	4.4- 9.2	65	9.8	7.3-12.3	477	71.1	67.0-75.2
45-54	879	75,763	53	6.9	4.7- 9.1	71	9.1	6.7-11.5	52	5.9	3.9- 7.9	112	11.7	9.3-14.1	591	66.5	62.8-70.2
55-64	1481	85,522	99	7.7	5.9- 9.5	128	9.4	7.6-11.2	96	6.2	4.8- 7.6	202	13.6	11.4-15.8	956	63.1	60.2-66.0
65+	2220	98,680	172	8.2	6.8- 9.6	433	21.5	19.3-23.7	314	13.4	11.6-15.2	432	19.6	17.6-21.6	869	37.3	34.9-39.7
Less Than H.S.	325	40,440	86	22.8	17.1-28.5	83	24.2	18.3-30.1	46	13.7	8.6-18.8	48	14.8	9.7-19.9	62	24.5	17.4-31.6
H.S. or G.E.D.	1701	136,716	159	9.4	7.4-11.4	349	19.3	16.8-21.8	202	11.5	9.3-13.7	320	17.2	14.8-19.6	671	42.5	39.4-45.6
Some Post-H.S.	1998	206,402	121	7.9	6.1- 9.7	254	12.3	10.3-14.3	227	9.8	8.0-11.6	349	16.3	14.1-18.5	1047	53.7	50.8-56.6
College Graduate	2166	139,170	62	3.5	2.3- 4.7	122	5.1	3.9- 6.3	129	4.9	3.7- 6.1	258	10.7	8.9-12.5	1595	75.8	73.4-78.2
Less than \$15,000	429	43,183	429	100.0	100.0- 100												
\$15,000- 24,999	810	68,855				810	100.0	100.0- 100									
\$25,000- 34,999	604	48,259							604	100.0	100.0- 100						
\$35,000- 49,999	976	78,241										976	100.0	100.0- 100			
\$50,000- 74,999	1153	94,736													1153	100.0	100.0- 100
\$75,000+	2226	189,913													2226	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3012	271,837	183	7.4	6.0- 8.8	301	11.2	9.6-12.8	239	8.5	7.1- 9.9	482	14.1	12.5-15.7	1807	58.7	56.3-61.1
Native	108	11,789	24	24.3	13.3-35.3	30	30.9	19.5-42.3	13	10.8	3.9-17.7	9	5.9	1.4-10.4	32	28.2	17.6-38.8
Non-Native	2865	256,004	155	6.7	5.3- 8.1	264	10.1	8.5-11.7	222	8.2	6.8- 9.6	466	14.6	13.0-16.2	1758	60.5	58.1-62.9
18-24	188	40,938	22	13.4	7.5-19.3	27	15.6	9.5-21.7	35	16.7	10.6-22.8	31	15.1	9.4-20.8	73	39.1	31.1-47.1
25-34	360	56,033	23	7.3	4.0-10.6	37	11.8	7.7-15.9	27	7.6	4.5-10.7	60	15.4	11.3-19.5	213	57.8	51.9-63.7
35-44	360	43,673	9	1.9	0.5- 3.3	25	6.6	3.9- 9.3	21	7.3	4.0-10.6	27	7.5	4.4-10.6	278	76.7	71.6-81.8
45-54	438	38,848	22	6.9	3.8-10.0	33	8.2	5.1-11.3	16	3.7	1.5- 5.9	56	10.0	7.1-12.9	311	71.2	66.1-76.3
55-64	712	44,341	53	8.7	6.2-11.2	53	7.7	5.3-10.1	42	5.4	3.4- 7.4	108	14.5	11.4-17.6	456	63.7	59.6-67.8
65+	954	48,003	54	6.5	4.5- 8.5	126	16.7	13.6-19.8	98	10.7	8.3-13.1	200	20.7	17.8-23.6	476	45.4	41.7-49.1
Less Than H.S.	184	25,277	40	19.5	12.4-26.6	45	22.6	15.2-30.0	23	14.6	7.3-21.9	32	15.6	9.1-22.1	44	27.8	18.6-37.0
H.S. or G.E.D.	838	75,172	67	8.8	6.3-11.3	112	14.0	10.9-17.1	81	9.4	6.9-11.9	177	17.5	14.4-20.6	401	50.3	46.0-54.6
Some Post-H.S.	965	105,803	45	5.8	3.6- 8.0	89	9.8	7.3-12.3	88	8.6	6.2-11.0	160	14.7	12.0-17.4	583	61.1	57.2-65.0
College Graduate	1022	65,353	30	3.5	1.9- 5.1	54	5.9	3.9- 7.9	47	5.2	3.2- 7.2	113	8.8	6.8-10.8	778	76.6	73.3-79.9
Less than \$15,000	183	20,068	183	100.0	100.0- 100												
\$15,000- 24,999	301	30,526				301	100.0	100.0- 100									
\$25,000- 34,999	239	23,217							239	100.0	100.0- 100						
\$35,000- 49,999	482	38,392										482	100.0	100.0- 100			
\$50,000- 74,999	601	54,417													601	100.0	100.0- 100
\$75,000+	1206	105,217													1206	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3186	251,351	246	9.2	7.6-10.8	509	15.2	13.4-17.0	365	10.0	8.4-11.6	494	15.9	13.9-17.9	1572	49.7	47.2-52.2
Native	114	10,353	24	25.4	14.0-36.8	28	25.3	14.5-36.1	19	17.1	6.7-27.5	7	4.3	0.4- 8.2	36	27.8	15.6-40.0
Non-Native	3050	239,023	216	8.5	6.9-10.1	475	14.7	12.9-16.5	342	9.6	8.0-11.2	487	16.5	14.5-18.5	1530	50.7	48.2-53.2
18-24	128	36,175	23	19.9	12.1-27.7	28	21.4	13.6-29.2	14	12.7	5.8-19.6	21	18.2	10.6-25.8	42	27.7	19.3-36.1
25-34	285	47,539	18	7.4	3.5-11.3	30	9.9	6.0-13.8	26	8.5	5.0-12.0	53	18.9	13.4-24.4	158	55.2	48.5-61.9
35-44	297	38,863	10	5.5	1.8- 9.2	31	11.1	6.8-15.4	19	6.1	3.0- 9.2	38	12.3	8.0-16.6	199	64.9	58.4-71.4
45-54	441	36,915	31	6.8	4.1- 9.5	38	10.0	6.5-13.5	36	8.2	5.1-11.3	56	13.4	9.5-17.3	280	61.6	56.3-66.9
55-64	769	41,181	46	6.6	4.4- 8.8	75	11.2	8.3-14.1	54	7.2	4.8- 9.6	94	12.6	9.9-15.3	500	62.5	58.4-66.6
65+	1266	50,677	118	9.9	7.9-11.9	307	26.1	23.2-29.0	216	15.9	13.5-18.3	232	18.5	16.0-21.0	393	29.7	26.8-32.6
Less Than H.S.	141	15,163	46	28.2	18.6-37.8	38	26.9	17.3-36.5	23	12.4	5.7-19.1	16	13.6	5.4-21.8	18	19.0	8.6-29.4
H.S. or G.E.D.	863	61,544	92	10.2	7.1-13.3	237	25.8	21.7-29.9	121	14.2	10.5-17.9	143	16.9	13.2-20.6	270	32.9	28.4-37.4
Some Post-H.S.	1033	100,599	76	10.0	7.1-12.9	165	14.9	11.8-18.0	139	11.0	8.5-13.5	189	18.0	14.7-21.3	464	46.0	41.7-50.3
College Graduate	1144	73,817	32	3.4	1.6- 5.2	68	4.5	2.9- 6.1	82	4.5	3.1- 5.9	145	12.5	9.8-15.2	817	75.2	71.7-78.7
Less than \$15,000	246	23,115	246	100.0	100.0- 100												
\$15,000- 24,999	509	38,329				509	100.0	100.0- 100									
\$25,000- 34,999	365	25,042							365	100.0	100.0- 100						
\$35,000- 49,999	494	39,849										494	100.0	100.0- 100			
\$50,000- 74,999	552	40,319													552	100.0	100.0- 100
\$75,000+	1020	84,697													1020	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 9: TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6742	565,776	765	13.3	12.1-14.5	282	5.0	4.2- 5.8	1951	25.0	23.6-26.4	3744	56.7	55.1-58.3
Male	3173	287,962	397	14.5	12.9-16.1	135	4.9	3.9- 5.9	1054	28.2	26.2-30.2	1587	52.3	49.9-54.7
Female	3569	277,814	368	12.0	10.4-13.6	147	5.1	3.9- 6.3	897	21.6	19.8-23.4	2157	61.3	58.9-63.7
Native	229	22,900	75	36.3	27.7-44.9	32	14.9	9.0-20.8	54	17.5	12.0-23.0	68	31.2	23.0-39.4
Non-Native	6434	534,973	686	12.4	11.2-13.6	241	4.4	3.6- 5.2	1874	25.3	23.9-26.7	3633	57.8	56.2-59.4
18-24	357	87,791	31	8.1	5.0-11.2	20	4.9	2.5- 7.3	27	8.3	4.8-11.8	279	78.6	73.7-83.5
25-34	672	108,631	107	17.8	14.3-21.3	36	5.4	3.4- 7.4	135	21.1	17.4-24.8	394	55.7	51.2-60.2
35-44	677	86,235	93	14.6	11.5-17.7	43	7.6	5.1-10.1	184	28.0	24.1-31.9	357	49.8	45.5-54.1
45-54	928	80,015	128	15.4	12.7-18.1	59	6.3	4.5- 8.1	178	19.5	16.6-22.4	563	58.9	55.2-62.6
55-64	1599	91,544	221	16.2	13.8-18.6	61	4.1	2.9- 5.3	421	26.8	24.3-29.3	896	52.9	50.0-55.8
65+	2509	111,559	185	8.0	6.6- 9.4	63	2.5	1.7- 3.3	1006	42.0	39.6-44.4	1255	47.5	45.1-49.9
Less Than H.S.	377	47,049	81	25.5	19.6-31.4	17	5.5	2.4- 8.6	135	28.9	23.0-34.8	144	40.1	33.4-46.8
H.S. or G.E.D.	1897	151,702	287	18.1	15.6-20.6	107	7.3	5.5- 9.1	618	26.9	24.4-29.4	885	47.7	44.6-50.8
Some Post-H.S.	2173	220,929	257	12.6	10.8-14.4	99	5.0	3.8- 6.2	657	26.3	23.9-28.7	1160	56.1	53.4-58.8
College Graduate	2281	145,196	137	5.3	4.1- 6.5	58	2.4	1.6- 3.2	541	19.8	17.8-21.8	1545	72.4	70.0-74.8
Less than \$15,000	414	41,759	99	24.0	18.5-29.5	35	9.4	5.5-13.3	112	19.4	14.7-24.1	168	47.3	40.4-54.2
\$15,000- 24,999	792	67,055	135	20.3	16.4-24.2	43	6.6	4.1- 9.1	229	22.5	18.8-26.2	385	50.5	45.6-55.4
\$25,000- 34,999	590	47,364	83	15.9	11.8-20.0	26	7.2	3.9-10.5	167	21.7	17.4-26.0	314	55.2	49.3-61.1
\$35,000- 49,999	964	77,364	99	10.7	8.0-13.4	54	5.7	3.7- 7.7	315	29.0	25.3-32.7	496	54.6	50.3-58.9
\$50,000- 74,999	1128	92,504	118	12.6	9.9-15.3	32	3.4	1.8- 5.0	361	28.6	25.1-32.1	617	55.4	51.5-59.3
\$75,000+	2200	187,248	177	9.9	8.1-11.7	75	3.9	2.7- 5.1	602	25.9	23.5-28.3	1346	60.4	57.7-63.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3173	287,962	397	14.5	12.9-16.1	135	4.9	3.9- 5.9	1054	28.2	26.2-30.2	1587	52.3	49.9-54.7
Native	112	12,099	27	27.3	16.5-38.1	16	15.3	7.3-23.3	23	13.8	7.3-20.3	46	43.7	31.7-55.7
Non-Native	3010	270,552	368	14.2	12.4-16.0	112	4.4	3.4- 5.4	1015	28.9	26.9-30.9	1515	52.5	50.1-54.9
18-24	213	46,644	22	9.2	5.1-13.3	13	5.2	2.1- 8.3	16	8.8	3.7-13.9	162	76.8	70.1-83.5
25-34	375	58,637	63	19.2	14.3-24.1	24	6.9	3.8-10.0	78	22.1	17.2-27.0	210	51.9	46.0-57.8
35-44	370	45,104	52	15.2	10.9-19.5	23	7.5	4.2-10.8	119	32.6	27.1-38.1	176	44.8	38.9-50.7
45-54	460	40,839	72	17.8	13.5-22.1	18	2.8	1.4- 4.2	98	21.3	17.0-25.6	272	58.1	52.8-63.4
55-64	748	46,226	107	16.0	12.7-19.3	35	4.6	2.8- 6.4	206	29.0	25.1-32.9	400	50.5	46.2-54.8
65+	1007	50,511	81	9.6	7.2-12.0	22	2.1	1.1- 3.1	537	54.2	50.5-57.9	367	34.0	30.7-37.3
Less Than H.S.	194	27,242	50	29.2	21.0-37.4	11	5.5	1.6- 9.4	80	33.4	24.8-42.0	53	31.9	22.7-41.1
H.S. or G.E.D.	900	80,983	154	19.9	16.4-23.4	59	7.8	5.3-10.3	329	29.4	25.9-32.9	358	42.9	38.6-47.2
Some Post-H.S.	1008	110,448	131	13.0	10.5-15.5	41	4.6	2.8- 6.4	360	29.8	26.3-33.3	476	52.6	48.7-56.5
College Graduate	1064	68,815	62	5.0	3.4- 6.6	23	1.8	0.8- 2.8	285	22.3	19.4-25.2	694	70.8	67.5-74.1
Less than \$15,000	175	19,296	51	28.7	20.1-37.3	18	11.1	5.0-17.2	43	17.3	11.2-23.4	63	42.8	32.8-52.8
\$15,000- 24,999	291	29,479	55	21.7	15.4-28.0	14	5.4	1.9- 8.9	102	29.0	22.5-35.5	120	43.9	36.3-51.5
\$25,000- 34,999	231	22,578	35	15.4	9.3-21.5	7	4.6	0.7- 8.5	77	22.4	16.1-28.7	112	57.7	49.3-66.1
\$35,000- 49,999	476	37,997	57	12.4	8.5-16.3	26	6.2	3.1- 9.3	187	34.7	29.2-40.2	206	46.8	40.9-52.7
\$50,000- 74,999	582	52,651	67	14.3	10.4-18.2	20	3.9	1.5- 6.3	205	30.0	25.3-34.7	290	51.7	46.4-57.0
\$75,000+	1187	103,230	108	11.2	8.7-13.7	44	4.4	2.8- 6.0	361	28.6	25.3-31.9	674	55.9	52.2-59.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3569	277,814	368	12.0	10.4-13.6	147	5.1	3.9- 6.3	897	21.6	19.8-23.4	2157	61.3	58.9-63.7
Native	117	10,801	48	46.4	33.5-59.3	16	14.5	6.1-22.9	31	21.7	12.5-30.9	22	17.3	7.5-27.1
Non-Native	3424	264,421	318	10.6	9.0-12.2	129	4.5	3.5- 5.5	859	21.6	19.6-23.6	2118	63.3	60.9-65.7
18-24	144	41,147	9	7.0	2.3-11.7	7	4.6	0.9- 8.3	11	7.8	3.1-12.5	117	80.6	73.5-87.7
25-34	297	49,994	44	16.3	11.2-21.4	12	3.6	1.2- 6.0	57	19.9	14.4-25.4	184	60.2	53.5-66.9
35-44	307	41,131	41	14.0	9.3-18.7	20	7.7	3.8-11.6	65	22.9	17.2-28.6	181	55.3	48.6-62.0
45-54	468	39,177	56	12.9	9.4-16.4	41	9.9	6.6-13.2	80	17.5	13.4-21.6	291	59.7	54.4-65.0
55-64	851	45,318	114	16.5	13.4-19.6	26	3.7	2.1- 5.3	215	24.6	21.3-27.9	496	55.2	51.3-59.1
65+	1502	61,048	104	6.8	5.2- 8.4	41	2.8	1.8- 3.8	469	31.8	28.9-34.7	888	58.6	55.7-61.5
Less Than H.S.	183	19,807	31	20.6	12.4-28.8	6	5.4	0.3-10.5	55	22.8	15.0-30.6	91	51.3	41.5-61.1
H.S. or G.E.D.	997	70,720	133	16.1	12.8-19.4	48	6.7	4.2- 9.2	289	24.1	20.4-27.8	527	53.1	48.6-57.6
Some Post-H.S.	1165	110,481	126	12.2	9.5-14.9	58	5.5	3.7- 7.3	297	22.7	19.6-25.8	684	59.6	55.7-63.5
College Graduate	1217	76,381	75	5.6	4.0- 7.2	35	3.0	1.8- 4.2	256	17.5	14.8-20.2	851	73.9	70.8-77.0
Less than \$15,000	239	22,463	48	19.8	12.7-26.9	17	8.0	2.9-13.1	69	21.1	14.0-28.2	105	51.1	41.7-60.5
\$15,000- 24,999	501	37,576	80	19.2	14.1-24.3	29	7.6	4.1-11.1	127	17.5	13.2-21.8	265	55.7	49.2-62.2
\$25,000- 34,999	359	24,786	48	16.4	10.9-21.9	19	9.7	4.4-15.0	90	21.0	15.1-26.9	202	52.9	44.9-60.9
\$35,000- 49,999	488	39,366	42	9.1	5.4-12.8	28	5.2	2.8- 7.6	128	23.5	18.2-28.8	290	62.1	56.0-68.2
\$50,000- 74,999	546	39,853	51	10.3	6.6-14.0	12	2.7	0.5- 4.9	156	26.7	21.4-32.0	327	60.3	54.4-66.2
\$75,000+	1013	84,018	69	8.2	5.7-10.7	31	3.3	1.7- 4.9	241	22.5	19.2-25.8	672	65.9	62.0-69.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6742	565,776	5695	81.7	80.3-83.1	1047	18.3	16.9-19.7
Male	3173	287,962	2641	80.5	78.5-82.5	532	19.5	17.5-21.5
Female	3569	277,814	3054	82.9	81.1-84.7	515	17.1	15.3-18.9
Native	229	22,900	122	48.7	40.1-57.3	107	51.3	42.7-59.9
Non-Native	6434	534,973	5507	83.1	81.7-84.5	927	16.9	15.5-18.3
18-24	357	87,791	306	86.9	83.2-90.6	51	13.1	9.4-16.8
25-34	672	108,631	529	76.8	72.9-80.7	143	23.2	19.3-27.1
35-44	677	86,235	541	77.8	74.1-81.5	136	22.2	18.5-25.9
45-54	928	80,015	741	78.4	75.3-81.5	187	21.6	18.5-24.7
55-64	1599	91,544	1317	79.7	77.2-82.2	282	20.3	17.8-22.8
65+	2509	111,559	2261	89.4	87.8-91.0	248	10.6	9.0-12.2
Less Than H.S.	377	47,049	279	69.0	62.7-75.3	98	31.0	24.7-37.3
H.S. or G.E.D.	1897	151,702	1503	74.6	71.9-77.3	394	25.4	22.7-28.1
Some Post-H.S.	2173	220,929	1817	82.3	80.1-84.5	356	17.7	15.5-19.9
College Graduate	2281	145,196	2086	92.3	90.9-93.7	195	7.7	6.3- 9.1
Less than \$15,000	414	41,759	280	66.6	60.3-72.9	134	33.4	27.1-39.7
\$15,000- 24,999	792	67,055	614	73.0	68.7-77.3	178	27.0	22.7-31.3
\$25,000- 34,999	590	47,364	481	76.8	71.9-81.7	109	23.2	18.3-28.1
\$35,000- 49,999	964	77,364	811	83.6	80.5-86.7	153	16.4	13.3-19.5
\$50,000- 74,999	1128	92,504	978	84.0	80.9-87.1	150	16.0	12.9-19.1
\$75,000+	2200	187,248	1948	86.2	84.2-88.2	252	13.8	11.8-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3173	287,962	2641	80.5	78.5-82.5	532	19.5	17.5-21.5
Native	112	12,099	69	57.4	45.6-69.2	43	42.6	30.8-54.4
Non-Native	3010	270,552	2530	81.4	79.4-83.4	480	18.6	16.6-20.6
18-24	213	46,644	178	85.6	80.5-90.7	35	14.4	9.3-19.5
25-34	375	58,637	288	74.0	68.7-79.3	87	26.0	20.7-31.3
35-44	370	45,104	295	77.3	72.2-82.4	75	22.7	17.6-27.8
45-54	460	40,839	370	79.4	75.1-83.7	90	20.6	16.3-24.9
55-64	748	46,226	606	79.5	76.0-83.0	142	20.5	17.0-24.0
65+	1007	50,511	904	88.3	85.8-90.8	103	11.7	9.2-14.2
Less Than H.S.	194	27,242	133	65.3	56.7-73.9	61	34.7	26.1-43.3
H.S. or G.E.D.	900	80,983	687	72.3	68.4-76.2	213	27.7	23.8-31.6
Some Post-H.S.	1008	110,448	836	82.4	79.5-85.3	172	17.6	14.7-20.5
College Graduate	1064	68,815	979	93.2	91.4-95.0	85	6.8	5.0- 8.6
Less than \$15,000	175	19,296	106	60.2	50.8-69.6	69	39.8	30.4-49.2
\$15,000- 24,999	291	29,479	222	72.9	66.0-79.8	69	27.1	20.2-34.0
\$25,000- 34,999	231	22,578	189	80.1	73.2-87.0	42	19.9	13.0-26.8
\$35,000- 49,999	476	37,997	393	81.5	76.8-86.2	83	18.5	13.8-23.2
\$50,000- 74,999	582	52,651	495	81.8	77.5-86.1	87	18.2	13.9-22.5
\$75,000+	1187	103,230	1035	84.5	81.8-87.2	152	15.5	12.8-18.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3569	277,814	3054	82.9	81.1-84.7	515	17.1	15.3-18.9
Native	117	10,801	53	39.0	26.8-51.2	64	61.0	48.8-73.2
Non-Native	3424	264,421	2977	84.9	83.1-86.7	447	15.1	13.3-16.9
18-24	144	41,147	128	88.4	82.7-94.1	16	11.6	5.9-17.3
25-34	297	49,994	241	80.1	74.6-85.6	56	19.9	14.4-25.4
35-44	307	41,131	246	78.3	72.6-84.0	61	21.7	16.0-27.4
45-54	468	39,177	371	77.3	72.8-81.8	97	22.7	18.2-27.2
55-64	851	45,318	711	79.9	76.4-83.4	140	20.1	16.6-23.6
65+	1502	61,048	1357	90.4	88.6-92.2	145	9.6	7.8-11.4
Less Than H.S.	183	19,807	146	74.1	65.1-83.1	37	25.9	16.9-34.9
H.S. or G.E.D.	997	70,720	816	77.2	73.3-81.1	181	22.8	18.9-26.7
Some Post-H.S.	1165	110,481	981	82.3	79.2-85.4	184	17.7	14.6-20.8
College Graduate	1217	76,381	1107	91.4	89.4-93.4	110	8.6	6.6-10.6
Less than \$15,000	239	22,463	174	72.2	64.0-80.4	65	27.8	19.6-36.0
\$15,000- 24,999	501	37,576	392	73.2	67.5-78.9	109	26.8	21.1-32.5
\$25,000- 34,999	359	24,786	292	73.9	66.8-81.0	67	26.1	19.0-33.2
\$35,000- 49,999	488	39,366	418	85.7	81.4-90.0	70	14.3	10.0-18.6
\$50,000- 74,999	546	39,853	483	87.0	82.7-91.3	63	13.0	8.7-17.3
\$75,000+	1013	84,018	913	88.4	85.5-91.3	100	11.6	8.7-14.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 10: E-CIGARETTES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)	
1	MALES AND FEMALES	113
2	MALES ONLY	114
3	FEMALES ONLY	115
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)	
4	MALES AND FEMALES	116
5	MALES ONLY	117
6	FEMALES ONLY	118

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 1: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6727	563,969	44	1.3	0.9- 1.7	104	3.0	2.2- 3.8	710	16.3	14.9-17.7	5869	79.4	77.8-81.0
Male	3167	286,732	28	1.4	0.8- 2.0	58	3.5	2.5- 4.5	407	18.5	16.5-20.5	2674	76.6	74.4-78.8
Female	3560	277,236	16	1.1	0.5- 1.7	46	2.5	1.5- 3.5	303	14.1	12.1-16.1	3195	82.3	80.1-84.5
Native	228	22,826				5	3.6	0.0- 7.5	52	32.3	23.7-40.9	171	64.1	55.3-72.9
Non-Native	6421	533,298	44	1.3	0.9- 1.7	98	3.0	2.2- 3.8	651	15.6	14.2-17.0	5628	80.0	78.4-81.6
18-24	357	87,681	12	3.6	1.4- 5.8	26	8.6	5.1-12.1	111	28.2	22.9-33.5	208	59.6	53.7-65.5
25-34	665	107,538	6	0.9	0.1- 1.7	23	4.1	2.3- 5.9	171	27.5	23.4-31.6	465	67.5	63.2-71.8
35-44	674	85,947	8	1.9	0.5- 3.3	18	3.2	1.6- 4.8	107	16.9	13.6-20.2	541	78.0	74.3-81.7
45-54	926	79,853	6	0.8	0.2- 1.4	8	0.8	0.2- 1.4	115	13.4	10.7-16.1	797	85.0	82.3-87.7
55-64	1596	91,391	8	0.6	0.2- 1.0	17	1.1	0.5- 1.7	125	9.8	7.8-11.8	1446	88.5	86.5-90.5
65+	2509	111,558	4	0.3	0.0- 0.7	12	0.5	0.1- 0.9	81	3.2	2.4- 4.0	2412	96.1	95.1-97.1
Less Than H.S.	373	46,728	4	2.3	0.0- 4.7	11	4.5	1.4- 7.6	47	20.1	14.2-26.0	311	73.0	66.5-79.5
H.S. or G.E.D.	1888	150,791	23	2.2	1.2- 3.2	47	5.7	3.7- 7.7	232	18.8	16.1-21.5	1586	73.3	70.2-76.4
Some Post-H.S.	2177	220,755	10	0.9	0.1- 1.7	30	2.2	1.2- 3.2	281	19.2	16.8-21.6	1856	77.7	75.2-80.2
College Graduate	2276	144,890	7	0.5	0.1- 0.9	16	0.9	0.3- 1.5	150	8.3	6.7- 9.9	2103	90.4	88.6-92.2
Less than \$15,000	414	41,728	3	1.2	0.0- 3.0	17	6.6	2.7-10.5	74	24.1	18.0-30.2	320	68.0	61.3-74.7
\$15,000- 24,999	784	66,746	7	2.0	0.2- 3.8	12	2.9	0.9- 4.9	100	21.9	17.2-26.6	665	73.2	68.3-78.1
\$25,000- 34,999	594	47,459	3	0.4	0.0- 0.8	13	5.8	1.9- 9.7	67	17.6	12.9-22.3	511	76.3	70.6-82.0
\$35,000- 49,999	964	76,943	5	0.8	0.0- 1.6	18	3.8	1.8- 5.8	99	15.0	11.5-18.5	842	80.4	76.5-84.3
\$50,000- 74,999	1129	92,419	8	1.6	0.2- 3.0	12	2.5	0.7- 4.3	114	15.9	12.6-19.2	995	80.0	76.3-83.7
\$75,000+	2198	186,848	13	1.2	0.4- 2.0	21	1.3	0.7- 1.9	207	13.3	11.1-15.5	1957	84.1	81.9-86.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 2: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3167	286,732	28	1.4	0.8-2.0	58	3.5	2.5-4.5	407	18.5	16.5-20.5	2674	76.6	74.4-78.8
Native	112	12,081				5	6.8	0.0-13.9	30	36.0	24.0-48.0	77	57.2	45.0-69.4
Non-Native	3004	269,341	28	1.5	0.9-2.1	52	3.4	2.4-4.4	375	18.0	16.0-20.0	2549	77.2	75.0-79.4
18-24	212	46,363	9	4.4	1.3-7.5	16	9.4	4.7-14.1	74	30.5	23.4-37.6	113	55.7	48.1-63.3
25-34	372	58,282	3	0.6	0.0-1.4	17	5.2	2.5-7.9	112	31.8	26.1-37.5	240	62.4	56.5-68.3
35-44	368	44,790	5	1.8	0.0-3.6	12	4.3	1.8-6.8	68	19.1	14.4-23.8	283	74.8	69.5-80.1
45-54	458	40,570	5	1.2	0.0-2.4	1	0.1	0.0-0.3	56	12.7	9.0-16.4	396	85.9	82.2-89.6
55-64	746	46,092	4	0.5	0.0-1.1	8	1.0	0.2-1.8	62	10.2	7.5-12.9	672	88.4	85.5-91.3
65+	1011	50,634	2	0.1	0.0-0.3	4	0.4	0.0-1.0	35	3.8	2.4-5.2	970	95.7	94.1-97.3
Less Than H.S.	191	27,005	1	0.7	0.0-2.1	8	6.8	1.5-12.1	32	25.7	17.1-34.3	150	66.8	57.6-76.0
H.S. or G.E.D.	896	80,296	16	3.2	1.4-5.0	25	5.7	3.2-8.2	136	20.4	16.7-24.1	719	70.6	66.3-74.9
Some Post-H.S.	1009	110,370	6	0.8	0.0-1.6	19	2.7	1.3-4.1	157	20.9	17.4-24.4	827	75.6	72.1-79.1
College Graduate	1065	68,682	5	0.5	0.0-1.1	6	0.7	0.0-1.5	82	9.7	7.3-12.1	972	89.0	86.5-91.5
Less than \$15,000	176	19,328	2	0.9	0.0-2.3	7	8.7	2.0-15.4	37	27.9	18.7-37.1	130	62.5	52.7-72.3
\$15,000- 24,999	288	29,228	3	2.1	0.0-5.0	5	3.0	0.1-5.9	48	24.6	17.3-31.9	232	70.2	62.6-77.8
\$25,000- 34,999	233	22,629	2	0.5	0.0-1.3	9	7.6	1.9-13.3	26	14.4	8.1-20.7	196	77.6	69.8-85.4
\$35,000- 49,999	474	37,523	4	1.2	0.0-2.8	9	3.9	1.2-6.6	67	19.1	14.0-24.2	394	75.9	70.4-81.4
\$50,000- 74,999	585	52,774	6	1.6	0.0-3.2	8	3.1	0.6-5.6	71	18.7	14.0-23.4	500	76.6	71.5-81.7
\$75,000+	1186	103,034	8	1.3	0.3-2.3	13	1.5	0.5-2.5	137	16.2	13.3-19.1	1028	81.0	77.9-84.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 3: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3560	277,236	16	1.1	0.5- 1.7	46	2.5	1.5- 3.5	303	14.1	12.1-16.1	3195	82.3	80.1-84.5
Native	116	10,746							22	28.1	15.6-40.6	94	71.9	59.4-84.4
Non-Native	3417	263,957	16	1.2	0.4- 2.0	46	2.6	1.6- 3.6	276	13.2	11.2-15.2	3079	82.9	80.7-85.1
18-24	145	41,318	3	2.6	0.0- 5.7	10	7.8	2.7-12.9	37	25.5	17.7-33.3	95	64.0	55.2-72.8
25-34	293	49,256	3	1.2	0.0- 2.8	6	2.9	0.5- 5.3	59	22.4	16.7-28.1	225	73.5	67.4-79.6
35-44	306	41,157	3	2.0	0.0- 4.2	6	1.9	0.1- 3.7	39	14.6	9.5-19.7	258	81.6	76.1-87.1
45-54	468	39,283	1	0.4	0.0- 1.2	7	1.5	0.3- 2.7	59	14.0	10.1-17.9	401	84.1	80.0-88.2
55-64	850	45,299	4	0.6	0.0- 1.2	9	1.3	0.3- 2.3	63	9.5	7.0-12.0	774	88.7	86.0-91.4
65+	1498	60,924	2	0.4	0.0- 1.0	8	0.5	0.1- 0.9	46	2.6	1.8- 3.4	1442	96.5	95.5-97.5
Less Than H.S.	182	19,724	3	4.5	0.0- 9.4	3	1.4	0.0- 3.4	15	12.5	5.6-19.4	161	81.6	73.4-89.8
H.S. or G.E.D.	992	70,495	7	1.1	0.1- 2.1	22	5.7	2.8- 8.6	96	16.9	13.0-20.8	867	76.3	71.8-80.8
Some Post-H.S.	1168	110,384	4	1.0	0.0- 2.2	11	1.6	0.4- 2.8	124	17.5	14.0-21.0	1029	79.8	76.1-83.5
College Graduate	1211	76,208	2	0.5	0.0- 1.3	10	1.0	0.2- 1.8	68	6.9	4.7- 9.1	1131	91.6	89.2-94.0
Less than \$15,000	238	22,400	1	1.5	0.0- 4.4	10	4.9	0.4- 9.4	37	20.9	13.1-28.7	190	72.7	63.9-81.5
\$15,000- 24,999	496	37,518	4	1.9	0.0- 4.1	7	2.9	0.4- 5.4	52	19.7	13.6-25.8	433	75.4	68.9-81.9
\$25,000- 34,999	361	24,830	1	0.3	0.0- 0.9	4	4.1	0.0- 9.4	41	20.5	13.4-27.6	315	75.1	67.1-83.1
\$35,000- 49,999	490	39,420	1	0.4	0.0- 1.2	9	3.8	0.7- 6.9	32	11.1	6.0-16.2	448	84.8	79.1-90.5
\$50,000- 74,999	544	39,645	2	1.5	0.0- 4.0	4	1.7	0.0- 3.9	43	12.1	7.6-16.6	495	84.7	79.4-90.0
\$75,000+	1012	83,814	5	1.2	0.0- 2.4	8	1.2	0.2- 2.2	70	9.8	7.1-12.5	929	87.9	84.8-91.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

**TABLE 4: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6727	563,969	6579	95.7	94.9-96.5	148	4.3	3.5- 5.1
Male	3167	286,732	3081	95.1	93.9-96.3	86	4.9	3.7- 6.1
Female	3560	277,236	3498	96.4	95.2-97.6	62	3.6	2.4- 4.8
Native	228	22,826	223	96.4	92.5- 100	5	3.6	0.0- 7.5
Non-Native	6421	533,298	6279	95.7	94.9-96.5	142	4.3	3.5- 5.1
18-24	357	87,681	319	87.8	83.9-91.7	38	12.2	8.3-16.1
25-34	665	107,538	636	95.0	93.0-97.0	29	5.0	3.0- 7.0
35-44	674	85,947	648	94.9	92.7-97.1	26	5.1	2.9- 7.3
45-54	926	79,853	912	98.4	97.4-99.4	14	1.6	0.6- 2.6
55-64	1596	91,391	1571	98.3	97.5-99.1	25	1.7	0.9- 2.5
65+	2509	111,558	2493	99.3	98.9-99.7	16	0.7	0.3- 1.1
Less Than H.S.	373	46,728	358	93.2	89.5-96.9	15	6.8	3.1-10.5
H.S. or G.E.D.	1888	150,791	1818	92.0	89.8-94.2	70	8.0	5.8-10.2
Some Post-H.S.	2177	220,755	2137	96.9	95.7-98.1	40	3.1	1.9- 4.3
College Graduate	2276	144,890	2253	98.6	97.8-99.4	23	1.4	0.6- 2.2
Less than \$15,000	414	41,728	394	92.1	87.8-96.4	20	7.9	3.6-12.2
\$15,000- 24,999	784	66,746	765	95.0	92.5-97.5	19	5.0	2.5- 7.5
\$25,000- 34,999	594	47,459	578	93.8	89.9-97.7	16	6.2	2.3-10.1
\$35,000- 49,999	964	76,943	941	95.4	93.2-97.6	23	4.6	2.4- 6.8
\$50,000- 74,999	1129	92,419	1109	95.9	93.7-98.1	20	4.1	1.9- 6.3
\$75,000+	2198	186,848	2164	97.4	96.4-98.4	34	2.6	1.6- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 5: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3167	286,732	3081	95.1	93.9-96.3	86	4.9	3.7- 6.1
Native	112	12,081	107	93.2	86.1- 100	5	6.8	0.0-13.9
Non-Native	3004	269,341	2924	95.1	93.9-96.3	80	4.9	3.7- 6.1
18-24	212	46,363	187	86.2	80.7-91.7	25	13.8	8.3-19.3
25-34	372	58,282	352	94.2	91.5-96.9	20	5.8	3.1- 8.5
35-44	368	44,790	351	93.8	90.9-96.7	17	6.2	3.3- 9.1
45-54	458	40,570	452	98.6	97.4-99.8	6	1.4	0.2- 2.6
55-64	746	46,092	734	98.5	97.5-99.5	12	1.5	0.5- 2.5
65+	1011	50,634	1005	99.5	98.9- 100	6	0.5	0.0- 1.1
Less Than H.S.	191	27,005	182	92.5	87.2-97.8	9	7.5	2.2-12.8
H.S. or G.E.D.	896	80,296	855	91.0	88.1-93.9	41	9.0	6.1-11.9
Some Post-H.S.	1009	110,370	984	96.4	94.8-98.0	25	3.6	2.0- 5.2
College Graduate	1065	68,682	1054	98.8	97.8-99.8	11	1.2	0.2- 2.2
Less than \$15,000	176	19,328	167	90.4	83.5-97.3	9	9.6	2.7-16.5
\$15,000- 24,999	288	29,228	280	94.9	90.8-99.0	8	5.1	1.0- 9.2
\$25,000- 34,999	233	22,629	222	91.9	86.2-97.6	11	8.1	2.4-13.8
\$35,000- 49,999	474	37,523	461	95.0	91.9-98.1	13	5.0	1.9- 8.1
\$50,000- 74,999	585	52,774	571	95.3	92.4-98.2	14	4.7	1.8- 7.6
\$75,000+	1186	103,034	1165	97.2	95.8-98.6	21	2.8	1.4- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 6: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3560	277,236	3498	96.4	95.2-97.6	62	3.6	2.4- 4.8
Native	116	10,746	116	100.0	100.0- 100			
Non-Native	3417	263,957	3355	96.2	95.0-97.4	62	3.8	2.6- 5.0
18-24	145	41,318	132	89.5	83.6-95.4	13	10.5	4.6-16.4
25-34	293	49,256	284	95.9	93.2-98.6	9	4.1	1.4- 6.8
35-44	306	41,157	297	96.1	93.4-98.8	9	3.9	1.2- 6.6
45-54	468	39,283	460	98.1	96.7-99.5	8	1.9	0.5- 3.3
55-64	850	45,299	837	98.1	97.1-99.1	13	1.9	0.9- 2.9
65+	1498	60,924	1488	99.1	98.5-99.7	10	0.9	0.3- 1.5
Less Than H.S.	182	19,724	176	94.1	88.8-99.4	6	5.9	0.6-11.2
H.S. or G.E.D.	992	70,495	963	93.2	90.1-96.3	29	6.8	3.7- 9.9
Some Post-H.S.	1168	110,384	1153	97.3	95.5-99.1	15	2.7	0.9- 4.5
College Graduate	1211	76,208	1199	98.5	97.3-99.7	12	1.5	0.3- 2.7
Less than \$15,000	238	22,400	227	93.6	88.3-98.9	11	6.4	1.1-11.7
\$15,000- 24,999	496	37,518	485	95.2	91.9-98.5	11	4.8	1.5- 8.1
\$25,000- 34,999	361	24,830	356	95.6	90.3- 100	5	4.4	0.0- 9.7
\$35,000- 49,999	490	39,420	480	95.9	92.8-99.0	10	4.1	1.0- 7.2
\$50,000- 74,999	544	39,645	538	96.8	93.5- 100	6	3.2	0.0- 6.5
\$75,000+	1012	83,814	999	97.7	96.3-99.1	13	2.3	0.9- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	120
2 MALES ONLY	121
3 FEMALES ONLY	122
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	123
5 MALES ONLY	124
6 FEMALES ONLY	125
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	126
8 MALES ONLY	127
9 FEMALES ONLY	128
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	129
11 MALES ONLY	130
12 FEMALES ONLY	131
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	132
14 MALES ONLY	133
15 FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6666	559,059	3948	61.6	60.0-63.2	2718	38.4	36.8-40.0
Male	3134	284,222	2104	67.7	65.5-69.9	1030	32.3	30.1-34.5
Female	3532	274,837	1844	55.2	52.8-57.6	1688	44.8	42.4-47.2
Native	226	22,672	100	51.9	43.3-60.5	126	48.1	39.5-56.7
Non-Native	6367	528,938	3814	62.3	60.7-63.9	2553	37.7	36.1-39.3
18-24	356	87,456	224	57.5	51.6-63.4	132	42.5	36.6-48.4
25-34	662	106,966	471	70.8	66.7-74.9	191	29.2	25.1-33.3
35-44	666	85,119	468	68.9	64.8-73.0	198	31.1	27.0-35.2
45-54	919	79,130	629	67.2	63.7-70.7	290	32.8	29.3-36.3
55-64	1581	90,545	961	61.0	58.1-63.9	620	39.0	36.1-41.9
65+	2482	109,842	1195	46.6	44.2-49.0	1287	53.4	51.0-55.8
Less Than H.S.	367	45,874	151	41.3	34.6-48.0	216	58.7	52.0-65.4
H.S. or G.E.D.	1859	149,017	995	55.3	52.2-58.4	864	44.7	41.6-47.8
Some Post-H.S.	2159	219,224	1277	63.0	60.3-65.7	882	37.0	34.3-39.7
College Graduate	2268	144,114	1520	72.5	70.1-74.9	748	27.5	25.1-29.9
Less than \$15,000	410	41,479	161	48.0	41.1-54.9	249	52.0	45.1-58.9
\$15,000- 24,999	781	66,063	334	47.8	42.9-52.7	447	52.2	47.3-57.1
\$25,000- 34,999	589	47,176	283	52.3	46.4-58.2	306	47.7	41.8-53.6
\$35,000- 49,999	955	76,446	557	59.8	55.5-64.1	398	40.2	35.9-44.5
\$50,000- 74,999	1116	91,205	727	67.6	63.9-71.3	389	32.4	28.7-36.1
\$75,000+	2185	186,037	1588	73.7	71.2-76.2	597	26.3	23.8-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3134	284,222	2104	67.7	65.5-69.9	1030	32.3	30.1-34.5
Native	111	11,972	56	58.5	47.1-69.9	55	41.5	30.1-52.9
Non-Native	2975	267,198	2024	68.7	66.5-70.9	951	31.3	29.1-33.5
18-24	212	46,317	142	61.3	53.5-69.1	70	38.7	30.9-46.5
25-34	370	57,977	275	73.8	68.5-79.1	95	26.2	20.9-31.5
35-44	363	44,266	275	74.6	69.5-79.7	88	25.4	20.3-30.5
45-54	455	40,255	327	70.4	65.5-75.3	128	29.6	24.7-34.5
55-64	736	45,648	491	67.4	63.5-71.3	245	32.6	28.7-36.5
65+	998	49,760	594	58.3	54.6-62.0	404	41.7	38.0-45.4
Less Than H.S.	188	26,520	102	50.7	41.1-60.3	86	49.3	39.7-58.9
H.S. or G.E.D.	879	79,232	551	64.6	60.5-68.7	328	35.4	31.3-39.5
Some Post-H.S.	999	109,487	688	69.9	66.4-73.4	311	30.1	26.6-33.6
College Graduate	1062	68,579	762	74.5	71.4-77.6	300	25.5	22.4-28.6
Less than \$15,000	174	19,169	86	57.5	47.9-67.1	88	42.5	32.9-52.1
\$15,000- 24,999	286	28,736	152	56.4	49.0-63.8	134	43.6	36.2-51.0
\$25,000- 34,999	231	22,488	142	61.6	52.8-70.4	89	38.4	29.6-47.2
\$35,000- 49,999	469	37,213	297	65.0	59.3-70.7	172	35.0	29.3-40.7
\$50,000- 74,999	579	52,368	406	71.1	66.2-76.0	173	28.9	24.0-33.8
\$75,000+	1178	102,698	892	75.5	72.2-78.8	286	24.5	21.2-27.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3532	274,837	1844	55.2	52.8-57.6	1688	44.8	42.4-47.2
Native	115	10,700	44	44.6	31.5-57.7	71	55.4	42.3-68.5
Non-Native	3392	261,740	1790	55.8	53.4-58.2	1602	44.2	41.8-46.6
18-24	144	41,139	82	53.2	44.2-62.2	62	46.8	37.8-55.8
25-34	292	48,989	196	67.1	60.8-73.4	96	32.9	26.6-39.2
35-44	303	40,854	193	62.8	56.3-69.3	110	37.2	30.7-43.7
45-54	464	38,875	302	63.9	58.8-69.0	162	36.1	31.0-41.2
55-64	845	44,898	470	54.3	50.4-58.2	375	45.7	41.8-49.6
65+	1484	60,082	601	36.9	34.0-39.8	883	63.1	60.2-66.0
Less Than H.S.	179	19,354	49	28.5	19.3-37.7	130	71.5	62.3-80.7
H.S. or G.E.D.	980	69,785	444	44.7	40.2-49.2	536	55.3	50.8-59.8
Some Post-H.S.	1160	109,738	589	56.0	51.9-60.1	571	44.0	39.9-48.1
College Graduate	1206	75,535	758	70.8	67.5-74.1	448	29.2	25.9-32.5
Less than \$15,000	236	22,311	75	39.9	30.3-49.5	161	60.1	50.5-69.7
\$15,000- 24,999	495	37,327	182	41.2	34.7-47.7	313	58.8	52.3-65.3
\$25,000- 34,999	358	24,688	141	43.9	35.9-51.9	217	56.1	48.1-64.1
\$35,000- 49,999	486	39,233	260	54.9	48.4-61.4	226	45.1	38.6-51.6
\$50,000- 74,999	537	38,837	321	62.9	57.2-68.6	216	37.1	31.4-42.8
\$75,000+	1007	83,340	696	71.6	67.9-75.3	311	28.4	24.7-32.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6666	559,059	2391	37.0	35.4-38.6	856	14.6	13.4-15.8	311	4.9	4.1- 5.7	390	5.1	4.5- 5.7	2718	38.4	36.8-40.0
Male	3134	284,222	1126	36.7	34.5-38.9	502	17.6	15.8-19.4	202	6.4	5.2- 7.6	274	7.0	6.0- 8.0	1030	32.3	30.1-34.5
Female	3532	274,837	1265	37.3	34.9-39.7	354	11.6	9.8-13.4	109	3.4	2.6- 4.2	116	3.1	2.3- 3.9	1688	44.8	42.4-47.2
Native	226	22,672	76	33.7	25.7-41.7	16	11.0	4.5-17.5	4	3.4	0.0- 6.9	4	3.8	0.0- 8.9	126	48.1	39.5-56.7
Non-Native	6367	528,938	2296	37.3	35.7-38.9	832	14.9	13.7-16.1	306	5.1	4.3- 5.9	380	5.0	4.4- 5.6	2553	37.7	36.1-39.3
18-24	356	87,456	134	33.7	28.2-39.2	67	18.3	13.8-22.8	14	4.1	1.7- 6.5	9	1.4	0.4- 2.4	132	42.5	36.6-48.4
25-34	662	106,966	285	41.9	37.6-46.2	124	19.2	15.7-22.7	40	5.8	3.6- 8.0	22	3.8	1.8- 5.8	191	29.2	25.1-33.3
35-44	666	85,119	293	42.8	38.5-47.1	98	14.3	11.2-17.4	45	6.4	4.2- 8.6	32	5.5	3.3- 7.7	198	31.1	27.0-35.2
45-54	919	79,130	409	43.5	39.8-47.2	134	14.2	11.7-16.7	39	4.1	2.5- 5.7	47	5.4	3.6- 7.2	290	32.8	29.3-36.3
55-64	1581	90,545	578	36.6	33.9-39.3	214	13.5	11.5-15.5	68	4.4	3.2- 5.6	101	6.4	5.0- 7.8	620	39.0	36.1-41.9
65+	2482	109,842	692	26.0	24.0-28.0	219	8.6	7.2-10.0	105	4.6	3.6- 5.6	179	7.5	6.3- 8.7	1287	53.4	51.0-55.8
Less Than H.S.	367	45,874	82	25.1	19.0-31.2	28	5.2	3.0- 7.4	21	4.9	2.5- 7.3	20	6.1	2.4- 9.8	216	58.7	52.0-65.4
H.S. or G.E.D.	1859	149,017	624	33.7	30.8-36.6	207	13.1	10.9-15.3	59	3.7	2.5- 4.9	105	4.8	3.6- 6.0	864	44.7	41.6-47.8
Some Post-H.S.	2159	219,224	778	37.0	34.3-39.7	278	15.8	13.4-18.2	100	5.3	3.9- 6.7	121	4.8	3.8- 5.8	882	37.0	34.3-39.7
College Graduate	2268	144,114	904	44.2	41.5-46.9	343	17.4	15.2-19.6	131	5.6	4.4- 6.8	142	5.3	4.1- 6.5	748	27.5	25.1-29.9
Less than \$15,000	410	41,479	97	29.6	23.1-36.1	34	10.8	6.1-15.5	14	4.4	1.5- 7.3	16	3.3	1.3- 5.3	249	52.0	45.1-58.9
\$15,000- 24,999	781	66,063	200	30.3	25.6-35.0	69	10.2	6.9-13.5	21	2.4	1.0- 3.8	44	4.8	3.0- 6.6	447	52.2	47.3-57.1
\$25,000- 34,999	589	47,176	182	32.1	26.6-37.6	55	13.7	9.2-18.2	16	2.3	0.7- 3.9	30	4.2	2.2- 6.2	306	47.7	41.8-53.6
\$35,000- 49,999	955	76,446	352	38.3	34.0-42.6	114	12.1	9.2-15.0	39	5.1	2.9- 7.3	52	4.3	2.7- 5.9	398	40.2	35.9-44.5
\$50,000- 74,999	1116	91,205	436	38.4	34.5-42.3	145	15.1	12.0-18.2	61	7.0	4.8- 9.2	85	7.1	5.1- 9.1	389	32.4	28.7-36.1
\$75,000+	2185	186,037	912	42.2	39.5-44.9	388	19.6	17.2-22.0	146	6.2	4.8- 7.6	142	5.6	4.2- 7.0	597	26.3	23.8-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3134	284,222	1126	36.7	34.5-38.9	502	17.6	15.8-19.4	202	6.4	5.2- 7.6	274	7.0	6.0- 8.0	1030	32.3	30.1-34.5
Native	111	11,972	42	40.3	28.5-52.1	9	13.2	3.8-22.6	3	3.8	0.0- 8.3	2	1.3	0.0- 3.1	55	41.5	30.1-52.9
Non-Native	2975	267,198	1071	36.8	34.4-39.2	487	18.0	16.2-19.8	198	6.7	5.5- 7.9	268	7.2	6.0- 8.4	951	31.3	29.1-33.5
18-24	212	46,317	81	36.2	28.8-43.6	44	17.9	12.4-23.4	10	5.1	1.8- 8.4	7	2.1	0.3- 3.9	70	38.7	30.9-46.5
25-34	370	57,977	141	37.7	32.0-43.4	89	23.8	18.7-28.9	29	7.2	4.3-10.1	16	5.0	2.3- 7.7	95	26.2	20.9-31.5
35-44	363	44,266	155	42.2	36.3-48.1	63	17.0	12.5-21.5	32	8.4	5.1-11.7	25	7.0	3.9-10.1	88	25.4	20.3-30.5
45-54	455	40,255	189	40.5	35.2-45.8	79	17.6	13.5-21.7	25	5.2	2.8- 7.6	34	7.0	4.5- 9.5	128	29.6	24.7-34.5
55-64	736	45,648	269	36.4	32.3-40.5	116	17.1	13.8-20.4	38	5.2	3.4- 7.0	68	8.8	6.4-11.2	245	32.6	28.7-36.5
65+	998	49,760	291	28.2	25.1-31.3	111	10.9	8.5-13.3	68	7.1	5.1- 9.1	124	12.1	9.7-14.5	404	41.7	38.0-45.4
Less Than H.S.	188	26,520	50	29.7	21.1-38.3	19	6.6	3.3- 9.9	19	8.0	4.1-11.9	14	6.3	2.0-10.6	86	49.3	39.7-58.9
H.S. or G.E.D.	879	79,232	305	35.0	30.9-39.1	126	17.2	13.9-20.5	41	5.4	3.4- 7.4	79	7.0	5.0- 9.0	328	35.4	31.3-39.5
Some Post-H.S.	999	109,487	367	37.2	33.3-41.1	171	19.1	15.8-22.4	63	6.9	4.7- 9.1	87	6.7	4.9- 8.5	311	30.1	26.6-33.6
College Graduate	1062	68,579	404	40.8	37.1-44.5	186	19.8	16.7-22.9	79	6.4	4.8- 8.0	93	7.5	5.5- 9.5	300	25.5	22.4-28.6
Less than \$15,000	174	19,169	46	33.4	23.8-43.0	20	13.4	6.0-20.8	9	5.9	2.0- 9.8	11	4.8	1.5- 8.1	88	42.5	32.9-52.1
\$15,000- 24,999	286	28,736	83	33.7	26.1-41.3	32	13.1	7.8-18.4	13	3.2	0.8- 5.6	24	6.5	3.4- 9.6	134	43.6	36.2-51.0
\$25,000- 34,999	231	22,488	82	36.4	28.0-44.8	31	15.0	8.7-21.3	8	3.0	0.1- 5.9	21	7.2	3.1-11.3	89	38.4	29.6-47.2
\$35,000- 49,999	469	37,213	169	38.0	32.1-43.9	63	13.5	9.6-17.4	24	6.6	3.3- 9.9	41	6.9	4.4- 9.4	172	35.0	29.3-40.7
\$50,000- 74,999	579	52,368	212	35.9	30.8-41.0	90	17.7	13.4-22.0	42	8.5	5.4-11.6	62	8.9	6.2-11.6	173	28.9	24.0-33.8
\$75,000+	1178	102,698	455	38.2	34.7-41.7	239	22.6	19.5-25.7	97	7.8	5.8- 9.8	101	6.9	5.1- 8.7	286	24.5	21.2-27.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3532	274,837	1265	37.3	34.9-39.7	354	11.6	9.8-13.4	109	3.4	2.6- 4.2	116	3.1	2.3- 3.9	1688	44.8	42.4-47.2
Native	115	10,700	34	26.4	16.2-36.6	7	8.6	0.0-17.4	1	2.9	0.0- 8.4	2	6.6	0.0-16.8	71	55.4	42.3-68.5
Non-Native	3392	261,740	1225	37.9	35.5-40.3	345	11.8	10.0-13.6	108	3.4	2.4- 4.4	112	2.7	2.1- 3.3	1602	44.2	41.8-46.6
18-24	144	41,139	53	30.8	22.8-38.8	23	18.9	11.6-26.2	4	3.0	0.0- 6.1	2	0.5	0.0- 1.3	62	46.8	37.8-55.8
25-34	292	48,989	144	46.8	40.1-53.5	35	13.8	8.9-18.7	11	4.1	1.4- 6.8	6	2.5	0.0- 5.0	96	32.9	26.6-39.2
35-44	303	40,854	138	43.4	36.9-49.9	35	11.4	7.3-15.5	13	4.2	1.8- 6.6	7	3.9	0.8- 7.0	110	37.2	30.7-43.7
45-54	464	38,875	220	46.5	41.2-51.8	55	10.7	7.6-13.8	14	3.0	1.2- 4.8	13	3.7	1.5- 5.9	162	36.1	31.0-41.2
55-64	845	44,898	309	36.7	32.8-40.6	98	10.0	7.8-12.2	30	3.7	2.1- 5.3	33	4.0	2.4- 5.6	375	45.7	41.8-49.6
65+	1484	60,082	401	24.2	21.7-26.7	108	6.6	5.2- 8.0	37	2.5	1.5- 3.5	55	3.6	2.4- 4.8	883	63.1	60.2-66.0
Less Than H.S.	179	19,354	32	18.8	11.0-26.6	9	3.3	0.8- 5.8	2	0.6	0.0- 1.4	6	5.9	0.0-12.2	130	71.5	62.3-80.7
H.S. or G.E.D.	980	69,785	319	32.2	27.9-36.5	81	8.5	5.8-11.2	18	1.7	0.7- 2.7	26	2.3	1.1- 3.5	536	55.3	50.8-59.8
Some Post-H.S.	1160	109,738	411	36.8	32.9-40.7	107	12.5	9.4-15.6	37	3.8	2.0- 5.6	34	2.9	1.5- 4.3	571	44.0	39.9-48.1
College Graduate	1206	75,535	500	47.4	43.5-51.3	157	15.2	12.3-18.1	52	5.0	3.2- 6.8	49	3.2	2.0- 4.4	448	29.2	25.9-32.5
Less than \$15,000	236	22,311	51	26.3	17.5-35.1	14	8.5	2.4-14.6	5	3.1	0.0- 7.6	5	1.9	0.0- 3.9	161	60.1	50.5-69.7
\$15,000- 24,999	495	37,327	117	27.7	21.8-33.6	37	8.0	3.9-12.1	8	1.9	0.1- 3.7	20	3.6	1.6- 5.6	313	58.8	52.3-65.3
\$25,000- 34,999	358	24,688	100	28.3	21.0-35.6	24	12.5	6.0-19.0	8	1.7	0.3- 3.1	9	1.4	0.2- 2.6	217	56.1	48.1-64.1
\$35,000- 49,999	486	39,233	183	38.6	32.3-44.9	51	10.8	6.7-14.9	15	3.7	1.2- 6.2	11	1.9	0.3- 3.5	226	45.1	38.6-51.6
\$50,000- 74,999	537	38,837	224	41.7	35.8-47.6	55	11.7	7.0-16.4	19	5.0	1.9- 8.1	23	4.6	2.1- 7.1	216	37.1	31.4-42.8
\$75,000+	1007	83,340	457	47.2	43.1-51.3	149	16.0	12.9-19.1	49	4.4	2.8- 6.0	41	4.0	2.0- 6.0	311	28.4	24.7-32.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6619	555,500	5471	76.7	75.1-78.3	1148	23.3	21.7-24.9
Male	3110	281,996	2362	70.4	68.2-72.6	748	29.6	27.4-31.8
Female	3509	273,505	3109	83.1	81.1-85.1	400	16.9	14.9-18.9
Native	223	22,447	170	67.2	58.2-76.2	53	32.8	23.8-41.8
Non-Native	6323	525,604	5239	77.0	75.4-78.6	1084	23.0	21.4-24.6
18-24	352	86,991	222	64.9	59.2-70.6	130	35.1	29.4-40.8
25-34	656	105,993	414	64.5	60.2-68.8	242	35.5	31.2-39.8
35-44	662	84,729	483	73.6	69.7-77.5	179	26.4	22.5-30.3
45-54	914	78,846	710	77.5	74.4-80.6	204	22.5	19.4-25.6
55-64	1572	90,090	1318	83.6	81.4-85.8	254	16.4	14.2-18.6
65+	2463	108,850	2324	94.0	92.8-95.2	139	6.0	4.8-7.2
Less Than H.S.	363	45,584	308	81.6	76.1-87.1	55	18.4	12.9-23.9
H.S. or G.E.D.	1841	147,598	1523	76.4	73.5-79.3	318	23.6	20.7-26.5
Some Post-H.S.	2145	218,021	1745	75.1	72.4-77.8	400	24.9	22.2-27.6
College Graduate	2257	143,467	1884	77.8	75.4-80.2	373	22.2	19.8-24.6
Less than \$15,000	407	41,339	336	73.9	67.4-80.4	71	26.1	19.6-32.6
\$15,000- 24,999	771	65,201	666	79.6	75.1-84.1	105	20.4	15.9-24.9
\$25,000- 34,999	583	46,840	508	81.0	75.9-86.1	75	19.0	13.9-24.1
\$35,000- 49,999	950	76,163	785	76.0	71.9-80.1	165	24.0	19.9-28.1
\$50,000- 74,999	1113	91,049	903	74.1	70.2-78.0	210	25.9	22.0-29.8
\$75,000+	2177	185,033	1718	74.7	72.2-77.2	459	25.3	22.8-27.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3110	281,996	2362	70.4	68.2-72.6	748	29.6	27.4-31.8
Native	110	11,911	76	61.0	48.8-73.2	34	39.0	26.8-51.2
Non-Native	2952	265,032	2246	70.4	68.0-72.8	706	29.6	27.2-32.0
18-24	208	45,852	119	60.3	52.9-67.7	89	39.7	32.3-47.1
25-34	365	57,120	203	56.8	50.9-62.7	162	43.2	37.3-49.1
35-44	360	43,926	235	66.6	61.1-72.1	125	33.4	27.9-38.9
45-54	455	40,255	325	71.1	66.2-76.0	130	28.9	24.0-33.8
55-64	732	45,502	583	79.1	75.6-82.6	149	20.9	17.4-24.4
65+	990	49,340	897	90.4	88.2-92.6	93	9.6	7.4-11.8
Less Than H.S.	187	26,455	144	75.5	67.7-83.3	43	24.5	16.7-32.3
H.S. or G.E.D.	870	78,334	662	69.4	65.3-73.5	208	30.6	26.5-34.7
Some Post-H.S.	990	108,554	722	68.9	65.2-72.6	268	31.1	27.4-34.8
College Graduate	1057	68,249	829	72.0	68.3-75.7	228	28.0	24.3-31.7
Less than \$15,000	174	19,169	127	64.9	55.3-74.5	47	35.1	25.5-44.7
\$15,000- 24,999	280	28,172	215	72.3	64.9-79.7	65	27.7	20.3-35.1
\$25,000- 34,999	228	22,262	186	78.5	71.2-85.8	42	21.5	14.2-28.8
\$35,000- 49,999	466	36,977	362	70.9	65.0-76.8	104	29.1	23.2-35.0
\$50,000- 74,999	578	52,323	435	68.3	63.0-73.6	143	31.7	26.4-37.0
\$75,000+	1172	101,865	864	68.9	65.4-72.4	308	31.1	27.6-34.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3509	273,505	3109	83.1	81.1-85.1	400	16.9	14.9-18.9
Native	113	10,536	94	74.2	60.5-87.9	19	25.8	12.1-39.5
Non-Native	3371	260,572	2993	83.6	81.6-85.6	378	16.4	14.4-18.4
18-24	144	41,139	103	70.0	61.6-78.4	41	30.0	21.6-38.4
25-34	291	48,873	211	73.5	67.4-79.6	80	26.5	20.4-32.6
35-44	302	40,803	248	81.2	75.9-86.5	54	18.8	13.5-24.1
45-54	459	38,592	385	84.3	80.4-88.2	74	15.7	11.8-19.6
55-64	840	44,587	735	88.1	85.6-90.6	105	11.9	9.4-14.4
65+	1473	59,511	1427	97.0	96.0-98.0	46	3.0	2.0- 4.0
Less Than H.S.	176	19,130	164	89.9	82.6-97.2	12	10.1	2.8-17.4
H.S. or G.E.D.	971	69,265	861	84.2	80.7-87.7	110	15.8	12.3-19.3
Some Post-H.S.	1155	109,467	1023	81.4	77.7-85.1	132	18.6	14.9-22.3
College Graduate	1200	75,218	1055	83.0	79.9-86.1	145	17.0	13.9-20.1
Less than \$15,000	233	22,170	209	81.6	73.0-90.2	24	18.4	9.8-27.0
\$15,000- 24,999	491	37,029	451	85.1	79.8-90.4	40	14.9	9.6-20.2
\$25,000- 34,999	355	24,579	322	83.3	76.2-90.4	33	16.7	9.6-23.8
\$35,000- 49,999	484	39,187	423	80.8	75.1-86.5	61	19.2	13.5-24.9
\$50,000- 74,999	535	38,726	468	82.0	76.3-87.7	67	18.0	12.3-23.7
\$75,000+	1005	83,168	854	81.8	78.3-85.3	151	18.2	14.7-21.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6611	554,028	1371	19.1	17.9-20.3	562	8.5	7.5- 9.5	867	14.8	13.6-16.0	607	10.0	9.0-11.0	486	8.8	7.8- 9.8	2718	38.8	37.2-40.4
Male	3098	280,439	553	16.2	14.6-17.8	269	8.2	7.0- 9.4	471	16.8	15.0-18.6	392	13.0	11.4-14.6	383	13.1	11.5-14.7	1030	32.8	30.6-35.0
Female	3513	273,590	818	22.1	20.1-24.1	293	8.9	7.5-10.3	396	12.7	11.1-14.3	215	6.9	5.7- 8.1	103	4.4	3.2- 5.6	1688	45.0	42.6-47.4
Native	221	22,264	27	8.7	5.0-12.4	19	10.1	4.6-15.6	22	10.7	5.6-15.8	9	7.3	2.0-12.6	18	14.2	6.2-22.2	126	48.9	40.1-57.7
Non-Native	6317	524,316	1333	19.6	18.2-21.0	539	8.6	7.6- 9.6	836	15.1	13.9-16.3	594	10.2	9.2-11.2	462	8.6	7.6- 9.6	2553	38.0	36.4-39.6
18-24	350	86,521	53	14.5	10.4-18.6	27	6.9	4.0- 9.8	56	15.2	11.1-19.3	34	8.4	5.3-11.5	48	11.9	8.2-15.6	132	43.0	36.9-49.1
25-34	655	105,355	103	16.2	12.9-19.5	65	9.5	7.0-12.0	142	20.5	16.8-24.2	93	13.5	10.6-16.4	61	10.6	7.7-13.5	191	29.7	25.6-33.8
35-44	658	84,406	139	21.1	17.6-24.6	71	9.8	7.3-12.3	115	17.0	13.7-20.3	76	11.9	9.0-14.8	59	9.0	6.5-11.5	198	31.3	27.2-35.4
45-54	915	78,854	212	22.6	19.5-25.7	107	12.0	9.5-14.5	135	14.3	11.8-16.8	85	9.0	6.8-11.2	86	9.2	7.0-11.4	290	32.9	29.4-36.4
55-64	1571	89,996	347	21.6	19.2-24.0	140	8.3	6.7- 9.9	202	13.3	11.3-15.3	140	9.4	7.6-11.2	122	8.1	6.5- 9.7	620	39.3	36.4-42.2
65+	2462	108,897	517	19.4	17.6-21.2	152	5.5	4.5- 6.5	217	8.7	7.3-10.1	179	7.6	6.4- 8.8	110	4.9	3.9- 5.9	1287	53.8	51.4-56.2
Less Than H.S.	359	44,948	49	12.7	8.2-17.2	21	5.9	3.0- 8.8	20	7.7	3.8-11.6	26	6.2	3.7- 8.7	27	7.7	3.8-11.6	216	59.9	53.2-66.6
H.S. or G.E.D.	1846	147,824	357	17.1	14.7-19.5	135	6.8	5.2- 8.4	191	11.5	9.5-13.5	156	9.7	7.7-11.7	143	9.9	7.9-11.9	864	45.1	42.0-48.2
Some Post-H.S.	2141	217,471	452	19.3	17.1-21.5	151	7.6	6.0- 9.2	297	16.2	14.0-18.4	191	10.0	8.2-11.8	168	9.6	7.8-11.4	882	37.3	34.6-40.0
College Graduate	2253	143,051	511	23.1	20.7-25.5	254	12.6	10.8-14.4	359	18.3	16.1-20.5	234	11.6	9.8-13.4	147	6.8	5.4- 8.2	748	27.7	25.3-30.1
Less than \$15,000	403	40,581	54	13.9	8.8-19.0	17	5.5	2.2- 8.8	26	10.5	5.8-15.2	24	7.0	3.3-10.7	33	9.9	5.8-14.0	249	53.1	46.0-60.2
\$15,000- 24,999	774	65,493	115	13.3	10.2-16.4	41	7.4	4.5-10.3	73	12.8	8.9-16.7	49	5.7	3.7- 7.7	49	8.1	5.2-11.0	447	52.6	47.5-57.7
\$25,000- 34,999	585	46,846	115	20.8	15.9-25.7	35	3.7	1.9- 5.5	52	9.5	6.2-12.8	42	8.9	5.4-12.4	35	9.1	5.2-13.0	306	48.0	42.1-53.9
\$35,000- 49,999	951	76,282	213	20.1	16.8-23.4	64	6.9	4.5- 9.3	133	17.1	13.6-20.6	80	7.7	5.5- 9.9	63	7.9	5.5-10.3	398	40.2	35.9-44.5
\$50,000- 74,999	1112	91,031	246	19.6	16.7-22.5	112	9.4	7.2-11.6	145	14.2	11.3-17.1	113	12.2	9.5-14.9	107	12.1	9.2-15.0	389	32.5	28.8-36.2
\$75,000+	2176	184,892	490	21.5	19.3-23.7	254	11.5	9.7-13.3	391	18.7	16.5-20.9	265	13.0	11.2-14.8	179	8.8	7.0-10.6	597	26.5	24.0-29.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3098	280,439	553	16.2	14.6-17.8	269	8.2	7.0- 9.4	471	16.8	15.0-18.6	392	13.0	11.4-14.6	383	13.1	11.5-14.7	1030	32.8	30.6-35.0
Native	108	11,664	10	6.8	2.1-11.5	12	11.9	4.1-19.7	13	13.9	5.7-22.1	6	9.4	1.2-17.6	12	15.5	5.5-25.5	55	42.6	31.0-54.2
Non-Native	2942	263,722	537	16.6	14.8-18.4	254	8.1	6.9- 9.3	450	17.1	15.3-18.9	384	13.4	11.8-15.0	366	13.1	11.5-14.7	951	31.7	29.3-34.1
18-24	207	45,659	26	12.3	7.2-17.4	13	6.6	2.7-10.5	40	19.2	13.1-25.3	22	7.9	4.4-11.4	36	14.8	9.5-20.1	70	39.2	31.4-47.0
25-34	363	56,366	43	12.3	8.4-16.2	27	6.4	3.5- 9.3	75	19.6	14.9-24.3	73	19.4	14.7-24.1	50	15.4	10.9-19.9	95	26.9	21.6-32.2
35-44	357	43,727	64	17.7	13.2-22.2	37	10.1	6.6-13.6	63	18.1	13.4-22.8	53	14.2	10.1-18.3	52	14.2	10.1-18.3	88	25.7	20.4-31.0
45-54	454	40,204	87	17.8	13.7-21.9	49	11.5	8.0-15.0	73	16.4	12.5-20.3	52	11.6	8.1-15.1	65	13.0	9.7-16.3	128	29.7	24.8-34.6
55-64	729	45,250	140	19.0	15.7-22.3	69	8.6	6.2-11.0	101	14.5	11.6-17.4	81	12.5	9.4-15.6	93	12.5	9.6-15.4	245	32.8	28.9-36.7
65+	988	49,232	193	18.7	16.0-21.4	74	6.8	5.0- 8.6	119	12.5	10.0-15.0	111	11.0	8.6-13.4	87	8.9	6.9-10.9	404	42.1	38.4-45.8
Less Than H.S.	183	25,735	25	13.7	7.2-20.2	16	6.6	2.5-10.7	14	10.9	4.8-17.0	20	8.7	4.4-13.0	22	9.3	4.4-14.2	86	50.8	41.2-60.4
H.S. or G.E.D.	869	78,130	157	16.1	13.0-19.2	62	7.2	4.8- 9.6	107	13.5	10.6-16.4	101	12.4	9.5-15.3	114	14.9	11.8-18.0	328	35.9	31.8-40.0
Some Post-H.S.	987	108,139	175	16.0	13.3-18.7	75	7.4	5.2- 9.6	162	18.5	15.2-21.8	129	13.4	10.7-16.1	135	14.3	11.4-17.2	311	30.4	26.9-33.9
College Graduate	1054	68,125	196	17.6	14.9-20.3	116	11.2	8.8-13.6	188	20.2	17.1-23.3	142	14.7	12.0-17.4	112	10.8	8.4-13.2	300	25.7	22.4-29.0
Less than \$15,000	172	18,801	21	14.6	7.0-22.2	7	3.0	0.5- 5.5	14	11.2	4.7-17.7	17	11.1	5.0-17.2	25	16.8	9.2-24.4	88	43.3	33.5-53.1
\$15,000- 24,999	282	28,338	37	10.6	6.3-14.9	15	7.3	2.4-12.2	33	17.4	10.7-24.1	28	9.0	5.1-12.9	35	11.6	6.7-16.5	134	44.2	36.6-51.8
\$25,000- 34,999	228	22,199	47	23.2	15.6-30.8	19	4.5	1.6- 7.4	26	11.5	6.0-17.0	20	7.7	3.8-11.6	27	14.3	8.0-20.6	89	38.9	30.1-47.7
\$35,000- 49,999	466	37,076	83	16.0	11.7-20.3	37	8.1	4.8-11.4	73	18.9	14.0-23.8	53	10.4	6.9-13.9	48	11.5	7.6-15.4	172	35.1	29.4-40.8
\$50,000- 74,999	576	52,239	100	15.0	11.5-18.5	57	8.4	5.7-11.1	83	16.7	12.6-20.8	79	15.3	11.4-19.2	84	15.5	11.6-19.4	173	29.0	24.1-33.9
\$75,000+	1170	101,634	219	16.9	14.4-19.4	120	10.3	8.1-12.5	221	19.0	16.1-21.9	177	15.9	13.2-18.6	147	13.1	10.6-15.6	286	24.8	21.5-28.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3513	273,590	818	22.1	20.1-24.1	293	8.9	7.5-10.3	396	12.7	11.1-14.3	215	6.9	5.7- 8.1	103	4.4	3.2- 5.6	1688	45.0	42.6-47.4
Native	113	10,600	17	10.7	4.6-16.8	7	8.2	0.8-15.6	9	7.3	2.0-12.6	3	5.0	0.0-11.3	6	12.8	0.3-25.3	71	56.0	42.7-69.3
Non-Native	3375	260,594	796	22.6	20.6-24.6	285	9.0	7.6-10.4	386	13.1	11.3-14.9	210	7.0	5.6- 8.4	96	3.9	2.7- 5.1	1602	44.4	42.0-46.8
18-24	143	40,862	27	17.0	10.3-23.7	14	7.4	3.1-11.7	16	10.7	5.2-16.2	12	9.1	3.8-14.4	12	8.8	3.5-14.1	62	47.1	37.9-56.3
25-34	292	48,989	60	20.6	15.3-25.9	38	13.0	8.5-17.5	67	21.7	16.2-27.2	20	6.8	3.7- 9.9	11	5.1	1.6- 8.6	96	32.9	26.6-39.2
35-44	301	40,678	75	24.8	19.1-30.5	34	9.4	5.9-12.9	52	15.8	11.1-20.5	23	9.4	5.3-13.5	7	3.3	0.6- 6.0	110	37.4	30.9-43.9
45-54	461	38,649	125	27.6	22.9-32.3	58	12.5	9.0-16.0	62	12.0	8.7-15.3	33	6.3	3.9- 8.7	21	5.2	2.7- 7.7	162	36.4	31.3-41.5
55-64	842	44,747	207	24.2	20.9-27.5	71	8.0	5.8-10.2	101	12.1	9.6-14.6	59	6.2	4.4- 8.0	29	3.6	2.0- 5.2	375	45.8	41.9-49.7
65+	1474	59,665	324	20.0	17.6-22.4	78	4.5	3.3- 5.7	98	5.6	4.4- 6.8	68	4.7	3.3- 6.1	23	1.6	0.8- 2.4	883	63.5	60.6-66.4
Less Than H.S.	176	19,213	24	11.3	5.4-17.2	5	4.9	0.2- 9.6	6	3.4	0.0- 7.5	6	2.7	0.2- 5.2	5	5.6	0.0-11.9	130	72.1	62.7-81.5
H.S. or G.E.D.	977	69,694	200	18.2	14.9-21.5	73	6.4	4.6- 8.2	84	9.2	6.7-11.7	55	6.6	4.1- 9.1	29	4.3	2.3- 6.3	536	55.4	50.9-59.9
Some Post-H.S.	1154	109,332	277	22.5	19.2-25.8	76	7.8	5.4-10.2	135	14.0	11.1-16.9	62	6.5	4.3- 8.7	33	5.0	2.6- 7.4	571	44.1	40.0-48.2
College Graduate	1199	74,925	315	28.0	24.5-31.5	138	13.8	11.1-16.5	171	16.6	13.7-19.5	92	8.8	6.6-11.0	35	3.2	1.6- 4.8	448	29.5	26.2-32.8
Less than \$15,000	231	21,779	33	13.2	6.5-19.9	10	7.7	2.0-13.4	12	9.9	3.0-16.8	7	3.5	0.0- 8.0	8	4.0	0.9- 7.1	161	61.6	51.8-71.4
\$15,000- 24,999	492	37,156	78	15.4	11.1-19.7	26	7.4	3.5-11.3	40	9.4	5.1-13.7	21	3.2	1.4- 5.0	14	5.5	2.0- 9.0	313	59.1	52.6-65.6
\$25,000- 34,999	357	24,647	68	18.7	12.2-25.2	16	3.0	1.0- 5.0	26	7.7	3.8-11.6	22	10.0	4.5-15.5	8	4.4	0.0- 8.9	217	56.2	48.2-64.2
\$35,000- 49,999	485	39,206	130	23.9	18.6-29.2	27	5.8	2.7- 8.9	60	15.5	10.4-20.6	27	5.2	2.3- 8.1	15	4.4	1.7- 7.1	226	45.1	38.6-51.6
\$50,000- 74,999	536	38,793	146	25.9	20.8-31.0	55	10.7	7.2-14.2	62	10.8	7.1-14.5	34	8.0	4.3-11.7	23	7.5	3.2-11.8	216	37.1	31.4-42.8
\$75,000+	1006	83,257	271	27.2	23.5-30.9	134	13.1	10.4-15.8	170	18.2	15.1-21.3	88	9.3	6.9-11.7	32	3.7	1.5- 5.9	311	28.5	24.8-32.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6610	553,841	6224	92.6	91.6-93.6	386	7.4	6.4- 8.4
Male	3097	280,251	2880	92.1	90.7-93.5	217	7.9	6.5- 9.3
Female	3513	273,590	3344	93.1	91.7-94.5	169	6.9	5.5- 8.3
Native	221	22,264	206	87.6	80.0-95.2	15	12.4	4.8-20.0
Non-Native	6316	524,128	5948	92.8	91.8-93.8	368	7.2	6.2- 8.2
18-24	350	86,521	305	88.1	84.2-92.0	45	11.9	8.0-15.8
25-34	655	105,355	604	91.2	88.5-93.9	51	8.8	6.1-11.5
35-44	658	84,406	610	92.3	89.9-94.7	48	7.7	5.3-10.1
45-54	915	78,854	842	92.4	90.4-94.4	73	7.6	5.6- 9.6
55-64	1570	89,809	1474	93.8	92.4-95.2	96	6.2	4.8- 7.6
65+	2462	108,897	2389	96.9	96.1-97.7	73	3.1	2.3- 3.9
Less Than H.S.	359	44,948	337	92.9	89.2-96.6	22	7.1	3.4-10.8
H.S. or G.E.D.	1846	147,824	1733	92.0	90.2-93.8	113	8.0	6.2- 9.8
Some Post-H.S.	2140	217,284	2009	91.9	90.1-93.7	131	8.1	6.3- 9.9
College Graduate	2253	143,051	2134	94.1	92.7-95.5	119	5.9	4.5- 7.3
Less than \$15,000	403	40,581	373	90.9	86.6-95.2	30	9.1	4.8-13.4
\$15,000- 24,999	774	65,493	737	94.3	91.9-96.7	37	5.7	3.3- 8.1
\$25,000- 34,999	585	46,846	550	91.0	87.3-94.7	35	9.0	5.3-12.7
\$35,000- 49,999	951	76,282	906	93.7	91.5-95.9	45	6.3	4.1- 8.5
\$50,000- 74,999	1112	91,031	1023	89.1	86.2-92.0	89	10.9	8.0-13.8
\$75,000+	2176	184,892	2040	93.0	91.4-94.6	136	7.0	5.4- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3097	280,251	2880	92.1	90.7-93.5	217	7.9	6.5- 9.3
Native	108	11,664	100	90.7	82.9-98.5	8	9.3	1.5-17.1
Non-Native	2941	263,534	2733	92.1	90.7-93.5	208	7.9	6.5- 9.3
18-24	207	45,659	180	89.3	84.8-93.8	27	10.7	6.2-15.2
25-34	363	56,366	332	90.7	87.2-94.2	31	9.3	5.8-12.8
35-44	357	43,727	325	91.3	88.0-94.6	32	8.7	5.4-12.0
45-54	454	40,204	414	91.9	89.2-94.6	40	8.1	5.4-10.8
55-64	728	45,062	679	93.3	91.1-95.5	49	6.7	4.5- 8.9
65+	988	49,232	950	96.0	94.6-97.4	38	4.0	2.6- 5.4
Less Than H.S.	183	25,735	167	92.1	87.4-96.8	16	7.9	3.2-12.6
H.S. or G.E.D.	869	78,130	799	90.3	87.6-93.0	70	9.7	7.0-12.4
Some Post-H.S.	986	107,951	913	92.0	89.8-94.2	73	8.0	5.8-10.2
College Graduate	1054	68,125	996	94.2	92.4-96.0	58	5.8	4.0- 7.6
Less than \$15,000	172	18,801	154	87.9	81.2-94.6	18	12.1	5.4-18.8
\$15,000- 24,999	282	28,338	265	95.1	92.0-98.2	17	4.9	1.8- 8.0
\$25,000- 34,999	228	22,199	205	87.7	81.8-93.6	23	12.3	6.4-18.2
\$35,000- 49,999	466	37,076	444	94.6	92.1-97.1	22	5.4	2.9- 7.9
\$50,000- 74,999	576	52,239	524	89.6	86.1-93.1	52	10.4	6.9-13.9
\$75,000+	1170	101,634	1093	92.6	90.4-94.8	77	7.4	5.2- 9.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3513	273,590	3344	93.1	91.7-94.5	169	6.9	5.5- 8.3
Native	113	10,600	106	84.3	71.2-97.4	7	15.7	2.6-28.8
Non-Native	3375	260,594	3215	93.5	92.1-94.9	160	6.5	5.1- 7.9
18-24	143	40,862	125	86.7	80.2-93.2	18	13.3	6.8-19.8
25-34	292	48,989	272	91.7	87.6-95.8	20	8.3	4.2-12.4
35-44	301	40,678	285	93.4	89.9-96.9	16	6.6	3.1-10.1
45-54	461	38,649	428	92.8	90.1-95.5	33	7.2	4.5- 9.9
55-64	842	44,747	795	94.3	92.5-96.1	47	5.7	3.9- 7.5
65+	1474	59,665	1439	97.6	96.6-98.6	35	2.4	1.4- 3.4
Less Than H.S.	176	19,213	170	94.0	87.7- 100	6	6.0	0.0-12.3
H.S. or G.E.D.	977	69,694	934	94.0	91.6-96.4	43	6.0	3.6- 8.4
Some Post-H.S.	1154	109,332	1096	91.8	89.1-94.5	58	8.2	5.5-10.9
College Graduate	1199	74,925	1138	93.9	91.9-95.9	61	6.1	4.1- 8.1
Less than \$15,000	231	21,779	219	93.5	88.2-98.8	12	6.5	1.2-11.8
\$15,000- 24,999	492	37,156	472	93.6	90.1-97.1	20	6.4	2.9- 9.9
\$25,000- 34,999	357	24,647	345	93.9	89.2-98.6	12	6.1	1.4-10.8
\$35,000- 49,999	485	39,206	462	92.8	89.3-96.3	23	7.2	3.7-10.7
\$50,000- 74,999	536	38,793	499	88.3	83.2-93.4	37	11.7	6.6-16.8
\$75,000+	1006	83,257	947	93.5	91.1-95.9	59	6.5	4.1- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 12: FRUITS AND VEGETABLES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)	
1 MALES AND FEMALES	136
2 MALES ONLY	137
3 FEMALES ONLY	138
FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)	
4 MALES AND FEMALES	139
5 MALES ONLY	140
6 FEMALES ONLY	141
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)	
7 MALES AND FEMALES	142
8 MALES ONLY	143
9 FEMALES ONLY	144
FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)	
10 MALES AND FEMALES	145
11 MALES ONLY	146
12 FEMALES ONLY	147
POTATO SERVINGS PER DAY (POTADA1_)	
13 MALES AND FEMALES	148
14 MALES ONLY	149
15 FEMALES ONLY	150
OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)	
16 MALES AND FEMALES	151
17 MALES ONLY	152
18 FEMALES ONLY	153

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6586	550,586	2640	43.3	41.5-45.1	1077	15.3	14.1-16.5	24	0.4	0.2- 0.6	18	0.3	0.1- 0.5	3	0.1	0.1- 0.1	2824	40.6	39.0-42.2
Male	3097	278,973	1423	47.4	45.0-49.8	541	17.0	15.2-18.8	15	0.5	0.1- 0.9	11	0.3	0.1- 0.5	2	0.0	0.0- 0.0	1105	34.7	32.5-36.9
Female	3489	271,613	1217	39.1	36.7-41.5	536	13.6	12.0-15.2	9	0.3	0.1- 0.5	7	0.4	0.0- 0.8	1	0.1	0.0- 0.3	1719	46.5	44.1-48.9
Native	218	21,365	102	48.6	39.6-57.6	44	20.0	12.7-27.3	3	1.4	0.0- 3.0	5	1.8	0.0- 3.8	1	0.3	0.0- 0.9	63	27.9	19.9-35.9
Non-Native	6297	522,490	2504	43.1	41.3-44.9	1022	15.1	13.9-16.3	21	0.4	0.2- 0.6	13	0.3	0.1- 0.5	2	0.0	0.0- 0.0	2735	41.2	39.4-43.0
18-24	345	84,273	169	47.7	41.6-53.8	53	17.5	12.6-22.4	3	0.8	0.0- 1.8	2	0.6	0.0- 1.6	1	0.1	0.0- 0.3	117	33.3	27.6-39.0
25-34	653	105,412	338	50.9	46.4-55.4	94	15.0	11.7-18.3	4	0.5	0.0- 1.1	3	0.5	0.0- 1.3				214	33.1	28.8-37.4
35-44	657	83,648	322	48.7	44.2-53.2	78	11.2	8.5-13.9	4	0.5	0.0- 1.1				1	0.2	0.0- 0.6	252	39.4	35.1-43.7
45-54	914	78,485	415	43.2	39.5-46.9	97	11.5	9.0-14.0				4	0.4	0.0- 0.8				398	44.9	41.2-48.6
55-64	1564	89,812	596	37.4	34.7-40.1	203	12.5	10.5-14.5	4	0.4	0.0- 0.8	5	0.5	0.0- 1.1				756	49.2	46.3-52.1
65+	2453	108,956	800	33.3	30.9-35.7	552	22.2	20.2-24.2	9	0.4	0.0- 0.8	4	0.1	0.0- 0.3	1	0.0	0.0- 0.0	1087	44.0	41.6-46.4
Less Than H.S.	362	45,331	123	40.7	33.8-47.6	77	22.0	15.9-28.1	4	1.6	0.0- 3.4	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	156	35.3	28.8-41.8
H.S. or G.E.D.	1834	146,737	691	43.0	39.9-46.1	327	18.0	15.5-20.5	11	0.6	0.2- 1.0	9	0.6	0.0- 1.2				796	37.7	34.8-40.6
Some Post-H.S.	2129	214,806	864	44.5	41.6-47.4	327	13.6	11.6-15.6	6	0.2	0.0- 0.4	5	0.3	0.0- 0.7				927	41.4	38.7-44.1
College Graduate	2248	142,882	957	42.9	40.2-45.6	345	13.0	11.2-14.8	3	0.2	0.0- 0.4	3	0.1	0.1- 0.1	2	0.2	0.0- 0.4	938	43.7	41.0-46.4
Less than \$15,000	402	40,432	137	37.0	30.1-43.9	69	17.0	11.7-22.3	3	1.0	0.0- 2.6	3	1.2	0.0- 3.0				190	43.7	36.8-50.6
\$15,000- 24,999	770	64,395	261	40.2	35.1-45.3	159	20.3	16.0-24.6	4	0.5	0.0- 1.1	2	0.3	0.0- 0.9				344	38.7	34.0-43.4
\$25,000- 34,999	579	46,053	216	43.8	37.7-49.9	106	16.9	12.6-21.2	3	0.6	0.0- 1.4	2	0.2	0.0- 0.4				252	38.6	32.9-44.3
\$35,000- 49,999	946	75,527	393	45.9	41.4-50.4	161	15.1	12.2-18.0	2	0.2	0.0- 0.4	4	0.4	0.0- 0.8	1	0.1	0.0- 0.3	385	38.4	34.1-42.7
\$50,000- 74,999	1114	91,084	472	47.4	43.3-51.5	172	12.8	10.3-15.3	1	0.2	0.0- 0.6	3	0.2	0.0- 0.4	1	0.2	0.0- 0.6	465	39.2	35.3-43.1
\$75,000+	2175	184,311	975	44.9	42.2-47.6	299	13.6	11.6-15.6	7	0.4	0.0- 0.8	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0	891	41.1	38.4-43.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3097	278,973	1423	47.4	45.0-49.8	541	17.0	15.2-18.8	15	0.5	0.1- 0.9	11	0.3	0.1- 0.5	2	0.0	0.0- 0.0	1105	34.7	32.5-36.9
Native	107	11,112	54	53.8	41.8-65.8	21	18.1	8.3-27.9	2	1.7	0.0- 4.1	4	3.0	0.0- 6.5	1	0.6	0.0- 1.8	25	22.8	13.0-32.6
Non-Native	2945	263,644	1347	47.2	44.8-49.6	512	16.8	15.0-18.6	13	0.5	0.1- 0.9	7	0.2	0.0- 0.4	1	0.0	0.0- 0.0	1065	35.3	32.9-37.7
18-24	204	44,117	101	48.8	40.8-56.8	35	20.1	13.2-27.0	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	65	30.1	23.0-37.2
25-34	363	56,543	190	50.5	44.4-56.6	59	17.4	12.7-22.1	3	0.8	0.0- 1.8							111	31.3	25.6-37.0
35-44	358	43,439	190	54.3	48.4-60.2	47	12.1	8.4-15.8	4	0.9	0.0- 1.9							117	32.6	27.1-38.1
45-54	453	40,000	236	48.8	43.5-54.1	54	13.0	9.3-16.7				2	0.3	0.0- 0.9				161	37.8	32.5-43.1
55-64	727	45,294	309	41.7	37.4-46.0	119	15.7	12.6-18.8	3	0.5	0.0- 1.1	5	1.0	0.0- 2.0				291	41.2	36.9-45.5
65+	992	49,579	397	40.7	37.0-44.4	227	22.6	19.5-25.7	4	0.4	0.0- 0.8	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	360	36.1	32.6-39.6
Less Than H.S.	184	25,923	75	44.9	35.3-54.5	40	22.8	14.0-31.6	3	1.6	0.0- 3.4				1	0.3	0.0- 0.9	65	30.4	22.0-38.8
H.S. or G.E.D.	868	77,712	382	47.4	43.1-51.7	157	18.7	15.2-22.2	5	0.7	0.0- 1.5	8	0.7	0.1- 1.3				316	32.5	28.6-36.4
Some Post-H.S.	983	106,824	461	48.8	44.9-52.7	153	14.6	11.9-17.3	4	0.2	0.0- 0.4	2	0.2	0.0- 0.6				363	36.2	32.5-39.9
College Graduate	1056	68,109	503	46.4	42.7-50.1	190	16.6	13.7-19.5	3	0.5	0.0- 1.1	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	358	36.5	32.8-40.2
Less than \$15,000	170	18,587	59	35.4	25.8-45.0	29	19.1	11.1-27.1	1	0.3	0.0- 0.9	1	0.5	0.0- 1.5				80	44.8	34.8-54.8
\$15,000- 24,999	278	27,027	120	46.3	38.5-54.1	52	18.9	12.6-25.2	2	0.5	0.0- 1.3	2	0.8	0.0- 2.2				102	33.5	26.2-40.8
\$25,000- 34,999	226	21,820	95	44.8	35.8-53.8	40	18.5	11.4-25.6	1	0.4	0.0- 1.2	2	0.4	0.0- 1.0				88	35.9	27.5-44.3
\$35,000- 49,999	466	36,959	214	48.6	42.5-54.7	84	16.1	12.0-20.2	2	0.3	0.0- 0.7	3	0.7	0.0- 1.7	1	0.2	0.0- 0.6	162	34.0	28.3-39.7
\$50,000- 74,999	579	52,211	277	49.7	44.4-55.0	98	15.7	11.8-19.6	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3				202	34.3	29.2-39.4
\$75,000+	1172	101,846	569	48.4	44.7-52.1	198	16.9	14.0-19.8	6	0.6	0.0- 1.2	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0	396	33.9	30.4-37.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3489	271,613	1217	39.1	36.7-41.5	536	13.6	12.0-15.2	9	0.3	0.1- 0.5	7	0.4	0.0- 0.8	1	0.1	0.0- 0.3	1719	46.5	44.1-48.9
Native	111	10,253	48	42.9	29.8-56.0	23	22.1	11.1-33.1	1	1.0	0.0- 3.0	1	0.5	0.0- 1.5				38	33.5	20.8-46.2
Non-Native	3352	258,846	1157	38.8	36.4-41.2	510	13.3	11.7-14.9	8	0.3	0.0- 0.7	6	0.4	0.0- 0.8	1	0.1	0.0- 0.3	1670	47.1	44.7-49.5
18-24	141	40,156	68	46.6	37.4-55.8	18	14.6	7.9-21.3	2	1.2	0.0- 3.0	1	0.9	0.0- 2.7				52	36.8	28.0-45.6
25-34	290	48,869	148	51.5	44.8-58.2	35	12.2	7.7-16.7	1	0.1	0.0- 0.3	3	1.1	0.0- 2.7				103	35.2	28.7-41.7
35-44	299	40,209	132	42.7	36.2-49.2	31	10.1	6.2-14.0							1	0.5	0.0- 1.3	135	46.7	40.0-53.4
45-54	461	38,485	179	37.4	32.3-42.5	43	10.1	6.8-13.4				2	0.4	0.0- 1.0				237	52.2	46.9-57.5
55-64	837	44,519	287	33.0	29.3-36.7	84	9.3	6.9-11.7	1	0.2	0.0- 0.6							465	57.4	53.5-61.3
65+	1461	59,376	403	27.2	24.5-29.9	325	21.9	19.4-24.4	5	0.3	0.0- 0.7	1	0.0	0.0- 0.0				727	50.6	47.5-53.7
Less Than H.S.	178	19,408	48	35.2	25.4-45.0	37	21.0	12.6-29.4	1	1.8	0.0- 5.1	1	0.3	0.0- 0.9				91	41.8	32.0-51.6
H.S. or G.E.D.	966	69,025	309	38.0	33.3-42.7	170	17.3	13.8-20.8	6	0.5	0.0- 1.1	1	0.5	0.0- 1.5				480	43.6	39.1-48.1
Some Post-H.S.	1146	107,982	403	40.1	36.0-44.2	174	12.6	10.1-15.1	2	0.1	0.0- 0.3	3	0.5	0.0- 1.3				564	46.6	42.5-50.7
College Graduate	1192	74,773	454	39.7	36.0-43.4	155	9.7	7.5-11.9				2	0.1	0.0- 0.3	1	0.2	0.0- 0.6	580	50.3	46.4-54.2
Less than \$15,000	232	21,846	78	38.4	28.8-48.0	40	15.3	8.6-22.0	2	1.6	0.0- 4.5	2	1.9	0.0- 5.0				110	42.8	33.4-52.2
\$15,000- 24,999	492	37,368	141	35.8	29.3-42.3	107	21.3	15.4-27.2	2	0.4	0.0- 1.0							242	42.4	36.1-48.7
\$25,000- 34,999	353	24,234	121	42.8	34.4-51.2	66	15.5	10.2-20.8	2	0.7	0.0- 1.9							164	41.0	33.2-48.8
\$35,000- 49,999	480	38,568	179	43.2	36.7-49.7	77	14.1	10.0-18.2				1	0.0	0.0- 0.0				223	42.6	36.1-49.1
\$50,000- 74,999	535	38,873	195	44.5	38.2-50.8	74	9.0	6.3-11.7				2	0.4	0.0- 1.0	1	0.5	0.0- 1.5	263	45.7	39.6-51.8
\$75,000+	1003	82,465	406	40.4	36.3-44.5	101	9.5	7.1-11.9	1	0.1	0.0- 0.3							495	49.9	45.8-54.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6610	552,154	2646	43.1	41.5-44.7	3176	45.1	43.5-46.7	478	7.2	6.4- 8.0	126	1.8	1.4- 2.2	3	0.1	0.0- 0.3	181	2.7	2.1- 3.3
Male	3107	281,198	1478	49.8	47.4-52.2	1325	40.5	38.1-42.9	160	5.4	4.4- 6.4	44	1.4	0.8- 2.0				100	2.9	2.1- 3.7
Female	3503	270,956	1168	36.1	33.7-38.5	1851	49.9	47.5-52.3	318	9.0	7.6-10.4	82	2.3	1.5- 3.1	3	0.2	0.0- 0.4	81	2.5	1.7- 3.3
Native	223	22,338	109	46.5	37.7-55.3	80	30.4	23.0-37.8	17	10.5	4.6-16.4	4	3.1	0.0- 6.6				13	9.5	3.0-16.0
Non-Native	6312	522,248	2505	42.8	41.0-44.6	3060	45.8	44.0-47.6	459	7.1	6.3- 7.9	120	1.7	1.3- 2.1	3	0.1	0.0- 0.3	165	2.4	2.0- 2.8
18-24	349	85,123	174	49.5	43.4-55.6	132	37.9	32.0-43.8	24	7.4	4.3-10.5	10	3.4	1.0- 5.8	1	0.4	0.0- 1.2	8	1.3	0.3- 2.3
25-34	653	105,226	283	42.1	37.6-46.6	297	46.0	41.5-50.5	54	8.9	6.4-11.4	7	1.1	0.1- 2.1				12	1.9	0.5- 3.3
35-44	664	84,703	294	46.0	41.5-50.5	301	43.6	39.3-47.9	32	5.0	3.0- 7.0	10	1.4	0.2- 2.6	1	0.2	0.0- 0.6	26	3.7	2.1- 5.3
45-54	914	78,451	417	45.0	41.3-48.7	390	43.7	40.0-47.4	59	6.3	4.5- 8.1	9	0.8	0.2- 1.4				39	4.2	2.6- 5.8
55-64	1570	89,465	634	41.6	38.7-44.5	732	45.9	43.0-48.8	117	7.1	5.5- 8.7	40	2.4	1.6- 3.2				47	3.1	2.1- 4.1
65+	2460	109,185	844	36.5	34.1-38.9	1324	51.4	49.0-53.8	192	7.7	6.5- 8.9	50	1.8	1.2- 2.4	1	0.0	0.0- 0.0	49	2.6	1.8- 3.4
Less Than H.S.	357	44,712	153	48.2	41.1-55.3	139	33.0	26.7-39.3	29	8.9	5.0-12.8	4	1.1	0.0- 2.5	1	0.8	0.0- 2.4	31	8.0	4.3-11.7
H.S. or G.E.D.	1850	148,211	805	47.8	44.7-50.9	853	41.9	38.8-45.0	110	5.9	4.3- 7.5	23	1.5	0.5- 2.5	1	0.0	0.0- 0.0	58	2.9	1.9- 3.9
Some Post-H.S.	2137	215,351	898	43.8	40.9-46.7	989	45.0	42.1-47.9	152	7.0	5.4- 8.6	44	2.1	1.1- 3.1				54	2.2	1.4- 3.0
College Graduate	2253	143,049	784	35.4	32.9-37.9	1189	52.5	49.8-55.2	186	8.3	6.7- 9.9	55	1.9	1.3- 2.5	1	0.1	0.0- 0.3	38	1.7	1.1- 2.3
Less than \$15,000	402	40,081	201	55.1	48.2-62.0	147	29.2	23.3-35.1	26	9.1	4.4-13.8	8	1.7	0.1- 3.3	1	0.9	0.0- 2.5	19	4.0	1.6- 6.4
\$15,000- 24,999	773	64,945	316	45.2	40.3-50.1	352	41.3	36.4-46.2	57	6.5	4.1- 8.9	10	1.8	0.2- 3.4				38	5.3	3.1- 7.5
\$25,000- 34,999	586	46,525	245	49.0	42.9-55.1	274	39.8	33.9-45.7	40	6.4	3.7- 9.1	10	1.8	0.4- 3.2				17	3.0	1.2- 4.8
\$35,000- 49,999	954	76,449	365	38.9	34.6-43.2	488	49.7	45.2-54.2	66	7.5	5.0-10.0	16	2.2	0.2- 4.2				19	1.7	0.7- 2.7
\$50,000- 74,999	1114	91,011	460	45.6	41.5-49.7	525	43.0	39.1-46.9	76	6.8	4.8- 8.8	26	2.3	0.9- 3.7	1	0.2	0.0- 0.6	26	2.1	1.1- 3.1
\$75,000+	2173	184,361	838	38.8	36.1-41.5	1078	50.1	47.4-52.8	170	7.4	6.0- 8.8	44	1.6	1.0- 2.2				43	2.1	1.1- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3107	281,198	1478	49.8	47.4-52.2	1325	40.5	38.1-42.9	160	5.4	4.4- 6.4	44	1.4	0.8- 2.0	100	2.9	2.1- 3.7
Native	110	11,937	54	47.9	35.9-59.9	39	30.0	19.8-40.2	7	9.6	1.4-17.8	4	5.8	0.0-12.5	6	6.7	0.4-13.0
Non-Native	2949	264,227	1402	49.8	47.4-52.2	1265	41.0	38.6-43.4	151	5.3	4.1- 6.5	39	1.2	0.6- 1.8	92	2.8	2.2- 3.4
18-24	208	45,130	114	55.7	47.9-63.5	69	33.4	26.1-40.7	13	5.9	2.4- 9.4	6	3.4	0.5- 6.3	6	1.6	0.0- 3.2
25-34	366	57,247	185	49.8	43.7-55.9	150	40.9	35.0-46.8	19	6.5	3.4- 9.6	1	0.3	0.0- 0.9	11	2.5	0.7- 4.3
35-44	363	44,320	180	51.7	45.8-57.6	144	38.2	32.5-43.9	18	5.1	2.6- 7.6	4	0.9	0.0- 1.9	17	4.2	2.0- 6.4
45-54	452	39,890	231	50.1	44.8-55.4	181	41.9	36.6-47.2	19	4.0	2.0- 6.0	3	0.5	0.0- 1.1	18	3.5	1.7- 5.3
55-64	728	45,017	327	45.4	41.1-49.7	318	43.2	38.9-47.5	40	5.4	3.4- 7.4	20	2.4	1.2- 3.6	23	3.6	1.8- 5.4
65+	990	49,594	441	46.4	42.7-50.1	463	45.2	41.5-48.9	51	5.0	3.4- 6.6	10	0.8	0.2- 1.4	25	2.5	1.3- 3.7
Less Than H.S.	184	26,252	97	58.9	49.7-68.1	63	29.4	21.2-37.6	11	5.9	1.8-10.0	2	1.6	0.0- 3.8	11	4.2	1.5- 6.9
H.S. or G.E.D.	875	78,797	454	53.6	49.3-57.9	331	35.8	31.7-39.9	42	5.2	3.0- 7.4	11	1.7	0.1- 3.3	37	3.7	2.3- 5.1
Some Post-H.S.	986	107,553	490	51.0	47.1-54.9	415	41.3	37.4-45.2	39	4.3	2.5- 6.1	14	1.0	0.4- 1.6	28	2.3	1.1- 3.5
College Graduate	1056	68,192	433	39.9	36.2-43.6	514	49.0	45.3-52.7	68	7.2	5.2- 9.2	17	1.4	0.6- 2.2	24	2.6	1.4- 3.8
Less than \$15,000	170	18,540	103	64.9	55.7-74.1	48	22.8	15.2-30.4	8	7.9	1.8-14.0	2	0.8	0.0- 2.0	9	3.5	1.0- 6.0
\$15,000- 24,999	280	27,756	144	55.6	48.0-63.2	108	35.8	28.4-43.2	12	3.4	0.9- 5.9	1	1.3	0.0- 3.8	15	3.9	1.4- 6.4
\$25,000- 34,999	231	22,441	119	52.2	43.4-61.0	86	35.8	27.4-44.2	10	4.9	1.4- 8.4	4	2.0	0.0- 4.4	12	5.1	1.6- 8.6
\$35,000- 49,999	468	37,137	195	42.7	36.6-48.8	232	49.2	43.1-55.3	22	4.5	2.1- 6.9	5	0.9	0.0- 2.1	14	2.7	1.1- 4.3
\$50,000- 74,999	576	52,036	282	52.2	46.9-57.5	241	37.9	32.8-43.0	31	5.7	3.2- 8.2	10	2.0	0.0- 4.0	12	2.1	0.5- 3.7
\$75,000+	1172	102,207	525	44.8	41.1-48.5	529	45.1	41.4-48.8	68	6.4	4.4- 8.4	21	1.3	0.7- 1.9	29	2.4	1.2- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3503	270,956	1168	36.1	33.7-38.5	1851	49.9	47.5-52.3	318	9.0	7.6-10.4	82	2.3	1.5- 3.1	3	0.2	0.0- 0.4	81	2.5	1.7- 3.3
Native	113	10,401	55	45.0	32.1-57.9	41	30.8	19.4-42.2	10	11.5	3.3-19.7							7	12.7	0.9-24.5
Non-Native	3363	258,021	1103	35.7	33.3-38.1	1795	50.7	48.3-53.1	308	9.0	7.6-10.4	81	2.4	1.6- 3.2	3	0.2	0.0- 0.4	73	2.1	1.5- 2.7
18-24	141	39,993	60	42.6	33.6-51.6	63	43.0	34.0-52.0	11	9.1	3.6-14.6	4	3.5	0.0- 7.2	1	0.9	0.0- 2.5	2	1.0	0.0- 2.6
25-34	287	47,980	98	32.9	26.6-39.2	147	52.2	45.3-59.1	35	11.7	7.6-15.8	6	2.0	0.0- 4.0				1	1.2	0.0- 3.6
35-44	301	40,382	114	39.9	33.4-46.4	157	49.6	42.9-56.3	14	4.8	2.1- 7.5	6	1.9	0.0- 4.1	1	0.4	0.0- 1.2	9	3.3	0.8- 5.8
45-54	462	38,561	186	39.7	34.6-44.8	209	45.7	40.4-51.0	40	8.7	5.8-11.6	6	1.1	0.1- 2.1				21	4.9	2.5- 7.3
55-64	842	44,449	307	37.6	33.7-41.5	414	48.5	44.6-52.4	77	8.9	6.7-11.1	20	2.3	1.1- 3.5				24	2.6	1.4- 3.8
65+	1470	59,591	403	28.2	25.5-30.9	861	56.6	53.5-59.7	141	10.0	8.2-11.8	40	2.6	1.6- 3.6	1	0.0	0.0- 0.0	24	2.6	1.4- 3.8
Less Than H.S.	173	18,460	56	33.0	23.8-42.2	76	38.2	28.6-47.8	18	13.2	5.8-20.6	2	0.4	0.0- 1.0	1	1.8	0.0- 5.3	20	13.3	5.5-21.1
H.S. or G.E.D.	975	69,415	351	41.3	36.6-46.0	522	48.8	44.1-53.5	68	6.6	4.4- 8.8	12	1.3	0.1- 2.5	1	0.0	0.0- 0.0	21	2.0	0.8- 3.2
Some Post-H.S.	1151	107,798	408	36.5	32.6-40.4	574	48.6	44.5-52.7	113	9.7	7.3-12.1	30	3.1	1.3- 4.9				26	2.1	1.1- 3.1
College Graduate	1197	74,858	351	31.3	27.6-35.0	675	55.8	51.9-59.7	118	9.3	7.1-11.5	38	2.3	1.3- 3.3	1	0.2	0.0- 0.6	14	1.0	0.4- 1.6
Less than \$15,000	232	21,542	98	46.7	37.1-56.3	99	34.7	25.9-43.5	18	10.2	3.1-17.3	6	2.5	0.0- 5.2	1	1.6	0.0- 4.7	10	4.4	0.9- 7.9
\$15,000- 24,999	493	37,189	172	37.4	31.1-43.7	244	45.5	39.0-52.0	45	8.7	5.2-12.2	9	2.1	0.1- 4.1				23	6.3	3.2- 9.4
\$25,000- 34,999	355	24,084	126	46.0	37.8-54.2	188	43.5	35.7-51.3	30	7.8	3.5-12.1	6	1.6	0.0- 3.2				5	1.1	0.1- 2.1
\$35,000- 49,999	486	39,311	170	35.4	29.1-41.7	256	50.1	43.6-56.6	44	10.2	5.9-14.5	11	3.4	0.0- 6.9				5	0.8	0.0- 1.6
\$50,000- 74,999	538	38,975	178	36.6	30.5-42.7	284	49.8	43.7-55.9	45	8.3	5.2-11.4	16	2.7	0.9- 4.5	1	0.5	0.0- 1.5	14	2.2	1.0- 3.4
\$75,000+	1001	82,154	313	31.4	27.7-35.1	549	56.3	52.2-60.4	102	8.6	6.6-10.6	23	2.0	0.8- 3.2				14	1.7	0.1- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 7: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6587	550,338	4726	71.0	69.4-72.6	1280	18.4	17.0-19.8	27	0.7	0.3- 1.1	19	0.4	0.2- 0.6	1	0.0	0.0- 0.0	534	9.5	8.5-10.5
Male	3090	278,499	2249	70.8	68.6-73.0	510	16.6	14.8-18.4	9	0.6	0.0- 1.2	9	0.4	0.0- 0.8				313	11.5	9.9-13.1
Female	3497	271,839	2477	71.1	68.9-73.3	770	20.3	18.3-22.3	18	0.7	0.3- 1.1	10	0.4	0.0- 0.8	1	0.1	0.0- 0.3	221	7.4	6.0- 8.8
Native	216	21,509	138	63.6	55.0-72.2	48	22.2	14.8-29.6				3	1.8	0.0- 4.2				27	12.4	6.7-18.1
Non-Native	6302	522,599	4542	71.4	69.8-73.0	1216	18.2	16.8-19.6	27	0.7	0.3- 1.1	15	0.3	0.1- 0.5	1	0.0	0.0- 0.0	501	9.3	8.1-10.5
18-24	346	84,576	230	63.9	58.0-69.8	58	19.3	14.4-24.2	5	1.8	0.2- 3.4	2	0.5	0.0- 1.3				51	14.5	10.2-18.8
25-34	648	104,942	477	71.0	66.9-75.1	102	17.4	13.9-20.9	5	0.8	0.0- 1.6	7	1.1	0.1- 2.1				57	9.7	6.8-12.6
35-44	659	83,730	496	75.6	71.9-79.3	108	15.6	12.5-18.7	1	0.2	0.0- 0.6				1	0.2	0.0- 0.6	53	8.4	5.9-10.9
45-54	915	78,523	681	74.7	71.4-78.0	155	15.9	13.2-18.6	6	0.7	0.1- 1.3	3	0.5	0.0- 1.1				70	8.2	6.0-10.4
55-64	1568	89,805	1111	70.8	68.1-73.5	325	20.7	18.3-23.1	6	0.4	0.0- 0.8	4	0.3	0.0- 0.7				122	7.8	6.2- 9.4
65+	2451	108,762	1731	70.2	68.0-72.4	532	20.9	18.9-22.9	4	0.2	0.0- 0.4	3	0.1	0.1- 0.1				181	8.7	7.3-10.1
Less Than H.S.	362	45,307	226	60.3	53.4-67.2	79	19.9	14.6-25.2	2	1.0	0.0- 2.6	1	0.2	0.0- 0.6				54	18.6	12.9-24.3
H.S. or G.E.D.	1830	145,928	1336	71.6	68.7-74.5	318	18.2	15.7-20.7	3	0.1	0.1- 0.1	6	0.3	0.0- 0.7				167	9.8	7.8-11.8
Some Post-H.S.	2131	215,288	1533	71.1	68.4-73.8	378	16.8	14.6-19.0	15	1.1	0.5- 1.7	9	0.7	0.1- 1.3				196	10.3	8.5-12.1
College Graduate	2251	142,986	1623	73.4	71.0-75.8	502	20.7	18.5-22.9	7	0.5	0.1- 0.9	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	115	5.1	3.9- 6.3
Less than \$15,000	399	40,448	264	63.0	56.3-69.7	63	17.9	12.4-23.4	3	0.6	0.0- 1.4							69	18.5	13.2-23.8
\$15,000- 24,999	767	63,812	528	69.3	64.6-74.0	132	16.0	12.1-19.9	4	1.1	0.0- 2.5	3	0.8	0.0- 1.8				100	12.8	9.7-15.9
\$25,000- 34,999	581	46,063	401	67.9	62.0-73.8	113	16.7	12.4-21.0	1	0.6	0.0- 1.8	1	0.1	0.0- 0.3				65	14.6	9.7-19.5
\$35,000- 49,999	947	75,715	709	73.3	69.2-77.4	167	18.5	14.8-22.2	3	0.3	0.0- 0.7	6	0.8	0.0- 1.8				62	7.1	4.7- 9.5
\$50,000- 74,999	1117	91,203	808	72.0	68.3-75.7	227	20.0	16.7-23.3	5	0.6	0.0- 1.4	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6	73	7.0	4.6- 9.4
\$75,000+	2169	183,960	1602	74.3	71.9-76.7	448	18.5	16.3-20.7	11	0.9	0.3- 1.5	6	0.4	0.0- 0.8				102	5.9	4.5- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 8: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3090	278,499	2249	70.8	68.6-73.0	510	16.6	14.8-18.4	9	0.6	0.0- 1.2	9	0.4	0.0- 0.8	313	11.5	9.9-13.1
Native	107	11,373	63	60.4	48.6-72.2	24	22.8	12.4-33.2				2	1.2	0.0- 3.0	18	15.7	7.5-23.9
Non-Native	2939	263,020	2156	71.4	69.2-73.6	474	16.2	14.4-18.0	9	0.7	0.1- 1.3	7	0.4	0.0- 0.8	293	11.4	9.8-13.0
18-24	205	44,421	130	60.6	52.8-68.4	33	18.5	12.4-24.6	4	2.6	0.1- 5.1	2	0.9	0.0- 2.3	36	17.4	11.1-23.7
25-34	360	56,208	267	71.5	65.8-77.2	47	15.0	10.5-19.5	2	0.8	0.0- 2.0	5	1.3	0.0- 2.7	39	11.3	7.2-15.4
35-44	360	43,819	273	74.2	68.9-79.5	50	15.0	10.7-19.3							37	10.8	7.1-14.5
45-54	454	40,007	354	79.1	74.8-83.4	56	11.7	8.4-15.0	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	41	8.7	5.6-11.8
55-64	727	45,056	524	70.1	66.2-74.0	124	19.0	15.5-22.5				1	0.1	0.0- 0.3	78	10.8	8.3-13.3
65+	984	48,989	701	70.0	66.7-73.3	200	19.9	17.0-22.8	1	0.0	0.0- 0.0				82	10.0	7.6-12.4
Less Than H.S.	184	26,125	115	58.8	49.2-68.4	35	19.0	11.7-26.3	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9	32	21.5	13.1-29.9
H.S. or G.E.D.	866	76,931	643	71.8	67.7-75.9	124	17.4	13.7-21.1				3	0.2	0.0- 0.4	96	10.6	8.1-13.1
Some Post-H.S.	982	107,205	703	70.6	66.9-74.3	152	14.6	11.9-17.3	3	1.0	0.0- 2.2	5	0.9	0.0- 1.9	119	12.9	10.2-15.6
College Graduate	1052	67,834	784	74.5	71.2-77.8	199	18.2	15.3-21.1	5	0.9	0.0- 1.9				64	6.4	4.4- 8.4
Less than \$15,000	169	18,665	105	60.8	51.2-70.4	25	15.5	8.2-22.8	1	0.6	0.0- 1.8				38	23.2	15.0-31.4
\$15,000- 24,999	274	26,474	184	69.0	61.7-76.3	42	13.0	8.1-17.9	1	1.7	0.0- 4.8				47	16.3	10.8-21.8
\$25,000- 34,999	228	21,925	159	64.2	55.4-73.0	27	13.1	7.2-19.0	1	1.3	0.0- 3.8	1	0.3	0.0- 0.9	40	21.2	13.2-29.2
\$35,000- 49,999	465	36,937	343	71.8	66.3-77.3	76	18.4	13.5-23.3				3	1.2	0.0- 3.0	43	8.6	5.5-11.7
\$50,000- 74,999	581	52,345	436	73.2	68.1-78.3	94	17.8	13.3-22.3	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6	48	8.7	5.4-12.0
\$75,000+	1165	101,425	879	74.3	71.0-77.6	209	17.2	14.5-19.9	4	0.9	0.0- 1.9	4	0.6	0.0- 1.4	69	7.0	5.0- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 9: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3497	271,839	2477	71.1	68.9-73.3	770	20.3	18.3-22.3	18	0.7	0.3- 1.1	10	0.4	0.0- 0.8	1	0.1	0.0- 0.3	221	7.4	6.0- 8.8
Native	109	10,135	75	67.2	54.9-79.5	24	21.6	10.8-32.4				1	2.4	0.0- 7.1				9	8.8	1.4-16.2
Non-Native	3363	259,579	2386	71.4	69.0-73.8	742	20.3	18.3-22.3	18	0.7	0.3- 1.1	8	0.2	0.0- 0.4	1	0.1	0.0- 0.3	208	7.2	5.8- 8.6
18-24	141	40,156	100	67.6	58.6-76.6	25	20.2	12.4-28.0	1	0.9	0.0- 2.7							15	11.2	5.1-17.3
25-34	288	48,734	210	70.4	64.1-76.7	55	20.1	14.6-25.6	3	0.8	0.0- 1.8	2	0.9	0.0- 2.1				18	7.8	3.7-11.9
35-44	299	39,911	223	77.2	71.7-82.7	58	16.2	11.5-20.9	1	0.4	0.0- 1.2				1	0.5	0.0- 1.5	16	5.7	2.4- 9.0
45-54	461	38,516	327	70.2	65.3-75.1	99	20.3	16.2-24.4	4	1.0	0.0- 2.2	2	0.9	0.0- 2.3				29	7.6	4.7-10.5
55-64	841	44,749	587	71.5	68.0-75.0	201	22.4	19.1-25.7	6	0.8	0.0- 1.6	3	0.5	0.0- 1.1				44	4.8	3.0- 6.6
65+	1467	59,773	1030	70.4	67.7-73.1	332	21.6	19.1-24.1	3	0.3	0.0- 0.7	3	0.1	0.0- 0.3				99	7.5	5.7- 9.3
Less Than H.S.	178	19,182	111	62.3	52.7-71.9	44	21.2	13.6-28.8	1	1.9	0.0- 5.6							22	14.5	7.4-21.6
H.S. or G.E.D.	964	68,997	693	71.3	67.0-75.6	194	19.1	15.6-22.6	3	0.1	0.0- 0.3	3	0.4	0.0- 1.0				71	9.0	5.9-12.1
Some Post-H.S.	1149	108,083	830	71.7	67.8-75.6	226	19.0	15.7-22.3	12	1.2	0.4- 2.0	4	0.5	0.0- 1.1				77	7.6	5.2-10.0
College Graduate	1199	75,152	839	72.5	69.0-76.0	303	22.9	19.8-26.0	2	0.2	0.0- 0.4	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6	51	3.9	2.3- 5.5
Less than \$15,000	230	21,783	159	65.0	55.6-74.4	38	19.9	12.1-27.7	2	0.6	0.0- 1.8							31	14.5	7.4-21.6
\$15,000- 24,999	493	37,338	344	69.5	63.2-75.8	90	18.2	12.5-23.9	3	0.7	0.0- 1.7	3	1.3	0.0- 3.1				53	10.3	6.8-13.8
\$25,000- 34,999	353	24,138	242	71.3	63.9-78.7	86	20.0	13.9-26.1										25	8.7	3.0-14.4
\$35,000- 49,999	482	38,777	366	74.7	68.4-81.0	91	18.7	13.2-24.2	3	0.6	0.0- 1.4	3	0.4	0.0- 1.0				19	5.6	1.9- 9.3
\$50,000- 74,999	536	38,859	372	70.4	64.9-75.9	133	22.9	18.0-27.8	3	1.3	0.0- 3.3	2	0.4	0.0- 1.0	1	0.5	0.0- 1.5	25	4.6	1.7- 7.5
\$75,000+	1004	82,535	723	74.3	70.8-77.8	239	20.0	16.9-23.1	7	0.9	0.1- 1.7	2	0.3	0.0- 0.7				33	4.5	2.5- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 10: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6586	549,888	5452	84.3	83.1-85.5	222	4.0	3.2- 4.8	2	0.0	0.0- 0.0	4	0.1	0.0- 0.3	906	11.5	10.5-12.5
Male	3094	279,085	2687	87.6	86.2-89.0	162	5.5	4.5- 6.5	2	0.1	0.1- 0.1	3	0.2	0.0- 0.4	240	6.7	5.5- 7.9
Female	3492	270,803	2765	80.9	79.1-82.7	60	2.5	1.5- 3.5				1	0.1	0.0- 0.3	666	16.4	14.6-18.2
Native	216	21,542	182	79.7	72.3-87.1	21	13.5	7.0-20.0							13	6.8	2.5-11.1
Non-Native	6297	521,567	5211	84.5	83.3-85.7	199	3.6	3.0- 4.2	2	0.0	0.0- 0.0	4	0.2	0.0- 0.4	881	11.6	10.6-12.6
18-24	344	83,866	306	87.6	83.5-91.7	16	4.5	2.0- 7.0				2	0.8	0.0- 1.8	20	7.2	3.9-10.5
25-34	651	105,554	570	87.5	84.6-90.4	24	3.5	1.9- 5.1							57	9.0	6.5-11.5
35-44	656	83,332	565	85.6	82.5-88.7	29	4.3	2.3- 6.3							62	10.0	7.3-12.7
45-54	914	78,523	788	85.8	83.1-88.5	30	3.6	2.2- 5.0				1	0.1	0.0- 0.3	95	10.5	8.1-12.9
55-64	1567	89,594	1317	83.5	81.3-85.7	49	4.0	2.6- 5.4	2	0.2	0.0- 0.4				199	12.3	10.3-14.3
65+	2454	109,019	1906	77.4	75.4-79.4	74	4.1	3.1- 5.1				1	0.0	0.0- 0.0	473	18.5	16.7-20.3
Less Than H.S.	363	44,898	263	74.9	69.2-80.6	30	10.2	5.9-14.5				1	0.1	0.0- 0.3	69	14.8	10.5-19.1
H.S. or G.E.D.	1833	146,663	1497	83.4	81.0-85.8	80	5.1	3.5- 6.7	1	0.1	0.0- 0.3	2	0.4	0.0- 1.0	253	11.0	9.2-12.8
Some Post-H.S.	2134	215,124	1776	85.6	83.6-87.6	66	3.0	2.0- 4.0	1	0.0	0.0- 0.0				291	11.4	9.6-13.2
College Graduate	2243	142,373	1907	86.4	84.6-88.2	46	2.4	1.6- 3.2				1	0.1	0.0- 0.3	289	11.1	9.5-12.7
Less than \$15,000	402	40,491	301	77.3	71.8-82.8	22	6.9	3.4-10.4	1	0.2	0.0- 0.6	1	0.9	0.0- 2.7	77	14.7	10.4-19.0
\$15,000- 24,999	772	64,494	582	77.9	73.8-82.0	38	6.0	3.6- 8.4							152	16.2	12.5-19.9
\$25,000- 34,999	584	46,218	458	79.7	74.6-84.8	24	6.0	2.5- 9.5				1	0.6	0.0- 1.8	101	13.7	9.8-17.6
\$35,000- 49,999	946	75,672	776	84.3	81.4-87.2	33	3.9	2.1- 5.7				2	0.2	0.0- 0.6	135	11.6	9.1-14.1
\$50,000- 74,999	1119	91,329	969	88.0	85.6-90.4	33	3.0	1.8- 4.2	1	0.1	0.0- 0.3				116	8.9	6.9-10.9
\$75,000+	2160	183,318	1891	88.3	86.5-90.1	51	2.6	1.6- 3.6							218	9.1	7.5-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 11: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3094	279,085	2687	87.6	86.2-89.0	162	5.5	4.5- 6.5	2	0.1	0.1- 0.1	3	0.2	0.0- 0.4	240	6.7	5.5- 7.9
Native	106	11,320	89	83.3	74.5-92.1	14	13.3	5.5-21.1							3	3.4	0.0- 7.9
Non-Native	2941	263,147	2560	87.9	86.3-89.5	147	5.2	4.2- 6.2	2	0.1	0.1- 0.1	3	0.2	0.0- 0.4	229	6.7	5.5- 7.9
18-24	205	44,314	186	91.4	87.1-95.7	11	4.0	1.3- 6.7				1	0.6	0.0- 1.8	7	3.9	0.8- 7.0
25-34	362	56,750	323	90.1	86.6-93.6	18	4.5	2.0- 7.0							21	5.4	2.7- 8.1
35-44	357	43,469	310	86.8	82.7-90.9	24	6.1	3.2- 9.0							23	7.1	4.0-10.2
45-54	454	40,103	406	89.8	86.7-92.9	16	4.2	1.8- 6.6				1	0.3	0.0- 0.9	31	5.7	3.5- 7.9
55-64	729	45,161	628	85.1	82.0-88.2	42	6.9	4.5- 9.3	2	0.3	0.0- 0.7				57	7.7	5.5- 9.9
65+	987	49,288	834	82.6	79.7-85.5	51	7.0	4.8- 9.2				1	0.1	0.0- 0.3	101	10.3	7.9-12.7
Less Than H.S.	186	26,400	142	80.1	73.2-87.0	24	12.2	6.5-17.9				1	0.2	0.0- 0.6	19	7.5	3.2-11.8
H.S. or G.E.D.	868	77,719	753	88.2	85.7-90.7	55	5.5	3.7- 7.3	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2	58	5.8	3.8- 7.8
Some Post-H.S.	985	107,048	859	88.6	86.2-91.0	50	4.8	3.2- 6.4	1	0.0	0.0- 0.0				75	6.5	4.7- 8.3
College Graduate	1049	67,515	929	88.3	85.9-90.7	33	3.8	2.2- 5.4				1	0.2	0.0- 0.6	86	7.7	5.7- 9.7
Less than \$15,000	169	18,701	126	78.1	70.5-85.7	16	11.1	4.6-17.6	1	0.5	0.0- 1.5				26	10.3	5.4-15.2
\$15,000- 24,999	278	27,064	222	80.1	74.0-86.2	27	8.8	4.9-12.7							29	11.1	6.0-16.2
\$25,000- 34,999	229	21,973	193	85.2	79.1-91.3	17	7.5	2.8-12.2				1	1.3	0.0- 3.8	18	6.0	2.5- 9.5
\$35,000- 49,999	465	36,947	403	88.7	85.6-91.8	21	4.2	2.2- 6.2				2	0.4	0.0- 1.0	39	6.7	4.2- 9.2
\$50,000- 74,999	582	52,392	518	90.4	87.5-93.3	28	4.7	2.5- 6.9	1	0.1	0.0- 0.3				35	4.8	2.8- 6.8
\$75,000+	1164	101,284	1048	89.8	87.6-92.0	38	4.0	2.4- 5.6							78	6.2	4.4- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 12: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3492	270,803	2765	80.9	79.1-82.7	60	2.5	1.5- 3.5	1	0.1	0.0- 0.3	666	16.4	14.6-18.2
Native	110	10,222	93	75.7	63.7-87.7	7	13.8	3.2-24.4				10	10.5	2.9-18.1
Non-Native	3356	258,420	2651	81.2	79.2-83.2	52	2.1	1.3- 2.9	1	0.1	0.0- 0.3	652	16.7	14.9-18.5
18-24	139	39,551	120	83.4	76.1-90.7	5	4.9	0.4- 9.4	1	0.9	0.0- 2.7	13	10.8	4.7-16.9
25-34	289	48,804	247	84.5	79.6-89.4	6	2.4	0.2- 4.6				36	13.1	8.6-17.6
35-44	299	39,863	255	84.4	79.5-89.3	5	2.4	0.0- 4.8				39	13.2	8.7-17.7
45-54	460	38,421	382	81.6	77.3-85.9	14	2.9	1.3- 4.5				64	15.6	11.5-19.7
55-64	838	44,434	689	81.8	78.7-84.9	7	1.1	0.0- 2.3				142	17.0	14.1-19.9
65+	1467	59,731	1072	73.0	70.3-75.7	23	1.8	1.0- 2.6				372	25.2	22.5-27.9
Less Than H.S.	177	18,499	121	67.3	58.1-76.5	6	7.3	1.0-13.6				50	25.3	17.1-33.5
H.S. or G.E.D.	965	68,944	744	77.9	74.0-81.8	25	4.8	2.1- 7.5	1	0.5	0.0- 1.5	195	16.8	13.7-19.9
Some Post-H.S.	1149	108,076	917	82.5	79.6-85.4	16	1.2	0.4- 2.0				216	16.2	13.3-19.1
College Graduate	1194	74,859	978	84.7	82.2-87.2	13	1.0	0.2- 1.8				203	14.2	11.7-16.7
Less than \$15,000	233	21,791	175	76.6	68.8-84.4	6	3.3	0.0- 6.6	1	1.6	0.0- 4.7	51	18.4	11.5-25.3
\$15,000- 24,999	494	37,430	360	76.3	70.8-81.8	11	3.9	1.0- 6.8				123	19.8	14.7-24.9
\$25,000- 34,999	355	24,245	265	74.8	67.2-82.4	7	4.5	0.0- 9.8				83	20.7	14.2-27.2
\$35,000- 49,999	481	38,726	373	80.1	75.0-85.2	12	3.6	0.7- 6.5				96	16.3	12.0-20.6
\$50,000- 74,999	537	38,937	451	84.8	80.9-88.7	5	0.7	0.1- 1.3				81	14.5	10.6-18.4
\$75,000+	996	82,034	843	86.4	83.7-89.1	13	1.0	0.4- 1.6				140	12.6	9.9-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 13: POTATO SERVINGS PER DAY (POTADA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6549	546,092	5498	83.2	81.8-84.6	421	5.7	4.9- 6.5	9	0.2	0.0- 0.4	6	0.1	0.0- 0.3	615	10.8	9.6-12.0
Male	3069	276,288	2585	83.4	81.6-85.2	192	5.8	4.6- 7.0	3	0.2	0.0- 0.4	5	0.2	0.0- 0.4	284	10.4	8.8-12.0
Female	3480	269,804	2913	83.0	81.2-84.8	229	5.5	4.5- 6.5	6	0.2	0.0- 0.4	1	0.0	0.0- 0.0	331	11.3	9.7-12.9
Native	217	21,471	187	83.8	77.1-90.5	12	8.2	2.5-13.9							18	8.0	3.7-12.3
Non-Native	6261	517,938	5259	83.4	82.0-84.8	402	5.5	4.7- 6.3	9	0.2	0.0- 0.4	6	0.1	0.0- 0.3	585	10.8	9.6-12.0
18-24	341	83,336	279	79.7	74.6-84.8	17	5.2	2.5- 7.9	1	0.3	0.0- 0.9	2	0.4	0.0- 1.2	42	14.2	9.9-18.5
25-34	647	104,887	543	84.2	80.9-87.5	23	3.1	1.7- 4.5	2	0.3	0.0- 0.7				79	12.4	9.5-15.3
35-44	654	82,844	554	84.1	80.8-87.4	24	4.1	2.1- 6.1	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	74	11.6	8.9-14.3
45-54	905	77,667	765	83.7	80.8-86.6	38	4.6	2.8- 6.4	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6	99	11.5	9.1-13.9
55-64	1558	89,156	1326	84.7	82.5-86.9	84	6.2	4.6- 7.8	3	0.2	0.0- 0.4				145	8.9	7.3-10.5
65+	2444	108,203	2031	82.5	80.7-84.3	235	10.1	8.7-11.5	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	176	7.3	6.1- 8.5
Less Than H.S.	355	44,196	267	75.0	69.1-80.9	46	12.3	7.8-16.8	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	40	12.4	7.9-16.9
H.S. or G.E.D.	1819	144,978	1478	81.3	78.8-83.8	161	7.0	5.4- 8.6	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3	175	11.2	9.0-13.4
Some Post-H.S.	2123	213,862	1793	84.1	81.9-86.3	125	4.8	3.6- 6.0	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3	201	10.8	8.8-12.8
College Graduate	2242	142,346	1952	86.1	84.1-88.1	88	3.5	2.5- 4.5	2	0.2	0.0- 0.4	2	0.2	0.0- 0.4	198	10.0	8.2-11.8
Less than \$15,000	399	40,316	309	77.2	71.3-83.1	32	6.8	3.3-10.3				1	0.2	0.0- 0.6	57	15.9	10.8-21.0
\$15,000- 24,999	764	64,248	600	75.5	70.8-80.2	71	7.3	4.9- 9.7	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	91	17.0	12.5-21.5
\$25,000- 34,999	579	45,790	485	82.0	77.1-86.9	43	6.5	3.2- 9.8	1	0.2	0.0- 0.6	1	0.6	0.0- 1.8	49	10.7	6.8-14.6
\$35,000- 49,999	941	75,274	776	83.8	80.7-86.9	68	6.6	4.4- 8.8	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6	95	9.0	6.6-11.4
\$50,000- 74,999	1111	90,194	959	85.6	82.7-88.5	58	5.2	3.4- 7.0				1	0.1	0.0- 0.3	93	9.1	6.7-11.5
\$75,000+	2159	182,617	1882	87.0	85.2-88.8	95	4.1	3.1- 5.1	5	0.2	0.0- 0.4				177	8.7	7.1-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 14: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3069	276,288	2585	83.4	81.6-85.2	192	5.8	4.6- 7.0	3	0.2	0.0- 0.4	5	0.2	0.0- 0.4	284	10.4	8.8-12.0
Native	107	11,335	91	81.8	72.0-91.6	8	9.3	1.5-17.1							8	8.9	2.0-15.8
Non-Native	2917	260,431	2461	83.8	82.0-85.6	182	5.7	4.5- 6.9	3	0.2	0.0- 0.4	5	0.3	0.1- 0.5	266	10.1	8.5-11.7
18-24	202	43,785	168	80.8	74.3-87.3	11	5.9	1.8-10.0	1	0.7	0.0- 2.1	2	0.8	0.0- 2.2	20	11.8	6.5-17.1
25-34	361	56,488	291	81.2	76.5-85.9	17	4.2	1.8- 6.6	1	0.1	0.0- 0.3				52	14.4	10.3-18.5
35-44	356	43,119	302	85.1	81.0-89.2	16	4.3	1.9- 6.7				1	0.3	0.0- 0.9	37	10.3	6.8-13.8
45-54	447	39,319	386	86.3	82.6-90.0	18	4.0	1.6- 6.4				1	0.3	0.0- 0.9	42	9.4	6.3-12.5
55-64	721	44,617	605	83.5	80.4-86.6	48	7.3	4.9- 9.7	1	0.1	0.0- 0.3				67	9.1	6.6-11.6
65+	982	48,960	833	84.3	81.6-87.0	82	9.1	6.9-11.3				1	0.1	0.0- 0.3	66	6.5	4.5- 8.5
Less Than H.S.	181	25,984	134	76.3	68.5-84.1	26	12.1	6.0-18.2	1	0.3	0.0- 0.9				20	11.3	5.8-16.8
H.S. or G.E.D.	857	76,187	714	83.5	80.2-86.8	66	6.3	4.3- 8.3	2	0.4	0.0- 1.2	1	0.1	0.0- 0.3	74	9.6	6.9-12.3
Some Post-H.S.	978	106,298	821	83.2	80.1-86.3	54	4.7	3.1- 6.3				2	0.3	0.0- 0.9	101	11.9	9.2-14.6
College Graduate	1050	67,536	913	86.3	83.6-89.0	46	4.7	3.1- 6.3				2	0.4	0.0- 1.0	89	8.7	6.5-10.9
Less than \$15,000	167	18,506	122	71.2	62.0-80.4	18	10.6	3.9-17.3				1	0.5	0.0- 1.5	26	17.7	10.3-25.1
\$15,000- 24,999	275	27,056	220	77.8	70.9-84.7	23	5.3	2.8- 7.8				1	0.1	0.0- 0.3	31	16.8	9.9-23.7
\$25,000- 34,999	224	21,545	185	77.8	69.4-86.2	14	7.6	1.3-13.9				1	1.3	0.0- 3.8	24	13.3	7.0-19.6
\$35,000- 49,999	461	36,695	377	83.5	79.4-87.6	32	6.4	3.7- 9.1	1	0.8	0.0- 2.4	1	0.3	0.0- 0.9	50	9.1	6.0-12.2
\$50,000- 74,999	576	51,553	504	87.4	84.1-90.7	28	5.0	2.8- 7.2				1	0.3	0.0- 0.9	43	7.3	4.6-10.0
\$75,000+	1160	100,515	1011	87.2	84.8-89.6	62	5.2	3.6- 6.8	1	0.1	0.0- 0.3				86	7.5	5.5- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 15: POTATO SERVINGS PER DAY (POTADA1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3480	269,804	2913	83.0	81.2-84.8	229	5.5	4.5- 6.5	6	0.2	0.0- 0.4	1	0.0	0.0- 0.0	331	11.3	9.7-12.9
Native	110	10,136	96	86.0	77.0-95.0	4	7.0	0.0-15.0							10	7.0	2.1-11.9
Non-Native	3344	257,507	2798	83.1	81.1-85.1	220	5.3	4.3- 6.3	6	0.2	0.0- 0.4	1	0.0	0.0- 0.0	319	11.4	9.6-13.2
18-24	139	39,551	111	78.6	71.0-86.2	6	4.5	0.8- 8.2							22	16.9	9.8-24.0
25-34	286	48,398	252	87.7	83.2-92.2	6	1.9	0.1- 3.7	1	0.4	0.0- 1.2				27	10.0	5.7-14.3
35-44	298	39,724	252	83.0	77.9-88.1	8	3.9	1.0- 6.8	1	0.2	0.0- 0.6				37	12.9	8.4-17.4
45-54	458	38,348	379	81.0	76.7-85.3	20	5.1	2.6- 7.6	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	57	13.6	9.9-17.3
55-64	837	44,540	721	85.9	83.0-88.8	36	5.2	3.2- 7.2	2	0.3	0.0- 0.9				78	8.6	6.4-10.8
65+	1462	59,242	1198	81.1	78.6-83.6	153	10.9	8.9-12.9	1	0.1	0.0- 0.3				110	7.9	6.1- 9.7
Less Than H.S.	174	18,213	133	73.2	64.2-82.2	20	12.5	5.8-19.2				1	0.3	0.0- 0.9	20	14.0	6.7-21.3
H.S. or G.E.D.	962	68,792	764	79.0	75.1-82.9	95	7.8	5.4-10.2	2	0.2	0.0- 0.4				101	13.0	9.7-16.3
Some Post-H.S.	1145	107,564	972	85.1	82.2-88.0	71	5.0	3.4- 6.6	2	0.2	0.0- 0.4				100	9.8	7.1-12.5
College Graduate	1192	74,810	1039	86.0	83.3-88.7	42	2.5	1.5- 3.5	2	0.3	0.0- 0.9				109	11.2	8.7-13.7
Less than \$15,000	232	21,810	187	82.2	74.6-89.8	14	3.5	0.8- 6.2							31	14.3	7.0-21.6
\$15,000- 24,999	489	37,191	380	73.8	67.5-80.1	48	8.7	5.2-12.2	1	0.3	0.0- 0.9				60	17.2	11.3-23.1
\$25,000- 34,999	355	24,245	300	85.8	80.7-90.9	29	5.5	3.0- 8.0	1	0.3	0.0- 0.9				25	8.4	3.9-12.9
\$35,000- 49,999	480	38,579	399	84.2	79.5-88.9	36	6.9	3.6-10.2							45	9.0	5.5-12.5
\$50,000- 74,999	535	38,641	455	83.1	78.2-88.0	30	5.4	2.7- 8.1							50	11.5	7.2-15.8
\$75,000+	999	82,102	871	86.8	84.1-89.5	33	2.7	1.5- 3.9	4	0.4	0.0- 1.0				91	10.1	7.6-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 16: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6548	546,176	3241	50.2	48.4-52.0	2925	42.3	40.7-43.9	163	3.4	2.6- 4.2	46	1.1	0.7- 1.5	1	0.0	0.0- 0.0	172	3.0	2.4- 3.6
Male	3070	277,217	1813	58.3	55.9-60.7	1080	34.6	32.4-36.8	52	2.5	1.7- 3.3	16	0.7	0.3- 1.1				109	3.8	2.8- 4.8
Female	3478	268,960	1428	41.8	39.4-44.2	1845	50.3	47.9-52.7	111	4.2	3.0- 5.4	30	1.4	0.6- 2.2	1	0.1	0.0- 0.3	63	2.2	1.4- 3.0
Native	216	21,554	100	49.0	40.0-58.0	96	40.5	31.9-49.1	7	3.9	0.0- 7.8	2	2.1	0.0- 4.8				11	4.6	1.3- 7.9
Non-Native	6259	517,742	3101	50.2	48.4-52.0	2802	42.5	40.7-44.3	154	3.4	2.6- 4.2	44	1.0	0.6- 1.4	1	0.0	0.0- 0.0	157	2.9	2.3- 3.5
18-24	339	82,873	194	53.9	47.8-60.0	107	34.1	28.2-40.0	17	5.8	2.9- 8.7	3	1.4	0.0- 3.2				18	4.8	2.3- 7.3
25-34	649	105,460	314	46.5	42.0-51.0	268	42.5	38.0-47.0	35	5.9	3.7- 8.1	14	2.2	0.8- 3.6				18	2.8	1.2- 4.4
35-44	650	82,413	317	49.7	45.2-54.2	293	44.9	40.4-49.4	21	2.8	1.4- 4.2	3	0.5	0.0- 1.1	1	0.2	0.0- 0.6	15	1.8	0.8- 2.8
45-54	907	77,794	478	52.4	48.7-56.1	363	39.6	35.9-43.3	23	2.7	1.5- 3.9	8	1.0	0.2- 1.8				35	4.3	2.7- 5.9
55-64	1562	89,450	779	50.6	47.7-53.5	701	44.0	41.1-46.9	38	2.2	1.4- 3.0	11	0.9	0.3- 1.5				33	2.3	1.3- 3.3
65+	2441	108,186	1159	49.5	47.1-51.9	1193	47.0	44.6-49.4	29	0.8	0.4- 1.2	7	0.3	0.1- 0.5				53	2.4	1.6- 3.2
Less Than H.S.	354	44,002	181	49.4	42.3-56.5	148	43.8	36.7-50.9	5	1.5	0.0- 3.1	1	0.2	0.0- 0.6				19	5.1	2.4- 7.8
H.S. or G.E.D.	1824	145,206	959	54.0	50.9-57.1	764	38.7	35.6-41.8	29	2.5	1.3- 3.7	8	0.5	0.1- 0.9				64	4.2	2.8- 5.6
Some Post-H.S.	2123	214,360	1088	50.4	47.5-53.3	901	41.3	38.6-44.0	54	3.8	2.4- 5.2	20	1.7	0.7- 2.7				60	2.8	1.8- 3.8
College Graduate	2236	141,882	1008	46.2	43.5-48.9	1106	47.0	44.3-49.7	75	4.2	3.0- 5.4	17	1.0	0.4- 1.6	1	0.1	0.0- 0.3	29	1.5	0.9- 2.1
Less than \$15,000	397	40,210	206	52.1	45.0-59.2	159	38.8	31.9-45.7	13	4.8	1.3- 8.3							19	4.2	1.7- 6.7
\$15,000- 24,999	767	64,425	390	51.4	46.3-56.5	327	40.5	35.6-45.4	12	2.0	0.4- 3.6	5	1.4	0.0- 2.8				33	4.6	2.6- 6.6
\$25,000- 34,999	581	46,160	294	54.5	48.6-60.4	255	37.5	31.8-43.2	6	1.3	0.0- 2.7	4	0.3	0.0- 0.7				22	6.4	3.1- 9.7
\$35,000- 49,999	946	75,244	470	48.6	44.1-53.1	419	42.9	38.6-47.2	22	2.9	1.1- 4.7	6	1.7	0.0- 3.5				29	4.0	2.2- 5.8
\$50,000- 74,999	1110	90,344	539	48.5	44.4-52.6	513	45.9	41.8-50.0	30	3.1	1.5- 4.7	6	0.7	0.0- 1.5	1	0.2	0.0- 0.6	21	1.7	0.7- 2.7
\$75,000+	2152	182,532	1065	49.8	47.1-52.5	965	42.7	40.0-45.4	70	4.8	3.4- 6.2	21	1.2	0.6- 1.8				31	1.5	0.7- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 17: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3070	277,217	1813	58.3	55.9-60.7	1080	34.6	32.4-36.8	52	2.5	1.7- 3.3	16	0.7	0.3- 1.1	109	3.8	2.8- 4.8
Native	108	11,401	58	57.3	45.5-69.1	37	29.2	19.0-39.4	6	6.5	0.0-13.8	1	1.8	0.0- 5.1	6	5.2	0.0-10.7
Non-Native	2915	261,096	1729	58.5	56.1-60.9	1027	34.9	32.5-37.3	44	2.3	1.5- 3.1	15	0.7	0.3- 1.1	100	3.6	2.8- 4.4
18-24	203	44,225	126	59.2	51.2-67.2	51	28.3	20.9-35.7	12	6.3	2.4-10.2	2	1.2	0.0- 3.0	12	4.9	1.8- 8.0
25-34	362	56,750	207	56.0	49.9-62.1	122	35.5	29.6-41.4	13	3.5	1.3- 5.7	4	0.8	0.0- 1.6	16	4.2	1.8- 6.6
35-44	353	42,870	208	59.5	53.6-65.4	125	35.6	29.9-41.3	6	1.8	0.4- 3.2	2	0.7	0.0- 1.7	12	2.4	0.8- 4.0
45-54	448	39,652	264	57.8	52.5-63.1	151	33.8	28.7-38.9	8	2.1	0.5- 3.7	2	0.5	0.0- 1.3	23	5.8	3.1- 8.5
55-64	726	44,946	431	58.8	54.5-63.1	266	36.6	32.5-40.7	9	1.1	0.3- 1.9	3	0.7	0.0- 1.7	17	2.8	1.2- 4.4
65+	978	48,774	577	59.3	55.6-63.0	365	37.2	33.7-40.7	4	0.3	0.1- 0.5	3	0.3	0.0- 0.7	29	3.0	1.8- 4.2
Less Than H.S.	182	25,966	103	55.3	45.5-65.1	66	38.3	28.5-48.1	4	1.6	0.0- 3.4				9	4.8	1.3- 8.3
H.S. or G.E.D.	859	76,941	524	60.3	56.0-64.6	278	31.7	27.8-35.6	12	2.4	0.6- 4.2	5	0.6	0.0- 1.2	40	4.9	2.9- 6.9
Some Post-H.S.	981	106,882	605	60.7	56.8-64.6	318	32.4	28.7-36.1	17	2.6	1.0- 4.2	6	0.9	0.1- 1.7	35	3.3	1.9- 4.7
College Graduate	1044	67,125	578	53.5	49.8-57.2	417	39.8	36.1-43.5	19	2.8	1.2- 4.4	5	0.8	0.0- 1.6	25	3.0	1.6- 4.4
Less than \$15,000	165	18,388	95	59.5	49.7-69.3	55	29.0	20.4-37.6	6	5.4	0.0-11.1				9	6.1	1.2-11.0
\$15,000- 24,999	274	27,077	174	64.1	56.7-71.5	77	28.1	21.2-35.0	2	0.4	0.0- 1.0	3	2.0	0.0- 4.4	18	5.4	2.5- 8.3
\$25,000- 34,999	227	21,921	140	55.6	46.6-64.6	69	33.1	24.3-41.9	2	0.6	0.0- 1.6	1	0.2	0.0- 0.6	15	10.6	4.7-16.5
\$35,000- 49,999	466	36,955	278	57.3	51.2-63.4	162	34.6	28.7-40.5	6	2.5	0.1- 4.9	1	0.9	0.0- 2.5	19	4.7	2.2- 7.2
\$50,000- 74,999	578	51,845	329	55.6	50.1-61.1	221	38.8	33.5-44.1	12	3.0	0.6- 5.4	1	0.1	0.0- 0.3	15	2.5	0.7- 4.3
\$75,000+	1157	100,601	676	57.9	54.2-61.6	428	36.4	32.7-40.1	19	2.8	1.4- 4.2	10	1.0	0.2- 1.8	24	1.8	1.0- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 18: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3478	268,960	1428	41.8	39.4-44.2	1845	50.3	47.9-52.7	111	4.2	3.0- 5.4	30	1.4	0.6- 2.2	1	0.1	0.0- 0.3	63	2.2	1.4- 3.0
Native	108	10,153	42	39.7	26.2-53.2	59	53.1	39.6-66.6	1	0.9	0.0- 2.7	1	2.4	0.0- 7.1				5	4.0	0.1- 7.9
Non-Native	3344	256,646	1372	41.8	39.4-44.2	1775	50.2	47.8-52.6	110	4.4	3.2- 5.6	29	1.4	0.6- 2.2	1	0.1	0.0- 0.3	57	2.1	1.3- 2.9
18-24	136	38,648	68	47.8	38.4-57.2	56	40.6	31.4-49.8	5	5.2	0.5- 9.9	1	1.6	0.0- 4.7				6	4.7	0.6- 8.8
25-34	287	48,709	107	35.4	28.9-41.9	146	50.8	44.1-57.5	22	8.7	4.8-12.6	10	3.8	1.1- 6.5				2	1.3	0.0- 3.1
35-44	297	39,543	109	39.0	32.3-45.7	168	55.0	48.3-61.7	15	4.0	1.6- 6.4	1	0.3	0.0- 0.9	1	0.5	0.0- 1.5	3	1.2	0.0- 2.6
45-54	459	38,142	214	46.8	41.5-52.1	212	45.7	40.4-51.0	15	3.4	1.4- 5.4	6	1.4	0.0- 2.8				12	2.7	1.1- 4.3
55-64	836	44,504	348	42.3	38.4-46.2	435	51.5	47.6-55.4	29	3.4	2.0- 4.8	8	1.1	0.1- 2.1				16	1.7	0.7- 2.7
65+	1463	59,412	582	41.4	38.3-44.5	828	55.1	52.0-58.2	25	1.3	0.7- 1.9	4	0.3	0.0- 0.7				24	1.9	1.1- 2.7
Less Than H.S.	172	18,036	78	41.0	31.0-51.0	82	51.7	41.5-61.9	1	1.4	0.0- 4.1	1	0.5	0.0- 1.5				10	5.4	1.3- 9.5
H.S. or G.E.D.	965	68,265	435	47.0	42.3-51.7	486	46.6	42.1-51.1	17	2.7	1.1- 4.3	3	0.4	0.0- 1.0				24	3.4	1.4- 5.4
Some Post-H.S.	1142	107,478	483	40.2	36.3-44.1	583	50.0	45.9-54.1	37	4.9	2.7- 7.1	14	2.5	0.7- 4.3				25	2.3	0.9- 3.7
College Graduate	1192	74,757	430	39.7	35.8-43.6	689	53.5	49.6-57.4	56	5.4	3.6- 7.2	12	1.0	0.2- 1.8	1	0.2	0.0- 0.6	4	0.1	0.0- 0.3
Less than \$15,000	232	21,822	111	45.9	36.3-55.5	104	47.1	37.5-56.7	7	4.3	0.0- 8.6							10	2.7	0.7- 4.7
\$15,000- 24,999	493	37,349	216	42.2	35.9-48.5	250	49.5	43.0-56.0	10	3.2	0.7- 5.7	2	1.0	0.0- 2.4				15	4.1	1.4- 6.8
\$25,000- 34,999	354	24,239	154	53.5	45.5-61.5	186	41.5	33.9-49.1	4	1.9	0.0- 4.4	3	0.4	0.0- 0.8				7	2.7	0.0- 5.4
\$35,000- 49,999	480	38,289	192	40.2	33.9-46.5	257	50.9	44.4-57.4	16	3.2	0.7- 5.7	5	2.4	0.0- 5.7				10	3.3	0.6- 6.0
\$50,000- 74,999	532	38,499	210	38.9	33.0-44.8	292	55.4	49.3-61.5	18	3.3	1.3- 5.3	5	1.4	0.0- 3.2	1	0.5	0.0- 1.5	6	0.6	0.0- 1.2
\$75,000+	995	81,931	389	39.9	35.8-44.0	537	50.4	46.3-54.5	51	7.4	4.7-10.1	11	1.3	0.5- 2.1				7	1.1	0.0- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	155
2	MALES ONLY	156
3	FEMALES ONLY	157

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6564	545,801	4634	72.4	71.0-73.8	1930	27.6	26.2-29.0
Male	3084	277,668	2169	72.6	70.6-74.6	915	27.4	25.4-29.4
Female	3480	268,132	2465	72.1	69.9-74.3	1015	27.9	25.7-30.1
Native	215	21,130	138	63.9	55.1-72.7	77	36.1	27.3-44.9
Non-Native	6274	517,677	4445	72.8	71.2-74.4	1829	27.2	25.6-28.8
18-24	337	82,225	267	80.6	75.7-85.5	70	19.4	14.5-24.3
25-34	648	104,982	508	77.6	73.7-81.5	140	22.4	18.5-26.3
35-44	648	82,061	466	71.1	67.0-75.2	182	28.9	24.8-33.0
45-54	914	78,620	668	73.2	69.9-76.5	246	26.8	23.5-30.1
55-64	1555	89,016	1099	69.5	66.8-72.2	456	30.5	27.8-33.2
65+	2462	108,897	1626	63.8	61.4-66.2	836	36.2	33.8-38.6
Less Than H.S.	358	44,465	189	54.4	47.3-61.5	169	45.6	38.5-52.7
H.S. or G.E.D.	1833	145,228	1124	65.1	62.2-68.0	709	34.9	32.0-37.8
Some Post-H.S.	2121	213,234	1489	73.5	71.1-75.9	632	26.5	24.1-28.9
College Graduate	2239	142,044	1823	83.7	81.7-85.7	416	16.3	14.3-18.3
Less than \$15,000	395	39,694	232	64.5	58.0-71.0	163	35.5	29.0-42.0
\$15,000- 24,999	761	62,984	478	66.9	62.4-71.4	283	33.1	28.6-37.6
\$25,000- 34,999	583	46,193	390	68.4	62.9-73.9	193	31.6	26.1-37.1
\$35,000- 49,999	949	75,352	664	73.3	69.6-77.0	285	26.7	23.0-30.4
\$50,000- 74,999	1111	90,350	801	73.1	69.6-76.6	310	26.9	23.4-30.4
\$75,000+	2156	182,727	1662	76.6	74.2-79.0	494	23.4	21.0-25.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3084	277,668	2169	72.6	70.6-74.6	915	27.4	25.4-29.4
Native	106	11,211	75	71.3	60.5-82.1	31	28.7	17.9-39.5
Non-Native	2929	261,625	2063	72.9	70.7-75.1	866	27.1	24.9-29.3
18-24	204	44,145	164	83.8	77.9-89.7	40	16.2	10.3-22.1
25-34	361	56,546	279	77.7	72.6-82.8	82	22.3	17.2-27.4
35-44	353	42,956	250	70.2	64.7-75.7	103	29.8	24.3-35.3
45-54	453	40,081	314	71.3	66.4-76.2	139	28.7	23.8-33.6
55-64	723	44,671	493	68.0	64.1-71.9	230	32.0	28.1-35.9
65+	990	49,270	669	64.2	60.7-67.7	321	35.8	32.3-39.3
Less Than H.S.	183	26,116	99	58.7	49.3-68.1	84	41.3	31.9-50.7
H.S. or G.E.D.	868	77,518	525	64.8	60.7-68.9	343	35.2	31.1-39.3
Some Post-H.S.	980	106,361	682	74.4	71.3-77.5	298	25.6	22.5-28.7
College Graduate	1047	67,270	858	84.1	81.4-86.8	189	15.9	13.2-18.6
Less than \$15,000	165	18,173	103	69.4	61.0-77.8	62	30.6	22.2-39.0
\$15,000- 24,999	274	26,977	169	66.8	59.7-73.9	105	33.2	26.1-40.3
\$25,000- 34,999	229	21,973	164	76.2	69.1-83.3	65	23.8	16.7-30.9
\$35,000- 49,999	467	37,002	314	71.6	66.5-76.7	153	28.4	23.3-33.5
\$50,000- 74,999	576	51,521	399	71.9	67.2-76.6	177	28.1	23.4-32.8
\$75,000+	1162	101,003	878	74.5	71.2-77.8	284	25.5	22.2-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3480	268,132	2465	72.1	69.9-74.3	1015	27.9	25.7-30.1
Native	109	9,919	63	55.5	42.0-69.0	46	44.5	31.0-58.0
Non-Native	3345	256,053	2382	72.6	70.4-74.8	963	27.4	25.2-29.6
18-24	133	38,080	103	77.0	69.2-84.8	30	23.0	15.2-30.8
25-34	287	48,436	229	77.4	71.3-83.5	58	22.6	16.5-28.7
35-44	295	39,105	216	72.1	66.0-78.2	79	27.9	21.8-34.0
45-54	461	38,539	354	75.2	70.5-79.9	107	24.8	20.1-29.5
55-64	832	44,346	606	71.0	67.3-74.7	226	29.0	25.3-32.7
65+	1472	59,627	957	63.5	60.6-66.4	515	36.5	33.6-39.4
Less Than H.S.	175	18,349	90	48.3	38.3-58.3	85	51.7	41.7-61.7
H.S. or G.E.D.	965	67,710	599	65.4	61.1-69.7	366	34.6	30.3-38.9
Some Post-H.S.	1141	106,874	807	72.5	68.8-76.2	334	27.5	23.8-31.2
College Graduate	1192	74,774	965	83.4	80.7-86.1	227	16.6	13.9-19.3
Less than \$15,000	230	21,521	129	60.4	51.0-69.8	101	39.6	30.2-49.0
\$15,000- 24,999	487	36,006	309	66.9	61.0-72.8	178	33.1	27.2-39.0
\$25,000- 34,999	354	24,220	226	61.4	53.4-69.4	128	38.6	30.6-46.6
\$35,000- 49,999	482	38,350	350	74.9	69.6-80.2	132	25.1	19.8-30.4
\$50,000- 74,999	535	38,829	402	74.6	69.3-79.9	133	25.4	20.1-30.7
\$75,000+	994	81,725	784	79.1	75.6-82.6	210	20.9	17.4-24.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 14: SEATBELT USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	159
2	MALES ONLY	160
3	FEMALES ONLY	161
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	162
5	MALES ONLY	163
6	FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6495	540,093	5838	88.9	87.9-89.9	657	11.1	10.1-12.1
Male	3047	274,134	2589	84.3	82.5-86.1	458	15.7	13.9-17.5
Female	3448	265,959	3249	93.7	92.5-94.9	199	6.3	5.1- 7.5
Native	213	21,007	190	87.9	81.8-94.0	23	12.1	6.0-18.2
Non-Native	6210	512,301	5588	89.1	87.9-90.3	622	10.9	9.7-12.1
18-24	333	81,152	288	88.6	84.7-92.5	45	11.4	7.5-15.3
25-34	640	104,262	554	87.3	84.4-90.2	86	12.7	9.8-15.6
35-44	638	81,271	552	87.5	84.6-90.4	86	12.5	9.6-15.4
45-54	904	77,422	803	89.1	86.7-91.5	101	10.9	8.5-13.3
55-64	1547	88,553	1383	89.1	87.3-90.9	164	10.9	9.1-12.7
65+	2433	107,432	2258	91.6	90.2-93.0	175	8.4	7.0- 9.8
Less Than H.S.	350	43,357	290	82.5	76.8-88.2	60	17.5	11.8-23.2
H.S. or G.E.D.	1818	144,279	1582	85.3	82.9-87.7	236	14.7	12.3-17.1
Some Post-H.S.	2092	210,558	1849	88.4	86.6-90.2	243	11.6	9.8-13.4
College Graduate	2222	141,069	2106	95.3	94.3-96.3	116	4.7	3.7- 5.7
Less than \$15,000	391	39,697	329	83.6	78.5-88.7	62	16.4	11.3-21.5
\$15,000- 24,999	757	62,503	668	88.1	85.0-91.2	89	11.9	8.8-15.0
\$25,000- 34,999	573	45,063	513	86.9	82.4-91.4	60	13.1	8.6-17.6
\$35,000- 49,999	938	74,635	828	86.3	83.2-89.4	110	13.7	10.6-16.8
\$50,000- 74,999	1107	89,979	994	88.5	86.0-91.0	113	11.5	9.0-14.0
\$75,000+	2132	180,504	1956	91.4	89.6-93.2	176	8.6	6.8-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3047	274,134	2589	84.3	82.5-86.1	458	15.7	13.9-17.5
Native	105	11,112	89	84.9	76.3-93.5	16	15.1	6.5-23.7
Non-Native	2894	258,234	2463	84.5	82.7-86.3	431	15.5	13.7-17.3
18-24	201	43,429	167	84.1	77.8-90.4	34	15.9	9.6-22.2
25-34	356	56,137	289	82.4	77.9-86.9	67	17.6	13.1-22.1
35-44	346	42,236	280	81.9	77.2-86.6	66	18.1	13.4-22.8
45-54	446	39,272	374	85.0	81.3-88.7	72	15.0	11.3-18.7
55-64	719	44,412	604	84.0	80.9-87.1	115	16.0	12.9-19.1
65+	979	48,650	875	88.4	86.0-90.8	104	11.6	9.2-14.0
Less Than H.S.	179	25,595	141	78.1	69.3-86.9	38	21.9	13.1-30.7
H.S. or G.E.D.	859	76,759	693	80.1	76.6-83.6	166	19.9	16.4-23.4
Some Post-H.S.	963	104,270	794	83.8	81.1-86.5	169	16.2	13.5-18.9
College Graduate	1040	67,106	956	92.2	90.2-94.2	84	7.8	5.8- 9.8
Less than \$15,000	163	18,088	126	77.3	68.9-85.7	37	22.7	14.3-31.1
\$15,000- 24,999	273	26,741	228	86.4	81.5-91.3	45	13.6	8.7-18.5
\$25,000- 34,999	223	21,451	187	80.7	72.7-88.7	36	19.3	11.3-27.3
\$35,000- 49,999	462	36,559	384	80.1	75.0-85.2	78	19.9	14.8-25.0
\$50,000- 74,999	575	51,450	492	84.2	80.3-88.1	83	15.8	11.9-19.7
\$75,000+	1146	99,422	995	86.5	83.8-89.2	151	13.5	10.8-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3448	265,959	3249	93.7	92.5-94.9	199	6.3	5.1- 7.5
Native	108	9,894	101	91.3	83.3-99.3	7	8.7	0.7-16.7
Non-Native	3316	254,067	3125	93.8	92.6-95.0	191	6.2	5.0- 7.4
18-24	132	37,724	121	93.8	89.7-97.9	11	6.2	2.1-10.3
25-34	284	48,125	265	92.9	89.4-96.4	19	7.1	3.6-10.6
35-44	292	39,036	272	93.4	90.1-96.7	20	6.6	3.3- 9.9
45-54	458	38,151	429	93.2	90.5-95.9	29	6.8	4.1- 9.5
55-64	828	44,141	779	94.1	92.3-95.9	49	5.9	4.1- 7.7
65+	1454	58,783	1383	94.3	92.7-95.9	71	5.7	4.1- 7.3
Less Than H.S.	171	17,761	149	88.8	83.5-94.1	22	11.2	5.9-16.5
H.S. or G.E.D.	959	67,520	889	91.3	88.6-94.0	70	8.7	6.0-11.4
Some Post-H.S.	1129	106,289	1055	93.0	90.8-95.2	74	7.0	4.8- 9.2
College Graduate	1182	73,963	1150	98.0	97.2-98.8	32	2.0	1.2- 2.8
Less than \$15,000	228	21,609	203	88.9	83.0-94.8	25	11.1	5.2-17.0
\$15,000- 24,999	484	35,762	440	89.4	85.3-93.5	44	10.6	6.5-14.7
\$25,000- 34,999	350	23,612	326	92.5	88.6-96.4	24	7.5	3.6-11.4
\$35,000- 49,999	476	38,076	444	92.3	88.8-95.8	32	7.7	4.2-11.2
\$50,000- 74,999	532	38,529	502	94.2	91.7-96.7	30	5.8	3.3- 8.3
\$75,000+	986	81,082	961	97.6	96.4-98.8	25	2.4	1.2- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6495	540,093	4807	73.3	71.7-74.9	1688	26.7	25.1-28.3
Male	3047	274,134	1986	65.8	63.6-68.0	1061	34.2	32.0-36.4
Female	3448	265,959	2821	81.0	79.0-83.0	627	19.0	17.0-21.0
Native	213	21,007	162	71.7	63.1-80.3	51	28.3	19.7-36.9
Non-Native	6210	512,301	4596	73.5	71.9-75.1	1614	26.5	24.9-28.1
18-24	333	81,152	214	68.8	63.1-74.5	119	31.2	25.5-36.9
25-34	640	104,262	437	69.6	65.5-73.7	203	30.4	26.3-34.5
35-44	638	81,271	457	72.9	69.0-76.8	181	27.1	23.2-31.0
45-54	904	77,422	665	76.3	73.2-79.4	239	23.7	20.6-26.8
55-64	1547	88,553	1118	73.8	71.3-76.3	429	26.2	23.7-28.7
65+	2433	107,432	1916	77.9	75.9-79.9	517	22.1	20.1-24.1
Less Than H.S.	350	43,357	234	66.1	59.2-73.0	116	33.9	27.0-40.8
H.S. or G.E.D.	1818	144,279	1295	69.6	66.7-72.5	523	30.4	27.5-33.3
Some Post-H.S.	2092	210,558	1486	71.1	68.6-73.6	606	28.9	26.4-31.4
College Graduate	2222	141,069	1783	82.5	80.5-84.5	439	17.5	15.5-19.5
Less than \$15,000	391	39,697	272	67.1	60.4-73.8	119	32.9	26.2-39.6
\$15,000- 24,999	757	62,503	576	76.0	71.7-80.3	181	24.0	19.7-28.3
\$25,000- 34,999	573	45,063	429	73.0	67.3-78.7	144	27.0	21.3-32.7
\$35,000- 49,999	938	74,635	680	71.8	67.9-75.7	258	28.2	24.3-32.1
\$50,000- 74,999	1107	89,979	786	69.9	66.2-73.6	321	30.1	26.4-33.8
\$75,000+	2132	180,504	1591	75.0	72.5-77.5	541	25.0	22.5-27.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3047	274,134	1986	65.8	63.6-68.0	1061	34.2	32.0-36.4
Native	105	11,112	75	67.8	56.2-79.4	30	32.2	20.6-43.8
Non-Native	2894	258,234	1880	65.8	63.4-68.2	1014	34.2	31.8-36.6
18-24	201	43,429	115	60.9	53.1-68.7	86	39.1	31.3-46.9
25-34	356	56,137	220	63.7	58.0-69.4	136	36.3	30.6-42.0
35-44	346	42,236	215	63.2	57.3-69.1	131	36.8	30.9-42.7
45-54	446	39,272	297	71.0	66.3-75.7	149	29.0	24.3-33.7
55-64	719	44,412	452	66.1	62.2-70.0	267	33.9	30.0-37.8
65+	979	48,650	687	70.5	67.2-73.8	292	29.5	26.2-32.8
Less Than H.S.	179	25,595	103	60.3	50.7-69.9	76	39.7	30.1-49.3
H.S. or G.E.D.	859	76,759	511	60.5	56.2-64.8	348	39.5	35.2-43.8
Some Post-H.S.	963	104,270	594	64.0	60.3-67.7	369	36.0	32.3-39.7
College Graduate	1040	67,106	775	77.0	73.9-80.1	265	23.0	19.9-26.1
Less than \$15,000	163	18,088	94	56.8	46.8-66.8	69	43.2	33.2-53.2
\$15,000- 24,999	273	26,741	186	72.4	65.7-79.1	87	27.6	20.9-34.3
\$25,000- 34,999	223	21,451	145	64.8	56.0-73.6	78	35.2	26.4-44.0
\$35,000- 49,999	462	36,559	296	64.1	58.2-70.0	166	35.9	30.0-41.8
\$50,000- 74,999	575	51,450	368	63.7	58.6-68.8	207	36.3	31.2-41.4
\$75,000+	1146	99,422	753	65.8	62.1-69.5	393	34.2	30.5-37.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3448	265,959	2821	81.0	79.0-83.0	627	19.0	17.0-21.0
Native	108	9,894	87	76.0	62.7-89.3	21	24.0	10.7-37.3
Non-Native	3316	254,067	2716	81.4	79.4-83.4	600	18.6	16.6-20.6
18-24	132	37,724	99	77.9	70.3-85.5	33	22.1	14.5-29.7
25-34	284	48,125	217	76.6	70.7-82.5	67	23.4	17.5-29.3
35-44	292	39,036	242	83.3	78.2-88.4	50	16.7	11.6-21.8
45-54	458	38,151	368	81.8	77.7-85.9	90	18.2	14.1-22.3
55-64	828	44,141	666	81.6	78.7-84.5	162	18.4	15.5-21.3
65+	1454	58,783	1229	84.1	81.7-86.5	225	15.9	13.5-18.3
Less Than H.S.	171	17,761	131	74.5	65.5-83.5	40	25.5	16.5-34.5
H.S. or G.E.D.	959	67,520	784	80.0	76.1-83.9	175	20.0	16.1-23.9
Some Post-H.S.	1129	106,289	892	78.1	74.8-81.4	237	21.9	18.6-25.2
College Graduate	1182	73,963	1008	87.6	85.1-90.1	174	12.4	9.9-14.9
Less than \$15,000	228	21,609	178	75.7	67.5-83.9	50	24.3	16.1-32.5
\$15,000- 24,999	484	35,762	390	78.8	73.1-84.5	94	21.2	15.5-26.9
\$25,000- 34,999	350	23,612	284	80.4	73.7-87.1	66	19.6	12.9-26.3
\$35,000- 49,999	476	38,076	384	79.2	73.9-84.5	92	20.8	15.5-26.1
\$50,000- 74,999	532	38,529	418	78.1	73.2-83.0	114	21.9	17.0-26.8
\$75,000+	986	81,082	838	86.2	83.3-89.1	148	13.8	10.9-16.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 15: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	166
2	MALES ONLY	167
3	FEMALES ONLY	168
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	169
5	MALES ONLY	170
6	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2420	106,869	1479	60.0	57.6-62.4	941	40.0	37.6-42.4
Male	981	48,743	604	60.7	57.0-64.4	377	39.3	35.6-43.0
Female	1439	58,127	875	59.5	56.4-62.6	564	40.5	37.4-43.6
Non-Native	2366	103,806	1442	59.9	57.5-62.3	924	40.1	37.7-42.5
65+	2420	106,869	1479	60.0	57.6-62.4	941	40.0	37.6-42.4
Less Than H.S.	196	14,147	104	51.4	43.0-59.8	92	48.6	40.2-57.0
H.S. or G.E.D.	763	31,562	447	59.0	54.9-63.1	316	41.0	36.9-45.1
Some Post-H.S.	747	38,835	460	60.4	56.3-64.5	287	39.6	35.5-43.7
College Graduate	711	22,225	467	66.4	62.5-70.3	244	33.6	29.7-37.5
Less than \$15,000	157	7,321	68	43.5	34.1-52.9	89	56.5	47.1-65.9
\$15,000- 24,999	408	19,740	248	59.8	53.7-65.9	160	40.2	34.1-46.3
\$25,000- 34,999	302	12,478	191	60.4	53.7-67.1	111	39.6	32.9-46.3
\$35,000- 49,999	411	18,299	257	60.8	55.3-66.3	154	39.2	33.7-44.7
\$50,000- 74,999	381	16,454	240	63.7	58.0-69.4	141	36.3	30.6-42.0
\$75,000+	468	19,394	296	63.0	57.9-68.1	172	37.0	31.9-42.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	981	48,743	604	60.7	57.2-64.2	377	39.3	35.8-42.8
Non-Native	957	47,211	585	60.2	56.5-63.9	372	39.8	36.1-43.5
65+	981	48,743	604	60.7	57.2-64.2	377	39.3	35.8-42.8
Less Than H.S.	85	6,830	41	49.2	36.7-61.7	44	50.8	38.3-63.3
H.S. or G.E.D.	275	13,413	158	57.8	51.1-64.5	117	42.2	35.5-48.9
Some Post-H.S.	277	16,693	170	61.7	55.4-68.0	107	38.3	32.0-44.6
College Graduate	343	11,764	235	69.3	63.8-74.8	108	30.7	25.2-36.2
\$15,000- 24,999	116	7,227	66	54.4	43.0-65.8	50	45.6	34.2-57.0
\$25,000- 34,999	94	4,814	57	58.5	46.9-70.1	37	41.5	29.9-53.1
\$35,000- 49,999	193	9,538	120	61.7	53.7-69.7	73	38.3	30.3-46.3
\$50,000- 74,999	195	9,484	122	63.8	56.0-71.6	73	36.2	28.4-44.0
\$75,000+	270	11,701	178	64.7	58.2-71.2	92	35.3	28.8-41.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1439	58,127	875	59.5	56.4-62.6	564	40.5	37.4-43.6
Non-Native	1409	56,595	857	59.7	56.6-62.8	552	40.3	37.2-43.4
65+	1439	58,127	875	59.5	56.4-62.6	564	40.5	37.4-43.6
Less Than H.S.	111	7,317	63	53.5	42.3-64.7	48	46.5	35.3-57.7
H.S. or G.E.D.	488	18,149	289	59.9	54.8-65.0	199	40.1	35.0-45.2
Some Post-H.S.	470	22,142	290	59.3	54.2-64.4	180	40.7	35.6-45.8
College Graduate	368	10,461	232	63.2	57.5-68.9	136	36.8	31.1-42.5
Less than \$15,000	109	4,571	49	44.5	33.3-55.7	60	55.5	44.3-66.7
\$15,000- 24,999	292	12,513	182	62.9	56.0-69.8	110	37.1	30.2-44.0
\$25,000- 34,999	208	7,663	134	61.7	53.7-69.7	74	38.3	30.3-46.3
\$35,000- 49,999	218	8,761	137	59.9	52.1-67.7	81	40.1	32.3-47.9
\$50,000- 74,999	186	6,970	118	63.6	55.4-71.8	68	36.4	28.2-44.6
\$75,000+	198	7,693	118	60.3	52.5-68.1	80	39.7	31.9-47.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2377	104,540	1873	77.5	75.5-79.5	504	22.5	20.5-24.5
Male	959	47,266	734	75.7	72.6-78.8	225	24.3	21.2-27.4
Female	1418	57,274	1139	78.9	76.4-81.4	279	21.1	18.6-23.6
Non-Native	2323	101,476	1833	77.8	75.8-79.8	490	22.2	20.2-24.2
65+	2377	104,540	1873	77.5	75.5-79.5	504	22.5	20.5-24.5
Less Than H.S.	193	13,675	141	70.2	62.6-77.8	52	29.8	22.2-37.4
H.S. or G.E.D.	748	30,943	596	79.0	75.5-82.5	152	21.0	17.5-24.5
Some Post-H.S.	737	38,073	590	78.4	74.9-81.9	147	21.6	18.1-25.1
College Graduate	696	21,749	544	78.3	74.8-81.8	152	21.7	18.2-25.2
Less than \$15,000	155	7,271	112	71.1	62.5-79.7	43	28.9	20.3-37.5
\$15,000- 24,999	396	18,985	307	74.7	69.4-80.0	89	25.3	20.0-30.6
\$25,000- 34,999	294	12,077	237	78.8	73.1-84.5	57	21.2	15.5-26.9
\$35,000- 49,999	407	18,070	335	81.7	77.2-86.2	72	18.3	13.8-22.8
\$50,000- 74,999	377	16,301	302	78.4	73.3-83.5	75	21.6	16.5-26.7
\$75,000+	462	19,024	356	77.9	73.8-82.0	106	22.1	18.0-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	959	47,266	734	75.7	72.6-78.8	225	24.3	21.2-27.4
Non-Native	935	45,734	715	75.9	72.8-79.0	220	24.1	21.0-27.2
65+	959	47,266	734	75.7	72.6-78.8	225	24.3	21.2-27.4
Less Than H.S.	84	6,592	59	70.3	58.9-81.7	25	29.7	18.3-41.1
H.S. or G.E.D.	270	13,143	210	74.6	68.3-80.9	60	25.4	19.1-31.7
Some Post-H.S.	271	16,051	213	77.9	72.4-83.4	58	22.1	16.6-27.6
College Graduate	333	11,439	252	77.4	72.5-82.3	81	22.6	17.7-27.5
\$15,000- 24,999	111	6,721	76	70.0	59.6-80.4	35	30.0	19.6-40.4
\$25,000- 34,999	91	4,592	68	74.7	64.1-85.3	23	25.3	14.7-35.9
\$35,000- 49,999	191	9,387	151	78.9	72.2-85.6	40	21.1	14.4-27.8
\$50,000- 74,999	191	9,331	147	76.5	69.2-83.8	44	23.5	16.2-30.8
\$75,000+	264	11,331	205	76.7	71.0-82.4	59	23.3	17.6-29.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1418	57,274	1139	78.9	76.4-81.4	279	21.1	18.6-23.6
Non-Native	1388	55,743	1118	79.4	76.9-81.9	270	20.6	18.1-23.1
65+	1418	57,274	1139	78.9	76.4-81.4	279	21.1	18.6-23.6
Less Than H.S.	109	7,083	82	70.2	59.8-80.6	27	29.8	19.4-40.2
H.S. or G.E.D.	478	17,800	386	82.2	78.3-86.1	92	17.8	13.9-21.7
Some Post-H.S.	466	22,022	377	78.8	74.3-83.3	89	21.2	16.7-25.7
College Graduate	363	10,310	292	79.3	74.6-84.0	71	20.7	16.0-25.4
Less than \$15,000	107	4,521	78	71.5	61.3-81.7	29	28.5	18.3-38.7
\$15,000- 24,999	285	12,264	231	77.2	71.1-83.3	54	22.8	16.7-28.9
\$25,000- 34,999	203	7,484	169	81.3	74.6-88.0	34	18.7	12.0-25.4
\$35,000- 49,999	216	8,683	184	84.6	78.7-90.5	32	15.4	9.5-21.3
\$50,000- 74,999	186	6,970	155	81.0	73.9-88.1	31	19.0	11.9-26.1
\$75,000+	198	7,693	151	79.6	73.7-85.5	47	20.4	14.5-26.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 16: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6369	529,520	1335	28.9	27.3-30.5	5034	71.1	69.5-72.7
Male	2979	268,745	696	28.9	26.5-31.3	2283	71.1	68.7-73.5
Female	3390	260,774	639	28.9	26.5-31.3	2751	71.1	68.7-73.5
Native	209	20,781	93	49.2	40.2-58.2	116	50.8	41.8-59.8
Non-Native	6087	501,841	1221	28.1	26.5-29.7	4866	71.9	70.3-73.5
18-24	331	80,848	81	27.4	21.7-33.1	250	72.6	66.9-78.3
25-34	624	101,995	275	46.4	41.9-50.9	349	53.6	49.1-58.1
35-44	621	78,999	259	43.1	38.6-47.6	362	56.9	52.4-61.4
45-54	883	75,149	276	33.1	29.4-36.8	607	66.9	63.2-70.6
55-64	1519	86,899	255	17.9	15.5-20.3	1264	82.1	79.7-84.5
65+	2391	105,630	189	8.7	7.3-10.1	2202	91.3	89.9-92.7
Less Than H.S.	345	43,212	64	27.7	20.6-34.8	281	72.3	65.2-79.4
H.S. or G.E.D.	1780	141,262	339	28.6	25.5-31.7	1441	71.4	68.3-74.5
Some Post-H.S.	2053	206,362	442	29.9	27.0-32.8	1611	70.1	67.2-73.0
College Graduate	2179	137,872	489	28.4	25.9-30.9	1690	71.6	69.1-74.1
Less than \$15,000	379	38,132	119	37.1	30.0-44.2	260	62.9	55.8-70.0
\$15,000- 24,999	742	61,026	161	31.5	26.6-36.4	581	68.5	63.6-73.4
\$25,000- 34,999	559	43,725	96	24.4	18.9-29.9	463	75.6	70.1-81.1
\$35,000- 49,999	926	73,784	177	27.5	23.2-31.8	749	72.5	68.2-76.8
\$50,000- 74,999	1087	88,592	218	29.1	25.0-33.2	869	70.9	66.8-75.0
\$75,000+	2090	176,818	483	30.3	27.6-33.0	1607	69.7	67.0-72.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2979	268,745	696	28.9	26.7-31.1	2283	71.1	68.9-73.3
Native	104	11,003	42	46.9	34.6-59.2	62	53.1	40.8-65.4
Non-Native	2827	252,955	639	28.1	25.7-30.5	2188	71.9	69.5-74.3
18-24	200	43,402	47	26.1	18.7-33.5	153	73.9	66.5-81.3
25-34	348	55,031	126	39.1	33.0-45.2	222	60.9	54.8-67.0
35-44	337	41,134	127	38.9	32.8-45.0	210	61.1	55.0-67.2
45-54	436	38,071	147	35.8	30.5-41.1	289	64.2	58.9-69.5
55-64	707	43,773	146	22.2	18.5-25.9	561	77.8	74.1-81.5
65+	951	47,334	103	11.7	9.2-14.2	848	88.3	85.8-90.8
Less Than H.S.	178	25,747	37	26.9	17.7-36.1	141	73.1	63.9-82.3
H.S. or G.E.D.	838	75,197	202	32.3	28.0-36.6	636	67.7	63.4-72.0
Some Post-H.S.	946	102,269	234	29.0	25.3-32.7	712	71.0	67.3-74.7
College Graduate	1012	65,145	223	25.9	22.4-29.4	789	74.1	70.6-77.6
Less than \$15,000	160	17,922	60	41.6	31.4-51.8	100	58.4	48.2-68.6
\$15,000- 24,999	264	25,788	67	32.7	24.9-40.5	197	67.3	59.5-75.1
\$25,000- 34,999	222	21,218	44	24.1	16.1-32.1	178	75.9	67.9-83.9
\$35,000- 49,999	452	35,952	91	25.2	19.7-30.7	361	74.8	69.3-80.3
\$50,000- 74,999	559	50,175	128	29.3	24.0-34.6	431	70.7	65.4-76.0
\$75,000+	1120	97,306	255	28.4	24.7-32.1	865	71.6	67.9-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3390	260,774	639	28.9	26.5-31.3	2751	71.1	68.7-73.5
Native	105	9,778	51	51.8	38.3-65.3	54	48.2	34.7-61.7
Non-Native	3260	248,886	582	28.0	25.6-30.4	2678	72.0	69.6-74.4
18-24	131	37,446	34	29.0	20.2-37.8	97	71.0	62.2-79.8
25-34	276	46,964	149	55.0	48.1-61.9	127	45.0	38.1-51.9
35-44	284	37,865	132	47.7	40.8-54.6	152	52.3	45.4-59.2
45-54	447	37,078	129	30.4	25.3-35.5	318	69.6	64.5-74.7
55-64	812	43,125	109	13.5	10.6-16.4	703	86.5	83.6-89.4
65+	1440	58,295	86	6.3	4.7- 7.9	1354	93.7	92.1-95.3
Less Than H.S.	167	17,465	27	28.8	18.2-39.4	140	71.2	60.6-81.8
H.S. or G.E.D.	942	66,065	137	24.5	20.2-28.8	805	75.5	71.2-79.8
Some Post-H.S.	1107	104,093	208	30.7	26.6-34.8	899	69.3	65.2-73.4
College Graduate	1167	72,727	266	30.7	27.0-34.4	901	69.3	65.6-73.0
Less than \$15,000	219	20,210	59	33.1	23.5-42.7	160	66.9	57.3-76.5
\$15,000- 24,999	478	35,238	94	30.6	24.1-37.1	384	69.4	62.9-75.9
\$25,000- 34,999	337	22,507	52	24.6	17.2-32.0	285	75.4	68.0-82.8
\$35,000- 49,999	474	37,832	86	29.7	23.2-36.2	388	70.3	63.8-76.8
\$50,000- 74,999	528	38,417	90	28.9	22.4-35.4	438	71.1	64.6-77.6
\$75,000+	970	79,512	228	32.5	28.2-36.8	742	67.5	63.2-71.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2017**

End of Calculated Variable Data Report