

NORTH DAKOTA

2017 Core Variables Report

Behavioral Risk Factor Surveillance System

June 26, 2018



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6980	587,272	1002	16.6	15.2-18.0	2503	35.9	34.3-37.5	2310	32.2	30.6-33.8	867	11.3	10.3-12.3	298	4.0	3.4- 4.6
Male	3308	301,443	472	16.5	14.7-18.3	1174	35.7	33.5-37.9	1137	33.6	31.4-35.8	402	10.8	9.4-12.2	123	3.4	2.6- 4.2
Female	3672	285,829	530	16.8	15.0-18.6	1329	36.1	33.9-38.3	1173	30.7	28.5-32.9	465	11.8	10.4-13.2	175	4.7	3.7- 5.7
Native	247	24,787	35	13.5	8.2-18.8	59	21.7	15.0-28.4	74	32.3	23.9-40.7	49	22.1	15.2-29.0	30	10.4	5.7-15.1
Non-Native	6644	553,430	955	16.8	15.4-18.2	2421	36.6	35.0-38.2	2203	32.2	30.6-33.8	806	10.8	9.8-11.8	259	3.6	3.0- 4.2
18-24	370	90,063	73	20.8	15.9-25.7	141	38.0	32.3-43.7	123	33.0	27.5-38.5	30	7.8	4.9-10.7	3	0.4	0.0- 0.8
25-34	698	112,975	147	22.9	19.2-26.6	268	36.1	32.0-40.2	219	31.2	27.1-35.3	51	7.6	5.2-10.0	13	2.2	0.8- 3.6
35-44	713	90,371	143	18.3	15.2-21.4	276	37.7	33.6-41.8	206	30.1	26.2-34.0	70	9.9	7.4-12.4	18	4.0	2.0- 6.0
45-54	963	83,406	150	15.2	12.7-17.7	373	38.7	35.2-42.2	289	29.2	25.9-32.5	109	11.2	8.8-13.6	42	5.8	3.8- 7.8
55-64	1654	95,428	205	12.3	10.3-14.3	614	35.6	32.9-38.3	579	33.8	31.1-36.5	178	12.5	10.5-14.5	78	5.8	4.4- 7.2
65+	2582	115,029	284	10.6	9.2-12.0	831	30.9	28.7-33.1	894	34.9	32.7-37.1	429	17.8	15.8-19.8	144	5.9	4.7- 7.1
Less Than H.S.	396	48,651	33	11.9	6.8-17.0	74	20.8	15.1-26.5	147	36.5	30.2-42.8	107	23.2	18.1-28.3	35	7.6	4.5-10.7
H.S. or G.E.D.	1963	157,613	240	16.0	13.6-18.4	576	29.9	27.2-32.6	723	36.5	33.6-39.4	299	12.5	10.5-14.5	125	5.0	3.8- 6.2
Some Post-H.S.	2251	229,761	264	13.8	11.6-16.0	859	38.6	35.9-41.3	740	32.0	29.5-34.5	288	11.3	9.7-12.9	100	4.4	3.2- 5.6
College Graduate	2353	149,869	460	23.0	20.6-25.4	991	43.1	40.6-45.6	696	26.7	24.3-29.1	170	5.9	4.7- 7.1	36	1.3	0.7- 1.9
Less than \$15,000	427	43,107	36	13.3	8.0-18.6	75	19.7	14.2-25.2	134	31.4	25.1-37.7	114	21.8	16.7-26.9	68	13.9	9.6-18.2
\$15,000- 24,999	809	68,817	75	9.2	6.5-11.9	214	29.4	24.7-34.1	284	35.4	30.7-40.1	161	17.1	13.6-20.6	75	8.8	6.3-11.3
\$25,000- 34,999	604	48,259	64	14.0	9.3-18.7	192	33.3	27.6-39.0	237	34.8	29.3-40.3	88	15.1	11.2-19.0	23	2.8	1.4- 4.2
\$35,000- 49,999	973	77,942	109	12.5	9.6-15.4	332	34.5	30.2-38.8	370	37.9	33.6-42.2	126	11.9	9.4-14.4	36	3.2	1.8- 4.6
\$50,000- 74,999	1152	94,595	172	17.5	14.4-20.6	457	41.0	37.1-44.9	379	30.5	27.0-34.0	117	8.8	6.8-10.8	27	2.2	1.0- 3.4
\$75,000+	2226	189,913	427	22.1	19.7-24.5	970	42.0	39.3-44.7	648	28.7	26.2-31.2	147	5.5	4.3- 6.7	34	1.6	1.0- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3308	301,443	472	16.5	14.7-18.3	1174	35.7	33.5-37.9	1137	33.6	31.4-35.8	402	10.8	9.4-12.2	123	3.4	2.6- 4.2
Native	124	13,738	16	13.1	5.7-20.5	38	28.2	18.2-38.2	33	30.0	19.2-40.8	23	18.3	9.9-26.7	14	10.3	4.0-16.6
Non-Native	3129	281,984	445	16.6	14.8-18.4	1122	36.2	34.0-38.4	1085	33.8	31.6-36.0	375	10.6	9.2-12.0	102	2.9	2.1- 3.7
18-24	221	48,100	42	20.7	14.2-27.2	88	39.9	32.5-47.3	77	33.3	26.2-40.4	13	6.0	2.5- 9.5	1	0.1	0.0- 0.3
25-34	394	61,670	85	24.2	19.1-29.3	134	30.7	25.6-35.8	139	35.4	29.9-40.9	30	7.8	4.7-10.9	6	1.9	0.3- 3.5
35-44	391	47,350	66	15.1	11.2-19.0	158	41.2	35.5-46.9	120	32.3	26.8-37.8	42	10.1	6.8-13.4	5	1.3	0.1- 2.5
45-54	478	43,112	73	15.3	11.6-19.0	186	39.1	34.0-44.2	146	30.0	25.3-34.7	55	10.4	7.5-13.3	18	5.2	2.5- 7.9
55-64	779	48,672	89	11.5	8.8-14.2	274	34.8	30.9-38.7	285	33.9	30.2-37.6	86	12.3	9.6-15.0	45	7.6	5.2-10.0
65+	1045	52,539	117	10.5	8.3-12.7	334	30.8	27.5-34.1	370	35.4	31.9-38.9	176	18.3	15.4-21.2	48	4.8	3.2- 6.4
Less Than H.S.	209	28,650	20	14.7	7.1-22.3	32	18.7	11.1-26.3	84	36.7	28.3-45.1	58	25.1	17.8-32.4	15	4.8	2.1- 7.5
H.S. or G.E.D.	938	84,553	127	16.8	13.5-20.1	267	30.2	26.3-34.1	354	38.1	34.0-42.2	137	10.9	8.5-13.3	53	3.9	2.7- 5.1
Some Post-H.S.	1054	116,552	113	13.4	10.5-16.3	425	40.0	36.3-43.7	359	33.1	29.6-36.6	117	9.4	7.4-11.4	40	4.1	2.7- 5.5
College Graduate	1101	71,167	209	21.4	18.3-24.5	449	42.2	38.5-45.9	338	27.7	24.4-31.0	90	7.4	5.4- 9.4	15	1.2	0.4- 2.0
Less than \$15,000	182	20,023	16	10.2	3.9-16.5	36	22.5	14.5-30.5	53	31.4	22.2-40.6	52	24.7	16.7-32.7	25	11.1	5.8-16.4
\$15,000- 24,999	301	30,526	26	7.7	4.0-11.4	76	29.3	22.0-36.6	103	36.6	29.3-43.9	66	18.0	12.7-23.3	30	8.3	4.8-11.8
\$25,000- 34,999	239	23,217	25	14.8	7.9-21.7	81	40.6	31.8-49.4	86	31.4	23.8-39.0	38	10.8	6.5-15.1	9	2.4	0.6- 4.2
\$35,000- 49,999	481	38,252	58	15.0	10.5-19.5	146	29.4	23.9-34.9	200	40.6	34.7-46.5	63	11.8	8.3-15.3	14	3.2	1.0- 5.4
\$50,000- 74,999	601	54,417	82	16.7	12.4-21.0	232	39.1	34.0-44.2	207	33.2	28.3-38.1	62	8.7	6.2-11.2	18	2.2	1.0- 3.4
\$75,000+	1206	105,217	214	20.2	17.1-23.3	507	40.7	37.2-44.2	386	31.8	28.5-35.1	83	6.0	4.4- 7.6	16	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3672	285,829	530	16.8	15.0-18.6	1329	36.1	33.9-38.3	1173	30.7	28.5-32.9	465	11.8	10.4-13.2	175	4.7	3.7- 5.7
Native	123	11,049	19	13.9	6.6-21.2	21	13.7	6.3-21.1	41	35.1	22.2-48.0	26	26.8	15.8-37.8	16	10.6	3.3-17.9
Non-Native	3515	271,446	510	17.1	15.1-19.1	1299	37.0	34.6-39.4	1118	30.5	28.3-32.7	431	11.0	9.6-12.4	157	4.4	3.4- 5.4
18-24	149	41,963	31	20.9	13.6-28.2	53	35.8	27.0-44.6	46	32.7	24.5-40.9	17	10.0	4.9-15.1	2	0.7	0.0- 1.7
25-34	304	51,305	62	21.3	15.8-26.8	134	42.6	36.1-49.1	80	26.2	20.3-32.1	21	7.4	3.9-10.9	7	2.5	0.1- 4.9
35-44	322	43,021	77	21.9	16.8-27.0	118	33.9	27.8-40.0	86	27.7	22.0-33.4	28	9.6	5.7-13.5	13	6.9	2.8-11.0
45-54	485	40,294	77	15.0	11.5-18.5	187	38.2	33.1-43.3	143	28.3	23.8-32.8	54	12.0	8.5-15.5	24	6.5	3.8- 9.2
55-64	875	46,756	116	13.2	10.7-15.7	340	36.4	32.7-40.1	294	33.6	29.9-37.3	92	12.7	10.0-15.4	33	4.1	2.5- 5.7
65+	1537	62,490	167	10.6	8.8-12.4	497	30.9	28.2-33.6	524	34.5	31.6-37.4	253	17.3	14.9-19.7	96	6.8	5.2- 8.4
Less Than H.S.	187	20,001	13	7.8	2.3-13.3	42	23.9	15.1-32.7	63	36.1	26.5-45.7	49	20.5	13.8-27.2	20	11.6	5.1-18.1
H.S. or G.E.D.	1025	73,061	113	15.2	11.7-18.7	309	29.6	25.5-33.7	369	34.6	30.3-38.9	162	14.4	11.3-17.5	72	6.3	4.3- 8.3
Some Post-H.S.	1197	113,209	151	14.1	11.2-17.0	434	37.1	33.2-41.0	381	30.8	27.1-34.5	171	13.4	10.9-15.9	60	4.7	3.1- 6.3
College Graduate	1252	78,702	251	24.4	21.1-27.7	542	43.9	40.2-47.6	358	25.7	22.4-29.0	80	4.6	3.2- 6.0	21	1.3	0.5- 2.1
Less than \$15,000	245	23,084	20	15.9	7.7-24.1	39	17.1	9.7-24.5	81	31.4	23.0-39.8	62	19.3	13.0-25.6	43	16.3	9.6-23.0
\$15,000- 24,999	508	38,291	49	10.4	6.7-14.1	138	29.5	23.2-35.8	181	34.4	28.5-40.3	95	16.4	11.9-20.9	45	9.2	5.7-12.7
\$25,000- 34,999	365	25,042	39	13.3	6.8-19.8	111	26.6	19.9-33.3	151	37.9	30.3-45.5	50	19.1	12.8-25.4	14	3.1	0.9- 5.3
\$35,000- 49,999	492	39,690	51	10.1	6.2-14.0	186	39.3	32.8-45.8	170	35.4	29.1-41.7	63	12.0	8.1-15.9	22	3.3	1.5- 5.1
\$50,000- 74,999	551	40,178	90	18.6	13.7-23.5	225	43.5	37.4-49.6	172	26.7	21.8-31.6	55	8.9	6.0-11.8	9	2.3	0.3- 4.3
\$75,000+	1020	84,697	213	24.5	20.8-28.2	463	43.7	39.6-47.8	262	24.9	21.4-28.4	64	4.9	3.3- 6.5	18	2.1	0.9- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	6833	576,723	4407	64.7	63.1-66.3	797	12.5	11.3-13.7	727	10.8	9.8-11.8	505	6.8	6.0- 7.6	397	5.2	4.6- 5.8	
Male	3261	297,615	2235	68.9	66.7-71.1	365	12.5	10.9-14.1	294	8.9	7.7-10.1	202	5.4	4.4- 6.4	165	4.4	3.6- 5.2	
Female	3572	279,109	2172	60.3	57.9-62.7	432	12.5	10.9-14.1	433	12.9	11.3-14.5	303	8.2	7.0- 9.4	232	6.2	5.0- 7.4	
Native	240	24,255	144	58.1	49.7-66.5	25	10.5	5.2-15.8	19	11.6	5.7-17.5	27	9.3	4.8-13.8	25	10.5	5.4-15.6	
Non-Native	6512	544,414	4215	65.0	63.4-66.6	764	12.6	11.4-13.8	696	10.8	9.8-11.8	469	6.6	5.8- 7.4	368	5.0	4.4- 5.6	
18-24	366	89,014	227	64.7	59.2-70.2	73	17.1	13.0-21.2	45	12.3	8.6-16.0	16	4.4	2.0- 6.8	5	1.5	0.0- 3.1	
25-34	692	111,955	492	69.0	64.9-73.1	95	13.9	11.0-16.8	59	9.6	6.9-12.3	31	5.0	3.0- 7.0	15	2.4	0.8- 4.0	
35-44	706	89,149	468	64.2	60.1-68.3	95	13.2	10.3-16.1	73	11.5	8.6-14.4	41	6.4	4.2- 8.6	29	4.8	2.8- 6.8	
45-54	959	82,882	624	63.5	60.0-67.0	114	11.8	9.4-14.2	105	11.0	8.6-13.4	63	7.0	5.0- 9.0	53	6.8	4.8- 8.8	
55-64	1630	94,023	1058	64.1	61.4-66.8	190	10.5	8.9-12.1	158	10.0	8.2-11.8	123	8.4	6.8-10.0	101	7.1	5.5- 8.7	
65+	2480	109,700	1538	62.3	59.9-64.7	230	8.9	7.5-10.3	287	11.0	9.4-12.6	231	9.2	7.8-10.6	194	8.7	7.3-10.1	
Less Than H.S.	364	45,951	206	58.7	52.0-65.4	29	8.2	4.7-11.7	42	11.7	7.4-16.0	43	11.6	7.3-15.9	44	9.9	6.2-13.6	
H.S. or G.E.D.	1910	153,374	1202	65.2	62.3-68.1	205	11.9	9.7-14.1	211	11.1	9.1-13.1	160	6.8	5.4- 8.2	132	5.1	4.1- 6.1	
Some Post-H.S.	2210	226,900	1410	63.4	60.7-66.1	255	12.6	10.6-14.6	236	11.4	9.6-13.2	171	6.9	5.5- 8.3	138	5.8	4.6- 7.0	
College Graduate	2333	149,299	1579	68.0	65.5-70.5	307	14.3	12.3-16.3	237	9.5	7.9-11.1	128	5.0	3.8- 6.2	82	3.2	2.2- 4.2	
Less than \$15,000	399	40,826	168	44.5	37.6-51.4	38	11.8	7.1-16.5	58	15.1	10.0-20.2	64	13.1	8.6-17.6	71	15.5	10.8-20.2	
\$15,000- 24,999	783	66,674	420	55.5	50.6-60.4	81	10.5	7.6-13.4	110	14.9	11.2-18.6	96	10.4	7.7-13.1	76	8.7	6.2-11.2	
\$25,000- 34,999	584	46,369	355	62.4	56.7-68.1	67	11.4	7.9-14.9	76	12.6	8.7-16.5	53	9.2	5.9-12.5	33	4.4	2.4- 6.4	
\$35,000- 49,999	956	76,975	620	66.0	61.9-70.1	96	10.6	7.9-13.3	107	12.3	9.2-15.4	83	7.1	5.1- 9.1	50	4.0	2.6- 5.4	
\$50,000- 74,999	1136	93,692	795	67.0	63.1-70.9	138	15.0	11.9-18.1	98	9.9	7.4-12.4	62	5.1	3.5- 6.7	43	3.0	1.6- 4.4	
\$75,000+	2215	189,087	1545	69.7	67.2-72.2	298	13.7	11.7-15.7	192	8.5	7.1- 9.9	107	4.6	3.6- 5.6	73	3.5	2.5- 4.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3261	297,615	2235	68.9	66.7-71.1	365	12.5	10.9-14.1	294	8.9	7.7-10.1	202	5.4	4.4- 6.4	165	4.4	3.6- 5.2
Native	120	13,255	72	59.9	48.9-70.9	12	10.1	3.0-17.2	10	11.0	3.7-18.3	14	9.2	3.3-15.1	12	9.8	3.3-16.3
Non-Native	3087	278,686	2128	69.3	67.1-71.5	348	12.6	11.0-14.2	280	8.8	7.4-10.2	180	5.1	4.1- 6.1	151	4.1	3.3- 4.9
18-24	219	47,886	143	69.4	62.7-76.1	46	18.9	13.4-24.4	23	9.4	5.1-13.7	6	2.2	0.0- 4.4	1	0.1	0.0- 0.3
25-34	390	61,027	282	70.1	64.8-75.4	57	15.4	11.3-19.5	32	8.6	5.5-11.7	13	4.3	1.8- 6.8	6	1.5	0.0- 3.3
35-44	390	47,076	273	70.7	65.4-76.0	57	14.3	10.2-18.4	31	8.0	4.9-11.1	15	3.7	1.5- 5.9	14	3.2	1.2- 5.2
45-54	475	42,864	332	69.1	64.2-74.0	50	9.8	6.9-12.7	48	9.4	6.5-12.3	23	5.6	3.1- 8.1	22	6.0	3.3- 8.7
55-64	766	47,987	521	67.5	63.6-71.4	73	8.2	6.0-10.4	67	8.6	6.2-11.0	58	8.2	5.8-10.6	47	7.4	5.0- 9.8
65+	1021	50,774	684	66.4	62.9-69.9	82	7.4	5.6- 9.2	93	9.0	6.8-11.2	87	8.7	6.7-10.7	75	8.5	6.3-10.7
Less Than H.S.	197	27,665	119	62.6	54.0-71.2	17	8.5	4.0-13.0	20	9.8	4.5-15.1	22	10.6	5.3-15.9	19	8.5	3.8-13.2
H.S. or G.E.D.	919	82,725	618	69.7	66.0-73.4	101	12.5	9.6-15.4	82	8.6	6.2-11.0	60	4.7	3.1- 6.3	58	4.4	3.0- 5.8
Some Post-H.S.	1046	115,727	728	69.0	65.5-72.5	103	11.9	9.2-14.6	104	9.7	7.5-11.9	60	5.2	3.6- 6.8	51	4.3	2.9- 5.7
College Graduate	1093	70,977	764	70.0	66.5-73.5	144	15.0	12.3-17.7	88	7.5	5.5- 9.5	60	4.6	3.2- 6.0	37	2.9	1.9- 3.9
Less than \$15,000	176	19,345	80	45.7	36.1-55.3	19	15.4	7.8-23.0	26	16.0	8.4-23.6	27	11.3	6.0-16.6	24	11.6	6.1-17.1
\$15,000- 24,999	294	29,630	168	62.0	54.7-69.3	25	9.0	4.7-13.3	39	11.8	7.1-16.5	29	7.8	4.1-11.5	33	9.4	5.7-13.1
\$25,000- 34,999	235	22,791	148	71.4	64.1-78.7	29	11.4	6.3-16.5	33	9.3	5.2-13.4	15	5.4	2.1- 8.7	10	2.6	0.8- 4.4
\$35,000- 49,999	474	37,711	331	71.0	65.7-76.3	42	9.3	5.8-12.8	42	9.1	5.6-12.6	37	6.8	4.3- 9.3	22	3.8	2.0- 5.6
\$50,000- 74,999	590	53,733	437	71.5	66.6-76.4	65	14.3	10.2-18.4	36	7.1	4.2-10.0	26	3.7	1.9- 5.5	26	3.5	1.5- 5.5
\$75,000+	1198	104,492	860	71.1	67.8-74.4	158	14.4	11.9-16.9	92	7.7	5.9- 9.5	53	4.1	2.7- 5.5	35	2.8	1.6- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3572	279,109	2172	60.3	57.9-62.7	432	12.5	10.9-14.1	433	12.9	11.3-14.5	303	8.2	7.0-9.4	232	6.2	5.0-7.4
Native	120	11,000	72	56.0	43.3-68.7	13	10.9	2.9-18.9	9	12.3	2.5-22.1	13	9.4	2.7-16.1	13	11.4	3.0-19.8
Non-Native	3425	265,728	2087	60.5	58.1-62.9	416	12.6	11.0-14.2	416	12.8	11.2-14.4	289	8.2	6.8-9.6	217	6.0	4.8-7.2
18-24	147	41,128	84	59.2	50.4-68.0	27	15.0	9.1-20.9	22	15.6	9.1-22.1	10	7.0	2.5-11.5	4	3.2	0.0-6.5
25-34	302	50,928	210	67.6	61.3-73.9	38	12.2	7.9-16.5	27	10.8	6.5-15.1	18	5.9	2.8-9.0	9	3.5	1.0-6.0
35-44	316	42,073	195	56.9	50.4-63.4	38	11.9	7.8-16.0	42	15.4	10.5-20.3	26	9.3	5.4-13.2	15	6.5	2.8-10.2
45-54	484	40,018	292	57.5	52.4-62.6	64	13.8	10.1-17.5	57	12.6	9.1-16.1	40	8.4	5.5-11.3	31	7.6	4.7-10.5
55-64	864	46,036	537	60.5	56.6-64.4	117	12.8	10.3-15.3	91	11.3	8.8-13.8	65	8.7	6.5-10.9	54	6.8	4.8-8.8
65+	1459	58,926	854	58.7	55.6-61.8	148	10.2	8.4-12.0	194	12.6	10.4-14.8	144	9.6	7.8-11.4	119	8.8	7.0-10.6
Less Than H.S.	167	18,285	87	52.8	42.6-63.0	12	7.8	2.3-13.3	22	14.6	7.5-21.7	21	12.9	5.8-20.0	25	11.9	5.6-18.2
H.S. or G.E.D.	991	70,649	584	59.9	55.4-64.4	104	11.1	8.2-14.0	129	14.0	10.7-17.3	100	9.2	6.8-11.6	74	5.9	4.1-7.7
Some Post-H.S.	1164	111,173	682	57.6	53.5-61.7	152	13.3	10.6-16.0	132	13.2	10.3-16.1	111	8.7	6.5-10.9	87	7.3	5.3-9.3
College Graduate	1240	78,322	815	66.3	62.8-69.8	163	13.6	11.1-16.1	149	11.4	8.9-13.9	68	5.2	3.6-6.8	45	3.5	2.1-4.9
Less than \$15,000	223	21,481	88	43.4	33.6-53.2	19	8.6	3.3-13.9	32	14.3	7.6-21.0	37	14.8	7.7-21.9	47	19.0	11.7-26.3
\$15,000- 24,999	489	37,044	252	50.3	43.6-57.0	56	11.8	7.7-15.9	71	17.4	11.9-22.9	67	12.4	8.3-16.5	43	8.1	4.6-11.6
\$25,000- 34,999	349	23,578	207	53.6	45.6-61.6	38	11.4	6.7-16.1	43	15.9	9.6-22.2	38	12.9	7.2-18.6	23	6.1	2.8-9.4
\$35,000- 49,999	482	39,265	289	61.2	54.9-67.5	54	11.9	7.8-16.0	65	15.3	10.2-20.4	46	7.5	5.0-10.0	28	4.1	2.1-6.1
\$50,000- 74,999	546	39,959	358	61.0	55.1-66.9	73	15.9	11.2-20.6	62	13.8	9.3-18.3	36	6.9	3.8-10.0	17	2.4	1.0-3.8
\$75,000+	1017	84,595	685	67.9	64.2-71.6	140	12.8	10.1-15.5	100	9.4	7.0-11.8	54	5.3	3.5-7.1	38	4.5	2.5-6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	6888	580,892	4889	65.3	63.7-66.9	592	8.9	7.9-9.9	662	11.8	10.6-13.0	509	9.7	8.7-10.7	236	4.3	3.5-5.1	
Male	3273	298,878	2492	70.9	68.7-73.1	222	7.3	6.1-8.5	266	10.5	8.9-12.1	203	8.0	6.6-9.4	90	3.3	2.5-4.1	
Female	3615	282,014	2397	59.3	56.9-61.7	370	10.7	9.3-12.1	396	13.2	11.4-15.0	306	11.5	9.9-13.1	146	5.4	4.2-6.6	
Native	245	24,759	140	53.9	45.5-62.3	17	4.9	2.0-7.8	33	14.4	8.7-20.1	31	13.1	7.4-18.8	24	13.8	7.5-20.1	
Non-Native	6556	547,165	4688	65.7	64.1-67.3	569	9.2	8.2-10.2	623	11.7	10.5-12.9	471	9.6	8.4-10.8	205	3.8	3.2-4.4	
18-24	368	89,779	185	50.7	44.8-56.6	30	7.9	4.8-11.0	70	18.5	14.0-23.0	63	17.4	13.1-21.7	20	5.6	3.1-8.1	
25-34	694	112,188	406	58.7	54.4-63.0	88	11.6	8.9-14.3	98	14.3	11.4-17.2	68	10.1	7.4-12.8	34	5.3	3.3-7.3	
35-44	709	89,744	433	59.4	55.1-63.7	76	10.0	7.5-12.5	81	12.7	9.8-15.6	85	12.9	10.0-15.8	34	5.0	3.0-7.0	
45-54	956	82,554	652	68.3	65.0-71.6	85	8.9	6.7-11.1	101	11.1	8.7-13.5	72	6.7	4.9-8.5	46	4.9	3.3-6.5	
55-64	1639	94,630	1189	72.1	69.6-74.6	149	8.7	7.1-10.3	134	8.0	6.4-9.6	113	7.7	6.1-9.3	54	3.5	2.3-4.7	
65+	2522	111,997	2024	80.2	78.2-82.2	164	6.5	5.3-7.7	178	6.8	5.6-8.0	108	4.4	3.4-5.4	48	2.0	1.2-2.8	
Less Than H.S.	380	47,591	260	63.5	57.0-70.0	19	4.4	2.0-6.8	36	10.2	6.1-14.3	42	15.2	10.1-20.3	23	6.6	3.5-9.7	
H.S. or G.E.D.	1930	155,785	1390	65.4	62.3-68.5	133	7.1	5.5-8.7	172	10.4	8.4-12.4	153	10.7	8.5-12.9	82	6.3	4.5-8.1	
Some Post-H.S.	2216	226,444	1565	64.5	61.8-67.2	197	10.0	8.2-11.8	206	12.1	10.1-14.1	172	9.7	7.9-11.5	76	3.8	2.6-5.0	
College Graduate	2344	149,600	1661	66.7	64.2-69.2	241	10.8	9.2-12.4	248	13.3	11.3-15.3	140	6.8	5.4-8.2	54	2.5	1.7-3.3	
Less than \$15,000	413	42,046	222	47.0	40.1-53.9	32	7.3	4.2-10.4	48	11.6	7.5-15.7	69	19.9	14.0-25.8	42	14.2	9.1-19.3	
\$15,000- 24,999	795	67,838	514	57.1	52.2-62.0	64	8.4	5.9-10.9	84	13.1	9.6-16.6	80	14.1	10.4-17.8	53	7.3	4.8-9.8	
\$25,000- 34,999	593	47,156	424	64.1	58.4-69.8	47	10.0	6.1-13.9	51	10.1	6.6-13.6	50	10.1	6.6-13.6	21	5.6	2.9-8.3	
\$35,000- 49,999	964	77,739	683	64.8	60.3-69.3	83	8.9	6.4-11.4	102	13.4	9.9-16.9	71	10.2	7.1-13.3	25	2.7	1.5-3.9	
\$50,000- 74,999	1141	93,605	833	68.3	64.6-72.0	105	8.9	6.7-11.1	108	11.9	9.2-14.6	72	8.6	6.2-11.0	23	2.3	1.1-3.5	
\$75,000+	2215	188,973	1619	69.4	66.9-71.9	210	10.0	8.2-11.8	212	12.0	10.0-14.0	128	6.6	5.2-8.0	46	2.0	1.2-2.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3273	298,878	2492	70.9	68.7-73.1	222	7.3	6.1- 8.5	266	10.5	8.9-12.1	203	8.0	6.6- 9.4	90	3.3	2.5- 4.1
Native	124	13,738	79	58.7	47.5-69.9	6	3.1	0.0- 6.2	15	13.6	6.2-21.0	13	12.8	4.6-21.0	11	11.7	3.9-19.5
Non-Native	3094	279,419	2374	71.5	69.3-73.7	212	7.6	6.4- 8.8	248	10.3	8.7-11.9	184	7.7	6.3- 9.1	76	2.9	2.1- 3.7
18-24	220	48,296	129	60.2	52.8-67.6	18	7.2	3.5-10.9	38	16.1	10.8-21.4	26	12.5	7.4-17.6	9	4.0	1.1- 6.9
25-34	391	61,222	244	61.9	56.2-67.6	39	9.5	6.2-12.8	58	15.5	11.2-19.8	36	9.3	5.8-12.8	14	3.8	1.6- 6.0
35-44	390	47,165	264	67.3	62.0-72.6	36	8.8	5.7-11.9	37	9.8	6.5-13.1	40	11.4	7.7-15.1	13	2.7	1.1- 4.3
45-54	476	42,763	365	76.5	72.0-81.0	31	6.3	3.8- 8.8	34	7.6	4.9-10.3	28	5.4	3.0- 7.8	18	4.2	1.8- 6.6
55-64	771	48,178	612	77.7	74.2-81.2	50	6.7	4.5- 8.9	46	6.5	4.3- 8.7	42	5.9	3.9- 7.9	21	3.2	1.6- 4.8
65+	1025	51,254	878	84.0	81.1-86.9	48	4.8	3.2- 6.4	53	5.8	3.8- 7.8	31	3.3	1.7- 4.9	15	2.2	1.0- 3.4
Less Than H.S.	202	28,339	138	64.0	55.2-72.8	11	4.7	1.4- 8.0	23	11.3	5.4-17.2	19	14.9	7.8-22.0	11	5.1	2.0- 8.2
H.S. or G.E.D.	926	83,788	715	71.9	68.0-75.8	52	5.5	3.5- 7.5	69	9.8	7.3-12.3	60	7.8	5.4-10.2	30	4.9	2.7- 7.1
Some Post-H.S.	1041	115,031	788	70.3	66.6-74.0	79	8.7	6.5-10.9	75	10.2	7.7-12.7	69	8.1	5.7-10.5	30	2.7	1.5- 3.9
College Graduate	1097	71,104	844	73.2	69.9-76.5	80	8.2	6.0-10.4	99	11.4	8.9-13.9	55	5.3	3.5- 7.1	19	1.9	0.9- 2.9
Less than \$15,000	179	19,824	104	51.1	41.5-60.7	15	7.4	2.9-11.9	20	11.5	6.0-17.0	24	16.8	8.6-25.0	16	13.3	6.2-20.4
\$15,000- 24,999	298	30,164	204	62.4	55.0-69.8	22	9.7	5.0-14.4	26	10.2	5.5-14.9	31	13.4	7.7-19.1	15	4.2	1.8- 6.6
\$25,000- 34,999	236	22,915	175	68.1	60.1-76.1	18	10.3	4.8-15.8	23	11.2	5.9-16.5	14	7.1	2.8-11.4	6	3.4	0.7- 6.1
\$35,000- 49,999	474	38,066	369	74.4	68.9-79.9	24	4.6	2.4- 6.8	43	12.6	7.9-17.3	24	4.9	2.2- 7.6	14	3.5	1.5- 5.5
\$50,000- 74,999	595	53,904	464	72.0	66.9-77.1	33	6.1	3.6- 8.6	50	11.3	7.6-15.0	35	8.1	5.0-11.2	13	2.5	0.7- 4.3
\$75,000+	1199	104,507	942	74.7	71.4-78.0	88	7.9	5.9- 9.9	89	9.8	7.4-12.2	61	6.0	4.2- 7.8	19	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3615	282,014	2397	59.3	56.9-61.7	370	10.7	9.3-12.1	396	13.2	11.4-15.0	306	11.5	9.9-13.1	146	5.4	4.2- 6.6
Native	121	11,021	61	47.9	35.2-60.6	11	7.2	2.1-12.3	18	15.2	6.4-24.0	18	13.3	5.7-20.9	13	16.4	6.0-26.8
Non-Native	3462	267,745	2314	59.5	57.1-61.9	357	10.9	9.3-12.5	375	13.2	11.4-15.0	287	11.6	9.8-13.4	129	4.8	3.6- 6.0
18-24	148	41,483	56	39.7	30.9-48.5	12	8.6	3.1-14.1	32	21.2	13.9-28.5	37	23.1	15.8-30.4	11	7.4	2.9-11.9
25-34	303	50,966	162	54.8	48.3-61.3	49	14.1	9.8-18.4	40	12.8	8.5-17.1	32	11.0	6.9-15.1	20	7.2	3.7-10.7
35-44	319	42,579	169	50.6	44.1-57.1	40	11.2	7.5-14.9	44	16.0	10.9-21.1	45	14.6	10.1-19.1	21	7.6	3.9-11.3
45-54	480	39,791	287	59.4	54.3-64.5	54	11.8	8.3-15.3	67	14.9	11.2-18.6	44	8.2	5.5-10.9	28	5.7	3.3- 8.1
55-64	868	46,452	577	66.2	62.5-69.9	99	10.8	8.4-13.2	88	9.5	7.1-11.9	71	9.7	7.2-12.2	33	3.8	2.2- 5.4
65+	1497	60,743	1146	77.1	74.6-79.6	116	7.9	6.3- 9.5	125	7.6	6.0- 9.2	77	5.4	4.0- 6.8	33	1.9	1.1- 2.7
Less Than H.S.	178	19,253	122	62.7	52.9-72.5	8	4.0	0.7- 7.3	13	8.6	2.9-14.3	23	15.8	8.4-23.2	12	8.9	2.8-15.0
H.S. or G.E.D.	1004	71,997	675	57.9	53.2-62.6	81	9.0	6.3-11.7	103	11.2	8.3-14.1	93	14.1	10.4-17.8	52	7.8	5.1-10.5
Some Post-H.S.	1175	111,412	777	58.5	54.4-62.6	118	11.2	8.7-13.7	131	14.0	10.9-17.1	103	11.4	8.7-14.1	46	4.9	2.9- 6.9
College Graduate	1247	78,496	817	60.8	57.1-64.5	161	13.0	10.5-15.5	149	15.0	12.1-17.9	85	8.1	6.1-10.1	35	3.0	1.8- 4.2
Less than \$15,000	234	22,222	118	43.4	33.8-53.0	17	7.2	2.7-11.7	28	11.7	5.6-17.8	45	22.7	14.5-30.9	26	14.9	7.6-22.2
\$15,000- 24,999	497	37,674	310	52.7	46.2-59.2	42	7.4	4.7-10.1	58	15.4	10.3-20.5	49	14.6	9.5-19.7	38	9.8	5.7-13.9
\$25,000- 34,999	357	24,242	249	60.4	52.4-68.4	29	9.8	4.1-15.5	28	9.1	4.6-13.6	36	12.9	7.4-18.4	15	7.8	3.1-12.5
\$35,000- 49,999	490	39,673	314	55.5	48.8-62.2	59	13.0	8.7-17.3	59	14.2	9.1-19.3	47	15.3	9.8-20.8	11	1.9	0.5- 3.3
\$50,000- 74,999	546	39,701	369	63.2	57.3-69.1	72	12.5	8.6-16.4	58	12.8	8.5-17.1	37	9.4	5.7-13.1	10	2.0	0.6- 3.4
\$75,000+	1016	84,466	677	62.8	58.7-66.9	122	12.6	9.9-15.3	123	14.7	11.6-17.8	67	7.4	5.2- 9.6	27	2.6	1.4- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3487	312,883	2127	60.5	58.3-62.7	397	12.1	10.5-13.7	410	12.0	10.4-13.6	340	10.4	9.0-11.8	213	4.9	3.9- 5.9
Male	1464	142,435	901	61.3	58.0-64.6	185	14.0	11.6-16.4	159	10.9	8.9-12.9	126	8.8	6.8-10.8	93	5.0	3.8- 6.2
Female	2023	170,448	1226	59.8	56.7-62.9	212	10.6	8.8-12.4	251	12.9	10.7-15.1	214	11.8	9.8-13.8	120	4.9	3.7- 6.1
Native	140	14,080	66	45.2	34.2-56.2	12	5.2	1.9- 8.5	25	23.1	13.3-32.9	16	9.9	4.0-15.8	21	16.6	8.2-25.0
Non-Native	3303	293,934	2032	61.0	58.6-63.4	383	12.6	11.0-14.2	378	11.5	9.9-13.1	319	10.5	8.9-12.1	191	4.4	3.6- 5.2
18-24	243	58,664	149	60.2	53.1-67.3	37	15.1	10.0-20.2	31	12.9	8.0-17.8	24	11.1	6.6-15.6	2	0.8	0.0- 2.0
25-34	377	62,058	242	63.4	57.7-69.1	53	12.8	9.1-16.5	39	11.9	8.0-15.8	34	9.5	6.0-13.0	9	2.4	0.6- 4.2
35-44	389	51,218	239	61.4	55.7-67.1	54	13.6	9.7-17.5	50	11.4	8.1-14.7	28	8.4	4.9-11.9	18	5.2	2.5- 7.9
45-54	486	41,944	299	59.8	54.7-64.9	57	10.6	7.7-13.5	54	11.8	8.5-15.1	49	10.6	7.3-13.9	27	7.2	4.1-10.3
55-64	787	45,522	441	54.0	49.9-58.1	100	11.7	9.2-14.2	97	12.9	10.0-15.8	84	13.2	10.3-16.1	65	8.3	5.9-10.7
65+	1205	53,478	757	62.8	59.5-66.1	96	8.2	6.2-10.2	139	11.3	9.1-13.5	121	10.1	7.9-12.3	92	7.6	5.8- 9.4
Less Than H.S.	219	27,584	121	54.7	46.3-63.1	18	10.7	5.0-16.4	18	7.2	3.7-10.7	35	18.0	11.1-24.9	27	9.3	4.8-13.8
H.S. or G.E.D.	1001	84,894	627	60.7	56.4-65.0	80	9.1	6.6-11.6	104	11.8	8.9-14.7	116	12.7	9.8-15.6	74	5.7	3.9- 7.5
Some Post-H.S.	1129	124,720	687	61.4	57.7-65.1	125	11.6	9.1-14.1	138	13.1	10.4-15.8	116	9.4	7.2-11.6	63	4.4	3.0- 5.8
College Graduate	1129	75,018	686	60.9	57.2-64.6	174	17.1	14.2-20.0	150	12.3	9.8-14.8	72	6.6	4.6- 8.6	47	3.1	1.9- 4.3
Less than \$15,000	304	31,580	130	42.8	34.8-50.8	21	8.0	3.5-12.5	45	15.3	9.6-21.0	57	19.1	13.0-25.2	51	14.7	9.6-19.8
\$15,000- 24,999	481	42,718	277	53.7	47.4-60.0	36	11.0	6.5-15.5	59	14.9	10.0-19.8	69	14.9	10.4-19.4	40	5.5	3.1- 7.9
\$25,000- 34,999	324	27,659	196	62.0	54.6-69.4	27	6.6	3.5- 9.7	38	11.3	6.6-16.0	45	15.8	10.1-21.5	18	4.4	2.0- 6.8
\$35,000- 49,999	502	42,586	314	61.2	55.1-67.3	54	12.6	8.3-16.9	59	13.1	8.8-17.4	45	9.5	5.8-13.2	30	3.5	1.9- 5.1
\$50,000- 74,999	519	47,203	317	62.8	57.3-68.3	73	13.4	9.7-17.1	68	13.2	9.3-17.1	40	8.3	5.0-11.6	21	2.2	1.0- 3.4
\$75,000+	1003	90,636	664	67.2	63.5-70.9	151	15.0	12.1-17.9	107	9.7	7.5-11.9	49	4.9	3.1- 6.7	32	3.1	1.7- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1464	142,435	901	61.3	58.0-64.6	185	14.0	11.6-16.4	159	10.9	8.9-12.9	126	8.8	6.8-10.8	93	5.0	3.8- 6.2
Native	66	7,183	31	46.2	30.9-61.5	3	3.0	0.0- 6.7	13	23.8	9.9-37.7	6	9.4	0.0-18.8	13	17.7	6.7-28.7
Non-Native	1375	132,744	855	62.1	58.8-65.4	181	14.8	12.3-17.3	143	10.1	8.1-12.1	117	8.7	6.7-10.7	79	4.3	3.1- 5.5
18-24	129	26,652	85	62.5	52.9-72.1	23	19.9	11.9-27.9	11	7.4	2.3-12.5	9	9.7	3.2-16.2	1	0.4	0.0- 1.2
25-34	202	32,766	135	65.3	57.7-72.9	23	11.9	6.6-17.2	22	12.4	6.9-17.9	15	7.6	3.3-11.9	7	2.8	0.4- 5.2
35-44	187	22,388	119	62.4	54.4-70.4	30	18.6	11.9-25.3	20	10.6	5.7-15.5	10	5.3	1.4- 9.2	8	3.0	0.6- 5.4
45-54	206	18,656	121	57.9	50.1-65.7	32	13.6	8.5-18.7	22	11.5	6.6-16.4	16	8.1	3.6-12.6	15	8.9	3.6-14.2
55-64	321	20,221	170	51.8	45.3-58.3	38	10.0	6.5-13.5	43	13.8	9.1-18.5	37	14.0	9.1-18.9	33	10.5	6.6-14.4
65+	419	21,752	271	64.6	58.9-70.3	39	9.1	5.6-12.6	41	10.4	6.7-14.1	39	8.7	5.6-11.8	29	7.3	4.2-10.4
Less Than H.S.	112	15,794	65	58.1	46.7-69.5	9	11.0	3.0-19.0	10	7.3	2.6-12.0	17	17.2	8.0-26.4	11	6.5	2.2-10.8
H.S. or G.E.D.	429	39,820	274	63.3	57.2-69.4	39	10.3	6.4-14.2	43	10.5	6.6-14.4	37	9.6	5.7-13.5	36	6.4	3.9- 8.9
Some Post-H.S.	449	54,652	261	59.0	53.3-64.7	61	15.6	11.1-20.1	55	13.1	9.2-17.0	47	7.7	5.2-10.2	25	4.6	2.4- 6.8
College Graduate	473	32,074	301	64.7	59.2-70.2	76	17.3	13.0-21.6	51	9.7	6.6-12.8	25	5.4	2.5- 8.3	20	2.9	1.3- 4.5
Less than \$15,000	128	14,586	49	42.9	31.3-54.5	9	8.0	2.1-13.9	19	15.2	7.4-23.0	25	18.9	9.9-27.9	26	14.9	8.0-21.8
\$15,000- 24,999	168	17,889	95	57.4	47.4-67.4	18	16.6	7.8-25.4	19	9.2	4.3-14.1	20	11.0	4.7-17.3	16	5.8	2.1- 9.5
\$25,000- 34,999	116	10,681	74	63.7	52.3-75.1	12	9.1	2.6-15.6	16	15.5	6.3-24.7	9	7.3	1.8-12.8	5	4.4	0.1- 8.7
\$35,000- 49,999	214	17,490	134	58.6	49.6-67.6	26	15.8	8.4-23.2	22	12.5	6.2-18.8	19	8.8	3.5-14.1	13	4.4	1.9- 6.9
\$50,000- 74,999	240	24,678	152	64.5	56.7-72.3	33	12.8	7.7-17.9	27	12.8	7.1-18.5	19	8.4	3.7-13.1	9	1.5	0.3- 2.7
\$75,000+	481	44,945	320	67.5	62.2-72.8	73	15.6	11.3-19.9	48	8.8	5.9-11.7	23	4.9	2.4- 7.4	17	3.3	1.5- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2023	170,448	1226	59.8	56.7-62.9	212	10.6	8.8-12.4	251	12.9	10.7-15.1	214	11.8	9.8-13.8	120	4.9	3.7- 6.1
Native	74	6,896	35	44.2	28.3-60.1	9	7.6	2.1-13.1	12	22.3	8.2-36.4	10	10.4	3.1-17.7	8	15.5	3.0-28.0
Non-Native	1928	161,190	1177	60.2	57.1-63.3	202	10.8	8.8-12.8	235	12.6	10.4-14.8	202	11.9	9.7-14.1	112	4.5	3.3- 5.7
18-24	114	32,011	64	58.2	48.2-68.2	14	11.1	5.0-17.2	20	17.4	9.8-25.0	15	12.2	5.9-18.5	1	1.1	0.0- 3.3
25-34	175	29,293	107	61.3	52.9-69.7	30	13.8	8.3-19.3	17	11.4	5.7-17.1	19	11.7	6.0-17.4	2	1.9	0.0- 4.4
35-44	202	28,830	120	60.6	52.8-68.4	24	9.8	5.5-14.1	30	12.0	7.3-16.7	18	10.9	5.6-16.2	10	6.8	2.3-11.3
45-54	280	23,287	178	61.3	54.6-68.0	25	8.2	4.7-11.7	32	12.1	7.6-16.6	33	12.6	7.9-17.3	12	5.8	2.3- 9.3
55-64	466	25,301	271	55.8	50.5-61.1	62	13.1	9.6-16.6	54	12.2	8.7-15.7	47	12.5	8.8-16.2	32	6.5	4.0- 9.0
65+	786	31,725	486	61.5	57.4-65.6	57	7.5	5.3- 9.7	98	12.0	9.3-14.7	82	11.1	8.4-13.8	63	7.9	5.7-10.1
Less Than H.S.	107	11,790	56	50.2	37.5-62.9	9	10.3	2.7-17.9	8	7.1	1.4-12.8	18	19.2	9.0-29.4	16	13.1	4.9-21.3
H.S. or G.E.D.	572	45,073	353	58.5	52.6-64.4	41	8.0	4.7-11.3	61	13.0	8.9-17.1	79	15.5	11.0-20.0	38	5.1	2.7- 7.5
Some Post-H.S.	680	70,068	426	63.3	58.2-68.4	64	8.5	5.8-11.2	83	13.2	9.5-16.9	69	10.7	7.6-13.8	38	4.3	2.5- 6.1
College Graduate	656	42,944	385	58.0	52.9-63.1	98	16.9	12.8-21.0	99	14.3	10.6-18.0	47	7.5	4.8-10.2	27	3.3	1.5- 5.1
Less than \$15,000	176	16,994	81	42.7	31.7-53.7	12	8.0	1.3-14.7	26	15.4	7.4-23.4	32	19.3	10.9-27.7	25	14.5	6.9-22.1
\$15,000- 24,999	313	24,829	182	51.0	43.0-59.0	18	6.9	2.8-11.0	40	19.0	11.6-26.4	49	17.7	11.4-24.0	24	5.4	2.5- 8.3
\$25,000- 34,999	208	16,978	122	60.9	51.3-70.5	15	4.9	1.6- 8.2	22	8.6	3.7-13.5	36	21.1	12.7-29.5	13	4.4	1.7- 7.1
\$35,000- 49,999	288	25,096	180	63.0	55.0-71.0	28	10.5	5.6-15.4	37	13.5	7.8-19.2	26	10.1	4.8-15.4	17	2.9	0.9- 4.9
\$50,000- 74,999	279	22,526	165	60.9	53.1-68.7	40	14.1	8.8-19.4	41	13.7	8.4-19.0	21	8.3	3.6-13.0	12	3.0	0.8- 5.2
\$75,000+	522	45,691	344	67.0	61.7-72.3	78	14.4	10.5-18.3	59	10.6	7.5-13.7	26	5.0	2.8- 7.2	15	3.0	1.0- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10	MALES AND FEMALES	26
11	MALES ONLY	27
12	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6966	585,049	6576	91.4	90.4-92.4	390	8.6	7.6- 9.6
Male	3299	299,815	3075	90.4	88.8-92.0	224	9.6	8.0-11.2
Female	3667	285,235	3501	92.5	91.1-93.9	166	7.5	6.1- 8.9
Native	246	24,741	224	86.7	80.2-93.2	22	13.3	6.8-19.8
Non-Native	6632	551,304	6273	91.9	90.9-92.9	359	8.1	7.1- 9.1
18-24	366	88,831	312	84.0	79.5-88.5	54	16.0	11.5-20.5
25-34	695	112,668	624	88.1	85.2-91.0	71	11.9	9.0-14.8
35-44	713	90,378	669	92.5	90.1-94.9	44	7.5	5.1- 9.9
45-54	964	83,587	897	92.0	89.8-94.2	67	8.0	5.8-10.2
55-64	1650	94,848	1540	92.8	91.2-94.4	110	7.2	5.6- 8.8
65+	2578	114,738	2534	98.0	97.2-98.8	44	2.0	1.2- 2.8
Less Than H.S.	395	48,859	350	82.8	77.1-88.5	45	17.2	11.5-22.9
H.S. or G.E.D.	1960	156,531	1810	88.9	86.7-91.1	150	11.1	8.9-13.3
Some Post-H.S.	2244	228,620	2111	91.3	89.5-93.1	133	8.7	6.9-10.5
College Graduate	2348	149,506	2288	97.1	96.1-98.1	60	2.9	1.9- 3.9
Less than \$15,000	425	42,688	378	85.5	80.4-90.6	47	14.5	9.4-19.6
\$15,000- 24,999	809	68,710	730	83.8	79.7-87.9	79	16.2	12.1-20.3
\$25,000- 34,999	603	48,184	554	88.8	84.7-92.9	49	11.2	7.1-15.3
\$35,000- 49,999	973	77,861	916	89.7	86.6-92.8	57	10.3	7.2-13.4
\$50,000- 74,999	1152	94,308	1106	94.1	92.1-96.1	46	5.9	3.9- 7.9
\$75,000+	2222	189,478	2160	96.3	94.9-97.7	62	3.7	2.3- 5.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3299	299,815	3075	90.4	88.8-92.0	224	9.6	8.0-11.2
Native	123	13,692	108	81.6	71.6-91.6	15	18.4	8.4-28.4
Non-Native	3122	280,453	2918	91.0	89.4-92.6	204	9.0	7.4-10.6
18-24	218	47,185	185	83.2	76.9-89.5	33	16.8	10.5-23.1
25-34	392	61,453	348	87.4	83.5-91.3	44	12.6	8.7-16.5
35-44	391	47,357	362	90.5	87.0-94.0	29	9.5	6.0-13.0
45-54	477	43,066	439	91.6	88.5-94.7	38	8.4	5.3-11.5
55-64	778	48,410	717	92.5	90.3-94.7	61	7.5	5.3- 9.7
65+	1043	52,344	1024	97.6	96.4-98.8	19	2.4	1.2- 3.6
Less Than H.S.	209	28,874	180	79.5	71.1-87.9	29	20.5	12.1-28.9
H.S. or G.E.D.	934	83,734	840	87.8	84.9-90.7	94	12.2	9.3-15.1
Some Post-H.S.	1049	115,657	979	91.1	88.7-93.5	70	8.9	6.5-11.3
College Graduate	1099	70,873	1069	97.1	95.7-98.5	30	2.9	1.5- 4.3
Less than \$15,000	180	19,610	154	81.2	73.2-89.2	26	18.8	10.8-26.8
\$15,000- 24,999	300	30,381	263	81.6	75.1-88.1	37	18.4	11.9-24.9
\$25,000- 34,999	239	23,217	210	84.1	76.8-91.4	29	15.9	8.6-23.2
\$35,000- 49,999	480	38,024	444	89.7	85.8-93.6	36	10.3	6.4-14.2
\$50,000- 74,999	600	53,989	571	93.5	90.8-96.2	29	6.5	3.8- 9.2
\$75,000+	1203	104,802	1162	94.9	92.7-97.1	41	5.1	2.9- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3667	285,235	3501	92.5	91.1-93.9	166	7.5	6.1- 8.9
Native	123	11,049	116	93.0	86.5-99.5	7	7.0	0.5-13.5
Non-Native	3510	270,851	3355	92.8	91.4-94.2	155	7.2	5.8- 8.6
18-24	148	41,646	127	84.9	78.4-91.4	21	15.1	8.6-21.6
25-34	303	51,215	276	88.9	84.4-93.4	27	11.1	6.6-15.6
35-44	322	43,021	307	94.7	91.8-97.6	15	5.3	2.4- 8.2
45-54	487	40,521	458	92.5	89.4-95.6	29	7.5	4.4-10.6
55-64	872	46,438	823	93.1	90.9-95.3	49	6.9	4.7- 9.1
65+	1535	62,394	1510	98.3	97.5-99.1	25	1.7	0.9- 2.5
Less Than H.S.	186	19,985	170	87.6	80.7-94.5	16	12.4	5.5-19.3
H.S. or G.E.D.	1026	72,796	970	90.2	86.9-93.5	56	9.8	6.5-13.1
Some Post-H.S.	1195	112,963	1132	91.6	89.1-94.1	63	8.4	5.9-10.9
College Graduate	1249	78,633	1219	97.2	96.0-98.4	30	2.8	1.6- 4.0
Less than \$15,000	245	23,078	224	89.2	83.1-95.3	21	10.8	4.7-16.9
\$15,000- 24,999	509	38,329	467	85.6	80.3-90.9	42	14.4	9.1-19.7
\$25,000- 34,999	364	24,967	344	93.3	89.4-97.2	20	6.7	2.8-10.6
\$35,000- 49,999	493	39,838	472	89.7	84.8-94.6	21	10.3	5.4-15.2
\$50,000- 74,999	552	40,319	535	95.0	92.1-97.9	17	5.0	2.1- 7.9
\$75,000+	1019	84,676	998	97.9	96.7-99.1	21	2.1	0.9- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6949	585,501	4907	62.3	60.7-63.9	646	8.6	7.8- 9.4	1396	29.0	27.4-30.6
Male	3291	300,616	2055	53.8	51.4-56.2	322	8.8	7.6-10.0	914	37.4	35.0-39.8
Female	3658	284,885	2852	71.3	68.9-73.7	324	8.5	7.3- 9.7	482	20.2	18.0-22.4
Native	245	24,656	106	37.3	29.5-45.1	40	13.9	8.8-19.0	99	48.7	40.3-57.1
Non-Native	6618	552,030	4745	63.5	61.9-65.1	599	8.4	7.4- 9.4	1274	28.1	26.5-29.7
18-24	370	90,511	150	43.9	38.0-49.8	35	8.7	5.6-11.8	185	47.4	41.5-53.3
25-34	695	112,457	334	46.1	41.8-50.4	54	7.2	5.0- 9.4	307	46.7	42.4-51.0
35-44	713	90,333	433	61.6	57.5-65.7	64	8.8	6.4-11.2	216	29.6	25.7-33.5
45-54	961	83,393	652	65.8	62.3-69.3	87	8.8	6.8-10.8	222	25.4	22.1-28.7
55-64	1646	94,679	1236	74.7	72.2-77.2	150	8.4	6.8-10.0	260	16.9	14.7-19.1
65+	2564	114,128	2102	80.7	78.7-82.7	256	10.0	8.6-11.4	206	9.3	7.9-10.7
Less Than H.S.	393	48,851	264	59.2	52.3-66.1	44	10.5	6.6-14.4	85	30.3	23.6-37.0
H.S. or G.E.D.	1950	156,665	1321	57.5	54.4-60.6	193	8.8	7.0-10.6	436	33.6	30.5-36.7
Some Post-H.S.	2238	228,792	1566	62.9	60.2-65.6	212	8.3	6.9- 9.7	460	28.9	26.2-31.6
College Graduate	2351	149,880	1744	67.6	65.1-70.1	194	8.2	6.8- 9.6	413	24.1	21.7-26.5
Less than \$15,000	425	42,984	275	54.0	47.1-60.9	54	10.3	6.2-14.4	96	35.7	29.0-42.4
\$15,000- 24,999	803	68,449	572	63.4	58.5-68.3	77	8.4	5.7-11.1	154	28.1	23.4-32.8
\$25,000- 34,999	600	47,874	423	59.7	53.6-65.8	65	11.5	7.6-15.4	112	28.8	22.9-34.7
\$35,000- 49,999	972	77,873	705	62.2	57.7-66.7	89	8.2	5.8-10.6	178	29.6	25.3-33.9
\$50,000- 74,999	1150	94,534	809	62.5	58.6-66.4	105	8.9	6.7-11.1	236	28.6	24.9-32.3
\$75,000+	2219	189,370	1607	66.0	63.3-68.7	174	7.3	5.9- 8.7	438	26.7	24.0-29.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3291	300,616	2055	53.8	51.4-56.2	322	8.8	7.6-10.0	914	37.4	35.0-39.8
Native	122	13,607	43	29.3	19.3-39.3	19	13.5	6.6-20.4	60	57.1	46.1-68.1
Non-Native	3114	281,275	1977	54.9	52.5-57.3	299	8.6	7.4- 9.8	838	36.4	34.0-38.8
18-24	222	48,574	71	36.6	29.2-44.0	21	9.4	4.9-13.9	130	54.0	46.4-61.6
25-34	392	61,424	142	35.1	29.6-40.6	24	5.7	3.2- 8.2	226	59.2	53.5-64.9
35-44	392	47,490	198	50.5	44.8-56.2	33	7.6	4.7-10.5	161	41.9	36.2-47.6
45-54	476	42,956	288	57.7	52.4-63.0	44	8.9	6.0-11.8	144	33.4	28.3-38.5
55-64	773	48,070	541	69.7	65.8-73.6	83	10.1	7.6-12.6	149	20.1	16.6-23.6
65+	1036	52,101	815	77.1	74.0-80.2	117	11.4	9.0-13.8	104	11.4	9.0-13.8
Less Than H.S.	208	28,962	127	53.7	44.7-62.7	21	9.4	4.5-14.3	60	36.9	27.7-46.1
H.S. or G.E.D.	928	83,892	537	48.9	44.8-53.0	99	9.2	6.8-11.6	292	41.9	37.6-46.2
Some Post-H.S.	1047	115,855	640	54.3	50.4-58.2	104	8.3	6.3-10.3	303	37.4	33.5-41.3
College Graduate	1101	71,273	747	58.9	55.2-62.6	96	8.6	6.4-10.8	258	32.6	28.9-36.3
Less than \$15,000	182	19,974	98	42.3	33.1-51.5	25	13.3	6.0-20.6	59	44.5	34.9-54.1
\$15,000- 24,999	298	30,373	166	51.4	44.0-58.8	38	10.3	6.2-14.4	94	38.4	31.0-45.8
\$25,000- 34,999	236	23,105	134	49.5	40.9-58.1	32	13.0	7.1-18.9	70	37.5	28.9-46.1
\$35,000- 49,999	479	38,061	320	55.2	49.1-61.3	44	8.1	5.0-11.2	115	36.7	30.6-42.8
\$50,000- 74,999	598	54,215	369	52.8	47.5-58.1	61	8.9	6.2-11.6	168	38.2	32.9-43.5
\$75,000+	1202	104,874	804	58.9	55.2-62.6	97	7.0	5.2- 8.8	301	34.1	30.4-37.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3658	284,885	2852	71.3	68.9-73.7	324	8.5	7.3- 9.7	482	20.2	18.0-22.4
Native	123	11,049	63	47.2	34.9-59.5	21	14.4	7.0-21.8	39	38.4	25.3-51.5
Non-Native	3504	270,755	2768	72.4	70.0-74.8	300	8.3	6.9- 9.7	436	19.3	17.1-21.5
18-24	148	41,937	79	52.4	43.4-61.4	14	7.9	3.4-12.4	55	39.7	30.9-48.5
25-34	303	51,032	192	59.4	52.7-66.1	30	9.0	5.3-12.7	81	31.6	25.1-38.1
35-44	321	42,843	235	74.0	68.5-79.5	31	10.1	6.2-14.0	55	15.9	11.4-20.4
45-54	485	40,437	364	74.4	69.9-78.9	43	8.6	5.9-11.3	78	17.0	13.1-20.9
55-64	873	46,610	695	79.9	76.8-83.0	67	6.5	4.7- 8.3	111	13.5	10.8-16.2
65+	1528	62,027	1287	83.7	81.3-86.1	139	8.7	6.9-10.5	102	7.6	5.8- 9.4
Less Than H.S.	185	19,890	137	67.3	57.5-77.1	23	12.0	5.7-18.3	25	20.7	11.7-29.7
H.S. or G.E.D.	1022	72,773	784	67.5	62.8-72.2	94	8.4	5.9-10.9	144	24.1	19.6-28.6
Some Post-H.S.	1191	112,937	926	71.6	67.7-75.5	108	8.3	6.1-10.5	157	20.1	16.6-23.6
College Graduate	1250	78,607	997	75.5	72.2-78.8	98	7.9	5.9- 9.9	155	16.5	13.4-19.6
Less than \$15,000	243	23,010	177	64.2	54.8-73.6	29	7.8	3.3-12.3	37	28.1	18.9-37.3
\$15,000- 24,999	505	38,076	406	73.0	66.5-79.5	39	7.0	3.5-10.5	60	20.0	13.9-26.1
\$25,000- 34,999	364	24,769	289	69.2	60.8-77.6	33	10.1	5.2-15.0	42	20.7	12.7-28.7
\$35,000- 49,999	493	39,812	385	68.8	62.5-75.1	45	8.2	4.9-11.5	63	22.9	16.8-29.0
\$50,000- 74,999	552	40,319	440	75.5	70.0-81.0	44	8.9	5.4-12.4	68	15.6	10.9-20.3
\$75,000+	1017	84,497	803	74.9	71.2-78.6	77	7.6	5.4- 9.8	137	17.5	14.0-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6967	586,002	397	8.0	7.0- 9.0	6570	92.0	91.0-93.0
Male	3303	301,221	176	7.0	5.8- 8.2	3127	93.0	91.8-94.2
Female	3664	284,781	221	9.0	7.4-10.6	3443	91.0	89.4-92.6
Native	245	24,655	38	19.6	12.5-26.7	207	80.4	73.3-87.5
Non-Native	6636	552,552	347	7.3	6.3- 8.3	6289	92.7	91.7-93.7
18-24	371	90,441	30	8.6	5.3-11.9	341	91.4	88.1-94.7
25-34	697	112,775	65	11.5	8.6-14.4	632	88.5	85.6-91.4
35-44	711	89,931	64	10.1	7.4-12.8	647	89.9	87.2-92.6
45-54	959	82,908	77	10.2	7.8-12.6	882	89.8	87.4-92.2
55-64	1651	95,138	98	6.1	4.7- 7.5	1553	93.9	92.5-95.3
65+	2578	114,810	63	2.3	1.5- 3.1	2515	97.7	96.9-98.5
Less Than H.S.	393	48,621	35	11.8	7.5-16.1	358	88.2	83.9-92.5
H.S. or G.E.D.	1959	156,735	138	10.2	8.0-12.4	1821	89.8	87.6-92.0
Some Post-H.S.	2245	229,447	136	8.2	6.4-10.0	2109	91.8	90.0-93.6
College Graduate	2352	149,845	86	4.0	3.0- 5.0	2266	96.0	95.0-97.0
Less than \$15,000	422	42,405	62	18.3	12.8-23.8	360	81.7	76.2-87.2
\$15,000- 24,999	808	68,806	94	16.4	12.5-20.3	714	83.6	79.7-87.5
\$25,000- 34,999	602	48,082	54	13.1	9.0-17.2	548	86.9	82.8-91.0
\$35,000- 49,999	975	78,040	54	7.9	5.2-10.6	921	92.1	89.4-94.8
\$50,000- 74,999	1152	94,723	42	5.6	3.4- 7.8	1110	94.4	92.2-96.6
\$75,000+	2221	189,412	53	2.8	1.8- 3.8	2168	97.2	96.2-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3303	301,221	176	7.0	5.8- 8.2	3127	93.0	91.8-94.2
Native	123	13,710	19	20.0	10.4-29.6	104	80.0	70.4-89.6
Non-Native	3124	281,731	149	6.1	4.9- 7.3	2975	93.9	92.7-95.1
18-24	222	48,478	11	5.0	1.7- 8.3	211	95.0	91.7-98.3
25-34	393	61,470	32	10.3	6.4-14.2	361	89.7	85.8-93.6
35-44	391	47,354	31	8.5	5.2-11.8	360	91.5	88.2-94.8
45-54	476	42,863	36	9.9	6.6-13.2	440	90.1	86.8-93.4
55-64	777	48,531	44	6.0	4.0- 8.0	733	94.0	92.0-96.0
65+	1044	52,525	22	2.4	1.2- 3.6	1022	97.6	96.4-98.8
Less Than H.S.	210	29,170	22	13.3	7.2-19.4	188	86.7	80.6-92.8
H.S. or G.E.D.	932	83,760	58	8.0	5.6-10.4	874	92.0	89.6-94.4
Some Post-H.S.	1053	116,472	53	6.7	4.5- 8.9	1000	93.3	91.1-95.5
College Graduate	1100	71,143	41	3.9	2.5- 5.3	1059	96.1	94.7-97.5
Less than \$15,000	179	19,680	23	13.8	6.9-20.7	156	86.2	79.3-93.1
\$15,000- 24,999	301	30,526	33	14.8	9.1-20.5	268	85.2	79.5-90.9
\$25,000- 34,999	239	23,217	21	11.3	5.8-16.8	218	88.7	83.2-94.2
\$35,000- 49,999	481	38,191	31	8.8	5.3-12.3	450	91.2	87.7-94.7
\$50,000- 74,999	600	54,403	20	5.3	2.4- 8.2	580	94.7	91.8-97.6
\$75,000+	1201	104,715	29	2.8	1.4- 4.2	1172	97.2	95.8-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3664	284,781	221	9.0	7.4-10.6	3443	91.0	89.4-92.6
Native	122	10,945	19	19.2	9.0-29.4	103	80.8	70.6-91.0
Non-Native	3512	270,821	198	8.6	7.0-10.2	3314	91.4	89.8-93.0
18-24	149	41,963	19	12.7	6.6-18.8	130	87.3	81.2-93.4
25-34	304	51,305	33	13.0	8.5-17.5	271	87.0	82.5-91.5
35-44	320	42,577	33	11.9	7.4-16.4	287	88.1	83.6-92.6
45-54	483	40,045	41	10.5	7.2-13.8	442	89.5	86.2-92.8
55-64	874	46,606	54	6.2	4.2- 8.2	820	93.8	91.8-95.8
65+	1534	62,285	41	2.3	1.5- 3.1	1493	97.7	96.9-98.5
Less Than H.S.	183	19,450	13	9.4	3.5-15.3	170	90.6	84.7-96.5
H.S. or G.E.D.	1027	72,975	80	12.8	9.3-16.3	947	87.2	83.7-90.7
Some Post-H.S.	1192	112,975	83	9.8	7.3-12.3	1109	90.2	87.7-92.7
College Graduate	1252	78,702	45	4.2	2.6- 5.8	1207	95.8	94.2-97.4
Less than \$15,000	243	22,725	39	22.3	14.3-30.3	204	77.7	69.7-85.7
\$15,000- 24,999	507	38,280	61	17.7	12.4-23.0	446	82.3	77.0-87.6
\$25,000- 34,999	363	24,864	33	14.8	8.7-20.9	330	85.2	79.1-91.3
\$35,000- 49,999	494	39,849	23	7.0	2.9-11.1	471	93.0	88.9-97.1
\$50,000- 74,999	552	40,319	22	6.1	2.8- 9.4	530	93.9	90.6-97.2
\$75,000+	1020	84,697	24	2.7	1.5- 3.9	996	97.3	96.1-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6928	582,721	4735	61.4	59.8-63.0	910	14.8	13.6-16.0	626	11.7	10.5-12.9	565	10.0	9.0-11.0	92	2.2	1.6- 2.8
Male	3278	298,545	2102	56.4	54.0-58.8	401	14.1	12.5-15.7	364	14.1	12.3-15.9	357	12.8	11.2-14.4	54	2.5	1.7- 3.3
Female	3650	284,176	2633	66.6	64.2-69.0	509	15.5	13.7-17.3	262	9.1	7.5-10.7	208	7.0	5.8- 8.2	38	1.8	1.0- 2.6
Native	244	24,635	141	51.4	43.0-59.8	38	17.6	10.9-24.3	35	14.8	8.9-20.7	23	11.6	5.7-17.5	7	4.6	0.0- 9.5
Non-Native	6602	549,909	4534	61.7	60.1-63.3	858	14.6	13.4-15.8	587	11.7	10.5-12.9	540	10.0	9.0-11.0	83	2.0	1.4- 2.6
18-24	367	89,473	185	51.9	46.0-57.8	53	13.7	9.8-17.6	76	20.0	15.3-24.7	41	10.3	6.8-13.8	12	4.0	1.6- 6.4
25-34	691	111,596	324	46.3	42.0-50.6	126	19.3	15.8-22.8	113	16.0	12.9-19.1	105	15.2	12.1-18.3	23	3.2	1.6- 4.8
35-44	709	89,994	389	54.7	50.4-59.0	117	18.1	14.8-21.4	95	12.6	9.9-15.3	87	11.5	8.8-14.2	21	3.1	1.5- 4.7
45-54	957	82,873	591	62.1	58.6-65.6	144	15.1	12.6-17.6	100	9.5	7.3-11.7	111	11.9	9.5-14.3	11	1.4	0.4- 2.4
55-64	1647	95,015	1124	67.7	65.0-70.4	216	13.0	11.0-15.0	154	9.8	8.0-11.6	140	8.5	6.9-10.1	13	0.9	0.3- 1.5
65+	2557	113,770	2122	83.1	81.3-84.9	254	9.8	8.4-11.2	88	3.4	2.6- 4.2	81	3.2	2.4- 4.0	12	0.5	0.1- 0.9
Less Than H.S.	391	48,207	267	59.6	52.7-66.5	52	15.3	10.4-20.2	24	7.8	4.1-11.5	40	13.6	8.3-18.9	8	3.7	0.6- 6.8
H.S. or G.E.D.	1943	155,856	1348	62.1	59.0-65.2	230	12.7	10.7-14.7	166	11.2	9.0-13.4	173	11.9	9.7-14.1	26	2.1	1.1- 3.1
Some Post-H.S.	2235	227,850	1519	61.0	58.3-63.7	314	15.8	13.6-18.0	195	12.1	9.9-14.3	172	8.6	7.0-10.2	35	2.5	1.5- 3.5
College Graduate	2341	149,454	1587	61.7	59.2-64.2	313	15.5	13.5-17.5	239	12.7	10.7-14.7	179	8.9	7.3-10.5	23	1.2	0.6- 1.8
Less than \$15,000	424	42,760	282	55.8	48.9-62.7	60	16.4	11.3-21.5	38	15.0	9.5-20.5	35	9.0	5.3-12.7	9	3.8	0.5- 7.1
\$15,000- 24,999	801	68,117	559	61.8	56.9-66.7	101	14.4	10.9-17.9	60	10.2	6.7-13.7	75	13.0	9.5-16.5	6	0.7	0.1- 1.3
\$25,000- 34,999	599	48,038	414	59.2	53.3-65.1	75	16.9	12.2-21.6	45	8.9	5.4-12.4	56	11.1	7.2-15.0	9	3.8	0.9- 6.7
\$35,000- 49,999	972	78,063	682	62.2	57.9-66.5	111	12.3	9.4-15.2	90	13.4	10.1-16.7	77	9.3	6.8-11.8	12	2.8	1.0- 4.6
\$50,000- 74,999	1144	93,912	758	61.7	57.8-65.6	157	13.0	10.5-15.5	117	12.6	9.9-15.3	94	10.5	8.0-13.0	18	2.1	0.9- 3.3
\$75,000+	2212	188,847	1504	62.1	59.4-64.8	302	15.8	13.8-17.8	210	11.4	9.6-13.2	171	9.2	7.6-10.8	25	1.6	0.8- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3278	298,545	2102	56.4	54.0-58.8	401	14.1	12.5-15.7	364	14.1	12.3-15.9	357	12.8	11.2-14.4	54	2.5	1.7- 3.3
Native	122	13,617	66	47.8	36.4-59.2	16	15.8	7.4-24.2	22	19.3	10.1-28.5	14	13.4	5.0-21.8	4	3.7	0.0- 7.4
Non-Native	3106	279,850	2000	56.6	54.2-59.0	375	13.9	12.3-15.5	341	14.1	12.3-15.9	342	13.0	11.4-14.6	48	2.4	1.6- 3.2
18-24	218	47,510	98	47.7	40.1-55.3	30	12.8	8.1-17.5	55	22.9	16.6-29.2	28	12.5	7.4-17.6	7	4.0	0.7- 7.3
25-34	389	60,538	154	37.7	32.2-43.2	61	16.8	12.5-21.1	79	20.8	16.1-25.5	81	21.2	16.3-26.1	14	3.5	1.5- 5.5
35-44	390	47,380	194	47.4	41.7-53.1	66	20.3	15.4-25.2	60	15.2	11.3-19.1	56	13.4	9.7-17.1	14	3.7	1.3- 6.1
45-54	472	42,634	272	58.6	53.5-63.7	66	13.9	10.2-17.6	54	10.5	7.4-13.6	72	14.6	11.1-18.1	8	2.3	0.5- 4.1
55-64	775	48,458	522	65.8	61.7-69.9	94	12.5	9.8-15.2	75	10.7	8.0-13.4	77	9.9	7.4-12.4	7	1.1	0.1- 2.1
65+	1034	52,025	862	83.5	80.8-86.2	84	8.3	6.3-10.3	41	3.6	2.4- 4.8	43	4.2	2.8- 5.6	4	0.4	0.0- 0.8
Less Than H.S.	207	28,690	135	56.8	47.8-65.8	24	13.9	7.8-20.0	16	9.5	4.2-14.8	28	17.1	9.5-24.7	4	2.7	0.0- 5.4
H.S. or G.E.D.	924	83,162	601	58.5	54.4-62.6	106	12.4	9.7-15.1	98	13.1	10.2-16.0	102	13.6	10.5-16.7	17	2.5	1.1- 3.9
Some Post-H.S.	1043	115,043	664	55.4	51.5-59.3	132	15.1	12.2-18.0	114	15.0	11.9-18.1	110	11.0	8.6-13.4	23	3.5	1.7- 5.3
College Graduate	1096	70,975	696	55.1	51.4-58.8	138	14.8	12.1-17.5	135	15.8	12.9-18.7	117	13.4	10.7-16.1	10	0.9	0.3- 1.5
Less than \$15,000	180	19,713	114	51.4	41.8-61.0	23	15.5	8.4-22.6	20	17.6	9.2-26.0	20	12.0	5.7-18.3	3	3.5	0.0- 9.0
\$15,000- 24,999	298	30,285	186	54.4	46.8-62.0	43	17.1	11.2-23.0	26	10.2	5.3-15.1	41	17.4	11.1-23.7	2	1.0	0.0- 2.4
\$25,000- 34,999	235	23,078	146	51.5	42.7-60.3	21	16.1	9.0-23.2	31	13.0	7.5-18.5	31	13.9	7.4-20.4	6	5.5	0.8-10.2
\$35,000- 49,999	480	38,308	327	58.2	52.1-64.3	40	8.9	5.4-12.4	51	14.9	10.2-19.6	54	14.1	9.6-18.6	8	3.9	1.2- 6.6
\$50,000- 74,999	596	53,792	369	55.3	50.0-60.6	80	13.7	10.2-17.2	74	16.0	11.9-20.1	66	13.5	9.8-17.2	7	1.5	0.1- 2.9
\$75,000+	1196	104,373	785	58.7	55.0-62.4	151	14.3	11.8-16.8	131	13.7	11.0-16.4	110	11.2	8.7-13.7	19	2.1	1.1- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3650	284,176	2633	66.6	64.2-69.0	509	15.5	13.7-17.3	262	9.1	7.5-10.7	208	7.0	5.8- 8.2	38	1.8	1.0- 2.6
Native	122	11,018	75	55.8	42.9-68.7	22	19.7	9.3-30.1	13	9.3	2.8-15.8	9	9.4	1.6-17.2	3	5.8	0.0-15.6
Non-Native	3496	270,059	2534	67.0	64.6-69.4	483	15.3	13.5-17.1	246	9.1	7.5-10.7	198	7.0	5.8- 8.2	35	1.6	0.8- 2.4
18-24	149	41,963	87	56.6	47.8-65.4	23	14.8	8.5-21.1	21	16.8	9.7-23.9	13	7.8	3.5-12.1	5	4.0	0.5- 7.5
25-34	302	51,058	170	56.4	49.7-63.1	65	22.3	16.8-27.8	34	10.2	6.3-14.1	24	8.2	4.5-11.9	9	2.9	0.4- 5.4
35-44	319	42,615	195	62.9	56.8-69.0	51	15.7	11.0-20.4	35	9.6	6.1-13.1	31	9.4	5.7-13.1	7	2.4	0.4- 4.4
45-54	485	40,238	319	65.7	60.8-70.6	78	16.4	12.5-20.3	46	8.4	5.7-11.1	39	9.0	6.1-11.9	3	0.4	0.0- 1.0
55-64	872	46,557	602	69.7	66.2-73.2	122	13.7	11.0-16.4	79	8.9	6.7-11.1	63	7.1	5.1- 9.1	6	0.6	0.0- 1.2
65+	1523	61,745	1260	82.8	80.4-85.2	170	11.1	9.3-12.9	47	3.2	2.0- 4.4	38	2.3	1.5- 3.1	8	0.6	0.0- 1.2
Less Than H.S.	184	19,517	132	63.8	53.6-74.0	28	17.4	9.4-25.4	8	5.2	0.7- 9.7	12	8.4	2.3-14.5	4	5.2	0.0-11.7
H.S. or G.E.D.	1019	72,694	747	66.2	61.9-70.5	124	13.1	10.2-16.0	68	9.1	6.2-12.0	71	9.9	7.0-12.8	9	1.6	0.2- 3.0
Some Post-H.S.	1192	112,807	855	66.6	62.7-70.5	182	16.4	13.3-19.5	81	9.2	6.5-11.9	62	6.3	4.3- 8.3	12	1.5	0.3- 2.7
College Graduate	1245	78,478	891	67.6	64.1-71.1	175	16.1	13.2-19.0	104	10.0	7.6-12.4	62	4.9	3.3- 6.5	13	1.5	0.5- 2.5
Less than \$15,000	244	23,047	168	59.5	50.1-68.9	37	17.1	9.8-24.4	18	12.9	5.6-20.2	15	6.5	2.2-10.8	6	4.0	0.0- 8.1
\$15,000- 24,999	503	37,833	373	67.8	61.5-74.1	58	12.2	8.3-16.1	34	10.2	5.3-15.1	34	9.4	5.5-13.3	4	0.4	0.0- 0.8
\$25,000- 34,999	364	24,959	268	66.4	58.6-74.2	54	17.7	11.4-24.0	14	5.2	0.7- 9.7	25	8.6	4.3-12.9	3	2.1	0.0- 5.4
\$35,000- 49,999	492	39,754	355	66.1	59.8-72.4	71	15.6	10.9-20.3	39	11.9	7.4-16.4	23	4.7	2.3- 7.1	4	1.7	0.0- 3.9
\$50,000- 74,999	548	40,120	389	70.4	65.1-75.7	77	11.9	8.6-15.2	43	8.2	5.3-11.1	28	6.5	3.4- 9.6	11	3.0	1.0- 5.0
\$75,000+	1016	84,473	719	66.2	62.1-70.3	151	17.5	14.2-20.8	79	8.4	5.9-10.9	61	6.7	4.7- 8.7	6	1.1	0.0- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	33
5	MALES ONLY	34
6	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6977	587,202	2813	29.6	28.2-31.0	40	1.0	0.6- 1.4	4073	68.8	67.4-70.2	51	0.6	0.4- 0.8
Male	3308	301,544	1375	32.0	30.0-34.0				1901	67.2	65.2-69.2	32	0.8	0.4- 1.2
Female	3669	285,658	1438	27.0	25.2-28.8	40	2.0	1.2- 2.8	2172	70.6	68.6-72.6	19	0.5	0.3- 0.7
Native	246	24,497	107	37.7	29.9-45.5	3	0.7	0.0- 1.7	135	61.4	53.6-69.2	1	0.2	0.0- 0.6
Non-Native	6641	553,590	2669	29.2	27.8-30.6	36	1.0	0.6- 1.4	3889	69.2	67.8-70.6	47	0.7	0.5- 0.9
18-24	371	90,486	19	4.6	2.2- 7.0	3	1.4	0.0- 3.0	347	93.6	90.9-96.3	2	0.5	0.0- 1.3
25-34	696	112,585	85	12.3	9.4-15.2	13	2.0	0.6- 3.4	598	85.7	82.6-88.8			
35-44	713	90,418	135	20.6	17.1-24.1	8	1.4	0.2- 2.6	564	77.4	73.7-81.1	6	0.6	0.0- 1.2
45-54	964	83,436	300	31.4	27.9-34.9	3	0.2	0.0- 0.4	655	67.7	64.2-71.2	6	0.7	0.1- 1.3
55-64	1654	95,405	728	44.0	41.3-46.7	9	0.5	0.1- 0.9	901	54.3	51.4-57.2	16	1.2	0.6- 1.8
65+	2579	114,872	1546	59.9	57.5-62.3	4	0.2	0.0- 0.4	1008	38.9	36.5-41.3	21	1.0	0.6- 1.4
Less Than H.S.	395	48,672	203	37.1	31.2-43.0	5	1.9	0.0- 4.1	186	60.8	54.7-66.9	1	0.2	0.0- 0.6
H.S. or G.E.D.	1963	157,671	881	31.9	29.4-34.4	11	1.0	0.2- 1.8	1053	66.2	63.5-68.9	18	1.0	0.4- 1.6
Some Post-H.S.	2247	229,357	939	30.8	28.4-33.2	10	0.9	0.1- 1.7	1281	67.7	65.3-70.1	17	0.6	0.2- 1.0
College Graduate	2353	149,969	785	22.9	20.9-24.9	14	0.8	0.2- 1.4	1539	75.8	73.8-77.8	15	0.5	0.3- 0.7
Less than \$15,000	428	43,143	217	35.6	29.7-41.5				208	64.1	58.2-70.0	3	0.3	0.0- 0.7
\$15,000- 24,999	805	68,275	410	37.7	33.2-42.2	7	1.0	0.0- 2.0	386	61.1	56.6-65.6	2	0.3	0.0- 0.7
\$25,000- 34,999	603	48,166	275	30.0	25.3-34.7	3	0.4	0.0- 1.0	319	68.3	63.4-73.2	6	1.3	0.0- 2.7
\$35,000- 49,999	976	78,241	426	31.4	27.7-35.1	4	1.1	0.0- 2.5	541	67.1	63.4-70.8	5	0.4	0.0- 0.8
\$50,000- 74,999	1151	94,580	456	30.2	26.9-33.5	12	1.7	0.5- 2.9	673	67.4	63.9-70.9	10	0.7	0.1- 1.3
\$75,000+	2224	189,655	703	23.9	21.7-26.1	13	1.2	0.4- 2.0	1492	74.3	72.1-76.5	16	0.7	0.3- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3308	301,544	1375	32.0	30.0-34.0	1901	67.2	65.2-69.2	32	0.8	0.4- 1.2
Native	123	13,448	61	41.6	30.6-52.6	61	58.1	47.1-69.1	1	0.3	0.0- 0.9
Non-Native	3129	282,315	1292	31.6	29.6-33.6	1807	67.6	65.6-69.6	30	0.9	0.5- 1.3
18-24	222	48,523	15	6.3	3.0- 9.6	206	93.5	90.0-97.0	1	0.2	0.0- 0.6
25-34	392	61,280	67	16.8	12.3-21.3	325	83.2	78.7-87.7			
35-44	391	47,397	93	24.9	19.8-30.0	293	74.2	69.1-79.3	5	1.0	0.0- 2.0
45-54	478	43,112	176	36.2	31.1-41.3	298	62.7	57.6-67.8	4	1.1	0.0- 2.3
55-64	781	48,754	396	49.1	45.0-53.2	374	49.2	45.1-53.3	11	1.8	0.6- 3.0
65+	1044	52,478	628	60.6	57.1-64.1	405	38.3	34.8-41.8	11	1.1	0.3- 1.9
Less Than H.S.	209	28,826	98	34.5	26.7-42.3	111	65.5	57.7-73.3			
H.S. or G.E.D.	938	84,519	406	32.9	29.2-36.6	518	65.9	62.2-69.6	14	1.2	0.6- 1.8
Some Post-H.S.	1051	116,217	449	32.8	29.5-36.1	590	66.1	62.8-69.4	12	1.0	0.4- 1.6
College Graduate	1102	71,307	421	28.8	25.7-31.9	675	70.9	67.8-74.0	6	0.4	0.0- 0.8
Less than \$15,000	183	20,068	91	36.7	28.1-45.3	92	63.3	54.7-71.9			
\$15,000- 24,999	299	30,186	141	37.5	30.4-44.6	157	62.1	55.0-69.2	1	0.4	0.0- 1.2
\$25,000- 34,999	238	23,124	98	27.1	20.6-33.6	137	71.9	65.2-78.6	3	1.0	0.0- 2.4
\$35,000- 49,999	482	38,392	222	36.0	30.7-41.3	256	63.4	58.1-68.7	4	0.6	0.0- 1.2
\$50,000- 74,999	599	54,261	253	33.2	28.5-37.9	337	65.5	60.8-70.2	9	1.2	0.2- 2.2
\$75,000+	1205	105,024	456	29.3	26.2-32.4	738	69.7	66.6-72.8	11	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3669	285,658	1438	27.0	25.2-28.8	40	2.0	1.2- 2.8	2172	70.6	68.6-72.6	19	0.5	0.3- 0.7
Native	123	11,049	46	33.0	21.8-44.2	3	1.5	0.0- 3.5	74	65.5	54.1-76.9			
Non-Native	3512	271,274	1377	26.7	24.9-28.5	36	2.0	1.2- 2.8	2082	70.8	68.8-72.8	17	0.4	0.2- 0.6
18-24	149	41,963	4	2.7	0.0- 5.6	3	2.9	0.0- 6.2	141	93.6	89.1-98.1	1	0.7	0.0- 2.1
25-34	304	51,305	18	6.8	3.5-10.1	13	4.5	1.8- 7.2	273	88.7	84.4-93.0			
35-44	322	43,021	42	15.9	10.8-21.0	8	3.0	0.5- 5.5	271	80.9	75.4-86.4	1	0.2	0.0- 0.6
45-54	486	40,324	124	26.2	21.5-30.9	3	0.3	0.0- 0.7	357	73.1	68.4-77.8	2	0.3	0.0- 0.7
55-64	873	46,651	332	38.6	34.7-42.5	9	1.1	0.3- 1.9	527	59.7	55.8-63.6	5	0.5	0.0- 1.1
65+	1535	62,394	918	59.3	56.4-62.2	4	0.4	0.0- 0.8	603	39.5	36.6-42.4	10	0.8	0.2- 1.4
Less Than H.S.	186	19,846	105	41.0	32.0-50.0	5	4.7	0.0- 9.6	75	53.9	44.3-63.5	1	0.4	0.0- 1.2
H.S. or G.E.D.	1025	73,153	475	30.7	27.2-34.2	11	2.1	0.5- 3.7	535	66.4	62.5-70.3	4	0.7	0.0- 1.7
Some Post-H.S.	1196	113,140	490	28.7	25.6-31.8	10	1.8	0.4- 3.2	691	69.3	66.0-72.6	5	0.2	0.0- 0.4
College Graduate	1251	78,662	364	17.6	15.2-20.0	14	1.5	0.5- 2.5	864	80.3	77.8-82.8	9	0.5	0.1- 0.9
Less than \$15,000	245	23,075	126	34.6	26.6-42.6				116	64.9	56.7-73.1	3	0.5	0.0- 1.1
\$15,000- 24,999	506	38,088	269	37.8	32.1-43.5	7	1.8	0.0- 3.6	229	60.2	54.3-66.1	1	0.2	0.0- 0.6
\$25,000- 34,999	365	25,042	177	32.7	26.0-39.4	3	0.8	0.0- 1.8	182	65.0	58.1-71.9	3	1.5	0.0- 4.0
\$35,000- 49,999	494	39,849	204	26.9	22.0-31.8	4	2.3	0.0- 5.0	285	70.7	65.4-76.0	1	0.1	0.0- 0.3
\$50,000- 74,999	552	40,319	203	26.0	21.5-30.5	12	4.0	1.1- 6.9	336	69.8	64.7-74.9	1	0.1	0.0- 0.3
\$75,000+	1019	84,631	247	17.1	14.4-19.8	13	2.6	0.8- 4.4	754	79.9	76.8-83.0	5	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2809	173,230	2401	78.2	75.8-80.6	408	21.8	19.4-24.2
Male	1373	96,242	1127	74.3	71.0-77.6	246	25.7	22.4-29.0
Female	1436	76,989	1274	83.1	80.0-86.2	162	16.9	13.8-20.0
Native	107	9,236	79	66.9	54.4-79.4	28	33.1	20.6-45.6
Non-Native	2665	161,257	2289	78.6	76.2-81.0	376	21.4	19.0-23.8
25-34	85	13,802	20	23.1	12.5-33.7	65	76.9	66.3-87.5
35-44	134	18,489	79	61.5	51.9-71.1	55	38.5	28.9-48.1
45-54	300	26,169	220	73.6	67.7-79.5	80	26.4	20.5-32.3
55-64	727	41,873	625	85.7	82.8-88.6	102	14.3	11.4-17.2
65+	1544	68,706	1452	93.9	92.3-95.5	92	6.1	4.5- 7.7
Less Than H.S.	202	18,032	180	78.8	70.0-87.6	22	21.2	12.4-30.0
H.S. or G.E.D.	880	50,139	763	80.1	76.2-84.0	117	19.9	16.0-23.8
Some Post-H.S.	938	70,567	793	77.7	73.8-81.6	145	22.3	18.4-26.2
College Graduate	784	34,290	662	76.1	71.6-80.6	122	23.9	19.4-28.4
Less than \$15,000	217	15,359	184	73.6	64.0-83.2	33	26.4	16.8-36.0
\$15,000- 24,999	410	25,720	344	75.7	69.0-82.4	66	24.3	17.6-31.0
\$25,000- 34,999	273	14,308	239	81.4	74.0-88.8	34	18.6	11.2-26.0
\$35,000- 49,999	426	24,550	371	79.2	73.1-85.3	55	20.8	14.7-26.9
\$50,000- 74,999	456	28,542	388	75.6	69.5-81.7	68	24.4	18.3-30.5
\$75,000+	703	45,262	591	79.8	75.7-83.9	112	20.2	16.1-24.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1373	96,242	1127	74.3	71.0-77.6	246	25.7	22.4-29.0
Native	61	5,591	40	63.5	47.6-79.4	21	36.5	20.6-52.4
Non-Native	1290	88,894	1067	74.5	71.0-78.0	223	25.5	22.0-29.0
25-34	67	10,316	18	28.2	15.1-41.3	49	71.8	58.7-84.9
35-44	92	11,643	51	57.6	45.8-69.4	41	42.4	30.6-54.2
45-54	176	15,590	126	72.6	64.8-80.4	50	27.4	19.6-35.2
55-64	395	23,850	339	85.0	80.7-89.3	56	15.0	10.7-19.3
65+	628	31,780	589	92.8	90.1-95.5	39	7.2	4.5- 9.9
Less Than H.S.	98	9,947	83	71.2	58.1-84.3	15	28.8	15.7-41.9
H.S. or G.E.D.	405	27,647	341	78.4	72.9-83.9	64	21.6	16.1-27.1
Some Post-H.S.	449	38,144	356	72.1	66.4-77.8	93	27.9	22.2-33.6
College Graduate	420	20,433	346	74.4	68.5-80.3	74	25.6	19.7-31.5
Less than \$15,000	91	7,374	73	73.9	61.6-86.2	18	26.1	13.8-38.4
\$15,000- 24,999	141	11,311	113	69.5	57.5-81.5	28	30.5	18.5-42.5
\$25,000- 34,999	97	6,187	77	72.4	60.1-84.7	20	27.6	15.3-39.9
\$35,000- 49,999	222	13,812	189	76.3	67.7-84.9	33	23.7	15.1-32.3
\$50,000- 74,999	253	18,042	211	72.8	65.0-80.6	42	27.2	19.4-35.0
\$75,000+	456	30,778	373	76.7	71.4-82.0	83	23.3	18.0-28.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1436	76,989	1274	83.1	80.0-86.2	162	16.9	13.8-20.0
Non-Native	1375	72,362	1222	83.5	80.4-86.6	153	16.5	13.4-19.6
45-54	124	10,579	94	74.9	65.7-84.1	30	25.1	15.9-34.3
55-64	332	18,023	286	86.6	82.5-90.7	46	13.4	9.3-17.5
65+	916	36,925	863	94.8	93.2-96.4	53	5.2	3.6- 6.8
Less Than H.S.	104	8,085	97	88.2	78.6-97.8	7	11.8	2.2-21.4
H.S. or G.E.D.	475	22,492	422	82.1	76.4-87.8	53	17.9	12.2-23.6
Some Post-H.S.	489	32,423	437	84.4	79.1-89.7	52	15.6	10.3-20.9
College Graduate	364	13,856	316	78.6	71.7-85.5	48	21.4	14.5-28.3
Less than \$15,000	126	7,985	111	73.4	59.1-87.7	15	26.6	12.3-40.9
\$15,000- 24,999	269	14,410	231	80.6	73.7-87.5	38	19.4	12.5-26.3
\$25,000- 34,999	176	8,122	162	88.3	79.5-97.1	14	11.7	2.9-20.5
\$35,000- 49,999	204	10,739	182	82.9	74.5-91.3	22	17.1	8.7-25.5
\$50,000- 74,999	203	10,500	177	80.4	71.8-89.0	26	19.6	11.0-28.2
\$75,000+	247	14,484	218	86.4	80.5-92.3	29	13.6	7.7-19.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK1)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	6812	565,569	489	13.1	11.7-14.5	4583	57.1	55.5-58.7	814	13.6	12.4-14.8	577	10.2	9.2-11.2	349	6.0	5.2- 6.8			
Male	3228	290,878	292	15.1	13.1-17.1	2115	54.9	52.5-57.3	354	13.1	11.5-14.7	267	9.8	8.4-11.2	200	7.1	5.9- 8.3			
Female	3584	274,691	197	10.9	9.1-12.7	2468	59.4	57.0-61.8	460	14.1	12.5-15.7	310	10.7	9.1-12.3	149	4.9	3.9- 5.9			
Native	241	24,140	32	19.3	11.5-27.1	145	51.1	42.5-59.7	32	14.8	8.7-20.9	19	7.6	3.5-11.7	13	7.2	2.1-12.3			
Non-Native	6492	533,480	452	12.8	11.4-14.2	4384	57.4	55.6-59.2	769	13.4	12.2-14.6	553	10.3	9.1-11.5	334	6.0	5.2- 6.8			
18-24	332	81,164	127	38.0	31.9-44.1	121	36.1	30.2-42.0	35	12.4	8.1-16.7	31	9.1	5.4-12.8	18	4.4	1.9- 6.9			
25-34	661	107,372	160	23.5	19.8-27.2	261	38.8	34.5-43.1	97	15.8	12.5-19.1	91	14.1	11.0-17.2	52	7.9	5.5-10.3			
35-44	689	87,633	67	9.5	7.0-12.0	333	48.8	44.5-53.1	111	16.6	13.3-19.9	112	16.1	13.0-19.2	66	9.1	6.7-11.5			
45-54	951	82,251	62	6.4	4.6- 8.2	576	60.6	57.1-64.1	136	14.6	12.1-17.1	112	11.3	8.9-13.7	65	7.3	5.3- 9.3			
55-64	1637	94,326	43	3.2	2.0- 4.4	1154	69.7	67.0-72.4	215	13.4	11.4-15.4	127	7.7	6.1- 9.3	98	6.0	4.6- 7.4			
65+	2542	112,823	30	1.2	0.6- 1.8	2138	83.1	81.3-84.9	220	9.4	8.0-10.8	104	4.1	3.1- 5.1	50	2.2	1.4- 3.0			
Less Than H.S.	381	47,219	42	22.2	15.3-29.1	256	53.2	46.3-60.1	37	12.0	7.5-16.5	21	5.3	2.6- 8.0	25	7.3	4.0-10.6			
H.S. or G.E.D.	1909	150,602	155	14.7	12.2-17.2	1295	58.1	55.0-61.2	211	12.2	10.0-14.4	135	8.3	6.5-10.1	113	6.8	5.2- 8.4			
Some Post-H.S.	2187	220,095	161	12.6	10.4-14.8	1466	56.5	53.6-59.4	261	13.7	11.7-15.7	198	11.7	9.7-13.7	101	5.4	4.0- 6.8			
College Graduate	2319	146,408	127	9.0	7.2-10.8	1557	58.4	55.7-61.1	304	15.4	13.4-17.4	221	11.5	9.7-13.3	110	5.7	4.5- 6.9			
Less than \$15,000	414	40,936	49	20.6	14.3-26.9	277	54.4	47.5-61.3	36	8.1	4.6-11.6	28	7.5	3.8-11.2	24	9.3	4.8-13.8			
\$15,000- 24,999	783	65,838	56	11.4	7.9-14.9	547	59.8	54.7-64.9	86	15.9	11.6-20.2	55	7.9	5.2-10.6	39	5.0	3.0- 7.0			
\$25,000- 34,999	595	47,190	52	19.4	13.7-25.1	407	53.1	47.0-59.2	61	14.1	9.8-18.4	39	8.6	4.9-12.3	36	4.8	2.8- 6.8			
\$35,000- 49,999	964	76,920	73	13.7	10.2-17.2	661	58.1	53.6-62.6	104	11.7	8.8-14.6	74	9.7	7.0-12.4	52	6.8	4.4- 9.2			
\$50,000- 74,999	1129	91,242	60	9.4	6.7-12.1	741	58.6	54.5-62.7	157	13.4	10.9-15.9	105	11.5	8.8-14.2	66	7.1	4.9- 9.3			
\$75,000+	2189	184,752	133	10.0	8.0-12.0	1446	56.9	54.2-59.6	286	15.1	12.9-17.3	224	12.4	10.4-14.4	100	5.6	4.2- 7.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	3228	290,878	292	15.1	13.1-17.1	2115	54.9	52.5-57.3	354	13.1	11.5-14.7	267	9.8	8.4-11.2	200	7.1	5.9- 8.3			
Native	121	13,457	19	20.5	10.7-30.3	74	49.2	37.8-60.6	14	16.0	6.8-25.2	10	8.2	2.3-14.1	4	6.1	0.0-12.8			
Non-Native	3058	272,438	270	15.0	13.0-17.0	2008	55.1	52.7-57.5	330	12.7	11.1-14.3	255	9.9	8.5-11.3	195	7.2	6.0- 8.4			
18-24	197	43,076	74	39.9	31.9-47.9	64	30.4	23.1-37.7	22	13.4	7.7-19.1	22	9.5	5.2-13.8	15	6.7	2.8-10.6			
25-34	379	59,383	102	26.4	21.1-31.7	137	34.4	28.9-39.9	55	15.9	11.4-20.4	48	13.2	9.1-17.3	37	10.0	6.5-13.5			
35-44	379	46,141	43	11.7	8.0-15.4	198	50.7	44.8-56.6	56	16.9	12.4-21.4	47	12.5	8.6-16.4	35	8.1	5.2-11.0			
45-54	469	42,151	33	7.3	4.6-10.0	281	60.6	55.5-65.7	55	11.1	8.0-14.2	58	12.0	8.7-15.3	42	8.9	5.8-12.0			
55-64	766	47,905	24	3.6	1.8- 5.4	546	69.5	65.6-73.4	91	12.6	9.7-15.5	60	8.5	6.0-11.0	45	5.7	3.7- 7.7			
65+	1038	52,222	16	1.6	0.8- 2.4	889	84.3	81.6-87.0	75	8.4	6.2-10.6	32	2.9	1.7- 4.1	26	2.8	1.6- 4.0			
Less Than H.S.	203	28,104	30	25.4	16.2-34.6	129	49.7	40.7-58.7	15	11.7	5.2-18.2	14	6.2	2.3-10.1	15	6.9	2.8-11.0			
H.S. or G.E.D.	911	81,304	100	16.9	13.4-20.4	578	54.0	49.7-58.3	98	11.9	9.0-14.8	65	8.5	6.0-11.0	70	8.7	6.3-11.1			
Some Post-H.S.	1023	111,522	101	15.1	11.8-18.4	661	54.4	50.5-58.3	115	13.8	10.9-16.7	94	10.9	8.4-13.4	52	5.8	3.8- 7.8			
College Graduate	1084	69,331	58	8.4	6.0-10.8	743	59.2	55.5-62.9	126	14.1	11.4-16.8	94	11.0	8.5-13.5	63	7.4	5.4- 9.4			
Less than \$15,000	178	19,250	27	24.7	15.3-34.1	113	50.4	40.8-60.0	14	5.9	2.2- 9.6	14	9.3	3.0-15.6	10	9.8	2.9-16.7			
\$15,000- 24,999	295	29,578	31	15.9	9.6-22.2	180	49.8	42.2-57.4	43	19.9	13.2-26.6	18	7.3	3.2-11.4	23	7.1	3.6-10.6			
\$25,000- 34,999	234	22,487	32	24.2	15.4-33.0	147	46.6	38.0-55.2	19	14.1	7.2-21.0	15	8.2	3.3-13.1	21	6.9	3.4-10.4			
\$35,000- 49,999	473	37,439	43	16.1	10.8-21.4	325	58.2	52.1-64.3	41	8.7	5.6-11.8	30	7.9	4.6-11.2	34	9.2	5.7-12.7			
\$50,000- 74,999	590	52,740	43	12.7	8.6-16.8	382	55.4	50.1-60.7	74	12.2	8.9-15.5	53	11.6	7.9-15.3	38	8.1	5.0-11.2			
\$75,000+	1185	102,735	75	10.2	7.5-12.9	803	58.4	54.7-62.1	131	14.1	11.4-16.8	118	11.6	9.2-14.0	58	5.8	4.0- 7.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	Never		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years			
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3584	274,691	197	10.9	9.1-12.7	2468	59.4	57.0-61.8	460	14.1	12.5-15.7	310	10.7	9.1-12.3	149	4.9	3.9- 5.9
Native	120	10,683	13	17.8	5.3-30.3	71	53.7	40.8-66.6	18	13.4	5.8-21.0	9	6.7	0.8-12.6	9	8.4	0.8-16.0
Non-Native	3434	261,042	182	10.5	8.7-12.3	2376	59.8	57.4-62.2	439	14.1	12.3-15.9	298	10.8	9.2-12.4	139	4.8	3.8- 5.8
18-24	135	38,088	53	35.9	27.1-44.7	57	42.4	33.2-51.6	13	11.3	5.0-17.6	9	8.6	2.5-14.7	3	1.8	0.0- 4.5
25-34	282	47,989	58	19.8	14.3-25.3	124	44.2	37.3-51.1	42	15.6	10.7-20.5	43	15.1	10.0-20.2	15	5.2	2.1- 8.3
35-44	310	41,492	24	7.0	3.5-10.5	135	46.5	39.8-53.2	55	16.3	11.6-21.0	65	20.1	15.0-25.2	31	10.1	6.2-14.0
45-54	482	40,100	29	5.3	3.1- 7.5	295	60.5	55.4-65.6	81	18.2	14.1-22.3	54	10.5	7.6-13.4	23	5.5	3.0- 8.0
55-64	871	46,421	19	2.7	1.3- 4.1	608	70.0	66.5-73.5	124	14.3	11.6-17.0	67	6.8	5.0- 8.6	53	6.2	4.2- 8.2
65+	1504	60,601	14	0.9	0.3- 1.5	1249	82.1	79.7-84.5	145	10.2	8.2-12.2	72	5.0	3.6- 6.4	24	1.7	0.9- 2.5
Less Than H.S.	178	19,115	12	17.4	7.4-27.4	127	58.4	48.0-68.8	22	12.3	6.4-18.2	7	4.0	0.5- 7.5	10	7.9	2.0-13.8
H.S. or G.E.D.	998	69,298	55	12.2	8.5-15.9	717	62.8	58.1-67.5	113	12.4	9.3-15.5	70	8.0	5.3-10.7	43	4.5	2.7- 6.3
Some Post-H.S.	1164	108,572	60	10.0	7.1-12.9	805	58.7	54.6-62.8	146	13.6	10.7-16.5	104	12.6	9.5-15.7	49	5.1	3.3- 6.9
College Graduate	1235	77,077	69	9.5	6.8-12.2	814	57.7	53.8-61.6	178	16.7	13.8-19.6	127	11.9	9.4-14.4	47	4.3	2.7- 5.9
Less than \$15,000	236	21,686	22	17.0	8.8-25.2	164	58.0	48.4-67.6	22	10.1	4.4-15.8	14	5.9	1.6-10.2	14	8.9	2.8-15.0
\$15,000- 24,999	488	36,259	25	7.7	4.2-11.2	367	68.0	61.5-74.5	43	12.6	7.1-18.1	37	8.4	4.9-11.9	16	3.3	1.3- 5.3
\$25,000- 34,999	361	24,703	20	14.9	7.5-22.3	260	59.0	50.8-67.2	42	14.1	8.8-19.4	24	9.0	3.3-14.7	15	2.9	0.9- 4.9
\$35,000- 49,999	491	39,480	30	11.4	6.7-16.1	336	58.0	51.5-64.5	63	14.6	9.9-19.3	44	11.3	7.0-15.6	18	4.6	1.7- 7.5
\$50,000- 74,999	539	38,502	17	4.8	1.7- 7.9	359	62.9	57.0-68.8	83	15.0	10.9-19.1	52	11.5	7.2-15.8	28	5.8	3.1- 8.5
\$75,000+	1004	82,017	58	9.8	6.9-12.7	643	55.1	51.0-59.2	155	16.4	13.5-19.3	106	13.4	10.3-16.5	42	5.3	3.3- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6435	509,767	2536	30.0	28.6-31.4	3899	70.0	68.6-71.4
Male	2988	255,512	1151	30.2	28.2-32.2	1837	69.8	67.8-71.8
Female	3447	254,255	1385	29.7	27.7-31.7	2062	70.3	68.3-72.3
Native	212	19,601	70	30.4	22.8-38.0	142	69.6	62.0-77.2
Non-Native	6143	482,456	2438	30.0	28.6-31.4	3705	70.0	68.6-71.4
18-24	240	58,405	9	4.1	1.2- 7.0	231	95.9	93.0-98.8
25-34	533	87,184	52	9.7	6.8-12.6	481	90.3	87.4-93.2
35-44	643	81,935	124	19.9	16.2-23.6	519	80.1	76.4-83.8
45-54	900	78,241	278	31.1	27.6-34.6	622	68.9	65.4-72.4
55-64	1602	91,830	704	45.0	42.1-47.9	898	55.0	52.1-57.9
65+	2517	112,174	1369	53.4	51.0-55.8	1148	46.6	44.2-49.0
Less Than H.S.	348	38,210	147	32.5	26.6-38.4	201	67.5	61.6-73.4
H.S. or G.E.D.	1786	133,274	710	29.9	27.2-32.6	1076	70.1	67.4-72.8
Some Post-H.S.	2072	201,068	853	31.0	28.6-33.4	1219	69.0	66.6-71.4
College Graduate	2214	136,179	823	27.9	25.7-30.1	1391	72.1	69.9-74.3
Less than \$15,000	371	33,956	163	31.5	25.6-37.4	208	68.5	62.6-74.4
\$15,000- 24,999	740	60,422	322	33.0	28.5-37.5	418	67.0	62.5-71.5
\$25,000- 34,999	545	38,812	229	30.6	25.7-35.5	316	69.4	64.5-74.3
\$35,000- 49,999	894	66,807	385	32.3	28.4-36.2	509	67.7	63.8-71.6
\$50,000- 74,999	1087	85,825	426	29.9	26.6-33.2	661	70.1	66.8-73.4
\$75,000+	2084	170,698	739	27.4	25.2-29.6	1345	72.6	70.4-74.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2988	255,512	1151	30.2	28.2-32.2	1837	69.8	67.8-71.8
Native	102	10,454	39	32.4	21.6-43.2	63	67.6	56.8-78.4
Non-Native	2836	239,853	1096	30.2	28.2-32.2	1740	69.8	67.8-71.8
18-24	145	30,340	3	1.4	0.0- 3.2	142	98.6	96.8- 100
25-34	290	45,705	34	11.4	7.3-15.5	256	88.6	84.5-92.7
35-44	346	41,881	87	25.1	19.8-30.4	259	74.9	69.6-80.2
45-54	444	39,975	147	32.3	27.2-37.4	297	67.7	62.6-72.8
55-64	748	46,564	324	44.2	40.1-48.3	424	55.8	51.7-59.9
65+	1015	51,047	556	54.0	50.3-57.7	459	46.0	42.3-49.7
Less Than H.S.	176	21,724	76	33.3	25.3-41.3	100	66.7	58.7-74.7
H.S. or G.E.D.	825	69,194	306	28.6	24.9-32.3	519	71.4	67.7-75.1
Some Post-H.S.	945	99,318	366	30.3	27.0-33.6	579	69.7	66.4-73.0
College Graduate	1037	65,027	403	30.9	27.6-34.2	634	69.1	65.8-72.4
Less than \$15,000	151	14,662	63	33.0	24.0-42.0	88	67.0	58.0-76.0
\$15,000- 24,999	268	25,617	111	31.4	24.7-38.1	157	68.6	61.9-75.3
\$25,000- 34,999	204	17,631	74	25.8	18.9-32.7	130	74.2	67.3-81.1
\$35,000- 49,999	432	31,651	179	33.0	27.7-38.3	253	67.0	61.7-72.3
\$50,000- 74,999	554	47,540	211	30.7	26.0-35.4	343	69.3	64.6-74.0
\$75,000+	1125	94,214	431	29.9	26.8-33.0	694	70.1	67.0-73.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3447	254,255	1385	29.7	27.7-31.7	2062	70.3	68.3-72.3
Native	110	9,147	31	28.0	17.2-38.8	79	72.0	61.2-82.8
Non-Native	3307	242,603	1342	29.8	27.8-31.8	1965	70.2	68.2-72.2
18-24	95	28,064	6	7.1	1.2-13.0	89	92.9	87.0-98.8
25-34	243	41,479	18	7.9	3.8-12.0	225	92.1	88.0-96.2
35-44	297	40,054	37	14.5	9.4-19.6	260	85.5	80.4-90.6
45-54	456	38,266	131	29.8	24.9-34.7	325	70.2	65.3-75.1
55-64	854	45,266	380	45.9	42.0-49.8	474	54.1	50.2-58.0
65+	1502	61,126	813	52.8	49.7-55.9	689	47.2	44.1-50.3
Less Than H.S.	172	16,485	71	31.6	23.2-40.0	101	68.4	60.0-76.8
H.S. or G.E.D.	961	64,079	404	31.4	27.5-35.3	557	68.6	64.7-72.5
Some Post-H.S.	1127	101,750	487	31.7	28.2-35.2	640	68.3	64.8-71.8
College Graduate	1177	71,152	420	25.2	22.3-28.1	757	74.8	71.9-77.7
Less than \$15,000	220	19,294	100	30.4	22.6-38.2	120	69.6	61.8-77.4
\$15,000- 24,999	472	34,805	211	34.3	28.2-40.4	261	65.7	59.6-71.8
\$25,000- 34,999	341	21,182	155	34.5	27.6-41.4	186	65.5	58.6-72.4
\$35,000- 49,999	462	35,156	206	31.6	26.1-37.1	256	68.4	62.9-73.9
\$50,000- 74,999	533	38,286	215	28.8	23.9-33.7	318	71.2	66.3-76.1
\$75,000+	959	76,484	308	24.2	20.9-27.5	651	75.8	72.5-79.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2531	152,541	1698	60.8	58.3-63.3	833	39.2	36.7-41.7
Male	1149	77,115	809	64.7	61.2-68.2	340	35.3	31.8-38.8
Female	1382	75,426	889	56.8	53.1-60.5	493	43.2	39.5-46.9
Native	70	5,958	48	59.5	44.4-74.6	22	40.5	25.4-55.6
Non-Native	2434	144,659	1632	61.0	58.5-63.5	802	39.0	36.5-41.5
25-34	52	8,483	9	16.3	4.7-27.9	43	83.7	72.1-95.3
35-44	124	16,330	46	40.0	29.8-50.2	78	60.0	49.8-70.2
45-54	277	24,250	126	41.8	35.1-48.5	151	58.2	51.5-64.9
55-64	704	41,347	455	65.1	61.0-69.2	249	34.9	30.8-39.0
65+	1365	59,721	1062	80.1	77.7-82.5	303	19.9	17.5-22.3
Less Than H.S.	146	12,359	113	77.2	68.4-86.0	33	22.8	14.0-31.6
H.S. or G.E.D.	709	39,826	497	64.3	59.2-69.4	212	35.7	30.6-40.8
Some Post-H.S.	851	62,284	572	59.8	55.5-64.1	279	40.2	35.9-44.5
College Graduate	822	37,962	514	53.5	49.2-57.8	308	46.5	42.2-50.8
Less than \$15,000	163	10,711	114	65.3	55.1-75.5	49	34.7	24.5-44.9
\$15,000- 24,999	321	19,941	238	69.3	61.5-77.1	83	30.7	22.9-38.5
\$25,000- 34,999	229	11,863	155	65.0	56.6-73.4	74	35.0	26.6-43.4
\$35,000- 49,999	382	21,396	269	64.7	58.2-71.2	113	35.3	28.8-41.8
\$50,000- 74,999	426	25,651	298	62.9	56.6-69.2	128	37.1	30.8-43.4
\$75,000+	739	46,713	456	54.6	50.1-59.1	283	45.4	40.9-49.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 8: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1149	77,115	809	64.7	61.2-68.2	340	35.3	31.8-38.8
Non-Native	1095	72,403	774	65.6	62.1-69.1	321	34.4	30.9-37.9
35-44	87	10,516	37	44.9	32.9-56.9	50	55.1	43.1-67.1
45-54	146	12,841	73	46.9	37.5-56.3	73	53.1	43.7-62.5
55-64	324	20,565	234	70.3	64.4-76.2	90	29.7	23.8-35.6
65+	555	27,567	459	86.2	83.1-89.3	96	13.8	10.7-16.9
Less Than H.S.	76	7,224	63	78.9	66.7-91.1	13	21.1	8.9-33.3
H.S. or G.E.D.	306	19,781	226	67.8	60.7-74.9	80	32.2	25.1-39.3
Some Post-H.S.	365	30,054	252	63.6	57.5-69.7	113	36.4	30.3-42.5
College Graduate	402	20,057	268	58.4	52.3-64.5	134	41.6	35.5-47.7
Less than \$15,000	63	4,842	48	77.5	63.4-91.6	15	22.5	8.4-36.6
\$15,000- 24,999	110	8,017	79	70.8	59.8-81.8	31	29.2	18.2-40.2
\$25,000- 34,999	74	4,556	57	73.7	61.0-86.4	17	26.3	13.6-39.0
\$35,000- 49,999	178	10,385	133	71.1	62.7-79.5	45	28.9	20.5-37.3
\$50,000- 74,999	211	14,617	157	68.4	60.0-76.8	54	31.6	23.2-40.0
\$75,000+	431	28,188	282	57.8	52.1-63.5	149	42.2	36.5-47.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1382	75,426	889	56.8	53.1-60.5	493	43.2	39.5-46.9
Non-Native	1339	72,256	858	56.4	52.7-60.1	481	43.6	39.9-47.3
45-54	131	11,409	53	35.9	26.7-45.1	78	64.1	54.9-73.3
55-64	380	20,782	221	60.0	54.1-65.9	159	40.0	34.1-45.9
65+	810	32,154	603	74.9	71.4-78.4	207	25.1	21.6-28.6
Less Than H.S.	70	5,135	50	74.8	62.5-87.1	20	25.2	12.9-37.5
H.S. or G.E.D.	403	20,045	271	60.9	53.8-68.0	132	39.1	32.0-46.2
Some Post-H.S.	486	32,230	320	56.3	50.2-62.4	166	43.7	37.6-49.8
College Graduate	420	17,905	246	48.0	41.9-54.1	174	52.0	45.9-58.1
Less than \$15,000	100	5,868	66	55.2	41.5-68.9	34	44.8	31.1-58.5
\$15,000- 24,999	211	11,923	159	68.3	57.5-79.1	52	31.7	20.9-42.5
\$25,000- 34,999	155	7,307	98	59.6	48.6-70.6	57	40.4	29.4-51.4
\$35,000- 49,999	204	11,012	136	58.6	49.4-67.8	68	41.4	32.2-50.6
\$50,000- 74,999	215	11,034	141	55.7	46.5-64.9	74	44.3	35.1-53.5
\$75,000+	308	18,525	174	49.8	42.5-57.1	134	50.2	42.9-57.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	48
2	MALES ONLY	49
3	FEMALES ONLY	50
	(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	51
5	MALES ONLY	52
6	FEMALES ONLY	53
	(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	54
8	MALES ONLY	55
9	FEMALES ONLY	56
	(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	57
11	MALES ONLY	58
12	FEMALES ONLY	59
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	60
14	MALES ONLY	61
15	FEMALES ONLY	62
	(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	63
17	MALES ONLY	64
18	FEMALES ONLY	65
	(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	66
20	MALES ONLY	67
21	FEMALES ONLY	68
	(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	69
23 MALES ONLY	70
24 FEMALES ONLY	71
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	72
26 MALES ONLY	73
27 FEMALES ONLY	74
(EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)	
28 MALES AND FEMALES	75
29 MALES ONLY	76
30 FEMALES ONLY	77
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	78
32 MALES ONLY	79
33 FEMALES ONLY	80
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	81
35 MALES ONLY	82
36 FEMALES ONLY	83
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	84
38 MALES ONLY	85
39 FEMALES ONLY	86

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6969	586,406	423	4.3	3.7- 4.9	6546	95.7	95.1-96.3
Male	3301	300,921	255	5.2	4.4- 6.0	3046	94.8	94.0-95.6
Female	3668	285,486	168	3.3	2.5- 4.1	3500	96.7	95.9-97.5
Native	245	24,683	20	5.6	2.7- 8.5	225	94.4	91.5-97.3
Non-Native	6635	552,663	395	4.1	3.5- 4.7	6240	95.9	95.3-96.5
18-24	370	90,166	1	0.4	0.0- 1.2	369	99.6	98.8- 100
25-34	698	112,975	5	1.0	0.0- 2.0	693	99.0	98.0- 100
35-44	713	90,441	8	1.3	0.3- 2.3	705	98.7	97.7-99.7
45-54	961	83,048	28	3.0	1.6- 4.4	933	97.0	95.6-98.4
55-64	1652	95,112	78	5.3	3.9- 6.7	1574	94.7	93.3-96.1
65+	2575	114,663	303	12.9	11.3-14.5	2272	87.1	85.5-88.7
Less Than H.S.	393	48,584	48	7.7	5.2-10.2	345	92.3	89.8-94.8
H.S. or G.E.D.	1962	157,248	160	5.2	4.2- 6.2	1802	94.8	93.8-95.8
Some Post-H.S.	2244	229,281	126	4.1	3.1- 5.1	2118	95.9	94.9-96.9
College Graduate	2351	149,760	88	2.5	1.7- 3.3	2263	97.5	96.7-98.3
Less than \$15,000	424	42,510	50	8.8	5.5-12.1	374	91.2	87.9-94.5
\$15,000- 24,999	805	68,658	75	6.4	4.6- 8.2	730	93.6	91.8-95.4
\$25,000- 34,999	604	48,259	47	5.7	3.7- 7.7	557	94.3	92.3-96.3
\$35,000- 49,999	974	78,099	78	5.4	4.0- 6.8	896	94.6	93.2-96.0
\$50,000- 74,999	1149	94,390	57	3.4	2.2- 4.6	1092	96.6	95.4-97.8
\$75,000+	2224	189,800	67	2.0	1.4- 2.6	2157	98.0	97.4-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3301	300,921	255	5.2	4.4- 6.0	3046	94.8	94.0-95.6
Native	123	13,707	13	7.1	2.6-11.6	110	92.9	88.4-97.4
Non-Native	3122	281,433	239	5.1	4.3- 5.9	2883	94.9	94.1-95.7
18-24	222	48,552				222	100.0	100.0- 100
25-34	394	61,670	1	0.2	0.0- 0.6	393	99.8	99.4- 100
35-44	391	47,420	6	1.5	0.1- 2.9	385	98.5	97.1-99.9
45-54	475	42,600	21	4.7	2.3- 7.1	454	95.3	92.9-97.7
55-64	777	48,356	53	7.5	5.1- 9.9	724	92.5	90.1-94.9
65+	1042	52,322	174	17.5	14.8-20.2	868	82.5	79.8-85.2
Less Than H.S.	207	28,692	24	6.9	3.8-10.0	183	93.1	90.0-96.2
H.S. or G.E.D.	937	84,407	98	6.2	4.8- 7.6	839	93.8	92.4-95.2
Some Post-H.S.	1049	116,071	76	5.2	3.8- 6.6	973	94.8	93.4-96.2
College Graduate	1100	71,075	57	3.3	2.3- 4.3	1043	96.7	95.7-97.7
Less than \$15,000	179	19,449	22	8.3	4.4-12.2	157	91.7	87.8-95.6
\$15,000- 24,999	300	30,495	40	8.7	5.6-11.8	260	91.3	88.2-94.4
\$25,000- 34,999	239	23,217	29	7.1	4.0-10.2	210	92.9	89.8-96.0
\$35,000- 49,999	482	38,392	54	8.0	5.5-10.5	428	92.0	89.5-94.5
\$50,000- 74,999	597	54,070	43	4.6	2.8- 6.4	554	95.4	93.6-97.2
\$75,000+	1204	105,103	51	2.9	1.9- 3.9	1153	97.1	96.1-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3668	285,486	168	3.3	2.5- 4.1	3500	96.7	95.9-97.5
Native	122	10,976	7	3.7	0.4- 7.0	115	96.3	93.0-99.6
Non-Native	3513	271,229	156	3.1	2.3- 3.9	3357	96.9	96.1-97.7
18-24	148	41,614	1	0.9	0.0- 2.7	147	99.1	97.3- 100
25-34	304	51,305	4	2.1	0.0- 4.3	300	97.9	95.7- 100
35-44	322	43,021	2	1.1	0.0- 2.7	320	98.9	97.3- 100
45-54	486	40,448	7	1.2	0.2- 2.2	479	98.8	97.8-99.8
55-64	875	46,756	25	3.1	1.7- 4.5	850	96.9	95.5-98.3
65+	1533	62,342	129	9.0	7.2-10.8	1404	91.0	89.2-92.8
Less Than H.S.	186	19,892	24	8.9	4.8-13.0	162	91.1	87.0-95.2
H.S. or G.E.D.	1025	72,841	62	4.0	2.6- 5.4	963	96.0	94.6-97.4
Some Post-H.S.	1195	113,210	50	2.9	1.7- 4.1	1145	97.1	95.9-98.3
College Graduate	1251	78,686	31	1.8	0.8- 2.8	1220	98.2	97.2-99.2
Less than \$15,000	245	23,061	28	9.1	4.0-14.2	217	90.9	85.8-96.0
\$15,000- 24,999	505	38,163	35	4.5	2.3- 6.7	470	95.5	93.3-97.7
\$25,000- 34,999	365	25,042	18	4.4	1.7- 7.1	347	95.6	92.9-98.3
\$35,000- 49,999	492	39,707	24	2.9	1.5- 4.3	468	97.1	95.7-98.5
\$50,000- 74,999	552	40,319	14	1.9	0.5- 3.3	538	98.1	96.7-99.5
\$75,000+	1020	84,697	16	0.9	0.3- 1.5	1004	99.1	98.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6938	585,465	391	3.8	3.2- 4.4	6547	96.2	95.6-96.8
Male	3286	300,326	219	4.3	3.5- 5.1	3067	95.7	94.9-96.5
Female	3652	285,139	172	3.3	2.5- 4.1	3480	96.7	95.9-97.5
Native	242	24,385	18	6.9	3.0-10.8	224	93.1	89.2-97.0
Non-Native	6607	552,099	366	3.6	3.2- 4.0	6241	96.4	96.0-96.8
18-24	371	90,488	1	0.3	0.0- 0.9	370	99.7	99.1- 100
25-34	693	112,584	6	1.3	0.1- 2.5	687	98.7	97.5-99.9
35-44	713	90,441	5	1.1	0.1- 2.1	708	98.9	97.9-99.9
45-54	960	82,916	18	2.4	1.0- 3.8	942	97.6	96.2-99.0
55-64	1644	95,004	70	4.6	3.4- 5.8	1574	95.4	94.2-96.6
65+	2557	114,031	291	11.6	10.0-13.2	2266	88.4	86.8-90.0
Less Than H.S.	392	48,513	37	6.1	3.6- 8.6	355	93.9	91.4-96.4
H.S. or G.E.D.	1951	157,211	126	4.3	3.3- 5.3	1825	95.7	94.7-96.7
Some Post-H.S.	2236	228,775	124	3.7	2.9- 4.5	2112	96.3	95.5-97.1
College Graduate	2340	149,433	104	2.7	2.1- 3.3	2236	97.3	96.7-97.9
Less than \$15,000	424	42,654	35	6.3	3.4- 9.2	389	93.7	90.8-96.6
\$15,000- 24,999	802	68,544	64	5.6	3.8- 7.4	738	94.4	92.6-96.2
\$25,000- 34,999	597	47,848	51	5.8	3.6- 8.0	546	94.2	92.0-96.4
\$35,000- 49,999	965	77,634	55	3.4	2.2- 4.6	910	96.6	95.4-97.8
\$50,000- 74,999	1147	94,387	67	4.2	3.0- 5.4	1080	95.8	94.6-97.0
\$75,000+	2221	189,707	78	2.1	1.5- 2.7	2143	97.9	97.3-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3286	300,326	219	4.3	3.5- 5.1	3067	95.7	94.9-96.5
Native	122	13,544	11	5.9	1.8-10.0	111	94.1	90.0-98.2
Non-Native	3108	281,002	205	4.2	3.4- 5.0	2903	95.8	95.0-96.6
18-24	222	48,525				222	100.0	100.0- 100
25-34	391	61,371	1	0.2	0.0- 0.6	390	99.8	99.4- 100
35-44	391	47,420	3	1.0	0.0- 2.2	388	99.0	97.8- 100
45-54	475	42,573	12	3.5	1.1- 5.9	463	96.5	94.1-98.9
55-64	776	48,485	44	5.6	3.6- 7.6	732	94.4	92.4-96.4
65+	1031	51,951	159	15.6	12.9-18.3	872	84.4	81.7-87.1
Less Than H.S.	209	28,836	17	4.9	2.0- 7.8	192	95.1	92.2-98.0
H.S. or G.E.D.	931	84,189	60	3.8	2.6- 5.0	871	96.2	95.0-97.4
Some Post-H.S.	1045	115,770	74	4.9	3.5- 6.3	971	95.1	93.7-96.5
College Graduate	1093	70,856	68	3.7	2.7- 4.7	1025	96.3	95.3-97.3
Less than \$15,000	179	19,581	14	4.7	1.8- 7.6	165	95.3	92.4-98.2
\$15,000- 24,999	300	30,499	30	7.7	4.4-11.0	270	92.3	89.0-95.6
\$25,000- 34,999	235	22,997	21	5.6	2.7- 8.5	214	94.4	91.5-97.3
\$35,000- 49,999	475	37,910	33	4.4	2.6- 6.2	442	95.6	93.8-97.4
\$50,000- 74,999	597	54,143	46	4.8	3.0- 6.6	551	95.2	93.4-97.0
\$75,000+	1202	105,059	62	3.0	2.0- 4.0	1140	97.0	96.0-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3652	285,139	172	3.3	2.5- 4.1	3480	96.7	95.9-97.5
Native	120	10,841	7	8.0	0.9-15.1	113	92.0	84.9-99.1
Non-Native	3499	271,098	161	3.0	2.4- 3.6	3338	97.0	96.4-97.6
18-24	149	41,963	1	0.6	0.0- 1.8	148	99.4	98.2- 100
25-34	302	51,213	5	2.7	0.2- 5.2	297	97.3	94.8-99.8
35-44	322	43,021	2	1.2	0.0- 3.0	320	98.8	97.0- 100
45-54	485	40,344	6	1.2	0.2- 2.2	479	98.8	97.8-99.8
55-64	868	46,519	26	3.6	2.0- 5.2	842	96.4	94.8-98.0
65+	1526	62,080	132	8.3	6.7- 9.9	1394	91.7	90.1-93.3
Less Than H.S.	183	19,677	20	8.0	3.5-12.5	163	92.0	87.5-96.5
H.S. or G.E.D.	1020	73,022	66	4.9	3.1- 6.7	954	95.1	93.3-96.9
Some Post-H.S.	1191	113,005	50	2.5	1.5- 3.5	1141	97.5	96.5-98.5
College Graduate	1247	78,578	36	1.8	0.8- 2.8	1211	98.2	97.2-99.2
Less than \$15,000	245	23,073	21	7.7	2.8-12.6	224	92.3	87.4-97.2
\$15,000- 24,999	502	38,045	34	3.9	2.3- 5.5	468	96.1	94.5-97.7
\$25,000- 34,999	362	24,851	30	5.9	2.8- 9.0	332	94.1	91.0-97.2
\$35,000- 49,999	490	39,725	22	2.6	1.0- 4.2	468	97.4	95.8-99.0
\$50,000- 74,999	550	40,244	21	3.4	1.6- 5.2	529	96.6	94.8-98.4
\$75,000+	1019	84,648	16	0.9	0.3- 1.5	1003	99.1	98.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6982	587,559	245	2.6	2.2- 3.0	6737	97.4	97.0-97.8
Male	3308	301,532	129	2.9	2.3- 3.5	3179	97.1	96.5-97.7
Female	3674	286,026	116	2.2	1.6- 2.8	3558	97.8	97.2-98.4
Native	247	24,787	8	2.6	0.6- 4.6	239	97.4	95.4-99.4
Non-Native	6645	553,657	231	2.5	2.1- 2.9	6414	97.5	97.1-97.9
18-24	372	90,678				372	100.0	100.0- 100
25-34	697	112,727	4	0.7	0.0- 1.5	693	99.3	98.5- 100
35-44	714	90,511	7	1.3	0.3- 2.3	707	98.7	97.7-99.7
45-54	963	83,219	20	2.1	1.1- 3.1	943	97.9	96.9-98.9
55-64	1656	95,510	41	3.2	2.0- 4.4	1615	96.8	95.6-98.0
65+	2580	114,913	173	7.3	5.9- 8.7	2407	92.7	91.3-94.1
Less Than H.S.	397	48,911	37	6.6	4.1- 9.1	360	93.4	90.9-95.9
H.S. or G.E.D.	1965	157,470	86	2.9	2.1- 3.7	1879	97.1	96.3-97.9
Some Post-H.S.	2249	229,806	77	2.5	1.7- 3.3	2172	97.5	96.7-98.3
College Graduate	2352	149,839	45	1.1	0.7- 1.5	2307	98.9	98.5-99.3
Less than \$15,000	428	42,878	40	6.6	4.1- 9.1	388	93.4	90.9-95.9
\$15,000- 24,999	806	68,442	62	5.8	4.0- 7.6	744	94.2	92.4-96.0
\$25,000- 34,999	603	48,152	30	4.2	2.2- 6.2	573	95.8	93.8-97.8
\$35,000- 49,999	974	78,152	32	1.8	1.0- 2.6	942	98.2	97.4-99.0
\$50,000- 74,999	1153	94,736	25	1.7	0.9- 2.5	1128	98.3	97.5-99.1
\$75,000+	2225	189,859	34	1.2	0.6- 1.8	2191	98.8	98.2-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3308	301,532	129	2.9	2.3- 3.5	3179	97.1	96.5-97.7
Native	124	13,738	4	1.8	0.0- 3.8	120	98.2	96.2- 100
Non-Native	3128	282,014	122	3.0	2.4- 3.6	3006	97.0	96.4-97.6
18-24	223	48,715				223	100.0	100.0- 100
25-34	393	61,422	3	0.9	0.0- 1.9	390	99.1	98.1- 100
35-44	392	47,490	4	1.2	0.0- 2.6	388	98.8	97.4- 100
45-54	477	42,807	13	2.8	1.0- 4.6	464	97.2	95.4-99.0
55-64	781	48,754	25	4.0	2.2- 5.8	756	96.0	94.2-97.8
65+	1042	52,344	84	8.8	6.6-11.0	958	91.2	89.0-93.4
Less Than H.S.	210	28,911	22	7.3	4.0-10.6	188	92.7	89.4-96.0
H.S. or G.E.D.	938	84,327	47	3.1	1.9- 4.3	891	96.9	95.7-98.1
Some Post-H.S.	1052	116,482	35	2.7	1.7- 3.7	1017	97.3	96.3-98.3
College Graduate	1100	71,137	25	1.4	0.8- 2.0	1075	98.6	98.0-99.2
Less than \$15,000	182	19,763	24	10.4	5.5-15.3	158	89.6	84.7-94.5
\$15,000- 24,999	299	30,262	31	7.5	4.4-10.6	268	92.5	89.4-95.6
\$25,000- 34,999	238	23,110	12	3.1	0.9- 5.3	226	96.9	94.7-99.1
\$35,000- 49,999	481	38,330	18	2.3	0.9- 3.7	463	97.7	96.3-99.1
\$50,000- 74,999	601	54,417	15	1.7	0.5- 2.9	586	98.3	97.1-99.5
\$75,000+	1205	105,162	22	1.6	0.8- 2.4	1183	98.4	97.6-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3674	286,026	116	2.2	1.6- 2.8	3558	97.8	97.2-98.4
Native	123	11,049	4	3.7	0.0- 7.4	119	96.3	92.6- 100
Non-Native	3517	271,643	109	2.1	1.5- 2.7	3408	97.9	97.3-98.5
18-24	149	41,963				149	100.0	100.0- 100
25-34	304	51,305	1	0.5	0.0- 1.5	303	99.5	98.5- 100
35-44	322	43,021	3	1.4	0.0- 3.2	319	98.6	96.8- 100
45-54	486	40,412	7	1.4	0.2- 2.6	479	98.6	97.4-99.8
55-64	875	46,756	16	2.3	0.9- 3.7	859	97.7	96.3-99.1
65+	1538	62,570	89	6.0	4.4- 7.6	1449	94.0	92.4-95.6
Less Than H.S.	187	20,001	15	5.7	2.2- 9.2	172	94.3	90.8-97.8
H.S. or G.E.D.	1027	73,143	39	2.5	1.5- 3.5	988	97.5	96.5-98.5
Some Post-H.S.	1197	113,324	42	2.4	1.4- 3.4	1155	97.6	96.6-98.6
College Graduate	1252	78,702	20	0.7	0.3- 1.1	1232	99.3	98.9-99.7
Less than \$15,000	246	23,115	16	3.3	1.3- 5.3	230	96.7	94.7-98.7
\$15,000- 24,999	507	38,180	31	4.5	2.5- 6.5	476	95.5	93.5-97.5
\$25,000- 34,999	365	25,042	18	5.2	2.3- 8.1	347	94.8	91.9-97.7
\$35,000- 49,999	493	39,822	14	1.2	0.4- 2.0	479	98.8	98.0-99.6
\$50,000- 74,999	552	40,319	10	1.6	0.2- 3.0	542	98.4	97.0-99.8
\$75,000+	1020	84,697	12	0.7	0.0- 1.5	1008	99.3	98.5- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6976	586,597	788	12.9	11.7-14.1	6188	87.1	85.9-88.3
Male	3301	300,566	317	10.8	9.4-12.2	2984	89.2	87.8-90.6
Female	3675	286,031	471	15.1	13.3-16.9	3204	84.9	83.1-86.7
Native	247	24,787	45	18.5	12.2-24.8	202	81.5	75.2-87.8
Non-Native	6640	552,733	727	12.6	11.4-13.8	5913	87.4	86.2-88.6
18-24	369	89,915	68	19.7	15.0-24.4	301	80.3	75.6-85.0
25-34	698	112,975	88	13.2	10.3-16.1	610	86.8	83.9-89.7
35-44	713	90,453	84	12.7	9.8-15.6	629	87.3	84.4-90.2
45-54	963	83,152	105	10.4	8.2-12.6	858	89.6	87.4-91.8
55-64	1652	95,214	176	11.5	9.5-13.5	1476	88.5	86.5-90.5
65+	2581	114,888	267	10.5	9.1-11.9	2314	89.5	88.1-90.9
Less Than H.S.	393	48,181	60	17.8	12.5-23.1	333	82.2	76.9-87.5
H.S. or G.E.D.	1966	157,568	222	13.3	11.1-15.5	1744	86.7	84.5-88.9
Some Post-H.S.	2247	229,451	268	13.5	11.5-15.5	1979	86.5	84.5-88.5
College Graduate	2351	149,864	233	9.9	8.3-11.5	2118	90.1	88.5-91.7
Less than \$15,000	426	42,711	75	19.5	14.0-25.0	351	80.5	75.0-86.0
\$15,000- 24,999	809	68,770	120	16.6	12.9-20.3	689	83.4	79.7-87.1
\$25,000- 34,999	604	48,259	68	13.2	9.1-17.3	536	86.8	82.7-90.9
\$35,000- 49,999	972	77,839	115	14.0	10.7-17.3	857	86.0	82.7-89.3
\$50,000- 74,999	1152	94,637	98	9.6	7.2-12.0	1054	90.4	88.0-92.8
\$75,000+	2223	189,338	229	10.9	9.1-12.7	1994	89.1	87.3-90.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3301	300,566	317	10.8	9.2-12.4	2984	89.2	87.6-90.8
Native	124	13,738	17	14.4	6.6-22.2	107	85.6	77.8-93.4
Non-Native	3122	281,084	291	10.6	9.0-12.2	2831	89.4	87.8-91.0
18-24	220	47,952	34	15.9	10.4-21.4	186	84.1	78.6-89.6
25-34	394	61,670	44	12.3	8.4-16.2	350	87.7	83.8-91.6
35-44	391	47,432	34	8.7	5.6-11.8	357	91.3	88.2-94.4
45-54	476	42,631	37	7.2	4.5-9.9	439	92.8	90.1-95.5
55-64	778	48,509	86	11.7	9.0-14.4	692	88.3	85.6-91.0
65+	1042	52,371	82	8.3	6.1-10.5	960	91.7	89.5-93.9
Less Than H.S.	207	28,250	31	16.7	9.8-23.6	176	83.3	76.4-90.2
H.S. or G.E.D.	937	84,292	93	10.5	8.0-13.0	844	89.5	87.0-92.0
Some Post-H.S.	1050	116,186	108	11.3	8.8-13.8	942	88.7	86.2-91.2
College Graduate	1099	71,162	84	8.0	5.8-10.2	1015	92.0	89.8-94.2
Less than \$15,000	180	19,596	32	16.7	9.1-24.3	148	83.3	75.7-90.9
\$15,000- 24,999	301	30,526	42	14.6	9.5-19.7	259	85.4	80.3-90.5
\$25,000- 34,999	239	23,217	23	10.6	4.9-16.3	216	89.4	83.7-95.1
\$35,000- 49,999	478	37,990	42	9.4	6.1-12.7	436	90.6	87.3-93.9
\$50,000- 74,999	600	54,318	43	8.6	5.3-11.9	557	91.4	88.1-94.7
\$75,000+	1204	104,693	111	10.3	7.9-12.7	1093	89.7	87.3-92.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3675	286,031	471	15.1	13.3-16.9	3204	84.9	83.1-86.7
Native	123	11,049	28	23.6	13.6-33.6	95	76.4	66.4-86.4
Non-Native	3518	271,648	436	14.7	12.9-16.5	3082	85.3	83.5-87.1
18-24	149	41,963	34	24.0	16.4-31.6	115	76.0	68.4-83.6
25-34	304	51,305	44	14.2	9.5-18.9	260	85.8	81.1-90.5
35-44	322	43,021	50	17.2	12.3-22.1	272	82.8	77.9-87.7
45-54	487	40,521	68	13.8	10.3-17.3	419	86.2	82.7-89.7
55-64	874	46,705	90	11.2	8.7-13.7	784	88.8	86.3-91.3
65+	1539	62,517	185	12.3	10.3-14.3	1354	87.7	85.7-89.7
Less Than H.S.	186	19,931	29	19.5	11.3-27.7	157	80.5	72.3-88.7
H.S. or G.E.D.	1029	73,277	129	16.5	12.8-20.2	900	83.5	79.8-87.2
Some Post-H.S.	1197	113,265	160	15.7	12.6-18.8	1037	84.3	81.2-87.4
College Graduate	1252	78,702	149	11.6	9.2-14.0	1103	88.4	86.0-90.8
Less than \$15,000	246	23,115	43	21.8	14.0-29.6	203	78.2	70.4-86.0
\$15,000- 24,999	508	38,243	78	18.2	13.1-23.3	430	81.8	76.7-86.9
\$25,000- 34,999	365	25,042	45	15.6	9.7-21.5	320	84.4	78.5-90.3
\$35,000- 49,999	494	39,849	73	18.3	12.6-24.0	421	81.7	76.0-87.4
\$50,000- 74,999	552	40,319	55	10.8	7.3-14.3	497	89.2	85.7-92.7
\$75,000+	1019	84,645	118	11.6	8.9-14.3	901	88.4	85.7-91.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	772	74,267	554	67.9	63.2-72.6	218	32.1	27.4-36.8
Male	308	31,585	195	56.7	49.3-64.1	113	43.3	35.9-50.7
Female	464	42,682	359	76.1	70.4-81.8	105	23.9	18.2-29.6
Non-Native	712	68,503	509	67.7	62.8-72.6	203	32.3	27.4-37.2
18-24	66	17,441	41	64.6	52.1-77.1	25	35.4	22.9-47.9
25-34	85	14,495	50	50.9	38.6-63.2	35	49.1	36.8-61.4
35-44	83	11,344	59	74.0	63.2-84.8	24	26.0	15.2-36.8
45-54	100	8,180	76	77.9	68.3-87.5	24	22.1	12.5-31.7
55-64	174	10,854	123	70.8	63.0-78.6	51	29.2	21.4-37.0
65+	264	11,952	205	77.9	72.0-83.8	59	22.1	16.2-28.0
Less Than H.S.	59	8,304	49	77.2	61.1-93.3	10	22.8	6.7-38.9
H.S. or G.E.D.	214	20,348	155	68.7	59.9-77.5	59	31.3	22.5-40.1
Some Post-H.S.	266	30,802	194	69.6	62.2-77.0	72	30.4	23.0-37.8
College Graduate	228	14,353	153	57.9	49.1-66.7	75	42.1	33.3-50.9
Less than \$15,000	73	7,901	61	76.3	60.6-92.0	12	23.7	8.0-39.4
\$15,000- 24,999	120	11,422	100	86.1	78.1-94.1	20	13.9	5.9-21.9
\$25,000- 34,999	66	6,269	43	65.4	49.7-81.1	23	34.6	18.9-50.3
\$35,000- 49,999	112	10,620	82	73.3	61.9-84.7	30	26.7	15.3-38.1
\$50,000- 74,999	98	9,047	69	63.9	50.6-77.2	29	36.1	22.8-49.4
\$75,000+	224	20,050	141	55.3	46.7-63.9	83	44.7	36.1-53.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	308	31,585	195	56.7	49.3-64.1	113	43.3	35.9-50.7
Non-Native	283	29,145	178	56.8	49.2-64.4	105	43.2	35.6-50.8
55-64	85	5,661	57	66.5	54.2-78.8	28	33.5	21.2-45.8
65+	80	4,280	59	73.7	62.1-85.3	21	26.3	14.7-37.9
H.S. or G.E.D.	88	8,382	55	54.7	41.0-68.4	33	45.3	31.6-59.0
Some Post-H.S.	107	13,055	64	52.6	40.6-64.6	43	47.4	35.4-59.4
College Graduate	82	5,628	49	50.0	35.5-64.5	33	50.0	35.5-64.5
\$75,000+	109	10,579	62	50.7	38.9-62.5	47	49.3	37.5-61.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	464	42,682	359	76.1	70.4-81.8	105	23.9	18.2-29.6
Non-Native	429	39,358	331	75.7	69.8-81.6	98	24.3	18.4-30.2
45-54	64	5,255	54	86.3	77.5-95.1	10	13.7	4.9-22.5
55-64	89	5,193	66	75.4	65.2-85.6	23	24.6	14.4-34.8
65+	184	7,672	146	80.2	73.7-86.7	38	19.8	13.3-26.3
H.S. or G.E.D.	126	11,966	100	78.4	67.6-89.2	26	21.6	10.8-32.4
Some Post-H.S.	159	17,746	130	82.0	74.0-90.0	29	18.0	10.0-26.0
College Graduate	146	8,725	104	63.0	51.8-74.2	42	37.0	25.8-48.2
\$15,000- 24,999	78	6,955	69	92.4	86.7-98.1	9	7.6	1.9-13.3
\$35,000- 49,999	72	7,117	55	76.4	62.3-90.5	17	23.6	9.5-37.7
\$50,000- 74,999	55	4,361	41	73.4	57.1-89.7	14	26.6	10.3-42.9
\$75,000+	115	9,471	79	60.4	47.9-72.9	36	39.6	27.1-52.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6983	587,993	532	4.6	4.0- 5.2	6451	95.4	94.8-96.0
Male	3310	301,913	236	4.3	3.5- 5.1	3074	95.7	94.9-96.5
Female	3673	286,079	296	4.8	4.0- 5.6	3377	95.2	94.4-96.0
Native	246	24,777	5	1.4	0.0- 2.8	241	98.6	97.2- 100
Non-Native	6647	554,101	522	4.7	4.1- 5.3	6125	95.3	94.7-95.9
18-24	372	90,678	1	0.4	0.0- 1.2	371	99.6	98.8- 100
25-34	698	112,975	3	0.5	0.0- 1.1	695	99.5	98.9- 100
35-44	714	90,511	9	1.0	0.2- 1.8	705	99.0	98.2-99.8
45-54	964	83,328	41	4.2	2.8- 5.6	923	95.8	94.4-97.2
55-64	1653	95,403	94	4.9	3.7- 6.1	1559	95.1	93.9-96.3
65+	2582	115,098	384	14.7	12.9-16.5	2198	85.3	83.5-87.1
Less Than H.S.	397	48,911	46	7.1	4.6- 9.6	351	92.9	90.4-95.4
H.S. or G.E.D.	1966	157,798	150	4.4	3.6- 5.2	1816	95.6	94.8-96.4
Some Post-H.S.	2250	229,837	141	3.9	3.1- 4.7	2109	96.1	95.3-96.9
College Graduate	2351	149,914	194	4.8	4.0- 5.6	2157	95.2	94.4-96.0
Less than \$15,000	426	42,831	21	2.2	1.0- 3.4	405	97.8	96.6-99.0
\$15,000- 24,999	808	68,784	72	5.4	3.8- 7.0	736	94.6	93.0-96.2
\$25,000- 34,999	603	48,242	58	4.6	3.0- 6.2	545	95.4	93.8-97.0
\$35,000- 49,999	975	78,193	89	5.4	4.0- 6.8	886	94.6	93.2-96.0
\$50,000- 74,999	1152	94,688	78	4.3	3.1- 5.5	1074	95.7	94.5-96.9
\$75,000+	2226	189,913	154	4.3	3.5- 5.1	2072	95.7	94.9-96.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3310	301,913	236	4.3	3.5- 5.1	3074	95.7	94.9-96.5
Native	123	13,728	2	0.5	0.0- 1.3	121	99.5	98.7- 100
Non-Native	3131	282,405	232	4.5	3.7- 5.3	2899	95.5	94.7-96.3
18-24	223	48,715	1	0.8	0.0- 2.2	222	99.2	97.8- 100
25-34	394	61,670	1	0.2	0.0- 0.6	393	99.8	99.4- 100
35-44	392	47,490	5	1.2	0.0- 2.4	387	98.8	97.6- 100
45-54	477	42,807	15	2.9	1.3- 4.5	462	97.1	95.5-98.7
55-64	779	48,695	35	4.4	2.6- 6.2	744	95.6	93.8-97.4
65+	1045	52,536	179	16.5	13.8-19.2	866	83.5	80.8-86.2
Less Than H.S.	210	28,911	23	7.2	3.7-10.7	187	92.8	89.3-96.3
H.S. or G.E.D.	938	84,526	57	3.4	2.4- 4.4	881	96.6	95.6-97.6
Some Post-H.S.	1054	116,552	57	3.5	2.3- 4.7	997	96.5	95.3-97.7
College Graduate	1100	71,249	99	5.7	4.3- 7.1	1001	94.3	92.9-95.7
Less than \$15,000	181	19,753	5	1.6	0.0- 3.4	176	98.4	96.6- 100
\$15,000- 24,999	300	30,477	28	6.2	3.1- 9.3	272	93.8	90.7-96.9
\$25,000- 34,999	239	23,217	18	3.7	1.5- 5.9	221	96.3	94.1-98.5
\$35,000- 49,999	481	38,344	42	5.5	3.5- 7.5	439	94.5	92.5-96.5
\$50,000- 74,999	601	54,417	40	4.1	2.5- 5.7	561	95.9	94.3-97.5
\$75,000+	1206	105,217	88	4.3	3.3- 5.3	1118	95.7	94.7-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3673	286,079	296	4.8	4.0- 5.6	3377	95.2	94.4-96.0
Native	123	11,049	3	2.6	0.0- 5.7	120	97.4	94.3- 100
Non-Native	3516	271,696	290	4.9	4.1- 5.7	3226	95.1	94.3-95.9
18-24	149	41,963				149	100.0	100.0- 100
25-34	304	51,305	2	0.8	0.0- 2.0	302	99.2	98.0- 100
35-44	322	43,021	4	0.7	0.0- 1.5	318	99.3	98.5- 100
45-54	487	40,521	26	5.6	3.2- 8.0	461	94.4	92.0-96.8
55-64	874	46,707	59	5.5	3.9- 7.1	815	94.5	92.9-96.1
65+	1537	62,562	205	13.2	11.0-15.4	1332	86.8	84.6-89.0
Less Than H.S.	187	20,001	23	7.0	3.5-10.5	164	93.0	89.5-96.5
H.S. or G.E.D.	1028	73,272	93	5.6	4.2- 7.0	935	94.4	93.0-95.8
Some Post-H.S.	1196	113,284	84	4.4	3.2- 5.6	1112	95.6	94.4-96.8
College Graduate	1251	78,665	95	4.0	3.0- 5.0	1156	96.0	95.0-97.0
Less than \$15,000	245	23,078	16	2.7	1.1- 4.3	229	97.3	95.7-98.9
\$15,000- 24,999	508	38,306	44	4.8	3.2- 6.4	464	95.2	93.6-96.8
\$25,000- 34,999	364	25,024	40	5.4	3.2- 7.6	324	94.6	92.4-96.8
\$35,000- 49,999	494	39,849	47	5.3	3.3- 7.3	447	94.7	92.7-96.7
\$50,000- 74,999	551	40,271	38	4.5	2.5- 6.5	513	95.5	93.5-97.5
\$75,000+	1020	84,697	66	4.3	2.9- 5.7	954	95.7	94.3-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6985	587,771	712	6.6	6.0- 7.2	6273	93.4	92.8-94.0
Male	3308	301,565	278	5.1	4.3- 5.9	3030	94.9	94.1-95.7
Female	3677	286,206	434	8.2	7.2- 9.2	3243	91.8	90.8-92.8
Native	246	24,587	22	5.7	2.8- 8.6	224	94.3	91.4-97.2
Non-Native	6649	554,069	679	6.6	6.0- 7.2	5970	93.4	92.8-94.0
18-24	371	90,580	1	0.1	0.0- 0.3	370	99.9	99.7- 100
25-34	698	112,975	20	2.8	1.4- 4.2	678	97.2	95.8-98.6
35-44	714	90,511	19	3.0	1.4- 4.6	695	97.0	95.4-98.6
45-54	962	83,205	48	5.0	3.4- 6.6	914	95.0	93.4-96.6
55-64	1654	95,276	148	8.3	6.9- 9.7	1506	91.7	90.3-93.1
65+	2586	115,224	476	18.3	16.5-20.1	2110	81.7	79.9-83.5
Less Than H.S.	397	48,911	53	9.6	6.5-12.7	344	90.4	87.3-93.5
H.S. or G.E.D.	1969	157,902	197	6.0	5.0- 7.0	1772	94.0	93.0-95.0
Some Post-H.S.	2248	229,482	234	6.6	5.6- 7.6	2014	93.4	92.4-94.4
College Graduate	2352	149,943	226	6.4	5.2- 7.6	2126	93.6	92.4-94.8
Less than \$15,000	427	42,843	59	7.7	5.3-10.1	368	92.3	89.9-94.7
\$15,000- 24,999	809	68,656	106	8.8	6.6-11.0	703	91.2	89.0-93.4
\$25,000- 34,999	604	48,259	80	8.6	6.1-11.1	524	91.4	88.9-93.9
\$35,000- 49,999	974	78,138	107	6.8	5.2- 8.4	867	93.2	91.6-94.8
\$50,000- 74,999	1152	94,638	104	5.2	4.0- 6.4	1048	94.8	93.6-96.0
\$75,000+	2226	189,913	166	5.2	4.2- 6.2	2060	94.8	93.8-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3308	301,565	278	5.1	4.3- 5.9	3030	94.9	94.1-95.7
Native	123	13,538	7	5.1	0.8- 9.4	116	94.9	90.6-99.2
Non-Native	3129	282,247	264	5.1	4.3- 5.9	2865	94.9	94.1-95.7
18-24	222	48,617				222	100.0	100.0- 100
25-34	394	61,670	6	1.4	0.0- 2.8	388	98.6	97.2- 100
35-44	392	47,490	4	1.3	0.0- 2.7	388	98.7	97.3- 100
45-54	475	42,684	8	1.5	0.3- 2.7	467	98.5	97.3-99.7
55-64	779	48,520	64	7.7	5.7- 9.7	715	92.3	90.3-94.3
65+	1046	52,584	196	18.3	15.6-21.0	850	81.7	79.0-84.4
Less Than H.S.	210	28,911	24	7.7	4.0-11.4	186	92.3	88.6-96.0
H.S. or G.E.D.	939	84,575	71	4.5	3.3- 5.7	868	95.5	94.3-96.7
Some Post-H.S.	1050	116,132	87	5.1	3.7- 6.5	963	94.9	93.5-96.3
College Graduate	1101	71,272	96	5.0	3.8- 6.2	1005	95.0	93.8-96.2
Less than \$15,000	181	19,728	12	4.7	1.8- 7.6	169	95.3	92.4-98.2
\$15,000- 24,999	300	30,327	31	7.4	4.1-10.7	269	92.6	89.3-95.9
\$25,000- 34,999	239	23,217	25	6.2	3.1- 9.3	214	93.8	90.7-96.9
\$35,000- 49,999	481	38,321	46	6.6	4.2- 9.0	435	93.4	91.0-95.8
\$50,000- 74,999	600	54,319	51	4.4	3.0- 5.8	549	95.6	94.2-97.0
\$75,000+	1206	105,217	92	4.3	3.3- 5.3	1114	95.7	94.7-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3677	286,206	434	8.2	7.2- 9.2	3243	91.8	90.8-92.8
Native	123	11,049	15	6.4	2.5-10.3	108	93.6	89.7-97.5
Non-Native	3520	271,823	415	8.2	7.2- 9.2	3105	91.8	90.8-92.8
18-24	149	41,963	1	0.3	0.0- 0.9	148	99.7	99.1- 100
25-34	304	51,305	14	4.6	2.1- 7.1	290	95.4	92.9-97.9
35-44	322	43,021	15	4.8	2.1- 7.5	307	95.2	92.5-97.9
45-54	487	40,521	40	8.7	6.0-11.4	447	91.3	88.6-94.0
55-64	875	46,756	84	8.8	6.8-10.8	791	91.2	89.2-93.2
65+	1540	62,640	280	18.2	15.8-20.6	1260	81.8	79.4-84.2
Less Than H.S.	187	20,001	29	12.4	7.1-17.7	158	87.6	82.3-92.9
H.S. or G.E.D.	1030	73,328	126	7.8	6.0- 9.6	904	92.2	90.4-94.0
Some Post-H.S.	1198	113,351	147	8.1	6.5- 9.7	1051	91.9	90.3-93.5
College Graduate	1251	78,670	130	7.8	6.0- 9.6	1121	92.2	90.4-94.0
Less than \$15,000	246	23,115	47	10.2	6.7-13.7	199	89.8	86.3-93.3
\$15,000- 24,999	509	38,329	75	9.8	7.1-12.5	434	90.2	87.5-92.9
\$25,000- 34,999	365	25,042	55	10.8	7.1-14.5	310	89.2	85.5-92.9
\$35,000- 49,999	493	39,817	61	7.0	4.8- 9.2	432	93.0	90.8-95.2
\$50,000- 74,999	552	40,319	53	6.3	4.1- 8.5	499	93.7	91.5-95.9
\$75,000+	1020	84,697	74	6.2	4.4- 8.0	946	93.8	92.0-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6963	586,547	450	5.0	4.4- 5.6	6513	95.0	94.4-95.6
Male	3297	301,293	183	4.0	3.2- 4.8	3114	96.0	95.2-96.8
Female	3666	285,254	267	6.0	5.0- 7.0	3399	94.0	93.0-95.0
Native	246	24,777	26	9.1	4.6-13.6	220	90.9	86.4-95.4
Non-Native	6628	552,713	419	4.8	4.2- 5.4	6209	95.2	94.6-95.8
18-24	370	90,240	4	1.0	0.0- 2.0	366	99.0	98.0- 100
25-34	697	112,819	8	1.1	0.1- 2.1	689	98.9	97.9-99.9
35-44	714	90,511	21	3.5	1.7- 5.3	693	96.5	94.7-98.3
45-54	963	83,294	38	5.7	3.7- 7.7	925	94.3	92.3-96.3
55-64	1649	95,168	109	7.1	5.5- 8.7	1540	92.9	91.3-94.5
65+	2570	114,515	270	10.6	9.2-12.0	2300	89.4	88.0-90.8
Less Than H.S.	391	48,568	45	9.0	5.9-12.1	346	91.0	87.9-94.1
H.S. or G.E.D.	1960	157,120	169	6.7	5.3- 8.1	1791	93.3	91.9-94.7
Some Post-H.S.	2248	229,664	145	4.4	3.4- 5.4	2103	95.6	94.6-96.6
College Graduate	2346	149,758	90	2.7	1.9- 3.5	2256	97.3	96.5-98.1
Less than \$15,000	421	42,355	73	11.8	8.3-15.3	348	88.2	84.7-91.7
\$15,000- 24,999	805	68,411	83	8.1	5.7-10.5	722	91.9	89.5-94.3
\$25,000- 34,999	599	47,995	42	7.0	4.3- 9.7	557	93.0	90.3-95.7
\$35,000- 49,999	972	78,064	75	4.6	3.4- 5.8	897	95.4	94.2-96.6
\$50,000- 74,999	1150	94,663	55	3.8	2.4- 5.2	1095	96.2	94.8-97.6
\$75,000+	2226	189,913	75	2.8	2.0- 3.6	2151	97.2	96.4-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3297	301,293	183	4.0	3.2- 4.8	3114	96.0	95.2-96.8
Native	123	13,728	7	4.2	0.1- 8.3	116	95.8	91.7-99.9
Non-Native	3118	281,785	173	4.0	3.2- 4.8	2945	96.0	95.2-96.8
18-24	222	48,620	3	1.2	0.0- 2.6	219	98.8	97.4- 100
25-34	394	61,670	3	0.9	0.0- 2.1	391	99.1	97.9- 100
35-44	392	47,490	6	1.4	0.2- 2.6	386	98.6	97.4-99.8
45-54	476	42,773	13	3.6	1.2- 6.0	463	96.4	94.0-98.8
55-64	776	48,559	54	6.8	4.8- 8.8	722	93.2	91.2-95.2
65+	1037	52,181	104	10.2	8.0-12.4	933	89.8	87.6-92.0
Less Than H.S.	207	28,765	21	7.1	3.6-10.6	186	92.9	89.4-96.4
H.S. or G.E.D.	934	84,394	64	4.7	3.3- 6.1	870	95.3	93.9-96.7
Some Post-H.S.	1051	116,385	58	3.5	2.3- 4.7	993	96.5	95.3-97.7
College Graduate	1098	71,169	40	2.6	1.4- 3.8	1058	97.4	96.2-98.6
Less than \$15,000	178	19,566	29	11.1	6.2-16.0	149	88.9	84.0-93.8
\$15,000- 24,999	297	30,425	31	7.1	4.2-10.0	266	92.9	90.0-95.8
\$25,000- 34,999	238	23,110	10	2.3	0.5- 4.1	228	97.7	95.9-99.5
\$35,000- 49,999	478	38,215	30	3.7	2.1- 5.3	448	96.3	94.7-97.9
\$50,000- 74,999	600	54,398	26	3.1	1.5- 4.7	574	96.9	95.3-98.5
\$75,000+	1206	105,217	41	2.6	1.6- 3.6	1165	97.4	96.4-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3666	285,254	267	6.0	5.0- 7.0	3399	94.0	93.0-95.0	
Native	123	11,049	19	15.3	6.7-23.9	104	84.7	76.1-93.3	
Non-Native	3510	270,929	246	5.6	4.6- 6.6	3264	94.4	93.4-95.4	
18-24	148	41,620	1	0.8	0.0- 2.4	147	99.2	97.6- 100	
25-34	303	51,149	5	1.4	0.0- 3.0	298	98.6	97.0- 100	
35-44	322	43,021	15	5.9	2.8- 9.0	307	94.1	91.0-97.2	
45-54	487	40,521	25	8.0	4.7-11.3	462	92.0	88.7-95.3	
55-64	873	46,610	55	7.5	5.3- 9.7	818	92.5	90.3-94.7	
65+	1533	62,334	166	11.0	9.0-13.0	1367	89.0	87.0-91.0	
Less Than H.S.	184	19,802	24	11.7	6.0-17.4	160	88.3	82.6-94.0	
H.S. or G.E.D.	1026	72,727	105	8.9	6.5-11.3	921	91.1	88.7-93.5	
Some Post-H.S.	1197	113,279	87	5.4	4.0- 6.8	1110	94.6	93.2-96.0	
College Graduate	1248	78,589	50	2.7	1.7- 3.7	1198	97.3	96.3-98.3	
Less than \$15,000	243	22,789	44	12.5	7.6-17.4	199	87.5	82.6-92.4	
\$15,000- 24,999	508	37,987	52	8.9	5.6-12.2	456	91.1	87.8-94.4	
\$25,000- 34,999	361	24,885	32	11.4	6.5-16.3	329	88.6	83.7-93.5	
\$35,000- 49,999	494	39,849	45	5.4	3.4- 7.4	449	94.6	92.6-96.6	
\$50,000- 74,999	550	40,265	29	4.7	2.3- 7.1	521	95.3	92.9-97.7	
\$75,000+	1020	84,697	34	2.9	1.5- 4.3	986	97.1	95.7-98.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6959	584,830	2321	24.3	23.1-25.5	4638	75.7	74.5-76.9
Male	3295	300,390	866	19.3	17.7-20.9	2429	80.7	79.1-82.3
Female	3664	284,441	1455	29.5	27.5-31.5	2209	70.5	68.5-72.5
Native	245	24,171	90	34.3	26.5-42.1	155	65.7	57.9-73.5
Non-Native	6625	551,596	2200	23.9	22.7-25.1	4425	76.1	74.9-77.3
18-24	367	89,593	13	4.3	1.6- 7.0	354	95.7	93.0-98.4
25-34	695	112,544	55	8.9	6.4-11.4	640	91.1	88.6-93.6
35-44	710	89,873	116	18.2	14.7-21.7	594	81.8	78.3-85.3
45-54	960	82,918	250	26.9	23.6-30.2	710	73.1	69.8-76.4
55-64	1651	95,142	611	36.1	33.4-38.8	1040	63.9	61.2-66.6
65+	2576	114,760	1276	47.8	45.4-50.2	1300	52.2	49.8-54.6
Less Than H.S.	392	48,417	169	33.8	27.7-39.9	223	66.2	60.1-72.3
H.S. or G.E.D.	1956	156,525	732	25.0	22.6-27.4	1224	75.0	72.6-77.4
Some Post-H.S.	2244	228,949	757	25.1	22.9-27.3	1487	74.9	72.7-77.1
College Graduate	2348	149,407	659	19.2	17.4-21.0	1689	80.8	79.0-82.6
Less than \$15,000	424	42,548	204	31.5	26.0-37.0	220	68.5	63.0-74.0
\$15,000- 24,999	806	68,348	361	34.3	30.0-38.6	445	65.7	61.4-70.0
\$25,000- 34,999	601	47,443	229	26.6	22.1-31.1	372	73.4	68.9-77.9
\$35,000- 49,999	970	77,705	352	26.3	23.0-29.6	618	73.7	70.4-77.0
\$50,000- 74,999	1149	94,441	347	22.2	19.3-25.1	802	77.8	74.9-80.7
\$75,000+	2222	189,617	576	19.6	17.6-21.6	1646	80.4	78.4-82.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3295	300,390	866	19.3	17.7-20.9	2429	80.7	79.1-82.3
Native	123	13,591	41	29.9	19.7-40.1	82	70.1	59.9-80.3
Non-Native	3116	281,019	806	18.6	17.0-20.2	2310	81.4	79.8-83.0
18-24	221	48,473	6	3.9	0.0- 8.0	215	96.1	92.0- 100
25-34	392	61,396	19	5.3	2.6- 8.0	373	94.7	92.0-97.4
35-44	390	47,322	50	13.5	9.6-17.4	340	86.5	82.6-90.4
45-54	474	42,417	107	22.5	18.0-27.0	367	77.5	73.0-82.0
55-64	777	48,436	263	32.8	28.9-36.7	514	67.2	63.3-71.1
65+	1041	52,346	421	39.9	36.4-43.4	620	60.1	56.6-63.6
Less Than H.S.	206	28,438	66	25.1	17.3-32.9	140	74.9	67.1-82.7
H.S. or G.E.D.	933	83,943	279	19.4	16.7-22.1	654	80.6	77.9-83.3
Some Post-H.S.	1050	116,338	269	19.0	16.5-21.5	781	81.0	78.5-83.5
College Graduate	1098	70,995	250	17.3	14.8-19.8	848	82.7	80.2-85.2
Less than \$15,000	181	19,655	63	21.6	15.1-28.1	118	78.4	71.9-84.9
\$15,000- 24,999	299	30,393	106	25.7	20.0-31.4	193	74.3	68.6-80.0
\$25,000- 34,999	238	23,079	59	15.7	10.8-20.6	179	84.3	79.4-89.2
\$35,000- 49,999	477	38,117	147	22.8	18.5-27.1	330	77.2	72.9-81.5
\$50,000- 74,999	599	54,208	150	19.5	15.6-23.4	449	80.5	76.6-84.4
\$75,000+	1204	104,990	279	17.7	15.0-20.4	925	82.3	79.6-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3664	284,441	1455	29.5	27.5-31.5	2209	70.5	68.5-72.5
Native	122	10,580	49	40.0	27.8-52.2	73	60.0	47.8-72.2
Non-Native	3509	270,577	1394	29.3	27.3-31.3	2115	70.7	68.7-72.7
18-24	146	41,120	7	4.8	1.1- 8.5	139	95.2	91.5-98.9
25-34	303	51,149	36	13.3	8.6-18.0	267	86.7	82.0-91.4
35-44	320	42,551	66	23.5	17.6-29.4	254	76.5	70.6-82.4
45-54	486	40,501	143	31.4	26.5-36.3	343	68.6	63.7-73.5
55-64	874	46,706	348	39.6	35.7-43.5	526	60.4	56.5-64.3
65+	1535	62,414	855	54.5	51.6-57.4	680	45.5	42.6-48.4
Less Than H.S.	186	19,978	103	46.1	36.5-55.7	83	53.9	44.3-63.5
H.S. or G.E.D.	1023	72,582	453	31.4	27.7-35.1	570	68.6	64.9-72.3
Some Post-H.S.	1194	112,611	488	31.4	28.1-34.7	706	68.6	65.3-71.9
College Graduate	1250	78,413	409	21.0	18.5-23.5	841	79.0	76.5-81.5
Less than \$15,000	243	22,892	141	40.0	31.4-48.6	102	60.0	51.4-68.6
\$15,000- 24,999	507	37,955	255	41.2	35.1-47.3	252	58.8	52.7-64.9
\$25,000- 34,999	363	24,363	170	36.9	29.6-44.2	193	63.1	55.8-70.4
\$35,000- 49,999	493	39,589	205	29.7	24.4-35.0	288	70.3	65.0-75.6
\$50,000- 74,999	550	40,234	197	25.7	21.0-30.4	353	74.3	69.6-79.0
\$75,000+	1018	84,627	297	22.0	19.1-24.9	721	78.0	75.1-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6971	586,910	1215	20.0	18.6-21.4	5756	80.0	78.6-81.4
Male	3304	301,076	397	13.6	12.0-15.2	2907	86.4	84.8-88.0
Female	3667	285,834	818	26.7	24.5-28.9	2849	73.3	71.1-75.5
Native	246	24,635	48	21.3	14.4-28.2	198	78.7	71.8-85.6
Non-Native	6636	553,218	1149	19.9	18.5-21.3	5487	80.1	78.7-81.5
18-24	370	90,458	83	24.0	18.9-29.1	287	76.0	70.9-81.1
25-34	698	112,975	139	20.7	17.2-24.2	559	79.3	75.8-82.8
35-44	712	90,208	152	24.9	21.0-28.8	560	75.1	71.2-79.0
45-54	960	82,949	192	20.6	17.7-23.5	768	79.4	76.5-82.3
55-64	1653	95,363	303	18.5	16.3-20.7	1350	81.5	79.3-83.7
65+	2578	114,957	346	13.2	11.6-14.8	2232	86.8	85.2-88.4
Less Than H.S.	396	48,861	82	25.9	19.6-32.2	314	74.1	67.8-80.4
H.S. or G.E.D.	1957	157,060	345	21.8	19.1-24.5	1612	78.2	75.5-80.9
Some Post-H.S.	2248	229,546	393	20.3	17.9-22.7	1855	79.7	77.3-82.1
College Graduate	2351	149,910	394	16.0	14.0-18.0	1957	84.0	82.0-86.0
Less than \$15,000	420	42,538	145	33.5	27.2-39.8	275	66.5	60.2-72.8
\$15,000- 24,999	809	68,703	189	25.0	20.7-29.3	620	75.0	70.7-79.3
\$25,000- 34,999	604	48,259	110	21.2	16.5-25.9	494	78.8	74.1-83.5
\$35,000- 49,999	974	78,092	164	19.7	16.0-23.4	810	80.3	76.6-84.0
\$50,000- 74,999	1151	94,659	189	20.3	16.8-23.8	962	79.7	76.2-83.2
\$75,000+	2224	189,520	311	15.6	13.4-17.8	1913	84.4	82.2-86.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3304	301,076	397	13.6	12.0-15.2	2907	86.4	84.8-88.0
Native	123	13,586	21	19.6	10.6-28.6	102	80.4	71.4-89.4
Non-Native	3125	281,710	365	13.3	11.5-15.1	2760	86.7	84.9-88.5
18-24	221	48,495	35	17.7	11.4-24.0	186	82.3	76.0-88.6
25-34	394	61,670	53	13.8	9.7-17.9	341	86.2	82.1-90.3
35-44	391	47,237	55	15.4	11.3-19.5	336	84.6	80.5-88.7
45-54	474	42,497	59	12.2	8.7-15.7	415	87.8	84.3-91.3
55-64	780	48,670	92	12.3	9.6-15.0	688	87.7	85.0-90.4
65+	1044	52,507	103	10.5	8.1-12.9	941	89.5	87.1-91.9
Less Than H.S.	210	28,911	40	25.0	16.4-33.6	170	75.0	66.4-83.6
H.S. or G.E.D.	932	83,904	125	15.6	12.5-18.7	807	84.4	81.3-87.5
Some Post-H.S.	1053	116,299	115	11.9	9.4-14.4	938	88.1	85.6-90.6
College Graduate	1101	71,287	116	9.6	7.4-11.8	985	90.4	88.2-92.6
Less than \$15,000	180	19,645	53	30.2	21.6-38.8	127	69.8	61.2-78.4
\$15,000- 24,999	300	30,374	51	14.5	9.6-19.4	249	85.5	80.6-90.4
\$25,000- 34,999	239	23,217	31	13.3	8.0-18.6	208	86.7	81.4-92.0
\$35,000- 49,999	481	38,268	49	10.6	7.1-14.1	432	89.4	85.9-92.9
\$50,000- 74,999	599	54,340	66	14.0	9.9-18.1	533	86.0	81.9-90.1
\$75,000+	1204	104,823	109	10.9	8.2-13.6	1095	89.1	86.4-91.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3667	285,834	818	26.7	24.5-28.9	2849	73.3	71.1-75.5
Native	123	11,049	27	23.4	12.8-34.0	96	76.6	66.0-87.2
Non-Native	3511	271,508	784	26.8	24.6-29.0	2727	73.2	71.0-75.4
18-24	149	41,963	48	31.4	23.2-39.6	101	68.6	60.4-76.8
25-34	304	51,305	86	29.1	23.0-35.2	218	70.9	64.8-77.0
35-44	321	42,970	97	35.4	29.1-41.7	224	64.6	58.3-70.9
45-54	486	40,452	133	29.3	24.6-34.0	353	70.7	66.0-75.4
55-64	873	46,693	211	24.9	21.6-28.2	662	75.1	71.8-78.4
65+	1534	62,450	243	15.4	13.2-17.6	1291	84.6	82.4-86.8
Less Than H.S.	186	19,950	42	27.2	18.4-36.0	144	72.8	64.0-81.6
H.S. or G.E.D.	1025	73,156	220	29.0	24.7-33.3	805	71.0	66.7-75.3
Some Post-H.S.	1195	113,247	278	28.9	25.0-32.8	917	71.1	67.2-75.0
College Graduate	1250	78,624	278	21.7	18.8-24.6	972	78.3	75.4-81.2
Less than \$15,000	240	22,893	92	36.3	27.3-45.3	148	63.7	54.7-72.7
\$15,000- 24,999	509	38,329	138	33.4	27.1-39.7	371	66.6	60.3-72.9
\$25,000- 34,999	365	25,042	79	28.5	21.2-35.8	286	71.5	64.2-78.8
\$35,000- 49,999	493	39,824	115	28.3	22.0-34.6	378	71.7	65.4-78.0
\$50,000- 74,999	552	40,319	123	28.7	23.0-34.4	429	71.3	65.6-77.0
\$75,000+	1020	84,697	202	21.5	18.0-25.0	818	78.5	75.0-82.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6982	587,787	241	2.6	2.2- 3.0	6741	97.4	97.0-97.8
Male	3307	301,694	99	2.1	1.5- 2.7	3208	97.9	97.3-98.5
Female	3675	286,093	142	3.1	2.3- 3.9	3533	96.9	96.1-97.7
Native	247	24,787	15	3.7	1.5- 5.9	232	96.3	94.1-98.5
Non-Native	6645	553,885	224	2.6	2.2- 3.0	6421	97.4	97.0-97.8
18-24	372	90,678	3	0.7	0.0- 1.7	369	99.3	98.3- 100
25-34	698	112,975	7	1.1	0.1- 2.1	691	98.9	97.9-99.9
35-44	714	90,511	10	1.6	0.4- 2.8	704	98.4	97.2-99.6
45-54	962	83,269	26	2.8	1.6- 4.0	936	97.2	96.0-98.4
55-64	1654	95,342	53	3.3	2.3- 4.3	1601	96.7	95.7-97.7
65+	2582	115,012	142	5.5	4.3- 6.7	2440	94.5	93.3-95.7
Less Than H.S.	397	48,911	9	1.6	0.4- 2.8	388	98.4	97.2-99.6
H.S. or G.E.D.	1964	157,675	95	3.3	2.5- 4.1	1869	96.7	95.9-97.5
Some Post-H.S.	2250	229,705	86	2.9	2.1- 3.7	2164	97.1	96.3-97.9
College Graduate	2352	149,963	51	1.7	1.1- 2.3	2301	98.3	97.7-98.9
Less than \$15,000	425	42,717	35	6.3	3.4- 9.2	390	93.7	90.8-96.6
\$15,000- 24,999	809	68,718	49	3.7	2.3- 5.1	760	96.3	94.9-97.7
\$25,000- 34,999	604	48,259	25	3.4	1.6- 5.2	579	96.6	94.8-98.4
\$35,000- 49,999	975	78,229	32	2.4	1.2- 3.6	943	97.6	96.4-98.8
\$50,000- 74,999	1151	94,660	28	2.2	1.2- 3.2	1123	97.8	96.8-98.8
\$75,000+	2226	189,913	47	1.6	1.0- 2.2	2179	98.4	97.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3307	301,694	99	2.1	1.5- 2.7	3208	97.9	97.3-98.5
Native	124	13,738	10	4.6	1.3- 7.9	114	95.4	92.1-98.7
Non-Native	3127	282,176	87	2.0	1.4- 2.6	3040	98.0	97.4-98.6
18-24	223	48,715				223	100.0	100.0- 100
25-34	394	61,670	3	0.4	0.0- 1.0	391	99.6	99.0- 100
35-44	392	47,490	4	0.9	0.0- 1.9	388	99.1	98.1- 100
45-54	476	42,773	10	2.4	0.4- 4.4	466	97.6	95.6-99.6
55-64	780	48,694	32	4.1	2.5- 5.7	748	95.9	94.3-97.5
65+	1042	52,351	50	5.1	3.5- 6.7	992	94.9	93.3-96.5
Less Than H.S.	210	28,911	5	1.6	0.0- 3.2	205	98.4	96.8- 100
H.S. or G.E.D.	936	84,481	39	2.8	1.8- 3.8	897	97.2	96.2-98.2
Some Post-H.S.	1052	116,355	35	2.3	1.3- 3.3	1017	97.7	96.7-98.7
College Graduate	1101	71,272	20	1.3	0.7- 1.9	1081	98.7	98.1-99.3
Less than \$15,000	180	19,711	18	6.5	3.0-10.0	162	93.5	90.0-97.0
\$15,000- 24,999	300	30,388	16	3.4	1.4- 5.4	284	96.6	94.6-98.6
\$25,000- 34,999	239	23,217	5	1.7	0.0- 3.5	234	98.3	96.5- 100
\$35,000- 49,999	482	38,392	10	1.3	0.3- 2.3	472	98.7	97.7-99.7
\$50,000- 74,999	599	54,341	14	1.7	0.5- 2.9	585	98.3	97.1-99.5
\$75,000+	1206	105,217	27	1.5	0.9- 2.1	1179	98.5	97.9-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3675	286,093	142	3.1	2.3- 3.9	3533	96.9	96.1-97.7
Native	123	11,049	5	2.5	0.1- 4.9	118	97.5	95.1-99.9
Non-Native	3518	271,710	137	3.1	2.3- 3.9	3381	96.9	96.1-97.7
18-24	149	41,963	3	1.6	0.0- 3.6	146	98.4	96.4- 100
25-34	304	51,305	4	1.9	0.0- 3.9	300	98.1	96.1- 100
35-44	322	43,021	6	2.4	0.2- 4.6	316	97.6	95.4-99.8
45-54	486	40,495	16	3.1	1.5- 4.7	470	96.9	95.3-98.5
55-64	874	46,648	21	2.5	1.3- 3.7	853	97.5	96.3-98.7
65+	1540	62,661	92	5.9	4.5- 7.3	1448	94.1	92.7-95.5
Less Than H.S.	187	20,001	4	1.5	0.0- 3.3	183	98.5	96.7- 100
H.S. or G.E.D.	1028	73,194	56	4.0	2.6- 5.4	972	96.0	94.6-97.4
Some Post-H.S.	1198	113,351	51	3.5	2.1- 4.9	1147	96.5	95.1-97.9
College Graduate	1251	78,691	31	2.0	1.0- 3.0	1220	98.0	97.0-99.0
Less than \$15,000	245	23,007	17	6.2	1.9-10.5	228	93.8	89.5-98.1
\$15,000- 24,999	509	38,329	33	3.9	2.1- 5.7	476	96.1	94.3-97.9
\$25,000- 34,999	365	25,042	20	5.0	2.1- 7.9	345	95.0	92.1-97.9
\$35,000- 49,999	493	39,837	22	3.5	1.3- 5.7	471	96.5	94.3-98.7
\$50,000- 74,999	552	40,319	14	2.9	0.9- 4.9	538	97.1	95.1-99.1
\$75,000+	1020	84,697	20	1.7	0.7- 2.7	1000	98.3	97.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6989	588,206	871	9.0	8.2-9.8	30	0.6	0.4-0.8	5987	89.4	88.6-90.2	101	1.0	0.8-1.2
Male	3311	301,968	424	9.2	8.2-10.2				2833	89.8	88.6-91.0	54	1.0	0.6-1.4
Female	3678	286,238	447	8.7	7.7-9.7	30	1.2	0.6-1.8	3154	89.1	87.9-90.3	47	1.0	0.6-1.4
Native	247	24,787	49	16.4	10.9-21.9	2	0.4	0.0-1.0	191	80.9	75.0-86.8	5	2.2	0.0-4.4
Non-Native	6652	554,305	806	8.6	7.8-9.4	28	0.6	0.4-0.8	5722	89.8	89.0-90.6	96	1.0	0.8-1.2
18-24	372	90,678	2	0.3	0.0-0.9	3	0.9	0.0-2.1	366	98.6	97.2-100	1	0.2	0.0-0.6
25-34	698	112,975	12	2.1	0.7-3.5	8	0.7	0.1-1.3	676	96.7	95.1-98.3	2	0.5	0.0-1.3
35-44	714	90,511	32	5.5	3.3-7.7	5	0.7	0.1-1.3	674	93.5	91.3-95.7	3	0.3	0.0-0.7
45-54	963	83,294	82	8.6	6.4-10.8	8	1.2	0.2-2.2	864	89.6	87.2-92.0	9	0.7	0.1-1.3
55-64	1655	95,492	230	15.5	13.3-17.7	4	0.1	0.0-0.3	1388	82.3	80.1-84.5	33	2.1	1.3-2.9
65+	2587	115,256	513	20.1	18.1-22.1	2	0.1	0.1-0.1	2019	77.7	75.7-79.7	53	2.1	1.3-2.9
Less Than H.S.	397	48,911	72	13.8	9.9-17.7				319	85.5	81.6-89.4	6	0.8	0.2-1.4
H.S. or G.E.D.	1968	157,868	287	10.5	8.9-12.1	5	0.1	0.0-0.3	1647	88.1	86.5-89.7	29	1.3	0.7-1.9
Some Post-H.S.	2252	229,903	284	8.6	7.4-9.8	12	0.7	0.1-1.3	1924	89.6	88.2-91.0	32	1.1	0.7-1.5
College Graduate	2354	150,009	226	6.4	5.4-7.4	13	1.0	0.2-1.8	2081	91.9	90.7-93.1	34	0.8	0.6-1.0
Less than \$15,000	427	42,844	89	14.9	11.0-18.8	2	0.9	0.0-2.5	331	83.3	79.0-87.6	5	0.9	0.0-1.9
\$15,000- 24,999	810	68,855	152	13.6	10.9-16.3	3	0.5	0.0-1.3	644	84.6	81.7-87.5	11	1.2	0.4-2.0
\$25,000- 34,999	604	48,259	101	10.7	8.2-13.2	2	0.3	0.0-0.7	491	87.0	83.9-90.1	10	2.0	0.4-3.6
\$35,000- 49,999	976	78,241	140	10.1	8.1-12.1	5	0.7	0.0-1.5	815	88.1	85.7-90.5	16	1.1	0.3-1.9
\$50,000- 74,999	1153	94,736	116	7.8	6.0-9.6	5	0.6	0.0-1.4	1011	90.5	88.3-92.7	21	1.1	0.5-1.7
\$75,000+	2226	189,913	170	5.0	4.0-6.0	12	0.7	0.3-1.1	2017	93.6	92.6-94.6	27	0.7	0.3-1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3311	301,968	424	9.2	8.2-10.2	2833	89.8	88.6-91.0	54	1.0	0.6- 1.4
Native	124	13,738	29	18.7	10.9-26.5	92	78.3	69.9-86.7	3	2.9	0.0- 6.4
Non-Native	3131	282,450	388	8.8	7.8- 9.8	2692	90.2	89.0-91.4	51	1.0	0.6- 1.4
18-24	223	48,715	2	0.6	0.0- 1.6	220	99.0	97.8- 100	1	0.4	0.0- 1.2
25-34	394	61,670	6	1.5	0.1- 2.9	388	98.5	97.1-99.9			
35-44	392	47,490	23	6.2	3.5- 8.9	368	93.7	91.0-96.4	1	0.0	0.0- 0.0
45-54	476	42,773	49	10.3	7.0-13.6	421	88.8	85.5-92.1	6	0.9	0.1- 1.7
55-64	780	48,736	117	15.7	12.8-18.6	647	82.2	79.1-85.3	16	2.1	0.9- 3.3
65+	1046	52,584	227	21.9	18.8-25.0	789	75.1	72.0-78.2	30	2.9	1.7- 4.1
Less Than H.S.	210	28,911	37	13.9	8.8-19.0	169	85.2	80.1-90.3	4	0.9	0.0- 1.9
H.S. or G.E.D.	938	84,541	138	10.1	8.1-12.1	787	88.9	86.7-91.1	13	1.0	0.4- 1.6
Some Post-H.S.	1054	116,552	116	7.8	6.0- 9.6	919	91.0	89.2-92.8	19	1.2	0.6- 1.8
College Graduate	1102	71,307	132	8.6	6.8-10.4	952	90.6	88.8-92.4	18	0.8	0.4- 1.2
Less than \$15,000	181	19,729	39	15.8	9.9-21.7	139	82.9	76.8-89.0	3	1.3	0.0- 3.1
\$15,000- 24,999	301	30,526	54	13.2	9.1-17.3	242	85.1	80.6-89.6	5	1.7	0.1- 3.3
\$25,000- 34,999	239	23,217	44	11.3	7.2-15.4	191	87.5	83.2-91.8	4	1.2	0.0- 2.4
\$35,000- 49,999	482	38,392	76	11.4	8.3-14.5	398	87.6	84.5-90.7	8	0.9	0.1- 1.7
\$50,000- 74,999	601	54,417	64	7.6	5.2-10.0	525	91.5	89.1-93.9	12	0.9	0.3- 1.5
\$75,000+	1206	105,217	109	6.2	4.8- 7.6	1080	92.9	91.3-94.5	17	0.8	0.4- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3678	286,238	447	8.7	7.7- 9.7	30	1.2	0.6- 1.8	3154	89.1	87.9-90.3	47	1.0	0.6- 1.4
Native	123	11,049	20	13.6	6.3-20.9	2	0.9	0.0- 2.3	99	84.1	76.3-91.9	2	1.4	0.0- 3.8
Non-Native	3521	271,855	418	8.4	7.4- 9.4	28	1.2	0.6- 1.8	3030	89.3	88.1-90.5	45	1.0	0.6- 1.4
18-24	149	41,963				3	1.9	0.0- 4.4	146	98.1	95.6- 100			
25-34	304	51,305	6	2.7	0.2- 5.2	8	1.6	0.2- 3.0	288	94.5	91.4-97.6	2	1.1	0.0- 2.7
35-44	322	43,021	9	4.7	1.6- 7.8	5	1.4	0.0- 2.8	306	93.3	89.8-96.8	2	0.7	0.0- 1.7
45-54	487	40,521	33	6.7	4.2- 9.2	8	2.4	0.6- 4.2	443	90.4	87.3-93.5	3	0.5	0.0- 1.1
55-64	875	46,756	113	15.2	12.3-18.1	4	0.3	0.1- 0.5	741	82.5	79.4-85.6	17	2.0	0.8- 3.2
65+	1541	62,672	286	18.6	16.2-21.0	2	0.1	0.0- 0.3	1230	79.9	77.5-82.3	23	1.5	0.7- 2.3
Less Than H.S.	187	20,001	35	13.6	7.5-19.7				150	85.9	79.8-92.0	2	0.5	0.0- 1.3
H.S. or G.E.D.	1030	73,328	149	10.9	8.7-13.1	5	0.3	0.1- 0.5	860	87.1	84.6-89.6	16	1.6	0.4- 2.8
Some Post-H.S.	1198	113,351	168	9.4	7.6-11.2	12	1.5	0.5- 2.5	1005	88.2	86.0-90.4	13	0.9	0.3- 1.5
College Graduate	1252	78,702	94	4.4	3.4- 5.4	13	2.0	0.6- 3.4	1129	93.0	91.2-94.8	16	0.7	0.3- 1.1
Less than \$15,000	246	23,115	50	14.1	8.6-19.6	2	1.7	0.0- 4.8	192	83.7	77.6-89.8	2	0.6	0.0- 1.6
\$15,000- 24,999	509	38,329	98	14.0	10.3-17.7	3	0.9	0.0- 2.1	402	84.2	80.3-88.1	6	0.8	0.0- 1.6
\$25,000- 34,999	365	25,042	57	10.2	6.9-13.5	2	0.6	0.0- 1.4	300	86.5	82.2-90.8	6	2.7	0.0- 5.4
\$35,000- 49,999	494	39,849	64	8.8	6.3-11.3	5	1.4	0.0- 3.0	417	88.5	85.2-91.8	8	1.3	0.0- 2.9
\$50,000- 74,999	552	40,319	52	8.2	5.3-11.1	5	1.4	0.0- 3.4	486	89.1	85.4-92.8	9	1.3	0.1- 2.5
\$75,000+	1020	84,697	61	3.5	2.5- 4.5	12	1.6	0.6- 2.6	937	94.3	92.7-95.9	10	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	848	51,249	15	3.5	1.1- 5.9	60	11.1	7.8-14.4	169	25.1	21.0-29.2	351	37.5	33.4-41.6	253	22.8	19.7-25.9
Male	417	27,160	7	2.8	0.4- 5.2	32	12.0	7.3-16.7	90	25.5	20.0-31.0	172	37.0	31.3-42.7	116	22.8	18.1-27.5
Female	431	24,089	8	4.3	0.2- 8.4	28	10.1	5.4-14.8	79	24.6	18.5-30.7	179	38.1	32.2-44.0	137	22.9	18.4-27.4
Non-Native	788	46,677	13	3.6	1.1- 6.1	48	9.5	6.2-12.8	150	24.1	20.0-28.2	335	38.8	34.5-43.1	242	24.0	20.5-27.5
45-54	80	6,903	4	5.9	0.0-12.2	8	11.0	1.6-20.4	46	50.5	37.4-63.6	22	32.7	20.2-45.2			
55-64	225	14,432	3	0.7	0.0- 1.5	14	6.7	2.6-10.8	56	28.2	21.1-35.3	142	60.4	53.0-67.8	10	4.1	1.4- 6.8
65+	497	22,304	1	0.3	0.0- 0.9	18	3.4	1.6- 5.2	48	9.5	6.6-12.4	187	37.0	31.9-42.1	243	49.8	44.5-55.1
Less Than H.S.	70	6,542				4	8.4	0.0-17.0	14	28.9	14.0-43.8	20	28.6	15.9-41.3	32	34.2	21.1-47.3
H.S. or G.E.D.	277	15,952	3	0.9	0.0- 1.9	23	11.2	5.7-16.7	50	25.8	18.5-33.1	102	37.3	30.2-44.4	99	24.8	19.5-30.1
Some Post-H.S.	276	19,273	8	6.0	0.7-11.3	18	12.6	6.1-19.1	59	23.4	17.1-29.7	121	38.5	31.4-45.6	70	19.5	14.4-24.6
College Graduate	224	9,445	4	5.1	0.0-10.6	15	9.7	3.8-15.6	46	24.9	17.6-32.2	108	42.1	34.3-49.9	51	18.2	12.5-23.9
Less than \$15,000	87	6,276	2	6.7	0.0-18.3	11	13.5	4.1-22.9	17	21.6	10.4-32.8	30	37.2	24.1-50.3	27	21.0	11.4-30.6
\$15,000- 24,999	149	9,155	1	0.8	0.0- 2.4	11	8.4	2.5-14.3	30	28.3	17.3-39.3	51	33.7	24.3-43.1	56	28.8	20.0-37.6
\$25,000- 34,999	97	5,001	2	2.1	0.0- 5.0	5	5.3	0.0-10.6	18	23.3	11.7-34.9	45	46.3	34.0-58.6	27	23.0	13.8-32.2
\$35,000- 49,999	136	7,602	1	0.2	0.0- 0.6	8	9.1	2.4-15.8	21	16.5	8.7-24.3	66	44.5	34.5-54.5	40	29.6	20.2-39.0
\$50,000- 74,999	116	7,420	3	2.7	0.0- 6.0	6	12.2	1.0-23.4	28	34.4	22.4-46.4	51	36.8	25.8-47.8	28	13.9	8.0-19.8
\$75,000+	168	9,466	4	6.1	0.0-12.2	10	5.6	1.3- 9.9	41	31.7	22.7-40.7	73	38.0	29.4-46.6	40	18.6	12.3-24.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	417	27,160	7	2.8	0.4- 5.2	32	12.0	7.3-16.7	90	25.5	20.0-31.0	172	37.0	31.3-42.7	116	22.8	18.3-27.3
Non-Native	383	24,383	5	2.6	0.1- 5.1	23	8.9	4.4-13.4	79	25.2	19.5-30.9	165	38.7	32.8-44.6	111	24.6	19.5-29.7
55-64	113	7,379	1	0.7	0.0- 2.1	7	6.6	0.5-12.7	26	25.8	16.4-35.2	76	64.7	54.1-75.3	3	2.2	0.0- 4.7
65+	225	11,334				9	3.1	0.7- 5.5	21	9.0	4.7-13.3	82	34.8	27.4-42.2	113	53.1	45.1-61.1
H.S. or G.E.D.	137	8,453	1	0.5	0.0- 1.5	13	12.7	5.1-20.3	24	24.5	14.7-34.3	56	39.1	29.3-48.9	43	23.1	15.8-30.4
Some Post-H.S.	113	8,775	4	4.1	0.0- 8.6	7	13.9	3.5-24.3	25	25.2	15.2-35.2	47	36.9	26.5-47.3	30	19.9	12.1-27.7
College Graduate	131	6,080	2	5.6	0.0-13.2	9	9.5	2.1-16.9	31	27.6	17.8-37.4	62	42.7	32.3-53.1	27	14.5	8.2-20.8
\$15,000- 24,999	53	3,912	1	1.9	0.0- 5.6	6	13.4	1.6-25.2	8	16.1	3.6-28.6	16	32.6	17.5-47.7	22	36.0	20.3-51.7
\$35,000- 49,999	75	4,316				5	12.1	1.3-22.9	12	14.2	4.8-23.6	38	47.7	33.8-61.6	20	26.1	13.9-38.3
\$50,000- 74,999	64	4,131	1	1.3	0.0- 3.8	3	10.0	0.0-22.3	16	39.6	23.3-55.9	26	33.4	20.1-46.7	18	15.7	7.3-24.1
\$75,000+	108	6,542	4	8.8	0.2-17.4	5	3.4	0.0- 7.7	28	32.8	21.2-44.4	44	35.2	24.4-46.0	27	19.8	11.6-28.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	431	24,089	8	4.3	0.2- 8.4	28	10.1	5.4-14.8	79	24.6	18.5-30.7	179	38.1	32.2-44.0	137	22.9	18.4-27.4
Non-Native	405	22,295	8	4.7	0.4- 9.0	25	10.3	5.2-15.4	71	22.8	16.7-28.9	170	38.9	32.8-45.0	131	23.3	18.6-28.0
55-64	112	7,053	2	0.6	0.0- 1.4	7	6.8	1.1-12.5	30	30.7	20.3-41.1	66	55.9	45.1-66.7	7	6.0	1.3-10.7
65+	272	10,970	1	0.5	0.0- 1.5	9	3.7	1.0- 6.4	27	10.1	6.0-14.2	105	39.2	32.3-46.1	130	46.4	39.3-53.5
H.S. or G.E.D.	140	7,500	2	1.4	0.0- 3.4	10	9.6	1.4-17.8	26	27.2	16.4-38.0	46	35.2	25.2-45.2	56	26.7	18.7-34.7
Some Post-H.S.	163	10,497	4	7.6	0.0-16.2	11	11.6	3.4-19.8	34	21.8	14.2-29.4	74	39.9	30.5-49.3	40	19.1	12.4-25.8
College Graduate	93	3,365	2	4.0	0.0-10.7	6	10.0	1.0-19.0	15	20.1	10.1-30.1	46	41.1	29.5-52.7	24	24.8	14.4-35.2
\$15,000- 24,999	96	5,243				5	4.7	0.2- 9.2	22	37.4	22.3-52.5	35	34.5	22.3-46.7	34	23.4	14.2-32.6
\$25,000- 34,999	54	2,468	1	2.3	0.0- 6.8	4	9.3	0.0-19.5	7	11.2	2.8-19.6	24	48.7	32.4-65.0	18	28.5	14.8-42.2
\$35,000- 49,999	61	3,286	1	0.5	0.0- 1.5	3	5.1	0.0-11.0	9	19.6	6.5-32.7	28	40.4	26.1-54.7	20	34.3	20.0-48.6
\$50,000- 74,999	52	3,288	2	4.6	0.0-11.3	3	15.1	0.0-34.9	12	27.9	11.4-44.4	25	40.9	22.9-58.9	10	11.5	3.5-19.5
\$75,000+	60	2,924				5	10.4	0.6-20.2	13	29.1	15.6-42.6	29	44.4	30.1-58.7	13	16.0	6.8-25.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 7: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARTHRTIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1 MALES AND FEMALES	88
2 MALES ONLY	89
3 FEMALES ONLY	90
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4 MALES AND FEMALES	91
5 MALES ONLY	92
6 FEMALES ONLY	93
DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7 MALES AND FEMALES	94
8 MALES ONLY	95
9 FEMALES ONLY	96
PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPAI1)	
10 MALES AND FEMALES	97
11 MALES ONLY	98
12 FEMALES ONLY	99

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2308	140,996	1057	47.1	44.4-49.8	1251	52.9	50.2-55.6
Male	862	57,484	372	44.0	39.7-48.3	490	56.0	51.7-60.3
Female	1446	83,511	685	49.3	45.8-52.8	761	50.7	47.2-54.2
Native	89	8,187	60	72.3	60.1-84.5	29	27.7	15.5-39.9
Non-Native	2188	130,892	979	45.4	42.5-48.3	1209	54.6	51.7-57.5
25-34	55	10,063	27	45.1	29.6-60.6	28	54.9	39.4-70.4
35-44	114	16,176	57	57.4	46.8-68.0	57	42.6	32.0-53.2
45-54	249	22,246	118	51.2	43.9-58.5	131	48.8	41.5-56.1
55-64	609	34,193	289	47.1	42.4-51.8	320	52.9	48.2-57.6
65+	1268	54,441	563	44.2	40.9-47.5	705	55.8	52.5-59.1
Less Than H.S.	166	16,073	85	53.1	42.1-64.1	81	46.9	35.9-57.9
H.S. or G.E.D.	728	38,918	318	45.7	41.0-50.4	410	54.3	49.6-59.0
Some Post-H.S.	753	57,051	358	48.8	44.1-53.5	395	51.2	46.5-55.9
College Graduate	657	28,727	294	42.4	37.5-47.3	363	57.6	52.7-62.5
Less than \$15,000	203	13,344	133	70.9	62.7-79.1	70	29.1	20.9-37.3
\$15,000- 24,999	358	23,240	195	58.7	52.0-65.4	163	41.3	34.6-48.0
\$25,000- 34,999	226	12,421	101	48.8	39.6-58.0	125	51.2	42.0-60.4
\$35,000- 49,999	351	20,401	156	41.9	35.2-48.6	195	58.1	51.4-64.8
\$50,000- 74,999	346	20,831	134	39.1	31.7-46.5	212	60.9	53.5-68.3
\$75,000+	574	36,992	231	38.2	33.1-43.3	343	61.8	56.7-66.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	862	57,484	372	44.0	39.7-48.3	490	56.0	51.7-60.3
Non-Native	802	51,984	334	42.1	37.6-46.6	468	57.9	53.4-62.4
45-54	107	9,537	43	39.8	28.8-50.8	64	60.2	49.2-71.2
55-64	263	15,905	126	48.7	41.4-56.0	137	51.3	44.0-58.6
65+	418	20,586	171	42.2	36.7-47.7	247	57.8	52.3-63.3
Less Than H.S.	64	6,927	31	46.2	28.4-64.0	33	53.8	36.0-71.6
H.S. or G.E.D.	278	16,200	117	40.6	33.5-47.7	161	59.4	52.3-66.5
Some Post-H.S.	268	21,980	122	48.3	40.9-55.7	146	51.7	44.3-59.1
College Graduate	250	12,247	101	39.7	32.1-47.3	149	60.3	52.7-67.9
Less than \$15,000	63	4,252	38	61.2	46.7-75.7	25	38.8	24.3-53.3
\$15,000- 24,999	105	7,657	57	57.0	45.2-68.8	48	43.0	31.2-54.8
\$25,000- 34,999	57	3,449	25	43.1	27.4-58.8	32	56.9	41.2-72.6
\$35,000- 49,999	146	8,630	53	39.8	29.8-49.8	93	60.2	50.2-70.2
\$50,000- 74,999	150	10,588	61	39.8	28.8-50.8	89	60.2	49.2-71.2
\$75,000+	279	18,583	112	38.2	30.8-45.6	167	61.8	54.4-69.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1446	83,511	685	49.3	45.8-52.8	761	50.7	47.2-54.2
Non-Native	1386	78,909	645	47.6	43.9-51.3	741	52.4	48.7-56.1
35-44	65	9,897	34	59.1	45.2-73.0	31	40.9	27.0-54.8
45-54	142	12,708	75	59.8	50.6-69.0	67	40.2	31.0-49.4
55-64	346	18,288	163	45.8	39.5-52.1	183	54.2	47.9-60.5
65+	850	33,855	392	45.5	41.4-49.6	458	54.5	50.4-58.6
Less Than H.S.	102	9,146	54	58.4	45.9-70.9	48	41.6	29.1-54.1
H.S. or G.E.D.	450	22,718	201	49.3	43.0-55.6	249	50.7	44.4-57.0
Some Post-H.S.	485	35,072	236	49.2	43.1-55.3	249	50.8	44.7-56.9
College Graduate	407	16,479	193	44.4	38.1-50.7	214	55.6	49.3-61.9
Less than \$15,000	140	9,092	95	75.4	65.6-85.2	45	24.6	14.8-34.4
\$15,000- 24,999	253	15,583	138	59.5	51.3-67.7	115	40.5	32.3-48.7
\$25,000- 34,999	169	8,973	76	51.0	40.0-62.0	93	49.0	38.0-60.0
\$35,000- 49,999	205	11,771	103	43.5	34.5-52.5	102	56.5	47.5-65.5
\$50,000- 74,999	196	10,243	73	38.4	28.6-48.2	123	61.6	51.8-71.4
\$75,000+	295	18,409	119	38.2	31.1-45.3	176	61.8	54.7-68.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2289	139,844	723	34.6	31.9-37.3	1566	65.4	62.7-68.1
Male	856	57,316	278	32.8	28.7-36.9	578	67.2	63.1-71.3
Female	1433	82,528	445	35.9	32.4-39.4	988	64.1	60.6-67.6
Native	88	7,941	55	61.8	47.9-75.7	33	38.2	24.3-52.1
Non-Native	2171	130,044	656	32.8	30.1-35.5	1515	67.2	64.5-69.9
25-34	55	10,063	26	44.5	29.0-60.0	29	55.5	40.0-71.0
35-44	114	15,817	50	44.5	33.7-55.3	64	55.5	44.7-66.3
45-54	249	22,161	96	42.0	34.7-49.3	153	58.0	50.7-65.3
55-64	607	34,163	213	36.5	32.0-41.0	394	63.5	59.0-68.0
65+	1251	53,764	335	26.4	23.5-29.3	916	73.6	70.7-76.5
Less Than H.S.	164	15,692	67	44.9	34.1-55.7	97	55.1	44.3-65.9
H.S. or G.E.D.	724	38,412	241	37.2	32.5-41.9	483	62.8	58.1-67.5
Some Post-H.S.	746	57,011	238	32.4	28.1-36.7	508	67.6	63.3-71.9
College Graduate	651	28,503	175	30.1	25.4-34.8	476	69.9	65.2-74.6
Less than \$15,000	199	12,955	114	61.6	52.4-70.8	85	38.4	29.2-47.6
\$15,000- 24,999	357	23,072	138	42.4	35.3-49.5	219	57.6	50.5-64.7
\$25,000- 34,999	225	12,527	74	45.4	36.2-54.6	151	54.6	45.4-63.8
\$35,000- 49,999	346	20,277	101	32.9	26.2-39.6	245	67.1	60.4-73.8
\$50,000- 74,999	346	20,894	84	23.2	16.9-29.5	262	76.8	70.5-83.1
\$75,000+	573	37,033	141	24.9	20.4-29.4	432	75.1	70.6-79.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	856	57,316	278	32.8	28.7-36.9	578	67.2	63.1-71.3
Non-Native	797	51,870	244	31.1	27.0-35.2	553	68.9	64.8-73.0
35-44	50	6,373	23	42.3	27.0-57.6	27	57.7	42.4-73.0
45-54	106	9,427	31	31.8	21.2-42.4	75	68.2	57.6-78.8
55-64	260	15,713	98	38.4	31.5-45.3	162	61.6	54.7-68.5
65+	415	20,628	118	27.8	22.7-32.9	297	72.2	67.1-77.3
Less Than H.S.	65	7,072	29	38.7	22.2-55.2	36	61.3	44.8-77.8
H.S. or G.E.D.	275	15,983	95	36.0	28.9-43.1	180	64.0	56.9-71.1
Some Post-H.S.	266	21,957	82	29.9	23.2-36.6	184	70.1	63.4-76.8
College Graduate	248	12,174	71	30.1	22.8-37.4	177	69.9	62.6-77.2
Less than \$15,000	63	4,252	40	64.6	50.7-78.5	23	35.4	21.5-49.3
\$15,000- 24,999	104	7,638	46	46.2	34.2-58.2	58	53.8	41.8-65.8
\$25,000- 34,999	58	3,598	25	39.1	24.2-54.0	33	60.9	46.0-75.8
\$35,000- 49,999	145	8,617	34	27.5	18.3-36.7	111	72.5	63.3-81.7
\$50,000- 74,999	149	10,542	36	20.6	11.4-29.8	113	79.4	70.2-88.6
\$75,000+	278	18,537	77	28.2	21.3-35.1	201	71.8	64.9-78.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1433	82,528	445	35.9	32.4-39.4	988	64.1	60.6-67.6
Non-Native	1374	78,175	412	34.0	30.5-37.5	962	66.0	62.5-69.5
35-44	64	9,444	27	46.0	31.3-60.7	37	54.0	39.3-68.7
45-54	143	12,734	65	49.6	40.0-59.2	78	50.4	40.8-60.0
55-64	347	18,450	115	34.9	29.0-40.8	232	65.1	59.2-71.0
65+	836	33,136	217	25.6	22.1-29.1	619	74.4	70.9-77.9
Less Than H.S.	99	8,619	38	50.0	36.7-63.3	61	50.0	36.7-63.3
H.S. or G.E.D.	449	22,429	146	38.0	31.7-44.3	303	62.0	55.7-68.3
Some Post-H.S.	480	35,053	156	33.9	28.2-39.6	324	66.1	60.4-71.8
College Graduate	403	16,330	104	30.1	24.0-36.2	299	69.9	63.8-76.0
Less than \$15,000	136	8,704	74	60.2	48.4-72.0	62	39.8	28.0-51.6
\$15,000- 24,999	253	15,434	92	40.6	31.8-49.4	161	59.4	50.6-68.2
\$25,000- 34,999	167	8,929	49	47.9	36.7-59.1	118	52.1	40.9-63.3
\$35,000- 49,999	201	11,660	67	36.9	27.7-46.1	134	63.1	53.9-72.3
\$50,000- 74,999	197	10,352	48	26.0	17.8-34.2	149	74.0	65.8-82.2
\$75,000+	295	18,496	64	21.7	15.8-27.6	231	78.3	72.4-84.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2312	141,139	321	16.1	13.9-18.3	620	27.7	25.2-30.2	1371	56.2	53.5-58.9
Male	863	57,635	88	10.1	7.6-12.6	213	26.6	22.7-30.5	562	63.3	59.0-67.6
Female	1449	83,504	233	20.2	17.1-23.3	407	28.5	25.2-31.8	809	51.3	47.8-54.8
Native	90	8,296	36	37.8	24.5-51.1	24	29.8	16.9-42.7	30	32.4	19.5-45.3
Non-Native	2191	130,927	279	14.7	12.5-16.9	584	27.3	24.8-29.8	1328	58.0	55.1-60.9
25-34	55	10,063	8	18.0	5.5-30.5	15	24.9	11.2-38.6	32	57.0	41.5-72.5
35-44	115	16,215	21	23.3	13.5-33.1	36	31.7	21.7-41.7	58	45.0	34.4-55.6
45-54	248	22,129	40	19.5	13.4-25.6	68	29.1	22.2-36.0	140	51.4	44.0-58.8
55-64	609	34,186	90	16.2	12.7-19.7	154	26.0	21.9-30.1	365	57.7	53.0-62.4
65+	1272	54,670	162	13.2	10.8-15.6	341	26.7	23.8-29.6	769	60.1	56.8-63.4
Less Than H.S.	168	16,276	45	30.8	21.0-40.6	51	31.2	21.4-41.0	72	37.9	27.1-48.7
H.S. or G.E.D.	728	38,857	113	18.7	14.8-22.6	203	26.3	22.2-30.4	412	55.0	50.3-59.7
Some Post-H.S.	753	57,032	96	13.0	9.7-16.3	210	29.6	25.3-33.9	447	57.4	52.7-62.1
College Graduate	659	28,747	66	10.2	7.1-13.3	156	24.0	19.7-28.3	437	65.8	61.1-70.5
Less than \$15,000	203	13,356	65	41.7	32.1-51.3	65	32.2	23.4-41.0	73	26.1	18.8-33.4
\$15,000- 24,999	359	23,199	83	25.9	19.2-32.6	104	27.2	21.1-33.3	172	46.9	39.8-54.0
\$25,000- 34,999	228	12,578	28	16.1	8.8-23.4	74	31.9	23.3-40.5	126	52.0	43.0-61.0
\$35,000- 49,999	351	20,442	40	13.5	8.8-18.2	95	28.5	22.2-34.8	216	58.0	51.1-64.9
\$50,000- 74,999	347	20,940	35	8.4	5.1-11.7	81	25.2	18.1-32.3	231	66.3	59.0-73.6
\$75,000+	574	36,978	35	6.0	3.6- 8.4	137	24.4	19.9-28.9	402	69.6	64.7-74.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	863	57,635	88	10.1	7.6-12.6	213	26.6	22.7-30.5	562	63.3	59.0-67.6
Non-Native	803	52,134	71	9.1	6.6-11.6	192	25.1	21.2-29.0	540	65.8	61.5-70.1
35-44	50	6,373	7	14.7	4.1-25.3	18	35.2	20.1-50.3	25	50.1	34.2-66.0
45-54	107	9,537	9	9.1	3.0-15.2	23	24.9	14.5-35.3	75	66.0	55.0-77.0
55-64	261	15,702	33	12.7	8.0-17.4	63	25.0	18.7-31.3	165	62.3	55.4-69.2
65+	420	20,847	38	8.2	5.3-11.1	103	26.6	21.5-31.7	279	65.2	59.7-70.7
Less Than H.S.	66	7,138	14	19.8	8.2-31.4	17	27.8	12.3-43.3	35	52.4	34.8-70.0
H.S. or G.E.D.	277	16,200	35	12.6	8.1-17.1	66	24.4	18.1-30.7	176	63.0	55.9-70.1
Some Post-H.S.	268	21,920	16	5.7	2.2- 9.2	73	28.6	21.7-35.5	179	65.7	58.6-72.8
College Graduate	250	12,247	22	8.5	4.2-12.8	57	25.5	18.2-32.8	171	65.9	58.3-73.5
Less than \$15,000	62	4,201	22	40.0	24.7-55.3	22	35.5	21.2-49.8	18	24.5	12.3-36.7
\$15,000- 24,999	106	7,803	14	11.2	4.7-17.7	37	39.0	27.2-50.8	55	49.8	38.0-61.6
\$25,000- 34,999	59	3,617	5	10.2	0.2-20.2	18	26.8	14.3-39.3	36	63.1	48.4-77.8
\$35,000- 49,999	146	8,670	11	8.7	2.6-14.8	29	22.3	13.7-30.9	106	69.0	59.4-78.6
\$50,000- 74,999	150	10,588	11	4.8	1.5- 8.1	36	26.3	15.7-36.9	103	68.9	58.3-79.5
\$75,000+	278	18,430	18	5.9	2.8- 9.0	60	20.8	14.9-26.7	200	73.3	66.8-79.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1449	83,504	233	20.2	17.1-23.3	407	28.5	25.2-31.8	809	51.3	47.8-54.8
Non-Native	1388	78,793	208	18.4	15.3-21.5	392	28.7	25.4-32.0	788	52.9	49.2-56.6
35-44	65	9,842	14	28.9	14.8-43.0	18	29.4	16.3-42.5	33	41.7	27.6-55.8
45-54	141	12,592	31	27.4	18.4-36.4	45	32.3	23.3-41.3	65	40.4	31.2-49.6
55-64	348	18,484	57	19.2	14.1-24.3	91	26.9	21.2-32.6	200	53.8	47.5-60.1
65+	852	33,823	124	16.3	13.2-19.4	238	26.8	23.3-30.3	490	57.0	52.9-61.1
Less Than H.S.	102	9,139	31	39.4	26.1-52.7	34	34.0	21.5-46.5	37	26.6	16.2-37.0
H.S. or G.E.D.	451	22,657	78	23.1	17.2-29.0	137	27.7	22.0-33.4	236	49.2	42.9-55.5
Some Post-H.S.	485	35,112	80	17.5	12.8-22.2	137	30.3	24.6-36.0	268	52.2	46.1-58.3
College Graduate	409	16,500	44	11.4	7.1-15.7	99	22.9	17.8-28.0	266	65.7	59.8-71.6
Less than \$15,000	141	9,155	43	42.5	30.3-54.7	43	30.7	19.5-41.9	55	26.8	17.8-35.8
\$15,000- 24,999	253	15,396	69	33.4	24.6-42.2	67	21.3	14.8-27.8	117	45.4	36.8-54.0
\$25,000- 34,999	169	8,961	23	18.6	9.4-27.8	56	33.9	23.1-44.7	90	47.5	36.5-58.5
\$35,000- 49,999	205	11,771	29	17.0	9.9-24.1	66	33.1	24.3-41.9	110	49.9	40.5-59.3
\$50,000- 74,999	197	10,352	24	12.1	6.4-17.8	45	24.1	15.1-33.1	128	63.8	54.2-73.4
\$75,000+	296	18,547	17	6.0	2.3- 9.7	77	28.0	21.5-34.5	202	65.9	59.0-72.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPAI1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2298	140,525	204	8.9	7.1-10.7	871	34.9	32.4-37.4	844	37.1	34.4-39.8	279	12.9	10.9-14.9	100	6.3	4.7- 7.9
Male	861	57,528	87	10.7	7.2-14.2	370	40.4	36.1-44.7	305	37.3	33.0-41.6	74	7.4	5.4- 9.4	25	4.2	2.2- 6.2
Female	1437	82,996	117	7.6	5.6- 9.6	501	31.1	27.8-34.4	539	36.9	33.6-40.2	205	16.6	13.7-19.5	75	7.8	5.4-10.2
Native	89	8,275	8	9.0	1.2-16.8	12	16.5	6.1-26.9	32	33.0	19.9-46.1	21	25.0	12.5-37.5	16	16.4	6.6-26.2
Non-Native	2179	130,352	195	8.9	6.9-10.9	846	36.1	33.4-38.8	803	37.2	34.5-39.9	255	12.2	10.2-14.2	80	5.6	4.0- 7.2
25-34	55	10,063	7	14.0	2.8-25.2	17	27.7	14.6-40.8	22	36.5	21.4-51.6	6	14.7	2.9-26.5	3	7.0	0.0-15.0
35-44	116	16,384	8	5.5	1.4- 9.6	34	30.0	20.2-39.8	45	33.0	23.4-42.6	18	17.5	8.5-26.5	11	13.9	5.7-22.1
45-54	250	22,271	19	5.8	3.1- 8.5	82	32.0	25.3-38.7	97	39.4	32.1-46.7	33	13.9	8.8-19.0	19	8.9	4.6-13.2
55-64	609	34,182	54	8.6	6.1-11.1	234	35.7	31.2-40.2	208	35.8	31.3-40.3	80	13.1	10.0-16.2	33	6.7	4.2- 9.2
65+	1255	53,748	115	9.4	7.4-11.4	498	38.1	35.0-41.2	466	38.0	34.7-41.3	142	11.4	9.2-13.6	34	3.0	1.8- 4.2
Less Than H.S.	165	16,111	14	10.5	0.5-20.5	42	24.9	16.3-33.5	63	31.9	22.5-41.3	28	16.5	9.1-23.9	18	16.2	8.0-24.4
H.S. or G.E.D.	725	38,655	57	6.7	4.7- 8.7	229	27.6	23.5-31.7	297	43.7	38.8-48.6	104	14.4	11.1-17.7	38	7.6	4.7-10.5
Some Post-H.S.	748	56,909	65	7.4	5.0- 9.8	288	38.2	33.7-42.7	280	36.7	32.2-41.2	87	13.4	9.9-16.9	28	4.3	2.1- 6.5
College Graduate	656	28,624	68	13.9	10.0-17.8	312	44.1	39.2-49.0	202	31.5	26.8-36.2	59	7.6	5.2-10.0	15	2.9	0.9- 4.9
Less than \$15,000	203	13,344	13	4.2	1.7- 6.7	43	14.2	8.9-19.5	64	30.1	21.5-38.7	56	28.1	19.7-36.5	27	23.4	14.2-32.6
\$15,000- 24,999	357	23,174	20	4.9	2.2- 7.6	92	24.3	18.0-30.6	156	45.3	38.2-52.4	59	14.5	9.6-19.4	30	11.0	6.1-15.9
\$25,000- 34,999	227	12,537	23	10.0	4.9-15.1	80	32.8	24.2-41.4	85	35.9	27.5-44.3	33	16.9	9.8-24.0	6	4.5	0.0- 9.2
\$35,000- 49,999	347	20,138	29	6.6	3.9- 9.3	135	37.6	30.9-44.3	141	41.1	34.4-47.8	32	10.8	6.5-15.1	10	3.9	0.8- 7.0
\$50,000- 74,999	346	20,904	28	9.6	4.5-14.7	162	45.0	37.7-52.3	116	33.9	26.6-41.2	36	10.9	6.6-15.2	4	0.6	0.0- 1.2
\$75,000+	574	36,972	62	13.0	7.9-18.1	282	44.9	39.4-50.4	188	33.1	28.0-38.2	32	6.5	3.4- 9.6	10	2.6	0.8- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPAI1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	861	57,528	87	10.7	7.2-14.2	370	40.4	36.1-44.7	305	37.3	33.0-41.6	74	7.4	5.4- 9.4	25	4.2	2.2- 6.2
Non-Native	801	52,028	83	10.8	7.1-14.5	354	41.9	37.4-46.4	282	36.4	31.9-40.9	61	7.0	4.8- 9.2	21	4.0	2.0- 6.0
35-44	50	6,373	4	7.1	0.0-14.2	21	47.1	31.2-63.0	19	35.1	20.0-50.2	4	5.4	0.0-11.3	2	5.2	0.0-12.5
45-54	107	9,537	14	9.9	4.2-15.6	38	34.6	24.0-45.2	44	44.7	33.3-56.1	9	9.1	2.8-15.4	2	1.6	0.0- 3.8
55-64	263	15,905	26	8.9	5.2-12.6	113	40.7	33.6-47.8	84	34.2	27.3-41.1	27	9.2	5.5-12.9	13	7.1	3.0-11.2
65+	416	20,537	38	9.2	6.1-12.3	190	45.6	39.9-51.3	149	36.2	30.7-41.7	33	7.1	4.2-10.0	6	1.9	0.1- 3.7
Less Than H.S.	66	7,138	4	15.1	0.0-35.9	29	38.4	22.3-54.5	23	32.2	16.5-47.9	8	10.3	2.3-18.3	2	4.0	0.0- 9.5
H.S. or G.E.D.	277	16,142	25	9.0	5.1-12.9	103	33.7	26.8-40.6	107	41.5	34.1-48.9	31	10.8	6.5-15.1	11	5.0	1.9- 8.1
Some Post-H.S.	266	21,872	26	7.5	4.4-10.6	123	45.2	37.9-52.5	92	38.0	30.7-45.3	16	4.5	2.0- 7.0	9	4.9	1.2- 8.6
College Graduate	250	12,247	32	16.1	9.6-22.6	115	42.4	34.8-50.0	82	33.5	25.9-41.1	19	6.6	3.1-10.1	2	1.5	0.0- 3.7
Less than \$15,000	63	4,252	4	4.3	0.0- 8.8	12	14.2	5.0-23.4	21	37.5	22.8-52.2	19	26.1	13.8-38.4	7	17.9	4.0-31.8
\$15,000- 24,999	104	7,642	5	4.1	0.0- 8.6	35	34.6	23.2-46.0	47	47.3	35.3-59.3	11	7.2	2.3-12.1	6	6.8	0.9-12.7
\$25,000- 34,999	59	3,617	7	14.2	3.4-25.0	22	37.6	21.7-53.5	22	34.8	20.5-49.1	7	8.9	1.8-16.0	1	4.5	0.0-13.1
\$35,000- 49,999	145	8,561	13	6.8	2.9-10.7	77	51.6	41.6-61.6	45	31.1	21.9-40.3	7	6.5	0.8-12.2	3	3.9	0.0- 9.0
\$50,000- 74,999	150	10,588	16	10.5	5.0-16.0	62	42.1	31.5-52.7	57	39.4	28.2-50.6	13	7.2	2.7-11.7	2	0.8	0.0- 2.0
\$75,000+	279	18,583	33	15.2	6.2-24.2	139	45.2	37.2-53.2	91	33.9	26.5-41.3	11	3.1	0.7- 5.5	5	2.6	0.1- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPA1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1437	82,996	117	7.6	5.6- 9.6	501	31.1	27.8-34.4	539	36.9	33.6-40.2	205	16.6	13.7-19.5	75	7.8	5.4-10.2
Non-Native	1378	78,324	112	7.6	5.6- 9.6	492	32.2	28.9-35.5	521	37.8	34.3-41.3	194	15.6	12.9-18.3	59	6.8	4.6- 9.0
35-44	66	10,012	4	4.5	0.0- 9.4	13	19.1	7.7-30.5	26	31.7	19.4-44.0	14	25.2	11.9-38.5	9	19.4	7.1-31.7
45-54	143	12,734	5	2.7	0.2- 5.2	44	30.0	21.2-38.8	53	35.4	26.2-44.6	24	17.5	10.2-24.8	17	14.5	7.4-21.6
55-64	346	18,277	28	8.4	5.1-11.7	121	31.3	25.6-37.0	124	37.3	31.0-43.6	53	16.6	12.1-21.1	20	6.4	3.1- 9.7
65+	839	33,211	77	9.5	7.0-12.0	308	33.5	29.8-37.2	317	39.2	35.1-43.3	109	14.1	11.0-17.2	28	3.7	2.1- 5.3
Less Than H.S.	99	8,973	10	6.8	1.5-12.1	13	14.2	4.8-23.6	40	31.6	19.8-43.4	20	21.5	10.3-32.7	16	26.0	13.3-38.7
H.S. or G.E.D.	448	22,513	32	5.0	3.0- 7.0	126	23.2	18.3-28.1	190	45.4	39.1-51.7	73	17.0	12.1-21.9	27	9.4	5.1-13.7
Some Post-H.S.	482	35,037	39	7.4	4.1-10.7	165	33.8	27.9-39.7	188	35.9	30.2-41.6	71	18.9	13.6-24.2	19	4.0	1.6- 6.4
College Graduate	406	16,377	36	12.2	7.3-17.1	197	45.4	39.1-51.7	120	30.0	24.3-35.7	40	8.4	5.5-11.3	13	4.0	1.1- 6.9
Less than \$15,000	140	9,092	9	4.2	1.1- 7.3	31	14.2	7.5-20.9	43	26.7	16.1-37.3	37	29.0	18.2-39.8	20	25.9	13.9-37.9
\$15,000- 24,999	253	15,532	15	5.3	1.8- 8.8	57	19.3	12.0-26.6	109	44.4	35.8-53.0	48	18.0	11.1-24.9	24	13.1	6.4-19.8
\$25,000- 34,999	168	8,920	16	8.3	2.8-13.8	58	30.9	20.7-41.1	63	36.3	25.9-46.7	26	20.1	10.9-29.3	5	4.4	0.0- 9.9
\$35,000- 49,999	202	11,577	16	6.4	2.7-10.1	58	27.2	18.4-36.0	96	48.5	39.1-57.9	25	14.0	7.7-20.3	7	3.8	0.0- 7.7
\$50,000- 74,999	196	10,316	12	8.7	0.1-17.3	100	47.9	37.9-57.9	59	28.3	20.1-36.5	23	14.7	7.4-22.0	2	0.4	0.0- 1.0
\$75,000+	295	18,388	29	10.7	6.4-15.0	143	44.6	37.3-51.9	97	32.3	25.6-39.0	21	9.9	4.0-15.8	5	2.6	0.1- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
INDICATE SEX OF RESPONDENT. (SEX)	
1 MALES AND FEMALES	104
WHAT IS YOUR AGE? (AGE)	
4 MALES AND FEMALES	107
5 MALES ONLY	108
6 FEMALES ONLY	109
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
7 MALES AND FEMALES	110
8 MALES ONLY	111
9 FEMALES ONLY	112
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1)	
10 MALES AND FEMALES	113
11 MALES ONLY	114
12 FEMALES ONLY	115
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
13 MALES AND FEMALES	116
14 MALES ONLY	117
15 FEMALES ONLY	118
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	119
17 MALES ONLY	120
18 FEMALES ONLY	121
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19 MALES AND FEMALES	122
20 MALES ONLY	123
21 FEMALES ONLY	124

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
22	MALES AND FEMALES	125
23	MALES ONLY	126
24	FEMALES ONLY	127
	IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
25	MALES AND FEMALES	128
26	MALES ONLY	129
27	FEMALES ONLY	130
	WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
28	MALES AND FEMALES	131
29	MALES ONLY	132
30	FEMALES ONLY	133
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
31	MALES AND FEMALES	134
32	MALES ONLY	135
33	FEMALES ONLY	136
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
34	MALES AND FEMALES	137
35	MALES ONLY	138
36	FEMALES ONLY	139
	INCLUDING PHONES FOR BUSINESS AND PERSONAL USE, DO YOU HAVE A CELL PHONE FOR PERSONAL USE? (CPDEMO1A)	
37	MALES AND FEMALES	140
38	MALES ONLY	141
39	FEMALES ONLY	142
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
40	MALES AND FEMALES	143
41	MALES ONLY	144
42	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
43 MALES AND FEMALES	146
44 MALES ONLY	147
45 FEMALES ONLY	148
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
46 MALES AND FEMALES	149
47 MALES ONLY	150
48 FEMALES ONLY	151
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
49 MALES AND FEMALES	152
50 MALES ONLY	153
51 FEMALES ONLY	154
HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
52 MALES AND FEMALES	155
53 MALES ONLY	156
54 FEMALES ONLY	157
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
55 MALES AND FEMALES	158
56 MALES ONLY	159
57 FEMALES ONLY	160
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
58 MALES AND FEMALES	161
59 MALES ONLY	162
60 FEMALES ONLY	163
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
64 MALES AND FEMALES	167
65 MALES ONLY	168
66 FEMALES ONLY	169
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
67 MALES AND FEMALES	170
68 MALES ONLY	171

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
69	FEMALES ONLY BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	172
70	MALES AND FEMALES	173
71	MALES ONLY	174
72	FEMALES ONLY DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	175
73	MALES AND FEMALES	176
74	MALES ONLY	177
75	FEMALES ONLY DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	178
76	MALES AND FEMALES	179
77	MALES ONLY	180
78	FEMALES ONLY BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	181
79	MALES AND FEMALES	182
80	MALES ONLY	183
81	FEMALES ONLY	184

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 1: Indicate sex of respondent. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Males		N	Females	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	6992	588,563	3314	51.4	49.8-53.0	3678	48.6	47.0-50.2
Native	247	24,787	124	55.4	47.0-63.8	123	44.6	36.2-53.0
Non-Native	6655	554,662	3134	51.0	49.4-52.6	3521	49.0	47.4-50.6
18-24	372	90,678	223	53.7	47.8-59.6	149	46.3	40.4-52.2
25-34	698	112,975	394	54.6	50.3-58.9	304	45.4	41.1-49.7
35-44	714	90,511	392	52.5	48.2-56.8	322	47.5	43.2-51.8
45-54	965	83,633	478	51.5	47.8-55.2	487	48.5	44.8-52.2
55-64	1656	95,510	781	51.0	48.1-53.9	875	49.0	46.1-51.9
65+	2587	115,256	1046	45.6	43.2-48.0	1541	54.4	52.0-56.8
Less Than H.S.	398	49,216	211	59.4	52.9-65.9	187	40.6	34.1-47.1
H.S. or G.E.D.	1969	157,902	939	53.6	50.5-56.7	1030	46.4	43.3-49.5
Some Post-H.S.	2252	229,903	1054	50.7	48.0-53.4	1198	49.3	46.6-52.0
College Graduate	2354	150,009	1102	47.5	45.0-50.0	1252	52.5	50.0-55.0
Less than \$15,000	429	43,183	183	46.5	39.8-53.2	246	53.5	46.8-60.2
\$15,000- 24,999	810	68,855	301	44.3	39.4-49.2	509	55.7	50.8-60.6
\$25,000- 34,999	604	48,259	239	48.1	42.2-54.0	365	51.9	46.0-57.8
\$35,000- 49,999	976	78,241	482	49.1	44.8-53.4	494	50.9	46.6-55.2
\$50,000- 74,999	1153	94,736	601	57.4	53.5-61.3	552	42.6	38.7-46.5
\$75,000+	2226	189,913	1206	55.4	52.7-58.1	1020	44.6	41.9-47.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6992	588,563	372	15.4	13.8-17.0	698	19.2	17.8-20.6	714	15.4	14.2-16.6	965	14.2	13.2-15.2	1656	16.2	15.2-17.2	2587	19.6	18.6-20.6
Male	3314	302,325	223	16.1	13.9-18.3	394	20.4	18.4-22.4	392	15.7	14.1-17.3	478	14.3	12.9-15.7	781	16.1	14.7-17.5	1046	17.4	16.2-18.6
Female	3678	286,238	149	14.7	12.3-17.1	304	17.9	15.7-20.1	322	15.0	13.2-16.8	487	14.2	12.8-15.6	875	16.3	14.9-17.7	1541	21.9	20.5-23.3
Native	247	24,787	23	18.2	10.6-25.8	44	26.0	18.0-34.0	41	17.1	10.8-23.4	52	16.9	11.6-22.2	59	15.5	10.6-20.4	28	6.3	3.4-9.2
Non-Native	6655	554,662	345	15.3	13.7-16.9	644	18.9	17.5-20.3	665	15.3	14.1-16.5	898	14.0	13.0-15.0	1577	16.3	15.3-17.3	2526	20.2	19.2-21.2
Less Than H.S.	398	49,216	33	20.8	13.9-27.7	33	17.0	11.3-22.7	26	10.4	6.1-14.7	33	8.6	5.3-11.9	51	10.2	7.1-13.3	222	33.2	27.9-38.5
H.S. or G.E.D.	1969	157,902	155	22.4	19.3-25.5	161	15.8	13.3-18.3	145	11.8	9.8-13.8	232	12.7	10.9-14.5	452	15.7	13.9-17.5	824	21.7	19.9-23.5
Some Post-H.S.	2252	229,903	114	14.2	11.7-16.7	226	19.7	17.2-22.2	213	15.2	13.0-17.4	324	14.8	13.0-16.6	585	18.3	16.5-20.1	790	17.8	16.2-19.4
College Graduate	2354	150,009	69	8.3	6.3-10.3	278	23.0	20.5-25.5	325	20.7	18.5-22.9	375	17.0	15.2-18.8	563	15.5	14.1-16.9	744	15.5	14.1-16.9
Less than \$15,000	429	43,183	45	29.4	22.1-36.7	41	17.7	12.2-23.2	19	6.9	3.4-10.4	53	12.1	8.4-15.8	99	15.2	11.7-18.7	172	18.8	15.1-22.5
\$15,000- 24,999	810	68,855	55	20.5	15.4-25.6	67	16.5	12.4-20.6	56	10.5	7.4-13.6	71	10.0	7.5-12.5	128	11.7	9.3-14.1	433	30.8	27.1-34.5
\$25,000- 34,999	604	48,259	49	23.7	17.2-30.2	53	17.1	12.4-21.8	40	11.6	7.7-15.5	52	9.2	6.3-12.1	96	11.1	8.4-13.8	314	27.3	23.4-31.2
\$35,000- 49,999	976	78,241	52	16.3	12.0-20.6	113	22.6	18.5-26.7	65	10.3	7.6-13.0	112	11.3	8.9-13.7	202	14.8	12.4-17.2	432	24.7	21.8-27.6
\$50,000- 74,999	1153	94,736	45	10.1	7.0-13.2	129	22.9	19.0-26.8	127	17.1	14.0-20.2	149	13.9	11.4-16.4	313	18.2	15.8-20.6	390	17.9	15.7-20.1
\$75,000+	2226	189,913	70	8.7	6.5-10.9	242	19.5	17.0-22.0	350	22.4	20.0-24.8	442	19.6	17.6-21.6	643	19.3	17.5-21.1	479	10.5	9.3-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3314	302,325	223	16.1	13.9-18.3	394	20.4	18.4-22.4	392	15.7	14.1-17.3	478	14.3	12.9-15.7	781	16.1	14.7-17.5	1046	17.4	16.2-18.6
Native	124	13,738	18	24.2	13.2-35.2	22	23.9	13.9-33.9	22	16.5	8.7-24.3	20	14.5	7.4-21.6	31	16.3	9.2-23.4	11	4.6	1.3- 7.9
Non-Native	3134	282,807	201	15.6	13.4-17.8	364	20.3	18.1-22.5	365	15.8	14.0-17.6	449	14.2	12.8-15.6	734	16.1	14.7-17.5	1021	18.0	16.6-19.4
Less Than H.S.	211	29,216	23	25.0	15.4-34.6	22	18.3	10.7-25.9	16	9.7	4.6-14.8	18	7.9	3.8-12.0	30	10.5	6.4-14.6	102	28.6	21.9-35.3
H.S. or G.E.D.	939	84,575	90	21.6	17.5-25.7	113	20.5	16.8-24.2	90	12.6	9.9-15.3	122	12.8	10.3-15.3	232	15.6	13.2-18.0	292	16.8	14.6-19.0
Some Post-H.S.	1054	116,552	69	14.0	10.7-17.3	132	20.8	17.3-24.3	127	16.8	13.9-19.7	159	14.9	12.4-17.4	275	18.4	16.0-20.8	292	15.1	13.1-17.1
College Graduate	1102	71,307	40	9.5	6.6-12.4	127	20.6	17.3-23.9	157	19.7	16.6-22.8	179	17.7	15.0-20.4	240	15.3	13.1-17.5	359	17.3	15.3-19.3
Less than \$15,000	183	20,068	22	27.4	17.2-37.6	23	20.5	12.3-28.7	9	4.1	1.2- 7.0	22	13.4	7.3-19.5	53	19.2	13.3-25.1	54	15.5	10.4-20.6
\$15,000- 24,999	301	30,526	27	21.0	13.6-28.4	37	21.7	14.8-28.6	25	9.5	5.4-13.6	33	10.5	6.6-14.4	53	11.2	7.7-14.7	126	26.2	20.7-31.7
\$25,000- 34,999	239	23,217	35	29.4	20.2-38.6	27	18.3	11.2-25.4	21	13.8	7.5-20.1	16	6.2	2.7- 9.7	42	10.3	6.6-14.0	98	22.1	16.8-27.4
\$35,000- 49,999	482	38,392	31	16.1	10.4-21.8	60	22.5	17.0-28.0	27	8.5	5.0-12.0	56	10.1	7.0-13.2	108	16.7	13.0-20.4	200	25.9	21.8-30.0
\$50,000- 74,999	601	54,417	28	11.2	6.9-15.5	81	23.9	18.8-29.0	81	18.8	14.5-23.1	80	13.5	10.2-16.8	132	14.6	11.7-17.5	199	17.9	15.0-20.8
\$75,000+	1206	105,217	45	9.4	6.5-12.3	132	18.4	15.1-21.7	197	22.1	19.0-25.2	231	19.3	16.6-22.0	324	19.3	16.9-21.7	277	11.5	9.9-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS
TABLE 4: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3678	286,238	149	14.7	12.3-17.1	304	17.9	15.9-19.9	322	15.0	13.2-16.8	487	14.2	12.8-15.6	875	16.3	14.9-17.7	1541	21.9	20.5-23.3
Native	123	11,049	5	10.8	0.8-20.8	22	28.5	15.8-41.2	19	17.9	8.1-27.7	32	19.8	11.6-28.0	28	14.5	8.0-21.0	17	8.4	3.3-13.5
Non-Native	3521	271,855	144	15.0	12.6-17.4	280	17.5	15.3-19.7	300	14.8	13.0-16.6	449	13.8	12.4-15.2	843	16.5	15.1-17.9	1505	22.4	21.0-23.8
Less Than H.S.	187	20,001	10	14.6	6.0-23.2	11	15.0	6.2-23.8	10	11.4	4.0-18.8	15	9.5	4.2-14.8	21	9.6	4.9-14.3	120	39.8	31.2-48.4
H.S. or G.E.D.	1030	73,328	65	23.2	18.1-28.3	48	10.3	7.2-13.4	55	10.8	7.9-13.7	110	12.4	9.9-14.9	220	15.8	13.4-18.2	532	27.4	24.5-30.3
Some Post-H.S.	1198	113,351	45	14.4	10.5-18.3	94	18.5	14.8-22.2	86	13.6	10.7-16.5	165	14.6	12.2-17.0	310	18.3	15.9-20.7	498	20.6	18.2-23.0
College Graduate	1252	78,702	29	7.3	4.6-10.0	151	25.1	21.4-28.8	168	21.6	18.3-24.9	196	16.4	13.9-18.9	323	15.8	13.8-17.8	385	13.8	12.0-15.6
Less than \$15,000	246	23,115	23	31.2	21.0-41.4	18	15.3	7.9-22.7	10	9.2	3.1-15.3	31	10.9	6.6-15.2	46	11.7	7.6-15.8	118	21.7	16.4-27.0
\$15,000- 24,999	509	38,329	28	20.2	13.1-27.3	30	12.3	7.6-17.0	31	11.3	6.8-15.8	38	9.6	6.3-12.9	75	12.0	8.7-15.3	307	34.5	29.4-39.6
\$25,000- 34,999	365	25,042	14	18.3	9.3-27.3	26	16.1	9.8-22.4	19	9.5	4.8-14.2	36	12.1	7.4-16.8	54	11.8	7.9-15.7	216	32.2	26.3-38.1
\$35,000- 49,999	494	39,849	21	16.5	9.8-23.2	53	22.6	16.5-28.7	38	12.0	7.9-16.1	56	12.4	8.7-16.1	94	13.0	9.9-16.1	232	23.5	19.6-27.4
\$50,000- 74,999	552	40,319	17	8.6	4.1-13.1	48	21.5	15.4-27.6	46	14.7	10.2-19.2	69	14.3	10.6-18.0	181	23.1	19.2-27.0	191	17.8	14.7-20.9
\$75,000+	1020	84,697	25	7.7	4.4-11.0	110	20.8	17.1-24.5	153	22.8	19.1-26.5	211	20.0	17.1-22.9	319	19.4	16.9-21.9	202	9.3	7.7-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6950	583,894	44	1.5	0.9- 2.1	2	0.1	0.0- 0.3	2	0.0	0.0- 0.0	17	0.6	0.2- 1.0	1	0.0	0.0- 0.0	6884	97.7	97.1-98.3
Male	3289	299,460	26	1.8	1.0- 2.6	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	9	0.5	0.1- 0.9				3252	97.5	96.5-98.5
Female	3661	284,434	18	1.3	0.7- 1.9	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	8	0.8	0.2- 1.4	1	0.0	0.0- 0.0	3632	97.8	96.8-98.8
18-24	371	90,312	12	3.5	1.3- 5.7							5	1.4	0.0- 2.8				354	95.1	92.6-97.6
25-34	691	111,582	14	3.1	1.3- 4.9	2	0.6	0.0- 1.6				4	0.9	0.1- 1.7				671	95.4	93.2-97.6
35-44	711	89,843	3	0.5	0.0- 1.1							4	1.1	0.0- 2.3				704	98.4	97.0-99.8
45-54	958	82,822	6	1.0	0.2- 1.8				1	0.1	0.0- 0.3	4	0.6	0.0- 1.2	1	0.1	0.0- 0.3	946	98.1	96.9-99.3
55-64	1648	94,962	5	0.6	0.0- 1.2													1643	99.4	98.8- 100
65+	2571	114,373	4	0.4	0.0- 0.8				1	0.0	0.0- 0.0							2566	99.6	99.2- 100
Less Than H.S.	393	48,436	8	4.5	1.2- 7.8													385	95.5	92.2-98.8
H.S. or G.E.D.	1954	155,915	19	2.1	1.1- 3.1	1	0.2	0.0- 0.6				5	0.7	0.0- 1.5	1	0.1	0.0- 0.3	1928	96.9	95.5-98.3
Some Post-H.S.	2240	228,595	9	1.0	0.2- 1.8	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	6	0.6	0.0- 1.2				2223	98.1	97.1-99.1
College Graduate	2345	149,475	8	0.8	0.2- 1.4				1	0.1	0.0- 0.3	6	0.7	0.1- 1.3				2330	98.4	97.4-99.4
Less than \$15,000	425	43,066	6	2.4	0.2- 4.6				1	0.1	0.0- 0.3							418	97.5	95.3-99.7
\$15,000- 24,999	802	67,772	7	1.7	0.3- 3.1							2	0.5	0.0- 1.1				793	97.9	96.3-99.5
\$25,000- 34,999	601	48,018	7	3.3	0.6- 6.0							1	0.7	0.0- 1.9				593	96.0	93.1-98.9
\$35,000- 49,999	974	78,138	4	1.1	0.0- 2.5							4	1.3	0.0- 2.7				966	97.6	95.8-99.4
\$50,000- 74,999	1151	94,491	8	1.9	0.5- 3.3							5	1.1	0.0- 2.3				1138	96.9	95.1-98.7
\$75,000+	2217	188,936	8	0.6	0.0- 1.2							5	0.6	0.0- 1.2	1	0.1	0.0- 0.3	2203	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3289	299,460	26	1.8	1.0- 2.6	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	9	0.5	0.1- 0.9	3252	97.5	96.5-98.5
18-24	222	48,349	6	2.9	0.4- 5.4							2	0.9	0.0- 2.3	214	96.2	93.5-98.9
25-34	389	60,918	10	4.2	1.5- 6.9	1	0.8	0.0- 2.4				1	0.2	0.0- 0.6	377	94.8	91.7-97.9
35-44	390	47,195	2	0.7	0.0- 1.9							3	1.2	0.0- 2.6	385	98.1	96.3-99.9
45-54	473	42,613	4	1.4	0.0- 2.8							3	0.9	0.0- 2.1	466	97.6	95.8-99.4
55-64	775	48,269	4	1.0	0.0- 2.0										771	99.0	98.0- 100
65+	1040	52,116							1	0.1	0.0- 0.3				1039	99.9	99.7- 100
Less Than H.S.	208	28,941	5	4.7	0.2- 9.2										203	95.3	90.8-99.8
H.S. or G.E.D.	932	83,620	10	2.2	0.8- 3.6							3	0.8	0.0- 1.8	919	97.0	95.2-98.8
Some Post-H.S.	1048	115,473	5	1.1	0.0- 2.3	1	0.4	0.0- 1.2	1	0.0	0.0- 0.0	3	0.4	0.0- 0.8	1038	98.1	96.7-99.5
College Graduate	1094	70,810	6	1.2	0.2- 2.2							3	0.6	0.0- 1.2	1085	98.2	97.0-99.4
Less than \$15,000	181	20,000	2	1.9	0.0- 4.8				1	0.3	0.0- 0.9				178	97.9	95.0- 100
\$15,000- 24,999	297	29,792	3	1.3	0.0- 2.9							2	1.1	0.0- 2.7	292	97.6	95.4-99.8
\$25,000- 34,999	239	23,217	3	4.0	0.0- 8.7										236	96.0	91.3- 100
\$35,000- 49,999	480	38,289	2	0.4	0.0- 1.0							1	0.3	0.0- 0.9	477	99.2	98.4- 100
\$50,000- 74,999	600	54,209	8	3.4	0.9- 5.9							3	1.1	0.0- 2.5	589	95.5	92.8-98.2
\$75,000+	1198	104,533	6	0.9	0.1- 1.7							3	0.5	0.0- 1.1	1189	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3661	284,434	18	1.3	0.7- 1.9	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	8	0.8	0.2- 1.4	1	0.0	0.0- 0.0	3632	97.8	96.8-98.8
18-24	149	41,963	6	4.3	0.8- 7.8							3	2.0	0.0- 4.4				140	93.7	89.6-97.8
25-34	302	50,664	4	1.9	0.0- 3.9	1	0.5	0.0- 1.5				3	1.6	0.0- 3.4				294	96.0	93.3-98.7
35-44	321	42,648	1	0.2	0.0- 0.6							1	1.0	0.0- 3.0				319	98.8	96.8- 100
45-54	485	40,208	2	0.7	0.0- 1.7				1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	480	98.5	97.1-99.9
55-64	873	46,693	1	0.1	0.0- 0.3													872	99.9	99.7- 100
65+	1531	62,257	4	0.6	0.0- 1.2													1527	99.4	98.8- 100
Less Than H.S.	185	19,494	3	4.2	0.0- 9.1													182	95.8	90.9- 100
H.S. or G.E.D.	1022	72,296	9	2.0	0.4- 3.6	1	0.3	0.0- 0.9				2	0.7	0.0- 1.7	1	0.1	0.0- 0.3	1009	96.8	94.8-98.8
Some Post-H.S.	1192	113,122	4	0.8	0.0- 1.8							3	0.9	0.0- 1.9				1185	98.2	96.8-99.6
College Graduate	1251	78,665	2	0.4	0.0- 1.0				1	0.1	0.0- 0.3	3	0.9	0.0- 1.9				1245	98.6	97.4-99.8
Less than \$15,000	244	23,066	4	2.8	0.0- 5.9													240	97.2	94.1- 100
\$15,000- 24,999	505	37,979	4	2.0	0.0- 4.2													501	98.0	95.8- 100
\$25,000- 34,999	362	24,801	4	2.7	0.0- 5.4							1	1.3	0.0- 3.8				357	96.0	92.3-99.7
\$35,000- 49,999	494	39,849	2	1.8	0.0- 4.3							3	2.2	0.0- 4.7				489	96.0	92.5-99.5
\$50,000- 74,999	551	40,282										2	1.2	0.0- 3.0				549	98.8	97.0- 100
\$75,000+	1019	84,403	2	0.3	0.0- 0.9							2	0.7	0.0- 1.7	1	0.1	0.0- 0.3	1014	98.9	97.7- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6915	579,929	6843	97.9	97.3-98.5	64	1.8	1.2- 2.4	2	0.1	0.0- 0.3	6	0.2	0.0- 0.4
Male	3260	295,974	3223	97.9	97.1-98.7	31	1.7	0.9- 2.5	1	0.0	0.0- 0.0	5	0.3	0.0- 0.7
Female	3655	283,955	3620	97.9	97.1-98.7	33	1.9	1.1- 2.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
18-24	365	88,614	353	96.8	94.8-98.8	10	2.5	0.7- 4.3	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9
25-34	690	111,957	664	94.8	92.6-97.0	23	4.6	2.4- 6.8				3	0.6	0.0- 1.4
35-44	706	89,171	696	98.2	97.0-99.4	9	1.6	0.4- 2.8				1	0.2	0.0- 0.6
45-54	950	81,747	941	98.9	97.9-99.9	9	1.1	0.1- 2.1						
55-64	1638	94,356	1630	99.3	98.7-99.9	6	0.6	0.0- 1.2	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
65+	2566	114,083	2559	99.7	99.5-99.9	7	0.3	0.1- 0.5						
Less Than H.S.	395	48,910	391	97.3	94.6- 100	3	2.0	0.0- 4.4				1	0.7	0.0- 2.1
H.S. or G.E.D.	1943	154,690	1919	97.3	96.1-98.5	21	2.1	1.1- 3.1	1	0.2	0.0- 0.6	2	0.3	0.0- 0.7
Some Post-H.S.	2228	226,119	2203	98.0	97.0-99.0	23	1.9	0.9- 2.9	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0
College Graduate	2333	148,965	2315	98.5	97.7-99.3	16	1.3	0.5- 2.1				2	0.2	0.0- 0.6
Less than \$15,000	421	42,727	412	98.1	96.1- 100	8	1.8	0.0- 3.8				1	0.1	0.0- 0.3
\$15,000- 24,999	803	67,934	792	96.9	94.7-99.1	10	2.8	0.6- 5.0				1	0.3	0.0- 0.9
\$25,000- 34,999	598	46,883	593	98.9	97.9-99.9	5	1.1	0.1- 2.1						
\$35,000- 49,999	969	77,751	964	99.1	98.1- 100	5	0.9	0.0- 1.9						
\$50,000- 74,999	1142	92,924	1133	98.1	96.5-99.7	8	1.6	0.0- 3.2				1	0.2	0.0- 0.6
\$75,000+	2210	188,448	2190	98.1	97.1-99.1	17	1.6	0.8- 2.4	1	0.0	0.0- 0.0	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3260	295,974	3223	97.9	97.1-98.7	31	1.7	0.9- 2.5	1	0.0	0.0- 0.0	5	0.3	0.0- 0.7
18-24	217	46,936	209	96.2	93.5-98.9	7	3.3	0.8- 5.8				1	0.5	0.0- 1.5
25-34	387	60,896	374	95.6	92.9-98.3	11	3.6	1.1- 6.1				2	0.9	0.0- 2.1
35-44	386	46,719	383	98.8	97.4- 100	2	0.7	0.0- 1.7				1	0.4	0.0- 1.2
45-54	467	41,621	462	98.4	96.6- 100	5	1.6	0.0- 3.4						
55-64	766	47,771	761	99.1	98.1- 100	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
65+	1037	52,032	1034	99.8	99.6- 100	3	0.2	0.0- 0.4						
Less Than H.S.	210	29,135	206	95.4	90.9-99.9	3	3.4	0.0- 7.3				1	1.2	0.0- 3.6
H.S. or G.E.D.	920	82,137	909	97.7	96.1-99.3	9	1.7	0.3- 3.1				2	0.5	0.0- 1.3
Some Post-H.S.	1036	113,577	1024	98.3	97.1-99.5	10	1.6	0.4- 2.8	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0
College Graduate	1087	70,509	1077	98.5	97.5-99.5	9	1.3	0.3- 2.3				1	0.2	0.0- 0.6
Less than \$15,000	180	19,911	174	96.5	92.4- 100	5	3.3	0.0- 7.4				1	0.3	0.0- 0.9
\$15,000- 24,999	297	30,095	292	97.0	93.9- 100	4	2.4	0.0- 5.3				1	0.6	0.0- 1.8
\$25,000- 34,999	234	21,859	230	98.0	95.8- 100	4	2.0	0.0- 4.2						
\$35,000- 49,999	475	37,902	473	99.1	97.5- 100	2	0.9	0.0- 2.5						
\$50,000- 74,999	594	53,158	589	98.0	96.0- 100	4	1.6	0.0- 3.6				1	0.4	0.0- 1.2
\$75,000+	1191	103,829	1182	98.8	98.0-99.6	7	0.9	0.1- 1.7	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 10: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3655	283,955	3620	97.9	97.1-98.7	33	1.9	1.1- 2.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
18-24	148	41,679	144	97.5	95.0- 100	3	1.7	0.0- 3.7	1	0.9	0.0- 2.5			
25-34	303	51,062	290	93.9	90.4-97.4	12	5.7	2.2- 9.2				1	0.4	0.0- 1.2
35-44	320	42,452	313	97.5	95.5-99.5	7	2.5	0.5- 4.5						
45-54	483	40,127	479	99.4	98.8- 100	4	0.6	0.0- 1.2						
55-64	872	46,585	869	99.4	98.6- 100	3	0.6	0.0- 1.4						
65+	1529	62,051	1525	99.5	99.1-99.9	4	0.5	0.1- 0.9						
Less Than H.S.	185	19,775	185	100.0	100.0- 100									
H.S. or G.E.D.	1023	72,553	1010	96.9	94.9-98.9	12	2.6	1.0- 4.2	1	0.5	0.0- 1.5			
Some Post-H.S.	1192	112,543	1179	97.8	96.2-99.4	13	2.2	0.6- 3.8						
College Graduate	1246	78,456	1238	98.5	97.3-99.7	7	1.3	0.1- 2.5				1	0.2	0.0- 0.6
Less than \$15,000	241	22,816	238	99.5	98.9- 100	3	0.5	0.0- 1.1						
\$15,000- 24,999	506	37,839	500	96.8	93.9-99.7	6	3.2	0.3- 6.1						
\$25,000- 34,999	364	25,023	363	99.7	99.1- 100	1	0.3	0.0- 0.9						
\$35,000- 49,999	494	39,849	491	99.1	97.9- 100	3	0.9	0.0- 2.1						
\$50,000- 74,999	548	39,766	544	98.3	95.9- 100	4	1.7	0.0- 4.1						
\$75,000+	1019	84,619	1008	97.3	95.5-99.1	10	2.5	0.7- 4.3				1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	62	10,602	38	59.9	44.8-75.0	3	4.3	0.0-9.4	19	28.8	14.9-42.7	2	6.9	0.0-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)
Denominator Excludes: Respondents reporting only one race
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6962	584,801	4030	54.7	53.1-56.3	781	10.2	9.2-11.2	875	5.8	5.2- 6.4	57	0.8	0.4- 1.2	1070	25.1	23.5-26.7	149	3.3	2.7- 3.9
Male	3301	300,378	1971	53.1	50.7-55.5	385	10.8	9.4-12.2	161	2.4	2.0- 2.8	32	0.8	0.4- 1.2	673	29.6	27.4-31.8	79	3.3	2.5- 4.1
Female	3661	284,423	2059	56.4	54.0-58.8	396	9.6	8.4-10.8	714	9.5	8.5-10.5	25	0.9	0.3- 1.5	397	20.3	17.9-22.7	70	3.3	2.3- 4.3
Native	244	24,004	85	30.2	22.9-37.5	48	16.4	10.9-21.9	19	4.4	1.9- 6.9	6	1.7	0.1- 3.3	73	37.5	28.9-46.1	13	9.7	4.0-15.4
Non-Native	6634	552,190	3906	55.8	54.0-57.6	717	9.9	8.9-10.9	844	5.9	5.3- 6.5	50	0.8	0.4- 1.2	983	24.5	22.9-26.1	134	3.0	2.4- 3.6
18-24	368	89,150	37	10.9	7.0-14.8	2	0.7	0.0- 1.7				1	0.1	0.0- 0.3	300	82.0	77.5-86.5	28	6.4	3.7- 9.1
25-34	694	112,156	341	49.1	44.8-53.4	37	7.2	4.7- 9.7	4	0.4	0.0- 0.8	10	1.7	0.5- 2.9	259	36.0	31.9-40.1	43	5.8	3.8- 7.8
35-44	713	90,185	517	72.4	68.5-76.3	87	12.2	9.5-14.9	3	0.4	0.0- 1.0	8	1.1	0.1- 2.1	76	10.1	7.6-12.6	22	3.9	2.1- 5.7
45-54	962	83,225	644	66.8	63.3-70.3	152	17.1	14.2-20.0	16	1.5	0.7- 2.3	16	1.2	0.6- 1.8	112	11.2	8.8-13.6	22	2.3	1.1- 3.5
55-64	1650	95,253	1084	67.9	65.2-70.6	239	15.0	12.8-17.2	102	4.9	3.7- 6.1	15	0.7	0.3- 1.1	193	10.5	8.7-12.3	17	1.0	0.4- 1.6
65+	2575	114,832	1407	60.8	58.6-63.0	264	10.3	8.9-11.7	750	23.9	21.9-25.9	7	0.2	0.0- 0.4	130	4.3	3.3- 5.3	17	0.5	0.3- 0.7
Less Than H.S.	395	48,567	144	35.4	29.1-41.7	55	14.2	9.7-18.7	108	14.2	10.9-17.5	9	2.9	0.7- 5.1	73	30.6	23.9-37.3	6	2.8	0.4- 5.2
H.S. or G.E.D.	1963	157,016	986	45.8	42.9-48.7	249	11.9	10.1-13.7	337	7.3	6.3- 8.3	20	0.9	0.5- 1.3	323	29.9	26.8-33.0	48	4.2	2.8- 5.6
Some Post-H.S.	2243	228,034	1305	55.9	53.2-58.6	266	10.4	8.8-12.0	256	4.8	4.0- 5.6	17	0.7	0.3- 1.1	348	24.9	22.2-27.6	51	3.2	2.0- 4.4
College Graduate	2344	149,785	1585	68.3	65.8-70.8	208	6.9	5.7- 8.1	172	3.2	2.6- 3.8	10	0.3	0.1- 0.5	325	18.7	16.3-21.1	44	2.5	1.7- 3.3
Less than \$15,000	426	42,246	47	11.1	7.0-15.2	115	21.4	16.5-26.3	90	9.6	7.1-12.1	20	4.7	2.0- 7.4	149	51.4	44.7-58.1	5	1.8	0.0- 3.8
\$15,000- 24,999	806	68,704	252	29.3	25.2-33.4	148	15.5	12.4-18.6	197	11.9	9.7-14.1	15	1.7	0.7- 2.7	172	36.9	31.8-42.0	22	4.7	2.2- 7.2
\$25,000- 34,999	602	48,087	205	36.8	31.3-42.3	86	12.9	9.4-16.4	156	10.9	8.5-13.3	5	0.5	0.0- 1.1	138	36.0	29.9-42.1	12	2.8	0.8- 4.8
\$35,000- 49,999	973	78,112	497	47.5	43.2-51.8	130	12.1	9.4-14.8	134	6.6	5.2- 8.0	5	0.4	0.0- 0.8	181	28.6	24.1-33.1	26	4.7	2.3- 7.1
\$50,000- 74,999	1150	94,649	774	64.8	60.9-68.7	117	11.0	8.5-13.5	86	3.4	2.4- 4.4	2	0.1	0.0- 0.3	143	17.0	13.7-20.3	28	3.5	1.9- 5.1
\$75,000+	2221	189,740	1818	77.5	75.0-80.0	111	4.8	3.6- 6.0	74	1.4	1.0- 1.8	8	0.5	0.1- 0.9	163	13.2	10.8-15.6	47	2.7	1.9- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3301	300,378	1971	53.1	50.9-55.3	385	10.8	9.4-12.2	161	2.4	2.0- 2.8	32	0.8	0.4- 1.2	673	29.6	27.4-31.8	79	3.3	2.5- 4.1
Native	122	13,003	35	24.7	15.5-33.9	21	15.9	8.3-23.5	9	4.9	1.0- 8.8	5	3.0	0.1- 5.9	43	38.9	27.7-50.1	9	12.6	4.2-21.0
Non-Native	3126	281,701	1910	54.6	52.2-57.0	355	10.5	9.1-11.9	149	2.3	1.9- 2.7	26	0.7	0.3- 1.1	618	29.1	26.7-31.5	68	2.9	2.1- 3.7
18-24	220	47,692	18	9.7	4.6-14.8	1	0.3	0.0- 0.9				1	0.2	0.0- 0.6	185	84.1	78.2-90.0	15	5.7	2.4- 9.0
25-34	392	61,602	165	41.4	35.7-47.1	19	6.9	3.4-10.4	1	0.2	0.0- 0.6	4	1.1	0.0- 2.3	175	44.1	38.4-49.8	28	6.3	3.6- 9.0
35-44	391	47,164	274	69.5	64.2-74.8	49	13.3	9.4-17.2	1	0.1	0.0- 0.3	3	0.6	0.0- 1.4	53	12.7	9.0-16.4	11	3.8	1.4- 6.2
45-54	476	42,880	301	62.4	57.3-67.5	85	19.3	15.0-23.6	3	0.6	0.0- 1.4	10	1.4	0.4- 2.4	69	15.0	11.1-18.9	8	1.3	0.3- 2.3
55-64	777	48,539	490	65.2	61.3-69.1	121	16.2	13.1-19.3	25	3.0	1.4- 4.6	9	0.9	0.3- 1.5	123	13.4	10.7-16.1	9	1.3	0.3- 2.3
65+	1045	52,503	723	73.0	69.9-76.1	110	10.7	8.3-13.1	131	10.0	8.0-12.0	5	0.5	0.1- 0.9	68	5.3	3.7- 6.9	8	0.5	0.1- 0.9
Less Than H.S.	209	28,614	87	37.1	28.7-45.5	30	15.3	9.0-21.6	29	6.8	3.9- 9.7	3	1.1	0.0- 2.5	56	36.5	27.5-45.5	4	3.3	0.0- 6.8
H.S. or G.E.D.	936	84,090	496	45.5	41.4-49.6	133	13.4	10.7-16.1	53	2.5	1.7- 3.3	13	1.0	0.4- 1.6	217	34.1	29.8-38.4	24	3.5	1.7- 5.3
Some Post-H.S.	1050	115,869	629	54.9	51.0-58.8	121	9.6	7.6-11.6	37	1.5	0.9- 2.1	11	0.8	0.0- 1.6	221	29.7	25.8-33.6	31	3.6	2.0- 5.2
College Graduate	1099	71,224	755	65.6	61.9-69.3	100	8.0	6.0-10.0	42	1.9	1.1- 2.7	4	0.2	0.0- 0.4	178	21.8	18.3-25.3	20	2.5	1.1- 3.9
Less than \$15,000	182	19,660	15	7.4	3.1-11.7	46	20.5	13.4-27.6	16	4.9	2.0- 7.8	9	3.0	0.8- 5.2	94	63.2	54.6-71.8	2	1.0	0.0- 2.6
\$15,000- 24,999	301	30,526	101	28.4	22.1-34.7	61	15.5	10.8-20.2	29	5.2	2.8- 7.6	7	1.6	0.2- 3.0	92	43.2	35.6-50.8	11	6.0	1.7-10.3
\$25,000- 34,999	238	23,093	97	39.0	30.8-47.2	25	8.5	4.2-12.8	24	4.0	1.8- 6.2	3	0.7	0.0- 1.7	81	44.6	35.8-53.4	8	3.2	0.7- 5.7
\$35,000- 49,999	480	38,281	249	46.1	40.2-52.0	71	12.1	8.8-15.4	32	3.1	1.9- 4.3	5	0.9	0.1- 1.7	112	34.2	28.1-40.3	11	3.5	1.0- 6.0
\$50,000- 74,999	600	54,394	387	58.4	53.1-63.7	67	13.4	9.7-17.1	27	1.8	1.0- 2.6	2	0.3	0.0- 0.7	102	23.1	18.2-28.0	15	3.1	1.1- 5.1
\$75,000+	1203	105,092	957	74.1	70.6-77.6	75	6.2	4.4- 8.0	25	0.9	0.5- 1.3	6	0.5	0.0- 1.3	115	15.5	12.4-18.6	25	2.7	1.5- 3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3661	284,423	2059	56.4	54.0-58.8	396	9.6	8.4-10.8	714	9.5	8.5-10.5	25	0.9	0.3- 1.5	397	20.3	17.9-22.7	70	3.3	2.3- 4.3
Native	122	11,001	50	36.7	25.1-48.3	27	17.1	9.3-24.9	10	3.8	0.5- 7.1	1	0.2	0.0- 0.6	30	35.9	22.6-49.2	4	6.3	0.0-13.4
Non-Native	3508	270,489	1996	57.1	54.7-59.5	362	9.3	7.9-10.7	695	9.6	8.6-10.6	24	1.0	0.4- 1.6	365	19.7	17.3-22.1	66	3.2	2.2- 4.2
18-24	148	41,459	19	12.2	6.5-17.9	1	1.0	0.0- 3.0							115	79.6	72.3-86.9	13	7.2	2.5-11.9
25-34	302	50,555	176	58.5	52.0-65.0	18	7.5	3.6-11.4	3	0.5	0.0- 1.1	6	2.4	0.2- 4.6	84	26.0	20.3-31.7	15	5.1	2.2- 8.0
35-44	322	43,021	243	75.5	69.8-81.2	38	10.9	7.0-14.8	2	0.7	0.0- 1.7	5	1.6	0.0- 3.4	23	7.2	3.7-10.7	11	4.1	1.4- 6.8
45-54	486	40,345	343	71.5	66.8-76.2	67	14.7	11.0-18.4	13	2.4	0.8- 4.0	6	1.0	0.0- 2.0	43	7.0	4.5- 9.5	14	3.4	1.4- 5.4
55-64	873	46,714	594	70.6	67.1-74.1	118	13.6	10.9-16.3	77	6.9	4.9- 8.9	6	0.6	0.0- 1.2	70	7.4	5.2- 9.6	8	0.8	0.2- 1.4
65+	1530	62,329	684	50.5	47.6-53.4	154	10.0	8.2-11.8	619	35.6	32.7-38.5	2	0.1	0.0- 0.3	62	3.4	2.4- 4.4	9	0.5	0.1- 0.9
Less Than H.S.	186	19,953	57	32.9	23.9-41.9	25	12.6	6.5-18.7	79	24.8	18.1-31.5	6	5.4	0.5-10.3	17	22.1	11.9-32.3	2	2.1	0.0- 5.2
H.S. or G.E.D.	1027	72,926	490	46.1	41.8-50.4	116	10.2	7.8-12.6	284	12.7	10.7-14.7	7	0.9	0.1- 1.7	106	25.0	20.1-29.9	24	5.1	2.7- 7.5
Some Post-H.S.	1193	112,165	676	57.0	52.9-61.1	145	11.3	8.9-13.7	219	8.1	6.7- 9.5	6	0.6	0.0- 1.2	127	20.1	16.2-24.0	20	2.9	1.1- 4.7
College Graduate	1245	78,561	830	70.8	67.3-74.3	108	6.0	4.4- 7.6	130	4.5	3.5- 5.5	6	0.3	0.1- 0.5	147	15.9	12.6-19.2	24	2.6	1.4- 3.8
Less than \$15,000	244	22,586	32	14.3	7.8-20.8	69	22.2	15.3-29.1	74	13.7	9.6-17.8	11	6.3	1.4-11.2	55	41.1	31.5-50.7	3	2.5	0.0- 5.8
\$15,000- 24,999	505	38,178	151	30.0	24.5-35.5	87	15.4	11.5-19.3	168	17.3	13.8-20.8	8	1.8	0.2- 3.4	80	31.8	24.9-38.7	11	3.7	0.4- 7.0
\$25,000- 34,999	364	24,994	108	34.9	27.5-42.3	61	17.0	11.5-22.5	132	17.3	13.2-21.4	2	0.4	0.0- 1.0	57	28.0	19.6-36.4	4	2.4	0.0- 5.1
\$35,000- 49,999	493	39,831	248	48.9	42.4-55.4	59	12.0	7.9-16.1	102	10.0	7.5-12.5				69	23.3	17.0-29.6	15	5.8	1.9- 9.7
\$50,000- 74,999	550	40,255	387	73.6	68.3-78.9	50	7.9	5.0-10.8	59	5.6	3.6- 7.6				41	8.8	4.7-12.9	13	4.1	1.2- 7.0
\$75,000+	1018	84,647	861	81.6	77.7-85.5	36	3.0	1.4- 4.6	49	1.9	1.1- 2.7	2	0.4	0.0- 1.0	48	10.4	6.9-13.9	22	2.7	1.5- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6973	587,030	1	0.0	0.0-0.0	147	2.3	1.7-2.9	250	6.0	5.0-7.0	1969	26.9	25.5-28.3	2252	39.2	37.6-40.8	2354	25.6	24.4-26.8
Male	3306	301,649				73	2.5	1.7-3.3	138	7.2	5.6-8.8	939	28.0	26.0-30.0	1054	38.6	36.4-40.8	1102	23.6	22.0-25.2
Female	3667	285,381	1	0.1	0.0-0.3	74	2.1	1.5-2.7	112	4.8	3.6-6.0	1030	25.7	23.7-27.7	1198	39.7	37.3-42.1	1252	27.6	25.6-29.6
Native	247	24,787				1	0.2	0.0-0.6	26	16.3	9.2-23.4	90	34.5	26.7-42.3	82	39.8	31.6-48.0	48	9.2	5.7-12.7
Non-Native	6640	553,476	1	0.0	0.0-0.0	142	2.4	1.8-3.0	221	5.6	4.6-6.6	1848	26.4	25.0-27.8	2144	39.1	37.3-40.9	2284	26.5	25.1-27.9
18-24	371	90,583				2	0.9	0.0-2.3	31	10.4	6.5-14.3	155	39.0	33.5-44.5	114	36.0	30.3-41.7	69	13.8	10.3-17.3
25-34	698	112,975				5	1.1	0.1-2.1	28	6.3	3.8-8.8	161	22.1	18.6-25.6	226	40.0	35.7-44.3	278	30.5	26.8-34.2
35-44	709	89,814				6	1.3	0.1-2.5	20	4.4	2.2-6.6	145	20.7	17.4-24.0	213	39.0	34.7-43.3	325	34.6	30.9-38.3
45-54	964	83,609	1	0.3	0.0-0.9	6	1.2	0.2-2.2	26	3.5	1.9-5.1	232	23.9	20.8-27.0	324	40.6	36.9-44.3	375	30.5	27.4-33.6
55-64	1651	95,234				10	0.9	0.3-1.5	41	4.4	3.0-5.8	452	26.0	23.6-28.4	585	44.2	41.3-47.1	563	24.5	22.3-26.7
65+	2580	114,816				118	7.4	6.0-8.8	104	6.8	5.2-8.4	824	29.9	27.9-31.9	790	35.7	33.3-38.1	744	20.2	18.6-21.8
Less than \$15,000	428	43,124				37	7.5	4.6-10.4	49	13.9	9.4-18.4	159	29.9	24.0-35.8	121	37.6	30.7-44.5	62	11.2	7.5-14.9
\$15,000- 24,999	808	68,744				33	3.8	2.2-5.4	50	10.4	7.1-13.7	349	38.4	33.7-43.1	254	37.0	32.1-41.9	122	10.4	7.9-12.9
\$25,000- 34,999	604	48,259	1	0.5	0.0-1.5	13	2.8	0.1-5.5	32	8.2	4.7-11.7	202	32.7	27.2-38.2	227	41.8	35.9-47.7	129	14.0	10.7-17.3
\$35,000- 49,999	975	78,204				18	2.4	0.8-4.0	30	5.3	2.9-7.7	320	30.1	26.2-34.0	349	43.1	38.6-47.6	258	19.1	16.0-22.2
\$50,000- 74,999	1150	94,614				7	0.9	0.1-1.7	20	2.9	1.3-4.5	294	25.2	21.9-28.5	397	44.7	40.8-48.6	432	26.3	23.2-29.4
\$75,000+	2225	189,783				10	0.4	0.2-0.6	25	2.9	1.3-4.5	377	18.0	15.8-20.2	650	36.2	33.5-38.9	1163	42.5	40.0-45.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3306	301,649	73	2.5	1.7- 3.3	138	7.2	5.6- 8.8	939	28.0	26.0-30.0	1054	38.6	36.4-40.8	1102	23.6	22.0-25.2
Native	124	13,738				12	12.0	4.6-19.4	61	47.5	36.3-58.7	37	33.0	22.2-43.8	14	7.4	2.3-12.5
Non-Native	3128	282,250	70	2.6	1.8- 3.4	125	7.1	5.5- 8.7	859	26.9	24.9-28.9	1002	38.8	36.4-41.2	1072	24.6	22.8-26.4
18-24	222	48,620	2	1.6	0.0- 4.1	21	13.4	7.3-19.5	90	37.6	30.3-44.9	69	33.5	26.2-40.8	40	13.9	9.4-18.4
25-34	394	61,670	2	0.7	0.0- 1.9	20	7.9	4.2-11.6	113	28.1	23.0-33.2	132	39.4	33.7-45.1	127	23.8	19.5-28.1
35-44	390	47,158	3	1.4	0.0- 3.2	13	4.6	1.9- 7.3	90	22.6	17.9-27.3	127	41.6	35.7-47.5	157	29.8	25.1-34.5
45-54	478	43,112	5	1.8	0.0- 3.6	13	3.5	1.3- 5.7	122	25.2	20.7-29.7	159	40.2	34.9-45.5	179	29.2	24.9-33.5
55-64	777	48,547	5	1.0	0.0- 2.0	25	5.3	3.1- 7.5	232	27.2	23.7-30.7	275	44.1	40.0-48.2	240	22.5	19.6-25.4
65+	1045	52,542	56	8.4	6.0-10.8	46	7.5	5.0-10.0	292	27.1	24.0-30.2	292	33.5	30.0-37.0	359	23.5	21.0-26.0
Less than \$15,000	182	20,009	16	8.4	3.7-13.1	24	16.3	8.9-23.7	67	33.1	24.3-41.9	45	30.7	21.3-40.1	30	11.6	6.3-16.9
\$15,000- 24,999	300	30,484	18	5.1	2.4- 7.8	27	13.6	7.9-19.3	112	34.6	27.5-41.7	89	34.1	26.8-41.4	54	12.6	8.5-16.7
\$25,000- 34,999	239	23,217	5	4.3	0.0- 9.6	18	11.5	5.4-17.6	81	30.3	22.7-37.9	88	39.1	30.7-47.5	47	14.7	9.4-20.0
\$35,000- 49,999	482	38,392	12	2.9	0.7- 5.1	20	7.4	3.5-11.3	177	34.3	28.8-39.8	160	40.5	34.6-46.4	113	14.9	11.4-18.4
\$50,000- 74,999	601	54,417	6	0.9	0.1- 1.7	13	3.4	1.0- 5.8	169	28.9	24.0-33.8	215	43.4	38.1-48.7	198	23.4	19.5-27.3
\$75,000+	1205	105,086	7	0.6	0.2- 1.0	18	3.8	1.4- 6.2	232	21.0	18.1-23.9	368	39.0	35.3-42.7	580	35.5	32.4-38.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3667	285,381	1	0.1	0.0- 0.3	74	2.1	1.5- 2.7	112	4.8	3.6- 6.0	1030	25.7	23.7-27.7	1198	39.7	37.3-42.1	1252	27.6	25.6-29.6
Native	123	11,049				1	0.5	0.0- 1.5	14	21.5	9.0-34.0	29	18.3	10.3-26.3	45	48.3	35.6-61.0	34	11.4	6.5-16.3
Non-Native	3512	271,226	1	0.1	0.0- 0.3	72	2.2	1.6- 2.8	96	4.0	3.0- 5.0	989	25.8	23.6-28.0	1142	39.5	37.1-41.9	1212	28.5	26.5-30.5
18-24	149	41,963							10	7.0	2.5-11.5	65	40.6	32.0-49.2	45	38.8	29.8-47.8	29	13.6	8.3-18.9
25-34	304	51,305				3	1.6	0.0- 3.6	8	4.3	1.2- 7.4	48	14.8	10.3-19.3	94	40.8	34.1-47.5	151	38.5	32.4-44.6
35-44	319	42,655				3	1.2	0.0- 3.0	7	4.1	0.8- 7.4	55	18.6	13.7-23.5	86	36.1	29.6-42.6	168	39.9	33.8-46.0
45-54	486	40,497	1	0.6	0.0- 1.8	1	0.6	0.0- 1.8	13	3.5	1.3- 5.7	110	22.5	18.2-26.8	165	41.0	35.7-46.3	196	31.9	27.4-36.4
55-64	874	46,687				5	0.8	0.0- 1.6	16	3.4	1.6- 5.2	220	24.9	21.6-28.2	310	44.4	40.5-48.3	323	26.6	23.5-29.7
65+	1535	62,274				62	6.7	4.9- 8.5	58	6.1	4.3- 7.9	532	32.2	29.5-34.9	498	37.5	34.6-40.4	385	17.5	15.5-19.5
Less than \$15,000	246	23,115				21	6.7	2.8-10.6	25	11.8	6.1-17.5	92	27.1	19.5-34.7	76	43.7	34.1-53.3	32	10.8	5.3-16.3
\$15,000- 24,999	508	38,260				15	2.7	0.9- 4.5	23	7.9	4.2-11.6	237	41.5	35.2-47.8	165	39.3	32.8-45.8	68	8.6	5.5-11.7
\$25,000- 34,999	365	25,042	1	1.0	0.0- 3.0	8	1.4	0.2- 2.6	14	5.1	1.6- 8.6	121	34.9	27.1-42.7	139	44.2	36.4-52.0	82	13.4	9.1-17.7
\$35,000- 49,999	493	39,812				6	1.9	0.0- 3.9	10	3.3	0.6- 6.0	143	26.1	20.6-31.6	189	45.6	39.1-52.1	145	23.1	18.2-28.0
\$50,000- 74,999	549	40,197				1	0.9	0.0- 2.5	7	2.1	0.0- 4.3	125	20.3	16.0-24.6	182	46.4	40.3-52.5	234	30.4	25.5-35.3
\$75,000+	1020	84,697				3	0.2	0.0- 0.4	7	1.8	0.0- 3.6	145	14.3	11.4-17.2	282	32.6	28.5-36.7	583	51.1	47.0-55.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6975	586,733	5404	67.0	65.4-68.6	1359	28.0	26.4-29.6	212	5.0	4.2- 5.8
Male	3303	300,933	2538	66.6	64.2-69.0	645	27.7	25.5-29.9	120	5.8	4.6- 7.0
Female	3672	285,801	2866	67.4	65.0-69.8	714	28.3	25.9-30.7	92	4.3	3.1- 5.5
18-24	366	89,557	66	17.9	13.2-22.6	218	59.9	54.2-65.6	82	22.3	17.4-27.2
25-34	698	112,975	381	54.0	49.7-58.3	289	43.2	38.9-47.5	28	2.8	1.6- 4.0
35-44	714	90,511	555	76.1	72.4-79.8	147	22.6	18.9-26.3	12	1.3	0.5- 2.1
45-54	963	83,493	798	82.1	79.2-85.0	143	15.6	12.9-18.3	22	2.3	1.1- 3.5
55-64	1652	95,332	1444	86.8	84.8-88.8	185	11.8	9.8-13.8	23	1.4	0.6- 2.2
65+	2582	114,865	2160	83.5	81.7-85.3	377	14.9	13.1-16.7	45	1.7	1.1- 2.3
Less Than H.S.	395	48,866	249	55.6	48.9-62.3	119	33.2	26.9-39.5	27	11.2	6.3-16.1
H.S. or G.E.D.	1962	157,305	1412	59.4	56.3-62.5	465	32.3	29.4-35.2	85	8.3	6.1-10.5
Some Post-H.S.	2248	229,233	1756	67.5	64.8-70.2	434	28.8	26.1-31.5	58	3.7	2.5- 4.9
College Graduate	2352	149,972	1977	78.1	75.6-80.6	333	20.2	17.8-22.6	42	1.7	0.9- 2.5
Less than \$15,000	427	42,949	171	27.9	22.6-33.2	232	65.8	59.7-71.9	24	6.3	2.8- 9.8
\$15,000- 24,999	809	68,815	505	49.7	44.8-54.6	277	45.8	40.9-50.7	27	4.6	2.4- 6.8
\$25,000- 34,999	603	48,230	411	51.1	45.2-57.0	170	45.1	39.0-51.2	22	3.8	1.8- 5.8
\$35,000- 49,999	975	78,016	734	60.2	55.7-64.7	209	34.3	29.8-38.8	32	5.5	3.0- 8.0
\$50,000- 74,999	1152	94,714	977	76.9	73.2-80.6	152	20.0	16.5-23.5	23	3.1	1.5- 4.7
\$75,000+	2223	189,619	2028	86.9	84.7-89.1	161	9.6	7.8-11.4	34	3.4	2.0- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3303	300,933	2538	66.6	64.4-68.8	645	27.7	25.5-29.9	120	5.8	4.6- 7.0
18-24	217	47,594	41	19.3	12.8-25.8	123	55.8	48.2-63.4	53	25.0	18.3-31.7
25-34	394	61,670	198	51.5	45.8-57.2	177	45.6	39.9-51.3	19	2.9	1.5- 4.3
35-44	392	47,490	311	79.0	74.5-83.5	75	19.7	15.2-24.2	6	1.3	0.1- 2.5
45-54	476	42,972	383	78.9	74.6-83.2	79	17.8	13.7-21.9	14	3.3	1.1- 5.5
55-64	779	48,638	672	85.5	82.6-88.4	93	12.6	9.9-15.3	14	2.0	0.8- 3.2
65+	1045	52,568	933	88.1	85.6-90.6	98	10.6	8.2-13.0	14	1.3	0.5- 2.1
Less Than H.S.	210	29,026	138	55.7	46.7-64.7	54	30.8	22.6-39.0	18	13.5	6.4-20.6
H.S. or G.E.D.	933	84,016	657	57.9	53.6-62.2	227	32.9	28.8-37.0	49	9.2	6.3-12.1
Some Post-H.S.	1051	115,922	823	69.2	65.5-72.9	196	27.4	23.7-31.1	32	3.5	1.9- 5.1
College Graduate	1101	71,293	917	77.2	73.7-80.7	163	20.5	17.2-23.8	21	2.3	1.1- 3.5
Less than \$15,000	182	19,906	69	27.3	19.7-34.9	100	63.0	54.0-72.0	13	9.6	3.3-15.9
\$15,000- 24,999	301	30,526	181	49.9	42.5-57.3	103	43.1	35.7-50.5	17	7.0	2.7-11.3
\$25,000- 34,999	238	23,188	152	46.0	37.6-54.4	77	49.9	41.3-58.5	9	4.1	1.0- 7.2
\$35,000- 49,999	481	38,167	348	60.5	54.4-66.6	116	33.9	28.0-39.8	17	5.5	2.0- 9.0
\$50,000- 74,999	601	54,417	496	74.7	69.6-79.8	88	21.5	16.6-26.4	17	3.8	1.6- 6.0
\$75,000+	1204	105,013	1084	85.4	82.5-88.3	101	11.3	8.9-13.7	19	3.3	1.5- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3672	285,801	2866	67.4	65.0-69.8	714	28.3	25.9-30.7	92	4.3	3.1- 5.5
18-24	149	41,963	25	16.2	9.3-23.1	95	64.5	55.9-73.1	29	19.2	12.1-26.3
25-34	304	51,305	183	56.9	50.4-63.4	112	40.3	33.8-46.8	9	2.8	0.8- 4.8
35-44	322	43,021	244	72.8	66.9-78.7	72	25.8	19.9-31.7	6	1.4	0.2- 2.6
45-54	487	40,521	415	85.5	82.0-89.0	64	13.2	9.7-16.7	8	1.3	0.3- 2.3
55-64	873	46,694	772	88.2	85.7-90.7	92	10.9	8.4-13.4	9	0.9	0.1- 1.7
65+	1537	62,297	1227	79.6	77.1-82.1	279	18.4	16.0-20.8	31	2.0	1.0- 3.0
Less Than H.S.	185	19,840	111	55.4	45.4-65.4	65	36.7	27.1-46.3	9	7.9	1.4-14.4
H.S. or G.E.D.	1029	73,289	755	61.1	56.4-65.8	238	31.6	27.1-36.1	36	7.3	4.4-10.2
Some Post-H.S.	1197	113,311	933	65.7	61.6-69.8	238	30.3	26.2-34.4	26	4.0	2.0- 6.0
College Graduate	1251	78,680	1060	78.9	75.4-82.4	170	20.0	16.5-23.5	21	1.1	0.3- 1.9
Less than \$15,000	245	23,044	102	28.5	21.1-35.9	132	68.1	60.1-76.1	11	3.4	0.1- 6.7
\$15,000- 24,999	508	38,289	324	49.5	43.0-56.0	174	47.9	41.4-54.4	10	2.6	0.6- 4.6
\$25,000- 34,999	365	25,042	259	55.8	47.6-64.0	93	40.7	32.5-48.9	13	3.5	1.1- 5.9
\$35,000- 49,999	494	39,849	386	59.9	53.0-66.8	93	34.7	28.0-41.4	15	5.4	1.5- 9.3
\$50,000- 74,999	551	40,297	481	80.0	74.5-85.5	64	17.9	12.8-23.0	6	2.2	0.0- 4.6
\$75,000+	1019	84,607	944	88.8	85.7-91.9	60	7.6	5.2-10.0	15	3.6	1.4- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6886	569,607	6760	97.2	96.6-97.8	54	1.2	0.8- 1.6	72	1.6	1.2- 2.0
Male	3247	290,354	3167	96.3	95.3-97.3	32	1.4	0.8- 2.0	48	2.2	1.4- 3.0
Female	3639	279,253	3593	98.0	97.2-98.8	22	1.0	0.4- 1.6	24	1.0	0.4- 1.6
Native	242	23,916	233	95.7	91.8-99.6	7	2.2	0.2- 4.2	2	2.1	0.0- 5.4
Non-Native	6556	536,731	6446	97.4	96.8-98.0	44	1.1	0.7- 1.5	66	1.5	1.1- 1.9
18-24	341	82,192	325	95.1	92.6-97.6	8	2.9	0.7- 5.1	8	2.0	0.4- 3.6
25-34	670	107,699	651	96.5	94.7-98.3	10	1.5	0.5- 2.5	9	2.0	0.4- 3.6
35-44	695	87,502	676	96.7	95.1-98.3	9	1.5	0.5- 2.5	10	1.8	0.4- 3.2
45-54	958	82,949	937	97.3	95.9-98.7	9	0.6	0.0- 1.2	12	2.0	0.8- 3.2
55-64	1649	94,970	1625	98.1	97.3-98.9	7	0.6	0.0- 1.2	17	1.3	0.5- 2.1
65+	2573	114,294	2546	98.6	98.0-99.2	11	0.6	0.2- 1.0	16	0.8	0.4- 1.2
Less Than H.S.	392	47,532	379	94.0	90.3-97.7	3	1.6	0.0- 3.8	10	4.4	1.3- 7.5
H.S. or G.E.D.	1945	153,099	1906	97.1	95.9-98.3	16	1.0	0.4- 1.6	23	1.9	0.9- 2.9
Some Post-H.S.	2220	223,068	2185	97.7	96.7-98.7	16	1.2	0.6- 1.8	19	1.1	0.5- 1.7
College Graduate	2310	144,375	2276	97.7	96.7-98.7	18	1.3	0.5- 2.1	16	1.0	0.4- 1.6
Less than \$15,000	421	41,209	411	94.5	90.4-98.6	7	3.7	0.4- 7.0	3	1.8	0.0- 4.2
\$15,000- 24,999	794	66,082	779	97.7	96.3-99.1	7	0.8	0.0- 1.6	8	1.5	0.3- 2.7
\$25,000- 34,999	593	46,497	579	96.5	94.3-98.7	6	1.1	0.0- 2.3	8	2.4	0.4- 4.4
\$35,000- 49,999	968	77,060	958	98.4	97.2-99.6	5	1.2	0.0- 2.4	5	0.4	0.0- 0.8
\$50,000- 74,999	1140	92,225	1123	98.1	96.9-99.3	8	0.8	0.0- 1.6	9	1.1	0.1- 2.1
\$75,000+	2194	185,204	2171	98.3	97.5-99.1	7	0.5	0.1- 0.9	16	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3247	290,354	3167	96.3	95.3-97.3	32	1.4	0.8- 2.0	48	2.2	1.4- 3.0
Native	121	13,171	112	92.2	85.3-99.1	7	4.0	0.5- 7.5	2	3.8	0.0- 9.9
Non-Native	3071	271,475	3005	96.8	95.8-97.8	23	1.1	0.5- 1.7	43	2.0	1.2- 2.8
18-24	202	43,173	190	93.5	89.4-97.6	5	3.4	0.1- 6.7	7	3.1	0.6- 5.6
25-34	379	58,871	367	96.3	93.9-98.7	7	1.7	0.5- 2.9	5	2.0	0.0- 4.0
35-44	379	45,503	366	95.5	92.8-98.2	7	2.0	0.4- 3.6	6	2.5	0.3- 4.7
45-54	472	42,511	459	96.5	94.3-98.7	4	0.4	0.0- 0.8	9	3.1	0.9- 5.3
55-64	778	48,466	762	97.4	95.8-99.0	3	0.4	0.0- 1.0	13	2.2	0.8- 3.6
65+	1037	51,830	1023	98.5	97.5-99.5	6	0.7	0.1- 1.3	8	0.8	0.2- 1.4
Less Than H.S.	206	28,045	199	93.3	88.0-98.6	1	1.7	0.0- 5.0	6	5.0	0.5- 9.5
H.S. or G.E.D.	925	81,413	901	97.0	95.4-98.6	8	0.6	0.2- 1.0	16	2.4	0.8- 4.0
Some Post-H.S.	1033	112,094	1010	96.8	95.2-98.4	10	1.6	0.4- 2.8	13	1.6	0.6- 2.6
College Graduate	1075	68,126	1051	96.5	94.9-98.1	13	2.0	0.8- 3.2	11	1.5	0.5- 2.5
Less than \$15,000	181	19,770	173	91.0	83.6-98.4	5	5.3	0.0-11.2	3	3.7	0.0- 8.6
\$15,000- 24,999	289	28,345	280	97.4	95.4-99.4	6	1.7	0.0- 3.5	3	0.8	0.0- 2.0
\$25,000- 34,999	233	21,950	226	96.6	93.7-99.5	2	0.5	0.0- 1.3	5	2.9	0.2- 5.6
\$35,000- 49,999	478	37,710	474	99.2	98.4- 100	1	0.3	0.0- 0.9	3	0.6	0.0- 1.4
\$50,000- 74,999	590	52,435	580	97.6	95.8-99.4	4	0.8	0.0- 1.8	6	1.6	0.0- 3.2
\$75,000+	1188	102,714	1168	97.1	95.5-98.7	6	0.7	0.1- 1.3	14	2.1	0.7- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 25: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3639	279,253	3593	98.0	97.2-98.8	22	1.0	0.4- 1.6	24	1.0	0.4- 1.6
Native	121	10,745	121	100.0	100.0- 100						
Non-Native	3485	265,256	3441	98.0	97.2-98.8	21	1.0	0.4- 1.6	23	1.0	0.4- 1.6
18-24	139	39,019	135	97.0	94.1-99.9	3	2.3	0.0- 5.0	1	0.7	0.0- 2.1
25-34	291	48,828	284	96.7	94.2-99.2	3	1.2	0.0- 2.6	4	2.1	0.0- 4.3
35-44	316	41,999	310	98.0	96.2-99.8	2	0.9	0.0- 2.3	4	1.0	0.0- 2.2
45-54	486	40,438	478	98.2	96.6-99.8	5	0.9	0.0- 1.9	3	0.9	0.0- 2.1
55-64	871	46,503	863	98.9	97.9-99.9	4	0.8	0.0- 1.6	4	0.3	0.0- 0.7
65+	1536	62,464	1523	98.8	98.0-99.6	5	0.5	0.0- 1.1	8	0.8	0.2- 1.4
Less Than H.S.	186	19,487	180	95.0	90.7-99.3	2	1.5	0.0- 3.7	4	3.5	0.0- 7.2
H.S. or G.E.D.	1020	71,686	1005	97.2	95.2-99.2	8	1.5	0.1- 2.9	7	1.2	0.0- 2.6
Some Post-H.S.	1187	110,974	1175	98.7	97.7-99.7	6	0.7	0.0- 1.5	6	0.6	0.0- 1.2
College Graduate	1235	76,249	1225	98.7	97.7-99.7	5	0.7	0.0- 1.5	5	0.5	0.0- 1.1
Less than \$15,000	240	21,439	238	97.7	94.4- 100	2	2.3	0.0- 5.6			
\$15,000- 24,999	505	37,738	499	97.9	95.9-99.9	1	0.1	0.0- 0.3	5	2.0	0.0- 4.0
\$25,000- 34,999	360	24,548	353	96.3	93.0-99.6	4	1.6	0.0- 3.6	3	2.1	0.0- 4.8
\$35,000- 49,999	490	39,350	484	97.7	95.3- 100	4	2.1	0.0- 4.5	2	0.2	0.0- 0.6
\$50,000- 74,999	550	39,790	543	98.7	97.5-99.9	4	0.9	0.0- 2.1	3	0.3	0.0- 0.7
\$75,000+	1006	82,490	1003	99.7	99.3- 100	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6992	588,563	6735	95.5	94.7-96.3	83	1.3	0.9- 1.7	174	3.2	2.6- 3.8
Male	3314	302,325	3161	94.0	92.8-95.2	53	1.9	1.3- 2.5	100	4.1	3.1- 5.1
Female	3678	286,238	3574	97.1	96.3-97.9	30	0.6	0.4- 0.8	74	2.3	1.5- 3.1
Native	247	24,787	237	96.1	92.8-99.4	5	1.0	0.0- 2.0	5	3.0	0.0- 6.1
Non-Native	6655	554,662	6421	95.7	94.9-96.5	74	1.3	0.9- 1.7	160	3.1	2.5- 3.7
18-24	372	90,678	347	93.8	91.1-96.5	13	2.5	0.9- 4.1	12	3.7	1.5- 5.9
25-34	698	112,975	669	95.2	93.2-97.2	7	0.9	0.1- 1.7	22	3.9	2.1- 5.7
35-44	714	90,511	689	96.2	94.4-98.0	5	0.7	0.0- 1.5	20	3.1	1.5- 4.7
45-54	965	83,633	926	95.6	94.0-97.2	11	1.0	0.4- 1.6	28	3.4	1.8- 5.0
55-64	1656	95,510	1606	96.5	95.3-97.7	9	0.6	0.2- 1.0	41	2.9	1.9- 3.9
65+	2587	115,256	2498	95.8	94.8-96.8	38	1.8	1.2- 2.4	51	2.4	1.6- 3.2
Less Than H.S.	398	49,216	373	91.4	87.5-95.3	9	1.9	0.5- 3.3	16	6.8	3.1-10.5
H.S. or G.E.D.	1969	157,902	1890	95.3	93.9-96.7	32	1.3	0.7- 1.9	47	3.4	2.0- 4.8
Some Post-H.S.	2252	229,903	2181	96.3	95.1-97.5	18	1.1	0.5- 1.7	53	2.6	1.6- 3.6
College Graduate	2354	150,009	2278	96.2	95.2-97.2	21	1.2	0.6- 1.8	55	2.5	1.7- 3.3
Less than \$15,000	429	43,183	408	91.7	87.6-95.8	11	3.7	1.0- 6.4	10	4.7	1.4- 8.0
\$15,000- 24,999	810	68,855	782	97.1	95.7-98.5	14	1.2	0.4- 2.0	14	1.7	0.5- 2.9
\$25,000- 34,999	604	48,259	581	95.2	92.7-97.7	11	1.2	0.4- 2.0	12	3.6	1.1- 6.1
\$35,000- 49,999	976	78,241	951	97.6	96.2-99.0	7	0.5	0.1- 0.9	18	2.0	0.6- 3.4
\$50,000- 74,999	1153	94,736	1124	96.8	95.2-98.4	7	1.1	0.1- 2.1	22	2.0	0.8- 3.2
\$75,000+	2226	189,913	2174	97.2	96.2-98.2	12	0.7	0.3- 1.1	40	2.1	1.3- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3314	302,325	3161	94.0	92.8-95.2	53	1.9	1.3- 2.5	100	4.1	3.1- 5.1
Native	124	13,738	116	93.3	87.6-99.0	3	1.3	0.0- 2.9	5	5.3	0.0-10.8
Non-Native	3134	282,807	2999	94.4	93.2-95.6	48	1.9	1.3- 2.5	87	3.7	2.7- 4.7
18-24	223	48,715	202	89.9	85.4-94.4	10	4.1	1.4- 6.8	11	6.0	2.3- 9.7
25-34	394	61,670	377	95.4	92.9-97.9	4	1.0	0.0- 2.2	13	3.6	1.2- 6.0
35-44	392	47,490	375	94.8	92.1-97.5	5	1.4	0.0- 2.8	12	3.8	1.3- 6.3
45-54	478	43,112	451	93.6	90.9-96.3	11	1.9	0.5- 3.3	16	4.5	2.0- 7.0
55-64	781	48,754	746	94.7	92.7-96.7	5	0.6	0.0- 1.2	30	4.7	2.7- 6.7
65+	1046	52,584	1010	95.4	93.8-97.0	18	2.4	1.2- 3.6	18	2.1	0.9- 3.3
Less Than H.S.	211	29,216	190	87.1	81.0-93.2	8	3.0	0.8- 5.2	13	9.9	4.0-15.8
H.S. or G.E.D.	939	84,575	895	95.0	93.0-97.0	19	1.5	0.7- 2.3	25	3.5	1.7- 5.3
Some Post-H.S.	1054	116,552	1008	94.5	92.5-96.5	13	1.8	0.6- 3.0	33	3.6	2.0- 5.2
College Graduate	1102	71,307	1061	95.0	93.2-96.8	12	1.9	0.7- 3.1	29	3.1	1.7- 4.5
Less than \$15,000	183	20,068	166	84.5	76.3-92.7	9	7.0	1.5-12.5	8	8.6	1.9-15.3
\$15,000- 24,999	301	30,526	288	95.9	93.2-98.6	6	1.8	0.2- 3.4	7	2.3	0.1- 4.5
\$25,000- 34,999	239	23,217	226	94.2	90.1-98.3	5	1.1	0.1- 2.1	8	4.7	0.8- 8.6
\$35,000- 49,999	482	38,392	466	97.4	95.8-99.0	6	0.6	0.0- 1.2	10	2.0	0.6- 3.4
\$50,000- 74,999	601	54,417	583	95.5	93.0-98.0	5	1.7	0.0- 3.5	13	2.8	0.8- 4.8
\$75,000+	1206	105,217	1168	96.1	94.5-97.7	12	1.2	0.4- 2.0	26	2.7	1.3- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 28: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3678	286,238	3574	97.1	96.3-97.9	30	0.6	0.4- 0.8	74	2.3	1.5- 3.1
Native	123	11,049	121	99.5	98.7- 100	2	0.5	0.0- 1.3			
Non-Native	3521	271,855	3422	97.0	96.2-97.8	26	0.6	0.4- 0.8	73	2.4	1.6- 3.2
18-24	149	41,963	145	98.3	96.1- 100	3	0.7	0.0- 1.7	1	1.0	0.0- 3.0
25-34	304	51,305	292	95.0	92.1-97.9	3	0.7	0.0- 1.5	9	4.3	1.4- 7.2
35-44	322	43,021	314	97.7	95.9-99.5				8	2.3	0.5- 4.1
45-54	487	40,521	475	97.8	96.2-99.4				12	2.2	0.6- 3.8
55-64	875	46,756	860	98.5	97.5-99.5	4	0.6	0.0- 1.2	11	0.9	0.1- 1.7
65+	1541	62,672	1488	96.1	94.9-97.3	20	1.3	0.7- 1.9	33	2.6	1.6- 3.6
Less Than H.S.	187	20,001	183	97.6	94.9- 100	1	0.2	0.0- 0.6	3	2.2	0.0- 4.9
H.S. or G.E.D.	1030	73,328	995	95.6	93.4-97.8	13	1.0	0.4- 1.6	22	3.4	1.4- 5.4
Some Post-H.S.	1198	113,351	1173	98.1	97.1-99.1	5	0.3	0.0- 0.7	20	1.6	0.6- 2.6
College Graduate	1252	78,702	1217	97.4	96.2-98.6	9	0.7	0.1- 1.3	26	2.0	1.0- 3.0
Less than \$15,000	246	23,115	242	97.9	95.5- 100	2	0.8	0.0- 2.0	2	1.3	0.0- 3.3
\$15,000- 24,999	509	38,329	494	98.0	96.6-99.4	8	0.7	0.1- 1.3	7	1.2	0.0- 2.4
\$25,000- 34,999	365	25,042	355	96.1	92.8-99.4	6	1.2	0.0- 2.4	4	2.7	0.0- 5.8
\$35,000- 49,999	494	39,849	485	97.7	95.5-99.9	1	0.3	0.0- 0.9	8	1.9	0.0- 4.1
\$50,000- 74,999	552	40,319	541	98.7	97.7-99.7	2	0.3	0.0- 0.9	9	1.0	0.2- 1.8
\$75,000+	1020	84,697	1006	98.6	97.6-99.6				14	1.4	0.4- 2.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 29: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3693	216,137	124	2.6	2.0- 3.2	3569	97.4	96.8-98.0
Male	1486	94,016	66	3.2	2.2- 4.2	1420	96.8	95.8-97.8
Female	2207	122,121	58	2.2	1.4- 3.0	2149	97.8	97.0-98.6
Native	102	10,584	6	2.5	0.0- 5.0	96	97.5	95.0- 100
Non-Native	3546	202,834	118	2.7	2.1- 3.3	3428	97.3	96.7-97.9
25-34	151	16,935	3	1.7	0.0- 3.9	148	98.3	96.1- 100
35-44	259	26,374	6	2.2	0.2- 4.2	253	97.8	95.8-99.8
45-54	435	33,098	12	2.3	0.7- 3.9	423	97.7	96.1-99.3
55-64	945	50,385	30	2.9	1.7- 4.1	915	97.1	95.9-98.3
65+	1855	78,504	71	2.7	1.9- 3.5	1784	97.3	96.5-98.1
Less Than H.S.	240	21,843	9	1.6	0.2- 3.0	231	98.4	97.0-99.8
H.S. or G.E.D.	1099	61,336	37	3.6	2.0- 5.2	1062	96.4	94.8-98.0
Some Post-H.S.	1172	82,090	43	2.3	1.5- 3.1	1129	97.7	96.9-98.5
College Graduate	1173	50,249	35	2.4	1.2- 3.6	1138	97.6	96.4-98.8
Less than \$15,000	222	12,973	3	0.8	0.0- 1.8	219	99.2	98.2- 100
\$15,000- 24,999	465	27,189	19	1.8	0.6- 3.0	446	98.2	97.0-99.4
\$25,000- 34,999	354	17,769	10	1.9	0.5- 3.3	344	98.1	96.7-99.5
\$35,000- 49,999	551	30,510	13	1.8	0.4- 3.2	538	98.2	96.8-99.6
\$50,000- 74,999	603	33,921	27	3.5	1.9- 5.1	576	96.5	94.9-98.1
\$75,000+	1046	67,070	31	2.4	1.2- 3.6	1015	97.6	96.4-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 30: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1486	94,016	66	3.2	2.2- 4.2	1420	96.8	95.8-97.8
Non-Native	1419	87,426	63	3.2	2.2- 4.2	1356	96.8	95.8-97.8
25-34	62	6,358	2	3.8	0.0- 9.1	60	96.2	90.9- 100
35-44	117	10,585	4	2.6	0.0- 5.3	113	97.4	94.7- 100
45-54	180	13,889	4	1.0	0.0- 2.2	176	99.0	97.8- 100
55-64	422	24,095	21	4.6	2.4- 6.8	401	95.4	93.2-97.6
65+	679	33,186	34	3.3	1.9- 4.7	645	96.7	95.3-98.1
Less Than H.S.	99	10,305	2	0.5	0.0- 1.1	97	99.5	98.9- 100
H.S. or G.E.D.	435	28,238	23	4.7	2.5- 6.9	412	95.3	93.1-97.5
Some Post-H.S.	463	34,622	22	3.2	1.6- 4.8	441	96.8	95.2-98.4
College Graduate	487	20,723	19	2.6	1.2- 4.0	468	97.4	96.0-98.8
Less than \$15,000	76	5,210				76	100.0	100.0- 100
\$15,000- 24,999	138	10,335	7	2.8	0.3- 5.3	131	97.2	94.7-99.7
\$25,000- 34,999	111	6,805	5	2.8	0.1- 5.5	106	97.2	94.5-99.9
\$35,000- 49,999	234	12,380	5	1.5	0.0- 3.3	229	98.5	96.7- 100
\$50,000- 74,999	281	17,291	18	5.1	2.4- 7.8	263	94.9	92.2-97.6
\$75,000+	521	33,105	22	2.8	1.2- 4.4	499	97.2	95.6-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 31: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2207	122,121	58	2.2	1.4- 3.0	2149	97.8	97.0-98.6
Native	61	5,693	3	1.5	0.0- 3.5	58	98.5	96.5- 100
Non-Native	2127	115,408	55	2.3	1.3- 3.3	2072	97.7	96.7-98.7
25-34	89	10,578	1	0.5	0.0- 1.5	88	99.5	98.5- 100
35-44	142	15,789	2	1.9	0.0- 4.8	140	98.1	95.2- 100
45-54	255	19,209	8	3.2	0.7- 5.7	247	96.8	94.3-99.3
55-64	523	26,290	9	1.4	0.2- 2.6	514	98.6	97.4-99.8
65+	1176	45,318	37	2.3	1.3- 3.3	1139	97.7	96.7-98.7
Less Than H.S.	141	11,538	7	2.6	0.1- 5.1	134	97.4	94.9-99.9
H.S. or G.E.D.	664	33,098	14	2.7	0.5- 4.9	650	97.3	95.1-99.5
Some Post-H.S.	709	47,468	21	1.8	0.8- 2.8	688	98.2	97.2-99.2
College Graduate	686	29,526	16	2.3	0.5- 4.1	670	97.7	95.9-99.5
Less than \$15,000	146	7,763	3	1.3	0.0- 2.9	143	98.7	97.1- 100
\$15,000- 24,999	327	16,854	12	1.3	0.5- 2.1	315	98.7	97.9-99.5
\$25,000- 34,999	243	10,964	5	1.3	0.0- 2.7	238	98.7	97.3- 100
\$35,000- 49,999	317	18,130	8	2.0	0.0- 4.0	309	98.0	96.0- 100
\$50,000- 74,999	322	16,630	9	2.0	0.6- 3.4	313	98.0	96.6-99.4
\$75,000+	525	33,965	9	2.0	0.2- 3.8	516	98.0	96.2-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	118	5,404	65	73.7	64.7-82.7	36	19.9	11.9-27.9	13	5.4	2.1- 8.7	4	0.9	0.0- 1.9
Male	64	2,866	35	71.7	59.7-83.7	19	21.9	10.9-32.9	7	5.2	0.9- 9.5	3	1.3	0.0- 3.1
Female	54	2,537	30	76.0	62.7-89.3	17	17.8	6.2-29.4	6	5.6	0.5-10.7	1	0.6	0.0- 1.8
Non-Native	112	5,141	62	75.8	67.2-84.4	33	17.5	10.1-24.9	13	5.7	2.2- 9.2	4	1.0	0.0- 2.2
65+	69	2,026	34	65.8	53.6-78.0	25	26.8	15.8-37.8	7	5.6	1.3- 9.9	3	1.8	0.0- 4.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	64	2,866	35	71.7	59.7-83.7	19	21.9	10.9-32.9	7	5.2	0.9- 9.5	3	1.3	0.0- 3.1
Non-Native	61	2,688	34	74.5	63.3-85.7	17	18.6	8.6-28.6	7	5.5	0.8-10.2	3	1.4	0.0- 3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS

TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	54	2,537	30	76.0	62.5-89.5	17	17.8	5.8-29.8	6	5.6	0.5-10.7	1	0.6	0.0- 1.8
Non-Native	51	2,453	28	77.2	63.9-90.5	16	16.4	5.0-27.8	6	5.8	0.7-10.9	1	0.6	0.0- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 35: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1A)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3705	216,544	3183	77.9	75.9-79.9	522	22.1	20.1-24.1
Male	1494	94,551	1289	76.1	73.0-79.2	205	23.9	20.8-27.0
Female	2211	121,993	1894	79.2	76.8-81.6	317	20.8	18.4-23.2
Native	102	10,584	65	44.2	32.8-55.6	37	55.8	44.4-67.2
Non-Native	3555	203,137	3084	79.9	77.9-81.9	471	20.1	18.1-22.1
25-34	153	17,209	136	79.2	70.2-88.2	17	20.8	11.8-29.8
35-44	259	26,374	235	85.8	80.1-91.5	24	14.2	8.5-19.9
45-54	436	33,114	398	83.5	78.6-88.4	38	16.5	11.6-21.4
55-64	944	50,213	839	80.1	76.4-83.8	105	19.9	16.2-23.6
65+	1865	78,793	1530	69.6	66.7-72.5	335	30.4	27.5-33.3
Less Than H.S.	242	21,993	148	52.6	44.4-60.8	94	47.4	39.2-55.6
H.S. or G.E.D.	1100	61,497	901	72.9	69.0-76.8	199	27.1	23.2-31.0
Some Post-H.S.	1176	82,108	1038	82.2	79.3-85.1	138	17.8	14.9-20.7
College Graduate	1178	50,485	1090	88.0	85.3-90.7	88	12.0	9.3-14.7
Less than \$15,000	222	12,973	116	34.2	26.6-41.8	106	65.8	58.2-73.4
\$15,000- 24,999	468	27,502	333	55.0	48.5-61.5	135	45.0	38.5-51.5
\$25,000- 34,999	355	17,793	304	76.1	69.6-82.6	51	23.9	17.4-30.4
\$35,000- 49,999	553	30,660	496	83.1	78.6-87.6	57	16.9	12.4-21.4
\$50,000- 74,999	605	34,053	565	85.7	81.0-90.4	40	14.3	9.6-19.0
\$75,000+	1049	67,193	998	91.1	88.6-93.6	51	8.9	6.4-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 36: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1A)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1494	94,551	1289	76.1	73.0-79.2	205	23.9	20.8-27.0
Non-Native	1426	87,932	1246	78.6	75.5-81.7	180	21.4	18.3-24.5
25-34	64	6,632	53	69.7	54.6-84.8	11	30.3	15.2-45.4
35-44	117	10,585	105	83.8	74.8-92.8	12	16.2	7.2-25.2
45-54	181	13,905	156	75.0	66.4-83.6	25	25.0	16.4-33.6
55-64	423	24,177	373	79.0	73.5-84.5	50	21.0	15.5-26.5
65+	683	33,349	579	72.6	67.9-77.3	104	27.4	22.7-32.1
Less Than H.S.	100	10,385	64	58.4	45.9-70.9	36	41.6	29.1-54.1
H.S. or G.E.D.	435	28,387	365	71.8	65.5-78.1	70	28.2	21.9-34.5
Some Post-H.S.	464	34,649	408	79.7	74.6-84.8	56	20.3	15.2-25.4
College Graduate	492	20,983	449	84.7	80.2-89.2	43	15.3	10.8-19.8
Less than \$15,000	76	5,210	31	19.6	11.0-28.2	45	80.4	71.8-89.0
\$15,000- 24,999	139	10,580	96	49.5	38.5-60.5	43	50.5	39.5-61.5
\$25,000- 34,999	111	6,805	92	75.3	64.1-86.5	19	24.7	13.5-35.9
\$35,000- 49,999	235	12,461	206	80.3	73.4-87.2	29	19.7	12.8-26.6
\$50,000- 74,999	283	17,406	260	81.5	73.9-89.1	23	18.5	10.9-26.1
\$75,000+	524	33,228	496	89.3	85.2-93.4	28	10.7	6.6-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 37: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1A)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2211	121,993	1894	79.2	76.8-81.6	317	20.8	18.4-23.2
Native	61	5,693	43	54.1	38.4-69.8	18	45.9	30.2-61.6
Non-Native	2129	115,205	1838	80.8	78.4-83.2	291	19.2	16.8-21.6
25-34	89	10,578	83	85.1	73.9-96.3	6	14.9	3.7-26.1
35-44	142	15,789	130	87.0	79.7-94.3	12	13.0	5.7-20.3
45-54	255	19,209	242	89.6	84.1-95.1	13	10.4	4.9-15.9
55-64	521	26,037	466	81.2	76.3-86.1	55	18.8	13.9-23.7
65+	1182	45,444	951	67.3	63.8-70.8	231	32.7	29.2-36.2
Less Than H.S.	142	11,608	84	47.3	36.7-57.9	58	52.7	42.1-63.3
H.S. or G.E.D.	665	33,110	536	73.9	69.2-78.6	129	26.1	21.4-30.8
Some Post-H.S.	712	47,459	630	84.1	80.4-87.8	82	15.9	12.2-19.6
College Graduate	686	29,502	641	90.4	87.3-93.5	45	9.6	6.5-12.7
Less than \$15,000	146	7,763	85	44.0	33.4-54.6	61	56.0	45.4-66.6
\$15,000- 24,999	329	16,921	237	58.4	50.8-66.0	92	41.6	34.0-49.2
\$25,000- 34,999	244	10,989	212	76.6	68.6-84.6	32	23.4	15.4-31.4
\$35,000- 49,999	318	18,199	290	85.0	78.7-91.3	28	15.0	8.7-21.3
\$50,000- 74,999	322	16,647	305	90.2	85.3-95.1	17	9.8	4.9-14.7
\$75,000+	525	33,965	502	92.9	89.8-96.0	23	7.1	4.0-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6986	588,026	934	11.9	10.9-12.9	6052	88.1	87.1-89.1
Male	3311	302,052	861	21.3	19.5-23.1	2450	78.7	76.9-80.5
Female	3675	285,975	73	2.0	1.4- 2.6	3602	98.0	97.4-98.6
18-24	372	90,678	23	6.7	4.0- 9.4	349	93.3	90.6-96.0
25-34	698	112,975	44	6.6	4.4- 8.8	654	93.4	91.2-95.6
35-44	712	90,181	57	8.2	5.8-10.6	655	91.8	89.4-94.2
45-54	965	83,633	118	12.9	10.4-15.4	847	87.1	84.6-89.6
55-64	1655	95,426	151	10.2	8.4-12.0	1504	89.8	88.0-91.6
65+	2584	115,134	541	24.7	22.5-26.9	2043	75.3	73.1-77.5
Less Than H.S.	398	49,216	52	11.7	8.0-15.4	346	88.3	84.6-92.0
H.S. or G.E.D.	1968	157,867	267	13.1	11.1-15.1	1701	86.9	84.9-88.9
Some Post-H.S.	2251	229,819	325	12.4	10.8-14.0	1926	87.6	86.0-89.2
College Graduate	2352	149,820	289	10.1	8.7-11.5	2063	89.9	88.5-91.3
Less than \$15,000	428	43,146	53	10.5	7.0-14.0	375	89.5	86.0-93.0
\$15,000- 24,999	809	68,820	104	11.9	9.0-14.8	705	88.1	85.2-91.0
\$25,000- 34,999	604	48,259	81	12.7	9.0-16.4	523	87.3	83.6-91.0
\$35,000- 49,999	976	78,241	160	15.4	12.5-18.3	816	84.6	81.7-87.5
\$50,000- 74,999	1153	94,736	167	12.8	10.3-15.3	986	87.2	84.7-89.7
\$75,000+	2226	189,913	289	10.9	9.3-12.5	1937	89.1	87.5-90.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3311	302,052	861	21.3	19.5-23.1	2450	78.7	76.9-80.5
18-24	223	48,715	21	11.6	6.7-16.5	202	88.4	83.5-93.3
25-34	394	61,670	38	10.5	6.8-14.2	356	89.5	85.8-93.2
35-44	391	47,338	49	13.7	9.6-17.8	342	86.3	82.2-90.4
45-54	478	43,112	94	20.3	16.2-24.4	384	79.7	75.6-83.8
55-64	780	48,670	133	18.4	15.1-21.7	647	81.6	78.3-84.9
65+	1045	52,547	526	53.0	49.5-56.5	519	47.0	43.5-50.5
Less Than H.S.	211	29,216	52	19.7	13.4-26.0	159	80.3	74.0-86.6
H.S. or G.E.D.	939	84,575	253	22.5	19.2-25.8	686	77.5	74.2-80.8
Some Post-H.S.	1053	116,468	301	22.7	19.8-25.6	752	77.3	74.4-80.2
College Graduate	1100	71,118	254	18.2	15.7-20.7	846	81.8	79.3-84.3
Less than \$15,000	182	20,031	48	21.0	13.9-28.1	134	79.0	71.9-86.1
\$15,000- 24,999	301	30,526	95	25.3	19.2-31.4	206	74.7	68.6-80.8
\$25,000- 34,999	239	23,217	77	25.5	18.2-32.8	162	74.5	67.2-81.8
\$35,000- 49,999	482	38,392	152	28.3	23.0-33.6	330	71.7	66.4-77.0
\$50,000- 74,999	601	54,417	158	21.0	16.9-25.1	443	79.0	74.9-83.1
\$75,000+	1206	105,217	263	17.8	15.3-20.3	943	82.2	79.7-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3675	285,975	73	2.0	1.4- 2.6	3602	98.0	97.4-98.6
18-24	149	41,963	2	1.1	0.0- 2.7	147	98.9	97.3- 100
25-34	304	51,305	6	1.8	0.0- 3.6	298	98.2	96.4- 100
35-44	321	42,843	8	2.1	0.5- 3.7	313	97.9	96.3-99.5
45-54	487	40,521	24	5.1	2.9- 7.3	463	94.9	92.7-97.1
55-64	875	46,756	18	1.7	0.7- 2.7	857	98.3	97.3-99.3
65+	1539	62,587	15	0.9	0.3- 1.5	1524	99.1	98.5-99.7
Less Than H.S.	187	20,001				187	100.0	100.0- 100
H.S. or G.E.D.	1029	73,293	14	2.2	0.6- 3.8	1015	97.8	96.2-99.4
Some Post-H.S.	1198	113,351	24	1.7	0.9- 2.5	1174	98.3	97.5-99.1
College Graduate	1252	78,702	35	2.7	1.7- 3.7	1217	97.3	96.3-98.3
Less than \$15,000	246	23,115	5	1.4	0.0- 3.0	241	98.6	97.0- 100
\$15,000- 24,999	508	38,294	9	1.3	0.3- 2.3	499	98.7	97.7-99.7
\$25,000- 34,999	365	25,042	4	0.8	0.0- 1.8	361	99.2	98.2- 100
\$35,000- 49,999	494	39,849	8	2.9	0.7- 5.1	486	97.1	94.9-99.3
\$50,000- 74,999	552	40,319	9	1.7	0.0- 3.5	543	98.3	96.5- 100
\$75,000+	1020	84,697	26	2.3	1.3- 3.3	994	97.7	96.7-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6944	582,954	3944	65.2	63.6-66.8	180	4.0	3.2- 4.8	336	4.5	3.9- 5.1	145	5.8	4.8- 6.8	2051	16.1	15.3-16.9	288	4.4	3.8- 5.0
Male	3288	299,303	2149	71.9	69.9-73.9	101	4.8	3.6- 6.0	5	0.2	0.0- 0.6	79	5.3	3.9- 6.7	837	14.4	13.2-15.6	117	3.3	2.5- 4.1
Female	3656	283,651	1795	58.2	55.8-60.6	79	3.1	2.1- 4.1	331	9.0	7.8-10.2	66	6.3	4.5- 8.1	1214	17.8	16.6-19.0	171	5.6	4.4- 6.8
Native	245	24,410	131	51.3	42.9-59.7	28	14.2	7.9-20.5	13	6.5	2.0-11.0	16	8.9	4.0-13.8	28	8.0	4.1-11.9	29	11.0	6.3-15.7
Non-Native	6619	550,574	3775	66.0	64.4-67.6	152	3.6	2.8- 4.4	320	4.5	3.9- 5.1	125	5.6	4.4- 6.8	1996	16.4	15.6-17.2	251	4.1	3.5- 4.7
18-24	367	89,572	232	58.4	52.5-64.3	21	7.3	4.0-10.6	4	1.6	0.0- 3.2	107	31.4	25.9-36.9				3	1.3	0.0- 2.9
25-34	692	111,750	571	81.1	77.6-84.6	32	5.0	3.0- 7.0	37	5.5	3.3- 7.7	29	4.3	2.5- 6.1	2	0.3	0.0- 0.7	21	3.9	2.1- 5.7
35-44	705	89,247	626	87.0	83.9-90.1	16	2.9	1.3- 4.5	38	5.5	3.5- 7.5	5	0.7	0.0- 1.5	2	0.4	0.0- 1.0	18	3.5	1.7- 5.3
45-54	959	82,930	819	84.0	81.3-86.7	38	4.7	2.9- 6.5	29	2.7	1.5- 3.9	4	0.3	0.0- 0.7	15	1.6	0.6- 2.6	54	6.7	4.7- 8.7
55-64	1645	94,635	1183	71.3	68.8-73.8	53	3.9	2.7- 5.1	53	3.3	2.3- 4.3				238	13.6	11.6-15.6	118	7.8	6.2- 9.4
65+	2576	114,820	513	19.7	17.9-21.5	20	0.8	0.4- 1.2	175	7.4	6.2- 8.6				1794	68.5	66.3-70.7	74	3.6	2.6- 4.6
Less Than H.S.	393	48,363	124	40.3	33.6-47.0	26	10.9	5.8-16.0	34	8.3	4.8-11.8	10	5.7	1.8- 9.6	160	24.7	20.0-29.4	39	10.1	6.4-13.8
H.S. or G.E.D.	1948	155,711	979	61.1	58.2-64.0	65	5.8	4.0- 7.6	125	5.4	4.0- 6.8	39	5.1	3.3- 6.9	629	17.0	15.4-18.6	111	5.6	4.2- 7.0
Some Post-H.S.	2240	228,313	1318	66.9	64.4-69.4	55	2.9	1.9- 3.9	96	3.8	2.8- 4.8	56	7.3	5.3- 9.3	629	15.0	13.6-16.4	86	4.1	2.9- 5.3
College Graduate	2346	149,413	1512	74.9	72.7-77.1	34	1.6	1.0- 2.2	79	3.5	2.5- 4.5	40	4.3	2.9- 5.7	630	13.9	12.5-15.3	51	1.8	1.2- 2.4
Less than \$15,000	423	42,462	90	23.4	17.7-29.1	45	12.7	8.0-17.4	18	4.4	1.7- 7.1	38	22.4	15.5-29.3	128	15.0	11.7-18.3	104	22.1	17.0-27.2
\$15,000- 24,999	806	68,351	286	48.6	43.7-53.5	31	4.7	2.5- 6.9	54	6.1	3.7- 8.5	22	6.3	3.2- 9.4	341	24.8	21.5-28.1	72	9.4	6.7-12.1
\$25,000- 34,999	603	48,231	277	59.9	54.4-65.4	16	3.8	1.4- 6.2	35	4.4	2.4- 6.4	12	6.5	2.4-10.6	244	22.7	19.0-26.4	19	2.8	1.2- 4.4
\$35,000- 49,999	972	77,517	530	66.9	63.0-70.8	23	3.5	1.5- 5.5	40	3.6	2.2- 5.0	12	3.1	1.1- 5.1	343	19.7	17.2-22.2	24	3.2	1.4- 5.0
\$50,000- 74,999	1148	94,111	727	73.4	70.1-76.7	11	1.2	0.4- 2.0	47	5.0	2.8- 7.2	12	3.3	1.3- 5.3	331	15.3	13.3-17.3	20	1.8	0.8- 2.8
\$75,000+	2218	188,995	1674	80.3	78.1-82.5	33	2.9	1.5- 4.3	82	3.7	2.7- 4.7	27	3.3	1.9- 4.7	385	8.9	7.9- 9.9	17	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3288	299,303	2149	71.9	69.9-73.9	101	4.8	3.6- 6.0	5	0.2	0.0- 0.6	79	5.3	3.9- 6.7	837	14.4	13.2-15.6	117	3.3	2.5- 4.1
Native	123	13,665	64	49.8	38.4-61.2	19	18.3	9.1-27.5				12	13.5	5.3-21.7	13	9.1	3.0-15.2	15	9.4	3.7-15.1
Non-Native	3116	280,414	2059	73.2	71.2-75.2	82	4.3	3.1- 5.5	5	0.3	0.0- 0.7	63	4.7	3.3- 6.1	809	14.6	13.4-15.8	98	3.0	2.2- 3.8
18-24	221	48,263	147	63.7	56.3-71.1	14	9.5	4.2-14.8	1	0.3	0.0- 0.9	59	26.4	19.7-33.1						
25-34	390	61,131	341	85.8	81.7-89.9	21	5.7	3.0- 8.4	1	0.7	0.0- 2.1	16	4.5	2.1- 6.9	1	0.4	0.0- 1.2	10	2.8	0.8- 4.8
35-44	386	46,801	368	95.5	93.1-97.9	8	2.2	0.4- 4.0				2	0.4	0.0- 1.0	1	0.3	0.0- 0.9	7	1.7	0.3- 3.1
45-54	474	42,492	425	87.5	83.8-91.2	22	5.9	3.0- 8.8	1	0.1	0.0- 0.3	2	0.3	0.0- 0.9	5	1.1	0.0- 2.3	19	5.0	2.6- 7.4
55-64	773	48,138	587	75.2	71.7-78.7	30	5.2	3.0- 7.4							99	12.1	9.4-14.8	57	7.4	5.2- 9.6
65+	1044	52,479	281	26.5	23.4-29.6	6	0.6	0.0- 1.2	2	0.2	0.0- 0.4				731	69.4	66.1-72.7	24	3.3	1.7- 4.9
Less Than H.S.	210	29,142	88	47.4	38.4-56.4	18	13.4	5.8-21.0	2	2.1	0.0- 5.2	8	6.9	1.4-12.4	78	22.2	16.3-28.1	16	8.1	3.8-12.4
H.S. or G.E.D.	928	83,071	578	70.5	67.0-74.0	39	6.7	4.2- 9.2	1	0.0	0.0- 0.0	23	4.5	2.5- 6.5	239	14.2	12.0-16.4	48	4.0	2.6- 5.4
Some Post-H.S.	1048	115,880	733	76.1	73.0-79.2	26	3.0	1.6- 4.4	1	0.0	0.0- 0.0	26	5.7	3.3- 8.1	230	12.3	10.5-14.1	32	2.8	1.6- 4.0
College Graduate	1095	70,736	745	76.7	73.8-79.6	18	2.1	0.9- 3.3	1	0.1	0.0- 0.3	22	4.8	2.6- 7.0	289	15.0	13.0-17.0	20	1.3	0.5- 2.1
Less than \$15,000	180	19,717	39	23.0	15.0-31.0	30	19.6	11.6-27.6	1	0.8	0.0- 2.4	18	21.1	11.7-30.5	46	13.6	8.7-18.5	46	21.9	14.6-29.2
\$15,000- 24,999	299	30,074	138	57.9	50.8-65.0	13	3.8	1.3- 6.3	1	0.1	0.0- 0.3	13	7.3	3.0-11.6	105	23.1	17.8-28.4	29	7.8	4.5-11.1
\$25,000- 34,999	239	23,217	128	67.4	60.0-74.8	9	4.7	1.2- 8.2	1	0.1	0.0- 0.3	7	5.1	0.8- 9.4	87	20.4	15.1-25.7	7	2.3	0.3- 4.3
\$35,000- 49,999	480	38,077	289	71.7	67.0-76.4	10	2.7	0.5- 4.9				7	2.4	0.4- 4.4	167	21.6	17.9-25.3	7	1.7	0.0- 3.5
\$50,000- 74,999	599	54,345	413	79.5	75.6-83.4	4	0.9	0.0- 2.1	1	0.8	0.0- 2.4	8	3.8	1.1- 6.5	164	14.0	11.5-16.5	9	0.9	0.3- 1.5
\$75,000+	1198	104,298	964	84.4	81.5-87.3	22	4.1	1.7- 6.5				11	2.3	0.9- 3.7	195	8.7	7.1-10.3	6	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3656	283,651	1795	58.2	55.8-60.6	79	3.1	2.1- 4.1	331	9.0	7.8-10.2	66	6.3	4.7- 7.9	1214	17.8	16.6-19.0	171	5.6	4.4- 6.8
Native	122	10,746	67	53.3	40.8-65.8	9	9.1	1.3-16.9	13	14.8	5.2-24.4	4	3.0	0.0- 6.1	15	6.6	2.3-10.9	14	13.1	5.1-21.1
Non-Native	3503	270,160	1716	58.4	56.0-60.8	70	2.9	1.9- 3.9	315	8.8	7.6-10.0	62	6.5	4.7- 8.3	1187	18.2	16.8-19.6	153	5.2	4.0- 6.4
18-24	146	41,309	85	52.2	43.2-61.2	7	4.7	1.0- 8.4	3	3.0	0.0- 6.3	48	37.3	28.3-46.3				3	2.9	0.0- 6.0
25-34	302	50,619	230	75.3	69.6-81.0	11	4.1	1.4- 6.8	36	11.3	7.2-15.4	13	4.0	1.5- 6.5	1	0.1	0.0- 0.3	11	5.2	1.9- 8.5
35-44	319	42,447	258	77.7	72.2-83.2	8	3.7	1.0- 6.4	38	11.5	7.6-15.4	3	1.1	0.0- 2.5	1	0.5	0.0- 1.5	11	5.4	1.9- 8.9
45-54	485	40,438	394	80.3	76.2-84.4	16	3.4	1.4- 5.4	28	5.4	3.2- 7.6	2	0.2	0.0- 0.6	10	2.1	0.5- 3.7	35	8.6	5.5-11.7
55-64	872	46,497	596	67.1	63.4-70.8	23	2.6	1.2- 4.0	53	6.8	4.8- 8.8				139	15.2	12.5-17.9	61	8.2	5.8-10.6
65+	1532	62,341	232	14.0	12.0-16.0	14	0.9	0.3- 1.5	173	13.5	11.3-15.7				1063	67.8	64.9-70.7	50	3.8	2.6- 5.0
Less Than H.S.	183	19,221	36	29.5	19.7-39.3	8	7.3	1.6-13.0	32	17.7	10.4-25.0	2	3.8	0.0- 9.3	82	28.5	21.1-35.9	23	13.2	6.5-19.9
H.S. or G.E.D.	1020	72,640	401	50.4	45.9-54.9	26	4.7	2.5- 6.9	124	11.5	8.8-14.2	16	5.8	2.7- 8.9	390	20.2	17.7-22.7	63	7.3	4.8- 9.8
Some Post-H.S.	1192	112,433	585	57.5	53.6-61.4	29	2.7	1.3- 4.1	95	7.6	5.6- 9.6	30	8.8	5.5-12.1	399	17.9	15.7-20.1	54	5.5	3.5- 7.5
College Graduate	1251	78,677	767	73.3	70.2-76.4	16	1.1	0.3- 1.9	78	6.5	4.7- 8.3	18	3.9	1.9- 5.9	341	12.9	11.1-14.7	31	2.3	1.3- 3.3
Less than \$15,000	243	22,745	51	23.7	15.9-31.5	15	6.7	1.6-11.8	17	7.5	2.8-12.2	20	23.6	14.0-33.2	82	16.3	11.6-21.0	58	22.2	14.8-29.6
\$15,000- 24,999	507	38,277	148	41.2	34.7-47.7	18	5.5	2.4- 8.6	53	10.9	6.8-15.0	9	5.6	1.1-10.1	236	26.2	21.9-30.5	43	10.6	6.3-14.9
\$25,000- 34,999	364	25,013	149	52.9	45.1-60.7	7	2.9	0.0- 6.2	34	8.4	4.7-12.1	5	7.7	0.6-14.8	157	24.8	19.5-30.1	12	3.2	0.8- 5.6
\$35,000- 49,999	492	39,440	241	62.3	56.2-68.4	13	4.3	1.2- 7.4	40	7.2	4.5- 9.9	5	3.8	0.3- 7.3	176	17.8	14.5-21.1	17	4.6	1.7- 7.5
\$50,000- 74,999	549	39,766	314	65.1	59.4-70.8	7	1.5	0.3- 2.7	46	10.7	6.4-15.0	4	2.5	0.0- 5.4	167	17.1	14.0-20.2	11	3.1	0.7- 5.5
\$75,000+	1020	84,697	710	75.1	71.6-78.6	11	1.3	0.3- 2.3	82	8.4	6.4-10.4	16	4.6	2.1- 7.1	190	9.1	7.5-10.7	11	1.4	0.4- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6891	577,987	547	11.8	10.6-13.0	532	11.6	10.4-12.8	276	6.1	5.3- 6.9	92	1.9	1.5- 2.3	50	1.0	0.6- 1.4	5394	67.5	65.9-69.1
Male	3253	295,093	277	11.6	10.0-13.2	276	10.7	9.3-12.1	137	6.0	4.8- 7.2	49	1.8	1.2- 2.4	28	1.2	0.6- 1.8	2486	68.7	66.5-70.9
Female	3638	282,894	270	12.1	10.3-13.9	256	12.5	10.7-14.3	139	6.3	5.1- 7.5	43	2.1	1.3- 2.9	22	0.8	0.4- 1.2	2908	66.2	63.8-68.6
Native	240	23,987	41	19.0	12.3-25.7	26	10.9	5.4-16.4	23	11.1	5.8-16.4	11	7.0	2.3-11.7	10	4.8	1.1- 8.5	129	47.2	38.8-55.6
Non-Native	6569	545,947	500	11.5	10.3-12.7	503	11.7	10.5-12.9	252	5.9	5.1- 6.7	79	1.7	1.3- 2.1	40	0.9	0.5- 1.3	5195	68.3	66.7-69.9
18-24	367	89,258	48	12.5	8.8-16.2	36	10.3	6.6-14.0	15	4.4	1.7- 7.1	5	1.0	0.0- 2.0	5	1.1	0.1- 2.1	258	70.7	65.4-76.0
25-34	684	111,036	119	17.4	14.1-20.7	128	17.7	14.4-21.0	76	10.4	7.9-12.9	29	4.1	2.5- 5.7	5	0.8	0.0- 1.6	327	49.6	45.3-53.9
35-44	688	86,771	114	18.7	15.2-22.2	202	28.7	24.8-32.6	130	18.1	14.8-21.4	44	5.1	3.3- 6.9	32	4.2	2.4- 6.0	166	25.3	21.6-29.0
45-54	950	82,373	171	18.7	15.8-21.6	112	12.1	9.7-14.5	43	3.9	2.5- 5.3	11	1.3	0.3- 2.3	4	0.5	0.0- 1.1	609	63.5	60.0-67.0
55-64	1631	94,041	65	4.8	3.4- 6.2	41	2.6	1.6- 3.6	11	0.9	0.3- 1.5	3	0.3	0.0- 0.7	2	0.1	0.0- 0.3	1509	91.2	89.4-93.0
65+	2571	114,507	30	1.6	1.0- 2.2	13	0.7	0.3- 1.1	1	0.1	0.0- 0.3				2	0.0	0.0- 0.0	2525	97.7	96.9-98.5
Less Than H.S.	391	48,080	29	13.8	8.7-18.9	21	8.5	4.4-12.6	13	7.3	2.6-12.0	3	1.4	0.0- 3.2	4	0.8	0.0- 1.8	321	68.3	61.4-75.2
H.S. or G.E.D.	1944	155,593	148	11.9	9.7-14.1	117	10.8	8.6-13.0	51	4.3	2.9- 5.7	24	2.1	1.1- 3.1	16	1.4	0.6- 2.2	1588	69.5	66.6-72.4
Some Post-H.S.	2224	226,084	188	12.4	10.4-14.4	153	10.4	8.6-12.2	78	5.5	4.1- 6.9	31	1.9	1.1- 2.7	9	0.7	0.3- 1.1	1765	69.2	66.5-71.9
College Graduate	2315	147,005	181	10.3	8.5-12.1	241	15.4	13.2-17.6	133	8.6	7.0-10.2	34	2.0	1.2- 2.8	20	1.2	0.6- 1.8	1706	62.5	59.8-65.2
Less than \$15,000	429	43,183	21	7.2	3.5-10.9	12	4.5	1.6- 7.4	9	4.2	1.3- 7.1	3	1.7	0.0- 3.7	2	1.2	0.0- 3.0	382	81.2	75.5-86.9
\$15,000- 24,999	810	68,855	40	7.6	4.9-10.3	42	8.9	5.8-12.0	23	4.2	2.0- 6.4	10	1.5	0.3- 2.7	6	0.8	0.0- 1.8	689	76.9	72.6-81.2
\$25,000- 34,999	602	48,145	38	11.3	7.2-15.4	25	7.4	3.7-11.1	16	4.8	1.9- 7.7	7	3.1	0.7- 5.5	2	0.5	0.0- 1.3	514	72.9	67.2-78.6
\$35,000- 49,999	976	78,241	69	12.6	9.3-15.9	61	10.6	7.5-13.7	27	3.9	2.1- 5.7	8	1.0	0.0- 2.0	8	1.1	0.3- 1.9	803	70.7	66.4-75.0
\$50,000- 74,999	1150	93,956	99	13.7	10.6-16.8	79	10.1	7.4-12.8	48	6.4	4.2- 8.6	13	1.6	0.6- 2.6	10	1.2	0.4- 2.0	901	67.1	63.2-71.0
\$75,000+	2218	188,960	240	13.7	11.7-15.7	285	17.6	15.4-19.8	139	9.0	7.2-10.8	48	2.8	1.8- 3.8	19	1.2	0.6- 1.8	1487	55.8	53.1-58.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3253	295,093	277	11.6	10.0-13.2	276	10.7	9.3-12.1	137	6.0	4.8- 7.2	49	1.8	1.2- 2.4	28	1.2	0.6- 1.8	2486	68.7	66.5-70.9
Native	119	12,991	18	19.4	9.8-29.0	13	9.5	3.6-15.4	10	9.4	2.9-15.9	4	3.3	0.0- 7.4	4	4.1	0.0- 8.8	70	54.2	42.8-65.6
Non-Native	3084	277,119	254	11.2	9.6-12.8	262	10.9	9.3-12.5	127	5.9	4.7- 7.1	43	1.6	1.0- 2.2	24	1.1	0.5- 1.7	2374	69.2	67.0-71.4
18-24	219	47,340	25	11.1	6.4-15.8	18	7.0	3.5-10.5	7	3.6	0.0- 7.5	2	1.2	0.0- 3.0	4	1.4	0.0- 2.8	163	75.7	69.0-82.4
25-34	385	60,321	59	14.9	10.8-19.0	64	15.1	11.2-19.0	35	9.0	5.7-12.3	10	2.4	0.8- 4.0	1	0.5	0.0- 1.5	216	58.2	52.5-63.9
35-44	376	45,238	61	18.6	13.9-23.3	94	23.7	18.8-28.6	65	17.7	13.4-22.0	27	5.5	3.0- 8.0	18	5.0	2.5- 7.5	111	29.6	24.3-34.9
45-54	470	42,378	80	18.4	14.3-22.5	73	15.9	12.0-19.8	26	5.0	2.8- 7.2	8	1.5	0.3- 2.7	3	0.8	0.0- 1.8	280	58.4	53.1-63.7
55-64	767	47,776	38	5.9	3.7- 8.1	21	3.0	1.4- 4.6	4	0.9	0.0- 1.9	2	0.4	0.0- 1.2	1	0.1	0.0- 0.3	701	89.6	86.9-92.3
65+	1036	52,039	14	1.9	0.7- 3.1	6	0.6	0.0- 1.2							1	0.0	0.0- 0.0	1015	97.5	96.1-98.9
Less Than H.S.	206	28,237	18	14.4	7.3-21.5	11	6.2	1.9-10.5	5	4.5	0.0-10.4	1	0.6	0.0- 1.8	2	0.7	0.0- 1.9	169	73.6	64.8-82.4
H.S. or G.E.D.	921	82,863	83	12.2	9.3-15.1	72	12.2	9.1-15.3	27	4.2	2.4- 6.0	14	1.9	0.7- 3.1	8	1.4	0.4- 2.4	717	68.1	64.0-72.2
Some Post-H.S.	1037	113,652	91	11.2	8.7-13.7	83	9.4	7.2-11.6	47	6.9	4.7- 9.1	18	2.1	0.9- 3.3	5	0.9	0.1- 1.7	793	69.6	66.1-73.1
College Graduate	1081	69,665	84	10.1	7.7-12.5	110	13.2	10.7-15.7	58	7.4	5.2- 9.6	16	1.7	0.7- 2.7	12	1.6	0.4- 2.8	801	66.0	62.3-69.7
Less than \$15,000	183	20,068	5	3.8	0.3- 7.3	5	3.2	0.1- 6.3	3	2.7	0.0- 6.0				1	0.8	0.0- 2.4	169	89.5	83.8-95.2
\$15,000- 24,999	301	30,526	21	10.5	5.4-15.6	17	6.8	3.1-10.5	10	4.5	1.4- 7.6	5	1.2	0.0- 2.6				248	77.0	70.5-83.5
\$25,000- 34,999	238	23,176	13	11.4	4.7-18.1	7	3.8	0.9- 6.7	9	6.5	1.2-11.8	3	3.2	0.0- 7.1	1	0.6	0.0- 1.8	205	74.6	66.2-83.0
\$35,000- 49,999	482	38,392	33	11.4	7.1-15.7	30	9.7	5.8-13.6	10	2.9	0.7- 5.1	4	0.6	0.0- 1.4	4	1.3	0.0- 2.7	401	74.1	68.4-79.8
\$50,000- 74,999	598	53,637	52	11.2	7.9-14.5	36	7.8	4.7-10.9	31	7.6	4.7-10.5	7	1.9	0.3- 3.5	8	1.6	0.2- 3.0	464	70.0	65.1-74.9
\$75,000+	1201	104,872	131	13.3	10.8-15.8	165	17.5	14.8-20.2	69	8.0	5.6-10.4	28	2.7	1.5- 3.9	11	1.5	0.5- 2.5	797	56.9	53.2-60.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3638	282,894	270	12.1	10.3-13.9	256	12.5	10.7-14.3	139	6.3	5.1- 7.5	43	2.1	1.3- 2.9	22	0.8	0.4- 1.2	2908	66.2	63.8-68.6
Native	121	10,995	23	18.6	9.6-27.6	13	12.5	2.9-22.1	13	13.1	4.3-21.9	7	11.3	2.7-19.9	6	5.6	0.0-11.7	59	38.9	26.7-51.1
Non-Native	3485	268,827	246	11.8	10.0-13.6	241	12.5	10.7-14.3	125	5.9	4.7- 7.1	36	1.7	1.1- 2.3	16	0.7	0.3- 1.1	2821	67.3	64.9-69.7
18-24	148	41,918	23	14.2	8.1-20.3	18	13.9	7.4-20.4	8	5.3	1.2- 9.4	3	0.8	0.0- 1.8	1	0.8	0.0- 2.4	95	65.0	56.4-73.6
25-34	299	50,715	60	20.4	15.1-25.7	64	20.9	15.6-26.2	41	12.1	8.0-16.2	19	6.3	3.2- 9.4	4	1.1	0.0- 2.5	111	39.3	32.8-45.8
35-44	312	41,532	53	18.8	13.5-24.1	108	34.1	28.0-40.2	65	18.5	13.6-23.4	17	4.5	2.1- 6.9	14	3.3	1.3- 5.3	55	20.7	15.2-26.2
45-54	480	39,995	91	19.0	14.9-23.1	39	8.0	5.1-10.9	17	2.8	1.2- 4.4	3	1.1	0.0- 2.5	1	0.1	0.0- 0.3	329	68.9	64.0-73.8
55-64	864	46,265	27	3.7	2.1- 5.3	20	2.2	1.2- 3.2	7	1.0	0.2- 1.8	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	808	92.9	90.9-94.9
65+	1535	62,469	16	1.3	0.5- 2.1	7	0.7	0.1- 1.3	1	0.1	0.0- 0.3				1	0.0	0.0- 0.0	1510	97.9	96.9-98.9
Less Than H.S.	185	19,842	11	12.9	5.5-20.3	10	11.7	4.1-19.3	8	11.2	3.6-18.8	2	2.5	0.0- 6.2	2	1.0	0.0- 2.4	152	60.7	50.3-71.1
H.S. or G.E.D.	1023	72,730	65	11.6	8.5-14.7	45	9.2	6.1-12.3	24	4.4	2.4- 6.4	10	2.3	0.7- 3.9	8	1.4	0.2- 2.6	871	71.2	66.7-75.7
Some Post-H.S.	1187	112,432	97	13.5	10.4-16.6	70	11.3	8.4-14.2	31	4.2	2.4- 6.0	13	1.8	0.8- 2.8	4	0.5	0.0- 1.1	972	68.8	64.7-72.9
College Graduate	1234	77,339	97	10.4	8.0-12.8	131	17.5	14.4-20.6	75	9.7	7.2-12.2	18	2.3	1.1- 3.5	8	0.9	0.1- 1.7	905	59.2	55.3-63.1
Less than \$15,000	246	23,115	16	10.2	3.9-16.5	7	5.6	0.7-10.5	6	5.5	0.8-10.2	3	3.2	0.0- 6.9	1	1.5	0.0- 4.4	213	74.0	65.0-83.0
\$15,000- 24,999	509	38,329	19	5.3	2.6- 8.0	25	10.6	5.9-15.3	13	4.0	1.3- 6.7	5	1.8	0.2- 3.4	6	1.5	0.0- 3.3	441	76.8	70.9-82.7
\$25,000- 34,999	364	24,969	25	11.2	6.3-16.1	18	10.7	4.4-17.0	7	3.2	0.5- 5.9	4	3.0	0.0- 6.1	1	0.5	0.0- 1.5	309	71.4	63.6-79.2
\$35,000- 49,999	494	39,849	36	13.8	8.9-18.7	31	11.5	6.6-16.4	17	5.0	2.1- 7.9	4	1.4	0.0- 3.4	4	0.9	0.0- 1.9	402	67.4	60.9-73.9
\$50,000- 74,999	552	40,319	47	17.0	11.5-22.5	43	13.2	8.7-17.7	17	4.8	1.9- 7.7	6	1.2	0.2- 2.2	2	0.6	0.0- 1.6	437	63.1	56.8-69.4
\$75,000+	1017	84,089	109	14.1	11.2-17.0	120	17.7	14.4-21.0	70	10.2	7.5-12.9	20	2.9	1.5- 4.3	8	0.9	0.1- 1.7	690	54.3	50.2-58.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6198	523,188	194	4.4	3.6- 5.2	235	3.8	3.2- 4.4	349	6.0	5.2- 6.8	461	7.1	6.1- 8.1	604	9.2	8.2-10.2	4355	69.4	67.8-71.0
Male	3012	271,837	88	4.1	2.9- 5.3	95	3.3	2.5- 4.1	131	5.4	4.2- 6.6	170	5.9	4.7- 7.1	239	8.5	7.1- 9.9	2289	72.8	70.6-75.0
Female	3186	251,351	106	4.7	3.5- 5.9	140	4.5	3.3- 5.7	218	6.8	5.4- 8.2	291	8.5	7.1- 9.9	365	10.0	8.4-11.6	2066	65.6	63.2-68.0
Native	222	22,142	31	19.3	11.7-26.9	17	5.5	2.6- 8.4	35	17.5	10.8-24.2	23	10.8	5.3-16.3	32	13.7	7.6-19.8	84	33.2	25.0-41.4
Non-Native	5915	495,028	157	3.7	2.9- 4.5	214	3.8	3.0- 4.6	310	5.5	4.7- 6.3	429	6.8	5.8- 7.8	564	8.9	7.9- 9.9	4241	71.2	69.6-72.8
18-24	316	77,114	23	9.0	5.3-12.7	22	7.5	4.2-10.8	28	9.3	5.6-13.0	27	9.0	5.5-12.5	49	14.8	10.3-19.3	167	50.4	44.1-56.7
25-34	645	103,573	23	4.7	2.5- 6.9	18	2.7	1.3- 4.1	31	5.0	3.0- 7.0	36	5.9	3.7- 8.1	53	8.0	5.6-10.4	484	73.7	69.8-77.6
35-44	657	82,536	10	2.6	0.8- 4.4	9	1.0	0.2- 1.8	23	3.7	1.9- 5.5	33	5.0	3.0- 7.0	40	6.8	4.4- 9.2	542	80.9	77.2-84.6
45-54	879	75,763	32	4.3	2.5- 6.1	21	2.6	1.4- 3.8	28	3.9	2.3- 5.5	43	5.2	3.4- 7.0	52	5.9	3.9- 7.9	703	78.2	74.9-81.5
55-64	1481	85,522	53	4.3	2.9- 5.7	46	3.4	2.2- 4.6	52	4.0	2.8- 5.2	76	5.4	4.0- 6.8	96	6.2	4.8- 7.6	1158	76.7	74.2-79.2
65+	2220	98,680	53	2.2	1.4- 3.0	119	6.0	4.8- 7.2	187	10.0	8.2-11.8	246	11.5	9.7-13.3	314	13.4	11.6-15.2	1301	56.9	54.4-59.4
Less Than H.S.	325	40,440	38	12.5	7.6-17.4	48	10.2	6.9-13.5	43	12.7	8.2-17.2	40	11.4	7.1-15.7	46	13.7	8.6-18.8	110	39.3	31.9-46.7
H.S. or G.E.D.	1701	136,716	76	6.3	4.5- 8.1	83	3.2	2.4- 4.0	152	8.1	6.3- 9.9	197	11.3	9.1-13.5	202	11.5	9.3-13.7	991	59.7	56.4-63.0
Some Post-H.S.	1998	206,402	52	3.8	2.4- 5.2	69	4.0	2.6- 5.4	110	6.1	4.5- 7.7	144	6.2	4.8- 7.6	227	9.8	8.0-11.6	1396	70.1	67.4-72.8
College Graduate	2166	139,170	27	1.0	0.4- 1.6	35	2.4	1.2- 3.6	44	2.0	1.2- 2.8	78	3.1	2.1- 4.1	129	4.9	3.7- 6.1	1853	86.6	84.6-88.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3012	271,837	88	4.1	2.9- 5.3	95	3.3	2.5- 4.1	131	5.4	4.2- 6.6	170	5.9	4.7- 7.1	239	8.5	7.1- 9.9	2289	72.8	70.6-75.0
Native	108	11,789	16	19.7	8.9-30.5	8	4.5	1.4- 7.6	18	19.0	9.2-28.8	12	11.9	3.9-19.9	13	10.8	3.9-17.7	41	34.0	22.8-45.2
Non-Native	2865	256,004	70	3.4	2.4- 4.4	85	3.2	2.4- 4.0	111	4.7	3.5- 5.9	153	5.4	4.2- 6.6	222	8.2	6.8- 9.6	2224	75.0	72.8-77.2
18-24	188	40,938	14	9.1	4.0-14.2	8	4.3	1.2- 7.4	17	10.3	5.0-15.6	10	5.3	1.6- 9.0	35	16.7	10.6-22.8	104	54.3	46.1-62.5
25-34	360	56,033	13	4.4	1.9- 6.9	10	3.0	1.0- 5.0	16	4.8	2.3- 7.3	21	7.0	3.7-10.3	27	7.6	4.5-10.7	273	73.3	67.8-78.8
35-44	360	43,673	3	0.9	0.0- 1.9	6	1.0	0.2- 1.8	7	2.2	0.4- 4.0	18	4.4	2.0- 6.8	21	7.3	4.0-10.6	305	84.2	79.9-88.5
45-54	438	38,848	14	4.8	2.1- 7.5	8	2.1	0.5- 3.7	16	4.1	1.7- 6.5	17	4.2	2.0- 6.4	16	3.7	1.5- 5.9	367	81.2	76.7-85.7
55-64	712	44,341	29	4.8	2.8- 6.8	24	3.9	2.1- 5.7	25	3.7	1.9- 5.5	28	4.0	2.2- 5.8	42	5.4	3.4- 7.4	564	78.2	74.7-81.7
65+	954	48,003	15	1.3	0.5- 2.1	39	5.2	3.2- 7.2	50	7.2	4.8- 9.6	76	9.5	7.0-12.0	98	10.7	8.3-13.1	676	66.2	62.5-69.9
Less Than H.S.	184	25,277	19	10.3	4.6-16.0	21	9.2	4.7-13.7	21	10.9	5.6-16.2	24	11.7	5.8-17.6	23	14.6	7.3-21.9	76	43.3	33.7-52.9
H.S. or G.E.D.	838	75,172	35	5.6	3.2- 8.0	32	3.2	1.8- 4.6	48	6.1	3.9- 8.3	64	8.0	5.5-10.5	81	9.4	6.9-11.9	578	67.8	63.7-71.9
Some Post-H.S.	965	105,803	18	3.1	1.3- 4.9	27	2.7	1.3- 4.1	41	5.4	3.2- 7.6	48	4.4	2.8- 6.0	88	8.6	6.2-11.0	743	75.8	72.3-79.3
College Graduate	1022	65,353	15	1.5	0.5- 2.5	15	2.0	0.6- 3.4	21	2.4	1.0- 3.8	33	3.5	2.1- 4.9	47	5.2	3.2- 7.2	891	85.3	82.4-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3186	251,351	106	4.7	3.5- 5.9	140	4.5	3.3- 5.7	218	6.8	5.4- 8.2	291	8.5	7.1- 9.9	365	10.0	8.4-11.6	2066	65.6	63.2-68.0
Native	114	10,353	15	18.8	7.8-29.8	9	6.6	1.7-11.5	17	15.7	6.9-24.5	11	9.6	2.5-16.7	19	17.1	6.7-27.5	43	32.2	19.9-44.5
Non-Native	3050	239,023	87	4.1	2.9- 5.3	129	4.4	3.2- 5.6	199	6.4	5.0- 7.8	276	8.4	7.0- 9.8	342	9.6	8.0-11.2	2017	67.2	64.7-69.7
18-24	128	36,175	9	8.9	3.2-14.6	14	11.0	4.9-17.1	11	8.1	2.6-13.6	17	13.3	7.0-19.6	14	12.7	5.8-19.6	63	46.0	36.4-55.6
25-34	285	47,539	10	5.1	1.8- 8.4	8	2.3	0.3- 4.3	15	5.2	2.3- 8.1	15	4.7	2.0- 7.4	26	8.5	5.0-12.0	211	74.2	68.3-80.1
35-44	297	38,863	7	4.6	1.1- 8.1	3	0.9	0.0- 2.1	16	5.4	2.1- 8.7	15	5.8	2.7- 8.9	19	6.1	3.0- 9.2	237	77.2	71.3-83.1
45-54	441	36,915	18	3.7	1.7- 5.7	13	3.1	1.3- 4.9	12	3.7	1.3- 6.1	26	6.3	3.6- 9.0	36	8.2	5.1-11.3	336	75.0	70.1-79.9
55-64	769	41,181	24	3.8	2.0- 5.6	22	2.8	1.4- 4.2	27	4.2	2.4- 6.0	48	7.0	4.6- 9.4	54	7.2	4.8- 9.6	594	75.1	71.4-78.8
65+	1266	50,677	38	3.1	1.9- 4.3	80	6.8	5.0- 8.6	137	12.7	10.3-15.1	170	13.4	11.0-15.8	216	15.9	13.5-18.3	625	48.1	44.8-51.4
Less Than H.S.	141	15,163	19	16.2	7.6-24.8	27	12.0	6.7-17.3	22	15.9	7.9-23.9	16	11.0	4.5-17.5	23	12.4	5.7-19.1	34	32.6	21.0-44.2
H.S. or G.E.D.	863	61,544	41	7.0	4.1- 9.9	51	3.2	2.2- 4.2	104	10.5	8.0-13.0	133	15.3	11.8-18.8	121	14.2	10.5-17.9	413	49.8	44.9-54.7
Some Post-H.S.	1033	100,599	34	4.7	2.5- 6.9	42	5.4	3.0- 7.8	69	6.9	4.5- 9.3	96	8.1	5.9-10.3	139	11.0	8.5-13.5	653	64.0	59.9-68.1
College Graduate	1144	73,817	12	0.6	0.2- 1.0	20	2.8	1.0- 4.6	23	1.7	0.7- 2.7	45	2.8	1.6- 4.0	82	4.5	3.1- 5.9	962	87.6	85.1-90.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 50: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6865	576,843	5517	86.1	85.1-87.1	1348	13.9	12.9-14.9
Male	3243	294,730	2632	85.8	84.4-87.2	611	14.2	12.8-15.6
Female	3622	282,113	2885	86.3	84.9-87.7	737	13.7	12.3-15.1
18-24	366	89,233	357	96.2	93.5-98.9	9	3.8	1.1- 6.5
25-34	685	110,929	676	98.0	96.6-99.4	9	2.0	0.6- 3.4
35-44	690	87,514	672	97.5	96.3-98.7	18	2.5	1.3- 3.7
45-54	949	82,260	864	89.9	87.5-92.3	85	10.1	7.7-12.5
55-64	1627	93,548	1396	83.8	81.6-86.0	231	16.2	14.0-18.4
65+	2548	113,358	1552	56.7	54.3-59.1	996	43.3	40.9-45.7
Less Than H.S.	387	47,747	163	57.8	51.5-64.1	224	42.2	35.9-48.5
H.S. or G.E.D.	1930	154,621	1318	79.2	77.0-81.4	612	20.8	18.6-23.0
Some Post-H.S.	2218	225,682	1856	90.0	88.8-91.2	362	10.0	8.8-11.2
College Graduate	2315	147,693	2171	96.6	95.8-97.4	144	3.4	2.6- 4.2
Less than \$15,000	429	43,183	229	70.7	65.6-75.8	200	29.3	24.2-34.4
\$15,000- 24,999	807	68,644	492	71.3	67.4-75.2	315	28.7	24.8-32.6
\$25,000- 34,999	598	47,642	418	78.0	73.3-82.7	180	22.0	17.3-26.7
\$35,000- 49,999	976	78,241	765	85.4	83.0-87.8	211	14.6	12.2-17.0
\$50,000- 74,999	1152	94,691	1031	92.7	91.1-94.3	121	7.3	5.7- 8.9
\$75,000+	2224	189,823	2128	96.8	95.8-97.8	96	3.2	2.2- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 51: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3243	294,730	2632	85.8	84.4-87.2	611	14.2	12.8-15.6
18-24	219	47,495	213	95.7	92.0-99.4	6	4.3	0.6- 8.0
25-34	385	60,061	378	97.0	94.6-99.4	7	3.0	0.6- 5.4
35-44	378	45,877	366	96.8	94.8-98.8	12	3.2	1.2- 5.2
45-54	472	42,416	417	87.2	83.7-90.7	55	12.8	9.3-16.3
55-64	763	47,343	613	80.2	76.9-83.5	150	19.8	16.5-23.1
65+	1026	51,538	645	57.9	54.2-61.6	381	42.1	38.4-45.8
Less Than H.S.	203	27,931	100	60.7	52.3-69.1	103	39.3	30.9-47.7
H.S. or G.E.D.	916	82,630	639	80.0	77.3-82.7	277	20.0	17.3-22.7
Some Post-H.S.	1035	113,545	875	89.9	88.1-91.7	160	10.1	8.3-11.9
College Graduate	1081	69,948	1014	96.4	95.4-97.4	67	3.6	2.6- 4.6
Less than \$15,000	183	20,068	96	67.7	59.9-75.5	87	32.3	24.5-40.1
\$15,000- 24,999	300	30,493	182	68.7	62.4-75.0	118	31.3	25.0-37.6
\$25,000- 34,999	236	22,980	163	77.4	70.1-84.7	73	22.6	15.3-29.9
\$35,000- 49,999	482	38,392	356	81.9	78.4-85.4	126	18.1	14.6-21.6
\$50,000- 74,999	600	54,372	515	90.3	87.9-92.7	85	9.7	7.3-12.1
\$75,000+	1204	105,127	1141	96.2	94.8-97.6	63	3.8	2.4- 5.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3622	282,113	2885	86.3	85.1-87.5	737	13.7	12.5-14.9
18-24	147	41,738	144	96.7	93.0- 100	3	3.3	0.0- 7.0
25-34	300	50,869	298	99.2	97.8- 100	2	0.8	0.0- 2.2
35-44	312	41,636	306	98.3	96.9-99.7	6	1.7	0.3- 3.1
45-54	477	39,844	447	92.7	89.8-95.6	30	7.3	4.4-10.2
55-64	864	46,206	783	87.5	84.6-90.4	81	12.5	9.6-15.4
65+	1522	61,820	907	55.7	52.8-58.6	615	44.3	41.4-47.2
Less Than H.S.	184	19,816	63	53.7	44.3-63.1	121	46.3	36.9-55.7
H.S. or G.E.D.	1014	71,990	679	78.2	74.9-81.5	335	21.8	18.5-25.1
Some Post-H.S.	1183	112,137	981	90.1	88.3-91.9	202	9.9	8.1-11.7
College Graduate	1234	77,745	1157	96.8	95.8-97.8	77	3.2	2.2- 4.2
Less than \$15,000	246	23,115	133	73.3	66.6-80.0	113	26.7	20.0-33.4
\$15,000- 24,999	507	38,152	310	73.4	68.7-78.1	197	26.6	21.9-31.3
\$25,000- 34,999	362	24,662	255	78.4	72.1-84.7	107	21.6	15.3-27.9
\$35,000- 49,999	494	39,849	409	88.8	85.9-91.7	85	11.2	8.3-14.1
\$50,000- 74,999	552	40,319	516	95.8	94.0-97.6	36	4.2	2.4- 6.0
\$75,000+	1020	84,697	987	97.6	96.4-98.8	33	2.4	1.2- 3.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6594	555,655	38	0.5	0.3- 0.7	1670	25.5	23.9-27.1	2982	44.2	42.6-45.8	1454	22.2	20.8-23.6	442	7.4	6.6- 8.2	8	0.2	0.0- 0.4
Male	3190	288,501	1	0.1	0.0- 0.3	237	9.4	7.8-11.0	1504	46.5	44.1-48.9	1080	32.1	29.9-34.3	365	11.7	10.1-13.3	3	0.2	0.0- 0.4
Female	3404	267,154	37	1.0	0.4- 1.6	1433	42.8	40.4-45.2	1478	41.6	39.2-44.0	374	11.4	9.8-13.0	77	2.9	2.1- 3.7	5	0.2	0.0- 0.4
Native	232	23,273				38	19.9	12.3-27.5	101	39.8	31.4-48.2	67	29.7	22.1-37.3	26	10.6	5.7-15.5			
Non-Native	6294	525,656	38	0.5	0.3- 0.7	1617	25.8	24.2-27.4	2851	44.3	42.5-46.1	1371	21.9	20.5-23.3	410	7.3	6.3- 8.3	7	0.2	0.0- 0.4
18-24	361	87,920	4	1.6	0.0- 3.2	116	34.6	28.9-40.3	154	43.5	37.6-49.4	63	15.0	11.1-18.9	22	5.0	2.6- 7.4	2	0.4	0.0- 1.0
25-34	669	107,863	2	0.2	0.0- 0.6	160	26.3	22.4-30.2	299	41.1	36.8-45.4	152	23.4	19.7-27.1	53	8.4	5.9-10.9	3	0.5	0.0- 1.1
35-44	662	83,530				135	20.7	17.2-24.2	277	42.5	38.0-47.0	172	25.8	21.9-29.7	77	10.8	8.1-13.5	1	0.2	0.0- 0.6
45-54	903	78,292	3	0.3	0.0- 0.7	182	19.9	17.0-22.8	405	45.3	41.6-49.0	218	24.0	20.7-27.3	95	10.6	8.2-13.0			
55-64	1538	88,601	6	0.3	0.1- 0.5	320	20.5	18.1-22.9	713	45.7	42.8-48.6	387	26.4	23.7-29.1	110	7.1	5.5- 8.7	2	0.0	0.0- 0.0
65+	2461	109,448	23	0.7	0.3- 1.1	757	29.1	26.9-31.3	1134	47.0	44.6-49.4	462	19.3	17.3-21.3	85	3.9	2.9- 4.9			
Less Than H.S.	381	47,022	1	0.1	0.0- 0.3	126	32.8	26.3-39.3	172	41.7	35.0-48.4	57	16.0	10.9-21.1	25	9.3	5.2-13.4			
H.S. or G.E.D.	1856	148,622	17	0.8	0.2- 1.4	458	24.1	21.2-27.0	849	45.5	42.4-48.6	389	21.2	18.7-23.7	140	8.1	6.3- 9.9	3	0.4	0.0- 0.8
Some Post-H.S.	2119	216,347	11	0.4	0.0- 0.8	519	23.8	21.3-26.3	919	43.3	40.4-46.2	517	24.5	22.1-26.9	153	8.1	6.5- 9.7			
College Graduate	2228	143,059	9	0.5	0.0- 1.1	563	27.0	24.5-29.5	1038	45.0	42.3-47.7	490	21.8	19.6-24.0	123	5.2	4.0- 6.4	5	0.4	0.0- 0.8
Less than \$15,000	412	40,589	9	1.1	0.1- 2.1	121	27.8	21.5-34.1	165	41.9	35.0-48.8	81	19.8	14.5-25.1	36	9.5	5.8-13.2			
\$15,000- 24,999	779	66,112	5	0.8	0.0- 1.8	242	31.6	26.7-36.5	350	41.6	36.7-46.5	135	18.1	14.4-21.8	46	7.6	4.9-10.3	1	0.2	0.0- 0.6
\$25,000- 34,999	578	46,299	3	0.2	0.0- 0.4	179	29.6	24.1-35.1	261	45.3	39.2-51.4	96	17.6	13.1-22.1	37	6.9	4.2- 9.6	2	0.4	0.0- 1.2
\$35,000- 49,999	950	76,437	7	0.7	0.0- 1.7	214	23.1	19.4-26.8	439	44.2	39.9-48.5	229	25.3	21.4-29.2	61	6.7	4.5- 8.9			
\$50,000- 74,999	1118	92,078	2	0.1	0.0- 0.3	227	19.3	16.0-22.6	527	47.5	43.6-51.4	277	23.9	20.6-27.2	83	8.7	6.3-11.1	2	0.4	0.0- 1.0
\$75,000+	2171	186,403	2	0.1	0.0- 0.3	481	24.1	21.6-26.6	988	44.0	41.3-46.7	554	25.2	22.8-27.6	145	6.6	5.2- 8.0	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 54: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3190	288,501	1	0.1	0.0- 0.3	237	9.4	7.8-11.0	1504	46.5	44.1-48.9	1080	32.1	29.9-34.3	365	11.7	10.1-13.3	3	0.2	0.0- 0.4
Native	114	12,405				10	12.2	4.0-20.4	36	31.3	20.1-42.5	47	38.8	27.6-50.0	21	17.7	9.3-26.1			
Non-Native	3032	271,637	1	0.1	0.0- 0.3	224	9.2	7.6-10.8	1447	47.2	44.8-49.6	1020	32.1	29.9-34.3	338	11.4	9.8-13.0	2	0.1	0.0- 0.3
18-24	217	46,784				44	21.5	14.8-28.2	100	48.5	40.9-56.1	52	21.3	15.2-27.4	19	7.9	4.0-11.8	2	0.7	0.0- 1.7
25-34	379	58,988	1	0.3	0.0- 0.9	35	10.9	7.0-14.8	192	46.7	40.8-52.6	106	28.9	23.6-34.2	44	13.0	8.7-17.3	1	0.2	0.0- 0.6
35-44	370	44,484				19	4.0	2.0- 6.0	156	43.3	37.4-49.2	129	36.3	30.6-42.0	66	16.4	12.1-20.7			
45-54	458	40,627				26	5.3	3.1- 7.5	197	43.2	37.9-48.5	162	36.2	31.1-41.3	73	15.3	11.6-19.0			
55-64	748	46,570				36	6.4	4.0- 8.8	336	44.4	40.3-48.5	278	37.4	33.3-41.5	98	11.9	9.4-14.4			
65+	1018	51,048				77	7.4	5.4- 9.4	523	52.0	48.3-55.7	353	34.1	30.6-37.6	65	6.5	4.5- 8.5			
Less Than H.S.	201	27,593				38	19.8	12.0-27.6	102	46.3	37.1-55.5	43	22.0	14.4-29.6	18	12.0	6.1-17.9			
H.S. or G.E.D.	905	81,092				73	10.8	7.9-13.7	410	45.9	41.6-50.2	302	30.2	26.5-33.9	118	12.7	10.0-15.4	2	0.4	0.0- 1.0
Some Post-H.S.	1012	110,602				64	8.0	5.5-10.5	458	44.9	41.0-48.8	363	34.4	30.7-38.1	127	12.7	10.2-15.2			
College Graduate	1065	68,739	1	0.2	0.0- 0.6	60	5.7	3.9- 7.5	531	50.1	46.4-53.8	371	34.9	31.4-38.4	101	8.9	6.9-10.9	1	0.2	0.0- 0.6
Less than \$15,000	177	19,214				23	13.0	6.7-19.3	79	49.1	39.3-58.9	50	26.0	18.0-34.0	25	11.9	6.4-17.4			
\$15,000- 24,999	293	29,373				42	19.3	12.6-26.0	137	42.3	34.9-49.7	82	27.0	20.3-33.7	31	11.0	6.3-15.7	1	0.5	0.0- 1.5
\$25,000- 34,999	234	22,722				29	15.9	8.8-23.0	119	50.1	41.3-58.9	59	22.0	15.3-28.7	26	11.1	6.0-16.2	1	0.8	0.0- 2.4
\$35,000- 49,999	476	37,645				36	8.5	5.0-12.0	222	44.7	38.8-50.6	168	35.7	30.0-41.4	50	11.1	7.4-14.8			
\$50,000- 74,999	596	53,637				28	4.7	2.5- 6.9	286	49.5	44.2-54.8	212	33.0	28.3-37.7	70	12.7	9.0-16.4			
\$75,000+	1197	104,551	1	0.2	0.0- 0.6	54	6.8	4.3- 9.3	558	45.2	41.7-48.7	452	37.3	33.8-40.8	132	10.5	8.3-12.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 55: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3404	267,154	37	1.0	0.4- 1.6	1433	42.8	40.4-45.2	1478	41.6	39.2-44.0	374	11.4	9.8-13.0	77	2.9	2.1- 3.7	5	0.2	0.0- 0.4
Native	118	10,868				28	28.6	15.9-41.3	65	49.5	36.8-62.2	20	19.4	9.0-29.8	5	2.5	0.1- 4.9			
Non-Native	3262	254,019	37	1.0	0.4- 1.6	1393	43.6	41.1-46.1	1404	41.1	38.7-43.5	351	11.1	9.5-12.7	72	2.9	2.1- 3.7	5	0.2	0.0- 0.4
18-24	144	41,136	4	3.3	0.0- 6.6	72	49.5	40.5-58.5	54	37.7	28.9-46.5	11	7.8	2.9-12.7	3	1.7	0.0- 3.9			
25-34	290	48,875	1	0.2	0.0- 0.6	125	44.9	38.2-51.6	107	34.3	28.0-40.6	46	16.8	11.7-21.9	9	3.0	0.6- 5.4	2	0.8	0.0- 2.0
35-44	292	39,046				116	39.7	33.0-46.4	121	41.7	35.0-48.4	43	13.8	9.3-18.3	11	4.4	1.3- 7.5	1	0.5	0.0- 1.5
45-54	445	37,665	3	0.5	0.0- 1.3	156	35.7	30.4-41.0	208	47.5	42.0-53.0	56	10.8	7.7-13.9	22	5.6	3.1- 8.1			
55-64	790	42,031	6	0.6	0.2- 1.0	284	36.1	32.2-40.0	377	47.2	43.1-51.3	109	14.3	11.6-17.0	12	1.7	0.5- 2.9	2	0.1	0.0- 0.3
65+	1443	58,400	23	1.3	0.7- 1.9	680	48.0	44.9-51.1	611	42.7	39.6-45.8	109	6.4	5.0- 7.8	20	1.6	0.8- 2.4			
Less Than H.S.	180	19,430	1	0.3	0.0- 0.9	88	51.4	41.4-61.4	70	35.2	26.0-44.4	14	7.6	1.9-13.3	7	5.5	0.4-10.6			
H.S. or G.E.D.	951	67,530	17	1.8	0.4- 3.2	385	40.1	35.4-44.8	439	44.9	40.2-49.6	87	10.3	7.6-13.0	22	2.6	1.2- 4.0	1	0.3	0.0- 0.9
Some Post-H.S.	1107	105,745	11	0.8	0.0- 1.6	455	40.2	36.1-44.3	461	41.6	37.5-45.7	154	14.1	11.2-17.0	26	3.3	1.7- 4.9			
College Graduate	1163	74,319	8	0.7	0.0- 1.7	503	46.8	42.9-50.7	507	40.4	36.7-44.1	119	9.7	7.5-11.9	22	1.9	0.9- 2.9	4	0.6	0.0- 1.4
Less than \$15,000	235	21,375	9	2.0	0.2- 3.8	98	41.2	31.6-50.8	86	35.4	26.2-44.6	31	14.2	7.3-21.1	11	7.3	2.2-12.4			
\$15,000- 24,999	486	36,739	5	1.4	0.0- 3.4	200	41.5	34.8-48.2	213	41.1	34.8-47.4	53	11.1	7.0-15.2	15	5.0	1.9- 8.1			
\$25,000- 34,999	344	23,578	3	0.4	0.0- 1.0	150	42.7	34.5-50.9	142	40.7	32.7-48.7	37	13.3	7.4-19.2	11	2.7	0.9- 4.5	1	0.1	0.0- 0.3
\$35,000- 49,999	474	38,792	7	1.4	0.0- 3.4	178	37.2	30.9-43.5	217	43.6	37.1-50.1	61	15.3	10.2-20.4	11	2.4	0.6- 4.2			
\$50,000- 74,999	522	38,441	2	0.3	0.0- 0.9	199	39.7	33.6-45.8	241	44.7	38.6-50.8	65	11.2	7.9-14.5	13	3.1	0.7- 5.5	2	1.0	0.0- 2.4
\$75,000+	974	81,852	1	0.0	0.0- 0.0	427	46.2	41.9-50.5	430	42.4	38.3-46.5	102	9.7	7.5-11.9	13	1.6	0.6- 2.6	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 56: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6789	569,178	309	3.6	3.0- 4.2	2820	37.8	36.2-39.4	2996	46.1	44.5-47.7	646	12.0	10.8-13.2	12	0.3	0.1- 0.5	6	0.2	0.0- 0.4
Male	3207	290,099	2	0.1	0.0- 0.3	262	8.2	6.8- 9.6	2286	67.7	65.5-69.9	643	23.3	21.3-25.3	12	0.5	0.1- 0.9	2	0.2	0.0- 0.4
Female	3582	279,079	307	7.2	6.0- 8.4	2558	68.6	66.4-70.8	710	23.7	21.5-25.9	3	0.3	0.0- 0.7				4	0.2	0.0- 0.4
Native	231	23,044	5	1.7	0.0- 3.5	93	36.0	27.8-44.2	105	47.8	39.2-56.4	27	14.3	8.2-20.4	1	0.2	0.0- 0.6			
Non-Native	6486	539,141	300	3.7	3.1- 4.3	2704	37.9	36.3-39.5	2855	46.1	44.3-47.9	611	11.9	10.7-13.1	11	0.3	0.1- 0.5	5	0.1	0.0- 0.3
18-24	364	88,500	13	3.7	1.5- 5.9	104	34.2	28.3-40.1	176	43.5	37.8-49.2	67	17.5	13.2-21.8	3	0.8	0.0- 1.8	1	0.4	0.0- 1.2
25-34	676	108,955	12	2.3	0.7- 3.9	189	29.4	25.3-33.5	374	53.1	48.6-57.6	96	14.6	11.5-17.7	2	0.2	0.0- 0.6	3	0.5	0.0- 1.1
35-44	681	86,477	8	1.3	0.3- 2.3	225	36.9	32.6-41.2	341	46.5	42.2-50.8	104	14.8	11.7-17.9	3	0.5	0.0- 1.1			
45-54	929	79,851	20	2.6	1.2- 4.0	345	37.5	33.8-41.2	459	48.2	44.5-51.9	103	11.5	9.1-13.9	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3
55-64	1609	92,624	63	3.4	2.4- 4.4	681	41.1	38.4-43.8	729	46.5	43.6-49.4	134	8.8	7.0-10.6	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3
65+	2530	112,772	193	7.5	6.3- 8.7	1276	47.1	44.7-49.5	917	39.3	36.9-41.7	142	6.1	4.9- 7.3	2	0.1	0.0- 0.3			
Less Than H.S.	384	47,382	32	6.1	3.6- 8.6	162	37.3	30.8-43.8	156	44.0	37.3-50.7	34	12.6	7.7-17.5						
H.S. or G.E.D.	1912	152,637	123	5.0	3.8- 6.2	818	37.0	34.1-39.9	814	46.4	43.3-49.5	154	11.4	9.2-13.6	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Some Post-H.S.	2192	222,189	94	3.3	2.3- 4.3	943	39.7	37.0-42.4	937	44.2	41.5-46.9	212	12.2	10.2-14.2	4	0.4	0.0- 0.8	2	0.2	0.0- 0.6
College Graduate	2288	146,130	60	1.8	1.2- 2.4	891	35.9	33.4-38.4	1083	49.3	46.6-52.0	245	12.3	10.5-14.1	6	0.4	0.0- 0.8	3	0.3	0.0- 0.7
Less than \$15,000	420	41,617	26	3.6	1.4- 5.8	187	36.4	29.9-42.9	168	47.5	40.6-54.4	38	12.2	7.9-16.5				1	0.3	0.0- 0.9
\$15,000- 24,999	798	67,663	66	6.0	4.0- 8.0	401	45.6	40.7-50.5	280	38.8	33.9-43.7	48	8.7	5.6-11.8	2	0.7	0.0- 2.1	1	0.2	0.0- 0.6
\$25,000- 34,999	597	47,460	41	4.9	2.7- 7.1	292	45.0	39.1-50.9	222	41.0	35.1-46.9	41	8.8	5.3-12.3	1	0.2	0.0- 0.6			
\$35,000- 49,999	970	77,681	40	3.5	1.7- 5.3	408	40.6	36.3-44.9	436	43.9	39.6-48.2	83	11.7	8.6-14.8	1	0.0	0.0- 0.0	2	0.3	0.0- 0.9
\$50,000- 74,999	1144	94,163	38	3.2	1.6- 4.8	417	30.1	26.6-33.6	574	52.8	48.9-56.7	112	13.6	10.7-16.5	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6
\$75,000+	2213	188,915	51	1.7	1.1- 2.3	776	34.3	31.8-36.8	1087	49.1	46.4-51.8	295	14.6	12.6-16.6	4	0.3	0.0- 0.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 57: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3207	290,099	2	0.1	0.0- 0.3	262	8.2	6.8- 9.6	2286	67.7	65.5-69.9	643	23.3	21.3-25.3	12	0.5	0.1- 0.9	2	0.2	0.0- 0.4
Native	113	12,186				11	7.7	2.2-13.2	74	64.7	53.5-75.9	27	27.1	16.5-37.7	1	0.4	0.0- 1.2			
Non-Native	3048	273,403	1	0.0	0.0- 0.0	246	8.0	6.6- 9.4	2181	68.1	65.7-70.5	608	23.3	21.1-25.5	11	0.5	0.1- 0.9	1	0.0	0.0- 0.0
18-24	217	46,945				11	5.9	1.6-10.2	136	59.8	52.2-67.4	66	32.1	24.8-39.4	3	1.5	0.0- 3.5	1	0.8	0.0- 2.4
25-34	379	58,921	1	0.5	0.0- 1.5	24	8.5	5.0-12.0	256	63.7	58.0-69.4	96	27.0	21.7-32.3	2	0.4	0.0- 1.0			
35-44	374	45,340				21	6.2	3.3- 9.1	247	65.3	59.6-71.0	103	27.7	22.4-33.0	3	0.9	0.0- 2.1			
45-54	459	40,505				28	7.0	4.3- 9.7	327	70.2	65.3-75.1	103	22.8	18.3-27.3	1	0.1	0.0- 0.3			
55-64	754	46,969	1	0.2	0.0- 0.6	65	9.8	7.1-12.5	553	72.4	68.5-76.3	133	17.2	14.1-20.3	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9
65+	1024	51,419				113	11.1	8.7-13.5	767	75.2	72.1-78.3	142	13.5	11.1-15.9	2	0.2	0.0- 0.4			
Less Than H.S.	201	27,683				32	14.5	7.4-21.6	136	64.1	54.9-73.3	33	21.4	13.6-29.2						
H.S. or G.E.D.	906	81,060	1	0.1	0.0- 0.3	91	9.6	7.1-12.1	659	69.2	65.1-73.3	153	20.9	17.2-24.6	2	0.2	0.0- 0.6			
Some Post-H.S.	1025	111,884	1	0.2	0.0- 0.6	81	7.9	5.7-10.1	726	66.8	63.1-70.5	211	23.9	20.4-27.4	4	0.7	0.0- 1.7	2	0.4	0.0- 1.0
College Graduate	1068	68,998				57	4.5	3.1- 5.9	760	68.7	65.2-72.2	245	26.1	22.6-29.6	6	0.8	0.0- 1.6			
Less than \$15,000	178	19,409				18	5.8	2.7- 8.9	121	67.4	58.6-76.2	38	26.1	17.5-34.7				1	0.7	0.0- 2.1
\$15,000- 24,999	293	29,437	1	0.3	0.0- 0.9	34	11.2	6.7-15.7	210	67.8	60.4-75.2	46	18.9	12.4-25.4	2	1.7	0.0- 4.6			
\$25,000- 34,999	235	22,773				33	17.9	10.6-25.2	160	63.3	54.7-71.9	41	18.3	11.4-25.2	1	0.5	0.0- 1.5			
\$35,000- 49,999	477	37,853				41	9.7	6.0-13.4	353	67.2	61.3-73.1	82	23.0	17.5-28.5	1	0.1	0.0- 0.3			
\$50,000- 74,999	597	54,179				37	4.4	2.6- 6.2	446	71.7	66.8-76.6	112	23.6	18.7-28.5	2	0.3	0.0- 0.9			
\$75,000+	1200	104,692				75	6.9	4.5- 9.3	826	66.1	62.6-69.6	295	26.4	23.1-29.7	4	0.6	0.0- 1.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 58: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3582	279,079	307	7.2	6.0- 8.4	2558	68.6	66.4-70.8	710	23.7	21.5-25.9	3	0.3	0.0- 0.7	4	0.2	0.0- 0.4
Native	118	10,858	5	3.7	0.0- 7.4	82	67.7	55.2-80.2	31	28.7	16.4-41.0						
Non-Native	3438	265,738	299	7.4	6.2- 8.6	2458	68.6	66.2-71.0	674	23.5	21.3-25.7	3	0.3	0.0- 0.7	4	0.2	0.0- 0.4
18-24	147	41,555	13	7.8	3.3-12.3	93	66.1	57.7-74.5	40	25.1	17.5-32.7	1	1.0	0.0- 3.0			
25-34	297	50,034	11	4.4	1.3- 7.5	165	53.9	47.2-60.6	118	40.6	34.1-47.1				3	1.0	0.0- 2.2
35-44	307	41,137	8	2.8	0.8- 4.8	204	70.8	65.1-76.5	94	25.7	20.2-31.2	1	0.6	0.0- 1.8			
45-54	470	39,346	20	5.3	2.8- 7.8	317	69.0	64.3-73.7	132	25.6	21.3-29.9				1	0.1	0.0- 0.3
55-64	855	45,654	62	6.7	4.7- 8.7	616	73.3	69.8-76.8	176	19.9	16.8-23.0	1	0.1	0.0- 0.3			
65+	1506	61,353	193	13.7	11.5-15.9	1163	77.2	74.7-79.7	150	9.1	7.5-10.7						
Less Than H.S.	183	19,699	32	14.7	8.6-20.8	130	69.3	60.1-78.5	20	15.8	7.6-24.0	1	0.2	0.0- 0.6			
H.S. or G.E.D.	1006	71,576	122	10.4	7.9-12.9	727	68.0	63.7-72.3	155	20.7	16.8-24.6	1	0.6	0.0- 1.8	1	0.3	0.0- 0.9
Some Post-H.S.	1167	110,305	93	6.5	4.5- 8.5	862	72.0	68.3-75.7	211	21.3	17.8-24.8	1	0.2	0.0- 0.6			
College Graduate	1220	77,132	60	3.5	2.3- 4.7	834	64.1	60.4-67.8	323	32.0	28.3-35.7				3	0.5	0.0- 1.1
Less than \$15,000	242	22,208	26	6.8	2.9-10.7	169	63.1	53.7-72.5	47	30.1	20.7-39.5						
\$15,000- 24,999	505	38,226	65	10.4	7.1-13.7	367	72.1	66.4-77.8	70	16.4	11.3-21.5	2	0.8	0.0- 2.2	1	0.3	0.0- 0.9
\$25,000- 34,999	362	24,688	41	9.5	5.6-13.4	259	70.1	63.0-77.2	62	20.5	14.2-26.8						
\$35,000- 49,999	493	39,828	40	6.8	3.5-10.1	367	69.9	63.6-76.2	83	21.7	16.2-27.2	1	1.0	0.0- 3.0	2	0.6	0.0- 1.6
\$50,000- 74,999	547	39,984	38	7.4	3.7-11.1	380	64.9	58.8-71.0	128	27.1	21.4-32.8				1	0.5	0.0- 1.5
\$75,000+	1013	84,223	51	3.8	2.4- 5.2	701	68.4	64.7-72.1	261	27.9	24.2-31.6						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 49 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	915	144,795	36	3.6	2.2- 5.0	879	96.4	95.0-97.8
Native	58	6,931	3	2.8	0.0- 6.5	55	97.2	93.5- 100
Non-Native	852	136,686	33	3.7	2.3- 5.1	819	96.3	94.9-97.7
18-24	147	41,563	4	2.1	0.0- 4.5	143	97.9	95.5- 100
25-34	296	49,575	26	7.4	4.1-10.7	270	92.6	89.3-95.9
35-44	308	41,296	5	1.6	0.0- 3.2	303	98.4	96.8- 100
45-54	164	12,361	1	0.4	0.0- 1.2	163	99.6	98.8- 100
H.S. or G.E.D.	197	33,838	4	1.9	0.0- 4.1	193	98.1	95.9- 100
Some Post-H.S.	269	56,069	12	4.0	1.3- 6.7	257	96.0	93.3-98.7
College Graduate	414	46,374	18	4.3	2.1- 6.5	396	95.7	93.5-97.9
Less than \$15,000	60	12,835	2	2.4	0.0- 6.3	58	97.6	93.7- 100
\$15,000- 24,999	98	17,505	5	4.0	0.3- 7.7	93	96.0	92.3-99.7
\$25,000- 34,999	73	11,674	2	3.7	0.0- 9.2	71	96.3	90.8- 100
\$35,000- 49,999	129	21,977	3	1.3	0.0- 3.1	126	98.7	96.9- 100
\$50,000- 74,999	132	19,653	10	8.0	2.1-13.9	122	92.0	86.1-97.9
\$75,000+	368	49,399	13	3.2	1.2- 5.2	355	96.8	94.8-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS

TABLE 60: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6794	570,413	501	5.6	5.0- 6.2	6293	94.4	93.8-95.0
Male	3207	291,076	299	7.3	6.3- 8.3	2908	92.7	91.7-93.7
Female	3587	279,338	202	3.8	3.0- 4.6	3385	96.2	95.4-97.0
18-24	362	88,598	9	2.1	0.5- 3.7	353	97.9	96.3-99.5
25-34	677	109,122	11	1.7	0.5- 2.9	666	98.3	97.1-99.5
35-44	684	86,869	15	2.3	0.9- 3.7	669	97.7	96.3-99.1
45-54	938	80,820	25	3.1	1.7- 4.5	913	96.9	95.5-98.3
55-64	1612	92,792	104	7.9	6.1- 9.7	1508	92.1	90.3-93.9
65+	2521	112,212	337	14.5	12.7-16.3	2184	85.5	83.7-87.3
Less Than H.S.	380	47,240	63	13.7	9.6-17.8	317	86.3	82.2-90.4
H.S. or G.E.D.	1908	152,912	173	5.9	4.7- 7.1	1735	94.1	92.9-95.3
Some Post-H.S.	2200	223,089	161	5.5	4.5- 6.5	2039	94.5	93.5-95.5
College Graduate	2292	146,272	103	2.8	2.2- 3.4	2189	97.2	96.6-97.8
Less than \$15,000	417	41,751	43	7.1	4.4- 9.8	374	92.9	90.2-95.6
\$15,000- 24,999	793	67,771	95	9.3	6.8-11.8	698	90.7	88.2-93.2
\$25,000- 34,999	594	47,484	54	7.4	4.9- 9.9	540	92.6	90.1-95.1
\$35,000- 49,999	971	77,705	79	7.1	4.9- 9.3	892	92.9	90.7-95.1
\$50,000- 74,999	1142	93,813	71	4.9	3.3- 6.5	1071	95.1	93.5-96.7
\$75,000+	2216	189,153	93	2.9	2.1- 3.7	2123	97.1	96.3-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 61: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3207	291,076	299	7.3	6.3- 8.3	2908	92.7	91.7-93.7
18-24	216	46,995	5	2.3	0.0- 4.7	211	97.7	95.3- 100
25-34	380	59,128	9	2.2	0.4- 4.0	371	97.8	96.0-99.6
35-44	375	45,493	12	3.9	1.4- 6.4	363	96.1	93.6-98.6
45-54	465	41,296	15	3.3	1.3- 5.3	450	96.7	94.7-98.7
55-64	753	47,051	77	12.5	9.6-15.4	676	87.5	84.6-90.4
65+	1018	51,113	181	19.3	16.2-22.4	837	80.7	77.6-83.8
Less Than H.S.	196	27,383	38	16.3	10.2-22.4	158	83.7	77.6-89.8
H.S. or G.E.D.	907	81,643	86	6.3	4.5- 8.1	821	93.7	91.9-95.5
Some Post-H.S.	1026	112,203	101	7.7	5.9- 9.5	925	92.3	90.5-94.1
College Graduate	1071	69,373	73	4.5	3.3- 5.7	998	95.5	94.3-96.7
Less than \$15,000	176	19,212	21	9.0	4.7-13.3	155	91.0	86.7-95.3
\$15,000- 24,999	293	29,874	39	11.1	7.0-15.2	254	88.9	84.8-93.0
\$25,000- 34,999	235	22,751	27	9.5	5.4-13.6	208	90.5	86.4-94.6
\$35,000- 49,999	481	38,361	57	11.3	7.6-15.0	424	88.7	85.0-92.4
\$50,000- 74,999	593	53,654	55	6.9	4.2- 9.6	538	93.1	90.4-95.8
\$75,000+	1197	104,560	76	4.5	3.3- 5.7	1121	95.5	94.3-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 62: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3587	279,338	202	3.8	3.0- 4.6	3385	96.2	95.4-97.0
18-24	146	41,603	4	1.8	0.0- 3.8	142	98.2	96.2- 100
25-34	297	49,994	2	1.2	0.0- 2.8	295	98.8	97.2- 100
35-44	309	41,377	3	0.5	0.0- 1.1	306	99.5	98.9- 100
45-54	473	39,524	10	3.0	1.0- 5.0	463	97.0	95.0-99.0
55-64	859	45,742	27	3.2	1.8- 4.6	832	96.8	95.4-98.2
65+	1503	61,098	156	10.5	8.5-12.5	1347	89.5	87.5-91.5
Less Than H.S.	184	19,857	25	10.2	5.1-15.3	159	89.8	84.7-94.9
H.S. or G.E.D.	1001	71,270	87	5.4	3.8- 7.0	914	94.6	93.0-96.2
Some Post-H.S.	1174	110,887	60	3.2	2.2- 4.2	1114	96.8	95.8-97.8
College Graduate	1221	76,899	30	1.4	0.8- 2.0	1191	98.6	98.0-99.2
Less than \$15,000	241	22,539	22	5.5	2.0- 9.0	219	94.5	91.0-98.0
\$15,000- 24,999	500	37,897	56	8.0	5.1-10.9	444	92.0	89.1-94.9
\$25,000- 34,999	359	24,733	27	5.4	2.5- 8.3	332	94.6	91.7-97.5
\$35,000- 49,999	490	39,344	22	2.9	1.3- 4.5	468	97.1	95.5-98.7
\$50,000- 74,999	549	40,159	16	2.2	1.0- 3.4	533	97.8	96.6-99.0
\$75,000+	1019	84,593	17	1.1	0.5- 1.7	1002	98.9	98.3-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 63: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6791	569,242	213	3.0	2.4- 3.6	6578	97.0	96.4-97.6
Male	3202	290,239	94	3.0	2.2- 3.8	3108	97.0	96.2-97.8
Female	3589	279,003	119	3.1	2.3- 3.9	3470	96.9	96.1-97.7
18-24	361	88,190	7	2.3	0.1- 4.5	354	97.7	95.5-99.9
25-34	674	108,692	12	1.7	0.5- 2.9	662	98.3	97.1-99.5
35-44	684	86,893	17	3.4	1.4- 5.4	667	96.6	94.6-98.6
45-54	931	80,195	25	3.1	1.7- 4.5	906	96.9	95.5-98.3
55-64	1612	92,766	45	3.1	2.1- 4.1	1567	96.9	95.9-97.9
65+	2529	112,507	107	4.5	3.5- 5.5	2422	95.5	94.5-96.5
Less Than H.S.	379	47,199	35	9.8	5.1-14.5	344	90.2	85.5-94.9
H.S. or G.E.D.	1903	151,946	72	2.7	1.9- 3.5	1831	97.3	96.5-98.1
Some Post-H.S.	2197	222,740	63	2.7	1.7- 3.7	2134	97.3	96.3-98.3
College Graduate	2298	146,457	42	1.7	0.9- 2.5	2256	98.3	97.5-99.1
Less than \$15,000	411	40,991	45	9.7	6.0-13.4	366	90.3	86.6-94.0
\$15,000- 24,999	794	67,724	52	6.9	4.4- 9.4	742	93.1	90.6-95.6
\$25,000- 34,999	593	47,176	25	4.0	2.0- 6.0	568	96.0	94.0-98.0
\$35,000- 49,999	972	77,849	28	1.8	1.0- 2.6	944	98.2	97.4-99.0
\$50,000- 74,999	1141	93,686	13	0.7	0.1- 1.3	1128	99.3	98.7-99.9
\$75,000+	2216	188,901	20	1.5	0.3- 2.7	2196	98.5	97.3-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS

TABLE 64: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3202	290,239	94	3.0	2.2- 3.8	3108	97.0	96.2-97.8
18-24	215	46,587	5	3.1	0.0- 7.0	210	96.9	93.0- 100
25-34	378	58,996	6	1.3	0.1- 2.5	372	98.7	97.5-99.9
35-44	375	45,516	6	1.7	0.3- 3.1	369	98.3	96.9-99.7
45-54	462	41,009	12	2.9	0.9- 4.9	450	97.1	95.1-99.1
55-64	756	47,203	29	4.6	2.6- 6.6	727	95.4	93.4-97.4
65+	1016	50,927	36	4.4	2.6- 6.2	980	95.6	93.8-97.4
Less Than H.S.	197	27,516	20	10.4	3.7-17.1	177	89.6	82.9-96.3
H.S. or G.E.D.	903	81,002	34	2.4	1.4- 3.4	869	97.6	96.6-98.6
Some Post-H.S.	1021	111,738	22	2.1	1.1- 3.1	999	97.9	96.9-98.9
College Graduate	1074	69,509	17	1.8	0.6- 3.0	1057	98.2	97.0-99.4
Less than \$15,000	175	18,814	25	11.2	5.9-16.5	150	88.8	83.5-94.1
\$15,000- 24,999	291	29,706	22	7.3	3.4-11.2	269	92.7	88.8-96.6
\$25,000- 34,999	233	22,644	11	4.2	1.5- 6.9	222	95.8	93.1-98.5
\$35,000- 49,999	479	38,239	11	1.6	0.4- 2.8	468	98.4	97.2-99.6
\$50,000- 74,999	592	53,553	8	0.7	0.0- 1.5	584	99.3	98.5- 100
\$75,000+	1198	104,451	13	2.0	0.2- 3.8	1185	98.0	96.2-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS

TABLE 65: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3589	279,003	119	3.1	2.3- 3.9	3470	96.9	96.1-97.7
18-24	146	41,603	2	1.4	0.0- 3.4	144	98.6	96.6- 100
25-34	296	49,696	6	2.2	0.0- 4.4	290	97.8	95.6- 100
35-44	309	41,377	11	5.4	1.7- 9.1	298	94.6	90.9-98.3
45-54	469	39,185	13	3.3	1.3- 5.3	456	96.7	94.7-98.7
55-64	856	45,562	16	1.5	0.7- 2.3	840	98.5	97.7-99.3
65+	1513	61,580	71	4.6	3.4- 5.8	1442	95.4	94.2-96.6
Less Than H.S.	182	19,683	15	8.8	2.7-14.9	167	91.2	85.1-97.3
H.S. or G.E.D.	1000	70,945	38	3.0	1.6- 4.4	962	97.0	95.6-98.4
Some Post-H.S.	1176	111,002	41	3.3	1.9- 4.7	1135	96.7	95.3-98.1
College Graduate	1224	76,948	25	1.5	0.7- 2.3	1199	98.5	97.7-99.3
Less than \$15,000	236	22,177	20	8.3	2.8-13.8	216	91.7	86.2-97.2
\$15,000- 24,999	503	38,018	30	6.6	3.3- 9.9	473	93.4	90.1-96.7
\$25,000- 34,999	360	24,532	14	3.8	1.1- 6.5	346	96.2	93.5-98.9
\$35,000- 49,999	493	39,610	17	2.0	0.8- 3.2	476	98.0	96.8-99.2
\$50,000- 74,999	549	40,133	5	0.7	0.0- 1.7	544	99.3	98.3- 100
\$75,000+	1018	84,451	7	0.9	0.0- 1.9	1011	99.1	98.1- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 66: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6788	569,198	430	7.7	6.7- 8.7	6358	92.3	91.3-93.3
Male	3203	290,421	157	6.1	4.9- 7.3	3046	93.9	92.7-95.1
Female	3585	278,777	273	9.3	7.7-10.9	3312	90.7	89.1-92.3
18-24	361	88,314	31	9.4	5.7-13.1	330	90.6	86.9-94.3
25-34	677	109,325	44	7.9	5.4-10.4	633	92.1	89.6-94.6
35-44	680	86,260	48	9.0	6.3-11.7	632	91.0	88.3-93.7
45-54	935	80,537	59	6.9	4.9- 8.9	876	93.1	91.1-95.1
55-64	1616	92,970	95	6.9	5.3- 8.5	1521	93.1	91.5-94.7
65+	2519	111,793	153	6.4	5.2- 7.6	2366	93.6	92.4-94.8
Less Than H.S.	377	47,010	58	17.0	11.5-22.5	319	83.0	77.5-88.5
H.S. or G.E.D.	1907	152,572	164	10.2	8.2-12.2	1743	89.8	87.8-91.8
Some Post-H.S.	2196	222,537	139	7.1	5.5- 8.7	2057	92.9	91.3-94.5
College Graduate	2294	146,180	69	3.0	2.0- 4.0	2225	97.0	96.0-98.0
Less than \$15,000	420	42,146	98	21.5	16.2-26.8	322	78.5	73.2-83.8
\$15,000- 24,999	791	67,126	100	13.7	10.4-17.0	691	86.3	83.0-89.6
\$25,000- 34,999	593	47,351	46	9.4	5.9-12.9	547	90.6	87.1-94.1
\$35,000- 49,999	972	77,823	50	7.0	4.5- 9.5	922	93.0	90.5-95.5
\$50,000- 74,999	1139	93,558	41	5.5	3.3- 7.7	1098	94.5	92.3-96.7
\$75,000+	2215	188,840	49	2.8	1.6- 4.0	2166	97.2	96.0-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 67: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3203	290,421	157	6.1	4.9- 7.3	3046	93.9	92.7-95.1
18-24	216	46,995	12	6.5	2.0-11.0	204	93.5	89.0-98.0
25-34	380	59,331	20	6.8	3.5-10.1	360	93.2	89.9-96.5
35-44	372	45,120	19	6.6	3.5- 9.7	353	93.4	90.3-96.5
45-54	463	41,081	21	5.0	2.6- 7.4	442	95.0	92.6-97.4
55-64	759	47,337	42	6.6	4.4- 8.8	717	93.4	91.2-95.6
65+	1013	50,557	43	5.2	3.4- 7.0	970	94.8	93.0-96.6
Less Than H.S.	194	27,224	23	16.8	8.6-25.0	171	83.2	75.0-91.4
H.S. or G.E.D.	906	81,502	59	8.0	5.5-10.5	847	92.0	89.5-94.5
Some Post-H.S.	1022	111,813	53	4.9	3.3- 6.5	969	95.1	93.5-96.7
College Graduate	1074	69,408	22	1.9	0.9- 2.9	1052	98.1	97.1-99.1
Less than \$15,000	178	19,542	41	23.4	15.4-31.4	137	76.6	68.6-84.6
\$15,000- 24,999	291	29,472	29	9.3	5.2-13.4	262	90.7	86.6-94.8
\$25,000- 34,999	233	22,593	11	3.7	1.0- 6.4	222	96.3	93.6-99.0
\$35,000- 49,999	480	38,244	24	7.1	3.8-10.4	456	92.9	89.6-96.2
\$50,000- 74,999	592	53,533	20	4.8	2.1- 7.5	572	95.2	92.5-97.9
\$75,000+	1197	104,389	19	2.7	0.7- 4.7	1178	97.3	95.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 68: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3585	278,777	273	9.3	7.7-10.9	3312	90.7	89.1-92.3	
18-24	145	41,318	19	12.8	6.7-18.9	126	87.2	81.1-93.3	
25-34	297	49,994	24	9.1	5.2-13.0	273	90.9	87.0-94.8	
35-44	308	41,140	29	11.7	7.0-16.4	279	88.3	83.6-93.0	
45-54	472	39,457	38	8.8	5.7-11.9	434	91.2	88.1-94.3	
55-64	857	45,633	53	7.2	5.0- 9.4	804	92.8	90.6-95.0	
65+	1506	61,236	110	7.5	5.9- 9.1	1396	92.5	90.9-94.1	
Less Than H.S.	183	19,785	35	17.3	10.2-24.4	148	82.7	75.6-89.8	
H.S. or G.E.D.	1001	71,070	105	12.7	9.4-16.0	896	87.3	84.0-90.6	
Some Post-H.S.	1174	110,724	86	9.4	6.7-12.1	1088	90.6	87.9-93.3	
College Graduate	1220	76,772	47	4.1	2.5- 5.7	1173	95.9	94.3-97.5	
Less than \$15,000	242	22,603	57	19.9	13.2-26.6	185	80.1	73.4-86.8	
\$15,000- 24,999	500	37,654	71	17.1	12.0-22.2	429	82.9	77.8-88.0	
\$25,000- 34,999	360	24,758	35	14.7	8.6-20.8	325	85.3	79.2-91.4	
\$35,000- 49,999	492	39,579	26	6.8	2.7-10.9	466	93.2	89.1-97.3	
\$50,000- 74,999	547	40,025	21	6.5	3.0-10.0	526	93.5	90.0-97.0	
\$75,000+	1018	84,451	30	3.1	1.5- 4.7	988	96.9	95.3-98.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 69: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6780	568,988	861	9.3	8.5-10.1	5919	90.7	89.9-91.5
Male	3201	290,391	284	6.7	5.7- 7.7	2917	93.3	92.3-94.3
Female	3579	278,598	577	12.2	10.8-13.6	3002	87.8	86.4-89.2
18-24	361	88,314	7	2.3	0.3- 4.3	354	97.7	95.7-99.7
25-34	676	109,207	15	3.3	1.3- 5.3	661	96.7	94.7-98.7
35-44	682	86,693	29	5.3	3.1- 7.5	653	94.7	92.5-96.9
45-54	933	80,320	75	8.9	6.7-11.1	858	91.1	88.9-93.3
55-64	1612	92,746	193	12.7	10.7-14.7	1419	87.3	85.3-89.3
65+	2516	111,709	542	21.6	19.6-23.6	1974	78.4	76.4-80.4
Less Than H.S.	378	47,044	89	20.0	14.9-25.1	289	80.0	74.9-85.1
H.S. or G.E.D.	1903	152,342	320	11.2	9.6-12.8	1583	88.8	87.2-90.4
Some Post-H.S.	2194	222,608	268	8.7	7.3-10.1	1926	91.3	89.9-92.7
College Graduate	2291	146,095	181	4.9	3.9- 5.9	2110	95.1	94.1-96.1
Less than \$15,000	419	42,116	140	25.0	19.7-30.3	279	75.0	69.7-80.3
\$15,000- 24,999	792	67,205	199	18.2	14.9-21.5	593	81.8	78.5-85.1
\$25,000- 34,999	595	47,516	96	10.7	8.0-13.4	499	89.3	86.6-92.0
\$35,000- 49,999	972	77,818	133	9.0	7.0-11.0	839	91.0	89.0-93.0
\$50,000- 74,999	1138	93,536	94	5.7	4.1- 7.3	1044	94.3	92.7-95.9
\$75,000+	2209	188,404	95	3.6	2.6- 4.6	2114	96.4	95.4-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 70: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3201	290,391	284	6.7	5.7- 7.7	2917	93.3	92.3-94.3
18-24	216	46,995	3	1.6	0.0- 4.0	213	98.4	96.0- 100
25-34	379	59,213	7	3.3	0.6- 6.0	372	96.7	94.0-99.4
35-44	373	45,316	9	2.3	0.7- 3.9	364	97.7	96.1-99.3
45-54	461	40,863	25	4.9	2.7- 7.1	436	95.1	92.9-97.3
55-64	757	47,194	73	10.6	7.9-13.3	684	89.4	86.7-92.1
65+	1015	50,809	167	16.9	14.2-19.6	848	83.1	80.4-85.8
Less Than H.S.	195	27,277	30	13.4	7.1-19.7	165	86.6	80.3-92.9
H.S. or G.E.D.	907	81,556	117	7.8	6.2- 9.4	790	92.2	90.6-93.8
Some Post-H.S.	1021	111,763	78	6.1	4.3- 7.9	943	93.9	92.1-95.7
College Graduate	1071	69,321	58	3.5	2.3- 4.7	1013	96.5	95.3-97.7
Less than \$15,000	178	19,542	51	21.3	13.9-28.7	127	78.7	71.3-86.1
\$15,000- 24,999	292	29,617	55	14.1	9.2-19.0	237	85.9	81.0-90.8
\$25,000- 34,999	234	22,686	29	7.0	4.1- 9.9	205	93.0	90.1-95.9
\$35,000- 49,999	480	38,243	45	6.9	4.5- 9.3	435	93.1	90.7-95.5
\$50,000- 74,999	592	53,533	41	5.1	2.9- 7.3	551	94.9	92.7-97.1
\$75,000+	1194	104,199	44	2.9	1.7- 4.1	1150	97.1	95.9-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 71: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3579	278,598	577	12.2	10.8-13.6	3002	87.8	86.4-89.2
18-24	145	41,318	4	3.0	0.1- 5.9	141	97.0	94.1-99.9
25-34	297	49,994	8	3.4	0.9- 5.9	289	96.6	94.1-99.1
35-44	309	41,377	20	8.6	4.5-12.7	289	91.4	87.3-95.5
45-54	472	39,457	50	13.0	9.3-16.7	422	87.0	83.3-90.7
55-64	855	45,553	120	14.8	11.9-17.7	735	85.2	82.3-88.1
65+	1501	60,900	375	25.5	22.8-28.2	1126	74.5	71.8-77.2
Less Than H.S.	183	19,767	59	29.1	20.7-37.5	124	70.9	62.5-79.3
H.S. or G.E.D.	996	70,786	203	15.1	12.4-17.8	793	84.9	82.2-87.6
Some Post-H.S.	1173	110,845	190	11.4	9.2-13.6	983	88.6	86.4-90.8
College Graduate	1220	76,774	123	6.2	4.6- 7.8	1097	93.8	92.2-95.4
Less than \$15,000	241	22,574	89	28.3	20.7-35.9	152	71.7	64.1-79.3
\$15,000- 24,999	500	37,588	144	21.4	16.7-26.1	356	78.6	73.9-83.3
\$25,000- 34,999	361	24,830	67	14.0	9.5-18.5	294	86.0	81.5-90.5
\$35,000- 49,999	492	39,575	88	11.0	8.1-13.9	404	89.0	86.1-91.9
\$50,000- 74,999	546	40,003	53	6.5	4.3- 8.7	493	93.5	91.3-95.7
\$75,000+	1015	84,205	51	4.5	2.9- 6.1	964	95.5	93.9-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 72: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6790	569,321	174	2.1	1.7- 2.5	6616	97.9	97.5-98.3
Male	3200	290,231	69	1.7	1.1- 2.3	3131	98.3	97.7-98.9
Female	3590	279,090	105	2.5	1.9- 3.1	3485	97.5	96.9-98.1
18-24	361	88,314	1	0.2	0.0- 0.6	360	99.8	99.4- 100
25-34	676	109,207	4	0.8	0.0- 1.6	672	99.2	98.4- 100
35-44	680	86,436	9	1.4	0.2- 2.6	671	98.6	97.4-99.8
45-54	934	80,493	20	2.8	1.4- 4.2	914	97.2	95.8-98.6
55-64	1612	92,588	56	3.5	2.5- 4.5	1556	96.5	95.5-97.5
65+	2527	112,283	84	3.6	2.6- 4.6	2443	96.4	95.4-97.4
Less Than H.S.	380	47,308	20	4.9	2.4- 7.4	360	95.1	92.6-97.6
H.S. or G.E.D.	1907	152,472	58	2.4	1.6- 3.2	1849	97.6	96.8-98.4
Some Post-H.S.	2197	222,673	53	1.8	1.2- 2.4	2144	98.2	97.6-98.8
College Graduate	2292	145,970	43	1.2	0.8- 1.6	2249	98.8	98.4-99.2
Less than \$15,000	419	42,061	45	9.9	6.2-13.6	374	90.1	86.4-93.8
\$15,000- 24,999	793	67,246	43	4.0	2.4- 5.6	750	96.0	94.4-97.6
\$25,000- 34,999	595	47,516	10	0.9	0.3- 1.5	585	99.1	98.5-99.7
\$35,000- 49,999	972	77,807	28	2.0	1.0- 3.0	944	98.0	97.0-99.0
\$50,000- 74,999	1139	93,558	13	0.7	0.3- 1.1	1126	99.3	98.9-99.7
\$75,000+	2211	188,329	19	0.7	0.3- 1.1	2192	99.3	98.9-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 73: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3200	290,231	69	1.7	1.1- 2.3	3131	98.3	97.7-98.9
18-24	216	46,995	1	0.3	0.0- 0.9	215	99.7	99.1- 100
25-34	379	59,213	2	0.8	0.0- 2.0	377	99.2	98.0- 100
35-44	372	45,177	3	0.6	0.0- 1.4	369	99.4	98.6- 100
45-54	462	41,036	6	2.0	0.0- 4.0	456	98.0	96.0- 100
55-64	755	46,956	27	3.6	2.0- 5.2	728	96.4	94.8-98.0
65+	1016	50,853	30	2.9	1.7- 4.1	986	97.1	95.9-98.3
Less Than H.S.	196	27,451	7	3.4	0.5- 6.3	189	96.6	93.7-99.5
H.S. or G.E.D.	905	81,426	21	1.6	0.8- 2.4	884	98.4	97.6-99.2
Some Post-H.S.	1021	111,671	20	1.5	0.7- 2.3	1001	98.5	97.7-99.3
College Graduate	1071	69,210	21	1.4	0.6- 2.2	1050	98.6	97.8-99.4
Less than \$15,000	177	19,458	21	10.6	5.1-16.1	156	89.4	83.9-94.9
\$15,000- 24,999	292	29,617	11	2.7	0.7- 4.7	281	97.3	95.3-99.3
\$25,000- 34,999	234	22,686	5	0.8	0.0- 1.6	229	99.2	98.4- 100
\$35,000- 49,999	479	38,197	9	1.3	0.1- 2.5	470	98.7	97.5-99.9
\$50,000- 74,999	592	53,533	8	0.8	0.2- 1.4	584	99.2	98.6-99.8
\$75,000+	1194	103,996	12	0.8	0.2- 1.4	1182	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 74: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3590	279,090	105	2.5	1.9- 3.1	3485	97.5	96.9-98.1
18-24	145	41,318				145	100.0	100.0- 100
25-34	297	49,994	2	0.8	0.0- 2.2	295	99.2	97.8- 100
35-44	308	41,259	6	2.2	0.0- 4.4	302	97.8	95.6- 100
45-54	472	39,457	14	3.6	1.6- 5.6	458	96.4	94.4-98.4
55-64	857	45,633	29	3.4	2.0- 4.8	828	96.6	95.2-98.0
65+	1511	61,430	54	4.2	2.8- 5.6	1457	95.8	94.4-97.2
Less Than H.S.	184	19,857	13	7.1	2.4-11.8	171	92.9	88.2-97.6
H.S. or G.E.D.	1002	71,046	37	3.2	1.8- 4.6	965	96.8	95.4-98.2
Some Post-H.S.	1176	111,002	33	2.2	1.2- 3.2	1143	97.8	96.8-98.8
College Graduate	1221	76,760	22	1.0	0.6- 1.4	1199	99.0	98.6-99.4
Less than \$15,000	242	22,603	24	9.3	4.2-14.4	218	90.7	85.6-95.8
\$15,000- 24,999	501	37,629	32	5.0	2.6- 7.4	469	95.0	92.6-97.4
\$25,000- 34,999	361	24,830	5	0.9	0.0- 1.9	356	99.1	98.1- 100
\$35,000- 49,999	493	39,610	19	2.7	0.9- 4.5	474	97.3	95.5-99.1
\$50,000- 74,999	547	40,025	5	0.6	0.0- 1.2	542	99.4	98.8- 100
\$75,000+	1017	84,333	7	0.6	0.2- 1.0	1010	99.4	99.0-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 75: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6774	567,912	351	5.3	4.5- 6.1	6423	94.7	93.9-95.5
Male	3193	289,345	112	3.5	2.7- 4.3	3081	96.5	95.7-97.3
Female	3581	278,568	239	7.2	5.8- 8.6	3342	92.8	91.4-94.2
18-24	359	88,001	18	5.5	2.8- 8.2	341	94.5	91.8-97.2
25-34	675	108,936	23	4.2	2.2- 6.2	652	95.8	93.8-97.8
35-44	677	86,233	30	5.3	3.1- 7.5	647	94.7	92.5-96.9
45-54	932	80,413	34	3.7	2.1- 5.3	898	96.3	94.7-97.9
55-64	1609	92,348	80	5.5	4.1- 6.9	1529	94.5	93.1-95.9
65+	2522	111,981	166	7.4	6.0- 8.8	2356	92.6	91.2-94.0
Less Than H.S.	377	46,942	46	12.2	7.9-16.5	331	87.8	83.5-92.1
H.S. or G.E.D.	1903	152,364	120	6.2	4.6- 7.8	1783	93.8	92.2-95.4
Some Post-H.S.	2190	221,845	114	5.4	4.0- 6.8	2076	94.6	93.2-96.0
College Graduate	2290	145,862	71	2.1	1.5- 2.7	2219	97.9	97.3-98.5
Less than \$15,000	417	41,836	78	18.4	13.1-23.7	339	81.6	76.3-86.9
\$15,000- 24,999	794	67,321	85	11.9	8.6-15.2	709	88.1	84.8-91.4
\$25,000- 34,999	594	47,442	34	5.2	3.0- 7.4	560	94.8	92.6-97.0
\$35,000- 49,999	971	77,652	46	4.2	2.6- 5.8	925	95.8	94.2-97.4
\$50,000- 74,999	1136	93,337	32	3.1	1.5- 4.7	1104	96.9	95.3-98.5
\$75,000+	2206	188,006	36	1.6	1.0- 2.2	2170	98.4	97.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 76: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3193	289,345	112	3.5	2.7- 4.3	3081	96.5	95.7-97.3
18-24	214	46,682	5	2.6	0.2- 5.0	209	97.4	95.0-99.8
25-34	378	58,942	10	3.2	0.8- 5.6	368	96.8	94.4-99.2
35-44	370	45,051	14	3.7	1.5- 5.9	356	96.3	94.1-98.5
45-54	462	41,036	10	2.2	0.4- 4.0	452	97.8	96.0-99.6
55-64	753	46,765	34	4.9	2.9- 6.9	719	95.1	93.1-97.1
65+	1016	50,867	39	4.3	2.5- 6.1	977	95.7	93.9-97.5
Less Than H.S.	195	27,287	15	8.4	3.3-13.5	180	91.6	86.5-96.7
H.S. or G.E.D.	905	81,454	41	4.1	2.5- 5.7	864	95.9	94.3-97.5
Some Post-H.S.	1015	110,920	32	3.0	1.8- 4.2	983	97.0	95.8-98.2
College Graduate	1071	69,210	24	1.7	0.9- 2.5	1047	98.3	97.5-99.1
Less than \$15,000	177	19,379	27	14.6	8.3-20.9	150	85.4	79.1-91.7
\$15,000- 24,999	292	29,617	23	6.0	3.1- 8.9	269	94.0	91.1-96.9
\$25,000- 34,999	234	22,686	11	3.9	0.8- 7.0	223	96.1	93.0-99.2
\$35,000- 49,999	478	38,042	13	2.3	0.7- 3.9	465	97.7	96.1-99.3
\$50,000- 74,999	589	53,312	13	2.7	0.5- 4.9	576	97.3	95.1-99.5
\$75,000+	1192	103,836	19	1.7	0.7- 2.7	1173	98.3	97.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 77: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3581	278,568	239	7.2	5.8- 8.6	3342	92.8	91.4-94.2
18-24	145	41,318	13	8.8	3.9-13.7	132	91.2	86.3-96.1
25-34	297	49,994	13	5.4	2.1- 8.7	284	94.6	91.3-97.9
35-44	307	41,182	16	6.9	3.2-10.6	291	93.1	89.4-96.8
45-54	470	39,377	24	5.3	2.9- 7.7	446	94.7	92.3-97.1
55-64	856	45,582	46	6.1	4.1- 8.1	810	93.9	91.9-95.9
65+	1506	61,114	127	9.9	7.9-11.9	1379	90.1	88.1-92.1
Less Than H.S.	182	19,655	31	17.5	10.2-24.8	151	82.5	75.2-89.8
H.S. or G.E.D.	998	70,910	79	8.7	6.2-11.2	919	91.3	88.8-93.8
Some Post-H.S.	1175	110,925	82	7.7	5.3-10.1	1093	92.3	89.9-94.7
College Graduate	1219	76,652	47	2.5	1.5- 3.5	1172	97.5	96.5-98.5
Less than \$15,000	240	22,458	51	21.8	13.8-29.8	189	78.2	70.2-86.2
\$15,000- 24,999	502	37,703	62	16.6	11.3-21.9	440	83.4	78.1-88.7
\$25,000- 34,999	360	24,757	23	6.3	3.2- 9.4	337	93.7	90.6-96.8
\$35,000- 49,999	493	39,610	33	6.0	3.3- 8.7	460	94.0	91.3-96.7
\$50,000- 74,999	547	40,025	19	3.6	1.6- 5.6	528	96.4	94.4-98.4
\$75,000+	1014	84,170	17	1.4	0.6- 2.2	997	98.6	97.8-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	182
2	MALES ONLY	183
3	FEMALES ONLY	184
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	185
5	MALES ONLY	186
6	FEMALES ONLY	187
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	188
8	MALES ONLY	189
9	FEMALES ONLY	190
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	191
11	MALES ONLY	192
12	FEMALES ONLY	193
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	194
14	MALES ONLY	195
15	FEMALES ONLY	196

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6762	566,938	3018	43.4	41.8-45.0	3744	56.6	55.0-58.2
Male	3183	288,603	1596	47.8	45.4-50.2	1587	52.2	49.8-54.6
Female	3579	278,335	1422	38.8	36.4-41.2	2157	61.2	58.8-63.6
Native	230	23,029	162	68.9	60.7-77.1	68	31.1	22.9-39.3
Non-Native	6452	535,982	2819	42.3	40.7-43.9	3633	57.7	56.1-59.3
18-24	357	87,791	78	21.4	16.5-26.3	279	78.6	73.7-83.5
25-34	673	108,723	279	44.3	39.8-48.8	394	55.7	51.2-60.2
35-44	679	86,397	322	50.3	46.0-54.6	357	49.7	45.4-54.0
45-54	929	80,081	366	41.1	37.4-44.8	563	58.9	55.2-62.6
55-64	1605	92,002	709	47.4	44.5-50.3	896	52.6	49.7-55.5
65+	2519	111,945	1264	52.7	50.3-55.1	1255	47.3	44.9-49.7
Less Than H.S.	377	47,049	233	59.9	53.2-66.6	144	40.1	33.4-46.8
H.S. or G.E.D.	1903	152,011	1018	52.4	49.3-55.5	885	47.6	44.5-50.7
Some Post-H.S.	2182	221,489	1022	44.1	41.4-46.8	1160	55.9	53.2-58.6
College Graduate	2286	145,490	741	27.7	25.3-30.1	1545	72.3	69.9-74.7
Less than \$15,000	414	41,759	246	52.7	45.8-59.6	168	47.3	40.4-54.2
\$15,000- 24,999	793	67,182	408	49.6	44.7-54.5	385	50.4	45.5-55.3
\$25,000- 34,999	591	47,388	277	44.9	39.0-50.8	314	55.1	49.2-61.0
\$35,000- 49,999	970	77,594	474	45.6	41.3-49.9	496	54.4	50.1-58.7
\$50,000- 74,999	1131	92,641	514	44.7	40.8-48.6	617	55.3	51.4-59.2
\$75,000+	2205	187,707	859	39.8	37.1-42.5	1346	60.2	57.5-62.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3183	288,603	1596	47.8	45.4-50.2	1587	52.2	49.8-54.6
Native	113	12,228	67	56.8	45.0-68.6	46	43.2	31.4-55.0
Non-Native	3019	271,064	1504	47.6	45.2-50.0	1515	52.4	50.0-54.8
18-24	213	46,644	51	23.2	16.5-29.9	162	76.8	70.1-83.5
25-34	376	58,729	166	48.2	42.3-54.1	210	51.8	45.9-57.7
35-44	371	45,138	195	55.3	49.4-61.2	176	44.7	38.8-50.6
45-54	460	40,839	188	41.9	36.6-47.2	272	58.1	52.8-63.4
55-64	752	46,594	352	49.9	45.8-54.0	400	50.1	46.0-54.2
65+	1011	50,658	644	66.1	62.8-69.4	367	33.9	30.6-37.2
Less Than H.S.	194	27,242	141	68.1	58.9-77.3	53	31.9	22.7-41.1
H.S. or G.E.D.	903	81,156	545	57.2	52.9-61.5	358	42.8	38.5-47.1
Some Post-H.S.	1012	110,814	536	47.6	43.7-51.5	476	52.4	48.5-56.3
College Graduate	1067	68,917	373	29.3	26.0-32.6	694	70.7	67.4-74.0
Less than \$15,000	175	19,296	112	57.2	47.2-67.2	63	42.8	32.8-52.8
\$15,000- 24,999	291	29,479	171	56.1	48.5-63.7	120	43.9	36.3-51.5
\$25,000- 34,999	231	22,578	119	42.3	33.9-50.7	112	57.7	49.3-66.1
\$35,000- 49,999	478	38,042	272	53.3	47.4-59.2	206	46.7	40.8-52.6
\$50,000- 74,999	585	52,788	295	48.4	43.1-53.7	290	51.6	46.3-56.9
\$75,000+	1192	103,690	518	44.4	40.7-48.1	674	55.6	51.9-59.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3579	278,335	1422	38.8	36.4-41.2	2157	61.2	58.8-63.6
Native	117	10,801	95	82.7	72.9-92.5	22	17.3	7.5-27.1
Non-Native	3433	264,918	1315	36.9	34.5-39.3	2118	63.1	60.7-65.5
18-24	144	41,147	27	19.4	12.3-26.5	117	80.6	73.5-87.7
25-34	297	49,994	113	39.8	33.1-46.5	184	60.2	53.5-66.9
35-44	308	41,259	127	44.8	38.1-51.5	181	55.2	48.5-61.9
45-54	469	39,242	178	40.4	35.1-45.7	291	59.6	54.3-64.9
55-64	853	45,408	357	44.9	41.0-48.8	496	55.1	51.2-59.0
65+	1508	61,286	620	41.6	38.7-44.5	888	58.4	55.5-61.3
Less Than H.S.	183	19,807	92	48.7	38.9-58.5	91	51.3	41.5-61.1
H.S. or G.E.D.	1000	70,855	473	47.0	42.5-51.5	527	53.0	48.5-57.5
Some Post-H.S.	1170	110,675	486	40.5	36.6-44.4	684	59.5	55.6-63.4
College Graduate	1219	76,573	368	26.3	23.2-29.4	851	73.7	70.6-76.8
Less than \$15,000	239	22,463	134	48.9	39.5-58.3	105	51.1	41.7-60.5
\$15,000- 24,999	502	37,703	237	44.5	38.2-50.8	265	55.5	49.2-61.8
\$25,000- 34,999	360	24,810	158	47.2	39.2-55.2	202	52.8	44.8-60.8
\$35,000- 49,999	492	39,552	202	38.1	32.0-44.2	290	61.9	55.8-68.0
\$50,000- 74,999	546	39,853	219	39.7	33.8-45.6	327	60.3	54.4-66.2
\$75,000+	1013	84,018	341	34.1	30.2-38.0	672	65.9	62.0-69.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2998	244,805	765	30.8	28.4-33.2	282	11.6	9.8-13.4	1951	57.7	55.3-60.1
Male	1586	137,235	397	30.5	27.4-33.6	135	10.3	8.1-12.5	1054	59.2	55.9-62.5
Female	1412	107,570	368	31.0	27.5-34.5	147	13.1	10.4-15.8	897	55.8	52.1-59.5
Native	161	15,745	75	52.8	42.6-63.0	32	21.7	13.5-29.9	54	25.4	17.6-33.2
Non-Native	2801	225,543	686	29.4	27.0-31.8	241	10.5	8.7-12.3	1874	60.0	57.5-62.5
18-24	78	18,774	31	38.1	25.9-50.3	20	23.0	12.8-33.2	27	38.9	26.2-51.6
25-34	278	48,102	107	40.3	33.4-47.2	36	12.1	7.8-16.4	135	47.6	40.7-54.5
35-44	320	43,277	93	29.2	23.5-34.9	43	15.1	10.2-20.0	184	55.7	49.4-62.0
45-54	365	32,886	128	37.4	31.5-43.3	59	15.2	10.9-19.5	178	47.4	41.5-53.3
55-64	703	43,157	221	34.4	30.1-38.7	61	8.8	6.3-11.3	421	56.9	52.6-61.2
65+	1254	58,610	185	15.3	12.8-17.8	63	4.8	3.4-6.2	1006	79.9	77.2-82.6
Less Than H.S.	233	28,204	81	42.6	34.2-51.0	17	9.1	4.0-14.2	135	48.3	39.7-56.9
H.S. or G.E.D.	1012	79,385	287	34.7	30.6-38.8	107	13.9	10.8-17.0	618	51.5	47.4-55.6
Some Post-H.S.	1013	97,018	257	28.8	25.1-32.5	99	11.4	8.7-14.1	657	59.8	55.9-63.7
College Graduate	736	40,007	137	19.3	15.6-23.0	58	8.8	6.1-11.5	541	71.9	67.6-76.2
Less than \$15,000	246	22,024	99	45.4	37.0-53.8	35	17.9	10.8-25.0	112	36.7	28.9-44.5
\$15,000- 24,999	407	33,192	135	41.1	34.4-47.8	43	13.4	8.5-18.3	229	45.6	39.1-52.1
\$25,000- 34,999	276	21,237	83	35.5	27.9-43.1	26	16.2	9.1-23.3	167	48.4	40.4-56.4
\$35,000- 49,999	468	35,128	99	23.6	18.1-29.1	54	12.4	8.3-16.5	315	63.9	57.8-70.0
\$50,000- 74,999	511	41,233	118	28.2	22.5-33.9	32	7.6	4.1-11.1	361	64.1	58.2-70.0
\$75,000+	854	74,189	177	24.9	20.8-29.0	75	9.8	7.1-12.5	602	65.3	60.8-69.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1586	137,235	397	30.5	27.4-33.6	135	10.3	8.1-12.5	1054	59.2	56.1-62.3
Native	66	6,817	27	48.5	33.4-63.6	16	27.1	13.8-40.4	23	24.4	13.4-35.4
Non-Native	1495	128,385	368	29.9	26.8-33.0	112	9.2	7.0-11.4	1015	60.9	57.6-64.2
18-24	51	10,809	22	39.7	24.2-55.2	13	22.5	10.0-35.0	16	37.8	21.1-54.5
25-34	165	28,207	63	39.9	31.3-48.5	24	14.3	8.0-20.6	78	45.9	37.1-54.7
35-44	194	24,909	52	27.5	20.2-34.8	23	13.5	7.6-19.4	119	58.9	50.9-66.9
45-54	188	17,111	72	42.5	34.3-50.7	18	6.7	3.2-10.2	98	50.9	42.7-59.1
55-64	348	22,872	107	32.2	26.3-38.1	35	9.2	5.5-12.9	206	58.5	52.2-64.8
65+	640	33,327	81	14.5	11.0-18.0	22	3.3	1.7- 4.9	537	82.2	78.5-85.9
Less Than H.S.	141	18,556	50	42.8	32.2-53.4	11	8.1	2.2-14.0	80	49.0	38.2-59.8
H.S. or G.E.D.	542	46,217	154	34.9	29.6-40.2	59	13.6	9.5-17.7	329	51.5	46.0-57.0
Some Post-H.S.	532	52,343	131	27.5	22.6-32.4	41	9.6	6.3-12.9	360	62.9	57.6-68.2
College Graduate	370	20,060	62	17.1	12.4-21.8	23	6.3	3.0- 9.6	285	76.6	71.1-82.1
Less than \$15,000	112	11,031	51	50.3	38.7-61.9	18	19.4	9.4-29.4	43	30.3	20.5-40.1
\$15,000- 24,999	171	16,528	55	38.7	29.1-48.3	14	9.6	3.5-15.7	102	51.7	42.1-61.3
\$25,000- 34,999	119	9,558	35	36.4	24.6-48.2	7	10.8	2.0-19.6	77	52.9	40.9-64.9
\$35,000- 49,999	270	20,227	57	23.2	16.5-29.9	26	11.6	6.1-17.1	187	65.2	57.6-72.8
\$50,000- 74,999	292	25,415	67	29.6	22.3-36.9	20	8.2	3.7-12.7	205	62.2	54.6-69.8
\$75,000+	513	45,549	108	25.3	20.2-30.4	44	9.9	6.4-13.4	361	64.8	59.1-70.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1412	107,570	368	31.0	27.5-34.5	147	13.1	10.4-15.8	897	55.8	52.1-59.5
Native	95	8,928	48	56.2	42.7-69.7	16	17.6	7.4-27.8	31	26.2	15.2-37.2
Non-Native	1306	97,158	318	28.8	25.3-32.3	129	12.3	9.6-15.0	859	58.9	55.0-62.8
25-34	113	19,894	44	40.9	29.9-51.9	12	9.0	3.3-14.7	57	50.1	39.1-61.1
35-44	126	18,368	41	31.4	22.0-40.8	20	17.3	8.9-25.7	65	51.3	41.1-61.5
45-54	177	15,774	56	32.0	24.0-40.0	41	24.5	16.9-32.1	80	43.5	34.9-52.1
55-64	355	20,285	114	36.8	30.7-42.9	26	8.2	4.9-11.5	215	55.0	48.7-61.3
65+	614	25,284	104	16.3	13.0-19.6	41	6.9	4.5- 9.3	469	76.8	72.9-80.7
Less Than H.S.	92	9,647	31	42.2	27.9-56.5	6	11.0	1.0-21.0	55	46.8	32.7-60.9
H.S. or G.E.D.	470	33,168	133	34.4	28.1-40.7	48	14.2	9.1-19.3	289	51.4	44.9-57.9
Some Post-H.S.	481	44,675	126	30.3	24.4-36.2	58	13.6	9.3-17.9	297	56.1	50.0-62.2
College Graduate	366	19,947	75	21.5	15.8-27.2	35	11.4	6.9-15.9	256	67.1	60.6-73.6
Less than \$15,000	134	10,992	48	40.6	28.4-52.8	17	16.3	6.3-26.3	69	43.1	30.9-55.3
\$15,000- 24,999	236	16,664	80	43.4	34.2-52.6	29	17.1	9.7-24.5	127	39.5	30.9-48.1
\$25,000- 34,999	157	11,680	48	34.8	24.6-45.0	19	20.6	10.4-30.8	90	44.6	34.0-55.2
\$35,000- 49,999	198	14,901	42	24.2	15.4-33.0	28	13.6	7.5-19.7	128	62.2	52.6-71.8
\$50,000- 74,999	219	15,818	51	26.1	17.5-34.7	12	6.8	1.3-12.3	156	67.2	57.8-76.6
\$75,000+	341	28,639	69	24.2	17.3-31.1	31	9.8	5.5-14.1	241	66.1	58.8-73.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1040	102,568	530	54.6	50.7-58.5	510	45.4	41.5-49.3
Male	526	55,109	261	53.5	48.2-58.8	265	46.5	41.2-51.8
Female	514	47,459	269	55.9	50.0-61.8	245	44.1	38.2-50.0
Native	106	11,591	61	57.6	45.1-70.1	45	42.4	29.9-54.9
Non-Native	921	89,337	460	53.9	49.8-58.0	461	46.1	42.0-50.2
18-24	51	11,475	39	77.1	63.8-90.4	12	22.9	9.6-36.2
25-34	139	24,498	83	56.8	47.0-66.6	56	43.2	33.4-53.0
35-44	136	19,169	80	64.1	55.1-73.1	56	35.9	26.9-44.9
45-54	187	17,309	88	43.9	35.7-52.1	99	56.1	47.9-64.3
55-64	281	18,507	122	43.2	36.3-50.1	159	56.8	49.9-63.7
65+	246	11,610	118	46.4	39.0-53.8	128	53.6	46.2-61.0
Less Than H.S.	96	14,411	50	55.0	42.7-67.3	46	45.0	32.7-57.3
H.S. or G.E.D.	389	37,707	201	53.8	47.3-60.3	188	46.2	39.7-52.7
Some Post-H.S.	356	39,012	182	56.2	49.7-62.7	174	43.8	37.3-50.3
College Graduate	195	11,247	96	51.7	42.7-60.7	99	48.3	39.3-57.3
Less than \$15,000	132	13,430	71	52.0	40.8-63.2	61	48.0	36.8-59.2
\$15,000- 24,999	176	17,888	85	51.8	42.4-61.2	91	48.2	38.8-57.6
\$25,000- 34,999	109	10,969	58	59.5	47.9-71.1	51	40.5	28.9-52.1
\$35,000- 49,999	153	12,667	89	64.5	54.7-74.3	64	35.5	25.7-45.3
\$50,000- 74,999	149	14,717	74	54.9	44.3-65.5	75	45.1	34.5-55.7
\$75,000+	251	25,661	128	52.4	44.4-60.4	123	47.6	39.6-55.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	526	55,109	261	53.5	48.2-58.8	265	46.5	41.2-51.8
Non-Native	475	49,460	232	52.5	46.8-58.2	243	47.5	41.8-53.2
25-34	83	14,567	50	59.3	47.0-71.6	33	40.7	28.4-53.0
35-44	75	10,226	42	57.5	44.8-70.2	33	42.5	29.8-55.2
45-54	90	8,402	37	35.3	24.1-46.5	53	64.7	53.5-75.9
55-64	141	9,376	62	45.4	35.4-55.4	79	54.6	44.6-64.6
65+	102	5,820	42	38.1	27.1-49.1	60	61.9	50.9-72.9
Less Than H.S.	59	9,274	33	56.8	41.7-71.9	26	43.2	28.1-58.3
H.S. or G.E.D.	209	21,663	105	54.2	45.8-62.6	104	45.8	37.4-54.2
Some Post-H.S.	172	19,419	83	52.7	43.7-61.7	89	47.3	38.3-56.3
College Graduate	85	4,694	39	47.1	33.8-60.4	46	52.9	39.6-66.2
Less than \$15,000	67	7,178	39	55.4	40.5-70.3	28	44.6	29.7-59.5
\$15,000- 24,999	68	7,874	27	43.5	28.8-58.2	41	56.5	41.8-71.2
\$35,000- 49,999	83	7,034	46	64.7	52.4-77.0	37	35.3	23.0-47.6
\$50,000- 74,999	86	9,523	39	50.3	36.6-64.0	47	49.7	36.0-63.4
\$75,000+	151	15,944	75	52.3	42.3-62.3	76	47.7	37.7-57.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	514	47,459	269	55.9	50.0-61.8	245	44.1	38.2-50.0
Native	64	6,586	38	54.4	37.0-71.8	26	45.6	28.2-63.0
Non-Native	446	39,877	228	55.8	49.5-62.1	218	44.2	37.9-50.5
25-34	56	9,931	33	53.2	37.5-68.9	23	46.8	31.1-62.5
35-44	61	8,942	38	71.6	59.4-83.8	23	28.4	16.2-40.6
45-54	97	8,907	51	52.0	40.4-63.6	46	48.0	36.4-59.6
55-64	140	9,131	60	40.9	31.5-50.3	80	59.1	49.7-68.5
65+	144	5,790	76	54.8	45.2-64.4	68	45.2	35.6-54.8
H.S. or G.E.D.	180	16,044	96	53.4	43.4-63.4	84	46.6	36.6-56.6
Some Post-H.S.	184	19,593	99	59.7	50.5-68.9	85	40.3	31.1-49.5
College Graduate	110	6,553	57	55.1	42.9-67.3	53	44.9	32.7-57.1
Less than \$15,000	65	6,251	32	48.0	31.1-64.9	33	52.0	35.1-68.9
\$15,000- 24,999	108	10,014	58	58.3	46.3-70.3	50	41.7	29.7-53.7
\$25,000- 34,999	67	6,466	35	54.0	38.5-69.5	32	46.0	30.5-61.5
\$35,000- 49,999	70	5,633	43	64.2	48.5-79.9	27	35.8	20.1-51.5
\$50,000- 74,999	63	5,195	35	63.5	47.4-79.6	28	36.5	20.4-52.6
\$75,000+	100	9,717	53	52.5	38.8-66.2	47	47.5	33.8-61.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1940	139,966	180	14.7	12.2-17.2	255	19.9	17.2-22.6	204	12.5	10.5-14.5	1299	52.9	49.8-56.0	2	0.0	0.0- 0.0
Male	1046	80,195	99	14.7	11.2-18.2	147	19.5	16.0-23.0	107	11.3	8.9-13.7	692	54.4	50.3-58.5	1	0.0	0.0- 0.0
Female	894	59,771	81	14.6	10.7-18.5	108	20.4	15.9-24.9	97	14.1	10.6-17.6	607	50.8	46.1-55.5	1	0.1	0.0- 0.3
Native	54	4,006	10	24.8	8.5-41.1	10	15.5	5.1-25.9	9	22.6	8.7-36.5	24	36.7	21.2-52.2	1	0.4	0.0- 1.2
Non-Native	1863	134,082	167	14.3	11.6-17.0	242	20.1	17.4-22.8	191	12.1	9.9-14.3	1262	53.5	50.4-56.6	1	0.0	0.0- 0.0
25-34	135	22,897	49	31.2	22.4-40.0	47	41.7	31.9-51.5	27	17.4	10.3-24.5	12	9.7	3.6-15.8			
35-44	184	24,108	27	14.3	8.6-20.0	48	26.2	18.8-33.6	39	19.6	12.9-26.3	70	39.9	31.9-47.9			
45-54	174	15,165	14	7.6	3.3-11.9	40	24.0	16.4-31.6	21	12.7	7.0-18.4	99	55.7	47.1-64.3			
55-64	421	24,536	26	5.8	3.4- 8.2	55	15.6	11.1-20.1	60	15.2	11.1-19.3	279	63.3	57.8-68.8	1	0.2	0.0- 0.6
65+	1001	46,427	46	4.5	2.9- 6.1	58	6.5	4.5- 8.5	57	6.8	4.8- 8.8	839	82.2	79.3-85.1	1	0.0	0.0- 0.0
Less Than H.S.	134	13,484	10	18.7	5.2-32.2	15	15.0	7.0-23.0	15	10.7	4.6-16.8	94	55.6	43.1-68.1			
H.S. or G.E.D.	616	40,586	68	15.8	11.5-20.1	77	19.1	14.2-24.0	70	13.5	9.8-17.2	401	51.6	46.3-56.9			
Some Post-H.S.	652	57,520	60	13.8	9.9-17.7	105	24.2	19.3-29.1	63	11.9	8.4-15.4	423	50.0	44.9-55.1	1	0.0	0.0- 0.0
College Graduate	538	28,375	42	12.9	8.6-17.2	58	14.7	10.4-19.0	56	13.0	9.1-16.9	381	59.2	53.5-64.9	1	0.2	0.0- 0.6
Less than \$15,000	111	7,957	18	25.8	12.5-39.1	17	19.6	9.4-29.8	8	5.9	1.0-10.8	68	48.6	35.7-61.5			
\$15,000- 24,999	228	14,991	23	19.2	10.4-28.0	32	16.8	8.8-24.8	24	11.3	5.8-16.8	149	52.7	43.3-62.1			
\$25,000- 34,999	167	10,268	12	11.4	3.2-19.6	21	21.0	11.4-30.6	18	12.4	5.5-19.3	115	55.1	44.5-65.7	1	0.2	0.0- 0.6
\$35,000- 49,999	313	22,190	33	14.5	8.0-21.0	42	20.6	13.7-27.5	33	13.6	8.3-18.9	205	51.3	43.9-58.7			
\$50,000- 74,999	359	26,123	30	12.0	7.1-16.9	55	26.1	19.0-33.2	35	12.3	7.4-17.2	239	49.6	42.5-56.7			
\$75,000+	600	48,287	54	14.4	9.5-19.3	75	19.4	14.7-24.1	69	13.8	10.1-17.5	401	52.2	46.7-57.7	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1046	80,195	99	14.7	11.2-18.2	147	19.5	16.0-23.0	107	11.3	8.9-13.7	692	54.4	50.3-58.5	1	0.0	0.0-0.0
Non-Native	1007	77,141	90	14.3	10.6-18.0	141	19.6	16.1-23.1	102	11.3	8.8-13.8	674	54.8	50.7-58.9			
25-34	78	12,934	28	31.6	20.0-43.2	29	44.0	31.3-56.7	15	17.3	8.1-26.5	6	7.1	1.0-13.2			
35-44	119	14,682	15	12.9	6.0-19.8	30	22.9	14.5-31.3	24	15.9	9.0-22.8	50	48.3	38.1-58.5			
45-54	96	8,438	7	7.7	1.4-14.0	22	22.0	12.4-31.6	13	14.1	6.3-21.9	54	56.2	44.8-67.6			
55-64	206	13,383	14	5.9	2.6-9.2	30	17.8	11.3-24.3	31	14.4	9.1-19.7	131	61.9	54.3-69.5			
65+	533	27,132	25	4.8	2.6-7.0	32	6.8	4.1-9.5	24	5.1	2.7-7.5	451	83.3	79.4-87.2	1	0.1	0.0-0.3
Less Than H.S.	80	9,099	6	18.6	0.8-36.4	10	14.1	4.9-23.3	9	10.1	3.0-17.2	55	57.2	41.3-73.1			
H.S. or G.E.D.	327	23,536	37	13.5	8.6-18.4	41	19.8	13.5-26.1	39	13.3	8.6-18.0	210	53.4	46.5-60.3			
Some Post-H.S.	356	32,516	39	16.6	10.9-22.3	64	22.9	16.8-29.0	33	10.4	6.5-14.3	219	50.1	43.4-56.8	1	0.1	0.0-0.3
College Graduate	283	15,044	17	10.3	4.8-15.8	32	15.0	9.3-20.7	26	11.0	6.3-15.7	208	63.6	56.2-71.0			
\$15,000- 24,999	101	8,414	16	25.1	12.0-38.2	15	14.0	5.6-22.4	13	11.1	4.0-18.2	57	49.8	37.1-62.5			
\$25,000- 34,999	77	5,055	5	9.9	0.0-21.3	11	16.0	6.0-26.0	7	8.8	0.8-16.8	53	65.0	50.7-79.3	1	0.3	0.0-0.9
\$35,000- 49,999	185	12,922	17	12.1	5.0-19.2	30	23.1	14.1-32.1	20	13.7	7.0-20.4	118	51.1	41.9-60.3			
\$50,000- 74,999	204	15,578	18	13.2	6.5-19.9	30	22.7	14.3-31.1	22	11.9	6.4-17.4	134	52.2	43.4-61.0			
\$75,000+	359	29,365	33	14.9	8.0-21.8	45	19.3	13.2-25.4	37	12.2	7.9-16.5	244	53.6	46.3-60.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	894	59,771	81	14.6	10.7-18.5	108	20.4	15.9-24.9	97	14.1	10.6-17.6	607	50.8	46.1-55.5	1	0.1	0.0- 0.3
Non-Native	856	56,941	77	14.3	10.4-18.2	101	20.8	16.1-25.5	89	13.2	9.7-16.7	588	51.6	46.7-56.5	1	0.1	0.0- 0.3
25-34	57	9,963	21	30.8	17.3-44.3	18	38.7	23.2-54.2	12	17.5	6.5-28.5	6	12.9	1.7-24.1			
35-44	65	9,426	12	16.5	6.3-26.7	18	31.4	18.1-44.7	15	25.3	12.2-38.4	20	26.8	15.0-38.6			
45-54	78	6,727	7	7.5	1.4-13.6	18	26.6	14.3-38.9	8	10.9	2.9-18.9	45	55.0	41.9-68.1			
55-64	215	11,153	12	5.6	2.3- 8.9	25	12.8	7.1-18.5	29	16.1	9.8-22.4	148	65.0	57.2-72.8	1	0.5	0.0- 1.5
65+	468	19,295	21	4.1	1.9- 6.3	26	6.1	3.2- 9.0	33	9.1	5.4-12.8	388	80.7	76.0-85.4			
Less Than H.S.	54	4,385	4	18.8	0.0-37.6	5	16.9	1.0-32.8	6	12.0	0.8-23.2	39	52.3	32.7-71.9			
H.S. or G.E.D.	289	17,051	31	19.0	11.2-26.8	36	18.1	10.5-25.7	31	13.8	7.7-19.9	191	49.1	40.7-57.5			
Some Post-H.S.	296	25,004	21	10.3	4.8-15.8	41	25.9	18.1-33.7	30	14.0	7.9-20.1	204	49.8	42.0-57.6			
College Graduate	255	13,331	25	15.9	8.8-23.0	26	14.3	7.6-21.0	30	15.3	9.0-21.6	173	54.2	45.8-62.6	1	0.4	0.0- 1.2
Less than \$15,000	68	4,615	14	33.7	14.3-53.1	9	14.7	3.3-26.1	6	6.6	0.1-13.1	39	45.0	27.0-63.0			
\$15,000- 24,999	127	6,577	7	11.7	1.5-21.9	17	20.5	6.0-35.0	11	11.5	2.9-20.1	92	56.4	42.3-70.5			
\$25,000- 34,999	90	5,213	7	12.9	1.1-24.7	10	25.9	10.4-41.4	11	15.8	4.8-26.8	62	45.4	31.3-59.5			
\$35,000- 49,999	128	9,269	16	17.8	5.8-29.8	12	17.1	6.5-27.7	13	13.6	5.2-22.0	87	51.6	39.1-64.1			
\$50,000- 74,999	155	10,545	12	10.2	2.8-17.6	25	31.2	19.0-43.4	13	12.8	3.8-21.8	105	45.8	34.8-56.8			
\$75,000+	241	18,922	21	13.6	7.3-19.9	30	19.7	11.9-27.5	32	16.3	9.6-23.0	157	50.1	41.7-58.5	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6724	563,285	213	3.8	3.2- 4.4	118	2.4	1.8- 3.0	6393	93.8	93.0-94.6
Male	3164	285,997	205	7.3	6.1- 8.5	105	4.3	3.3- 5.3	2854	88.3	86.7-89.9
Female	3560	277,288	8	0.2	0.0- 0.4	13	0.4	0.2- 0.6	3539	99.4	99.0-99.8
Native	227	22,262	18	8.1	3.4-12.8	5	2.4	0.0- 4.8	204	89.5	84.2-94.8
Non-Native	6420	533,224	192	3.6	3.0- 4.2	112	2.4	1.8- 3.0	6116	94.0	93.2-94.8
18-24	356	87,273	18	4.4	2.2- 6.6	20	4.4	2.2- 6.6	318	91.2	88.1-94.3
25-34	669	107,815	39	5.7	3.5- 7.9	24	3.2	1.6- 4.8	606	91.1	88.6-93.6
35-44	676	86,094	34	4.3	2.7- 5.9	22	3.3	1.7- 4.9	620	92.4	90.2-94.6
45-54	925	79,592	45	4.4	2.8- 6.0	18	1.7	0.7- 2.7	862	93.9	92.1-95.7
55-64	1597	91,255	51	3.3	2.1- 4.5	18	1.5	0.7- 2.3	1528	95.2	93.8-96.6
65+	2501	111,257	26	1.3	0.7- 1.9	16	0.6	0.2- 1.0	2459	98.1	97.3-98.9
Less Than H.S.	374	46,576	15	4.7	1.8- 7.6	8	3.0	0.6- 5.4	351	92.3	88.6-96.0
H.S. or G.E.D.	1886	150,710	91	6.1	4.5- 7.7	44	3.1	1.9- 4.3	1751	90.7	88.7-92.7
Some Post-H.S.	2171	220,081	64	3.3	2.3- 4.3	42	2.6	1.6- 3.6	2065	94.1	92.7-95.5
College Graduate	2282	145,201	43	2.0	1.2- 2.8	24	1.2	0.6- 1.8	2215	96.9	95.9-97.9
Less than \$15,000	413	40,886	12	3.9	1.0- 6.8	7	2.3	0.3- 4.3	394	93.9	90.6-97.2
\$15,000- 24,999	783	66,274	16	2.6	0.8- 4.4	11	1.3	0.1- 2.5	756	96.0	94.0-98.0
\$25,000- 34,999	591	47,417	12	1.9	0.3- 3.5	7	2.1	0.3- 3.9	572	96.0	93.6-98.4
\$35,000- 49,999	965	77,185	29	3.8	2.0- 5.6	19	3.3	1.3- 5.3	917	93.0	90.5-95.5
\$50,000- 74,999	1128	92,412	43	4.8	3.0- 6.6	28	3.1	1.5- 4.7	1057	92.2	90.0-94.4
\$75,000+	2201	187,193	86	4.5	3.3- 5.7	40	2.3	1.5- 3.1	2075	93.3	91.9-94.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3164	285,997	205	7.3	6.1- 8.5	105	4.3	3.3- 5.3	2854	88.3	86.7-89.9
Native	112	11,819	17	15.0	6.4-23.6	4	3.6	0.0- 7.5	91	81.4	72.2-90.6
Non-Native	3003	268,977	186	7.0	5.8- 8.2	100	4.4	3.2- 5.6	2717	88.5	86.9-90.1
18-24	211	45,955	18	8.4	4.3-12.5	18	7.8	3.9-11.7	175	83.8	78.3-89.3
25-34	373	58,125	38	10.0	6.3-13.7	24	6.0	3.3- 8.7	311	84.0	79.7-88.3
35-44	370	44,989	34	8.2	5.3-11.1	20	5.7	2.8- 8.6	316	86.2	82.1-90.3
45-54	458	40,444	44	8.5	5.6-11.4	16	2.7	1.1- 4.3	398	88.8	85.7-91.9
55-64	745	46,011	48	6.1	3.9- 8.3	16	2.7	1.1- 4.3	681	91.2	88.7-93.7
65+	1007	50,474	23	2.6	1.2- 4.0	11	1.0	0.4- 1.6	973	96.4	94.8-98.0
Less Than H.S.	192	26,798	15	8.2	3.3-13.1	8	5.2	1.1- 9.3	169	86.5	80.2-92.8
H.S. or G.E.D.	896	80,238	88	11.0	8.3-13.7	38	5.3	3.1- 7.5	770	83.7	80.4-87.0
Some Post-H.S.	1007	110,083	60	6.4	4.4- 8.4	36	4.6	2.8- 6.4	911	88.9	86.4-91.4
College Graduate	1064	68,516	42	4.1	2.5- 5.7	23	2.4	1.2- 3.6	999	93.4	91.4-95.4
Less than \$15,000	174	18,626	11	8.3	2.2-14.4	7	5.0	0.9- 9.1	156	86.8	79.5-94.1
\$15,000- 24,999	288	29,055	14	5.6	1.7- 9.5	10	2.8	0.4- 5.2	264	91.6	87.1-96.1
\$25,000- 34,999	232	22,625	12	3.9	0.8- 7.0	6	3.6	0.3- 6.9	214	92.5	88.0-97.0
\$35,000- 49,999	477	37,818	29	7.7	4.2-11.2	16	6.2	2.5- 9.9	432	86.0	81.3-90.7
\$50,000- 74,999	583	52,561	41	8.1	5.2-11.0	24	5.0	2.5- 7.5	518	86.8	83.1-90.5
\$75,000+	1186	103,010	83	7.7	5.7- 9.7	37	3.9	2.3- 5.5	1066	88.4	86.0-90.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3560	277,288	8	0.2	0.0- 0.4	13	0.4	0.2- 0.6	3539	99.4	99.0-99.8
Native	115	10,442	1	0.3	0.0- 0.9	1	1.1	0.0- 3.3	113	98.5	96.1- 100
Non-Native	3417	264,247	6	0.1	0.0- 0.3	12	0.4	0.2- 0.6	3399	99.5	99.3-99.7
18-24	145	41,318				2	0.6	0.0- 1.6	143	99.4	98.4- 100
25-34	296	49,691	1	0.6	0.0- 1.8				295	99.4	98.2- 100
35-44	306	41,104				2	0.7	0.0- 1.7	304	99.3	98.3- 100
45-54	467	39,149	1	0.1	0.0- 0.3	2	0.7	0.0- 1.7	464	99.2	98.2- 100
55-64	852	45,244	3	0.4	0.0- 0.8	2	0.3	0.0- 0.7	847	99.4	98.8- 100
65+	1494	60,783	3	0.3	0.0- 0.7	5	0.2	0.0- 0.4	1486	99.5	99.1-99.9
Less Than H.S.	182	19,778							182	100.0	100.0- 100
H.S. or G.E.D.	990	70,472	3	0.6	0.0- 1.4	6	0.7	0.1- 1.3	981	98.8	97.6- 100
Some Post-H.S.	1164	109,998	4	0.2	0.0- 0.4	6	0.5	0.1- 0.9	1154	99.3	98.7-99.9
College Graduate	1218	76,685	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	1216	99.9	99.7- 100
Less than \$15,000	239	22,260	1	0.2	0.0- 0.6				238	99.8	99.4- 100
\$15,000- 24,999	495	37,218	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6	492	99.5	98.9- 100
\$25,000- 34,999	359	24,792				1	0.8	0.0- 2.4	358	99.2	97.6- 100
\$35,000- 49,999	488	39,368				3	0.4	0.0- 0.8	485	99.6	99.2- 100
\$50,000- 74,999	545	39,851	2	0.3	0.0- 0.7	4	0.5	0.0- 1.1	539	99.2	98.4- 100
\$75,000+	1015	84,184	3	0.5	0.0- 1.3	3	0.3	0.0- 0.7	1009	99.2	98.4- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017

SECTION 10: E-CIGARETTES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	198
2	MALES ONLY	199
3	FEMALES ONLY	200
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	201
5	MALES ONLY	202
6	FEMALES ONLY	203

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6730	564,322	861	20.6	19.0-22.2	5869	79.4	77.8-81.0
Male	3170	287,085	496	23.5	21.3-25.7	2674	76.5	74.3-78.7
Female	3560	277,236	365	17.7	15.5-19.9	3195	82.3	80.1-84.5
Native	228	22,826	57	35.9	27.1-44.7	171	64.1	55.3-72.9
Non-Native	6424	533,651	796	20.0	18.4-21.6	5628	80.0	78.4-81.6
18-24	358	87,776	150	40.4	34.5-46.3	208	59.6	53.7-65.5
25-34	666	107,643	201	32.6	28.3-36.9	465	67.4	63.1-71.7
35-44	674	85,947	133	22.0	18.3-25.7	541	78.0	74.3-81.7
45-54	926	79,853	129	15.0	12.3-17.7	797	85.0	82.3-87.7
55-64	1597	91,544	151	11.6	9.6-13.6	1446	88.4	86.4-90.4
65+	2509	111,558	97	3.9	2.9- 4.9	2412	96.1	95.1-97.1
Less Than H.S.	373	46,728	62	27.0	20.5-33.5	311	73.0	66.5-79.5
H.S. or G.E.D.	1888	150,791	302	26.7	23.6-29.8	1586	73.3	70.2-76.4
Some Post-H.S.	2179	221,013	323	22.4	19.9-24.9	1856	77.6	75.1-80.1
College Graduate	2276	144,890	173	9.6	7.8-11.4	2103	90.4	88.6-92.2
Less than \$15,000	414	41,728	94	32.0	25.3-38.7	320	68.0	61.3-74.7
\$15,000- 24,999	784	66,746	119	26.8	21.9-31.7	665	73.2	68.3-78.1
\$25,000- 34,999	594	47,459	83	23.7	18.0-29.4	511	76.3	70.6-82.0
\$35,000- 49,999	964	76,943	122	19.6	15.7-23.5	842	80.4	76.5-84.3
\$50,000- 74,999	1129	92,419	134	20.0	16.3-23.7	995	80.0	76.3-83.7
\$75,000+	2200	187,106	243	16.0	13.8-18.2	1957	84.0	81.8-86.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3170	287,085	496	23.5	21.3-25.7	2674	76.5	74.3-78.7
Native	112	12,081	35	42.8	30.6-55.0	77	57.2	45.0-69.4
Non-Native	3007	269,694	458	22.9	20.7-25.1	2549	77.1	74.9-79.3
18-24	213	46,458	100	44.4	36.8-52.0	113	55.6	48.0-63.2
25-34	373	58,387	133	37.7	31.8-43.6	240	62.3	56.4-68.2
35-44	368	44,790	85	25.2	19.9-30.5	283	74.8	69.5-80.1
45-54	458	40,570	62	14.1	10.4-17.8	396	85.9	82.2-89.6
55-64	747	46,245	75	11.9	9.0-14.8	672	88.1	85.2-91.0
65+	1011	50,634	41	4.3	2.7- 5.9	970	95.7	94.1-97.3
Less Than H.S.	191	27,005	41	33.2	24.0-42.4	150	66.8	57.6-76.0
H.S. or G.E.D.	896	80,296	177	29.4	25.1-33.7	719	70.6	66.3-74.9
Some Post-H.S.	1011	110,628	184	24.6	21.1-28.1	827	75.4	71.9-78.9
College Graduate	1065	68,682	93	11.0	8.5-13.5	972	89.0	86.5-91.5
Less than \$15,000	176	19,328	46	37.5	27.7-47.3	130	62.5	52.7-72.3
\$15,000- 24,999	288	29,228	56	29.8	22.2-37.4	232	70.2	62.6-77.8
\$25,000- 34,999	233	22,629	37	22.4	14.6-30.2	196	77.6	69.8-85.4
\$35,000- 49,999	474	37,523	80	24.1	18.6-29.6	394	75.9	70.4-81.4
\$50,000- 74,999	585	52,774	85	23.4	18.3-28.5	500	76.6	71.5-81.7
\$75,000+	1188	103,292	160	19.2	16.1-22.3	1028	80.8	77.7-83.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3560	277,236	365	17.7	15.5-19.9	3195	82.3	80.1-84.5
Native	116	10,746	22	28.1	15.6-40.6	94	71.9	59.4-84.4
Non-Native	3417	263,957	338	17.1	14.9-19.3	3079	82.9	80.7-85.1
18-24	145	41,318	50	36.0	27.2-44.8	95	64.0	55.2-72.8
25-34	293	49,256	68	26.5	20.4-32.6	225	73.5	67.4-79.6
35-44	306	41,157	48	18.4	12.9-23.9	258	81.6	76.1-87.1
45-54	468	39,283	67	15.9	11.8-20.0	401	84.1	80.0-88.2
55-64	850	45,299	76	11.3	8.6-14.0	774	88.7	86.0-91.4
65+	1498	60,924	56	3.5	2.5- 4.5	1442	96.5	95.5-97.5
Less Than H.S.	182	19,724	21	18.4	10.2-26.6	161	81.6	73.4-89.8
H.S. or G.E.D.	992	70,495	125	23.7	19.2-28.2	867	76.3	71.8-80.8
Some Post-H.S.	1168	110,384	139	20.2	16.5-23.9	1029	79.8	76.1-83.5
College Graduate	1211	76,208	80	8.4	6.0-10.8	1131	91.6	89.2-94.0
Less than \$15,000	238	22,400	48	27.3	18.5-36.1	190	72.7	63.9-81.5
\$15,000- 24,999	496	37,518	63	24.6	18.1-31.1	433	75.4	68.9-81.9
\$25,000- 34,999	361	24,830	46	24.9	16.9-32.9	315	75.1	67.1-83.1
\$35,000- 49,999	490	39,420	42	15.2	9.5-20.9	448	84.8	79.1-90.5
\$50,000- 74,999	544	39,645	49	15.3	10.0-20.6	495	84.7	79.4-90.0
\$75,000+	1012	83,814	83	12.1	9.0-15.2	929	87.9	84.8-91.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	858	116,085	44	6.2	4.0- 8.4	104	14.5	11.4-17.6	710	79.3	75.6-83.0
Male	493	67,029	28	6.0	3.5- 8.5	58	14.9	10.8-19.0	407	79.1	74.4-83.8
Female	365	49,056	16	6.4	2.9- 9.9	46	14.1	9.0-19.2	303	79.5	73.6-85.4
Native	57	8,191				5	10.0	0.0-20.4	52	90.0	79.6- 100
Non-Native	793	106,526	44	6.7	4.3- 9.1	98	15.0	11.7-18.3	651	78.3	74.4-82.2
18-24	149	35,400	12	8.9	3.6-14.2	26	21.4	13.6-29.2	111	69.8	61.2-78.4
25-34	200	34,962	6	2.7	0.3- 5.1	23	12.7	7.4-18.0	171	84.6	78.9-90.3
35-44	133	18,901	8	8.7	2.6-14.8	18	14.4	7.5-21.3	107	76.9	68.5-85.3
45-54	129	11,985	6	5.5	1.2- 9.8	8	5.4	1.3- 9.5	115	89.1	83.2-95.0
55-64	150	10,505	8	4.9	1.4- 8.4	17	9.6	4.7-14.5	125	85.5	79.6-91.4
65+	97	4,332	4	6.6	0.0-13.9	12	11.9	4.1-19.7	81	81.5	71.5-91.5
Less Than H.S.	62	12,594	4	8.5	0.5-16.5	11	16.8	5.8-27.8	47	74.7	62.0-87.4
H.S. or G.E.D.	302	40,325	23	8.4	4.5-12.3	47	21.4	14.9-27.9	232	70.2	63.3-77.1
Some Post-H.S.	321	49,196	10	4.1	1.0- 7.2	30	9.8	5.7-13.9	281	86.0	81.1-90.9
College Graduate	173	13,969	7	4.9	0.4- 9.4	16	9.3	3.8-14.8	150	85.8	78.9-92.7
Less than \$15,000	94	13,351	3	3.9	0.0- 9.2	17	20.8	9.6-32.0	74	75.4	63.6-87.2
\$15,000- 24,999	119	17,918	7	7.5	1.2-13.8	12	10.9	3.8-18.0	100	81.6	72.8-90.4
\$25,000- 34,999	83	11,270	3	1.7	0.0- 3.7	13	24.2	10.1-38.3	67	74.1	60.0-88.2
\$35,000- 49,999	122	15,055	5	3.8	0.0- 8.1	18	19.6	10.0-29.2	99	76.6	66.6-86.6
\$50,000- 74,999	134	18,444	8	8.0	1.1-14.9	12	12.5	4.5-20.5	114	79.5	69.7-89.3
\$75,000+	241	29,730	13	7.8	3.3-12.3	21	8.3	4.4-12.2	207	83.9	78.2-89.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	493	67,029	28	6.0	3.5- 8.5	58	14.9	10.8-19.0	407	79.1	74.4-83.8
Non-Native	455	61,509	28	6.5	3.6- 9.4	52	14.7	10.4-19.0	375	78.8	73.9-83.7
18-24	99	20,534	9	9.9	3.0-16.8	16	21.1	11.3-30.9	74	68.9	57.9-79.9
25-34	132	21,901	3	1.6	0.0- 3.6	17	13.8	6.9-20.7	112	84.6	77.5-91.7
35-44	85	11,309	5	7.3	0.8-13.8	12	17.1	7.7-26.5	68	75.6	64.8-86.4
45-54	62	5,721	5	8.8	1.2-16.4	1	0.8	0.0- 2.4	56	90.3	82.5-98.1
55-64	74	5,369	4	4.4	0.0- 9.1	8	8.2	2.1-14.3	62	87.4	80.0-94.8
H.S. or G.E.D.	177	23,587	16	11.0	5.1-16.9	25	19.6	11.6-27.6	136	69.4	60.6-78.2
Some Post-H.S.	182	26,941	6	3.3	0.0- 6.8	19	11.3	5.8-16.8	157	85.4	79.1-91.7
College Graduate	93	7,535	5	4.5	0.0- 9.2	6	6.6	0.1-13.1	82	88.8	81.0-96.6
\$15,000- 24,999	56	8,702	3	7.2	0.0-16.6	5	10.1	0.5-19.7	48	82.8	70.1-95.5
\$35,000- 49,999	80	9,048	4	4.9	0.0-11.2	9	16.1	5.7-26.5	67	79.1	67.5-90.7
\$50,000- 74,999	85	12,374	6	7.0	0.3-13.7	8	13.2	3.2-23.2	71	79.7	68.3-91.1
\$75,000+	158	19,585	8	6.9	1.6-12.2	13	7.7	2.8-12.6	137	85.4	78.5-92.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	365	49,056	16	6.4	2.9- 9.9	46	14.1	9.0-19.2	303	79.5	73.6-85.4
Non-Native	338	45,017	16	7.0	3.1-10.9	46	15.4	9.9-20.9	276	77.6	71.3-83.9
18-24	50	14,865	3	7.4	0.0-15.8	10	21.7	8.8-34.6	37	70.9	56.6-85.2
25-34	68	13,060	3	4.6	0.0-10.1	6	10.9	2.1-19.7	59	84.5	74.5-94.5
45-54	67	6,264	1	2.4	0.0- 7.1	7	9.5	2.1-16.9	59	88.0	79.4-96.6
55-64	76	5,136	4	5.4	0.1-10.7	9	11.0	3.6-18.4	63	83.5	74.7-92.3
65+	56	2,138	2	10.4	0.0-23.9	8	14.7	4.1-25.3	46	74.9	59.6-90.2
H.S. or G.E.D.	125	16,738	7	4.8	0.5- 9.1	22	24.1	13.1-35.1	96	71.2	60.0-82.4
Some Post-H.S.	139	22,256	4	5.1	0.0-10.6	11	8.1	2.0-14.2	124	86.8	79.0-94.6
College Graduate	80	6,435	2	5.4	0.0-13.6	10	12.4	3.2-21.6	68	82.3	70.7-93.9
\$15,000- 24,999	63	9,216	4	7.9	0.0-16.5	7	11.7	1.7-21.7	52	80.4	67.9-92.9
\$75,000+	83	10,144	5	9.5	0.9-18.1	8	9.5	2.2-16.8	70	81.0	70.4-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	205
2	MALES ONLY	206
3	FEMALES ONLY	207
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4	MALES AND FEMALES	208
5	MALES ONLY	209
6	FEMALES ONLY	210
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	211
8	MALES ONLY	212
9	FEMALES ONLY	213
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10	MALES AND FEMALES	214
11	MALES ONLY	215
12	FEMALES ONLY	216

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6666	559,059	920	14.8	13.6-16.0	127	1.5	1.1- 1.9	2308	36.4	34.8-38.0	593	8.9	7.9- 9.9	2718	38.4	36.8-40.0
Male	3134	284,222	510	17.0	15.2-18.8	87	2.0	1.4- 2.6	1106	36.8	34.6-39.0	401	11.8	10.4-13.2	1030	32.3	30.1-34.5
Female	3532	274,837	410	12.5	10.7-14.3	40	1.0	0.6- 1.4	1202	36.0	33.6-38.4	192	5.8	4.6- 7.0	1688	44.8	42.4-47.2
Native	226	22,672	20	11.4	4.9-17.9	2	1.0	0.0- 2.4	67	31.2	23.2-39.2	11	8.3	2.2-14.4	126	48.1	39.5-56.7
Non-Native	6367	528,938	888	15.0	13.8-16.2	124	1.5	1.1- 1.9	2227	37.0	35.4-38.6	575	8.9	7.9- 9.9	2553	37.7	36.1-39.3
18-24	356	87,456	58	15.1	11.0-19.2				134	35.2	29.7-40.7	32	7.2	4.5- 9.9	132	42.5	36.6-48.4
25-34	662	106,966	122	19.2	15.5-22.9	5	0.8	0.0- 1.6	288	42.5	38.2-46.8	56	8.3	5.8-10.8	191	29.2	25.1-33.3
35-44	666	85,119	106	14.4	11.5-17.3	7	1.2	0.2- 2.2	287	42.3	38.0-46.6	68	11.0	8.1-13.9	198	31.1	27.0-35.2
45-54	919	79,130	150	15.3	12.8-17.8	15	1.7	0.7- 2.7	382	40.5	36.8-44.2	82	9.8	7.4-12.2	290	32.8	29.3-36.3
55-64	1581	90,545	224	14.5	12.3-16.7	26	1.5	0.7- 2.3	564	35.7	33.0-38.4	147	9.3	7.5-11.1	620	39.0	36.1-41.9
65+	2482	109,842	260	10.5	9.1-11.9	74	3.5	2.7- 4.3	653	24.5	22.5-26.5	208	8.2	6.8- 9.6	1287	53.4	51.0-55.8
Less Than H.S.	367	45,874	39	6.8	4.3- 9.3	8	2.0	0.4- 3.6	78	24.6	18.7-30.5	26	7.9	4.0-11.8	216	58.7	52.0-65.4
H.S. or G.E.D.	1859	149,017	221	12.9	10.7-15.1	34	1.5	0.9- 2.1	600	33.2	30.3-36.1	140	7.6	6.0- 9.2	864	44.7	41.6-47.8
Some Post-H.S.	2159	219,224	287	15.8	13.6-18.0	40	1.4	0.8- 2.0	752	36.4	33.7-39.1	198	9.4	7.6-11.2	882	37.0	34.3-39.7
College Graduate	2268	144,114	373	17.8	15.6-20.0	45	1.5	0.9- 2.1	875	43.6	40.9-46.3	227	9.6	8.0-11.2	748	27.5	25.1-29.9
Less than \$15,000	410	41,479	41	11.1	6.6-15.6	4	0.9	0.0- 1.9	92	28.6	22.1-35.1	24	7.4	3.7-11.1	249	52.0	45.1-58.9
\$15,000- 24,999	781	66,063	66	8.9	6.0-11.8	21	2.5	1.1- 3.9	198	30.8	25.9-35.7	49	5.7	3.5- 7.9	447	52.2	47.3-57.1
\$25,000- 34,999	589	47,176	55	10.4	6.7-14.1	14	2.1	0.7- 3.5	175	33.4	27.7-39.1	39	6.5	4.0- 9.0	306	47.7	41.8-53.6
\$35,000- 49,999	955	76,446	124	15.4	11.9-18.9	14	1.0	0.4- 1.6	333	35.2	31.1-39.3	86	8.3	6.1-10.5	398	40.2	35.9-44.5
\$50,000- 74,999	1116	91,205	169	17.5	14.4-20.6	27	1.5	0.9- 2.1	416	36.7	32.8-40.6	115	11.9	9.2-14.6	389	32.4	28.7-36.1
\$75,000+	2185	186,037	408	19.5	17.3-21.7	43	1.5	0.9- 2.1	892	42.0	39.3-44.7	245	10.7	8.9-12.5	597	26.3	23.8-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3134	284,222	510	17.0	15.2-18.8	87	2.0	1.4- 2.6	1106	36.8	34.6-39.0	401	11.8	10.4-13.2	1030	32.3	30.1-34.5
Native	111	11,972	9	10.2	2.2-18.2	1	0.7	0.0- 2.1	38	37.7	25.9-49.5	8	9.9	2.5-17.3	55	41.5	30.1-52.9
Non-Native	2975	267,198	493	17.5	15.7-19.3	85	2.0	1.4- 2.6	1058	37.2	34.8-39.6	388	12.0	10.4-13.6	951	31.3	29.1-33.5
18-24	212	46,317	35	13.8	8.7-18.9				82	38.3	30.9-45.7	25	9.3	5.4-13.2	70	38.7	30.9-46.5
25-34	370	57,977	83	22.1	17.2-27.0	3	1.0	0.0- 2.2	147	40.1	34.2-46.0	42	10.6	6.9-14.3	95	26.2	20.9-31.5
35-44	363	44,266	70	18.1	13.6-22.6	4	1.3	0.0- 2.9	152	41.4	35.5-47.3	49	13.7	9.6-17.8	88	25.4	20.3-30.5
45-54	455	40,255	78	17.1	13.2-21.0	11	2.2	0.6- 3.8	180	38.0	32.9-43.1	58	13.1	9.6-16.6	128	29.6	24.7-34.5
55-64	736	45,648	111	16.5	13.2-19.8	20	2.3	1.1- 3.5	271	37.0	32.9-41.1	89	11.7	9.0-14.4	245	32.6	28.7-36.5
65+	998	49,760	133	13.6	11.1-16.1	49	5.3	3.7- 6.9	274	26.5	23.4-29.6	138	13.0	10.6-15.4	404	41.7	38.0-45.4
Less Than H.S.	188	26,520	29	10.0	5.9-14.1	4	1.5	0.0- 3.3	46	28.3	19.9-36.7	23	10.9	5.6-16.2	86	49.3	39.7-58.9
H.S. or G.E.D.	879	79,232	123	15.6	12.3-18.9	24	2.3	1.1- 3.5	303	36.0	31.9-40.1	101	10.7	8.2-13.2	328	35.4	31.3-39.5
Some Post-H.S.	999	109,487	177	18.9	15.8-22.0	29	2.0	1.0- 3.0	349	36.7	32.8-40.6	133	12.4	9.9-14.9	311	30.1	26.6-33.6
College Graduate	1062	68,579	181	18.4	15.5-21.3	30	2.0	1.2- 2.8	408	41.5	37.8-45.2	143	12.6	10.2-15.0	300	25.5	22.4-28.6
Less than \$15,000	174	19,169	25	14.1	7.6-20.6	2	1.0	0.0- 2.6	43	31.9	22.3-41.5	16	10.5	4.4-16.6	88	42.5	32.9-52.1
\$15,000- 24,999	286	28,736	27	10.1	5.4-14.8	12	3.5	1.1- 5.9	84	36.3	28.5-44.1	29	6.5	3.6- 9.4	134	43.6	36.2-51.0
\$25,000- 34,999	231	22,488	29	12.4	6.5-18.3	8	3.1	0.4- 5.8	79	36.1	27.7-44.5	26	10.0	5.3-14.7	89	38.4	29.6-47.2
\$35,000- 49,999	469	37,213	67	16.2	11.7-20.7	11	1.7	0.3- 3.1	161	36.7	30.8-42.6	58	10.4	7.1-13.7	172	35.0	29.3-40.7
\$50,000- 74,999	579	52,368	96	19.0	14.7-23.3	19	1.8	0.8- 2.8	211	34.9	29.8-40.0	80	15.3	11.4-19.2	173	28.9	24.0-33.8
\$75,000+	1178	102,698	236	21.1	18.0-24.2	32	2.0	1.0- 3.0	453	39.0	35.5-42.5	171	13.3	10.8-15.8	286	24.5	21.2-27.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3532	274,837	410	12.5	10.7-14.3	40	1.0	0.6- 1.4	1202	36.0	33.6-38.4	192	5.8	4.6- 7.0	1688	44.8	42.4-47.2
Native	115	10,700	11	12.8	2.6-23.0	1	1.3	0.0- 3.8	29	23.9	14.1-33.7	3	6.6	0.0-16.6	71	55.4	42.3-68.5
Non-Native	3392	261,740	395	12.4	10.6-14.2	39	1.0	0.6- 1.4	1169	36.7	34.3-39.1	187	5.7	4.5- 6.9	1602	44.2	41.8-46.6
18-24	144	41,139	23	16.6	9.7-23.5				52	31.7	23.5-39.9	7	4.8	0.9- 8.7	62	46.8	37.8-55.8
25-34	292	48,989	39	15.8	10.5-21.1	2	0.5	0.0- 1.3	141	45.3	38.6-52.0	14	5.5	2.2- 8.8	96	32.9	26.6-39.2
35-44	303	40,854	36	10.4	6.7-14.1	3	1.1	0.0- 2.5	135	43.3	36.8-49.8	19	8.0	3.9-12.1	110	37.2	30.7-43.7
45-54	464	38,875	72	13.4	10.1-16.7	4	1.1	0.0- 2.3	202	43.0	37.7-48.3	24	6.3	3.6- 9.0	162	36.1	31.0-41.2
55-64	845	44,898	113	12.4	9.9-14.9	6	0.7	0.1- 1.3	293	34.4	30.7-38.1	58	6.9	4.9- 8.9	375	45.7	41.8-49.6
65+	1484	60,082	127	7.8	6.2- 9.4	25	2.0	1.0- 3.0	379	22.8	20.4-25.2	70	4.3	3.1- 5.5	883	63.1	60.2-66.0
Less Than H.S.	179	19,354	10	2.5	0.7- 4.3	4	2.6	0.0- 5.3	32	19.5	11.5-27.5	3	3.8	0.0- 9.5	130	71.5	62.3-80.7
H.S. or G.E.D.	980	69,785	98	9.8	7.1-12.5	10	0.6	0.2- 1.0	297	30.1	26.0-34.2	39	4.1	2.3- 5.9	536	55.3	50.8-59.8
Some Post-H.S.	1160	109,738	110	12.6	9.5-15.7	11	0.8	0.2- 1.4	403	36.1	32.2-40.0	65	6.5	4.3- 8.7	571	44.0	39.9-48.1
College Graduate	1206	75,535	192	17.3	14.4-20.2	15	1.1	0.3- 1.9	467	45.4	41.5-49.3	84	6.9	4.9- 8.9	448	29.2	25.9-32.5
Less than \$15,000	236	22,311	16	8.6	2.1-15.1	2	0.8	0.0- 2.0	49	25.7	17.1-34.3	8	4.7	0.0- 9.4	161	60.1	50.5-69.7
\$15,000- 24,999	495	37,327	39	7.9	4.2-11.6	9	1.7	0.1- 3.3	114	26.5	20.6-32.4	20	5.1	2.0- 8.2	313	58.8	52.3-65.3
\$25,000- 34,999	358	24,688	26	8.5	3.6-13.4	6	1.2	0.2- 2.2	96	31.0	23.2-38.8	13	3.3	0.6- 6.0	217	56.1	48.1-64.1
\$35,000- 49,999	486	39,233	57	14.6	9.5-19.7	3	0.3	0.0- 0.7	172	33.7	27.6-39.8	28	6.3	3.4- 9.2	226	45.1	38.6-51.6
\$50,000- 74,999	537	38,837	73	15.4	10.5-20.3	8	1.2	0.4- 2.0	205	39.1	33.2-45.0	35	7.3	3.8-10.8	216	37.1	31.4-42.8
\$75,000+	1007	83,340	172	17.5	14.2-20.8	11	0.9	0.1- 1.7	439	45.7	41.6-49.8	74	7.5	5.1- 9.9	311	28.4	24.7-32.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRKN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3893	339,167	1678	34.5	32.5-36.5	1149	30.5	28.5-32.5	504	15.0	13.4-16.6	215	7.2	6.0-8.4	347	12.8	11.2-14.4
Male	2068	188,588	682	26.3	23.9-28.7	652	31.3	28.8-33.8	322	17.3	15.1-19.5	150	8.6	7.0-10.2	262	16.5	14.1-18.9
Female	1825	150,579	996	44.8	41.7-47.9	497	29.6	26.7-32.5	182	12.0	9.8-14.2	65	5.4	3.6-7.2	85	8.2	6.0-10.4
Native	95	11,367	16	12.7	5.4-20.0	26	24.3	13.3-35.3	10	7.6	1.9-13.3	7	8.3	1.4-15.2	36	47.1	33.6-60.6
Non-Native	3764	324,939	1646	35.1	33.1-37.1	1112	30.8	28.8-32.8	489	15.2	13.6-16.8	208	7.2	6.0-8.4	309	11.7	10.1-13.3
18-24	218	49,342	46	21.8	15.5-28.1	62	30.9	23.8-38.0	30	13.2	8.1-18.3	20	9.9	5.2-14.6	60	24.3	17.8-30.8
25-34	464	74,070	114	24.2	19.7-28.7	129	28.4	23.5-33.3	101	20.7	16.4-25.0	35	8.2	5.3-11.1	85	18.5	14.2-22.8
35-44	460	57,975	131	27.7	23.0-32.4	148	32.4	27.3-37.5	82	17.7	13.6-21.8	37	8.9	5.8-12.0	62	13.4	9.9-16.9
45-54	625	52,875	220	36.3	31.8-40.8	214	32.8	28.5-37.1	84	13.6	10.5-16.7	40	6.5	4.3-8.7	67	10.8	7.9-13.7
55-64	951	54,638	420	41.1	37.4-44.8	298	32.9	29.4-36.4	128	13.8	11.3-16.3	52	6.1	4.1-8.1	53	6.1	4.1-8.1
65+	1175	50,267	747	60.9	57.6-64.2	298	26.0	23.1-28.9	79	8.0	6.0-10.0	31	3.1	1.9-4.3	20	2.0	1.0-3.0
Less Than H.S.	143	18,025	50	28.9	19.9-37.9	44	27.8	18.6-37.0	15	11.2	4.5-17.9	13	9.9	3.4-16.4	21	22.1	12.3-31.9
H.S. or G.E.D.	982	81,183	410	30.4	26.9-33.9	257	25.5	22.0-29.0	121	15.9	12.6-19.2	73	10.9	8.0-13.8	121	17.4	13.9-20.9
Some Post-H.S.	1259	136,292	504	32.0	28.7-35.3	365	31.6	28.1-35.1	192	17.4	14.7-20.1	77	6.4	4.4-8.4	121	12.7	10.2-15.2
College Graduate	1505	103,479	712	41.9	38.8-45.0	483	33.6	30.5-36.7	175	11.8	9.8-13.8	52	4.9	3.3-6.5	83	7.8	5.8-9.8
Less than \$15,000	154	19,015	54	26.6	17.4-35.8	37	29.2	19.0-39.4	18	9.1	4.0-14.2	10	7.3	2.2-12.4	35	27.9	18.1-37.7
\$15,000- 24,999	327	31,013	145	33.2	26.3-40.1	70	22.3	15.8-28.8	45	17.3	11.4-23.2	27	12.6	6.9-18.3	40	14.6	9.1-20.1
\$25,000- 34,999	279	24,363	130	32.4	25.1-39.7	71	29.8	21.8-37.8	33	14.0	8.1-19.9	12	3.6	0.7-6.5	33	20.2	12.8-27.6
\$35,000- 49,999	553	45,583	231	30.1	25.4-34.8	161	33.7	28.0-39.4	85	18.2	13.5-22.9	29	6.2	3.5-8.9	47	11.7	8.0-15.4
\$50,000- 74,999	723	61,480	303	32.6	28.3-36.9	226	32.6	27.9-37.3	98	17.1	13.2-21.0	38	6.2	3.7-8.7	58	11.6	8.1-15.1
\$75,000+	1579	135,983	655	37.1	34.2-40.0	516	31.6	28.7-34.5	203	13.6	11.4-15.8	91	7.7	5.7-9.7	114	9.9	7.7-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2068	188,588	682	26.3	23.9-28.7	652	31.3	28.8-33.8	322	17.3	15.1-19.5	150	8.6	7.0-10.2	262	16.5	14.3-18.7
Native	53	6,700	6	10.3	1.5-19.1	13	24.9	10.0-39.8	3	3.0	0.0- 7.1	5	10.7	0.5-20.9	26	51.2	34.3-68.1
Non-Native	1991	180,113	668	26.7	24.3-29.1	628	31.4	28.7-34.1	316	18.0	15.8-20.2	145	8.7	7.1-10.3	234	15.2	13.0-17.4
18-24	137	27,741	19	17.1	9.5-24.7	40	31.1	22.3-39.9	22	16.4	9.1-23.7	12	7.7	3.2-12.2	44	27.8	19.4-36.2
25-34	268	41,186	46	15.3	10.4-20.2	71	26.3	20.0-32.6	68	24.1	18.2-30.0	25	10.7	6.2-15.2	58	23.5	17.4-29.6
35-44	269	32,493	54	18.9	13.6-24.2	86	32.9	26.2-39.6	53	19.3	13.8-24.8	27	11.0	6.7-15.3	49	18.0	12.7-23.3
45-54	326	28,277	81	26.5	20.8-32.2	124	36.0	29.9-42.1	44	13.9	9.6-18.2	28	9.6	5.7-13.5	49	14.1	9.8-18.4
55-64	484	30,389	165	32.0	27.1-36.9	160	34.1	29.0-39.2	81	16.7	12.8-20.6	34	7.3	4.6-10.0	44	9.8	6.3-13.3
65+	584	28,503	317	53.2	48.5-57.9	171	28.9	24.6-33.2	54	10.4	7.5-13.3	24	4.4	2.4- 6.4	18	3.1	1.3- 4.9
Less Than H.S.	97	12,657	29	23.6	14.0-33.2	29	30.0	18.6-41.4	14	15.7	6.3-25.1	10	10.2	3.1-17.3	15	20.5	9.9-31.1
H.S. or G.E.D.	541	50,067	176	24.2	20.1-28.3	149	25.4	20.7-30.1	74	17.5	13.2-21.8	53	12.7	9.0-16.4	89	20.2	15.5-24.9
Some Post-H.S.	676	75,227	197	24.5	20.6-28.4	217	33.5	29.0-38.0	118	18.2	14.5-21.9	48	6.3	4.1- 8.5	96	17.4	13.5-21.3
College Graduate	754	50,637	280	31.6	27.7-35.5	257	34.0	29.7-38.3	116	16.3	13.0-19.6	39	7.7	5.0-10.4	62	10.4	7.5-13.3
Less than \$15,000	84	10,655	19	17.4	8.0-26.8	20	26.1	13.6-38.6	13	12.1	4.5-19.7	7	11.3	2.7-19.9	25	33.1	20.2-46.0
\$15,000- 24,999	148	15,813	47	23.6	15.2-32.0	35	29.1	18.7-39.5	29	21.6	12.6-30.6	12	9.3	2.8-15.8	25	16.4	8.4-24.4
\$25,000- 34,999	139	13,571	52	28.4	19.4-37.4	41	33.6	22.8-44.4	13	10.2	3.9-16.5	8	3.2	0.5- 5.9	25	24.7	14.7-34.7
\$35,000- 49,999	294	24,057	102	27.3	21.2-33.4	85	28.2	21.1-35.3	52	20.5	14.2-26.8	21	8.9	4.2-13.6	34	15.1	9.6-20.6
\$50,000- 74,999	403	37,081	124	23.9	19.0-28.8	138	33.8	27.7-39.9	63	18.2	13.1-23.3	29	8.4	4.9-11.9	49	15.5	10.6-20.4
\$75,000+	884	76,423	285	27.0	23.5-30.5	303	32.8	28.9-36.7	138	17.2	13.9-20.5	68	9.6	7.1-12.1	90	13.3	10.2-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1825	150,579	996	44.8	41.7-47.9	497	29.6	26.7-32.5	182	12.0	9.8-14.2	65	5.4	3.6- 7.2	85	8.2	6.0-10.4
Non-Native	1773	144,825	978	45.6	42.5-48.7	484	30.0	26.9-33.1	173	11.8	9.6-14.0	63	5.4	3.6- 7.2	75	7.2	5.2- 9.2
18-24	81	21,601	27	27.8	17.4-38.2	22	30.7	19.3-42.1	8	9.1	2.2-16.0	8	12.7	4.1-21.3	16	19.7	9.9-29.5
25-34	196	32,885	68	35.3	27.5-43.1	58	31.0	23.4-38.6	33	16.4	10.1-22.7	10	5.1	1.8- 8.4	27	12.2	6.9-17.5
35-44	191	25,483	77	39.0	31.0-47.0	62	31.7	24.1-39.3	29	15.6	9.3-21.9	10	6.2	1.9-10.5	13	7.5	3.0-12.0
45-54	299	24,598	139	47.7	41.2-54.2	90	29.2	23.3-35.1	40	13.3	8.8-17.8	12	2.8	1.0- 4.6	18	6.9	3.4-10.4
55-64	467	24,249	255	52.5	47.2-57.8	138	31.5	26.6-36.4	47	10.1	7.0-13.2	18	4.5	2.3- 6.7	9	1.5	0.5- 2.5
65+	591	21,764	430	71.0	66.7-75.3	127	22.1	18.2-26.0	25	4.9	2.7- 7.1	7	1.4	0.2- 2.6	2	0.5	0.0- 1.3
H.S. or G.E.D.	441	31,116	234	40.6	34.3-46.9	108	25.5	19.8-31.2	47	13.3	8.6-18.0	20	7.9	3.8-12.0	32	12.8	7.7-17.9
Some Post-H.S.	583	61,064	307	41.2	35.7-46.7	148	29.2	23.9-34.5	74	16.3	12.0-20.6	29	6.5	3.4- 9.6	25	6.8	3.5-10.1
College Graduate	751	52,842	432	51.8	46.9-56.7	226	33.2	28.5-37.9	59	7.5	5.0-10.0	13	2.1	0.5- 3.7	21	5.3	2.8- 7.8
Less than \$15,000	70	8,360	35	38.2	21.7-54.7	17	33.1	16.4-49.8	5	5.3	0.0-11.2	3	2.2	0.0- 4.9	10	21.3	6.6-36.0
\$15,000- 24,999	179	15,199	98	43.2	33.0-53.4	35	15.2	7.9-22.5	16	12.9	5.5-20.3	15	16.1	6.9-25.3	15	12.6	5.5-19.7
\$25,000- 34,999	140	10,792	78	37.4	25.8-49.0	30	25.1	13.5-36.7	20	18.8	8.4-29.2	4	4.0	0.0- 9.5	8	14.6	3.2-26.0
\$35,000- 49,999	259	21,526	129	33.2	25.9-40.5	76	39.9	30.9-48.9	33	15.7	8.6-22.8	8	3.2	0.8- 5.6	13	7.9	3.2-12.6
\$50,000- 74,999	320	24,399	179	45.7	37.9-53.5	88	30.6	23.3-37.9	35	15.3	8.8-21.8	9	2.8	0.0- 5.7	9	5.6	0.9-10.3
\$75,000+	695	59,560	370	50.1	45.2-55.0	213	30.0	25.5-34.5	65	9.0	6.5-11.5	23	5.3	2.6- 8.0	24	5.6	2.7- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3901	340,639	406	13.2	11.6-14.8	234	7.7	6.5- 8.9	128	4.3	3.3- 5.3	112	3.2	2.4- 4.0	268	9.6	8.2-11.0	2753	62.0	59.8-64.2
Male	2080	190,145	246	14.3	12.1-16.5	146	9.2	7.4-11.0	90	4.9	3.5- 6.3	75	4.1	2.9- 5.3	191	11.4	9.4-13.4	1332	56.1	53.4-58.8
Female	1821	150,494	160	11.7	9.5-13.9	88	5.9	4.1- 7.7	38	3.6	2.2- 5.0	37	2.2	1.2- 3.2	77	7.3	5.1- 9.5	1421	69.4	66.1-72.7
Native	97	11,551	15	18.1	8.1-28.1	12	7.6	2.9-12.3	4	8.3	0.0-17.5	6	5.6	0.1-11.1	16	24.2	11.1-37.3	44	36.2	24.2-48.2
Non-Native	3770	326,227	387	13.1	11.5-14.7	220	7.7	6.5- 8.9	122	4.2	3.2- 5.2	104	3.0	2.2- 3.8	251	9.1	7.7-10.5	2686	62.9	60.7-65.1
18-24	220	49,812	37	18.2	12.5-23.9	28	14.2	8.9-19.5	14	6.7	3.0-10.4	6	1.6	0.0- 3.2	45	20.6	14.3-26.9	90	38.7	31.4-46.0
25-34	465	74,709	91	18.4	14.3-22.5	52	9.7	6.8-12.6	28	6.5	3.8- 9.2	26	5.1	2.7- 7.5	45	10.6	7.1-14.1	223	49.6	44.3-54.9
35-44	464	58,299	69	14.9	11.2-18.6	34	6.4	4.0- 8.8	20	4.4	2.0- 6.8	18	3.6	1.4- 5.8	38	9.0	6.1-11.9	285	61.7	56.6-66.8
45-54	624	52,867	65	11.2	8.1-14.3	38	7.1	4.6- 9.6	23	3.1	1.7- 4.5	24	4.1	2.1- 6.1	54	8.0	5.6-10.4	420	66.5	62.2-70.8
55-64	952	54,732	83	8.6	6.4-10.8	57	6.0	4.2- 7.8	29	3.2	1.8- 4.6	30	3.0	1.8- 4.2	55	6.3	4.3- 8.3	698	72.9	69.6-76.2
65+	1176	50,221	61	5.4	3.8- 7.0	25	2.5	1.3- 3.7	14	1.1	0.3- 1.9	8	0.9	0.3- 1.5	31	3.1	1.9- 4.3	1037	87.0	84.6-89.4
Less Than H.S.	147	18,662	14	14.8	6.6-23.0	9	7.3	2.2-12.4	9	3.8	1.1- 6.5	5	3.3	0.2- 6.4	18	15.9	7.3-24.5	92	54.9	44.5-65.3
H.S. or G.E.D.	977	80,957	109	14.7	11.6-17.8	66	9.1	6.4-11.8	34	4.9	2.7- 7.1	30	3.3	1.9- 4.7	79	11.1	8.2-14.0	659	56.9	52.6-61.2
Some Post-H.S.	1263	136,841	133	12.8	10.3-15.3	81	7.9	5.7-10.1	38	3.6	2.0- 5.2	48	4.1	2.7- 5.5	100	11.2	8.7-13.7	863	60.4	56.7-64.1
College Graduate	1509	103,896	150	12.1	9.9-14.3	78	6.6	4.8- 8.4	47	5.0	3.2- 6.8	29	2.0	1.2- 2.8	69	5.0	3.4- 6.6	1136	69.3	66.2-72.4
Less than \$15,000	158	19,773	23	17.3	9.5-25.1	14	12.9	5.1-20.7	11	8.0	2.1-13.9	6	4.3	0.6- 8.0	17	12.2	4.9-19.5	87	45.3	34.9-55.7
\$15,000- 24,999	324	30,720	29	14.0	7.9-20.1	20	9.8	4.7-14.9	15	5.7	2.0- 9.4	14	3.3	1.3- 5.3	27	10.5	5.4-15.6	219	56.7	48.9-64.5
\$25,000- 34,999	277	24,357	22	6.8	3.1-10.5	17	9.3	4.0-14.6	2	1.0	0.0- 2.6	4	0.8	0.0- 1.6	30	18.6	11.2-26.0	202	63.5	55.1-71.9
\$35,000- 49,999	552	45,465	57	14.9	10.2-19.6	32	5.8	3.3- 8.3	15	3.2	1.0- 5.4	17	3.5	1.3- 5.7	44	12.8	8.7-16.9	387	59.8	53.9-65.7
\$50,000- 74,999	724	61,498	75	12.8	9.3-16.3	39	7.2	4.5- 9.9	20	3.4	1.6- 5.2	27	5.5	3.0- 8.0	49	9.4	6.1-12.7	514	61.7	56.6-66.8
\$75,000+	1580	136,124	174	12.9	10.7-15.1	99	7.0	5.4- 8.6	61	5.2	3.6- 6.8	41	2.8	1.8- 3.8	84	6.5	4.5- 8.5	1121	65.6	62.5-68.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2080	190,145	246	14.3	12.1-16.5	146	9.2	7.4-11.0	90	4.9	3.5- 6.3	75	4.1	2.9- 5.3	191	11.4	9.4-13.4	1332	56.1	53.4-58.8
Native	55	6,946	10	18.0	6.0-30.0	7	6.9	0.8-13.0	4	13.7	0.0-28.2	4	8.5	0.0-17.3	9	19.7	6.0-33.4	21	33.1	17.8-48.4
Non-Native	2001	181,423	233	14.3	12.1-16.5	138	9.3	7.5-11.1	84	4.6	3.4- 5.8	70	3.9	2.7- 5.1	181	11.1	9.1-13.1	1295	56.8	53.9-59.7
18-24	138	27,933	27	23.6	15.4-31.8	19	14.4	7.7-21.1	8	5.9	1.4-10.4	6	2.8	0.1- 5.5	29	18.4	11.1-25.7	49	34.8	25.8-43.8
25-34	270	41,940	56	17.9	13.0-22.8	32	11.7	7.2-16.2	17	7.7	3.6-11.8	22	7.1	3.8-10.4	35	14.5	9.4-19.6	108	41.1	34.2-48.0
35-44	272	32,692	40	15.0	9.9-20.1	27	9.3	5.4-13.2	15	4.3	1.8- 6.8	12	3.6	1.2- 6.0	31	12.7	8.0-17.4	147	55.1	48.2-62.0
45-54	327	28,327	38	12.4	8.3-16.5	25	9.3	5.4-13.2	17	4.4	2.0- 6.8	17	6.1	3.0- 9.2	33	8.9	5.4-12.4	197	58.9	52.6-65.2
55-64	487	30,642	45	8.9	6.0-11.8	26	6.0	3.3- 8.7	24	4.7	2.5- 6.9	15	2.9	1.1- 4.7	39	8.5	5.4-11.6	338	69.0	64.1-73.9
65+	586	28,610	40	7.0	4.6- 9.4	17	3.5	1.5- 5.5	9	1.3	0.3- 2.3	3	0.6	0.0- 1.4	24	4.2	2.2- 6.2	493	83.5	80.0-87.0
Less Than H.S.	101	13,377	12	16.6	6.4-26.8	8	10.0	2.9-17.1	7	4.3	1.0- 7.6	4	4.1	0.0- 8.4	12	13.4	4.6-22.2	58	51.6	39.4-63.8
H.S. or G.E.D.	542	50,270	64	16.0	11.7-20.3	38	8.6	5.3-11.9	29	6.5	3.4- 9.6	22	4.2	2.0- 6.4	55	12.2	8.5-15.9	334	52.4	46.9-57.9
Some Post-H.S.	679	75,643	81	12.6	9.3-15.9	55	9.7	6.8-12.6	26	3.9	1.9- 5.9	32	5.0	3.0- 7.0	74	13.6	10.1-17.1	411	55.3	50.4-60.2
College Graduate	757	50,761	89	14.7	11.4-18.0	45	8.8	5.9-11.7	28	5.1	2.9- 7.3	17	2.5	1.1- 3.9	49	6.7	4.5- 8.9	529	62.3	57.8-66.8
Less than \$15,000	86	11,022	14	17.7	8.3-27.1	10	13.9	4.5-23.3	7	10.7	0.9-20.5	6	7.7	1.0-14.4	10	11.0	2.8-19.2	39	39.0	26.1-51.9
\$15,000- 24,999	146	15,648	20	19.9	9.9-29.9	13	12.9	4.7-21.1	9	4.0	1.1- 6.9	9	4.1	1.0- 7.2	14	9.0	2.7-15.3	81	50.2	39.2-61.2
\$25,000- 34,999	139	13,634	8	6.1	0.6-11.6	8	7.7	1.8-13.6	1	0.3	0.0- 0.9	3	1.3	0.0- 2.7	22	19.8	10.6-29.0	97	64.9	54.1-75.7
\$35,000- 49,999	294	23,958	35	14.2	8.7-19.7	18	7.0	2.9-11.1	8	2.1	0.5- 3.7	11	4.2	0.9- 7.5	32	17.4	10.9-23.9	190	55.1	47.5-62.7
\$50,000- 74,999	405	37,165	47	14.5	9.6-19.4	24	8.9	4.8-13.0	17	5.2	2.3- 8.1	16	4.9	2.2- 7.6	39	11.1	7.0-15.2	262	55.4	48.9-61.9
\$75,000+	886	76,654	109	14.0	11.1-16.9	63	8.3	5.9-10.7	45	6.1	3.7- 8.5	29	4.0	2.2- 5.8	62	8.8	6.1-11.5	578	58.7	54.6-62.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1821	150,494	160	11.7	9.5-13.9	88	5.9	4.1- 7.7	38	3.6	2.2- 5.0	37	2.2	1.2- 3.2	77	7.3	5.1- 9.5	1421	69.4	66.1-72.7
Non-Native	1769	144,804	154	11.5	9.1-13.9	82	5.8	4.0- 7.6	38	3.7	2.1- 5.3	34	2.0	1.2- 2.8	70	6.6	4.6- 8.6	1391	70.4	67.1-73.7
18-24	82	21,878	10	11.4	4.1-18.7	9	14.0	5.2-22.8	6	7.7	1.2-14.2				16	23.4	12.4-34.4	41	43.6	31.8-55.4
25-34	195	32,769	35	19.0	12.3-25.7	20	7.2	3.7-10.7	11	5.0	1.9- 8.1	4	2.7	0.0- 5.6	10	5.6	1.3- 9.9	115	60.5	52.5-68.5
35-44	192	25,607	29	14.7	9.0-20.4	7	2.6	0.4- 4.8	5	4.6	0.3- 8.9	6	3.7	0.2- 7.2	7	4.3	1.0- 7.6	138	70.1	62.5-77.7
45-54	297	24,540	27	9.7	5.2-14.2	13	4.6	1.9- 7.3	6	1.7	0.1- 3.3	7	1.9	0.3- 3.5	21	6.9	3.6-10.2	223	75.3	69.4-81.2
55-64	465	24,090	38	8.2	5.3-11.1	31	6.0	3.6- 8.4	5	1.2	0.0- 2.4	15	3.2	1.2- 5.2	16	3.5	1.5- 5.5	360	78.0	73.7-82.3
65+	590	21,610	21	3.3	1.7- 4.9	8	1.3	0.3- 2.3	5	0.9	0.0- 1.9	5	1.2	0.0- 2.4	7	1.7	0.3- 3.1	544	91.7	89.2-94.2
H.S. or G.E.D.	435	30,687	45	12.6	8.1-17.1	28	9.8	5.1-14.5	5	2.3	0.0- 4.7	8	1.9	0.1- 3.7	24	9.2	4.5-13.9	325	64.3	57.4-71.2
Some Post-H.S.	584	61,199	52	13.1	8.8-17.4	26	5.7	2.8- 8.6	12	3.3	0.9- 5.7	16	3.0	0.8- 5.2	26	8.2	4.3-12.1	452	66.7	60.8-72.6
College Graduate	752	53,135	61	9.7	6.8-12.6	33	4.6	2.4- 6.8	19	4.8	2.3- 7.3	12	1.5	0.5- 2.5	20	3.5	1.5- 5.5	607	75.9	71.6-80.2
Less than \$15,000	72	8,751	9	16.7	3.6-29.8	4	11.7	0.0-24.6	4	4.5	0.0- 9.4				7	13.7	1.4-26.0	48	53.4	36.5-70.3
\$15,000- 24,999	178	15,072	9	7.9	1.8-14.0	7	6.7	1.0-12.4	6	7.4	0.3-14.5	5	2.5	0.1- 4.9	13	12.0	4.2-19.8	138	63.5	52.7-74.3
\$25,000- 34,999	138	10,723	14	7.6	2.7-12.5	9	11.4	2.0-20.8	1	1.9	0.0- 5.6	1	0.2	0.0- 0.6	8	17.0	4.8-29.2	105	61.8	48.5-75.1
\$35,000- 49,999	258	21,507	22	15.7	8.1-23.3	14	4.4	1.5- 7.3	7	4.5	0.2- 8.8	6	2.6	0.1- 5.1	12	7.6	2.7-12.5	197	65.1	56.3-73.9
\$50,000- 74,999	319	24,333	28	10.2	4.9-15.5	15	4.5	1.6- 7.4	3	0.6	0.0- 1.4	11	6.5	1.6-11.4	10	6.9	1.0-12.8	252	71.3	63.3-79.3
\$75,000+	694	59,471	65	11.4	8.3-14.5	36	5.2	3.0- 7.4	16	4.1	1.7- 6.5	12	1.2	0.4- 2.0	22	3.6	1.1- 6.1	543	74.5	70.0-79.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having not consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3851	334,282	964	19.5	17.9-21.1	1024	23.8	22.0-25.6	598	14.8	13.4-16.2	276	7.4	6.2- 8.6	989	34.4	32.2-36.6
Male	2038	185,426	356	13.5	11.7-15.3	455	19.6	17.4-21.8	352	16.1	14.1-18.1	146	7.0	5.6- 8.4	729	43.9	41.0-46.8
Female	1813	148,856	608	27.0	24.3-29.7	569	29.1	26.2-32.0	246	13.3	11.3-15.3	130	8.0	6.2- 9.8	260	22.7	19.6-25.8
Native	88	10,760	9	8.2	2.3-14.1	20	14.6	6.0-23.2	9	10.0	2.6-17.4	6	6.1	0.6-11.6	44	61.1	48.4-73.8
Non-Native	3730	320,849	949	19.8	18.2-21.4	994	24.1	22.3-25.9	582	15.0	13.4-16.6	270	7.5	6.3- 8.7	935	33.6	31.4-35.8
18-24	214	47,686	23	11.6	6.7-16.5	28	14.0	8.7-19.3	17	6.0	2.9- 9.1	18	7.3	3.4-11.2	128	61.1	53.7-68.5
25-34	458	73,612	52	11.9	8.4-15.4	93	21.4	16.9-25.9	62	13.7	10.0-17.4	28	5.5	3.3- 7.7	223	47.5	42.2-52.8
35-44	454	57,058	72	14.6	10.9-18.3	103	22.5	18.2-26.8	83	18.7	14.4-23.0	42	10.4	7.1-13.7	154	33.7	28.6-38.8
45-54	614	51,802	128	21.0	17.3-24.7	168	27.1	23.0-31.2	109	17.6	14.3-20.9	36	5.8	3.6- 8.0	173	28.5	24.4-32.6
55-64	943	54,098	238	24.0	20.9-27.1	253	26.8	23.5-30.1	165	17.8	14.9-20.7	84	10.0	7.6-12.4	203	21.4	18.3-24.5
65+	1168	50,026	451	37.3	34.2-40.4	379	31.5	28.4-34.6	162	14.5	12.1-16.9	68	5.9	4.3- 7.5	108	10.8	8.6-13.0
Less Than H.S.	140	17,978	38	20.4	12.8-28.0	38	26.7	17.3-36.1	12	6.4	1.5-11.3	9	6.1	0.8-11.4	43	40.4	29.6-51.2
H.S. or G.E.D.	964	79,324	248	19.1	16.0-22.2	232	19.4	16.3-22.5	139	14.5	11.8-17.2	74	8.1	5.7-10.5	271	38.9	34.6-43.2
Some Post-H.S.	1243	133,419	307	18.7	16.0-21.4	304	22.5	19.6-25.4	194	15.2	12.7-17.7	85	6.9	5.1- 8.7	353	36.7	33.0-40.4
College Graduate	1500	103,347	369	20.6	18.1-23.1	450	28.5	25.6-31.4	252	16.1	13.7-18.5	108	7.8	6.0- 9.6	321	27.0	23.9-30.1
Less than \$15,000	150	18,431	31	12.9	6.4-19.4	31	20.5	11.7-29.3	19	12.2	5.1-19.3	6	3.0	0.0- 6.1	63	51.4	40.6-62.2
\$15,000- 24,999	322	30,552	98	21.7	16.0-27.4	75	19.8	13.9-25.7	37	9.3	5.6-13.0	22	9.3	4.8-13.8	90	39.9	32.1-47.7
\$25,000- 34,999	274	23,475	72	17.9	12.0-23.8	76	23.6	16.7-30.5	41	16.4	10.5-22.3	18	5.1	1.8- 8.4	67	37.0	28.4-45.6
\$35,000- 49,999	543	44,563	141	18.6	14.7-22.5	131	23.2	18.3-28.1	87	13.5	10.0-17.0	48	9.0	5.7-12.3	136	35.6	29.7-41.5
\$50,000- 74,999	717	60,916	178	19.1	15.6-22.6	192	24.0	19.9-28.1	110	14.4	11.1-17.7	51	7.0	4.6- 9.4	186	35.5	30.4-40.6
\$75,000+	1569	134,870	338	19.0	16.6-21.4	441	25.8	23.1-28.5	272	17.0	14.6-19.4	115	7.2	5.6- 8.8	403	30.9	27.8-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKs)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2038	185,426	356	13.5	11.7-15.3	455	19.6	17.4-21.8	352	16.1	14.1-18.1	146	7.0	5.6- 8.4	729	43.9	41.0-46.8
Non-Native	1968	177,559	351	13.7	11.9-15.5	440	19.5	17.3-21.7	342	16.4	14.2-18.6	144	7.1	5.7- 8.5	691	43.2	40.3-46.1
18-24	135	26,999	8	6.8	1.7-11.9	11	9.7	3.6-15.8	10	6.8	2.3-11.3	12	6.9	2.4-11.4	94	69.8	61.0-78.6
25-34	263	40,820	20	7.3	3.8-10.8	36	15.2	9.7-20.7	36	13.7	8.8-18.6	13	4.9	2.0- 7.8	158	59.0	51.9-66.1
35-44	263	31,783	29	9.1	5.4-12.8	47	16.6	11.7-21.5	47	21.0	14.9-27.1	21	8.8	4.7-12.9	119	44.5	37.6-51.4
45-54	319	27,561	45	13.6	9.3-17.9	80	25.2	19.5-30.9	52	16.5	11.8-21.2	18	5.4	2.7- 8.1	124	39.3	33.0-45.6
55-64	480	30,115	94	18.9	15.0-22.8	103	22.1	17.8-26.4	98	19.7	15.6-23.8	41	9.9	6.6-13.2	144	29.4	24.5-34.3
65+	578	28,148	160	27.7	23.6-31.8	178	30.5	26.2-34.8	109	18.8	15.1-22.5	41	6.5	4.3- 8.7	90	16.4	12.7-20.1
Less Than H.S.	95	12,735	15	10.6	4.7-16.5	28	31.6	19.8-43.4	10	8.6	1.7-15.5	4	2.2	0.0- 4.6	38	46.9	34.4-59.4
H.S. or G.E.D.	528	48,347	100	14.3	11.0-17.6	107	15.7	12.0-19.4	83	15.4	11.5-19.3	37	7.2	4.5- 9.9	201	47.4	41.9-52.9
Some Post-H.S.	665	73,969	111	12.4	9.5-15.3	128	18.6	14.9-22.3	117	17.2	13.7-20.7	48	6.8	4.4- 9.2	261	45.0	40.1-49.9
College Graduate	749	50,280	130	14.9	12.0-17.8	192	21.7	18.2-25.2	142	17.1	14.0-20.2	57	8.3	5.8-10.8	228	38.0	33.5-42.5
Less than \$15,000	80	10,209	10	7.0	1.9-12.1	15	24.5	11.2-37.8	10	7.7	2.2-13.2	2	0.7	0.0- 1.9	43	60.0	46.3-73.7
\$15,000- 24,999	144	15,520	27	12.8	6.3-19.3	25	18.3	9.9-26.7	18	9.0	3.9-14.1	10	7.8	2.1-13.5	64	52.0	41.0-63.0
\$25,000- 34,999	138	13,369	20	11.2	4.9-17.5	39	26.8	16.6-37.0	23	16.9	9.1-24.7	11	6.6	1.1-12.1	45	38.5	27.5-49.5
\$35,000- 49,999	287	23,130	54	13.5	9.2-17.8	56	15.8	10.9-20.7	53	16.5	11.0-22.0	23	8.3	4.2-12.4	101	45.9	38.3-53.5
\$50,000- 74,999	397	36,513	67	13.5	9.6-17.4	90	17.9	13.4-22.4	69	16.7	12.0-21.4	30	7.3	4.2-10.4	141	44.7	38.2-51.2
\$75,000+	879	76,058	146	13.9	11.4-16.4	200	20.0	16.9-23.1	164	18.3	15.0-21.6	64	6.6	4.6- 8.6	305	41.2	36.9-45.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1813	148,856	608	27.0	24.3-29.7	569	29.1	26.2-32.0	246	13.3	11.3-15.3	130	8.0	6.2- 9.8	260	22.7	19.6-25.8
Non-Native	1762	143,290	598	27.3	24.6-30.0	554	29.7	26.8-32.6	240	13.3	11.1-15.5	126	8.0	6.2- 9.8	244	21.6	18.5-24.7
18-24	79	20,687	15	17.8	8.6-27.0	17	19.7	10.3-29.1	7	5.0	0.3- 9.7	6	8.0	1.3-14.7	34	49.6	37.3-61.9
25-34	195	32,793	32	17.6	11.1-24.1	57	29.2	21.8-36.6	26	13.6	8.1-19.1	15	6.2	2.9- 9.5	65	33.3	25.5-41.1
35-44	191	25,275	43	21.6	14.7-28.5	56	29.9	22.5-37.3	36	15.9	10.2-21.6	21	12.5	6.8-18.2	35	20.1	13.0-27.2
45-54	295	24,241	83	29.4	23.3-35.5	88	29.3	23.4-35.2	57	18.8	13.7-23.9	18	6.2	2.7- 9.7	49	16.3	11.2-21.4
55-64	463	23,983	144	30.5	25.6-35.4	150	32.7	27.6-37.8	67	15.4	11.5-19.3	43	10.1	6.8-13.4	59	11.4	8.3-14.5
65+	590	21,878	291	49.6	44.9-54.3	201	32.8	28.5-37.1	53	9.0	6.3-11.7	27	5.0	2.8- 7.2	18	3.6	1.6- 5.6
H.S. or G.E.D.	436	30,977	148	26.7	21.0-32.4	125	25.1	19.4-30.8	56	13.1	9.2-17.0	37	9.5	5.6-13.4	70	25.6	19.1-32.1
Some Post-H.S.	578	59,451	196	26.5	21.8-31.2	176	27.3	22.6-32.0	77	12.6	9.3-15.9	37	7.2	4.5- 9.9	92	26.4	20.7-32.1
College Graduate	751	53,067	239	26.0	22.1-29.9	258	34.9	30.2-39.6	110	15.2	11.7-18.7	51	7.3	4.8- 9.8	93	16.6	12.7-20.5
Less than \$15,000	70	8,222	21	20.2	7.3-33.1	16	15.5	5.5-25.5	9	17.7	4.0-31.4	4	5.9	0.0-12.6	20	40.7	23.5-57.9
\$15,000- 24,999	178	15,032	71	30.9	21.7-40.1	50	21.3	12.9-29.7	19	9.5	4.4-14.6	12	10.8	3.7-17.9	26	27.4	16.8-38.0
\$25,000- 34,999	136	10,106	52	26.7	16.3-37.1	37	19.3	10.9-27.7	18	15.9	6.7-25.1	7	3.2	0.7- 5.7	22	35.0	21.3-48.7
\$35,000- 49,999	256	21,434	87	24.2	17.5-30.9	75	31.2	22.8-39.6	34	10.3	6.2-14.4	25	9.8	4.5-15.1	35	24.5	16.1-32.9
\$50,000- 74,999	320	24,403	111	27.4	20.9-33.9	102	33.2	25.9-40.5	41	10.8	6.7-14.9	21	6.7	3.0-10.4	45	21.8	14.0-29.6
\$75,000+	690	58,812	192	25.6	21.3-29.9	241	33.4	28.9-37.9	108	15.4	12.1-18.7	51	8.0	5.3-10.7	98	17.5	13.2-21.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 12: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)	
1	MALES AND FEMALES	218
2	MALES ONLY	219
3	FEMALES ONLY	220
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)	
4	MALES AND FEMALES	221
5	MALES ONLY	222
6	FEMALES ONLY	223
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)	
7	MALES AND FEMALES	224
8	MALES ONLY	225
9	FEMALES ONLY	226
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)	
10	MALES AND FEMALES	227
11	MALES ONLY	228
12	FEMALES ONLY	229
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)	
13	MALES AND FEMALES	230
14	MALES ONLY	231
15	FEMALES ONLY	232
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)	
16	MALES AND FEMALES	233
17	MALES ONLY	234
18	FEMALES ONLY	235

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 1: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6610	552,154	3633	51.5	49.7-53.3	1902	30.5	28.9-32.1	886	15.1	13.9-16.3	8	0.1	0.0- 0.3	181	2.7	2.1- 3.3
Male	3107	281,198	1455	44.8	42.4-47.2	1018	33.7	31.5-35.9	528	18.3	16.3-20.3	6	0.2	0.0- 0.4	100	2.9	2.1- 3.7
Female	3503	270,956	2178	58.5	56.1-60.9	884	27.1	24.9-29.3	358	11.8	10.2-13.4	2	0.0	0.0- 0.0	81	2.5	1.7- 3.3
Native	223	22,338	96	41.8	33.2-50.4	72	30.4	22.4-38.4	40	18.0	11.3-24.7	2	0.4	0.0- 1.0	13	9.5	3.0-16.0
Non-Native	6312	522,248	3500	52.1	50.3-53.9	1805	30.4	28.8-32.0	836	14.9	13.7-16.1	6	0.1	0.0- 0.3	165	2.4	2.0- 2.8
18-24	349	85,123	163	48.1	42.0-54.2	114	33.4	27.7-39.1	64	17.1	12.6-21.6				8	1.3	0.3- 2.3
25-34	653	105,226	337	52.7	48.2-57.2	210	32.1	28.0-36.2	93	13.1	10.2-16.0	1	0.3	0.0- 0.9	12	1.9	0.5- 3.3
35-44	664	84,703	316	45.4	41.1-49.7	219	34.3	30.0-38.6	103	16.5	13.2-19.8				26	3.7	2.1- 5.3
45-54	914	78,451	435	48.0	44.3-51.7	275	28.8	25.5-32.1	163	18.8	15.9-21.7	2	0.2	0.0- 0.4	39	4.2	2.6- 5.8
55-64	1570	89,465	853	52.6	49.7-55.5	454	28.9	26.2-31.6	215	15.3	13.1-17.5	1	0.0	0.0- 0.0	47	3.1	2.1- 4.1
65+	2460	109,185	1529	59.4	57.0-61.8	630	26.2	24.0-28.4	248	11.5	9.9-13.1	4	0.3	0.0- 0.7	49	2.6	1.8- 3.4
Less Than H.S.	357	44,712	167	43.1	36.2-50.0	100	28.7	22.4-35.0	58	19.9	13.8-26.0	1	0.4	0.0- 1.2	31	8.0	4.3-11.7
H.S. or G.E.D.	1850	148,211	950	46.9	43.8-50.0	520	30.8	27.9-33.7	321	19.3	16.8-21.8	1	0.0	0.0- 0.0	58	2.9	1.9- 3.9
Some Post-H.S.	2137	215,351	1132	50.9	48.0-53.8	651	31.7	29.0-34.4	297	15.0	13.0-17.0	3	0.2	0.0- 0.4	54	2.2	1.4- 3.0
College Graduate	2253	143,049	1377	59.8	57.1-62.5	626	28.8	26.3-31.3	209	9.6	8.0-11.2	3	0.1	0.0- 0.3	38	1.7	1.1- 2.3
Less than \$15,000	402	40,081	176	39.9	33.2-46.6	138	36.7	30.0-43.4	67	19.2	13.7-24.7	2	0.3	0.0- 0.7	19	4.0	1.6- 6.4
\$15,000- 24,999	773	64,945	407	47.9	42.8-53.0	208	27.2	22.9-31.5	120	19.6	15.5-23.7				38	5.3	3.1- 7.5
\$25,000- 34,999	586	46,525	315	46.7	40.8-52.6	172	33.9	28.0-39.8	81	16.4	12.1-20.7	1	0.1	0.0- 0.3	17	3.0	1.2- 4.8
\$35,000- 49,999	954	76,449	550	56.5	52.0-61.0	249	27.6	23.5-31.7	135	13.9	11.0-16.8	1	0.2	0.0- 0.6	19	1.7	0.7- 2.7
\$50,000- 74,999	1114	91,011	596	48.6	44.5-52.7	332	34.1	30.2-38.0	160	15.2	12.5-17.9				26	2.1	1.1- 3.1
\$75,000+	2173	184,361	1235	56.0	53.3-58.7	647	29.4	26.9-31.9	247	12.5	10.5-14.5	1	0.0	0.0- 0.0	43	2.1	1.1- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 2: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3107	281,198	1455	44.8	42.4-47.2	1018	33.7	31.5-35.9	528	18.3	16.3-20.3	6	0.2	0.0- 0.4	100	2.9	2.1- 3.7
Native	110	11,937	46	42.1	30.3-53.9	32	29.6	18.6-40.6	25	21.1	11.5-30.7	1	0.5	0.0- 1.5	6	6.7	0.4-13.0
Non-Native	2949	264,227	1386	45.0	42.6-47.4	973	34.1	31.7-36.5	493	17.9	15.9-19.9	5	0.2	0.0- 0.4	92	2.8	2.2- 3.4
18-24	208	45,130	85	41.6	34.0-49.2	66	32.2	24.9-39.5	51	24.6	17.5-31.7				6	1.6	0.0- 3.2
25-34	366	57,247	156	44.5	38.6-50.4	140	39.1	33.2-45.0	58	13.5	9.6-17.4	1	0.5	0.0- 1.5	11	2.5	0.7- 4.3
35-44	363	44,320	151	40.7	35.0-46.4	136	37.5	31.8-43.2	59	17.7	13.0-22.4				17	4.2	2.0- 6.4
45-54	452	39,890	190	43.2	37.9-48.5	151	31.8	26.9-36.7	91	21.2	16.7-25.7	2	0.3	0.0- 0.7	18	3.5	1.7- 5.3
55-64	728	45,017	364	48.5	44.2-52.8	221	30.1	26.2-34.0	120	17.8	14.5-21.1				23	3.6	1.8- 5.4
65+	990	49,594	509	49.8	46.1-53.5	304	30.6	27.3-33.9	149	16.6	13.7-19.5	3	0.6	0.0- 1.4	25	2.5	1.3- 3.7
Less Than H.S.	184	26,252	74	36.2	27.4-45.0	55	32.8	23.6-42.0	43	26.1	17.1-35.1	1	0.7	0.0- 2.1	11	4.2	1.5- 6.9
H.S. or G.E.D.	875	78,797	364	40.4	36.1-44.7	285	33.6	29.5-37.7	189	22.3	18.8-25.8				37	3.7	2.3- 5.1
Some Post-H.S.	986	107,553	441	43.8	39.9-47.7	340	34.9	31.2-38.6	174	18.6	15.5-21.7	3	0.4	0.0- 1.0	28	2.3	1.1- 3.5
College Graduate	1056	68,192	574	54.7	51.0-58.4	335	32.5	29.0-36.0	121	10.1	7.9-12.3	2	0.1	0.0- 0.3	24	2.6	1.4- 3.8
Less than \$15,000	170	18,540	56	31.4	22.4-40.4	68	42.3	32.3-52.3	35	22.3	13.9-30.7	2	0.6	0.0- 1.4	9	3.5	1.0- 6.0
\$15,000- 24,999	280	27,756	116	39.2	31.6-46.8	93	34.9	27.5-42.3	56	22.0	15.5-28.5				15	3.9	1.4- 6.4
\$25,000- 34,999	231	22,441	96	41.6	33.0-50.2	79	30.8	22.6-39.0	44	22.6	15.0-30.2				12	5.1	1.6- 8.6
\$35,000- 49,999	468	37,137	246	50.7	44.6-56.8	127	30.7	25.0-36.4	80	15.5	11.4-19.6	1	0.5	0.0- 1.5	14	2.7	1.1- 4.3
\$50,000- 74,999	576	52,036	265	42.5	37.2-47.8	191	36.6	31.3-41.9	108	18.8	14.7-22.9				12	2.1	0.5- 3.7
\$75,000+	1172	102,207	589	50.2	46.5-53.9	393	32.3	29.0-35.6	161	15.1	12.2-18.0				29	2.4	1.2- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 3: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3503	270,956	2178	58.5	56.1-60.9	884	27.1	24.9-29.3	358	11.8	10.2-13.4	2	0.0	0.0- 0.0	81	2.5	1.7- 3.3
Native	113	10,401	50	41.5	29.0-54.0	40	31.2	19.4-43.0	15	14.4	5.4-23.4	1	0.3	0.0- 0.9	7	12.7	0.9-24.5
Non-Native	3363	258,021	2114	59.4	57.0-61.8	832	26.7	24.5-28.9	343	11.9	10.3-13.5	1	0.0	0.0- 0.0	73	2.1	1.5- 2.7
18-24	141	39,993	78	55.5	46.3-64.7	48	34.8	26.0-43.6	13	8.7	3.6-13.8				2	1.0	0.0- 2.6
25-34	287	47,980	181	62.4	55.7-69.1	70	23.8	18.1-29.5	35	12.6	8.1-17.1				1	1.2	0.0- 3.6
35-44	301	40,382	165	50.5	43.8-57.2	83	30.9	24.6-37.2	44	15.3	10.4-20.2				9	3.3	0.8- 5.8
45-54	462	38,561	245	53.1	47.8-58.4	124	25.7	21.2-30.2	72	16.4	12.5-20.3				21	4.9	2.5- 7.3
55-64	842	44,449	489	56.8	52.9-60.7	233	27.7	24.2-31.2	95	12.9	10.2-15.6	1	0.1	0.0- 0.3	24	2.6	1.4- 3.8
65+	1470	59,591	1020	67.5	64.6-70.4	326	22.5	20.0-25.0	99	7.3	5.5- 9.1	1	0.0	0.0- 0.0	24	2.6	1.4- 3.8
Less Than H.S.	173	18,460	93	52.9	42.9-62.9	45	22.8	15.2-30.4	15	11.0	4.5-17.5				20	13.3	5.5-21.1
H.S. or G.E.D.	975	69,415	586	54.3	49.6-59.0	235	27.7	23.4-32.0	132	15.9	12.6-19.2	1	0.0	0.0- 0.0	21	2.0	0.8- 3.2
Some Post-H.S.	1151	107,798	691	58.0	53.9-62.1	311	28.6	24.7-32.5	123	11.3	8.8-13.8				26	2.1	1.1- 3.1
College Graduate	1197	74,858	803	64.5	60.8-68.2	291	25.4	22.1-28.7	88	9.1	6.7-11.5	1	0.0	0.0- 0.0	14	1.0	0.4- 1.6
Less than \$15,000	232	21,542	120	47.2	37.6-56.8	70	31.9	22.9-40.9	32	16.5	9.2-23.8				10	4.4	0.9- 7.9
\$15,000- 24,999	493	37,189	291	54.5	48.0-61.0	115	21.5	16.4-26.6	64	17.8	12.7-22.9				23	6.3	3.2- 9.4
\$25,000- 34,999	355	24,084	219	51.4	43.4-59.4	93	36.8	28.6-45.0	37	10.6	6.1-15.1	1	0.1	0.0- 0.3	5	1.1	0.1- 2.1
\$35,000- 49,999	486	39,311	304	62.1	55.6-68.6	122	24.6	18.9-30.3	55	12.5	8.2-16.8				5	0.8	0.0- 1.6
\$50,000- 74,999	538	38,975	331	56.9	50.8-63.0	141	30.7	24.6-36.8	52	10.2	6.9-13.5				14	2.2	1.0- 3.4
\$75,000+	1001	82,154	646	63.2	59.1-67.3	254	25.8	22.1-29.5	86	9.3	6.9-11.7	1	0.0	0.0- 0.0	14	1.7	0.1- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 4: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6586	550,586	1081	15.6	14.4-16.8	1386	23.1	21.7-24.5	1237	19.9	18.5-21.3	58	0.9	0.5- 1.3	2824	40.6	39.0-42.2
Male	3097	278,973	544	17.2	15.4-19.0	763	25.6	23.6-27.6	654	21.5	19.5-23.5	31	1.0	0.6- 1.4	1105	34.7	32.5-36.9
Female	3489	271,613	537	13.9	12.1-15.7	623	20.5	18.5-22.5	583	18.2	16.2-20.2	27	0.8	0.4- 1.2	1719	46.5	44.1-48.9
Native	218	21,365	52	22.9	15.5-30.3	65	28.2	20.4-36.0	38	20.9	13.5-28.3				63	27.9	19.9-35.9
Non-Native	6297	522,490	1019	15.2	14.0-16.4	1298	22.8	21.2-24.4	1187	19.9	18.5-21.3	58	1.0	0.6- 1.4	2735	41.2	39.4-43.0
18-24	345	84,273	59	18.9	14.0-23.8	95	27.4	22.1-32.7	70	19.7	14.8-24.6	4	0.6	0.0- 1.4	117	33.3	27.6-39.0
25-34	653	105,412	97	15.6	12.3-18.9	186	28.9	24.8-33.0	150	21.3	17.8-24.8	6	1.0	0.0- 2.0	214	33.1	28.8-37.4
35-44	657	83,648	75	11.0	8.3-13.7	152	22.3	18.6-26.0	171	25.8	21.9-29.7	7	1.4	0.2- 2.6	252	39.4	35.1-43.7
45-54	914	78,485	98	11.4	8.9-13.9	211	22.3	19.2-25.4	201	20.8	17.9-23.7	6	0.7	0.1- 1.3	398	44.9	41.2-48.6
55-64	1564	89,812	198	12.1	10.1-14.1	311	19.4	17.0-21.8	291	18.7	16.3-21.1	8	0.6	0.2- 1.0	756	49.2	46.3-52.1
65+	2453	108,956	554	22.2	20.2-24.2	431	18.2	16.4-20.0	354	14.4	12.6-16.2	27	1.1	0.7- 1.5	1087	44.0	41.6-46.4
Less Than H.S.	362	45,331	81	23.5	17.2-29.8	77	27.4	20.9-33.9	43	12.8	8.5-17.1	5	1.0	0.0- 2.0	156	35.3	28.8-41.8
H.S. or G.E.D.	1834	146,737	339	18.9	16.4-21.4	371	22.9	20.2-25.6	311	19.4	16.9-21.9	17	1.2	0.4- 2.0	796	37.7	34.8-40.6
Some Post-H.S.	2129	214,806	322	13.4	11.4-15.4	458	23.8	21.3-26.3	408	20.7	18.3-23.1	14	0.7	0.3- 1.1	927	41.4	38.7-44.1
College Graduate	2248	142,882	338	13.0	11.2-14.8	478	20.9	18.7-23.1	474	21.5	19.3-23.7	20	0.9	0.3- 1.5	938	43.7	41.0-46.4
Less than \$15,000	402	40,432	74	19.1	13.6-24.6	74	19.0	13.3-24.7	60	17.6	12.1-23.1	4	0.6	0.0- 1.2	190	43.7	36.8-50.6
\$15,000- 24,999	770	64,395	161	20.4	16.1-24.7	139	20.7	16.4-25.0	119	19.2	15.1-23.3	7	1.0	0.0- 2.0	344	38.7	34.0-43.4
\$25,000- 34,999	579	46,053	106	17.0	12.7-21.3	120	23.3	18.0-28.6	99	20.5	15.4-25.6	2	0.7	0.0- 1.9	252	38.6	32.9-44.3
\$35,000- 49,999	946	75,527	157	14.5	11.8-17.2	227	29.0	24.7-33.3	169	17.4	14.1-20.7	8	0.6	0.0- 1.2	385	38.4	34.1-42.7
\$50,000- 74,999	1114	91,084	169	12.7	10.2-15.2	227	23.0	19.5-26.5	242	23.5	20.2-26.8	11	1.6	0.4- 2.8	465	39.2	35.3-43.1
\$75,000+	2175	184,311	298	13.7	11.7-15.7	507	23.9	21.5-26.3	461	20.7	18.5-22.9	18	0.6	0.2- 1.0	891	41.1	38.4-43.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 5: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3097	278,973	544	17.2	15.4-19.0	763	25.6	23.6-27.6	654	21.5	19.5-23.5	31	1.0	0.6- 1.4	1105	34.7	32.5-36.9
Native	107	11,112	27	22.3	12.1-32.5	34	29.6	19.2-40.0	21	25.2	13.8-36.6				25	22.8	13.0-32.6
Non-Native	2945	263,644	510	16.9	15.1-18.7	718	25.5	23.3-27.7	621	21.3	19.3-23.3	31	1.1	0.7- 1.5	1065	35.3	32.9-37.7
18-24	204	44,117	38	21.0	14.1-27.9	56	27.2	20.1-34.3	44	21.5	15.0-28.0	1	0.1	0.0- 0.3	65	30.1	23.0-37.2
25-34	363	56,543	58	17.6	12.9-22.3	109	29.4	23.9-34.9	80	20.0	15.5-24.5	5	1.6	0.0- 3.2	111	31.3	25.6-37.0
35-44	358	43,439	45	11.8	8.1-15.5	94	25.2	20.1-30.3	99	29.4	23.9-34.9	3	1.0	0.0- 2.2	117	32.6	27.1-38.1
45-54	453	40,000	54	12.5	9.0-16.0	123	26.6	21.9-31.3	109	21.8	17.5-26.1	6	1.3	0.1- 2.5	161	37.8	32.5-43.1
55-64	727	45,294	120	16.0	12.9-19.1	163	21.4	17.9-24.9	149	20.7	17.2-24.2	4	0.7	0.0- 1.5	291	41.2	36.9-45.5
65+	992	49,579	229	22.7	19.6-25.8	218	23.1	20.0-26.2	173	17.0	14.3-19.7	12	1.1	0.3- 1.9	360	36.1	32.6-39.6
Less Than H.S.	184	25,923	43	24.3	15.5-33.1	45	28.6	19.6-37.6	29	15.7	9.0-22.4	2	0.9	0.0- 2.3	65	30.4	22.0-38.8
H.S. or G.E.D.	868	77,712	163	19.5	16.0-23.0	200	24.4	20.7-28.1	179	22.3	18.6-26.0	10	1.4	0.2- 2.6	316	32.5	28.6-36.4
Some Post-H.S.	983	106,824	152	14.2	11.5-16.9	252	26.2	22.7-29.7	208	22.6	19.3-25.9	8	0.8	0.0- 1.6	363	36.2	32.5-39.9
College Graduate	1056	68,109	185	16.5	13.6-19.4	266	24.9	21.6-28.2	237	21.3	18.4-24.2	10	0.9	0.3- 1.5	358	36.5	32.8-40.2
Less than \$15,000	170	18,587	30	19.5	11.5-27.5	35	19.9	11.9-27.9	23	15.0	7.9-22.1	2	0.9	0.0- 2.1	80	44.8	34.8-54.8
\$15,000- 24,999	278	27,027	54	19.3	13.0-25.6	64	24.1	17.2-31.0	55	22.6	16.1-29.1	3	0.4	0.0- 1.0	102	33.5	26.2-40.8
\$25,000- 34,999	226	21,820	41	18.4	11.3-25.5	48	21.7	13.9-29.5	49	24.1	16.5-31.7				88	35.9	27.5-44.3
\$35,000- 49,999	466	36,959	82	15.7	11.8-19.6	118	28.7	23.0-34.4	98	20.5	15.6-25.4	6	1.1	0.1- 2.1	162	34.0	28.3-39.7
\$50,000- 74,999	579	52,211	95	15.4	11.5-19.3	137	24.9	20.2-29.6	139	23.5	19.0-28.0	6	1.8	0.0- 3.6	202	34.3	29.2-39.4
\$75,000+	1172	101,846	200	17.2	14.1-20.3	314	26.9	23.8-30.0	252	21.4	18.5-24.3	10	0.6	0.2- 1.0	396	33.9	30.4-37.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 6: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3489	271,613	537	13.9	12.1-15.7	623	20.5	18.5-22.5	583	18.2	16.2-20.2	27	0.8	0.4- 1.2	1719	46.5	44.1-48.9
Native	111	10,253	25	23.6	12.4-34.8	31	26.7	14.9-38.5	17	16.1	6.7-25.5				38	33.5	20.8-46.2
Non-Native	3352	258,846	509	13.6	11.8-15.4	580	19.9	17.7-22.1	566	18.4	16.4-20.4	27	0.9	0.5- 1.3	1670	47.1	44.7-49.5
18-24	141	40,156	21	16.6	9.5-23.7	39	27.7	19.7-35.7	26	17.7	10.4-25.0	3	1.2	0.0- 2.8	52	36.8	28.0-45.6
25-34	290	48,869	39	13.4	8.7-18.1	77	28.4	22.3-34.5	70	22.8	17.3-28.3	1	0.3	0.0- 0.9	103	35.2	28.7-41.7
35-44	299	40,209	30	10.2	6.1-14.3	58	19.2	13.9-24.5	72	22.0	16.7-27.3	4	1.9	0.0- 3.9	135	46.7	40.0-53.4
45-54	461	38,485	44	10.3	7.0-13.6	88	17.9	13.8-22.0	92	19.7	15.6-23.8				237	52.2	46.9-57.5
55-64	837	44,519	78	8.2	6.0-10.4	148	17.3	14.2-20.4	142	16.7	13.8-19.6	4	0.5	0.0- 1.1	465	57.4	53.5-61.3
65+	1461	59,376	325	21.8	19.3-24.3	213	14.1	11.9-16.3	181	12.3	10.1-14.5	15	1.2	0.6- 1.8	727	50.6	47.5-53.7
Less Than H.S.	178	19,408	38	22.5	13.9-31.1	32	25.7	16.3-35.1	14	8.9	3.6-14.2	3	1.2	0.0- 2.6	91	41.8	32.0-51.6
H.S. or G.E.D.	966	69,025	176	18.2	14.5-21.9	171	21.1	17.2-25.0	132	16.1	12.4-19.8	7	1.0	0.0- 2.0	480	43.6	39.1-48.1
Some Post-H.S.	1146	107,982	170	12.6	9.9-15.3	206	21.4	17.9-24.9	200	18.8	15.5-22.1	6	0.5	0.0- 1.1	564	46.6	42.5-50.7
College Graduate	1192	74,773	153	9.8	7.6-12.0	212	17.2	14.3-20.1	237	21.7	18.4-25.0	10	1.0	0.2- 1.8	580	50.3	46.4-54.2
Less than \$15,000	232	21,846	44	18.8	11.2-26.4	39	18.1	10.3-25.9	37	19.8	11.8-27.8	2	0.4	0.0- 1.0	110	42.8	33.4-52.2
\$15,000- 24,999	492	37,368	107	21.3	15.4-27.2	75	18.2	12.9-23.5	64	16.7	11.4-22.0	4	1.4	0.0- 3.0	242	42.4	36.1-48.7
\$25,000- 34,999	353	24,234	65	15.8	10.5-21.1	72	24.6	17.3-31.9	50	17.3	10.2-24.4	2	1.2	0.0- 3.6	164	41.0	33.2-48.8
\$35,000- 49,999	480	38,568	75	13.4	9.5-17.3	109	29.2	23.1-35.3	71	14.5	10.0-19.0	2	0.2	0.0- 0.6	223	42.6	36.1-49.1
\$50,000- 74,999	535	38,873	74	9.1	6.4-11.8	90	20.3	14.6-26.0	103	23.6	18.3-28.9	5	1.2	0.0- 2.6	263	45.7	39.6-51.8
\$75,000+	1003	82,465	98	9.4	7.0-11.8	193	20.3	16.8-23.8	209	19.8	16.7-22.9	8	0.6	0.0- 1.2	495	49.9	45.8-54.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 7: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6587	550,338	1248	18.4	17.0-19.8	3322	48.2	46.4-50.0	1463	23.4	22.0-24.8	20	0.5	0.3- 0.7	534	9.5	8.5-10.5
Male	3090	278,499	494	16.7	14.9-18.5	1498	45.3	42.9-47.7	771	25.7	23.5-27.9	14	0.9	0.3- 1.5	313	11.5	9.9-13.1
Female	3497	271,839	754	20.2	18.2-22.2	1824	51.2	48.8-53.6	692	21.1	19.1-23.1	6	0.2	0.0- 0.4	221	7.4	6.0- 8.8
Native	216	21,509	47	22.2	14.6-29.8	104	47.2	38.2-56.2	38	18.2	11.3-25.1				27	12.4	6.7-18.1
Non-Native	6302	522,599	1185	18.1	16.7-19.5	3182	48.3	46.5-50.1	1414	23.7	22.3-25.1	20	0.5	0.1- 0.9	501	9.3	8.1-10.5
18-24	346	84,576	62	20.4	15.3-25.5	142	38.8	32.9-44.7	88	25.5	20.2-30.8	3	0.8	0.0- 1.8	51	14.5	10.2-18.8
25-34	648	104,942	107	18.2	14.7-21.7	322	49.2	44.7-53.7	160	22.3	18.6-26.0	2	0.6	0.0- 1.4	57	9.7	6.8-12.6
35-44	659	83,730	104	15.3	12.2-18.4	330	49.9	45.4-54.4	168	25.4	21.5-29.3	4	1.1	0.0- 2.3	53	8.4	5.9-10.9
45-54	915	78,523	150	15.8	13.1-18.5	452	49.5	45.8-53.2	242	26.5	23.2-29.8	1	0.1	0.0- 0.3	70	8.2	6.0-10.4
55-64	1568	89,805	307	19.6	17.2-22.0	787	49.2	46.3-52.1	349	23.2	20.7-25.7	3	0.3	0.0- 0.7	122	7.8	6.2- 9.4
65+	2451	108,762	518	20.4	18.4-22.4	1289	51.4	49.0-53.8	456	19.3	17.3-21.3	7	0.2	0.0- 0.4	181	8.7	7.3-10.1
Less Than H.S.	362	45,307	78	19.9	14.6-25.2	145	36.1	29.6-42.6	82	24.0	17.7-30.3	3	1.4	0.0- 3.2	54	18.6	12.9-24.3
H.S. or G.E.D.	1830	145,928	311	17.7	15.2-20.2	899	46.4	43.3-49.5	445	25.4	22.7-28.1	8	0.7	0.1- 1.3	167	9.8	7.8-11.8
Some Post-H.S.	2131	215,288	376	17.3	15.1-19.5	1063	47.9	45.0-50.8	490	24.0	21.6-26.4	6	0.5	0.1- 0.9	196	10.3	8.5-12.1
College Graduate	2251	142,986	480	20.2	18.0-22.4	1210	54.2	51.5-56.9	444	20.5	18.3-22.7	2	0.0	0.0- 0.0	115	5.1	3.9- 6.3
Less than \$15,000	399	40,448	63	18.1	12.6-23.6	180	39.3	32.6-46.0	86	23.3	17.2-29.4	1	0.7	0.0- 2.1	69	18.5	13.2-23.8
\$15,000- 24,999	767	63,812	134	17.3	13.2-21.4	364	46.4	41.3-51.5	167	23.4	19.1-27.7	2	0.1	0.0- 0.3	100	12.8	9.7-15.9
\$25,000- 34,999	581	46,063	108	16.6	12.3-20.9	294	45.8	39.9-51.7	113	22.9	17.8-28.0	1	0.1	0.0- 0.3	65	14.6	9.7-19.5
\$35,000- 49,999	947	75,715	167	18.0	14.3-21.7	491	49.9	45.4-54.4	223	24.7	21.0-28.4	4	0.4	0.0- 0.8	62	7.1	4.7- 9.5
\$50,000- 74,999	1117	91,203	220	19.7	16.4-23.0	548	48.2	44.1-52.3	271	24.5	21.2-27.8	5	0.6	0.0- 1.4	73	7.0	4.6- 9.4
\$75,000+	2169	183,960	430	18.4	16.2-20.6	1166	52.8	50.1-55.5	468	22.5	20.1-24.9	3	0.4	0.0- 0.8	102	5.9	4.5- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 8: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3090	278,499	494	16.7	14.9-18.5	1498	45.3	42.9-47.7	771	25.7	23.5-27.9	14	0.9	0.3- 1.5	313	11.5	9.9-13.1
Native	107	11,373	23	21.6	11.2-32.0	44	39.6	28.0-51.2	22	23.2	12.6-33.8				18	15.7	7.5-23.9
Non-Native	2939	263,020	460	16.3	14.5-18.1	1432	45.6	43.2-48.0	740	25.9	23.7-28.1	14	0.9	0.3- 1.5	293	11.4	9.8-13.0
18-24	205	44,421	37	20.7	14.2-27.2	76	34.2	26.9-41.5	53	26.2	18.9-33.5	3	1.5	0.0- 3.3	36	17.4	11.1-23.7
25-34	360	56,208	49	16.1	11.4-20.8	170	47.0	40.9-53.1	100	24.5	19.4-29.6	2	1.1	0.0- 2.7	39	11.3	7.2-15.4
35-44	360	43,819	45	14.0	9.7-18.3	173	45.8	39.9-51.7	102	27.9	22.6-33.2	3	1.5	0.0- 3.3	37	10.8	7.1-14.5
45-54	454	40,007	56	11.8	8.5-15.1	218	48.4	43.1-53.7	138	30.9	26.0-35.8	1	0.2	0.0- 0.6	41	8.7	5.6-11.8
55-64	727	45,056	113	17.5	14.2-20.8	359	46.4	42.1-50.7	174	24.8	21.1-28.5	3	0.5	0.0- 1.3	78	10.8	8.3-13.3
65+	984	48,989	194	19.3	16.4-22.2	502	49.2	45.5-52.9	204	21.2	18.1-24.3	2	0.2	0.0- 0.6	82	10.0	7.6-12.4
Less Than H.S.	184	26,125	36	18.8	11.5-26.1	67	30.7	22.3-39.1	47	26.6	17.8-35.4	2	2.3	0.0- 5.4	32	21.5	13.1-29.9
H.S. or G.E.D.	866	76,931	119	16.7	13.2-20.2	421	45.5	41.2-49.8	225	26.4	22.5-30.3	5	0.8	0.0- 1.8	96	10.6	8.1-13.1
Some Post-H.S.	982	107,205	152	15.5	12.6-18.4	441	43.5	39.6-47.4	264	27.0	23.5-30.5	6	1.0	0.0- 2.0	119	12.9	10.2-15.6
College Graduate	1052	67,834	187	17.7	14.8-20.6	567	53.5	49.8-57.2	234	22.4	19.3-25.5				64	6.4	4.4- 8.4
Less than \$15,000	169	18,665	26	16.0	8.6-23.4	70	36.1	26.7-45.5	35	24.7	15.3-34.1				38	23.2	15.0-31.4
\$15,000- 24,999	274	26,474	41	14.0	8.5-19.5	123	45.2	37.4-53.0	62	24.3	17.4-31.2	1	0.2	0.0- 0.6	47	16.3	10.8-21.8
\$25,000- 34,999	228	21,925	26	13.9	7.8-20.0	107	39.8	31.4-48.2	54	24.9	17.1-32.7	1	0.2	0.0- 0.6	40	21.2	13.2-29.2
\$35,000- 49,999	465	36,937	76	18.1	13.2-23.0	217	45.2	39.1-51.3	127	27.6	22.3-32.9	2	0.5	0.0- 1.5	43	8.6	5.5-11.7
\$50,000- 74,999	581	52,345	91	17.5	13.0-22.0	278	44.7	39.4-50.0	160	27.9	23.2-32.6	4	1.1	0.0- 2.3	48	8.7	5.4-12.0
\$75,000+	1165	101,425	199	17.2	14.5-19.9	618	50.2	46.5-53.9	276	24.8	21.5-28.1	3	0.7	0.0- 1.5	69	7.0	5.0- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 9: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3497	271,839	754	20.2	18.2-22.2	1824	51.2	48.8-53.6	692	21.1	19.1-23.1	6	0.2	0.0- 0.4	221	7.4	6.0- 8.8
Native	109	10,135	24	22.9	11.7-34.1	60	55.6	42.5-68.7	16	12.6	5.0-20.2				9	8.8	1.4-16.2
Non-Native	3363	259,579	725	20.0	18.0-22.0	1750	51.0	48.6-53.4	674	21.6	19.6-23.6	6	0.2	0.0- 0.4	208	7.2	5.8- 8.6
18-24	141	40,156	25	20.2	12.4-28.0	66	43.8	34.8-52.8	35	24.8	17.0-32.6				15	11.2	5.1-17.3
25-34	288	48,734	58	20.6	15.1-26.1	152	51.7	45.0-58.4	60	19.9	14.6-25.2				18	7.8	3.7-11.9
35-44	299	39,911	59	16.7	12.0-21.4	157	54.3	47.6-61.0	66	22.6	17.1-28.1	1	0.7	0.0- 2.1	16	5.7	2.4- 9.0
45-54	461	38,516	94	19.9	15.8-24.0	234	50.6	45.3-55.9	104	21.9	17.6-26.2				29	7.6	4.7-10.5
55-64	841	44,749	194	21.6	18.5-24.7	428	52.1	48.2-56.0	175	21.5	18.2-24.8				44	4.8	3.0- 6.6
65+	1467	59,773	324	21.2	18.7-23.7	787	53.3	50.2-56.4	252	17.7	15.3-20.1	5	0.2	0.0- 0.4	99	7.5	5.7- 9.3
Less Than H.S.	178	19,182	42	21.5	13.5-29.5	78	43.5	33.7-53.3	35	20.3	11.9-28.7	1	0.2	0.0- 0.6	22	14.5	7.4-21.6
H.S. or G.E.D.	964	68,997	192	18.9	15.4-22.4	478	47.4	42.7-52.1	220	24.2	20.3-28.1	3	0.5	0.0- 1.3	71	9.0	5.9-12.1
Some Post-H.S.	1149	108,083	224	19.1	15.8-22.4	622	52.3	48.2-56.4	226	21.0	17.7-24.3				77	7.6	5.2-10.0
College Graduate	1199	75,152	293	22.4	19.3-25.5	643	54.9	51.0-58.8	210	18.7	15.8-21.6	2	0.1	0.0- 0.3	51	3.9	2.3- 5.5
Less than \$15,000	230	21,783	37	19.9	12.1-27.7	110	42.1	32.7-51.5	51	22.2	14.2-30.2	1	1.2	0.0- 3.6	31	14.5	7.4-21.6
\$15,000- 24,999	493	37,338	93	19.6	13.7-25.5	241	47.2	40.7-53.7	105	22.8	17.3-28.3	1	0.1	0.0- 0.3	53	10.3	6.8-13.8
\$25,000- 34,999	353	24,138	82	19.0	12.9-25.1	187	51.1	42.9-59.3	59	21.1	14.2-28.0				25	8.7	3.0-14.4
\$35,000- 49,999	482	38,777	91	18.0	12.5-23.5	274	54.3	47.6-61.0	96	21.8	16.3-27.3	2	0.2	0.0- 0.4	19	5.6	1.9- 9.3
\$50,000- 74,999	536	38,859	129	22.7	17.8-27.6	270	52.8	46.7-58.9	111	19.9	15.4-24.4	1	0.0	0.0- 0.0	25	4.6	1.7- 7.5
\$75,000+	1004	82,535	231	19.8	16.7-22.9	548	55.9	51.8-60.0	192	19.7	16.4-23.0				33	4.5	2.5- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 10: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6586	549,888	203	3.7	3.1- 4.3	2830	44.4	42.8-46.0	2618	40.1	38.5-41.7	29	0.3	0.1- 0.5	906	11.5	10.5-12.5
Male	3094	279,085	145	4.9	3.9- 5.9	1576	50.4	48.0-52.8	1121	37.7	35.3-40.1	12	0.3	0.1- 0.5	240	6.7	5.5- 7.9
Female	3492	270,803	58	2.4	1.4- 3.4	1254	38.1	35.7-40.5	1497	42.6	40.2-45.0	17	0.3	0.1- 0.5	666	16.4	14.6-18.2
Native	216	21,542	20	13.3	6.8-19.8	114	50.1	41.1-59.1	68	29.6	21.6-37.6	1	0.1	0.0- 0.3	13	6.8	2.5-11.1
Non-Native	6297	521,567	181	3.3	2.7- 3.9	2685	44.2	42.4-46.0	2522	40.5	38.7-42.3	28	0.3	0.1- 0.5	881	11.6	10.6-12.6
18-24	344	83,866	15	4.4	1.9- 6.9	162	45.6	39.5-51.7	146	42.7	36.6-48.8	1	0.1	0.0- 0.3	20	7.2	3.9-10.5
25-34	651	105,554	22	3.4	1.8- 5.0	321	51.1	46.6-55.6	249	36.3	32.0-40.6	2	0.2	0.0- 0.6	57	9.0	6.5-11.5
35-44	656	83,332	25	4.0	2.2- 5.8	292	42.3	38.0-46.6	277	43.7	39.2-48.2				62	10.0	7.3-12.7
45-54	914	78,523	27	3.2	1.8- 4.6	408	44.6	40.9-48.3	379	41.2	37.5-44.9	5	0.5	0.0- 1.1	95	10.5	8.1-12.9
55-64	1567	89,594	44	3.4	2.2- 4.6	659	42.1	39.2-45.0	660	41.8	38.9-44.7	5	0.4	0.0- 0.8	199	12.3	10.3-14.3
65+	2454	109,019	70	3.8	2.8- 4.8	988	40.2	37.8-42.6	907	36.9	34.5-39.3	16	0.7	0.3- 1.1	473	18.5	16.7-20.3
Less Than H.S.	363	44,898	27	9.3	5.2-13.4	139	41.6	34.5-48.7	127	34.1	27.6-40.6	1	0.2	0.0- 0.6	69	14.8	10.5-19.1
H.S. or G.E.D.	1833	146,663	75	4.9	3.3- 6.5	813	46.0	42.9-49.1	683	37.7	34.6-40.8	9	0.4	0.2- 0.6	253	11.0	9.2-12.8
Some Post-H.S.	2134	215,124	62	2.9	1.9- 3.9	916	44.6	41.7-47.5	861	41.0	38.3-43.7	4	0.2	0.0- 0.4	291	11.4	9.6-13.2
College Graduate	2243	142,373	39	2.0	1.2- 2.8	956	43.2	40.5-45.9	944	43.1	40.4-45.8	15	0.6	0.2- 1.0	289	11.1	9.5-12.7
Less than \$15,000	402	40,491	23	7.8	3.9-11.7	155	40.5	33.6-47.4	147	37.1	30.2-44.0				77	14.7	10.4-19.0
\$15,000- 24,999	772	64,494	36	5.7	3.3- 8.1	303	38.8	33.9-43.7	278	38.9	34.0-43.8	3	0.5	0.0- 1.1	152	16.2	12.5-19.9
\$25,000- 34,999	584	46,218	24	6.5	2.8-10.2	252	43.4	37.5-49.3	204	36.2	30.5-41.9	3	0.3	0.0- 0.7	101	13.7	9.8-17.6
\$35,000- 49,999	946	75,672	30	3.5	1.7- 5.3	419	48.3	43.8-52.8	360	36.5	32.2-40.8	2	0.1	0.0- 0.3	135	11.6	9.1-14.1
\$50,000- 74,999	1119	91,329	29	2.6	1.4- 3.8	502	47.0	42.9-51.1	468	41.1	37.2-45.0	4	0.3	0.0- 0.7	116	8.9	6.9-10.9
\$75,000+	2160	183,318	43	2.2	1.4- 3.0	980	46.7	44.0-49.4	908	41.8	39.1-44.5	11	0.3	0.1- 0.5	218	9.1	7.5-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 11: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3094	279,085	145	4.9	3.9- 5.9	1576	50.4	48.0-52.8	1121	37.7	35.3-40.1	12	0.3	0.1- 0.5	240	6.7	5.5- 7.9
Native	106	11,320	13	12.9	5.1-20.7	57	49.6	37.6-61.6	33	34.1	22.3-45.9				3	3.4	0.0- 7.9
Non-Native	2941	263,147	131	4.6	3.6- 5.6	1498	50.6	48.2-53.0	1071	37.7	35.3-40.1	12	0.3	0.1- 0.5	229	6.7	5.5- 7.9
18-24	205	44,314	10	4.0	1.1- 6.9	99	48.1	40.3-55.9	88	43.8	36.0-51.6	1	0.2	0.0- 0.6	7	3.9	0.8- 7.0
25-34	362	56,750	16	4.2	1.7- 6.7	186	54.9	49.0-60.8	138	35.3	29.6-41.0	1	0.1	0.0- 0.3	21	5.4	2.7- 8.1
35-44	357	43,469	21	5.5	2.8- 8.2	181	48.4	42.5-54.3	132	39.0	33.1-44.9				23	7.1	4.0-10.2
45-54	454	40,103	14	3.8	1.4- 6.2	231	50.4	45.1-55.7	175	39.4	34.1-44.7	3	0.8	0.0- 1.8	31	5.7	3.5- 7.9
55-64	729	45,161	37	5.7	3.5- 7.9	379	49.7	45.4-54.0	254	36.4	32.3-40.5	2	0.5	0.0- 1.3	57	7.7	5.5- 9.9
65+	987	49,288	47	6.2	4.2- 8.2	500	49.7	46.0-53.4	334	33.4	29.9-36.9	5	0.4	0.0- 0.8	101	10.3	7.9-12.7
Less Than H.S.	186	26,400	21	10.6	5.1-16.1	77	42.5	32.9-52.1	69	39.4	30.0-48.8				19	7.5	3.2-11.8
H.S. or G.E.D.	868	77,719	50	5.1	3.3- 6.9	456	53.0	48.7-57.3	301	35.9	31.8-40.0	3	0.2	0.0- 0.4	58	5.8	3.8- 7.8
Some Post-H.S.	985	107,048	47	4.5	2.9- 6.1	502	50.0	46.1-53.9	359	38.7	34.8-42.6	2	0.2	0.0- 0.6	75	6.5	4.7- 8.3
College Graduate	1049	67,515	27	3.1	1.7- 4.5	538	51.2	47.5-54.9	391	37.3	33.6-41.0	7	0.7	0.1- 1.3	86	7.7	5.7- 9.7
Less than \$15,000	169	18,701	16	11.1	4.6-17.6	69	40.7	30.9-50.5	58	37.9	27.9-47.9				26	10.3	5.4-15.2
\$15,000- 24,999	278	27,064	25	8.2	4.3-12.1	127	43.3	35.7-50.9	96	36.7	29.1-44.3	1	0.6	0.0- 1.8	29	11.1	6.0-16.2
\$25,000- 34,999	229	21,973	17	8.6	3.3-13.9	117	47.2	38.4-56.0	76	37.9	29.3-46.5	1	0.4	0.0- 1.2	18	6.0	2.5- 9.5
\$35,000- 49,999	465	36,947	18	3.3	1.7- 4.9	241	55.6	49.7-61.5	166	34.2	28.5-39.9	1	0.1	0.0- 0.3	39	6.7	4.2- 9.2
\$50,000- 74,999	582	52,392	24	3.9	1.9- 5.9	304	52.9	47.6-58.2	216	37.9	32.8-43.0	3	0.4	0.0- 1.0	35	4.8	2.8- 6.8
\$75,000+	1164	101,284	32	3.3	1.9- 4.7	614	52.1	48.4-55.8	434	38.1	34.4-41.8	6	0.3	0.0- 0.7	78	6.2	4.4- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 12: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3492	270,803	58	2.4	1.4- 3.4	1254	38.1	35.7-40.5	1497	42.6	40.2-45.0	17	0.3	0.1- 0.5	666	16.4	14.6-18.2
Native	110	10,222	7	13.8	3.2-24.4	57	50.7	37.4-64.0	35	24.7	14.7-34.7	1	0.3	0.0- 0.9	10	10.5	2.9-18.1
Non-Native	3356	258,420	50	2.0	1.2- 2.8	1187	37.7	35.3-40.1	1451	43.3	40.9-45.7	16	0.3	0.1- 0.5	652	16.7	14.9-18.5
18-24	139	39,551	5	4.9	0.4- 9.4	63	42.7	33.7-51.7	58	41.6	32.6-50.6				13	10.8	4.7-16.9
25-34	289	48,804	6	2.4	0.2- 4.6	135	46.7	40.0-53.4	111	37.5	31.0-44.0	1	0.4	0.0- 1.2	36	13.1	8.6-17.6
35-44	299	39,863	4	2.3	0.0- 4.7	111	35.7	29.4-42.0	145	48.8	42.1-55.5				39	13.2	8.7-17.7
45-54	460	38,421	13	2.7	1.1- 4.3	177	38.5	33.4-43.6	204	43.0	37.7-48.3	2	0.2	0.0- 0.4	64	15.6	11.5-19.7
55-64	838	44,434	7	1.1	0.0- 2.3	280	34.3	30.4-38.2	406	47.2	43.3-51.1	3	0.3	0.0- 0.7	142	17.0	14.1-19.9
65+	1467	59,731	23	1.8	1.0- 2.6	488	32.3	29.4-35.2	573	39.8	36.7-42.9	11	0.9	0.3- 1.5	372	25.2	22.5-27.9
Less Than H.S.	177	18,499	6	7.3	1.0-13.6	62	40.4	30.2-50.6	58	26.5	18.7-34.3	1	0.4	0.0- 1.2	50	25.3	17.1-33.5
H.S. or G.E.D.	965	68,944	25	4.7	2.0- 7.4	357	38.1	33.6-42.6	382	39.8	35.3-44.3	6	0.6	0.0- 1.2	195	16.8	13.7-19.9
Some Post-H.S.	1149	108,076	15	1.2	0.4- 2.0	414	39.2	35.1-43.3	502	43.3	39.2-47.4	2	0.1	0.0- 0.3	216	16.2	13.3-19.1
College Graduate	1194	74,859	12	1.0	0.2- 1.8	418	36.0	32.3-39.7	553	48.3	44.4-52.2	8	0.5	0.0- 1.1	203	14.2	11.7-16.7
Less than \$15,000	233	21,791	7	4.9	0.4- 9.4	86	40.3	30.7-49.9	89	36.3	27.1-45.5				51	18.4	11.5-25.3
\$15,000- 24,999	494	37,430	11	3.9	1.0- 6.8	176	35.5	29.4-41.6	182	40.4	33.9-46.9	2	0.4	0.0- 1.0	123	19.8	14.7-24.9
\$25,000- 34,999	355	24,245	7	4.5	0.0- 9.8	135	39.9	32.1-47.7	128	34.6	27.2-42.0	2	0.3	0.0- 0.7	83	20.7	14.2-27.2
\$35,000- 49,999	481	38,726	12	3.6	0.7- 6.5	178	41.4	34.9-47.9	194	38.7	32.4-45.0	1	0.0	0.0- 0.0	96	16.3	12.0-20.6
\$50,000- 74,999	537	38,937	5	0.7	0.1- 1.3	198	39.1	33.0-45.2	252	45.5	39.4-51.6	1	0.2	0.0- 0.6	81	14.5	10.6-18.4
\$75,000+	996	82,034	11	0.9	0.3- 1.5	366	40.0	35.9-44.1	474	46.4	42.3-50.5	5	0.2	0.0- 0.4	140	12.6	9.9-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 13: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6549	546,092	394	5.3	4.5- 6.1	3294	47.7	45.9-49.5	2229	35.7	34.1-37.3	17	0.4	0.2- 0.6	615	10.8	9.6-12.0
Male	3069	276,288	175	5.3	4.3- 6.3	1581	49.5	47.1-51.9	1019	34.4	32.0-36.8	10	0.4	0.0- 0.8	284	10.4	8.8-12.0
Female	3480	269,804	219	5.3	4.3- 6.3	1713	45.9	43.5-48.3	1210	37.1	34.7-39.5	7	0.4	0.0- 0.8	331	11.3	9.7-12.9
Native	217	21,471	11	7.9	2.2-13.6	126	54.8	45.8-63.8	62	29.2	21.2-37.2				18	8.0	3.7-12.3
Non-Native	6261	517,938	376	5.1	4.5- 5.7	3137	47.7	45.9-49.5	2146	36.1	34.3-37.9	17	0.4	0.2- 0.6	585	10.8	9.6-12.0
18-24	341	83,336	16	4.4	2.0- 6.8	139	39.1	33.2-45.0	141	41.4	35.3-47.5	3	0.9	0.0- 2.1	42	14.2	9.9-18.5
25-34	647	104,887	22	2.9	1.5- 4.3	318	50.6	46.1-55.1	227	33.8	29.5-38.1	1	0.3	0.0- 0.9	79	12.4	9.5-15.3
35-44	654	82,844	23	4.0	2.0- 6.0	323	47.5	43.0-52.0	232	36.6	32.3-40.9	2	0.5	0.0- 1.1	74	11.6	8.9-14.3
45-54	905	77,667	35	4.3	2.7- 5.9	431	46.0	42.3-49.7	335	37.8	34.1-41.5	5	0.5	0.1- 0.9	99	11.5	9.1-13.9
55-64	1558	89,156	74	5.6	4.0- 7.2	776	49.1	46.2-52.0	561	36.2	33.5-38.9	2	0.2	0.0- 0.4	145	8.9	7.3-10.5
65+	2444	108,203	224	9.7	8.3-11.1	1307	52.0	49.6-54.4	733	30.7	28.5-32.9	4	0.2	0.0- 0.4	176	7.3	6.1- 8.5
Less Than H.S.	355	44,196	45	10.6	6.9-14.3	160	43.6	36.5-50.7	105	32.1	25.4-38.8	5	1.3	0.0- 2.7	40	12.4	7.9-16.9
H.S. or G.E.D.	1819	144,978	155	6.7	5.1- 8.3	906	47.6	44.5-50.7	582	34.3	31.2-37.4	1	0.1	0.0- 0.3	175	11.2	9.0-13.4
Some Post-H.S.	2123	213,862	115	4.5	3.5- 5.5	1053	47.5	44.6-50.4	747	36.6	33.9-39.3	7	0.6	0.0- 1.2	201	10.8	8.8-12.8
College Graduate	2242	142,346	79	3.3	2.3- 4.3	1170	49.6	46.9-52.3	791	36.9	34.4-39.4	4	0.2	0.0- 0.4	198	10.0	8.2-11.8
Less than \$15,000	399	40,316	32	6.8	3.3-10.3	178	37.8	31.3-44.3	131	38.7	31.6-45.8	1	0.9	0.0- 2.7	57	15.9	10.8-21.0
\$15,000- 24,999	764	64,248	67	6.9	4.7- 9.1	368	42.5	37.6-47.4	237	33.3	28.6-38.0	1	0.2	0.0- 0.6	91	17.0	12.5-21.5
\$25,000- 34,999	579	45,790	42	5.5	3.1- 7.9	307	51.1	45.0-57.2	178	31.9	26.4-37.4	3	0.9	0.0- 2.1	49	10.7	6.8-14.6
\$35,000- 49,999	941	75,274	61	6.2	4.0- 8.4	469	50.2	45.7-54.7	315	34.6	30.3-38.9	1	0.0	0.0- 0.0	95	9.0	6.6-11.4
\$50,000- 74,999	1111	90,194	50	4.7	2.9- 6.5	585	50.9	46.8-55.0	383	35.3	31.4-39.2				93	9.1	6.7-11.5
\$75,000+	2159	182,617	91	3.9	2.9- 4.9	1111	50.3	47.6-53.0	774	36.9	34.2-39.6	6	0.2	0.0- 0.4	177	8.7	7.1-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 14: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3069	276,288	175	5.3	4.3- 6.3	1581	49.5	47.1-51.9	1019	34.4	32.0-36.8	10	0.4	0.0- 0.8	284	10.4	8.8-12.0
Native	107	11,335	8	9.3	1.5-17.1	57	51.3	39.1-63.5	34	30.5	19.5-41.5				8	8.9	2.0-15.8
Non-Native	2917	260,431	165	5.1	4.1- 6.1	1504	49.8	47.4-52.2	972	34.6	32.2-37.0	10	0.5	0.1- 0.9	266	10.1	8.5-11.7
18-24	202	43,785	11	5.2	1.7- 8.7	88	42.1	34.3-49.9	82	40.7	32.9-48.5	1	0.2	0.0- 0.6	20	11.8	6.5-17.1
25-34	361	56,488	16	3.6	1.6- 5.6	170	49.9	43.8-56.0	122	31.5	26.0-37.0	1	0.5	0.0- 1.5	52	14.4	10.3-18.5
35-44	356	43,119	15	4.1	1.7- 6.5	184	49.3	43.2-55.4	119	35.8	29.9-41.7	1	0.6	0.0- 1.8	37	10.3	6.8-13.8
45-54	447	39,319	16	3.8	1.4- 6.2	216	47.6	42.3-52.9	169	38.3	33.0-43.6	4	0.8	0.0- 1.6	42	9.4	6.3-12.5
55-64	721	44,617	39	6.1	3.9- 8.3	383	52.9	48.6-57.2	230	31.5	27.4-35.6	2	0.4	0.0- 1.0	67	9.1	6.6-11.6
65+	982	48,960	78	8.6	6.4-10.8	540	54.3	50.6-58.0	297	30.3	26.8-33.8	1	0.3	0.0- 0.9	66	6.5	4.5- 8.5
Less Than H.S.	181	25,984	25	9.8	5.5-14.1	76	43.9	34.3-53.5	57	33.2	23.8-42.6	3	1.8	0.0- 4.0	20	11.3	5.8-16.8
H.S. or G.E.D.	857	76,187	61	5.8	3.8- 7.8	442	50.0	45.7-54.3	279	34.4	30.3-38.5	1	0.1	0.0- 0.3	74	9.6	6.9-12.3
Some Post-H.S.	978	106,298	50	4.5	2.9- 6.1	487	48.2	44.3-52.1	336	35.0	31.1-38.9	4	0.5	0.0- 1.1	101	11.9	9.2-14.6
College Graduate	1050	67,536	39	4.1	2.5- 5.7	574	53.2	49.5-56.9	346	33.8	30.3-37.3	2	0.2	0.0- 0.6	89	8.7	6.5-10.9
Less than \$15,000	167	18,506	18	10.6	3.9-17.3	66	33.1	24.1-42.1	57	38.6	28.4-48.8				26	17.7	10.3-25.1
\$15,000- 24,999	275	27,056	22	5.2	2.7- 7.7	137	48.5	40.7-56.3	84	29.1	22.2-36.0	1	0.5	0.0- 1.5	31	16.8	9.9-23.7
\$25,000- 34,999	224	21,545	13	5.3	1.4- 9.2	119	49.9	40.9-58.9	65	29.5	21.5-37.5	3	2.0	0.0- 4.5	24	13.3	7.0-19.6
\$35,000- 49,999	461	36,695	27	5.8	3.1- 8.5	230	50.8	44.7-56.9	154	34.3	28.4-40.2				50	9.1	6.0-12.2
\$50,000- 74,999	576	51,553	25	4.6	2.4- 6.8	322	52.9	47.6-58.2	186	35.1	29.8-40.4				43	7.3	4.6-10.0
\$75,000+	1160	100,515	56	4.6	3.0- 6.2	618	52.3	48.6-56.0	398	35.5	31.8-39.2	2	0.1	0.0- 0.3	86	7.5	5.5- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 15: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3480	269,804	219	5.3	4.3- 6.3	1713	45.9	43.5-48.3	1210	37.1	34.7-39.5	7	0.4	0.0- 0.8	331	11.3	9.7-12.9
Native	110	10,136	3	6.4	0.0-14.4	69	58.8	45.7-71.9	28	27.8	16.0-39.6				10	7.0	2.1-11.9
Non-Native	3344	257,507	211	5.0	4.0- 6.0	1633	45.5	43.1-47.9	1174	37.6	35.2-40.0	7	0.4	0.0- 0.8	319	11.4	9.6-13.2
18-24	139	39,551	5	3.5	0.2- 6.8	51	35.8	27.0-44.6	59	42.1	32.9-51.3	2	1.6	0.0- 3.8	22	16.9	9.8-24.0
25-34	286	48,398	6	2.0	0.2- 3.8	148	51.4	44.5-58.3	105	36.6	30.1-43.1				27	10.0	5.7-14.3
35-44	298	39,724	8	3.8	0.9- 6.7	139	45.5	38.8-52.2	113	37.4	30.9-43.9	1	0.4	0.0- 1.2	37	12.9	8.4-17.4
45-54	458	38,348	19	4.8	2.4- 7.2	215	44.3	39.0-49.6	166	37.2	32.1-42.3	1	0.2	0.0- 0.6	57	13.6	9.9-17.3
55-64	837	44,540	35	5.2	3.0- 7.4	393	45.2	41.3-49.1	331	40.9	37.0-44.8				78	8.6	6.4-10.8
65+	1462	59,242	146	10.6	8.6-12.6	767	50.2	47.1-53.3	436	31.1	28.2-34.0	3	0.2	0.0- 0.4	110	7.9	6.1- 9.7
Less Than H.S.	174	18,213	20	11.8	5.3-18.3	84	43.2	33.2-53.2	48	30.5	21.3-39.7	2	0.5	0.0- 1.3	20	14.0	6.7-21.3
H.S. or G.E.D.	962	68,792	94	7.7	5.3-10.1	464	45.0	40.3-49.7	303	34.2	29.7-38.7				101	13.0	9.7-16.3
Some Post-H.S.	1145	107,564	65	4.5	3.1- 5.9	566	46.8	42.7-50.9	411	38.2	34.1-42.3	3	0.7	0.0- 1.5	100	9.8	7.1-12.5
College Graduate	1192	74,810	40	2.6	1.4- 3.8	596	46.3	42.4-50.2	445	39.7	36.0-43.4	2	0.2	0.0- 0.6	109	11.2	8.7-13.7
Less than \$15,000	232	21,810	14	3.5	0.8- 6.2	112	41.8	32.6-51.0	74	38.8	29.2-48.4	1	1.7	0.0- 4.8	31	14.3	7.0-21.6
\$15,000- 24,999	489	37,191	45	8.2	4.9-11.5	231	38.2	32.3-44.1	153	36.4	29.9-42.9				60	17.2	11.3-23.1
\$25,000- 34,999	355	24,245	29	5.6	3.1- 8.1	188	52.1	44.1-60.1	113	33.9	26.3-41.5				25	8.4	3.9-12.9
\$35,000- 49,999	480	38,579	34	6.6	3.3- 9.9	239	49.5	43.0-56.0	161	34.8	28.5-41.1	1	0.1	0.0- 0.3	45	9.0	5.5-12.5
\$50,000- 74,999	535	38,641	25	4.8	2.1- 7.5	263	48.1	42.0-54.2	197	35.6	29.9-41.3				50	11.5	7.2-15.8
\$75,000+	999	82,102	35	2.9	1.7- 4.1	493	48.0	43.9-52.1	376	38.6	34.5-42.7	4	0.4	0.0- 0.8	91	10.1	7.6-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 16: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES?
(VEGETAB2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6549	546,212	2860	42.3	40.7-43.9	2459	37.6	36.0-39.2	1053	17.0	15.8-18.2	5	0.1	0.0- 0.3	172	3.0	2.4- 3.6
Male	3070	277,217	1022	33.4	31.2-35.6	1329	41.7	39.3-44.1	606	20.9	18.9-22.9	4	0.2	0.0- 0.4	109	3.8	2.8- 4.8
Female	3479	268,995	1838	51.4	49.0-53.8	1130	33.4	31.0-35.8	447	13.0	11.4-14.6	1	0.0	0.0- 0.0	63	2.2	1.4- 3.0
Native	216	21,554	96	42.7	33.9-51.5	80	38.0	29.2-46.8	29	14.6	8.3-20.9				11	4.6	1.3- 7.9
Non-Native	6260	517,777	2738	42.3	40.5-44.1	2348	37.6	36.0-39.2	1012	17.1	15.7-18.5	5	0.1	0.0- 0.3	157	2.9	2.3- 3.5
18-24	339	82,873	119	38.6	32.5-44.7	138	38.9	33.0-44.8	63	17.3	12.6-22.0	1	0.3	0.0- 0.9	18	4.8	2.3- 7.3
25-34	649	105,460	286	45.2	40.7-49.7	240	37.6	33.3-41.9	105	14.4	11.3-17.5				18	2.8	1.2- 4.4
35-44	650	82,413	277	42.0	37.5-46.5	233	35.6	31.3-39.9	125	20.6	16.9-24.3				15	1.8	0.8- 2.8
45-54	907	77,794	350	38.9	35.2-42.6	341	36.8	33.1-40.5	180	20.0	17.1-22.9	1	0.1	0.0- 0.3	35	4.3	2.7- 5.9
55-64	1563	89,485	677	42.3	39.4-45.2	594	37.8	35.1-40.5	258	17.6	15.2-20.0	1	0.0	0.0- 0.0	33	2.3	1.3- 3.3
65+	2441	108,186	1151	44.8	42.4-47.2	913	38.6	36.2-41.0	322	14.1	12.3-15.9	2	0.1	0.0- 0.3	53	2.4	1.6- 3.2
Less Than H.S.	354	44,002	137	37.3	30.6-44.0	131	35.5	28.8-42.2	65	21.8	15.5-28.1	2	0.3	0.0- 0.7	19	5.1	2.4- 7.8
H.S. or G.E.D.	1824	145,206	734	37.5	34.4-40.6	698	38.6	35.5-41.7	327	19.5	17.0-22.0	1	0.2	0.0- 0.6	64	4.2	2.8- 5.6
Some Post-H.S.	2123	214,360	886	42.4	39.5-45.3	824	38.0	35.3-40.7	352	16.9	14.9-18.9	1	0.0	0.0- 0.0	60	2.8	1.8- 3.8
College Graduate	2237	141,917	1097	48.4	45.7-51.1	801	36.7	34.0-39.4	309	13.4	11.6-15.2	1	0.0	0.0- 0.0	29	1.5	0.9- 2.1
Less than \$15,000	397	40,210	164	41.9	34.8-49.0	145	33.8	27.3-40.3	68	19.9	14.2-25.6	1	0.2	0.0- 0.6	19	4.2	1.7- 6.7
\$15,000- 24,999	767	64,425	323	41.4	36.5-46.3	287	35.6	30.9-40.3	124	18.4	14.5-22.3				33	4.6	2.6- 6.6
\$25,000- 34,999	581	46,160	250	36.7	31.0-42.4	238	42.7	36.6-48.8	71	14.1	10.0-18.2				22	6.4	3.1- 9.7
\$35,000- 49,999	946	75,244	403	41.8	37.3-46.3	353	38.0	33.7-42.3	161	16.2	13.1-19.3				29	4.0	2.2- 5.8
\$50,000- 74,999	1111	90,379	497	44.1	40.0-48.2	402	36.6	32.7-40.5	191	17.6	14.7-20.5				21	1.7	0.7- 2.7
\$75,000+	2152	182,532	943	43.3	40.6-46.0	822	38.3	35.6-41.0	354	16.7	14.5-18.9	2	0.2	0.0- 0.4	31	1.5	0.7- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 17: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES?
(VEGETAB2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3070	277,217	1022	33.4	31.2-35.6	1329	41.7	39.3-44.1	606	20.9	18.9-22.9	4	0.2	0.0- 0.4	109	3.8	2.8- 4.8
Native	108	11,401	39	34.2	22.8-45.6	43	39.4	27.8-51.0	20	21.2	11.0-31.4				6	5.2	0.0-10.7
Non-Native	2915	261,096	966	33.4	31.0-35.8	1268	41.9	39.5-44.3	577	20.9	18.9-22.9	4	0.2	0.0- 0.4	100	3.6	2.8- 4.4
18-24	203	44,225	60	32.5	25.1-39.9	85	39.6	32.0-47.2	45	22.4	15.3-29.5	1	0.6	0.0- 1.8	12	4.9	1.8- 8.0
25-34	362	56,750	117	33.6	27.9-39.3	153	43.4	37.3-49.5	76	18.8	14.3-23.3				16	4.2	1.8- 6.6
35-44	353	42,870	113	32.4	26.7-38.1	146	39.3	33.4-45.2	82	25.9	20.4-31.4				12	2.4	0.8- 4.0
45-54	448	39,652	141	32.4	27.3-37.5	178	38.4	33.1-43.7	105	23.2	18.7-27.7	1	0.2	0.0- 0.6	23	5.8	3.1- 8.5
55-64	726	44,946	248	34.4	30.3-38.5	327	43.1	39.0-47.2	134	19.7	16.2-23.2				17	2.8	1.2- 4.4
65+	978	48,774	343	34.9	31.4-38.4	440	44.9	41.2-48.6	164	17.0	14.3-19.7	2	0.3	0.0- 0.7	29	3.0	1.8- 4.2
Less Than H.S.	182	25,966	59	30.1	21.5-38.7	71	37.9	28.7-47.1	41	26.6	17.4-35.8	2	0.5	0.0- 1.3	9	4.8	1.3- 8.3
H.S. or G.E.D.	859	76,941	261	30.3	26.2-34.4	372	41.4	37.1-45.7	185	23.0	19.3-26.7	1	0.4	0.0- 1.2	40	4.9	2.9- 6.9
Some Post-H.S.	981	106,882	305	32.1	28.4-35.8	434	42.8	38.9-46.7	206	21.7	18.6-24.8	1	0.1	0.0- 0.3	35	3.3	1.9- 4.7
College Graduate	1044	67,125	396	40.2	36.5-43.9	449	41.6	37.9-45.3	174	15.1	12.6-17.6				25	3.0	1.6- 4.4
Less than \$15,000	165	18,388	56	31.4	22.2-40.6	63	35.9	26.1-45.7	36	26.2	17.0-35.4	1	0.4	0.0- 1.2	9	6.1	1.2-11.0
\$15,000- 24,999	274	27,077	75	27.9	21.0-34.8	127	44.1	36.3-51.9	54	22.7	15.8-29.6				18	5.4	2.5- 8.3
\$25,000- 34,999	227	21,921	65	31.5	22.7-40.3	107	39.0	30.6-47.4	40	19.0	11.9-26.1				15	10.6	4.7-16.5
\$35,000- 49,999	466	36,955	147	33.0	27.1-38.9	202	43.9	38.0-49.8	98	18.4	13.9-22.9				19	4.7	2.2- 7.2
\$50,000- 74,999	578	51,845	207	36.7	31.4-42.0	238	39.1	33.8-44.4	118	21.7	17.4-26.0				15	2.5	0.7- 4.3
\$75,000+	1157	100,601	403	34.5	31.0-38.0	513	43.4	39.7-47.1	216	19.9	16.8-23.0	1	0.3	0.0- 0.9	24	1.8	1.0- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 18: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES?
(VEGETAB2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3479	268,995	1838	51.4	49.0-53.8	1130	33.4	31.0-35.8	447	13.0	11.4-14.6	1	0.0	0.0- 0.0	63	2.2	1.4- 3.0
Native	108	10,153	57	52.3	39.0-65.6	37	36.4	22.9-49.9	9	7.3	2.0-12.6				5	4.0	0.1- 7.9
Non-Native	3345	256,681	1772	51.4	49.0-53.8	1080	33.2	30.8-35.6	435	13.3	11.7-14.9	1	0.0	0.0- 0.0	57	2.1	1.3- 2.9
18-24	136	38,648	59	45.7	36.3-55.1	53	38.1	29.1-47.1	18	11.5	5.8-17.2				6	4.7	0.6- 8.8
25-34	287	48,709	169	58.7	52.0-65.4	87	30.8	24.5-37.1	29	9.2	5.5-12.9				2	1.3	0.0- 3.1
35-44	297	39,543	164	52.4	45.7-59.1	87	31.7	25.4-38.0	43	14.8	10.1-19.5				3	1.2	0.0- 2.6
45-54	459	38,142	209	45.6	40.3-50.9	163	35.1	30.0-40.2	75	16.6	12.7-20.5				12	2.7	1.1- 4.3
55-64	837	44,539	429	50.3	46.4-54.2	267	32.5	28.8-36.2	124	15.4	12.5-18.3	1	0.1	0.0- 0.3	16	1.7	0.7- 2.7
65+	1463	59,412	808	52.9	49.8-56.0	473	33.4	30.5-36.3	158	11.8	9.8-13.8				24	1.9	1.1- 2.7
Less Than H.S.	172	18,036	78	47.7	37.5-57.9	60	32.1	22.5-41.7	24	14.9	7.8-22.0				10	5.4	1.3- 9.5
H.S. or G.E.D.	965	68,265	473	45.6	41.1-50.1	326	35.6	31.1-40.1	142	15.4	12.1-18.7				24	3.4	1.4- 5.4
Some Post-H.S.	1142	107,478	581	52.6	48.5-56.7	390	33.1	29.2-37.0	146	12.0	9.5-14.5				25	2.3	0.9- 3.7
College Graduate	1193	74,792	701	55.7	51.8-59.6	352	32.3	28.6-36.0	135	11.8	9.3-14.3	1	0.0	0.0- 0.0	4	0.1	0.0- 0.3
Less than \$15,000	232	21,822	108	50.7	41.1-60.3	82	32.0	23.2-40.8	32	14.6	7.9-21.3				10	2.7	0.7- 4.7
\$15,000- 24,999	493	37,349	248	51.1	44.6-57.6	160	29.4	23.7-35.1	70	15.4	10.9-19.9				15	4.1	1.4- 6.8
\$25,000- 34,999	354	24,239	185	41.5	33.9-49.1	131	46.1	37.9-54.3	31	9.7	5.2-14.2				7	2.7	0.0- 5.4
\$35,000- 49,999	480	38,289	256	50.3	43.8-56.8	151	32.3	26.2-38.4	63	14.1	9.6-18.6				10	3.3	0.6- 6.0
\$50,000- 74,999	533	38,534	290	54.1	48.0-60.2	164	33.3	27.4-39.2	73	12.1	8.8-15.4				6	0.6	0.0- 1.2
\$75,000+	995	81,931	540	54.0	49.9-58.1	309	32.1	28.2-36.0	138	12.8	10.3-15.3	1	0.0	0.0- 0.0	7	1.1	0.0- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	238
2 MALES ONLY	239
3 FEMALES ONLY	240
WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)	
4 MALES AND FEMALES	241
5 MALES ONLY	242
6 FEMALES ONLY	243
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7 MALES AND FEMALES	244
8 MALES ONLY	245
9 FEMALES ONLY	246
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10 MALES AND FEMALES	247
11 MALES ONLY	248
12 FEMALES ONLY	249
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)	
13 MALES AND FEMALES	250
14 MALES ONLY	251
15 FEMALES ONLY	252
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16 MALES AND FEMALES	253
17 MALES ONLY	254
18 FEMALES ONLY	255

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19 MALES AND FEMALES	256
20 MALES ONLY	257
21 FEMALES ONLY	258
DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22 MALES AND FEMALES	259
23 MALES ONLY	260
24 FEMALES ONLY	261

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6564	545,801	4634	72.4	71.0-73.8	1930	27.6	26.2-29.0
Male	3084	277,668	2169	72.6	70.6-74.6	915	27.4	25.4-29.4
Female	3480	268,132	2465	72.1	69.9-74.3	1015	27.9	25.7-30.1
Native	215	21,130	138	63.9	55.1-72.7	77	36.1	27.3-44.9
Non-Native	6274	517,677	4445	72.8	71.2-74.4	1829	27.2	25.6-28.8
18-24	337	82,225	267	80.6	75.7-85.5	70	19.4	14.5-24.3
25-34	648	104,982	508	77.6	73.7-81.5	140	22.4	18.5-26.3
35-44	648	82,061	466	71.1	67.0-75.2	182	28.9	24.8-33.0
45-54	914	78,620	668	73.2	69.9-76.5	246	26.8	23.5-30.1
55-64	1555	89,016	1099	69.5	66.8-72.2	456	30.5	27.8-33.2
65+	2462	108,897	1626	63.8	61.4-66.2	836	36.2	33.8-38.6
Less Than H.S.	358	44,465	189	54.4	47.3-61.5	169	45.6	38.5-52.7
H.S. or G.E.D.	1833	145,228	1124	65.1	62.2-68.0	709	34.9	32.0-37.8
Some Post-H.S.	2121	213,234	1489	73.5	71.1-75.9	632	26.5	24.1-28.9
College Graduate	2239	142,044	1823	83.7	81.7-85.7	416	16.3	14.3-18.3
Less than \$15,000	395	39,694	232	64.5	58.0-71.0	163	35.5	29.0-42.0
\$15,000- 24,999	761	62,984	478	66.9	62.4-71.4	283	33.1	28.6-37.6
\$25,000- 34,999	583	46,193	390	68.4	62.9-73.9	193	31.6	26.1-37.1
\$35,000- 49,999	949	75,352	664	73.3	69.6-77.0	285	26.7	23.0-30.4
\$50,000- 74,999	1111	90,350	801	73.1	69.6-76.6	310	26.9	23.4-30.4
\$75,000+	2156	182,727	1662	76.6	74.2-79.0	494	23.4	21.0-25.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3084	277,668	2169	72.6	70.6-74.6	915	27.4	25.4-29.4
Native	106	11,211	75	71.3	60.5-82.1	31	28.7	17.9-39.5
Non-Native	2929	261,625	2063	72.9	70.7-75.1	866	27.1	24.9-29.3
18-24	204	44,145	164	83.8	77.9-89.7	40	16.2	10.3-22.1
25-34	361	56,546	279	77.7	72.6-82.8	82	22.3	17.2-27.4
35-44	353	42,956	250	70.2	64.7-75.7	103	29.8	24.3-35.3
45-54	453	40,081	314	71.3	66.4-76.2	139	28.7	23.8-33.6
55-64	723	44,671	493	68.0	64.1-71.9	230	32.0	28.1-35.9
65+	990	49,270	669	64.2	60.7-67.7	321	35.8	32.3-39.3
Less Than H.S.	183	26,116	99	58.7	49.3-68.1	84	41.3	31.9-50.7
H.S. or G.E.D.	868	77,518	525	64.8	60.7-68.9	343	35.2	31.1-39.3
Some Post-H.S.	980	106,361	682	74.4	71.3-77.5	298	25.6	22.5-28.7
College Graduate	1047	67,270	858	84.1	81.4-86.8	189	15.9	13.2-18.6
Less than \$15,000	165	18,173	103	69.4	61.0-77.8	62	30.6	22.2-39.0
\$15,000- 24,999	274	26,977	169	66.8	59.7-73.9	105	33.2	26.1-40.3
\$25,000- 34,999	229	21,973	164	76.2	69.1-83.3	65	23.8	16.7-30.9
\$35,000- 49,999	467	37,002	314	71.6	66.5-76.7	153	28.4	23.3-33.5
\$50,000- 74,999	576	51,521	399	71.9	67.2-76.6	177	28.1	23.4-32.8
\$75,000+	1162	101,003	878	74.5	71.2-77.8	284	25.5	22.2-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3480	268,132	2465	72.1	69.9-74.3	1015	27.9	25.7-30.1
Native	109	9,919	63	55.5	42.0-69.0	46	44.5	31.0-58.0
Non-Native	3345	256,053	2382	72.6	70.4-74.8	963	27.4	25.2-29.6
18-24	133	38,080	103	77.0	69.2-84.8	30	23.0	15.2-30.8
25-34	287	48,436	229	77.4	71.3-83.5	58	22.6	16.5-28.7
35-44	295	39,105	216	72.1	66.0-78.2	79	27.9	21.8-34.0
45-54	461	38,539	354	75.2	70.5-79.9	107	24.8	20.1-29.5
55-64	832	44,346	606	71.0	67.3-74.7	226	29.0	25.3-32.7
65+	1472	59,627	957	63.5	60.6-66.4	515	36.5	33.6-39.4
Less Than H.S.	175	18,349	90	48.3	38.3-58.3	85	51.7	41.7-61.7
H.S. or G.E.D.	965	67,710	599	65.4	61.1-69.7	366	34.6	30.3-38.9
Some Post-H.S.	1141	106,874	807	72.5	68.8-76.2	334	27.5	23.8-31.2
College Graduate	1192	74,774	965	83.4	80.7-86.1	227	16.6	13.9-19.3
Less than \$15,000	230	21,521	129	60.4	51.0-69.8	101	39.6	30.2-49.0
\$15,000- 24,999	487	36,006	309	66.9	61.0-72.8	178	33.1	27.2-39.0
\$25,000- 34,999	354	24,220	226	61.4	53.4-69.4	128	38.6	30.6-46.6
\$35,000- 49,999	482	38,350	350	74.9	69.6-80.2	132	25.1	19.8-30.4
\$50,000- 74,999	535	38,829	402	74.6	69.3-79.9	133	25.4	20.1-30.7
\$75,000+	994	81,725	784	79.1	75.6-82.6	210	20.9	17.4-24.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4366	373,058	836	24.1	22.3-25.9	2704	55.0	53.0-57.0	173	4.8	3.8- 5.8	30	0.7	0.3- 1.1	80	1.3	0.9- 1.7	543	14.2	12.6-15.8
Male	2041	190,135	448	26.5	23.8-29.2	1123	46.0	43.3-48.7	144	8.4	6.6-10.2	7	0.2	0.0- 0.4	55	1.9	1.3- 2.5	264	16.9	14.5-19.3
Female	2325	182,923	388	21.5	19.0-24.0	1581	64.3	61.4-67.2	29	1.1	0.5- 1.7	23	1.2	0.4- 2.0	25	0.6	0.4- 0.8	279	11.3	9.5-13.1
Native	135	13,261	22	20.2	10.8-29.6	80	52.3	41.3-63.3	14	11.6	4.3-18.9	1	0.6	0.0- 1.8	2	1.2	0.0- 3.0	16	14.1	6.7-21.5
Non-Native	4182	355,228	803	24.2	22.2-26.2	2596	55.0	52.8-57.2	157	4.6	3.6- 5.6	28	0.6	0.2- 1.0	75	1.3	0.9- 1.7	523	14.3	12.7-15.9
18-24	256	62,384	93	36.7	30.0-43.4	77	30.6	24.1-37.1	25	9.6	5.5-13.7	2	1.1	0.0- 2.9	3	0.5	0.0- 1.1	56	21.5	15.8-27.2
25-34	475	77,029	161	33.3	28.4-38.2	211	46.1	40.8-51.4	24	4.4	2.4- 6.4	2	0.2	0.0- 0.4	7	1.4	0.2- 2.6	70	14.7	11.0-18.4
35-44	441	55,118	107	23.0	18.5-27.5	246	57.8	52.5-63.1	25	4.4	2.4- 6.4	1	0.1	0.0- 0.3	4	0.6	0.0- 1.2	58	14.1	10.2-18.0
45-54	642	55,164	122	20.6	16.9-24.3	398	60.8	56.5-65.1	23	4.0	2.2- 5.8	8	1.4	0.2- 2.6	12	1.2	0.4- 2.0	79	11.9	9.2-14.6
55-64	1045	58,578	150	15.0	12.3-17.7	720	67.6	64.3-70.9	30	3.5	1.9- 5.1	5	0.6	0.0- 1.2	22	1.7	0.9- 2.5	118	11.5	9.1-13.9
65+	1507	64,785	203	12.9	10.9-14.9	1052	70.2	67.5-72.9	46	3.1	2.1- 4.1	12	0.7	0.3- 1.1	32	2.2	1.2- 3.2	162	10.9	8.9-12.9
Less Than H.S.	176	22,352	32	26.3	16.7-35.9	112	53.4	43.4-63.4	7	7.2	1.1-13.3				2	0.5	0.0- 1.3	23	12.7	6.4-19.0
H.S. or G.E.D.	1063	90,579	167	21.3	17.6-25.0	705	58.3	54.2-62.4	42	5.0	3.2- 6.8	5	1.3	0.0- 2.7	26	1.8	1.0- 2.6	118	12.2	9.3-15.1
Some Post-H.S.	1392	146,429	241	21.6	18.5-24.7	872	56.0	52.5-59.5	63	5.4	3.6- 7.2	13	0.5	0.1- 0.9	26	1.3	0.7- 1.9	177	15.2	12.5-17.9
College Graduate	1726	113,048	392	28.9	26.0-31.8	1010	51.3	48.2-54.4	61	3.6	2.4- 4.8	12	0.5	0.3- 0.7	26	1.0	0.4- 1.6	225	14.7	12.3-17.1
Less than \$15,000	217	23,299	39	26.6	17.6-35.6	148	59.1	49.7-68.5	3	2.9	0.0- 7.0	1	0.3	0.0- 0.9	3	0.8	0.0- 1.8	23	10.3	5.2-15.4
\$15,000- 24,999	448	40,328	73	22.0	16.1-27.9	294	59.0	52.3-65.7	12	4.1	1.0- 7.2	3	2.0	0.0- 4.7	6	0.5	0.1- 0.9	60	12.4	8.5-16.3
\$25,000- 34,999	358	29,063	65	27.5	20.1-34.9	230	55.0	47.2-62.8	14	5.4	1.5- 9.3	6	1.1	0.0- 2.3	7	1.0	0.2- 1.8	36	10.0	5.7-14.3
\$35,000- 49,999	631	52,352	120	25.9	20.6-31.2	374	50.3	44.8-55.8	27	4.8	2.6- 7.0	7	0.7	0.1- 1.3	12	1.7	0.5- 2.9	91	16.7	12.4-21.0
\$50,000- 74,999	749	61,834	133	20.2	16.1-24.3	470	55.3	50.4-60.2	33	5.8	3.3- 8.3	4	0.4	0.0- 1.0	16	1.7	0.7- 2.7	93	16.5	12.6-20.4
\$75,000+	1588	134,130	345	26.0	23.1-28.9	929	52.4	49.3-55.5	74	4.9	3.5- 6.3	8	0.3	0.1- 0.5	29	1.4	0.8- 2.0	203	14.9	12.4-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2041	190,135	448	26.5	23.8-29.2	1123	46.0	43.3-48.7	144	8.4	6.6-10.2	7	0.2	0.0- 0.4	55	1.9	1.3- 2.5	264	16.9	14.5-19.3
Native	72	7,757	12	19.2	6.7-31.7	30	37.4	23.3-51.5	14	19.8	7.8-31.8	1	0.9	0.0- 2.7	1	0.6	0.0- 1.8	14	22.1	10.1-34.1
Non-Native	1938	179,591	426	26.8	24.1-29.5	1078	46.3	43.4-49.2	128	8.0	6.2- 9.8	6	0.1	0.0- 0.3	52	2.0	1.4- 2.6	248	16.8	14.4-19.2
18-24	158	35,276	57	36.8	28.2-45.4	29	16.1	9.8-22.4	23	15.8	9.1-22.5				3	0.8	0.0- 1.8	46	30.4	22.2-38.6
25-34	257	41,094	90	33.2	26.5-39.9	92	40.0	32.9-47.1	21	7.7	4.2-11.2	2	0.3	0.0- 0.7	7	2.6	0.4- 4.8	45	16.3	11.4-21.2
35-44	236	28,618	58	25.0	18.7-31.3	116	48.3	41.0-55.6	21	7.2	3.5-10.9	1	0.3	0.0- 0.9	1	0.5	0.0- 1.5	39	18.8	12.7-24.9
45-54	296	26,779	76	28.9	22.8-35.0	155	49.3	42.6-56.0	19	7.1	3.6-10.6				8	1.8	0.4- 3.2	38	12.9	8.6-17.2
55-64	468	28,723	81	17.9	13.8-22.0	298	62.4	57.3-67.5	23	5.8	2.9- 8.7				13	2.0	0.8- 3.2	53	11.9	8.4-15.4
65+	626	29,645	86	12.8	9.7-15.9	433	68.7	64.2-73.2	37	5.5	3.5- 7.5	4	0.5	0.0- 1.1	23	3.9	2.1- 5.7	43	8.5	5.4-11.6
Less Than H.S.	92	13,844	18	30.1	16.8-43.4	50	40.2	27.9-52.5	7	11.6	2.0-21.2				1	0.5	0.0- 1.5	16	17.5	7.9-27.1
H.S. or G.E.D.	498	47,837	93	24.0	18.9-29.1	292	48.7	43.0-54.4	36	8.3	5.2-11.4	1	0.2	0.0- 0.6	18	2.5	1.1- 3.9	58	16.4	11.5-21.3
Some Post-H.S.	633	74,196	129	24.2	19.7-28.7	347	46.9	42.0-51.8	51	9.3	6.2-12.4	2	0.1	0.0- 0.3	18	2.0	0.8- 3.2	86	17.5	13.6-21.4
College Graduate	813	53,914	205	30.8	26.7-34.9	432	44.0	39.9-48.1	50	6.7	4.5- 8.9	4	0.3	0.0- 0.7	18	1.7	0.7- 2.7	104	16.6	13.1-20.1
Less than \$15,000	95	11,409	21	28.1	15.0-41.2	59	51.9	38.2-65.6	1	4.1	0.0-11.9	1	0.6	0.0- 1.8	2	0.7	0.0- 1.7	11	14.5	5.3-23.7
\$15,000- 24,999	160	17,308	32	28.5	18.7-38.3	91	46.3	36.3-56.3	8	7.9	1.2-14.6				3	0.5	0.0- 1.1	26	16.8	9.4-24.2
\$25,000- 34,999	151	15,295	36	36.2	24.6-47.8	84	42.0	31.6-52.4	13	10.1	2.8-17.4				3	1.1	0.0- 2.5	15	10.6	3.9-17.3
\$35,000- 49,999	300	25,398	61	26.3	19.0-33.6	168	44.1	36.8-51.4	23	8.8	4.5-13.1	1	0.1	0.0- 0.3	11	3.3	0.9- 5.7	36	17.3	11.0-23.6
\$50,000- 74,999	370	34,700	66	20.9	15.2-26.6	212	45.2	38.5-51.9	28	9.2	5.1-13.3	2	0.3	0.0- 0.9	10	2.2	0.6- 3.8	52	22.1	15.8-28.4
\$75,000+	833	71,980	199	27.0	23.1-30.9	439	46.6	42.3-50.9	61	7.9	5.5-10.3	3	0.2	0.0- 0.4	21	2.2	1.0- 3.4	110	16.2	12.7-19.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2325	182,923	388	21.5	19.0-24.0	1581	64.3	61.4-67.2	29	1.1	0.5- 1.7	23	1.2	0.4- 2.0	25	0.6	0.4- 0.8	279	11.3	9.5-13.1
Native	63	5,504	10	21.7	7.4-36.0	50	73.4	58.5-88.3							1	2.1	0.0- 6.2	2	2.9	0.0- 7.0
Non-Native	2244	175,637	377	21.7	19.2-24.2	1518	63.9	61.0-66.8	29	1.2	0.6- 1.8	22	1.1	0.3- 1.9	23	0.5	0.3- 0.7	275	11.7	9.7-13.7
18-24	98	27,108	36	36.6	26.0-47.2	48	49.4	38.4-60.4	2	1.5	0.0- 3.5	2	2.6	0.0- 6.5				10	10.0	3.3-16.7
25-34	218	35,935	71	33.5	26.2-40.8	119	53.1	45.5-60.7	3	0.6	0.0- 1.4							25	12.8	7.3-18.3
35-44	205	26,500	49	20.8	14.5-27.1	130	68.1	60.7-75.5	4	1.4	0.0- 2.8				3	0.7	0.0- 1.7	19	9.1	4.2-14.0
45-54	346	28,385	46	12.8	8.7-16.9	243	71.6	66.1-77.1	4	1.1	0.0- 2.3	8	2.7	0.5- 4.9	4	0.7	0.0- 1.7	41	10.9	7.2-14.6
55-64	577	29,855	69	12.3	8.8-15.8	422	72.6	68.1-77.1	7	1.2	0.0- 2.4	5	1.2	0.0- 2.4	9	1.5	0.3- 2.7	65	11.2	8.3-14.1
65+	881	35,140	117	12.9	10.2-15.6	619	71.5	68.0-75.0	9	1.0	0.2- 1.8	8	0.8	0.2- 1.4	9	0.8	0.2- 1.4	119	12.9	10.4-15.4
Less Than H.S.	84	8,508	14	20.1	7.9-32.3	62	74.7	62.4-87.0							1	0.3	0.0- 0.9	7	4.9	0.8- 9.0
H.S. or G.E.D.	565	42,743	74	18.3	13.2-23.4	413	69.2	63.5-74.9	6	1.3	0.1- 2.5	4	2.5	0.0- 5.2	8	1.1	0.3- 1.9	60	7.6	5.2-10.0
Some Post-H.S.	759	72,233	112	18.9	14.8-23.0	525	65.3	60.4-70.2	12	1.3	0.5- 2.1	11	0.9	0.3- 1.5	8	0.5	0.1- 0.9	91	12.9	9.2-16.6
College Graduate	913	59,134	187	27.2	22.9-31.5	578	57.9	53.4-62.4	11	0.9	0.3- 1.5	8	0.6	0.2- 1.0	8	0.4	0.2- 0.6	121	13.0	10.1-15.9
Less than \$15,000	122	11,889	18	25.2	12.7-37.7	89	66.0	53.3-78.7	2	1.8	0.0- 4.9				1	1.0	0.0- 3.0	12	6.1	1.8-10.4
\$15,000- 24,999	288	23,020	41	17.1	10.4-23.8	203	68.5	60.5-76.5	4	1.2	0.0- 2.6	3	3.5	0.0- 8.2	3	0.5	0.0- 1.1	34	9.2	5.1-13.3
\$25,000- 34,999	207	13,767	29	17.9	9.9-25.9	146	69.4	60.0-78.8	1	0.1	0.0- 0.3	6	2.3	0.0- 4.7	4	1.0	0.0- 2.2	21	9.4	4.1-14.7
\$35,000- 49,999	331	26,954	59	25.5	17.9-33.1	206	56.0	48.2-63.8	4	1.0	0.0- 2.2	6	1.3	0.1- 2.5	1	0.2	0.0- 0.6	55	16.0	10.1-21.9
\$50,000- 74,999	379	27,134	67	19.3	13.6-25.0	258	68.3	61.8-74.8	5	1.5	0.1- 2.9	2	0.6	0.0- 1.6	6	1.0	0.0- 2.0	41	9.4	5.7-13.1
\$75,000+	755	62,151	146	24.9	20.6-29.2	490	59.2	54.3-64.1	13	1.4	0.4- 2.4	5	0.5	0.1- 0.9	8	0.6	0.2- 1.0	93	13.3	9.6-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4529	387,335	1971	44.2	42.2-46.2	1264	26.8	25.0-28.6	552	13.4	12.0-14.8	195	4.8	3.8- 5.8	547	10.8	9.6-12.0
Male	2115	196,736	884	42.2	39.5-44.9	549	24.9	22.5-27.3	311	15.7	13.7-17.7	95	4.9	3.5- 6.3	276	12.4	10.6-14.2
Female	2414	190,599	1087	46.3	43.4-49.2	715	28.8	26.3-31.3	241	10.9	9.1-12.7	100	4.7	3.5- 5.9	271	9.2	7.8-10.6
Native	134	13,209	55	36.5	26.3-46.7	44	34.0	23.2-44.8	22	15.4	8.3-22.5	2	2.9	0.0- 8.2	11	11.2	4.1-18.3
Non-Native	4346	369,510	1903	44.7	42.7-46.7	1204	26.4	24.6-28.2	523	13.2	11.8-14.6	192	4.9	3.9- 5.9	524	10.7	9.5-11.9
18-24	265	65,795	114	45.4	38.5-52.3	76	30.1	23.8-36.4	34	10.1	6.4-13.8	11	4.9	1.8- 8.0	30	9.4	5.9-12.9
25-34	499	80,620	248	50.3	45.2-55.4	107	22.8	18.5-27.1	76	13.9	10.6-17.2	23	4.1	2.1- 6.1	45	8.8	6.1-11.5
35-44	461	57,180	235	47.0	41.7-52.3	94	20.7	16.4-25.0	64	16.1	12.0-20.2	22	6.8	3.9- 9.7	46	9.5	6.6-12.4
45-54	655	56,068	295	43.8	39.5-48.1	175	25.6	21.7-29.5	86	14.5	11.2-17.8	33	5.8	3.6- 8.0	66	10.3	7.6-13.0
55-64	1082	60,828	469	40.0	36.7-43.3	291	27.7	24.6-30.8	140	15.3	12.6-18.0	36	3.2	2.0- 4.4	146	13.8	11.4-16.2
65+	1567	66,844	610	37.7	34.8-40.6	521	33.6	30.9-36.3	152	10.8	8.8-12.8	70	4.3	3.1- 5.5	214	13.5	11.5-15.5
Less Than H.S.	179	23,378	47	29.5	20.1-38.9	67	37.9	28.5-47.3	34	16.6	10.1-23.1	5	4.8	0.0-10.5	26	11.2	5.7-16.7
H.S. or G.E.D.	1098	92,998	452	40.6	36.5-44.7	314	30.5	26.6-34.4	130	12.6	9.9-15.3	50	4.3	2.7- 5.9	152	12.0	9.5-14.5
Some Post-H.S.	1451	152,913	604	43.7	40.2-47.2	395	24.5	21.6-27.4	196	14.6	12.2-17.0	73	5.8	4.0- 7.6	183	11.4	9.4-13.4
College Graduate	1792	117,397	863	50.7	47.8-53.6	485	24.6	22.1-27.1	192	11.7	9.7-13.7	66	3.8	2.6- 5.0	186	9.2	7.4-11.0
Less than \$15,000	224	25,104	75	37.7	28.7-46.7	89	36.1	27.5-44.7	21	7.2	3.5-10.9	8	4.9	0.2- 9.6	31	14.2	7.7-20.7
\$15,000- 24,999	460	41,037	177	41.2	34.5-47.9	142	30.2	24.3-36.1	57	12.1	8.4-15.8	22	5.1	2.4- 7.8	62	11.5	7.8-15.2
\$25,000- 34,999	382	31,092	151	37.0	30.1-43.9	126	30.9	23.8-38.0	47	13.6	8.9-18.3	19	7.2	2.3-12.1	39	11.3	6.8-15.8
\$35,000- 49,999	652	54,332	286	47.6	42.1-53.1	163	20.5	16.6-24.4	79	13.7	10.2-17.2	30	5.4	2.9- 7.9	94	12.8	9.5-16.1
\$50,000- 74,999	787	64,515	356	47.3	42.4-52.2	203	24.0	19.9-28.1	107	15.7	12.2-19.2	27	2.9	1.5- 4.3	94	10.1	7.6-12.6
\$75,000+	1637	138,057	782	47.0	43.9-50.1	421	25.0	22.3-27.7	187	13.1	10.9-15.3	73	5.1	3.7- 6.5	174	9.8	8.0-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2115	196,736	884	42.2	39.5-44.9	549	24.9	22.5-27.3	311	15.7	13.7-17.7	95	4.9	3.5- 6.3	276	12.4	10.6-14.2
Native	73	7,767	26	31.4	18.3-44.5	21	30.8	16.7-44.9	18	22.0	10.8-33.2	1	4.7	0.0-13.5	7	11.1	1.9-20.3
Non-Native	2011	186,182	851	42.8	39.9-45.7	518	24.4	21.9-26.9	289	15.5	13.3-17.7	93	4.9	3.5- 6.3	260	12.3	10.3-14.3
18-24	162	36,481	58	37.1	28.7-45.5	44	29.4	21.4-37.4	27	13.5	8.0-19.0	7	5.6	0.9-10.3	26	14.4	8.7-20.1
25-34	272	43,248	129	49.6	42.7-56.5	56	20.4	14.9-25.9	50	15.7	10.8-20.6	10	3.4	1.0- 5.8	27	10.8	6.3-15.3
35-44	247	29,500	122	45.3	38.2-52.4	49	19.4	13.9-24.9	40	18.4	12.5-24.3	12	6.6	2.7-10.5	24	10.2	5.9-14.5
45-54	307	27,462	146	46.5	40.0-53.0	74	23.0	17.7-28.3	40	14.7	10.0-19.4	15	6.3	2.8- 9.8	32	9.5	5.8-13.2
55-64	486	29,890	193	35.8	30.9-40.7	122	25.6	21.1-30.1	83	20.5	16.0-25.0	18	3.6	1.8- 5.4	70	14.5	10.8-18.2
65+	641	30,155	236	37.2	32.9-41.5	204	32.0	27.7-36.3	71	11.8	8.7-14.9	33	4.4	2.8- 6.0	97	14.6	11.3-17.9
Less Than H.S.	94	14,899	25	31.0	18.5-43.5	30	32.3	20.3-44.3	23	18.1	9.5-26.7	3	6.9	0.0-15.5	13	11.7	4.1-19.3
H.S. or G.E.D.	512	49,204	199	39.2	33.7-44.7	135	29.6	24.1-35.1	81	15.7	11.8-19.6	28	4.3	2.1- 6.5	69	11.3	8.0-14.6
Some Post-H.S.	663	76,654	275	42.8	37.9-47.7	159	20.7	16.8-24.6	106	17.4	13.7-21.1	33	5.7	3.3- 8.1	90	13.5	10.2-16.8
College Graduate	841	55,635	383	47.2	42.9-51.5	223	24.4	20.9-27.9	101	12.9	10.0-15.8	30	3.5	2.1- 4.9	104	11.9	9.0-14.8
Less than \$15,000	100	12,413	34	40.4	27.3-53.5	36	30.3	18.7-41.9	13	9.8	3.7-15.9	3	1.9	0.0- 4.8	14	17.6	6.8-28.4
\$15,000- 24,999	163	17,370	63	38.2	28.2-48.2	51	33.2	23.4-43.0	23	12.6	6.3-18.9	6	4.0	0.0- 8.3	20	12.0	5.7-18.3
\$25,000- 34,999	162	16,429	62	34.9	25.1-44.7	45	25.2	16.0-34.4	22	14.0	7.3-20.7	12	11.0	2.6-19.4	21	14.8	7.4-22.2
\$35,000- 49,999	306	26,038	118	36.5	29.2-43.8	76	24.4	17.9-30.9	51	19.8	13.7-25.9	12	4.3	1.4- 7.2	49	14.9	9.6-20.2
\$50,000- 74,999	388	35,733	154	44.2	37.5-50.9	99	22.6	17.1-28.1	65	18.4	13.3-23.5	13	2.9	0.7- 5.1	57	11.8	7.9-15.7
\$75,000+	861	73,940	399	45.2	41.1-49.3	212	24.0	20.5-27.5	112	14.3	11.2-17.4	42	5.3	3.3- 7.3	96	11.2	8.5-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2414	190,599	1087	46.3	43.4-49.2	715	28.8	26.3-31.3	241	10.9	9.1-12.7	100	4.7	3.5- 5.9	271	9.2	7.8-10.6
Native	61	5,442	29	44.0	27.9-60.1	23	38.5	22.2-54.8	4	5.9	0.0-12.0	1	0.4	0.0- 1.4	4	11.2	0.0-22.4
Non-Native	2335	183,328	1052	46.6	43.7-49.5	686	28.5	26.0-31.0	234	10.8	9.0-12.6	99	4.9	3.5- 6.3	264	9.1	7.7-10.5
18-24	103	29,314	56	55.7	45.1-66.3	32	31.1	21.1-41.1	7	5.9	1.2-10.6	4	4.1	0.0- 8.4	4	3.2	0.0- 6.5
25-34	227	37,372	119	51.2	43.8-58.6	51	25.6	18.7-32.5	26	11.7	7.0-16.4	13	5.0	1.9- 8.1	18	6.4	3.1- 9.7
35-44	214	27,679	113	48.7	40.9-56.5	45	22.0	15.3-28.7	24	13.6	7.7-19.5	10	6.9	2.4-11.4	22	8.8	4.9-12.7
45-54	348	28,607	149	41.2	35.1-47.3	101	28.1	22.6-33.6	46	14.3	9.8-18.8	18	5.4	2.7- 8.1	34	11.0	7.1-14.9
55-64	596	30,938	276	44.0	39.3-48.7	169	29.8	25.3-34.3	57	10.2	7.3-13.1	18	2.9	1.3- 4.5	76	13.1	10.0-16.2
65+	926	36,689	374	38.0	34.3-41.7	317	35.0	31.3-38.7	81	10.0	7.5-12.5	37	4.3	2.7- 5.9	117	12.6	10.1-15.1
Less Than H.S.	85	8,479	22	26.8	13.9-39.7	37	47.9	33.6-62.2	11	14.0	4.2-23.8	2	1.1	0.0- 2.7	13	10.3	4.0-16.6
H.S. or G.E.D.	586	43,794	253	42.2	36.3-48.1	179	31.6	25.9-37.3	49	9.2	5.7-12.7	22	4.3	1.9- 6.7	83	12.7	9.2-16.2
Some Post-H.S.	788	76,259	329	44.7	39.8-49.6	236	28.4	23.9-32.9	90	11.8	8.7-14.9	40	5.9	3.4- 8.4	93	9.2	6.8-11.6
College Graduate	951	61,762	480	53.9	49.6-58.2	262	24.8	21.1-28.5	91	10.6	7.9-13.3	36	4.1	2.3- 5.9	82	6.7	4.9- 8.5
Less than \$15,000	124	12,690	41	35.1	22.6-47.6	53	41.7	29.2-54.2	8	4.6	0.3- 8.9	5	7.8	0.0-16.4	17	10.8	3.9-17.7
\$15,000- 24,999	297	23,667	114	43.3	34.7-51.9	91	28.0	20.9-35.1	34	11.7	7.0-16.4	16	5.8	2.3- 9.3	42	11.2	6.9-15.5
\$25,000- 34,999	220	14,663	89	39.3	29.5-49.1	81	37.3	26.7-47.9	25	13.1	6.4-19.8	7	3.0	0.1- 5.9	18	7.3	2.6-12.0
\$35,000- 49,999	346	28,294	168	57.9	50.6-65.2	87	16.8	12.1-21.5	28	8.1	4.6-11.6	18	6.3	2.4-10.2	45	10.9	6.8-15.0
\$50,000- 74,999	399	28,782	202	51.1	44.0-58.2	104	25.8	19.3-32.3	42	12.2	7.3-17.1	14	2.8	1.0- 4.6	37	8.0	5.1-10.9
\$75,000+	776	64,117	383	49.0	44.3-53.7	209	26.3	22.2-30.4	75	11.7	8.6-14.8	31	4.8	2.6- 7.0	78	8.2	6.0-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4567	389,589	2237	44.7	42.7-46.7	644	14.2	12.8-15.6	37	0.7	0.5- 0.9	1038	26.3	24.5-28.1	406	9.9	8.7-11.1	205	4.2	3.4- 5.0
Male	2137	198,345	917	39.1	36.4-41.8	275	12.2	10.4-14.0	17	0.7	0.3- 1.1	543	28.5	26.0-31.0	255	13.8	11.8-15.8	130	5.6	4.4- 6.8
Female	2430	191,244	1320	50.5	47.6-53.4	369	16.3	14.1-18.5	20	0.7	0.3- 1.1	495	23.9	21.4-26.4	151	5.9	4.5- 7.3	75	2.7	1.9- 3.5
Native	136	13,270	56	39.8	29.0-50.6	18	12.8	6.1-19.5				30	17.4	10.0-24.8	23	21.0	12.0-30.0	9	9.0	1.9-16.1
Non-Native	4381	371,667	2157	45.1	43.1-47.1	618	14.2	12.8-15.6	36	0.7	0.3- 1.1	1002	26.6	24.6-28.6	374	9.4	8.2-10.6	194	4.0	3.2- 4.8
18-24	264	65,432	82	32.5	26.0-39.0	31	11.8	7.5-16.1	1	0.2	0.0- 0.6	94	35.9	29.2-42.6	46	16.1	11.2-21.0	10	3.5	1.1- 5.9
25-34	500	80,631	203	40.7	35.8-45.6	78	14.8	11.3-18.3	5	0.8	0.0- 1.6	141	30.6	25.9-35.3	53	10.4	7.3-13.5	20	2.7	1.1- 4.3
35-44	461	57,314	201	43.7	38.4-49.0	91	19.8	15.7-23.9	2	0.4	0.0- 1.0	118	26.6	21.9-31.3	34	6.6	4.1- 9.1	15	2.9	1.1- 4.7
45-54	664	57,094	344	49.6	45.1-54.1	89	14.6	11.5-17.7	9	1.6	0.4- 2.8	130	19.4	15.9-22.9	62	10.0	7.3-12.7	30	4.7	2.7- 6.7
55-64	1086	60,911	542	49.1	45.6-52.6	163	13.3	11.1-15.5	5	0.6	0.0- 1.2	244	22.7	19.8-25.6	84	8.2	6.2-10.2	48	6.1	4.1- 8.1
65+	1592	68,207	865	54.0	51.1-56.9	192	11.8	9.8-13.8	15	0.7	0.3- 1.1	311	20.5	18.1-22.9	127	7.6	6.0- 9.2	82	5.5	4.1- 6.9
Less Than H.S.	183	23,541	93	49.7	39.9-59.5	14	6.8	1.9-11.7	1	0.7	0.0- 2.1	42	23.3	15.3-31.3	16	11.6	5.3-17.9	17	7.9	3.4-12.4
H.S. or G.E.D.	1107	93,575	562	43.2	39.3-47.1	116	11.8	9.1-14.5	7	0.4	0.0- 0.8	258	28.2	24.3-32.1	109	11.5	8.8-14.2	55	5.0	3.2- 6.8
Some Post-H.S.	1465	153,878	713	43.5	40.2-46.8	174	12.5	10.1-14.9	10	0.7	0.1- 1.3	349	27.7	24.4-31.0	147	11.0	8.8-13.2	72	4.5	3.1- 5.9
College Graduate	1803	117,945	865	46.4	43.5-49.3	338	19.8	17.4-22.2	19	1.0	0.4- 1.6	388	23.6	20.9-26.3	133	6.8	5.4- 8.2	60	2.5	1.7- 3.3
Less than \$15,000	228	25,371	123	48.4	39.4-57.4	13	6.6	1.7-11.5	1	0.6	0.0- 1.8	55	29.7	21.1-38.3	22	9.2	4.3-14.1	14	5.5	1.8- 9.2
\$15,000- 24,999	470	41,606	238	46.1	39.6-52.6	42	8.0	4.7-11.3	4	0.6	0.0- 1.4	118	29.8	23.7-35.9	45	11.4	7.1-15.7	23	4.2	1.8- 6.6
\$25,000- 34,999	382	31,428	196	49.8	42.4-57.2	53	13.6	8.7-18.5	1	0.0	0.0- 0.0	75	21.0	15.1-26.9	41	12.8	7.3-18.3	16	2.8	1.0- 4.6
\$35,000- 49,999	659	54,614	335	46.0	40.7-51.3	77	12.2	8.7-15.7	4	0.5	0.0- 1.1	149	28.3	23.0-33.6	72	9.7	6.8-12.6	22	3.3	1.5- 5.1
\$50,000- 74,999	792	65,089	365	41.5	36.8-46.2	121	16.1	12.2-20.0	10	1.1	0.3- 1.9	196	28.1	23.6-32.6	69	9.6	6.7-12.5	31	3.6	1.8- 5.4
\$75,000+	1644	138,284	770	44.0	40.9-47.1	301	18.6	16.2-21.0	16	0.9	0.3- 1.5	362	23.5	20.8-26.2	123	8.4	6.4-10.4	72	4.5	3.1- 5.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2137	198,345	917	39.1	36.4-41.8	275	12.2	10.4-14.0	17	0.7	0.3- 1.1	543	28.5	26.0-31.0	255	13.8	11.8-15.8	130	5.6	4.4- 6.8
Native	73	7,767	24	29.4	15.9-42.9	7	10.3	1.5-19.1				17	15.9	7.3-24.5	19	31.3	17.4-45.2	6	13.1	1.5-24.7
Non-Native	2033	187,791	878	39.5	36.8-42.2	261	12.1	10.3-13.9	16	0.7	0.3- 1.1	524	29.4	26.7-32.1	231	13.0	11.0-15.0	123	5.3	4.1- 6.5
18-24	162	36,481	43	30.3	21.9-38.7	17	10.6	5.1-16.1	1	0.3	0.0- 0.9	53	31.0	23.0-39.0	39	22.5	15.4-29.6	9	5.2	1.5- 8.9
25-34	272	43,205	99	36.1	29.4-42.8	32	10.9	6.6-15.2	1	0.4	0.0- 1.2	85	34.6	27.9-41.3	40	14.5	9.8-19.2	15	3.4	1.4- 5.4
35-44	247	29,635	89	35.2	28.3-42.1	39	15.0	9.9-20.1	2	0.8	0.0- 2.0	73	32.9	25.8-40.0	31	11.8	7.3-16.3	13	4.3	1.6- 7.0
45-54	312	28,199	149	43.7	37.4-50.0	36	13.1	8.6-17.6	4	1.3	0.0- 2.7	70	23.4	17.9-28.9	37	12.8	8.3-17.3	16	5.6	2.7- 8.5
55-64	487	29,825	213	42.4	37.3-47.5	68	12.4	9.3-15.5	3	0.9	0.0- 2.1	120	24.5	20.0-29.0	50	10.6	7.3-13.9	33	9.2	5.7-12.7
65+	657	31,000	324	50.2	45.7-54.7	83	12.4	9.3-15.5	6	0.5	0.1- 0.9	142	21.5	17.8-25.2	58	8.3	5.8-10.8	44	7.1	4.6- 9.6
Less Than H.S.	95	14,764	46	47.2	34.1-60.3	8	8.8	1.4-16.2	1	1.1	0.0- 3.3	20	21.3	10.7-31.9	12	15.5	6.5-24.5	8	6.2	1.5-10.9
H.S. or G.E.D.	517	49,595	229	38.0	32.7-43.3	44	8.6	5.5-11.7	2	0.2	0.0- 0.6	139	31.3	26.0-36.6	63	14.2	10.1-18.3	40	7.7	4.8-10.6
Some Post-H.S.	669	77,491	274	36.8	32.1-41.5	79	12.5	9.2-15.8	3	0.5	0.0- 1.1	175	28.7	24.2-33.2	90	15.5	11.8-19.2	48	6.0	4.0- 8.0
College Graduate	851	56,152	366	41.1	37.0-45.2	143	15.9	13.0-18.8	11	1.3	0.3- 2.3	208	28.0	24.1-31.9	89	10.6	8.1-13.1	34	3.2	1.8- 4.6
Less than \$15,000	101	12,485	48	47.4	34.5-60.3	7	5.8	0.0-13.1	1	1.3	0.0- 3.8	28	26.7	15.7-37.7	12	11.5	3.1-19.9	5	7.2	0.1-14.3
\$15,000- 24,999	167	17,736	62	34.2	24.6-43.8	16	7.1	2.6-11.6	1	0.9	0.0- 2.7	49	30.9	21.7-40.1	25	19.6	11.0-28.2	14	7.3	2.4-12.2
\$25,000- 34,999	163	16,724	84	53.0	42.6-63.4	18	10.1	4.0-16.2				29	18.4	10.6-26.2	22	14.0	7.1-20.9	10	4.5	1.2- 7.8
\$35,000- 49,999	311	26,220	154	43.6	36.3-50.9	34	12.1	7.0-17.2	2	0.6	0.0- 1.6	71	27.8	20.7-34.9	37	12.5	7.6-17.4	13	3.4	1.2- 5.6
\$50,000- 74,999	394	36,357	150	32.2	26.3-38.1	49	14.3	9.2-19.4	5	1.2	0.0- 2.6	113	32.6	26.3-38.9	52	14.7	10.0-19.4	25	5.0	2.6- 7.4
\$75,000+	864	73,965	363	39.3	35.2-43.4	138	14.6	11.9-17.3	7	0.6	0.0- 1.2	214	27.4	23.5-31.3	89	11.8	8.9-14.7	53	6.4	4.2- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2430	191,244	1320	50.5	47.6-53.4	369	16.3	14.1-18.5	20	0.7	0.3- 1.1	495	23.9	21.4-26.4	151	5.9	4.5- 7.3	75	2.7	1.9- 3.5
Native	63	5,504	32	54.4	38.5-70.3	11	16.5	6.1-26.9				13	19.5	6.2-32.8	4	6.5	0.0-13.0	3	3.1	0.0- 6.8
Non-Native	2348	183,875	1279	50.7	47.8-53.6	357	16.4	14.2-18.6	20	0.7	0.3- 1.1	478	23.8	21.1-26.5	143	5.7	4.3- 7.1	71	2.7	1.7- 3.7
18-24	102	28,951	39	35.3	25.1-45.5	14	13.3	6.2-20.4				41	42.1	31.3-52.9	7	8.0	1.7-14.3	1	1.4	0.0- 3.9
25-34	228	37,426	104	46.0	38.6-53.4	46	19.3	13.6-25.0	4	1.2	0.0- 2.4	56	26.0	19.5-32.5	13	5.6	1.9- 9.3	5	2.0	0.0- 4.2
35-44	214	27,679	112	52.8	45.0-60.6	52	24.8	18.1-31.5				45	19.9	13.6-26.2	3	1.0	0.0- 2.2	2	1.4	0.0- 3.8
45-54	352	28,895	195	55.4	49.3-61.5	53	16.1	11.6-20.6	5	1.9	0.0- 3.9	60	15.6	11.3-19.9	25	7.2	4.1-10.3	14	3.9	1.5- 6.3
55-64	599	31,086	329	55.6	50.9-60.3	95	14.1	11.0-17.2	2	0.3	0.0- 0.7	124	21.0	17.1-24.9	34	5.9	3.5- 8.3	15	3.1	1.3- 4.9
65+	935	37,207	541	57.1	53.2-61.0	109	11.3	8.9-13.7	9	0.8	0.2- 1.4	169	19.6	16.5-22.7	69	7.1	5.1- 9.1	38	4.1	2.5- 5.7
Less Than H.S.	88	8,777	47	54.0	40.1-67.9	6	3.6	0.0- 7.3				22	26.6	14.3-38.9	4	5.1	0.0-11.6	9	10.8	1.8-19.8
H.S. or G.E.D.	590	43,980	333	49.1	43.2-55.0	72	15.4	10.7-20.1	5	0.5	0.0- 1.1	119	24.7	19.2-30.2	46	8.4	4.5-12.3	15	1.8	0.6- 3.0
Some Post-H.S.	796	76,388	439	50.3	45.4-55.2	95	12.5	9.4-15.6	7	0.9	0.1- 1.7	174	26.7	22.0-31.4	57	6.5	4.1- 8.9	24	2.9	1.3- 4.5
College Graduate	952	61,793	499	51.3	47.0-55.6	195	23.3	19.6-27.0	8	0.7	0.1- 1.3	180	19.6	16.1-23.1	44	3.3	2.1- 4.5	26	1.8	0.8- 2.8
Less than \$15,000	127	12,886	75	49.5	37.0-62.0	6	7.3	0.8-13.8				27	32.5	19.4-45.6	10	7.0	1.7-12.3	9	3.7	0.8- 6.6
\$15,000- 24,999	303	23,871	176	54.9	46.5-63.3	26	8.6	4.1-13.1	3	0.3	0.0- 0.7	69	29.0	20.8-37.2	20	5.2	2.3- 8.1	9	1.9	0.3- 3.5
\$25,000- 34,999	219	14,705	112	46.1	35.9-56.3	35	17.5	10.1-24.9	1	0.1	0.0- 0.3	46	23.9	15.1-32.7	19	11.4	2.8-20.0	6	0.9	0.1- 1.7
\$35,000- 49,999	348	28,394	181	48.2	40.6-55.8	43	12.3	7.4-17.2	2	0.4	0.0- 1.2	78	28.7	21.1-36.3	35	7.2	3.9-10.5	9	3.2	0.3- 6.1
\$50,000- 74,999	398	28,732	215	53.4	46.3-60.5	72	18.4	12.5-24.3	5	1.0	0.0- 2.0	83	22.3	16.2-28.4	17	3.1	1.3- 4.9	6	1.8	0.0- 4.5
\$75,000+	780	64,319	407	49.5	44.8-54.2	163	23.3	19.4-27.2	9	1.4	0.4- 2.4	148	19.0	15.1-22.9	34	4.6	2.2- 7.0	19	2.3	0.9- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2460	226,689	723	32.2	29.7-34.7	783	28.2	25.8-30.6	148	7.0	5.4- 8.6	67	2.4	1.6- 3.2	107	3.3	2.5- 4.1	632	26.8	24.4-29.2
Male	1199	120,204	342	32.4	28.9-35.9	381	28.8	25.5-32.1	93	8.5	6.1-10.9	31	1.9	1.1- 2.7	76	4.5	3.3- 5.7	276	24.0	20.9-27.1
Female	1261	106,485	381	32.0	28.3-35.7	402	27.5	24.2-30.8	55	5.3	3.3- 7.3	36	2.9	1.5- 4.3	31	2.1	1.1- 3.1	356	30.1	26.4-33.8
Native	68	7,338	18	22.8	11.0-34.6	22	33.6	19.5-47.7	6	9.3	0.3-18.3	3	3.9	0.0- 8.6	3	3.0	0.0- 6.3	16	27.4	13.3-41.5
Non-Native	2369	217,178	702	32.7	30.0-35.4	751	28.0	25.6-30.4	141	6.9	5.3- 8.5	64	2.3	1.5- 3.1	103	3.2	2.4- 4.0	608	26.8	24.3-29.3
18-24	184	46,659	80	42.8	34.8-50.8	27	17.4	10.9-23.9	15	8.9	3.8-14.0	1	0.4	0.0- 1.2	1	0.4	0.0- 1.2	60	30.1	22.8-37.4
25-34	321	52,025	117	34.5	28.6-40.4	82	25.3	20.0-30.6	25	7.3	4.2-10.4	4	1.2	0.0- 2.6	8	2.4	0.4- 4.4	85	29.3	23.4-35.2
35-44	276	34,647	90	32.2	25.9-38.5	91	31.3	25.2-37.4	20	7.6	3.9-11.3	9	3.8	0.9- 6.7	11	4.0	1.3- 6.7	55	21.1	15.4-26.8
45-54	348	29,200	84	25.1	19.8-30.4	119	33.7	28.0-39.4	18	5.3	2.8- 7.8	10	2.8	0.8- 4.8	16	4.6	2.1- 7.1	101	28.4	22.9-33.9
55-64	559	31,655	138	24.1	20.0-28.2	182	34.1	29.4-38.8	44	8.4	5.7-11.1	18	4.3	2.1- 6.5	30	4.8	2.8- 6.8	147	24.3	20.2-28.4
65+	772	32,502	214	27.9	24.2-31.6	282	34.3	30.4-38.2	26	3.3	1.9- 4.7	25	3.4	1.8- 5.0	41	5.7	3.9- 7.5	184	25.4	21.7-29.1
Less Than H.S.	73	11,215	26	36.8	22.5-51.1	20	20.4	9.0-31.8	4	12.4	0.4-24.4	2	3.4	0.0- 9.3	7	6.4	0.0-12.9	14	20.6	7.7-33.5
H.S. or G.E.D.	522	50,018	146	30.5	25.0-36.0	184	31.9	26.6-37.2	23	6.7	3.2-10.2	21	2.9	1.5- 4.3	14	2.0	0.8- 3.2	134	26.1	21.0-31.2
Some Post-H.S.	749	86,237	214	31.5	26.8-36.2	244	28.5	24.4-32.6	50	6.9	4.4- 9.4	20	2.8	1.4- 4.2	33	3.1	1.7- 4.5	188	27.2	22.9-31.5
College Graduate	1113	79,085	337	33.6	29.9-37.3	334	26.7	23.4-30.0	71	6.6	4.6- 8.6	24	1.5	0.7- 2.3	53	4.0	2.6- 5.4	294	27.7	24.2-31.2
Less than \$15,000	96	13,364	31	30.1	17.9-42.3	34	35.6	22.5-48.7	3	9.7	0.0-20.3	2	2.0	0.0- 4.7	3	1.8	0.0- 4.0	23	20.8	10.2-31.4
\$15,000- 24,999	216	21,347	74	41.1	31.3-50.9	80	26.8	19.0-34.6	11	7.4	2.1-12.7	2	0.9	0.0- 2.5	5	2.5	0.0- 5.8	44	21.3	13.5-29.1
\$25,000- 34,999	185	16,595	51	29.4	19.2-39.6	68	25.7	17.7-33.7	7	7.9	0.0-15.9	6	1.8	0.2- 3.4	8	2.3	0.5- 4.1	45	33.0	22.0-44.0
\$35,000- 49,999	345	31,045	92	27.3	20.8-33.8	108	24.9	19.0-30.8	19	6.5	2.6-10.4	13	3.4	1.2- 5.6	21	4.9	2.2- 7.6	92	33.2	25.8-40.6
\$50,000- 74,999	457	41,313	124	27.6	21.9-33.3	149	33.2	27.1-39.3	28	5.9	3.2- 8.6	13	2.9	0.9- 4.9	20	4.1	1.7- 6.5	123	26.3	20.6-32.0
\$75,000+	986	86,856	286	32.2	28.3-36.1	296	28.3	24.8-31.8	73	7.5	5.3- 9.7	27	2.5	1.3- 3.7	45	3.4	2.2- 4.6	259	26.1	22.6-29.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1199	120,204	342	32.4	28.9-35.9	381	28.8	25.5-32.1	93	8.5	6.1-10.9	31	1.9	1.1- 2.7	76	4.5	3.3- 5.7	276	24.0	20.9-27.1
Non-Native	1141	113,869	330	33.1	29.4-36.8	357	28.0	24.7-31.3	87	8.5	6.1-10.9	30	1.9	1.1- 2.7	75	4.6	3.2- 6.0	262	23.8	20.5-27.1
18-24	114	27,288	53	46.7	36.5-56.9	16	16.3	8.5-24.1	10	10.0	3.1-16.9				1	0.7	0.0- 2.1	34	26.2	17.4-35.0
25-34	181	27,943	70	35.0	27.2-42.8	48	27.4	20.0-34.8	16	8.6	3.7-13.5	1	0.3	0.0- 0.9	8	4.5	1.0- 8.0	38	24.1	16.8-31.4
35-44	147	18,264	45	32.5	23.5-41.5	51	34.1	25.3-42.9	12	7.1	2.4-11.8	5	3.3	0.2- 6.4	7	3.6	0.9- 6.3	27	19.3	12.2-26.4
45-54	179	16,255	35	19.6	13.1-26.1	66	38.3	30.1-46.5	14	7.9	3.6-12.2	4	2.1	0.0- 4.3	11	5.3	1.8- 8.8	49	26.7	19.3-34.1
55-64	233	14,583	54	22.8	16.7-28.9	81	33.4	26.3-40.5	19	10.4	5.5-15.3	11	5.3	1.8- 8.8	18	5.5	2.8- 8.2	50	22.6	16.1-29.1
65+	345	15,871	85	25.2	19.7-30.7	119	32.4	26.7-38.1	22	5.9	3.2- 8.6	10	2.9	0.7- 5.1	31	9.9	6.4-13.4	78	23.7	18.4-29.0
H.S. or G.E.D.	266	29,029	71	30.3	22.9-37.7	94	33.3	25.9-40.7	12	5.3	1.8- 8.8	13	3.0	1.0- 5.0	10	2.2	0.6- 3.8	66	25.9	19.4-32.4
Some Post-H.S.	352	44,872	87	29.5	23.2-35.8	119	30.3	24.4-36.2	34	10.2	5.9-14.5	9	2.2	0.6- 3.8	25	4.3	2.3- 6.3	78	23.4	17.7-29.1
College Graduate	538	38,328	167	35.4	30.3-40.5	158	25.9	21.4-30.4	43	7.0	4.5- 9.5	9	1.0	0.2- 1.8	36	5.8	3.4- 8.2	125	25.0	20.3-29.7
\$15,000- 24,999	88	9,957	25	36.0	22.1-49.9	28	19.7	10.7-28.7	10	13.4	3.6-23.2				2	3.5	0.0-10.0	23	27.4	15.1-39.7
\$25,000- 34,999	82	9,469	21	30.3	16.0-44.6	28	21.2	11.4-31.0	5	6.8	0.3-13.3	4	2.3	0.0- 4.8	5	2.5	0.1- 4.9	19	36.9	21.2-52.6
\$35,000- 49,999	159	14,939	41	29.6	19.6-39.6	49	25.0	16.6-33.4	13	10.8	3.2-18.4	8	5.4	1.1- 9.7	15	7.5	2.6-12.4	33	21.7	13.3-30.1
\$50,000- 74,999	233	23,852	58	26.0	18.6-33.4	83	38.6	30.2-47.0	17	6.6	2.9-10.3	5	1.2	0.0- 2.4	16	5.1	2.4- 7.8	54	22.5	15.4-29.6
\$75,000+	520	46,918	156	33.1	27.8-38.4	155	29.1	24.2-34.0	45	8.5	5.4-11.6	11	1.8	0.6- 3.0	33	4.4	2.6- 6.2	120	23.2	18.7-27.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1261	106,485	381	32.0	28.3-35.7	402	27.5	24.2-30.8	55	5.3	3.3- 7.3	36	2.9	1.5- 4.3	31	2.1	1.1- 3.1	356	30.1	26.4-33.8
Non-Native	1228	103,309	372	32.3	28.6-36.0	394	27.9	24.6-31.2	54	5.2	3.2- 7.2	34	2.9	1.5- 4.3	28	1.6	0.8- 2.4	346	30.1	26.4-33.8
18-24	70	19,371	27	37.2	24.3-50.1	11	18.9	8.1-29.7	5	7.3	0.0-14.6	1	0.9	0.0- 2.7				26	35.7	23.4-48.0
25-34	140	24,082	47	34.0	25.2-42.8	34	22.8	15.4-30.2	9	5.7	1.6- 9.8	3	2.3	0.0- 5.4				47	35.2	26.0-44.4
35-44	129	16,383	45	31.8	22.8-40.8	40	28.3	19.7-36.9	8	8.2	2.5-13.9	4	4.3	0.0- 9.2	4	4.4	0.0- 9.5	28	23.1	14.3-31.9
45-54	169	12,946	49	31.9	23.5-40.3	53	27.9	20.5-35.3	4	2.1	0.0- 4.3	6	3.7	0.4- 7.0	5	3.8	0.5- 7.1	52	30.6	22.6-38.6
55-64	326	17,072	84	25.2	19.7-30.7	101	34.7	28.2-41.2	25	6.7	3.8- 9.6	7	3.4	0.7- 6.1	12	4.3	1.6- 7.0	97	25.7	20.4-31.0
65+	427	16,631	129	30.5	25.2-35.8	163	36.1	30.8-41.4	4	0.9	0.1- 1.7	15	3.9	1.7- 6.1	10	1.7	0.5- 2.9	106	27.1	22.0-32.2
H.S. or G.E.D.	256	20,988	75	30.8	22.8-38.8	90	30.0	22.4-37.6	11	8.5	1.8-15.2	8	2.7	0.3- 5.1	4	1.8	0.0- 3.8	68	26.3	18.5-34.1
Some Post-H.S.	397	41,365	127	33.5	26.6-40.4	125	26.5	20.6-32.4	16	3.3	1.1- 5.5	11	3.3	0.9- 5.7	8	1.9	0.0- 3.9	110	31.4	24.7-38.1
College Graduate	575	40,756	170	31.9	26.6-37.2	176	27.5	22.6-32.4	28	6.2	3.3- 9.1	15	1.9	0.7- 3.1	17	2.3	0.9- 3.7	169	30.2	24.9-35.5
Less than \$15,000	51	6,263	18	30.7	13.3-48.1	18	38.2	18.2-58.2	1	4.3	0.0-12.5	2	4.2	0.0-10.1	1	1.6	0.0- 4.7	11	20.9	4.0-37.8
\$15,000- 24,999	128	11,390	49	45.6	32.1-59.1	52	33.1	21.1-45.1	1	2.1	0.0- 6.2	2	1.6	0.0- 4.5	3	1.6	0.0- 3.6	21	16.0	6.4-25.6
\$25,000- 34,999	103	7,126	30	28.3	14.0-42.6	40	31.5	18.2-44.8	2	9.4	0.0-25.5	2	1.1	0.0- 2.7	3	1.9	0.0- 4.4	26	27.8	14.7-40.9
\$35,000- 49,999	186	16,106	51	25.1	16.9-33.3	59	24.7	16.3-33.1	6	2.4	0.2- 4.6	5	1.5	0.0- 3.1	6	2.5	0.0- 5.0	59	43.8	33.0-54.6
\$50,000- 74,999	224	17,460	66	29.8	20.8-38.8	66	25.7	17.9-33.5	11	4.9	1.0- 8.8	8	5.3	0.8- 9.8	4	2.7	0.0- 7.0	69	31.5	22.3-40.7
\$75,000+	466	39,938	130	31.3	25.6-37.0	141	27.3	22.2-32.4	28	6.4	3.7- 9.1	16	3.3	0.9- 5.7	12	2.2	0.8- 3.6	139	29.4	23.9-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3089	270,873	1553	52.3	49.9-54.7	492	14.2	12.4-16.0	672	22.7	20.7-24.7	118	4.0	3.0- 5.0	254	6.9	5.7- 8.1
Male	1422	136,322	700	49.6	46.1-53.1	199	13.2	10.7-15.7	344	25.1	22.2-28.0	59	4.5	2.9- 6.1	120	7.6	5.8- 9.4
Female	1667	134,551	853	55.0	51.7-58.3	293	15.2	12.8-17.6	328	20.2	17.5-22.9	59	3.4	2.2- 4.6	134	6.2	4.6- 7.8
Native	81	8,530	39	48.6	34.9-62.3	17	13.3	5.1-21.5	15	16.4	7.2-25.6	5	15.5	2.8-28.2	5	6.1	0.0-13.2
Non-Native	2982	259,995	1502	52.5	50.0-55.0	468	14.1	12.3-15.9	652	22.8	20.6-25.0	113	3.6	2.6- 4.6	247	6.9	5.7- 8.1
18-24	200	50,332	108	53.4	45.6-61.2	27	16.3	10.0-22.6	49	22.5	16.0-29.0	6	3.7	0.6- 6.8	10	4.1	1.4- 6.8
25-34	366	59,305	212	58.1	52.2-64.0	53	12.7	9.0-16.4	63	17.2	12.7-21.7	13	4.5	1.8- 7.2	25	7.6	4.3-10.9
35-44	323	40,332	174	54.2	47.9-60.5	33	8.1	5.0-11.2	85	27.9	22.2-33.6	10	2.7	0.9- 4.5	21	7.1	3.6-10.6
45-54	426	35,585	219	50.9	45.4-56.4	64	14.8	10.9-18.7	96	23.7	19.0-28.4	24	5.4	3.0- 7.8	23	5.2	2.8- 7.6
55-64	704	39,970	351	49.2	44.7-53.7	97	12.8	9.9-15.7	175	27.4	23.3-31.5	24	3.0	1.6- 4.4	57	7.6	5.4- 9.8
65+	1070	45,349	489	45.4	41.9-48.9	218	20.1	17.4-22.8	204	20.4	17.5-23.3	41	4.5	2.7- 6.3	118	9.6	7.6-11.6
Less Than H.S.	100	13,818	46	40.3	27.6-53.0	20	19.4	8.0-30.8	21	24.8	13.0-36.6	6	6.8	0.7-12.9	7	8.7	1.4-16.0
H.S. or G.E.D.	688	61,151	328	47.9	42.8-53.0	126	19.1	15.0-23.2	143	22.3	18.0-26.6	26	4.1	1.7- 6.5	65	6.5	4.3- 8.7
Some Post-H.S.	967	105,308	445	50.7	46.4-55.0	150	12.1	9.6-14.6	233	24.4	20.9-27.9	43	4.2	2.4- 6.0	96	8.6	6.2-11.0
College Graduate	1331	90,461	731	58.8	55.3-62.3	196	12.6	10.2-15.0	275	20.6	17.9-23.3	43	3.2	2.0- 4.4	86	4.8	3.4- 6.2
Less than \$15,000	126	15,639	47	36.5	24.9-48.1	26	14.5	6.9-22.1	28	30.4	18.6-42.2	8	10.3	1.5-19.1	17	8.3	3.0-13.6
\$15,000- 24,999	289	26,930	128	41.3	33.1-49.5	64	23.0	15.6-30.4	55	22.9	15.6-30.2	15	5.7	2.0- 9.4	27	7.2	3.5-10.9
\$25,000- 34,999	251	20,622	103	50.0	40.4-59.6	48	15.7	8.6-22.8	59	20.7	13.8-27.6	9	3.5	0.6- 6.4	32	10.0	5.1-14.9
\$35,000- 49,999	438	37,212	213	51.1	44.4-57.8	71	13.9	9.4-18.4	95	22.4	16.9-27.9	20	5.1	1.8- 8.4	39	7.5	4.4-10.6
\$50,000- 74,999	553	46,665	284	53.3	47.6-59.0	84	15.1	11.0-19.2	124	21.9	17.2-26.6	21	3.5	1.5- 5.5	40	6.1	3.4- 8.8
\$75,000+	1190	103,466	657	57.9	54.4-61.4	149	10.8	8.6-13.0	274	23.1	20.0-26.2	40	2.9	1.7- 4.1	70	5.3	3.7- 6.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1422	136,322	700	49.6	46.1-53.1	199	13.2	10.7-15.7	344	25.1	22.2-28.0	59	4.5	2.9- 6.1	120	7.6	5.8- 9.4
Native	54	5,957	24	41.8	25.9-57.7	12	15.4	4.2-26.6	11	18.3	6.5-30.1	5	22.3	5.2-39.4	2	2.2	0.0- 5.3
Non-Native	1352	129,140	668	50.0	46.5-53.5	182	13.0	10.5-15.5	330	25.4	22.3-28.5	54	3.8	2.4- 5.2	118	7.9	5.9- 9.9
18-24	119	28,049	58	46.6	36.6-56.6	19	19.1	10.5-27.7	30	25.0	16.2-33.8	5	4.9	0.4- 9.4	7	4.4	0.9- 7.9
25-34	195	30,060	104	52.7	44.7-60.7	27	12.9	7.8-18.0	37	18.3	12.0-24.6	7	5.1	1.0- 9.2	20	11.0	5.7-16.3
35-44	170	21,128	89	52.1	43.5-60.7	16	8.1	3.8-12.4	49	29.9	22.1-37.7	4	2.0	0.0- 4.0	12	7.9	2.6-13.2
45-54	212	18,604	109	51.5	43.9-59.1	22	10.2	5.5-14.9	55	26.5	19.6-33.4	14	6.9	3.0-10.8	12	4.9	1.8- 8.0
55-64	293	18,750	136	46.2	39.5-52.9	38	10.7	6.8-14.6	78	31.5	24.8-38.2	14	3.6	1.4- 5.8	27	8.0	4.7-11.3
65+	433	19,732	204	48.0	42.5-53.5	77	16.2	12.3-20.1	95	22.7	18.0-27.4	15	4.6	1.5- 7.7	42	8.5	5.8-11.2
Less Than H.S.	52	9,160	20	30.5	15.4-45.6	10	19.9	4.0-35.8	13	30.6	14.1-47.1	4	9.2	0.2-18.2	5	9.8	0.4-19.2
H.S. or G.E.D.	317	32,792	138	43.6	36.5-50.7	60	20.8	14.7-26.9	76	24.4	18.3-30.5	15	5.5	1.6- 9.4	28	5.7	3.0- 8.4
Some Post-H.S.	427	51,689	198	49.3	43.2-55.4	48	9.2	5.7-12.7	116	27.5	22.2-32.8	22	4.2	1.8- 6.6	43	9.7	6.2-13.2
College Graduate	624	42,568	342	58.6	53.9-63.3	81	10.9	8.0-13.8	139	21.5	17.6-25.4	18	3.2	1.4- 5.0	44	5.9	3.7- 8.1
Less than \$15,000	54	8,101	15	19.7	8.1-31.3	10	13.2	3.0-23.4	16	44.8	27.2-62.4	3	10.0	0.0-22.5	10	12.3	2.7-21.9
\$15,000- 24,999	98	10,581	42	38.2	25.7-50.7	21	19.5	8.3-30.7	22	28.4	16.1-40.7	8	11.0	2.0-20.0	5	2.9	0.2- 5.6
\$25,000- 34,999	103	11,029	46	51.6	37.9-65.3	15	12.5	1.5-23.5	27	22.1	11.5-32.7	4	3.7	0.0- 8.6	11	10.2	3.1-17.3
\$35,000- 49,999	194	17,063	78	42.3	32.9-51.7	31	13.3	7.2-19.4	53	30.3	21.3-39.3	11	5.9	1.0-10.8	21	8.2	3.3-13.1
\$50,000- 74,999	274	25,860	136	50.6	42.8-58.4	36	14.7	8.6-20.8	67	21.7	15.6-27.8	12	4.5	1.4- 7.6	23	8.4	3.9-12.9
\$75,000+	616	54,910	337	56.7	51.8-61.6	71	10.5	7.4-13.6	144	22.6	18.5-26.7	21	3.0	1.6- 4.4	43	7.3	4.6-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1667	134,551	853	55.0	51.7-58.3	293	15.2	12.8-17.6	328	20.2	17.5-22.9	59	3.4	2.2- 4.6	134	6.2	4.6- 7.8
Non-Native	1630	130,855	834	55.0	51.5-58.5	286	15.2	12.8-17.6	322	20.2	17.5-22.9	59	3.5	2.1- 4.9	129	6.0	4.4- 7.6
18-24	81	22,283	50	61.9	49.9-73.9	8	12.9	4.1-21.7	19	19.2	10.0-28.4	1	2.3	0.0- 6.6	3	3.7	0.0- 7.8
25-34	171	29,245	108	63.6	55.4-71.8	26	12.4	7.1-17.7	26	16.0	9.7-22.3	6	3.9	0.4- 7.4	5	4.1	0.2- 8.0
35-44	153	19,204	85	56.6	47.4-65.8	17	8.0	3.5-12.5	36	25.8	17.4-34.2	6	3.5	0.6- 6.4	9	6.2	1.7-10.7
45-54	214	16,981	110	50.2	42.4-58.0	42	19.8	13.5-26.1	41	20.7	14.2-27.2	10	3.8	1.3- 6.3	11	5.5	2.0- 9.0
55-64	411	21,220	215	51.9	46.2-57.6	59	14.7	10.4-19.0	97	23.8	18.9-28.7	10	2.4	0.6- 4.2	30	7.2	4.5- 9.9
65+	637	25,617	285	43.5	38.8-48.2	141	23.1	19.2-27.0	109	18.6	14.9-22.3	26	4.4	2.6- 6.2	76	10.4	7.7-13.1
H.S. or G.E.D.	371	28,358	190	52.9	45.6-60.2	66	17.2	11.5-22.9	67	19.9	14.0-25.8	11	2.5	0.7- 4.3	37	7.5	3.8-11.2
Some Post-H.S.	540	53,620	247	52.0	45.9-58.1	102	14.8	11.1-18.5	117	21.5	16.6-26.4	21	4.2	1.7- 6.7	53	7.6	4.9-10.3
College Graduate	707	47,894	389	59.0	54.1-63.9	115	14.1	10.6-17.6	136	19.7	15.8-23.6	25	3.3	1.7- 4.9	42	3.9	2.3- 5.5
Less than \$15,000	72	7,539	32	54.4	37.5-71.3	16	15.9	4.5-27.3	12	15.0	4.0-26.0	5	10.6	0.0-23.3	7	4.1	0.6- 7.6
\$15,000- 24,999	191	16,349	86	43.3	32.5-54.1	43	25.2	15.4-35.0	33	19.2	10.4-28.0	7	2.2	0.4- 4.0	22	10.0	4.1-15.9
\$25,000- 34,999	148	9,593	57	48.1	34.8-61.4	33	19.4	10.8-28.0	32	19.2	10.6-27.8	5	3.4	0.3- 6.5	21	9.9	3.0-16.8
\$35,000- 49,999	244	20,149	135	58.5	49.7-67.3	40	14.3	7.6-21.0	42	15.7	9.8-21.6	9	4.5	0.2- 8.8	18	6.9	3.0-10.8
\$50,000- 74,999	279	20,805	148	56.6	48.2-65.0	48	15.7	10.0-21.4	57	22.2	14.6-29.8	9	2.3	0.3- 4.3	17	3.2	1.2- 5.2
\$75,000+	574	48,555	320	59.2	53.9-64.5	78	11.1	8.0-14.2	130	23.7	19.2-28.2	19	2.8	1.2- 4.4	27	3.1	1.7- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3107	272,610	1528	49.0	46.6-51.4	291	10.0	8.4-11.6	20	0.8	0.2- 1.4	687	24.2	22.0-26.4	391	11.3	9.7-12.9	190	4.8	3.8- 5.8
Male	1436	138,152	682	47.2	43.9-50.5	116	9.7	7.5-11.9	10	0.7	0.1- 1.3	337	25.4	22.5-28.3	192	11.3	9.1-13.5	99	5.7	4.3- 7.1
Female	1671	134,457	846	50.7	47.2-54.2	175	10.4	8.4-12.4	10	0.9	0.1- 1.7	350	23.0	20.1-25.9	199	11.2	9.2-13.2	91	3.9	2.9- 4.9
Native	82	8,570	42	46.1	32.6-59.6	7	9.3	1.1-17.5				17	23.1	11.1-35.1	10	12.1	3.1-21.1	6	9.4	0.0-18.8
Non-Native	2999	261,692	1471	49.1	46.6-51.6	283	10.1	8.5-11.7	20	0.8	0.2- 1.4	665	24.2	22.0-26.4	379	11.2	9.6-12.8	181	4.6	3.8- 5.4
18-24	200	50,314	99	48.8	41.0-56.6	24	12.2	7.3-17.1	3	2.0	0.0- 4.4	52	26.2	19.3-33.1	16	8.2	3.7-12.7	6	2.6	0.2- 5.0
25-34	373	60,350	194	51.5	45.6-57.4	39	10.7	7.2-14.2	1	0.3	0.0- 0.9	92	26.3	21.2-31.4	37	8.7	5.6-11.8	10	2.5	0.7- 4.3
35-44	324	40,373	164	51.9	45.6-58.2	38	11.7	7.8-15.6				79	23.4	18.1-28.7	29	9.0	5.3-12.7	14	4.0	1.6- 6.4
45-54	428	35,997	218	48.1	42.6-53.6	41	9.2	6.1-12.3	3	0.7	0.0- 1.5	95	23.8	19.1-28.5	54	13.9	10.0-17.8	17	4.3	2.1- 6.5
55-64	705	39,858	332	47.0	42.5-51.5	56	6.9	4.9- 8.9	6	0.8	0.0- 1.6	149	22.4	18.7-26.1	107	14.5	11.4-17.6	55	8.4	5.9-10.9
65+	1077	45,717	521	45.6	42.1-49.1	93	8.8	6.6-11.0	7	0.6	0.0- 1.2	220	21.8	18.9-24.7	148	15.1	12.4-17.8	88	8.2	6.2-10.2
Less Than H.S.	102	14,178	40	35.8	23.5-48.1	7	7.7	0.3-15.1				29	28.4	17.0-39.8	16	20.0	8.6-31.4	10	8.2	1.7-14.7
H.S. or G.E.D.	700	62,201	347	49.9	44.8-55.0	63	8.3	5.8-10.8	3	0.5	0.0- 1.3	137	22.2	17.9-26.5	95	12.3	9.4-15.2	55	6.8	4.4- 9.2
Some Post-H.S.	973	105,769	446	46.0	41.7-50.3	82	10.0	7.5-12.5	6	1.0	0.0- 2.2	230	26.5	22.6-30.4	142	11.9	9.4-14.4	67	4.5	3.1- 5.9
College Graduate	1329	90,328	695	53.9	50.4-57.4	139	11.7	9.3-14.1	11	0.8	0.2- 1.4	290	22.1	19.2-25.0	136	8.4	6.4-10.4	58	3.2	2.2- 4.2
Less than \$15,000	129	16,233	68	45.8	34.0-57.6	10	10.7	3.1-18.3	1	3.1	0.0- 9.0	23	19.9	10.3-29.5	15	11.9	3.9-19.9	12	8.6	2.1-15.1
\$15,000- 24,999	297	27,301	144	48.7	40.3-57.1	28	10.6	5.5-15.7	1	0.6	0.0- 1.8	57	20.0	13.1-26.9	45	13.4	8.3-18.5	22	6.8	2.9-10.7
\$25,000- 34,999	255	20,879	129	50.2	40.8-59.6	23	7.8	3.7-11.9				55	25.3	16.7-33.9	28	11.4	4.7-18.1	20	5.2	2.5- 7.9
\$35,000- 49,999	438	37,213	213	45.2	38.7-51.7	37	9.7	5.6-13.8	2	0.1	0.0- 0.3	108	30.3	24.0-36.6	56	11.3	7.4-15.2	22	3.4	1.6- 5.2
\$50,000- 74,999	558	47,534	276	49.6	43.9-55.3	47	9.9	6.2-13.6	3	0.3	0.0- 0.7	125	24.5	19.6-29.4	81	11.6	8.3-14.9	26	4.2	2.0- 6.4
\$75,000+	1193	103,691	590	50.5	46.8-54.2	128	10.6	8.2-13.0	12	0.9	0.3- 1.5	259	22.9	19.8-26.0	138	10.9	8.7-13.1	66	4.1	2.9- 5.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1436	138,152	682	47.2	43.9-50.5	116	9.7	7.5-11.9	10	0.7	0.1- 1.3	337	25.4	22.5-28.3	192	11.3	9.1-13.5	99	5.7	4.3- 7.1
Native	54	5,957	25	43.3	27.0-59.6	3	4.8	0.0-10.7				14	28.2	12.7-43.7	7	10.4	1.0-19.8	5	13.3	0.0-26.6
Non-Native	1366	130,971	647	47.3	43.8-50.8	113	10.0	7.8-12.2	10	0.7	0.1- 1.3	321	25.4	22.3-28.5	183	11.3	9.1-13.5	92	5.3	3.9- 6.7
18-24	120	28,394	55	46.1	36.1-56.1	15	14.1	7.0-21.2	1	0.9	0.0- 2.7	35	26.6	18.0-35.2	8	7.9	1.6-14.2	6	4.5	0.4- 8.6
25-34	199	30,751	100	50.1	42.1-58.1	20	9.6	5.3-13.9	1	0.6	0.0- 1.8	49	27.0	19.7-34.3	22	9.4	4.9-13.9	7	3.2	0.5- 5.9
35-44	170	21,128	78	49.5	40.9-58.1	17	10.8	5.3-16.3				50	27.7	20.1-35.3	18	8.1	3.8-12.4	7	3.9	1.0- 6.8
45-54	212	18,876	109	48.9	41.3-56.5	14	8.1	3.4-12.8	2	0.8	0.0- 2.0	51	24.1	17.6-30.6	27	14.6	8.9-20.3	9	3.6	1.1- 6.1
55-64	294	18,717	130	42.4	35.7-49.1	16	4.9	2.2- 7.6	4	1.3	0.0- 2.9	64	24.0	18.1-29.9	52	16.3	11.2-21.4	28	11.1	6.6-15.6
65+	441	20,287	210	45.0	39.5-50.5	34	8.3	4.8-11.8	2	0.5	0.0- 1.3	88	21.6	17.1-26.1	65	14.9	10.8-19.0	42	9.7	6.6-12.8
Less Than H.S.	53	9,215	19	35.9	19.4-52.4	4	9.6	0.0-20.6				19	31.7	16.4-47.0	8	17.9	3.0-32.8	3	4.9	0.0-12.2
H.S. or G.E.D.	324	33,755	158	49.2	42.1-56.3	21	6.6	3.3- 9.9	1	0.7	0.0- 2.1	64	21.3	15.6-27.0	49	13.5	9.2-17.8	31	8.7	4.8-12.6
Some Post-H.S.	433	52,583	193	45.6	39.7-51.5	37	11.5	7.4-15.6	3	0.5	0.0- 1.1	102	25.5	20.2-30.8	65	11.8	8.1-15.5	33	5.1	3.1- 7.1
College Graduate	624	42,486	312	50.3	45.4-55.2	54	9.9	6.8-13.0	6	1.0	0.0- 2.0	151	27.1	22.6-31.6	69	7.6	5.2-10.0	32	4.1	2.3- 5.9
Less than \$15,000	54	8,351	25	35.4	19.7-51.1	6	16.0	2.7-29.3				12	24.3	10.2-38.4	6	16.0	1.7-30.3	5	8.3	0.0-17.9
\$15,000- 24,999	103	10,973	46	38.7	26.2-51.2	8	12.0	2.8-21.2	1	1.6	0.0- 4.7	18	21.4	10.2-32.6	20	17.8	8.2-27.4	10	8.4	1.3-15.5
\$25,000- 34,999	104	11,156	47	45.5	32.0-59.0	6	6.5	0.6-12.4				28	28.1	16.1-40.1	13	12.8	1.6-24.0	10	7.1	2.4-11.8
\$35,000- 49,999	193	16,997	99	48.5	38.9-58.1	12	7.9	2.4-13.4				42	28.9	19.5-38.3	26	9.4	5.3-13.5	14	5.3	2.0- 8.6
\$50,000- 74,999	278	26,693	134	51.2	43.4-59.0	17	8.1	3.4-12.8				70	25.0	18.5-31.5	40	9.5	5.6-13.4	17	6.1	2.4- 9.8
\$75,000+	618	55,078	290	47.4	42.3-52.5	56	9.8	6.7-12.9	8	0.9	0.1- 1.7	145	25.6	21.3-29.9	82	11.5	8.6-14.4	37	4.8	3.0- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1671	134,457	846	50.7	47.2-54.2	175	10.4	8.4-12.4	10	0.9	0.1- 1.7	350	23.0	20.1-25.9	199	11.2	9.2-13.2	91	3.9	2.9- 4.9
Non-Native	1633	130,721	824	50.8	47.3-54.3	170	10.3	8.3-12.3	10	0.9	0.0- 1.9	344	22.9	19.8-26.0	196	11.2	9.0-13.4	89	4.0	2.8- 5.2
18-24	80	21,920	44	52.4	40.1-64.7	9	9.7	3.0-16.4	2	3.5	0.0- 8.6	17	25.8	14.4-37.2	8	8.6	2.3-14.9			
25-34	174	29,599	94	52.8	44.4-61.2	19	11.9	6.4-17.4				43	25.6	18.2-33.0	15	7.9	3.4-12.4	3	1.7	0.0- 3.9
35-44	154	19,245	86	54.6	45.2-64.0	21	12.7	6.8-18.6				29	18.7	11.4-26.0	11	9.9	3.4-16.4	7	4.1	0.4- 7.8
45-54	216	17,122	109	47.3	39.5-55.1	27	10.3	6.0-14.6	1	0.6	0.0- 1.8	44	23.5	16.6-30.4	27	13.1	7.6-18.6	8	5.1	1.4- 8.8
55-64	411	21,141	202	51.0	45.3-56.7	40	8.6	5.7-11.5	2	0.4	0.0- 1.0	85	20.9	16.2-25.6	55	12.9	9.2-16.6	27	6.1	3.4- 8.8
65+	636	25,430	311	46.0	41.5-50.5	59	9.1	6.4-11.8	5	0.7	0.1- 1.3	132	22.0	18.1-25.9	83	15.3	11.6-19.0	46	6.9	4.7- 9.1
H.S. or G.E.D.	376	28,446	189	50.7	43.4-58.0	42	10.3	6.4-14.2	2	0.2	0.0- 0.4	73	23.3	16.4-30.2	46	11.0	7.1-14.9	24	4.4	2.0- 6.8
Some Post-H.S.	540	53,186	253	46.4	40.3-52.5	45	8.5	5.2-11.8	3	1.5	0.0- 3.7	128	27.6	21.9-33.3	77	11.9	8.4-15.4	34	4.0	2.2- 5.8
College Graduate	705	47,842	383	57.1	52.2-62.0	85	13.2	9.7-16.7	5	0.6	0.0- 1.2	139	17.7	14.2-21.2	67	9.1	6.2-12.0	26	2.3	1.1- 3.5
Less than \$15,000	75	7,881	43	56.8	40.1-73.5	4	5.1	0.0-11.6	1	6.4	0.0-18.4	11	15.2	2.3-28.1	9	7.5	1.6-13.4	7	9.0	0.6-17.4
\$15,000- 24,999	194	16,327	98	55.4	44.8-66.0	20	9.6	3.7-15.5				39	19.0	10.6-27.4	25	10.4	4.9-15.9	12	5.6	1.1-10.1
\$25,000- 34,999	151	9,723	82	55.7	42.8-68.6	17	9.3	3.4-15.2				27	22.2	9.5-34.9	15	9.8	3.7-15.9	10	3.0	0.8- 5.2
\$35,000- 49,999	245	20,215	114	42.4	33.6-51.2	25	11.2	5.3-17.1	2	0.2	0.0- 0.4	66	31.4	22.8-40.0	30	12.8	6.5-19.1	8	1.8	0.2- 3.4
\$50,000- 74,999	280	20,841	142	47.4	38.8-56.0	30	12.2	6.5-17.9	3	0.6	0.0- 1.4	55	23.8	16.4-31.2	41	14.2	8.3-20.1	9	1.8	0.4- 3.2
\$75,000+	575	48,613	300	54.1	48.6-59.6	72	11.6	8.3-14.9	4	1.0	0.0- 2.2	114	19.8	15.3-24.3	56	10.1	6.8-13.4	29	3.4	1.8- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6458	537,091	1116	20.4	19.0-21.8	404	7.0	6.0- 8.0	495	8.6	7.6- 9.6	77	1.7	1.1- 2.3	161	3.1	2.5- 3.7	4205	59.2	57.4-61.0
Male	3034	272,305	531	20.8	18.8-22.8	214	8.3	6.9- 9.7	240	8.5	7.1- 9.9	47	2.2	1.4- 3.0	97	4.0	3.0- 5.0	1905	56.3	53.9-58.7
Female	3424	264,786	585	20.1	17.9-22.3	190	5.6	4.4- 6.8	255	8.8	7.4-10.2	30	1.2	0.6- 1.8	64	2.1	1.3- 2.9	2300	62.3	59.9-64.7
Native	210	20,914	44	26.7	18.3-35.1	11	5.9	1.4-10.4	17	8.2	3.1-13.3	1	1.7	0.0- 5.0	3	1.9	0.0- 4.6	134	55.7	46.5-64.9
Non-Native	6176	509,325	1062	20.2	18.8-21.6	388	7.0	6.0- 8.0	475	8.7	7.7- 9.7	76	1.7	1.1- 2.3	155	3.1	2.5- 3.7	4020	59.2	57.4-61.0
18-24	333	80,647	96	30.8	25.1-36.5	38	12.1	8.2-16.0	50	14.1	10.0-18.2	6	2.5	0.3- 4.7	22	5.4	2.9- 7.9	121	35.1	29.2-41.0
25-34	635	103,631	165	26.5	22.6-30.4	59	9.2	6.7-11.7	53	8.1	5.7-10.5	14	2.5	0.9- 4.1	19	3.5	1.7- 5.3	325	50.3	45.8-54.8
35-44	635	80,776	136	22.6	18.7-26.5	30	4.1	2.3- 5.9	79	12.0	9.3-14.7	10	1.6	0.6- 2.6	12	2.5	0.9- 4.1	368	57.3	52.8-61.8
45-54	903	77,143	155	16.5	13.8-19.2	46	4.7	3.1- 6.3	75	7.5	5.5- 9.5	12	1.3	0.5- 2.1	21	2.5	1.3- 3.7	594	67.6	64.1-71.1
55-64	1540	88,309	224	14.7	12.5-16.9	80	5.1	3.7- 6.5	118	6.7	5.3- 8.1	18	1.3	0.7- 1.9	39	2.8	1.8- 3.8	1061	69.4	66.7-72.1
65+	2412	106,585	340	12.7	11.1-14.3	151	6.3	5.1- 7.5	120	4.9	3.9- 5.9	17	0.9	0.3- 1.5	48	2.0	1.4- 2.6	1736	73.2	71.0-75.4
Less Than H.S.	352	43,127	35	11.5	6.8-16.2	22	6.7	3.2-10.2	11	3.8	1.3- 6.3	1	0.6	0.0- 1.8	4	2.1	0.0- 4.6	279	75.4	69.1-81.7
H.S. or G.E.D.	1807	143,293	266	17.9	15.4-20.4	96	6.8	5.0- 8.6	121	9.0	7.0-11.0	10	1.1	0.1- 2.1	32	2.5	1.3- 3.7	1282	62.8	59.7-65.9
Some Post-H.S.	2077	209,193	323	20.3	17.8-22.8	127	6.5	4.9- 8.1	144	7.5	5.9- 9.1	30	2.2	1.2- 3.2	66	3.5	2.3- 4.7	1387	60.0	57.1-62.9
College Graduate	2211	140,739	491	25.9	23.4-28.4	158	7.9	6.3- 9.5	219	11.6	9.8-13.4	35	1.7	0.9- 2.5	59	3.3	2.1- 4.5	1249	49.5	46.8-52.2
Less than \$15,000	382	38,744	50	15.3	10.0-20.6	19	5.1	2.0- 8.2	22	9.9	5.0-14.8	1	1.3	0.0- 3.8	13	4.8	1.5- 8.1	277	63.5	56.2-70.8
\$15,000- 24,999	753	62,218	92	15.0	10.9-19.1	49	7.7	4.8-10.6	44	6.8	4.3- 9.3	7	1.6	0.0- 3.2	18	2.6	1.2- 4.0	543	66.3	61.2-71.4
\$25,000- 34,999	574	45,109	83	17.4	12.5-22.3	41	8.7	5.0-12.4	39	8.7	5.2-12.2	4	1.3	0.0- 2.9	9	1.8	0.2- 3.4	398	62.3	56.2-68.4
\$35,000- 49,999	937	74,490	151	23.4	19.1-27.7	72	7.1	4.7- 9.5	91	10.1	7.6-12.6	10	1.6	0.2- 3.0	31	3.2	1.8- 4.6	582	54.6	50.1-59.1
\$50,000- 74,999	1097	89,404	210	22.4	18.9-25.9	59	6.3	4.1- 8.5	77	7.1	4.9- 9.3	17	2.1	0.7- 3.5	27	2.2	1.2- 3.2	707	59.9	55.8-64.0
\$75,000+	2124	179,550	441	22.4	20.0-24.8	136	7.5	5.9- 9.1	179	9.0	7.4-10.6	34	1.8	1.0- 2.6	49	3.3	2.1- 4.5	1285	56.0	53.3-58.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3034	272,305	531	20.8	18.8-22.8	214	8.3	6.9-9.7	240	8.5	7.1-9.9	47	2.2	1.4-3.0	97	4.0	3.0-5.0	1905	56.3	53.9-58.7
Native	105	11,112	23	22.5	12.7-32.3	9	9.9	1.9-17.9	9	8.6	1.0-16.2	1	3.3	0.0-9.6	3	3.6	0.0-8.7	60	52.2	40.0-64.4
Non-Native	2882	256,451	501	20.7	18.7-22.7	200	8.2	6.8-9.6	230	8.6	7.2-10.0	46	2.2	1.4-3.0	92	4.0	3.0-5.0	1813	56.3	53.9-58.7
18-24	200	42,567	55	30.4	23.1-37.7	28	16.1	10.0-22.2	27	12.9	7.8-18.0	3	2.2	0.0-4.7	19	8.6	4.3-12.9	68	29.8	22.5-37.1
25-34	354	55,725	87	25.8	20.5-31.1	43	11.6	7.9-15.3	33	9.0	5.7-12.3	9	3.1	0.7-5.5	15	4.8	2.1-7.5	167	45.7	39.6-51.8
35-44	345	41,998	65	21.2	16.1-26.3	16	4.7	2.0-7.4	41	10.8	7.3-14.3	9	2.8	0.8-4.8	8	2.4	0.6-4.2	206	58.2	52.1-64.3
45-54	448	39,421	82	18.6	14.5-22.7	23	4.6	2.4-6.8	40	8.0	5.1-10.9	7	1.8	0.2-3.4	16	3.6	1.6-5.6	280	63.3	58.2-68.4
55-64	715	44,395	102	14.4	11.5-17.3	34	5.0	3.2-6.8	48	5.7	3.9-7.5	11	1.8	0.6-3.0	18	2.8	1.2-4.4	502	70.3	66.4-74.2
65+	972	48,199	140	13.6	11.2-16.0	70	6.8	5.0-8.6	51	5.1	3.5-6.7	8	1.2	0.0-2.4	21	1.9	0.9-2.9	682	71.5	68.2-74.8
Less Than H.S.	179	24,876	19	12.8	6.1-19.5	13	8.5	3.0-14.0	5	2.7	0.0-5.4	1	1.0	0.0-3.0	3	3.5	0.0-7.8	138	71.5	62.7-80.3
H.S. or G.E.D.	856	76,562	127	19.2	15.5-22.9	53	8.7	5.8-11.6	65	9.5	6.8-12.2	7	2.0	0.4-3.6	21	3.1	1.3-4.9	583	57.5	53.0-62.0
Some Post-H.S.	959	103,567	157	20.4	16.9-23.9	66	7.2	5.0-9.4	62	7.5	5.3-9.7	20	2.6	1.2-4.0	38	4.4	2.6-6.2	616	58.0	53.9-62.1
College Graduate	1034	66,896	228	26.1	22.6-29.6	81	9.4	7.0-11.8	108	11.3	8.8-13.8	18	2.0	1.0-3.0	35	4.7	2.7-6.7	564	46.5	42.8-50.2
Less than \$15,000	161	17,665	24	16.8	8.4-25.2	8	6.6	1.1-12.1	11	9.6	2.7-16.5				7	7.4	0.9-13.9	111	59.6	49.0-70.2
\$15,000- 24,999	272	26,715	34	15.5	9.2-21.8	22	9.1	4.4-13.8	17	6.7	2.8-10.6	5	3.5	0.0-7.0	11	3.9	1.4-6.4	183	61.3	53.5-69.1
\$25,000- 34,999	224	21,188	36	20.7	12.9-28.5	12	9.0	2.7-15.3	25	12.3	6.6-18.0	2	2.3	0.0-5.4	6	3.2	0.1-6.3	143	52.5	43.5-61.5
\$35,000- 49,999	463	36,537	69	20.5	15.0-26.0	34	9.5	5.6-13.4	38	9.2	5.7-12.7	4	1.0	0.0-2.4	19	4.3	1.8-6.8	299	55.5	49.4-61.6
\$50,000- 74,999	569	51,070	105	23.0	18.1-27.9	37	7.9	4.6-11.2	43	6.9	4.4-9.4	12	3.4	1.0-5.8	15	2.5	0.9-4.1	357	56.3	50.8-61.8
\$75,000+	1140	98,527	225	21.3	18.2-24.4	88	8.3	6.3-10.3	90	8.3	6.1-10.5	24	2.4	1.2-3.6	32	4.5	2.5-6.5	681	55.2	51.5-58.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3424	264,786	585	20.1	17.9-22.3	190	5.6	4.4- 6.8	255	8.8	7.4-10.2	30	1.2	0.6- 1.8	64	2.1	1.3- 2.9	2300	62.3	59.9-64.7
Native	105	9,802	21	31.4	17.7-45.1	2	1.3	0.0- 3.3	8	7.7	0.8-14.6							74	59.6	45.9-73.3
Non-Native	3294	252,874	561	19.8	17.6-22.0	188	5.8	4.6- 7.0	245	8.9	7.5-10.3	30	1.2	0.6- 1.8	63	2.2	1.4- 3.0	2207	62.2	59.7-64.7
18-24	133	38,080	41	31.1	22.3-39.9	10	7.6	2.7-12.5	23	15.5	9.0-22.0	3	2.9	0.0- 6.2	3	1.8	0.0- 4.0	53	41.0	31.8-50.2
25-34	281	47,906	78	27.2	21.3-33.1	16	6.3	3.0- 9.6	20	7.0	3.7-10.3	5	1.9	0.0- 3.9	4	1.9	0.0- 4.1	158	55.6	48.9-62.3
35-44	290	38,777	71	24.1	18.4-29.8	14	3.4	1.2- 5.6	38	13.3	8.8-17.8	1	0.4	0.0- 1.2	4	2.5	0.0- 5.2	162	56.3	49.6-63.0
45-54	455	37,723	73	14.2	10.5-17.9	23	4.7	2.5- 6.9	35	6.9	4.4- 9.4	5	0.7	0.0- 1.5	5	1.3	0.0- 2.7	314	72.1	67.4-76.8
55-64	825	43,913	122	14.9	12.0-17.8	46	5.2	3.4- 7.0	70	7.8	5.8- 9.8	7	0.7	0.1- 1.3	21	2.9	1.5- 4.3	559	68.5	64.8-72.2
65+	1440	58,386	200	12.1	10.1-14.1	81	5.8	4.2- 7.4	69	4.8	3.4- 6.2	9	0.6	0.2- 1.0	27	2.1	1.1- 3.1	1054	74.6	71.9-77.3
Less Than H.S.	173	18,251	16	9.6	3.1-16.1	9	4.3	1.0- 7.6	6	5.3	0.6-10.0				1	0.1	0.0- 0.3	141	80.6	72.6-88.6
H.S. or G.E.D.	951	66,732	139	16.3	12.6-20.0	43	4.5	2.7- 6.3	56	8.4	5.5-11.3	3	0.1	0.0- 0.3	11	1.8	0.4- 3.2	699	68.8	64.3-73.3
Some Post-H.S.	1118	105,626	166	20.3	16.6-24.0	61	5.7	3.7- 7.7	82	7.5	5.3- 9.7	10	1.8	0.4- 3.2	28	2.6	1.2- 4.0	771	62.1	57.8-66.4
College Graduate	1177	73,843	263	25.7	22.2-29.2	77	6.6	4.6- 8.6	111	11.8	9.1-14.5	17	1.5	0.5- 2.5	24	2.1	0.9- 3.3	685	52.2	48.3-56.1
Less than \$15,000	221	21,079	26	14.0	7.3-20.7	11	3.9	0.2- 7.6	11	10.2	3.1-17.3	1	2.4	0.0- 6.9	6	2.6	0.0- 5.3	166	66.8	57.0-76.6
\$15,000- 24,999	481	35,504	58	14.6	9.1-20.1	27	6.6	3.1-10.1	27	6.9	3.6-10.2	2	0.2	0.0- 0.6	7	1.7	0.1- 3.3	360	70.0	63.5-76.5
\$25,000- 34,999	350	23,922	47	14.4	8.3-20.5	29	8.4	3.9-12.9	14	5.4	1.3- 9.5	2	0.4	0.0- 1.0	3	0.5	0.0- 1.3	255	70.9	63.3-78.5
\$35,000- 49,999	474	37,953	82	26.1	19.4-32.8	38	4.9	2.5- 7.3	53	10.9	7.2-14.6	6	2.2	0.0- 4.6	12	2.2	0.6- 3.8	283	53.7	47.0-60.4
\$50,000- 74,999	528	38,335	105	21.7	16.4-27.0	22	4.2	1.8- 6.6	34	7.3	4.0-10.6	5	0.5	0.1- 0.9	12	1.7	0.5- 2.9	350	64.6	58.7-70.5
\$75,000+	984	81,022	216	23.7	20.0-27.4	48	6.4	4.0- 8.8	89	9.8	7.3-12.3	10	1.1	0.3- 1.9	17	1.9	0.5- 3.3	604	57.0	52.9-61.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	259
2	MALES ONLY	260
3	FEMALES ONLY	261

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always		Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6495	540,093	4800	73.1 71.5-74.7	1031	15.6	14.4-16.8	345	5.5	4.7- 6.3	145	2.6	2.0- 3.2	167	3.0	2.4- 3.6	7	0.1	0.0- 0.3
Male	3047	274,134	1981	65.5 63.3-67.7	603	18.5	16.7-20.3	231	7.8	6.4- 9.2	102	3.7	2.9- 4.5	125	4.3	3.3- 5.3	5	0.3	0.0- 0.7
Female	3448	265,959	2819	81.0 79.0-83.0	428	12.7	11.1-14.3	114	3.2	2.4- 4.0	43	1.5	0.9- 2.1	42	1.7	1.1- 2.3	2	0.0	0.0- 0.0
Native	213	21,007	161	71.6 63.0-80.2	28	16.2	8.6-23.8	15	8.4	3.1-13.7	4	1.5	0.1- 2.9	4	2.2	0.0- 4.9	1	0.1	0.0- 0.3
Non-Native	6210	512,301	4591	73.5 71.9-75.1	992	15.6	14.4-16.8	323	5.3	4.5- 6.1	138	2.6	2.0- 3.2	161	3.0	2.4- 3.6	5	0.1	0.1- 0.1
18-24	333	81,152	213	68.4 62.7-74.1	74	19.8	15.1-24.5	24	7.2	3.7-10.7	8	1.0	0.2- 1.8	13	3.2	1.2- 5.2	1	0.5	0.0- 1.3
25-34	640	104,262	436	69.4 65.3-73.5	117	17.6	14.3-20.9	43	5.7	3.7- 7.7	23	4.0	2.2- 5.8	20	3.0	1.4- 4.6	1	0.2	0.0- 0.6
35-44	638	81,271	457	72.9 69.0-76.8	95	14.6	11.5-17.7	41	5.4	3.4- 7.4	23	3.6	2.0- 5.2	22	3.5	1.7- 5.3			
45-54	904	77,422	665	76.3 73.2-79.4	138	12.7	10.3-15.1	49	5.4	3.6- 7.2	27	3.0	1.6- 4.4	25	2.6	1.4- 3.8			
55-64	1547	88,553	1116	73.7 71.2-76.2	265	15.2	13.2-17.2	83	4.6	3.6- 5.6	34	2.6	1.6- 3.6	47	3.8	2.6- 5.0	2	0.1	0.0- 0.3
65+	2433	107,432	1913	77.8 75.8-79.8	342	13.7	12.1-15.3	105	5.0	3.8- 6.2	30	1.4	0.8- 2.0	40	2.0	1.2- 2.8	3	0.1	0.0- 0.3
Less Than H.S.	350	43,357	233	66.0 59.1-72.9	56	16.3	11.0-21.6	32	10.1	5.0-15.2	14	3.7	1.3- 6.1	14	3.7	1.3- 6.1	1	0.2	0.0- 0.6
H.S. or G.E.D.	1818	144,279	1293	69.6 66.7-72.5	287	15.7	13.3-18.1	114	6.5	4.9- 8.1	43	2.9	1.9- 3.9	79	5.2	3.6- 6.8	2	0.0	0.0- 0.0
Some Post-H.S.	2092	210,558	1485	70.9 68.4-73.4	363	17.3	15.1-19.5	122	5.6	4.4- 6.8	66	3.3	2.3- 4.3	55	2.7	1.9- 3.5	1	0.2	0.0- 0.6
College Graduate	2222	141,069	1780	82.3 80.3-84.3	323	12.7	10.9-14.5	77	3.0	2.2- 3.8	21	0.9	0.5- 1.3	18	0.9	0.3- 1.5	3	0.2	0.0- 0.6
Less than \$15,000	391	39,697	269	66.4 59.7-73.1	57	16.5	11.2-21.8	29	6.5	3.4- 9.6	12	3.8	0.9- 6.7	21	6.0	2.9- 9.1	3	0.8	0.0- 2.0
\$15,000- 24,999	757	62,503	576	76.0 71.7-80.3	92	12.0	8.7-15.3	43	5.3	3.1- 7.5	19	2.3	0.9- 3.7	27	4.4	2.2- 6.6			
\$25,000- 34,999	573	45,063	428	72.9 67.2-78.6	84	13.9	9.6-18.2	31	8.0	3.9-12.1	15	3.6	1.4- 5.8	14	1.5	0.5- 2.5	1	0.1	0.0- 0.3
\$35,000- 49,999	938	74,635	679	71.7 67.8-75.6	148	14.5	11.6-17.4	56	7.3	4.8- 9.8	31	3.6	2.0- 5.2	23	2.8	1.4- 4.2	1	0.1	0.0- 0.3
\$50,000- 74,999	1107	89,979	786	69.9 66.2-73.6	208	18.6	15.5-21.7	59	5.3	3.7- 6.9	19	2.0	1.0- 3.0	35	4.2	2.4- 6.0			
\$75,000+	2132	180,504	1591	75.0 72.5-77.5	365	16.5	14.3-18.7	101	4.4	3.0- 5.8	39	2.2	1.4- 3.0	36	2.0	1.2- 2.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3047	274,134	1981	65.5	63.3-67.7	603	18.5	16.7-20.3	231	7.8	6.4- 9.2	102	3.7	2.9- 4.5	125	4.3	3.3- 5.3	5	0.3	0.0- 0.7
Native	105	11,112	75	67.8	56.2-79.4	14	17.1	7.3-26.9	11	11.9	3.5-20.3	2	1.5	0.0- 3.7	3	1.7	0.0- 3.7			
Non-Native	2894	258,234	1876	65.6	63.2-68.0	583	18.7	16.9-20.5	213	7.4	6.0- 8.8	97	3.7	2.7- 4.7	121	4.4	3.4- 5.4	4	0.1	0.0- 0.3
18-24	201	43,429	114	60.1	52.3-67.9	52	23.2	16.7-29.7	20	11.3	5.4-17.2	6	1.2	0.2- 2.2	8	3.4	0.9- 5.9	1	0.8	0.0- 2.4
25-34	356	56,137	219	63.3	57.6-69.0	69	18.8	14.3-23.3	32	7.4	4.7-10.1	18	5.6	2.7- 8.5	17	4.6	1.9- 7.3	1	0.4	0.0- 1.2
35-44	346	42,236	215	63.2	57.3-69.1	65	18.8	14.1-23.5	29	7.7	4.6-10.8	19	5.5	2.8- 8.2	18	4.9	2.4- 7.4			
45-54	446	39,272	297	71.0	66.3-75.7	77	14.0	10.5-17.5	34	7.4	4.7-10.1	19	3.8	1.6- 6.0	19	3.8	1.8- 5.8			
55-64	719	44,412	451	66.0	62.1-69.9	152	17.9	14.8-21.0	51	5.8	4.0- 7.6	24	4.1	2.1- 6.1	40	6.0	4.0- 8.0	1	0.1	0.0- 0.3
65+	979	48,650	685	70.3	67.0-73.6	188	17.9	15.2-20.6	65	7.2	5.2- 9.2	16	1.6	0.6- 2.6	23	2.9	1.5- 4.3	2	0.2	0.0- 0.6
Less Than H.S.	179	25,595	102	60.0	50.4-69.6	38	17.8	10.7-24.9	19	12.3	4.3-20.3	8	4.6	1.1- 8.1	11	5.0	1.5- 8.5	1	0.3	0.0- 0.9
H.S. or G.E.D.	859	76,759	510	60.5	56.2-64.8	182	19.6	16.3-22.9	75	8.4	6.0-10.8	33	4.2	2.4- 6.0	58	7.3	4.9- 9.7	1	0.1	0.0- 0.3
Some Post-H.S.	963	104,270	593	63.6	59.9-67.3	200	19.8	16.7-22.9	80	7.9	5.7-10.1	48	4.8	3.2- 6.4	41	3.6	2.4- 4.8	1	0.4	0.0- 1.2
College Graduate	1040	67,106	773	76.6	73.5-79.7	181	15.2	12.5-17.9	57	5.2	3.6- 6.8	12	1.0	0.4- 1.6	15	1.6	0.6- 2.6	2	0.4	0.0- 1.0
Less than \$15,000	163	18,088	92	55.3	45.1-65.5	32	20.4	11.8-29.0	13	7.1	2.0-12.2	8	5.4	0.5-10.3	16	10.3	4.4-16.2	2	1.6	0.0- 4.0
\$15,000- 24,999	273	26,741	186	72.4	65.7-79.1	42	14.0	8.7-19.3	21	5.7	2.6- 8.8	8	2.5	0.3- 4.7	16	5.4	2.1- 8.7			
\$25,000- 34,999	223	21,451	144	64.6	55.8-73.4	42	15.9	9.4-22.4	17	12.3	4.9-19.7	8	4.2	0.7- 7.7	11	2.8	0.8- 4.8	1	0.2	0.0- 0.6
\$35,000- 49,999	462	36,559	295	64.0	58.1-69.9	88	16.0	11.9-20.1	37	9.4	5.7-13.1	24	6.3	3.2- 9.4	17	4.3	1.8- 6.8	1	0.1	0.0- 0.3
\$50,000- 74,999	575	51,450	368	63.7	58.6-68.8	124	20.5	16.4-24.6	43	7.6	4.9-10.3	15	2.9	1.1- 4.7	25	5.3	2.8- 7.8			
\$75,000+	1146	99,422	753	65.8	62.1-69.5	242	20.6	17.5-23.7	85	7.2	4.8- 9.6	35	3.5	2.1- 4.9	31	2.8	1.6- 4.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 14: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3448	265,959	2819	81.0	79.0-83.0	428	12.7	11.1-14.3	114	3.2	2.4- 4.0	43	1.5	0.9- 2.1	42	1.7	1.1- 2.3	2	0.0	0.0- 0.0
Native	108	9,894	86	75.8	62.5-89.1	14	15.3	3.3-27.3	4	4.4	0.0-10.5	2	1.5	0.0- 3.5	1	2.8	0.0- 8.1	1	0.3	0.0- 0.9
Non-Native	3316	254,067	2715	81.4	79.4-83.4	409	12.4	10.8-14.0	110	3.2	2.4- 4.0	41	1.5	0.9- 2.1	40	1.5	0.9- 2.1	1	0.0	0.0- 0.0
18-24	132	37,724	99	77.9	70.3-85.5	22	16.0	9.1-22.9	4	2.4	0.0- 5.1	2	0.9	0.0- 2.3	5	2.9	0.0- 5.8			
25-34	284	48,125	217	76.6	70.7-82.5	48	16.3	11.2-21.4	11	3.7	1.2- 6.2	5	2.1	0.0- 4.3	3	1.3	0.0- 2.9			
35-44	292	39,036	242	83.3	78.2-88.4	30	10.1	6.0-14.2	12	3.0	0.8- 5.2	4	1.5	0.0- 3.1	4	2.1	0.0- 4.3			
45-54	458	38,151	368	81.8	77.7-85.9	61	11.5	8.2-14.8	15	3.3	1.3- 5.3	8	2.1	0.3- 3.9	6	1.3	0.3- 2.3			
55-64	828	44,141	665	81.5	78.6-84.4	113	12.5	10.0-15.0	32	3.3	2.1- 4.5	10	1.1	0.3- 1.9	7	1.5	0.3- 2.7	1	0.1	0.0- 0.3
65+	1454	58,783	1228	84.1	81.7-86.5	154	10.2	8.2-12.2	40	3.2	2.0- 4.4	14	1.1	0.3- 1.9	17	1.3	0.5- 2.1	1	0.0	0.0- 0.0
Less Than H.S.	171	17,761	131	74.5	65.5-83.5	18	14.3	6.1-22.5	13	6.9	2.8-11.0	6	2.4	0.0- 5.1	3	1.9	0.0- 4.3			
H.S. or G.E.D.	959	67,520	783	80.0	76.1-83.9	105	11.2	8.1-14.3	39	4.4	2.4- 6.4	10	1.5	0.5- 2.5	21	2.9	1.3- 4.5	1	0.0	0.0- 0.0
Some Post-H.S.	1129	106,289	892	78.1	74.8-81.4	163	14.9	12.0-17.8	42	3.3	1.9- 4.7	18	1.8	0.6- 3.0	14	1.8	0.6- 3.0			
College Graduate	1182	73,963	1007	87.5	85.0-90.0	142	10.5	8.1-12.9	20	1.1	0.5- 1.7	9	0.7	0.1- 1.3	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0
Less than \$15,000	228	21,609	177	75.6	67.4-83.8	25	13.2	6.5-19.9	16	6.1	2.2-10.0	4	2.5	0.0- 6.0	5	2.5	0.0- 5.2	1	0.1	0.0- 0.3
\$15,000- 24,999	484	35,762	390	78.8	73.1-84.5	50	10.6	6.3-14.9	22	5.0	2.3- 7.7	11	2.1	0.3- 3.9	11	3.5	0.6- 6.4			
\$25,000- 34,999	350	23,612	284	80.4	73.7-87.1	42	12.1	6.4-17.8	14	4.1	1.0- 7.2	7	3.0	0.5- 5.5	3	0.4	0.0- 0.8			
\$35,000- 49,999	476	38,076	384	79.2	73.9-84.5	60	13.1	8.6-17.6	19	5.3	2.2- 8.4	7	1.0	0.2- 1.8	6	1.4	0.0- 2.8			
\$50,000- 74,999	532	38,529	418	78.1	73.2-83.0	84	16.1	11.6-20.6	16	2.2	1.0- 3.4	4	1.0	0.0- 2.0	10	2.7	0.5- 4.9			
\$75,000+	986	81,082	838	86.2	83.3-89.1	123	11.4	8.7-14.1	16	0.9	0.5- 1.3	4	0.7	0.0- 1.5	5	0.9	0.0- 1.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 15: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1 MALES AND FEMALES	263
2 MALES ONLY	264
3 FEMALES ONLY	265
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	266
5 MALES ONLY	267
6 FEMALES ONLY	268
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7 MALES AND FEMALES	269
8 MALES ONLY	270
9 FEMALES ONLY	271
HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)	
10 MALES AND FEMALES	272
11 MALES ONLY	273
12 FEMALES ONLY	274

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6497	540,314	3070	41.2	39.6-42.8	3427	58.8	57.2-60.4
Male	3051	274,406	1280	35.8	33.6-38.0	1771	64.2	62.0-66.4
Female	3446	265,908	1790	46.9	44.5-49.3	1656	53.1	50.7-55.5
Native	212	20,979	94	36.4	28.0-44.8	118	63.6	55.2-72.0
Non-Native	6212	512,437	2948	41.6	39.8-43.4	3264	58.4	56.6-60.2
18-24	332	81,010	122	37.4	31.3-43.5	210	62.6	56.5-68.7
25-34	640	104,262	210	31.2	27.1-35.3	430	68.8	64.7-72.9
35-44	638	81,336	225	34.7	30.4-39.0	413	65.3	61.0-69.6
45-54	904	77,349	318	35.4	31.9-38.9	586	64.6	61.1-68.1
55-64	1546	88,678	707	44.8	41.9-47.7	839	55.2	52.3-58.1
65+	2437	107,678	1488	60.0	57.6-62.4	949	40.0	37.6-42.4
Less Than H.S.	353	43,725	145	31.5	25.4-37.6	208	68.5	62.4-74.6
H.S. or G.E.D.	1817	144,060	737	33.5	30.6-36.4	1080	66.5	63.6-69.4
Some Post-H.S.	2095	210,772	982	42.7	39.8-45.6	1113	57.3	54.4-60.2
College Graduate	2219	140,927	1202	50.2	47.5-52.9	1017	49.8	47.1-52.5
Less than \$15,000	392	39,731	155	36.9	30.0-43.8	237	63.1	56.2-70.0
\$15,000- 24,999	754	62,336	354	42.0	36.9-47.1	400	58.0	52.9-63.1
\$25,000- 34,999	576	45,223	281	41.0	35.1-46.9	295	59.0	53.1-64.9
\$35,000- 49,999	940	74,745	451	39.8	35.5-44.1	489	60.2	55.9-64.5
\$50,000- 74,999	1104	89,808	500	39.2	35.3-43.1	604	60.8	56.9-64.7
\$75,000+	2131	180,530	1035	43.0	40.3-45.7	1096	57.0	54.3-59.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3051	274,406	1280	35.8	33.6-38.0	1771	64.2	62.0-66.4
Native	105	11,112	44	32.9	21.9-43.9	61	67.1	56.1-78.1
Non-Native	2898	258,506	1220	36.0	33.8-38.2	1678	64.0	61.8-66.2
18-24	200	43,286	63	31.2	23.8-38.6	137	68.8	61.4-76.2
25-34	356	56,137	83	22.6	17.7-27.5	273	77.4	72.5-82.3
35-44	347	42,329	100	28.9	23.4-34.4	247	71.1	65.6-76.6
45-54	447	39,317	131	29.2	24.3-34.1	316	70.8	65.9-75.7
55-64	720	44,595	299	41.9	37.6-46.2	421	58.1	53.8-62.4
65+	981	48,743	604	60.7	57.0-64.4	377	39.3	35.6-43.0
Less Than H.S.	181	25,852	61	24.1	17.0-31.2	120	75.9	68.8-83.0
H.S. or G.E.D.	860	76,682	303	30.3	26.4-34.2	557	69.7	65.8-73.6
Some Post-H.S.	965	104,456	394	37.2	33.3-41.1	571	62.8	58.9-66.7
College Graduate	1039	67,013	521	44.6	40.9-48.3	518	55.4	51.7-59.1
Less than \$15,000	164	18,122	56	29.1	20.7-37.5	108	70.9	62.5-79.3
\$15,000- 24,999	273	26,741	105	34.9	27.5-42.3	168	65.1	57.7-72.5
\$25,000- 34,999	226	21,610	95	36.2	27.8-44.6	131	63.8	55.4-72.2
\$35,000- 49,999	463	36,640	199	34.6	29.1-40.1	264	65.4	59.9-70.9
\$50,000- 74,999	574	51,347	239	36.5	31.4-41.6	335	63.5	58.4-68.6
\$75,000+	1145	99,448	509	37.3	33.8-40.8	636	62.7	59.2-66.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3446	265,908	1790	46.9	44.5-49.3	1656	53.1	50.7-55.5
Native	107	9,866	50	40.4	27.5-53.3	57	59.6	46.7-72.5
Non-Native	3314	253,931	1728	47.3	44.9-49.7	1586	52.7	50.3-55.1
18-24	132	37,724	59	44.6	35.2-54.0	73	55.4	46.0-64.8
25-34	284	48,125	127	41.4	34.7-48.1	157	58.6	51.9-65.3
35-44	291	39,008	125	40.9	34.2-47.6	166	59.1	52.4-65.8
45-54	457	38,032	187	41.9	36.6-47.2	270	58.1	52.8-63.4
55-64	826	44,084	408	47.7	43.6-51.8	418	52.3	48.2-56.4
65+	1456	58,935	884	59.4	56.3-62.5	572	40.6	37.5-43.7
Less Than H.S.	172	17,874	84	42.2	32.4-52.0	88	57.8	48.0-67.6
H.S. or G.E.D.	957	67,378	434	37.0	32.7-41.3	523	63.0	58.7-67.3
Some Post-H.S.	1130	106,317	588	48.1	44.0-52.2	542	51.9	47.8-56.0
College Graduate	1180	73,914	681	55.3	51.4-59.2	499	44.7	40.8-48.6
Less than \$15,000	228	21,609	99	43.5	33.7-53.3	129	56.5	46.7-66.3
\$15,000- 24,999	481	35,595	249	47.3	40.6-54.0	232	52.7	46.0-59.4
\$25,000- 34,999	350	23,613	186	45.3	37.3-53.3	164	54.7	46.7-62.7
\$35,000- 49,999	477	38,105	252	44.8	38.3-51.3	225	55.2	48.7-61.7
\$50,000- 74,999	530	38,461	261	42.8	36.9-48.7	269	57.2	51.3-63.1
\$75,000+	986	81,082	526	50.0	45.9-54.1	460	50.0	45.9-54.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2016			May-Aug 2016			Sep-Dec 2016			Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3006	215,939	10	0.4	0.0- 0.8	49	2.0	1.2- 2.8	2121	67.6	65.2-70.0	167	6.6	5.2- 8.0	16	1.4	0.6- 2.2	643	22.0	19.8-24.2
Male	1249	93,821	3	0.2	0.0- 0.4	21	1.6	0.6- 2.6	883	68.4	64.9-71.9	72	6.3	4.3- 8.3	9	1.4	0.4- 2.4	261	22.1	19.0-25.2
Female	1757	122,119	7	0.6	0.0- 1.2	28	2.2	1.0- 3.4	1238	67.1	63.8-70.4	95	6.8	5.0- 8.6	7	1.4	0.0- 2.8	382	21.8	19.1-24.5
Native	90	6,698	1	0.6	0.0- 1.8	5	3.2	0.3- 6.1	54	58.3	45.2-71.4	11	17.7	5.9-29.5	3	3.8	0.0- 8.9	16	16.4	7.8-25.0
Non-Native	2890	207,655	9	0.4	0.0- 0.8	44	2.0	1.2- 2.8	2047	67.9	65.4-70.4	156	6.3	4.9- 7.7	13	1.3	0.3- 2.3	621	22.1	19.9-24.3
18-24	112	26,976	1	0.1	0.0- 0.3	8	7.4	1.7-13.1	68	57.7	47.1-68.3	8	6.4	1.5-11.3	5	5.1	0.0-10.2	22	23.2	13.8-32.6
25-34	202	31,557	1	0.3	0.0- 0.9	5	1.1	0.0- 2.3	140	67.2	59.6-74.8	15	8.9	4.0-13.8	4	3.2	0.0- 6.7	37	19.3	13.2-25.4
35-44	223	27,922	2	1.5	0.0- 3.9	2	0.6	0.0- 1.4	158	69.1	61.8-76.4	9	5.4	1.3- 9.5	2	1.2	0.0- 3.0	50	22.2	15.9-28.5
45-54	317	27,304	3	0.6	0.0- 1.4	4	1.6	0.0- 3.2	212	64.9	58.8-71.0	21	8.9	5.0-12.8	7	23.9	18.6-29.2	77	23.9	18.6-29.2
55-64	696	39,109	2	0.4	0.0- 1.0	7	0.9	0.3- 1.5	504	71.1	67.0-75.2	37	5.7	3.5- 7.9	2	0.6	0.0- 1.4	144	21.3	17.8-24.8
65+	1456	63,071	1	0.0	0.0- 0.0	23	1.6	0.8- 2.4	1039	70.5	67.6-73.4	77	5.6	4.2- 7.0	3	0.2	0.0- 0.4	313	22.2	19.5-24.9
Less Than H.S.	135	12,668	1	2.7	0.0- 7.8	4	2.9	0.0- 6.0	99	64.8	54.0-75.6	8	10.4	2.2-18.6	2	2.4	0.0- 6.1	21	16.7	9.1-24.3
H.S. or G.E.D.	717	46,302	4	0.5	0.0- 1.1	13	2.6	0.6- 4.6	484	64.0	58.9-69.1	63	10.7	7.4-14.0	4	1.4	0.0- 3.2	149	20.9	16.8-25.0
Some Post-H.S.	963	87,323	3	0.3	0.0- 0.7	20	2.4	0.8- 4.0	673	67.0	62.7-71.3	57	6.7	4.5- 8.9	6	1.6	0.0- 3.2	204	22.1	18.4-25.8
College Graduate	1187	69,494	2	0.2	0.0- 0.4	12	0.9	0.3- 1.5	862	71.4	67.9-74.9	39	3.1	1.9- 4.3	4	1.0	0.0- 2.2	268	23.5	20.2-26.8
Less than \$15,000	152	14,449	1	2.4	0.0- 6.9	3	1.0	0.0- 2.2	108	64.7	53.5-75.9	13	10.7	3.8-17.6	4	6.2	0.0-12.7	23	15.0	7.0-23.0
\$15,000- 24,999	340	24,876				10	3.7	0.4- 7.0	220	56.7	48.5-64.9	29	12.5	6.8-18.2	1	0.7	0.0- 2.1	80	26.4	18.8-34.0
\$25,000- 34,999	268	16,383	1	0.6	0.0- 1.8	8	3.4	0.9- 5.9	183	66.7	58.3-75.1	22	7.0	3.1-10.9	3	4.5	0.0-10.6	51	17.8	11.5-24.1
\$35,000- 49,999	448	29,554	1	0.3	0.0- 0.9	6	2.6	0.0- 5.3	324	71.8	66.1-77.5	21	3.7	1.7- 5.7	1	0.2	0.0- 0.6	95	21.3	16.2-26.4
\$50,000- 74,999	495	34,856	1	0.1	0.0- 0.3	9	1.4	0.2- 2.6	341	68.2	62.5-73.9	33	7.8	4.3-11.3	1	0.2	0.0- 0.6	110	22.3	17.4-27.2
\$75,000+	1025	76,895	5	0.4	0.0- 0.8	9	1.6	0.0- 3.2	748	70.1	66.4-73.8	37	4.1	2.3- 5.9	4	0.9	0.0- 2.1	222	22.9	19.6-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2016			May-Aug 2016			Sep-Dec 2016			Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1249	93,821	3	0.2	0.0- 0.4	21	1.6	0.6- 2.6	883	68.4	64.9-71.9	72	6.3	4.3- 8.3	9	1.4	0.4- 2.4	261	22.1	19.0-25.2
Non-Native	1191	89,484	3	0.2	0.0- 0.4	17	1.5	0.5- 2.5	847	68.7	65.2-72.2	67	6.1	4.1- 8.1	7	1.2	0.2- 2.2	250	22.2	19.1-25.3
18-24	55	10,807	1	0.3	0.0- 0.9	4	5.8	0.0-12.9	32	55.6	40.3-70.9	4	7.9	0.0-16.3	2	1.7	0.0- 4.1	12	28.8	14.3-43.3
25-34	78	12,063	1	0.8	0.0- 2.4	2	1.4	0.0- 3.6	50	64.5	52.3-76.7	6	9.1	1.3-16.9	3	4.6	0.0-10.1	16	19.7	10.1-29.3
35-44	99	12,130	1	0.7	0.0- 2.1	1	0.7	0.0- 2.1	72	72.4	62.4-82.4	2	1.8	0.0- 4.3	2	2.9	0.0- 7.0	21	21.6	12.4-30.8
45-54	131	11,482				1	1.3	0.0- 3.8	91	69.6	60.6-78.6	9	8.1	2.6-13.6				30	21.0	13.2-28.8
55-64	291	18,230				3	0.9	0.0- 1.9	213	72.3	66.2-78.4	20	7.3	3.8-10.8	1	0.9	0.0- 2.7	54	18.7	13.6-23.8
65+	595	29,108				10	1.2	0.4- 2.0	425	70.1	65.6-74.6	31	5.1	2.9- 7.3	1	0.2	0.0- 0.6	128	23.5	19.2-27.8
Less Than H.S.	57	5,503				2	3.7	0.0- 9.2	39	62.0	47.1-76.9	3	5.6	0.0-12.3	2	5.6	0.0-14.0	11	23.1	9.8-36.4
H.S. or G.E.D.	297	22,199	1	0.1	0.0- 0.3	7	1.9	0.1- 3.7	194	66.6	59.5-73.7	31	10.5	5.8-15.2	2	1.1	0.0- 2.7	62	19.7	13.8-25.6
Some Post-H.S.	382	37,069	1	0.2	0.0- 0.6	7	1.7	0.0- 3.7	271	69.7	63.6-75.8	18	5.8	2.5- 9.1	3	1.2	0.0- 2.8	82	21.4	15.9-26.9
College Graduate	512	29,032	1	0.3	0.0- 0.9	5	1.0	0.0- 2.0	378	69.1	63.8-74.4	20	3.8	1.8- 5.8	2	1.0	0.0- 2.4	106	24.9	19.8-30.0
Less than \$15,000	54	5,089				1	0.5	0.0- 1.5	36	61.4	45.1-77.7	5	8.5	0.0-17.3	3	10.5	0.0-22.7	9	19.0	6.5-31.5
\$15,000- 24,999	99	8,650				5	6.9	0.0-15.5	58	55.5	41.6-69.4	12	13.3	3.7-22.9	1	2.0	0.0- 5.9	23	22.3	10.5-34.1
\$25,000- 34,999	87	6,339				5	5.8	0.0-11.7	57	65.1	52.0-78.2	7	7.0	0.9-13.1	1	3.8	0.0-11.1	17	18.3	7.9-28.7
\$35,000- 49,999	197	12,547	1	0.7	0.0- 2.1	2	0.9	0.0- 2.1	135	68.8	60.8-76.8	10	3.9	1.0- 6.8	1	0.6	0.0- 1.8	48	25.1	17.7-32.5
\$50,000- 74,999	236	18,484	1	0.1	0.0- 0.3	3	1.3	0.0- 2.9	163	70.0	62.4-77.6	17	7.6	3.1-12.1				52	20.9	14.2-27.6
\$75,000+	503	36,605	1	0.2	0.0- 0.6	2	0.2	0.0- 0.4	379	71.3	66.0-76.6	19	5.1	2.2- 8.0	3	0.7	0.0- 1.5	99	22.4	17.5-27.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2016			May-Aug 2016			Sep-Dec 2016			Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1757	122,119	7	0.6	0.0- 1.2	28	2.2	1.0- 3.4	1238	67.1	63.8-70.4	95	6.8	5.0- 8.6	7	1.4	0.0- 2.8	382	21.8	19.1-24.5
Non-Native	1699	118,171	6	0.6	0.0- 1.2	27	2.3	0.9- 3.7	1200	67.2	63.9-70.5	89	6.4	4.6- 8.2	6	1.5	0.1- 2.9	371	22.0	19.1-24.9
18-24	57	16,169				4	8.5	0.3-16.7	36	59.1	44.6-73.6	4	5.5	0.0-11.2	3	7.4	0.0-15.4	10	19.5	7.3-31.7
25-34	124	19,494				3	0.9	0.0- 2.3	90	68.8	59.0-78.6	9	8.8	2.5-15.1	1	2.3	0.0- 6.8	21	19.1	11.1-27.1
35-44	124	15,792	1	2.2	0.0- 6.3	1	0.4	0.0- 1.2	86	66.6	56.4-76.8	7	8.2	1.3-15.1				29	22.6	14.0-31.2
45-54	186	15,822	3	1.1	0.0- 2.5	3	1.9	0.0- 4.1	121	61.5	53.5-69.5	12	9.4	4.1-14.7				47	26.0	18.7-33.3
55-64	405	20,879	2	0.8	0.0- 2.0	4	0.9	0.0- 1.9	291	70.0	64.5-75.5	17	4.4	2.0- 6.8	1	0.3	0.0- 0.9	90	23.6	18.5-28.7
65+	861	33,963	1	0.1	0.0- 0.3	13	1.9	0.7- 3.1	614	70.8	67.3-74.3	46	6.0	4.0- 8.0	2	0.2	0.0- 0.4	185	21.1	18.0-24.2
Less Than H.S.	78	7,165	1	4.8	0.0-13.8	2	2.4	0.0- 5.9	60	67.0	51.5-82.5	5	14.1	0.8-27.4				10	11.8	3.4-20.2
H.S. or G.E.D.	420	24,103	3	0.8	0.0- 1.8	6	3.3	0.0- 6.8	290	61.5	54.4-68.6	32	10.8	5.7-15.9	2	1.6	0.0- 4.5	87	22.1	16.2-28.0
Some Post-H.S.	581	50,254	2	0.3	0.0- 0.7	13	2.9	0.5- 5.3	402	65.0	59.1-70.9	39	7.3	4.4-10.2	3	1.9	0.0- 4.4	122	22.6	17.5-27.7
College Graduate	675	40,462	1	0.1	0.0- 0.3	7	0.8	0.0- 1.6	484	73.0	68.5-77.5	19	2.6	1.0- 4.2	2	1.0	0.0- 2.8	162	22.4	18.1-26.7
Less than \$15,000	98	9,361	1	3.7	0.0-10.8	2	1.3	0.0- 3.1	72	66.5	51.6-81.4	8	11.9	2.3-21.5	1	3.9	0.0-11.3	14	12.8	2.2-23.4
\$15,000- 24,999	241	16,226				5	2.0	0.0- 4.0	162	57.3	47.1-67.5	17	12.1	5.0-19.2				57	28.6	18.8-38.4
\$25,000- 34,999	181	10,044	1	1.0	0.0- 3.0	3	1.9	0.0- 4.1	126	67.7	56.7-78.7	15	7.0	2.1-11.9	2	5.0	0.0-14.0	34	17.4	9.6-25.2
\$35,000- 49,999	251	17,007				4	3.9	0.0- 8.6	189	74.0	66.0-82.0	11	3.6	1.1- 6.1				47	18.5	11.8-25.2
\$50,000- 74,999	259	16,372				6	1.5	0.0- 3.1	178	66.2	58.0-74.4	16	8.1	2.6-13.6	1	0.4	0.0- 1.2	58	23.9	16.5-31.3
\$75,000+	522	40,290	4	0.6	0.0- 1.2	7	2.9	0.0- 5.8	369	69.0	63.5-74.5	18	3.1	1.3- 4.9	1	1.1	0.0- 3.3	123	23.3	18.6-28.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6184	498,327	2911	38.1	36.5-39.7	3273	61.9	60.3-63.5
Male	2862	251,282	1280	37.9	35.5-40.3	1582	62.1	59.7-64.5
Female	3322	247,045	1631	38.4	36.0-40.8	1691	61.6	59.2-64.0
Native	200	20,044	85	33.7	25.5-41.9	115	66.3	58.1-74.5
Non-Native	5915	471,764	2795	38.5	36.9-40.1	3120	61.5	59.9-63.1
18-24	280	68,233	101	36.6	30.1-43.1	179	63.4	56.9-69.9
25-34	566	91,456	126	22.2	18.3-26.1	440	77.8	73.9-81.7
35-44	581	73,412	135	23.8	19.7-27.9	446	76.2	72.1-80.3
45-54	859	73,872	193	23.5	20.2-26.8	666	76.5	73.2-79.8
55-64	1504	86,006	476	33.1	30.2-36.0	1028	66.9	64.0-69.8
65+	2394	105,348	1880	77.2	75.2-79.2	514	22.8	20.8-24.8
Less Than H.S.	339	40,944	184	44.4	37.1-51.7	155	55.6	48.3-62.9
H.S. or G.E.D.	1730	132,662	873	40.0	36.9-43.1	857	60.0	56.9-63.1
Some Post-H.S.	2000	193,718	937	37.8	35.1-40.5	1063	62.2	59.5-64.9
College Graduate	2105	130,321	914	34.7	32.2-37.2	1191	65.3	62.8-67.8
Less than \$15,000	374	36,073	185	40.6	33.7-47.5	189	59.4	52.5-66.3
\$15,000- 24,999	715	57,055	414	45.9	40.8-51.0	301	54.1	49.0-59.2
\$25,000- 34,999	553	42,463	322	45.7	39.6-51.8	231	54.3	48.2-60.4
\$35,000- 49,999	901	69,187	478	41.7	37.4-46.0	423	58.3	54.0-62.6
\$50,000- 74,999	1052	83,159	473	37.2	33.3-41.1	579	62.8	58.9-66.7
\$75,000+	2022	166,765	732	30.8	28.3-33.3	1290	69.2	66.7-71.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2862	251,282	1280	37.9	35.5-40.3	1582	62.1	59.7-64.5
Native	97	10,456	39	34.0	22.6-45.4	58	66.0	54.6-77.4
Non-Native	2721	236,418	1221	38.3	35.9-40.7	1500	61.7	59.3-64.1
18-24	170	36,753	66	40.5	31.7-49.3	104	59.5	50.7-68.3
25-34	315	50,437	72	24.2	18.5-29.9	243	75.8	70.1-81.5
35-44	308	36,752	77	25.0	19.5-30.5	231	75.0	69.5-80.5
45-54	420	37,153	101	23.0	18.5-27.5	319	77.0	72.5-81.5
55-64	690	42,921	230	33.9	29.8-38.0	460	66.1	62.0-70.2
65+	959	47,266	734	75.7	72.6-78.8	225	24.3	21.2-27.4
Less Than H.S.	175	24,749	86	44.2	34.2-54.2	89	55.8	45.8-65.8
H.S. or G.E.D.	809	69,835	371	38.5	34.2-42.8	438	61.5	57.2-65.8
Some Post-H.S.	905	95,469	387	35.7	31.8-39.6	518	64.3	60.4-68.2
College Graduate	969	60,902	436	38.2	34.5-41.9	533	61.8	58.1-65.5
Less than \$15,000	156	16,716	74	42.0	31.8-52.2	82	58.0	47.8-68.2
\$15,000- 24,999	254	24,339	126	43.1	35.3-50.9	128	56.9	49.1-64.7
\$25,000- 34,999	215	20,111	110	43.4	34.4-52.4	105	56.6	47.6-65.6
\$35,000- 49,999	438	33,492	228	44.0	37.9-50.1	210	56.0	49.9-62.1
\$50,000- 74,999	541	47,570	243	39.0	33.5-44.5	298	61.0	55.5-66.5
\$75,000+	1072	91,423	413	32.2	28.5-35.9	659	67.8	64.1-71.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3322	247,045	1631	38.4	36.0-40.8	1691	61.6	59.2-64.0
Native	103	9,589	46	33.5	21.9-45.1	57	66.5	54.9-78.1
Non-Native	3194	235,347	1574	38.7	36.3-41.1	1620	61.3	58.9-63.7
18-24	110	31,480	35	32.1	22.5-41.7	75	67.9	58.3-77.5
25-34	251	41,020	54	19.7	14.0-25.4	197	80.3	74.6-86.0
35-44	273	36,661	58	22.6	16.5-28.7	215	77.4	71.3-83.5
45-54	439	36,719	92	24.0	19.3-28.7	347	76.0	71.3-80.7
55-64	814	43,085	246	32.4	28.5-36.3	568	67.6	63.7-71.5
65+	1435	58,082	1146	78.4	75.9-80.9	289	21.6	19.1-24.1
Less Than H.S.	164	16,195	98	44.6	34.6-54.6	66	55.4	45.4-65.4
H.S. or G.E.D.	921	62,826	502	41.7	37.2-46.2	419	58.3	53.8-62.8
Some Post-H.S.	1095	98,249	550	39.9	36.0-43.8	545	60.1	56.2-64.0
College Graduate	1136	69,419	478	31.7	28.2-35.2	658	68.3	64.8-71.8
Less than \$15,000	218	19,356	111	39.3	29.9-48.7	107	60.7	51.3-70.1
\$15,000- 24,999	461	32,716	288	48.0	41.5-54.5	173	52.0	45.5-58.5
\$25,000- 34,999	338	22,351	212	47.7	39.5-55.9	126	52.3	44.1-60.5
\$35,000- 49,999	463	35,695	250	39.6	33.5-45.7	213	60.4	54.3-66.5
\$50,000- 74,999	511	35,589	230	34.8	29.3-40.3	281	65.2	59.7-70.7
\$75,000+	950	75,342	319	29.0	25.3-32.7	631	71.0	67.3-74.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4487	240,787	1820	34.6	33.0-36.2	2667	65.4	63.8-67.0
Male	1918	112,747	745	33.1	30.7-35.5	1173	66.9	64.5-69.3
Female	2569	128,040	1075	36.0	33.8-38.2	1494	64.0	61.8-66.2
Native	100	6,674	22	25.7	14.7-36.7	78	74.3	63.3-85.3
Non-Native	4331	230,355	1785	35.2	33.6-36.8	2546	64.8	63.2-66.4
45-54	535	46,351	42	7.2	4.7- 9.7	493	92.8	90.3-95.3
55-64	1528	87,169	421	27.3	24.8-29.8	1107	72.7	70.2-75.2
65+	2423	106,976	1357	52.6	50.2-55.0	1066	47.4	45.0-49.8
Less Than H.S.	261	21,448	84	25.0	19.3-30.7	177	75.0	69.3-80.7
H.S. or G.E.D.	1318	66,021	504	33.2	30.3-36.1	814	66.8	63.9-69.7
Some Post-H.S.	1462	95,651	589	35.6	32.9-38.3	873	64.4	61.7-67.1
College Graduate	1436	57,122	642	38.6	35.7-41.5	794	61.4	58.5-64.3
Less than \$15,000	274	16,363	81	23.2	17.5-28.9	193	76.8	71.1-82.5
\$15,000- 24,999	566	31,335	221	32.7	28.0-37.4	345	67.3	62.6-72.0
\$25,000- 34,999	418	20,209	195	40.7	35.0-46.4	223	59.3	53.6-65.0
\$35,000- 49,999	681	35,330	311	41.0	36.7-45.3	370	59.0	54.7-63.3
\$50,000- 74,999	756	39,299	324	37.1	33.0-41.2	432	62.9	58.8-67.0
\$75,000+	1324	73,794	497	31.6	28.7-34.5	827	68.4	65.5-71.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 11: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1918	112,747	745	33.1	30.7-35.5	1173	66.9	64.5-69.3
Non-Native	1839	107,097	727	33.7	31.2-36.2	1112	66.3	63.8-68.8
45-54	238	20,584	26	9.7	5.6-13.8	212	90.3	86.2-94.4
55-64	708	43,626	176	23.6	20.1-27.1	532	76.4	72.9-79.9
65+	971	48,247	543	51.9	48.2-55.6	428	48.1	44.4-51.8
Less Than H.S.	123	11,163	36	22.0	14.4-29.6	87	78.0	70.4-85.6
H.S. or G.E.D.	549	30,818	207	33.6	29.1-38.1	342	66.4	61.9-70.9
Some Post-H.S.	593	43,116	217	32.9	28.6-37.2	376	67.1	62.8-71.4
College Graduate	649	27,471	285	37.7	33.6-41.8	364	62.3	58.2-66.4
Less than \$15,000	106	7,730	31	23.8	14.6-33.0	75	76.2	67.0-85.4
\$15,000- 24,999	177	11,892	66	31.7	23.7-39.7	111	68.3	60.3-76.3
\$25,000- 34,999	140	8,087	56	36.4	27.2-45.6	84	63.6	54.4-72.8
\$35,000- 49,999	327	17,911	143	40.1	33.8-46.4	184	59.9	53.6-66.2
\$50,000- 74,999	352	19,848	142	33.5	28.0-39.0	210	66.5	61.0-72.0
\$75,000+	689	39,692	259	31.3	27.4-35.2	430	68.7	64.8-72.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 12: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2569	128,040	1075	36.0	33.8-38.2	1494	64.0	61.8-66.2
Native	56	3,516	12	23.9	10.2-37.6	44	76.1	62.4-89.8
Non-Native	2492	123,258	1058	36.5	34.3-38.7	1434	63.5	61.3-65.7
45-54	297	25,768	16	5.3	2.4- 8.2	281	94.7	91.8-97.6
55-64	820	43,543	245	31.0	27.3-34.7	575	69.0	65.3-72.7
65+	1452	58,729	814	53.1	50.0-56.2	638	46.9	43.8-50.0
Less Than H.S.	138	10,286	48	28.2	19.6-36.8	90	71.8	63.2-80.4
H.S. or G.E.D.	769	35,203	297	32.8	28.9-36.7	472	67.2	63.3-71.1
Some Post-H.S.	869	52,535	372	37.9	34.2-41.6	497	62.1	58.4-65.8
College Graduate	787	29,650	357	39.4	35.3-43.5	430	60.6	56.5-64.7
Less than \$15,000	168	8,633	50	22.7	15.8-29.6	118	77.3	70.4-84.2
\$15,000- 24,999	389	19,443	155	33.3	27.6-39.0	234	66.7	61.0-72.4
\$25,000- 34,999	278	12,122	139	43.5	36.2-50.8	139	56.5	49.2-63.8
\$35,000- 49,999	354	17,419	168	42.0	35.7-48.3	186	58.0	51.7-64.3
\$50,000- 74,999	404	19,451	182	40.7	35.0-46.4	222	59.3	53.6-65.0
\$75,000+	635	34,102	238	32.0	27.9-36.1	397	68.0	63.9-72.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	276
2	MALES ONLY	277
3	FEMALES ONLY	278
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	279
5	MALES ONLY	280
6	FEMALES ONLY	281
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7	MALES AND FEMALES	282
8	MALES ONLY	283
9	FEMALES ONLY	284

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6369	529,520	1335	28.9	27.3-30.5	5034	71.1	69.5-72.7
Male	2979	268,745	696	28.9	26.5-31.3	2283	71.1	68.7-73.5
Female	3390	260,774	639	28.9	26.5-31.3	2751	71.1	68.7-73.5
Native	209	20,781	93	49.2	40.2-58.2	116	50.8	41.8-59.8
Non-Native	6087	501,841	1221	28.1	26.5-29.7	4866	71.9	70.3-73.5
18-24	331	80,848	81	27.4	21.7-33.1	250	72.6	66.9-78.3
25-34	624	101,995	275	46.4	41.9-50.9	349	53.6	49.1-58.1
35-44	621	78,999	259	43.1	38.6-47.6	362	56.9	52.4-61.4
45-54	883	75,149	276	33.1	29.4-36.8	607	66.9	63.2-70.6
55-64	1519	86,899	255	17.9	15.5-20.3	1264	82.1	79.7-84.5
65+	2391	105,630	189	8.7	7.3-10.1	2202	91.3	89.9-92.7
Less Than H.S.	345	43,212	64	27.7	20.6-34.8	281	72.3	65.2-79.4
H.S. or G.E.D.	1780	141,262	339	28.6	25.5-31.7	1441	71.4	68.3-74.5
Some Post-H.S.	2053	206,362	442	29.9	27.0-32.8	1611	70.1	67.2-73.0
College Graduate	2179	137,872	489	28.4	25.9-30.9	1690	71.6	69.1-74.1
Less than \$15,000	379	38,132	119	37.1	30.0-44.2	260	62.9	55.8-70.0
\$15,000- 24,999	742	61,026	161	31.5	26.6-36.4	581	68.5	63.6-73.4
\$25,000- 34,999	559	43,725	96	24.4	18.9-29.9	463	75.6	70.1-81.1
\$35,000- 49,999	926	73,784	177	27.5	23.2-31.8	749	72.5	68.2-76.8
\$50,000- 74,999	1087	88,592	218	29.1	25.0-33.2	869	70.9	66.8-75.0
\$75,000+	2090	176,818	483	30.3	27.6-33.0	1607	69.7	67.0-72.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2979	268,745	696	28.9	26.7-31.1	2283	71.1	68.9-73.3
Native	104	11,003	42	46.9	34.6-59.2	62	53.1	40.8-65.4
Non-Native	2827	252,955	639	28.1	25.7-30.5	2188	71.9	69.5-74.3
18-24	200	43,402	47	26.1	18.7-33.5	153	73.9	66.5-81.3
25-34	348	55,031	126	39.1	33.0-45.2	222	60.9	54.8-67.0
35-44	337	41,134	127	38.9	32.8-45.0	210	61.1	55.0-67.2
45-54	436	38,071	147	35.8	30.5-41.1	289	64.2	58.9-69.5
55-64	707	43,773	146	22.2	18.5-25.9	561	77.8	74.1-81.5
65+	951	47,334	103	11.7	9.2-14.2	848	88.3	85.8-90.8
Less Than H.S.	178	25,747	37	26.9	17.7-36.1	141	73.1	63.9-82.3
H.S. or G.E.D.	838	75,197	202	32.3	28.0-36.6	636	67.7	63.4-72.0
Some Post-H.S.	946	102,269	234	29.0	25.3-32.7	712	71.0	67.3-74.7
College Graduate	1012	65,145	223	25.9	22.4-29.4	789	74.1	70.6-77.6
Less than \$15,000	160	17,922	60	41.6	31.4-51.8	100	58.4	48.2-68.6
\$15,000- 24,999	264	25,788	67	32.7	24.9-40.5	197	67.3	59.5-75.1
\$25,000- 34,999	222	21,218	44	24.1	16.1-32.1	178	75.9	67.9-83.9
\$35,000- 49,999	452	35,952	91	25.2	19.7-30.7	361	74.8	69.3-80.3
\$50,000- 74,999	559	50,175	128	29.3	24.0-34.6	431	70.7	65.4-76.0
\$75,000+	1120	97,306	255	28.4	24.7-32.1	865	71.6	67.9-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3390	260,774	639	28.9	26.5-31.3	2751	71.1	68.7-73.5
Native	105	9,778	51	51.8	38.3-65.3	54	48.2	34.7-61.7
Non-Native	3260	248,886	582	28.0	25.6-30.4	2678	72.0	69.6-74.4
18-24	131	37,446	34	29.0	20.2-37.8	97	71.0	62.2-79.8
25-34	276	46,964	149	55.0	48.1-61.9	127	45.0	38.1-51.9
35-44	284	37,865	132	47.7	40.8-54.6	152	52.3	45.4-59.2
45-54	447	37,078	129	30.4	25.3-35.5	318	69.6	64.5-74.7
55-64	812	43,125	109	13.5	10.6-16.4	703	86.5	83.6-89.4
65+	1440	58,295	86	6.3	4.7- 7.9	1354	93.7	92.1-95.3
Less Than H.S.	167	17,465	27	28.8	18.2-39.4	140	71.2	60.6-81.8
H.S. or G.E.D.	942	66,065	137	24.5	20.2-28.8	805	75.5	71.2-79.8
Some Post-H.S.	1107	104,093	208	30.7	26.6-34.8	899	69.3	65.2-73.4
College Graduate	1167	72,727	266	30.7	27.0-34.4	901	69.3	65.6-73.0
Less than \$15,000	219	20,210	59	33.1	23.5-42.7	160	66.9	57.3-76.5
\$15,000- 24,999	478	35,238	94	30.6	24.1-37.1	384	69.4	62.9-75.9
\$25,000- 34,999	337	22,507	52	24.6	17.2-32.0	285	75.4	68.0-82.8
\$35,000- 49,999	474	37,832	86	29.7	23.2-36.2	388	70.3	63.8-76.8
\$50,000- 74,999	528	38,417	90	28.9	22.4-35.4	438	71.1	64.6-77.6
\$75,000+	970	79,512	228	32.5	28.2-36.8	742	67.5	63.2-71.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1190	140,731	51	2.3	1.5- 3.1	121	6.7	5.3- 8.1	152	11.3	9.1-13.5	161	11.7	9.5-13.9	583	55.9	52.4-59.4	122	12.1	9.6-14.6
Male	615	69,334	26	2.8	1.6- 4.0	56	6.7	4.5- 8.9	70	9.5	7.0-12.0	86	12.6	9.5-15.7	308	56.4	51.5-61.3	69	12.0	8.7-15.3
Female	575	71,397	25	1.8	1.0- 2.6	65	6.7	4.7- 8.7	82	13.0	9.7-16.3	75	10.9	8.0-13.8	275	55.4	50.1-60.7	53	12.1	8.4-15.8
Native	87	9,652				5	4.8	0.0- 9.7	4	4.7	0.0- 9.4	5	4.2	0.3- 8.1	59	67.7	55.4-80.0	14	18.6	7.8-29.4
Non-Native	1085	129,224	50	2.5	1.7- 3.3	115	6.9	5.3- 8.5	147	11.9	9.5-14.3	153	12.3	9.9-14.7	516	54.9	51.2-58.6	104	11.5	9.0-14.0
18-24	78	21,181							1	1.8	0.0- 5.3				57	73.1	62.1-84.1	20	25.2	14.4-36.0
25-34	264	45,077							9	4.3	1.4- 7.2	34	11.3	7.2-15.4	189	73.4	67.3-79.5	32	10.9	6.6-15.2
35-44	247	32,671	2	0.4	0.0- 1.0	18	7.4	3.9-10.9	40	17.2	11.5-22.9	47	18.6	13.1-24.1	116	46.5	39.2-53.8	24	9.9	5.6-14.2
45-54	251	22,490	18	6.2	3.1- 9.3	46	19.6	13.7-25.5	50	20.0	14.3-25.7	31	13.5	8.4-18.6	88	32.6	26.1-39.1	18	8.1	4.0-12.2
55-64	218	12,936	17	8.3	4.0-12.6	42	15.7	10.0-21.4	34	19.8	13.1-26.5	29	10.8	6.3-15.3	81	37.8	30.2-45.4	15	7.6	3.3-11.9
65+	132	6,375	14	10.0	3.5-16.5	15	9.3	4.2-14.4	18	14.2	7.1-21.3	20	13.7	6.8-20.6	52	42.2	32.2-52.2	13	10.5	4.0-17.0
Less Than H.S.	54	10,688	1	1.5	0.0- 4.4	3	3.4	0.0- 7.7	7	9.5	1.9-17.1	4	4.8	0.0-10.7	31	69.3	55.6-83.0	8	11.5	2.5-20.5
H.S. or G.E.D.	301	37,161	12	2.4	0.8- 4.0	21	4.8	2.4- 7.2	44	13.4	8.9-17.9	34	9.9	6.2-13.6	164	60.0	53.3-66.7	26	9.6	5.5-13.7
Some Post-H.S.	395	56,664	19	2.1	0.9- 3.3	42	7.8	5.1-10.5	44	10.5	7.0-14.0	45	9.6	6.3-12.9	195	55.0	48.7-61.3	50	15.0	10.3-19.7
College Graduate	440	36,218	19	2.7	1.1- 4.3	55	8.0	5.5-10.5	57	10.9	7.6-14.2	78	19.0	14.3-23.7	193	49.2	43.3-55.1	38	10.2	6.3-14.1
Less than \$15,000	98	12,410	5	2.8	0.0- 5.9	5	3.0	0.0- 6.1	7	7.7	0.8-14.6	16	12.3	4.9-19.7	52	58.1	45.2-71.0	13	16.1	5.7-26.5
\$15,000- 24,999	141	17,532	5	1.2	0.0- 2.4	10	3.9	1.0- 6.8	17	9.3	4.0-14.6	6	2.7	0.3- 5.1	80	63.0	53.0-73.0	23	19.9	11.1-28.7
\$25,000- 34,999	86	9,900	1	0.2	0.0- 0.6	11	5.6	0.7-10.5	10	11.0	3.2-18.8	10	9.0	2.1-15.9	42	59.6	46.5-72.7	12	14.6	5.2-24.0
\$35,000- 49,999	165	19,679	7	2.4	0.2- 4.6	21	9.5	4.6-14.4	22	12.7	6.8-18.6	21	9.9	5.0-14.8	78	53.6	43.8-63.4	16	12.0	4.9-19.1
\$50,000- 74,999	195	23,680	8	2.0	0.2- 3.8	17	4.8	2.1- 7.5	30	14.3	8.2-20.4	27	14.4	7.9-20.9	99	55.8	46.8-64.8	14	8.6	2.7-14.5
\$75,000+	435	49,216	21	3.0	1.6- 4.4	48	8.0	5.5-10.5	59	11.7	8.0-15.4	69	14.7	10.8-18.6	201	52.6	46.5-58.7	37	10.0	6.3-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	615	69,334	26	2.8	1.6- 4.0	56	6.7	4.5- 8.9	70	9.5	7.0-12.0	86	12.6	9.5-15.7	308	56.4	51.5-61.3	69	12.0	8.7-15.3
Non-Native	564	63,347	26	3.0	1.6- 4.4	52	6.8	4.6- 9.0	68	10.3	7.6-13.0	81	13.2	9.9-16.5	276	55.0	49.7-60.3	61	11.7	8.2-15.2
25-34	118	19,661							4	4.0	0.0- 8.1	20	13.2	6.9-19.5	83	75.8	67.6-84.0	11	7.0	2.5-11.5
35-44	120	15,121	1	0.2	0.0- 0.6	11	9.9	3.8-16.0	18	15.5	7.9-23.1	20	16.9	9.3-24.5	56	46.0	35.8-56.2	14	11.5	5.0-18.0
45-54	133	12,124	11	7.6	2.7-12.5	22	17.3	9.9-24.7	23	15.1	8.6-21.6	20	18.2	10.0-26.4	45	30.7	22.1-39.3	12	11.0	4.3-17.7
55-64	122	7,972	9	7.8	2.5-13.1	17	9.7	4.2-15.2	18	16.5	8.9-24.1	15	11.2	4.9-17.5	51	44.2	34.0-54.4	12	10.6	4.1-17.1
65+	78	4,117	5	8.2	0.0-16.8	6	6.5	1.0-12.0	7	8.3	1.6-15.0	11	12.0	4.0-20.0	41	54.5	41.6-67.4	8	10.5	2.7-18.3
H.S. or G.E.D.	176	21,523	8	2.8	0.6- 5.0	8	2.5	0.3- 4.7	22	11.4	5.9-16.9	24	12.2	6.9-17.5	99	61.0	52.4-69.6	15	10.1	4.6-15.6
Some Post-H.S.	212	26,931	9	2.2	0.6- 3.8	21	8.4	4.3-12.5	24	10.0	5.7-14.3	25	11.2	6.3-16.1	109	56.0	47.8-64.2	24	12.1	6.2-18.0
College Graduate	199	15,111	8	3.7	0.6- 6.8	24	9.8	5.3-14.3	23	8.8	4.7-12.9	35	17.6	11.1-24.1	84	45.3	36.7-53.9	25	14.8	8.3-21.3
\$15,000- 24,999	58	7,420	1	0.6	0.0- 1.8	4	2.5	0.0- 5.6	5	6.2	0.5-11.9	3	3.4	0.0- 7.9	37	70.9	56.8-85.0	8	16.4	3.5-29.3
\$35,000- 49,999	84	8,586	4	2.4	0.0- 5.1	12	11.1	3.7-18.5	9	9.3	2.4-16.2	12	12.6	4.4-20.8	37	49.5	36.0-63.0	10	15.0	4.0-26.0
\$50,000- 74,999	112	12,819	6	3.0	0.1- 5.9	8	4.5	1.2- 7.8	19	17.0	8.4-25.6	15	14.4	6.4-22.4	54	52.9	41.3-64.5	10	8.0	1.9-14.1
\$75,000+	230	25,018	11	3.6	1.2- 6.0	24	9.0	4.7-13.3	31	11.0	6.5-15.5	31	11.8	7.3-16.3	108	52.3	44.1-60.5	25	12.4	7.1-17.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	575	71,397	25	1.8	1.0- 2.6	65	6.7	4.7- 8.7	82	13.0	9.7-16.3	75	10.9	8.0-13.8	275	55.4	50.1-60.7	53	12.1	8.4-15.8
Non-Native	521	65,877	24	2.0	1.0- 3.0	63	7.0	4.8- 9.2	79	13.5	10.0-17.0	72	11.5	8.4-14.6	240	54.8	49.3-60.3	43	11.3	7.4-15.2
25-34	146	25,416							5	4.5	0.4- 8.6	14	9.9	4.4-15.4	106	71.6	63.0-80.2	21	14.0	7.3-20.7
35-44	127	17,550	1	0.5	0.0- 1.5	7	5.2	1.1- 9.3	22	18.7	10.3-27.1	27	20.1	12.1-28.1	60	46.9	36.7-57.1	10	8.5	2.8-14.2
45-54	118	10,366	7	4.5	0.8- 8.2	24	22.3	13.3-31.3	27	25.8	16.2-35.4	11	8.0	2.9-13.1	43	34.7	24.7-44.7	6	4.7	0.6- 8.8
55-64	96	4,964	8	9.2	1.8-16.6	25	25.4	14.2-36.6	16	25.1	12.9-37.3	14	10.2	4.3-16.1	30	27.3	16.7-37.9	3	2.8	0.0- 6.1
65+	54	2,259	9	13.4	4.0-22.8	9	14.6	4.2-25.0	11	24.9	10.0-39.8	9	16.9	4.6-29.2	11	19.9	7.6-32.2	5	10.5	0.0-21.3
H.S. or G.E.D.	125	15,639	4	1.7	0.0- 3.5	13	8.1	3.2-13.0	22	16.1	8.3-23.9	10	6.6	2.3-10.9	65	58.5	48.1-68.9	11	9.0	2.7-15.3
Some Post-H.S.	183	29,733	10	2.1	0.5- 3.7	21	7.2	3.7-10.7	20	11.0	5.5-16.5	20	8.2	3.7-12.7	86	54.1	44.9-63.3	26	17.6	10.2-25.0
College Graduate	241	21,106	11	2.0	0.4- 3.6	31	6.7	4.0- 9.4	34	12.4	7.7-17.1	43	20.0	13.3-26.7	109	52.0	44.0-60.0	13	6.8	2.3-11.3
Less than \$15,000	50	5,776	4	3.3	0.0- 7.6	4	3.8	0.0- 8.3	5	13.9	0.4-27.4	7	6.9	1.0-12.8	21	45.3	25.7-64.9	9	26.8	8.0-45.6
\$15,000- 24,999	83	10,112	4	1.6	0.0- 3.6	6	4.9	0.4- 9.4	12	11.6	3.6-19.6	3	2.1	0.0- 4.6	43	57.2	43.5-70.9	15	22.5	10.5-34.5
\$35,000- 49,999	81	11,094	3	2.3	0.0- 5.2	9	8.2	1.5-14.9	13	15.3	6.3-24.3	9	7.8	1.9-13.7	41	56.7	43.0-70.4	6	9.7	0.3-19.1
\$50,000- 74,999	83	10,861	2	0.8	0.0- 2.0	9	5.2	0.7- 9.7	11	11.2	3.2-19.2	12	14.3	4.1-24.5	45	59.2	44.9-73.5	4	9.3	0.0-20.1
\$75,000+	205	24,198	10	2.4	0.8- 4.0	24	6.9	3.8-10.0	28	12.5	6.6-18.4	38	17.8	11.5-24.1	93	52.9	44.1-61.7	12	7.6	2.5-12.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	6441	535,235	195	6.4	5.4- 7.4	6246	93.6	92.6-94.6	
Male	3022	272,148	120	7.4	5.8- 9.0	2902	92.6	91.0-94.2	
Female	3419	263,087	75	5.4	3.8- 7.0	3344	94.6	93.0-96.2	
Native	211	20,883	16	14.6	7.2-22.0	195	85.4	78.0-92.8	
Non-Native	6159	507,501	176	6.1	5.1- 7.1	5983	93.9	92.9-94.9	
18-24	331	81,030	51	17.5	12.6-22.4	280	82.5	77.6-87.4	
25-34	634	103,043	63	11.6	8.7-14.5	571	88.4	85.5-91.3	
35-44	627	80,063	37	6.8	4.4- 9.2	590	93.2	90.8-95.6	
45-54	896	76,246	20	1.9	0.9- 2.9	876	98.1	97.1-99.1	
55-64	1534	87,986	11	0.8	0.2- 1.4	1523	99.2	98.6-99.8	
65+	2419	106,866	13	0.6	0.2- 1.0	2406	99.4	99.0-99.8	
Less Than H.S.	347	43,187	12	5.2	2.1- 8.3	335	94.8	91.7-97.9	
H.S. or G.E.D.	1798	142,328	67	8.4	6.0-10.8	1731	91.6	89.2-94.0	
Some Post-H.S.	2076	208,903	71	7.4	5.4- 9.4	2005	92.6	90.6-94.6	
College Graduate	2207	139,987	44	3.3	2.1- 4.5	2163	96.7	95.5-97.9	
Less than \$15,000	382	38,733	18	11.2	5.5-16.9	364	88.8	83.1-94.5	
\$15,000- 24,999	750	62,038	27	6.8	3.9- 9.7	723	93.2	90.3-96.1	
\$25,000- 34,999	568	44,476	23	11.1	6.2-16.0	545	88.9	84.0-93.8	
\$35,000- 49,999	933	74,310	24	5.7	3.2- 8.2	909	94.3	91.8-96.8	
\$50,000- 74,999	1098	89,007	26	5.0	2.6- 7.4	1072	95.0	92.6-97.4	
\$75,000+	2117	179,130	59	5.0	3.4- 6.6	2058	95.0	93.4-96.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	3022	272,148	120	7.4	5.8- 9.0	2902	92.6	91.0-94.2	
Native	104	11,017	11	20.9	9.1-32.7	93	79.1	67.3-90.9	
Non-Native	2872	256,390	106	6.7	5.3- 8.1	2766	93.3	91.9-94.7	
18-24	199	43,307	31	16.5	10.4-22.6	168	83.5	77.4-89.6	
25-34	353	55,853	39	13.7	9.2-18.2	314	86.3	81.8-90.8	
35-44	343	41,932	23	8.0	4.7-11.3	320	92.0	88.7-95.3	
45-54	442	38,589	9	1.8	0.4- 3.2	433	98.2	96.8-99.6	
55-64	712	44,132	8	1.4	0.4- 2.4	704	98.6	97.6-99.6	
65+	973	48,335	10	1.2	0.4- 2.0	963	98.8	98.0-99.6	
Less Than H.S.	178	25,450	11	7.7	2.8-12.6	167	92.3	87.4-97.2	
H.S. or G.E.D.	851	75,973	39	9.4	6.3-12.5	812	90.6	87.5-93.7	
Some Post-H.S.	958	104,007	44	8.1	5.4-10.8	914	91.9	89.2-94.6	
College Graduate	1029	66,314	25	3.6	2.0- 5.2	1004	96.4	94.8-98.0	
Less than \$15,000	161	18,003	12	16.1	6.7-25.5	149	83.9	74.5-93.3	
\$15,000- 24,999	269	26,424	15	7.8	3.1-12.5	254	92.2	87.5-96.9	
\$25,000- 34,999	223	21,520	12	11.0	4.5-17.5	211	89.0	82.5-95.5	
\$35,000- 49,999	460	36,500	18	7.7	3.8-11.6	442	92.3	88.4-96.2	
\$50,000- 74,999	569	50,948	16	4.9	2.2- 7.6	553	95.1	92.4-97.8	
\$75,000+	1136	98,467	41	6.7	4.3- 9.1	1095	93.3	90.9-95.7	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3419	263,087	75	5.4	3.8- 7.0	3344	94.6	93.0-96.2	
Native	107	9,866	5	7.5	0.0-15.5	102	92.5	84.5- 100	
Non-Native	3287	251,110	70	5.4	3.8- 7.0	3217	94.6	93.0-96.2	
18-24	132	37,724	20	18.7	11.1-26.3	112	81.3	73.7-88.9	
25-34	281	47,191	24	9.0	5.1-12.9	257	91.0	87.1-94.9	
35-44	284	38,131	14	5.4	2.3- 8.5	270	94.6	91.5-97.7	
45-54	454	37,657	11	2.0	0.8- 3.2	443	98.0	96.8-99.2	
55-64	822	43,854	3	0.3	0.0- 0.7	819	99.7	99.3- 100	
65+	1446	58,531	3	0.1	0.0- 0.3	1443	99.9	99.7- 100	
Less Than H.S.	169	17,737	1	1.6	0.0- 4.7	168	98.4	95.3- 100	
H.S. or G.E.D.	947	66,354	28	7.2	3.9-10.5	919	92.8	89.5-96.1	
Some Post-H.S.	1118	104,896	27	6.6	3.9- 9.3	1091	93.4	90.7-96.1	
College Graduate	1178	73,674	19	3.1	1.5- 4.7	1159	96.9	95.3-98.5	
Less than \$15,000	221	20,730	6	6.9	0.6-13.2	215	93.1	86.8-99.4	
\$15,000- 24,999	481	35,615	12	6.1	2.2-10.0	469	93.9	90.0-97.8	
\$25,000- 34,999	345	22,956	11	11.1	3.8-18.4	334	88.9	81.6-96.2	
\$35,000- 49,999	473	37,810	6	3.8	0.3- 7.3	467	96.2	92.7-99.7	
\$50,000- 74,999	529	38,059	10	5.1	1.2- 9.0	519	94.9	91.0-98.8	
\$75,000+	981	80,663	18	3.0	1.2- 4.8	963	97.0	95.2-98.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2017**

End of Core Data Report