

NORTH DAKOTA

2018 Core Variables Report

Behavioral Risk Factor Surveillance System

May 24, 2019



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018

SECTION 1: HEALTH STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5612	579,862	814	17.1	15.5-18.7	1924	35.0	33.2-36.8	1952	34.0	32.2-35.8	710	10.7	9.7-11.7	212	3.1	2.5- 3.7
Male	2689	297,424	408	17.9	15.9-19.9	870	32.6	30.2-35.0	960	35.2	32.8-37.6	336	10.5	9.1-11.9	115	3.8	3.0- 4.6
Female	2923	282,439	406	16.2	14.0-18.4	1054	37.7	35.0-40.4	992	32.6	30.1-35.1	374	11.0	9.4-12.6	97	2.5	1.9- 3.1
Native	177	24,821	16	12.2	5.1-19.3	30	14.5	7.8-21.2	69	42.0	31.8-52.2	43	22.6	14.0-31.2	19	8.7	4.0-13.4
Non-Native	5385	549,236	787	17.3	15.7-18.9	1882	36.0	34.0-38.0	1862	33.6	31.8-35.4	663	10.2	9.2-11.2	191	2.9	2.3- 3.5
18-24	252	86,445	64	25.1	19.0-31.2	108	43.0	35.9-50.1	66	26.7	20.4-33.0	11	4.7	1.8- 7.6	3	0.4	0.0- 1.0
25-34	473	111,193	94	19.3	15.4-23.2	186	38.3	33.4-43.2	152	34.5	29.6-39.4	32	6.5	4.0- 9.0	9	1.5	0.5- 2.5
35-44	539	91,260	103	19.1	15.0-23.2	190	33.3	28.8-37.8	189	35.1	30.4-39.8	49	11.1	7.8-14.4	8	1.3	0.3- 2.3
45-54	724	81,078	119	16.1	13.0-19.2	277	37.4	33.3-41.5	234	32.0	28.1-35.9	75	11.4	8.7-14.1	19	3.0	1.4- 4.6
55-64	1263	93,536	173	14.4	12.0-16.8	431	31.4	28.5-34.3	455	36.7	33.4-40.0	149	11.6	9.4-13.8	55	5.9	3.9- 7.9
65+	2361	116,350	261	10.3	8.9-11.7	732	28.7	26.5-30.9	856	37.1	34.7-39.5	394	17.8	15.8-19.8	118	6.1	4.7- 7.5
Less Than H.S.	292	47,168	25	12.6	6.1-19.1	49	19.3	12.2-26.4	105	39.6	31.0-48.2	82	20.0	14.3-25.7	31	8.5	4.8-12.2
H.S. or G.E.D.	1543	154,708	172	14.2	11.7-16.7	442	32.0	28.7-35.3	610	37.1	33.8-40.4	248	13.3	11.1-15.5	71	3.4	2.4- 4.4
Some Post-H.S.	1774	225,873	235	16.9	14.4-19.4	597	34.8	31.7-37.9	639	34.6	31.7-37.5	231	10.8	9.0-12.6	72	2.9	2.1- 3.7
College Graduate	1992	151,273	381	21.8	19.3-24.3	833	43.5	40.6-46.4	592	28.1	25.6-30.6	148	5.1	3.9- 6.3	38	1.5	0.9- 2.1
Less than \$15,000	308	36,417	20	7.9	3.2-12.6	42	16.7	10.2-23.2	122	42.7	34.5-50.9	88	23.8	17.5-30.1	36	8.9	5.2-12.6
\$15,000- 24,999	620	64,835	50	12.3	7.4-17.2	140	25.9	20.2-31.6	231	37.2	31.3-43.1	142	17.1	13.2-21.0	57	7.5	5.0-10.0
\$25,000- 34,999	459	46,052	48	12.6	7.7-17.5	128	28.5	22.0-35.0	182	38.6	32.1-45.1	75	16.5	11.6-21.4	26	3.9	1.9- 5.9
\$35,000- 49,999	706	65,369	94	19.1	14.4-23.8	239	31.1	26.0-36.2	251	35.2	30.1-40.3	98	10.8	8.1-13.5	24	3.9	1.9- 5.9
\$50,000- 74,999	861	85,084	130	17.4	13.5-21.3	329	39.1	34.6-43.6	297	31.9	27.6-36.2	84	9.2	6.8-11.6	21	2.4	0.8- 4.0
\$75,000+	1856	202,130	369	20.3	17.9-22.7	784	43.2	40.1-46.3	576	30.8	28.1-33.5	111	5.2	3.8- 6.6	16	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2689	297,424	408	17.9	15.9-19.9	870	32.6	30.2-35.0	960	35.2	32.8-37.6	336	10.5	9.1-11.9	115	3.8	3.0- 4.6
Native	79	11,623	10	19.1	6.6-31.6	12	13.8	5.0-22.6	25	30.5	17.4-43.6	20	22.8	11.8-33.8	12	13.8	5.2-22.4
Non-Native	2583	282,801	391	17.8	15.8-19.8	853	33.5	31.1-35.9	923	35.4	33.0-37.8	314	10.0	8.6-11.4	102	3.4	2.6- 4.2
18-24	171	46,271	46	27.4	20.1-34.7	71	40.1	32.3-47.9	45	27.9	20.5-35.3	7	4.2	1.1- 7.3	2	0.5	0.0- 1.3
25-34	276	60,145	55	21.4	15.9-26.9	99	33.7	27.6-39.8	95	37.6	31.1-44.1	20	5.4	2.9- 7.9	7	1.9	0.3- 3.5
35-44	307	48,065	71	21.1	16.0-26.2	101	32.3	26.4-38.2	108	35.7	29.6-41.8	26	10.5	6.2-14.8	1	0.4	0.0- 1.2
45-54	363	41,890	50	13.1	9.2-17.0	137	37.9	32.2-43.6	122	32.0	26.7-37.3	42	13.0	8.9-17.1	12	4.0	1.5- 6.5
55-64	617	47,678	83	13.7	10.4-17.0	191	27.7	23.6-31.8	239	39.4	34.7-44.1	72	11.2	8.3-14.1	32	8.1	4.8-11.4
65+	955	53,375	103	10.4	8.0-12.8	271	25.2	22.1-28.3	351	37.4	33.7-41.1	169	19.1	16.0-22.2	61	7.9	5.4-10.4
Less Than H.S.	155	25,556	12	10.4	3.0-17.8	24	18.8	10.2-27.4	52	36.5	26.5-46.5	44	20.6	13.3-27.9	23	13.6	7.3-19.9
H.S. or G.E.D.	797	89,479	99	16.1	12.6-19.6	215	30.1	26.0-34.2	321	37.9	33.6-42.2	118	11.7	9.2-14.2	44	4.2	2.6- 5.8
Some Post-H.S.	828	113,098	119	18.5	15.0-22.0	270	32.7	28.6-36.8	307	36.1	32.0-40.2	109	10.4	8.0-12.8	23	2.3	1.1- 3.5
College Graduate	903	68,670	177	22.1	18.6-25.6	359	40.6	36.5-44.7	277	29.8	26.1-33.5	65	5.5	3.7- 7.3	25	2.0	1.0- 3.0
Less than \$15,000	136	18,946	12	11.7	3.7-19.7	18	19.8	10.0-29.6	58	40.0	29.6-50.4	30	16.6	9.5-23.7	18	11.9	5.6-18.2
\$15,000- 24,999	265	30,001	23	13.6	7.5-19.7	57	24.7	17.6-31.8	89	31.2	23.9-38.5	66	20.7	14.8-26.6	30	9.8	5.7-13.9
\$25,000- 34,999	195	20,957	22	14.7	7.6-21.8	46	26.4	17.8-35.0	82	40.0	30.8-49.2	28	13.0	7.3-18.7	17	5.9	2.0- 9.8
\$35,000- 49,999	340	33,884	49	21.4	15.1-27.7	101	24.7	19.0-30.4	119	36.9	30.0-43.8	54	12.8	8.3-17.3	17	4.2	1.8- 6.6
\$50,000- 74,999	449	48,658	64	15.8	10.9-20.7	170	39.7	33.6-45.8	150	30.9	25.2-36.6	53	10.5	7.2-13.8	12	3.1	0.7- 5.5
\$75,000+	1016	108,351	194	20.0	16.9-23.1	403	39.3	35.4-43.2	350	35.0	31.3-38.7	58	4.9	3.3- 6.5	11	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2923	282,439	406	16.2	14.0-18.4	1054	37.7	35.0-40.4	992	32.6	30.1-35.1	374	11.0	9.4-12.6	97	2.5	1.9- 3.1
Native	98	13,199	6	6.2	0.0-12.9	18	15.2	5.2-25.2	44	52.1	37.4-66.8	23	22.4	9.7-35.1	7	4.2	0.5- 7.9
Non-Native	2802	266,434	396	16.8	14.4-19.2	1029	38.7	35.8-41.6	939	31.7	29.0-34.4	349	10.5	8.9-12.1	89	2.3	1.7- 2.9
18-24	81	40,174	18	22.5	12.5-32.5	37	46.5	34.5-58.5	21	25.4	15.0-35.8	4	5.3	0.0-10.6	1	0.3	0.0- 0.9
25-34	197	51,048	39	16.9	11.4-22.4	87	43.7	35.9-51.5	57	30.8	23.2-38.4	12	7.7	3.4-12.0	2	1.0	0.0- 2.4
35-44	232	43,195	32	16.9	10.4-23.4	89	34.5	27.4-41.6	81	34.5	27.2-41.8	23	11.8	6.7-16.9	7	2.3	0.5- 4.1
45-54	361	39,188	69	19.3	14.4-24.2	140	36.9	31.0-42.8	112	32.0	26.3-37.7	33	9.8	6.3-13.3	7	2.0	0.0- 4.0
55-64	646	45,858	90	15.2	11.9-18.5	240	35.2	30.9-39.5	216	34.0	29.5-38.5	77	12.1	9.2-15.0	23	3.6	1.8- 5.4
65+	1406	62,976	158	10.2	8.4-12.0	461	31.7	28.8-34.6	505	36.9	33.8-40.0	225	16.7	14.3-19.1	57	4.6	3.2- 6.0
Less Than H.S.	137	21,612	13	15.2	4.0-26.4	25	19.9	8.1-31.7	53	43.3	29.0-57.6	38	19.3	10.3-28.3	8	2.4	0.4- 4.4
H.S. or G.E.D.	746	65,229	73	11.6	7.7-15.5	227	34.5	28.8-40.2	289	36.0	30.7-41.3	130	15.5	11.8-19.2	27	2.4	1.2- 3.6
Some Post-H.S.	946	112,775	116	15.3	11.6-19.0	327	36.9	32.2-41.6	332	33.0	28.7-37.3	122	11.3	8.6-14.0	49	3.5	2.1- 4.9
College Graduate	1089	82,603	204	21.5	18.0-25.0	474	45.9	41.6-50.2	315	26.6	23.1-30.1	83	4.8	3.4- 6.2	13	1.1	0.3- 1.9
Less than \$15,000	172	17,470	8	3.8	0.1- 7.5	24	13.4	5.4-21.4	64	45.7	33.0-58.4	58	31.5	20.9-42.1	18	5.6	2.3- 8.9
\$15,000- 24,999	355	34,834	27	11.3	4.0-18.6	83	26.9	18.5-35.3	142	42.3	33.3-51.3	76	14.1	8.8-19.4	27	5.4	2.7- 8.1
\$25,000- 34,999	264	25,094	26	10.9	4.0-17.8	82	30.2	21.0-39.4	100	37.4	28.2-46.6	47	19.4	12.0-26.8	9	2.1	0.5- 3.7
\$35,000- 49,999	366	31,485	45	16.7	9.6-23.8	138	37.8	29.6-46.0	132	33.3	25.5-41.1	44	8.6	5.3-11.9	7	3.6	0.7- 6.5
\$50,000- 74,999	412	36,426	66	19.7	13.2-26.2	159	38.2	31.1-45.3	147	33.2	26.7-39.7	31	7.4	4.1-10.7	9	1.5	0.1- 2.9
\$75,000+	840	93,779	175	20.6	16.9-24.3	381	47.7	42.8-52.6	226	25.9	21.8-30.0	53	5.5	3.3- 7.7	5	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7	MALES AND FEMALES	13
8	MALES ONLY	14
9	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5536	574,966	3690	66.6	64.8-68.4	588	11.8	10.4-13.2	507	9.8	8.6-11.0	400	6.5	5.7- 7.3	351	5.3	4.5- 6.1			
Male	2656	295,048	1853	69.2	66.8-71.6	271	11.3	9.7-12.9	201	8.5	6.9-10.1	160	5.3	4.3- 6.3	171	5.7	4.5- 6.9			
Female	2880	279,918	1837	63.8	61.1-66.5	317	12.4	10.4-14.4	306	11.1	9.3-12.9	240	7.7	6.3- 9.1	180	4.9	3.9- 5.9			
Native	174	24,316	94	55.7	45.3-66.1	18	11.2	3.6-18.8	22	13.6	6.2-21.0	21	9.8	4.1-15.5	19	9.7	4.6-14.8			
Non-Native	5317	545,163	3565	67.0	65.2-68.8	566	11.9	10.5-13.3	480	9.6	8.4-10.8	377	6.4	5.6- 7.2	329	5.1	4.3- 5.9			
18-24	251	86,291	167	64.8	57.9-71.7	46	18.7	13.2-24.2	26	12.3	7.4-17.2	10	3.8	1.1- 6.5	2	0.3	0.0- 0.7			
25-34	473	111,210	347	72.6	68.1-77.1	56	12.0	8.7-15.3	34	7.6	4.9-10.3	24	5.0	2.8- 7.2	12	2.7	1.1- 4.3			
35-44	537	90,981	364	65.6	60.9-70.3	65	11.2	8.3-14.1	54	11.7	8.4-15.0	32	6.7	4.2- 9.2	22	4.8	2.6- 7.0			
45-54	715	80,205	477	67.5	63.6-71.4	102	13.6	10.7-16.5	58	8.0	5.6-10.4	40	5.0	3.2- 6.8	38	5.9	3.7- 8.1			
55-64	1253	92,521	833	64.5	61.2-67.8	120	8.5	6.7-10.3	130	11.0	8.6-13.4	90	8.3	6.3-10.3	80	7.7	5.7- 9.7			
65+	2307	113,758	1502	63.8	61.3-66.3	199	8.4	7.0- 9.8	205	8.6	7.2-10.0	204	9.3	7.7-10.9	197	9.8	8.0-11.6			
Less Than H.S.	282	46,305	152	55.4	46.8-64.0	26	12.1	5.8-18.4	35	12.1	6.6-17.6	34	10.2	5.5-14.9	35	10.3	6.2-14.4			
H.S. or G.E.D.	1512	152,738	1001	67.9	64.6-71.2	120	8.9	6.7-11.1	153	9.7	7.5-11.9	111	6.7	4.9- 8.5	127	6.7	5.1- 8.3			
Some Post-H.S.	1756	224,178	1164	66.5	63.4-69.6	174	11.9	9.7-14.1	162	10.0	7.8-12.2	131	6.1	4.7- 7.5	125	5.5	4.1- 6.9			
College Graduate	1976	150,923	1364	68.6	65.9-71.3	268	14.8	12.6-17.0	157	8.8	7.0-10.6	124	5.7	4.3- 7.1	63	2.1	1.5- 2.7			
Less than \$15,000	296	35,530	131	46.4	38.0-54.8	20	9.1	3.2-15.0	41	15.4	9.3-21.5	46	12.1	7.6-16.6	58	17.0	11.7-22.3			
\$15,000- 24,999	605	64,039	326	55.6	49.5-61.7	54	11.3	7.2-15.4	84	15.0	10.5-19.5	63	8.0	5.1-10.9	78	10.1	7.2-13.0			
\$25,000- 34,999	455	45,690	282	62.6	55.9-69.3	52	12.6	8.1-17.1	49	11.4	6.7-16.1	38	8.0	4.5-11.5	34	5.4	2.9- 7.9			
\$35,000- 49,999	702	65,196	464	64.8	59.7-69.9	64	10.6	7.1-14.1	73	10.4	7.1-13.7	58	8.5	5.8-11.2	43	5.6	3.4- 7.8			
\$50,000- 74,999	859	84,849	590	69.2	64.9-73.5	110	15.1	11.6-18.6	68	6.5	4.5- 8.5	42	3.9	2.5- 5.3	49	5.3	3.3- 7.3			
\$75,000+	1849	201,836	1375	73.8	71.1-76.5	209	11.2	9.2-13.2	134	8.2	6.4-10.0	94	5.0	3.6- 6.4	37	1.8	1.0- 2.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2656	295,048	1853	69.2	66.8-71.6	271	11.3	9.7-12.9	201	8.5	6.9-10.1	160	5.3	4.3- 6.3	171	5.7	4.5- 6.9
Native	75	10,954	43	59.8	45.7-73.9	7	6.8	0.0-13.7	5	6.2	0.1-12.3	6	10.4	0.0-20.8	14	16.8	7.0-26.6
Non-Native	2557	281,250	1791	69.4	67.0-71.8	261	11.4	9.6-13.2	195	8.7	7.1-10.3	154	5.2	4.2- 6.2	156	5.3	4.3- 6.3
18-24	170	46,117	118	69.2	61.6-76.8	31	17.7	11.6-23.8	14	9.8	4.3-15.3	5	2.8	0.3- 5.3	2	0.5	0.0- 1.3
25-34	277	60,352	209	73.1	67.2-79.0	32	12.5	8.2-16.8	17	7.9	4.2-11.6	12	4.0	1.6- 6.4	7	2.5	0.5- 4.5
35-44	306	47,876	220	69.2	63.1-75.3	33	10.2	6.5-13.9	33	12.5	8.2-16.8	9	3.6	0.7- 6.5	11	4.5	1.8- 7.2
45-54	359	41,390	245	69.3	63.8-74.8	52	13.0	9.3-16.7	25	6.5	3.8- 9.2	20	5.6	2.9- 8.3	17	5.6	2.7- 8.5
55-64	611	47,135	448	70.4	65.7-75.1	42	6.1	3.9- 8.3	43	7.5	4.8-10.2	36	7.1	4.6- 9.6	42	8.9	5.6-12.2
65+	933	52,177	613	63.3	59.4-67.2	81	8.5	6.3-10.7	69	7.1	5.3- 8.9	78	8.8	6.4-11.2	92	12.1	9.0-15.2
Less Than H.S.	149	24,850	86	56.8	46.4-67.2	13	9.5	3.0-16.0	16	12.1	4.7-19.5	15	9.1	3.4-14.8	19	12.5	6.2-18.8
H.S. or G.E.D.	781	88,433	545	71.4	67.3-75.5	63	8.9	6.4-11.4	60	7.8	5.1-10.5	44	4.6	2.8- 6.4	69	7.3	5.1- 9.5
Some Post-H.S.	820	112,363	563	67.8	63.7-71.9	79	12.2	9.3-15.1	69	9.3	6.8-11.8	61	5.8	4.0- 7.6	48	4.9	3.1- 6.7
College Graduate	900	68,781	653	72.8	69.1-76.5	116	13.7	11.0-16.4	56	7.0	4.8- 9.2	40	4.1	2.5- 5.7	35	2.4	1.4- 3.4
Less than \$15,000	130	18,527	71	57.5	46.7-68.3	9	8.2	0.9-15.5	15	10.4	4.3-16.5	11	6.6	2.3-10.9	24	17.3	9.7-24.9
\$15,000- 24,999	258	29,560	143	57.3	49.5-65.1	26	12.4	6.5-18.3	27	10.5	5.6-15.4	25	7.2	3.9-10.5	37	12.6	7.7-17.5
\$25,000- 34,999	195	21,011	126	63.0	53.8-72.2	22	14.3	7.2-21.4	14	9.2	2.7-15.7	15	7.3	2.6-12.0	18	6.2	2.3-10.1
\$35,000- 49,999	339	33,804	224	65.4	58.5-72.3	34	11.3	6.6-16.0	32	10.5	5.8-15.2	25	6.1	3.2- 9.0	24	6.7	3.2-10.2
\$50,000- 74,999	447	48,390	315	71.3	65.8-76.8	62	15.7	11.2-20.2	27	5.0	2.6- 7.4	13	2.5	0.9- 4.1	30	5.5	2.8- 8.2
\$75,000+	1013	108,133	789	76.5	73.2-79.8	88	8.7	6.5-10.9	67	8.0	5.6-10.4	47	4.8	2.8- 6.8	22	2.0	1.0- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2880	279,918	1837	63.8	61.1-66.5	317	12.4	10.4-14.4	306	11.1	9.3-12.9	240	7.7	6.3- 9.1	180	4.9	3.9- 5.9
Native	99	13,361	51	52.4	37.7-67.1	11	14.8	2.5-27.1	17	19.7	7.5-31.9	15	9.2	3.5-14.9	5	3.9	0.0- 7.8
Non-Native	2760	263,913	1774	64.4	61.7-67.1	305	12.4	10.4-14.4	285	10.6	8.8-12.4	223	7.7	6.3- 9.1	173	4.8	3.8- 5.8
18-24	81	40,174	49	59.7	48.1-71.3	15	19.9	10.3-29.5	12	15.3	6.9-23.7	5	5.1	0.2-10.0			
25-34	196	50,858	138	72.0	65.1-78.9	24	11.5	6.6-16.4	17	7.3	3.6-11.0	12	6.2	2.5- 9.9	5	3.0	0.5- 5.5
35-44	231	43,105	144	61.6	54.2-69.0	32	12.3	7.4-17.2	21	10.8	5.5-16.1	23	10.2	5.9-14.5	11	5.1	1.8- 8.4
45-54	356	38,814	232	65.6	59.7-71.5	50	14.2	9.7-18.7	33	9.7	6.0-13.4	20	4.2	2.0- 6.4	21	6.2	3.3- 9.1
55-64	642	45,386	385	58.4	53.7-63.1	78	11.0	8.3-13.7	87	14.7	11.2-18.2	54	9.6	6.7-12.5	38	6.4	4.0- 8.8
65+	1374	61,581	889	64.3	61.2-67.4	118	8.4	6.6-10.2	136	9.9	7.9-11.9	126	9.7	7.7-11.7	105	7.8	6.0- 9.6
Less Than H.S.	133	21,454	66	53.7	39.6-67.8	13	15.1	3.7-26.5	19	12.0	4.0-20.0	19	11.5	3.7-19.3	16	7.7	3.0-12.4
H.S. or G.E.D.	731	64,305	456	63.2	57.7-68.7	57	8.9	5.2-12.6	93	12.3	9.0-15.6	67	9.7	6.2-13.2	58	5.9	3.7- 8.1
Some Post-H.S.	936	111,816	601	65.2	60.7-69.7	95	11.6	8.5-14.7	93	10.8	7.5-14.1	70	6.3	4.3- 8.3	77	6.2	4.2- 8.2
College Graduate	1076	82,142	711	65.1	61.0-69.2	152	15.7	12.6-18.8	101	10.4	7.7-13.1	84	7.1	5.1- 9.1	28	1.8	0.8- 2.8
Less than \$15,000	166	17,003	60	34.2	21.3-47.1	11	10.2	1.0-19.4	26	20.9	10.3-31.5	35	18.1	9.9-26.3	34	16.6	9.5-23.7
\$15,000- 24,999	347	34,479	183	54.1	44.9-63.3	28	10.3	4.4-16.2	57	19.0	11.6-26.4	38	8.6	3.9-13.3	41	8.0	4.5-11.5
\$25,000- 34,999	260	24,679	156	62.2	52.8-71.6	30	11.2	5.3-17.1	35	13.3	6.4-20.2	23	8.6	3.7-13.5	16	4.7	1.6- 7.8
\$35,000- 49,999	363	31,392	240	64.2	56.4-72.0	30	9.9	4.8-15.0	41	10.4	5.7-15.1	33	11.1	6.2-16.0	19	4.4	1.7- 7.1
\$50,000- 74,999	412	36,460	275	66.4	59.5-73.3	48	14.4	8.5-20.3	41	8.5	5.0-12.0	29	5.8	3.3- 8.3	19	5.0	1.9- 8.1
\$75,000+	836	93,703	586	70.7	66.2-75.2	121	14.1	10.8-17.4	67	8.4	5.5-11.3	47	5.3	3.1- 7.5	15	1.5	0.3- 2.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5553	574,671	3992	63.4	61.4-65.4	479	9.8	8.6-11.0	489	11.0	9.6-12.4	388	11.1	9.7-12.5	205	4.7	3.9- 5.5			
Male	2667	295,907	2016	69.1	66.7-71.5	217	9.0	7.6-10.4	185	8.9	7.3-10.5	155	8.1	6.5- 9.7	94	4.8	3.6- 6.0			
Female	2886	278,764	1976	57.3	54.4-60.2	262	10.6	8.6-12.6	304	13.3	11.1-15.5	233	14.2	11.8-16.6	111	4.6	3.4- 5.8			
Native	175	24,758	106	52.9	42.5-63.3	14	9.7	2.4-17.0	16	8.0	2.7-13.3	30	24.6	15.0-34.2	9	4.8	1.1- 8.5			
Non-Native	5331	544,256	3854	64.0	62.0-66.0	460	9.7	8.5-10.9	472	11.3	9.9-12.7	351	10.4	9.0-11.8	194	4.7	3.9- 5.5			
18-24	248	85,170	126	46.2	39.1-53.3	24	9.4	5.1-13.7	42	18.5	12.8-24.2	47	22.7	16.4-29.0	9	3.2	1.0- 5.4			
25-34	471	110,761	248	53.4	48.3-58.5	62	12.8	9.5-16.1	62	12.8	9.5-16.1	67	14.6	11.1-18.1	32	6.4	3.9- 8.9			
35-44	534	90,601	331	59.0	54.1-63.9	63	11.7	8.6-14.8	62	11.6	8.5-14.7	49	10.8	7.5-14.1	29	6.9	4.2- 9.6			
45-54	720	80,721	485	66.1	62.0-70.2	81	11.2	8.5-13.9	59	8.5	6.0-11.0	70	10.5	7.8-13.2	25	3.7	2.1- 5.3			
55-64	1254	92,738	907	70.7	67.6-73.8	106	7.5	5.9- 9.1	121	10.4	8.2-12.6	64	5.9	4.1- 7.7	56	5.5	3.7- 7.3			
65+	2326	114,681	1895	81.4	79.4-83.4	143	6.3	4.9- 7.7	143	5.7	4.5- 6.9	91	3.9	2.9- 4.9	54	2.6	1.6- 3.6			
Less Than H.S.	278	46,140	195	54.5	45.5-63.5	17	9.6	3.5-15.7	19	9.9	3.6-16.2	29	17.4	10.0-24.8	18	8.6	3.7-13.5			
H.S. or G.E.D.	1511	152,346	1114	66.4	62.9-69.9	97	7.0	5.0- 9.0	121	10.1	7.7-12.5	110	10.9	8.4-13.4	69	5.5	3.9- 7.1			
Some Post-H.S.	1763	224,233	1260	62.1	58.8-65.4	143	9.8	7.8-11.8	153	11.0	8.8-13.2	140	12.5	10.0-15.0	67	4.6	3.2- 6.0			
College Graduate	1989	151,012	1413	64.8	61.9-67.7	222	12.6	10.6-14.6	195	12.4	10.2-14.6	109	7.2	5.6- 8.8	50	3.0	2.0- 4.0			
Less than \$15,000	299	35,429	165	46.0	37.8-54.2	24	6.1	2.8- 9.4	41	21.9	13.5-30.3	44	18.0	11.5-24.5	25	8.1	4.2-12.0			
\$15,000- 24,999	610	64,216	420	55.9	49.4-62.4	36	9.4	4.5-14.3	54	9.8	6.3-13.3	59	16.7	11.0-22.4	41	8.1	5.0-11.2			
\$25,000- 34,999	453	45,977	319	58.4	51.3-65.5	36	10.4	5.9-14.9	41	13.6	8.1-19.1	35	9.0	5.3-12.7	22	8.6	4.3-12.9			
\$35,000- 49,999	703	65,260	519	64.9	59.6-70.2	61	9.7	6.6-12.8	50	8.6	5.5-11.7	46	11.5	7.6-15.4	27	5.4	2.9- 7.9			
\$50,000- 74,999	860	85,034	604	62.9	58.2-67.6	97	12.5	9.2-15.8	84	10.8	7.9-13.7	57	10.6	7.1-14.1	18	3.2	1.0- 5.4			
\$75,000+	1851	201,937	1395	68.8	65.9-71.7	171	10.4	8.4-12.4	159	10.6	8.4-12.8	89	7.9	5.9- 9.9	37	2.3	1.3- 3.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2667	295,907	2016	69.1	66.7-71.5	217	9.0	7.6-10.4	185	8.9	7.3-10.5	155	8.1	6.5- 9.7	94	4.8	3.6- 6.0
Native	76	11,396	50	60.3	46.2-74.4	5	5.9	0.0-12.4	5	5.3	0.0-10.6	11	20.0	7.3-32.7	5	8.4	0.8-16.0
Non-Native	2566	281,601	1947	69.4	66.9-71.9	210	9.1	7.7-10.5	179	9.1	7.5-10.7	142	7.7	6.1- 9.3	88	4.6	3.4- 5.8
18-24	170	46,120	98	57.5	49.5-65.5	18	9.2	4.7-13.7	24	14.6	8.7-20.5	24	15.4	9.1-21.7	6	3.2	0.5- 5.9
25-34	276	59,992	157	56.9	50.4-63.4	35	12.0	7.9-16.1	31	11.9	7.6-16.2	33	11.9	7.6-16.2	20	7.3	3.8-10.8
35-44	305	47,824	214	68.7	62.6-74.8	32	9.2	5.7-12.7	27	9.0	5.5-12.5	19	7.3	3.6-11.0	13	5.9	2.6- 9.2
45-54	362	41,824	262	71.4	66.1-76.7	39	10.9	7.2-14.6	23	6.9	4.0- 9.8	23	6.5	3.6- 9.4	15	4.4	2.0- 6.8
55-64	614	47,600	489	77.1	72.8-81.4	43	6.2	4.0- 8.4	37	6.9	4.4- 9.4	22	3.9	1.9- 5.9	23	5.9	3.0- 8.8
65+	940	52,548	796	84.6	81.7-87.5	50	6.2	4.0- 8.4	43	3.9	2.5- 5.3	34	3.4	2.2- 4.6	17	2.0	0.6- 3.4
Less Than H.S.	152	25,302	111	60.8	50.2-71.4	7	5.0	0.3- 9.7	10	9.1	2.4-15.8	14	13.3	5.5-21.1	10	11.7	4.1-19.3
H.S. or G.E.D.	780	88,327	582	69.2	64.9-73.5	55	7.6	5.2-10.0	56	9.1	6.4-11.8	50	8.4	5.5-11.3	37	5.8	3.6- 8.0
Some Post-H.S.	827	113,078	628	68.8	64.7-72.9	63	9.4	6.9-11.9	55	8.9	6.2-11.6	55	8.8	6.1-11.5	26	4.2	2.4- 6.0
College Graduate	902	68,580	689	72.2	68.5-75.9	92	11.8	9.1-14.5	64	8.7	6.2-11.2	36	5.0	3.2- 6.8	21	2.3	1.1- 3.5
Less than \$15,000	134	18,823	82	52.1	41.1-63.1	12	7.4	2.3-12.5	15	20.0	10.0-30.0	15	12.6	5.3-19.9	10	7.8	2.7-12.9
\$15,000- 24,999	260	29,655	183	61.5	53.5-69.5	17	9.4	4.1-14.7	19	10.6	4.7-16.5	25	10.6	5.7-15.5	16	7.9	3.8-12.0
\$25,000- 34,999	194	21,092	142	64.9	55.7-74.1	14	7.0	2.7-11.3	13	9.4	3.5-15.3	12	8.0	2.5-13.5	13	10.7	4.2-17.2
\$35,000- 49,999	339	33,843	258	70.2	63.5-76.9	30	9.9	6.0-13.8	18	6.6	2.7-10.5	24	9.2	4.7-13.7	9	4.0	1.3- 6.7
\$50,000- 74,999	447	48,564	334	69.9	64.0-75.8	44	10.9	7.0-14.8	37	8.4	5.1-11.7	20	6.3	3.2- 9.4	12	4.5	0.8- 8.2
\$75,000+	1013	108,337	813	74.3	70.6-78.0	82	9.3	6.9-11.7	62	7.8	5.4-10.2	33	5.9	3.5- 8.3	23	2.7	1.3- 4.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2886	278,764	1976	57.3	54.4-60.2	262	10.6	8.6-12.6	304	13.3	11.1-15.5	233	14.2	11.8-16.6	111	4.6	3.4- 5.8
Native	99	13,361	56	46.6	32.1-61.1	9	13.0	1.0-25.0	11	10.3	1.7-18.9	19	28.5	14.6-42.4	4	1.7	0.0- 3.7
Non-Native	2765	262,656	1907	58.1	55.2-61.0	250	10.3	8.3-12.3	293	13.6	11.4-15.8	209	13.3	10.9-15.7	106	4.7	3.5- 5.9
18-24	78	39,050	28	32.9	21.7-44.1	6	9.7	1.9-17.5	18	23.0	13.0-33.0	23	31.3	19.9-42.7	3	3.1	0.0- 6.6
25-34	195	50,769	91	49.3	41.3-57.3	27	13.6	8.1-19.1	31	13.8	8.5-19.1	34	17.8	11.7-23.9	12	5.5	2.2- 8.8
35-44	229	42,777	117	48.2	40.6-55.8	31	14.5	9.0-20.0	35	14.5	9.4-19.6	30	14.7	9.0-20.4	16	8.1	3.8-12.4
45-54	358	38,897	223	60.5	54.4-66.6	42	11.6	7.7-15.5	36	10.3	6.2-14.4	47	14.7	10.2-19.2	10	2.9	0.9- 4.9
55-64	640	45,138	418	64.0	59.5-68.5	63	8.9	6.5-11.3	84	14.2	10.9-17.5	42	7.9	5.2-10.6	33	5.0	3.0- 7.0
65+	1386	62,133	1099	78.7	76.0-81.4	93	6.5	4.9- 8.1	100	7.2	5.4- 9.0	57	4.4	3.0- 5.8	37	3.2	2.0- 4.4
Less Than H.S.	126	20,837	84	46.9	32.6-61.2	10	15.2	3.2-27.2	9	10.8	0.0-22.2	15	22.3	9.0-35.6	8	4.9	0.4- 9.4
H.S. or G.E.D.	731	64,019	532	62.6	56.9-68.3	42	6.2	3.1- 9.3	65	11.6	7.7-15.5	60	14.5	10.0-19.0	32	5.2	2.8- 7.6
Some Post-H.S.	936	111,155	632	55.2	50.3-60.1	80	10.2	7.1-13.3	98	13.2	9.7-16.7	85	16.3	12.0-20.6	41	5.0	2.8- 7.2
College Graduate	1087	82,432	724	58.6	54.3-62.9	130	13.3	10.4-16.2	131	15.5	12.2-18.8	73	9.1	6.6-11.6	29	3.5	1.9- 5.1
Less than \$15,000	165	16,606	83	39.0	27.2-50.8	12	4.6	0.7- 8.5	26	24.0	10.3-37.7	29	24.0	13.0-35.0	15	8.4	2.5-14.3
\$15,000- 24,999	350	34,561	237	51.2	41.8-60.6	19	9.4	1.8-17.0	35	9.2	5.1-13.3	34	21.8	12.4-31.2	25	8.4	3.9-12.9
\$25,000- 34,999	259	24,885	177	52.9	42.9-62.9	22	13.3	6.0-20.6	28	17.2	8.6-25.8	23	9.8	4.5-15.1	9	6.8	0.9-12.7
\$35,000- 49,999	364	31,418	261	59.1	50.7-67.5	31	9.4	4.7-14.1	32	10.7	5.8-15.6	22	13.9	7.2-20.6	18	6.9	2.8-11.0
\$50,000- 74,999	413	36,471	270	53.5	46.2-60.8	53	14.7	9.0-20.4	47	14.1	8.8-19.4	37	16.2	9.5-22.9	6	1.5	0.1- 2.9
\$75,000+	838	93,600	582	62.4	57.5-67.3	89	11.6	8.7-14.5	97	13.8	10.3-17.3	56	10.3	7.0-13.6	14	1.9	0.5- 3.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2665	301,813	1615	60.3	57.6-63.0	294	12.5	10.5-14.5	288	12.5	10.5-14.5	279	9.6	8.2-11.0	189	5.2	4.2-6.2
Male	1165	139,446	724	60.3	56.6-64.0	136	14.2	11.5-16.9	102	10.5	8.0-13.0	107	8.7	6.7-10.7	96	6.4	4.8-8.0
Female	1500	162,367	891	60.2	56.3-64.1	158	11.1	8.6-13.6	186	14.2	11.3-17.1	172	10.3	8.1-12.5	93	4.2	3.0-5.4
Native	109	15,977	58	50.4	37.3-63.5	7	8.4	0.0-17.0	13	15.3	4.5-26.1	16	13.1	5.8-20.4	15	12.8	5.4-20.2
Non-Native	2532	282,844	1540	60.8	58.1-63.5	286	12.8	10.8-14.8	271	12.2	10.2-14.2	262	9.4	7.8-11.0	173	4.8	3.8-5.8
18-24	149	53,658	93	59.4	50.4-68.4	18	14.4	7.7-21.1	27	20.3	12.9-27.7	10	5.6	1.7-9.5	1	0.3	0.0-0.9
25-34	259	60,291	162	61.7	55.0-68.4	42	17.8	12.3-23.3	31	12.3	7.8-16.8	19	6.3	3.2-9.4	5	2.0	0.0-4.0
35-44	281	50,591	167	61.9	55.4-68.4	43	12.5	8.6-16.4	30	11.8	7.1-16.5	29	10.6	6.5-14.7	12	3.2	1.2-5.2
45-54	370	41,561	225	61.4	55.5-67.3	51	13.0	9.1-16.9	37	9.8	6.3-13.3	34	10.0	6.5-13.5	23	5.9	3.2-8.6
55-64	584	44,239	345	58.3	53.4-63.2	55	7.9	5.4-10.4	61	9.4	6.5-12.3	69	14.0	10.3-17.7	54	10.5	7.4-13.6
65+	1022	51,473	623	58.7	54.8-62.6	85	8.0	6.0-10.0	102	10.0	7.6-12.4	118	12.4	9.9-14.9	94	10.9	8.2-13.6
Less Than H.S.	160	29,610	85	59.5	48.5-70.5	16	13.0	4.8-21.2	18	11.3	4.4-18.2	22	8.7	4.2-13.2	19	7.5	3.6-11.4
H.S. or G.E.D.	715	74,215	454	63.5	58.6-68.4	53	7.1	4.6-9.6	64	11.2	7.3-15.1	86	12.3	9.2-15.4	58	5.9	3.9-7.9
Some Post-H.S.	854	121,018	505	58.2	53.7-62.7	89	13.1	9.8-16.4	88	13.3	10.0-16.6	98	9.9	7.4-12.4	74	5.6	4.0-7.2
College Graduate	935	76,938	571	60.8	56.5-65.1	136	16.6	13.3-19.9	118	12.9	10.0-15.8	73	6.8	4.8-8.8	37	3.0	1.8-4.2
Less than \$15,000	204	24,661	89	40.4	30.4-50.4	15	11.4	3.6-19.2	28	16.4	8.6-24.2	36	20.5	12.5-28.5	36	11.2	6.7-15.7
\$15,000- 24,999	366	42,828	182	49.2	41.0-57.4	36	13.4	7.3-19.5	51	15.8	9.9-21.7	53	12.8	8.3-17.3	44	8.8	5.5-12.1
\$25,000- 34,999	235	26,490	128	56.7	47.3-66.1	25	15.6	7.6-23.6	31	12.8	6.7-18.9	31	8.8	4.9-12.7	20	6.2	2.5-9.9
\$35,000- 49,999	326	32,859	207	59.7	52.3-67.1	33	15.0	8.9-21.1	26	8.7	4.2-13.2	37	11.1	6.4-15.8	23	5.6	2.9-8.3
\$50,000- 74,999	410	44,724	265	68.3	62.4-74.2	53	11.6	7.9-15.3	41	9.4	5.9-12.9	29	7.0	3.7-10.3	22	3.7	1.7-5.7
\$75,000+	753	90,263	499	66.4	61.7-71.1	108	14.2	10.9-17.5	82	12.2	8.7-15.7	45	5.1	3.3-6.9	19	2.2	0.8-3.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1165	139,446	724	60.3	56.6-64.0	136	14.2	11.5-16.9	102	10.5	8.0-13.0	107	8.7	6.7-10.7	96	6.4	4.8- 8.0
Non-Native	1107	131,309	693	61.0	57.3-64.7	132	14.7	11.8-17.6	98	10.4	7.7-13.1	99	8.2	6.2-10.2	85	5.6	4.2- 7.0
18-24	90	23,671	57	56.0	44.4-67.6	12	16.9	7.9-25.9	14	20.2	10.0-30.4	6	6.2	1.1-11.3	1	0.6	0.0- 1.8
25-34	142	31,454	92	64.5	55.9-73.1	26	20.1	12.7-27.5	12	8.5	3.4-13.6	8	4.5	1.4- 7.6	4	2.4	0.0- 4.9
35-44	137	22,190	82	58.8	49.4-68.2	26	18.1	11.0-25.2	14	11.3	4.6-18.0	12	9.9	4.0-15.8	3	2.0	0.0- 4.4
45-54	172	20,053	109	63.8	55.6-72.0	23	13.2	7.3-19.1	13	6.6	2.7-10.5	14	7.5	3.0-12.0	13	8.9	3.8-14.0
55-64	229	19,221	144	58.8	50.6-67.0	19	5.7	2.8- 8.6	14	6.5	2.4-10.6	26	15.3	8.4-22.2	26	13.7	7.8-19.6
65+	395	22,858	240	58.6	52.3-64.9	30	7.3	4.6-10.0	35	9.1	5.4-12.8	41	11.3	7.4-15.2	49	13.7	8.8-18.6
Less Than H.S.	81	15,192	44	56.8	42.9-70.7	8	12.9	2.7-23.1	7	10.5	1.1-19.9	11	10.0	2.7-17.3	11	9.8	3.3-16.3
H.S. or G.E.D.	348	39,528	225	64.4	57.7-71.1	28	8.7	5.0-12.4	25	9.3	4.0-14.6	34	9.6	5.7-13.5	36	7.9	4.6-11.2
Some Post-H.S.	362	54,094	211	57.2	50.9-63.5	46	16.1	11.0-21.2	33	11.0	6.7-15.3	41	9.5	6.0-13.0	31	6.2	3.7- 8.7
College Graduate	374	30,633	244	62.1	56.0-68.2	54	18.4	13.3-23.5	37	11.1	7.2-15.0	21	5.3	2.6- 8.0	18	3.0	1.0- 5.0
Less than \$15,000	82	11,566	39	39.7	26.6-52.8	9	19.0	5.5-32.5	10	14.8	4.4-25.2	7	11.4	2.8-20.0	17	15.1	7.3-22.9
\$15,000- 24,999	149	17,611	72	45.3	34.9-55.7	17	15.8	7.4-24.2	19	14.7	6.7-22.7	19	13.1	6.6-19.6	22	11.2	5.3-17.1
\$25,000- 34,999	90	10,931	51	63.7	51.2-76.2	12	14.5	5.5-23.5	6	5.9	0.0-11.8	10	7.1	1.6-12.6	11	8.8	1.7-15.9
\$35,000- 49,999	153	16,456	98	60.8	50.6-71.0	15	16.9	8.3-25.5	8	4.3	0.6- 8.0	17	10.1	4.2-16.0	15	7.9	3.2-12.6
\$50,000- 74,999	197	22,812	132	67.4	59.0-75.8	24	11.8	6.3-17.3	14	9.2	3.9-14.5	13	6.6	1.7-11.5	14	5.0	1.7- 8.3
\$75,000+	356	42,949	242	67.8	61.5-74.1	52	15.9	10.8-21.0	31	9.2	5.3-13.1	22	5.1	2.6- 7.6	9	2.0	0.4- 3.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1500	162,367	891	60.2	56.3-64.1	158	11.1	8.6-13.6	186	14.2	11.3-17.1	172	10.3	8.1-12.5	93	4.2	3.0- 5.4
Native	63	9,158	35	53.7	35.5-71.9	4	13.2	0.0-27.7	10	17.5	3.4-31.6	9	9.7	2.1-17.3	5	5.9	0.0-12.0
Non-Native	1425	151,535	847	60.6	56.7-64.5	154	11.1	8.6-13.6	173	13.8	10.9-16.7	163	10.5	8.3-12.7	88	4.1	2.9- 5.3
18-24	59	29,987	36	62.1	48.8-75.4	6	12.3	2.9-21.7	13	20.5	9.9-31.1	4	5.1	0.0-10.8			
25-34	117	28,837	70	58.6	48.4-68.8	16	15.2	7.4-23.0	19	16.4	8.8-24.0	11	8.3	3.0-13.6	1	1.5	0.0- 4.4
35-44	144	28,402	85	64.4	55.6-73.2	17	8.1	4.0-12.2	16	12.2	5.7-18.7	17	11.1	5.4-16.8	9	4.2	1.3- 7.1
45-54	198	21,508	116	59.0	50.8-67.2	28	12.8	7.5-18.1	24	12.7	7.0-18.4	20	12.4	6.9-17.9	10	3.1	0.9- 5.3
55-64	355	25,018	201	57.9	51.8-64.0	36	9.6	5.9-13.3	47	11.6	7.7-15.5	43	12.9	8.8-17.0	28	8.0	4.7-11.3
65+	627	28,615	383	58.7	53.8-63.6	55	8.6	5.9-11.3	67	10.8	7.7-13.9	77	13.2	9.9-16.5	45	8.7	5.8-11.6
Less Than H.S.	79	14,418	41	62.4	45.7-79.1	8	13.0	0.3-25.7	11	12.2	2.0-22.4	11	7.4	1.9-12.9	8	5.1	1.0- 9.2
H.S. or G.E.D.	367	34,687	229	62.4	55.0-69.8	25	5.3	2.2- 8.4	39	13.3	7.6-19.0	52	15.4	10.3-20.5	22	3.6	1.8- 5.4
Some Post-H.S.	492	66,924	294	58.9	52.4-65.4	43	10.6	6.1-15.1	55	15.2	10.1-20.3	57	10.1	6.4-13.8	43	5.1	2.9- 7.3
College Graduate	561	46,305	327	59.9	54.2-65.6	82	15.4	11.1-19.7	81	14.1	9.8-18.4	52	7.7	5.0-10.4	19	2.9	1.3- 4.5
Less than \$15,000	122	13,096	50	41.1	26.2-56.0	6	4.8	0.0-12.4	18	17.9	6.5-29.3	29	28.5	15.6-41.4	19	7.8	3.1-12.5
\$15,000- 24,999	217	25,217	110	52.0	40.4-63.6	19	11.7	3.5-19.9	32	16.6	8.4-24.8	34	12.5	6.2-18.8	22	7.2	3.5-10.9
\$25,000- 34,999	145	15,559	77	51.8	38.9-64.7	13	16.4	4.2-28.6	25	17.6	8.2-27.0	21	9.9	4.2-15.6	9	4.3	0.4- 8.2
\$35,000- 49,999	173	16,402	109	58.5	47.3-69.7	18	13.1	4.7-21.5	18	13.2	5.0-21.4	20	12.1	4.8-19.4	8	3.2	0.8- 5.6
\$50,000- 74,999	213	21,912	133	69.2	61.0-77.4	29	11.3	6.0-16.6	27	9.7	5.0-14.4	16	7.4	2.9-11.9	8	2.4	0.4- 4.4
\$75,000+	397	47,314	257	65.1	58.2-72.0	56	12.6	8.1-17.1	51	14.9	9.0-20.8	23	5.1	2.6- 7.6	10	2.3	0.3- 4.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5609	578,592	5305	91.0	89.8-92.2	304	9.0	7.8-10.2
Male	2689	296,723	2492	88.8	87.0-90.6	197	11.2	9.4-13.0
Female	2920	281,869	2813	93.3	91.5-95.1	107	6.7	4.9- 8.5
Native	178	24,984	168	92.5	86.0-99.0	10	7.5	1.0-14.0
Non-Native	5380	547,783	5092	90.9	89.7-92.1	288	9.1	7.9-10.3
18-24	247	85,096	209	84.4	79.3-89.5	38	15.6	10.5-20.7
25-34	474	111,400	406	85.9	82.4-89.4	68	14.1	10.6-17.6
35-44	537	90,830	483	89.9	86.8-93.0	54	10.1	7.0-13.2
45-54	724	81,078	683	93.4	91.2-95.6	41	6.6	4.4- 8.8
55-64	1263	93,600	1197	93.8	92.0-95.6	66	6.2	4.4- 8.0
65+	2364	116,588	2327	97.4	96.2-98.6	37	2.6	1.4- 3.8
Less Than H.S.	292	47,054	258	80.4	73.3-87.5	34	19.6	12.5-26.7
H.S. or G.E.D.	1538	153,596	1407	85.1	82.2-88.0	131	14.9	12.0-17.8
Some Post-H.S.	1774	225,533	1692	93.7	92.1-95.3	82	6.3	4.7- 7.9
College Graduate	1994	151,569	1938	96.0	94.8-97.2	56	4.0	2.8- 5.2
Less than \$15,000	305	35,820	273	82.8	76.1-89.5	32	17.2	10.5-23.9
\$15,000- 24,999	621	64,998	549	81.2	76.3-86.1	72	18.8	13.9-23.7
\$25,000- 34,999	461	46,275	441	90.6	86.1-95.1	20	9.4	4.9-13.9
\$35,000- 49,999	705	64,958	666	90.8	87.1-94.5	39	9.2	5.5-12.9
\$50,000- 74,999	862	85,129	831	94.4	92.2-96.6	31	5.6	3.4- 7.8
\$75,000+	1857	202,226	1799	95.6	94.2-97.0	58	4.4	3.0- 5.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2689	296,723	2492	88.8	87.0-90.6	197	11.2	9.4-13.0
Native	79	11,623	77	96.8	91.9- 100	2	3.2	0.0- 8.1
Non-Native	2583	282,101	2392	88.4	86.6-90.2	191	11.6	9.8-13.4
18-24	168	45,457	139	81.1	74.2-88.0	29	18.9	12.0-25.8
25-34	277	60,352	234	84.2	79.5-88.9	43	15.8	11.1-20.5
35-44	306	47,822	270	88.3	84.2-92.4	36	11.7	7.6-15.8
45-54	363	41,890	337	91.2	87.7-94.7	26	8.8	5.3-12.3
55-64	617	47,717	575	91.9	89.0-94.8	42	8.1	5.2-11.0
65+	958	53,485	937	96.1	93.9-98.3	21	3.9	1.7- 6.1
Less Than H.S.	156	25,587	132	75.3	65.7-84.9	24	24.7	15.1-34.3
H.S. or G.E.D.	793	88,608	705	84.3	80.8-87.8	88	15.7	12.2-19.2
Some Post-H.S.	828	112,900	777	91.2	88.7-93.7	51	8.8	6.3-11.3
College Graduate	906	69,007	873	95.4	93.6-97.2	33	4.6	2.8- 6.4
Less than \$15,000	135	18,678	114	77.6	67.6-87.6	21	22.4	12.4-32.4
\$15,000- 24,999	265	30,001	221	76.1	69.2-83.0	44	23.9	17.0-30.8
\$25,000- 34,999	196	21,165	183	89.5	83.6-95.4	13	10.5	4.6-16.4
\$35,000- 49,999	340	33,661	315	91.2	87.1-95.3	25	8.8	4.7-12.9
\$50,000- 74,999	449	48,658	426	92.4	89.1-95.7	23	7.6	4.3-10.9
\$75,000+	1017	108,447	977	94.1	91.9-96.3	40	5.9	3.7- 8.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2920	281,869	2813	93.3	91.5-95.1	107	6.7	4.9- 8.5
Native	99	13,361	91	88.8	77.8-99.8	8	11.2	0.2-22.2
Non-Native	2797	265,682	2700	93.6	91.8-95.4	97	6.4	4.6- 8.2
18-24	79	39,639	70	88.1	80.5-95.7	9	11.9	4.3-19.5
25-34	197	51,048	172	87.9	83.0-92.8	25	12.1	7.2-17.0
35-44	231	43,008	213	91.6	86.9-96.3	18	8.4	3.7-13.1
45-54	361	39,188	346	95.9	93.5-98.3	15	4.1	1.7- 6.5
55-64	646	45,882	622	95.7	93.7-97.7	24	4.3	2.3- 6.3
65+	1406	63,103	1390	98.6	97.6-99.6	16	1.4	0.4- 2.4
Less Than H.S.	136	21,466	126	86.4	76.0-96.8	10	13.6	3.2-24.0
H.S. or G.E.D.	745	64,988	702	86.3	81.6-91.0	43	13.7	9.0-18.4
Some Post-H.S.	946	112,633	915	96.2	94.2-98.2	31	3.8	1.8- 5.8
College Graduate	1088	82,562	1065	96.6	95.0-98.2	23	3.4	1.8- 5.0
Less than \$15,000	170	17,142	159	88.5	79.7-97.3	11	11.5	2.7-20.3
\$15,000- 24,999	356	34,997	328	85.6	78.5-92.7	28	14.4	7.3-21.5
\$25,000- 34,999	265	25,111	258	91.5	84.6-98.4	7	8.5	1.6-15.4
\$35,000- 49,999	365	31,297	351	90.3	84.0-96.6	14	9.7	3.4-16.0
\$50,000- 74,999	413	36,471	405	97.1	94.9-99.3	8	2.9	0.7- 5.1
\$75,000+	840	93,779	822	97.4	95.8-99.0	18	2.6	1.0- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5607	578,888	4010	63.6	61.6-65.6	522	9.1	7.9-10.3	1075	27.4	25.6-29.2
Male	2685	296,445	1708	54.5	52.0-57.0	255	9.3	7.9-10.7	722	36.3	33.8-38.8
Female	2922	282,443	2302	73.1	70.4-75.8	267	8.9	7.1-10.7	353	18.0	15.5-20.5
Native	178	24,984	110	52.5	42.3-62.7	29	16.3	9.4-23.2	39	31.2	21.2-41.2
Non-Native	5379	548,441	3864	64.1	62.1-66.1	488	8.8	7.6-10.0	1027	27.2	25.4-29.0
18-24	250	85,838	106	43.9	36.8-51.0	26	10.2	6.1-14.3	118	46.0	38.9-53.1
25-34	474	111,400	233	50.4	45.3-55.5	44	9.5	6.4-12.6	197	40.1	35.2-45.0
35-44	538	90,885	330	62.8	58.1-67.5	46	8.3	5.8-10.8	162	28.9	24.4-33.4
45-54	724	81,078	496	68.7	64.8-72.6	59	6.5	4.5-8.5	169	24.8	21.1-28.5
55-64	1261	93,446	943	74.2	71.3-77.1	98	7.8	5.8-9.8	220	18.0	15.5-20.5
65+	2360	116,240	1902	79.2	77.0-81.4	249	11.3	9.5-13.1	209	9.5	7.9-11.1
Less Than H.S.	290	46,662	189	50.5	41.9-59.1	36	12.6	6.5-18.7	65	36.9	28.1-45.7
H.S. or G.E.D.	1537	154,271	1049	57.8	54.3-61.3	149	9.7	7.5-11.9	339	32.4	28.9-35.9
Some Post-H.S.	1773	225,421	1268	65.3	62.2-68.4	174	9.1	7.3-10.9	331	25.6	22.7-28.5
College Graduate	1996	151,627	1497	70.9	68.2-73.6	162	7.3	5.9-8.7	337	21.8	19.3-24.3
Less than \$15,000	306	36,255	196	56.1	47.9-64.3	37	11.4	6.3-16.5	73	32.5	24.7-40.3
\$15,000- 24,999	620	64,965	442	58.1	51.8-64.4	65	10.3	7.0-13.6	113	31.5	25.2-37.8
\$25,000- 34,999	459	46,070	332	62.4	55.5-69.3	50	11.2	6.5-15.9	77	26.5	20.0-33.0
\$35,000- 49,999	707	65,414	510	58.2	52.5-63.9	68	12.3	7.8-16.8	129	29.5	24.2-34.8
\$50,000- 74,999	862	85,129	635	65.0	60.3-69.7	66	7.0	4.8-9.2	161	28.0	23.3-32.7
\$75,000+	1856	201,851	1339	68.8	65.9-71.7	157	7.6	6.0-9.2	360	23.7	21.0-26.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2685	296,445	1708	54.5	52.0-57.0	255	9.3	7.9-10.7	722	36.3	33.8-38.8
Native	79	11,623	44	46.7	32.8-60.6	11	15.0	5.4-24.6	24	38.3	24.4-52.2
Non-Native	2580	282,186	1646	54.8	52.3-57.3	241	9.0	7.6-10.4	693	36.2	33.7-38.7
18-24	169	45,664	62	37.1	29.3-44.9	20	12.8	7.3-18.3	87	50.2	42.0-58.4
25-34	277	60,352	100	35.8	29.5-42.1	20	6.5	3.6- 9.4	157	57.7	51.2-64.2
35-44	306	47,690	157	52.5	46.2-58.8	26	8.3	4.8-11.8	123	39.1	32.8-45.4
45-54	363	41,890	213	58.2	52.3-64.1	32	6.9	4.4- 9.4	118	34.8	29.1-40.5
55-64	615	47,593	436	69.4	64.7-74.1	46	8.5	5.4-11.6	133	22.1	18.0-26.2
65+	955	53,255	740	76.0	72.5-79.5	111	12.7	9.8-15.6	104	11.3	8.8-13.8
Less Than H.S.	153	24,938	86	43.1	33.3-52.9	20	9.8	4.7-14.9	47	47.1	36.5-57.7
H.S. or G.E.D.	792	89,100	465	49.7	45.2-54.2	80	10.0	7.5-12.5	247	40.3	35.8-44.8
Some Post-H.S.	828	112,780	523	55.1	50.8-59.4	84	9.8	7.1-12.5	221	35.0	30.7-39.3
College Graduate	906	69,007	630	63.6	59.5-67.7	70	7.2	5.0- 9.4	206	29.2	25.3-33.1
Less than \$15,000	135	18,836	71	44.8	34.2-55.4	19	12.8	6.1-19.5	45	42.4	31.4-53.4
\$15,000- 24,999	265	30,001	164	48.7	40.9-56.5	31	13.3	7.8-18.8	70	38.0	30.2-45.8
\$25,000- 34,999	195	21,010	116	49.7	40.3-59.1	24	11.5	5.4-17.6	55	38.8	29.4-48.2
\$35,000- 49,999	341	33,929	218	53.3	46.2-60.4	38	11.6	6.7-16.5	85	35.1	28.2-42.0
\$50,000- 74,999	449	48,658	301	57.2	50.9-63.5	34	7.3	4.2-10.4	114	35.5	29.2-41.8
\$75,000+	1016	108,072	675	60.1	56.2-64.0	84	7.5	5.3- 9.7	257	32.4	28.5-36.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2922	282,443	2302	73.1	70.4-75.8	267	8.9	7.1-10.7	353	18.0	15.5-20.5
Native	99	13,361	66	57.5	42.8-72.2	18	17.4	7.4-27.4	15	25.1	11.0-39.2
Non-Native	2799	266,256	2218	73.9	71.2-76.6	247	8.5	6.7-10.3	334	17.6	15.1-20.1
18-24	81	40,174	44	51.6	39.6-63.6	6	7.2	1.1-13.3	31	41.3	29.3-53.3
25-34	197	51,048	133	67.7	60.3-75.1	24	13.0	6.9-19.1	40	19.3	13.4-25.2
35-44	232	43,195	173	74.2	67.3-81.1	20	8.2	4.3-12.1	39	17.6	11.5-23.7
45-54	361	39,188	283	79.9	75.0-84.8	27	6.0	3.3-8.7	51	14.1	9.8-18.4
55-64	646	45,853	507	79.3	75.6-83.0	52	7.0	4.8-9.2	87	13.6	10.5-16.7
65+	1405	62,985	1162	81.9	79.4-84.4	138	10.2	8.2-12.2	105	7.9	6.1-9.7
Less Than H.S.	137	21,724	103	58.9	44.2-73.6	16	15.8	4.4-27.2	18	25.3	11.2-39.4
H.S. or G.E.D.	745	65,171	584	68.9	63.2-74.6	69	9.4	5.9-12.9	92	21.7	16.2-27.2
Some Post-H.S.	945	112,641	745	75.5	71.0-80.0	90	8.3	5.8-10.8	110	16.1	12.0-20.2
College Graduate	1090	82,619	867	77.0	73.3-80.7	92	7.4	5.4-9.4	131	15.5	12.2-18.8
Less than \$15,000	171	17,420	125	68.4	56.6-80.2	18	9.9	1.9-17.9	28	21.8	11.4-32.2
\$15,000- 24,999	355	34,964	278	66.3	56.7-75.9	34	7.8	3.9-11.7	43	25.9	16.1-35.7
\$25,000- 34,999	264	25,060	216	73.1	63.3-82.9	26	10.9	4.0-17.8	22	16.1	7.7-24.5
\$35,000- 49,999	366	31,485	292	63.6	54.6-72.6	30	13.1	5.7-20.5	44	23.4	15.4-31.4
\$50,000- 74,999	413	36,471	334	75.5	68.4-82.6	32	6.6	3.7-9.5	47	17.9	10.8-25.0
\$75,000+	840	93,779	664	78.8	74.9-82.7	73	7.6	5.1-10.1	103	13.7	10.4-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5615	579,509	327	9.3	7.9-10.7	5288	90.7	89.3-92.1
Male	2692	297,631	147	8.3	6.7- 9.9	2545	91.7	90.1-93.3
Female	2923	281,879	180	10.3	8.3-12.3	2743	89.7	87.7-91.7
Native	178	24,984	23	20.0	10.6-29.4	155	80.0	70.6-89.4
Non-Native	5388	548,762	301	8.8	7.6-10.0	5087	91.2	90.0-92.4
18-24	252	86,445	29	15.1	9.6-20.6	223	84.9	79.4-90.4
25-34	471	110,591	51	11.5	8.2-14.8	420	88.5	85.2-91.8
35-44	538	91,096	64	13.2	9.9-16.5	474	86.8	83.5-90.1
45-54	724	81,078	47	7.4	5.0- 9.8	677	92.6	90.2-95.0
55-64	1264	93,635	78	7.0	5.2- 8.8	1186	93.0	91.2-94.8
65+	2366	116,665	58	2.8	1.8- 3.8	2308	97.2	96.2-98.2
Less Than H.S.	294	47,362	35	20.2	12.9-27.5	259	79.8	72.5-87.1
H.S. or G.E.D.	1540	153,964	112	11.3	8.8-13.8	1428	88.7	86.2-91.2
Some Post-H.S.	1774	225,724	101	8.4	6.4-10.4	1673	91.6	89.6-93.6
College Graduate	1995	151,519	78	5.0	3.6- 6.4	1917	95.0	93.6-96.4
Less than \$15,000	307	36,253	48	23.2	15.8-30.6	259	76.8	69.4-84.2
\$15,000- 24,999	621	64,998	67	16.6	11.5-21.7	554	83.4	78.3-88.5
\$25,000- 34,999	461	46,275	39	11.6	7.3-15.9	422	88.4	84.1-92.7
\$35,000- 49,999	707	65,414	44	11.8	7.5-16.1	663	88.2	83.9-92.5
\$50,000- 74,999	861	85,021	36	8.2	4.9-11.5	825	91.8	88.5-95.1
\$75,000+	1857	202,226	46	3.6	2.2- 5.0	1811	96.4	95.0-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2692	297,631	147	8.3	6.7- 9.9	2545	91.7	90.1-93.3
Native	79	11,623	12	19.2	6.9-31.5	67	80.8	68.5-93.1
Non-Native	2587	283,051	134	7.9	6.3- 9.5	2453	92.1	90.5-93.7
18-24	171	46,271	13	9.9	4.0-15.8	158	90.1	84.2-96.0
25-34	277	60,352	30	11.7	7.4-16.0	247	88.3	84.0-92.6
35-44	306	47,901	32	13.0	8.1-17.9	274	87.0	82.1-91.9
45-54	363	41,890	19	6.2	3.1- 9.3	344	93.8	90.7-96.9
55-64	617	47,732	31	5.7	3.3- 8.1	586	94.3	91.9-96.7
65+	958	53,485	22	2.8	1.0- 4.6	936	97.2	95.4-99.0
Less Than H.S.	156	25,587	17	19.7	10.3-29.1	139	80.3	70.9-89.7
H.S. or G.E.D.	796	89,437	55	8.5	5.6-11.4	741	91.5	88.6-94.4
Some Post-H.S.	828	112,979	48	8.2	5.7-10.7	780	91.8	89.3-94.3
College Graduate	906	69,007	27	3.9	2.1- 5.7	879	96.1	94.3-97.9
Less than \$15,000	135	18,782	18	18.6	9.0-28.2	117	81.4	71.8-91.0
\$15,000- 24,999	265	30,001	35	15.0	9.5-20.5	230	85.0	79.5-90.5
\$25,000- 34,999	196	21,165	18	13.1	6.2-20.0	178	86.9	80.0-93.8
\$35,000- 49,999	341	33,929	20	9.0	4.5-13.5	321	91.0	86.5-95.5
\$50,000- 74,999	449	48,658	11	4.8	1.7- 7.9	438	95.2	92.1-98.3
\$75,000+	1017	108,447	25	4.1	2.1- 6.1	992	95.9	93.9-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2923	281,879	180	10.3	8.3-12.3	2743	89.7	87.7-91.7
Native	99	13,361	11	20.6	6.7-34.5	88	79.4	65.5-93.3
Non-Native	2801	265,712	167	9.7	7.7-11.7	2634	90.3	88.3-92.3
18-24	81	40,174	16	21.1	11.3-30.9	65	78.9	69.1-88.7
25-34	194	50,239	21	11.3	6.2-16.4	173	88.7	83.6-93.8
35-44	232	43,195	32	13.5	8.6-18.4	200	86.5	81.6-91.4
45-54	361	39,188	28	8.6	4.9-12.3	333	91.4	87.7-95.1
55-64	647	45,903	47	8.4	5.7-11.1	600	91.6	88.9-94.3
65+	1408	63,180	36	2.9	1.7- 4.1	1372	97.1	95.9-98.3
Less Than H.S.	138	21,775	18	20.8	9.2-32.4	120	79.2	67.6-90.8
H.S. or G.E.D.	744	64,527	57	15.3	10.6-20.0	687	84.7	80.0-89.4
Some Post-H.S.	946	112,745	53	8.6	5.5-11.7	893	91.4	88.3-94.5
College Graduate	1089	82,511	51	6.0	3.8- 8.2	1038	94.0	91.8-96.2
Less than \$15,000	172	17,470	30	28.0	16.4-39.6	142	72.0	60.4-83.6
\$15,000- 24,999	356	34,997	32	17.9	9.9-25.9	324	82.1	74.1-90.1
\$25,000- 34,999	265	25,111	21	10.3	5.0-15.6	244	89.7	84.4-95.0
\$35,000- 49,999	366	31,485	24	14.8	7.4-22.2	342	85.2	77.8-92.6
\$50,000- 74,999	412	36,363	25	12.8	6.5-19.1	387	87.2	80.9-93.5
\$75,000+	840	93,779	21	3.2	1.4- 5.0	819	96.8	95.0-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5578	574,777	4432	72.7	70.9-74.5	504	11.0	9.6-12.4	290	7.6	6.4- 8.8	315	7.9	6.7- 9.1	37	0.8	0.4- 1.2
Male	2673	294,796	1984	67.0	64.6-69.4	251	11.1	9.5-12.7	194	10.0	8.4-11.6	217	10.7	8.9-12.5	27	1.2	0.6- 1.8
Female	2905	279,981	2448	78.7	76.2-81.2	253	10.9	8.9-12.9	96	5.0	3.4- 6.6	98	5.0	3.6- 6.4	10	0.4	0.0- 0.8
Native	177	24,647	151	78.5	69.7-87.3	13	14.3	6.1-22.5	6	3.7	0.4- 7.0	7	3.5	0.4- 6.6			
Non-Native	5351	544,526	4239	72.3	70.5-74.1	489	10.9	9.5-12.3	283	7.8	6.6- 9.0	303	8.1	6.9- 9.3	37	0.9	0.5- 1.3
18-24	247	84,746	154	63.2	56.3-70.1	29	10.5	6.2-14.8	42	16.4	11.1-21.7	20	9.0	4.7-13.3	2	0.9	0.0- 2.1
25-34	468	110,117	288	62.8	57.9-67.7	64	14.1	10.4-17.8	45	8.6	6.1-11.1	66	13.5	10.2-16.8	5	1.0	0.0- 2.0
35-44	532	90,272	333	62.6	57.9-67.3	81	16.2	12.3-20.1	56	10.1	7.2-13.0	54	9.5	6.8-12.2	8	1.5	0.3- 2.7
45-54	721	80,723	541	74.3	70.6-78.0	75	10.8	8.1-13.5	41	6.0	4.0- 8.0	61	8.4	6.0-10.8	3	0.5	0.0- 1.1
55-64	1261	93,293	997	79.5	76.8-82.2	128	9.3	7.3-11.3	62	5.0	3.6- 6.4	65	5.6	4.0- 7.2	9	0.7	0.3- 1.1
65+	2349	115,627	2119	90.2	88.6-91.8	127	5.8	4.4- 7.2	44	1.4	1.0- 1.8	49	2.3	1.5- 3.1	10	0.5	0.1- 0.9
Less Than H.S.	289	46,701	234	68.3	59.5-77.1	23	13.7	6.4-21.0	8	4.7	0.2- 9.2	18	11.1	5.0-17.2	6	2.2	0.0- 4.6
H.S. or G.E.D.	1529	152,281	1199	69.8	66.5-73.1	127	10.3	8.1-12.5	88	9.0	6.6-11.4	97	9.4	7.0-11.8	18	1.4	0.6- 2.2
Some Post-H.S.	1767	224,684	1422	73.8	70.9-76.7	154	10.7	8.5-12.9	86	7.7	5.7- 9.7	102	7.5	5.7- 9.3	3	0.3	0.0- 0.7
College Graduate	1981	150,171	1567	75.1	72.6-77.6	200	11.2	9.2-13.2	108	6.9	5.3- 8.5	96	6.0	4.6- 7.4	10	0.6	0.0- 1.2
Less than \$15,000	305	36,151	241	70.7	62.5-78.9	27	13.3	6.2-20.4	12	7.0	1.9-12.1	18	6.9	2.8-11.0	7	2.1	0.1- 4.1
\$15,000- 24,999	616	64,268	497	68.8	62.7-74.9	45	11.2	6.7-15.7	30	10.1	5.4-14.8	42	9.5	6.0-13.0	2	0.5	0.0- 1.3
\$25,000- 34,999	459	46,142	370	68.6	61.7-75.5	42	11.9	7.4-16.4	22	8.6	4.1-13.1	23	9.4	4.7-14.1	2	1.5	0.0- 3.7
\$35,000- 49,999	702	64,343	572	74.0	68.9-79.1	46	9.3	5.4-13.2	31	6.6	3.7- 9.5	50	9.7	6.6-12.8	3	0.4	0.0- 1.0
\$50,000- 74,999	856	84,724	664	70.0	65.3-74.7	74	9.0	6.5-11.5	52	8.6	5.7-11.5	61	11.9	8.2-15.6	5	0.6	0.0- 1.2
\$75,000+	1848	200,697	1441	74.4	71.7-77.1	202	12.8	10.6-15.0	98	6.0	4.6- 7.4	93	5.9	4.5- 7.3	14	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2673	294,796	1984	67.0	64.6-69.4	251	11.1	9.5-12.7	194	10.0	8.4-11.6	217	10.7	8.9-12.5	27	1.2	0.6- 1.8
Native	78	11,286	62	71.7	58.2-85.2	6	13.7	1.9-25.5	6	8.1	1.0-15.2	4	6.5	0.0-13.2			
Non-Native	2568	280,511	1902	66.8	64.3-69.3	243	11.0	9.4-12.6	187	10.1	8.5-11.7	209	10.7	8.9-12.5	27	1.3	0.7- 1.9
18-24	168	45,599	99	59.6	51.6-67.6	21	10.5	5.8-15.2	34	19.5	13.2-25.8	13	9.4	3.7-15.1	1	0.9	0.0- 2.7
25-34	273	59,424	144	54.3	47.8-60.8	34	12.1	7.8-16.4	33	11.1	7.2-15.0	58	21.1	15.6-26.6	4	1.3	0.0- 2.7
35-44	301	47,262	173	56.2	49.7-62.7	47	16.0	11.1-20.9	38	13.3	8.8-17.8	35	11.6	7.7-15.5	8	3.0	0.6- 5.4
45-54	360	41,535	239	65.5	59.8-71.2	48	13.8	9.7-17.9	30	9.1	5.6-12.6	41	10.9	7.4-14.4	2	0.7	0.0- 1.7
55-64	617	47,731	470	76.4	72.3-80.5	63	9.8	6.9-12.7	36	6.2	3.8- 8.6	43	6.8	4.4- 9.2	5	0.7	0.1- 1.3
65+	954	53,246	859	89.6	87.1-92.1	38	5.1	2.9- 7.3	23	1.8	1.0- 2.6	27	2.8	1.6- 4.0	7	0.7	0.1- 1.3
Less Than H.S.	155	25,524	123	67.0	56.4-77.6	10	9.7	2.8-16.6	5	4.7	0.2- 9.2	13	15.2	6.2-24.2	4	3.4	0.0- 7.5
H.S. or G.E.D.	789	88,198	570	64.6	60.3-68.9	72	10.6	7.9-13.3	62	11.3	8.4-14.2	72	11.7	8.4-15.0	13	1.8	0.6- 3.0
Some Post-H.S.	824	112,200	614	67.4	63.1-71.7	82	11.7	8.8-14.6	59	10.5	7.6-13.4	66	9.8	7.3-12.3	3	0.6	0.0- 1.2
College Graduate	899	68,254	673	69.2	65.3-73.1	87	11.3	8.6-14.0	68	9.6	7.1-12.1	64	9.1	6.6-11.6	7	0.7	0.1- 1.3
Less than \$15,000	135	18,904	101	71.2	61.0-81.4	11	9.8	3.3-16.3	7	6.9	1.0-12.8	11	9.0	1.9-16.1	5	3.2	0.0- 6.7
\$15,000- 24,999	264	29,664	197	66.5	58.9-74.1	19	7.4	3.5-11.3	22	14.1	8.0-20.2	25	11.2	6.3-16.1	1	0.8	0.0- 2.4
\$25,000- 34,999	194	21,032	149	64.3	54.9-73.7	19	13.4	6.5-20.3	13	11.3	4.8-17.8	13	11.1	4.8-17.4			
\$35,000- 49,999	339	33,711	255	66.5	59.6-73.4	24	8.5	4.6-12.4	22	9.7	4.8-14.6	36	14.6	9.3-19.9	2	0.7	0.0- 1.9
\$50,000- 74,999	447	48,528	325	63.0	56.7-69.3	41	10.9	7.0-14.8	34	10.4	6.3-14.5	43	14.8	9.7-19.9	4	0.8	0.0- 1.8
\$75,000+	1010	107,282	755	69.5	65.8-73.2	107	12.9	10.0-15.8	65	7.6	5.4- 9.8	70	8.3	5.9-10.7	13	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2905	279,981	2448	78.7	76.2-81.2	253	10.9	8.9-12.9	96	5.0	3.4- 6.6	98	5.0	3.6- 6.4	10	0.4	0.0- 0.8
Native	99	13,361	89	84.2	72.6-95.8	7	14.8	3.2-26.4				3	1.0	0.0- 2.6			
Non-Native	2783	264,015	2337	78.2	75.5-80.9	246	10.8	8.8-12.8	96	5.4	3.8- 7.0	94	5.2	3.8- 6.6	10	0.5	0.1- 0.9
18-24	79	39,146	55	67.4	55.8-79.0	8	10.4	2.8-18.0	8	12.8	4.0-21.6	7	8.6	1.7-15.5	1	0.8	0.0- 2.4
25-34	195	50,693	144	72.6	65.3-79.9	30	16.4	10.1-22.7	12	5.7	2.4- 9.0	8	4.5	1.4- 7.6	1	0.8	0.0- 2.4
35-44	231	43,010	160	69.7	62.6-76.8	34	16.5	10.4-22.6	18	6.7	3.4-10.0	19	7.2	3.7-10.7			
45-54	361	39,188	302	83.7	79.2-88.2	27	7.7	4.2-11.2	11	2.7	0.9- 4.5	20	5.8	3.1- 8.5	1	0.2	0.0- 0.6
55-64	644	45,562	527	82.8	79.5-86.1	65	8.7	6.2-11.2	26	3.7	2.1- 5.3	22	4.2	2.2- 6.2	4	0.6	0.0- 1.2
65+	1395	62,382	1260	90.6	88.6-92.6	89	6.4	4.6- 8.2	21	1.0	0.6- 1.4	22	1.8	1.0- 2.6	3	0.3	0.0- 0.7
Less Than H.S.	134	21,177	111	69.9	55.0-84.8	13	18.5	5.2-31.8	3	4.7	0.0-12.7	5	6.1	0.0-13.2	2	0.7	0.0- 1.7
H.S. or G.E.D.	740	64,082	629	76.9	71.6-82.2	55	9.9	6.4-13.4	26	5.9	2.4- 9.4	25	6.3	3.4- 9.2	5	1.0	0.0- 2.2
Some Post-H.S.	943	112,483	808	80.2	75.9-84.5	72	9.8	6.7-12.9	27	4.9	2.4- 7.4	36	5.2	2.8- 7.6			
College Graduate	1082	81,918	894	80.1	76.8-83.4	113	11.2	8.5-13.9	40	4.8	3.0- 6.6	32	3.5	1.9- 5.1	3	0.6	0.0- 1.4
Less than \$15,000	170	17,248	140	70.2	56.9-83.5	16	17.2	4.9-29.5	5	7.1	0.0-15.5	7	4.7	0.6- 8.8	2	0.9	0.0- 2.1
\$15,000- 24,999	352	34,604	300	70.8	61.4-80.2	26	14.4	7.0-21.8	8	6.6	0.0-13.5	17	8.0	3.1-12.9	1	0.2	0.0- 0.6
\$25,000- 34,999	265	25,111	221	72.2	62.4-82.0	23	10.8	4.7-16.9	9	6.3	0.0-12.8	10	8.0	1.3-14.7	2	2.8	0.0- 6.7
\$35,000- 49,999	363	30,632	317	82.3	74.7-89.9	22	10.2	3.1-17.3	9	3.1	0.6- 5.6	14	4.3	1.4- 7.2	1	0.1	0.0- 0.3
\$50,000- 74,999	409	36,196	339	79.3	72.4-86.2	33	6.5	3.8- 9.2	18	6.1	1.6-10.6	18	7.9	2.4-13.4	1	0.2	0.0- 0.6
\$75,000+	838	93,415	686	80.0	76.3-83.7	95	12.6	9.3-15.9	33	4.3	2.5- 6.1	23	3.0	1.4- 4.6	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5620	580,297	4220	77.7	76.1-79.3	1400	22.3	20.7-23.9
Male	2693	297,763	2007	77.3	75.3-79.3	686	22.7	20.7-24.7
Female	2927	282,534	2213	78.3	76.1-80.5	714	21.7	19.5-23.9
Native	178	24,984	120	67.7	58.1-77.3	58	32.3	22.7-41.9
Non-Native	5391	549,487	4057	78.0	76.4-79.6	1334	22.0	20.4-23.6
18-24	252	86,445	217	87.5	83.2-91.8	35	12.5	8.2-16.8
25-34	474	111,400	399	82.3	78.2-86.4	75	17.7	13.6-21.8
35-44	538	91,010	434	79.7	75.6-83.8	104	20.3	16.2-24.4
45-54	724	81,078	569	78.4	75.1-81.7	155	21.6	18.3-24.9
55-64	1265	93,677	934	71.6	68.5-74.7	331	28.4	25.3-31.5
65+	2367	116,687	1667	69.1	66.7-71.5	700	30.9	28.5-33.3
Less Than H.S.	294	47,362	172	69.0	61.7-76.3	122	31.0	23.7-38.3
H.S. or G.E.D.	1543	154,654	1027	70.1	67.0-73.2	516	29.9	26.8-33.0
Some Post-H.S.	1775	225,713	1329	79.0	76.5-81.5	446	21.0	18.5-23.5
College Graduate	1996	151,627	1685	86.5	84.5-88.5	311	13.5	11.5-15.5
Less than \$15,000	308	36,417	193	66.8	59.4-74.2	115	33.2	25.8-40.6
\$15,000- 24,999	621	64,998	394	68.4	63.1-73.7	227	31.6	26.3-36.9
\$25,000- 34,999	460	46,025	323	75.3	70.0-80.6	137	24.7	19.4-30.0
\$35,000- 49,999	707	65,414	508	73.4	68.5-78.3	199	26.6	21.7-31.5
\$50,000- 74,999	862	85,129	667	78.4	74.9-81.9	195	21.6	18.1-25.1
\$75,000+	1856	202,152	1559	85.3	83.1-87.5	297	14.7	12.5-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2693	297,763	2007	77.3	75.3-79.3	686	22.7	20.7-24.7
Native	79	11,623	51	63.7	49.6-77.8	28	36.3	22.2-50.4
Non-Native	2587	283,141	1933	77.6	75.6-79.6	654	22.4	20.4-24.4
18-24	171	46,271	146	85.7	80.0-91.4	25	14.3	8.6-20.0
25-34	277	60,352	231	82.7	77.6-87.8	46	17.3	12.2-22.4
35-44	307	48,065	247	80.3	75.2-85.4	60	19.7	14.6-24.8
45-54	363	41,890	279	77.0	72.1-81.9	84	23.0	18.1-27.9
55-64	618	47,774	447	69.9	65.2-74.6	171	30.1	25.4-34.8
65+	957	53,411	657	67.9	64.2-71.6	300	32.1	28.4-35.8
Less Than H.S.	156	25,587	89	64.5	54.9-74.1	67	35.5	25.9-45.1
H.S. or G.E.D.	796	89,405	529	70.9	67.0-74.8	267	29.1	25.2-33.0
Some Post-H.S.	829	113,143	629	80.4	77.3-83.5	200	19.6	16.5-22.7
College Graduate	906	69,007	755	85.2	82.5-87.9	151	14.8	12.1-17.5
Less than \$15,000	136	18,946	87	63.7	53.3-74.1	49	36.3	25.9-46.7
\$15,000- 24,999	265	30,001	164	68.9	62.0-75.8	101	31.1	24.2-38.0
\$25,000- 34,999	196	21,165	139	76.5	69.4-83.6	57	23.5	16.4-30.6
\$35,000- 49,999	341	33,929	232	73.0	67.1-78.9	109	27.0	21.1-32.9
\$50,000- 74,999	449	48,658	345	78.5	73.6-83.4	104	21.5	16.6-26.4
\$75,000+	1016	108,373	839	84.4	81.7-87.1	177	15.6	12.9-18.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2927	282,534	2213	78.3	76.1-80.5	714	21.7	19.5-23.9
Native	99	13,361	69	71.3	58.2-84.4	30	28.7	15.6-41.8
Non-Native	2804	266,347	2124	78.5	76.1-80.9	680	21.5	19.1-23.9
18-24	81	40,174	71	89.5	82.8-96.2	10	10.5	3.8-17.2
25-34	197	51,048	168	81.8	74.9-88.7	29	18.2	11.3-25.1
35-44	231	42,945	187	79.1	72.6-85.6	44	20.9	14.4-27.4
45-54	361	39,188	290	79.9	75.2-84.6	71	20.1	15.4-24.8
55-64	647	45,903	487	73.4	69.3-77.5	160	26.6	22.5-30.7
65+	1410	63,276	1010	70.2	67.1-73.3	400	29.8	26.7-32.9
Less Than H.S.	138	21,775	83	74.4	63.4-85.4	55	25.6	14.6-36.6
H.S. or G.E.D.	747	65,249	498	69.1	64.0-74.2	249	30.9	25.8-36.0
Some Post-H.S.	946	112,571	700	77.6	73.9-81.3	246	22.4	18.7-26.1
College Graduate	1090	82,619	930	87.6	85.1-90.1	160	12.4	9.9-14.9
Less than \$15,000	172	17,470	106	70.1	59.7-80.5	66	29.9	19.5-40.3
\$15,000- 24,999	356	34,997	230	68.0	60.0-76.0	126	32.0	24.0-40.0
\$25,000- 34,999	264	24,860	184	74.3	66.7-81.9	80	25.7	18.1-33.3
\$35,000- 49,999	366	31,485	276	73.7	65.5-81.9	90	26.3	18.1-34.5
\$50,000- 74,999	413	36,471	322	78.3	72.8-83.8	91	21.7	16.2-27.2
\$75,000+	840	93,779	720	86.3	83.0-89.6	120	13.7	10.4-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018

SECTION 5: INADEQUATE SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 5: INADEQUATE SLEEP**

TABLE 1: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5573	576,597	1577	32.0	30.2-33.8	3790	64.3	62.5-66.1	206	3.6	2.8- 4.4
Male	2676	296,444	772	33.2	30.8-35.6	1793	63.1	60.7-65.5	111	3.8	2.8- 4.8
Female	2897	280,153	805	30.9	28.2-33.6	1997	65.7	63.0-68.4	95	3.5	2.3- 4.7
Native	176	24,802	66	37.4	27.8-47.0	100	51.8	41.6-62.0	10	10.8	2.8-18.8
Non-Native	5350	546,282	1496	31.8	30.0-33.6	3658	64.9	62.9-66.9	196	3.3	2.7- 3.9
18-24	252	86,445	86	35.6	28.7-42.5	155	60.6	53.7-67.5	11	3.8	1.4- 6.2
25-34	473	111,292	169	35.4	30.5-40.3	292	61.5	56.6-66.4	12	3.2	1.0- 5.4
35-44	535	90,664	194	37.2	32.5-41.9	333	60.7	56.0-65.4	8	2.2	0.4- 4.0
45-54	717	80,230	240	35.2	31.1-39.3	465	63.4	59.3-67.5	12	1.4	0.4- 2.4
55-64	1258	93,138	353	28.0	25.1-30.9	874	68.8	65.7-71.9	31	3.2	1.6- 4.8
65+	2338	114,829	535	23.1	20.9-25.3	1671	69.9	67.5-72.3	132	7.1	5.7- 8.5
Less Than H.S.	287	46,664	100	40.0	31.4-48.6	154	50.8	42.2-59.4	33	9.1	5.0-13.2
H.S. or G.E.D.	1524	153,377	492	34.8	31.5-38.1	964	61.8	58.5-65.1	68	3.4	2.2- 4.6
Some Post-H.S.	1760	224,609	488	31.8	28.7-34.9	1201	63.9	60.8-67.0	71	4.2	2.8- 5.6
College Graduate	1993	151,227	493	27.0	24.3-29.7	1467	71.7	69.0-74.4	33	1.3	0.7- 1.9
Less than \$15,000	304	35,870	126	43.7	35.5-51.9	156	48.6	40.4-56.8	22	7.7	3.6-11.8
\$15,000- 24,999	613	64,347	195	33.0	27.3-38.7	377	59.5	53.4-65.6	41	7.5	4.0-11.0
\$25,000- 34,999	458	46,088	128	32.3	25.8-38.8	308	63.4	56.7-70.1	22	4.3	1.6- 7.0
\$35,000- 49,999	705	65,248	204	36.4	31.1-41.7	476	61.2	55.9-66.5	25	2.4	1.2- 3.6
\$50,000- 74,999	859	84,767	232	33.3	28.6-38.0	607	64.3	59.6-69.0	20	2.4	0.8- 4.0
\$75,000+	1854	201,999	471	27.1	24.4-29.8	1356	71.4	68.7-74.1	27	1.5	0.7- 2.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 5: INADEQUATE SLEEP**

TABLE 2: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2676	296,444	772	33.2	30.8-35.6	1793	63.1	60.7-65.5	111	3.8	2.8- 4.8
Native	78	11,582	28	37.3	24.2-50.4	45	50.4	36.3-64.5	5	12.3	0.9-23.7
Non-Native	2573	282,012	733	32.9	30.5-35.3	1734	63.6	61.1-66.1	106	3.5	2.7- 4.3
18-24	171	46,271	62	36.9	29.1-44.7	102	59.5	51.5-67.5	7	3.6	0.9- 6.3
25-34	277	60,352	106	39.0	32.5-45.5	166	59.7	53.2-66.2	5	1.3	0.0- 2.7
35-44	304	47,621	117	41.2	34.9-47.5	181	56.1	49.8-62.4	6	2.7	0.0- 5.4
45-54	360	41,690	124	35.7	30.0-41.4	230	62.6	56.9-68.3	6	1.6	0.0- 3.2
55-64	614	47,549	164	25.0	21.1-28.9	434	70.9	66.4-75.4	16	4.1	1.4- 6.8
65+	950	52,961	199	21.2	17.9-24.5	680	69.6	65.9-73.3	71	9.2	6.8-11.6
Less Than H.S.	154	25,202	47	35.5	25.1-45.9	86	51.2	40.8-61.6	21	13.3	6.2-20.4
H.S. or G.E.D.	787	88,824	271	39.0	34.7-43.3	478	58.1	53.8-62.4	38	2.8	1.6- 4.0
Some Post-H.S.	823	112,791	226	32.5	28.4-36.6	562	63.6	59.3-67.9	35	3.9	2.3- 5.5
College Graduate	906	69,007	225	25.7	22.2-29.2	664	72.9	69.4-76.4	17	1.4	0.6- 2.2
Less than \$15,000	133	18,542	50	39.6	28.8-50.4	74	52.7	41.7-63.7	9	7.7	2.0-13.4
\$15,000- 24,999	262	29,795	80	33.1	25.7-40.5	159	59.3	51.5-67.1	23	7.6	3.9-11.3
\$25,000- 34,999	194	21,027	59	37.1	27.9-46.3	124	58.6	49.2-68.0	11	4.3	1.2- 7.4
\$35,000- 49,999	340	33,813	106	38.6	31.5-45.7	219	58.0	50.9-65.1	15	3.4	1.2- 5.6
\$50,000- 74,999	449	48,658	113	30.7	24.8-36.6	322	66.5	60.4-72.6	14	2.8	0.6- 5.0
\$75,000+	1014	108,220	279	30.6	26.9-34.3	717	67.9	64.2-71.6	18	1.5	0.3- 2.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 5: INADEQUATE SLEEP**

TABLE 3: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2897	280,153	805	30.9	28.2-33.6	1997	65.7	63.0-68.4	95	3.5	2.3- 4.7
Native	98	13,219	38	37.5	23.8-51.2	55	53.0	38.3-67.7	5	9.5	0.0-21.1
Non-Native	2777	264,269	763	30.6	27.9-33.3	1924	66.2	63.5-68.9	90	3.2	2.2- 4.2
18-24	81	40,174	24	34.2	22.4-46.0	53	61.8	50.0-73.6	4	4.0	0.0- 8.1
25-34	196	50,940	63	31.0	23.7-38.3	126	63.6	56.0-71.2	7	5.4	1.1- 9.7
35-44	231	43,043	77	32.7	25.6-39.8	152	65.7	58.6-72.8	2	1.5	0.0- 4.0
45-54	357	38,540	116	34.7	28.6-40.8	235	64.2	58.1-70.3	6	1.1	0.1- 2.1
55-64	644	45,588	189	31.1	26.8-35.4	440	66.5	62.0-71.0	15	2.3	0.9- 3.7
65+	1388	61,867	336	24.7	22.0-27.4	991	70.1	67.2-73.0	61	5.2	3.6- 6.8
Less Than H.S.	133	21,462	53	45.3	31.0-59.6	68	50.5	36.2-64.8	12	4.2	1.5- 6.9
H.S. or G.E.D.	737	64,552	221	29.0	23.9-34.1	486	66.8	61.5-72.1	30	4.2	2.0- 6.4
Some Post-H.S.	937	111,819	262	31.2	26.5-35.9	639	64.3	59.4-69.2	36	4.6	2.2- 7.0
College Graduate	1087	82,220	268	28.1	24.2-32.0	803	70.7	66.8-74.6	16	1.2	0.6- 1.8
Less than \$15,000	171	17,328	76	48.2	35.7-60.7	82	44.2	31.7-56.7	13	7.6	1.7-13.5
\$15,000- 24,999	351	34,552	115	32.8	24.4-41.2	218	59.7	50.7-68.7	18	7.4	1.7-13.1
\$25,000- 34,999	264	25,062	69	28.3	19.7-36.9	184	67.3	58.3-76.3	11	4.3	0.0- 8.6
\$35,000- 49,999	365	31,436	98	34.0	26.2-41.8	257	64.6	56.6-72.6	10	1.4	0.4- 2.4
\$50,000- 74,999	410	36,109	119	36.9	29.5-44.3	285	61.2	53.8-68.6	6	1.9	0.0- 4.1
\$75,000+	840	93,779	192	23.1	19.0-27.2	639	75.5	71.4-79.6	9	1.4	0.0- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	39
2	MALES ONLY	40
3	FEMALES ONLY	41
	(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	42
5	MALES ONLY	43
6	FEMALES ONLY	44
	(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	45
8	MALES ONLY	46
9	FEMALES ONLY	47
	(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	48
11	MALES ONLY	49
12	FEMALES ONLY	50
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	51
14	MALES ONLY	52
15	FEMALES ONLY	53
	(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	54
17	MALES ONLY	55
18	FEMALES ONLY	56
	(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	57
20	MALES ONLY	58
21	FEMALES ONLY	59
	(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY	62
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY	65
(EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)	
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY	68
(EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)	
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY	71
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY	74
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5599	578,389	408	4.7	4.1- 5.3	5191	95.3	94.7-95.9
Male	2681	296,283	259	6.2	5.2- 7.2	2422	93.8	92.8-94.8
Female	2918	282,107	149	3.2	2.6- 3.8	2769	96.8	96.2-97.4
Native	178	24,984	20	9.2	4.5-13.9	158	90.8	86.1-95.5
Non-Native	5370	547,580	386	4.6	4.0- 5.2	4984	95.4	94.8-96.0
18-24	250	85,893	1	0.2	0.0- 0.6	249	99.8	99.4- 100
25-34	474	111,400	3	0.4	0.0- 1.0	471	99.6	99.0- 100
35-44	539	91,260	11	1.9	0.7- 3.1	528	98.1	96.9-99.3
45-54	721	80,610	20	2.5	1.3- 3.7	701	97.5	96.3-98.7
55-64	1261	93,351	74	7.0	5.0- 9.0	1187	93.0	91.0-95.0
65+	2354	115,875	299	14.3	12.5-16.1	2055	85.7	83.9-87.5
Less Than H.S.	291	47,058	42	9.0	5.5-12.5	249	91.0	87.5-94.5
H.S. or G.E.D.	1532	153,561	121	5.1	3.9- 6.3	1411	94.9	93.7-96.1
Some Post-H.S.	1772	225,392	142	4.8	3.8- 5.8	1630	95.2	94.2-96.2
College Graduate	1993	151,539	102	2.9	2.1- 3.7	1891	97.1	96.3-97.9
Less than \$15,000	306	36,107	38	7.8	4.9-10.7	268	92.2	89.3-95.1
\$15,000- 24,999	616	64,503	93	10.3	7.6-13.0	523	89.7	87.0-92.4
\$25,000- 34,999	456	45,974	40	4.7	2.7- 6.7	416	95.3	93.3-97.3
\$35,000- 49,999	706	65,294	62	5.9	3.9- 7.9	644	94.1	92.1-96.1
\$50,000- 74,999	861	85,090	50	4.1	2.7- 5.5	811	95.9	94.5-97.3
\$75,000+	1856	202,201	66	2.0	1.4- 2.6	1790	98.0	97.4-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2681	296,283	259	6.2	5.2- 7.2	2422	93.8	92.8-94.8
Native	79	11,623	13	14.8	5.8-23.8	66	85.2	76.2-94.2
Non-Native	2575	281,660	245	5.9	4.9- 6.9	2330	94.1	93.1-95.1
18-24	169	45,719	1	0.3	0.0- 0.9	168	99.7	99.1- 100
25-34	277	60,352	3	0.8	0.0- 1.8	274	99.2	98.2- 100
35-44	307	48,065	8	2.6	0.8- 4.4	299	97.4	95.6-99.2
45-54	361	41,591	15	4.0	1.8- 6.2	346	96.0	93.8-98.2
55-64	616	47,600	50	9.8	6.5-13.1	566	90.2	86.9-93.5
65+	951	52,956	182	19.4	16.3-22.5	769	80.6	77.5-83.7
Less Than H.S.	155	25,447	27	12.5	6.6-18.4	128	87.5	81.6-93.4
H.S. or G.E.D.	791	88,695	81	6.3	4.7- 7.9	710	93.7	92.1-95.3
Some Post-H.S.	825	112,571	83	5.7	4.3- 7.1	742	94.3	92.9-95.7
College Graduate	904	68,949	68	4.8	3.4- 6.2	836	95.2	93.8-96.6
Less than \$15,000	135	18,806	22	9.5	4.8-14.2	113	90.5	85.8-95.2
\$15,000- 24,999	262	29,616	52	13.6	9.1-18.1	210	86.4	81.9-90.9
\$25,000- 34,999	192	20,912	24	6.7	3.6- 9.8	168	93.3	90.2-96.4
\$35,000- 49,999	340	33,810	39	6.8	4.3- 9.3	301	93.2	90.7-95.7
\$50,000- 74,999	448	48,620	34	5.2	3.2- 7.2	414	94.8	92.8-96.8
\$75,000+	1017	108,447	55	3.1	2.1- 4.1	962	96.9	95.9-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2918	282,107	149	3.2	2.6- 3.8	2769	96.8	96.2-97.4
Native	99	13,361	7	4.3	0.6- 8.0	92	95.7	92.0-99.4
Non-Native	2795	265,920	141	3.2	2.6- 3.8	2654	96.8	96.2-97.4
18-24	81	40,174				81	100.0	100.0- 100
25-34	197	51,048				197	100.0	100.0- 100
35-44	232	43,195	3	1.0	0.0- 2.4	229	99.0	97.6- 100
45-54	360	39,019	5	0.9	0.0- 2.1	355	99.1	97.9- 100
55-64	645	45,751	24	4.2	2.0- 6.4	621	95.8	93.6-98.0
65+	1403	62,920	117	9.9	7.7-12.1	1286	90.1	87.9-92.3
Less Than H.S.	136	21,611	15	4.9	1.8- 8.0	121	95.1	92.0-98.2
H.S. or G.E.D.	741	64,866	40	3.5	1.9- 5.1	701	96.5	94.9-98.1
Some Post-H.S.	947	112,821	59	4.0	2.8- 5.2	888	96.0	94.8-97.2
College Graduate	1089	82,590	34	1.4	0.8- 2.0	1055	98.6	98.0-99.2
Less than \$15,000	171	17,302	16	6.0	2.5- 9.5	155	94.0	90.5-97.5
\$15,000- 24,999	354	34,887	41	7.5	4.6-10.4	313	92.5	89.6-95.4
\$25,000- 34,999	264	25,062	16	3.1	0.6- 5.6	248	96.9	94.4-99.4
\$35,000- 49,999	366	31,485	23	5.0	2.1- 7.9	343	95.0	92.1-97.9
\$50,000- 74,999	413	36,471	16	2.6	1.0- 4.2	397	97.4	95.8-99.0
\$75,000+	839	93,754	11	0.7	0.3- 1.1	828	99.3	98.9-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5565	576,708	368	4.3	3.7- 4.9	5197	95.7	95.1-96.3
Male	2668	295,838	223	5.4	4.4- 6.4	2445	94.6	93.6-95.6
Female	2897	280,870	145	3.1	2.5- 3.7	2752	96.9	96.3-97.5
Native	177	24,888	20	8.4	3.9-12.9	157	91.6	87.1-96.1
Non-Native	5338	546,215	347	4.1	3.5- 4.7	4991	95.9	95.3-96.5
18-24	251	86,256				251	100.0	100.0- 100
25-34	473	111,287	2	0.3	0.0- 0.7	471	99.7	99.3- 100
35-44	537	90,872	5	1.2	0.0- 2.4	532	98.8	97.6- 100
45-54	722	80,862	16	2.1	0.9- 3.3	706	97.9	96.7-99.1
55-64	1259	93,011	78	6.4	4.6- 8.2	1181	93.6	91.8-95.4
65+	2323	114,421	267	13.5	11.7-15.3	2056	86.5	84.7-88.3
Less Than H.S.	284	46,539	31	8.0	4.7-11.3	253	92.0	88.7-95.3
H.S. or G.E.D.	1523	153,533	91	3.6	2.6- 4.6	1432	96.4	95.4-97.4
Some Post-H.S.	1756	224,470	148	4.9	3.9- 5.9	1608	95.1	94.1-96.1
College Graduate	1991	151,325	98	3.0	2.2- 3.8	1893	97.0	96.2-97.8
Less than \$15,000	297	35,667	25	6.1	3.2- 9.0	272	93.9	91.0-96.8
\$15,000- 24,999	616	64,823	73	7.9	5.5-10.3	543	92.1	89.7-94.5
\$25,000- 34,999	456	46,014	28	4.1	2.1- 6.1	428	95.9	93.9-97.9
\$35,000- 49,999	699	64,945	66	6.4	4.4- 8.4	633	93.6	91.6-95.6
\$50,000- 74,999	853	84,320	59	4.5	3.1- 5.9	794	95.5	94.1-96.9
\$75,000+	1855	202,167	77	2.3	1.7- 2.9	1778	97.7	97.1-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2668	295,838	223	5.4	4.4- 6.4	2445	94.6	93.6-95.6
Native	78	11,527	13	13.8	5.0-22.6	65	86.2	77.4-95.0
Non-Native	2563	281,312	209	5.0	4.2- 5.8	2354	95.0	94.2-95.8
18-24	170	46,082				170	100.0	100.0- 100
25-34	276	60,239	2	0.6	0.0- 1.4	274	99.4	98.6- 100
35-44	305	47,677	2	1.2	0.0- 3.0	303	98.8	97.0- 100
45-54	361	41,674	11	2.9	0.9- 4.9	350	97.1	95.1-99.1
55-64	615	47,500	50	8.7	5.8-11.6	565	91.3	88.4-94.2
65+	941	52,667	158	18.1	15.0-21.2	783	81.9	78.8-85.0
Less Than H.S.	152	25,356	21	11.0	5.5-16.5	131	89.0	83.5-94.5
H.S. or G.E.D.	786	88,686	56	4.3	2.9- 5.7	730	95.7	94.3-97.1
Some Post-H.S.	822	112,352	79	5.6	4.0- 7.2	743	94.4	92.8-96.0
College Graduate	902	68,823	67	4.2	3.0- 5.4	835	95.8	94.6-97.0
Less than \$15,000	131	18,604	15	6.5	2.6-10.4	116	93.5	89.6-97.4
\$15,000- 24,999	264	29,946	36	9.4	5.5-13.3	228	90.6	86.7-94.5
\$25,000- 34,999	192	20,928	19	5.6	2.7- 8.5	173	94.4	91.5-97.3
\$35,000- 49,999	337	33,693	33	7.1	4.4- 9.8	304	92.9	90.2-95.6
\$50,000- 74,999	444	48,114	44	6.4	4.0- 8.8	400	93.6	91.2-96.0
\$75,000+	1016	108,413	56	3.3	2.1- 4.5	960	96.7	95.5-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2897	280,870	145	3.1	2.5- 3.7	2752	96.9	96.3-97.5
Native	99	13,361	7	3.7	0.4- 7.0	92	96.3	93.0-99.6
Non-Native	2775	264,904	138	3.1	2.5- 3.7	2637	96.9	96.3-97.5
18-24	81	40,174				81	100.0	100.0- 100
25-34	197	51,048				197	100.0	100.0- 100
35-44	232	43,195	3	1.1	0.0- 2.5	229	98.9	97.5- 100
45-54	361	39,188	5	1.3	0.1- 2.5	356	98.7	97.5-99.9
55-64	644	45,510	28	4.0	2.2- 5.8	616	96.0	94.2-97.8
65+	1382	61,754	109	9.6	7.4-11.8	1273	90.4	88.2-92.6
Less Than H.S.	132	21,183	10	4.3	1.2- 7.4	122	95.7	92.6-98.8
H.S. or G.E.D.	737	64,847	35	2.6	1.6- 3.6	702	97.4	96.4-98.4
Some Post-H.S.	934	112,118	69	4.1	2.9- 5.3	865	95.9	94.7-97.1
College Graduate	1089	82,502	31	1.9	0.9- 2.9	1058	98.1	97.1-99.1
Less than \$15,000	166	17,063	10	5.6	1.5- 9.7	156	94.4	90.3-98.5
\$15,000- 24,999	352	34,877	37	6.7	4.0- 9.4	315	93.3	90.6-96.0
\$25,000- 34,999	264	25,086	9	2.8	0.3- 5.3	255	97.2	94.7-99.7
\$35,000- 49,999	362	31,251	33	5.8	3.4- 8.2	329	94.2	91.8-96.6
\$50,000- 74,999	409	36,206	15	2.0	0.8- 3.2	394	98.0	96.8-99.2
\$75,000+	839	93,754	21	1.1	0.5- 1.7	818	98.9	98.3-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5608	579,205	235	2.6	2.2- 3.0	5373	97.4	97.0-97.8
Male	2687	297,011	106	2.5	1.9- 3.1	2581	97.5	96.9-98.1
Female	2921	282,193	129	2.6	2.0- 3.2	2792	97.4	96.8-98.0
Native	178	24,984	6	3.1	0.0- 6.2	172	96.9	93.8- 100
Non-Native	5379	548,395	226	2.5	2.1- 2.9	5153	97.5	97.1-97.9
18-24	250	85,893				250	100.0	100.0- 100
25-34	474	111,400	2	0.3	0.0- 0.7	472	99.7	99.3- 100
35-44	539	91,260	5	0.6	0.0- 1.2	534	99.4	98.8- 100
45-54	724	81,078	14	1.9	0.7- 3.1	710	98.1	96.9-99.3
55-64	1262	93,254	30	2.5	1.3- 3.7	1232	97.5	96.3-98.7
65+	2359	116,320	184	8.5	7.1- 9.9	2175	91.5	90.1-92.9
Less Than H.S.	292	47,015	30	6.3	3.6- 9.0	262	93.7	91.0-96.4
H.S. or G.E.D.	1536	154,184	74	2.8	2.0- 3.6	1462	97.2	96.4-98.0
Some Post-H.S.	1773	225,453	66	2.0	1.4- 2.6	1707	98.0	97.4-98.6
College Graduate	1995	151,612	65	1.9	1.3- 2.5	1930	98.1	97.5-98.7
Less than \$15,000	305	36,030	31	5.6	3.2- 8.0	274	94.4	92.0-96.8
\$15,000- 24,999	619	64,963	49	5.5	3.5- 7.5	570	94.5	92.5-96.5
\$25,000- 34,999	461	46,275	34	4.9	2.7- 7.1	427	95.1	92.9-97.3
\$35,000- 49,999	706	65,310	28	1.9	1.1- 2.7	678	98.1	97.3-98.9
\$50,000- 74,999	860	85,036	17	0.9	0.3- 1.5	843	99.1	98.5-99.7
\$75,000+	1854	202,064	46	1.4	0.8- 2.0	1808	98.6	98.0-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2687	297,011	106	2.5	1.9- 3.1	2581	97.5	96.9-98.1
Native	79	11,623	3	4.0	0.0- 9.5	76	96.0	90.5- 100
Non-Native	2581	282,389	102	2.5	1.9- 3.1	2479	97.5	96.9-98.1
18-24	169	45,719				169	100.0	100.0- 100
25-34	277	60,352	2	0.6	0.0- 1.4	275	99.4	98.6- 100
35-44	307	48,065	2	0.3	0.0- 0.7	305	99.7	99.3- 100
45-54	363	41,890	6	1.8	0.0- 3.6	357	98.2	96.4- 100
55-64	616	47,615	18	3.4	1.4- 5.4	598	96.6	94.6-98.6
65+	955	53,371	78	8.7	6.5-10.9	877	91.3	89.1-93.5
Less Than H.S.	156	25,587	14	7.7	3.2-12.2	142	92.3	87.8-96.8
H.S. or G.E.D.	791	89,017	27	2.1	1.1- 3.1	764	97.9	96.9-98.9
Some Post-H.S.	828	112,780	31	1.7	1.1- 2.3	797	98.3	97.7-98.9
College Graduate	906	69,007	34	2.5	1.3- 3.7	872	97.5	96.3-98.7
Less than \$15,000	135	18,880	10	3.1	0.7- 5.5	125	96.9	94.5-99.3
\$15,000- 24,999	264	29,980	17	5.7	2.4- 9.0	247	94.3	91.0-97.6
\$25,000- 34,999	196	21,165	15	5.4	2.1- 8.7	181	94.6	91.3-97.9
\$35,000- 49,999	341	33,929	12	1.4	0.6- 2.2	329	98.6	97.8-99.4
\$50,000- 74,999	447	48,565	12	1.3	0.3- 2.3	435	98.7	97.7-99.7
\$75,000+	1016	108,354	31	1.8	1.0- 2.6	985	98.2	97.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2921	282,193	129	2.6	2.0- 3.2	2792	97.4	96.8-98.0
Native	99	13,361	3	2.4	0.0- 5.5	96	97.6	94.5- 100
Non-Native	2798	266,006	124	2.6	2.0- 3.2	2674	97.4	96.8-98.0
18-24	81	40,174				81	100.0	100.0- 100
25-34	197	51,048				197	100.0	100.0- 100
35-44	232	43,195	3	1.1	0.0- 2.5	229	98.9	97.5- 100
45-54	361	39,188	8	2.1	0.3- 3.9	353	97.9	96.1-99.7
55-64	646	45,640	12	1.7	0.7- 2.7	634	98.3	97.3-99.3
65+	1404	62,949	106	8.3	6.5-10.1	1298	91.7	89.9-93.5
Less Than H.S.	136	21,428	16	4.5	1.8- 7.2	120	95.5	92.8-98.2
H.S. or G.E.D.	745	65,167	47	3.8	2.4- 5.2	698	96.2	94.8-97.6
Some Post-H.S.	945	112,673	35	2.3	1.3- 3.3	910	97.7	96.7-98.7
College Graduate	1089	82,605	31	1.5	0.9- 2.1	1058	98.5	97.9-99.1
Less than \$15,000	170	17,150	21	8.3	3.8-12.8	149	91.7	87.2-96.2
\$15,000- 24,999	355	34,983	32	5.2	2.8- 7.6	323	94.8	92.4-97.2
\$25,000- 34,999	265	25,111	19	4.4	1.9- 6.9	246	95.6	93.1-98.1
\$35,000- 49,999	365	31,381	16	2.3	0.9- 3.7	349	97.7	96.3-99.1
\$50,000- 74,999	413	36,471	5	0.4	0.0- 0.8	408	99.6	99.2- 100
\$75,000+	838	93,710	15	1.0	0.4- 1.6	823	99.0	98.4-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5607	579,722	642	13.0	11.6-14.4	4965	87.0	85.6-88.4
Male	2688	297,576	291	12.6	10.8-14.4	2397	87.4	85.6-89.2
Female	2919	282,147	351	13.4	11.4-15.4	2568	86.6	84.6-88.6
Native	178	24,984	37	18.5	10.7-26.3	141	81.5	73.7-89.3
Non-Native	5378	548,913	598	12.7	11.3-14.1	4780	87.3	85.9-88.7
18-24	252	86,445	40	16.9	11.4-22.4	212	83.1	77.6-88.6
25-34	474	111,400	65	14.5	11.0-18.0	409	85.5	82.0-89.0
35-44	538	91,205	75	14.2	10.9-17.5	463	85.8	82.5-89.1
45-54	723	81,022	86	11.7	9.0-14.4	637	88.3	85.6-91.0
55-64	1263	93,601	133	11.0	8.8-13.2	1130	89.0	86.8-91.2
65+	2357	116,049	243	10.2	8.6-11.8	2114	89.8	88.2-91.4
Less Than H.S.	292	47,167	33	9.7	5.6-13.8	259	90.3	86.2-94.4
H.S. or G.E.D.	1536	154,333	171	14.2	11.5-16.9	1365	85.8	83.1-88.5
Some Post-H.S.	1773	225,736	216	14.5	12.1-16.9	1557	85.5	83.1-87.9
College Graduate	1995	151,594	222	10.7	8.9-12.5	1773	89.3	87.5-91.1
Less than \$15,000	307	36,368	49	18.0	11.5-24.5	258	82.0	75.5-88.5
\$15,000- 24,999	617	64,677	82	16.0	11.5-20.5	535	84.0	79.5-88.5
\$25,000- 34,999	460	46,231	57	14.0	9.1-18.9	403	86.0	81.1-90.9
\$35,000- 49,999	705	65,218	67	11.2	7.5-14.9	638	88.8	85.1-92.5
\$50,000- 74,999	861	85,074	105	14.6	11.1-18.1	756	85.4	81.9-88.9
\$75,000+	1855	202,167	188	10.3	8.5-12.1	1667	89.7	87.9-91.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2688	297,576	291	12.6	10.8-14.4	2397	87.4	85.6-89.2
Native	79	11,623	13	16.9	6.9-26.9	66	83.1	73.1-93.1
Non-Native	2582	282,954	276	12.4	10.6-14.2	2306	87.6	85.8-89.4
18-24	171	46,271	27	16.7	10.2-23.2	144	83.3	76.8-89.8
25-34	277	60,352	39	15.9	11.0-20.8	238	84.1	79.2-89.0
35-44	306	48,010	40	12.6	8.5-16.7	266	87.4	83.3-91.5
45-54	363	41,890	37	10.9	7.2-14.6	326	89.1	85.4-92.8
55-64	616	47,698	55	9.5	6.6-12.4	561	90.5	87.6-93.4
65+	955	53,355	93	9.5	7.3-11.7	862	90.5	88.3-92.7
Less Than H.S.	155	25,539	17	10.3	4.6-16.0	138	89.7	84.0-95.4
H.S. or G.E.D.	794	89,347	81	12.7	9.4-16.0	713	87.3	84.0-90.6
Some Post-H.S.	827	113,063	103	15.0	11.9-18.1	724	85.0	81.9-88.1
College Graduate	906	69,007	90	9.6	7.2-12.0	816	90.4	88.0-92.8
Less than \$15,000	135	18,897	14	11.5	4.4-18.6	121	88.5	81.4-95.6
\$15,000- 24,999	264	29,963	34	15.9	9.6-22.2	230	84.1	77.8-90.4
\$25,000- 34,999	196	21,165	24	13.2	6.5-19.9	172	86.8	80.1-93.5
\$35,000- 49,999	341	33,929	28	8.5	4.6-12.4	313	91.5	87.6-95.4
\$50,000- 74,999	448	48,604	48	13.3	9.0-17.6	400	86.7	82.4-91.0
\$75,000+	1016	108,413	106	11.6	9.1-14.1	910	88.4	85.9-90.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2919	282,147	351	13.4	11.4-15.4	2568	86.6	84.6-88.6
Native	99	13,361	24	19.9	8.3-31.5	75	80.1	68.5-91.7
Non-Native	2796	265,959	322	13.1	11.1-15.1	2474	86.9	84.9-88.9
18-24	81	40,174	13	17.0	7.8-26.2	68	83.0	73.8-92.2
25-34	197	51,048	26	12.9	7.8-18.0	171	87.1	82.0-92.2
35-44	232	43,195	35	16.0	10.5-21.5	197	84.0	78.5-89.5
45-54	360	39,132	49	12.6	8.7-16.5	311	87.4	83.5-91.3
55-64	647	45,903	78	12.5	9.4-15.6	569	87.5	84.4-90.6
65+	1402	62,695	150	10.9	8.9-12.9	1252	89.1	87.1-91.1
Less Than H.S.	137	21,629	16	9.0	3.3-14.7	121	91.0	85.3-96.7
H.S. or G.E.D.	742	64,986	90	16.3	11.6-21.0	652	83.7	79.0-88.4
Some Post-H.S.	946	112,673	113	14.0	10.5-17.5	833	86.0	82.5-89.5
College Graduate	1089	82,587	132	11.6	9.1-14.1	957	88.4	85.9-90.9
Less than \$15,000	172	17,470	35	25.1	14.3-35.9	137	74.9	64.1-85.7
\$15,000- 24,999	353	34,714	48	16.1	9.8-22.4	305	83.9	77.6-90.2
\$25,000- 34,999	264	25,066	33	14.7	7.6-21.8	231	85.3	78.2-92.4
\$35,000- 49,999	364	31,289	39	14.1	7.6-20.6	325	85.9	79.4-92.4
\$50,000- 74,999	413	36,471	57	16.2	10.1-22.3	356	83.8	77.7-89.9
\$75,000+	839	93,754	82	8.9	6.5-11.3	757	91.1	88.7-93.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	615	71,574	450	65.7	60.2-71.2	165	34.3	28.8-39.8
Male	279	35,478	183	54.4	46.6-62.2	96	45.6	37.8-53.4
Female	336	36,096	267	76.7	69.4-84.0	69	23.3	16.0-30.6
Non-Native	575	67,061	419	65.0	59.1-70.9	156	35.0	29.1-40.9
25-34	59	14,620	29	48.7	34.8-62.6	30	51.3	37.4-65.2
35-44	75	12,982	51	67.4	55.6-79.2	24	32.6	20.8-44.4
45-54	84	9,123	60	69.3	57.9-80.7	24	30.7	19.3-42.1
55-64	129	10,094	101	79.1	70.3-87.9	28	20.9	12.1-29.7
65+	230	11,053	188	83.8	78.5-89.1	42	16.2	10.9-21.5
H.S. or G.E.D.	162	21,007	126	64.0	52.2-75.8	36	36.0	24.2-47.8
Some Post-H.S.	204	30,765	147	64.8	56.0-73.6	57	35.2	26.4-44.0
College Graduate	218	15,742	151	67.3	59.3-75.3	67	32.7	24.7-40.7
\$15,000- 24,999	75	8,812	58	74.3	60.6-88.0	17	25.7	12.0-39.4
\$25,000- 34,999	53	6,333	40	69.2	50.8-87.6	13	30.8	12.4-49.2
\$35,000- 49,999	67	7,293	54	63.8	44.2-83.4	13	36.2	16.6-55.8
\$50,000- 74,999	101	12,031	74	66.2	53.3-79.1	27	33.8	20.9-46.7
\$75,000+	182	19,612	118	57.0	47.6-66.4	64	43.0	33.6-52.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	279	35,478	183	54.4	46.6-62.2	96	45.6	37.8-53.4
Non-Native	266	33,518	175	53.4	45.4-61.4	91	46.6	38.6-54.6
55-64	54	4,420	40	71.0	55.1-86.9	14	29.0	13.1-44.9
65+	88	4,533	73	84.9	77.3-92.5	15	15.1	7.5-22.7
H.S. or G.E.D.	76	10,521	52	53.7	37.8-69.6	24	46.3	30.4-62.2
Some Post-H.S.	99	16,244	63	52.8	40.6-65.0	36	47.2	35.0-59.4
College Graduate	89	6,601	57	60.0	47.7-72.3	32	40.0	27.7-52.3
\$75,000+	103	11,997	62	48.2	36.2-60.2	41	51.8	39.8-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	336	36,096	267	76.7	69.4-84.0	69	23.3	16.0-30.6
Non-Native	309	33,543	244	76.5	68.9-84.1	65	23.5	15.9-31.1
55-64	75	5,674	61	85.4	76.6-94.2	14	14.6	5.8-23.4
65+	142	6,520	115	83.1	75.7-90.5	27	16.9	9.5-24.3
H.S. or G.E.D.	86	10,485	74	74.2	57.5-90.9	12	25.8	9.1-42.5
Some Post-H.S.	105	14,521	84	78.2	67.2-89.2	21	21.8	10.8-32.8
College Graduate	129	9,141	94	72.6	61.8-83.4	35	27.4	16.6-38.2
\$50,000- 74,999	56	5,850	44	79.4	63.9-94.9	12	20.6	5.1-36.1
\$75,000+	79	7,616	56	71.0	58.5-83.5	23	29.0	16.5-41.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5610	579,578	484	4.9	4.3- 5.5	5126	95.1	94.5-95.7
Male	2686	297,048	233	5.2	4.4- 6.0	2453	94.8	94.0-95.6
Female	2924	282,529	251	4.6	3.8- 5.4	2673	95.4	94.6-96.2
Native	178	24,984	6	4.4	0.5- 8.3	172	95.6	91.7-99.5
Non-Native	5381	548,768	476	5.0	4.4- 5.6	4905	95.0	94.4-95.6
18-24	252	86,445	1	0.5	0.0- 1.5	251	99.5	98.5- 100
25-34	473	111,133	3	0.4	0.0- 1.0	470	99.6	99.0- 100
35-44	539	91,260	7	1.2	0.2- 2.2	532	98.8	97.8-99.8
45-54	724	81,078	28	3.8	2.2- 5.4	696	96.2	94.6-97.8
55-64	1261	93,117	90	6.6	4.8- 8.4	1171	93.4	91.6-95.2
65+	2361	116,544	355	14.8	13.0-16.6	2006	85.2	83.4-87.0
Less Than H.S.	294	47,362	37	6.3	3.6- 9.0	257	93.7	91.0-96.4
H.S. or G.E.D.	1537	154,180	130	4.4	3.4- 5.4	1407	95.6	94.6-96.6
Some Post-H.S.	1773	225,526	136	4.6	3.6- 5.6	1637	95.4	94.4-96.4
College Graduate	1994	151,569	181	5.4	4.4- 6.4	1813	94.6	93.6-95.6
Less than \$15,000	306	36,234	24	5.1	2.2- 8.0	282	94.9	92.0-97.8
\$15,000- 24,999	620	64,870	56	4.4	2.8- 6.0	564	95.6	94.0-97.2
\$25,000- 34,999	459	45,992	36	4.1	2.5- 5.7	423	95.9	94.3-97.5
\$35,000- 49,999	704	65,313	71	6.8	4.6- 9.0	633	93.2	91.0-95.4
\$50,000- 74,999	862	85,129	88	5.5	3.9- 7.1	774	94.5	92.9-96.1
\$75,000+	1856	202,201	132	4.3	3.3- 5.3	1724	95.7	94.7-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2686	297,048	233	5.2	4.4- 6.0	2453	94.8	94.0-95.6
Native	79	11,623	5	7.9	0.3-15.5	74	92.1	84.5-99.7
Non-Native	2580	282,426	228	5.1	4.3- 5.9	2352	94.9	94.1-95.7
18-24	171	46,271	1	1.0	0.0- 3.0	170	99.0	97.0- 100
25-34	276	60,085	2	0.5	0.0- 1.3	274	99.5	98.7- 100
35-44	307	48,065	2	0.4	0.0- 1.0	305	99.6	99.0- 100
45-54	363	41,890	14	4.2	1.8- 6.6	349	95.8	93.4-98.2
55-64	615	47,383	39	5.7	3.5- 7.9	576	94.3	92.1-96.5
65+	954	53,354	175	18.7	15.6-21.8	779	81.3	78.2-84.4
Less Than H.S.	156	25,587	24	9.1	4.4-13.8	132	90.9	86.2-95.6
H.S. or G.E.D.	793	89,143	66	4.3	3.1- 5.5	727	95.7	94.5-96.9
Some Post-H.S.	827	112,748	55	4.5	2.9- 6.1	772	95.5	93.9-97.1
College Graduate	904	68,950	88	6.1	4.7- 7.5	816	93.9	92.5-95.3
Less than \$15,000	134	18,764	12	6.1	1.0-11.2	122	93.9	88.8-99.0
\$15,000- 24,999	264	29,873	27	6.5	3.4- 9.6	237	93.5	90.4-96.6
\$25,000- 34,999	195	21,051	19	4.4	2.0- 6.8	176	95.6	93.2-98.0
\$35,000- 49,999	339	33,872	36	7.5	4.8-10.2	303	92.5	89.8-95.2
\$50,000- 74,999	449	48,658	40	5.4	3.2- 7.6	409	94.6	92.4-96.8
\$75,000+	1017	108,447	76	4.5	3.1- 5.9	941	95.5	94.1-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2924	282,529	251	4.6	3.8- 5.4	2673	95.4	94.6-96.2
Native	99	13,361	1	1.4	0.0- 4.1	98	98.6	95.9- 100
Non-Native	2801	266,342	248	4.8	4.0- 5.6	2553	95.2	94.4-96.0
18-24	81	40,174				81	100.0	100.0- 100
25-34	197	51,048	1	0.3	0.0- 0.9	196	99.7	99.1- 100
35-44	232	43,195	5	2.0	0.0- 4.0	227	98.0	96.0- 100
45-54	361	39,188	14	3.4	1.4- 5.4	347	96.6	94.6-98.6
55-64	646	45,734	51	7.6	5.1-10.1	595	92.4	89.9-94.9
65+	1407	63,191	180	11.4	9.4-13.4	1227	88.6	86.6-90.6
Less Than H.S.	138	21,775	13	3.0	1.0- 5.0	125	97.0	95.0-99.0
H.S. or G.E.D.	744	65,037	64	4.7	3.1- 6.3	680	95.3	93.7-96.9
Some Post-H.S.	946	112,778	81	4.7	3.5- 5.9	865	95.3	94.1-96.5
College Graduate	1090	82,619	93	4.9	3.5- 6.3	997	95.1	93.7-96.5
Less than \$15,000	172	17,470	12	4.1	1.2- 7.0	160	95.9	93.0-98.8
\$15,000- 24,999	356	34,997	29	2.5	1.3- 3.7	327	97.5	96.3-98.7
\$25,000- 34,999	264	24,941	17	3.8	1.6- 6.0	247	96.2	94.0-98.4
\$35,000- 49,999	365	31,441	35	6.0	3.1- 8.9	330	94.0	91.1-96.9
\$50,000- 74,999	413	36,471	48	5.7	3.7- 7.7	365	94.3	92.3-96.3
\$75,000+	839	93,754	56	4.0	2.6- 5.4	783	96.0	94.6-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5614	579,933	616	6.7	5.9- 7.5	4998	93.3	92.5-94.1
Male	2692	297,732	242	6.0	5.0- 7.0	2450	94.0	93.0-95.0
Female	2922	282,201	374	7.5	6.5- 8.5	2548	92.5	91.5-93.5
Native	178	24,984	14	8.2	3.3-13.1	164	91.8	86.9-96.7
Non-Native	5387	549,453	595	6.6	5.8- 7.4	4792	93.4	92.6-94.2
18-24	252	86,445	3	1.2	0.0- 2.6	249	98.8	97.4- 100
25-34	474	111,400	8	1.3	0.3- 2.3	466	98.7	97.7-99.7
35-44	539	91,260	17	3.1	1.5- 4.7	522	96.9	95.3-98.5
45-54	723	80,971	36	5.2	3.2- 7.2	687	94.8	92.8-96.8
55-64	1263	93,364	114	9.3	7.3-11.3	1149	90.7	88.7-92.7
65+	2363	116,494	438	17.7	15.7-19.7	1925	82.3	80.3-84.3
Less Than H.S.	292	47,067	49	9.2	5.9-12.5	243	90.8	87.5-94.1
H.S. or G.E.D.	1544	154,728	176	6.8	5.4- 8.2	1368	93.2	91.8-94.6
Some Post-H.S.	1773	225,725	206	7.0	5.8- 8.2	1567	93.0	91.8-94.2
College Graduate	1994	151,522	185	5.4	4.4- 6.4	1809	94.6	93.6-95.6
Less than \$15,000	307	36,343	39	7.8	4.7-10.9	268	92.2	89.1-95.3
\$15,000- 24,999	620	64,942	102	8.8	6.4-11.2	518	91.2	88.8-93.6
\$25,000- 34,999	460	46,236	55	8.1	5.2-11.0	405	91.9	89.0-94.8
\$35,000- 49,999	706	65,365	83	7.2	5.0- 9.4	623	92.8	90.6-95.0
\$50,000- 74,999	862	85,129	89	6.0	4.4- 7.6	773	94.0	92.4-95.6
\$75,000+	1856	202,177	142	4.9	3.9- 5.9	1714	95.1	94.1-96.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2692	297,732	242	6.0	5.0- 7.0	2450	94.0	93.0-95.0
Native	79	11,623	6	8.6	1.0-16.2	73	91.4	83.8-99.0
Non-Native	2586	283,110	233	5.8	4.8- 6.8	2353	94.2	93.2-95.2
18-24	171	46,271	2	1.4	0.0- 3.6	169	98.6	96.4- 100
25-34	277	60,352	6	1.7	0.3- 3.1	271	98.3	96.9-99.7
35-44	307	48,065	7	2.6	0.4- 4.8	300	97.4	95.2-99.6
45-54	363	41,890	7	1.7	0.3- 3.1	356	98.3	96.9-99.7
55-64	618	47,774	49	9.5	6.6-12.4	569	90.5	87.6-93.4
65+	956	53,380	171	18.0	15.1-20.9	785	82.0	79.1-84.9
Less Than H.S.	156	25,587	24	10.4	5.5-15.3	132	89.6	84.7-94.5
H.S. or G.E.D.	797	89,479	74	5.5	3.9- 7.1	723	94.5	92.9-96.1
Some Post-H.S.	829	113,143	75	5.6	4.0- 7.2	754	94.4	92.8-96.0
College Graduate	904	68,902	69	5.6	4.0- 7.2	835	94.4	92.8-96.0
Less than \$15,000	136	18,946	15	7.6	3.1-12.1	121	92.4	87.9-96.9
\$15,000- 24,999	264	29,945	30	7.1	3.8-10.4	234	92.9	89.6-96.2
\$25,000- 34,999	196	21,165	21	6.6	2.9-10.3	175	93.4	89.7-97.1
\$35,000- 49,999	341	33,929	34	6.5	3.8- 9.2	307	93.5	90.8-96.2
\$50,000- 74,999	449	48,658	43	5.6	3.6- 7.6	406	94.4	92.4-96.4
\$75,000+	1016	108,397	69	4.8	3.2- 6.4	947	95.2	93.6-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2922	282,201	374	7.5	6.5- 8.5	2548	92.5	91.5-93.5
Native	99	13,361	8	7.8	1.3-14.3	91	92.2	85.7-98.7
Non-Native	2801	266,343	362	7.5	6.5- 8.5	2439	92.5	91.5-93.5
18-24	81	40,174	1	0.9	0.0- 2.7	80	99.1	97.3- 100
25-34	197	51,048	2	0.8	0.0- 2.0	195	99.2	98.0- 100
35-44	232	43,195	10	3.8	1.3- 6.3	222	96.2	93.7-98.7
45-54	360	39,081	29	8.9	5.2-12.6	331	91.1	87.4-94.8
55-64	645	45,590	65	9.2	6.7-11.7	580	90.8	88.3-93.3
65+	1407	63,114	267	17.5	15.1-19.9	1140	82.5	80.1-84.9
Less Than H.S.	136	21,480	25	7.7	3.8-11.6	111	92.3	88.4-96.2
H.S. or G.E.D.	747	65,249	102	8.5	6.1-10.9	645	91.5	89.1-93.9
Some Post-H.S.	944	112,582	131	8.5	6.5-10.5	813	91.5	89.5-93.5
College Graduate	1090	82,619	116	5.2	4.0- 6.4	974	94.8	93.6-96.0
Less than \$15,000	171	17,397	24	8.0	3.7-12.3	147	92.0	87.7-96.3
\$15,000- 24,999	356	34,997	72	10.1	6.8-13.4	284	89.9	86.6-93.2
\$25,000- 34,999	264	25,071	34	9.4	4.9-13.9	230	90.6	86.1-95.1
\$35,000- 49,999	365	31,436	49	7.8	4.5-11.1	316	92.2	88.9-95.5
\$50,000- 74,999	413	36,471	46	6.6	4.1- 9.1	367	93.4	90.9-95.9
\$75,000+	840	93,779	73	5.0	3.4- 6.6	767	95.0	93.4-96.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5592	578,648	402	5.1	4.5- 5.7	5190	94.9	94.3-95.5
Male	2679	296,817	189	5.3	4.3- 6.3	2490	94.7	93.7-95.7
Female	2913	281,831	213	4.9	3.9- 5.9	2700	95.1	94.1-96.1
Native	176	24,707	24	9.4	3.9-14.9	152	90.6	85.1-96.1
Non-Native	5366	548,186	374	4.8	4.2- 5.4	4992	95.2	94.6-95.8
18-24	252	86,445	6	1.7	0.3- 3.1	246	98.3	96.9-99.7
25-34	473	111,129	8	1.8	0.4- 3.2	465	98.2	96.8-99.6
35-44	537	90,907	15	3.5	1.7- 5.3	522	96.5	94.7-98.3
45-54	723	81,040	36	4.8	3.0- 6.6	687	95.2	93.4-97.0
55-64	1262	93,460	87	7.6	5.8- 9.4	1175	92.4	90.6-94.2
65+	2345	115,668	250	10.2	8.6-11.8	2095	89.8	88.2-91.4
Less Than H.S.	292	47,222	41	9.5	6.0-13.0	251	90.5	87.0-94.0
H.S. or G.E.D.	1531	154,053	143	6.9	5.3- 8.5	1388	93.1	91.5-94.7
Some Post-H.S.	1770	225,421	137	4.9	3.9- 5.9	1633	95.1	94.1-96.1
College Graduate	1988	151,060	81	2.2	1.6- 2.8	1907	97.8	97.2-98.4
Less than \$15,000	303	35,933	55	15.1	9.8-20.4	248	84.9	79.6-90.2
\$15,000- 24,999	617	64,800	87	8.4	6.0-10.8	530	91.6	89.2-94.0
\$25,000- 34,999	458	46,199	43	7.6	4.7-10.5	415	92.4	89.5-95.3
\$35,000- 49,999	704	65,066	62	6.3	4.3- 8.3	642	93.7	91.7-95.7
\$50,000- 74,999	861	85,084	56	3.8	2.4- 5.2	805	96.2	94.8-97.6
\$75,000+	1851	201,839	42	1.6	1.0- 2.2	1809	98.4	97.8-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2679	296,817	189	5.3	4.3- 6.3	2490	94.7	93.7-95.7
Native	77	11,346	13	13.5	3.1-23.9	64	86.5	76.1-96.9
Non-Native	2575	282,472	174	4.9	3.9- 5.9	2401	95.1	94.1-96.1
18-24	171	46,271	5	2.8	0.3- 5.3	166	97.2	94.7-99.7
25-34	277	60,352	5	2.3	0.1- 4.5	272	97.7	95.5-99.9
35-44	305	47,712	7	3.1	0.7- 5.5	298	96.9	94.5-99.3
45-54	363	41,890	19	5.4	2.7- 8.1	344	94.6	91.9-97.3
55-64	615	47,557	40	6.5	4.1- 8.9	575	93.5	91.1-95.9
65+	948	53,035	113	11.6	9.2-14.0	835	88.4	86.0-90.8
Less Than H.S.	156	25,587	22	10.0	5.3-14.7	134	90.0	85.3-94.7
H.S. or G.E.D.	792	89,134	72	6.8	4.6- 9.0	720	93.2	91.0-95.4
Some Post-H.S.	823	112,601	58	4.9	3.3- 6.5	765	95.1	93.5-96.7
College Graduate	902	68,875	37	2.1	1.3- 2.9	865	97.9	97.1-98.7
Less than \$15,000	134	18,641	21	14.5	6.9-22.1	113	85.5	77.9-93.1
\$15,000- 24,999	263	29,886	39	9.4	5.9-12.9	224	90.6	87.1-94.1
\$25,000- 34,999	193	21,088	21	9.5	4.6-14.4	172	90.5	85.6-95.4
\$35,000- 49,999	341	33,929	29	6.7	3.8- 9.6	312	93.3	90.4-96.2
\$50,000- 74,999	448	48,613	26	3.8	1.8- 5.8	422	96.2	94.2-98.2
\$75,000+	1013	108,110	28	2.1	1.1- 3.1	985	97.9	96.9-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	281,831	213	4.9	3.9- 5.9	2700	95.1	94.1-96.1
Native	99	13,361	11	6.0	1.5-10.5	88	94.0	89.5-98.5
Non-Native	2791	265,714	200	4.8	3.8- 5.8	2591	95.2	94.2-96.2
18-24	81	40,174	1	0.3	0.0- 0.9	80	99.7	99.1- 100
25-34	196	50,777	3	1.2	0.0- 2.6	193	98.8	97.4- 100
35-44	232	43,195	8	3.9	1.0- 6.8	224	96.1	93.2-99.0
45-54	360	39,150	17	4.2	2.0- 6.4	343	95.8	93.6-98.0
55-64	647	45,903	47	8.7	6.0-11.4	600	91.3	88.6-94.0
65+	1397	62,633	137	9.1	7.1-11.1	1260	90.9	88.9-92.9
Less Than H.S.	136	21,634	19	8.9	3.6-14.2	117	91.1	85.8-96.4
H.S. or G.E.D.	739	64,919	71	6.9	4.7- 9.1	668	93.1	90.9-95.3
Some Post-H.S.	947	112,821	79	4.9	3.5- 6.3	868	95.1	93.7-96.5
College Graduate	1086	82,185	44	2.3	1.3- 3.3	1042	97.7	96.7-98.7
Less than \$15,000	169	17,292	34	15.8	8.5-23.1	135	84.2	76.9-91.5
\$15,000- 24,999	354	34,914	48	7.5	4.6-10.4	306	92.5	89.6-95.4
\$25,000- 34,999	265	25,111	22	6.0	2.7- 9.3	243	94.0	90.7-97.3
\$35,000- 49,999	363	31,137	33	5.8	3.3- 8.3	330	94.2	91.7-96.7
\$50,000- 74,999	413	36,471	30	3.8	2.0- 5.6	383	96.2	94.4-98.0
\$75,000+	838	93,729	14	1.0	0.2- 1.8	824	99.0	98.2-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5596	578,600	2106	25.9	24.5-27.3	3490	74.1	72.7-75.5
Male	2682	296,751	836	22.7	20.9-24.5	1846	77.3	75.5-79.1
Female	2914	281,849	1270	29.4	27.2-31.6	1644	70.6	68.4-72.8
Native	177	24,896	78	33.6	24.4-42.8	99	66.4	57.2-75.6
Non-Native	5369	547,923	2008	25.5	24.1-26.9	3361	74.5	73.1-75.9
18-24	250	86,022	6	2.2	0.2- 4.2	244	97.8	95.8-99.8
25-34	473	111,160	43	8.5	5.6-11.4	430	91.5	88.6-94.4
35-44	536	90,879	91	18.2	14.5-21.9	445	81.8	78.1-85.5
45-54	723	81,022	193	27.0	23.3-30.7	530	73.0	69.3-76.7
55-64	1262	93,530	524	42.2	38.9-45.5	738	57.8	54.5-61.1
65+	2352	115,987	1249	52.5	50.0-55.0	1103	47.5	45.0-50.0
Less Than H.S.	292	47,200	137	29.0	22.7-35.3	155	71.0	64.7-77.3
H.S. or G.E.D.	1532	153,704	627	27.5	24.8-30.2	905	72.5	69.8-75.2
Some Post-H.S.	1767	225,254	712	27.8	25.3-30.3	1055	72.2	69.7-74.7
College Graduate	1994	151,550	625	20.5	18.5-22.5	1369	79.5	77.5-81.5
Less than \$15,000	305	36,161	149	36.3	29.0-43.6	156	63.7	56.4-71.0
\$15,000- 24,999	618	64,836	313	31.6	26.7-36.5	305	68.4	63.5-73.3
\$25,000- 34,999	458	46,163	206	29.0	23.9-34.1	252	71.0	65.9-76.1
\$35,000- 49,999	704	65,112	258	24.7	20.8-28.6	446	75.3	71.4-79.2
\$50,000- 74,999	858	84,542	319	26.0	22.5-29.5	539	74.0	70.5-77.5
\$75,000+	1855	202,131	535	22.0	19.6-24.4	1320	78.0	75.6-80.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2682	296,751	836	22.7	20.9-24.5	1846	77.3	75.5-79.1
Native	78	11,535	31	27.6	16.4-38.8	47	72.4	61.2-83.6
Non-Native	2578	282,261	793	22.4	20.6-24.2	1785	77.6	75.8-79.4
18-24	169	45,848	3	2.0	0.0- 4.4	166	98.0	95.6- 100
25-34	277	60,352	19	6.0	3.1- 8.9	258	94.0	91.1-96.9
35-44	304	47,684	48	18.3	13.2-23.4	256	81.7	76.6-86.8
45-54	363	41,890	94	25.4	20.3-30.5	269	74.6	69.5-79.7
55-64	616	47,688	221	36.8	32.1-41.5	395	63.2	58.5-67.9
65+	953	53,289	451	48.4	44.5-52.3	502	51.6	47.7-55.5
Less Than H.S.	156	25,587	65	29.1	20.9-37.3	91	70.9	62.7-79.1
H.S. or G.E.D.	791	88,877	254	21.9	18.8-25.0	537	78.1	75.0-81.2
Some Post-H.S.	824	112,703	278	24.2	20.9-27.5	546	75.8	72.5-79.1
College Graduate	905	68,963	237	18.6	15.9-21.3	668	81.4	78.7-84.1
Less than \$15,000	136	18,946	47	27.7	18.9-36.5	89	72.3	63.5-81.1
\$15,000- 24,999	263	29,895	111	28.8	22.5-35.1	152	71.2	64.9-77.5
\$25,000- 34,999	194	21,092	64	20.0	13.9-26.1	130	80.0	73.9-86.1
\$35,000- 49,999	341	33,929	109	22.6	17.7-27.5	232	77.4	72.5-82.3
\$50,000- 74,999	445	48,071	142	22.2	17.7-26.7	303	77.8	73.3-82.3
\$75,000+	1016	108,377	273	21.8	18.9-24.7	743	78.2	75.3-81.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2914	281,849	1270	29.4	27.2-31.6	1644	70.6	68.4-72.8
Native	99	13,361	47	38.9	24.8-53.0	52	61.1	47.0-75.2
Non-Native	2791	265,662	1215	28.9	26.7-31.1	1576	71.1	68.9-73.3
18-24	81	40,174	3	2.4	0.0-5.3	78	97.6	94.7-100
25-34	196	50,808	24	11.5	6.2-16.8	172	88.5	83.2-93.8
35-44	232	43,195	43	18.0	12.3-23.7	189	82.0	76.3-87.7
45-54	360	39,132	99	28.7	23.2-34.2	261	71.3	65.8-76.8
55-64	646	45,842	303	47.7	43.0-52.4	343	52.3	47.6-57.0
65+	1399	62,698	798	56.0	52.7-59.3	601	44.0	40.7-47.3
Less Than H.S.	136	21,613	72	28.9	18.9-38.9	64	71.1	61.1-81.1
H.S. or G.E.D.	741	64,827	373	35.1	30.2-40.0	368	64.9	60.0-69.8
Some Post-H.S.	943	112,551	434	31.5	27.6-35.4	509	68.5	64.6-72.4
College Graduate	1089	82,587	388	22.0	19.1-24.9	701	78.0	75.1-80.9
Less than \$15,000	169	17,215	102	45.7	33.5-57.9	67	54.3	42.1-66.5
\$15,000- 24,999	355	34,941	202	34.0	26.6-41.4	153	66.0	58.6-73.4
\$25,000- 34,999	264	25,071	142	36.6	28.4-44.8	122	63.4	55.2-71.6
\$35,000- 49,999	363	31,183	149	27.0	20.9-33.1	214	73.0	66.9-79.1
\$50,000- 74,999	413	36,471	177	31.0	25.1-36.9	236	69.0	63.1-74.9
\$75,000+	839	93,754	262	22.2	18.7-25.7	577	77.8	74.3-81.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5605	578,844	942	19.6	18.0-21.2	4663	80.4	78.8-82.0
Male	2685	296,965	315	13.4	11.6-15.2	2370	86.6	84.8-88.4
Female	2920	281,878	627	26.0	23.5-28.5	2293	74.0	71.5-76.5
Native	177	24,795	44	31.3	21.1-41.5	133	68.7	58.5-78.9
Non-Native	5377	548,223	887	19.1	17.5-20.7	4490	80.9	79.3-82.5
18-24	252	86,445	48	21.9	15.8-28.0	204	78.1	72.0-84.2
25-34	473	111,130	99	19.8	15.9-23.7	374	80.2	76.3-84.1
35-44	537	90,806	110	22.8	18.7-26.9	427	77.2	73.1-81.3
45-54	722	80,873	141	20.3	17.0-23.6	581	79.7	76.4-83.0
55-64	1262	93,254	234	20.6	17.7-23.5	1028	79.4	76.5-82.3
65+	2359	116,335	310	13.7	11.9-15.5	2049	86.3	84.5-88.1
Less Than H.S.	293	47,099	59	24.3	16.7-31.9	234	75.7	68.1-83.3
H.S. or G.E.D.	1540	154,565	257	19.6	16.9-22.3	1283	80.4	77.7-83.1
Some Post-H.S.	1769	224,864	304	19.5	16.8-22.2	1465	80.5	77.8-83.2
College Graduate	1991	151,375	321	18.2	15.8-20.6	1670	81.8	79.4-84.2
Less than \$15,000	305	36,029	98	33.9	26.3-41.5	207	66.1	58.5-73.7
\$15,000- 24,999	621	64,998	148	30.2	24.1-36.3	473	69.8	63.7-75.9
\$25,000- 34,999	458	45,990	92	23.6	17.9-29.3	366	76.4	70.7-82.1
\$35,000- 49,999	707	65,414	114	19.5	15.2-23.8	593	80.5	76.2-84.8
\$50,000- 74,999	860	84,970	141	17.9	14.4-21.4	719	82.1	78.6-85.6
\$75,000+	1852	201,629	241	14.0	11.8-16.2	1611	86.0	83.8-88.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2685	296,965	315	13.4	11.6-15.2	2370	86.6	84.8-88.4
Native	78	11,434	17	20.7	10.1-31.3	61	79.3	68.7-89.9
Non-Native	2580	282,532	293	13.2	11.4-15.0	2287	86.8	85.0-88.6
18-24	171	46,271	24	14.5	8.8-20.2	147	85.5	79.8-91.2
25-34	276	60,082	37	12.9	8.6-17.2	239	87.1	82.8-91.4
35-44	306	47,876	39	14.4	9.7-19.1	267	85.6	80.9-90.3
45-54	362	41,794	47	13.1	9.2-17.0	315	86.9	83.0-90.8
55-64	617	47,717	78	15.7	11.8-19.6	539	84.3	80.4-88.2
65+	953	53,226	90	10.5	8.0-13.0	863	89.5	87.0-92.0
Less Than H.S.	156	25,587	24	17.8	9.8-25.8	132	82.2	74.2-90.2
H.S. or G.E.D.	795	89,358	106	15.1	12.0-18.2	689	84.9	81.8-88.0
Some Post-H.S.	825	112,520	96	13.1	10.2-16.0	729	86.9	84.0-89.8
College Graduate	903	68,880	89	10.4	8.0-12.8	814	89.6	87.2-92.0
Less than \$15,000	135	18,839	33	27.2	17.6-36.8	102	72.8	63.2-82.4
\$15,000- 24,999	265	30,001	51	23.2	16.3-30.1	214	76.8	69.9-83.7
\$25,000- 34,999	195	21,152	35	21.1	13.3-28.9	160	78.9	71.1-86.7
\$35,000- 49,999	341	33,929	38	13.5	8.4-18.6	303	86.5	81.4-91.6
\$50,000- 74,999	448	48,601	49	11.6	7.7-15.5	399	88.4	84.5-92.3
\$75,000+	1013	107,875	77	8.5	6.3-10.7	936	91.5	89.3-93.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2920	281,878	627	26.0	23.5-28.5	2293	74.0	71.5-76.5
Native	99	13,361	27	40.3	25.0-55.6	72	59.7	44.4-75.0
Non-Native	2797	265,691	594	25.3	22.8-27.8	2203	74.7	72.2-77.2
18-24	81	40,174	24	30.5	19.3-41.7	57	69.5	58.3-80.7
25-34	197	51,048	62	28.0	21.1-34.9	135	72.0	65.1-78.9
35-44	231	42,930	71	32.2	25.1-39.3	160	67.8	60.7-74.9
45-54	360	39,079	94	27.9	22.4-33.4	266	72.1	66.6-77.6
55-64	645	45,537	156	25.8	21.7-29.9	489	74.2	70.1-78.3
65+	1406	63,110	220	16.3	13.9-18.7	1186	83.7	81.3-86.1
Less Than H.S.	137	21,511	35	32.0	18.5-45.5	102	68.0	54.5-81.5
H.S. or G.E.D.	745	65,207	151	25.9	21.0-30.8	594	74.1	69.2-79.0
Some Post-H.S.	944	112,344	208	25.9	21.4-30.4	736	74.1	69.6-78.6
College Graduate	1088	82,495	232	24.7	21.0-28.4	856	75.3	71.6-79.0
Less than \$15,000	170	17,190	65	41.3	29.3-53.3	105	58.7	46.7-70.7
\$15,000- 24,999	356	34,997	97	36.1	26.9-45.3	259	63.9	54.7-73.1
\$25,000- 34,999	263	24,838	57	25.7	17.5-33.9	206	74.3	66.1-82.5
\$35,000- 49,999	366	31,485	76	26.0	18.7-33.3	290	74.0	66.7-81.3
\$50,000- 74,999	412	36,369	92	26.3	20.2-32.4	320	73.7	67.6-79.8
\$75,000+	839	93,754	164	20.3	16.6-24.0	675	79.7	76.0-83.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5604	579,413	233	2.5	2.1- 2.9	5371	97.5	97.1-97.9
Male	2684	297,046	107	2.5	1.9- 3.1	2577	97.5	96.9-98.1
Female	2920	282,367	126	2.5	1.9- 3.1	2794	97.5	96.9-98.1
Native	178	24,984	9	5.6	0.9-10.3	169	94.4	89.7-99.1
Non-Native	5375	548,604	220	2.3	1.9- 2.7	5155	97.7	97.3-98.1
18-24	252	86,445	2	1.0	0.0- 2.4	250	99.0	97.6- 100
25-34	474	111,400	1	0.2	0.0- 0.6	473	99.8	99.4- 100
35-44	539	91,260	3	0.5	0.0- 1.1	536	99.5	98.9- 100
45-54	722	80,825	16	1.7	0.7- 2.7	706	98.3	97.3-99.3
55-64	1262	93,355	39	2.8	1.8- 3.8	1223	97.2	96.2-98.2
65+	2355	116,128	172	7.8	6.4- 9.2	2183	92.2	90.8-93.6
Less Than H.S.	292	47,224	21	3.8	1.8- 5.8	271	96.2	94.2-98.2
H.S. or G.E.D.	1538	154,223	60	2.0	1.4- 2.6	1478	98.0	97.4-98.6
Some Post-H.S.	1771	225,687	82	3.0	2.0- 4.0	1689	97.0	96.0-98.0
College Graduate	1991	151,340	70	1.9	1.3- 2.5	1921	98.1	97.5-98.7
Less than \$15,000	303	35,897	19	5.0	1.7- 8.3	284	95.0	91.7-98.3
\$15,000- 24,999	621	64,998	45	5.2	3.2- 7.2	576	94.8	92.8-96.8
\$25,000- 34,999	458	46,134	25	2.3	1.3- 3.3	433	97.7	96.7-98.7
\$35,000- 49,999	704	65,228	37	3.6	2.0- 5.2	667	96.4	94.8-98.0
\$50,000- 74,999	860	85,019	31	1.9	1.1- 2.7	829	98.1	97.3-98.9
\$75,000+	1854	202,096	44	1.4	0.8- 2.0	1810	98.6	98.0-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2684	297,046	107	2.5	1.9- 3.1	2577	97.5	96.9-98.1
Native	79	11,623	3	3.2	0.0- 6.9	76	96.8	93.1- 100
Non-Native	2578	282,424	101	2.4	1.8- 3.0	2477	97.6	97.0-98.2
18-24	171	46,271	1	0.8	0.0- 2.4	170	99.2	97.6- 100
25-34	277	60,352				277	100.0	100.0- 100
35-44	307	48,065	2	0.7	0.0- 1.7	305	99.3	98.3- 100
45-54	361	41,637	7	1.8	0.4- 3.2	354	98.2	96.8-99.6
55-64	616	47,527	20	2.9	1.3- 4.5	596	97.1	95.5-98.7
65+	952	53,194	77	8.6	6.4-10.8	875	91.4	89.2-93.6
Less Than H.S.	156	25,587	7	3.3	0.8- 5.8	149	96.7	94.2-99.2
H.S. or G.E.D.	792	88,999	30	1.8	1.0- 2.6	762	98.2	97.4-99.0
Some Post-H.S.	828	113,045	35	2.9	1.7- 4.1	793	97.1	95.9-98.3
College Graduate	902	68,795	35	2.5	1.5- 3.5	867	97.5	96.5-98.5
Less than \$15,000	132	18,482	8	3.0	0.6- 5.4	124	97.0	94.6-99.4
\$15,000- 24,999	265	30,001	18	4.5	2.0- 7.0	247	95.5	93.0-98.0
\$25,000- 34,999	196	21,165	8	1.3	0.3- 2.3	188	98.7	97.7-99.7
\$35,000- 49,999	338	33,743	25	5.0	2.3- 7.7	313	95.0	92.3-97.7
\$50,000- 74,999	447	48,549	17	2.4	1.0- 3.8	430	97.6	96.2-99.0
\$75,000+	1016	108,416	24	1.8	1.0- 2.6	992	98.2	97.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2920	282,367	126	2.5	1.9- 3.1	2794	97.5	96.9-98.1
Native	99	13,361	6	7.7	0.0-15.9	93	92.3	84.1- 100
Non-Native	2797	266,180	119	2.2	1.6- 2.8	2678	97.8	97.2-98.4
18-24	81	40,174	1	1.3	0.0- 3.8	80	98.7	96.2- 100
25-34	197	51,048	1	0.5	0.0- 1.5	196	99.5	98.5- 100
35-44	232	43,195	1	0.4	0.0- 1.2	231	99.6	98.8- 100
45-54	361	39,188	9	1.5	0.5- 2.5	352	98.5	97.5-99.5
55-64	646	45,828	19	2.6	1.2- 4.0	627	97.4	96.0-98.8
65+	1403	62,934	95	7.1	5.3- 8.9	1308	92.9	91.1-94.7
Less Than H.S.	136	21,636	14	4.5	1.6- 7.4	122	95.5	92.6-98.4
H.S. or G.E.D.	746	65,224	30	2.2	1.2- 3.2	716	97.8	96.8-98.8
Some Post-H.S.	943	112,642	47	3.2	1.8- 4.6	896	96.8	95.4-98.2
College Graduate	1089	82,545	35	1.4	0.8- 2.0	1054	98.6	98.0-99.2
Less than \$15,000	171	17,415	11	7.1	0.6-13.6	160	92.9	86.4-99.4
\$15,000- 24,999	356	34,997	27	5.8	2.7- 8.9	329	94.2	91.1-97.3
\$25,000- 34,999	262	24,969	17	3.2	1.4- 5.0	245	96.8	95.0-98.6
\$35,000- 49,999	366	31,485	12	2.1	0.7- 3.5	354	97.9	96.5-99.3
\$50,000- 74,999	413	36,471	14	1.3	0.5- 2.1	399	98.7	97.9-99.5
\$75,000+	838	93,680	20	1.0	0.6- 1.4	818	99.0	98.6-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5619	580,451	779	9.4	8.4-10.4	38	0.9	0.5- 1.3	4692	88.5	87.5-89.5	110	1.2	0.8- 1.6
Male	2692	297,692	399	9.8	8.6-11.0				2252	89.3	88.1-90.5	41	0.9	0.5- 1.3
Female	2927	282,759	380	8.9	7.5-10.3	38	1.9	1.1- 2.7	2440	87.6	86.0-89.2	69	1.6	1.0- 2.2
Native	178	24,984	47	22.1	13.3-30.9	3	2.5	0.0- 5.8	126	74.9	65.7-84.1	2	0.5	0.0- 1.1
Non-Native	5390	549,642	724	8.8	8.0- 9.6	33	0.8	0.4- 1.2	4526	89.2	88.2-90.2	107	1.3	0.9- 1.7
18-24	252	86,445	3	1.7	0.0- 3.7				248	97.7	95.5-99.9	1	0.6	0.0- 1.8
25-34	474	111,400	9	2.2	0.4- 4.0	6	1.8	0.2- 3.4	457	95.5	93.1-97.9	2	0.5	0.0- 1.1
35-44	539	91,260	23	4.0	2.0- 6.0	8	1.6	0.4- 2.8	505	93.9	91.5-96.3	3	0.5	0.0- 1.1
45-54	723	80,979	62	8.0	5.8-10.2	12	1.4	0.6- 2.2	643	90.3	87.9-92.7	6	0.4	0.0- 0.8
55-64	1264	93,631	189	15.3	12.9-17.7	5	0.3	0.1- 0.5	1038	81.9	79.4-84.4	32	2.5	1.3- 3.7
65+	2367	116,736	493	22.3	20.1-24.5	7	0.3	0.0- 0.7	1801	74.8	72.4-77.2	66	2.6	1.8- 3.4
Less Than H.S.	294	47,362	58	12.5	8.2-16.8	1	1.0	0.0- 3.0	231	86.1	81.4-90.8	4	0.4	0.0- 0.8
H.S. or G.E.D.	1541	154,559	240	9.4	7.8-11.0	3	0.4	0.0- 1.0	1253	87.9	85.9-89.9	45	2.3	1.3- 3.3
Some Post-H.S.	1776	225,964	272	10.5	8.9-12.1	14	0.8	0.2- 1.4	1462	87.7	85.9-89.5	28	1.0	0.6- 1.4
College Graduate	1996	151,627	208	6.7	5.5- 7.9	19	1.5	0.7- 2.3	1736	91.1	89.5-92.7	33	0.7	0.3- 1.1
Less than \$15,000	308	36,417	66	15.3	10.2-20.4	3	0.3	0.0- 0.7	234	83.2	77.9-88.5	5	1.1	0.0- 2.5
\$15,000- 24,999	621	64,998	132	14.8	11.1-18.5	2	0.2	0.0- 0.6	477	83.9	80.0-87.8	10	1.1	0.1- 2.1
\$25,000- 34,999	461	46,275	81	12.3	8.6-16.0	5	1.9	0.0- 4.1	366	83.8	79.1-88.5	9	1.9	0.0- 4.3
\$35,000- 49,999	707	65,414	113	10.1	7.6-12.6	5	1.0	0.0- 2.0	572	87.1	84.2-90.0	17	1.8	0.6- 3.0
\$50,000- 74,999	861	85,030	105	9.0	6.8-11.2	4	0.6	0.0- 1.2	734	88.9	86.4-91.4	18	1.5	0.5- 2.5
\$75,000+	1856	202,201	166	6.1	4.9- 7.3	14	1.1	0.5- 1.7	1646	92.1	90.7-93.5	30	0.8	0.4- 1.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2692	297,692	399	9.8	8.6-11.0	2252	89.3	88.1-90.5	41	0.9	0.5- 1.3
Native	79	11,623	19	21.0	9.0-33.0	59	78.4	66.4-90.4	1	0.6	0.0- 1.8
Non-Native	2586	283,070	374	9.3	8.1-10.5	2173	89.8	88.6-91.0	39	0.9	0.5- 1.3
18-24	171	46,271				171	100.0	100.0- 100			
25-34	277	60,352	5	1.6	0.2- 3.0	272	98.4	97.0-99.8			
35-44	307	48,065	10	3.7	0.8- 6.6	295	95.8	92.9-98.7	2	0.5	0.0- 1.3
45-54	362	41,791	35	9.2	5.9-12.5	324	90.5	87.2-93.8	3	0.3	0.0- 0.7
55-64	617	47,728	110	18.6	14.7-22.5	497	79.6	75.7-83.5	10	1.8	0.6- 3.0
65+	958	53,485	239	25.4	21.9-28.9	693	71.7	68.2-75.2	26	2.9	1.7- 4.1
Less Than H.S.	156	25,587	34	16.3	9.4-23.2	121	83.4	76.5-90.3	1	0.3	0.0- 0.9
H.S. or G.E.D.	795	89,335	130	9.0	7.0-11.0	644	89.3	87.1-91.5	21	1.7	0.9- 2.5
Some Post-H.S.	829	113,143	124	9.9	7.7-12.1	695	89.5	87.3-91.7	10	0.7	0.3- 1.1
College Graduate	906	69,007	110	8.0	6.2- 9.8	787	91.4	89.4-93.4	9	0.6	0.0- 1.2
Less than \$15,000	136	18,946	26	13.4	7.1-19.7	109	86.5	80.2-92.8	1	0.1	0.0- 0.3
\$15,000- 24,999	265	30,001	57	15.0	10.1-19.9	203	84.2	79.3-89.1	5	0.9	0.1- 1.7
\$25,000- 34,999	196	21,165	33	11.8	6.9-16.7	161	87.5	82.4-92.6	2	0.7	0.0- 1.7
\$35,000- 49,999	341	33,929	64	10.2	7.3-13.1	271	88.0	84.7-91.3	6	1.8	0.2- 3.4
\$50,000- 74,999	448	48,559	63	10.3	7.0-13.6	376	88.6	85.3-91.9	9	1.1	0.3- 1.9
\$75,000+	1017	108,447	116	8.0	6.0-10.0	890	91.5	89.5-93.5	11	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2927	282,759	380	8.9	7.5-10.3	38	1.9	1.1- 2.7	2440	87.6	86.0-89.2	69	1.6	1.0- 2.2
Native	99	13,361	28	23.0	10.1-35.9	3	4.7	0.0-10.8	67	71.9	58.2-85.6	1	0.4	0.0- 1.2
Non-Native	2804	266,572	350	8.3	7.1- 9.5	33	1.5	0.9- 2.1	2353	88.5	86.9-90.1	68	1.6	1.0- 2.2
18-24	81	40,174	3	3.6	0.0- 7.7				77	95.1	90.4-99.8	1	1.3	0.0- 3.8
25-34	197	51,048	4	3.0	0.0- 6.3	6	4.0	0.9- 7.1	185	92.1	87.4-96.8	2	1.0	0.0- 2.4
35-44	232	43,195	13	4.3	1.6- 7.0	8	3.4	0.9- 5.9	210	91.7	88.0-95.4	1	0.5	0.0- 1.5
45-54	361	39,188	27	6.7	4.0- 9.4	12	2.9	1.1- 4.7	319	90.1	87.0-93.2	3	0.4	0.0- 1.0
55-64	647	45,903	79	11.9	9.0-14.8	5	0.6	0.0- 1.2	541	84.2	80.9-87.5	22	3.3	1.3- 5.3
65+	1409	63,251	254	19.6	16.9-22.3	7	0.6	0.0- 1.2	1108	77.5	74.6-80.4	40	2.3	1.5- 3.1
Less Than H.S.	138	21,775	24	8.0	3.9-12.1	1	2.1	0.0- 6.2	110	89.3	83.4-95.2	3	0.6	0.0- 1.4
H.S. or G.E.D.	746	65,224	110	9.9	7.2-12.6	3	1.0	0.0- 2.2	609	86.0	82.5-89.5	24	3.1	1.1- 5.1
Some Post-H.S.	947	112,821	148	11.1	8.6-13.6	14	1.7	0.7- 2.7	767	85.9	83.2-88.6	18	1.3	0.5- 2.1
College Graduate	1090	82,619	98	5.6	3.8- 7.4	19	2.7	1.1- 4.3	949	90.8	88.4-93.2	24	0.9	0.5- 1.3
Less than \$15,000	172	17,470	40	17.5	9.3-25.7	3	0.7	0.0- 1.7	125	79.7	71.1-88.3	4	2.2	0.0- 4.9
\$15,000- 24,999	356	34,997	75	14.7	9.2-20.2	2	0.4	0.0- 1.0	274	83.7	78.0-89.4	5	1.3	0.0- 2.9
\$25,000- 34,999	265	25,111	48	12.7	7.2-18.2	5	3.6	0.0- 7.5	205	80.8	73.5-88.1	7	3.0	0.0- 7.1
\$35,000- 49,999	366	31,485	49	10.0	5.7-14.3	5	2.1	0.0- 4.3	301	86.1	81.2-91.0	11	1.8	0.0- 3.6
\$50,000- 74,999	413	36,471	42	7.4	4.7-10.1	4	1.3	0.0- 2.7	358	89.2	85.5-92.9	9	2.1	0.1- 4.1
\$75,000+	839	93,754	50	3.9	2.5- 5.3	14	2.3	0.9- 3.7	756	92.9	90.9-94.9	19	1.0	0.6- 1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	754	52,675	21	4.7	1.8- 7.6	42	11.3	6.8-15.8	135	21.9	17.8-26.0	344	41.0	36.3-45.7	212	21.1	17.6-24.6
Male	393	28,504	5	1.8	0.2- 3.4	22	9.6	4.5-14.7	77	24.8	18.7-30.9	186	42.7	36.4-49.0	103	21.1	16.2-26.0
Female	361	24,172	16	8.1	2.2-14.0	20	13.3	5.5-21.1	58	18.5	12.8-24.2	158	39.1	32.0-46.2	109	21.0	15.9-26.1
Non-Native	702	47,024	18	3.8	1.4- 6.2	33	8.4	4.9-11.9	124	22.2	17.9-26.5	323	42.7	38.0-47.4	204	22.9	19.2-26.6
45-54	58	6,029	1	3.2	0.0- 9.3	7	8.6	0.8-16.4	27	46.5	31.6-61.4	23	41.7	27.0-56.4			
55-64	182	13,632	7	3.7	0.8- 6.6	10	5.2	1.3- 9.1	38	24.8	16.2-33.4	119	61.6	52.6-70.6	8	4.8	1.1- 8.5
65+	479	25,447	6	0.9	0.1- 1.7	8	1.8	0.4- 3.2	59	14.1	10.0-18.2	202	42.1	36.4-47.8	204	41.0	35.3-46.7
Less Than H.S.	56	5,692				5	15.5	0.0-33.3	10	15.2	4.4-26.0	13	25.7	11.2-40.2	28	43.6	26.4-60.8
H.S. or G.E.D.	229	13,821	6	4.7	0.0-11.2	12	9.4	2.5-16.3	34	19.5	12.2-26.8	101	42.5	34.1-50.9	76	23.8	17.3-30.3
Some Post-H.S.	266	23,340	10	6.2	1.1-11.3	16	11.8	4.4-19.2	56	23.7	16.6-30.8	125	41.5	33.9-49.1	59	16.8	11.9-21.7
College Graduate	203	9,822	5	3.7	0.0- 7.4	9	10.2	0.6-19.8	35	25.1	16.3-33.9	105	46.7	37.3-56.1	49	14.3	9.6-19.0
Less than \$15,000	61	5,368	4	16.2	0.0-34.0	10	18.5	4.2-32.8	5	8.9	0.3-17.5	26	31.8	17.1-46.5	16	24.6	9.5-39.7
\$15,000- 24,999	130	9,508	2	1.2	0.0- 2.8	4	10.8	0.0-25.5	26	23.6	13.6-33.6	53	40.8	28.1-53.5	45	23.7	14.5-32.9
\$25,000- 34,999	79	5,634	4	13.1	0.0-28.8	2	5.3	0.0-13.1	13	23.8	9.3-38.3	31	33.2	19.9-46.5	29	24.7	13.3-36.1
\$35,000- 49,999	113	6,607	2	1.1	0.0- 2.7	5	12.4	0.0-25.9	18	17.1	8.5-25.7	62	53.0	40.1-65.9	26	16.3	8.7-23.9
\$50,000- 74,999	102	7,415				7	14.3	3.7-24.9	19	24.2	11.1-37.3	49	42.9	30.6-55.2	27	18.5	9.7-27.3
\$75,000+	166	12,279	5	4.2	0.1- 8.3	10	10.8	1.4-20.2	37	27.3	18.1-36.5	84	45.1	35.5-54.7	30	12.7	7.6-17.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	393	28,504	5	1.8	0.2- 3.4	22	9.6	4.5-14.7	77	24.8	18.7-30.9	186	42.7	36.4-49.0	103	21.1	16.2-26.0
Non-Native	370	25,961	4	1.5	0.0- 3.1	17	7.7	3.6-11.8	73	24.7	18.4-31.0	177	43.5	37.2-49.8	99	22.6	17.3-27.9
55-64	107	8,555	2	2.5	0.0- 6.0	6	4.5	0.2- 8.8	25	30.0	17.8-42.2	67	56.5	44.3-68.7	7	6.5	1.0-12.0
65+	237	13,520	1	0.4	0.0- 1.2	5	2.3	0.1- 4.5	31	15.0	8.9-21.1	104	41.9	34.1-49.7	96	40.4	32.4-48.4
H.S. or G.E.D.	126	7,826	1	0.6	0.0- 1.8	5	4.9	0.0-10.0	18	20.3	10.5-30.1	62	51.2	40.6-61.8	40	23.1	15.5-30.7
Some Post-H.S.	124	11,149	2	1.9	0.0- 4.6	8	9.9	2.6-17.2	28	29.7	18.5-40.9	60	41.5	31.1-51.9	26	17.0	9.7-24.3
College Graduate	110	5,544	2	4.3	0.0-10.2	4	6.6	0.0-15.0	23	26.5	15.5-37.5	56	46.9	35.5-58.3	25	15.7	9.0-22.4
\$15,000- 24,999	57	4,486				1	2.3	0.0- 6.8	10	25.8	10.7-40.9	23	40.7	24.0-57.4	23	31.2	16.3-46.1
\$35,000- 49,999	64	3,455				1	0.7	0.0- 2.1	13	23.3	10.4-36.2	34	52.9	38.6-67.2	16	23.1	10.9-35.3
\$50,000- 74,999	61	4,850				5	17.4	2.9-31.9	11	25.6	8.0-43.2	31	41.6	25.7-57.5	14	15.4	4.8-26.0
\$75,000+	116	8,627	2	1.9	0.0- 4.8	8	14.2	1.5-26.9	28	26.9	16.1-37.7	58	44.5	32.7-56.3	20	12.4	6.3-18.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	361	24,172	16	8.1	2.2-14.0	20	13.3	5.5-21.1	58	18.5	12.8-24.2	158	39.1	32.0-46.2	109	21.0	15.9-26.1
Non-Native	332	21,063	14	6.6	1.5-11.7	16	9.3	3.4-15.2	51	19.1	13.0-25.2	146	41.6	34.3-48.9	105	23.4	17.9-28.9
55-64	75	5,077	5	5.6	0.5-10.7	4	6.4	0.0-14.0	13	16.1	6.7-25.5	52	70.1	57.8-82.4	1	1.8	0.0- 5.3
65+	242	11,927	5	1.5	0.0- 3.1	3	1.3	0.0- 2.9	28	13.2	7.7-18.7	98	42.3	33.9-50.7	108	41.8	33.6-50.0
H.S. or G.E.D.	103	5,995	5	10.1	0.0-24.2	7	15.4	1.9-28.9	16	18.6	8.2-29.0	39	31.3	19.1-43.5	36	24.7	13.7-35.7
Some Post-H.S.	142	12,191	8	10.0	0.8-19.2	8	13.6	1.3-25.9	28	18.2	10.2-26.2	65	41.5	30.3-52.7	33	16.6	9.9-23.3
College Graduate	93	4,278	3	3.0	0.0- 6.9	5	15.0	0.0-33.4	12	23.2	8.3-38.1	49	46.5	30.8-62.2	24	12.4	6.3-18.5
\$15,000- 24,999	73	5,022	2	2.2	0.0- 5.3	3	18.4	0.0-44.1	16	21.6	8.5-34.7	30	40.9	21.9-59.9	22	16.9	7.5-26.3
\$75,000+	50	3,653	3	9.6	0.0-21.0	2	2.5	0.0- 6.0	9	28.2	10.8-45.6	26	46.3	29.8-62.8	10	13.3	3.9-22.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)	
1	MALES AND FEMALES	79
2	MALES ONLY	80
3	FEMALES ONLY	81
	NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? (RMVTETH4)	
4	MALES AND FEMALES	82
5	MALES ONLY	83
6	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 1: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5589	577,467	3943	67.6	65.8-69.4	519	10.4	9.2-11.6	474	10.1	8.9-11.3	637	11.4	10.2-12.6	16	0.6	0.2- 1.0
Male	2675	295,900	1766	63.5	61.1-65.9	265	10.5	8.9-12.1	268	11.4	9.8-13.0	364	13.8	12.0-15.6	12	0.8	0.2- 1.4
Female	2914	281,567	2177	72.0	69.5-74.5	254	10.3	8.5-12.1	206	8.6	6.8-10.4	273	8.8	7.2-10.4	4	0.3	0.0- 0.7
Native	177	24,932	98	54.0	43.8-64.2	25	14.6	7.3-21.9	24	12.8	6.9-18.7	29	16.3	8.9-23.7	1	2.3	0.0- 6.8
Non-Native	5362	546,811	3814	68.3	66.5-70.1	489	10.2	9.0-11.4	447	10.0	8.8-11.2	597	11.1	9.9-12.3	15	0.5	0.3- 0.7
18-24	250	85,911	171	68.3	61.6-75.0	32	13.4	8.5-18.3	30	11.0	6.7-15.3	16	6.9	3.2-10.6	1	0.3	0.0- 0.9
25-34	471	110,783	285	61.0	56.1-65.9	57	11.5	8.4-14.6	62	13.7	10.2-17.2	61	12.3	9.2-15.4	6	1.4	0.2- 2.6
35-44	537	90,994	373	67.8	63.1-72.5	50	10.2	7.3-13.1	53	11.0	7.7-14.3	60	10.4	7.7-13.1	1	0.6	0.0- 1.8
45-54	720	80,683	509	69.4	65.5-73.3	68	9.1	6.7-11.5	65	9.3	6.8-11.8	77	12.0	9.1-14.9	1	0.2	0.0- 0.6
55-64	1259	93,197	934	72.4	69.3-75.5	104	8.1	6.3- 9.9	89	7.4	5.6- 9.2	127	11.5	9.1-13.9	5	0.5	0.1- 0.9
65+	2352	115,898	1671	68.1	65.7-70.5	208	10.0	8.4-11.6	175	7.8	6.4- 9.2	296	13.9	11.9-15.9	2	0.2	0.0- 0.4
Less Than H.S.	289	47,060	138	52.1	43.5-60.7	36	10.9	6.0-15.8	30	8.6	4.1-13.1	84	27.1	19.8-34.4	1	1.2	0.0- 3.6
H.S. or G.E.D.	1528	152,772	911	56.1	52.6-59.6	160	11.9	9.5-14.3	180	14.2	11.5-16.9	269	17.0	14.5-19.5	8	0.8	0.0- 1.6
Some Post-H.S.	1771	225,650	1238	68.5	65.6-71.4	185	11.6	9.4-13.8	164	10.8	8.8-12.8	179	8.5	6.9-10.1	5	0.6	0.0- 1.2
College Graduate	1990	151,146	1649	82.7	80.5-84.9	137	6.8	5.2- 8.4	100	5.2	3.8- 6.6	102	5.1	3.9- 6.3	2	0.1	0.0- 0.3
Less than \$15,000	306	36,194	131	46.8	38.4-55.2	56	19.8	13.3-26.3	33	8.1	4.6-11.6	83	22.9	16.6-29.2	3	2.4	0.0- 5.1
\$15,000- 24,999	615	64,435	300	46.2	40.1-52.3	80	13.9	9.4-18.4	95	16.0	11.9-20.1	137	22.7	17.8-27.6	3	1.2	0.0- 2.8
\$25,000- 34,999	460	46,244	285	57.7	50.8-64.6	39	8.1	4.6-11.6	58	18.6	12.7-24.5	76	15.3	11.0-19.6	2	0.4	0.0- 1.2
\$35,000- 49,999	706	65,366	481	60.3	54.8-65.8	90	16.1	12.0-20.2	59	13.3	9.0-17.6	75	10.1	7.2-13.0	1	0.2	0.0- 0.6
\$50,000- 74,999	858	84,794	657	71.0	66.5-75.5	65	9.5	6.4-12.6	64	9.8	6.5-13.1	70	9.3	6.8-11.8	2	0.4	0.0- 1.0
\$75,000+	1855	202,046	1538	81.3	78.9-83.7	123	7.4	5.8- 9.0	107	6.0	4.6- 7.4	84	4.9	3.5- 6.3	3	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 2: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2675	295,900	1766	63.5	61.1-65.9	265	10.5	8.9-12.1	268	11.4	9.8-13.0	364	13.8	12.0-15.6	12	0.8	0.2- 1.4
Native	78	11,570	39	50.0	36.1-63.9	9	10.8	2.6-19.0	11	13.1	4.5-21.7	18	21.1	10.5-31.7	1	4.9	0.0-14.3
Non-Native	2571	281,431	1711	64.1	61.6-66.6	254	10.6	9.0-12.2	255	11.4	9.6-13.2	340	13.3	11.5-15.1	11	0.6	0.2- 1.0
18-24	169	45,737	114	68.3	60.9-75.7	19	10.0	5.5-14.5	21	11.5	6.4-16.6	14	9.5	4.6-14.4	1	0.6	0.0- 1.8
25-34	275	59,925	147	53.9	47.4-60.4	39	13.4	8.9-17.9	44	17.3	12.2-22.4	41	13.9	9.6-18.2	4	1.5	0.0- 3.1
35-44	306	47,932	199	63.5	57.4-69.6	32	11.8	7.7-15.9	32	10.8	6.9-14.7	42	12.6	8.7-16.5	1	1.2	0.0- 3.6
45-54	362	41,826	248	67.2	61.7-72.7	35	9.2	5.9-12.5	31	8.3	5.2-11.4	47	15.0	10.7-19.3	1	0.4	0.0- 1.2
55-64	612	47,294	418	66.6	61.9-71.3	53	7.7	5.3-10.1	54	9.2	6.5-11.9	82	15.5	11.6-19.4	5	1.0	0.0- 2.0
65+	951	53,185	640	64.2	60.3-68.1	87	10.0	7.5-12.5	86	9.6	7.2-12.0	138	16.1	13.0-19.2			
Less Than H.S.	154	25,488	64	45.2	35.0-55.4	15	8.4	2.5-14.3	24	12.0	5.1-18.9	50	32.1	22.7-41.5	1	2.2	0.0- 6.5
H.S. or G.E.D.	786	88,104	437	54.6	50.1-59.1	85	12.1	9.2-15.0	97	13.2	10.3-16.1	162	19.4	16.1-22.7	5	0.7	0.0- 1.5
Some Post-H.S.	826	112,899	547	64.5	60.4-68.6	93	11.5	8.8-14.2	91	13.3	10.2-16.4	91	9.9	7.5-12.3	4	0.9	0.0- 1.9
College Graduate	903	68,789	715	79.7	76.6-82.8	71	7.6	5.6- 9.6	56	6.0	4.0- 8.0	59	6.4	4.4- 8.4	2	0.3	0.0- 0.7
Less than \$15,000	135	18,913	52	42.3	31.5-53.1	24	20.6	12.0-29.2	11	4.5	1.4- 7.6	46	29.4	19.6-39.2	2	3.2	0.0- 7.5
\$15,000- 24,999	264	29,868	104	38.8	31.0-46.6	30	10.0	5.7-14.3	51	19.3	13.2-25.4	78	31.1	23.8-38.4	1	0.9	0.0- 2.5
\$25,000- 34,999	195	21,134	110	58.0	48.8-67.2	13	4.6	1.3- 7.9	30	19.1	11.5-26.7	40	17.4	10.9-23.9	2	0.9	0.0- 2.5
\$35,000- 49,999	341	33,929	203	53.2	46.1-60.3	57	17.7	12.2-23.2	39	16.5	10.6-22.4	41	12.1	7.8-16.4	1	0.5	0.0- 1.5
\$50,000- 74,999	445	48,324	328	68.6	62.5-74.7	33	9.1	5.2-13.0	40	11.1	6.6-15.6	42	10.6	6.9-14.3	2	0.6	0.0- 1.6
\$75,000+	1015	108,267	794	75.5	72.0-79.0	78	8.5	6.1-10.9	74	8.3	6.1-10.5	66	6.9	4.9- 8.9	3	0.7	0.0- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 3: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2914	281,567	2177	72.0	69.5-74.5	254	10.3	8.5-12.1	206	8.6	6.8-10.4	273	8.8	7.2-10.4	4	0.3	0.0- 0.7
Native	99	13,361	59	57.3	42.8-71.8	16	17.8	6.2-29.4	13	12.6	4.4-20.8	11	12.2	1.6-22.8			
Non-Native	2791	265,380	2103	72.7	70.0-75.4	235	9.9	8.1-11.7	192	8.5	6.7-10.3	257	8.6	7.0-10.2	4	0.3	0.0- 0.7
18-24	81	40,174	57	68.2	57.0-79.4	13	17.3	8.3-26.3	9	10.5	3.2-17.8	2	4.0	0.0- 9.5			
25-34	196	50,858	138	69.5	62.2-76.8	18	9.3	4.8-13.8	18	9.4	4.9-13.9	20	10.5	5.8-15.2	2	1.3	0.0- 3.1
35-44	231	43,062	174	72.5	65.6-79.4	18	8.4	4.3-12.5	21	11.2	5.9-16.5	18	8.0	4.1-11.9			
45-54	358	38,857	261	71.9	66.4-77.4	33	8.9	5.8-12.0	34	10.4	6.7-14.1	30	8.8	5.3-12.3			
55-64	647	45,903	516	78.5	74.6-82.4	51	8.6	5.9-11.3	35	5.5	3.3- 7.7	45	7.4	4.9- 9.9			
65+	1401	62,713	1031	71.4	68.5-74.3	121	10.0	7.8-12.2	89	6.3	4.9- 7.7	158	12.1	9.9-14.3	2	0.3	0.0- 0.7
Less Than H.S.	135	21,572	74	60.4	46.9-73.9	21	13.9	5.5-22.3	6	4.6	0.0- 9.5	34	21.1	9.9-32.3			
H.S. or G.E.D.	742	64,668	474	58.1	52.4-63.8	75	11.8	8.1-15.5	83	15.5	10.6-20.4	107	13.6	10.1-17.1	3	0.9	0.0- 2.3
Some Post-H.S.	945	112,751	691	72.6	68.3-76.9	92	11.7	8.4-15.0	73	8.4	5.9-10.9	88	7.1	5.1- 9.1	1	0.2	0.0- 0.6
College Graduate	1087	82,357	934	85.1	82.0-88.2	66	6.2	4.0- 8.4	44	4.7	2.7- 6.7	43	4.0	2.2- 5.8			
Less than \$15,000	171	17,281	79	51.7	39.4-64.0	32	19.0	9.4-28.6	22	12.0	5.3-18.7	37	15.8	8.7-22.9	1	1.5	0.0- 4.4
\$15,000- 24,999	351	34,567	196	52.7	43.5-61.9	50	17.2	9.8-24.6	44	13.1	7.6-18.6	59	15.4	8.9-21.9	2	1.6	0.0- 4.0
\$25,000- 34,999	265	25,111	175	57.4	47.6-67.2	26	11.0	4.9-17.1	28	18.2	9.4-27.0	36	13.5	7.6-19.4			
\$35,000- 49,999	365	31,437	278	68.0	59.8-76.2	33	14.2	7.9-20.5	20	9.9	3.8-16.0	34	7.9	4.2-11.6			
\$50,000- 74,999	413	36,471	329	74.2	66.9-81.5	32	10.1	4.8-15.4	24	8.2	3.1-13.3	28	7.5	3.8-11.2			
\$75,000+	840	93,779	744	87.9	85.0-90.8	45	6.1	3.7- 8.5	33	3.4	2.0- 4.8	18	2.6	1.0- 4.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 4: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5505	572,398	1694	24.5	22.9-26.1	678	7.7	6.9- 8.5	360	4.7	4.1- 5.3	2773	63.2	61.4-65.0
Male	2655	294,644	826	25.4	23.4-27.4	310	7.6	6.4- 8.8	149	4.4	3.6- 5.2	1370	62.5	60.1-64.9
Female	2850	277,754	868	23.5	21.3-25.7	368	7.8	6.8- 8.8	211	4.9	4.1- 5.7	1403	63.8	61.3-66.3
Native	174	24,455	57	34.6	24.6-44.6	37	12.8	7.5-18.1	16	6.5	2.8-10.2	64	46.2	35.8-56.6
Non-Native	5281	542,148	1621	24.1	22.5-25.7	638	7.5	6.7- 8.3	340	4.6	4.0- 5.2	2682	63.8	62.0-65.6
18-24	250	85,987	20	7.1	3.8-10.4	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	228	92.4	89.1-95.7
25-34	472	110,593	89	19.1	15.0-23.2	10	2.1	0.7- 3.5	5	0.9	0.1- 1.7	368	77.9	73.6-82.2
35-44	536	90,808	121	21.4	17.5-25.3	21	4.6	2.4- 6.8	8	1.9	0.5- 3.3	386	72.2	67.9-76.5
45-54	716	80,281	195	29.0	25.1-32.9	34	4.3	2.7- 5.9	27	4.3	2.5- 6.1	460	62.4	58.3-66.5
55-64	1246	92,052	443	33.7	30.6-36.8	129	10.8	8.6-13.0	63	6.3	4.5- 8.1	611	49.1	45.8-52.4
65+	2285	112,677	826	34.7	32.3-37.1	483	21.3	19.1-23.5	256	12.9	11.1-14.7	720	31.2	28.8-33.6
Less Than H.S.	281	45,714	75	23.9	17.0-30.8	64	13.7	9.4-18.0	61	13.5	9.2-17.8	81	48.9	40.1-57.7
H.S. or G.E.D.	1512	153,020	503	28.8	25.9-31.7	242	9.6	8.0-11.2	158	7.0	5.6- 8.4	609	54.6	51.3-57.9
Some Post-H.S.	1733	222,666	548	24.0	21.5-26.5	231	7.8	6.4- 9.2	112	3.8	3.0- 4.6	842	64.3	61.4-67.2
College Graduate	1968	150,106	567	20.9	18.7-23.1	140	3.7	2.9- 4.5	29	0.9	0.5- 1.3	1232	74.4	72.0-76.8
Less than \$15,000	292	34,968	73	20.6	14.7-26.5	56	13.2	8.7-17.7	57	13.1	8.6-17.6	106	53.2	45.2-61.2
\$15,000- 24,999	607	64,271	167	20.9	16.4-25.4	134	13.1	10.0-16.2	103	12.4	9.3-15.5	203	53.6	47.5-59.7
\$25,000- 34,999	450	45,559	161	29.5	23.6-35.4	93	13.0	9.3-16.7	30	4.0	2.2- 5.8	166	53.5	46.8-60.2
\$35,000- 49,999	692	64,526	256	29.9	25.4-34.4	115	11.8	9.1-14.5	48	4.3	2.9- 5.7	273	54.0	48.7-59.3
\$50,000- 74,999	849	84,118	289	27.3	23.4-31.2	90	6.0	4.4- 7.6	32	3.0	1.6- 4.4	438	63.7	59.4-68.0
\$75,000+	1843	201,085	525	22.2	19.8-24.6	79	2.3	1.7- 2.9	25	0.9	0.5- 1.3	1214	74.6	72.2-77.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 5: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2655	294,644	826	25.4	23.4-27.4	310	7.6	6.4- 8.8	149	4.4	3.6- 5.2	1370	62.5	60.1-64.9
Native	77	11,302	25	36.6	22.7-50.5	12	8.4	1.9-14.9	8	8.0	1.7-14.3	32	47.0	32.7-61.3
Non-Native	2552	280,372	791	24.9	22.9-26.9	296	7.7	6.5- 8.9	139	4.3	3.3- 5.3	1326	63.1	60.7-65.5
18-24	169	45,813	12	6.7	2.8-10.6				1	0.5	0.0- 1.5	156	92.8	88.7-96.9
25-34	276	60,234	57	22.3	16.6-28.0	8	3.0	0.8- 5.2	1	0.2	0.0- 0.6	210	74.5	68.6-80.4
35-44	305	47,800	68	20.9	15.8-26.0	9	3.9	1.2- 6.6	7	2.9	0.5- 5.3	221	72.3	66.6-78.0
45-54	360	41,626	113	32.8	27.3-38.3	13	3.0	1.2- 4.8	8	2.6	0.8- 4.4	226	61.6	55.9-67.3
55-64	609	46,973	232	34.5	30.0-39.0	68	12.8	9.3-16.3	30	7.1	4.4- 9.8	279	45.5	40.6-50.4
65+	936	52,200	344	35.2	31.5-38.9	212	22.3	19.2-25.4	102	13.3	10.4-16.2	278	29.2	25.7-32.7
Less Than H.S.	151	25,110	36	26.3	16.9-35.7	36	16.1	9.6-22.6	36	16.8	10.1-23.5	43	40.7	30.1-51.3
H.S. or G.E.D.	786	88,686	273	30.5	26.6-34.4	108	8.2	6.2-10.2	67	5.7	4.1- 7.3	338	55.6	51.3-59.9
Some Post-H.S.	817	111,785	250	23.4	20.1-26.7	98	7.5	5.7- 9.3	39	3.1	1.9- 4.3	430	66.0	62.3-69.7
College Graduate	895	68,443	266	21.7	18.8-24.6	68	4.2	3.0- 5.4	7	0.5	0.1- 0.9	554	73.6	70.5-76.7
Less than \$15,000	134	18,890	33	20.8	12.2-29.4	26	13.9	7.8-20.0	23	13.4	6.7-20.1	52	51.8	41.0-62.6
\$15,000- 24,999	260	29,680	71	23.3	17.0-29.6	52	13.4	8.3-18.5	45	13.6	9.1-18.1	92	49.6	41.6-57.6
\$25,000- 34,999	192	20,927	61	28.5	20.3-36.7	38	13.3	7.8-18.8	15	4.1	1.7- 6.5	78	54.1	44.9-63.3
\$35,000- 49,999	337	33,617	132	33.7	27.4-40.0	56	12.1	8.4-15.8	16	2.7	1.3- 4.1	133	51.5	44.4-58.6
\$50,000- 74,999	441	47,880	155	28.2	22.9-33.5	55	6.4	4.2- 8.6	14	3.0	1.0- 5.0	217	62.4	56.7-68.1
\$75,000+	1010	107,800	298	24.0	20.9-27.1	52	2.8	1.8- 3.8	13	0.9	0.3- 1.5	647	72.4	69.1-75.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 6: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2850	277,754	868	23.5	21.3-25.7	368	7.8	6.8- 8.8	211	4.9	4.1- 5.7	1403	63.8	61.3-66.3
Native	97	13,153	32	32.8	18.9-46.7	25	16.6	8.2-25.0	8	5.1	1.0- 9.2	32	45.5	30.6-60.4
Non-Native	2729	261,776	830	23.2	21.0-25.4	342	7.4	6.4- 8.4	201	4.9	3.9- 5.9	1356	64.6	62.1-67.1
18-24	81	40,174	8	7.5	2.0-13.0	1	0.6	0.0- 1.8				72	91.9	86.2-97.6
25-34	196	50,360	32	15.3	9.6-21.0	2	1.0	0.0- 2.4	4	1.7	0.0- 3.5	158	82.0	76.1-87.9
35-44	231	43,009	53	21.9	15.8-28.0	12	5.4	2.1- 8.7	1	0.8	0.0- 2.4	165	72.0	65.3-78.7
45-54	356	38,656	82	24.9	19.4-30.4	21	5.8	3.1- 8.5	19	6.1	3.4- 8.8	234	63.2	57.1-69.3
55-64	637	45,079	211	33.0	28.7-37.3	61	8.7	6.3-11.1	33	5.5	3.5- 7.5	332	52.9	48.2-57.6
65+	1349	60,477	482	34.2	31.1-37.3	271	20.4	17.7-23.1	154	12.6	10.2-15.0	442	32.8	29.7-35.9
Less Than H.S.	130	20,603	39	21.0	11.6-30.4	28	10.8	5.1-16.5	25	9.4	4.9-13.9	38	58.8	45.9-71.7
H.S. or G.E.D.	726	64,334	230	26.6	21.9-31.3	134	11.5	9.0-14.0	91	8.7	6.2-11.2	271	53.2	47.7-58.7
Some Post-H.S.	916	110,882	298	24.6	20.9-28.3	133	8.2	6.4-10.0	73	4.6	3.2- 6.0	412	62.6	58.3-66.9
College Graduate	1073	81,663	301	20.3	17.4-23.2	72	3.4	2.2- 4.6	22	1.2	0.6- 1.8	678	75.1	72.0-78.2
Less than \$15,000	158	16,078	40	20.2	12.2-28.2	30	12.3	5.6-19.0	34	12.8	7.3-18.3	54	54.7	42.7-66.7
\$15,000- 24,999	347	34,591	96	18.9	12.4-25.4	82	12.9	9.0-16.8	58	11.3	7.2-15.4	111	56.9	48.3-65.5
\$25,000- 34,999	258	24,632	100	30.3	21.9-38.7	55	12.8	7.9-17.7	15	3.9	1.5- 6.3	88	53.0	43.4-62.6
\$35,000- 49,999	355	30,908	124	25.8	19.5-32.1	59	11.5	7.6-15.4	32	5.9	3.4- 8.4	140	56.8	48.8-64.8
\$50,000- 74,999	408	36,238	134	26.2	20.5-31.9	35	5.4	3.2- 7.6	18	3.1	1.3- 4.9	221	65.4	59.1-71.7
\$75,000+	833	93,285	227	20.1	16.8-23.4	27	1.8	1.0- 2.6	12	1.0	0.4- 1.6	567	77.1	73.8-80.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR SEX? OR WHAT WAS YOUR SEX AT BIRTH? WAS IT... (SEX1)	
MALES AND FEMALES	
WHAT IS YOUR AGE? (AGE)	
2 MALES AND FEMALES	90
3 MALES ONLY	91
4 FEMALES ONLY	92
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
5 MALES AND FEMALES	93
6 MALES ONLY	94
7 FEMALES ONLY	95
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)	
8 MALES AND FEMALES	96
9 MALES ONLY	97
10 FEMALES ONLY	98
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
11 MALES AND FEMALES	99
12 MALES ONLY	100
13 FEMALES ONLY	101
ARE YOU: (MARITAL STATUS) (MARITAL)	
14 MALES AND FEMALES	102
15 MALES ONLY	103
16 FEMALES ONLY	104
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
17 MALES AND FEMALES	105
18 MALES ONLY	106
19 FEMALES ONLY	107

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
20	MALES AND FEMALES	108
21	MALES ONLY	109
22	FEMALES ONLY	110
	IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
23	MALES AND FEMALES	111
24	MALES ONLY	112
25	FEMALES ONLY	113
	WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
26	MALES AND FEMALES	114
27	MALES ONLY	115
28	FEMALES ONLY	116
	NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)	
29	MALES AND FEMALES	117
30	MALES ONLY	118
31	FEMALES ONLY	119
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)	
32	MALES AND FEMALES	120
33	MALES ONLY	121
34	FEMALES ONLY	122
	HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)	
35	MALES AND FEMALES	123
36	MALES ONLY	124
37	FEMALES ONLY	125
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
38	MALES AND FEMALES	126
39	MALES ONLY	127
40	FEMALES ONLY	128

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
41 MALES AND FEMALES	129
42 MALES ONLY	130
43 FEMALES ONLY	131
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
44 MALES AND FEMALES	132
45 MALES ONLY	133
46 FEMALES ONLY	134
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
47 MALES AND FEMALES	135
48 MALES ONLY	136
49 FEMALES ONLY	137
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
50 MALES AND FEMALES	138
51 MALES ONLY	139
52 FEMALES ONLY	140
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
53 MALES AND FEMALES	141
54 MALES ONLY	142
55 FEMALES ONLY	143
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
58 FEMALES ONLY	
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
59 MALES AND FEMALES	147
60 MALES ONLY	148
61 FEMALES ONLY	149
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
62 MALES AND FEMALES	150
63 MALES ONLY	151
64 FEMALES ONLY	152
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
65	MALES AND FEMALES	153
66	MALES ONLY	154
67	FEMALES ONLY	155
	DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
68	MALES AND FEMALES	156
69	MALES ONLY	157
70	FEMALES ONLY	158
	DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
71	MALES AND FEMALES	159
72	MALES ONLY	160
73	FEMALES ONLY	161
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
74	MALES AND FEMALES	162
75	MALES ONLY	163
76	FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS

TABLE 1: WHAT IS YOUR SEX? OR WHAT WAS YOUR SEX AT BIRTH? WAS IT... (SEX1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5622	580,621	2694	51.3	49.3-53.3	2928	48.7	46.7-50.7
Native	178	24,984	79	46.5	36.5-56.5	99	53.5	43.5-63.5
Non-Native	5393	549,812	2588	51.5	49.5-53.5	2805	48.5	46.5-50.5
18-24	252	86,445	171	53.5	46.2-60.8	81	46.5	39.2-53.8
25-34	474	111,400	277	54.2	49.1-59.3	197	45.8	40.7-50.9
35-44	539	91,260	307	52.7	47.8-57.6	232	47.3	42.4-52.2
45-54	724	81,078	363	51.7	47.4-56.0	361	48.3	44.0-52.6
55-64	1265	93,677	618	51.0	47.7-54.3	647	49.0	45.7-52.3
65+	2368	116,761	958	45.8	43.3-48.3	1410	54.2	51.7-56.7
Less Than H.S.	294	47,362	156	54.0	45.4-62.6	138	46.0	37.4-54.6
H.S. or G.E.D.	1544	154,728	797	57.8	54.3-61.3	747	42.2	38.7-45.7
Some Post-H.S.	1776	225,964	829	50.1	47.0-53.2	947	49.9	46.8-53.0
College Graduate	1996	151,627	906	45.5	42.6-48.4	1090	54.5	51.6-57.4
Less than \$15,000	308	36,417	136	52.0	43.8-60.2	172	48.0	39.8-56.2
\$15,000- 24,999	621	64,998	265	46.2	40.1-52.3	356	53.8	47.7-59.9
\$25,000- 34,999	461	46,275	196	45.7	39.0-52.4	265	54.3	47.6-61.0
\$35,000- 49,999	707	65,414	341	51.9	46.4-57.4	366	48.1	42.6-53.6
\$50,000- 74,999	862	85,129	449	57.2	52.5-61.9	413	42.8	38.1-47.5
\$75,000+	1857	202,226	1017	53.6	50.5-56.7	840	46.4	43.3-49.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-24			25-34			35-44			45-54			55-64			65+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5622	580,621	252	14.9	13.1-16.7	474	19.2	17.4-21.0	539	15.7	14.3-17.1	724	14.0	12.8-15.2	1265	16.1	15.1-17.1	2368	20.1	19.1-21.1
Male	2694	297,837	171	15.5	13.3-17.7	277	20.3	17.9-22.7	307	16.1	14.1-18.1	363	14.1	12.5-15.7	618	16.0	14.4-17.6	958	18.0	16.6-19.4
Female	2928	282,784	81	14.2	11.3-17.1	197	18.1	15.6-20.6	232	15.3	13.1-17.5	361	13.9	12.3-15.5	647	16.2	14.6-17.8	1410	22.4	20.8-24.0
Native	178	24,984	12	16.5	7.3-25.7	20	22.5	12.9-32.1	26	19.6	11.4-27.8	34	16.1	9.8-22.4	45	14.7	9.2-20.2	41	10.5	6.2-14.8
Non-Native	5393	549,812	238	14.8	12.8-16.8	450	19.0	17.2-20.8	509	15.6	14.2-17.0	682	13.8	12.6-15.0	1209	16.2	15.0-17.4	2305	20.5	19.5-21.5
Less Than H.S.	294	47,362	22	24.4	15.2-33.6	20	18.8	11.2-26.4	8	6.8	2.1-11.5	16	6.2	2.9-9.5	41	12.5	8.2-16.8	187	31.3	25.0-37.6
H.S. or G.E.D.	1544	154,728	102	19.4	15.9-22.9	135	19.4	16.3-22.5	108	11.9	9.5-14.3	138	11.3	9.3-13.3	345	16.6	14.4-18.8	716	21.4	19.4-23.4
Some Post-H.S.	1776	225,964	93	16.3	13.2-19.4	134	17.4	14.7-20.1	176	16.6	14.1-19.1	221	13.8	11.8-15.8	420	16.4	14.6-18.2	732	19.5	17.7-21.3
College Graduate	1996	151,627	35	5.2	3.4-7.0	185	22.0	19.1-24.9	247	21.2	18.7-23.7	344	19.1	16.9-21.3	457	16.5	14.7-18.3	728	16.1	14.7-17.5
Less than \$15,000	308	36,417	24	24.6	15.6-33.6	22	16.8	9.9-23.7	15	8.0	3.7-12.3	34	10.7	6.8-14.6	65	17.5	12.6-22.4	148	22.4	17.3-27.5
\$15,000- 24,999	621	64,998	40	22.6	15.9-29.3	45	17.6	12.5-22.7	37	10.6	6.7-14.5	40	7.1	4.6-9.6	86	12.0	8.9-15.1	373	30.2	25.7-34.7
\$25,000- 34,999	461	46,275	29	20.2	13.3-27.1	35	18.6	12.7-24.5	35	14.9	9.6-20.2	35	8.9	5.6-12.2	64	10.0	7.1-12.9	263	27.4	22.7-32.1
\$35,000- 49,999	707	65,414	29	14.7	9.4-20.0	60	21.7	16.4-27.0	46	10.2	7.1-13.3	67	11.3	8.2-14.4	145	17.0	13.7-20.3	360	25.1	21.6-28.6
\$50,000- 74,999	862	85,129	30	9.9	6.0-13.8	85	22.9	18.4-27.4	82	16.1	12.6-19.6	109	14.4	11.5-17.3	223	18.4	15.5-21.3	333	18.4	15.9-20.9
\$75,000+	1857	202,226	45	7.7	5.3-10.1	181	20.3	17.4-23.2	279	23.3	20.6-26.0	377	20.1	17.9-22.3	524	17.9	16.1-19.7	451	10.7	9.5-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2694	297,837	171	15.5	13.3-17.7	277	20.3	18.1-22.5	307	16.1	14.3-17.9	363	14.1	12.5-15.7	618	16.0	14.4-17.6	958	18.0	16.6-19.4
Native	79	11,623	7	14.2	4.4-24.0	12	26.4	13.1-39.7	10	16.0	4.4-27.6	16	16.8	7.4-26.2	17	15.5	6.7-24.3	17	11.1	4.0-18.2
Non-Native	2588	283,215	163	15.6	13.2-18.0	264	20.1	17.7-22.5	294	16.2	14.2-18.2	342	13.8	12.2-15.4	591	16.0	14.4-17.6	934	18.3	16.9-19.7
Less Than H.S.	156	25,587	12	16.1	7.5-24.7	12	20.2	10.2-30.2	5	7.6	1.1-14.1	11	7.6	2.7-12.5	28	17.0	10.1-23.9	88	31.5	23.5-39.5
H.S. or G.E.D.	797	89,479	77	20.9	16.6-25.2	90	20.5	16.6-24.4	72	12.9	10.0-15.8	83	12.1	9.4-14.8	202	17.4	14.7-20.1	273	16.1	13.7-18.5
Some Post-H.S.	829	113,143	65	18.5	14.4-22.6	80	18.8	15.1-22.5	103	17.6	14.3-20.9	103	13.0	10.3-15.7	203	15.7	13.2-18.2	275	16.4	14.0-18.8
College Graduate	906	69,007	17	3.6	1.8- 5.4	95	22.6	18.5-26.7	127	21.3	17.8-24.8	162	20.1	17.0-23.2	183	14.5	12.1-16.9	322	18.0	15.6-20.4
Less than \$15,000	136	18,946	18	28.3	17.3-39.3	10	14.7	5.9-23.5	8	7.8	2.1-13.5	17	11.6	5.9-17.3	36	20.2	12.8-27.6	47	17.4	10.7-24.1
\$15,000- 24,999	265	30,001	25	21.4	14.0-28.8	26	19.4	12.3-26.5	20	10.6	5.9-15.3	24	10.7	6.0-15.4	39	12.0	7.3-16.7	131	25.9	20.4-31.4
\$25,000- 34,999	196	21,165	18	22.2	13.2-31.2	22	22.9	14.1-31.7	8	6.4	1.7-11.1	19	11.2	5.5-16.9	32	11.3	6.6-16.0	97	26.0	19.3-32.7
\$35,000- 49,999	341	33,929	19	14.1	7.8-20.4	36	22.6	15.7-29.5	29	12.9	8.2-17.6	32	10.0	6.3-13.7	70	16.0	11.7-20.3	155	24.3	19.6-29.0
\$50,000- 74,999	449	48,658	25	11.7	7.2-16.2	56	26.6	20.3-32.9	49	15.5	11.0-20.0	47	11.7	8.0-15.4	113	17.4	13.7-21.1	159	17.1	13.8-20.4
\$75,000+	1017	108,447	31	7.7	5.0-10.4	98	19.0	15.5-22.5	166	23.6	20.1-27.1	197	20.0	17.1-22.9	257	16.9	14.5-19.3	268	12.9	11.1-14.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS
TABLE 4: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2928	282,784	81	14.2	11.3-17.1	197	18.1	15.6-20.6	232	15.3	13.1-17.5	361	13.9	12.3-15.5	647	16.2	14.6-17.8	1410	22.4	20.8-24.0
Native	99	13,361	5	18.6	4.1-33.1	8	19.1	5.4-32.8	16	22.8	11.0-34.6	18	15.5	6.9-24.1	28	14.1	7.6-20.6	24	10.0	4.7-15.3
Non-Native	2805	266,597	75	14.0	10.9-17.1	186	17.9	15.4-20.4	215	15.0	12.8-17.2	340	13.8	12.0-15.6	618	16.4	14.8-18.0	1371	23.0	21.4-24.6
Less Than H.S.	138	21,775	10	34.2	18.5-49.9	8	17.2	5.4-29.0	3	5.8	0.0-12.3	5	4.5	0.0- 9.0	13	7.2	2.7-11.7	99	31.0	21.2-40.8
H.S. or G.E.D.	747	65,249	25	17.4	11.3-23.5	45	17.8	12.9-22.7	36	10.5	6.8-14.2	55	10.1	7.2-13.0	143	15.5	12.6-18.4	443	28.7	24.8-32.6
Some Post-H.S.	947	112,821	28	14.1	9.2-19.0	54	15.9	11.8-20.0	73	15.6	11.7-19.5	118	14.6	11.7-17.5	217	17.1	14.4-19.8	457	22.7	20.0-25.4
College Graduate	1090	82,619	18	6.6	3.5- 9.7	90	21.5	17.4-25.6	120	21.1	17.4-24.8	182	18.2	15.3-21.1	274	18.1	15.6-20.6	406	14.5	12.5-16.5
Less than \$15,000	172	17,470	6	20.6	6.1-35.1	12	19.0	8.2-29.8	7	8.2	1.9-14.5	17	9.9	4.4-15.4	29	14.5	8.2-20.8	101	27.7	19.7-35.7
\$15,000- 24,999	356	34,997	15	23.5	13.1-33.9	19	16.1	8.7-23.5	17	10.7	4.6-16.8	16	4.0	1.8- 6.2	47	11.9	7.6-16.2	242	33.8	26.9-40.7
\$25,000- 34,999	265	25,111	11	18.5	8.3-28.7	13	15.0	7.2-22.8	27	22.1	13.5-30.7	16	7.1	3.2-11.0	32	8.9	5.2-12.6	166	28.5	22.0-35.0
\$35,000- 49,999	366	31,485	10	15.4	6.8-24.0	24	20.7	12.3-29.1	17	7.4	3.5-11.3	35	12.7	7.8-17.6	75	18.0	12.9-23.1	205	25.8	20.5-31.1
\$50,000- 74,999	413	36,471	5	7.4	0.7-14.1	29	17.9	11.4-24.4	33	17.0	11.3-22.7	62	17.9	13.0-22.8	110	19.8	15.3-24.3	174	20.0	16.1-23.9
\$75,000+	840	93,779	14	7.7	3.8-11.6	83	21.7	17.2-26.2	113	22.9	18.6-27.2	180	20.3	17.0-23.6	267	19.2	16.5-21.9	183	8.3	6.7- 9.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5593	577,907	40	2.1	1.3- 2.9	5	0.2	0.0- 0.4	2	0.0	0.0- 0.0	19	0.9	0.3- 1.5	2	0.1	0.0- 0.3	5525	96.7	95.7-97.7
Male	2681	296,674	29	2.6	1.4- 3.8	2	0.2	0.0- 0.6				14	1.1	0.3- 1.9	1	0.1	0.0- 0.3	2635	95.9	94.5-97.3
Female	2912	281,233	11	1.4	0.4- 2.4	3	0.2	0.0- 0.4	2	0.1	0.0- 0.3	5	0.6	0.0- 1.4	1	0.1	0.0- 0.3	2890	97.6	96.2-99.0
18-24	251	86,136	7	4.7	1.0- 8.4							3	1.8	0.0- 4.3				241	93.5	89.0-98.0
25-34	472	110,923	10	2.5	0.9- 4.1	3	0.6	0.0- 1.2				4	1.6	0.0- 3.4				455	95.4	93.0-97.8
35-44	537	91,041	8	2.3	0.5- 4.1	2	0.8	0.0- 2.0				4	0.9	0.0- 1.9	1	0.2	0.0- 0.6	522	95.8	93.4-98.2
45-54	721	80,545	8	2.1	0.5- 3.7							1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	711	97.4	95.6-99.2
55-64	1258	93,148	6	1.0	0.0- 2.0				1	0.1	0.0- 0.3	6	0.7	0.1- 1.3				1245	98.2	97.0-99.4
65+	2354	116,115	1	0.2	0.0- 0.6				1	0.1	0.0- 0.3	1	0.1	0.0- 0.3				2351	99.6	99.0- 100
Less Than H.S.	291	46,891	8	6.4	1.3-11.5							3	3.4	0.0- 7.3				280	90.2	83.9-96.5
H.S. or G.E.D.	1534	153,953	13	2.4	0.8- 4.0	2	0.4	0.0- 1.0	1	0.0	0.0- 0.0	6	0.7	0.1- 1.3	2	0.3	0.0- 0.7	1510	96.1	94.3-97.9
Some Post-H.S.	1773	225,478	11	1.7	0.5- 2.9	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	5	0.7	0.0- 1.7				1755	97.3	95.7-98.9
College Graduate	1985	150,777	8	0.8	0.2- 1.4	2	0.2	0.0- 0.6				5	0.5	0.1- 0.9				1970	98.5	97.7-99.3
Less than \$15,000	307	36,376	5	2.8	0.3- 5.3	1	0.8	0.0- 2.4	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	1	0.6	0.0- 1.8	298	95.4	92.3-98.5
\$15,000- 24,999	619	64,768	7	3.3	0.0- 6.6							2	0.4	0.0- 1.0				610	96.3	93.0-99.6
\$25,000- 34,999	459	46,157	7	4.2	1.1- 7.3							2	1.0	0.0- 2.4				450	94.8	91.3-98.3
\$35,000- 49,999	705	65,206	3	1.6	0.0- 3.6	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6				699	97.5	95.3-99.7
\$50,000- 74,999	859	84,719	5	1.2	0.0- 2.4	2	0.6	0.0- 1.6				3	1.3	0.0- 3.1				849	96.8	94.4-99.2
\$75,000+	1852	201,766	10	1.4	0.4- 2.4	1	0.1	0.0- 0.3				8	0.9	0.1- 1.7	1	0.1	0.0- 0.3	1832	97.5	96.3-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2681	296,674	29	2.6	1.4- 3.8	2	0.2	0.0- 0.6	14	1.1	0.3- 1.9	1	0.1	0.0- 0.3	2635	95.9	94.5-97.3
18-24	171	46,271	4	4.1	0.0- 8.6				2	1.0	0.0- 2.4				165	95.0	90.3-99.7
25-34	276	60,036	8	3.7	1.2- 6.2				4	2.9	0.0- 6.0				264	93.4	89.5-97.3
35-44	305	47,846	6	2.7	0.3- 5.1	2	1.5	0.0- 3.7	4	1.7	0.0- 3.5				293	94.0	90.5-97.5
45-54	362	41,699	6	3.3	0.6- 6.0							1	0.6	0.0- 1.8	355	96.2	93.3-99.1
55-64	612	47,466	4	1.6	0.0- 3.4				4	0.8	0.0- 1.6				604	97.6	95.6-99.6
65+	955	53,357	1	0.5	0.0- 1.5										954	99.5	98.5- 100
Less Than H.S.	155	25,396	5	6.8	1.1-12.5				3	6.3	0.0-13.4				147	86.9	78.3-95.5
H.S. or G.E.D.	793	89,266	9	3.0	0.6- 5.4	1	0.3	0.0- 0.9	5	1.1	0.1- 2.1	1	0.3	0.0- 0.9	777	95.3	92.6-98.0
Some Post-H.S.	828	112,827	8	2.1	0.5- 3.7	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3				818	97.4	95.6-99.2
College Graduate	900	68,595	7	1.5	0.3- 2.7				5	1.0	0.0- 2.0				888	97.5	95.9-99.1
Less than \$15,000	135	18,906	3	3.5	0.0- 7.6										132	96.5	92.4- 100
\$15,000- 24,999	264	29,810	6	3.9	0.4- 7.4				1	0.4	0.0- 1.2				257	95.8	92.3-99.3
\$25,000- 34,999	196	21,165	4	6.3	0.4-12.2				2	2.1	0.0- 5.0				190	91.7	85.2-98.2
\$35,000- 49,999	340	33,882	2	1.6	0.0- 3.8										338	98.4	96.2- 100
\$50,000- 74,999	446	48,248	4	1.9	0.0- 3.9	1	0.9	0.0- 2.7	3	2.3	0.0- 5.4				438	94.9	91.0-98.8
\$75,000+	1015	108,290	9	2.1	0.5- 3.7	1	0.3	0.0- 0.9	8	1.6	0.2- 3.0	1	0.2	0.0- 0.6	996	95.8	93.6-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2912	281,233	11	1.4	0.4- 2.4	3	0.2	0.0- 0.4	2	0.1	0.0- 0.3	5	0.6	0.0- 1.4	1	0.1	0.0- 0.3	2890	97.6	96.2-99.0
18-24	80	39,865	3	5.5	0.0-11.8							1	2.8	0.0- 8.3				76	91.7	83.7-99.7
25-34	196	50,887	2	1.1	0.0- 2.7	3	1.2	0.0- 2.8										191	97.7	95.5-99.9
35-44	232	43,195	2	1.9	0.0- 4.6										1	0.5	0.0- 1.5	229	97.7	94.8- 100
45-54	359	38,846	2	0.9	0.0- 2.1							1	0.5	0.0- 1.5				356	98.6	97.0- 100
55-64	646	45,682	2	0.4	0.0- 1.0				1	0.1	0.0- 0.3	2	0.7	0.0- 1.7				641	98.8	97.6- 100
65+	1399	62,758							1	0.2	0.0- 0.6	1	0.1	0.0- 0.3				1397	99.6	99.0- 100
Less Than H.S.	136	21,495	3	5.8	0.0-14.6													133	94.2	85.4- 100
H.S. or G.E.D.	741	64,687	4	1.7	0.0- 3.7	1	0.5	0.0- 1.5	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	733	97.2	95.0-99.4
Some Post-H.S.	945	112,651	3	1.3	0.0- 2.9				1	0.1	0.0- 0.3	4	1.4	0.0- 3.4				937	97.2	94.7-99.7
College Graduate	1085	82,182	1	0.3	0.0- 0.9	2	0.4	0.0- 1.0										1082	99.3	98.5- 100
Less than \$15,000	172	17,470	2	2.0	0.0- 4.7	1	1.7	0.0- 5.0	1	0.4	0.0- 1.2	1	0.5	0.0- 1.5	1	1.2	0.0- 3.6	166	94.2	89.3-99.1
\$15,000- 24,999	355	34,958	1	2.9	0.0- 8.4							1	0.4	0.0- 1.2				353	96.7	91.2- 100
\$25,000- 34,999	263	24,992	3	2.5	0.0- 5.4													260	97.5	94.6- 100
\$35,000- 49,999	365	31,324	1	1.7	0.0- 4.8	1	0.7	0.0- 2.1	1	0.5	0.0- 1.5	1	0.5	0.0- 1.5				361	96.6	92.9- 100
\$50,000- 74,999	413	36,471	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9										411	99.4	98.6- 100
\$75,000+	837	93,476	1	0.6	0.0- 1.8													836	99.4	98.2- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5575	574,057	5477	97.7	96.9-98.5	53	1.3	0.7- 1.9	2	0.0	0.0- 0.0	43	1.0	0.6- 1.4
Male	2665	293,575	2617	98.0	97.2-98.8	20	0.6	0.2- 1.0	1	0.1	0.0- 0.3	27	1.3	0.7- 1.9
Female	2910	280,482	2860	97.4	96.2-98.6	33	1.9	0.9- 2.9	1	0.0	0.0- 0.0	16	0.7	0.1- 1.3
18-24	250	85,928	239	95.3	91.8-98.8	8	3.3	0.4- 6.2				3	1.5	0.0- 3.5
25-34	468	109,708	449	96.4	94.6-98.2	14	2.2	0.8- 3.6				5	1.5	0.1- 2.9
35-44	532	89,972	521	98.3	97.1-99.5	8	1.3	0.3- 2.3	1	0.2	0.0- 0.6	2	0.2	0.0- 0.6
45-54	716	79,592	698	98.1	96.9-99.3	8	0.5	0.1- 0.9	1	0.0	0.0- 0.0	9	1.4	0.2- 2.6
55-64	1257	92,945	1243	98.9	97.9-99.9	6	0.2	0.0- 0.4				8	0.9	0.1- 1.7
65+	2352	115,912	2327	99.1	98.7-99.5	9	0.3	0.1- 0.5				16	0.6	0.2- 1.0
Less Than H.S.	290	46,035	280	95.6	92.5-98.7	2	1.0	0.0- 2.4				8	3.4	0.5- 6.3
H.S. or G.E.D.	1532	153,446	1503	97.6	96.4-98.8	14	1.1	0.3- 1.9				15	1.4	0.4- 2.4
Some Post-H.S.	1762	223,269	1733	97.6	96.2-99.0	19	1.6	0.4- 2.8				10	0.7	0.0- 1.5
College Graduate	1980	150,468	1950	98.6	98.0-99.2	18	1.0	0.4- 1.6	2	0.1	0.0- 0.3	10	0.3	0.1- 0.5
Less than \$15,000	304	35,672	294	95.8	92.7-98.9	6	2.4	0.0- 4.9				4	1.9	0.0- 3.9
\$15,000- 24,999	614	64,029	601	97.3	95.3-99.3	7	1.4	0.0- 2.8				6	1.3	0.0- 2.7
\$25,000- 34,999	457	45,709	451	98.2	96.0- 100	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	4	1.5	0.0- 3.5
\$35,000- 49,999	706	65,391	694	98.1	96.7-99.5	5	1.1	0.0- 2.3				7	0.7	0.0- 1.5
\$50,000- 74,999	856	83,917	843	97.6	95.8-99.4	9	1.5	0.1- 2.9	1	0.2	0.0- 0.6	3	0.8	0.0- 1.8
\$75,000+	1847	201,190	1824	98.8	98.0-99.6	16	0.6	0.2- 1.0				7	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2665	293,575	2617	98.0	97.2-98.8	20	0.6	0.2- 1.0	1	0.1	0.0- 0.3	27	1.3	0.7- 1.9
18-24	169	45,754	165	98.3	96.1- 100	2	0.4	0.0- 1.0				2	1.3	0.0- 3.5
25-34	274	59,684	266	96.9	94.5-99.3	4	0.8	0.0- 1.8				4	2.2	0.0- 4.4
35-44	301	47,014	294	97.5	95.5-99.5	5	1.8	0.0- 3.6	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9
45-54	358	40,783	350	97.7	95.5-99.9	4	0.5	0.0- 1.1				4	1.8	0.0- 4.0
55-64	611	47,263	605	98.7	97.1- 100	1	0.1	0.0- 0.3				5	1.3	0.0- 2.9
65+	952	53,077	937	99.0	98.4-99.6	4	0.2	0.0- 0.4				11	0.8	0.2- 1.4
Less Than H.S.	154	24,948	149	94.9	90.0-99.8							5	5.1	0.2-10.0
H.S. or G.E.D.	789	88,775	775	97.7	96.1-99.3	5	0.6	0.0- 1.4				9	1.7	0.3- 3.1
Some Post-H.S.	819	111,139	805	98.6	97.4-99.8	7	0.7	0.1- 1.3				7	0.7	0.0- 1.7
College Graduate	897	68,093	882	98.6	97.6-99.6	8	0.9	0.1- 1.7	1	0.2	0.0- 0.6	6	0.3	0.0- 0.7
Less than \$15,000	133	18,370	128	96.1	92.0- 100	3	2.8	0.0- 6.5				2	1.1	0.0- 2.7
\$15,000- 24,999	261	29,391	256	97.8	95.3- 100	2	0.4	0.0- 1.0				3	1.8	0.0- 4.3
\$25,000- 34,999	195	21,011	191	96.6	92.3- 100							4	3.4	0.0- 7.7
\$35,000- 49,999	341	33,929	334	97.7	95.5-99.9	3	1.2	0.0- 2.8				4	1.1	0.0- 2.7
\$50,000- 74,999	443	47,446	437	98.0	96.0- 100	2	0.4	0.0- 1.0	1	0.3	0.0- 0.9	3	1.3	0.0- 3.1
\$75,000+	1010	107,712	996	98.5	97.3-99.7	8	0.5	0.1- 0.9				6	1.0	0.0- 2.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 10: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2910	280,482	2860	97.4	96.2-98.6	33	1.9	0.9- 2.9	1	0.0	0.0- 0.0	16	0.7	0.1- 1.3
18-24	81	40,174	74	91.9	85.0-98.8	6	6.5	0.2-12.8				1	1.7	0.0- 4.8
25-34	194	50,024	183	95.7	92.8-98.6	10	3.8	1.1- 6.5				1	0.6	0.0- 1.8
35-44	231	42,958	227	99.2	98.4- 100	3	0.6	0.0- 1.4				1	0.2	0.0- 0.6
45-54	358	38,809	348	98.4	97.2-99.6	4	0.4	0.0- 1.0	1	0.1	0.0- 0.3	5	1.0	0.0- 2.2
55-64	646	45,682	638	99.1	98.3-99.9	5	0.4	0.0- 0.8				3	0.5	0.0- 1.3
65+	1400	62,835	1390	99.3	98.7-99.9	5	0.3	0.0- 0.7				5	0.4	0.0- 0.8
Less Than H.S.	136	21,087	131	96.4	92.9-99.9	2	2.2	0.0- 5.3				3	1.4	0.0- 3.2
H.S. or G.E.D.	743	64,671	728	97.4	95.4-99.4	9	1.7	0.0- 3.5				6	0.9	0.0- 1.9
Some Post-H.S.	943	112,130	928	96.7	94.2-99.2	12	2.6	0.4- 4.8				3	0.7	0.0- 1.9
College Graduate	1083	82,375	1068	98.6	97.6-99.6	10	1.1	0.1- 2.1	1	0.0	0.0- 0.0	4	0.3	0.0- 0.7
Less than \$15,000	171	17,302	166	95.4	90.5- 100	3	1.9	0.0- 5.2				2	2.7	0.0- 6.6
\$15,000- 24,999	353	34,639	345	96.9	94.2-99.6	5	2.3	0.0- 4.8				3	0.8	0.0- 1.8
\$25,000- 34,999	262	24,698	260	99.5	98.7- 100	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3			
\$35,000- 49,999	365	31,462	360	98.7	96.9- 100	2	1.1	0.0- 2.9				3	0.3	0.0- 0.7
\$50,000- 74,999	413	36,471	406	97.1	94.2- 100	7	2.9	0.0- 5.8						
\$75,000+	837	93,479	828	99.1	98.3-99.9	8	0.9	0.1- 1.7				1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5602	578,266	3171	55.3	53.3-57.3	634	9.4	8.4-10.4	814	6.2	5.6- 6.8	44	1.0	0.6- 1.4	811	24.1	22.3-25.9	128	4.1	3.1- 5.1
Male	2682	296,080	1529	52.2	49.7-54.7	317	9.8	8.4-11.2	175	3.1	2.5- 3.7	29	1.2	0.6- 1.8	557	29.2	26.8-31.6	75	4.4	3.2- 5.6
Female	2920	282,186	1642	58.4	55.5-61.3	317	8.9	7.5-10.3	639	9.4	8.4-10.4	15	0.8	0.2- 1.4	254	18.6	15.7-21.5	53	3.8	2.4- 5.2
Native	178	24,984	57	31.5	22.5-40.5	34	10.5	6.2-14.8	22	7.6	3.5-11.7	6	4.5	0.0- 9.0	51	40.2	29.8-50.6	8	5.7	0.8-10.6
Non-Native	5378	548,076	3091	56.4	54.4-58.4	595	9.4	8.4-10.4	786	6.1	5.5- 6.7	38	0.9	0.5- 1.3	750	23.3	21.3-25.3	118	4.0	3.0- 5.0
18-24	249	85,635	18	9.3	5.0-13.6	4	3.1	0.0- 6.2				2	0.9	0.0- 2.1	204	77.6	71.3-83.9	21	9.1	4.8-13.4
25-34	474	111,400	231	51.8	46.7-56.9	25	4.7	2.7- 6.7	2	0.5	0.0- 1.1	5	0.9	0.1- 1.7	174	34.2	29.5-38.9	37	7.9	5.2-10.6
35-44	537	90,863	366	71.2	66.9-75.5	62	10.7	7.8-13.6	2	0.3	0.0- 0.7	6	1.1	0.1- 2.1	76	12.3	9.2-15.4	25	4.5	2.5- 6.5
45-54	721	80,577	473	67.8	63.9-71.7	114	14.5	11.8-17.2	24	3.5	1.9- 5.1	12	1.9	0.5- 3.3	85	10.4	7.9-12.9	13	1.9	0.7- 3.1
55-64	1258	93,312	829	67.5	64.4-70.6	200	15.5	13.0-18.0	62	4.4	3.0- 5.8	15	1.4	0.4- 2.4	132	9.8	7.6-12.0	20	1.5	0.7- 2.3
65+	2363	116,479	1254	61.5	59.1-63.9	229	9.0	7.6-10.4	724	24.0	22.0-26.0	4	0.2	0.0- 0.4	140	5.0	4.0- 6.0	12	0.3	0.1- 0.5
Less Than H.S.	294	47,362	102	35.1	27.1-43.1	32	10.2	5.9-14.5	95	13.3	9.8-16.8	6	2.6	0.1- 5.1	50	31.2	22.4-40.0	9	7.6	2.1-13.1
H.S. or G.E.D.	1540	154,156	761	47.9	44.4-51.4	171	10.1	8.1-12.1	295	7.5	6.3- 8.7	18	1.6	0.6- 2.6	259	28.6	25.1-32.1	36	4.3	2.7- 5.9
Some Post-H.S.	1771	225,168	968	54.3	51.0-57.6	228	10.1	8.3-11.9	257	5.8	4.8- 6.8	10	0.6	0.2- 1.0	266	25.3	22.2-28.4	42	3.9	2.5- 5.3
College Graduate	1989	151,025	1338	70.6	67.9-73.3	202	7.2	5.8- 8.6	164	3.1	2.5- 3.7	10	0.5	0.1- 0.9	234	15.3	12.9-17.7	41	3.2	2.0- 4.4
Less than \$15,000	306	36,176	34	13.3	7.8-18.8	87	20.7	15.2-26.2	76	10.9	7.6-14.2	7	2.8	0.1- 5.5	97	49.1	40.9-57.3	5	3.2	0.3- 6.1
\$15,000- 24,999	620	64,965	169	27.5	22.4-32.6	110	12.7	9.6-15.8	190	14.7	11.8-17.6	8	1.6	0.4- 2.8	125	36.7	30.4-43.0	18	6.9	2.8-11.0
\$25,000- 34,999	459	45,807	145	33.7	27.4-40.0	86	15.6	11.3-19.9	124	11.1	8.2-14.0	4	0.7	0.0- 1.5	90	35.1	28.0-42.2	10	3.8	0.9- 6.7
\$35,000- 49,999	707	65,414	368	50.5	45.0-56.0	88	10.0	7.5-12.5	111	6.0	4.4- 7.6	3	0.3	0.0- 0.7	120	29.4	23.7-35.1	17	3.9	1.5- 6.3
\$50,000- 74,999	858	84,763	541	62.6	58.1-67.1	105	11.6	8.9-14.3	72	3.2	2.2- 4.2	3	0.5	0.0- 1.3	117	18.6	14.7-22.5	20	3.6	1.8- 5.4
\$75,000+	1856	202,145	1505	78.8	76.1-81.5	93	4.2	2.8- 5.6	65	1.5	0.9- 2.1	11	0.6	0.2- 1.0	138	11.1	8.7-13.5	44	3.8	2.4- 5.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	Married			Divorced			Widowed			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2682	296,080	1529	52.2	49.7-54.7	317	9.8	8.4-11.2	175	3.1	2.5- 3.7	29	1.2	0.6- 1.8	557	29.2	26.8-31.6	75	4.4	3.2- 5.6
Native	79	11,623	23	34.0	20.5-47.5	15	11.5	4.6-18.4	8	6.6	0.5-12.7	4	5.3	0.0-12.0	23	36.0	22.1-49.9	6	6.5	0.8-12.2
Non-Native	2580	281,974	1493	52.9	50.4-55.4	300	9.8	8.4-11.2	165	2.9	2.3- 3.5	25	1.1	0.5- 1.7	528	29.0	26.5-31.5	69	4.4	3.2- 5.6
18-24	168	45,461	9	7.0	2.3-11.7	2	3.0	0.0- 7.3				1	0.8	0.0- 2.4	146	83.7	76.8-90.6	10	5.4	1.9- 8.9
25-34	277	60,352	109	43.1	36.6-49.6	17	5.3	2.8- 7.8				3	0.9	0.0- 1.9	121	40.8	34.5-47.1	27	10.0	6.1-13.9
35-44	305	47,668	200	67.4	61.5-73.3	28	8.9	5.4-12.4	1	0.4	0.0- 1.2	5	1.8	0.0- 3.6	54	15.6	10.9-20.3	17	5.9	3.0- 8.8
45-54	362	41,671	221	63.2	57.5-68.9	64	17.0	12.7-21.3	5	1.6	0.0- 3.4	5	1.6	0.0- 3.2	60	14.4	10.5-18.3	7	2.3	0.5- 4.1
55-64	614	47,588	379	62.7	57.8-67.6	106	17.0	13.1-20.9	16	2.8	1.2- 4.4	12	2.2	0.4- 4.0	92	13.7	10.2-17.2	9	1.6	0.4- 2.8
65+	956	53,340	611	69.5	66.0-73.0	100	9.3	7.1-11.5	153	13.0	10.5-15.5	3	0.4	0.0- 0.8	84	7.4	5.4- 9.4	5	0.4	0.0- 0.8
Less Than H.S.	156	25,587	62	40.9	30.9-50.9	21	11.3	5.6-17.0	30	9.3	5.0-13.6	3	2.0	0.0- 4.7	36	31.9	21.9-41.9	4	4.7	0.0- 9.6
H.S. or G.E.D.	794	88,988	400	45.1	40.8-49.4	88	9.9	7.0-12.8	63	3.0	2.0- 4.0	14	1.9	0.7- 3.1	204	35.2	30.9-39.5	25	5.0	2.8- 7.2
Some Post-H.S.	826	112,451	441	48.8	44.5-53.1	121	11.1	8.7-13.5	47	2.6	1.6- 3.6	7	0.9	0.1- 1.7	187	32.2	27.9-36.5	23	4.4	2.4- 6.4
College Graduate	902	68,682	624	71.4	67.9-74.9	87	6.9	5.1- 8.7	35	1.7	0.9- 2.5	5	0.7	0.1- 1.3	128	15.6	12.5-18.7	23	3.7	2.1- 5.3
Less than \$15,000	135	18,733	18	16.0	7.4-24.6	26	12.9	7.2-18.6	19	6.1	2.8- 9.4	2	0.9	0.0- 2.5	67	59.9	49.5-70.3	3	4.2	0.0- 8.9
\$15,000- 24,999	265	30,001	82	28.1	21.2-35.0	52	14.6	9.7-19.5	38	7.7	4.4-11.0	7	3.0	0.5- 5.5	79	42.4	34.4-50.4	7	4.1	0.6- 7.6
\$25,000- 34,999	194	20,696	61	30.9	22.7-39.1	37	11.8	7.1-16.5	31	7.8	3.5-12.1	3	1.2	0.0- 2.8	55	42.2	32.6-51.8	7	6.1	0.4-11.8
\$35,000- 49,999	341	33,929	179	49.0	41.9-56.1	45	10.5	6.8-14.2	25	2.6	1.4- 3.8	1	0.1	0.0- 0.3	79	33.4	26.1-40.7	12	4.5	1.8- 7.2
\$50,000- 74,999	446	48,312	269	54.5	48.4-60.6	62	13.0	9.1-16.9	13	1.5	0.5- 2.5	2	0.8	0.0- 2.4	86	25.6	19.9-31.3	14	4.5	2.0- 7.0
\$75,000+	1017	108,447	779	72.8	69.1-76.5	63	5.2	3.4- 7.0	27	1.1	0.5- 1.7	9	1.0	0.2- 1.8	109	14.8	11.7-17.9	30	5.2	3.0- 7.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Never married			Unmarried couple					
	TOTAL	WEIGHTED	Married			Divorced			Widowed			N	%	C.I. (95%)	N	%	C.I. (95%)			
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2920	282,186	1642	58.4	55.5-61.3	317	8.9	7.5-10.3	639	9.4	8.4-10.4	15	0.8	0.2- 1.4	254	18.6	15.9-21.3	53	3.8	2.4- 5.2
Native	99	13,361	34	29.3	17.1-41.5	19	9.7	4.4-15.0	14	8.5	3.0-14.0	2	3.7	0.0- 9.8	28	43.7	28.4-59.0	2	5.1	0.0-12.9
Non-Native	2798	266,102	1598	60.1	57.2-63.0	295	8.9	7.5-10.3	621	9.5	8.5-10.5	13	0.6	0.2- 1.0	222	17.2	14.3-20.1	49	3.6	2.2- 5.0
18-24	81	40,174	9	11.8	4.2-19.4	2	3.2	0.0- 7.9				1	1.0	0.0- 3.0	58	70.7	59.9-81.5	11	13.4	5.4-21.4
25-34	197	51,048	122	62.1	54.5-69.7	8	4.0	1.1- 6.9	2	1.1	0.0- 2.7	2	1.0	0.0- 2.4	53	26.4	19.3-33.5	10	5.4	1.9- 8.9
35-44	232	43,195	166	75.3	69.0-81.6	34	12.7	8.0-17.4	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	22	8.7	4.6-12.8	8	2.9	0.7- 5.1
45-54	359	38,906	252	72.7	67.4-78.0	50	11.9	8.2-15.6	19	5.5	2.8- 8.2	7	2.2	0.0- 4.6	25	6.2	3.1- 9.3	6	1.4	0.2- 2.6
55-64	644	45,724	450	72.4	68.3-76.5	94	13.9	10.8-17.0	46	6.1	3.9- 8.3	3	0.5	0.0- 1.1	40	5.6	3.4- 7.8	11	1.5	0.3- 2.7
65+	1407	63,139	643	54.7	51.6-57.8	129	8.7	6.9-10.5	571	33.3	30.4-36.2	1	0.0	0.0- 0.0	56	3.0	2.0- 4.0	7	0.3	0.1- 0.5
Less Than H.S.	138	21,775	40	28.2	15.9-40.5	11	8.9	2.0-15.8	65	18.1	11.6-24.6	3	3.4	0.0- 7.7	14	30.3	15.4-45.2	5	11.0	0.6-21.4
H.S. or G.E.D.	746	65,168	361	51.8	46.1-57.5	83	10.4	7.5-13.3	232	13.6	11.1-16.1	4	1.2	0.0- 2.8	55	19.7	14.0-25.4	11	3.3	0.9- 5.7
Some Post-H.S.	945	112,717	527	59.8	54.9-64.7	107	9.1	6.7-11.5	210	9.0	7.4-10.6	3	0.3	0.0- 0.7	79	18.4	13.7-23.1	19	3.5	1.3- 5.7
College Graduate	1087	82,343	714	70.0	66.1-73.9	115	7.5	5.5- 9.5	129	4.2	3.2- 5.2	5	0.4	0.0- 0.8	106	15.0	11.5-18.5	18	2.9	1.1- 4.7
Less than \$15,000	171	17,442	16	10.4	4.3-16.5	61	29.1	19.5-38.7	57	16.1	10.2-22.0	5	4.7	0.0-10.2	30	37.5	23.6-51.4	2	2.2	0.0- 5.5
\$15,000- 24,999	355	34,964	87	27.0	19.6-34.4	58	11.0	7.1-14.9	152	20.7	15.6-25.8	1	0.3	0.0- 0.9	46	31.7	21.9-41.5	11	9.3	2.2-16.4
\$25,000- 34,999	265	25,111	84	36.0	26.8-45.2	49	18.7	11.6-25.8	93	13.9	9.8-18.0	1	0.3	0.0- 0.9	35	29.2	18.8-39.6	3	1.9	0.0- 4.1
\$35,000- 49,999	366	31,485	189	52.0	43.6-60.4	43	9.6	5.9-13.3	86	9.6	6.5-12.7	2	0.5	0.0- 1.3	41	25.0	16.2-33.8	5	3.2	0.0- 7.1
\$50,000- 74,999	412	36,452	272	73.3	67.0-79.6	43	9.7	6.0-13.4	59	5.4	3.6- 7.2	1	0.1	0.0- 0.3	31	9.2	3.9-14.5	6	2.3	0.1- 4.5
\$75,000+	839	93,698	726	85.7	81.8-89.6	30	3.2	1.0- 5.4	38	1.9	0.9- 2.9	2	0.2	0.0- 0.4	29	6.9	3.6-10.2	14	2.1	0.7- 3.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5610	579,680	2	0.1	0.0- 0.3	114	1.8	1.4- 2.2	178	6.2	5.0- 7.4	1544	26.7	25.1-28.3	1776	39.0	37.0-41.0	1996	26.2	24.8-27.6
Male	2688	297,217	1	0.2	0.0- 0.6	64	2.2	1.4- 3.0	91	6.2	4.6- 7.8	797	30.1	27.9-32.3	829	38.1	35.6-40.6	906	23.2	21.4-25.0
Female	2922	282,463	1	0.1	0.0- 0.3	50	1.4	0.8- 2.0	87	6.2	4.2- 8.2	747	23.1	20.7-25.5	947	39.9	37.0-42.8	1090	29.2	26.8-31.6
Native	178	24,984				4	1.9	0.0- 4.3	21	17.6	9.0-26.2	47	27.5	18.7-36.3	58	41.4	31.2-51.6	48	11.5	7.2-15.8
Non-Native	5383	549,003	1	0.1	0.0- 0.3	109	1.8	1.4- 2.2	155	5.6	4.4- 6.8	1482	26.7	25.1-28.3	1705	38.9	36.9-40.9	1931	26.8	25.2-28.4
18-24	252	86,445							22	13.4	7.7-19.1	102	34.8	28.3-41.3	93	42.7	35.6-49.8	35	9.1	5.8-12.4
25-34	474	111,400	1	0.5	0.0- 1.5				19	7.5	4.0-11.0	135	26.9	22.6-31.2	134	35.2	30.1-40.3	185	29.9	25.6-34.2
35-44	539	91,260				2	0.9	0.0- 2.3	6	2.6	0.4- 4.8	108	20.2	16.5-23.9	176	41.1	36.0-46.2	247	35.2	30.9-39.5
45-54	719	80,437				4	1.1	0.0- 2.3	12	2.5	0.9- 4.1	138	21.7	18.2-25.2	221	38.7	34.4-43.0	344	36.0	32.1-39.9
55-64	1263	93,596	1	0.2	0.0- 0.6	8	1.3	0.1- 2.5	32	4.8	3.0- 6.6	345	27.5	24.6-30.4	420	39.5	36.2-42.8	457	26.7	24.2-29.2
65+	2363	116,543				100	6.6	5.2- 8.0	87	6.1	4.5- 7.7	716	28.5	26.3-30.7	732	37.9	35.4-40.4	728	20.9	19.1-22.7
Less than \$15,000	308	36,417				27	6.0	3.1- 8.9	36	20.2	12.2-28.2	121	34.2	26.9-41.5	91	34.3	26.5-42.1	33	5.2	2.7- 7.7
\$15,000- 24,999	620	64,965				29	3.5	2.1- 4.9	46	13.0	7.9-18.1	258	35.3	29.8-40.8	195	37.8	31.5-44.1	92	10.5	7.4-13.6
\$25,000- 34,999	460	46,056	1	1.1	0.0- 3.3	6	2.5	0.0- 5.2	17	6.3	1.8-10.8	171	37.9	31.2-44.6	163	38.0	31.5-44.5	102	14.2	10.3-18.1
\$35,000- 49,999	706	65,365				4	0.5	0.0- 1.1	15	3.7	0.6- 6.8	204	31.7	26.4-37.0	265	43.4	38.1-48.7	218	20.7	16.8-24.6
\$50,000- 74,999	862	85,129				1	0.2	0.0- 0.6	7	1.9	0.0- 4.1	212	26.1	22.0-30.2	280	41.3	36.6-46.0	362	30.5	26.6-34.4
\$75,000+	1857	202,226				8	0.4	0.0- 0.8	18	2.9	1.5- 4.3	302	17.1	14.7-19.5	525	38.5	35.4-41.6	1004	41.0	38.1-43.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2688	297,217	1	0.2	0.0-0.6	64	2.2	1.4-3.0	91	6.2	4.6-7.8	797	30.1	27.9-32.3	829	38.1	35.6-40.6	906	23.2	21.4-25.0
Native	79	11,623				3	3.6	0.0-8.3	11	18.8	6.8-30.8	28	39.3	25.6-53.0	22	32.4	19.7-45.1	15	5.9	2.4-9.4
Non-Native	2583	282,625	1	0.2	0.0-0.6	61	2.2	1.4-3.0	79	5.7	4.1-7.3	761	29.9	27.5-32.3	799	38.2	35.7-40.7	882	23.9	21.9-25.9
18-24	171	46,271							12	8.9	3.8-14.0	77	40.4	32.6-48.2	65	45.4	37.2-53.6	17	5.3	2.8-7.8
25-34	277	60,352	1	0.9	0.0-2.7				11	7.7	3.2-12.2	90	30.4	24.5-36.3	80	35.2	28.7-41.7	95	25.8	20.5-31.1
35-44	307	48,065				1	0.7	0.0-2.1	4	3.4	0.1-6.7	72	24.0	18.7-29.3	103	41.3	34.8-47.8	127	30.6	25.3-35.9
45-54	359	41,351				3	1.8	0.0-4.0	8	2.9	0.7-5.1	83	26.2	20.9-31.5	103	35.6	29.7-41.5	162	33.5	28.4-38.6
55-64	616	47,693				4	1.9	0.0-4.1	24	7.3	4.2-10.4	202	32.7	28.2-37.2	203	37.2	32.5-41.9	183	21.0	17.7-24.3
65+	958	53,485				56	8.8	6.3-11.3	32	6.2	3.7-8.7	273	27.0	23.7-30.3	275	34.7	31.0-38.4	322	23.2	20.5-25.9
Less than \$15,000	136	18,946				15	7.2	2.5-11.9	16	15.7	7.1-24.3	50	36.8	26.6-47.0	40	35.0	24.4-45.6	15	5.3	2.0-8.6
\$15,000- 24,999	265	30,001				19	5.3	2.8-7.8	19	10.4	5.1-15.7	123	43.1	35.5-50.7	70	32.2	24.4-40.0	34	8.9	5.2-12.6
\$25,000- 34,999	195	20,945	1	2.5	0.0-7.2	2	2.1	0.0-5.4	9	5.3	1.2-9.4	83	42.6	33.4-51.8	64	36.3	27.1-45.5	36	11.2	6.5-15.9
\$35,000- 49,999	341	33,929				4	1.0	0.0-2.2	8	2.9	0.2-5.6	110	33.3	26.8-39.8	133	47.2	40.1-54.3	86	15.6	11.5-19.7
\$50,000- 74,999	449	48,658				1	0.3	0.0-0.9	5	3.1	0.0-6.6	131	30.4	24.9-35.9	147	39.8	33.5-46.1	165	26.4	21.5-31.3
\$75,000+	1017	108,447				6	0.6	0.0-1.2	15	4.5	2.1-6.9	196	20.8	17.7-23.9	294	37.7	33.8-41.6	506	36.3	32.8-39.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2922	282,463	1	0.1	0.0- 0.3	50	1.4	0.8- 2.0	87	6.2	4.2- 8.2	747	23.1	20.7-25.5	947	39.9	37.0-42.8	1090	29.2	26.8-31.6
Native	99	13,361				1	0.5	0.0- 1.5	10	16.6	4.3-28.9	19	17.2	7.2-27.2	36	49.3	34.6-64.0	33	16.4	8.8-24.0
Non-Native	2800	266,379				48	1.4	0.8- 2.0	76	5.6	3.6- 7.6	721	23.4	21.0-25.8	906	39.6	36.7-42.5	1049	30.0	27.6-32.4
18-24	81	40,174							10	18.5	7.9-29.1	25	28.3	18.1-38.5	28	39.6	27.8-51.4	18	13.5	7.0-20.0
25-34	197	51,048							8	7.4	2.1-12.7	45	22.7	16.2-29.2	54	35.2	27.2-43.2	90	34.7	27.6-41.8
35-44	232	43,195				1	1.2	0.0- 3.6	2	1.7	0.0- 4.1	36	15.9	10.6-21.2	73	40.8	33.0-48.6	120	40.4	33.3-47.5
45-54	360	39,086				1	0.4	0.0- 1.2	4	2.1	0.0- 4.5	55	16.8	12.3-21.3	118	42.1	35.8-48.4	182	38.5	32.8-44.2
55-64	647	45,903	1	0.5	0.0- 1.5	4	0.7	0.1- 1.3	8	2.3	0.5- 4.1	143	22.0	18.3-25.7	217	42.0	37.3-46.7	274	32.7	28.6-36.8
65+	1405	63,058				44	4.7	3.1- 6.3	55	6.0	4.2- 7.8	443	29.7	26.8-32.6	457	40.6	37.3-43.9	406	19.0	16.8-21.2
Less than \$15,000	172	17,470				12	4.7	1.4- 8.0	20	25.1	11.8-38.4	71	31.4	21.4-41.4	51	33.6	21.8-45.4	18	5.2	1.5- 8.9
\$15,000- 24,999	355	34,964				10	2.0	0.6- 3.4	27	15.1	6.7-23.5	135	28.5	21.6-35.4	125	42.6	33.4-51.8	58	11.8	7.1-16.5
\$25,000- 34,999	265	25,111				4	2.8	0.0- 6.9	8	7.1	0.0-14.5	88	34.0	24.6-43.4	99	39.4	30.2-48.6	66	16.7	10.6-22.8
\$35,000- 49,999	365	31,436							7	4.5	0.0-10.2	94	30.0	21.6-38.4	132	39.3	31.5-47.1	132	26.2	19.3-33.1
\$50,000- 74,999	413	36,471							2	0.4	0.0- 1.0	81	20.3	14.0-26.6	133	43.3	36.0-50.6	197	36.0	29.7-42.3
\$75,000+	840	93,779				2	0.2	0.0- 0.4	3	1.0	0.0- 2.4	106	12.8	9.7-15.9	231	39.4	34.5-44.3	498	46.6	41.9-51.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5607	579,051	4380	66.7	64.7-68.7	1034	26.9	25.1-28.7	193	6.3	5.1-7.5
Male	2684	296,783	2054	66.2	63.7-68.7	514	26.9	24.5-29.3	116	7.0	5.4- 8.6
Female	2923	282,268	2326	67.3	64.4-70.2	520	27.0	24.1-29.9	77	5.7	3.9- 7.5
Native	177	24,685	101	43.6	33.8-53.4	70	46.8	36.6-57.0	6	9.6	1.6-17.6
Non-Native	5382	548,876	4243	67.9	65.9-69.9	955	26.0	24.2-27.8	184	6.2	5.0- 7.4
18-24	250	85,908	36	14.3	9.4-19.2	143	58.0	50.9-65.1	71	27.6	21.3-33.9
25-34	474	111,400	245	53.7	48.6-58.8	205	42.2	37.3-47.1	24	4.1	2.3- 5.9
35-44	539	91,260	408	74.8	70.5-79.1	112	22.5	18.4-26.6	19	2.8	1.4- 4.2
45-54	722	80,777	602	81.4	78.1-84.7	104	16.2	12.9-19.5	16	2.5	1.1- 3.9
55-64	1258	93,245	1095	85.9	83.5-88.3	139	12.1	9.9-14.3	24	2.0	1.0- 3.0
65+	2364	116,462	1994	86.0	84.4-87.6	331	12.2	10.6-13.8	39	1.7	1.1- 2.3
Less Than H.S.	293	47,141	174	43.7	35.5-51.9	97	42.9	34.1-51.7	22	13.4	6.7-20.1
H.S. or G.E.D.	1540	154,241	1113	60.1	56.6-63.6	348	31.0	27.5-34.5	79	8.9	6.5-11.3
Some Post-H.S.	1773	225,595	1377	66.7	63.4-70.0	340	27.1	24.0-30.2	56	6.3	4.3- 8.3
College Graduate	1993	151,517	1712	80.8	78.3-83.3	246	17.6	15.1-20.1	35	1.6	1.0- 2.2
Less than \$15,000	306	36,250	134	32.4	25.3-39.5	153	60.3	52.7-67.9	19	7.4	3.5-11.3
\$15,000- 24,999	621	64,998	379	44.0	38.1-49.9	220	50.9	44.8-57.0	22	5.1	2.2- 8.0
\$25,000- 34,999	460	46,056	322	56.3	49.4-63.2	123	38.7	31.8-45.6	15	5.0	1.5- 8.5
\$35,000- 49,999	706	65,114	545	61.0	55.3-66.7	142	35.7	30.0-41.4	19	3.3	1.1- 5.5
\$50,000- 74,999	861	85,082	723	75.0	70.7-79.3	123	22.6	18.3-26.9	15	2.5	1.1- 3.9
\$75,000+	1856	202,181	1680	85.3	82.8-87.8	135	10.6	8.4-12.8	41	4.1	2.5- 5.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2684	296,783	2054	66.2	63.8-68.6	514	26.9	24.5-29.3	116	7.0	5.4- 8.6
Native	78	11,323	43	48.6	34.5-62.7	33	46.5	32.4-60.6	2	4.8	0.0-11.5
Non-Native	2580	282,491	1990	66.9	64.4-69.4	478	26.1	23.7-28.5	112	7.0	5.4- 8.6
18-24	169	45,734	26	17.4	10.7-24.1	94	54.1	45.9-62.3	49	28.5	21.1-35.9
25-34	277	60,352	136	53.3	46.8-59.8	129	43.2	36.7-49.7	12	3.5	1.3- 5.7
35-44	307	48,065	228	73.1	67.4-78.8	63	22.5	17.0-28.0	16	4.4	1.9- 6.9
45-54	361	41,589	298	80.5	75.8-85.2	54	16.4	11.9-20.9	9	3.1	0.9- 5.3
55-64	613	47,608	529	84.9	81.4-88.4	71	12.7	9.6-15.8	13	2.3	0.7- 3.9
65+	957	53,436	837	88.3	85.9-90.7	103	9.8	7.6-12.0	17	2.0	1.0- 3.0
Less Than H.S.	156	25,587	99	55.5	45.3-65.7	44	33.5	23.7-43.3	13	11.0	4.5-17.5
H.S. or G.E.D.	796	89,242	563	60.1	55.6-64.6	180	29.2	25.1-33.3	53	10.7	7.4-14.0
Some Post-H.S.	826	112,774	625	64.5	60.2-68.8	169	29.1	25.0-33.2	32	6.4	4.0- 8.8
College Graduate	904	68,942	766	80.8	77.5-84.1	120	17.6	14.3-20.9	18	1.6	0.8- 2.4
Less than \$15,000	136	18,946	57	35.0	24.6-45.4	70	58.2	47.4-69.0	9	6.8	1.9-11.7
\$15,000- 24,999	265	30,001	161	47.8	40.0-55.6	89	46.2	38.4-54.0	15	6.0	2.5- 9.5
\$25,000- 34,999	195	20,945	127	49.7	40.3-59.1	60	45.9	36.5-55.3	8	4.5	1.0- 8.0
\$35,000- 49,999	340	33,630	258	63.3	56.2-70.4	71	32.7	25.6-39.8	11	4.0	1.3- 6.7
\$50,000- 74,999	448	48,611	353	69.4	63.5-75.3	81	26.5	20.8-32.2	14	4.1	1.6- 6.6
\$75,000+	1017	108,447	898	83.8	80.7-86.9	92	11.7	9.0-14.4	27	4.5	2.5- 6.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2923	282,268	2326	67.3	64.4-70.2	520	27.0	24.1-29.9	77	5.7	3.9- 7.5
Native	99	13,361	58	39.3	26.2-52.4	37	47.0	32.3-61.7	4	13.7	0.4-27.0
Non-Native	2802	266,386	2253	68.9	65.8-72.0	477	25.8	22.9-28.7	72	5.3	3.5- 7.1
18-24	81	40,174	10	10.9	3.8-18.0	49	62.5	50.9-74.1	22	26.7	16.1-37.3
25-34	197	51,048	109	54.0	46.0-62.0	76	41.1	33.3-48.9	12	4.9	1.8- 8.0
35-44	232	43,195	180	76.7	70.2-83.2	49	22.4	16.1-28.7	3	0.9	0.0- 2.1
45-54	361	39,188	304	82.3	77.4-87.2	50	15.9	11.2-20.6	7	1.8	0.2- 3.4
55-64	645	45,637	566	86.9	83.8-90.0	68	11.5	8.6-14.4	11	1.6	0.4- 2.8
65+	1407	63,026	1157	84.1	81.9-86.3	228	14.4	12.2-16.6	22	1.5	0.7- 2.3
Less Than H.S.	137	21,553	75	29.6	19.2-40.0	53	54.1	40.2-68.0	9	16.3	4.3-28.3
H.S. or G.E.D.	744	64,999	550	60.1	54.2-66.0	168	33.5	27.6-39.4	26	6.4	2.9- 9.9
Some Post-H.S.	947	112,821	752	68.9	63.8-74.0	171	25.0	20.3-29.7	24	6.1	3.0- 9.2
College Graduate	1089	82,575	946	80.8	76.9-84.7	126	17.7	14.0-21.4	17	1.5	0.5- 2.5
Less than \$15,000	170	17,304	77	29.4	20.2-38.6	83	62.6	51.8-73.4	10	8.0	2.1-13.9
\$15,000- 24,999	356	34,997	218	40.8	32.6-49.0	131	54.9	46.1-63.7	7	4.3	0.0- 8.8
\$25,000- 34,999	265	25,111	195	61.8	51.8-71.8	63	32.7	23.1-42.3	7	5.5	0.0-11.4
\$35,000- 49,999	366	31,485	287	58.5	49.5-67.5	71	39.0	30.0-48.0	8	2.5	0.0- 5.6
\$50,000- 74,999	413	36,471	370	82.4	75.7-89.1	42	17.4	10.7-24.1	1	0.2	0.0- 0.6
\$75,000+	839	93,734	782	87.2	83.1-91.3	43	9.3	5.8-12.8	14	3.6	1.2- 6.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5531	560,632	5361	96.0	95.2-96.8	112	2.7	1.9- 3.5	58	1.3	0.9- 1.7
Male	2637	286,848	2543	95.0	93.6-96.4	65	3.6	2.4- 4.8	29	1.3	0.7- 1.9
Female	2894	273,784	2818	97.0	96.0-98.0	47	1.8	1.0- 2.6	29	1.3	0.7- 1.9
Native	177	24,751	168	92.2	85.7-98.7	8	6.6	0.5-12.7	1	1.1	0.0- 3.3
Non-Native	5305	530,521	5154	96.3	95.5-97.1	101	2.5	1.7- 3.3	50	1.2	0.8- 1.6
18-24	226	77,760	208	91.7	87.4-96.0	14	6.6	2.7-10.5	4	1.7	0.0- 3.7
25-34	449	105,361	432	95.7	93.5-97.9	13	3.5	1.5- 5.5	4	0.8	0.0- 1.6
35-44	525	88,742	513	98.0	96.8-99.2	8	1.3	0.3- 2.3	4	0.8	0.0- 1.6
45-54	711	79,282	691	96.3	94.5-98.1	10	1.6	0.6- 2.6	10	2.1	0.7- 3.5
55-64	1258	93,023	1220	96.7	95.5-97.9	21	1.9	0.9- 2.9	17	1.3	0.5- 2.1
65+	2362	116,464	2297	96.7	95.7-97.7	46	2.0	1.4- 2.6	19	1.3	0.5- 2.1
Less Than H.S.	290	46,217	274	91.7	86.8-96.6	14	7.4	2.7-12.1	2	0.9	0.0- 2.3
H.S. or G.E.D.	1519	148,768	1462	94.2	92.0-96.4	41	4.0	2.2- 5.8	16	1.7	0.5- 2.9
Some Post-H.S.	1751	218,702	1698	97.1	96.1-98.1	30	1.7	0.9- 2.5	23	1.2	0.6- 1.8
College Graduate	1960	146,107	1922	97.7	96.9-98.5	24	1.3	0.7- 1.9	14	1.0	0.4- 1.6
Less than \$15,000	299	34,289	290	95.2	91.3-99.1	8	4.6	0.7- 8.5	1	0.2	0.0- 0.6
\$15,000- 24,999	605	61,349	591	98.2	96.8-99.6	12	1.7	0.3- 3.1	2	0.1	0.0- 0.3
\$25,000- 34,999	450	42,574	441	97.8	95.8-99.8	7	1.7	0.0- 3.5	2	0.6	0.0- 1.6
\$35,000- 49,999	699	63,592	688	98.3	97.1-99.5	8	0.8	0.2- 1.4	3	0.8	0.0- 1.8
\$50,000- 74,999	851	83,324	838	97.9	96.5-99.3	8	1.1	0.1- 2.1	5	0.9	0.1- 1.7
\$75,000+	1831	197,462	1796	97.3	96.1-98.5	23	1.8	0.8- 2.8	12	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2637	286,848	2543	95.0	93.6-96.4	65	3.6	2.4- 4.8	29	1.3	0.7- 1.9
Native	78	11,390	73	92.1	84.7-99.5	4	5.4	0.0-11.3	1	2.5	0.0- 7.2
Non-Native	2533	272,822	2450	95.3	93.9-96.7	61	3.6	2.4- 4.8	22	1.1	0.5- 1.7
18-24	155	42,133	141	89.1	83.0-95.2	12	10.0	3.9-16.1	2	0.9	0.0- 2.3
25-34	261	56,685	247	93.8	90.3-97.3	11	4.9	1.8- 8.0	3	1.4	0.0- 3.0
35-44	298	46,708	291	97.4	95.4-99.4	4	1.5	0.0- 3.1	3	1.0	0.0- 2.2
45-54	355	40,564	342	95.6	93.1-98.1	8	2.3	0.5- 4.1	5	2.1	0.1- 4.1
55-64	612	47,334	590	96.5	94.7-98.3	10	1.8	0.4- 3.2	12	1.7	0.5- 2.9
65+	956	53,424	932	97.1	95.5-98.7	20	1.9	0.9- 2.9	4	1.0	0.0- 2.2
Less Than H.S.	152	24,442	144	90.0	82.9-97.1	7	8.7	2.0-15.4	1	1.3	0.0- 3.8
H.S. or G.E.D.	779	85,640	746	94.2	91.5-96.9	23	4.2	1.7- 6.7	10	1.6	0.4- 2.8
Some Post-H.S.	814	109,261	783	95.9	94.1-97.7	21	3.0	1.2- 4.8	10	1.1	0.3- 1.9
College Graduate	886	66,886	868	97.1	95.5-98.7	12	1.8	0.6- 3.0	6	1.1	0.1- 2.1
Less than \$15,000	129	17,131	124	92.4	85.1-99.7	5	7.6	0.3-14.9			
\$15,000- 24,999	255	27,844	250	97.6	94.9- 100	4	2.2	0.0- 4.9	1	0.2	0.0- 0.6
\$25,000- 34,999	191	19,524	185	95.5	91.2-99.8	5	3.4	0.0- 7.1	1	1.1	0.0- 3.3
\$35,000- 49,999	336	33,223	329	98.2	96.8-99.6	5	1.1	0.1- 2.1	2	0.8	0.0- 1.8
\$50,000- 74,999	440	47,204	429	96.7	94.5-98.9	6	1.7	0.1- 3.3	5	1.7	0.1- 3.3
\$75,000+	1001	106,140	977	96.6	94.8-98.4	18	2.7	1.1- 4.3	6	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 25: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2894	273,784	2818	97.0	96.0-98.0	47	1.8	1.0- 2.6	29	1.3	0.7- 1.9
Native	99	13,361	95	92.4	82.2- 100	4	7.6	0.0-17.8			
Non-Native	2772	257,699	2704	97.3	96.3-98.3	40	1.4	0.8- 2.0	28	1.3	0.5- 2.1
18-24	71	35,627	67	94.7	89.0- 100	2	2.7	0.0- 6.8	2	2.6	0.0- 6.5
25-34	188	48,676	185	97.9	95.4- 100	2	1.9	0.0- 4.4	1	0.2	0.0- 0.6
35-44	227	42,034	222	98.5	97.1-99.9	4	1.0	0.0- 2.2	1	0.5	0.0- 1.5
45-54	356	38,718	349	97.1	94.7-99.5	2	0.9	0.0- 2.3	5	2.1	0.1- 4.1
55-64	646	45,689	630	97.0	95.2-98.8	11	2.1	0.7- 3.5	5	0.9	0.0- 1.9
65+	1406	63,039	1365	96.4	95.0-97.8	26	2.1	1.1- 3.1	15	1.5	0.5- 2.5
Less Than H.S.	138	21,775	130	93.6	86.9- 100	7	6.0	0.0-12.7	1	0.4	0.0- 1.2
H.S. or G.E.D.	740	63,128	716	94.2	90.9-97.5	18	3.8	1.4- 6.2	6	2.0	0.0- 4.4
Some Post-H.S.	937	109,442	915	98.4	97.6-99.2	9	0.5	0.1- 0.9	13	1.2	0.4- 2.0
College Graduate	1074	79,222	1054	98.3	97.3-99.3	12	0.8	0.2- 1.4	8	0.9	0.1- 1.7
Less than \$15,000	170	17,158	166	98.0	95.5- 100	3	1.6	0.0- 4.1	1	0.4	0.0- 1.2
\$15,000- 24,999	350	33,505	341	98.6	97.6-99.6	8	1.2	0.2- 2.2	1	0.1	0.0- 0.3
\$25,000- 34,999	259	23,051	256	99.7	99.3- 100	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3
\$35,000- 49,999	363	30,369	359	98.5	96.5- 100	3	0.6	0.0- 1.4	1	0.9	0.0- 2.7
\$50,000- 74,999	411	36,120	409	99.5	98.9- 100	2	0.5	0.0- 1.1			
\$75,000+	830	91,323	819	98.2	96.6-99.8	5	0.6	0.0- 1.2	6	1.2	0.0- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5622	580,621	5405	95.5	94.7-96.3	102	2.2	1.6- 2.8	115	2.3	1.7- 2.9
Male	2694	297,837	2578	94.2	93.0-95.4	66	3.4	2.4- 4.4	50	2.4	1.6- 3.2
Female	2928	282,784	2827	96.9	96.1-97.7	36	1.0	0.4- 1.6	65	2.2	1.4- 3.0
Native	178	24,984	168	91.4	85.3-97.5	7	6.7	1.2-12.2	3	1.9	0.0- 4.4
Non-Native	5393	549,812	5201	96.0	95.2-96.8	90	1.9	1.3- 2.5	102	2.1	1.5- 2.7
18-24	252	86,445	230	92.4	89.1-95.7	16	5.3	2.6- 8.0	6	2.3	0.3- 4.3
25-34	474	111,400	455	96.4	94.6-98.2	10	1.6	0.4- 2.8	9	2.0	0.6- 3.4
35-44	539	91,260	525	97.8	96.4-99.2	5	1.0	0.0- 2.0	9	1.2	0.4- 2.0
45-54	724	81,078	696	94.3	91.9-96.7	8	1.6	0.2- 3.0	20	4.1	2.1- 6.1
55-64	1265	93,677	1229	96.6	95.2-98.0	10	1.2	0.2- 2.2	26	2.1	1.1- 3.1
65+	2368	116,761	2270	95.1	93.9-96.3	53	2.7	1.9- 3.5	45	2.2	1.4- 3.0
Less Than H.S.	294	47,362	269	91.9	88.0-95.8	19	6.1	2.8- 9.4	6	2.0	0.0- 4.2
H.S. or G.E.D.	1544	154,728	1478	95.1	93.5-96.7	36	2.7	1.5- 3.9	30	2.2	1.2- 3.2
Some Post-H.S.	1776	225,964	1712	96.1	94.9-97.3	24	1.8	0.8- 2.8	40	2.1	1.3- 2.9
College Graduate	1996	151,627	1942	96.6	95.4-97.8	22	1.1	0.5- 1.7	32	2.3	1.3- 3.3
Less than \$15,000	308	36,417	291	93.8	90.1-97.5	16	6.1	2.4- 9.8	1	0.0	0.0- 0.0
\$15,000- 24,999	621	64,998	599	95.8	93.3-98.3	17	3.9	1.4- 6.4	5	0.3	0.0- 0.7
\$25,000- 34,999	461	46,275	446	95.3	92.4-98.2	10	2.8	0.4- 5.2	5	1.9	0.0- 4.1
\$35,000- 49,999	707	65,414	690	96.6	94.4-98.8	8	1.9	0.3- 3.5	9	1.5	0.0- 3.1
\$50,000- 74,999	862	85,129	845	97.2	95.6-98.8	7	0.7	0.0- 1.5	10	2.0	0.6- 3.4
\$75,000+	1857	202,226	1829	98.3	97.5-99.1	11	0.8	0.2- 1.4	17	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2694	297,837	2578	94.2	93.0-95.4	66	3.4	2.4- 4.4	50	2.4	1.6- 3.2
Native	79	11,623	72	87.6	78.4-96.8	5	9.2	1.0-17.4	2	3.2	0.0- 8.1
Non-Native	2588	283,215	2487	94.7	93.5-95.9	60	3.1	2.1- 4.1	41	2.1	1.3- 2.9
18-24	171	46,271	151	88.0	82.7-93.3	15	8.7	4.2-13.2	5	3.3	0.2- 6.4
25-34	277	60,352	261	94.3	91.4-97.2	9	2.6	0.8- 4.4	7	3.1	0.7- 5.5
35-44	307	48,065	298	97.0	94.8-99.2	4	1.7	0.0- 3.5	5	1.3	0.1- 2.5
45-54	363	41,890	347	93.4	90.1-96.7	6	2.7	0.2- 5.2	10	3.9	1.4- 6.4
55-64	618	47,774	598	96.5	94.3-98.7	5	1.4	0.0- 3.2	15	2.2	1.0- 3.4
65+	958	53,485	923	95.7	94.1-97.3	27	3.6	2.0- 5.2	8	0.7	0.1- 1.3
Less Than H.S.	156	25,587	142	89.1	82.4-95.8	13	9.1	3.4-14.8	1	1.8	0.0- 5.3
H.S. or G.E.D.	797	89,479	755	93.1	90.7-95.5	25	4.1	2.1- 6.1	17	2.8	1.2- 4.4
Some Post-H.S.	829	113,143	796	95.1	93.1-97.1	15	2.6	1.0- 4.2	18	2.4	1.0- 3.8
College Graduate	906	69,007	883	96.9	95.5-98.3	13	1.7	0.5- 2.9	10	1.3	0.3- 2.3
Less than \$15,000	136	18,946	124	89.4	82.5-96.3	12	10.6	3.7-17.5			
\$15,000- 24,999	265	30,001	252	94.5	90.6-98.4	13	5.5	1.6- 9.4			
\$25,000- 34,999	196	21,165	187	91.7	85.4-98.0	7	5.3	0.6-10.0	2	3.0	0.0- 7.1
\$35,000- 49,999	341	33,929	329	95.3	92.2-98.4	7	3.5	0.6- 6.4	5	1.2	0.0- 2.4
\$50,000- 74,999	449	48,658	435	95.4	92.7-98.1	5	1.1	0.0- 2.3	9	3.5	1.1- 5.9
\$75,000+	1017	108,447	1002	98.2	97.0-99.4	9	1.3	0.1- 2.5	6	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 28: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2928	282,784	2827	96.9	96.1-97.7	36	1.0	0.4- 1.6	65	2.2	1.4- 3.0
Native	99	13,361	96	94.6	87.0- 100	2	4.5	0.0-12.1	1	0.8	0.0- 2.4
Non-Native	2805	266,597	2714	97.3	96.5-98.1	30	0.6	0.4- 0.8	61	2.2	1.4- 3.0
18-24	81	40,174	79	97.6	94.3- 100	1	1.3	0.0- 3.8	1	1.1	0.0- 3.3
25-34	197	51,048	194	98.9	97.5- 100	1	0.5	0.0- 1.5	2	0.6	0.0- 1.4
35-44	232	43,195	227	98.6	97.2- 100	1	0.2	0.0- 0.6	4	1.2	0.0- 2.4
45-54	361	39,188	349	95.3	92.4-98.2	2	0.3	0.0- 0.7	10	4.4	1.5- 7.3
55-64	647	45,903	631	96.8	95.0-98.6	5	1.1	0.0- 2.3	11	2.0	0.6- 3.4
65+	1410	63,276	1347	94.6	93.0-96.2	26	2.0	1.2- 2.8	37	3.4	2.0- 4.8
Less Than H.S.	138	21,775	127	95.2	91.9-98.5	6	2.5	0.1- 4.9	5	2.3	0.1- 4.5
H.S. or G.E.D.	747	65,249	723	97.8	96.6-99.0	11	0.9	0.3- 1.5	13	1.3	0.3- 2.3
Some Post-H.S.	947	112,821	916	97.2	95.8-98.6	9	1.0	0.0- 2.0	22	1.8	0.8- 2.8
College Graduate	1090	82,619	1059	96.3	94.5-98.1	9	0.6	0.2- 1.0	22	3.1	1.5- 4.7
Less than \$15,000	172	17,470	167	98.6	97.2- 100	4	1.3	0.0- 2.7	1	0.1	0.0- 0.3
\$15,000- 24,999	356	34,997	347	96.9	93.6- 100	4	2.6	0.0- 5.9	5	0.6	0.0- 1.2
\$25,000- 34,999	265	25,111	259	98.4	96.8- 100	3	0.6	0.0- 1.4	3	1.0	0.0- 2.4
\$35,000- 49,999	366	31,485	361	98.0	95.3- 100	1	0.2	0.0- 0.6	4	1.8	0.0- 4.5
\$50,000- 74,999	413	36,471	410	99.7	99.3- 100	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3
\$75,000+	840	93,779	827	98.4	97.2-99.6	2	0.1	0.0- 0.3	11	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3085	215,292	481	13.9	12.1-15.7	2604	86.1	84.3-87.9
Male	1217	92,269	227	14.7	12.3-17.1	990	85.3	82.9-87.7
Female	1868	123,023	254	13.3	10.9-15.7	1614	86.7	84.3-89.1
Native	102	11,770	24	19.4	9.2-29.6	78	80.6	70.4-90.8
Non-Native	2959	201,383	455	13.7	11.9-15.5	2504	86.3	84.5-88.1
25-34	87	17,539	15	18.0	6.6-29.4	72	82.0	70.6-93.4
35-44	188	26,887	30	15.3	9.2-21.4	158	84.7	78.6-90.8
45-54	333	32,110	56	15.8	11.3-20.3	277	84.2	79.7-88.7
55-64	729	49,284	99	11.9	9.2-14.6	630	88.1	85.4-90.8
65+	1720	81,866	277	13.4	11.4-15.4	1443	86.6	84.6-88.6
Less Than H.S.	180	19,147	15	12.1	2.3-21.9	165	87.9	78.1-97.7
H.S. or G.E.D.	872	57,915	136	12.9	10.0-15.8	736	87.1	84.2-90.0
Some Post-H.S.	994	83,308	154	14.0	11.5-16.5	840	86.0	83.5-88.5
College Graduate	1035	54,787	175	15.3	12.4-18.2	860	84.7	81.8-87.6
Less than \$15,000	176	13,339	16	8.7	2.6-14.8	160	91.3	85.2-97.4
\$15,000- 24,999	376	25,707	41	10.9	5.8-16.0	335	89.1	84.0-94.2
\$25,000- 34,999	270	15,927	44	15.5	9.2-21.8	226	84.5	78.2-90.8
\$35,000- 49,999	397	24,183	76	20.2	12.8-27.6	321	79.8	72.4-87.2
\$50,000- 74,999	460	30,110	88	18.7	14.0-23.4	372	81.3	76.6-86.0
\$75,000+	912	72,732	153	13.7	11.2-16.2	759	86.3	83.8-88.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1217	92,269	227	14.7	12.3-17.1	990	85.3	82.9-87.7
Non-Native	1163	85,533	216	14.8	12.4-17.2	947	85.2	82.8-87.6
35-44	85	10,910	11	12.7	4.3-21.1	74	87.3	78.9-95.7
45-54	143	13,954	26	17.2	9.9-24.5	117	82.8	75.5-90.1
55-64	328	23,181	50	12.6	8.7-16.5	278	87.4	83.5-91.3
65+	612	33,844	133	17.7	14.2-21.2	479	82.3	78.8-85.8
Less Than H.S.	80	9,057	6	7.0	0.9-13.1	74	93.0	86.9-99.1
H.S. or G.E.D.	370	30,066	69	14.5	10.0-19.0	301	85.5	81.0-90.0
Some Post-H.S.	374	31,498	72	16.0	11.7-20.3	302	84.0	79.7-88.3
College Graduate	392	21,596	79	16.1	12.0-20.2	313	83.9	79.8-88.0
Less than \$15,000	68	6,891	5	3.8	0.0- 8.5	63	96.2	91.5- 100
\$15,000- 24,999	132	10,238	17	12.2	4.4-20.0	115	87.8	80.0-95.6
\$25,000- 34,999	99	5,745	17	10.7	4.4-17.0	82	89.3	83.0-95.6
\$35,000- 49,999	154	10,170	40	23.1	15.3-30.9	114	76.9	69.1-84.7
\$50,000- 74,999	205	14,302	48	21.6	14.7-28.5	157	78.4	71.5-85.3
\$75,000+	431	32,854	83	14.8	10.9-18.7	348	85.2	81.3-89.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 31: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1868	123,023	254	13.3	10.9-15.7	1614	86.7	84.3-89.1
Native	58	6,091	14	23.7	8.4-39.0	44	76.3	61.0-91.6
Non-Native	1796	115,850	239	12.8	10.4-15.2	1557	87.2	84.8-89.6
25-34	57	11,891	9	20.1	5.0-35.2	48	79.9	64.8-95.0
35-44	103	15,977	19	17.1	8.7-25.5	84	82.9	74.5-91.3
45-54	190	18,156	30	14.8	9.3-20.3	160	85.2	79.7-90.7
55-64	401	26,103	49	11.3	7.6-15.0	352	88.7	85.0-92.4
65+	1108	48,022	144	10.3	8.1-12.5	964	89.7	87.5-91.9
Less Than H.S.	100	10,090	9	16.7	0.0-33.6	91	83.3	66.4-100
H.S. or G.E.D.	502	27,849	67	11.1	7.6-14.6	435	88.9	85.4-92.4
Some Post-H.S.	620	51,810	82	12.9	9.6-16.2	538	87.1	83.8-90.4
College Graduate	643	33,191	96	14.7	10.8-18.6	547	85.3	81.4-89.2
Less than \$15,000	108	6,448	11	13.9	3.1-24.7	97	86.1	75.3-96.9
\$15,000- 24,999	244	15,470	24	10.1	3.4-16.8	220	89.9	83.2-96.6
\$25,000- 34,999	171	10,181	27	18.3	9.3-27.3	144	81.7	72.7-90.7
\$35,000- 49,999	243	14,014	36	18.0	6.4-29.6	207	82.0	70.4-93.6
\$50,000- 74,999	255	15,808	40	16.0	9.7-22.3	215	84.0	77.7-90.3
\$75,000+	481	39,878	70	12.7	9.2-16.2	411	87.3	83.8-90.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers			6+ Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	474	29,355	349	86.3	82.6-90.0	88	10.9	7.4-14.4	32	2.4	1.2- 3.6	4	0.3	0.0- 0.7	1	0.2	0.0- 0.6
Male	223	13,143	159	83.7	78.6-88.8	44	12.6	8.1-17.1	19	3.6	1.4- 5.8	1	0.1	0.0- 0.3			
Female	251	16,212	190	88.3	83.0-93.6	44	9.4	4.3-14.5	13	1.5	0.5- 2.5	3	0.4	0.0- 1.0	1	0.3	0.0- 0.9
Non-Native	449	27,294	328	85.9	82.0-89.8	85	11.1	7.4-14.8	31	2.5	1.3- 3.7	4	0.3	0.0- 0.7	1	0.2	0.0- 0.6
45-54	56	5,088	45	89.2	81.8-96.6	7	8.5	1.4-15.6	1	0.2	0.0- 0.6	2	0.9	0.0- 2.3	1	1.1	0.0- 3.3
55-64	97	5,748	81	91.7	86.8-96.6	10	6.3	1.8-10.8	6	2.1	0.3- 3.9						
65+	273	10,832	182	79.9	74.6-85.2	67	15.9	11.0-20.8	23	4.1	1.9- 6.3	1	0.0	0.0- 0.0			
H.S. or G.E.D.	134	7,092	96	87.7	82.6-92.8	25	8.3	4.2-12.4	13	4.0	1.3- 6.7						
Some Post-H.S.	153	11,663	117	84.1	76.8-91.4	26	13.2	6.1-20.3	10	2.7	0.5- 4.9						
College Graduate	172	8,280	127	88.7	84.0-93.4	31	8.3	4.2-12.4	9	1.3	0.3- 2.3	4	1.0	0.0- 2.2	1	0.7	0.0- 2.1
\$35,000- 49,999	75	4,838	61	91.3	84.6-98.0	11	7.5	1.2-13.8	3	1.2	0.0- 2.6						
\$50,000- 74,999	88	5,632	67	89.6	84.1-95.1	12	6.3	2.0-10.6	8	3.8	0.7- 6.9	1	0.2	0.0- 0.6			
\$75,000+	150	9,839	114	89.1	84.6-93.6	20	7.2	3.3-11.1	12	2.4	0.4- 4.4	3	0.7	0.0- 1.7	1	0.6	0.0- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	223	13,143	159	83.7	78.6-88.8	44	12.6	8.1-17.1	19	3.6	1.4- 5.8	1	0.1	0.0- 0.3
Non-Native	213	12,563	150	83.3	78.0-88.6	43	12.9	8.2-17.6	19	3.8	1.6- 6.0	1	0.1	0.0- 0.3
65+	131	5,956	88	79.5	72.2-86.8	30	16.1	9.4-22.8	13	4.4	1.5- 7.3			
H.S. or G.E.D.	68	4,027	48	86.3	78.7-93.9	14	9.2	3.1-15.3	6	4.5	0.2- 8.8			
Some Post-H.S.	72	5,040	51	80.8	71.4-90.2	13	14.6	6.2-23.0	8	4.6	0.5- 8.7			
College Graduate	76	3,389	55	86.4	79.0-93.8	15	11.6	4.3-18.9	5	1.7	0.1- 3.3	1	0.4	0.0- 1.2
\$75,000+	80	4,768	56	83.5	75.1-91.9	14	12.3	4.9-19.7	10	4.3	0.4- 8.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers			6+ Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	251	16,212	190	88.3	83.0-93.6	44	9.4	4.3-14.5	13	1.5	0.5- 2.5	3	0.4	0.0- 1.0	1	0.3	0.0- 0.9
Non-Native	236	14,731	178	88.2	82.3-94.1	42	9.5	4.0-15.0	12	1.5	0.3- 2.7	3	0.5	0.0- 1.1	1	0.4	0.0- 1.2
65+	142	4,876	94	80.5	72.9-88.1	37	15.8	8.7-22.9	10	3.7	0.8- 6.6	1	0.1	0.0- 0.3			
H.S. or G.E.D.	66	3,065	48	89.5	83.6-95.4	11	7.1	2.2-12.0	7	3.4	0.7- 6.1						
Some Post-H.S.	81	6,623	66	86.7	75.9-97.5	13	12.1	1.5-22.7	2	1.2	0.0- 3.2						
College Graduate	96	4,892	72	90.3	84.4-96.2	16	6.1	1.2-11.0	4	1.0	0.0- 2.2	3	1.4	0.0- 3.4	1	1.2	0.0- 3.6
\$75,000+	70	5,071	58	94.5	90.6-98.4	6	2.4	0.0- 4.8	2	0.7	0.0- 1.7	3	1.4	0.0- 3.2	1	1.1	0.0- 3.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers			6+ Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3075	213,318	2251	62.4	59.9-64.9	414	13.3	11.7-14.9	47	2.1	1.3- 2.9	11	0.5	0.1- 0.9	2	0.1	0.1- 0.1	2	0.2	0.0- 0.6	348	21.4	18.9-23.9
Male	1214	91,509	883	61.2	57.1-65.3	159	11.5	9.3-13.7	19	1.7	0.7- 2.7	6	0.6	0.0- 1.4							147	25.0	20.9-29.1
Female	1861	121,809	1368	63.3	60.0-66.6	255	14.6	12.4-16.8	28	2.5	1.3- 3.7	5	0.5	0.1- 0.9	2	0.1	0.0- 0.3	2	0.4	0.0- 1.0	201	18.7	15.6-21.8
Native	102	11,770	69	46.1	32.4-59.8	9	7.5	1.2-13.8	2	1.3	0.0- 3.5							1	3.2	0.0- 9.5	21	41.9	26.8-57.0
Non-Native	2949	199,468	2171	63.6	61.1-66.1	399	13.5	11.9-15.1	45	2.2	1.4- 3.0	10	0.4	0.0- 0.8	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0	321	20.2	17.7-22.7
25-34	86	17,179	61	66.1	53.0-79.2	15	14.4	6.4-22.4	5	5.6	0.0-11.5										5	13.9	1.9-25.9
35-44	187	26,715	128	61.2	52.0-70.4	28	14.9	9.2-20.6	12	5.0	1.9- 8.1	4	1.6	0.0- 3.4	1	0.3	0.0- 0.9	2	1.7	0.0- 4.4	12	15.4	6.2-24.6
45-54	331	31,675	258	71.2	64.7-77.7	41	12.1	8.0-16.2	12	4.1	1.6- 6.6	6	1.9	0.0- 4.1	1	0.2	0.0- 0.6				13	10.5	4.8-16.2
55-64	728	48,916	537	62.9	58.0-67.8	121	15.7	12.8-18.6	5	0.8	0.0- 1.6										65	20.6	15.7-25.5
65+	1715	81,226	1242	56.6	53.5-59.7	208	12.4	10.6-14.2	13	0.7	0.3- 1.1	1	0.1	0.0- 0.3							251	30.3	27.0-33.6
Less Than H.S.	181	19,189	109	45.2	34.4-56.0	14	8.2	2.5-13.9										1	2.0	0.0- 5.9	57	44.7	34.1-55.3
H.S. or G.E.D.	867	57,374	602	55.9	51.0-60.8	101	11.2	8.5-13.9	13	2.3	0.9- 3.7	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	148	30.1	25.0-35.2
Some Post-H.S.	990	82,705	756	66.5	62.2-70.8	135	14.0	11.3-16.7	15	2.3	0.7- 3.9	4	0.8	0.0- 1.6							80	16.5	12.4-20.6
College Graduate	1032	53,885	781	69.1	65.0-73.2	164	16.3	13.4-19.2	19	2.4	1.0- 3.8	6	0.8	0.0- 1.6	1	0.1	0.0- 0.3				61	11.3	7.8-14.8
Less than \$15,000	176	13,339	93	33.2	24.2-42.2	4	2.5	0.0- 5.8													79	64.3	55.1-73.5
\$15,000- 24,999	376	25,707	264	47.2	39.4-55.0	22	5.9	3.2- 8.6	2	0.5	0.0- 1.3							1	1.5	0.0- 4.4	87	45.0	36.6-53.4
\$25,000- 34,999	270	15,927	215	68.2	59.8-76.6	20	8.0	4.1-11.9	2	1.3	0.0- 3.8										33	22.4	14.6-30.2
\$35,000- 49,999	397	24,183	294	62.6	55.3-69.9	65	16.9	12.2-21.6	6	2.0	0.2- 3.8	1	0.8	0.0- 2.4							31	17.7	11.0-24.4
\$50,000- 74,999	459	30,046	354	69.7	63.4-76.0	73	14.8	11.1-18.5	10	3.7	1.0- 6.4	1	1.0	0.0- 3.0	1	0.3	0.0- 0.9				20	10.6	4.9-16.3
\$75,000+	911	72,561	680	71.4	67.1-75.7	171	18.4	15.1-21.7	25	3.4	1.6- 5.2	8	0.8	0.2- 1.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	25	5.8	2.7- 8.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	1-Number			2-Numbers			3-Numbers			4-Numbers			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1214	91,509	883	61.2	57.1-65.3	159	11.5	9.3-13.7	19	1.7	0.7- 2.7	6	0.6	0.0- 1.4	147	25.0	20.9-29.1
Non-Native	1159	84,744	848	62.9	58.8-67.0	155	11.7	9.5-13.9	18	1.7	0.7- 2.7	5	0.3	0.1- 0.5	133	23.4	19.3-27.5
35-44	84	10,738	61	65.3	52.2-78.4	8	10.2	2.6-17.8	4	3.7	0.0- 8.0	2	0.8	0.0- 2.0	9	19.9	7.4-32.4
45-54	142	13,889	114	72.5	62.9-82.1	15	12.2	5.5-18.9	3	2.4	0.0- 5.5	3	3.0	0.0- 7.3	7	9.9	2.8-17.0
55-64	329	23,211	235	54.9	47.5-62.3	45	12.7	8.6-16.8	3	1.0	0.0- 2.2				46	31.3	23.3-39.3
65+	611	33,651	434	57.2	51.9-62.5	89	13.7	10.8-16.6	8	1.4	0.4- 2.4	1	0.2	0.0- 0.6	79	27.6	21.9-33.3
Less Than H.S.	80	9,057	48	39.1	26.2-52.0	5	4.5	0.4- 8.6							27	56.5	43.0-70.0
H.S. or G.E.D.	368	29,808	252	54.6	47.2-62.0	44	9.1	6.0-12.2	6	2.3	0.3- 4.3	1	0.2	0.0- 0.6	65	33.8	26.0-41.6
Some Post-H.S.	374	31,498	289	69.3	62.8-75.8	53	14.0	9.7-18.3	5	1.4	0.0- 2.8	2	1.2	0.0- 3.2	25	14.2	8.5-19.9
College Graduate	390	21,064	293	68.1	61.2-75.0	57	14.2	10.1-18.3	8	2.0	0.4- 3.6	3	0.7	0.0- 1.5	29	15.0	8.1-21.9
Less than \$15,000	68	6,891	30	22.8	11.8-33.8										38	77.2	66.2-88.2
\$15,000- 24,999	132	10,238	90	48.9	37.1-60.7	12	8.7	3.4-14.0							30	42.4	30.1-54.7
\$25,000- 34,999	99	5,745	83	68.5	55.0-82.0	4	3.8	0.0- 7.7							12	27.7	14.0-41.4
\$35,000- 49,999	154	10,170	111	62.5	52.5-72.5	24	15.7	9.0-22.4	3	2.4	0.0- 5.3				16	19.5	9.9-29.1
\$50,000- 74,999	204	14,238	156	64.1	53.9-74.3	32	14.0	8.5-19.5	4	2.7	0.0- 6.0	1	2.1	0.0- 6.2	11	17.1	6.5-27.7
\$75,000+	430	32,682	323	74.1	68.4-79.8	76	15.5	11.4-19.6	12	2.8	1.0- 4.6	4	0.7	0.1- 1.3	15	6.9	2.4-11.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 37: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers			6+ Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1861	121,809	1368	63.3	60.0-66.6	255	14.6	12.4-16.8	28	2.5	1.3- 3.7	5	0.5	0.1- 0.9	2	0.1	0.0- 0.3	2	0.4	0.0- 1.0	201	18.7	15.6-21.8
Native	58	6,091	40	52.1	31.9-72.3	7	7.2	0.7-13.7	1	0.4	0.0- 1.2							1	6.3	0.0-18.1	9	34.0	11.9-56.1
Non-Native	1790	114,724	1323	64.1	60.8-67.4	244	14.8	12.6-17.0	27	2.6	1.4- 3.8	5	0.5	0.1- 0.9	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	188	17.8	14.9-20.7
25-34	57	11,891	39	67.2	51.5-82.9	13	19.2	8.0-30.4	4	7.1	0.0-15.1										1	6.5	0.0-18.1
35-44	103	15,977	67	58.4	45.9-70.9	20	18.0	9.8-26.2	8	5.8	1.5-10.1	2	2.2	0.0- 5.1	1	0.5	0.0- 1.5	2	2.8	0.0- 7.5	3	12.3	0.0-25.1
45-54	189	17,786	144	70.3	61.5-79.1	26	12.0	7.1-16.9	9	5.4	1.7- 9.1	3	1.2	0.0- 2.6	1	0.3	0.0- 0.9				6	10.9	2.5-19.1
55-64	399	25,705	302	70.1	64.2-76.0	76	18.4	14.1-22.7	2	0.7	0.0- 1.7										19	10.8	5.7-15.1
65+	1104	47,576	808	56.2	52.3-60.1	119	11.4	9.2-13.6	5	0.2	0.0- 0.4										172	32.2	28.1-36.1
Less Than H.S.	101	10,131	61	50.6	34.9-66.3	9	11.5	1.7-21.3										1	3.8	0.0-11.1	30	34.1	20.6-47.1
H.S. or G.E.D.	499	27,566	350	57.4	51.3-63.5	57	13.5	9.2-17.8	7	2.4	0.6- 4.2				1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	83	26.2	20.5-31.1
Some Post-H.S.	616	51,207	467	64.7	58.8-70.6	82	14.0	10.7-17.3	10	2.9	0.7- 5.1	2	0.5	0.0- 1.3							55	17.9	12.2-23.1
College Graduate	642	32,821	488	69.8	64.7-74.9	107	17.6	13.7-21.5	11	2.6	0.8- 4.4	3	0.9	0.0- 2.1	1	0.2	0.0- 0.6				32	8.9	5.0-12.1
Less than \$15,000	108	6,448	63	44.4	31.9-56.9	4	5.2	0.0-11.7													41	50.5	38.0-63.1
\$15,000- 24,999	244	15,470	174	46.0	35.6-56.4	10	4.0	1.3- 6.7	2	0.8	0.0- 2.2							1	2.5	0.0- 7.2	57	46.7	35.5-57.1
\$25,000- 34,999	171	10,181	132	68.1	57.5-78.7	16	10.4	4.7-16.1	2	2.1	0.0- 6.0										21	19.4	10.4-28.1
\$35,000- 49,999	243	14,014	183	62.7	52.5-72.9	41	17.8	11.3-24.3	3	1.7	0.0- 3.9	1	1.4	0.0- 4.1							15	16.4	7.2-25.1
\$50,000- 74,999	255	15,808	198	74.7	67.8-81.6	41	15.5	10.2-20.8	6	4.5	0.4- 8.6				1	0.5	0.0- 1.5				9	4.8	1.5- 8.1
\$75,000+	481	39,878	357	69.1	63.0-75.2	95	20.8	15.9-25.7	13	4.0	1.3- 6.7	4	0.9	0.0- 1.9	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	10	4.9	0.6- 9.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5612	579,313	785	12.7	11.5-13.9	4827	87.3	86.1-88.5
Male	2686	296,722	724	22.2	20.2-24.2	1962	77.8	75.8-79.8
Female	2926	282,591	61	2.8	1.6- 4.0	2865	97.2	96.0-98.4
Native	178	24,984	22	11.7	6.0-17.4	156	88.3	82.6-94.0
Non-Native	5384	548,548	751	12.7	11.5-13.9	4633	87.3	86.1-88.5
18-24	251	86,292	24	8.3	4.4-12.2	227	91.7	87.8-95.6
25-34	473	111,091	46	9.9	7.0-12.8	427	90.1	87.2-93.0
35-44	538	91,222	56	10.8	7.9-13.7	482	89.2	86.3-92.1
45-54	723	80,910	94	13.4	10.5-16.3	629	86.6	83.7-89.5
55-64	1262	93,473	113	10.1	7.7-12.5	1149	89.9	87.5-92.3
65+	2365	116,326	452	21.7	19.5-23.9	1913	78.3	76.1-80.5
Less Than H.S.	293	47,222	48	16.7	10.2-23.2	245	83.3	76.8-89.8
H.S. or G.E.D.	1540	154,035	221	12.3	10.3-14.3	1319	87.7	85.7-89.7
Some Post-H.S.	1774	225,803	254	13.3	11.3-15.3	1520	86.7	84.7-88.7
College Graduate	1995	151,583	261	11.1	9.5-12.7	1734	88.9	87.3-90.5
Less than \$15,000	308	36,417	35	6.8	3.9- 9.7	273	93.2	90.3-96.1
\$15,000- 24,999	621	64,998	99	15.2	10.9-19.5	522	84.8	80.5-89.1
\$25,000- 34,999	461	46,275	79	19.2	13.5-24.9	382	80.8	75.1-86.5
\$35,000- 49,999	707	65,414	114	14.2	10.9-17.5	593	85.8	82.5-89.1
\$50,000- 74,999	861	84,976	134	14.8	11.7-17.9	727	85.2	82.1-88.3
\$75,000+	1857	202,226	240	11.3	9.5-13.1	1617	88.7	86.9-90.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2686	296,722	724	22.2	20.2-24.2	1962	77.8	75.8-79.8
Native	79	11,623	21	24.6	13.2-36.0	58	75.4	64.0-86.8
Non-Native	2581	282,144	693	21.9	19.9-23.9	1888	78.1	76.1-80.1
18-24	170	46,118	21	11.4	6.5-16.3	149	88.6	83.7-93.5
25-34	276	60,043	41	16.1	11.2-21.0	235	83.9	79.0-88.8
35-44	306	48,027	50	17.7	12.8-22.6	256	82.3	77.4-87.2
45-54	362	41,722	81	23.2	18.1-28.3	281	76.8	71.7-81.9
55-64	616	47,661	95	17.3	13.2-21.4	521	82.7	78.6-86.8
65+	956	53,151	436	46.0	42.1-49.9	520	54.0	50.1-57.9
Less Than H.S.	155	25,447	46	24.2	16.0-32.4	109	75.8	67.6-84.0
H.S. or G.E.D.	793	88,786	212	19.9	16.6-23.2	581	80.1	76.8-83.4
Some Post-H.S.	828	113,074	239	24.7	21.2-28.2	589	75.3	71.8-78.8
College Graduate	905	68,963	226	20.3	17.4-23.2	679	79.7	76.8-82.6
Less than \$15,000	136	18,946	32	12.1	6.8-17.4	104	87.9	82.6-93.2
\$15,000- 24,999	265	30,001	91	27.6	20.9-34.3	174	72.4	65.7-79.1
\$25,000- 34,999	196	21,165	73	33.7	24.9-42.5	123	66.3	57.5-75.1
\$35,000- 49,999	341	33,929	109	26.3	20.4-32.2	232	73.7	67.8-79.6
\$50,000- 74,999	448	48,505	124	23.9	18.8-29.0	324	76.1	71.0-81.2
\$75,000+	1017	108,447	223	19.5	16.6-22.4	794	80.5	77.6-83.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2926	282,591	61	2.8	1.6- 4.0	2865	97.2	96.0-98.4
Native	99	13,361	1	0.5	0.0- 1.5	98	99.5	98.5- 100
Non-Native	2803	266,404	58	2.9	1.7- 4.1	2745	97.1	95.9-98.3
18-24	81	40,174	3	4.9	0.0-10.8	78	95.1	89.2- 100
25-34	197	51,048	5	2.7	0.2- 5.2	192	97.3	94.8-99.8
35-44	232	43,195	6	3.0	0.5- 5.5	226	97.0	94.5-99.5
45-54	361	39,188	13	3.0	1.2- 4.8	348	97.0	95.2-98.8
55-64	646	45,812	18	2.6	1.0- 4.2	628	97.4	95.8-99.0
65+	1409	63,175	16	1.3	0.3- 2.3	1393	98.7	97.7-99.7
Less Than H.S.	138	21,775	2	7.9	0.0-18.3	136	92.1	81.7- 100
H.S. or G.E.D.	747	65,249	9	1.9	0.3- 3.5	738	98.1	96.5-99.7
Some Post-H.S.	946	112,729	15	1.9	0.7- 3.1	931	98.1	96.9-99.3
College Graduate	1090	82,619	35	3.4	1.8- 5.0	1055	96.6	95.0-98.2
Less than \$15,000	172	17,470	3	1.0	0.0- 2.2	169	99.0	97.8- 100
\$15,000- 24,999	356	34,997	8	4.7	0.0-10.4	348	95.3	89.6- 100
\$25,000- 34,999	265	25,111	6	7.0	0.1-13.9	259	93.0	86.1-99.9
\$35,000- 49,999	366	31,485	5	1.1	0.1- 2.1	361	98.9	97.9-99.9
\$50,000- 74,999	413	36,471	10	2.8	0.6- 5.0	403	97.2	95.0-99.4
\$75,000+	840	93,779	17	1.9	0.7- 3.1	823	98.1	96.9-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5588	575,872	3008	65.4	63.6-67.2	141	3.8	3.0- 4.6	216	4.2	3.4- 5.0	109	5.7	4.5- 6.9	1904	17.1	16.1-18.1	210	3.8	3.2- 4.4
Male	2677	295,038	1684	71.2	69.0-73.4	80	4.4	3.2- 5.6	3	0.3	0.0- 0.7	65	5.7	4.3- 7.1	747	14.8	13.4-16.2	98	3.6	2.8- 4.4
Female	2911	280,835	1324	59.4	56.7-62.1	61	3.1	1.9- 4.3	213	8.4	6.8-10.0	44	5.7	3.9- 7.5	1157	19.4	17.8-21.0	112	3.9	2.9- 4.9
Native	177	24,833	81	42.9	33.1-52.7	14	11.0	4.1-17.9	7	8.5	0.7-16.3	7	11.4	3.0-19.8	41	11.6	7.3-15.9	27	14.6	8.3-20.9
Non-Native	5360	545,215	2900	66.4	64.6-68.2	127	3.5	2.7- 4.3	207	4.0	3.2- 4.8	100	5.4	4.2- 6.6	1845	17.3	16.3-18.3	181	3.3	2.7- 3.9
18-24	247	85,332	151	59.9	53.0-66.8	18	7.1	3.4-10.8	4	2.8	0.1- 5.5	73	29.8	23.3-36.3				1	0.4	0.0- 1.2
25-34	470	110,588	399	84.6	80.9-88.3	21	3.7	1.9- 5.5	19	4.8	2.4- 7.2	21	5.1	2.7- 7.5				10	1.8	0.6- 3.0
35-44	535	90,721	463	84.8	80.9-88.7	24	5.2	2.7- 7.7	27	5.8	3.3- 8.3	6	1.2	0.2- 2.2				15	3.0	0.8- 5.2
45-54	720	80,336	616	83.9	80.6-87.2	21	3.3	1.7- 4.9	26	4.1	2.1- 6.1	4	0.6	0.0- 1.2	16	2.2	1.0- 3.4	37	5.9	3.7- 8.1
55-64	1258	92,930	910	69.4	66.3-72.5	33	2.9	1.7- 4.1	31	2.6	1.6- 3.6	1	0.1	0.0- 0.3	197	15.7	13.2-18.2	86	9.2	6.8-11.6
65+	2358	115,965	469	20.2	18.2-22.2	24	1.2	0.6- 1.8	109	4.9	3.7- 6.1	4	0.2	0.0- 0.4	1691	70.6	68.2-73.0	61	2.9	1.9- 3.9
Less Than H.S.	292	47,091	89	48.5	39.9-57.1	9	5.8	0.9-10.7	14	3.5	0.6- 6.4	9	8.8	2.9-14.7	144	25.0	19.5-30.5	27	8.4	4.7-12.1
H.S. or G.E.D.	1531	152,885	749	62.8	59.5-66.1	59	6.2	4.2- 8.2	80	5.3	3.7- 6.9	18	3.6	1.6- 5.6	554	17.9	15.9-19.9	71	4.2	3.0- 5.4
Some Post-H.S.	1764	224,150	903	63.2	60.1-66.3	51	3.4	2.2- 4.6	66	4.1	2.5- 5.7	55	8.2	6.0-10.4	611	16.9	15.1-18.7	78	4.1	2.9- 5.3
College Graduate	1993	151,140	1263	76.7	74.3-79.1	22	1.3	0.5- 2.1	56	3.6	2.2- 5.0	27	3.2	1.8- 4.6	591	13.9	12.5-15.3	34	1.4	0.8- 2.0
Less than \$15,000	307	36,310	54	24.1	15.9-32.3	36	14.2	8.9-19.5	9	4.3	0.6- 8.0	22	18.4	11.1-25.7	130	22.2	16.9-27.5	56	16.8	11.5-22.1
\$15,000- 24,999	620	64,945	192	46.9	40.8-53.0	29	7.3	3.8-10.8	30	5.3	2.0- 8.6	17	8.2	4.1-12.3	295	24.8	20.9-28.7	57	7.6	5.1-10.1
\$25,000- 34,999	459	46,065	196	58.8	52.1-65.5	17	6.1	2.4- 9.8	17	4.5	1.4- 7.6	10	6.5	1.8-11.2	204	21.4	17.3-25.5	15	2.6	0.8- 4.4
\$35,000- 49,999	706	65,365	355	65.2	60.5-69.9	12	3.2	1.0- 5.4	22	3.1	1.1- 5.1	10	4.2	1.5- 6.9	284	21.0	17.9-24.1	23	3.3	1.7- 4.9
\$50,000- 74,999	860	84,952	526	73.5	69.8-77.2	15	2.1	0.9- 3.3	21	2.9	1.3- 4.5	9	3.2	0.7- 5.7	271	15.7	13.3-18.1	18	2.6	1.0- 4.2
\$75,000+	1855	201,910	1379	81.1	78.6-83.6	11	0.7	0.1- 1.3	56	4.2	2.6- 5.8	21	3.6	2.0- 5.2	375	9.6	8.4-10.8	13	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2677	295,038	1684	71.2	69.0-73.4	80	4.4	3.2- 5.6	3	0.3	0.0- 0.7	65	5.7	4.3- 7.1	747	14.8	13.6-16.0	98	3.6	2.8- 4.4
Native	78	11,471	34	44.6	30.9-58.3	9	13.7	2.7-24.7	1	4.8	0.0-13.8	3	7.0	0.0-14.6	12	8.1	2.6-13.6	19	21.8	11.2-32.4
Non-Native	2572	280,567	1632	72.3	70.1-74.5	71	4.1	2.9- 5.3	2	0.1	0.0- 0.3	61	5.6	4.2- 7.0	728	15.1	13.7-16.5	78	2.9	2.1- 3.7
18-24	166	45,158	105	62.1	54.1-70.1	15	8.8	4.1-13.5				45	28.4	21.1-35.7				1	0.7	0.0- 2.1
25-34	275	59,970	241	87.6	83.3-91.9	13	4.4	1.9- 6.9	1	0.9	0.0- 2.7	13	5.0	2.1- 7.9				7	2.0	0.4- 3.6
35-44	304	47,664	277	90.6	86.7-94.5	18	6.7	3.2-10.2				4	1.6	0.0- 3.4				5	1.1	0.1- 2.1
45-54	361	41,511	321	88.7	85.0-92.4	14	4.8	2.1- 7.5	1	0.4	0.0- 1.2	2	0.5	0.0- 1.3	7	1.2	0.2- 2.2	16	4.4	2.0- 6.8
55-64	615	47,562	472	74.4	69.9-78.9	12	1.8	0.6- 3.0							91	13.8	10.5-17.1	40	10.0	6.5-13.5
65+	956	53,172	268	26.6	23.3-29.9	8	0.7	0.1- 1.3	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	649	69.0	65.5-72.5	29	3.6	2.0- 5.2
Less Than H.S.	154	25,317	60	53.8	43.8-63.8	4	5.0	0.0-10.5				4	5.0	0.1- 9.9	67	26.2	18.8-33.6	19	9.9	4.8-15.0
H.S. or G.E.D.	786	87,822	489	72.2	68.5-75.9	38	7.0	4.5- 9.5	2	0.8	0.0- 2.2	10	2.7	0.9- 4.5	221	14.0	11.6-16.4	26	3.2	1.8- 4.6
Some Post-H.S.	827	112,587	509	68.8	64.9-72.7	26	4.0	2.2- 5.8				37	10.2	7.1-13.3	219	13.4	11.4-15.4	36	3.6	2.2- 5.0
College Graduate	905	68,860	623	80.5	77.8-83.2	12	1.4	0.4- 2.4	1	0.1	0.0- 0.3	14	2.5	1.1- 3.9	238	13.9	11.9-15.9	17	1.6	0.6- 2.6
Less than \$15,000	135	18,839	30	20.0	11.2-28.8	17	16.7	8.5-24.9	2	3.9	0.0- 9.8	17	24.3	14.1-34.5	45	19.4	12.1-26.7	24	15.8	8.9-22.7
\$15,000- 24,999	264	29,948	100	50.3	42.5-58.1	20	9.7	4.8-14.6				10	8.5	3.2-13.8	107	23.0	17.5-28.5	27	8.5	4.6-12.4
\$25,000- 34,999	196	21,165	96	64.4	56.2-72.6	10	5.6	1.5- 9.7				4	4.0	0.0- 8.1	80	23.1	16.6-29.6	6	3.0	0.3- 5.7
\$35,000- 49,999	341	33,929	196	67.1	60.8-73.4	7	4.0	0.9- 7.1				7	5.1	1.2- 9.0	117	19.8	15.5-24.1	14	3.9	1.5- 6.3
\$50,000- 74,999	448	48,505	302	78.7	74.2-83.2	10	2.9	0.9- 4.9	1	0.1	0.0- 0.3	5	2.6	0.1- 5.1	121	13.2	10.5-15.9	9	2.5	0.3- 4.7
\$75,000+	1017	108,447	810	87.3	84.9-89.7	5	1.0	0.0- 2.2				10	2.4	0.8- 4.0	189	9.1	7.5-10.7	3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2911	280,835	1324	59.4	56.7-62.1	61	3.1	1.9- 4.3	213	8.4	6.8-10.0	44	5.7	3.9- 7.5	1157	19.4	17.8-21.0	112	3.9	2.9- 4.9
Native	99	13,361	47	41.5	27.6-55.4	5	8.6	0.2-17.0	6	11.7	0.0-23.9	4	15.2	1.5-28.9	29	14.5	7.6-21.4	8	8.4	1.1-15.7
Non-Native	2788	264,648	1268	60.2	57.5-62.9	56	2.9	1.7- 4.1	205	8.2	6.6- 9.8	39	5.3	3.5- 7.1	1117	19.7	18.1-21.3	103	3.7	2.7- 4.7
18-24	81	40,174	46	57.5	45.7-69.3	3	5.2	0.0-11.1	4	6.0	0.1-11.9	28	31.3	20.5-42.1						
25-34	195	50,618	158	81.0	74.7-87.3	8	2.9	0.5- 5.3	18	9.4	4.7-14.1	8	5.3	1.6- 9.0				3	1.5	0.0- 3.3
35-44	231	43,057	186	78.3	71.2-85.4	6	3.7	0.0- 7.8	27	12.2	7.1-17.3	2	0.7	0.0- 1.7				10	5.1	1.0- 9.2
45-54	359	38,825	295	78.7	73.2-84.2	7	1.8	0.2- 3.4	25	8.0	4.3-11.7	2	0.8	0.0- 2.0	9	3.2	1.0- 5.4	21	7.5	3.8-11.2
55-64	643	45,368	438	64.2	59.7-68.7	21	4.2	2.0- 6.4	31	5.4	3.2- 7.6	1	0.2	0.0- 0.6	106	17.8	14.1-21.5	46	8.3	5.6-11.0
65+	1402	62,793	201	14.7	12.3-17.1	16	1.7	0.7- 2.7	108	9.0	7.0-11.0	3	0.3	0.0- 0.7	1042	71.9	69.0-74.8	32	2.3	1.3- 3.3
Less Than H.S.	138	21,775	29	42.2	27.5-56.9	5	6.6	0.0-14.8	14	7.7	1.2-14.2	5	13.3	2.3-24.3	77	23.6	15.6-31.6	8	6.6	0.9-12.3
H.S. or G.E.D.	745	65,063	260	50.1	44.4-55.8	21	5.2	2.1- 8.3	78	11.2	7.9-14.5	8	4.9	1.2- 8.6	333	23.1	19.6-26.6	45	5.5	3.3- 7.7
Some Post-H.S.	937	111,563	394	57.7	53.0-62.4	25	2.7	0.9- 4.5	66	8.3	5.4-11.2	18	6.2	3.1- 9.3	392	20.5	17.8-23.2	42	4.6	2.6- 6.6
College Graduate	1088	82,280	640	73.5	70.0-77.0	10	1.2	0.2- 2.2	55	6.5	4.1- 8.9	13	3.8	1.6- 6.0	353	13.8	11.8-15.8	17	1.1	0.5- 1.7
Less than \$15,000	172	17,470	24	28.6	14.7-42.5	19	11.5	5.4-17.6	7	4.8	0.3- 9.3	5	12.0	2.0-22.0	85	25.3	17.7-32.9	32	17.8	10.0-25.6
\$15,000- 24,999	356	34,997	92	43.9	34.5-53.3	9	5.3	0.2-10.4	30	9.8	3.9-15.7	7	7.9	1.6-14.2	188	26.3	20.4-32.2	30	6.7	3.6- 9.8
\$25,000- 34,999	263	24,901	100	54.1	44.3-63.9	7	6.5	0.4-12.6	17	8.4	2.7-14.1	6	8.6	0.8-16.4	124	20.0	14.9-25.1	9	2.3	0.1- 4.5
\$35,000- 49,999	365	31,436	159	63.0	55.6-70.4	5	2.3	0.0- 5.4	22	6.5	2.6-10.4	3	3.2	0.0- 6.9	167	22.3	17.4-27.2	9	2.6	0.6- 4.6
\$50,000- 74,999	412	36,447	224	66.7	60.2-73.2	5	1.1	0.0- 2.3	20	6.5	3.0-10.0	4	4.0	0.0- 8.7	150	18.9	15.0-22.8	9	2.8	0.6- 5.0
\$75,000+	838	93,463	569	73.9	69.4-78.4	6	0.4	0.0- 0.8	56	9.1	6.0-12.2	11	4.9	1.8- 8.0	186	10.1	8.1-12.1	10	1.6	0.0- 3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5570	572,263	407	12.2	10.8-13.6	418	12.7	11.3-14.1	194	5.9	4.9- 6.9	82	2.3	1.7- 2.9	42	1.6	1.0- 2.2	4427	65.4	63.4-67.4
Male	2662	292,345	196	10.9	9.1-12.7	215	11.2	9.4-13.0	99	5.7	4.3- 7.1	50	2.6	1.8- 3.4	21	1.1	0.5- 1.7	2081	68.4	66.0-70.8
Female	2908	279,917	211	13.5	11.3-15.7	203	14.2	11.8-16.6	95	6.0	4.6- 7.4	32	1.8	1.0- 2.6	21	2.1	0.9- 3.3	2346	62.3	59.4-65.2
Native	176	24,797	27	15.8	8.5-23.1	18	12.5	5.1-19.9	13	9.5	2.6-16.4	10	7.7	2.6-12.8	11	12.2	4.4-20.0	97	42.3	32.5-52.1
Non-Native	5345	541,894	378	12.1	10.7-13.5	396	12.7	11.3-14.1	180	5.7	4.7- 6.7	72	2.0	1.4- 2.6	29	1.1	0.5- 1.7	4290	66.5	64.5-68.5
18-24	246	85,015	38	17.0	11.3-22.7	25	9.7	5.4-14.0	6	2.9	0.4- 5.4	1	0.8	0.0- 2.4	1	0.4	0.0- 1.2	175	69.2	62.3-76.1
25-34	468	110,208	76	18.3	14.2-22.4	105	23.9	19.4-28.4	42	8.9	6.0-11.8	15	2.8	1.2- 4.4	11	3.5	1.0- 6.0	219	42.5	37.6-47.4
35-44	528	89,278	69	13.7	10.2-17.2	157	29.1	24.6-33.6	96	18.5	14.6-22.4	41	7.3	4.9- 9.7	21	4.6	2.4- 6.8	144	26.8	22.5-31.1
45-54	713	79,241	139	21.3	17.6-25.0	101	13.0	10.3-15.7	37	4.7	3.1- 6.3	16	2.4	1.2- 3.6	4	0.5	0.0- 1.1	416	58.2	53.9-62.5
55-64	1256	92,343	57	4.4	3.0- 5.8	19	1.2	0.6- 1.8	11	1.2	0.4- 2.0	6	0.4	0.0- 0.8	4	0.5	0.1- 0.9	1159	92.4	90.6-94.2
65+	2359	116,178	28	1.5	0.9- 2.1	11	0.4	0.2- 0.6	2	0.1	0.0- 0.3	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0	2314	97.7	96.9-98.5
Less Than H.S.	289	46,607	18	12.7	6.0-19.4	13	11.4	5.1-17.7	3	2.1	0.0- 4.6	2	2.4	0.0- 5.7	4	3.3	0.0- 7.4	249	68.2	59.4-77.0
H.S. or G.E.D.	1528	152,459	92	10.8	8.3-13.3	94	11.3	8.8-13.8	32	4.1	2.3- 5.9	16	1.7	0.7- 2.7	14	2.0	0.8- 3.2	1280	70.0	66.5-73.5
Some Post-H.S.	1759	222,674	122	12.4	9.9-14.9	105	11.1	8.6-13.6	70	6.9	5.1- 8.7	30	2.1	1.3- 2.9	12	1.3	0.3- 2.3	1420	66.1	62.8-69.4
College Graduate	1983	149,802	175	13.0	10.8-15.2	205	16.8	14.3-19.3	89	7.3	5.7- 8.9	34	2.9	1.9- 3.9	12	1.0	0.4- 1.6	1468	58.8	55.9-61.7
Less than \$15,000	307	36,294	16	7.6	2.5-12.7	9	4.5	1.2- 7.8	6	3.8	0.1- 7.5	3	1.4	0.0- 3.4				273	82.6	75.9-89.3
\$15,000- 24,999	620	64,891	31	8.7	5.0-12.4	27	7.8	4.1-11.5	14	3.6	1.2- 6.0	1	0.2	0.0- 0.6	4	2.4	0.0- 5.1	543	77.2	71.5-82.9
\$25,000- 34,999	460	46,056	28	13.3	7.8-18.8	17	8.6	4.3-12.9	6	3.1	0.2- 6.0	6	3.0	0.0- 6.1	3	0.8	0.0- 1.8	400	71.1	64.2-78.0
\$35,000- 49,999	707	65,414	47	12.4	8.3-16.5	26	7.7	4.2-11.2	14	3.0	1.2- 4.8	16	3.8	1.8- 5.8	4	2.2	0.0- 5.1	600	71.0	65.5-76.5
\$50,000- 74,999	859	84,510	54	10.2	6.9-13.5	57	10.7	7.4-14.0	33	7.9	4.8-11.0	7	1.6	0.4- 2.8	5	1.1	0.1- 2.1	703	68.5	63.6-73.4
\$75,000+	1854	201,450	193	15.1	12.7-17.5	246	19.3	16.6-22.0	110	8.8	7.0-10.6	43	3.1	2.1- 4.1	19	1.8	0.8- 2.8	1243	52.0	48.9-55.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2662	292,345	196	10.9	9.1-12.7	215	11.2	9.4-13.0	99	5.7	4.3- 7.1	50	2.6	1.8- 3.4	21	1.1	0.5- 1.7	2081	68.4	66.0-70.8
Native	78	11,471	12	16.6	6.6-26.6	6	7.4	0.3-14.5	4	8.2	0.0-18.0	3	5.6	0.0-11.9	5	10.0	1.2-18.8	48	52.2	38.1-66.3
Non-Native	2558	278,021	183	10.7	8.9-12.5	208	11.5	9.7-13.3	95	5.7	4.3- 7.1	47	2.6	1.8- 3.4	14	0.6	0.2- 1.0	2011	69.0	66.5-71.5
18-24	166	45,158	21	12.8	6.9-18.7	16	8.5	4.2-12.8	4	3.1	0.0- 6.2				1	0.7	0.0- 2.1	124	75.0	67.7-82.3
25-34	273	59,614	41	17.3	12.2-22.4	43	16.3	11.2-21.4	21	8.8	4.7-12.9	11	3.9	1.5- 6.3	4	1.5	0.0- 3.1	153	52.3	45.6-59.0
35-44	297	46,234	30	10.6	6.5-14.7	86	27.6	21.9-33.3	46	15.6	11.1-20.1	22	7.7	4.4-11.0	9	2.8	0.8- 4.8	104	35.6	29.3-41.9
45-54	358	41,184	62	19.6	14.7-24.5	55	13.7	10.0-17.4	20	5.5	3.0- 8.0	13	3.8	1.6- 6.0	4	1.0	0.0- 2.0	204	56.5	50.6-62.4
55-64	614	47,042	25	3.6	2.0- 5.2	11	1.3	0.3- 2.3	6	1.1	0.1- 2.1	2	0.2	0.0- 0.4	2	0.6	0.0- 1.4	568	93.1	90.9-95.3
65+	954	53,112	17	2.1	0.9- 3.3	4	0.3	0.0- 0.7	2	0.2	0.0- 0.6	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	928	96.9	95.5-98.3
Less Than H.S.	151	24,832	11	10.7	3.6-17.8	7	10.3	2.3-18.3				1	1.7	0.0- 4.8	1	0.5	0.0- 1.5	131	76.8	66.8-86.8
H.S. or G.E.D.	785	87,527	57	10.6	7.3-13.9	54	10.2	7.5-12.9	21	4.2	2.0- 6.4	10	2.0	0.6- 3.4	7	1.6	0.4- 2.8	636	71.4	67.1-75.7
Some Post-H.S.	823	111,703	58	11.1	8.2-14.0	47	8.2	5.7-10.7	34	7.1	4.6- 9.6	18	2.7	1.3- 4.1	7	0.9	0.1- 1.7	659	70.1	66.0-74.2
College Graduate	898	67,883	70	11.2	8.5-13.9	107	17.8	14.3-21.3	44	7.6	5.2-10.0	21	3.9	2.1- 5.7	6	1.0	0.2- 1.8	650	58.6	54.3-62.9
Less than \$15,000	135	18,824	6	4.1	0.2- 8.0	4	2.4	0.0- 4.9	1	2.9	0.0- 8.6	1	1.6	0.0- 4.7				123	89.0	81.4-96.6
\$15,000- 24,999	264	29,894	14	7.3	2.8-11.8	11	5.7	2.0- 9.4	5	3.0	0.0- 6.3				1	1.1	0.0- 3.3	233	82.9	76.4-89.4
\$25,000- 34,999	195	20,945	11	10.4	3.9-16.9	3	3.0	0.0- 6.5							3	1.7	0.0- 3.9	178	84.8	77.4-92.2
\$35,000- 49,999	341	33,929	26	12.8	7.3-18.3	13	6.2	2.5- 9.9	7	3.4	0.7- 6.1	11	4.3	1.8- 6.8	3	1.5	0.0- 3.5	281	71.8	65.1-78.5
\$50,000- 74,999	446	48,039	28	8.1	4.6-11.6	33	11.1	6.4-15.8	14	6.4	2.9- 9.9	5	2.1	0.1- 4.1	3	0.9	0.0- 2.1	363	71.4	65.3-77.5
\$75,000+	1016	108,170	96	13.6	10.7-16.5	134	17.3	14.2-20.4	67	9.2	6.8-11.6	30	4.0	2.4- 5.6	9	1.2	0.4- 2.0	680	54.6	50.7-58.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2908	279,917	211	13.5	11.3-15.7	203	14.2	11.8-16.6	95	6.0	4.6- 7.4	32	1.8	1.0- 2.6	21	2.1	0.9- 3.3	2346	62.3	59.4-65.2
Native	98	13,326	15	15.1	4.9-25.3	12	16.8	4.8-28.8	9	10.7	1.1-20.3	7	9.5	1.9-17.1	6	14.1	1.6-26.6	49	33.8	20.9-46.7
Non-Native	2787	263,873	195	13.5	11.1-15.9	188	13.9	11.5-16.3	85	5.8	4.4- 7.2	25	1.5	0.7- 2.3	15	1.5	0.5- 2.5	2279	63.8	60.9-66.7
18-24	80	39,857	17	21.9	11.9-31.9	9	11.1	3.1-19.1	2	2.6	0.0- 6.5	1	1.7	0.0- 5.0				51	62.7	50.9-74.5
25-34	195	50,594	35	19.5	13.0-26.0	62	33.0	25.4-40.6	21	9.1	5.0-13.2	4	1.6	0.0- 3.2	7	5.9	0.8-11.0	66	30.9	23.8-38.0
35-44	231	43,044	39	17.1	11.4-22.8	71	30.7	23.4-38.0	50	21.5	15.2-27.8	19	6.9	3.6-10.2	12	6.6	2.7-10.5	40	17.2	11.5-22.9
45-54	355	38,057	77	23.2	17.7-28.7	46	12.2	8.1-16.3	17	3.8	1.6- 6.0	3	0.8	0.0- 2.0				212	60.0	53.9-66.1
55-64	642	45,300	32	5.2	3.0- 7.4	8	1.0	0.2- 1.8	5	1.2	0.0- 2.4	4	0.7	0.0- 1.5	2	0.4	0.0- 1.0	591	91.5	89.0-94.0
65+	1405	63,066	11	0.9	0.3- 1.5	7	0.5	0.1- 0.9				1	0.1	0.0- 0.3				1386	98.4	97.6-99.2
Less Than H.S.	138	21,775	7	15.0	3.2-26.8	6	12.6	2.8-22.4	3	4.4	0.0- 9.9	1	3.2	0.0- 9.3	3	6.4	0.0-15.0	118	58.5	44.0-73.0
H.S. or G.E.D.	743	64,932	35	11.1	6.8-15.4	40	12.8	8.5-17.1	11	3.9	1.0- 6.8	6	1.4	0.2- 2.6	7	2.7	0.5- 4.9	644	68.1	62.2-74.0
Some Post-H.S.	936	110,971	64	13.8	9.9-17.7	58	14.0	9.9-18.1	36	6.8	4.3- 9.3	12	1.6	0.6- 2.6	5	1.8	0.0- 3.6	761	62.1	57.0-67.2
College Graduate	1085	81,919	105	14.5	11.4-17.6	98	16.1	12.8-19.4	45	7.1	4.7- 9.5	13	2.2	1.0- 3.4	6	1.1	0.1- 2.1	818	59.0	54.7-63.3
Less than \$15,000	172	17,470	10	11.4	2.2-20.6	5	6.8	0.7-12.9	5	4.8	0.1- 9.5	2	1.2	0.0- 3.2				150	75.8	64.6-87.0
\$15,000- 24,999	356	34,997	17	10.0	4.1-15.9	16	9.7	3.6-15.8	9	4.2	0.7- 7.7	1	0.3	0.0- 0.9	3	3.6	0.0- 8.3	310	72.2	63.4-81.0
\$25,000- 34,999	265	25,111	17	15.6	7.2-24.0	14	13.3	6.2-20.4	6	5.7	0.6-10.8	6	5.6	0.0-11.5				222	59.7	49.5-69.9
\$35,000- 49,999	366	31,485	21	12.0	5.7-18.3	13	9.3	3.2-15.4	7	2.5	0.3- 4.7	5	3.3	0.2- 6.4	1	2.9	0.0- 8.4	319	70.0	61.0-79.0
\$50,000- 74,999	413	36,471	26	12.9	6.6-19.2	24	10.2	5.9-14.5	19	10.0	4.5-15.5	2	0.9	0.0- 2.3	2	1.3	0.0- 3.3	340	64.7	57.1-72.3
\$75,000+	838	93,280	97	16.8	12.9-20.7	112	21.5	17.0-26.0	43	8.3	5.6-11.0	13	2.0	0.8- 3.2	10	2.4	0.6- 4.2	563	49.0	44.1-53.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4816	500,459	136	3.8	2.8- 4.8	172	3.4	2.6- 4.2	269	5.2	4.2- 6.2	352	7.8	6.6- 9.0	461	9.2	8.0-10.4	3426	70.5	68.5-72.5
Male	2404	261,146	67	4.0	2.8- 5.2	69	3.2	2.2- 4.2	105	4.6	3.4- 5.8	160	6.9	5.5- 8.3	196	8.1	6.7- 9.5	1807	73.2	70.8-75.6
Female	2412	239,312	69	3.7	2.3- 5.1	103	3.6	2.4- 4.8	164	5.9	4.3- 7.5	192	8.7	6.7-10.7	265	10.5	8.5-12.5	1619	67.6	64.7-70.5
Native	149	20,598	11	9.7	3.0-16.4	11	6.1	0.6-11.6	21	15.6	7.6-23.6	20	16.0	6.8-25.2	13	7.8	2.9-12.7	73	44.8	33.8-55.8
Non-Native	4638	476,661	125	3.6	2.6- 4.6	160	3.3	2.5- 4.1	245	4.7	3.9- 5.5	328	7.4	6.2- 8.6	446	9.3	8.1-10.5	3334	71.6	69.6-73.6
18-24	197	66,518	16	9.2	4.3-14.1	8	4.3	1.2- 7.4	10	5.3	2.0- 8.6	30	16.7	10.4-23.0	29	14.0	8.7-19.3	104	50.5	42.5-58.5
25-34	428	100,825	14	3.5	1.5- 5.5	8	2.6	0.6- 4.6	19	4.2	2.0- 6.4	26	7.1	4.2-10.0	35	8.5	5.6-11.4	326	74.0	69.3-78.7
35-44	494	84,179	8	2.1	0.5- 3.7	7	1.4	0.2- 2.6	19	4.8	2.1- 7.5	18	3.4	1.6- 5.2	35	8.2	5.1-11.3	407	80.1	75.8-84.4
45-54	662	72,974	19	3.3	1.7- 4.9	15	2.0	0.8- 3.2	19	3.7	1.9- 5.5	21	2.6	1.4- 3.8	35	5.7	3.5- 7.9	553	82.7	79.4-86.0
55-64	1107	81,815	30	3.0	1.6- 4.4	35	4.8	3.0- 6.6	42	4.4	2.6- 6.2	44	5.1	3.3- 6.9	64	5.7	4.1- 7.3	892	77.1	73.8-80.4
65+	1928	94,147	49	3.2	2.0- 4.4	99	5.5	4.1- 6.9	160	8.5	6.9-10.1	213	12.3	10.3-14.3	263	13.4	11.4-15.4	1144	57.1	54.4-59.8
Less Than H.S.	215	36,089	31	13.6	6.5-20.7	32	12.8	6.5-19.1	37	12.6	7.5-17.7	38	17.1	8.9-25.3	24	12.6	5.7-19.5	53	31.2	21.8-40.6
H.S. or G.E.D.	1268	130,364	50	4.9	3.1- 6.7	71	4.7	3.3- 6.1	120	7.7	5.7- 9.7	138	9.8	7.6-12.0	171	13.4	10.7-16.1	718	59.5	55.8-63.2
Some Post-H.S.	1519	195,967	43	3.6	2.2- 5.0	48	2.8	1.8- 3.8	76	4.6	3.0- 6.2	119	7.9	5.7-10.1	163	8.9	7.1-10.7	1070	72.2	69.1-75.3
College Graduate	1811	137,737	12	0.7	0.1- 1.3	21	0.7	0.3- 1.1	35	1.9	1.1- 2.7	57	3.1	1.9- 4.3	102	4.7	3.3- 6.1	1584	88.9	86.9-90.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2404	261,146	67	4.0	2.8- 5.2	69	3.2	2.2- 4.2	105	4.6	3.4- 5.8	160	6.9	5.5- 8.3	196	8.1	6.7- 9.5	1807	73.2	70.8-75.6
Native	65	9,491	8	16.4	3.7-29.1	3	2.1	0.0- 4.8	13	19.0	7.6-30.4	8	10.1	1.3-18.9	5	6.4	0.0-13.5	28	45.9	30.4-61.4
Non-Native	2322	249,695	59	3.6	2.4- 4.8	65	3.3	2.3- 4.3	91	4.0	3.0- 5.0	150	6.7	5.3- 8.1	191	8.2	6.6- 9.8	1766	74.1	71.7-76.5
18-24	136	35,293	12	9.7	4.2-15.2	6	5.4	0.9- 9.9	5	3.7	0.4- 7.0	20	14.5	8.2-20.8	18	13.3	7.2-19.4	75	53.3	44.3-62.3
25-34	248	54,702	7	3.4	0.7- 6.1	3	1.7	0.0- 3.7	9	3.3	0.9- 5.7	17	7.4	3.9-10.9	22	8.9	5.0-12.8	190	75.4	69.3-81.5
35-44	280	43,498	4	2.2	0.0- 4.4	4	1.2	0.0- 2.4	9	3.1	0.9- 5.3	11	4.2	1.5- 6.9	8	3.1	0.7- 5.5	244	86.2	81.7-90.7
45-54	336	38,544	10	3.4	1.2- 5.6	7	2.2	0.4- 4.0	15	6.3	3.0- 9.6	9	2.0	0.6- 3.4	19	6.1	3.0- 9.2	276	79.9	74.8-85.0
55-64	547	41,987	16	3.6	1.4- 5.8	20	5.5	2.8- 8.2	17	4.1	1.6- 6.6	22	4.5	2.1- 6.9	32	5.7	3.3- 8.1	440	76.6	71.9-81.3
65+	857	47,123	18	3.0	1.0- 5.0	29	4.0	2.2- 5.8	50	7.3	4.9- 9.7	81	9.2	6.8-11.6	97	11.7	9.0-14.4	582	64.8	60.7-68.9
Less Than H.S.	120	19,742	17	11.9	5.0-18.8	14	10.2	3.1-17.3	22	13.1	6.8-19.4	16	10.9	4.4-17.4	12	10.5	3.2-17.8	39	43.6	31.6-55.6
H.S. or G.E.D.	693	77,508	20	4.9	2.5- 7.3	30	4.1	2.3- 5.9	44	6.2	3.8- 8.6	79	10.5	7.6-13.4	83	11.5	8.6-14.4	437	62.8	58.3-67.3
Some Post-H.S.	748	100,200	23	3.8	1.8- 5.8	17	2.8	1.2- 4.4	28	3.7	1.9- 5.5	42	6.0	3.6- 8.4	64	7.6	5.2-10.0	574	76.2	72.3-80.1
College Graduate	842	63,477	7	0.8	0.2- 1.4	8	0.7	0.1- 1.3	11	1.6	0.4- 2.8	23	2.6	1.2- 4.0	36	3.7	2.1- 5.3	757	90.5	88.0-93.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2412	239,312	69	3.7	2.3- 5.1	103	3.6	2.4- 4.8	164	5.9	4.3- 7.5	192	8.7	6.7-10.7	265	10.5	8.5-12.5	1619	67.6	64.7-70.5
Native	84	11,107	3	3.9	0.0- 9.0	8	9.4	0.0-19.0	8	12.7	1.3-24.1	12	21.0	6.3-35.7	8	9.0	1.9-16.1	45	43.9	28.6-59.2
Non-Native	2316	226,966	66	3.7	2.3- 5.1	95	3.4	2.4- 4.4	154	5.5	4.1- 6.9	178	8.1	6.1-10.1	255	10.6	8.6-12.6	1568	68.8	65.7-71.9
18-24	61	31,225	4	8.5	0.0-17.1	2	3.0	0.0- 7.1	5	7.1	0.8-13.4	10	19.3	7.7-30.9	11	14.9	5.9-23.9	29	47.3	33.8-60.8
25-34	180	46,123	7	3.6	0.9- 6.3	5	3.6	0.1- 7.1	10	5.4	1.9- 8.9	9	6.8	1.9-11.7	13	8.1	3.6-12.6	136	72.4	64.8-80.0
35-44	214	40,681	4	1.9	0.0- 3.9	3	1.6	0.0- 3.6	10	6.6	1.5-11.7	7	2.6	0.6- 4.6	27	13.6	7.9-19.3	163	73.6	66.2-81.0
45-54	326	34,430	9	3.2	0.8- 5.6	8	1.8	0.4- 3.2	4	0.8	0.0- 1.6	12	3.3	1.3- 5.3	16	5.2	2.3- 8.1	277	85.8	81.5-90.1
55-64	560	39,829	14	2.4	1.0- 3.8	15	4.0	1.6- 6.4	25	4.8	2.6- 7.0	22	5.7	2.8- 8.6	32	5.6	3.2- 8.0	452	77.6	73.1-82.1
65+	1071	47,024	31	3.3	1.9- 4.7	70	7.0	5.2- 8.8	110	9.8	7.6-12.0	132	15.4	12.3-18.5	166	15.2	12.5-17.9	562	49.3	45.6-53.0
Less Than H.S.	95	16,348	14	15.7	2.8-28.6	18	16.1	5.3-26.9	15	12.0	3.8-20.2	22	24.6	8.9-40.3	12	15.2	2.7-27.7	14	16.4	3.7-29.1
H.S. or G.E.D.	575	52,856	30	4.9	2.5- 7.3	41	5.5	3.0- 8.0	76	10.0	6.7-13.3	59	8.8	5.7-11.9	88	16.2	11.1-21.3	281	54.6	48.3-60.9
Some Post-H.S.	771	95,767	20	3.3	1.1- 5.5	31	2.9	1.5- 4.3	48	5.6	2.9- 8.3	77	10.0	6.5-13.5	99	10.3	7.6-13.0	496	68.0	63.1-72.9
College Graduate	969	74,259	5	0.6	0.0- 1.4	13	0.6	0.2- 1.0	24	2.1	0.9- 3.3	34	3.5	1.5- 5.5	66	5.6	3.6- 7.6	827	87.6	84.7-90.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5265	545,930	38	0.5	0.3- 0.7	1281	23.7	21.9-25.5	2386	44.4	42.4-46.4	1180	22.9	21.3-24.5	377	8.3	7.3- 9.3	3	0.2	0.0- 0.4
Male	2621	287,990	2	0.1	0.0- 0.3	176	8.5	6.9-10.1	1253	46.8	44.3-49.3	893	32.2	29.8-34.6	296	12.2	10.6-13.8	1	0.1	0.0- 0.3
Female	2644	257,940	36	0.9	0.5- 1.3	1105	40.7	37.8-43.6	1133	41.7	38.8-44.6	287	12.5	10.5-14.5	81	3.8	2.6- 5.0	2	0.4	0.0- 1.0
Native	169	24,089	2	0.8	0.0- 2.2	30	21.5	12.1-30.9	81	43.7	33.3-54.1	36	24.2	15.4-33.0	20	9.7	4.4-15.0			
Non-Native	5057	517,226	36	0.5	0.3- 0.7	1241	23.8	22.0-25.6	2288	44.4	42.4-46.4	1136	22.9	21.3-24.5	353	8.1	6.9- 9.3	3	0.2	0.0- 0.6
18-24	242	82,962				77	34.9	27.8-42.0	106	42.9	35.8-50.0	39	14.2	9.3-19.1	20	8.0	4.3-11.7			
25-34	456	107,649	2	0.2	0.0- 0.6	95	22.7	18.2-27.2	203	43.1	38.0-48.2	105	22.8	18.5-27.1	48	9.9	7.0-12.8	3	1.2	0.0- 2.6
35-44	508	85,563	1	0.2	0.0- 0.6	83	16.8	13.1-20.5	233	45.3	40.2-50.4	150	29.2	24.7-33.7	41	8.4	5.7-11.1			
45-54	678	75,142	1	0.2	0.0- 0.6	132	19.6	16.1-23.1	282	41.4	37.1-45.7	179	26.1	22.2-30.0	84	12.7	9.8-15.6			
55-64	1167	85,729	6	0.4	0.0- 0.8	234	21.6	18.7-24.5	534	44.8	41.3-48.3	305	26.5	23.4-29.6	88	6.7	5.1- 8.3			
65+	2214	108,885	28	1.5	0.7- 2.3	660	26.0	23.8-28.2	1028	47.9	45.4-50.4	402	19.6	17.4-21.8	96	4.9	3.7- 6.1			
Less Than H.S.	269	43,763	7	1.3	0.1- 2.5	68	28.2	19.4-37.0	134	42.3	33.7-50.9	46	20.9	13.6-28.2	13	5.7	2.0- 9.4	1	1.6	0.0- 4.7
H.S. or G.E.D.	1431	143,933	10	0.4	0.0- 0.8	352	21.8	18.9-24.7	645	45.8	42.1-49.5	319	23.3	20.2-26.4	105	8.7	6.7-10.7			
Some Post-H.S.	1663	213,196	10	0.4	0.0- 0.8	390	22.3	19.4-25.2	751	44.0	40.7-47.3	379	23.7	21.0-26.4	132	9.4	7.4-11.4	1	0.1	0.0- 0.3
College Graduate	1895	144,535	9	0.3	0.1- 0.5	469	26.3	23.6-29.0	855	44.3	41.4-47.2	434	21.9	19.5-24.3	127	7.0	5.4- 8.6	1	0.2	0.0- 0.6
Less than \$15,000	291	33,610	6	1.2	0.0- 2.6	87	27.9	19.9-35.9	125	41.4	33.4-49.4	47	17.1	10.8-23.4	23	8.6	4.3-12.9	3	3.8	0.0- 8.3
\$15,000- 24,999	597	62,286	6	0.8	0.0- 1.6	174	26.6	20.9-32.3	265	45.0	38.7-51.3	113	20.2	15.5-24.9	39	7.4	4.5-10.3			
\$25,000- 34,999	439	43,845	4	0.3	0.1- 0.5	107	22.0	16.3-27.7	210	48.5	41.4-55.6	87	21.7	16.0-27.4	31	7.6	4.1-11.1			
\$35,000- 49,999	675	63,237	4	0.1	0.0- 0.3	150	25.8	20.3-31.3	314	42.9	37.4-48.4	158	22.9	18.6-27.2	49	8.2	5.3-11.1			
\$50,000- 74,999	830	82,738	1	0.1	0.0- 0.3	182	19.7	15.8-23.6	396	47.5	42.8-52.2	184	22.5	18.6-26.4	67	10.1	7.2-13.0			
\$75,000+	1810	197,413	8	0.5	0.1- 0.9	372	21.4	18.7-24.1	800	43.0	39.9-46.1	491	26.2	23.5-28.9	139	8.9	6.9-10.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2621	287,990	2	0.1	0.0- 0.3	176	8.5	6.9-10.1	1253	46.8	44.3-49.3	893	32.2	29.8-34.6	296	12.2	10.6-13.8	1	0.1	0.0- 0.3
Native	76	11,096				9	17.8	5.6-30.0	35	38.5	25.2-51.8	18	26.9	13.6-40.2	14	16.9	6.7-27.1			
Non-Native	2523	274,292	2	0.1	0.0- 0.3	167	8.2	6.6- 9.8	1207	47.1	44.6-49.6	868	32.5	30.1-34.9	278	11.9	10.1-13.7	1	0.1	0.0- 0.3
18-24	163	43,807				34	18.6	12.5-24.7	78	49.3	41.1-57.5	35	21.5	14.4-28.6	16	10.6	5.5-15.7			
25-34	273	59,743				23	9.2	5.5-12.9	130	46.4	39.9-52.9	82	30.2	24.1-36.3	37	13.7	9.2-18.2	1	0.5	0.0- 1.5
35-44	294	45,830				13	6.0	2.3- 9.7	141	45.5	39.0-52.0	108	37.1	30.8-43.4	32	11.4	7.1-15.7			
45-54	350	40,242				13	3.8	1.4- 6.2	146	43.2	37.1-49.3	125	33.5	28.0-39.0	66	19.5	14.8-24.2			
55-64	600	45,940				36	7.5	4.6-10.4	265	43.4	38.7-48.1	230	38.5	33.8-43.2	69	10.6	7.9-13.3			
65+	941	52,427	2	0.7	0.0- 1.9	57	5.8	4.0- 7.6	493	52.3	48.4-56.2	313	32.7	29.0-36.4	76	8.6	6.2-11.0			
Less Than H.S.	145	23,564	1	0.2	0.0- 0.6	14	13.9	6.3-21.5	81	48.8	38.2-59.4	36	26.5	17.1-35.9	13	10.6	3.9-17.3			
H.S. or G.E.D.	768	85,955				73	11.2	8.3-14.1	356	47.1	42.6-51.6	250	29.2	25.1-33.3	89	12.4	9.5-15.3			
Some Post-H.S.	814	110,558	1	0.3	0.0- 0.9	49	7.1	4.7- 9.5	376	44.8	40.5-49.1	288	34.2	30.1-38.3	99	13.3	10.4-16.2	1	0.3	0.0- 0.9
College Graduate	891	67,595				40	5.3	3.3- 7.3	439	49.2	45.1-53.3	317	34.6	30.7-38.5	95	10.9	8.4-13.4			
Less than \$15,000	134	18,497	1	0.3	0.0- 0.9	24	15.1	7.8-22.4	69	50.9	39.9-61.9	25	20.9	11.5-30.3	14	11.1	4.4-17.8	1	1.7	0.0- 5.0
\$15,000- 24,999	259	29,059				30	13.6	7.9-19.3	111	39.8	32.0-47.6	86	33.7	26.3-41.1	32	12.8	7.5-18.1			
\$25,000- 34,999	192	20,614				12	9.6	3.5-15.7	106	54.4	44.8-64.0	57	28.6	20.0-37.2	17	7.5	2.4-12.6			
\$35,000- 49,999	339	33,605				20	8.9	4.4-13.4	168	47.9	40.8-55.0	115	30.6	24.3-36.9	36	12.5	7.4-17.6			
\$50,000- 74,999	446	48,332				25	6.6	3.5- 9.7	228	50.3	44.0-56.6	142	29.6	24.1-35.1	51	13.5	9.2-17.8			
\$75,000+	1014	108,241	1	0.3	0.0- 0.9	43	5.4	3.4- 7.4	453	44.1	40.2-48.0	396	36.9	33.2-40.6	121	13.3	10.6-16.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 52: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2644	257,940	36	0.9	0.5- 1.3	1105	40.7	37.8-43.6	1133	41.7	38.8-44.6	287	12.5	10.5-14.5	81	3.8	2.6- 5.0	2	0.4	0.0- 1.0
Native	93	12,994	2	1.5	0.0- 4.0	21	24.7	11.0-38.4	46	48.2	33.3-63.1	18	22.0	10.6-33.4	6	3.7	0.4- 7.0			
Non-Native	2534	242,934	34	0.9	0.5- 1.3	1074	41.5	38.4-44.6	1081	41.3	38.4-44.2	268	12.1	10.1-14.1	75	3.9	2.5- 5.3	2	0.4	0.0- 1.0
18-24	79	39,156				43	53.1	40.9-65.3	28	35.8	24.2-47.4	4	6.1	0.0-12.2	4	5.0	0.0-10.3			
25-34	183	47,906	2	0.5	0.0- 1.3	72	39.6	31.6-47.6	73	39.1	31.1-47.1	23	13.6	7.9-19.3	11	5.1	1.6- 8.6	2	2.0	0.0- 4.9
35-44	214	39,732	1	0.5	0.0- 1.5	70	29.3	22.4-36.2	92	45.2	37.2-53.2	42	20.2	13.5-26.9	9	4.9	1.4- 8.4			
45-54	328	34,899	1	0.4	0.0- 1.2	119	37.8	31.5-44.1	136	39.3	33.0-45.6	54	17.6	12.5-22.7	18	4.9	2.4- 7.4			
55-64	567	39,789	6	0.9	0.1- 1.7	198	37.8	32.9-42.7	269	46.3	41.4-51.2	75	12.7	9.6-15.8	19	2.3	1.1- 3.5			
65+	1273	56,458	26	2.3	1.1- 3.5	603	44.7	41.4-48.0	535	43.9	40.4-47.4	89	7.5	5.5- 9.5	20	1.6	0.6- 2.6			
Less Than H.S.	124	20,199	6	2.6	0.2- 5.0	54	45.0	29.9-60.1	53	34.8	21.3-48.3	10	14.3	2.9-25.7				1	3.4	0.0- 9.9
H.S. or G.E.D.	663	57,977	10	1.1	0.1- 2.1	279	37.4	31.5-43.3	289	43.9	37.8-50.0	69	14.6	10.3-18.9	16	3.0	0.8- 5.2			
Some Post-H.S.	849	102,638	9	0.5	0.1- 0.9	341	38.6	33.5-43.7	375	43.2	38.1-48.3	91	12.5	9.2-15.8	33	5.2	2.7- 7.7			
College Graduate	1004	76,940	9	0.6	0.0- 1.2	429	44.8	40.5-49.1	416	40.1	35.8-44.4	117	10.6	8.2-13.0	32	3.6	1.8- 5.4	1	0.4	0.0- 1.2
Less than \$15,000	157	15,113	5	2.3	0.0- 5.2	63	43.5	30.0-57.0	56	29.8	19.0-40.6	22	12.4	5.3-19.5	9	5.6	1.1-10.1	2	6.4	0.0-15.6
\$15,000- 24,999	338	33,227	6	1.5	0.1- 2.9	144	37.9	28.9-46.9	154	49.5	40.1-58.9	27	8.4	3.5-13.3	7	2.7	0.0- 5.6			
\$25,000- 34,999	247	23,232	4	0.5	0.0- 1.1	95	32.9	23.7-42.1	104	43.2	32.8-53.6	30	15.6	8.2-23.0	14	7.8	2.7-12.9			
\$35,000- 49,999	336	29,633	4	0.3	0.0- 0.7	130	45.0	36.0-54.0	146	37.3	29.1-45.5	43	14.0	8.3-19.7	13	3.4	1.0- 5.8			
\$50,000- 74,999	384	34,406	1	0.3	0.0- 0.9	157	38.2	30.9-45.5	168	43.6	36.2-51.0	42	12.7	8.2-17.2	16	5.2	1.1- 9.3			
\$75,000+	796	89,172	7	0.6	0.0- 1.2	329	40.8	35.9-45.7	347	41.7	36.8-46.6	95	13.3	9.8-16.8	18	3.6	1.1- 6.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5479	564,853	250	3.6	2.8- 4.4	2275	37.1	35.3-38.9	2397	46.7	44.7-48.7	538	11.8	10.6-13.0	13	0.3	0.1- 0.5	6	0.4	0.0- 0.8
Male	2634	289,934	8	0.5	0.1- 0.9	233	8.4	7.0- 9.8	1839	67.1	64.7-69.5	537	23.0	20.8-25.2	13	0.7	0.3- 1.1	4	0.4	0.0- 0.8
Female	2845	274,919	242	6.9	5.3- 8.5	2042	67.5	64.8-70.2	558	25.2	22.7-27.7	1	0.1	0.0- 0.3				2	0.4	0.0- 1.0
Native	172	24,049	8	3.2	0.7- 5.7	70	39.8	29.4-50.2	81	46.4	36.2-56.6	12	9.3	3.6-15.0				1	1.2	0.0- 3.6
Non-Native	5263	535,462	238	3.6	2.8- 4.4	2185	36.9	34.9-38.9	2301	46.8	44.8-48.8	521	11.9	10.7-13.1	13	0.4	0.2- 0.6	5	0.3	0.0- 0.7
18-24	246	84,812	2	1.9	0.0- 4.6	61	31.6	24.5-38.7	126	48.6	41.5-55.7	53	16.5	12.0-21.0	2	0.7	0.0- 1.7	2	0.8	0.0- 2.0
25-34	465	109,637	14	4.1	1.9- 6.3	128	31.3	26.4-36.2	248	50.4	45.3-55.5	68	12.6	9.5-15.7	5	0.7	0.0- 1.5	2	0.9	0.0- 2.3
35-44	524	88,745	3	1.3	0.0- 3.1	163	34.0	29.1-38.9	265	49.4	44.5-54.3	90	14.9	11.6-18.2	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3
45-54	705	78,275	16	2.2	1.0- 3.4	291	41.8	37.5-46.1	307	42.9	38.6-47.2	89	12.5	9.8-15.2	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2
55-64	1233	90,606	36	3.2	2.0- 4.4	504	39.2	35.9-42.5	571	47.2	43.9-50.5	122	10.4	8.2-12.6						
65+	2306	112,777	179	7.8	6.4- 9.2	1128	44.7	42.2-47.2	880	41.6	39.1-44.1	116	5.8	4.4- 7.2	3	0.2	0.0- 0.4			
Less Than H.S.	276	44,842	21	4.9	2.2- 7.6	124	44.4	35.4-53.4	106	35.4	27.4-43.4	22	12.1	6.4-17.8	1	1.0	0.0- 2.8	2	2.2	0.0- 5.5
H.S. or G.E.D.	1495	149,931	94	4.6	3.2- 6.0	626	35.6	32.3-38.9	659	49.5	46.0-53.0	114	10.2	8.0-12.4	2	0.2	0.0- 0.4			
Some Post-H.S.	1740	221,424	80	3.8	2.2- 5.4	723	35.9	32.8-39.0	754	47.1	43.8-50.4	176	12.4	10.2-14.6	5	0.3	0.0- 0.7	2	0.3	0.0- 0.7
College Graduate	1959	148,067	52	1.9	1.1- 2.7	800	38.5	35.6-41.4	875	46.5	43.6-49.4	225	12.5	10.5-14.5	5	0.3	0.0- 0.7	2	0.3	0.0- 0.7
Less than \$15,000	301	35,437	21	6.6	2.9-10.3	133	32.6	25.0-40.2	118	46.3	38.1-54.5	26	11.5	5.6-17.4	1	0.3	0.0- 0.9	2	2.7	0.0- 6.6
\$15,000- 24,999	620	64,924	60	6.6	4.1- 9.1	282	42.4	36.1-48.7	230	41.1	35.2-47.0	44	8.9	5.8-12.0	2	0.4	0.0- 1.0	2	0.7	0.0- 1.7
\$25,000- 34,999	456	45,628	24	2.4	1.2- 3.6	227	43.6	36.7-50.5	176	45.8	38.9-52.7	28	8.0	4.3-11.7	1	0.2	0.0- 0.6			
\$35,000- 49,999	695	64,311	26	2.7	0.9- 4.5	305	40.7	35.2-46.2	295	41.8	36.5-47.1	67	13.8	9.9-17.7	1	0.5	0.0- 1.5	1	0.5	0.0- 1.5
\$50,000- 74,999	854	84,247	18	1.3	0.5- 2.1	345	37.2	32.7-41.7	395	47.1	42.4-51.8	93	14.0	10.7-17.3	3	0.3	0.0- 0.7			
\$75,000+	1849	201,565	44	2.4	1.2- 3.6	613	31.3	28.6-34.0	960	53.0	49.9-56.1	229	13.0	11.0-15.0	3	0.3	0.0- 0.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2634	289,934	8	0.5	0.1- 0.9	233	8.4	7.0- 9.8	1839	67.1	64.7-69.5	537	23.0	20.8-25.2	13	0.7	0.3- 1.1	4	0.4	0.0- 0.8
Native	77	11,224				8	10.3	2.3-18.3	56	67.1	53.8-80.4	12	20.0	8.6-31.4				1	2.7	0.0- 7.8
Non-Native	2533	275,981	8	0.6	0.2- 1.0	220	8.1	6.7- 9.5	1769	67.2	64.8-69.6	520	23.1	20.9-25.3	13	0.7	0.3- 1.1	3	0.3	0.0- 0.7
18-24	166	44,956				10	4.8	1.5- 8.1	99	61.3	53.3-69.3	53	31.1	23.5-38.7	2	1.2	0.0- 3.2	2	1.5	0.0- 3.5
25-34	273	59,554	3	1.5	0.0- 3.3	21	8.1	4.6-11.6	176	65.8	59.5-72.1	68	23.2	17.7-28.7	5	1.4	0.0- 2.8			
35-44	297	46,224				24	8.7	5.0-12.4	180	61.9	55.6-68.2	90	28.6	22.9-34.3	2	0.5	0.0- 1.3	1	0.3	0.0- 0.9
45-54	353	40,663				30	9.1	5.6-12.6	233	66.1	60.4-71.8	88	23.7	18.8-28.6	1	0.3	0.0- 0.9	1	0.8	0.0- 2.4
55-64	604	46,167	1	0.1	0.0- 0.3	45	7.8	5.1-10.5	436	71.7	67.2-76.2	122	20.5	16.4-24.6						
65+	941	52,370	4	1.1	0.0- 2.5	103	11.5	9.1-13.9	715	74.6	71.1-78.1	116	12.5	9.6-15.4	3	0.4	0.0- 0.8			
Less Than H.S.	146	24,036	3	2.4	0.0- 5.9	24	13.3	7.0-19.6	95	58.5	47.9-69.1	22	22.6	13.0-32.2	1	1.8	0.0- 5.3	1	1.3	0.0- 3.8
H.S. or G.E.D.	775	86,571	1	0.1	0.0- 0.3	90	11.1	8.4-13.8	569	71.0	66.9-75.1	113	17.5	14.0-21.0	2	0.3	0.0- 0.7			
Some Post-H.S.	817	111,395	4	0.8	0.0- 1.6	65	6.6	4.6- 8.6	565	66.6	62.5-70.7	176	24.7	20.8-28.6	5	0.7	0.1- 1.3	2	0.6	0.0- 1.4
College Graduate	892	67,563				54	6.0	4.0- 8.0	607	65.7	61.8-69.6	225	27.4	23.7-31.1	5	0.7	0.0- 1.5	1	0.2	0.0- 0.6
Less than \$15,000	133	18,402	3	2.3	0.0- 5.6	13	9.0	3.5-14.5	90	66.0	55.2-76.8	26	22.1	11.9-32.3	1	0.6	0.0- 1.8			
\$15,000- 24,999	264	29,927				36	10.1	6.0-14.2	180	68.2	60.9-75.5	44	19.4	12.9-25.9	2	0.8	0.0- 2.0	2	1.5	0.0- 3.7
\$25,000- 34,999	195	21,066				28	14.2	7.9-20.5	138	67.9	59.1-76.7	28	17.4	10.0-24.8	1	0.5	0.0- 1.5			
\$35,000- 49,999	336	33,423				34	10.5	6.0-15.0	233	61.1	53.8-68.4	67	26.6	19.9-33.3	1	0.9	0.0- 2.7	1	0.9	0.0- 2.7
\$50,000- 74,999	445	48,093	1	0.2	0.0- 0.6	42	10.0	6.3-13.7	306	64.8	58.9-70.7	93	24.6	19.1-30.1	3	0.6	0.0- 1.2			
\$75,000+	1016	108,321	2	0.7	0.0- 1.7	53	4.9	3.3- 6.5	730	69.8	66.1-73.5	228	24.1	20.8-27.4	3	0.5	0.0- 1.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 55: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2845	274,919	242	6.9	5.3- 8.5	2042	67.5	64.8-70.2	558	25.2	22.7-27.7	1	0.1	0.0- 0.3	2	0.4	0.0- 1.0
Native	95	12,825	8	6.1	1.4-10.8	62	65.6	52.1-79.1	25	28.3	15.4-41.2						
Non-Native	2730	259,481	230	6.8	5.2- 8.4	1965	67.6	64.7-70.5	532	25.2	22.5-27.9	1	0.1	0.0- 0.3	2	0.4	0.0- 1.0
18-24	80	39,857	2	4.0	0.0- 9.9	51	61.7	49.9-73.5	27	34.3	23.1-45.5						
25-34	192	50,083	11	7.1	3.0-11.2	107	58.9	51.1-66.7	72	32.1	24.7-39.5				2	1.9	0.0- 4.8
35-44	227	42,521	3	2.8	0.0- 6.5	139	61.5	53.9-69.1	85	35.8	28.5-43.1						
45-54	352	37,612	16	4.5	2.1- 6.9	261	77.2	72.1-82.3	74	17.9	13.4-22.4	1	0.4	0.0- 1.2			
55-64	629	44,439	35	6.4	4.0- 8.8	459	71.8	67.5-76.1	135	21.8	17.9-25.7						
65+	1365	60,407	175	13.6	11.2-16.0	1025	73.5	70.4-76.6	165	12.9	10.5-15.3						
Less Than H.S.	130	20,807	18	7.8	3.3-12.3	100	80.3	69.9-90.7	11	8.6	1.0-16.2				1	3.3	0.0- 9.6
H.S. or G.E.D.	720	63,360	93	10.7	7.4-14.0	536	68.9	63.2-74.6	90	20.1	14.6-25.6	1	0.2	0.0- 0.6			
Some Post-H.S.	923	110,029	76	7.0	4.3- 9.7	658	65.6	60.7-70.5	189	27.4	22.7-32.1						
College Graduate	1067	80,505	52	3.6	2.2- 5.0	746	65.7	61.6-69.8	268	30.4	26.5-34.3				1	0.3	0.0- 0.9
Less than \$15,000	168	17,035	18	11.2	4.5-17.9	120	58.2	45.5-70.9	28	25.0	13.4-36.6				2	5.7	0.0-13.9
\$15,000- 24,999	356	34,997	60	12.2	7.5-16.9	246	70.0	62.0-78.0	50	17.9	10.6-25.2						
\$25,000- 34,999	261	24,563	24	4.4	2.0- 6.8	199	68.8	59.0-78.6	38	26.9	17.1-36.7						
\$35,000- 49,999	359	30,887	26	5.7	2.2- 9.2	271	73.4	65.8-81.0	62	20.9	13.6-28.2						
\$50,000- 74,999	409	36,155	17	2.9	1.1- 4.7	303	73.5	67.0-80.0	89	23.6	17.1-30.1						
\$75,000+	833	93,244	42	4.4	2.2- 6.6	560	62.0	57.1-66.9	230	33.4	28.7-38.1	1	0.2	0.0- 0.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 56: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 50 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	649	148,774	25	4.5	2.3- 6.7	624	95.5	93.3-97.7
Non-Native	604	137,858	25	4.9	2.7- 7.1	579	95.1	92.9-97.3
18-24	80	39,857	2	3.3	0.0- 8.0	78	96.7	92.0- 100
25-34	193	49,901	20	10.0	5.3-14.7	173	90.0	85.3-94.7
35-44	231	43,060	3	1.0	0.0- 2.2	228	99.0	97.8- 100
45-54	145	15,957				145	100.0	100.0- 100
H.S. or G.E.D.	131	32,663	4	3.6	0.1- 7.1	127	96.4	92.9-99.9
Some Post-H.S.	192	56,246	9	5.5	1.8- 9.2	183	94.5	90.8-98.2
College Graduate	303	46,809	11	3.2	1.0- 5.4	292	96.8	94.6-99.0
\$15,000- 24,999	58	18,220	1	2.3	0.0- 6.6	57	97.7	93.4- 100
\$25,000- 34,999	59	14,850	1	1.6	0.0- 4.7	58	98.4	95.3- 100
\$35,000- 49,999	65	15,214	2	3.3	0.0- 9.0	63	96.7	91.0- 100
\$50,000- 74,999	85	16,999	3	3.7	0.0- 8.4	82	96.3	91.6- 100
\$75,000+	286	56,775	15	6.1	2.8- 9.4	271	93.9	90.6-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS

TABLE 57: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5515	568,363	620	7.2	6.4- 8.0	4895	92.8	92.0-93.6
Male	2633	289,611	380	9.4	8.2-10.6	2253	90.6	89.4-91.8
Female	2882	278,752	240	4.9	3.9- 5.9	2642	95.1	94.1-96.1
Native	174	24,415	24	10.3	4.8-15.8	150	89.7	84.2-95.2
Non-Native	5292	538,314	585	7.0	6.2- 7.8	4707	93.0	92.2-93.8
18-24	243	83,611	2	1.0	0.0- 2.4	241	99.0	97.6- 100
25-34	467	110,089	11	2.8	0.8- 4.8	456	97.2	95.2-99.2
35-44	526	89,165	13	2.4	1.0- 3.8	513	97.6	96.2-99.0
45-54	715	80,000	34	4.6	2.8- 6.4	681	95.4	93.6-97.2
55-64	1246	91,510	104	8.8	6.8-10.8	1142	91.2	89.2-93.2
65+	2318	113,988	456	20.5	18.3-22.7	1862	79.5	77.3-81.7
Less Than H.S.	283	45,763	59	12.8	8.1-17.5	224	87.2	82.5-91.9
H.S. or G.E.D.	1498	149,994	209	8.4	6.8-10.0	1289	91.6	90.0-93.2
Some Post-H.S.	1752	222,534	191	6.7	5.5- 7.9	1561	93.3	92.1-94.5
College Graduate	1972	149,382	160	5.0	4.0- 6.0	1812	95.0	94.0-96.0
Less than \$15,000	305	35,816	56	14.9	9.0-20.8	249	85.1	79.2-91.0
\$15,000- 24,999	616	64,542	95	7.7	5.7- 9.7	521	92.3	90.3-94.3
\$25,000- 34,999	458	45,664	64	10.3	7.0-13.6	394	89.7	86.4-93.0
\$35,000- 49,999	700	64,745	94	8.5	6.1-10.9	606	91.5	89.1-93.9
\$50,000- 74,999	853	84,348	87	6.9	5.1- 8.7	766	93.1	91.3-94.9
\$75,000+	1852	201,830	128	4.2	3.2- 5.2	1724	95.8	94.8-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 58: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2633	289,611	380	9.4	8.2-10.6	2253	90.6	89.4-91.8
Native	77	11,155	17	12.5	5.6-19.4	60	87.5	80.6-94.4
Non-Native	2531	275,647	356	9.2	8.0-10.4	2175	90.8	89.6-92.0
18-24	164	44,218	1	0.7	0.0- 2.1	163	99.3	97.9- 100
25-34	272	59,495	8	3.2	0.8- 5.6	264	96.8	94.4-99.2
35-44	296	46,277	11	3.9	1.4- 6.4	285	96.1	93.6-98.6
45-54	356	41,158	22	4.8	2.4- 7.2	334	95.2	92.8-97.6
55-64	608	46,421	79	13.4	10.1-16.7	529	86.6	83.3-89.9
65+	937	52,043	259	28.9	25.4-32.4	678	71.1	67.6-74.6
Less Than H.S.	148	24,200	36	15.1	8.8-21.4	112	84.9	78.6-91.2
H.S. or G.E.D.	772	86,289	132	10.8	8.4-13.2	640	89.2	86.8-91.6
Some Post-H.S.	817	111,103	105	8.2	6.2-10.2	712	91.8	89.8-93.8
College Graduate	892	67,649	106	7.7	5.9- 9.5	786	92.3	90.5-94.1
Less than \$15,000	134	18,412	24	12.6	5.9-19.3	110	87.4	80.7-94.1
\$15,000- 24,999	261	29,578	49	10.5	7.0-14.0	212	89.5	86.0-93.0
\$25,000- 34,999	195	21,066	39	15.1	9.0-21.2	156	84.9	78.8-91.0
\$35,000- 49,999	338	33,476	59	12.3	8.2-16.4	279	87.7	83.6-91.8
\$50,000- 74,999	441	48,050	70	10.1	7.2-13.0	371	89.9	87.0-92.8
\$75,000+	1014	108,151	97	6.1	4.5- 7.7	917	93.9	92.3-95.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 59: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2882	278,752	240	4.9	3.9- 5.9	2642	95.1	94.1-96.1
Native	97	13,260	7	8.4	0.0-17.0	90	91.6	83.0- 100
Non-Native	2761	262,667	229	4.7	3.7- 5.7	2532	95.3	94.3-96.3
18-24	79	39,394	1	1.3	0.0- 3.8	78	98.7	96.2- 100
25-34	195	50,594	3	2.2	0.0- 5.1	192	97.8	94.9- 100
35-44	230	42,888	2	0.7	0.0- 1.9	228	99.3	98.1- 100
45-54	359	38,843	12	4.3	1.8- 6.8	347	95.7	93.2-98.2
55-64	638	45,090	25	4.0	2.2- 5.8	613	96.0	94.2-97.8
65+	1381	61,945	197	13.4	11.2-15.6	1184	86.6	84.4-88.8
Less Than H.S.	135	21,563	23	10.2	3.3-17.1	112	89.8	82.9-96.7
H.S. or G.E.D.	726	63,704	77	5.3	3.7- 6.9	649	94.7	93.1-96.3
Some Post-H.S.	935	111,431	86	5.3	3.7- 6.9	849	94.7	93.1-96.3
College Graduate	1080	81,733	54	2.8	1.8- 3.8	1026	97.2	96.2-98.2
Less than \$15,000	171	17,404	32	17.3	7.5-27.1	139	82.7	72.9-92.5
\$15,000- 24,999	355	34,964	46	5.3	3.3- 7.3	309	94.7	92.7-96.7
\$25,000- 34,999	263	24,599	25	6.2	2.9- 9.5	238	93.8	90.5-97.1
\$35,000- 49,999	362	31,269	35	4.4	2.4- 6.4	327	95.6	93.6-97.6
\$50,000- 74,999	412	36,298	17	2.7	1.1- 4.3	395	97.3	95.7-98.9
\$75,000+	838	93,679	31	2.0	1.2- 2.8	807	98.0	97.2-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS

**TABLE 60: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5518	568,486	223	2.9	2.3- 3.5	5295	97.1	96.5-97.7
Male	2638	290,041	85	2.6	1.8- 3.4	2553	97.4	96.6-98.2
Female	2880	278,445	138	3.3	2.5- 4.1	2742	96.7	95.9-97.5
Native	175	24,731	14	4.6	1.7- 7.5	161	95.4	92.5-98.3
Non-Native	5296	538,444	207	2.8	2.2- 3.4	5089	97.2	96.6-97.8
18-24	243	83,611	1	0.2	0.0- 0.6	242	99.8	99.4- 100
25-34	464	109,338	4	0.8	0.0- 1.6	460	99.2	98.4- 100
35-44	528	89,434	7	1.8	0.4- 3.2	521	98.2	96.8-99.6
45-54	715	80,000	21	3.1	1.5- 4.7	694	96.9	95.3-98.5
55-64	1247	91,860	48	4.6	3.0- 6.2	1199	95.4	93.8-97.0
65+	2321	114,243	142	6.3	4.9- 7.7	2179	93.7	92.3-95.1
Less Than H.S.	283	46,184	28	6.9	3.6-10.2	255	93.1	89.8-96.4
H.S. or G.E.D.	1499	150,089	77	2.9	1.9- 3.9	1422	97.1	96.1-98.1
Some Post-H.S.	1751	222,059	76	3.0	2.2- 3.8	1675	97.0	96.2-97.8
College Graduate	1975	149,463	42	1.5	0.9- 2.1	1933	98.5	97.9-99.1
Less than \$15,000	304	35,754	32	7.8	4.3-11.3	272	92.2	88.7-95.7
\$15,000- 24,999	616	64,326	67	7.7	5.2-10.2	549	92.3	89.8-94.8
\$25,000- 34,999	459	45,713	29	4.5	2.0- 7.0	430	95.5	93.0-98.0
\$35,000- 49,999	699	64,364	19	2.0	1.0- 3.0	680	98.0	97.0-99.0
\$50,000- 74,999	856	84,575	21	1.4	0.8- 2.0	835	98.6	98.0-99.2
\$75,000+	1853	201,900	20	0.6	0.2- 1.0	1833	99.4	99.0-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS

TABLE 61: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2638	290,041	85	2.6	1.8- 3.4	2553	97.4	96.6-98.2
Native	78	11,471	10	8.3	2.4-14.2	68	91.7	85.8-97.6
Non-Native	2535	275,761	73	2.3	1.5- 3.1	2462	97.7	96.9-98.5
18-24	164	44,218	1	0.4	0.0- 1.2	163	99.6	98.8- 100
25-34	270	59,009	4	1.4	0.0- 3.0	266	98.6	97.0- 100
35-44	298	46,546	2	1.3	0.0- 3.1	296	98.7	96.9- 100
45-54	356	41,158	12	3.2	1.2- 5.2	344	96.8	94.8-98.8
55-64	609	46,770	23	4.0	2.0- 6.0	586	96.0	94.0-98.0
65+	941	52,341	43	5.1	3.1- 7.1	898	94.9	92.9-96.9
Less Than H.S.	149	24,680	14	7.8	2.9-12.7	135	92.2	87.3-97.1
H.S. or G.E.D.	772	86,313	26	2.1	1.1- 3.1	746	97.9	96.9-98.9
Some Post-H.S.	819	110,977	25	2.2	1.0- 3.4	794	97.8	96.6-99.0
College Graduate	894	67,701	20	1.8	0.8- 2.8	874	98.2	97.2-99.2
Less than \$15,000	134	18,377	13	7.0	2.5-11.5	121	93.0	88.5-97.5
\$15,000- 24,999	261	29,594	24	7.5	3.8-11.2	237	92.5	88.8-96.2
\$25,000- 34,999	195	21,066	10	4.9	0.4- 9.4	185	95.1	90.6-99.6
\$35,000- 49,999	336	33,077	7	1.8	0.2- 3.4	329	98.2	96.6-99.8
\$50,000- 74,999	446	48,345	12	1.5	0.5- 2.5	434	98.5	97.5-99.5
\$75,000+	1014	108,181	11	0.7	0.1- 1.3	1003	99.3	98.7-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS

TABLE 62: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2880	278,445	138	3.3	2.5- 4.1	2742	96.7	95.9-97.5
Native	97	13,260	4	1.4	0.0- 3.0	93	98.6	97.0- 100
Non-Native	2761	262,683	134	3.4	2.6- 4.2	2627	96.6	95.8-97.4
18-24	79	39,394				79	100.0	100.0- 100
25-34	194	50,329				194	100.0	100.0- 100
35-44	230	42,888	5	2.4	0.0- 4.8	225	97.6	95.2- 100
45-54	359	38,843	9	3.0	0.6- 5.4	350	97.0	94.6-99.4
55-64	638	45,090	25	5.3	2.8- 7.8	613	94.7	92.2-97.2
65+	1380	61,902	99	7.3	5.5- 9.1	1281	92.7	90.9-94.5
Less Than H.S.	134	21,504	14	6.0	1.7-10.3	120	94.0	89.7-98.3
H.S. or G.E.D.	727	63,776	51	4.0	2.4- 5.6	676	96.0	94.4-97.6
Some Post-H.S.	932	111,082	51	3.8	2.4- 5.2	881	96.2	94.8-97.6
College Graduate	1081	81,762	22	1.3	0.3- 2.3	1059	98.7	97.7-99.7
Less than \$15,000	170	17,377	19	8.6	3.1-14.1	151	91.4	85.9-96.9
\$15,000- 24,999	355	34,732	43	7.8	4.5-11.1	312	92.2	88.9-95.5
\$25,000- 34,999	264	24,647	19	4.2	1.7- 6.7	245	95.8	93.3-98.3
\$35,000- 49,999	363	31,287	12	2.1	0.5- 3.7	351	97.9	96.3-99.5
\$50,000- 74,999	410	36,231	9	1.1	0.1- 2.1	401	98.9	97.9-99.9
\$75,000+	839	93,718	9	0.5	0.1- 0.9	830	99.5	99.1-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 63: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5488	566,063	411	9.2	8.0-10.4	5077	90.8	89.6-92.0
Male	2623	288,409	195	9.0	7.4-10.6	2428	91.0	89.4-92.6
Female	2865	277,654	216	9.5	7.7-11.3	2649	90.5	88.7-92.3
Native	174	24,653	32	25.3	15.7-34.9	142	74.7	65.1-84.3
Non-Native	5266	536,040	373	8.5	7.3- 9.7	4893	91.5	90.3-92.7
18-24	240	82,843	26	11.0	6.3-15.7	214	89.0	84.3-93.7
25-34	462	109,006	39	8.3	5.4-11.2	423	91.7	88.8-94.6
35-44	526	89,155	42	9.5	6.4-12.6	484	90.5	87.4-93.6
45-54	715	80,000	56	9.6	6.9-12.3	659	90.4	87.7-93.1
55-64	1239	91,411	92	10.2	7.7-12.7	1147	89.8	87.3-92.3
65+	2306	113,648	156	7.6	6.2- 9.0	2150	92.4	91.0-93.8
Less Than H.S.	281	46,038	49	17.6	11.5-23.7	232	82.4	76.3-88.5
H.S. or G.E.D.	1488	148,911	144	11.3	9.1-13.5	1344	88.7	86.5-90.9
Some Post-H.S.	1742	221,704	146	10.1	7.9-12.3	1596	89.9	87.7-92.1
College Graduate	1968	148,821	71	3.4	2.4- 4.4	1897	96.6	95.6-97.6
Less than \$15,000	303	35,741	74	26.5	19.6-33.4	229	73.5	66.6-80.4
\$15,000- 24,999	605	63,340	90	17.2	12.7-21.7	515	82.8	78.3-87.3
\$25,000- 34,999	457	45,496	44	12.4	7.7-17.1	413	87.6	82.9-92.3
\$35,000- 49,999	698	64,337	36	5.3	3.1- 7.5	662	94.7	92.5-96.9
\$50,000- 74,999	855	84,381	47	7.3	4.4-10.2	808	92.7	89.8-95.6
\$75,000+	1851	201,665	54	3.8	2.6- 5.0	1797	96.2	95.0-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 64: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2623	288,409	195	9.0	7.4-10.6	2428	91.0	89.4-92.6
Native	77	11,393	22	31.0	17.9-44.1	55	69.0	55.9-82.1
Non-Native	2521	274,207	170	8.2	6.6- 9.8	2351	91.8	90.2-93.4
18-24	161	43,450	14	9.0	4.1-13.9	147	91.0	86.1-95.9
25-34	268	58,677	22	8.4	4.7-12.1	246	91.6	87.9-95.3
35-44	297	46,459	22	9.8	5.3-14.3	275	90.2	85.7-94.7
45-54	356	41,158	24	7.7	4.4-11.0	332	92.3	89.0-95.6
55-64	604	46,527	44	11.2	7.3-15.1	560	88.8	84.9-92.7
65+	937	52,138	69	8.3	5.9-10.7	868	91.7	89.3-94.1
Less Than H.S.	149	24,661	28	20.9	11.9-29.9	121	79.1	70.1-88.1
H.S. or G.E.D.	765	85,368	67	9.8	7.1-12.5	698	90.2	87.5-92.9
Some Post-H.S.	816	110,747	68	9.4	6.7-12.1	748	90.6	87.9-93.3
College Graduate	889	67,263	32	3.3	1.9- 4.7	857	96.7	95.3-98.1
Less than \$15,000	134	18,377	26	17.1	9.8-24.4	108	82.9	75.6-90.2
\$15,000- 24,999	255	28,780	44	20.2	13.7-26.7	211	79.8	73.3-86.3
\$25,000- 34,999	194	20,865	20	10.1	4.4-15.8	174	89.9	84.2-95.6
\$35,000- 49,999	335	33,049	19	5.2	2.5- 7.9	316	94.8	92.1-97.5
\$50,000- 74,999	443	48,083	28	8.8	4.3-13.3	415	91.2	86.7-95.7
\$75,000+	1013	107,973	31	4.5	2.5- 6.5	982	95.5	93.5-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 65: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2865	277,654	216	9.5	7.7-11.3	2649	90.5	88.7-92.3
Native	97	13,260	10	20.4	6.1-34.7	87	79.6	65.3-93.9
Non-Native	2745	261,833	203	8.9	7.1-10.7	2542	91.1	89.3-92.9
18-24	79	39,394	12	13.3	5.3-21.3	67	86.7	78.7-94.7
25-34	194	50,329	17	8.2	3.7-12.7	177	91.8	87.3-96.3
35-44	229	42,695	20	9.1	4.6-13.6	209	90.9	86.4-95.4
45-54	359	38,843	32	11.7	7.2-16.2	327	88.3	83.8-92.8
55-64	635	44,884	48	9.2	6.3-12.1	587	90.8	87.9-93.7
65+	1369	61,509	87	7.0	5.2- 8.8	1282	93.0	91.2-94.8
Less Than H.S.	132	21,377	21	13.8	6.4-21.2	111	86.2	78.8-93.6
H.S. or G.E.D.	723	63,543	77	13.2	9.5-16.9	646	86.8	83.1-90.5
Some Post-H.S.	926	110,957	78	10.8	7.3-14.3	848	89.2	85.7-92.7
College Graduate	1079	81,558	39	3.5	2.1- 4.9	1040	96.5	95.1-97.9
Less than \$15,000	169	17,363	48	36.4	24.8-48.0	121	63.6	52.0-75.2
\$15,000- 24,999	350	34,559	46	14.6	8.3-20.9	304	85.4	79.1-91.7
\$25,000- 34,999	263	24,631	24	14.2	7.1-21.3	239	85.8	78.7-92.9
\$35,000- 49,999	363	31,287	17	5.4	2.1- 8.7	346	94.6	91.3-97.9
\$50,000- 74,999	412	36,298	19	5.3	2.2- 8.4	393	94.7	91.6-97.8
\$75,000+	838	93,693	23	3.0	1.4- 4.6	815	97.0	95.4-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS

TABLE 66: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5497	566,094	826	10.4	9.4-11.4	4671	89.6	88.6-90.6
Male	2628	288,554	324	8.8	7.6-10.0	2304	91.2	90.0-92.4
Female	2869	277,540	502	12.0	10.6-13.4	2367	88.0	86.6-89.4
Native	175	24,731	55	22.3	15.2-29.4	120	77.7	70.6-84.8
Non-Native	5274	535,993	763	9.8	8.8-10.8	4511	90.2	89.2-91.2
18-24	242	83,197				242	100.0	100.0- 100
25-34	461	108,527	13	2.5	0.9- 4.1	448	97.5	95.9-99.1
35-44	527	89,129	29	6.4	3.7- 9.1	498	93.6	90.9-96.3
45-54	713	79,768	65	9.3	6.8-11.8	648	90.7	88.2-93.2
55-64	1242	91,726	160	15.2	12.7-17.7	1082	84.8	82.3-87.3
65+	2312	113,747	559	25.5	23.1-27.9	1753	74.5	72.1-76.9
Less Than H.S.	283	46,186	101	22.7	17.2-28.2	182	77.3	71.8-82.8
H.S. or G.E.D.	1490	148,595	282	12.5	10.7-14.3	1208	87.5	85.7-89.3
Some Post-H.S.	1745	221,757	273	10.1	8.5-11.7	1472	89.9	88.3-91.5
College Graduate	1970	148,966	169	4.9	3.9- 5.9	1801	95.1	94.1-96.1
Less than \$15,000	303	35,496	110	25.4	19.5-31.3	193	74.6	68.7-80.5
\$15,000- 24,999	611	63,596	195	22.4	18.3-26.5	416	77.6	73.5-81.7
\$25,000- 34,999	458	45,646	86	12.6	9.1-16.1	372	87.4	83.9-90.9
\$35,000- 49,999	695	64,224	112	9.7	7.3-12.1	583	90.3	87.9-92.7
\$50,000- 74,999	854	84,013	81	5.9	4.3- 7.5	773	94.1	92.5-95.7
\$75,000+	1851	201,727	103	4.5	3.1- 5.9	1748	95.5	94.1-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 67: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2628	288,554	324	8.8	7.6-10.0	2304	91.2	90.0-92.4
Native	78	11,471	26	25.9	14.9-36.9	52	74.1	63.1-85.1
Non-Native	2525	274,274	293	8.0	6.8- 9.2	2232	92.0	90.8-93.2
18-24	163	43,804				163	100.0	100.0- 100
25-34	268	58,437	8	2.2	0.4- 4.0	260	97.8	96.0-99.6
35-44	297	46,241	10	4.2	1.5- 6.9	287	95.8	93.1-98.5
45-54	355	41,104	28	8.0	4.7-11.3	327	92.0	88.7-95.3
55-64	607	46,758	74	15.0	11.3-18.7	533	85.0	81.3-88.7
65+	938	52,210	204	22.7	19.4-26.0	734	77.3	74.0-80.6
Less Than H.S.	150	24,801	45	22.7	15.3-30.1	105	77.3	69.9-84.7
H.S. or G.E.D.	768	85,248	120	10.4	8.2-12.6	648	89.6	87.4-91.8
Some Post-H.S.	815	110,698	90	7.2	5.4- 9.0	725	92.8	91.0-94.6
College Graduate	891	67,436	69	4.4	3.2- 5.6	822	95.6	94.4-96.8
Less than \$15,000	134	18,140	34	19.0	11.7-26.3	100	81.0	73.7-88.3
\$15,000- 24,999	259	29,186	75	22.8	16.7-28.9	184	77.2	71.1-83.3
\$25,000- 34,999	194	20,999	28	8.3	4.6-12.0	166	91.7	88.0-95.4
\$35,000- 49,999	336	33,063	59	11.7	8.2-15.2	277	88.3	84.8-91.8
\$50,000- 74,999	442	47,714	33	4.2	2.6- 5.8	409	95.8	94.2-97.4
\$75,000+	1012	108,009	48	3.7	2.3- 5.1	964	96.3	94.9-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 68: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2869	277,540	502	12.0	10.6-13.4	2367	88.0	86.6-89.4
Native	97	13,260	29	19.2	10.2-28.2	68	80.8	71.8-89.8
Non-Native	2749	261,719	470	11.7	10.1-13.3	2279	88.3	86.7-89.9
18-24	79	39,394				79	100.0	100.0- 100
25-34	193	50,090	5	2.8	0.3- 5.3	188	97.2	94.7-99.7
35-44	230	42,888	19	8.7	4.0-13.4	211	91.3	86.6-96.0
45-54	358	38,663	37	10.7	7.0-14.4	321	89.3	85.6-93.0
55-64	635	44,969	86	15.4	11.9-18.9	549	84.6	81.1-88.1
65+	1374	61,537	355	27.9	24.8-31.0	1019	72.1	69.0-75.2
Less Than H.S.	133	21,385	56	22.6	14.4-30.8	77	77.4	69.2-85.6
H.S. or G.E.D.	722	63,347	162	15.4	12.3-18.5	560	84.6	81.5-87.7
Some Post-H.S.	930	111,059	183	12.9	10.2-15.6	747	87.1	84.4-89.8
College Graduate	1079	81,530	100	5.4	3.8- 7.0	979	94.6	93.0-96.2
Less than \$15,000	169	17,356	76	32.1	22.3-41.9	93	67.9	58.1-77.7
\$15,000- 24,999	352	34,410	120	21.9	16.2-27.6	232	78.1	72.4-83.8
\$25,000- 34,999	264	24,647	58	16.2	10.7-21.7	206	83.8	78.3-89.3
\$35,000- 49,999	359	31,161	53	7.5	4.6-10.4	306	92.5	89.6-95.4
\$50,000- 74,999	412	36,298	48	8.1	5.2-11.0	364	91.9	89.0-94.8
\$75,000+	839	93,718	55	5.5	3.1- 7.9	784	94.5	92.1-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS

TABLE 69: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5505	566,411	165	2.2	1.8- 2.6	5340	97.8	97.4-98.2
Male	2630	288,653	80	2.3	1.7- 2.9	2550	97.7	97.1-98.3
Female	2875	277,758	85	2.2	1.6- 2.8	2790	97.8	97.2-98.4
Native	174	24,415	15	6.2	2.3-10.1	159	93.8	89.9-97.7
Non-Native	5283	536,626	150	2.1	1.7- 2.5	5133	97.9	97.5-98.3
18-24	242	83,197	1	0.4	0.0- 1.2	241	99.6	98.8- 100
25-34	462	108,766	3	0.7	0.0- 1.5	459	99.3	98.5- 100
35-44	528	89,434	9	1.6	0.4- 2.8	519	98.4	97.2-99.6
45-54	711	79,570	11	1.4	0.4- 2.4	700	98.6	97.6-99.6
55-64	1245	91,574	42	4.1	2.7- 5.5	1203	95.9	94.5-97.3
65+	2317	113,870	99	4.7	3.5- 5.9	2218	95.3	94.1-96.5
Less Than H.S.	282	45,856	21	4.3	1.8- 6.8	261	95.7	93.2-98.2
H.S. or G.E.D.	1497	149,303	59	3.0	2.0- 4.0	1438	97.0	96.0-98.0
Some Post-H.S.	1745	221,615	57	2.2	1.4- 3.0	1688	97.8	97.0-98.6
College Graduate	1972	149,048	28	0.9	0.5- 1.3	1944	99.1	98.7-99.5
Less than \$15,000	305	35,822	29	7.3	4.0-10.6	276	92.7	89.4-96.0
\$15,000- 24,999	615	63,945	42	5.3	3.1- 7.5	573	94.7	92.5-96.9
\$25,000- 34,999	459	45,713	14	2.5	0.9- 4.1	445	97.5	95.9-99.1
\$35,000- 49,999	700	64,447	22	2.2	1.0- 3.4	678	97.8	96.6-99.0
\$50,000- 74,999	854	83,982	22	1.6	0.8- 2.4	832	98.4	97.6-99.2
\$75,000+	1850	201,646	11	0.5	0.1- 0.9	1839	99.5	99.1-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 70: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2630	288,653	80	2.3	1.7- 2.9	2550	97.7	97.1-98.3
Native	77	11,155	10	10.4	2.8-18.0	67	89.6	82.0-97.2
Non-Native	2528	274,689	70	2.0	1.4- 2.6	2458	98.0	97.4-98.6
18-24	163	43,804	1	0.8	0.0- 2.4	162	99.2	97.6- 100
25-34	268	58,437	3	1.2	0.0- 2.8	265	98.8	97.2- 100
35-44	298	46,546	2	0.6	0.0- 1.6	296	99.4	98.4- 100
45-54	355	41,104	6	1.3	0.1- 2.5	349	98.7	97.5-99.9
55-64	607	46,485	23	4.5	2.3- 6.7	584	95.5	93.3-97.7
65+	939	52,278	45	5.2	3.2- 7.2	894	94.8	92.8-96.8
Less Than H.S.	148	24,454	13	6.3	1.8-10.8	135	93.7	89.2-98.2
H.S. or G.E.D.	771	85,651	29	2.7	1.5- 3.9	742	97.3	96.1-98.5
Some Post-H.S.	816	110,742	22	1.9	0.9- 2.9	794	98.1	97.1-99.1
College Graduate	891	67,436	16	1.1	0.5- 1.7	875	98.9	98.3-99.5
Less than \$15,000	135	18,445	12	7.6	2.7-12.5	123	92.4	87.5-97.3
\$15,000- 24,999	260	29,213	18	4.9	1.8- 8.0	242	95.1	92.0-98.2
\$25,000- 34,999	195	21,066	6	2.0	0.2- 3.8	189	98.0	96.2-99.8
\$35,000- 49,999	337	33,160	15	3.2	1.2- 5.2	322	96.8	94.8-98.8
\$50,000- 74,999	443	47,745	12	1.5	0.5- 2.5	431	98.5	97.5-99.5
\$75,000+	1011	107,928	6	0.7	0.0- 1.5	1005	99.3	98.5- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 71: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	277,758	85	2.2	1.6- 2.8	2790	97.8	97.2-98.4
Native	97	13,260	5	2.6	0.0- 5.3	92	97.4	94.7- 100
Non-Native	2755	261,937	80	2.2	1.6- 2.8	2675	97.8	97.2-98.4
18-24	79	39,394				79	100.0	100.0- 100
25-34	194	50,329				194	100.0	100.0- 100
35-44	230	42,888	7	2.7	0.5- 4.9	223	97.3	95.1-99.5
45-54	356	38,466	5	1.4	0.0- 2.8	351	98.6	97.2- 100
55-64	638	45,090	19	3.7	1.7- 5.7	619	96.3	94.3-98.3
65+	1378	61,592	54	4.4	3.0- 5.8	1324	95.6	94.2-97.0
Less Than H.S.	134	21,401	8	2.0	0.4- 3.6	126	98.0	96.4-99.6
H.S. or G.E.D.	726	63,652	30	3.4	1.8- 5.0	696	96.6	95.0-98.2
Some Post-H.S.	929	110,873	35	2.6	1.6- 3.6	894	97.4	96.4-98.4
College Graduate	1081	81,612	12	0.7	0.1- 1.3	1069	99.3	98.7-99.9
Less than \$15,000	170	17,377	17	7.0	2.9-11.1	153	93.0	88.9-97.1
\$15,000- 24,999	355	34,732	24	5.7	2.8- 8.6	331	94.3	91.4-97.2
\$25,000- 34,999	264	24,647	8	2.9	0.4- 5.4	256	97.1	94.6-99.6
\$35,000- 49,999	363	31,287	7	1.2	0.2- 2.2	356	98.8	97.8-99.8
\$50,000- 74,999	411	36,237	10	1.7	0.3- 3.1	401	98.3	96.9-99.7
\$75,000+	839	93,718	5	0.3	0.0- 0.7	834	99.7	99.3- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 72: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5493	565,257	287	4.9	4.1- 5.7	5206	95.1	94.3-95.9
Male	2625	287,725	94	3.0	2.2- 3.8	2531	97.0	96.2-97.8
Female	2868	277,532	193	6.9	5.3- 8.5	2675	93.1	91.5-94.7
Native	174	24,599	19	12.2	5.1-19.3	155	87.8	80.7-94.9
Non-Native	5273	535,499	266	4.6	3.8- 5.4	5007	95.4	94.6-96.2
18-24	241	82,660	6	4.0	0.7- 7.3	235	96.0	92.7-99.3
25-34	459	108,235	13	2.6	1.2- 4.0	446	97.4	96.0-98.8
35-44	527	89,388	22	5.1	2.4- 7.8	505	94.9	92.2-97.6
45-54	710	79,398	28	4.0	2.2- 5.8	682	96.0	94.2-97.8
55-64	1246	91,890	50	4.8	3.2- 6.4	1196	95.2	93.6-96.8
65+	2310	113,685	168	8.5	6.9-10.1	2142	91.5	89.9-93.1
Less Than H.S.	281	45,849	37	8.5	5.0-12.0	244	91.5	88.0-95.0
H.S. or G.E.D.	1495	149,188	100	5.6	4.0- 7.2	1395	94.4	92.8-96.0
Some Post-H.S.	1742	220,742	102	5.7	4.1- 7.3	1640	94.3	92.7-95.9
College Graduate	1967	148,957	48	2.0	1.2- 2.8	1919	98.0	97.2-98.8
Less than \$15,000	305	35,822	51	13.5	8.6-18.4	254	86.5	81.6-91.4
\$15,000- 24,999	613	63,747	78	11.7	8.2-15.2	535	88.3	84.8-91.8
\$25,000- 34,999	459	45,713	30	7.1	3.6-10.6	429	92.9	89.4-96.4
\$35,000- 49,999	699	64,426	31	3.4	1.8- 5.0	668	96.6	95.0-98.2
\$50,000- 74,999	853	83,936	21	3.1	0.7- 5.5	832	96.9	94.5-99.3
\$75,000+	1847	201,424	26	1.7	0.5- 2.9	1821	98.3	97.1-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 73: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2625	287,725	94	3.0	2.2- 3.8	2531	97.0	96.2-97.8
Native	77	11,340	10	11.9	3.3-20.5	67	88.1	79.5-96.7
Non-Native	2524	273,767	84	2.7	1.9- 3.5	2440	97.3	96.5-98.1
18-24	162	43,267				162	100.0	100.0- 100
25-34	266	58,125	6	2.0	0.2- 3.8	260	98.0	96.2-99.8
35-44	297	46,500	9	3.2	0.8- 5.6	288	96.8	94.4-99.2
45-54	353	40,844	11	2.4	0.8- 4.0	342	97.6	96.0-99.2
55-64	608	46,801	23	4.7	2.3- 7.1	585	95.3	92.9-97.7
65+	939	52,189	45	5.4	3.4- 7.4	894	94.6	92.6-96.6
Less Than H.S.	147	24,448	11	6.5	1.8-11.2	136	93.5	88.8-98.2
H.S. or G.E.D.	771	85,498	30	3.0	1.6- 4.4	741	97.0	95.6-98.4
Some Post-H.S.	814	110,088	35	3.1	1.9- 4.3	779	96.9	95.7-98.1
College Graduate	890	67,390	18	1.7	0.7- 2.7	872	98.3	97.3-99.3
Less than \$15,000	135	18,445	13	8.0	3.3-12.7	122	92.0	87.3-96.7
\$15,000- 24,999	259	29,022	25	9.8	5.3-14.3	234	90.2	85.7-94.7
\$25,000- 34,999	195	21,066	6	2.5	0.0- 5.0	189	97.5	95.0- 100
\$35,000- 49,999	337	33,160	19	3.8	1.8- 5.8	318	96.2	94.2-98.2
\$50,000- 74,999	442	47,699	7	1.1	0.1- 2.1	435	98.9	97.9-99.9
\$75,000+	1010	107,733	8	0.4	0.2- 0.6	1002	99.6	99.4-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 74: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2868	277,532	193	6.9	5.3- 8.5	2675	93.1	91.5-94.7
Native	97	13,260	9	12.4	1.6-23.2	88	87.6	76.8-98.4
Non-Native	2749	261,731	182	6.6	5.0- 8.2	2567	93.4	91.8-95.0
18-24	79	39,394	6	8.3	1.6-15.0	73	91.7	85.0-98.4
25-34	193	50,111	7	3.2	0.7- 5.7	186	96.8	94.3-99.3
35-44	230	42,888	13	7.2	2.3-12.1	217	92.8	87.9-97.7
45-54	357	38,555	17	5.8	2.7- 8.9	340	94.2	91.1-97.3
55-64	638	45,090	27	4.9	2.7- 7.1	611	95.1	92.9-97.3
65+	1371	61,496	123	11.1	8.7-13.5	1248	88.9	86.5-91.3
Less Than H.S.	134	21,401	26	10.7	5.2-16.2	108	89.3	83.8-94.8
H.S. or G.E.D.	724	63,690	70	9.2	5.9-12.5	654	90.8	87.5-94.1
Some Post-H.S.	928	110,654	67	8.4	5.3-11.5	861	91.6	88.5-94.7
College Graduate	1077	81,567	30	2.3	1.3- 3.3	1047	97.7	96.7-98.7
Less than \$15,000	170	17,377	38	19.3	10.7-27.9	132	80.7	72.1-89.3
\$15,000- 24,999	354	34,726	53	13.3	8.2-18.4	301	86.7	81.6-91.8
\$25,000- 34,999	264	24,647	24	10.9	4.8-17.0	240	89.1	83.0-95.2
\$35,000- 49,999	362	31,266	12	3.1	0.6- 5.6	350	96.9	94.4-99.4
\$50,000- 74,999	411	36,237	14	5.8	0.7-10.9	397	94.2	89.1-99.3
\$75,000+	837	93,692	18	3.2	0.8- 5.6	819	96.8	94.4-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	164
2	MALES ONLY	165
3	FEMALES ONLY	166
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	167
5	MALES ONLY	168
6	FEMALES ONLY	169
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	170
8	MALES ONLY	171
9	FEMALES ONLY	172
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	173
11	MALES ONLY	174
12	FEMALES ONLY	175
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	176
14	MALES ONLY	177
15	FEMALES ONLY	178

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5481	564,036	2369	42.7	40.7-44.7	3112	57.3	55.3-59.3
Male	2614	286,685	1273	47.3	44.8-49.8	1341	52.7	50.2-55.2
Female	2867	277,351	1096	38.0	35.3-40.7	1771	62.0	59.3-64.7
Native	173	24,492	117	67.6	58.0-77.2	56	32.4	22.8-42.0
Non-Native	5260	534,174	2234	41.7	39.7-43.7	3026	58.3	56.3-60.3
18-24	239	81,974	55	22.6	16.7-28.5	184	77.4	71.5-83.3
25-34	459	108,177	202	45.7	40.6-50.8	257	54.3	49.2-59.4
35-44	525	89,202	237	48.7	43.8-53.6	288	51.3	46.4-56.2
45-54	711	79,589	277	40.6	36.3-44.9	434	59.4	55.1-63.7
55-64	1242	91,694	536	47.5	44.2-50.8	706	52.5	49.2-55.8
65+	2305	113,399	1062	47.4	44.9-49.9	1243	52.6	50.1-55.1
Less Than H.S.	281	45,933	166	59.7	50.9-68.5	115	40.3	31.5-49.1
H.S. or G.E.D.	1491	148,723	792	53.7	50.2-57.2	699	46.3	42.8-49.8
Some Post-H.S.	1739	220,356	814	43.6	40.5-46.7	925	56.4	53.3-59.5
College Graduate	1962	148,452	592	25.2	22.8-27.6	1370	74.8	72.4-77.2
Less than \$15,000	303	35,391	182	55.0	46.6-63.4	121	45.0	36.6-53.4
\$15,000- 24,999	614	63,812	342	53.8	47.5-60.1	272	46.2	39.9-52.5
\$25,000- 34,999	459	45,713	228	48.4	41.5-55.3	231	51.6	44.7-58.5
\$35,000- 49,999	695	64,256	305	44.7	39.2-50.2	390	55.3	49.8-60.8
\$50,000- 74,999	849	83,327	390	45.7	41.0-50.4	459	54.3	49.6-59.0
\$75,000+	1843	201,256	657	36.9	34.0-39.8	1186	63.1	60.2-66.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2614	286,685	1273	47.3	44.8-49.8	1341	52.7	50.2-55.2
Native	77	11,340	57	78.0	67.4-88.6	20	22.0	11.4-32.6
Non-Native	2512	272,536	1205	46.2	43.7-48.7	1307	53.8	51.3-56.3
18-24	160	42,580	35	21.5	14.6-28.4	125	78.5	71.6-85.4
25-34	266	58,067	132	53.0	46.3-59.7	134	47.0	40.3-53.7
35-44	295	46,315	139	52.7	46.2-59.2	156	47.3	40.8-53.8
45-54	354	41,035	134	40.3	34.4-46.2	220	59.7	53.8-65.6
55-64	606	46,676	280	51.3	46.6-56.0	326	48.7	44.0-53.4
65+	933	52,012	553	59.3	55.4-63.2	380	40.7	36.8-44.6
Less Than H.S.	148	24,639	106	71.1	61.7-80.5	42	28.9	19.5-38.3
H.S. or G.E.D.	765	84,991	460	57.9	53.4-62.4	305	42.1	37.6-46.6
Some Post-H.S.	812	109,783	413	46.2	41.9-50.5	399	53.8	49.5-58.1
College Graduate	886	66,971	292	27.1	23.6-30.6	594	72.9	69.4-76.4
Less than \$15,000	133	18,014	86	59.3	48.3-70.3	47	40.7	29.7-51.7
\$15,000- 24,999	259	29,080	159	57.0	49.0-65.0	100	43.0	35.0-51.0
\$25,000- 34,999	195	21,066	125	58.9	49.5-68.3	70	41.1	31.7-50.5
\$35,000- 49,999	333	33,017	173	49.8	42.7-56.9	160	50.2	43.1-57.3
\$50,000- 74,999	438	47,090	228	49.4	43.1-55.7	210	50.6	44.3-56.9
\$75,000+	1008	107,701	383	40.7	36.8-44.6	625	59.3	55.4-63.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2867	277,351	1096	38.0	35.3-40.7	1771	62.0	59.3-64.7
Native	96	13,152	60	58.6	44.1-73.1	36	41.4	26.9-55.9
Non-Native	2748	261,638	1029	37.1	34.4-39.8	1719	62.9	60.2-65.6
18-24	79	39,394	20	23.7	13.7-33.7	59	76.3	66.3-86.3
25-34	193	50,111	70	37.2	29.4-45.0	123	62.8	55.0-70.6
35-44	230	42,888	98	44.3	36.7-51.9	132	55.7	48.1-63.3
45-54	357	38,555	143	41.0	34.9-47.1	214	59.0	52.9-65.1
55-64	636	45,018	256	43.5	38.8-48.2	380	56.5	51.8-61.2
65+	1372	61,387	509	37.3	34.2-40.4	863	62.7	59.6-65.8
Less Than H.S.	133	21,294	60	46.6	32.3-60.9	73	53.4	39.1-67.7
H.S. or G.E.D.	726	63,732	332	48.0	42.3-53.7	394	52.0	46.3-57.7
Some Post-H.S.	927	110,573	401	41.0	36.3-45.7	526	59.0	54.3-63.7
College Graduate	1076	81,481	300	23.7	20.4-27.0	776	76.3	73.0-79.6
Less than \$15,000	170	17,377	96	50.5	38.0-63.0	74	49.5	37.0-62.0
\$15,000- 24,999	355	34,732	183	51.1	41.9-60.3	172	48.9	39.7-58.1
\$25,000- 34,999	264	24,647	103	39.4	30.4-48.4	161	60.6	51.6-69.6
\$35,000- 49,999	362	31,239	132	39.4	31.2-47.6	230	60.6	52.4-68.8
\$50,000- 74,999	411	36,237	162	40.8	33.7-47.9	249	59.2	52.1-66.3
\$75,000+	835	93,555	274	32.6	28.1-37.1	561	67.4	62.9-71.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2369	240,989	597	32.7	30.0-35.4	202	12.0	9.8-14.2	1570	55.3	52.6-58.0
Male	1273	135,681	316	32.8	29.3-36.3	105	11.7	9.0-14.4	852	55.5	51.8-59.2
Female	1096	105,308	281	32.6	28.3-36.9	97	12.4	9.1-15.7	718	55.0	50.5-59.5
Native	117	16,548	44	49.0	36.3-61.7	17	15.6	6.6-24.6	56	35.4	24.2-46.6
Non-Native	2234	222,990	552	31.7	29.0-34.4	182	11.7	9.5-13.9	1500	56.5	53.6-59.4
18-24	55	18,514	26	46.4	31.5-61.3	15	28.4	15.3-41.5	14	25.2	11.9-38.5
25-34	202	49,398	85	41.3	33.7-48.9	26	13.8	8.1-19.5	91	44.9	37.3-52.5
35-44	237	43,425	93	41.1	33.8-48.4	33	14.9	9.2-20.6	111	44.0	36.9-51.1
45-54	277	32,327	94	33.6	27.3-39.9	30	9.1	5.4-12.8	153	57.4	50.7-64.1
55-64	536	43,553	166	31.5	26.6-36.4	47	10.4	7.1-13.7	323	58.2	53.1-63.3
65+	1062	53,771	133	13.9	11.0-16.8	51	5.4	3.6-7.2	878	80.7	77.6-83.8
Less Than H.S.	166	27,430	53	38.6	27.8-49.4	15	17.4	8.0-26.8	98	44.0	33.6-54.4
H.S. or G.E.D.	792	79,791	252	42.1	37.4-46.8	69	10.9	7.8-14.0	471	47.0	42.5-51.5
Some Post-H.S.	814	96,107	197	29.0	24.7-33.3	79	12.7	9.4-16.0	538	58.3	53.6-63.0
College Graduate	592	37,425	93	18.2	13.9-22.5	37	8.3	5.0-11.6	462	73.5	68.6-78.4
Less than \$15,000	182	19,452	71	45.2	35.2-55.2	25	17.9	9.1-26.7	86	36.9	27.7-46.1
\$15,000- 24,999	342	34,305	116	49.8	41.8-57.8	24	7.5	4.0-11.0	202	42.7	35.1-50.3
\$25,000- 34,999	228	22,121	56	33.0	24.6-41.4	25	17.6	9.8-25.4	147	49.4	40.6-58.2
\$35,000- 49,999	305	28,725	87	41.7	33.7-49.7	23	10.7	4.6-16.8	195	47.6	40.0-55.2
\$50,000- 74,999	390	38,046	94	33.0	26.3-39.7	28	9.6	4.7-14.5	268	57.4	50.3-64.5
\$75,000+	657	74,297	114	19.1	15.2-23.0	60	13.0	9.1-16.9	483	67.9	63.0-72.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1273	135,681	316	32.8	29.3-36.3	105	11.7	9.0-14.4	852	55.5	51.8-59.2
Native	57	8,845	21	44.6	28.1-61.1	6	19.3	4.6-34.0	30	36.2	21.3-51.1
Non-Native	1205	125,961	295	32.2	28.7-35.7	98	11.2	8.5-13.9	812	56.5	52.8-60.2
25-34	132	30,751	54	39.2	30.0-48.4	15	13.5	6.4-20.6	63	47.2	37.8-56.6
35-44	139	24,421	57	43.4	34.2-52.6	21	16.0	8.6-23.4	61	40.6	31.6-49.6
45-54	134	16,527	43	33.7	24.7-42.7	17	9.4	4.7-14.1	74	56.9	47.5-66.3
55-64	280	23,957	88	33.4	26.1-40.7	22	9.0	4.9-13.1	170	57.5	50.2-64.8
65+	553	30,849	56	12.1	8.2-16.0	20	3.4	1.8- 5.0	477	84.5	80.4-88.6
Less Than H.S.	106	17,511	31	34.4	22.4-46.4	9	17.6	6.0-29.2	66	48.0	35.7-60.3
H.S. or G.E.D.	460	49,220	147	42.3	36.4-48.2	42	10.2	6.7-13.7	271	47.5	41.8-53.2
Some Post-H.S.	413	50,751	102	29.6	23.7-35.5	35	11.6	7.3-15.9	276	58.8	52.5-65.1
College Graduate	292	18,118	35	14.5	9.4-19.6	19	10.7	5.4-16.0	238	74.9	68.2-81.6
Less than \$15,000	86	10,676	37	51.3	38.0-64.6	11	12.6	4.2-21.0	38	36.2	23.9-48.5
\$15,000- 24,999	159	16,571	59	50.2	40.0-60.4	8	5.3	1.2- 9.4	92	44.5	34.5-54.5
\$25,000- 34,999	125	12,403	27	26.6	16.4-36.8	18	23.7	11.7-35.7	80	49.6	37.6-61.6
\$35,000- 49,999	173	16,429	50	47.0	37.2-56.8	9	6.9	1.8-12.0	114	46.1	36.9-55.3
\$50,000- 74,999	228	23,248	55	33.2	24.4-42.0	19	10.4	3.7-17.1	154	56.4	47.4-65.4
\$75,000+	383	43,810	59	19.3	14.0-24.6	30	11.7	7.0-16.4	294	69.0	62.7-75.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1096	105,308	281	32.6	28.3-36.9	97	12.4	9.1-15.7	718	55.0	50.5-59.5
Native	60	7,703	23	54.1	35.5-72.7	11	11.4	3.2-19.6	26	34.5	17.4-51.6
Non-Native	1029	97,029	257	31.1	26.8-35.4	84	12.4	8.9-15.9	688	56.6	51.9-61.3
25-34	70	18,648	31	44.7	31.4-58.0	11	14.3	4.9-23.7	28	40.9	27.6-54.2
35-44	98	19,004	36	38.2	26.8-49.6	12	13.5	4.9-22.1	50	48.2	36.8-59.6
45-54	143	15,800	51	33.5	24.7-42.3	13	8.7	3.0-14.4	79	57.8	48.4-67.2
55-64	256	19,596	78	29.0	22.7-35.3	25	12.0	6.5-17.5	153	59.0	51.7-66.3
65+	509	22,922	77	16.4	12.1-20.7	31	8.1	4.8-11.4	401	75.4	70.5-80.3
Less Than H.S.	60	9,920	22	46.0	25.6-66.4	6	17.2	1.1-33.3	32	36.9	18.3-55.5
H.S. or G.E.D.	332	30,571	105	41.8	34.2-49.4	27	12.0	5.9-18.1	200	46.2	38.8-53.6
Some Post-H.S.	401	45,356	95	28.2	21.5-34.9	44	14.0	8.9-19.1	262	57.8	50.7-64.9
College Graduate	300	19,308	58	21.8	14.9-28.7	18	6.1	2.4- 9.8	224	72.2	64.9-79.5
Less than \$15,000	96	8,776	34	37.8	23.7-51.9	14	24.3	8.2-40.4	48	37.8	24.3-51.3
\$15,000- 24,999	183	17,735	57	49.5	37.0-62.0	16	9.5	3.6-15.4	110	41.0	29.6-52.4
\$25,000- 34,999	103	9,719	29	41.1	27.8-54.4	7	9.8	1.8-17.8	67	49.1	35.8-62.4
\$35,000- 49,999	132	12,297	37	34.6	22.1-47.1	14	15.8	3.8-27.8	81	49.6	36.7-62.5
\$50,000- 74,999	162	14,798	39	32.9	22.3-43.5	9	8.3	1.4-15.2	114	58.9	47.9-69.9
\$75,000+	274	30,487	55	18.8	12.7-24.9	30	14.9	8.4-21.4	189	66.3	58.5-74.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	797	107,634	400	54.0	49.5-58.5	397	46.0	41.5-50.5
Male	421	60,442	207	54.0	48.1-59.9	214	46.0	40.1-51.9
Female	376	47,191	193	53.9	46.6-61.2	183	46.1	38.8-53.4
Native	61	10,692	38	65.8	49.9-81.7	23	34.2	18.3-50.1
Non-Native	732	96,710	358	52.5	47.8-57.2	374	47.5	42.8-52.2
25-34	111	27,236	70	64.0	54.0-74.0	41	36.0	26.0-46.0
35-44	126	24,332	66	54.7	44.7-64.7	60	45.3	35.3-55.3
45-54	123	13,657	59	47.7	37.7-57.7	64	52.3	42.3-62.3
55-64	213	18,216	97	46.8	38.4-55.2	116	53.2	44.8-61.6
65+	183	10,343	83	45.1	35.7-54.5	100	54.9	45.5-64.3
Less Than H.S.	68	15,367	38	56.6	40.9-72.3	30	43.4	27.7-59.1
H.S. or G.E.D.	321	42,282	145	47.0	40.1-53.9	176	53.0	46.1-59.9
Some Post-H.S.	274	39,852	148	60.1	52.8-67.4	126	39.9	32.6-47.2
College Graduate	130	9,927	67	54.7	43.5-65.9	63	45.3	34.1-56.5
Less than \$15,000	95	12,142	44	49.9	36.2-63.6	51	50.1	36.4-63.8
\$15,000- 24,999	140	19,658	71	55.5	43.7-67.3	69	44.5	32.7-56.3
\$25,000- 34,999	81	11,192	41	48.2	34.7-61.7	40	51.8	38.3-65.3
\$35,000- 49,999	110	15,055	63	64.0	52.6-75.4	47	36.0	24.6-47.4
\$50,000- 74,999	122	16,212	54	52.1	40.3-63.9	68	47.9	36.1-59.7
\$75,000+	174	23,861	82	49.2	39.6-58.8	92	50.8	41.2-60.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	421	60,442	207	54.0	48.1-59.9	214	46.0	40.1-51.9
Non-Native	393	54,758	189	52.6	46.5-58.7	204	47.4	41.3-53.5
25-34	69	16,223	47	66.1	53.6-78.6	22	33.9	21.4-46.4
35-44	78	14,494	39	53.9	41.6-66.2	39	46.1	33.8-58.4
45-54	60	7,120	24	38.8	25.1-52.5	36	61.2	47.5-74.9
55-64	110	10,179	43	43.4	31.2-55.6	67	56.6	44.4-68.8
65+	76	4,767	35	42.6	27.9-57.3	41	57.4	42.7-72.1
H.S. or G.E.D.	189	25,833	88	47.5	39.1-55.9	101	52.5	44.1-60.9
Some Post-H.S.	137	20,896	68	59.2	49.4-69.0	69	40.8	31.0-50.6
College Graduate	54	4,556	27	53.0	37.1-68.9	27	47.0	31.1-62.9
\$15,000- 24,999	67	9,196	32	47.8	33.7-61.9	35	52.2	38.1-66.3
\$35,000- 49,999	59	8,854	30	57.0	42.1-71.9	29	43.0	28.1-57.9
\$50,000- 74,999	74	10,126	32	56.1	41.4-70.8	42	43.9	29.2-58.6
\$75,000+	89	13,578	45	57.5	45.2-69.8	44	42.5	30.2-54.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	376	47,191	193	53.9	46.6-61.2	183	46.1	38.8-53.4
Non-Native	339	41,952	169	52.5	44.9-60.1	170	47.5	39.9-55.1
45-54	63	6,537	35	57.3	43.2-71.4	28	42.7	28.6-56.8
55-64	103	8,036	54	51.0	39.4-62.6	49	49.0	37.4-60.6
65+	107	5,576	48	47.3	35.3-59.3	59	52.7	40.7-64.7
H.S. or G.E.D.	132	16,448	57	46.2	34.8-57.6	75	53.8	42.4-65.2
Some Post-H.S.	137	18,957	80	61.2	50.4-72.0	57	38.8	28.0-49.6
College Graduate	76	5,371	40	56.2	40.7-71.7	36	43.8	28.3-59.3
\$15,000- 24,999	73	10,462	39	62.3	44.9-79.7	34	37.7	20.3-55.1
\$35,000- 49,999	51	6,201	33	73.9	57.4-90.4	18	26.1	9.6-42.6
\$75,000+	85	10,283	37	38.3	24.6-52.0	48	61.7	48.0-75.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1563	132,218	135	17.0	13.9-20.1	193	19.0	15.9-22.1	156	11.4	9.2-13.6	1077	52.7	49.2-56.2	2	0.0	0.0- 0.0
Male	847	74,472	72	15.2	11.5-18.9	104	19.6	15.5-23.7	92	13.0	9.9-16.1	578	52.1	47.6-56.6	1	0.0	0.0- 0.0
Female	716	57,746	63	19.2	13.7-24.7	89	18.2	13.5-22.9	64	9.3	6.6-12.0	499	53.3	47.6-59.0	1	0.0	0.0- 0.0
Native	55	5,540	11	29.3	12.4-46.2	10	18.5	1.4-35.6	5	8.9	0.3-17.5	29	43.3	26.1-60.5			
Non-Native	1494	125,459	123	16.4	13.1-19.7	183	19.2	16.1-22.3	148	11.3	9.1-13.5	1038	53.1	49.6-56.6	2	0.0	0.0- 0.0
25-34	90	22,022	38	42.3	30.9-53.7	36	42.2	30.6-53.8	13	13.7	6.1-21.3	3	1.8	0.0- 4.0			
35-44	110	18,956	24	22.4	13.8-31.0	26	23.1	14.5-31.7	21	19.8	11.6-28.0	39	34.8	24.8-44.8			
45-54	153	18,541	16	13.4	6.5-20.3	36	24.8	16.6-33.0	23	13.5	7.4-19.6	78	48.2	39.0-57.4			
55-64	319	24,714	20	6.3	3.0- 9.6	45	13.8	9.5-18.1	41	11.3	7.6-15.0	213	68.6	62.7-74.5			
65+	877	43,321	26	3.2	1.8- 4.6	47	5.1	3.5- 6.7	58	6.9	4.7- 9.1	744	84.8	82.1-87.5	2	0.1	0.0- 0.3
Less Than H.S.	97	11,747	12	23.6	8.3-38.9	8	9.3	2.0-16.6	9	11.6	2.0-21.2	68	55.4	40.7-70.1			
H.S. or G.E.D.	470	37,462	37	15.6	10.5-20.7	60	18.8	13.5-24.1	47	11.6	7.5-15.7	325	54.0	47.9-60.1	1	0.0	0.0- 0.0
Some Post-H.S.	534	55,621	50	18.1	12.8-23.4	74	22.5	16.8-28.2	53	10.6	7.3-13.9	356	48.7	43.0-54.4	1	0.1	0.0- 0.3
College Graduate	461	27,359	36	13.7	8.8-18.6	51	16.2	11.3-21.1	46	12.4	8.1-16.7	328	57.7	51.6-63.8			
Less than \$15,000	86	7,181	13	29.6	15.1-44.1	16	18.9	8.5-29.3	8	8.0	1.7-14.3	49	43.4	29.9-56.9			
\$15,000- 24,999	201	14,596	12	14.0	4.8-23.2	23	21.3	10.9-31.7	18	7.3	3.2-11.4	148	57.4	46.4-68.4			
\$25,000- 34,999	147	10,930	14	18.2	7.8-28.6	13	16.2	6.6-25.8	22	14.4	7.0-21.8	97	51.2	39.8-62.6	1	0.1	0.0- 0.3
\$35,000- 49,999	194	13,501	19	14.6	6.6-22.6	18	13.1	5.8-20.4	19	15.0	7.6-22.4	138	57.2	47.6-66.8			
\$50,000- 74,999	266	21,603	25	16.6	9.0-24.2	28	17.2	10.1-24.3	21	9.0	4.3-13.7	191	57.0	48.6-65.4	1	0.2	0.0- 0.6
\$75,000+	482	50,389	45	17.2	11.9-22.5	76	23.1	17.4-28.8	53	13.4	9.3-17.5	308	46.3	40.6-52.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	847	74,472	72	15.2	11.5-18.9	104	19.6	15.7-23.5	92	13.0	9.9-16.1	578	52.1	47.8-56.4	1	0.0	0.0- 0.0
Non-Native	808	70,753	65	14.3	10.6-18.0	97	20.0	15.9-24.1	88	13.3	10.0-16.6	557	52.4	47.9-56.9	1	0.0	0.0- 0.0
25-34	62	14,388	26	41.0	27.9-54.1	24	41.0	27.7-54.3	10	16.0	6.0-26.0	2	2.0	0.0- 5.1			
35-44	61	9,927	10	16.6	6.6-26.6	18	27.4	15.2-39.6	15	26.8	14.3-39.3	18	29.2	16.1-42.3			
45-54	74	9,407	10	16.8	6.4-27.2	18	27.0	15.0-39.0	13	15.8	6.4-25.2	33	40.4	27.7-53.1			
55-64	167	13,201	10	6.7	1.8-11.6	23	12.9	7.2-18.6	22	11.9	6.4-17.4	112	68.6	60.6-76.6			
65+	476	26,032	11	2.2	0.8- 3.6	19	3.8	1.8- 5.8	32	6.4	4.0- 8.8	413	87.5	84.2-90.8	1	0.1	0.0- 0.3
Less Than H.S.	65	8,089	6	16.5	3.2-29.8	7	11.3	1.9-20.7	5	13.2	0.1-26.3	47	59.0	42.9-75.1			
H.S. or G.E.D.	271	23,387	23	15.9	9.6-22.2	38	20.8	13.9-27.7	30	13.6	7.9-19.3	180	49.7	42.3-57.1			
Some Post-H.S.	273	29,545	29	17.2	10.7-23.7	33	21.3	14.0-28.6	31	12.4	7.5-17.3	179	48.9	41.5-56.3	1	0.1	0.0- 0.3
College Graduate	237	13,422	14	9.0	3.5-14.5	26	18.7	11.4-26.0	25	13.0	7.1-18.9	172	59.3	51.1-67.5			
\$15,000- 24,999	91	7,324	5	12.1	1.9-22.3	10	23.7	8.6-38.8	8	5.0	0.9- 9.1	68	59.2	44.1-74.3			
\$25,000- 34,999	80	6,158	7	18.1	3.8-32.4	6	11.0	1.8-20.2	13	16.3	5.7-26.9	54	54.6	39.3-69.9			
\$35,000- 49,999	113	7,405	11	12.5	4.3-20.7	7	6.9	0.8-13.0	13	17.2	7.8-26.6	82	63.4	52.2-74.6			
\$50,000- 74,999	152	12,892	12	11.1	4.2-18.0	15	21.1	10.9-31.3	15	11.0	4.3-17.7	109	56.6	46.2-67.0	1	0.3	0.0- 0.9
\$75,000+	294	30,232	26	16.7	10.4-23.0	48	23.6	16.7-30.5	34	16.1	10.0-22.2	186	43.5	36.4-50.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	716	57,746	63	19.2	13.7-24.7	89	18.2	13.5-22.9	64	9.3	6.6-12.0	499	53.3	47.8-58.8	1	0.0	0.0- 0.0
Non-Native	686	54,706	58	19.1	13.4-24.8	86	18.2	13.3-23.1	60	8.6	5.9-11.3	481	54.1	48.4-59.8	1	0.0	0.0- 0.0
45-54	79	9,134	6	9.9	1.1-18.7	18	22.6	11.4-33.8	10	11.2	3.8-18.6	45	56.3	43.2-69.4			
55-64	152	11,513	10	5.9	1.4-10.4	22	14.9	8.0-21.8	19	10.7	5.8-15.6	101	68.5	59.9-77.1			
65+	401	17,289	15	4.7	2.0- 7.4	28	7.0	4.1- 9.9	26	7.5	3.8-11.2	331	80.8	75.9-85.7	1	0.1	0.0- 0.3
H.S. or G.E.D.	199	14,075	14	15.1	5.9-24.3	22	15.4	7.4-23.4	17	8.3	3.2-13.4	145	61.2	50.8-71.6	1	0.1	0.0- 0.3
Some Post-H.S.	261	26,076	21	19.1	10.5-27.7	41	23.9	15.3-32.5	22	8.6	4.3-12.9	177	48.4	39.6-57.2			
College Graduate	224	13,937	22	18.1	10.1-26.1	25	13.9	7.8-20.0	21	11.9	5.6-18.2	156	56.1	47.1-65.1			
\$15,000- 24,999	110	7,272	7	16.0	0.9-31.1	13	18.9	4.8-33.0	10	9.6	2.5-16.7	80	55.5	39.8-71.2			
\$25,000- 34,999	67	4,772	7	18.3	3.6-33.0	7	22.9	5.3-40.5	9	11.9	2.1-21.7	43	46.7	29.8-63.6	1	0.2	0.0- 0.6
\$35,000- 49,999	81	6,096	8	17.3	2.8-31.8	11	20.7	7.2-34.2	6	12.3	0.5-24.1	56	49.7	34.0-65.4			
\$50,000- 74,999	114	8,711	13	24.9	10.0-39.8	13	11.6	4.0-19.2	6	5.9	0.0-11.8	82	57.6	43.5-71.7			
\$75,000+	188	20,156	19	18.1	9.3-26.9	28	22.4	12.6-32.2	19	9.2	4.5-13.9	122	50.3	40.5-60.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5495	565,204	159	3.4	2.8- 4.0	124	3.1	2.5- 3.7	5212	93.5	92.5-94.5
Male	2625	287,881	158	6.6	5.4- 7.8	114	5.4	4.2- 6.6	2353	88.0	86.4-89.6
Female	2870	277,323	1	0.0	0.0- 0.0	10	0.7	0.1- 1.3	2859	99.3	98.7-99.9
Native	172	24,489	6	2.4	0.0- 4.8	5	2.7	0.0- 5.4	161	94.9	91.2-98.6
Non-Native	5275	535,345	151	3.4	2.8- 4.0	117	3.1	2.3- 3.9	5007	93.5	92.5-94.5
18-24	241	82,660	11	3.1	1.1- 5.1	12	4.1	1.6- 6.6	218	92.8	89.7-95.9
25-34	461	108,547	30	5.8	3.6- 8.0	22	4.4	2.2- 6.6	409	89.9	87.0-92.8
35-44	523	88,839	20	3.0	1.6- 4.4	18	3.0	1.4- 4.6	485	94.0	91.8-96.2
45-54	710	79,525	39	5.2	3.2- 7.2	21	3.6	1.8- 5.4	650	91.2	88.7-93.7
55-64	1245	91,821	31	2.4	1.4- 3.4	28	2.9	1.7- 4.1	1186	94.7	93.1-96.3
65+	2315	113,812	28	1.1	0.7- 1.5	23	1.0	0.4- 1.6	2264	97.8	97.0-98.6
Less Than H.S.	282	46,064	6	2.3	0.1- 4.5	6	2.6	0.0- 5.7	270	95.1	91.4-98.8
H.S. or G.E.D.	1495	149,111	52	4.6	3.2- 6.0	48	4.8	3.2- 6.4	1395	90.6	88.6-92.6
Some Post-H.S.	1740	220,492	56	3.8	2.6- 5.0	42	2.9	1.7- 4.1	1642	93.3	91.7-94.9
College Graduate	1969	148,916	45	1.9	1.3- 2.5	27	1.7	0.9- 2.5	1897	96.4	95.4-97.4
Less than \$15,000	303	35,685	5	1.7	0.1- 3.3	10	3.3	0.8- 5.8	288	95.0	92.1-97.9
\$15,000- 24,999	614	63,751	18	4.5	2.1- 6.9	6	0.8	0.0- 1.6	590	94.7	92.2-97.2
\$25,000- 34,999	459	45,713	11	2.5	0.5- 4.5	8	2.5	0.3- 4.7	440	94.9	92.0-97.8
\$35,000- 49,999	699	64,283	20	2.8	1.0- 4.6	12	3.4	1.2- 5.6	667	93.8	91.1-96.5
\$50,000- 74,999	852	83,872	20	2.3	1.1- 3.5	21	4.0	1.6- 6.4	811	93.7	91.2-96.2
\$75,000+	1848	201,584	74	4.5	3.1- 5.9	58	3.9	2.7- 5.1	1716	91.7	89.9-93.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2625	287,881	158	6.6	5.4- 7.8	114	5.4	4.2- 6.6	2353	88.0	86.4-89.6
Native	78	11,471	6	5.2	0.1-10.3	5	5.8	0.0-11.7	67	89.1	81.5-96.7
Non-Native	2522	273,601	150	6.6	5.2- 8.0	107	5.4	4.2- 6.6	2265	88.0	86.2-89.8
18-24	162	43,267	11	5.8	2.1- 9.5	8	4.2	1.3- 7.1	143	90.0	85.3-94.7
25-34	268	58,437	30	10.7	6.8-14.6	21	7.9	4.2-11.6	217	81.3	76.0-86.6
35-44	294	46,089	20	5.8	3.1- 8.5	18	5.7	3.0- 8.4	256	88.5	84.6-92.4
45-54	354	41,035	38	9.9	6.4-13.4	21	6.9	3.6-10.2	295	83.2	78.7-87.7
55-64	608	46,801	31	4.6	2.8- 6.4	25	5.5	3.1- 7.9	552	89.9	87.2-92.6
65+	939	52,253	28	2.4	1.4- 3.4	21	2.0	0.8- 3.2	890	95.6	94.0-97.2
Less Than H.S.	149	24,770	6	4.2	0.3- 8.1	6	4.9	0.0-10.8	137	90.9	84.0-97.8
H.S. or G.E.D.	769	85,380	51	7.9	5.5-10.3	44	7.3	4.9- 9.7	674	84.8	81.5-88.1
Some Post-H.S.	814	110,040	56	7.6	5.2-10.0	40	5.2	3.4- 7.0	718	87.3	84.4-90.2
College Graduate	890	67,390	45	4.2	2.8- 5.6	24	3.5	1.9- 5.1	821	92.3	90.1-94.5
Less than \$15,000	134	18,377	5	3.3	0.4- 6.2	10	6.4	1.5-11.3	119	90.3	84.6-96.0
\$15,000- 24,999	259	29,019	18	9.8	4.9-14.7	6	1.8	0.0- 3.6	235	88.4	83.3-93.5
\$25,000- 34,999	195	21,066	11	5.5	1.6- 9.4	7	3.7	0.2- 7.2	177	90.7	85.4-96.0
\$35,000- 49,999	336	32,995	20	5.5	2.2- 8.8	10	5.3	1.8- 8.8	306	89.2	84.5-93.9
\$50,000- 74,999	442	47,699	20	4.1	1.9- 6.3	19	7.0	3.1-10.9	403	89.0	84.7-93.3
\$75,000+	1010	107,876	74	8.4	6.0-10.8	55	6.5	4.5- 8.5	881	85.2	82.3-88.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2870	277,323	1	0.0	0.0- 0.0	10	0.7	0.1- 1.3	2859	99.3	98.7-99.9
Native	94	13,018							94	100.0	100.0- 100
Non-Native	2753	261,744	1	0.0	0.0- 0.0	10	0.7	0.1- 1.3	2742	99.2	98.6-99.8
18-24	79	39,394				4	4.1	0.0- 8.4	75	95.9	91.6- 100
25-34	193	50,111				1	0.2	0.0- 0.6	192	99.8	99.4- 100
35-44	229	42,750							229	100.0	100.0- 100
45-54	356	38,490	1	0.2	0.0- 0.6				355	99.8	99.4- 100
55-64	637	45,020				3	0.2	0.0- 0.4	634	99.8	99.6- 100
65+	1376	61,559				2	0.2	0.0- 0.6	1374	99.8	99.4- 100
Less Than H.S.	133	21,294							133	100.0	100.0- 100
H.S. or G.E.D.	726	63,732	1	0.1	0.0- 0.3	4	1.5	0.0- 3.3	721	98.3	96.5- 100
Some Post-H.S.	926	110,451				2	0.7	0.0- 1.9	924	99.3	98.1- 100
College Graduate	1079	81,526				3	0.2	0.0- 0.4	1076	99.8	99.6- 100
Less than \$15,000	169	17,308							169	100.0	100.0- 100
\$15,000- 24,999	355	34,732							355	100.0	100.0- 100
\$25,000- 34,999	264	24,647				1	1.5	0.0- 4.4	263	98.5	95.6- 100
\$35,000- 49,999	363	31,287				2	1.3	0.0- 3.7	361	98.7	96.3- 100
\$50,000- 74,999	410	36,172				2	0.2	0.0- 0.4	408	99.8	99.6- 100
\$75,000+	838	93,708				3	0.8	0.0- 2.2	835	99.2	97.8- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	180
2 MALES ONLY	181
3 FEMALES ONLY	182
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	183
5 MALES ONLY	184
6 FEMALES ONLY	185
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	186
8 MALES ONLY	187
9 FEMALES ONLY	188
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	189
11 MALES ONLY	190
12 FEMALES ONLY	191

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5459	562,239	744	14.8	13.4-16.2	132	2.0	1.6- 2.4	1788	34.7	32.9-36.5	452	8.0	7.0- 9.0	2343	40.5	38.5-42.5
Male	2609	286,343	396	15.6	13.8-17.4	90	2.9	2.1- 3.7	881	34.9	32.5-37.3	322	11.2	9.6-12.8	920	35.4	33.0-37.8
Female	2850	275,896	348	14.0	12.0-16.0	42	1.0	0.6- 1.4	907	34.5	31.8-37.2	130	4.6	3.4- 5.8	1423	45.9	43.0-48.8
Native	170	23,966	20	13.6	6.3-20.9	2	0.4	0.0- 1.0	45	27.7	18.7-36.7	5	1.2	0.0- 2.4	98	57.2	47.0-67.4
Non-Native	5241	532,903	719	15.0	13.6-16.4	129	2.1	1.5- 2.7	1729	35.0	33.0-37.0	443	8.3	7.3- 9.3	2221	39.7	37.7-41.7
18-24	240	82,180	31	11.3	6.8-15.8	3	1.1	0.0- 2.5	86	35.6	28.7-42.5	19	6.8	3.5-10.1	101	45.3	38.0-52.6
25-34	459	108,080	99	20.3	16.2-24.4	6	1.4	0.0- 2.8	179	38.8	33.7-43.9	40	8.4	5.7-11.1	135	31.1	26.2-36.0
35-44	521	88,477	81	16.2	12.5-19.9	13	2.5	0.9- 4.1	200	38.0	33.1-42.9	47	7.6	5.2-10.0	180	35.6	30.7-40.5
45-54	708	79,242	120	16.1	13.0-19.2	11	1.4	0.4- 2.4	306	41.8	37.7-45.9	56	8.4	6.0-10.8	215	32.3	28.2-36.4
55-64	1235	91,147	170	14.5	12.1-16.9	24	1.5	0.9- 2.1	451	33.7	30.6-36.8	104	8.0	6.2- 9.8	486	42.4	39.1-45.7
65+	2296	113,113	243	10.5	8.9-12.1	75	3.5	2.5- 4.5	566	23.4	21.2-25.6	186	8.5	6.9-10.1	1226	54.2	51.7-56.7
Less Than H.S.	281	45,743	22	10.6	4.9-16.3	9	4.1	0.8- 7.4	55	19.9	13.4-26.4	12	4.6	1.1- 8.1	183	60.7	52.3-69.1
H.S. or G.E.D.	1479	148,246	170	12.5	10.1-14.9	26	1.6	0.8- 2.4	413	30.5	27.2-33.8	116	8.7	6.7-10.7	754	46.8	43.3-50.3
Some Post-H.S.	1730	219,406	241	14.7	12.3-17.1	44	2.0	1.2- 2.8	579	36.3	33.2-39.4	146	7.6	6.0- 9.2	720	39.5	36.4-42.6
College Graduate	1960	148,223	311	18.8	16.4-21.2	53	1.7	1.1- 2.3	741	41.3	38.4-44.2	176	9.0	7.2-10.8	679	29.3	26.8-31.8
Less than \$15,000	300	35,325	19	8.7	3.8-13.6	8	2.3	0.0- 4.7	44	14.9	9.2-20.6	23	6.1	2.8- 9.4	206	68.1	60.7-75.5
\$15,000- 24,999	612	63,456	49	9.3	5.4-13.2	16	1.2	0.4- 2.0	148	29.8	23.7-35.9	32	5.9	3.2- 8.6	367	53.9	47.6-60.2
\$25,000- 34,999	453	45,247	57	13.2	8.9-17.5	13	3.4	0.7- 6.1	110	25.7	19.8-31.6	24	4.9	2.2- 7.6	249	52.8	45.9-59.7
\$35,000- 49,999	697	64,144	77	12.0	8.3-15.7	16	2.1	0.5- 3.7	239	37.6	32.3-42.9	54	7.6	4.7-10.5	311	40.8	35.3-46.3
\$50,000- 74,999	846	83,654	147	19.0	15.3-22.7	27	2.5	1.3- 3.7	289	36.1	31.6-40.6	83	9.4	6.7-12.1	300	32.9	28.4-37.4
\$75,000+	1841	200,581	323	18.1	15.7-20.5	44	2.0	1.2- 2.8	760	42.0	39.1-44.9	202	10.2	8.4-12.0	512	27.8	25.1-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2609	286,343	396	15.6	13.8-17.4	90	2.9	2.1- 3.7	881	34.9	32.5-37.3	322	11.2	9.6-12.8	920	35.4	33.0-37.8
Native	77	11,134	14	25.4	11.9-38.9	2	0.8	0.0- 2.0	22	29.4	16.9-41.9	1	0.8	0.0- 2.4	38	43.6	29.7-57.5
Non-Native	2507	272,399	382	15.4	13.6-17.2	88	3.1	2.1- 4.1	850	35.1	32.6-37.6	317	11.7	10.1-13.3	870	34.8	32.3-37.3
18-24	162	43,267	21	11.6	6.3-16.9	3	2.1	0.0- 4.6	53	33.0	25.0-41.0	14	7.7	3.6-11.8	71	45.6	37.4-53.8
25-34	266	57,970	63	23.0	17.5-28.5	6	2.7	0.3- 5.1	103	38.8	32.3-45.3	29	11.1	7.0-15.2	65	24.4	18.7-30.1
35-44	294	45,961	44	15.6	10.7-20.5	9	3.1	0.7- 5.5	112	37.4	31.1-43.7	37	10.9	7.2-14.6	92	33.0	26.7-39.3
45-54	353	40,882	61	15.1	11.0-19.2	5	1.6	0.0- 3.2	153	42.3	36.4-48.2	42	12.7	8.6-16.8	92	28.4	22.9-33.9
55-64	602	46,313	90	14.8	11.5-18.1	17	1.9	0.9- 2.9	221	33.9	29.6-38.2	70	11.0	7.9-14.1	204	38.5	33.6-43.4
65+	932	51,951	117	11.8	9.4-14.2	50	5.8	3.6- 8.0	239	24.9	21.6-28.2	130	13.6	10.9-16.3	396	43.8	39.9-47.7
Less Than H.S.	148	24,449	14	12.5	5.2-19.8	9	7.7	1.6-13.8	32	23.2	14.2-32.2	12	8.6	2.3-14.9	81	48.0	37.6-58.4
H.S. or G.E.D.	763	84,886	108	14.2	11.1-17.3	17	2.0	0.8- 3.2	226	32.0	27.7-36.3	88	11.0	8.3-13.7	324	40.8	36.3-45.3
Some Post-H.S.	809	109,680	124	15.8	12.7-18.9	30	3.0	1.6- 4.4	290	36.8	32.5-41.1	101	10.9	8.4-13.4	264	33.5	29.4-37.6
College Graduate	886	67,028	150	18.2	14.9-21.5	34	2.4	1.4- 3.4	333	39.8	35.7-43.9	119	12.9	10.2-15.6	250	26.7	23.0-30.4
Less than \$15,000	133	18,056	11	10.0	2.7-17.3	5	3.6	0.0- 8.1	22	16.2	8.4-24.0	19	11.3	5.0-17.6	76	59.0	48.2-69.8
\$15,000- 24,999	258	28,746	25	10.1	5.4-14.8	10	2.0	0.6- 3.4	67	28.9	21.5-36.3	21	6.6	3.1-10.1	135	52.4	44.4-60.4
\$25,000- 34,999	193	20,888	29	11.9	6.2-17.6	8	5.7	0.2-11.2	46	27.9	19.3-36.5	17	7.1	2.6-11.6	93	47.4	38.0-56.8
\$35,000- 49,999	334	32,857	40	11.9	7.4-16.4	14	3.9	0.8- 7.0	117	37.7	30.8-44.6	39	9.0	5.3-12.7	124	37.4	30.5-44.3
\$50,000- 74,999	440	47,595	81	20.4	15.3-25.5	18	3.0	1.0- 5.0	148	35.0	29.1-40.9	58	13.0	8.7-17.3	135	28.6	23.1-34.1
\$75,000+	1006	107,530	179	18.0	14.9-21.1	30	2.7	1.5- 3.9	404	40.7	36.8-44.6	151	14.8	12.1-17.5	242	23.8	20.5-27.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2850	275,896	348	14.0	12.0-16.0	42	1.0	0.6- 1.4	907	34.5	31.8-37.2	130	4.6	3.4- 5.8	1423	45.9	43.0-48.8
Native	93	12,832	6	3.3	0.0- 6.6				23	26.1	13.4-38.8	4	1.5	0.0- 3.3	60	69.1	56.0-82.2
Non-Native	2734	260,504	337	14.5	12.3-16.7	41	1.0	0.6- 1.4	879	34.9	32.2-37.6	126	4.9	3.7- 6.1	1351	44.7	41.8-47.6
18-24	78	38,913	10	11.0	3.7-18.3				33	38.4	26.8-50.0	5	5.7	0.6-10.8	30	44.9	32.6-57.2
25-34	193	50,111	36	17.1	11.2-23.0				76	38.7	30.9-46.5	11	5.3	2.0- 8.6	70	38.8	30.8-46.8
35-44	227	42,515	37	16.9	11.0-22.8	4	1.9	0.1- 3.7	88	38.7	31.3-46.1	10	4.0	1.5- 6.5	88	38.5	30.9-46.1
45-54	355	38,360	59	17.2	12.5-21.9	6	1.3	0.1- 2.5	153	41.3	35.2-47.4	14	3.8	1.4- 6.2	123	36.5	30.4-42.6
55-64	633	44,834	80	14.2	10.7-17.7	7	1.1	0.3- 1.9	230	33.5	29.2-37.8	34	4.9	2.9- 6.9	282	46.4	41.7-51.1
65+	1364	61,163	126	9.4	7.4-11.4	25	1.5	0.9- 2.1	327	22.0	19.5-24.5	56	4.2	2.8- 5.6	830	62.9	59.8-66.0
Less Than H.S.	133	21,294	8	8.5	0.0-17.3				23	16.2	7.0-25.4				102	75.3	63.3-87.3
H.S. or G.E.D.	716	63,360	62	10.1	6.6-13.6	9	1.0	0.0- 2.0	187	28.5	23.2-33.8	28	5.5	2.6- 8.4	430	54.8	49.1-60.5
Some Post-H.S.	921	109,727	117	13.5	10.2-16.8	14	1.0	0.4- 1.6	289	35.7	31.0-40.4	45	4.2	2.4- 6.0	456	45.5	40.6-50.4
College Graduate	1074	81,195	161	19.2	15.7-22.7	19	1.1	0.5- 1.7	408	42.5	38.2-46.8	57	5.8	3.6- 8.0	429	31.4	27.7-35.1
Less than \$15,000	167	17,270	8	7.3	0.8-13.8	3	0.9	0.0- 1.9	22	13.6	5.4-21.8	4	0.7	0.0- 1.5	130	77.5	67.5-87.5
\$15,000- 24,999	354	34,710	24	8.6	2.7-14.5	6	0.6	0.0- 1.2	81	30.4	21.2-39.6	11	5.3	1.0- 9.6	232	55.1	45.7-64.5
\$25,000- 34,999	260	24,358	28	14.3	8.0-20.6	5	1.4	0.0- 3.0	64	23.8	16.0-31.6	7	3.0	0.0- 6.5	156	57.5	47.9-67.1
\$35,000- 49,999	363	31,287	37	12.1	6.4-17.8	2	0.2	0.0- 0.6	122	37.4	29.2-45.6	15	6.0	1.5-10.5	187	44.3	35.9-52.7
\$50,000- 74,999	406	36,059	66	17.3	12.2-22.4	9	1.9	0.3- 3.5	141	37.6	30.5-44.7	25	4.7	2.3- 7.1	165	38.6	31.5-45.7
\$75,000+	835	93,051	144	18.1	14.4-21.8	14	1.2	0.4- 2.0	356	43.4	38.7-48.1	51	5.0	3.2- 6.8	270	32.4	27.7-37.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3084	330,688	1351	34.0	31.8-36.2	916	28.9	26.7-31.1	367	15.8	13.8-17.8	176	7.7	6.3- 9.1	274	13.6	11.6-15.6
Male	1669	182,770	578	26.8	24.3-29.3	519	29.1	26.4-31.8	237	16.3	13.9-18.7	112	8.5	6.5-10.5	223	19.3	16.6-22.0
Female	1415	147,918	773	43.0	39.3-46.7	397	28.7	25.2-32.2	130	15.2	11.9-18.5	64	6.6	4.6- 8.6	51	6.5	4.1- 8.9
Native	69	9,346	13	24.0	10.1-37.9	12	14.6	4.8-24.4	13	20.6	8.8-32.4	12	9.8	2.5-17.1	19	31.0	16.3-45.7
Non-Native	2993	318,797	1324	34.2	32.0-36.4	901	29.5	27.3-31.7	352	15.6	13.6-17.6	163	7.6	6.2- 9.0	253	13.1	11.1-15.1
18-24	138	44,456	22	16.5	9.6-23.4	31	22.7	14.7-30.7	29	23.1	15.1-31.1	12	8.0	3.1-12.9	44	29.7	21.3-38.1
25-34	317	72,934	74	22.5	17.4-27.6	84	26.9	21.6-32.2	65	21.0	15.7-26.3	41	12.6	8.7-16.5	53	17.0	12.3-21.7
35-44	340	56,819	93	27.7	22.2-33.2	107	30.3	24.8-35.8	60	17.9	12.8-23.0	24	7.6	4.1-11.1	56	16.5	12.0-21.0
45-54	489	53,250	169	35.2	30.3-40.1	182	36.3	31.4-41.2	64	13.0	9.7-16.3	30	6.4	3.9- 8.9	44	9.1	6.2-12.0
55-64	743	52,044	328	43.1	38.8-47.4	241	32.6	28.7-36.5	84	12.4	9.3-15.5	46	6.2	4.0- 8.4	44	5.7	3.7- 7.7
65+	1057	51,187	665	62.1	58.4-65.8	271	24.4	21.3-27.5	65	6.2	4.4- 8.0	23	3.2	1.2- 5.2	33	4.2	2.6- 5.8
Less Than H.S.	93	17,132	38	27.9	16.3-39.5	19	18.7	7.1-30.3	12	19.4	7.8-31.0	9	13.8	4.2-23.4	15	20.3	9.3-31.3
H.S. or G.E.D.	716	78,006	289	31.5	27.0-36.0	208	26.9	22.8-31.0	93	15.3	11.6-19.0	42	7.1	4.6- 9.6	84	19.1	14.6-23.6
Some Post-H.S.	1001	131,558	404	29.1	25.6-32.6	287	28.6	24.9-32.3	129	18.0	14.3-21.7	67	8.8	6.3-11.3	114	15.5	12.4-18.6
College Graduate	1273	103,963	619	43.2	39.7-46.7	402	32.6	29.3-35.9	133	12.8	10.3-15.3	58	5.6	3.8- 7.4	61	5.8	4.0- 7.6
Less than \$15,000	93	11,218	34	26.3	15.1-37.5	16	14.6	6.6-22.6	15	15.3	4.1-26.5	10	14.6	4.2-25.0	18	29.2	15.3-43.1
\$15,000- 24,999	239	28,263	104	27.8	20.2-35.4	56	26.3	16.7-35.9	24	15.8	7.4-24.2	18	8.6	3.1-14.1	37	21.5	13.3-29.7
\$25,000- 34,999	202	21,281	87	33.2	24.8-41.6	52	24.3	16.1-32.5	32	15.8	9.1-22.5	11	7.0	1.1-12.9	20	19.7	11.3-28.1
\$35,000- 49,999	384	37,679	188	41.1	34.0-48.2	101	23.7	18.2-29.2	41	16.1	10.4-21.8	24	6.2	2.9- 9.5	30	12.9	7.2-18.6
\$50,000- 74,999	542	55,730	231	33.2	27.9-38.5	166	32.1	26.8-37.4	73	15.9	11.6-20.2	29	8.6	5.1-12.1	43	10.1	6.4-13.8
\$75,000+	1322	143,849	543	33.4	30.3-36.5	449	32.2	29.1-35.3	159	16.5	13.4-19.6	67	6.9	4.9- 8.9	104	11.0	8.6-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1669	182,770	578	26.8	24.3-29.3	519	29.1	26.4-31.8	237	16.3	13.9-18.7	112	8.5	6.5-10.5	223	19.3	16.6-22.0
Non-Native	1619	175,601	566	26.9	24.4-29.4	513	30.0	27.3-32.7	227	16.1	13.7-18.5	106	8.5	6.5-10.5	207	18.6	15.9-21.3
18-24	91	23,527	10	9.3	3.4-15.2	22	23.0	13.8-32.2	14	16.2	8.0-24.4	10	11.5	4.1-18.9	35	39.9	28.5-51.3
25-34	196	42,669	37	17.9	11.8-24.0	50	24.6	18.1-31.1	40	19.7	13.6-25.8	23	13.0	7.5-18.5	46	24.8	17.9-31.7
35-44	201	30,670	36	16.3	10.8-21.8	67	33.7	26.4-41.0	41	20.2	13.9-26.5	12	6.1	2.4-9.8	45	23.7	16.8-30.6
45-54	258	28,928	77	30.2	23.9-36.5	85	32.4	25.9-38.9	40	16.2	11.3-21.1	20	7.4	3.7-11.1	36	13.9	9.0-18.8
55-64	392	28,004	141	35.3	29.8-40.8	137	35.5	30.0-41.0	53	14.7	10.0-19.4	31	7.5	4.4-10.6	30	7.1	4.2-10.0
65+	531	28,972	277	53.4	48.1-58.7	158	26.6	22.3-30.9	49	8.9	6.0-11.8	16	4.1	1.2-7.0	31	7.0	4.3-9.7
Less Than H.S.	66	12,292	23	28.5	14.2-42.8	14	15.6	5.8-25.4	9	14.2	4.4-24.0	6	14.1	2.3-25.9	14	27.8	13.5-42.1
H.S. or G.E.D.	433	49,645	133	23.0	18.5-27.5	128	27.6	22.5-32.7	68	15.8	11.5-20.1	30	8.1	4.8-11.4	74	25.4	19.5-31.3
Some Post-H.S.	540	72,463	176	23.4	19.5-27.3	162	29.5	24.6-34.4	75	17.0	12.7-21.3	37	9.1	5.8-12.4	90	21.0	16.5-25.5
College Graduate	629	48,340	245	35.0	30.5-39.5	215	33.6	29.1-38.1	85	16.4	12.7-20.1	39	6.7	4.2-9.2	45	8.3	5.6-11.0
Less than \$15,000	57	7,401	17	25.2	11.3-39.1	7	11.3	2.3-20.3	10	11.3	2.5-20.1	7	15.6	2.9-28.3	16	36.6	19.2-54.0
\$15,000- 24,999	121	13,474	39	24.7	15.5-33.9	29	24.8	14.6-35.0	13	13.3	4.7-21.9	12	10.6	3.2-18.0	28	26.7	16.5-36.9
\$25,000- 34,999	99	10,950	29	23.4	13.2-33.6	32	27.3	16.3-38.3	14	9.4	2.7-16.1	8	9.7	0.0-19.7	16	30.3	16.8-43.8
\$35,000- 49,999	210	20,558	85	32.1	24.5-39.7	54	23.0	15.9-30.1	32	20.2	12.4-28.0	16	8.4	2.9-13.9	23	16.2	9.1-23.3
\$50,000- 74,999	301	33,577	95	24.6	18.3-30.9	98	32.2	25.3-39.1	55	21.5	15.0-28.0	16	6.5	2.6-10.4	37	15.2	9.5-20.9
\$75,000+	757	80,925	265	27.1	23.4-30.8	261	32.9	28.8-37.0	104	16.8	13.3-20.3	42	7.3	4.6-10.0	85	15.9	12.2-19.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1415	147,918	773	43.0	39.3-46.7	397	28.7	25.2-32.2	130	15.2	11.9-18.5	64	6.6	4.6- 8.6	51	6.5	4.3- 8.7
Non-Native	1374	143,196	758	43.1	39.4-46.8	388	28.9	25.4-32.4	125	15.0	11.7-18.3	57	6.6	4.6- 8.6	46	6.4	4.0- 8.8
25-34	121	30,265	37	29.0	20.2-37.8	34	30.1	20.9-39.3	25	22.8	13.6-32.0	18	12.0	6.3-17.7	7	6.1	1.2-11.0
35-44	139	26,149	57	41.1	31.7-50.5	40	26.4	18.6-34.2	19	15.3	7.3-23.3	12	9.3	3.2-15.4	11	8.0	2.9-13.1
45-54	231	24,321	92	41.3	33.7-48.9	97	40.9	33.5-48.3	24	9.2	4.9-13.5	10	5.3	1.8- 8.8	8	3.3	0.8- 5.8
55-64	351	24,040	187	52.3	46.0-58.6	104	29.2	23.5-34.9	31	9.8	5.9-13.7	15	4.8	1.9- 7.7	14	4.0	1.5- 6.5
65+	526	22,215	388	73.5	69.0-78.0	113	21.4	17.1-25.7	16	2.7	1.1- 4.3	7	1.9	0.1- 3.7	2	0.4	0.0- 1.0
H.S. or G.E.D.	283	28,361	156	46.2	37.2-55.2	80	25.8	18.4-33.2	25	14.5	7.4-21.6	12	5.4	1.9- 8.9	10	8.1	2.0-14.2
Some Post-H.S.	461	59,095	228	35.9	30.0-41.8	125	27.4	21.5-33.3	54	19.3	13.0-25.6	30	8.6	4.7-12.5	24	8.8	4.5-13.1
College Graduate	644	55,623	374	50.3	45.0-55.6	187	31.7	26.6-36.8	48	9.7	6.4-13.0	19	4.6	2.2- 7.0	16	3.7	1.2- 6.2
\$15,000- 24,999	118	14,789	65	30.7	18.5-42.9	27	27.7	11.8-43.6	11	18.1	4.2-32.0	6	6.7	0.0-14.7	9	16.8	4.3-29.3
\$25,000- 34,999	103	10,331	58	43.7	30.4-57.0	20	21.1	8.4-33.8	18	22.6	11.0-34.2	3	4.2	0.0- 9.7	4	8.4	0.2-16.6
\$35,000- 49,999	174	17,121	103	51.8	40.0-63.6	47	24.5	15.7-33.3	9	11.1	3.1-19.1	8	3.6	0.3- 6.9	7	9.0	0.0-18.0
\$50,000- 74,999	241	22,154	136	46.3	37.5-55.1	68	31.9	23.3-40.5	18	7.5	2.8-12.2	13	11.8	5.3-18.3	6	2.4	0.0- 4.9
\$75,000+	565	62,923	278	41.7	36.2-47.2	188	31.2	26.1-36.3	55	16.1	10.8-21.4	25	6.3	3.4- 9.2	19	4.8	2.1- 7.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3071	329,071	320	13.1	11.3-14.9	175	7.2	5.8- 8.6	77	3.7	2.7- 4.7	74	3.3	2.3- 4.3	204	9.9	8.3-11.5	2221	62.8	60.4-65.2
Male	1662	182,349	195	14.8	12.4-17.2	103	7.0	5.2- 8.8	46	4.0	2.6- 5.4	51	3.5	2.3- 4.7	158	13.2	10.8-15.6	1109	57.5	54.4-60.6
Female	1409	146,722	125	10.9	8.5-13.3	72	7.5	5.1- 9.9	31	3.3	1.7- 4.9	23	3.1	1.5- 4.7	46	5.7	3.7- 7.7	1112	69.5	65.8-73.2
Native	70	9,438	12	17.8	7.0-28.6	6	9.9	0.1-19.7	2	1.4	0.0- 3.8	5	10.1	0.0-22.1	6	10.9	0.7-21.1	39	49.9	34.6-65.2
Non-Native	2979	317,089	305	12.9	11.1-14.7	169	7.2	5.8- 8.6	75	3.8	2.8- 4.8	66	3.1	2.1- 4.1	198	9.9	8.3-11.5	2166	63.1	60.6-65.6
18-24	136	43,940	23	12.9	7.4-18.4	13	10.8	4.3-17.3	10	5.7	2.2- 9.2	9	7.6	2.5-12.7	30	20.8	13.4-28.2	51	42.3	32.7-51.9
25-34	318	73,043	61	19.4	14.5-24.3	34	9.5	6.2-12.8	16	5.3	2.6- 8.0	12	3.5	1.1- 5.9	41	12.3	8.4-16.2	154	50.0	43.9-56.1
35-44	338	56,450	63	17.6	13.1-22.1	32	9.3	5.6-13.0	12	4.5	1.6- 7.4	13	3.7	1.3- 6.1	35	10.5	6.8-14.2	183	54.3	48.2-60.4
45-54	489	53,175	54	11.2	8.1-14.3	26	5.2	2.8- 7.6	12	2.7	1.1- 4.3	14	2.5	1.1- 3.9	38	8.7	5.8-11.6	345	69.7	65.0-74.4
55-64	736	51,425	78	10.4	7.7-13.1	38	5.4	3.4- 7.4	13	2.3	0.3- 4.3	19	2.0	1.0- 3.0	36	4.4	2.6- 6.2	552	75.5	71.8-79.2
65+	1054	51,039	41	3.8	2.4- 5.2	32	2.5	1.5- 3.5	14	1.2	0.4- 2.0	7	1.1	0.1- 2.1	24	3.0	1.6- 4.4	936	88.4	86.0-90.8
Less Than H.S.	94	17,355	7	8.7	0.9-16.5	2	3.5	0.0- 8.6	1	2.2	0.0- 6.3	6	6.0	0.7-11.3	7	12.7	3.1-22.3	71	67.0	54.1-79.9
H.S. or G.E.D.	706	76,344	70	12.1	9.0-15.2	38	6.9	3.8-10.0	21	4.3	2.1- 6.5	22	5.7	2.8- 8.6	64	14.0	10.3-17.7	491	57.0	51.9-62.1
Some Post-H.S.	998	131,439	112	14.2	11.1-17.3	66	8.6	6.1-11.1	35	4.9	2.9- 6.9	22	2.5	0.9- 4.1	83	10.3	7.8-12.8	680	59.4	55.1-63.7
College Graduate	1272	103,903	131	13.2	10.7-15.7	69	6.4	4.6- 8.2	20	1.9	0.9- 2.9	23	2.1	1.1- 3.1	50	5.7	3.7- 7.7	979	70.7	67.2-74.2
Less than \$15,000	92	11,117	6	6.4	0.5-12.3	6	4.7	0.0- 9.8	4	7.0	0.0-15.0	6	11.2	0.0-22.6	10	11.9	3.9-19.9	60	58.7	44.6-72.8
\$15,000- 24,999	239	28,227	24	12.2	6.5-17.9	9	4.2	0.1- 8.3	6	2.9	0.0- 6.0	6	6.1	0.0-12.2	18	10.4	4.3-16.5	176	64.2	54.6-73.8
\$25,000- 34,999	202	21,109	20	12.7	5.1-20.3	16	9.8	3.9-15.7	7	7.4	1.5-13.3	4	3.6	0.0- 7.5	10	10.0	3.5-16.5	145	56.4	46.6-66.2
\$35,000- 49,999	381	37,142	38	13.1	8.0-18.2	16	5.7	2.2- 9.2	7	1.3	0.1- 2.5	7	2.2	0.0- 4.9	28	13.5	7.6-19.4	285	64.3	57.0-71.6
\$50,000- 74,999	540	55,659	51	11.2	7.5-14.9	31	7.6	4.5-10.7	15	4.2	1.7- 6.7	7	2.0	0.4- 3.6	39	9.8	6.1-13.5	397	65.2	59.5-70.9
\$75,000+	1318	143,532	155	14.2	11.7-16.7	87	8.5	6.1-10.9	33	3.6	2.0- 5.2	39	3.2	2.0- 4.4	83	8.5	6.3-10.7	921	62.0	58.5-65.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1662	182,349	195	14.8	12.4-17.2	103	7.0	5.2- 8.8	46	4.0	2.6- 5.4	51	3.5	2.3- 4.7	158	13.2	10.8-15.6	1109	57.5	54.4-60.6
Non-Native	1611	174,899	186	14.6	12.2-17.0	100	7.1	5.1- 9.1	46	4.1	2.7- 5.5	45	3.1	1.9- 4.3	153	13.2	10.8-15.6	1081	57.9	54.8-61.0
18-24	90	23,374	18	18.9	10.3-27.5	9	11.8	2.8-20.8	9	9.5	3.2-15.8	5	5.7	0.6-10.8	22	25.1	15.3-34.9	27	28.9	18.9-38.9
25-34	199	43,316	39	20.3	14.0-26.6	24	10.4	6.1-14.7	8	4.2	1.1- 7.3	10	4.9	1.4- 8.4	28	14.7	9.2-20.2	90	45.6	38.0-53.2
35-44	200	30,455	40	21.2	14.7-27.7	15	5.4	2.1- 8.7	8	4.8	1.3- 8.3	9	3.4	0.9- 5.9	32	17.3	11.2-23.4	96	47.9	40.1-55.7
45-54	257	28,807	30	11.5	7.0-16.0	14	5.6	2.3- 8.9	6	1.9	0.1- 3.7	10	2.8	0.8- 4.8	30	13.4	8.5-18.3	167	64.8	58.1-71.5
55-64	387	27,515	42	10.0	6.7-13.3	21	5.1	2.6- 7.6	6	2.6	0.0- 5.9	11	2.0	0.6- 3.4	24	5.1	2.7- 7.5	283	75.1	69.8-80.4
65+	529	28,882	26	4.6	2.4- 6.8	20	2.7	1.3- 4.1	9	1.6	0.4- 2.8	6	1.7	0.1- 3.3	22	4.7	2.5- 6.9	446	84.6	81.1-88.1
Less Than H.S.	64	12,192	6	10.6	0.2-21.0	2	5.0	0.0-12.1	1	3.1	0.0- 9.0	5	7.1	0.2-14.0	7	18.1	5.0-31.2	43	56.1	40.4-71.8
H.S. or G.E.D.	427	48,896	49	15.0	10.5-19.5	28	7.6	3.3-11.9	15	4.8	2.1- 7.5	18	6.2	2.7- 9.7	49	15.4	11.1-19.7	268	51.1	45.0-57.2
Some Post-H.S.	541	72,661	65	16.0	11.7-20.3	35	7.1	4.4- 9.8	21	4.9	2.4- 7.4	10	1.4	0.2- 2.6	66	14.6	10.7-18.5	344	56.0	50.7-61.3
College Graduate	629	48,571	75	14.1	10.6-17.6	38	6.8	4.3- 9.3	9	2.0	0.4- 3.6	17	2.9	1.3- 4.5	36	7.7	5.0-10.4	454	66.6	61.9-71.3
Less than \$15,000	55	7,236	4	8.2	0.0-16.6	4	4.4	0.0-11.1	3	10.2	0.0-22.4	4	10.8	0.0-24.9	10	18.3	6.3-30.3	30	48.1	30.9-65.3
\$15,000- 24,999	119	13,222	17	20.0	10.0-30.0	5	1.9	0.0- 3.9	4	6.0	0.0-12.3	2	0.7	0.0- 1.7	12	11.3	3.9-18.7	79	60.1	48.5-71.7
\$25,000- 34,999	100	10,983	13	14.1	3.1-25.1	6	3.9	0.4- 7.4	3	6.1	0.0-13.9	4	7.0	0.0-14.4	6	11.0	2.2-19.8	68	57.9	44.4-71.4
\$35,000- 49,999	209	20,524	20	10.1	4.6-15.6	11	7.7	1.6-13.8	5	2.0	0.0- 4.2	3	0.6	0.0- 1.4	22	14.5	8.0-21.0	148	65.1	56.3-73.9
\$50,000- 74,999	299	33,505	30	12.1	7.0-17.2	15	5.4	2.5- 8.3	8	4.2	0.7- 7.7	7	3.2	0.7- 5.7	32	14.1	8.4-19.8	207	61.0	53.6-68.4
\$75,000+	756	80,873	96	16.0	12.5-19.5	57	9.0	6.3-11.7	20	3.2	1.6- 4.8	28	4.0	2.2- 5.8	65	12.3	9.0-15.6	490	55.6	51.1-60.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1409	146,722	125	10.9	8.5-13.3	72	7.5	5.1- 9.9	31	3.3	1.7- 4.9	23	3.1	1.5- 4.7	46	5.7	3.7- 7.7	1112	69.5	65.8-73.2
Non-Native	1368	142,190	119	10.8	8.3-13.3	69	7.3	4.9- 9.7	29	3.3	1.7- 4.9	21	3.1	1.3- 4.9	45	5.9	3.7- 8.1	1085	69.6	65.9-73.3
25-34	119	29,727	22	18.1	10.1-26.1	10	8.2	2.9-13.5	8	6.8	1.7-11.9	2	1.5	0.0- 3.7	13	8.9	3.8-14.0	64	56.4	46.4-66.4
35-44	138	25,995	23	13.5	7.6-19.4	17	13.8	6.7-20.9	4	4.2	0.0- 8.9	4	4.2	0.1- 8.3	3	2.6	0.0- 5.7	87	61.8	52.2-71.4
45-54	232	24,367	24	10.8	6.1-15.5	12	4.8	1.7- 7.9	6	3.6	0.7- 6.5	4	2.2	0.0- 4.4	8	3.1	0.7- 5.5	178	75.5	69.0-82.0
55-64	349	23,910	36	10.8	6.5-15.1	17	5.7	2.8- 8.6	7	2.1	0.1- 4.1	8	1.9	0.5- 3.3	12	3.5	1.0- 6.0	269	76.0	70.3-81.7
65+	525	22,157	15	2.7	1.1- 4.3	12	2.1	0.5- 3.7	5	0.6	0.0- 1.2	1	0.3	0.0- 0.9	2	0.8	0.0- 2.0	490	93.4	90.9-95.9
H.S. or G.E.D.	279	27,448	21	6.8	3.3-10.3	10	5.7	1.6- 9.8	6	3.6	0.3- 6.9	4	4.7	0.0- 9.8	15	11.7	4.8-18.6	223	67.5	58.7-76.3
Some Post-H.S.	457	58,778	47	12.0	7.7-16.3	31	10.4	5.7-15.1	14	5.0	1.9- 8.1	12	4.0	1.1- 6.9	17	5.0	2.1- 7.9	336	63.7	57.0-70.4
College Graduate	643	55,332	56	12.4	8.5-16.3	31	6.0	3.5- 8.5	11	1.8	0.4- 3.2	6	1.4	0.0- 2.8	14	4.0	1.3- 6.7	525	74.4	69.3-79.5
\$15,000- 24,999	120	15,005	7	5.4	0.7-10.1	4	6.3	0.0-13.7	2	0.2	0.0- 0.6	4	10.9	0.0-21.9	6	9.5	0.3-18.7	97	67.8	53.1-82.5
\$25,000- 34,999	102	10,125	7	11.1	0.7-21.5	10	16.3	5.3-27.3	4	8.8	0.2-17.4				4	8.9	0.0-18.5	77	54.9	40.6-69.2
\$35,000- 49,999	172	16,618	18	16.8	7.8-25.8	5	3.1	0.2- 6.0	2	0.5	0.0- 1.1	4	4.0	0.0-10.1	6	12.2	1.8-22.6	137	63.4	51.2-75.6
\$50,000- 74,999	241	22,154	21	9.8	4.5-15.1	16	11.0	4.5-17.5	7	4.1	0.8- 7.4				7	3.5	0.6- 6.4	190	71.6	63.4-79.8
\$75,000+	562	62,660	59	12.0	8.1-15.9	30	7.8	3.9-11.7	13	4.1	1.4- 6.8	11	2.3	0.7- 3.9	18	3.5	1.5- 5.5	431	70.2	64.5-75.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3020	321,863	808	20.0	18.2-21.8	802	23.5	21.5-25.5	461	16.0	14.0-18.0	245	8.5	7.1- 9.9	704	32.1	29.7-34.5
Male	1629	177,679	315	15.0	12.8-17.2	374	20.2	17.8-22.6	274	15.5	13.3-17.7	140	7.8	6.2- 9.4	526	41.6	38.5-44.7
Female	1391	144,184	493	26.1	23.0-29.2	428	27.6	24.1-31.1	187	16.5	13.4-19.6	105	9.4	6.9-11.9	178	20.5	17.2-23.8
Native	71	9,721	9	15.9	4.1-27.7	13	12.3	4.3-20.3	12	15.5	5.7-25.3	9	8.2	1.7-14.7	28	48.2	33.1-63.3
Non-Native	2927	309,597	792	20.0	18.2-21.8	783	23.9	21.7-26.1	447	15.9	13.9-17.9	235	8.5	6.9-10.1	670	31.7	29.3-34.1
18-24	134	42,664	7	4.5	1.0- 8.0	22	20.4	12.0-28.8	20	17.1	9.7-24.5	5	5.0	0.5- 9.5	80	53.0	43.4-62.6
25-34	305	69,847	46	15.3	10.6-20.0	48	15.6	11.1-20.1	44	14.4	9.9-18.9	31	11.3	7.0-15.6	136	43.3	37.0-49.6
35-44	332	55,503	53	15.6	11.1-20.1	68	20.3	15.6-25.0	48	15.8	11.1-20.5	19	6.3	3.2- 9.4	144	42.0	35.9-48.1
45-54	486	52,720	98	19.6	15.5-23.7	143	29.5	24.8-34.2	81	16.9	13.0-20.8	48	9.7	6.8-12.6	116	24.3	20.0-28.6
55-64	725	50,628	182	23.9	20.2-27.6	195	27.6	23.7-31.5	138	19.5	16.2-22.8	67	9.3	6.8-11.8	143	19.6	15.9-23.3
65+	1038	50,501	422	40.6	36.9-44.3	326	30.0	26.7-33.3	130	12.7	10.3-15.1	75	7.9	5.5-10.3	85	8.7	6.5-10.9
Less Than H.S.	93	17,149	33	24.0	13.0-35.0	19	19.7	7.9-31.5	15	15.7	5.3-26.1	4	5.7	0.0-12.2	22	34.9	21.6-48.2
H.S. or G.E.D.	692	73,760	171	19.7	16.0-23.4	190	23.0	18.9-27.1	94	12.0	8.7-15.3	58	7.7	5.2-10.2	179	37.6	32.5-42.7
Some Post-H.S.	975	128,412	245	16.9	14.2-19.6	253	23.4	19.9-26.9	140	15.8	12.5-19.1	76	9.0	6.3-11.7	261	34.9	30.8-39.0
College Graduate	1259	102,511	359	23.3	20.4-26.2	340	24.6	21.5-27.7	212	19.1	16.2-22.0	107	8.9	6.7-11.1	241	24.1	20.8-27.4
Less than \$15,000	86	10,261	23	17.3	7.9-26.7	18	17.0	7.2-26.8	12	15.4	3.4-27.4	6	7.5	0.0-15.3	27	42.8	27.9-57.7
\$15,000- 24,999	229	26,958	80	23.7	16.4-31.0	45	18.7	9.3-28.1	37	18.6	9.8-27.4	18	7.8	3.3-12.3	49	31.2	21.6-40.8
\$25,000- 34,999	194	19,723	51	20.5	13.2-27.8	55	23.1	15.5-30.7	25	11.7	6.0-17.4	18	9.6	3.1-16.1	45	35.0	25.2-44.8
\$35,000- 49,999	378	37,067	119	24.8	18.9-30.7	100	21.5	16.0-27.0	48	14.0	9.1-18.9	29	7.7	3.6-11.8	82	32.0	24.7-39.3
\$50,000- 74,999	533	54,868	135	21.1	16.4-25.8	152	24.7	19.8-29.6	82	14.6	10.7-18.5	42	8.2	5.1-11.3	122	31.4	25.9-36.9
\$75,000+	1303	142,064	287	16.8	14.4-19.2	348	24.2	21.3-27.1	226	17.8	15.1-20.5	115	9.2	6.8-11.6	327	32.0	28.5-35.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1629	177,679	315	15.0	13.0-17.0	374	20.2	17.8-22.6	274	15.5	13.3-17.7	140	7.8	6.2- 9.4	526	41.6	38.5-44.7
Non-Native	1578	170,228	308	14.9	12.7-17.1	365	20.5	18.0-23.0	266	15.5	13.3-17.7	136	7.9	6.1- 9.7	503	41.1	38.0-44.2
18-24	89	22,460	4	3.5	0.0- 7.0	9	9.4	3.1-15.7	12	14.2	6.4-22.0	2	2.9	0.0- 7.0	62	69.9	59.7-80.1
25-34	190	41,045	18	10.4	5.1-15.7	31	15.5	9.8-21.2	25	11.0	6.5-15.5	15	9.4	4.7-14.1	101	53.7	45.9-61.5
35-44	198	30,281	21	8.4	4.5-12.3	39	21.4	14.9-27.9	25	13.3	8.0-18.6	10	5.1	2.0- 8.2	103	51.9	44.1-59.7
45-54	256	28,466	48	17.7	12.4-23.0	56	23.4	17.5-29.3	40	16.8	11.5-22.1	25	8.3	4.8-11.8	87	33.7	27.0-40.4
55-64	381	27,155	70	18.1	13.8-22.4	89	24.0	19.1-28.9	87	23.8	18.9-28.7	36	9.2	6.1-12.3	99	24.9	19.6-30.2
65+	515	28,271	154	32.2	26.9-37.5	150	27.2	22.7-31.7	85	16.3	12.6-20.0	52	10.2	6.7-13.7	74	14.2	10.7-17.7
Less Than H.S.	64	12,415	18	22.8	9.3-36.3	10	14.5	4.3-24.7	11	8.3	2.6-14.0	4	7.9	0.0-16.7	21	46.4	30.7-62.1
H.S. or G.E.D.	417	46,948	68	12.4	9.1-15.7	100	20.8	16.3-25.3	65	13.3	9.6-17.0	38	7.6	4.7-10.5	146	46.0	40.1-51.9
Some Post-H.S.	528	71,007	99	13.2	10.1-16.3	120	20.5	16.4-24.6	85	15.7	12.0-19.4	38	7.3	4.6-10.0	186	43.4	37.9-48.9
College Graduate	619	47,278	130	18.4	14.7-22.1	144	20.5	16.8-24.2	113	19.4	15.5-23.3	60	8.5	6.0-11.0	172	33.1	28.4-37.8
Less than \$15,000	53	6,959	9	11.0	1.6-20.4	7	13.6	1.6-25.6	9	12.4	2.8-22.0	4	9.7	0.0-21.1	24	53.2	35.8-70.6
\$15,000- 24,999	112	12,536	27	21.1	11.9-30.3	20	13.1	5.5-20.7	20	17.0	8.0-26.0	11	12.3	4.1-20.5	34	36.4	24.8-48.0
\$25,000- 34,999	97	10,512	14	9.5	3.4-15.6	29	29.2	17.4-41.0	12	11.5	4.1-18.9	11	6.2	1.1-11.3	31	43.7	30.0-57.4
\$35,000- 49,999	205	20,086	50	21.8	14.7-28.9	50	20.5	14.2-26.8	31	16.9	9.8-24.0	18	7.8	2.7-12.9	56	33.0	24.2-41.8
\$50,000- 74,999	297	33,094	56	15.8	10.1-21.5	67	19.2	13.7-24.7	59	18.4	12.7-24.1	24	8.1	4.0-12.2	91	38.4	31.0-45.8
\$75,000+	744	79,938	130	12.6	10.1-15.1	166	20.5	16.8-24.2	132	16.4	13.3-19.5	63	6.9	4.7- 9.1	253	43.7	39.0-48.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1391	144,184	493	26.1	23.0-29.2	428	27.6	24.1-31.1	187	16.5	13.4-19.6	105	9.4	6.9-11.9	178	20.5	17.2-23.8
Non-Native	1349	139,369	484	26.3	23.2-29.4	418	28.0	24.5-31.5	181	16.2	12.9-19.5	99	9.3	6.8-11.8	167	20.1	16.8-23.4
25-34	115	28,802	28	22.2	13.8-30.6	17	15.8	8.4-23.2	19	19.3	10.7-27.9	16	14.1	6.3-21.9	35	28.5	19.5-37.5
35-44	134	25,222	32	24.3	15.9-32.7	29	19.0	12.1-25.9	23	18.9	10.5-27.3	9	7.8	1.9-13.7	41	30.0	21.0-39.0
45-54	230	24,254	50	21.9	15.6-28.2	87	36.6	29.2-44.0	41	16.9	11.0-22.8	23	11.2	6.3-16.1	29	13.3	8.2-18.4
55-64	344	23,473	112	30.6	24.7-36.5	106	31.8	25.9-37.7	51	14.6	10.1-19.1	31	9.5	5.6-13.4	44	13.5	8.8-18.2
65+	523	22,229	268	51.4	46.3-56.5	176	33.6	28.7-38.5	45	8.2	5.7-10.7	23	4.9	2.5- 7.3	11	1.9	0.5- 3.3
H.S. or G.E.D.	275	26,812	103	32.5	24.1-40.9	90	26.9	18.9-34.9	29	9.8	3.7-15.9	20	7.7	2.8-12.6	33	23.1	14.7-31.5
Some Post-H.S.	447	57,405	146	21.6	16.9-26.3	133	26.9	21.0-32.8	55	15.9	10.2-21.6	38	11.1	6.2-16.0	75	24.5	18.4-30.6
College Graduate	640	55,233	229	27.5	23.0-32.0	196	28.0	23.3-32.7	99	18.8	14.5-23.1	47	9.3	6.2-12.4	69	16.4	11.9-20.9
\$15,000- 24,999	117	14,422	53	25.9	14.7-37.1	25	23.6	7.7-39.5	17	19.9	5.6-34.2	7	3.9	0.6- 7.2	15	26.7	12.0-41.4
\$25,000- 34,999	97	9,211	37	33.2	20.3-46.1	26	16.1	7.5-24.7	13	12.0	3.2-20.8	7	13.6	1.4-25.8	14	25.1	12.2-38.0
\$35,000- 49,999	173	16,981	69	28.3	18.7-37.9	50	22.8	13.4-32.2	17	10.7	4.0-17.4	11	7.4	0.7-14.1	26	30.8	18.8-42.8
\$50,000- 74,999	236	21,774	79	29.2	21.2-37.2	85	33.0	24.6-41.4	23	8.8	4.1-13.5	18	8.3	3.2-13.4	31	20.8	13.2-28.4
\$75,000+	559	62,126	157	22.2	17.9-26.5	182	29.0	24.1-33.9	94	19.5	14.6-24.4	52	12.2	7.7-16.7	74	17.1	12.6-21.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1	MALES AND FEMALES	193
2	MALES ONLY	194
3	FEMALES ONLY	195
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4	MALES AND FEMALES	196
5	MALES ONLY	197
6	FEMALES ONLY	198
	AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)	
7	MALES AND FEMALES	199
8	MALES ONLY	200
9	FEMALES ONLY	201
	HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10	MALES AND FEMALES	202
11	MALES ONLY	203
12	FEMALES ONLY	204

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5453	560,481	2548	40.0	38.2-41.8	2905	60.0	58.2-61.8
Male	2603	285,212	1098	35.4	33.0-37.8	1505	64.6	62.2-67.0
Female	2850	275,269	1450	44.8	41.9-47.7	1400	55.2	52.3-58.1
Native	170	24,135	76	38.1	28.3-47.9	94	61.9	52.1-71.7
Non-Native	5236	531,059	2454	40.1	38.1-42.1	2782	59.9	57.9-61.9
18-24	239	82,340	70	31.3	24.4-38.2	169	68.7	61.8-75.6
25-34	455	107,037	151	34.5	29.4-39.6	304	65.5	60.4-70.6
35-44	518	88,147	163	29.7	25.2-34.2	355	70.3	65.8-74.8
45-54	708	79,105	262	37.0	32.9-41.1	446	63.0	58.9-67.1
55-64	1234	91,033	552	45.4	42.1-48.7	682	54.6	51.3-57.9
65+	2299	112,819	1350	57.4	54.9-59.9	949	42.6	40.1-45.1
Less Than H.S.	281	45,887	122	36.6	28.4-44.8	159	63.4	55.2-71.6
H.S. or G.E.D.	1484	148,127	619	33.5	30.2-36.8	865	66.5	63.2-69.8
Some Post-H.S.	1729	218,979	769	38.5	35.4-41.6	960	61.5	58.4-64.6
College Graduate	1951	146,968	1035	49.9	47.0-52.8	916	50.1	47.2-53.0
Less than \$15,000	298	34,716	120	36.9	28.9-44.9	178	63.1	55.1-71.1
\$15,000- 24,999	608	63,435	266	36.0	30.3-41.7	342	64.0	58.3-69.7
\$25,000- 34,999	456	45,475	240	40.3	33.8-46.8	216	59.7	53.2-66.2
\$35,000- 49,999	695	63,610	334	40.7	35.2-46.2	361	59.3	53.8-64.8
\$50,000- 74,999	849	83,687	406	40.6	36.1-45.1	443	59.4	54.9-63.9
\$75,000+	1840	200,760	833	40.0	37.1-42.9	1007	60.0	57.1-62.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2603	285,212	1098	35.4	33.0-37.8	1505	64.6	62.2-67.0
Native	78	11,471	28	36.2	22.5-49.9	50	63.8	50.1-77.5
Non-Native	2500	270,931	1062	35.4	33.0-37.8	1438	64.6	62.2-67.0
18-24	160	42,946	41	26.3	19.0-33.6	119	73.7	66.4-81.0
25-34	264	57,365	74	27.1	21.2-33.0	190	72.9	67.0-78.8
35-44	293	45,954	80	27.4	21.7-33.1	213	72.6	66.9-78.3
45-54	352	40,615	115	33.2	27.5-38.9	237	66.8	61.1-72.5
55-64	602	46,394	242	40.6	35.9-45.3	360	59.4	54.7-64.1
65+	932	51,939	546	56.2	52.3-60.1	386	43.8	39.9-47.7
Less Than H.S.	148	24,593	60	31.7	22.5-40.9	88	68.3	59.1-77.5
H.S. or G.E.D.	765	84,895	272	28.9	25.0-32.8	493	71.1	67.2-75.0
Some Post-H.S.	808	109,132	332	34.5	30.6-38.4	476	65.5	61.6-69.4
College Graduate	879	66,291	433	46.4	42.3-50.5	446	53.6	49.5-57.7
Less than \$15,000	130	17,576	45	32.4	21.8-43.0	85	67.6	57.0-78.2
\$15,000- 24,999	255	28,931	98	33.5	26.1-40.9	157	66.5	59.1-73.9
\$25,000- 34,999	194	21,039	107	47.1	37.7-56.5	87	52.9	43.5-62.3
\$35,000- 49,999	334	32,761	145	34.2	27.9-40.5	189	65.8	59.5-72.1
\$50,000- 74,999	441	47,631	184	32.6	27.3-37.9	257	67.4	62.1-72.7
\$75,000+	1005	107,400	418	35.5	31.8-39.2	587	64.5	60.8-68.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2850	275,269	1450	44.8	41.9-47.7	1400	55.2	52.3-58.1
Native	92	12,664	48	39.8	25.7-53.9	44	60.2	46.1-74.3
Non-Native	2736	260,128	1392	45.0	42.1-47.9	1344	55.0	52.1-57.9
18-24	79	39,394	29	36.7	25.1-48.3	50	63.3	51.7-74.9
25-34	191	49,673	77	43.1	34.9-51.3	114	56.9	48.7-65.1
35-44	225	42,193	83	32.1	25.2-39.0	142	67.9	61.0-74.8
45-54	356	38,490	147	41.0	34.9-47.1	209	59.0	52.9-65.1
55-64	632	44,639	310	50.4	45.7-55.1	322	49.6	44.9-54.3
65+	1367	60,880	804	58.5	55.2-61.8	563	41.5	38.2-44.8
Less Than H.S.	133	21,294	62	42.4	28.3-56.5	71	57.6	43.5-71.7
H.S. or G.E.D.	719	63,232	347	39.6	34.1-45.1	372	60.4	54.9-65.9
Some Post-H.S.	921	109,847	437	42.4	37.5-47.3	484	57.6	52.7-62.5
College Graduate	1072	80,677	602	52.7	48.4-57.0	470	47.3	43.0-51.6
Less than \$15,000	168	17,140	75	41.4	29.1-53.7	93	58.6	46.3-70.9
\$15,000- 24,999	353	34,505	168	38.2	29.6-46.8	185	61.8	53.2-70.4
\$25,000- 34,999	262	24,436	133	34.4	26.2-42.6	129	65.6	57.4-73.8
\$35,000- 49,999	361	30,850	189	47.6	39.0-56.2	172	52.4	43.8-61.0
\$50,000- 74,999	408	36,057	222	51.1	43.8-58.4	186	48.9	41.6-56.2
\$75,000+	835	93,360	415	45.3	40.6-50.0	420	54.7	50.0-59.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		May-Aug 2017			Sep-Dec 2017			Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2438	211,808	17	1.1	0.3- 1.9	1159	45.6	42.7-48.5	116	6.8	5.0- 8.6	28	2.0	0.8- 3.2	1118	44.5	41.6-47.4
Male	1045	94,784	8	1.1	0.3- 1.9	485	46.4	42.5-50.3	63	7.4	5.0- 9.8	12	1.8	0.4- 3.2	477	43.3	39.4-47.2
Female	1393	117,024	9	1.1	0.0- 2.3	674	44.8	40.7-48.9	53	6.3	3.8- 8.8	16	2.2	0.4- 4.0	641	45.6	41.5-49.7
Native	72	8,602				26	35.5	20.8-50.2	8	17.5	3.0-32.0	2	5.6	0.0-13.0	36	41.3	26.0-56.6
Non-Native	2349	201,474	17	1.2	0.4- 2.0	1131	46.3	43.4-49.2	108	6.4	4.6- 8.2	25	1.7	0.5- 2.9	1068	44.4	41.5-47.3
18-24	64	23,305	2	3.6	0.0- 8.9	18	28.9	16.6-41.2	9	14.4	4.0-24.8	6	7.4	1.5-13.3	29	45.8	32.1-59.5
25-34	137	33,478	3	1.5	0.0- 3.3	64	43.9	34.5-53.3	10	7.5	2.6-12.4	2	3.7	0.0- 9.2	58	43.3	33.7-52.9
35-44	158	25,103	2	1.5	0.0- 3.7	69	45.9	37.1-54.7	6	3.7	0.4- 7.0	1	0.5	0.0- 1.5	80	48.4	39.6-57.2
45-54	256	28,489				137	52.2	45.1-59.3	12	7.3	2.6-12.0	2	0.5	0.0- 1.3	105	40.1	33.2-47.0
55-64	534	39,757	4	0.5	0.1- 0.9	251	48.3	43.2-53.4	26	6.3	3.8- 8.8	6	1.4	0.0- 2.8	247	43.5	38.4-48.6
65+	1289	61,678	6	0.7	0.0- 1.5	620	47.8	44.5-51.1	53	4.9	3.3- 6.5	11	0.7	0.3- 1.1	599	45.9	42.6-49.2
Less Than H.S.	109	14,230	1	0.8	0.0- 2.4	38	23.5	14.1-32.9	6	12.2	0.0-25.9	5	13.1	0.0-26.2	59	50.4	35.3-65.5
H.S. or G.E.D.	586	46,362	3	0.6	0.0- 1.6	280	47.6	41.5-53.7	37	8.3	4.6-12.0	6	2.0	0.0- 4.0	260	41.4	35.5-47.3
Some Post-H.S.	738	80,273	7	1.7	0.0- 3.5	325	43.1	38.2-48.0	38	6.7	4.0- 9.4	8	1.0	0.0- 2.0	360	47.6	42.5-52.7
College Graduate	1003	70,861	6	0.8	0.0- 1.6	516	51.5	47.2-55.8	35	4.8	2.8- 6.8	8	1.0	0.0- 2.0	438	41.9	37.8-46.0
Less than \$15,000	112	11,665	3	3.8	0.0- 8.7	50	38.1	25.8-50.4	8	7.7	0.0-16.7	2	4.5	0.0-10.6	49	45.8	31.9-59.7
\$15,000- 24,999	252	21,816	6	4.6	0.0-10.1	104	34.6	26.0-43.2	17	15.5	5.3-25.7	8	3.2	0.0- 6.5	117	42.1	32.7-51.5
\$25,000- 34,999	229	16,966	3	0.8	0.0- 1.8	121	55.3	46.1-64.5	11	7.8	2.5-13.1	1	0.1	0.0- 0.3	93	35.9	27.3-44.5
\$35,000- 49,999	328	25,482	2	1.8	0.0- 4.3	147	43.5	35.1-51.9	21	7.9	3.6-12.2	4	4.2	0.0-11.1	154	42.6	34.2-51.0
\$50,000- 74,999	395	31,865				196	47.3	40.2-54.4	14	5.9	2.4- 9.4	2	0.5	0.0- 1.3	183	46.3	39.2-53.4
\$75,000+	809	78,088	3	0.4	0.0- 0.8	411	50.1	45.4-54.8	27	3.7	1.9- 5.5	6	0.8	0.0- 1.8	362	45.0	40.3-49.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		May-Aug 2017			Sep-Dec 2017			Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1045	94,784	8	1.1	0.3- 1.9	485	46.4	42.5-50.3	63	7.4	5.0- 9.8	12	1.8	0.4- 3.2	477	43.3	39.4-47.2
Non-Native	1011	90,177	8	1.2	0.2- 2.2	474	46.7	42.6-50.8	61	7.1	4.9- 9.3	10	1.4	0.2- 2.6	458	43.7	39.8-47.6
25-34	67	14,340	1	1.2	0.0- 3.6	34	48.6	35.5-61.7	8	13.2	3.6-22.8	1	2.3	0.0- 6.8	23	34.7	22.4-47.0
35-44	77	11,981	2	3.1	0.0- 7.6	29	42.8	30.3-55.3	3	4.0	0.0- 9.1				43	50.1	37.6-62.6
45-54	111	12,946				60	51.9	41.3-62.5	5	5.6	0.3-10.9				46	42.6	32.2-53.0
55-64	237	18,483	2	0.6	0.0- 1.4	110	47.7	40.3-55.1	14	7.3	3.2-11.4	2	1.8	0.0- 4.5	109	42.5	35.1-49.9
65+	517	27,323	2	0.6	0.0- 1.6	240	46.7	41.4-52.0	27	4.6	2.6- 6.6	6	1.0	0.0- 2.0	242	47.1	41.8-52.4
Less Than H.S.	52	6,330	1	1.9	0.0- 5.6	21	31.2	16.9-45.5	3	4.2	0.0- 9.3	2	9.3	0.0-21.5	25	53.5	36.4-70.6
H.S. or G.E.D.	250	22,299	2	1.3	0.0- 3.5	107	45.3	37.1-53.5	20	9.8	3.9-15.7	5	2.5	0.0- 5.2	116	41.1	33.1-49.1
Some Post-H.S.	320	36,240	4	1.4	0.0- 3.0	143	47.3	40.2-54.4	20	6.8	3.3-10.3	3	1.4	0.0- 3.4	150	43.0	36.1-49.9
College Graduate	423	29,915	1	0.4	0.0- 1.2	214	49.4	43.3-55.5	20	7.0	3.5-10.5	2	0.2	0.0- 0.6	186	43.0	37.1-48.9
\$15,000- 24,999	91	9,141	2	1.8	0.0- 4.5	32	32.4	19.3-45.5	8	9.9	1.9-17.9	3	4.4	0.0-11.5	46	51.5	37.4-65.6
\$25,000- 34,999	101	8,798	2	1.2	0.0- 3.0	53	52.5	39.0-66.0	7	11.4	2.0-20.8				39	34.9	22.4-47.4
\$35,000- 49,999	141	10,934	1	2.2	0.0- 6.5	53	41.5	30.5-52.5	11	7.2	1.9-12.5	2	1.1	0.0- 2.7	74	47.9	37.1-58.7
\$50,000- 74,999	178	14,788				89	48.3	38.9-57.7	7	4.7	0.8- 8.6	1	0.6	0.0- 1.8	81	46.3	36.9-55.7
\$75,000+	408	37,087	1	0.3	0.0- 0.9	204	51.3	45.0-57.6	19	5.1	2.4- 7.8	3	1.2	0.0- 3.0	181	42.1	36.0-48.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		May-Aug 2017			Sep-Dec 2017			Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1393	117,024	9	1.1	0.0- 2.3	674	44.8	40.7-48.9	53	6.3	3.8- 8.8	16	2.2	0.4- 4.0	641	45.6	41.5-49.7
Non-Native	1338	111,297	9	1.2	0.0- 2.4	657	46.1	42.0-50.2	47	5.8	3.3- 8.3	15	2.0	0.2- 3.8	610	44.9	40.6-49.2
25-34	70	19,138	2	1.8	0.0- 4.3	30	40.4	27.5-53.3	2	3.3	0.0- 7.8	1	4.8	0.0-13.8	35	49.7	36.0-63.4
35-44	81	13,122				40	48.7	36.2-61.2	3	3.4	0.0- 7.9	1	1.0	0.0- 3.0	37	46.9	34.4-59.4
45-54	145	15,543				77	52.4	42.8-62.0	7	8.7	1.4-16.0	2	0.9	0.0- 2.1	59	38.0	28.8-47.2
55-64	297	21,274	2	0.4	0.0- 1.0	141	48.8	41.9-55.7	12	5.4	2.1- 8.7	4	1.1	0.0- 2.3	138	44.3	37.4-51.2
65+	772	34,355	4	0.8	0.0- 2.0	380	48.6	44.1-53.1	26	5.1	2.6- 7.6	5	0.5	0.1- 0.9	357	45.0	40.5-49.5
Less Than H.S.	57	7,900				17	17.4	6.2-28.6	3	18.6	0.0-41.5	3	16.1	0.0-37.3	34	47.9	24.6-71.2
H.S. or G.E.D.	336	24,063	1	0.1	0.0- 0.3	173	49.8	41.2-58.4	17	7.0	2.5-11.5	1	1.5	0.0- 4.4	144	41.7	32.9-50.5
Some Post-H.S.	418	44,033	3	1.9	0.0- 4.6	182	39.6	32.7-46.5	18	6.6	2.7-10.5	5	0.6	0.0- 1.2	210	51.3	44.0-58.6
College Graduate	580	40,946	5	1.1	0.0- 2.3	302	53.0	47.1-58.9	15	3.3	1.1- 5.5	6	1.5	0.0- 3.1	252	41.2	35.5-46.9
Less than \$15,000	71	6,283	1	0.7	0.0- 2.1	29	37.9	21.6-54.2	6	4.3	0.2- 8.4	1	4.6	0.0-13.4	34	52.4	34.8-70.0
\$15,000- 24,999	161	12,676	4	6.6	0.0-15.8	72	36.1	24.5-47.7	9	19.6	3.7-35.5	5	2.3	0.0- 4.8	71	35.3	23.7-46.9
\$25,000- 34,999	128	8,169	1	0.3	0.0- 0.9	68	58.5	46.3-70.7	4	4.0	0.0- 8.3	1	0.3	0.0- 0.9	54	37.0	25.2-48.8
\$35,000- 49,999	187	14,548	1	1.5	0.0- 4.4	94	45.0	32.7-57.3	10	8.4	1.9-14.9	2	6.5	0.0-18.1	80	38.7	26.2-51.2
\$50,000- 74,999	217	17,077				107	46.3	36.1-56.5	7	6.9	1.2-12.6	1	0.5	0.0- 1.5	102	46.3	36.1-56.5
\$75,000+	401	41,002	2	0.4	0.0- 1.0	207	49.0	41.9-56.1	8	2.4	0.0- 4.9	3	0.5	0.0- 1.1	181	47.6	40.5-54.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2538	222,904	855	35.1	32.4-37.8	775	28.4	25.9-30.9	66	1.9	1.3- 2.5	424	13.6	11.8-15.4	416	21.0	18.6-23.4	2	0.1	0.1- 0.1
Male	1089	99,759	355	33.3	29.6-37.0	345	27.9	24.6-31.2	29	2.7	1.3- 4.1	171	13.7	11.2-16.2	187	22.2	18.9-25.5	2	0.1	0.0- 0.3
Female	1449	123,146	500	36.5	32.4-40.6	430	28.8	24.9-32.7	37	1.3	0.7- 1.9	253	13.5	11.1-15.9	229	19.9	16.8-23.0			
Native	76	9,194	23	42.5	27.0-58.0	32	37.7	23.4-52.0	3	5.2	0.0-12.1	7	4.9	0.8- 9.0	11	9.7	3.0-16.4			
Non-Native	2444	211,756	826	34.8	31.9-37.7	736	27.8	25.1-30.5	63	1.8	1.2- 2.4	414	13.9	12.1-15.7	403	21.5	19.1-23.9	2	0.1	0.1- 0.1
18-24	70	25,755	15	25.3	13.3-37.3	33	48.4	35.3-61.5	2	1.7	0.0- 4.1	5	8.7	0.9-16.5	15	16.0	7.6-24.4			
25-34	151	36,936	59	42.2	33.0-51.4	28	16.5	10.0-23.0				16	8.8	4.1-13.5	48	32.5	24.1-40.9			
35-44	160	25,363	60	39.2	30.6-47.8	41	26.0	18.4-33.6	1	0.9	0.0- 2.7	14	7.5	2.8-12.2	44	26.4	18.8-34.0			
45-54	261	29,119	73	30.4	23.9-36.9	67	24.8	18.5-31.1	5	2.3	0.0- 4.7	22	8.6	4.5-12.7	94	33.9	27.4-40.4			
55-64	550	41,159	170	33.3	28.4-38.2	153	25.6	21.3-29.9	9	1.1	0.3- 1.9	93	17.1	13.4-20.8	125	22.9	18.8-27.0			
65+	1346	64,572	478	36.5	33.2-39.8	453	31.6	28.5-34.7	49	3.8	2.2- 5.4	274	20.7	18.2-23.2	90	7.1	5.3- 8.9	2	0.2	0.0- 0.4
Less Than H.S.	122	16,815	49	43.8	29.7-57.9	30	27.1	13.8-40.4	7	5.7	0.4-11.0	25	15.2	6.8-23.6	10	7.9	1.2-14.6	1	0.4	0.0- 1.2
H.S. or G.E.D.	617	49,459	223	36.8	31.1-42.5	192	28.2	23.1-33.3	20	2.8	1.0- 4.6	106	14.7	10.6-18.8	76	17.6	12.9-22.3			
Some Post-H.S.	766	83,618	259	35.3	30.4-40.2	230	30.5	25.8-35.2	24	1.5	0.7- 2.3	131	13.6	10.7-16.5	121	19.0	14.9-23.1	1	0.1	0.0- 0.3
College Graduate	1030	72,710	323	31.8	27.9-35.7	323	26.6	22.9-30.3	15	0.9	0.3- 1.5	162	12.5	10.1-14.9	207	28.2	24.3-32.1			
Less than \$15,000	120	12,803	49	40.3	27.0-53.6	36	33.6	20.1-47.1	4	1.5	0.0- 3.3	18	14.2	4.2-24.2	13	10.3	3.4-17.2			
\$15,000- 24,999	265	22,814	86	35.4	26.6-44.2	84	36.2	26.2-46.2	10	3.3	0.2- 6.4	59	17.1	11.4-22.8	26	8.1	4.2-12.0			
\$25,000- 34,999	240	18,304	89	37.5	28.7-46.3	72	28.4	20.4-36.4	5	0.7	0.1- 1.3	48	15.9	9.8-22.0	25	17.1	8.9-25.3	1	0.3	0.0- 0.9
\$35,000- 49,999	333	25,850	109	36.4	27.6-45.2	114	29.2	21.9-36.5	13	2.1	0.7- 3.5	43	11.9	7.2-16.6	54	20.3	13.8-26.8			
\$50,000- 74,999	405	33,920	129	27.2	21.5-32.9	119	24.1	17.8-30.4	10	1.7	0.5- 2.9	67	17.3	11.2-23.4	80	29.7	22.8-36.6			
\$75,000+	829	79,616	282	36.1	31.6-40.6	235	25.4	21.3-29.5	9	1.0	0.2- 1.8	127	11.7	9.2-14.2	176	25.9	21.8-30.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1089	99,759	355	33.3	29.6-37.0	345	27.9	24.6-31.2	29	2.7	1.3- 4.1	171	13.7	11.2-16.2	187	22.2	18.9-25.5	2	0.1	0.0- 0.3
Non-Native	1053	94,787	345	33.1	29.4-36.8	327	26.9	23.6-30.2	28	2.5	1.1- 3.9	170	14.4	11.7-17.1	181	23.0	19.5-26.5	2	0.1	0.0- 0.3
25-34	74	15,548	26	36.1	23.9-48.3	15	17.9	8.9-26.9				10	12.5	4.3-20.7	23	33.5	21.7-45.3			
35-44	77	11,831	25	32.9	21.1-44.7	20	28.1	16.3-39.9				7	6.8	1.5-12.1	25	32.1	20.5-43.7			
45-54	114	13,346	29	28.2	18.8-37.6	28	21.9	13.3-30.5	3	3.6	0.0- 8.3	14	11.6	4.7-18.5	40	34.6	24.8-44.4			
55-64	241	18,766	80	36.7	29.4-44.0	74	25.3	19.2-31.4	5	1.5	0.0- 3.1	33	14.7	9.0-20.4	49	21.8	15.5-28.1			
65+	542	28,974	185	34.0	29.1-38.9	191	33.8	29.1-38.5	19	5.0	1.9- 8.1	104	18.9	15.2-22.6	41	7.8	4.7-10.9	2	0.4	0.0- 1.0
Less Than H.S.	60	7,792	23	43.2	26.7-59.7	18	22.1	11.1-33.1	5	10.1	0.0-20.7	9	17.9	3.2-32.6	4	6.0	0.0-12.5	1	0.8	0.0- 2.4
H.S. or G.E.D.	270	24,449	100	34.2	26.8-41.6	86	29.8	22.5-37.1	9	4.1	0.6- 7.6	38	11.8	6.9-16.7	37	20.2	12.9-27.5			
Some Post-H.S.	329	37,026	110	35.1	28.4-41.8	103	29.5	23.2-35.8	9	1.4	0.4- 2.4	50	13.3	8.8-17.8	56	20.5	14.6-26.4	1	0.2	0.0- 0.6
College Graduate	429	30,272	122	28.3	22.8-33.8	138	26.1	21.2-31.0	6	1.1	0.0- 2.3	74	14.9	11.0-18.8	89	29.6	23.7-35.5			
\$15,000- 24,999	97	9,646	36	41.0	27.5-54.5	29	29.8	17.5-42.1	4	6.4	0.0-13.7	16	15.1	5.7-24.5	12	7.7	1.6-13.8			
\$25,000- 34,999	107	9,904	36	35.4	22.9-47.9	37	31.6	19.6-43.6	2	0.5	0.0- 1.3	20	14.0	6.2-21.8	11	17.9	6.7-29.1	1	0.6	0.0- 1.8
\$35,000- 49,999	144	11,155	46	30.3	20.9-39.7	48	25.6	16.8-34.4	6	2.6	0.2- 5.0	19	17.4	8.4-26.4	25	24.1	14.5-33.7			
\$50,000- 74,999	183	15,489	55	29.1	20.9-37.3	55	24.0	16.9-31.1	5	2.2	0.0- 4.4	33	14.9	9.0-20.8	35	29.8	20.4-39.2			
\$75,000+	415	37,437	136	31.4	25.7-37.1	125	28.8	23.1-34.5	6	1.1	0.1- 2.1	63	11.9	8.4-15.4	85	26.8	21.1-32.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1449	123,146	500	36.5	32.4-40.6	430	28.8	24.9-32.7	37	1.3	0.7- 1.9	253	13.5	11.1-15.9	229	19.9	16.8-23.0
Non-Native	1391	116,969	481	36.3	32.2-40.4	409	28.6	24.7-32.5	35	1.2	0.8- 1.6	244	13.6	11.1-16.1	222	20.4	17.1-23.7
25-34	77	21,389	33	46.6	33.5-59.7	13	15.4	6.2-24.6				6	6.2	0.9-11.5	25	31.9	20.1-43.7
35-44	83	13,532	35	44.6	32.3-56.9	21	24.2	14.0-34.4	1	1.6	0.0- 4.7	7	8.1	0.7-15.5	19	21.4	11.6-31.2
45-54	147	15,774	44	32.3	23.3-41.3	39	27.2	18.2-36.2	2	1.1	0.0- 2.7	8	6.1	1.0-11.2	54	33.3	24.9-41.7
55-64	309	22,393	90	30.5	24.0-37.0	79	25.9	19.8-32.0	4	0.7	0.0- 1.5	60	19.1	14.0-24.2	76	23.8	18.1-29.5
65+	804	35,598	293	38.6	34.3-42.9	262	29.9	26.0-33.8	30	2.9	1.7- 4.1	170	22.2	18.7-25.7	49	6.5	4.3- 8.7
Less Than H.S.	62	9,023	26	44.4	22.4-66.4	12	31.4	9.1-53.7	2	1.9	0.0- 4.6	16	12.8	4.2-21.4	6	9.5	0.0-20.5
H.S. or G.E.D.	347	25,010	123	39.3	30.7-47.9	106	26.7	19.6-33.8	11	1.5	0.5- 2.5	68	17.6	10.7-24.5	39	15.0	8.9-21.1
Some Post-H.S.	437	46,592	149	35.5	28.6-42.4	127	31.3	24.2-38.4	15	1.5	0.3- 2.7	81	13.9	9.8-18.0	65	17.8	12.1-23.5
College Graduate	601	42,438	201	34.2	28.7-39.7	185	26.9	21.8-32.0	9	0.8	0.0- 1.6	88	10.8	7.9-13.7	118	27.2	21.9-32.5
Less than \$15,000	75	7,104	33	39.7	22.1-57.3	20	40.2	20.6-59.8	2	0.9	0.0- 2.3	13	10.9	3.6-18.2	7	8.2	0.8-15.6
\$15,000- 24,999	168	13,168	50	31.3	20.1-42.5	55	40.9	26.8-55.0	6	1.0	0.2- 1.8	43	18.5	11.2-25.8	14	8.4	3.3-13.5
\$25,000- 34,999	133	8,400	53	40.1	27.9-52.3	35	24.6	14.4-34.8	3	0.9	0.0- 2.1	28	18.2	9.0-27.4	14	16.2	4.2-28.2
\$35,000- 49,999	189	14,695	63	41.1	27.8-54.4	66	32.0	21.0-43.0	7	1.6	0.2- 3.0	24	7.8	3.9-11.7	29	17.5	8.9-26.1
\$50,000- 74,999	222	18,431	74	25.7	17.9-33.5	64	24.1	14.3-33.9	5	1.3	0.0- 2.7	34	19.4	9.6-29.2	45	29.6	19.8-39.4
\$75,000+	414	42,179	146	40.3	33.2-47.4	110	22.4	16.7-28.1	3	0.9	0.0- 2.1	64	11.4	7.7-15.1	91	25.0	19.1-30.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5115	500,285	2415	35.2	33.4-37.0	2700	64.8	63.0-66.6
Male	2396	251,074	980	31.9	29.5-34.3	1416	68.1	65.7-70.5
Female	2719	249,212	1435	38.6	35.9-41.3	1284	61.4	58.7-64.1
Native	163	23,374	65	30.6	21.6-39.6	98	69.4	60.4-78.4
Non-Native	4906	471,689	2329	35.3	33.5-37.1	2577	64.7	62.9-66.5
18-24	181	62,046	65	36.0	28.0-44.0	116	64.0	56.0-72.0
25-34	375	89,286	77	18.0	13.9-22.1	298	82.0	77.9-86.1
35-44	463	78,683	75	17.2	13.1-21.3	388	82.8	78.7-86.9
45-54	655	72,658	135	20.6	17.1-24.1	520	79.4	75.9-82.9
55-64	1188	87,109	355	30.3	27.2-33.4	833	69.7	66.6-72.8
65+	2253	110,503	1708	75.0	72.8-77.2	545	25.0	22.8-27.2
Less Than H.S.	269	41,905	145	42.0	33.4-50.6	124	58.0	49.4-66.6
H.S. or G.E.D.	1381	130,927	677	33.9	30.6-37.2	704	66.1	62.8-69.4
Some Post-H.S.	1629	195,914	788	37.0	33.9-40.1	841	63.0	59.9-66.1
College Graduate	1828	131,020	802	31.6	28.9-34.3	1026	68.4	65.7-71.1
Less than \$15,000	281	31,820	145	39.3	31.3-47.3	136	60.7	52.7-68.7
\$15,000- 24,999	586	59,475	342	42.2	36.1-48.3	244	57.8	51.7-63.9
\$25,000- 34,999	423	39,633	252	48.6	41.5-55.7	171	51.4	44.3-58.5
\$35,000- 49,999	669	58,833	364	39.7	34.6-44.8	305	60.3	55.2-65.4
\$50,000- 74,999	803	75,948	388	37.5	32.8-42.2	415	62.5	57.8-67.2
\$75,000+	1704	176,392	569	24.5	22.0-27.0	1135	75.5	73.0-78.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2396	251,074	980	31.9	29.5-34.3	1416	68.1	65.7-70.5
Native	74	11,253	28	33.7	21.0-46.4	46	66.3	53.6-79.0
Non-Native	2298	237,053	941	31.5	29.1-33.9	1357	68.5	66.1-70.9
18-24	120	31,651	38	30.4	21.6-39.2	82	69.6	60.8-78.4
25-34	218	48,075	50	21.2	15.3-27.1	168	78.8	72.9-84.7
35-44	260	40,222	32	12.5	8.0-17.0	228	87.5	83.0-92.0
45-54	317	36,612	61	19.1	14.0-24.2	256	80.9	75.8-86.0
55-64	571	43,707	166	29.4	24.9-33.9	405	70.6	66.1-75.1
65+	910	50,806	633	69.5	66.0-73.0	277	30.5	27.0-34.0
Less Than H.S.	141	22,976	66	38.1	28.1-48.1	75	61.9	51.9-71.9
H.S. or G.E.D.	690	73,161	276	28.8	24.9-32.7	414	71.2	67.3-75.1
Some Post-H.S.	748	95,985	310	32.7	28.6-36.8	438	67.3	63.2-71.4
College Graduate	814	58,651	328	32.0	28.1-35.9	486	68.0	64.1-71.9
Less than \$15,000	120	16,226	50	31.9	21.9-41.9	70	68.1	58.1-78.1
\$15,000- 24,999	242	27,343	113	35.4	27.8-43.0	129	64.6	57.0-72.2
\$25,000- 34,999	176	18,091	93	48.3	38.3-58.3	83	51.7	41.7-61.7
\$35,000- 49,999	318	30,145	147	35.2	28.7-41.7	171	64.8	58.3-71.3
\$50,000- 74,999	405	41,526	183	35.0	29.1-40.9	222	65.0	59.1-70.9
\$75,000+	922	93,322	304	25.3	22.0-28.6	618	74.7	71.4-78.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	249,212	1435	38.6	35.9-41.3	1284	61.4	58.7-64.1
Native	89	12,122	37	27.7	15.2-40.2	52	72.3	59.8-84.8
Non-Native	2608	234,636	1388	39.2	36.5-41.9	1220	60.8	58.1-63.5
18-24	61	30,395	27	41.9	28.4-55.4	34	58.1	44.6-71.6
25-34	157	41,211	27	14.2	8.5-19.9	130	85.8	80.1-91.5
35-44	203	38,462	43	22.1	15.2-29.0	160	77.9	71.0-84.8
45-54	338	36,046	74	22.0	16.9-27.1	264	78.0	72.9-83.1
55-64	617	43,401	189	31.3	26.8-35.8	428	68.7	64.2-73.2
65+	1343	59,697	1075	79.7	77.0-82.4	268	20.3	17.6-23.0
Less Than H.S.	128	18,929	79	46.8	32.3-61.3	49	53.2	38.7-67.7
H.S. or G.E.D.	691	57,766	401	40.4	34.9-45.9	290	59.6	54.1-65.1
Some Post-H.S.	881	99,928	478	41.2	36.5-45.9	403	58.8	54.1-63.5
College Graduate	1014	72,369	474	31.3	27.6-35.0	540	68.7	65.0-72.4
Less than \$15,000	161	15,593	95	47.0	35.0-59.0	66	53.0	41.0-65.0
\$15,000- 24,999	344	32,131	229	47.9	38.7-57.1	115	52.1	42.9-61.3
\$25,000- 34,999	247	21,542	159	49.0	39.0-59.0	88	51.0	41.0-61.0
\$35,000- 49,999	351	28,688	217	44.4	36.2-52.6	134	55.6	47.4-63.8
\$50,000- 74,999	398	34,422	205	40.6	33.3-47.9	193	59.4	52.1-66.7
\$75,000+	782	83,070	265	23.5	19.8-27.2	517	76.5	72.8-80.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018

SECTION 12: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	206
2	MALES ONLY	207
3	FEMALES ONLY	208
	DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)	
4	MALES AND FEMALES	209
5	MALES ONLY	210
6	FEMALES ONLY	211

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

**TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are < 45 years of age**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4210	280,711	587	13.9	12.5-15.3	280	6.3	5.3- 7.3	110	2.8	2.2- 3.4	36	0.8	0.4- 1.2	139	3.9	3.1- 4.7	3058	72.4	70.6-74.2
Male	1864	137,519	244	12.3	10.5-14.1	124	6.6	5.2- 8.0	51	2.9	1.9- 3.9	12	0.5	0.1- 0.9	82	4.9	3.7- 6.1	1351	72.9	70.4-75.4
Female	2346	143,192	343	15.4	13.4-17.4	156	6.0	4.8- 7.2	59	2.7	1.9- 3.5	24	1.0	0.4- 1.6	57	3.0	2.0- 4.0	1707	71.9	69.5-74.3
Native	115	9,745	18	14.3	5.9-22.7	8	6.8	1.7-11.9	5	5.0	0.0-10.1				11	14.8	5.6-24.0	73	59.1	47.5-70.7
Non-Native	4059	268,089	564	13.9	12.5-15.3	270	6.3	5.3- 7.3	105	2.7	2.1- 3.3	36	0.8	0.4- 1.2	125	3.4	2.6- 4.2	2959	72.9	71.1-74.7
45-54	696	77,810	95	15.0	11.9-18.1	50	6.7	4.7- 8.7	14	1.6	0.6- 2.6	5	0.6	0.0- 1.2	33	5.1	3.1- 7.1	499	70.9	67.0-74.8
55-64	1222	89,798	163	13.8	11.4-16.2	77	5.8	4.2- 7.4	50	4.4	3.0- 5.8	10	0.8	0.2- 1.4	48	3.6	2.4- 4.8	874	71.7	68.6-74.8
65+	2289	112,584	329	13.2	11.4-15.0	153	6.4	5.2- 7.6	46	2.3	1.5- 3.1	21	0.9	0.5- 1.3	58	3.4	2.2- 4.6	1682	73.8	71.4-76.2
Less Than H.S.	226	21,572	24	10.2	5.7-14.7	17	9.0	4.1-13.9	6	2.1	0.1- 4.1	1	0.7	0.0- 2.1	16	5.8	2.5- 9.1	162	72.1	65.2-79.0
H.S. or G.E.D.	1150	73,252	145	11.7	9.5-13.9	73	6.2	4.2- 8.2	32	3.2	1.8- 4.6	11	0.9	0.3- 1.5	30	3.5	1.9- 5.1	859	74.4	71.3-77.5
Some Post-H.S.	1328	108,618	208	16.7	14.2-19.2	84	5.8	4.4- 7.2	44	3.3	2.1- 4.5	11	0.7	0.3- 1.1	57	5.1	3.5- 6.7	924	68.5	65.4-71.6
College Graduate	1499	76,801	210	13.1	10.9-15.3	106	6.3	4.9- 7.7	28	1.8	1.0- 2.6	13	0.8	0.4- 1.2	35	2.1	1.3- 2.9	1107	76.0	73.5-78.5
Less than \$15,000	239	17,789	33	13.0	7.9-18.1	20	9.5	4.6-14.4	17	5.0	2.1- 7.9	5	1.5	0.0- 3.5	18	8.0	3.9-12.1	146	63.0	55.4-70.6
\$15,000- 24,999	486	31,238	69	13.2	9.3-17.1	40	8.4	4.9-11.9	15	3.6	1.2- 6.0	4	1.0	0.0- 2.2	17	5.8	2.5- 9.1	341	68.1	62.4-73.8
\$25,000- 34,999	355	20,908	63	16.4	11.5-21.3	22	4.0	2.0- 6.0	9	3.5	0.6- 6.4	4	1.2	0.0- 2.4	14	5.7	2.2- 9.2	243	69.3	63.0-75.6
\$35,000- 49,999	561	34,330	85	14.3	10.4-18.2	42	8.4	5.5-11.3	18	3.2	1.6- 4.8	4	0.6	0.0- 1.4	20	5.9	2.8- 9.0	392	67.6	62.3-72.9
\$50,000- 74,999	654	42,732	104	16.3	12.8-19.8	50	7.0	4.6- 9.4	12	2.5	0.9- 4.1	5	0.8	0.0- 1.6	15	2.6	0.8- 4.4	468	70.8	66.5-75.1
\$75,000+	1332	97,413	164	13.2	10.8-15.6	76	5.1	3.7- 6.5	30	2.3	1.3- 3.3	9	0.5	0.1- 0.9	34	1.9	1.1- 2.7	1019	76.9	74.2-79.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1864	137,519	244	12.3	10.5-14.1	124	6.6	5.2- 8.0	51	2.9	1.9- 3.9	12	0.5	0.1- 0.9	82	4.9	3.7- 6.1	1351	72.9	70.4-75.4
Native	50	4,802	5	12.1	0.0-25.8	1	2.7	0.0- 8.0	4	6.0	0.0-13.1				9	26.6	10.1-43.1	31	52.6	35.0-70.2
Non-Native	1795	130,904	237	12.3	10.5-14.1	123	6.8	5.2- 8.4	47	2.8	1.8- 3.8	12	0.5	0.1- 0.9	70	3.8	2.8- 4.8	1306	73.7	71.2-76.2
45-54	345	39,839	43	13.9	9.6-18.2	28	8.2	5.1-11.3	7	1.8	0.4- 3.2	1	0.2	0.0- 0.6	21	5.8	3.1- 8.5	245	70.2	64.7-75.7
55-64	592	45,650	74	11.0	8.3-13.7	35	5.6	3.1- 8.1	21	3.7	1.9- 5.5	3	0.5	0.0- 1.1	31	5.1	2.9- 7.3	428	74.2	70.1-78.3
65+	924	51,512	127	12.4	9.9-14.9	61	6.4	4.4- 8.4	23	3.0	1.4- 4.6	8	0.7	0.1- 1.3	30	4.0	2.2- 5.8	675	73.5	70.0-77.0
Less Than H.S.	117	13,041	14	9.9	4.2-15.6	6	8.3	1.4-15.2	2	1.9	0.0- 4.4				11	7.2	2.1-12.3	84	72.7	63.3-82.1
H.S. or G.E.D.	535	39,154	69	11.5	8.4-14.6	34	6.4	3.5- 9.3	18	4.1	1.9- 6.3	1	0.0	0.0- 0.0	17	3.8	1.6- 6.0	396	74.2	69.5-78.9
Some Post-H.S.	561	49,477	80	15.7	12.0-19.4	37	6.2	4.0- 8.4	20	3.1	1.5- 4.7	5	0.7	0.1- 1.3	31	6.3	3.8- 8.8	388	68.0	63.3-72.7
College Graduate	649	35,598	81	9.5	7.1-11.9	47	6.7	4.5- 8.9	11	1.6	0.6- 2.6	6	0.9	0.1- 1.7	23	3.2	1.8- 4.6	481	78.1	74.6-81.6
Less than \$15,000	97	9,063	14	12.4	5.0-19.8	7	8.9	1.5-16.3	3	1.3	0.0- 2.9	1	0.3	0.0- 0.9	9	9.4	2.7-16.1	63	67.7	56.5-78.9
\$15,000- 24,999	186	14,161	28	14.3	8.2-20.4	12	7.3	1.0-13.6	7	4.2	0.7- 7.7	1	0.5	0.0- 1.5	10	8.4	2.3-14.5	128	65.2	56.0-74.4
\$25,000- 34,999	144	9,982	26	13.9	7.2-20.6	8	2.5	0.5- 4.5	6	6.4	0.3-12.5				4	2.6	0.0- 5.5	100	74.5	65.7-83.3
\$35,000- 49,999	251	16,750	34	11.6	7.3-15.9	23	11.8	6.5-17.1	11	4.0	1.3- 6.7	1	0.8	0.0- 2.2	13	7.0	2.7-11.3	169	64.8	57.5-72.1
\$50,000- 74,999	312	21,953	47	13.2	8.9-17.5	23	6.4	3.3- 9.5	9	3.6	1.1- 6.1	2	0.3	0.0- 0.7	11	4.0	0.9- 7.1	220	72.6	66.5-78.7
\$75,000+	707	53,067	76	11.6	8.5-14.7	41	5.7	3.7- 7.7	14	2.0	0.8- 3.2	6	0.7	0.1- 1.3	26	2.9	1.7- 4.1	544	77.2	73.5-80.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2346	143,192	343	15.4	13.4-17.4	156	6.0	4.8- 7.2	59	2.7	1.9- 3.5	24	1.0	0.4- 1.6	57	3.0	2.0- 4.0	1707	71.9	69.5-74.3
Native	65	4,942	13	16.5	6.3-26.7	7	10.8	2.2-19.4	1	3.9	0.0-11.3				2	3.4	0.0- 8.3	42	65.4	51.1-79.7
Non-Native	2264	137,185	327	15.4	13.4-17.4	147	5.8	4.6- 7.0	58	2.6	1.8- 3.4	24	1.1	0.5- 1.7	55	3.0	2.0- 4.0	1653	72.1	69.7-74.5
45-54	351	37,972	52	16.2	11.5-20.9	22	5.3	2.9- 7.7	7	1.5	0.1- 2.9	4	1.0	0.0- 2.2	12	4.3	1.6- 7.0	254	71.7	66.0-77.4
55-64	630	44,148	89	16.7	13.0-20.4	42	6.0	4.0- 8.0	29	5.0	2.8- 7.2	7	1.0	0.2- 1.8	17	2.1	0.9- 3.3	446	69.2	64.7-73.7
65+	1365	61,072	202	13.9	11.7-16.1	92	6.4	4.8- 8.0	23	1.6	0.8- 2.4	13	1.1	0.3- 1.9	28	2.8	1.4- 4.2	1007	74.1	71.2-77.0
Less Than H.S.	109	8,531	10	10.8	3.9-17.7	11	10.1	3.4-16.8	4	2.5	0.0- 5.0	1	1.7	0.0- 5.0	5	3.5	0.2- 6.8	78	71.4	61.4-81.4
H.S. or G.E.D.	615	34,099	76	11.9	8.6-15.2	39	6.0	3.8- 8.2	14	2.3	0.9- 3.7	10	1.9	0.5- 3.3	13	3.3	1.1- 5.5	463	74.7	70.4-79.0
Some Post-H.S.	767	59,141	128	17.6	14.1-21.1	47	5.4	3.6- 7.2	24	3.4	1.6- 5.2	6	0.7	0.1- 1.3	26	4.0	2.0- 6.0	536	68.8	64.7-72.9
College Graduate	850	41,203	129	16.2	12.9-19.5	59	6.0	4.2- 7.8	17	1.9	0.9- 2.9	7	0.7	0.1- 1.3	12	1.1	0.3- 1.9	626	74.1	70.4-77.8
Less than \$15,000	142	8,726	19	13.7	6.8-20.6	13	10.2	3.9-16.5	14	8.9	3.2-14.6	4	2.6	0.9- 6.3	9	6.5	1.8-11.2	83	58.0	48.0-68.0
\$15,000- 24,999	300	17,077	41	12.3	7.4-17.2	28	9.3	5.4-13.2	8	3.1	0.2- 6.0	3	1.3	0.0- 3.1	7	3.5	0.4- 6.6	213	70.4	63.5-77.3
\$25,000- 34,999	211	10,926	37	18.6	11.7-25.5	14	5.3	2.0- 8.6	3	0.8	0.0- 1.8	4	2.3	0.0- 4.7	10	8.4	2.1-14.7	143	64.5	55.9-73.1
\$35,000- 49,999	310	17,579	51	17.0	10.5-23.5	19	5.2	2.5- 7.9	7	2.4	0.4- 4.4	3	0.4	0.0- 1.0	7	4.8	0.1- 9.5	223	70.3	62.9-77.7
\$50,000- 74,999	342	20,779	57	19.6	13.9-25.3	27	7.7	4.4-11.0	3	1.3	0.0- 2.9	3	1.3	0.0- 2.7	4	1.2	0.0- 2.6	248	68.9	62.6-75.2
\$75,000+	625	44,346	88	15.1	11.6-18.6	35	4.5	2.7- 6.3	16	2.7	0.9- 4.5	3	0.4	0.0- 0.8	8	0.8	0.2- 1.4	475	76.6	72.5-80.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

TABLE 4: DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1146	77,057	281	24.0	20.7-27.3	70	6.7	4.7- 8.7	15	1.3	0.5- 2.1	6	0.8	0.0- 1.8	15	2.3	0.9- 3.7	759	64.9	61.2-68.6
Male	509	36,921	85	17.4	13.1-21.7	14	3.2	1.0- 5.4	2	0.3	0.0- 0.7	1	0.9	0.0- 2.5	8	2.5	0.5- 4.5	399	75.8	70.7-80.9
Female	637	40,136	196	30.2	25.5-34.9	56	9.8	6.7-12.9	13	2.3	0.9- 3.7	5	0.7	0.0- 1.7	7	2.2	0.2- 4.2	360	54.8	49.7-59.9
Non-Native	1096	72,384	265	23.7	20.4-27.0	68	6.9	4.7- 9.1	15	1.4	0.6- 2.2	5	0.4	0.0- 1.0	10	1.7	0.3- 3.1	733	65.8	62.1-69.5
45-54	196	22,573	49	26.1	18.8-33.4	13	7.2	2.9-11.5	2	0.6	0.0- 1.6				5	3.9	0.2- 7.6	127	62.3	54.3-70.3
55-64	348	25,397	75	22.5	16.8-28.2	18	5.0	2.1- 7.9	6	1.9	0.1- 3.7				2	0.9	0.0- 2.1	247	69.7	63.6-75.8
65+	602	29,087	157	23.9	19.8-28.0	39	7.7	4.8-10.6	7	1.4	0.2- 2.6	6	2.1	0.0- 4.6	8	2.3	0.3- 4.3	385	62.6	57.5-67.7
Less Than H.S.	62	5,842	15	30.3	16.0-44.6	8	10.1	2.5-17.7	1	1.3	0.0- 3.8				1	0.7	0.0- 2.1	37	57.7	43.0-72.4
H.S. or G.E.D.	289	18,633	78	25.1	18.6-31.6	16	7.9	3.0-12.8	3	1.4	0.0- 3.0	3	0.4	0.0- 1.0	4	3.1	0.0- 6.2	185	62.2	54.9-69.5
Some Post-H.S.	402	34,116	84	21.8	16.5-27.1	25	6.0	3.1- 8.9	8	1.6	0.2- 3.0	2	1.5	0.0- 3.7	9	3.3	0.8- 5.8	274	65.9	59.8-72.0
College Graduate	392	18,433	103	25.1	20.0-30.2	21	5.5	2.6- 8.4	3	0.9	0.0- 2.1	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	263	68.0	62.5-73.5
Less than \$15,000	92	6,537	27	25.4	14.8-36.0	6	6.3	0.4-12.2	5	4.3	0.0- 8.6	2	0.5	0.0- 1.3	6	8.3	1.8-14.8	46	55.3	43.0-67.6
\$15,000- 24,999	144	9,942	45	30.0	19.6-40.4	8	5.0	1.3- 8.7	2	1.8	0.0- 4.7	2	5.0	0.0-11.9	3	3.9	0.0- 8.8	84	54.2	43.0-65.4
\$25,000- 34,999	112	6,417	34	30.9	19.7-42.1	13	16.6	5.4-27.8	1	0.4	0.0- 1.2				2	4.9	0.0-12.0	62	47.2	35.0-59.4
\$35,000- 49,999	168	11,017	30	18.0	10.2-25.8	15	10.2	3.5-16.9	2	1.0	0.0- 2.4	1	0.4	0.0- 1.2	2	4.3	0.0-10.4	118	66.2	56.2-76.2
\$50,000- 74,999	186	12,484	46	24.2	16.4-32.0	9	3.8	0.9- 6.7										131	72.0	64.0-80.0
\$75,000+	312	22,374	73	23.1	17.2-29.0	8	3.3	0.4- 6.2	1	0.4	0.0- 1.2				1	0.1	0.0- 0.3	229	73.0	66.7-79.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

TABLE 5: DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	509	36,921	85	17.4	13.1-21.7	14	3.2	1.0- 5.4	2	0.3	0.0- 0.7	1	0.9	0.0- 2.5	8	2.5	0.5- 4.5	399	75.8	70.7-80.9
Non-Native	486	34,134	80	16.7	12.4-21.0	14	3.5	1.1- 5.9	2	0.3	0.0- 0.7				4	1.4	0.0- 3.0	386	78.1	73.2-83.0
45-54	100	11,868	20	22.3	12.9-31.7	2	2.2	0.0- 5.1							3	4.1	0.0- 8.8	75	71.4	61.2-81.6
55-64	164	11,780	23	13.7	6.3-21.1	2	1.3	0.0- 3.3							1	1.0	0.0- 3.0	138	84.0	76.2-91.8
65+	245	13,274	42	16.2	10.3-22.1	10	5.9	1.2-10.6	2	0.8	0.0- 2.0	1	2.4	0.0- 6.9	4	2.3	0.0- 4.7	186	72.5	64.7-80.3
H.S. or G.E.D.	138	10,014	25	17.8	9.0-26.6	3	3.8	0.0- 9.3	1	0.7	0.0- 2.1				3	4.9	0.0-10.6	106	72.8	62.4-83.2
Some Post-H.S.	172	15,727	23	14.8	8.1-21.5	3	1.3	0.0- 3.1	1	0.3	0.0- 0.9	1	2.0	0.0- 5.9	3	2.0	0.0- 4.4	141	79.6	72.0-87.2
College Graduate	168	7,781	32	18.5	11.6-25.4	6	5.1	0.8- 9.4							1	0.8	0.0- 2.4	129	75.6	68.0-83.2
\$15,000- 24,999	57	4,886	13	31.0	13.6-48.4	1	0.7	0.0- 2.1				1	6.4	0.0-18.4	3	8.0	0.0-17.8	39	53.9	36.1-71.7
\$35,000- 49,999	81	5,795	10	13.0	4.6-21.4	3	5.0	0.0-11.3	2	1.9	0.0- 4.6				1	2.8	0.0- 8.3	65	77.3	66.1-88.5
\$50,000- 74,999	92	6,026	10	6.4	2.1-10.7	1	2.2	0.0- 6.5										81	91.4	85.5-97.3
\$75,000+	162	11,982	30	19.5	11.7-27.3	2	1.4	0.0- 3.4										130	79.1	71.1-87.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

TABLE 6: DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	637	40,136	196	30.2	25.5-34.9	56	9.8	6.7-12.9	13	2.3	0.7- 3.9	5	0.7	0.0- 1.7	7	2.2	0.2- 4.2	360	54.8	49.7-59.9
Non-Native	610	38,249	185	30.1	25.2-35.0	54	10.0	6.7-13.3	13	2.4	0.8- 4.0	5	0.8	0.0- 1.8	6	2.0	0.0- 4.0	347	54.8	49.7-59.9
45-54	96	10,705	29	30.2	18.8-41.6	11	12.7	4.5-20.9	2	1.2	0.0- 3.2				2	3.7	0.0- 9.4	52	52.2	40.2-64.2
55-64	184	13,618	52	30.0	21.8-38.2	16	8.3	3.2-13.4	6	3.5	0.4- 6.6				1	0.8	0.0- 2.4	109	57.3	48.5-66.1
65+	357	15,813	115	30.3	24.4-36.2	29	9.2	5.5-12.9	5	1.9	0.0- 4.1	5	1.9	0.0- 4.3	4	2.3	0.0- 5.0	199	54.4	47.9-60.9
H.S. or G.E.D.	151	8,619	53	33.5	24.3-42.7	13	12.7	4.5-20.9	2	2.2	0.0- 5.1	3	0.9	0.0- 2.1	1	1.0	0.0- 3.0	79	49.8	39.6-60.0
Some Post-H.S.	230	18,389	61	27.7	19.9-35.5	22	10.0	4.9-15.1	7	2.7	0.2- 5.2	1	1.0	0.0- 3.0	6	4.3	0.2- 8.4	133	54.3	45.9-62.7
College Graduate	224	10,652	71	30.0	22.7-37.3	15	5.9	2.0- 9.8	3	1.5	0.0- 3.5	1	0.3	0.0- 0.9				134	62.4	54.6-70.2
Less than \$15,000	58	3,614	19	27.0	13.7-40.3	4	8.2	0.0-17.8	5	7.8	0.2-15.4	2	0.9	0.0- 2.3	4	9.0	0.2-17.8	24	47.1	31.2-63.0
\$15,000- 24,999	87	5,056	32	29.1	17.9-40.3	7	9.1	2.2-16.0	2	3.6	0.0- 9.3	1	3.7	0.0-10.8				45	54.5	41.0-68.0
\$25,000- 34,999	68	3,875	24	35.3	20.4-50.2	10	18.6	5.1-32.1	1	0.7	0.0- 2.1				1	5.5	0.0-15.9	32	39.9	25.4-54.4
\$35,000- 49,999	87	5,222	20	23.5	10.0-37.0	12	15.9	3.9-27.9				1	0.9	0.0- 2.7	1	5.9	0.0-16.9	53	53.8	37.9-69.7
\$50,000- 74,999	94	6,458	36	40.8	28.3-53.3	8	5.2	1.1- 9.3										50	54.0	41.5-66.5
\$75,000+	150	10,392	43	27.2	18.4-36.0	6	5.6	0.0-11.3	1	1.0	0.0- 3.0				1	0.3	0.0- 0.9	99	66.0	56.4-75.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018

SECTION 13: SEATBELT USE AND DRINKING AND DRIVING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY- (SEATBELT)	
1	MALES AND FEMALES	213
2	MALES ONLY	214
3	FEMALES ONLY	215
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
4	MALES AND FEMALES	216
5	MALES ONLY	217
6	FEMALES ONLY	218

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING
TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5455	560,376	3899	71.4	69.6-73.2	985	17.2	15.8-18.6	302	6.1	5.1- 7.1	126	2.6	2.0- 3.2	140	2.6	2.0- 3.2	3	0.1	0.1- 0.1
Male	2604	284,987	1624	63.9	61.5-66.3	559	19.4	17.4-21.4	210	8.3	6.9- 9.7	104	4.1	3.1- 5.1	106	4.2	3.2- 5.2	1	0.1	0.0- 0.3
Female	2851	275,389	2275	79.1	76.7-81.5	426	14.9	12.7-17.1	92	3.8	2.6- 5.0	22	1.1	0.5- 1.7	34	1.0	0.6- 1.4	2	0.1	0.0- 0.3
Native	170	24,135	133	80.8	73.2-88.4	22	8.9	4.2-13.6	7	4.6	0.0- 9.5	4	3.3	0.0- 6.8	4	2.3	0.0- 5.2			
Non-Native	5239	530,921	3734	70.9	69.1-72.7	956	17.6	16.0-19.2	293	6.2	5.2- 7.2	122	2.6	2.0- 3.2	131	2.5	1.9- 3.1	3	0.1	0.0- 0.3
18-24	240	82,382	157	68.3	61.6-75.0	45	18.0	12.5-23.5	21	8.3	4.2-12.4	14	4.4	1.9- 6.9	3	1.0	0.0- 2.2			
25-34	456	107,354	303	69.3	64.6-74.0	89	17.8	13.9-21.7	27	5.9	3.5- 8.3	17	3.4	1.6- 5.2	19	3.6	1.8- 5.4	1	0.1	0.0- 0.3
35-44	516	87,792	353	70.7	66.2-75.2	91	15.8	12.3-19.3	42	7.5	5.0-10.0	12	2.1	0.7- 3.5	17	3.6	1.8- 5.4	1	0.2	0.0- 0.6
45-54	706	78,757	520	73.5	69.8-77.2	124	18.0	14.7-21.3	34	4.3	2.7- 5.9	14	2.1	0.9- 3.3	14	2.1	0.9- 3.3			
55-64	1234	90,869	837	69.7	66.6-72.8	251	18.4	15.9-20.9	81	6.5	4.9- 8.1	33	2.6	1.4- 3.8	31	2.7	1.5- 3.9	1	0.1	0.0- 0.3
65+	2303	113,221	1729	76.0	73.8-78.2	385	15.6	13.8-17.4	97	4.5	3.3- 5.7	36	1.5	0.9- 2.1	56	2.4	1.6- 3.2			
Less Than H.S.	282	46,064	192	66.7	58.5-74.9	49	18.1	11.2-25.0	21	8.4	3.3-13.5	7	2.6	0.2- 5.0	13	4.2	1.3- 7.1			
H.S. or G.E.D.	1485	147,984	970	64.5	61.2-67.8	273	17.6	15.1-20.1	121	8.6	6.6-10.6	54	4.7	3.1- 6.3	67	4.7	3.3- 6.1			
Some Post-H.S.	1726	218,695	1228	72.2	69.3-75.1	329	17.8	15.4-20.2	98	5.9	4.3- 7.5	36	2.1	1.1- 3.1	33	1.9	1.1- 2.7	2	0.1	0.0- 0.3
College Graduate	1953	147,011	1503	78.6	76.2-81.0	333	15.6	13.4-17.8	61	3.1	2.1- 4.1	29	1.5	0.7- 2.3	26	1.0	0.4- 1.6	1	0.1	0.0- 0.3
Less than \$15,000	300	35,122	241	77.8	70.0-85.6	28	12.5	5.2-19.8	10	3.4	0.9- 5.9	9	2.0	0.4- 3.6	11	3.8	0.7- 6.9	1	0.4	0.0- 1.2
\$15,000- 24,999	610	63,746	439	71.0	65.5-76.5	95	14.8	10.7-18.9	36	6.7	3.2-10.2	18	4.1	1.7- 6.5	21	3.0	1.4- 4.6	1	0.3	0.0- 0.9
\$25,000- 34,999	457	45,502	306	66.4	59.9-72.9	89	17.3	11.8-22.8	36	10.3	6.4-14.2	14	3.6	1.2- 6.0	12	2.5	0.7- 4.3			
\$35,000- 49,999	696	63,823	463	63.6	58.3-68.9	153	23.1	18.4-27.8	41	6.8	3.9- 9.7	17	2.9	1.1- 4.7	22	3.6	1.6- 5.6			
\$50,000- 74,999	850	83,625	596	70.8	66.7-74.9	168	18.0	14.7-21.3	56	7.5	4.8-10.2	16	2.2	0.8- 3.6	14	1.6	0.6- 2.6			
\$75,000+	1834	199,676	1324	73.3	70.6-76.0	335	16.9	14.7-19.1	97	5.5	4.1- 6.9	42	2.3	1.5- 3.1	36	2.0	1.2- 2.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2604	284,987	1624	63.9	61.5-66.3	559	19.4	17.4-21.4	210	8.3	6.9-9.7	104	4.1	3.1-5.1	106	4.2	3.2-5.2	1	0.1	0.0-0.3
Native	78	11,471	58	73.1	60.0-86.2	10	9.4	2.3-16.5	6	8.1	0.0-17.9	3	6.7	0.0-14.1	1	2.8	0.0-8.1			
Non-Native	2502	270,736	1552	63.5	61.1-65.9	543	19.8	17.8-21.8	202	8.4	7.0-9.8	101	4.1	3.1-5.1	103	4.2	3.2-5.2	1	0.1	0.0-0.3
18-24	161	42,989	102	66.4	58.8-74.0	30	17.5	11.4-23.6	15	8.4	4.1-12.7	11	5.8	2.3-9.3	3	1.9	0.0-4.3			
25-34	266	57,823	162	61.8	55.3-68.3	52	19.0	13.7-24.3	23	9.4	5.5-13.3	13	4.7	2.0-7.4	15	4.9	2.2-7.6	1	0.3	0.0-0.9
35-44	291	45,599	182	62.7	56.4-69.0	55	18.0	13.1-22.9	28	9.9	5.8-14.0	11	3.6	1.2-6.0	15	5.8	2.7-8.9			
45-54	350	40,267	231	67.0	61.5-72.5	71	19.7	15.0-24.4	25	6.1	3.6-8.6	11	3.5	1.3-5.7	12	3.8	1.4-6.2			
55-64	602	46,267	344	60.1	55.4-64.8	148	21.7	18.0-25.4	58	9.3	6.6-12.0	27	4.3	2.1-6.5	25	4.5	2.3-6.7			
65+	934	52,043	603	66.2	62.5-69.9	203	20.6	17.7-23.5	61	6.4	4.4-8.4	31	3.0	1.8-4.2	36	3.8	2.2-5.4			
Less Than H.S.	149	24,770	89	59.0	48.8-69.2	31	19.8	11.6-28.0	12	9.5	3.0-16.0	6	4.2	0.1-8.3	11	7.4	2.3-12.5			
H.S. or G.E.D.	766	84,700	412	55.8	51.3-60.3	165	19.2	15.9-22.5	93	11.5	8.8-14.2	46	6.9	4.5-9.3	50	6.6	4.4-8.8			
Some Post-H.S.	805	108,899	494	64.3	60.2-68.4	189	21.4	17.9-24.9	67	8.3	5.9-10.7	30	3.0	1.6-4.4	24	2.9	1.5-4.3	1	0.1	0.0-0.3
College Graduate	881	66,317	628	75.3	72.0-78.6	173	16.3	13.6-19.0	38	4.0	2.4-5.6	22	2.5	1.1-3.9	20	2.0	0.8-3.2			
Less than \$15,000	132	17,982	95	75.2	66.2-84.2	15	10.5	3.8-17.2	5	4.5	0.2-8.8	8	3.8	0.7-6.9	8	5.1	0.6-9.6	1	0.8	0.0-2.4
\$15,000- 24,999	256	29,074	157	63.8	56.4-71.2	47	16.8	11.1-22.5	22	6.7	3.2-10.2	15	7.2	2.7-11.7	15	5.5	2.4-8.6			
\$25,000- 34,999	195	21,066	111	60.0	50.8-69.2	41	16.7	9.3-24.1	23	12.7	6.6-18.8	10	5.8	1.3-10.3	10	4.7	1.0-8.4			
\$35,000- 49,999	336	32,995	188	56.7	49.6-63.8	88	23.1	17.4-28.8	30	9.6	4.9-14.3	15	5.4	2.1-8.7	15	5.2	1.9-8.5			
\$50,000- 74,999	441	47,498	273	63.8	57.9-69.7	101	21.6	16.7-26.5	39	8.9	5.6-12.2	15	3.0	1.2-4.8	13	2.7	0.9-4.5			
\$75,000+	1001	106,563	646	64.9	61.2-68.6	212	19.4	16.3-22.5	75	8.5	6.1-10.9	37	4.0	2.4-5.6	31	3.2	1.6-4.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2851	275,389	2275	79.1	76.7-81.5	426	14.9	12.7-17.1	92	3.8	2.6- 5.0	22	1.1	0.5- 1.7	34	1.0	0.6- 1.4	2	0.1	0.0- 0.3
Native	92	12,664	75	87.8	80.4-95.2	12	8.4	2.3-14.5	1	1.5	0.0- 4.4	1	0.3	0.0- 0.9	3	1.9	0.0- 4.8			
Non-Native	2737	260,184	2182	78.7	76.2-81.2	413	15.3	13.1-17.5	91	4.0	2.6- 5.4	21	1.1	0.3- 1.9	28	0.7	0.3- 1.1	2	0.1	0.0- 0.3
18-24	79	39,394	55	70.4	59.4-81.4	15	18.6	9.2-28.0	6	8.2	1.3-15.1	3	2.8	0.0- 6.3						
25-34	190	49,531	141	78.1	71.8-84.4	37	16.3	10.6-22.0	4	1.8	0.0- 3.8	4	1.8	0.0- 3.8	4	2.0	0.0- 4.0			
35-44	225	42,193	171	79.4	73.7-85.1	36	13.5	8.6-18.4	14	5.0	2.3- 7.7	1	0.5	0.0- 1.5	2	1.1	0.0- 2.7	1	0.5	0.0- 1.5
45-54	356	38,490	289	80.2	75.1-85.3	53	16.3	11.6-21.0	9	2.4	0.6- 4.2	3	0.7	0.0- 1.7	2	0.4	0.0- 1.0			
55-64	632	44,603	493	79.6	75.9-83.3	103	15.0	11.9-18.1	23	3.6	1.8- 5.4	6	0.8	0.0- 1.6	6	0.7	0.1- 1.3	1	0.3	0.0- 0.9
65+	1369	61,178	1126	84.4	82.0-86.8	182	11.3	9.3-13.3	36	2.9	1.7- 4.1	5	0.2	0.0- 0.4	20	1.2	0.6- 1.8			
Less Than H.S.	133	21,294	103	75.7	62.6-88.8	18	16.0	4.4-27.6	9	7.1	0.0-15.3	1	0.8	0.0- 2.4	2	0.4	0.0- 1.0			
H.S. or G.E.D.	719	63,284	558	76.2	71.3-81.1	108	15.3	11.2-19.4	28	4.7	2.2- 7.2	8	1.6	0.2- 3.0	17	2.2	0.6- 3.8			
Some Post-H.S.	921	109,796	734	79.9	76.0-83.8	140	14.3	11.0-17.6	31	3.7	1.7- 5.7	6	1.1	0.0- 2.5	9	0.9	0.1- 1.7	1	0.1	0.0- 0.3
College Graduate	1072	80,694	875	81.3	77.8-84.8	160	15.1	12.0-18.2	23	2.5	1.3- 3.7	7	0.7	0.0- 1.5	6	0.2	0.0- 0.4	1	0.2	0.0- 0.6
Less than \$15,000	168	17,140	146	80.6	67.5-93.7	13	14.6	1.7-27.5	5	2.4	0.0- 5.3	1	0.0	0.0- 0.0	3	2.4	0.0- 6.3			
\$15,000- 24,999	354	34,672	282	77.2	69.2-85.2	48	13.1	7.0-19.2	14	6.7	1.0-12.4	3	1.5	0.0- 3.5	6	1.0	0.0- 2.0	1	0.6	0.0- 1.8
\$25,000- 34,999	262	24,436	195	71.9	63.1-80.7	48	17.7	9.9-25.5	13	8.3	3.0-13.6	4	1.6	0.0- 3.6	2	0.5	0.0- 1.3			
\$35,000- 49,999	360	30,828	275	70.9	62.9-78.9	65	23.1	15.5-30.7	11	3.8	0.5- 7.1	2	0.3	0.0- 0.7	7	2.0	0.2- 3.8			
\$50,000- 74,999	409	36,126	323	80.0	73.9-86.1	67	13.2	9.3-17.1	17	5.7	0.8-10.6	1	1.1	0.0- 3.3	1	0.1	0.0- 0.3			
\$75,000+	833	93,113	678	82.8	79.3-86.3	123	14.1	10.8-17.4	22	2.1	1.1- 3.1	5	0.4	0.0- 0.8	5	0.6	0.0- 1.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 4: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3107	332,029	62	2.1	1.5- 2.7	35	1.2	0.6- 1.8	14	0.6	0.2- 1.0	7	0.5	0.1- 0.9	10	0.3	0.1- 0.5	2979	95.3	94.3-96.3
Male	1684	184,311	47	2.9	1.9- 3.9	27	1.6	0.8- 2.4	10	0.9	0.1- 1.7	6	0.6	0.0- 1.2	8	0.5	0.1- 0.9	1586	93.5	91.9-95.1
Female	1423	147,718	15	1.2	0.4- 2.0	8	0.6	0.0- 1.2	4	0.1	0.0- 0.3	1	0.4	0.0- 1.2	2	0.1	0.0- 0.3	1393	97.6	96.2-99.0
Native	72	10,419	1	0.3	0.0- 0.9	2	0.6	0.0- 1.6	2	3.5	0.0- 9.8							67	95.6	89.3- 100
Non-Native	3012	319,041	61	2.2	1.4- 3.0	33	1.2	0.6- 1.8	12	0.5	0.1- 0.9	7	0.5	0.1- 0.9	10	0.3	0.1- 0.5	2889	95.3	94.3-96.3
18-24	139	44,999	9	4.4	1.3- 7.5	5	2.5	0.1- 4.9	2	0.9	0.0- 2.3	2	2.0	0.0- 4.7	1	0.4	0.0- 1.2	120	89.8	84.9-94.7
25-34	321	73,771	6	1.5	0.1- 2.9	3	0.7	0.0- 1.7	3	0.9	0.0- 2.1	2	0.7	0.0- 1.7	2	0.4	0.0- 1.0	305	95.7	93.3-98.1
35-44	334	55,988	7	1.8	0.4- 3.2	7	2.1	0.3- 3.9	1	0.7	0.0- 2.1	1	0.3	0.0- 0.9	2	0.4	0.0- 1.0	316	94.7	92.2-97.2
45-54	491	53,147	13	2.2	1.0- 3.4	4	0.6	0.0- 1.2	1	0.1	0.0- 0.3				1	0.3	0.0- 0.9	472	96.9	95.3-98.5
55-64	746	52,164	19	2.8	0.8- 4.8	10	1.1	0.3- 1.9	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6	2	0.1	0.0- 0.3	711	95.5	93.3-97.7
65+	1076	51,960	8	0.6	0.0- 1.2	6	0.4	0.0- 0.8	4	0.4	0.0- 0.8	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3	1055	98.4	97.6-99.2
Less Than H.S.	99	18,279				1	0.2	0.0- 0.6	1	2.0	0.0- 5.9	1	1.8	0.0- 5.3	1	1.1	0.0- 3.3	95	94.9	89.2- 100
H.S. or G.E.D.	728	78,525	14	2.3	0.9- 3.7	9	1.7	0.3- 3.1	3	0.8	0.0- 2.0	1	0.4	0.0- 1.2	2	0.3	0.0- 0.7	699	94.5	92.1-96.9
Some Post-H.S.	1003	131,661	20	1.9	0.7- 3.1	14	1.2	0.4- 2.0	7	0.5	0.1- 0.9	3	0.6	0.0- 1.6	2	0.2	0.0- 0.6	957	95.7	93.9-97.5
College Graduate	1275	103,483	28	2.8	1.4- 4.2	11	1.0	0.2- 1.8	3	0.2	0.0- 0.4	2	0.2	0.0- 0.6	5	0.3	0.0- 0.7	1226	95.5	93.9-97.1
Less than \$15,000	93	10,910	3	4.2	0.0- 8.9	1	3.7	0.0-10.8	1	0.9	0.0- 2.7	1	0.8	0.0- 2.4				87	90.5	82.1-98.9
\$15,000- 24,999	241	28,892	7	3.3	0.2- 6.4	3	0.6	0.0- 1.4	3	1.4	0.0- 3.8	2	3.2	0.0- 7.7	1	0.4	0.0- 1.2	225	91.1	85.2-97.0
\$25,000- 34,999	206	21,494	5	2.3	0.0- 5.0	4	2.5	0.0- 5.4	2	1.4	0.0- 3.9				1	0.8	0.0- 2.4	194	93.0	88.1-97.9
\$35,000- 49,999	384	37,612	4	1.5	0.0- 3.9	5	1.1	0.0- 2.5							1	0.2	0.0- 0.6	374	97.2	94.5-99.9
\$50,000- 74,999	546	55,534	14	3.1	0.9- 5.3	10	1.7	0.3- 3.1	1	0.5	0.0- 1.5	1	0.5	0.0- 1.5				520	94.2	91.5-96.9
\$75,000+	1324	144,549	26	1.7	0.9- 2.5	12	1.0	0.2- 1.8	5	0.2	0.0- 0.4	2	0.2	0.0- 0.6	7	0.5	0.1- 0.9	1272	96.4	95.2-97.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

TABLE 5: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	184,311	47	2.9	1.9- 3.9	27	1.6	0.8- 2.4	10	0.9	0.1- 1.7	6	0.6	0.0- 1.2	8	0.5	0.1- 0.9	1586	93.5	91.9-95.1
Non-Native	1632	176,519	47	3.0	2.0- 4.0	26	1.7	0.9- 2.5	9	0.8	0.2- 1.4	6	0.6	0.0- 1.2	8	0.5	0.1- 0.9	1536	93.4	91.8-95.0
18-24	91	23,527	6	4.2	0.7- 7.7	4	3.1	0.0- 6.4	2	1.7	0.0- 4.2	1	1.2	0.0- 3.6	1	0.8	0.0- 2.4	77	88.9	82.8-95.0
25-34	201	43,696	6	2.6	0.4- 4.8	2	1.1	0.0- 2.7	2	1.4	0.0- 3.4	2	1.1	0.0- 2.7	2	0.7	0.0- 1.9	187	93.1	89.4-96.8
35-44	199	30,610	6	2.7	0.5- 4.9	6	3.2	0.3- 6.1	1	1.2	0.0- 3.6	1	0.6	0.0- 1.8	2	0.8	0.0- 2.0	183	91.5	87.0-96.0
45-54	259	28,819	11	3.4	1.2- 5.6	3	0.7	0.0- 1.5	1	0.1	0.0- 0.3							244	95.7	93.3-98.1
55-64	397	28,478	12	4.0	0.7- 7.3	6	1.3	0.0- 2.7	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9	2	0.2	0.0- 0.6	375	93.8	90.1-97.5
65+	537	29,180	6	0.9	0.0- 1.9	6	0.8	0.0- 1.6	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	520	97.5	96.1-98.9
Less Than H.S.	68	13,023				1	0.2	0.0- 0.6	1	2.9	0.0- 8.4	1	2.5	0.0- 7.4	1	1.5	0.0- 4.4	64	92.9	85.1- 100
H.S. or G.E.D.	440	50,154	11	3.0	1.0- 5.0	8	1.8	0.2- 3.4	3	1.3	0.0- 3.1	1	0.6	0.0- 1.8	1	0.2	0.0- 0.6	416	93.1	90.0-96.2
Some Post-H.S.	539	72,393	14	2.7	0.9- 4.5	11	1.9	0.5- 3.3	5	0.8	0.0- 1.6	2	0.3	0.0- 0.9	2	0.4	0.0- 1.0	505	93.9	91.4-96.4
College Graduate	635	48,660	22	3.9	2.1- 5.7	7	1.4	0.0- 2.8	1	0.2	0.0- 0.6	2	0.4	0.0- 1.2	4	0.6	0.0- 1.4	599	93.4	90.9-95.9
Less than \$15,000	56	7,328	3	6.3	0.0-13.4				1	1.3	0.0- 3.8	1	1.2	0.0- 3.6				51	91.3	83.5-99.1
\$15,000- 24,999	121	13,995	6	4.7	0.2- 9.2	3	1.2	0.0- 2.8	2	2.7	0.0- 7.4	1	2.3	0.0- 6.8	1	0.8	0.0- 2.4	108	88.3	80.5-96.1
\$25,000- 34,999	101	11,094	4	3.6	0.0- 8.5	3	3.1	0.0- 8.0	1	2.5	0.0- 7.4							93	90.8	82.6-99.0
\$35,000- 49,999	211	20,634	2	0.5	0.0- 1.1	3	1.6	0.0- 4.0							1	0.5	0.0- 1.5	205	97.5	95.0- 100
\$50,000- 74,999	304	33,692	9	4.0	0.9- 7.1	8	2.4	0.4- 4.4	1	0.8	0.0- 2.4	1	0.8	0.0- 2.4				285	92.0	87.7-96.3
\$75,000+	761	81,564	22	2.8	1.4- 4.2	10	1.6	0.4- 2.8	3	0.2	0.0- 0.4	2	0.4	0.0- 1.0	6	0.8	0.0- 1.6	718	94.2	92.0-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 6: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1423	147,718	15	1.2	0.4- 2.0	8	0.6	0.0- 1.2	4	0.1	0.0- 0.3	1	0.4	0.0- 1.2	2	0.1	0.0- 0.3	1393	97.6	96.2-99.0
Non-Native	1380	142,522	14	1.2	0.4- 2.0	7	0.6	0.0- 1.2	3	0.1	0.0- 0.3	1	0.4	0.0- 1.2	2	0.1	0.0- 0.3	1353	97.5	96.1-98.9
25-34	120	30,075				1	0.2	0.0- 0.6	1	0.3	0.0- 0.9							118	99.5	98.7- 100
35-44	135	25,377	1	0.7	0.0- 2.1	1	0.7	0.0- 2.1										133	98.6	96.6- 100
45-54	232	24,328	2	0.7	0.0- 1.7	1	0.3	0.0- 0.9							1	0.7	0.0- 2.1	228	98.3	96.5- 100
55-64	349	23,686	7	1.4	0.2- 2.6	4	0.9	0.0- 1.9	2	0.2	0.0- 0.6							336	97.4	95.8-99.0
65+	539	22,780	2	0.3	0.0- 0.7				1	0.1	0.0- 0.3				1	0.1	0.0- 0.3	535	99.5	99.1-99.9
H.S. or G.E.D.	288	28,371	3	1.0	0.0- 2.6	1	1.4	0.0- 4.1							1	0.6	0.0- 1.8	283	97.0	93.7- 100
Some Post-H.S.	464	59,268	6	0.8	0.0- 1.6	3	0.3	0.0- 0.7	2	0.1	0.0- 0.3	1	1.0	0.0- 3.0				452	97.8	95.6- 100
College Graduate	640	54,823	6	1.7	0.0- 3.7	4	0.7	0.0- 1.5	2	0.2	0.0- 0.6				1	0.0	0.0- 0.0	627	97.3	95.1-99.5
\$15,000- 24,999	120	14,897	1	2.1	0.0- 6.2				1	0.2	0.0- 0.6	1	4.0	0.0-11.6				117	93.7	85.3- 100
\$25,000- 34,999	105	10,400	1	1.0	0.0- 3.0	1	1.7	0.0- 5.0	1	0.3	0.0- 0.9				1	1.6	0.0- 4.7	101	95.4	90.5- 100
\$35,000- 49,999	173	16,978	2	2.8	0.0- 7.9	2	0.4	0.0- 1.0										169	96.8	91.7- 100
\$50,000- 74,999	242	21,842	5	1.7	0.0- 3.5	2	0.7	0.0- 1.7										235	97.6	95.4-99.8
\$75,000+	563	62,985	4	0.3	0.0- 0.7	2	0.2	0.0- 0.6	2	0.2	0.0- 0.4				1	0.0	0.0- 0.0	554	99.3	98.7-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 14: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	220
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	221
3 HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	222
4 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	223
5 AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST) FEMALES ONLY	224
6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST) FEMALES ONLY	225
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	226

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING
TABLE 1: HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2834	273,276	2401	61.1	58.0-64.2	433	38.9	35.8-42.0
Native	92	12,664	79	61.6	44.9-78.3	13	38.4	21.7-55.1
Non-Native	2719	258,051	2305	61.3	58.2-64.4	414	38.7	35.6-41.8
18-24	77	38,670	6	6.4	1.1-11.7	71	93.6	88.3-98.9
25-34	189	49,292	33	16.0	10.1-21.9	156	84.0	78.1-89.9
35-44	223	41,752	106	49.0	41.2-56.8	117	51.0	43.2-58.8
45-54	354	38,133	326	90.7	86.6-94.8	28	9.3	5.2-13.4
55-64	631	44,548	606	95.7	93.7-97.7	25	4.3	2.3- 6.3
65+	1360	60,881	1324	97.1	95.9-98.3	36	2.9	1.7- 4.1
Less Than H.S.	132	21,243	110	49.4	35.1-63.7	22	50.6	36.3-64.9
H.S. or G.E.D.	715	62,573	610	58.6	52.3-64.9	105	41.4	35.1-47.7
Some Post-H.S.	916	108,839	792	64.4	59.1-69.7	124	35.6	30.3-40.9
College Graduate	1068	80,436	887	61.9	57.4-66.4	181	38.1	33.6-42.6
Less than \$15,000	166	16,959	140	61.3	47.4-75.2	26	38.7	24.8-52.6
\$15,000- 24,999	350	33,862	304	57.7	47.7-67.7	46	42.3	32.3-52.3
\$25,000- 34,999	259	23,906	219	57.3	46.7-67.9	40	42.7	32.1-53.3
\$35,000- 49,999	360	30,828	306	57.4	48.2-66.6	54	42.6	33.4-51.8
\$50,000- 74,999	406	35,655	354	68.0	60.0-76.0	52	32.0	24.0-40.0
\$75,000+	833	93,113	673	61.6	56.5-66.7	160	38.4	33.3-43.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2370	165,180	1495	61.9	59.0-64.8	339	14.5	12.3-16.7	160	6.7	5.3- 8.1	138	7.1	5.3- 8.9	238	10.0	8.4-11.6
Native	78	7,523	44	51.0	35.7-66.3	13	18.9	6.2-31.6	5	5.9	0.0-11.8	11	18.9	6.2-31.6	5	5.4	0.0-10.9
Non-Native	2276	156,549	1444	62.6	59.7-65.5	321	14.1	11.9-16.3	153	6.6	5.2- 8.0	125	6.5	4.7- 8.3	233	10.2	8.4-12.0
35-44	106	20,439	56	50.4	38.6-62.2	16	17.2	7.2-27.2	9	6.8	1.9-11.7	14	16.1	6.5-25.7	11	9.4	2.7-16.1
45-54	325	34,498	215	65.7	59.6-71.8	47	14.6	10.1-19.1	24	6.6	3.7- 9.5	14	3.5	1.5- 5.5	25	9.5	5.6-13.4
55-64	604	42,381	403	68.0	63.5-72.5	94	13.4	10.5-16.3	38	7.3	4.6-10.0	29	4.9	2.9- 6.9	40	6.5	4.3- 8.7
65+	1297	57,813	803	61.0	57.7-64.3	174	13.3	10.9-15.7	87	6.6	5.0- 8.2	76	6.1	4.5- 7.7	157	13.1	10.7-15.5
Less Than H.S.	107	10,237	49	43.0	29.3-56.7	11	11.1	1.1-21.1	10	10.9	2.9-18.9	11	16.1	2.4-29.8	26	18.9	10.5-27.3
H.S. or G.E.D.	599	35,831	360	56.6	51.1-62.1	93	16.0	12.1-19.9	43	6.3	4.1- 8.5	31	7.1	3.6-10.6	72	14.0	10.1-17.9
Some Post-H.S.	785	69,700	493	62.9	58.0-67.8	110	14.0	10.1-17.9	46	6.2	3.8- 8.6	58	7.7	4.8-10.6	78	9.3	6.6-12.0
College Graduate	878	49,364	592	68.0	63.9-72.1	125	14.7	11.6-17.8	61	6.8	4.6- 9.0	38	4.4	2.6- 6.2	62	6.1	3.9- 8.3
Less than \$15,000	136	10,136	69	50.0	37.3-62.7	19	9.1	4.0-14.2	15	11.3	3.7-18.9	13	17.7	4.6-30.8	20	11.9	5.6-18.2
\$15,000- 24,999	299	19,177	168	52.5	43.7-61.3	49	18.6	10.0-27.2	21	5.4	2.7- 8.1	24	8.1	3.4-12.8	37	15.3	9.4-21.2
\$25,000- 34,999	217	13,633	132	57.6	47.6-67.6	26	12.1	4.5-19.7	15	5.5	2.2- 8.8	14	8.8	2.5-15.1	30	16.0	8.7-23.3
\$35,000- 49,999	306	17,704	203	71.6	65.3-77.9	41	11.5	7.4-15.6	15	3.1	1.1- 5.1	18	6.2	2.5- 9.9	29	7.6	4.1-11.1
\$50,000- 74,999	351	24,181	242	67.4	60.9-73.9	42	11.4	7.5-15.3	21	8.1	3.8-12.4	15	4.9	1.8- 8.0	31	8.1	4.8-11.4
\$75,000+	668	57,100	455	64.8	59.5-70.1	100	15.7	11.8-19.6	44	6.7	4.2- 9.2	25	5.6	2.3- 8.9	44	7.1	4.2-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING
TABLE 3: HAVE YOU EVER HAD A PAP TEST? (HADPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2823	272,213	2678	87.4	84.7-90.1	145	12.6	9.9-15.3
Native	92	12,664	88	86.0	71.9- 100	4	14.0	0.0-28.1
Non-Native	2708	256,988	2568	87.4	84.7-90.1	140	12.6	9.9-15.3
18-24	76	38,286	36	40.4	28.6-52.2	40	59.6	47.8-71.4
25-34	188	49,017	172	88.9	83.0-94.8	16	11.1	5.2-17.0
35-44	224	41,937	217	97.8	96.0-99.6	7	2.2	0.4- 4.0
45-54	354	38,133	346	97.9	96.3-99.5	8	2.1	0.5- 3.7
55-64	630	44,460	613	97.0	95.4-98.6	17	3.0	1.4- 4.6
65+	1351	60,381	1294	95.2	93.8-96.6	57	4.8	3.4- 6.2
Less Than H.S.	132	21,197	110	62.8	47.1-78.5	22	37.2	21.5-52.9
H.S. or G.E.D.	708	61,656	659	84.7	79.2-90.2	49	15.3	9.8-20.8
Some Post-H.S.	913	108,604	871	88.4	83.9-92.9	42	11.6	7.1-16.1
College Graduate	1067	80,572	1035	94.7	92.3-97.1	32	5.3	2.9- 7.7
Less than \$15,000	164	16,869	141	68.9	54.4-83.4	23	31.1	16.6-45.6
\$15,000- 24,999	347	33,595	318	78.5	68.5-88.5	29	21.5	11.5-31.5
\$25,000- 34,999	259	23,906	243	87.3	77.9-96.7	16	12.7	3.3-22.1
\$35,000- 49,999	359	30,806	341	84.6	75.8-93.4	18	15.4	6.6-24.2
\$50,000- 74,999	406	35,828	398	95.1	90.0- 100	8	4.9	0.0-10.0
\$75,000+	832	92,728	811	94.4	91.5-97.3	21	5.6	2.7- 8.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2595	232,650	688	37.8	34.9-40.7	424	19.4	17.0-21.8	308	10.9	9.3-12.5	284	9.4	7.8-11.0	891	22.6	20.6-24.6
Native	88	10,889	34	46.8	31.3-62.3	13	19.9	7.0-32.8	15	15.1	6.3-23.9	7	8.3	1.2-15.4	19	10.0	4.3-15.7
Non-Native	2489	219,659	644	36.9	34.0-39.8	408	19.4	17.0-21.8	293	10.7	9.1-12.3	277	9.6	8.0-11.2	867	23.3	21.3-25.3
25-34	171	43,315	90	55.0	46.6-63.4	41	26.0	18.2-33.8	18	9.0	4.5-13.5	13	6.0	2.7- 9.3	9	4.0	1.3- 6.7
35-44	215	40,636	94	45.7	37.7-53.7	59	25.0	18.5-31.5	21	10.1	5.6-14.6	21	12.0	6.3-17.7	20	7.2	3.7-10.7
45-54	343	36,875	136	40.7	34.4-47.0	64	17.5	12.8-22.2	55	16.8	12.1-21.5	22	5.9	3.4- 8.4	66	19.1	14.4-23.8
55-64	601	42,068	181	30.9	26.6-35.2	129	20.4	16.5-24.3	74	10.8	8.1-13.5	48	8.6	5.7-11.5	169	29.3	24.8-33.8
65+	1229	54,291	164	13.0	10.8-15.2	123	9.3	7.3-11.3	137	10.4	8.4-12.4	178	14.8	12.3-17.3	627	52.5	49.0-56.0
Less Than H.S.	101	12,576	19	40.0	23.7-56.3	6	9.5	0.5-18.5	4	1.7	0.0- 3.7	15	12.9	3.7-22.1	57	35.8	23.3-48.3
H.S. or G.E.D.	632	50,886	133	31.4	25.3-37.5	94	19.7	14.6-24.8	79	11.5	8.0-15.0	67	10.3	7.0-13.6	259	27.2	22.9-31.5
Some Post-H.S.	846	94,350	226	38.1	33.0-43.2	121	17.3	13.2-21.4	92	11.1	8.4-13.8	96	10.0	7.3-12.7	311	23.5	20.2-26.8
College Graduate	1013	74,654	309	41.2	36.9-45.5	203	23.6	19.9-27.3	132	11.6	9.1-14.1	105	7.5	5.5- 9.5	264	16.1	13.6-18.6
Less than \$15,000	135	11,337	32	28.7	16.5-40.9	11	10.7	2.5-18.9	12	9.6	3.1-16.1	16	13.2	5.4-21.0	64	37.8	26.8-48.8
\$15,000- 24,999	304	25,694	62	35.4	25.2-45.6	34	14.0	7.3-20.7	26	6.8	3.3-10.3	39	12.5	7.2-17.8	143	31.2	23.9-38.5
\$25,000- 34,999	240	20,744	48	31.4	21.8-41.0	39	23.5	14.9-32.1	31	12.0	5.7-18.3	29	9.3	4.0-14.6	93	23.8	17.1-30.5
\$35,000- 49,999	337	25,858	80	39.6	31.2-48.0	45	16.9	9.8-24.0	34	6.3	3.6- 9.0	37	9.2	5.1-13.3	141	28.1	22.0-34.2
\$50,000- 74,999	392	33,867	91	32.4	25.3-39.5	73	20.3	14.2-26.4	58	14.9	10.0-19.8	48	10.2	6.1-14.3	122	22.2	17.3-27.1
\$75,000+	804	86,941	284	43.7	38.8-48.6	174	23.4	19.1-27.7	100	11.7	9.0-14.4	75	8.0	5.3-10.7	171	13.2	10.8-15.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 5: AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2021	209,622	661	46.5	43.0-50.0	1360	53.5	50.0-57.0
Native	70	10,690	40	60.5	43.4-77.6	30	39.5	22.4-56.6
Non-Native	1936	196,875	615	45.6	42.1-49.1	1321	54.4	50.9-57.9
18-24	71	35,699	26	32.7	20.7-44.7	45	67.3	55.3-79.3
25-34	152	40,650	114	74.5	66.5-82.5	38	25.5	17.5-33.5
35-44	165	31,350	121	74.5	66.5-82.5	44	25.5	17.5-33.5
45-54	250	27,757	144	59.6	52.3-66.9	106	40.4	33.1-47.7
55-64	432	30,620	133	32.0	26.7-37.3	299	68.0	62.7-73.3
65+	951	43,545	123	13.6	10.9-16.3	828	86.4	83.7-89.1
Less Than H.S.	104	18,433	15	25.3	11.2-39.4	89	74.7	60.6-88.8
H.S. or G.E.D.	513	47,802	127	35.7	29.2-42.2	386	64.3	57.8-70.8
Some Post-H.S.	650	85,870	227	52.0	46.1-57.9	423	48.0	42.1-53.9
College Graduate	753	57,483	292	54.3	49.4-59.2	461	45.7	40.8-50.6
Less than \$15,000	130	14,176	36	35.5	22.0-49.0	94	64.5	51.0-78.0
\$15,000- 24,999	267	28,752	57	36.9	26.5-47.3	210	63.1	52.7-73.5
\$25,000- 34,999	177	17,197	43	38.6	26.8-50.4	134	61.4	49.6-73.2
\$35,000- 49,999	268	24,519	75	41.0	31.2-50.8	193	59.0	49.2-68.8
\$50,000- 74,999	279	25,793	99	48.9	40.5-57.3	180	51.1	42.7-59.5
\$75,000+	602	71,003	281	59.7	54.2-65.2	321	40.3	34.8-45.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	611	90,299	225	41.2	35.7-46.7	92	18.5	13.8-23.2	64	10.6	6.9-14.3	60	9.4	6.5-12.3	170	20.3	16.6-24.0
Non-Native	567	82,886	202	39.7	34.0-45.4	86	18.8	13.9-23.7	62	11.1	7.2-15.0	54	9.0	5.9-12.1	163	21.4	17.3-25.5
25-34	108	28,196	49	42.5	31.9-53.1	17	20.6	10.8-30.4	11	11.0	4.3-17.7	15	13.2	6.3-20.1	16	12.5	6.0-19.0
35-44	110	20,745	36	31.6	21.4-41.8	25	27.4	16.4-38.4	10	7.4	2.3-12.5	10	10.8	3.7-17.9	29	22.8	13.8-31.8
45-54	129	14,724	50	41.3	31.1-51.5	20	12.7	6.8-18.6	17	13.6	6.7-20.5	11	7.6	2.7-12.5	31	24.8	16.0-33.6
55-64	125	9,470	40	30.7	21.3-40.1	17	14.6	7.2-22.0	12	7.3	2.8-11.8	10	6.7	2.2-11.2	46	40.7	30.1-51.3
65+	113	5,500	31	24.5	15.5-33.5	10	8.9	1.8-16.0	11	8.7	1.6-15.8	13	11.5	4.2-18.8	48	46.4	34.4-58.4
H.S. or G.E.D.	120	16,283	39	37.6	25.8-49.4	15	13.1	4.5-21.7	11	8.4	2.1-14.7	15	14.9	6.7-23.1	40	25.9	16.5-35.3
Some Post-H.S.	207	41,416	77	41.0	32.0-50.0	35	22.3	13.9-30.7	22	12.2	5.5-18.9	17	6.8	2.5-11.1	56	17.8	12.1-23.5
College Graduate	270	28,309	103	40.5	33.1-47.9	39	16.3	10.4-22.2	31	11.1	6.2-16.0	27	10.6	5.7-15.5	70	21.4	15.5-27.3
\$15,000- 24,999	54	10,040	20	47.7	28.7-66.7	8	21.5	3.3-39.7	3	4.4	0.0-10.1	4	6.5	0.0-13.6	19	19.9	8.9-30.9
\$35,000- 49,999	75	10,049	33	45.0	29.7-60.3	9	21.4	6.5-36.3	6	8.3	0.3-16.3	6	9.6	1.2-18.0	21	15.7	6.9-24.5
\$50,000- 74,999	85	11,008	29	39.9	26.8-53.0	8	7.3	1.2-13.4	13	14.9	4.5-25.3	8	9.6	1.8-17.4	27	28.3	16.7-39.9
\$75,000+	260	38,459	90	36.0	28.0-44.0	51	24.5	16.9-32.1	27	9.9	5.6-14.2	30	11.5	6.2-16.8	62	18.2	12.5-23.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2803	265,506	938	22.8	20.8-24.8	1865	77.2	75.2-79.2
Native	92	12,664	22	14.5	6.7-22.3	70	85.5	77.7-93.3
Non-Native	2688	250,281	908	23.3	21.1-25.5	1780	76.7	74.5-78.9
18-24	75	37,373				75	100.0	100.0- 100
25-34	169	44,064	2	1.2	0.0- 2.8	167	98.8	97.2- 100
35-44	220	41,317	37	18.6	11.9-25.3	183	81.4	74.7-88.1
45-54	353	37,748	107	29.6	24.1-35.1	246	70.4	64.9-75.9
55-64	629	44,376	223	35.0	30.5-39.5	406	65.0	60.5-69.5
65+	1357	60,627	569	42.5	39.2-45.8	788	57.5	54.2-60.8
Less Than H.S.	131	20,298	47	17.7	10.4-25.0	84	82.3	75.0-89.6
H.S. or G.E.D.	707	60,924	258	23.9	20.0-27.8	449	76.1	72.2-80.0
Some Post-H.S.	904	105,071	337	26.8	23.1-30.5	567	73.2	69.5-76.9
College Graduate	1057	79,012	295	18.0	15.5-20.5	762	82.0	79.5-84.5
Less than \$15,000	165	16,887	71	27.8	18.6-37.0	94	72.2	63.0-81.4
\$15,000- 24,999	348	33,363	133	22.9	17.2-28.6	215	77.1	71.4-82.8
\$25,000- 34,999	257	23,801	88	23.0	15.9-30.1	169	77.0	69.9-84.1
\$35,000- 49,999	357	29,937	140	23.9	18.4-29.4	217	76.1	70.6-81.6
\$50,000- 74,999	404	35,219	126	23.1	17.8-28.4	278	76.9	71.6-82.2
\$75,000+	818	89,664	228	20.8	17.3-24.3	590	79.2	75.7-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 15: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST? (PCPSAAD3)	
1	MALES ONLY	228
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)	
2	MALES ONLY	229
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A P.S.A. TEST? (PCPSARE1)	
3	MALES ONLY	230
	HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1)	
4	MALES ONLY	231
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST P.S.A. TEST? (PSATIME)	
5	MALES ONLY	232
	WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST - WAS IT ...? (PCPSARS1)	
6	MALES ONLY	233

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST?
(PCPSAAD3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1957	153,570	966	42.5	39.8-45.2	991	57.5	54.8-60.2
Native	52	5,685	22	38.9	22.4-55.4	30	61.1	44.6-77.6
Non-Native	1884	146,042	937	42.8	40.1-45.5	947	57.2	54.5-59.9
35-44	133	19,941	20	15.6	8.5-22.7	113	84.4	77.3-91.5
45-54	338	38,807	104	29.0	23.5-34.5	234	71.0	65.5-76.5
55-64	585	45,113	298	48.3	43.4-53.2	287	51.7	46.8-56.6
65+	901	49,708	544	58.5	54.6-62.4	357	41.5	37.6-45.4
Less Than H.S.	116	12,656	40	34.6	24.6-44.6	76	65.4	55.4-75.4
H.S. or G.E.D.	553	42,749	234	35.8	31.1-40.5	319	64.2	59.5-68.9
Some Post-H.S.	596	57,147	298	43.5	38.8-48.2	298	56.5	51.8-61.2
College Graduate	689	40,717	393	50.7	46.2-55.2	296	49.3	44.8-53.8
Less than \$15,000	94	8,551	27	29.0	17.4-40.6	67	71.0	59.4-82.6
\$15,000- 24,999	185	14,766	71	32.5	23.9-41.1	114	67.5	58.9-76.1
\$25,000- 34,999	147	10,885	68	35.9	26.3-45.5	79	64.1	54.5-73.7
\$35,000- 49,999	263	18,662	125	40.8	33.5-48.1	138	59.2	51.9-66.5
\$50,000- 74,999	322	23,343	181	50.5	43.6-57.4	141	49.5	42.6-56.4
\$75,000+	774	63,655	411	46.1	41.8-50.4	363	53.9	49.6-58.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1952	153,136	374	15.9	13.9-17.9	1578	84.1	82.1-86.1
Native	52	5,775	12	18.8	7.0-30.6	40	81.2	69.4-93.0
Non-Native	1879	145,453	360	15.9	13.9-17.9	1519	84.1	82.1-86.1
35-44	133	19,941	12	7.5	2.8-12.2	121	92.5	87.8-97.2
45-54	337	38,723	43	12.7	8.6-16.8	294	87.3	83.2-91.4
55-64	588	45,249	106	15.5	12.2-18.8	482	84.5	81.2-87.8
65+	894	49,223	213	22.1	19.0-25.2	681	77.9	74.8-81.0
Less Than H.S.	114	12,623	14	11.7	5.4-18.0	100	88.3	82.0-94.6
H.S. or G.E.D.	552	42,720	76	13.3	9.8-16.8	476	86.7	83.2-90.2
Some Post-H.S.	597	57,213	103	13.9	11.0-16.8	494	86.1	83.2-89.0
College Graduate	686	40,280	181	22.9	19.2-26.6	505	77.1	73.4-80.8
Less than \$15,000	91	7,927	9	6.5	1.4-11.6	82	93.5	88.4-98.6
\$15,000- 24,999	186	14,820	32	14.7	8.2-21.2	154	85.3	78.8-91.8
\$25,000- 34,999	144	10,678	29	15.8	8.5-23.1	115	84.2	76.9-91.5
\$35,000- 49,999	261	18,621	41	12.5	8.0-17.0	220	87.5	83.0-92.0
\$50,000- 74,999	320	23,207	63	16.8	12.1-21.5	257	83.2	78.5-87.9
\$75,000+	778	63,982	173	18.9	15.8-22.0	605	81.1	78.0-84.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A P.S.A. TEST? (PCPSARE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1935	152,371	913	39.8	37.3-42.3	1022	60.2	57.7-62.7
Non-Native	1866	144,977	889	40.1	37.4-42.8	977	59.9	57.2-62.6
35-44	131	19,788	12	9.5	4.0-15.0	119	90.5	85.0-96.0
45-54	333	38,361	88	25.3	20.0-30.6	245	74.7	69.4-80.0
55-64	578	44,612	286	48.0	43.1-52.9	292	52.0	47.1-56.9
65+	893	49,611	527	55.8	51.9-59.7	366	44.2	40.3-48.1
Less Than H.S.	116	12,757	39	28.7	19.5-37.9	77	71.3	62.1-80.5
H.S. or G.E.D.	541	41,915	222	33.7	29.0-38.4	319	66.3	61.6-71.0
Some Post-H.S.	594	57,047	294	43.1	38.4-47.8	300	56.9	52.2-61.6
College Graduate	681	40,351	357	45.2	40.7-49.7	324	54.8	50.3-59.3
Less than \$15,000	92	8,287	23	22.2	12.0-32.4	69	77.8	67.6-88.0
\$15,000- 24,999	187	14,887	77	33.1	24.5-41.7	110	66.9	58.3-75.5
\$25,000- 34,999	143	10,695	61	32.8	23.4-42.2	82	67.2	57.8-76.6
\$35,000- 49,999	260	18,441	127	41.1	33.8-48.4	133	58.9	51.6-66.2
\$50,000- 74,999	317	23,239	163	46.2	39.5-52.9	154	53.8	47.1-60.5
\$75,000+	770	63,277	384	42.9	38.8-47.0	386	57.1	53.0-61.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	906	60,131	825	89.0	86.1-91.9	81	11.0	8.1-13.9
Non-Native	882	57,532	809	90.2	87.5-92.9	73	9.8	7.1-12.5
45-54	87	9,553	69	75.9	65.1-86.7	18	24.1	13.3-34.9
55-64	283	21,126	247	85.7	80.2-91.2	36	14.3	8.8-19.8
65+	524	27,564	497	95.4	93.4-97.4	27	4.6	2.6- 6.6
H.S. or G.E.D.	221	14,109	198	87.2	80.7-93.7	23	12.8	6.3-19.3
Some Post-H.S.	291	24,321	263	89.3	84.8-93.8	28	10.7	6.2-15.2
College Graduate	354	17,983	332	93.2	90.1-96.3	22	6.8	3.7- 9.9
\$15,000- 24,999	76	4,899	63	77.3	62.0-92.6	13	22.7	7.4-38.0
\$25,000- 34,999	61	3,509	54	87.2	75.8-98.6	7	12.8	1.4-24.2
\$35,000- 49,999	125	7,474	108	86.6	79.5-93.7	17	13.4	6.3-20.5
\$50,000- 74,999	161	10,545	152	91.3	84.8-97.8	9	8.7	2.2-15.2
\$75,000+	382	26,955	360	92.1	88.4-95.8	22	7.9	4.2-11.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST P.S.A. TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1031	67,520	606	57.4	53.7-61.1	156	16.4	13.7-19.1	77	8.5	6.3-10.7	80	7.6	5.6- 9.6	112	10.0	7.8-12.2
Non-Native	1006	65,259	592	57.5	53.8-61.2	151	16.0	13.3-18.7	75	8.6	6.4-10.8	77	7.5	5.5- 9.5	111	10.4	8.0-12.8
45-54	93	9,894	47	53.3	41.9-64.7	21	18.0	10.0-26.0	12	12.9	5.6-20.2	4	4.2	0.0- 8.5	9	11.5	3.9-19.1
55-64	296	21,305	173	56.3	49.6-63.0	53	18.4	13.3-23.5	24	8.5	4.8-12.2	26	8.2	4.5-11.9	20	8.7	4.4-13.0
65+	624	33,513	380	61.7	57.0-66.4	75	12.2	9.1-15.3	37	6.4	3.9- 8.9	49	8.5	5.6-11.4	83	11.3	8.6-14.0
H.S. or G.E.D.	256	15,725	138	56.5	49.2-63.8	39	15.3	10.2-20.4	19	7.4	3.9-10.9	22	7.7	4.2-11.2	38	13.0	8.1-17.9
Some Post-H.S.	322	26,682	183	53.6	47.1-60.1	58	19.1	14.0-24.2	26	9.4	5.5-13.3	26	8.3	4.4-12.2	29	9.6	5.7-13.5
College Graduate	411	20,988	261	63.3	57.6-69.0	55	14.7	10.4-19.0	27	7.1	4.2-10.0	30	7.0	4.1- 9.9	38	7.9	5.0-10.8
\$15,000- 24,999	79	4,897	43	50.6	36.5-64.7	9	11.5	3.5-19.5	6	12.9	0.9-24.9	13	16.9	7.1-26.7	8	8.2	1.7-14.7
\$25,000- 34,999	72	4,099	36	52.0	36.9-67.1	10	16.0	4.4-27.6	5	6.0	0.1-11.9	6	5.9	0.2-11.6	15	20.2	8.8-31.6
\$35,000- 49,999	139	8,490	80	53.1	42.7-63.5	20	15.7	8.4-23.0	10	9.0	3.1-14.9	13	8.0	3.1-12.9	16	14.2	5.4-23.0
\$50,000- 74,999	191	12,021	108	54.8	46.2-63.4	34	16.0	9.9-22.1	13	9.7	3.6-15.8	16	10.2	4.5-15.9	20	9.3	5.0-13.6
\$75,000+	440	30,253	277	60.6	55.1-66.1	66	17.6	13.1-22.1	36	8.7	5.6-11.8	25	6.1	3.2- 9.0	36	7.0	4.3- 9.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST – WAS IT ...? (PCPSARS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1045	68,657	742	68.3	64.8-71.8	77	8.1	5.9-10.3	73	9.4	6.9-11.9	63	5.8	4.2- 7.4	90	8.3	6.1-10.5
Non-Native	1020	66,397	726	68.5	65.0-72.0	72	7.7	5.7- 9.7	73	9.7	7.0-12.4	62	5.9	4.3- 7.5	87	8.2	6.0-10.4
45-54	94	10,143	65	71.2	61.0-81.4	5	6.4	0.9-11.9	14	12.9	5.6-20.2	1	1.0	0.0- 3.0	9	8.6	1.9-15.3
55-64	300	21,641	221	71.0	64.7-77.3	18	6.1	3.0- 9.2	21	8.6	4.3-12.9	11	4.0	1.6- 6.4	29	10.3	6.0-14.6
65+	633	34,190	448	68.7	64.2-73.2	52	9.6	6.7-12.5	32	6.2	3.3- 9.1	51	8.8	6.1-11.5	50	6.7	4.5- 8.9
H.S. or G.E.D.	258	15,649	185	69.8	62.7-76.9	21	10.6	5.3-15.9	13	6.2	1.7-10.7	17	6.4	3.1- 9.7	22	7.0	3.7-10.3
Some Post-H.S.	326	27,150	216	64.7	58.2-71.2	30	8.3	5.0-11.6	27	12.1	7.0-17.2	22	5.7	3.2- 8.2	31	9.1	5.2-13.0
College Graduate	418	21,447	316	72.9	67.6-78.2	19	4.8	2.3- 7.3	31	9.5	5.8-13.2	18	4.3	2.1- 6.5	34	8.5	5.2-11.8
\$15,000- 24,999	83	5,080	52	64.2	51.9-76.5	11	14.0	5.4-22.6	6	6.7	0.2-13.2	9	10.1	2.8-17.4	5	4.9	0.2- 9.6
\$25,000- 34,999	73	4,135	48	57.9	42.4-73.4	11	20.9	6.2-35.6	3	5.4	0.0-12.8	5	6.1	0.2-12.0	6	9.6	0.6-18.6
\$35,000- 49,999	139	8,480	95	65.8	55.2-76.4	11	8.0	2.5-13.5	11	9.6	2.5-16.7	10	8.0	2.3-13.7	12	8.6	1.2-16.0
\$50,000- 74,999	194	12,130	138	68.1	60.3-75.9	11	6.2	2.3-10.1	19	13.0	6.7-19.3	12	6.8	2.9-10.7	14	5.9	2.4- 9.4
\$75,000+	444	30,647	333	72.7	67.4-78.0	24	6.4	3.7- 9.1	30	9.6	5.5-13.7	21	3.9	2.1- 5.7	36	7.5	4.8-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 16: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1 MALES AND FEMALES	235
2 MALES ONLY	236
3 FEMALES ONLY	237
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4 MALES AND FEMALES	238
5 MALES ONLY	239
6 FEMALES ONLY	240
SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7 MALES AND FEMALES	241
8 MALES ONLY	242
9 FEMALES ONLY	243
FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)	
10 MALES AND FEMALES	244
11 MALES ONLY	245
12 FEMALES ONLY	246
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13 MALES AND FEMALES	247
14 MALES ONLY	248
15 FEMALES ONLY	249

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3889	245,665	1211	27.4	25.6-29.2	2678	72.6	70.8-74.4
Male	1711	119,432	456	23.9	21.5-26.3	1255	76.1	73.7-78.5
Female	2178	126,233	755	30.7	28.3-33.1	1423	69.3	66.9-71.7
Native	97	7,770	27	28.2	16.4-40.0	70	71.8	60.0-83.6
Non-Native	3757	235,400	1172	27.3	25.5-29.1	2585	72.7	70.9-74.5
45-54	397	44,172	61	13.7	9.8-17.6	336	86.3	82.4-90.2
55-64	1225	89,971	287	22.3	19.6-25.0	938	77.7	75.0-80.4
65+	2267	111,523	863	36.9	34.4-39.4	1404	63.1	60.6-65.6
Less Than H.S.	222	20,515	66	26.1	19.2-33.0	156	73.9	67.0-80.8
H.S. or G.E.D.	1081	65,010	349	28.2	24.9-31.5	732	71.8	68.5-75.1
Some Post-H.S.	1238	96,459	355	26.0	23.1-28.9	883	74.0	71.1-76.9
College Graduate	1342	63,399	440	29.1	26.2-32.0	902	70.9	68.0-73.8
Less than \$15,000	222	16,248	72	25.3	18.4-32.2	150	74.7	67.8-81.6
\$15,000- 24,999	465	28,774	151	28.5	23.2-33.8	314	71.5	66.2-76.8
\$25,000- 34,999	339	19,228	111	26.9	21.2-32.6	228	73.1	67.4-78.8
\$35,000- 49,999	537	31,810	171	30.1	25.0-35.2	366	69.9	64.8-75.0
\$50,000- 74,999	614	38,672	195	26.7	22.6-30.8	419	73.3	69.2-77.4
\$75,000+	1163	78,555	337	25.6	22.7-28.5	826	74.4	71.5-77.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1711	119,432	456	23.9	21.5-26.3	1255	76.1	73.7-78.5
Non-Native	1652	113,937	436	23.4	21.0-25.8	1216	76.6	74.2-79.0
45-54	189	22,112	30	15.2	9.3-21.1	159	84.8	78.9-90.7
55-64	598	45,906	108	17.6	14.1-21.1	490	82.4	78.9-85.9
65+	924	51,414	318	33.2	29.5-36.9	606	66.8	63.1-70.5
Less Than H.S.	116	12,676	25	18.3	10.1-26.5	91	81.7	73.5-89.9
H.S. or G.E.D.	503	34,593	125	21.2	17.1-25.3	378	78.8	74.7-82.9
Some Post-H.S.	515	43,096	138	25.5	21.2-29.8	377	74.5	70.2-78.8
College Graduate	575	28,986	168	27.2	23.1-31.3	407	72.8	68.7-76.9
Less than \$15,000	91	8,402	23	19.0	9.6-28.4	68	81.0	71.6-90.4
\$15,000- 24,999	176	12,676	41	18.5	11.6-25.4	135	81.5	74.6-88.4
\$25,000- 34,999	136	9,047	36	21.8	13.6-30.0	100	78.2	70.0-86.4
\$35,000- 49,999	242	15,924	63	25.6	18.9-32.3	179	74.4	67.7-81.1
\$50,000- 74,999	292	19,886	79	21.6	16.5-26.7	213	78.4	73.3-83.5
\$75,000+	616	42,328	164	25.5	21.4-29.6	452	74.5	70.4-78.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2178	126,233	755	30.7	28.3-33.1	1423	69.3	66.9-71.7
Native	55	3,604	13	23.1	9.0-37.2	42	76.9	62.8-91.0
Non-Native	2105	121,462	736	30.9	28.5-33.3	1369	69.1	66.7-71.5
45-54	208	22,059	31	12.3	6.8-17.8	177	87.7	82.2-93.2
55-64	627	44,065	179	27.1	23.0-31.2	448	72.9	68.8-77.0
65+	1343	60,109	545	40.0	36.7-43.3	798	60.0	56.7-63.3
Less Than H.S.	106	7,839	41	38.8	27.8-49.8	65	61.2	50.2-72.2
H.S. or G.E.D.	578	30,417	224	36.1	31.2-41.0	354	63.9	59.0-68.8
Some Post-H.S.	723	53,363	217	26.4	22.7-30.1	506	73.6	69.9-77.3
College Graduate	767	34,413	272	30.8	26.9-34.7	495	69.2	65.3-73.1
Less than \$15,000	131	7,846	49	32.1	22.3-41.9	82	67.9	58.1-77.7
\$15,000- 24,999	289	16,098	110	36.4	29.1-43.7	179	63.6	56.3-70.9
\$25,000- 34,999	203	10,181	75	31.4	23.6-39.2	128	68.6	60.8-76.4
\$35,000- 49,999	295	15,886	108	34.5	27.1-41.9	187	65.5	58.1-72.9
\$50,000- 74,999	322	18,785	116	32.1	26.0-38.2	206	67.9	61.8-74.0
\$75,000+	547	36,226	173	25.8	21.7-29.9	374	74.2	70.1-78.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1177	65,304	281	24.6	21.5-27.7	171	14.3	11.8-16.8	110	9.4	7.2-11.6	160	13.8	11.4-16.2	455	37.8	34.3-41.3
Male	448	27,775	113	25.7	20.8-30.6	63	13.9	10.0-17.8	38	7.8	4.9-10.7	73	17.7	13.2-22.2	161	34.9	29.4-40.4
Female	729	37,528	168	23.7	19.8-27.6	108	14.7	11.4-18.0	72	10.7	7.6-13.8	87	11.0	8.5-13.5	294	40.0	35.5-44.5
Non-Native	1139	62,584	267	23.8	20.7-26.9	164	13.9	11.4-16.4	107	9.3	7.1-11.5	155	14.1	11.6-16.6	446	38.9	35.4-42.4
45-54	61	6,062	29	44.4	29.1-59.7	11	16.6	5.2-28.0	5	9.2	0.0-18.6	6	11.6	1.0-22.2	10	18.3	4.2-32.4
55-64	282	19,485	65	23.2	17.1-29.3	41	13.4	8.9-17.9	34	12.3	7.8-16.8	44	16.2	11.3-21.1	98	34.9	28.4-41.4
65+	834	39,756	187	22.2	18.9-25.5	119	14.5	11.6-17.4	71	8.1	5.7-10.5	110	13.0	10.3-15.7	347	42.3	38.2-46.4
Less Than H.S.	62	4,787	15	30.4	15.9-44.9	14	27.5	12.6-42.4	7	11.7	2.7-20.7	5	6.0	0.0-12.1	21	24.4	13.4-35.4
H.S. or G.E.D.	337	17,827	84	27.1	21.0-33.2	61	18.0	12.9-23.1	31	9.3	5.0-13.6	42	11.3	7.6-15.0	119	34.3	27.8-40.8
Some Post-H.S.	349	24,510	85	24.4	18.9-29.9	40	10.3	6.8-13.8	32	8.9	5.6-12.2	52	14.9	10.4-19.4	140	41.4	35.1-47.7
College Graduate	428	18,147	97	20.8	16.5-25.1	56	12.7	9.0-16.4	40	9.8	5.9-13.7	61	16.9	12.2-21.6	174	39.9	34.4-45.4
Less than \$15,000	71	4,096	22	35.9	20.4-51.4	16	19.4	8.8-30.0	8	10.2	2.4-18.0	6	6.7	0.4-13.0	19	27.8	13.5-42.1
\$15,000- 24,999	147	7,866	33	25.0	16.0-34.0	24	20.1	10.7-29.5	10	7.4	1.5-13.3	24	15.3	8.2-22.4	56	32.2	22.8-41.6
\$25,000- 34,999	105	4,873	24	20.9	11.7-30.1	14	11.8	5.1-18.5	17	14.3	4.9-23.7	10	13.6	4.0-23.2	40	39.4	27.6-51.2
\$35,000- 49,999	165	9,396	43	27.5	18.3-36.7	22	11.0	5.5-16.5	17	7.7	3.4-12.0	24	11.6	6.5-16.7	59	42.2	31.8-52.6
\$50,000- 74,999	190	10,177	47	25.6	18.3-32.9	23	11.6	6.1-17.1	20	12.2	6.1-18.3	26	14.8	8.9-20.7	74	35.8	28.0-43.6
\$75,000+	332	19,942	73	20.9	15.8-26.0	49	14.5	9.8-19.2	25	9.1	5.0-13.2	54	17.4	12.3-22.5	131	38.0	31.7-44.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	448	27,775	113	25.7	20.8-30.6	63	13.9	10.0-17.8	38	7.8	4.9-10.7	73	17.7	13.2-22.2	161	34.9	29.4-40.4
Non-Native	429	26,278	106	24.6	19.7-29.5	60	13.1	9.4-16.8	37	8.2	5.1-11.3	70	18.3	13.6-23.0	156	35.8	30.1-41.5
55-64	106	7,649	23	22.3	13.1-31.5	15	11.9	5.4-18.4	11	10.7	3.8-17.6	17	18.6	9.6-27.6	40	36.4	25.8-47.0
65+	312	16,768	77	24.1	18.6-29.6	41	13.6	8.7-18.5	25	6.9	3.8-10.0	53	17.5	12.6-22.4	116	37.9	31.2-44.6
H.S. or G.E.D.	123	7,145	39	34.4	23.8-45.0	21	17.5	9.7-25.3	10	7.3	1.6-13.0	17	12.5	6.0-19.0	36	28.2	17.4-39.0
Some Post-H.S.	136	10,876	34	24.6	16.4-32.8	19	11.3	5.8-16.8	9	4.9	1.4- 8.4	26	21.6	13.4-29.8	48	37.6	28.0-47.2
College Graduate	165	7,753	33	17.7	11.4-24.0	20	12.8	6.7-18.9	15	9.6	3.9-15.3	28	19.3	11.5-27.1	69	40.7	31.9-49.5
\$35,000- 49,999	63	4,077	21	30.1	17.2-43.0	12	15.3	5.3-25.3	2	1.7	0.0- 4.1	12	15.7	6.5-24.9	16	37.1	21.8-52.4
\$50,000- 74,999	77	4,205	18	23.6	12.6-34.6	7	7.4	1.1-13.7	9	13.7	4.7-22.7	13	19.8	9.4-30.2	30	35.6	23.8-47.4
\$75,000+	162	10,735	32	19.4	12.1-26.7	24	15.7	9.0-22.4	11	7.3	2.2-12.4	31	21.6	13.4-29.8	64	35.9	26.9-44.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	729	37,528	168	23.7	19.8-27.6	108	14.7	11.6-17.8	72	10.7	7.6-13.8	87	11.0	8.5-13.5	294	40.0	35.5-44.5
Non-Native	710	36,307	161	23.2	19.3-27.1	104	14.5	11.4-17.6	70	10.2	7.3-13.1	85	11.1	8.4-13.8	290	41.1	36.6-45.6
55-64	176	11,837	42	23.8	15.8-31.8	26	14.4	8.3-20.5	23	13.2	7.3-19.1	27	14.7	9.2-20.2	58	33.9	25.7-42.1
65+	522	22,988	110	20.8	16.7-24.9	78	15.1	11.4-18.8	46	9.0	5.7-12.3	57	9.7	6.8-12.6	231	45.5	40.2-50.8
H.S. or G.E.D.	214	10,682	45	22.2	15.1-29.3	40	18.4	11.7-25.1	21	10.6	4.3-16.9	25	10.4	5.9-14.9	83	38.4	30.0-46.8
Some Post-H.S.	213	13,634	51	24.3	17.2-31.4	21	9.6	5.1-14.1	23	12.1	6.8-17.4	26	9.6	5.7-13.5	92	44.5	36.3-52.7
College Graduate	263	10,394	64	23.1	17.0-29.2	36	12.6	7.9-17.3	25	10.0	4.7-15.3	33	15.1	9.4-20.8	105	39.2	32.1-46.3
\$15,000- 24,999	106	5,524	23	24.1	13.3-34.9	16	17.6	8.0-27.2	8	8.8	0.8-16.8	16	13.0	5.2-20.8	43	36.5	24.7-48.3
\$25,000- 34,999	71	3,082	16	20.9	9.9-31.9	11	14.8	5.4-24.2	9	14.0	0.9-27.1	6	8.4	1.0-15.8	29	41.8	27.1-56.5
\$35,000- 49,999	102	5,319	22	25.4	12.3-38.5	10	7.8	2.1-13.5	15	12.2	4.8-19.6	12	8.4	2.9-13.9	43	46.2	32.3-60.1
\$50,000- 74,999	113	5,973	29	27.1	17.3-36.9	16	14.5	6.3-22.7	11	11.2	3.0-19.4	13	11.3	4.4-18.2	44	35.9	25.5-46.3
\$75,000+	170	9,207	41	22.7	15.6-29.8	25	13.1	6.8-19.4	14	11.3	4.6-18.0	23	12.6	7.1-18.1	67	40.4	31.6-49.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3895	245,748	2819	69.5	67.5-71.5	1076	30.5	28.5-32.5
Male	1712	119,518	1185	65.2	62.3-68.1	527	34.8	31.9-37.7
Female	2183	126,229	1634	73.5	71.1-75.9	549	26.5	24.1-28.9
Native	96	7,718	56	54.2	41.7-66.7	40	45.8	33.3-58.3
Non-Native	3766	235,720	2745	70.1	68.1-72.1	1021	29.9	27.9-31.9
45-54	397	44,007	213	53.3	47.6-59.0	184	46.7	41.0-52.4
55-64	1227	90,364	844	68.8	65.7-71.9	383	31.2	28.1-34.3
65+	2271	111,376	1762	76.4	74.0-78.8	509	23.6	21.2-26.0
Less Than H.S.	225	21,144	137	56.4	48.4-64.4	88	43.6	35.6-51.6
H.S. or G.E.D.	1076	64,330	742	66.6	63.1-70.1	334	33.4	29.9-36.9
Some Post-H.S.	1243	96,772	893	69.1	66.0-72.2	350	30.9	27.8-34.0
College Graduate	1346	63,322	1045	77.3	74.6-80.0	301	22.7	20.0-25.4
Less than \$15,000	228	16,770	138	56.9	48.7-65.1	90	43.1	34.9-51.3
\$15,000- 24,999	463	28,705	311	60.8	54.7-66.9	152	39.2	33.1-45.3
\$25,000- 34,999	336	18,900	245	69.8	63.1-76.5	91	30.2	23.5-36.9
\$35,000- 49,999	538	31,673	375	65.8	60.5-71.1	163	34.2	28.9-39.5
\$50,000- 74,999	618	38,915	462	73.3	68.8-77.8	156	26.7	22.2-31.2
\$75,000+	1165	78,740	889	74.4	71.3-77.5	276	25.6	22.5-28.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1712	119,518	1185	65.2	62.3-68.1	527	34.8	31.9-37.7
Non-Native	1654	114,076	1155	66.2	63.3-69.1	499	33.8	30.9-36.7
45-54	188	21,869	85	43.0	35.0-51.0	103	57.0	49.0-65.0
55-64	599	46,151	391	65.0	60.3-69.7	208	35.0	30.3-39.7
65+	925	51,498	709	74.9	71.4-78.4	216	25.1	21.6-28.6
Less Than H.S.	117	13,142	60	47.6	36.8-58.4	57	52.4	41.6-63.2
H.S. or G.E.D.	501	34,310	318	60.8	55.5-66.1	183	39.2	33.9-44.5
Some Post-H.S.	516	43,123	363	67.0	62.1-71.9	153	33.0	28.1-37.9
College Graduate	576	28,862	444	76.1	72.0-80.2	132	23.9	19.8-28.0
Less than \$15,000	93	8,688	48	50.7	38.0-63.4	45	49.3	36.6-62.0
\$15,000- 24,999	173	12,541	100	52.0	42.2-61.8	73	48.0	38.2-57.8
\$25,000- 34,999	135	8,829	89	61.2	50.4-72.0	46	38.8	28.0-49.6
\$35,000- 49,999	241	15,622	154	59.6	52.0-67.2	87	40.4	32.8-48.0
\$50,000- 74,999	294	19,966	214	73.4	67.1-79.7	80	26.6	20.3-32.9
\$75,000+	617	42,416	470	72.0	67.5-76.5	147	28.0	23.5-32.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2183	126,229	1634	73.5	71.1-75.9	549	26.5	24.1-28.9
Native	55	3,604	34	62.9	48.0-77.8	21	37.1	22.2-52.0
Non-Native	2112	121,645	1590	73.8	71.3-76.3	522	26.2	23.7-28.7
45-54	209	22,138	128	63.5	55.9-71.1	81	36.5	28.9-44.1
55-64	628	44,213	453	72.7	68.6-76.8	175	27.3	23.2-31.4
65+	1346	59,878	1053	77.7	74.8-80.6	293	22.3	19.4-25.2
Less Than H.S.	108	8,003	77	70.9	60.7-81.1	31	29.1	18.9-39.3
H.S. or G.E.D.	575	30,020	424	73.2	68.7-77.7	151	26.8	22.3-31.3
Some Post-H.S.	727	53,649	530	70.8	66.5-75.1	197	29.2	24.9-33.5
College Graduate	770	34,460	601	78.3	74.6-82.0	169	21.7	18.0-25.4
Less than \$15,000	135	8,083	90	63.7	53.3-74.1	45	36.3	25.9-46.7
\$15,000- 24,999	290	16,164	211	67.7	60.3-75.1	79	32.3	24.9-39.7
\$25,000- 34,999	201	10,071	156	77.3	69.5-85.1	45	22.7	14.9-30.5
\$35,000- 49,999	297	16,051	221	71.8	64.4-79.2	76	28.2	20.8-35.6
\$50,000- 74,999	324	18,949	248	73.2	66.7-79.7	76	26.8	20.3-33.3
\$75,000+	548	36,325	419	77.2	72.9-81.5	129	22.8	18.5-27.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2749	166,661	61	2.1	1.5- 2.7	2688	97.9	97.3-98.5
Male	1150	75,715	25	2.1	1.1- 3.1	1125	97.9	96.9-98.9
Female	1599	90,946	36	2.1	1.3- 2.9	1563	97.9	97.1-98.7
Native	53	3,923	2	4.5	0.0-11.0	51	95.5	89.0- 100
Non-Native	2680	161,606	59	2.1	1.5- 2.7	2621	97.9	97.3-98.5
45-54	211	23,078	3	1.7	0.0- 3.9	208	98.3	96.1- 100
55-64	836	61,692	14	1.8	0.6- 3.0	822	98.2	97.0-99.4
65+	1702	81,891	44	2.4	1.6- 3.2	1658	97.6	96.8-98.4
Less Than H.S.	125	10,801	3	1.8	0.0- 4.0	122	98.2	96.0- 100
H.S. or G.E.D.	720	41,696	15	1.4	0.6- 2.2	705	98.6	97.8-99.4
Some Post-H.S.	875	65,782	18	2.2	1.0- 3.4	857	97.8	96.6-99.0
College Graduate	1027	48,300	25	2.7	1.3- 4.1	1002	97.3	95.9-98.7
Less than \$15,000	131	9,256	4	2.4	0.0- 4.8	127	97.6	95.2- 100
\$15,000- 24,999	303	16,940	4	0.8	0.0- 1.8	299	99.2	98.2- 100
\$25,000- 34,999	236	12,812	12	6.0	1.5-10.5	224	94.0	89.5-98.5
\$35,000- 49,999	370	20,608	10	2.1	0.5- 3.7	360	97.9	96.3-99.5
\$50,000- 74,999	457	28,294	4	0.6	0.0- 1.2	453	99.4	98.8- 100
\$75,000+	879	57,799	18	2.2	1.0- 3.4	861	97.8	96.6-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1150	75,715	25	2.1	1.1- 3.1	1125	97.9	96.9-98.9
Non-Native	1122	73,529	24	2.0	1.0- 3.0	1098	98.0	97.0-99.0
45-54	85	9,407	3	4.1	0.0- 9.2	82	95.9	90.8- 100
55-64	383	29,562	4	1.3	0.0- 2.7	379	98.7	97.3- 100
65+	682	36,747	18	2.1	0.9- 3.3	664	97.9	96.7-99.1
Less Than H.S.	53	5,388	1	1.2	0.0- 3.6	52	98.8	96.4- 100
H.S. or G.E.D.	306	20,188	5	0.9	0.1- 1.7	301	99.1	98.3-99.9
Some Post-H.S.	357	28,553	6	1.6	0.0- 3.2	351	98.4	96.8- 100
College Graduate	434	21,586	13	3.9	1.2- 6.6	421	96.1	93.4-98.8
\$15,000- 24,999	97	6,321				97	100.0	100.0- 100
\$25,000- 34,999	85	5,123	5	3.4	0.1- 6.7	80	96.6	93.3-99.9
\$35,000- 49,999	149	9,083	5	2.7	0.0- 5.4	144	97.3	94.6- 100
\$50,000- 74,999	210	14,476	1	0.3	0.0- 0.9	209	99.7	99.1- 100
\$75,000+	462	30,156	12	3.2	1.0- 5.4	450	96.8	94.6-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1599	90,946	36	2.1	1.3- 2.9	1563	97.9	97.1-98.7
Non-Native	1558	88,078	35	2.1	1.3- 2.9	1523	97.9	97.1-98.7
45-54	126	13,672				126	100.0	100.0- 100
55-64	453	32,130	10	2.3	0.5- 4.1	443	97.7	95.9-99.5
65+	1020	45,144	26	2.7	1.5- 3.9	994	97.3	96.1-98.5
Less Than H.S.	72	5,413	2	2.3	0.0- 5.6	70	97.7	94.4- 100
H.S. or G.E.D.	414	21,508	10	1.9	0.5- 3.3	404	98.1	96.7-99.5
Some Post-H.S.	518	37,229	12	2.6	0.8- 4.4	506	97.4	95.6-99.2
College Graduate	593	26,714	12	1.6	0.6- 2.6	581	98.4	97.4-99.4
Less than \$15,000	86	5,012	2	2.1	0.0- 5.2	84	97.9	94.8- 100
\$15,000- 24,999	206	10,620	4	1.3	0.0- 2.7	202	98.7	97.3- 100
\$25,000- 34,999	151	7,689	7	7.8	0.9-14.7	144	92.2	85.3-99.1
\$35,000- 49,999	221	11,525	5	1.5	0.0- 3.1	216	98.5	96.9- 100
\$50,000- 74,999	247	13,818	3	0.9	0.0- 2.1	244	99.1	97.9- 100
\$75,000+	417	27,643	6	1.0	0.2- 1.8	411	99.0	98.2-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2765	167,609	584	23.1	20.9-25.3	419	15.9	14.1-17.7	391	14.0	12.4-15.6	611	21.0	19.2-22.8	536	18.2	16.4-20.0	224	7.9	6.5- 9.3
Male	1168	76,726	255	22.8	19.7-25.9	195	18.0	15.3-20.7	165	13.5	11.3-15.7	263	21.9	19.0-24.8	206	16.2	13.7-18.7	84	7.6	5.6- 9.6
Female	1597	90,884	329	23.3	20.6-26.0	224	14.1	11.9-16.3	226	14.5	12.1-16.9	348	20.2	17.8-22.6	330	19.8	17.4-22.2	140	8.1	6.3- 9.9
Native	56	4,182	14	36.6	19.2-54.0	14	25.2	9.3-41.1	9	13.4	3.8-23.0	5	7.0	0.0-15.2	8	8.6	1.5-15.7	6	9.1	0.9-17.3
Non-Native	2692	162,280	569	22.9	20.7-25.1	401	15.5	13.7-17.3	380	14.0	12.4-15.6	602	21.3	19.3-23.3	523	18.4	16.6-20.2	217	7.9	6.5- 9.3
45-54	211	23,290	77	39.5	31.7-47.3	44	19.1	13.2-25.0	28	13.9	8.4-19.4	40	15.5	10.2-20.8	12	6.2	2.5- 9.9	10	5.7	1.6- 9.8
55-64	835	61,469	167	20.5	17.2-23.8	119	14.8	11.9-17.7	115	14.2	11.5-16.9	194	22.4	19.1-25.7	186	20.9	17.8-24.0	54	7.3	4.9- 9.7
65+	1719	82,850	340	20.5	18.1-22.9	256	15.8	13.6-18.0	248	13.9	11.9-15.9	377	21.5	19.1-23.9	338	19.5	17.1-21.9	160	8.9	7.3-10.5
Less Than H.S.	135	11,747	32	31.7	21.5-41.9	18	14.6	7.5-21.7	21	13.3	7.4-19.2	27	19.8	11.2-28.4	23	12.4	6.7-18.1	14	8.1	3.6-12.6
H.S. or G.E.D.	725	42,040	143	21.9	18.2-25.6	110	15.2	11.9-18.5	106	14.6	11.3-17.9	148	20.1	16.6-23.6	144	17.8	14.5-21.1	74	10.4	7.5-13.3
Some Post-H.S.	870	65,242	173	21.8	18.3-25.3	132	15.7	12.8-18.6	126	14.4	11.7-17.1	201	21.1	18.0-24.2	172	19.6	16.5-22.7	66	7.5	5.1- 9.9
College Graduate	1033	48,499	236	23.9	20.6-27.2	159	17.1	14.2-20.0	138	13.3	10.8-15.8	234	21.7	18.6-24.8	196	17.9	15.2-20.6	70	6.1	4.5- 7.7
Less than \$15,000	135	9,419	36	30.4	20.4-40.4	23	18.8	9.6-28.0	15	9.7	4.2-15.2	30	15.1	9.0-21.2	19	13.8	6.2-21.4	12	12.1	4.7-19.5
\$15,000- 24,999	304	17,026	63	23.2	16.5-29.9	48	15.1	9.4-20.8	37	13.3	8.4-18.2	61	19.4	13.5-25.3	59	16.7	11.4-22.0	36	12.3	7.0-17.6
\$25,000- 34,999	241	13,027	51	24.8	16.8-32.8	29	13.8	7.7-19.9	43	17.4	11.5-23.3	51	17.3	12.0-22.6	48	17.9	12.2-23.6	19	8.9	4.0-13.8
\$35,000- 49,999	373	20,770	77	21.6	16.3-26.9	47	12.9	8.8-17.0	58	15.4	10.7-20.1	81	20.9	15.6-26.2	67	18.0	13.1-22.9	43	11.2	7.1-15.3
\$50,000- 74,999	458	28,146	100	23.5	18.4-28.6	65	15.5	11.0-20.0	69	15.8	11.3-20.3	105	22.2	17.5-26.9	86	16.7	12.8-20.6	33	6.2	3.8- 8.6
\$75,000+	879	57,934	183	21.7	18.4-25.0	154	17.6	14.7-20.5	130	14.6	11.9-17.3	196	21.7	18.6-24.8	174	19.4	16.3-22.5	42	5.1	3.1- 7.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1168	76,726	255	22.8	19.7-25.9	195	18.0	15.3-20.7	165	13.5	11.3-15.7	263	21.9	19.0-24.8	206	16.2	13.7-18.7	84	7.6	5.6-9.6
Non-Native	1138	74,312	247	22.3	19.2-25.4	186	17.4	14.7-20.1	164	13.8	11.4-16.2	260	22.5	19.6-25.4	200	16.2	13.7-18.7	81	7.7	5.7-9.7
45-54	85	9,407	28	35.6	23.3-47.9	20	22.9	12.9-32.9	12	13.4	5.4-21.4	13	11.4	4.3-18.5	6	9.1	1.7-16.5	6	7.6	1.1-14.1
55-64	385	29,489	75	19.0	14.3-23.7	62	17.6	12.7-22.5	51	12.6	8.9-16.3	94	24.4	19.3-29.5	79	18.7	14.4-23.0	24	7.8	3.9-11.7
65+	698	37,830	152	22.7	19.0-26.4	113	17.0	13.5-20.5	102	14.2	11.3-17.1	156	22.6	18.7-26.5	121	16.0	12.7-19.3	54	7.5	5.3-9.7
Less Than H.S.	60	6,251	19	41.0	25.1-56.9	8	11.3	2.9-19.7	8	9.4	2.3-16.5	15	24.7	10.8-38.6	7	9.4	1.8-17.0	3	4.2	0.0-9.3
H.S. or G.E.D.	313	20,623	64	21.5	16.0-27.0	48	15.9	10.8-21.0	56	16.1	11.4-20.8	61	19.5	14.4-24.6	54	16.0	11.1-20.9	30	10.9	6.0-15.8
Some Post-H.S.	353	27,979	70	20.4	15.3-25.5	63	19.6	14.3-24.9	44	12.2	8.3-16.1	88	23.4	18.3-28.5	65	18.0	13.3-22.7	23	6.5	3.2-9.8
College Graduate	442	21,873	102	22.0	17.5-26.5	76	19.8	15.3-24.3	57	13.7	10.0-17.4	99	21.5	17.0-26.0	80	16.0	12.3-19.7	28	6.9	4.2-9.6
\$15,000- 24,999	98	6,439	23	22.4	12.4-32.4	15	18.1	6.9-29.3	15	15.9	7.5-24.3	20	21.0	10.2-31.8	13	9.1	3.4-14.8	12	13.4	2.8-24.0
\$25,000- 34,999	87	5,353	21	33.3	18.6-48.0	9	11.5	3.5-19.5	17	18.6	8.2-29.0	15	13.2	5.4-21.0	18	15.3	7.3-23.3	7	8.1	1.0-15.2
\$35,000- 49,999	154	9,305	36	18.7	12.2-25.2	25	17.7	10.3-25.1	22	12.9	7.0-18.8	33	21.3	13.5-29.1	26	18.6	11.0-26.2	12	10.7	3.1-18.3
\$50,000- 74,999	211	14,287	45	22.2	15.1-29.3	40	21.3	13.9-28.7	28	13.5	8.0-19.0	48	23.2	16.1-30.3	33	13.4	8.3-18.5	17	6.5	3.0-10.0
\$75,000+	462	29,983	96	20.7	16.2-25.2	80	17.7	13.6-21.8	69	14.3	10.8-17.8	105	23.2	18.7-27.7	90	19.3	14.8-23.8	22	4.8	2.4-7.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1597	90,884	329	23.3	20.6-26.0	224	14.1	11.9-16.3	226	14.5	12.1-16.9	348	20.2	17.8-22.6	330	19.8	17.4-22.2	140	8.1	6.3- 9.9
Non-Native	1554	87,968	322	23.4	20.7-26.1	215	13.8	11.6-16.0	216	14.3	11.9-16.7	342	20.3	17.9-22.7	323	20.1	17.6-22.6	136	8.0	6.2- 9.8
45-54	126	13,883	49	42.2	32.0-52.4	24	16.5	9.4-23.6	16	14.2	6.8-21.6	27	18.3	10.9-25.7	6	4.3	0.8- 7.8	4	4.5	0.0- 9.8
55-64	450	31,981	92	21.8	17.1-26.5	57	12.2	8.7-15.7	64	15.6	11.3-19.9	100	20.5	16.2-24.8	107	23.0	18.3-27.7	30	6.9	4.0- 9.8
65+	1021	45,020	188	18.6	15.7-21.5	143	14.7	12.0-17.4	146	13.7	11.2-16.2	221	20.5	17.6-23.4	217	22.4	19.1-25.7	106	10.1	7.7-12.5
Less Than H.S.	75	5,496	13	21.2	10.0-32.4	10	18.3	6.9-29.7	13	17.8	8.2-27.4	12	14.4	4.8-24.0	16	15.8	7.6-24.0	11	12.5	4.9-20.1
H.S. or G.E.D.	412	21,417	79	22.2	16.9-27.5	62	14.5	10.2-18.8	50	13.1	8.4-17.8	87	20.7	15.6-25.8	90	19.6	14.9-24.3	44	9.9	6.2-13.6
Some Post-H.S.	517	37,263	103	22.9	18.2-27.6	69	12.7	9.4-16.0	82	16.0	12.1-19.9	113	19.3	15.6-23.0	107	20.7	16.4-25.0	43	8.3	5.2-11.4
College Graduate	591	26,626	134	25.4	20.7-30.1	83	15.0	11.3-18.7	81	12.9	9.6-16.2	135	21.9	17.6-26.2	116	19.5	15.6-23.4	42	5.4	3.4- 7.4
Less than \$15,000	87	5,017	26	35.1	22.6-47.6	16	16.9	7.9-25.9	11	11.5	4.4-18.6	15	14.4	6.4-22.4	12	12.6	4.6-20.6	7	9.4	1.0-17.8
\$15,000- 24,999	206	10,587	40	23.7	15.1-32.3	33	13.2	7.3-19.1	22	11.7	5.8-17.6	41	18.5	11.8-25.2	46	21.3	13.7-28.9	24	11.5	6.0-17.0
\$25,000- 34,999	154	7,674	30	18.9	11.1-26.7	20	15.5	6.9-24.1	26	16.5	9.4-23.6	36	20.1	13.0-27.2	30	19.6	11.8-27.4	12	9.4	2.5-16.3
\$35,000- 49,999	219	11,465	41	24.0	16.0-32.0	22	8.9	4.8-13.0	36	17.5	10.4-24.6	48	20.6	13.2-28.0	41	17.5	11.2-23.8	31	11.6	7.1-16.1
\$50,000- 74,999	247	13,860	55	24.9	17.6-32.2	25	9.6	5.3-13.9	41	18.3	11.4-25.2	57	21.1	15.0-27.2	53	20.1	14.0-26.2	16	6.0	2.7- 9.3
\$75,000+	417	27,951	87	22.8	17.7-27.9	74	17.5	13.2-21.8	61	14.8	10.5-19.1	91	20.0	15.5-24.5	84	19.5	14.8-24.2	20	5.4	2.3- 8.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

SECTION 17: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	251
2	MALES ONLY	252
3	FEMALES ONLY	253
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4	MALES AND FEMALES	254
5	MALES ONLY	255
6	FEMALES ONLY	256
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7	MALES AND FEMALES	257
8	MALES ONLY	258
9	FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5222	537,508	1076	28.7	26.9-30.5	4146	71.3	69.5-73.1
Male	2495	274,325	560	28.7	26.3-31.1	1935	71.3	68.9-73.7
Female	2727	263,183	516	28.7	25.8-31.6	2211	71.3	68.4-74.2
Native	164	23,797	73	47.5	36.9-58.1	91	52.5	41.9-63.1
Non-Native	5014	508,640	997	28.0	26.0-30.0	4017	72.0	70.0-74.0
18-24	232	79,369	48	22.8	16.3-29.3	184	77.2	70.7-83.7
25-34	440	103,692	171	41.1	35.8-46.4	269	58.9	53.6-64.2
35-44	495	83,951	240	52.1	47.0-57.2	255	47.9	42.8-53.0
45-54	684	76,346	228	33.6	29.5-37.7	456	66.4	62.3-70.5
55-64	1178	86,872	218	18.3	15.6-21.0	960	81.7	79.0-84.4
65+	2193	107,278	171	7.8	6.4-9.2	2022	92.2	90.8-93.6
Less Than H.S.	264	44,114	46	29.3	20.7-37.9	218	70.7	62.1-79.3
H.S. or G.E.D.	1420	141,935	255	26.8	23.5-30.1	1165	73.2	69.9-76.5
Some Post-H.S.	1655	210,709	330	28.5	25.4-31.6	1325	71.5	68.4-74.6
College Graduate	1878	140,400	443	30.8	27.9-33.7	1435	69.2	66.3-72.1
Less than \$15,000	286	33,705	73	31.2	23.4-39.0	213	68.8	61.0-76.6
\$15,000- 24,999	579	61,232	114	29.6	23.3-35.9	465	70.4	64.1-76.7
\$25,000- 34,999	438	43,605	87	32.7	25.6-39.8	351	67.3	60.2-74.4
\$35,000- 49,999	672	62,028	131	30.3	24.8-35.8	541	69.7	64.2-75.2
\$50,000- 74,999	821	81,194	164	30.6	25.9-35.3	657	69.4	64.7-74.1
\$75,000+	1769	191,259	419	28.9	26.0-31.8	1350	71.1	68.2-74.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2495	274,325	560	28.7	26.3-31.1	1935	71.3	68.9-73.7
Native	74	11,225	31	40.5	26.8-54.2	43	59.5	45.8-73.2
Non-Native	2398	260,418	524	28.2	25.7-30.7	1874	71.8	69.3-74.3
18-24	156	41,242	29	19.1	12.4-25.8	127	80.9	74.2-87.6
25-34	261	56,903	99	41.6	34.9-48.3	162	58.4	51.7-65.1
35-44	284	44,114	132	50.8	44.1-57.5	152	49.2	42.5-55.9
45-54	341	39,174	109	32.9	27.2-38.6	232	67.1	61.4-72.8
55-64	571	43,993	104	17.1	13.4-20.8	467	82.9	79.2-86.6
65+	882	48,900	87	9.2	7.0-11.4	795	90.8	88.6-93.0
Less Than H.S.	137	23,048	24	28.2	17.2-39.2	113	71.8	60.8-82.8
H.S. or G.E.D.	740	82,313	156	26.8	22.7-30.9	584	73.2	69.1-77.3
Some Post-H.S.	763	104,567	163	28.2	24.1-32.3	600	71.8	67.7-75.9
College Graduate	852	64,097	216	32.3	28.2-36.4	636	67.7	63.6-71.8
Less than \$15,000	123	16,867	34	31.2	20.2-42.2	89	68.8	57.8-79.8
\$15,000- 24,999	244	28,035	58	26.6	19.3-33.9	186	73.4	66.1-80.7
\$25,000- 34,999	187	20,510	37	27.9	18.5-37.3	150	72.1	62.7-81.5
\$35,000- 49,999	322	32,323	74	34.0	26.7-41.3	248	66.0	58.7-73.3
\$50,000- 74,999	426	46,227	94	31.7	25.4-38.0	332	68.3	62.0-74.6
\$75,000+	967	102,702	222	27.7	24.0-31.4	745	72.3	68.6-76.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2727	263,183	516	28.7	26.0-31.4	2211	71.3	68.6-74.0
Native	90	12,572	42	53.8	38.3-69.3	48	46.2	30.7-61.7
Non-Native	2616	248,223	473	27.7	24.8-30.6	2143	72.3	69.4-75.2
18-24	76	38,127	19	26.8	15.4-38.2	57	73.2	61.8-84.6
25-34	179	46,790	72	40.6	32.4-48.8	107	59.4	51.2-67.6
35-44	211	39,837	108	53.5	45.5-61.5	103	46.5	38.5-54.5
45-54	343	37,172	119	34.4	28.5-40.3	224	65.6	59.7-71.5
55-64	607	42,879	114	19.5	15.6-23.4	493	80.5	76.6-84.4
65+	1311	58,378	84	6.7	4.9- 8.5	1227	93.3	91.5-95.1
Less Than H.S.	127	21,066	22	30.6	17.1-44.1	105	69.4	55.9-82.9
H.S. or G.E.D.	680	59,622	99	26.8	21.1-32.5	581	73.2	67.5-78.9
Some Post-H.S.	892	106,142	167	28.8	23.9-33.7	725	71.2	66.3-76.1
College Graduate	1026	76,303	227	29.5	25.4-33.6	799	70.5	66.4-74.6
Less than \$15,000	163	16,838	39	31.3	20.1-42.5	124	68.7	57.5-79.9
\$15,000- 24,999	335	33,197	56	32.1	22.5-41.7	279	67.9	58.3-77.5
\$25,000- 34,999	251	23,095	50	37.1	26.9-47.3	201	62.9	52.7-73.1
\$35,000- 49,999	350	29,705	57	26.1	18.1-34.1	293	73.9	65.9-81.9
\$50,000- 74,999	395	34,968	70	29.1	21.8-36.4	325	70.9	63.6-78.2
\$75,000+	802	88,558	197	30.4	25.7-35.1	605	69.6	64.9-74.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	838	127,226	42	3.0	1.8- 4.2	69	5.2	3.6- 6.8	104	8.7	6.7-10.7	116	12.6	9.9-15.3	373	50.8	46.3-55.3	134	19.6	15.9-23.3
Male	448	65,163	20	2.7	1.1- 4.3	30	4.6	2.6- 6.6	50	7.2	4.8- 9.6	60	13.4	9.3-17.5	207	51.3	45.6-57.0	81	20.9	16.2-25.6
Female	390	62,064	22	3.3	1.5- 5.1	39	5.9	3.4- 8.4	54	10.4	7.1-13.7	56	11.8	8.1-15.5	166	50.3	43.4-57.2	53	18.3	12.4-24.2
Native	60	9,625	1	1.5	0.0- 4.4	1	0.5	0.0- 1.5	5	4.7	0.0-10.0	5	5.6	0.0-11.5	35	60.1	43.4-76.8	13	27.6	11.1-44.1
Non-Native	773	117,012	40	2.8	1.6- 4.0	67	5.5	3.9- 7.1	99	9.1	6.9-11.3	111	13.3	10.4-16.2	337	50.3	45.8-54.8	119	19.0	15.1-22.9
25-34	153	38,752							3	2.4	0.0- 5.1	17	12.3	6.2-18.4	95	61.7	53.1-70.3	38	23.5	16.1-30.9
35-44	200	35,965				8	5.0	1.5- 8.5	22	10.3	5.6-15.0	40	18.2	12.3-24.1	102	54.0	46.2-61.8	28	12.5	7.6-17.4
45-54	178	19,211	16	12.2	5.9-18.5	33	17.4	11.1-23.7	34	18.6	12.3-24.9	18	10.0	4.9-15.1	58	30.4	23.0-37.8	19	11.5	5.8-17.2
55-64	154	11,893	16	8.4	3.9-12.9	14	7.4	3.1-11.7	24	15.5	9.0-22.0	29	18.2	10.8-25.6	56	39.4	30.0-48.8	15	11.0	4.7-17.3
65+	109	5,471	10	7.8	2.3-13.3	14	11.2	4.5-17.9	21	19.3	10.9-27.7	11	10.1	3.8-16.4	39	38.4	27.6-49.2	14	13.2	5.8-20.6
H.S. or G.E.D.	196	30,244	9	3.2	0.8- 5.6	13	2.9	0.9- 4.9	19	7.6	3.5-11.7	19	8.1	4.0-12.2	103	55.6	47.0-64.2	33	22.6	14.6-30.6
Some Post-H.S.	265	50,694	11	2.7	0.7- 4.7	22	5.7	2.8- 8.6	36	9.7	6.0-13.4	36	12.3	8.0-16.6	124	52.0	44.6-59.4	36	17.7	11.2-24.2
College Graduate	345	35,975	21	3.8	1.8- 5.8	34	8.0	4.9-11.1	48	10.4	7.1-13.7	57	16.0	11.3-20.7	128	42.4	35.9-48.9	57	19.4	14.3-24.5
Less than \$15,000	54	8,718	2	2.9	0.0- 8.2	3	2.3	0.0- 5.2	6	5.4	0.7-10.1	6	8.8	0.0-17.8	28	57.8	41.1-74.5	9	22.9	7.0-38.8
\$15,000- 24,999	87	14,896	8	4.7	1.0- 8.4	5	1.5	0.0- 3.3	6	2.5	0.0- 5.0	4	4.4	0.0- 9.1	47	65.6	51.9-79.3	17	21.3	8.8-33.8
\$25,000- 34,999	73	12,792	2	0.6	0.0- 1.6	5	4.1	0.0- 8.6	5	5.4	0.0-10.9	7	7.1	0.8-13.4	41	61.7	47.4-76.0	13	21.0	8.1-33.9
\$35,000- 49,999	107	16,925	5	3.3	0.0- 7.0	7	3.4	0.0- 6.9	12	6.6	1.9-11.3	15	11.7	4.6-18.8	50	56.0	44.2-67.8	18	19.0	9.8-28.2
\$50,000- 74,999	136	21,877	8	3.3	0.2- 6.4	12	6.2	1.9-10.5	15	8.8	3.3-14.3	22	18.1	9.5-26.7	52	42.6	32.0-53.2	27	21.0	11.8-30.2
\$75,000+	326	44,221	14	2.9	1.1- 4.7	33	7.7	4.6-10.8	57	14.2	9.9-18.5	55	15.5	10.8-20.2	129	44.5	37.6-51.4	38	15.1	9.4-20.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	448	65,163	20	2.7	1.1- 4.3	30	4.6	2.6- 6.6	50	7.2	4.8- 9.6	60	13.4	9.3-17.5	207	51.3	45.6-57.0	81	20.9	16.2-25.6
Non-Native	419	60,826	19	2.4	1.0- 3.8	29	4.6	2.6- 6.6	49	7.6	5.1-10.1	59	14.0	9.7-18.3	192	51.2	45.3-57.1	71	20.3	15.4-25.2
25-34	91	21,880							1	0.9	0.0- 2.7	8	12.1	3.7-20.5	59	64.0	53.0-75.0	23	23.0	14.0-32.0
35-44	111	18,354				5	5.1	0.6- 9.6	14	10.5	4.2-16.8	19	18.0	10.0-26.0	53	50.4	40.0-60.8	20	16.0	8.7-23.3
45-54	83	8,855	8	13.0	3.2-22.8	14	15.7	7.3-24.1	13	14.6	6.6-22.6	7	8.0	1.9-14.1	31	37.6	25.8-49.4	10	11.1	4.0-18.2
55-64	78	5,705	7	7.6	1.5-13.7	6	8.2	1.1-15.3	9	9.4	2.5-16.3	19	27.5	14.6-40.4	30	38.5	25.4-51.6	7	8.8	1.9-15.7
65+	57	2,878	5	5.2	0.3-10.1	5	6.5	0.0-13.0	13	24.4	11.7-37.1	6	13.6	3.2-24.0	20	32.3	19.0-45.6	8	18.0	5.8-30.2
H.S. or G.E.D.	121	17,654	2	1.7	0.0- 4.2	8	3.7	0.8- 6.6	11	6.2	2.1-10.3	12	7.9	3.0-12.8	67	61.3	51.5-71.1	21	19.3	11.1-27.5
Some Post-H.S.	129	24,659	5	2.5	0.0- 5.4	9	4.7	1.2- 8.2	12	5.7	1.6- 9.8	18	14.9	7.8-22.0	66	53.8	43.8-63.8	19	18.4	10.2-26.6
College Graduate	182	18,093	12	4.0	1.3- 6.7	13	6.4	2.5-10.3	27	12.0	6.9-17.1	29	16.3	9.6-23.0	65	36.4	28.2-44.6	36	24.9	17.3-32.5
\$35,000- 49,999	60	9,676	2	2.5	0.0- 6.8	3	3.7	0.0- 9.4	8	7.6	1.5-13.7	5	9.0	0.0-18.2	28	48.2	33.1-63.3	14	28.9	14.8-43.0
\$50,000- 74,999	83	13,337	5	4.5	0.0- 9.4	4	2.2	0.0- 4.6	5	2.6	0.0- 5.3	12	15.7	4.5-26.9	39	54.6	41.5-67.7	18	20.4	10.8-30.0
\$75,000+	174	21,917	7	3.1	0.4- 5.8	16	7.1	3.4-10.8	28	13.7	7.8-19.6	31	18.8	11.5-26.1	71	43.7	34.9-52.5	21	13.6	7.1-20.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	390	62,064	22	3.3	1.5- 5.1	39	5.9	3.5- 8.3	54	10.4	7.1-13.7	56	11.8	8.1-15.5	166	50.3	43.4-57.2	53	18.3	12.4-24.2
Non-Native	354	56,186	21	3.4	1.6- 5.2	38	6.4	3.7- 9.1	50	10.7	7.2-14.2	52	12.6	8.5-16.7	145	49.3	42.2-56.4	48	17.7	11.6-23.8
25-34	62	16,872							2	4.2	0.0-10.1	9	12.6	4.2-21.0	36	58.9	45.0-72.8	15	24.3	11.6-37.0
35-44	89	17,611				3	4.9	0.0-10.4	8	10.0	2.7-17.3	21	18.5	10.1-26.9	49	57.7	45.9-69.5	8	8.9	2.6-15.2
45-54	95	10,356	8	11.5	3.3-19.7	19	18.8	9.6-28.0	21	22.0	12.6-31.4	11	11.6	4.0-19.2	27	24.3	14.9-33.7	9	11.8	3.0-20.6
55-64	76	6,187	9	9.1	2.6-15.6	8	6.6	1.5-11.7	15	21.2	10.6-31.8	10	9.7	3.0-16.4	26	40.3	26.6-54.0	8	13.1	3.1-23.1
65+	52	2,593	5	10.8	0.8-20.8	9	16.3	4.5-28.1	8	13.7	3.3-24.1	5	6.2	0.3-12.1	19	45.1	28.4-61.8	6	7.8	0.9-14.7
H.S. or G.E.D.	75	12,591	7	5.3	1.0- 9.6	5	1.7	0.0- 3.5	8	9.6	1.8-17.4	7	8.5	1.1-15.9	36	47.5	32.6-62.4	12	27.4	12.3-42.5
Some Post-H.S.	136	26,034	6	2.8	0.1- 5.5	13	6.6	2.1-11.1	24	13.6	7.1-20.1	18	9.9	4.8-15.0	58	50.2	39.0-61.4	17	16.9	7.1-26.7
College Graduate	163	17,882	9	3.5	0.6- 6.4	21	9.6	4.5-14.7	21	8.9	4.6-13.2	28	15.7	8.8-22.6	63	48.4	38.6-58.2	21	13.9	7.2-20.6
\$50,000- 74,999	53	8,540	3	1.3	0.0- 3.1	8	12.6	2.4-22.8	10	18.5	5.8-31.2	10	21.7	7.8-35.6	13	23.8	9.7-37.9	9	22.0	4.2-39.8
\$75,000+	152	22,304	7	2.8	0.3- 5.3	17	8.4	3.3-13.5	29	14.7	8.2-21.2	24	12.3	6.2-18.4	58	45.4	34.8-56.0	17	16.5	7.1-25.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5365	550,932	128	4.9	3.9- 5.9	5237	95.1	94.1-96.1
Male	2564	281,051	88	5.9	4.5- 7.3	2476	94.1	92.7-95.5
Female	2801	269,881	40	3.8	2.2- 5.4	2761	96.2	94.6-97.8
Native	168	23,965	11	10.4	3.1-17.7	157	89.6	82.3-96.9
Non-Native	5151	521,860	116	4.6	3.6- 5.6	5035	95.4	94.4-96.4
18-24	235	80,882	29	13.2	8.1-18.3	206	86.8	81.7-91.9
25-34	452	106,070	41	8.4	5.7-11.1	411	91.6	88.9-94.3
35-44	506	85,879	27	4.9	2.9- 6.9	479	95.1	93.1-97.1
45-54	699	77,893	13	2.1	0.7- 3.5	686	97.9	96.5-99.3
55-64	1213	89,059	13	1.1	0.5- 1.7	1200	98.9	98.3-99.5
65+	2260	111,148	5	0.3	0.0- 0.7	2255	99.7	99.3- 100
Less Than H.S.	272	44,916	9	11.4	4.0-18.8	263	88.6	81.2-96.0
H.S. or G.E.D.	1452	144,643	43	6.0	4.0- 8.0	1409	94.0	92.0-96.0
Some Post-H.S.	1697	215,384	36	4.0	2.6- 5.4	1661	96.0	94.6-97.4
College Graduate	1938	145,504	40	3.0	2.0- 4.0	1898	97.0	96.0-98.0
Less than \$15,000	296	34,844	13	9.4	3.7-15.1	283	90.6	84.9-96.3
\$15,000- 24,999	593	61,925	19	8.5	4.2-12.8	574	91.5	87.2-95.8
\$25,000- 34,999	448	43,949	12	6.7	2.4-11.0	436	93.3	89.0-97.6
\$35,000- 49,999	691	63,405	12	3.6	1.4- 5.8	679	96.4	94.2-98.6
\$50,000- 74,999	838	82,412	24	5.6	3.1- 8.1	814	94.4	91.9-96.9
\$75,000+	1821	198,044	34	2.3	1.3- 3.3	1787	97.7	96.7-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2564	281,051	88	5.9	4.5- 7.3	2476	94.1	92.7-95.5
Native	77	11,419	7	11.7	2.5-20.9	70	88.3	79.1-97.5
Non-Native	2463	266,865	80	5.7	4.3- 7.1	2383	94.3	92.9-95.7
18-24	158	42,212	18	11.8	6.3-17.3	140	88.2	82.7-93.7
25-34	266	57,823	30	12.3	7.8-16.8	236	87.7	83.2-92.2
35-44	285	44,504	18	5.7	2.8- 8.6	267	94.3	91.4-97.2
45-54	347	40,003	8	2.4	0.6- 4.2	339	97.6	95.8-99.4
55-64	590	45,340	10	1.4	0.4- 2.4	580	98.6	97.6-99.6
65+	918	51,169	4	0.5	0.0- 1.1	914	99.5	98.9- 100
Less Than H.S.	145	24,049	3	6.0	0.0-12.7	142	94.0	87.3- 100
H.S. or G.E.D.	752	83,381	28	6.4	3.9- 8.9	724	93.6	91.1-96.1
Some Post-H.S.	790	107,699	30	6.4	3.9- 8.9	760	93.6	91.1-96.1
College Graduate	874	65,620	27	4.5	2.5- 6.5	847	95.5	93.5-97.5
Less than \$15,000	132	17,982	9	12.4	3.4-21.4	123	87.6	78.6-96.6
\$15,000- 24,999	249	28,510	9	8.4	2.9-13.9	240	91.6	86.1-97.1
\$25,000- 34,999	193	20,895	7	6.5	1.2-11.8	186	93.5	88.2-98.8
\$35,000- 49,999	333	32,747	10	6.3	2.2-10.4	323	93.7	89.6-97.8
\$50,000- 74,999	433	46,808	20	8.4	4.3-12.5	413	91.6	87.5-95.7
\$75,000+	992	105,658	25	3.0	1.6- 4.4	967	97.0	95.6-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2801	269,881	40	3.8	2.2- 5.4	2761	96.2	94.6-97.8
Native	91	12,547	4	9.3	0.0-20.5	87	90.7	79.5- 100
Non-Native	2688	254,995	36	3.6	2.0- 5.2	2652	96.4	94.8-98.0
18-24	77	38,670	11	14.8	6.0-23.6	66	85.2	76.4-94.0
25-34	186	48,248	11	3.7	1.2- 6.2	175	96.3	93.8-98.8
35-44	221	41,375	9	4.0	1.3- 6.7	212	96.0	93.3-98.7
45-54	352	37,890	5	1.8	0.0- 3.8	347	98.2	96.2- 100
55-64	623	43,719	3	0.6	0.0- 1.4	620	99.4	98.6- 100
65+	1342	59,980	1	0.1	0.0- 0.3	1341	99.9	99.7- 100
Less Than H.S.	127	20,867	6	17.7	4.2-31.2	121	82.3	68.8-95.8
H.S. or G.E.D.	700	61,261	15	5.5	2.6- 8.4	685	94.5	91.6-97.4
Some Post-H.S.	907	107,685	6	1.6	0.2- 3.0	901	98.4	97.0-99.8
College Graduate	1064	79,884	13	1.9	0.7- 3.1	1051	98.1	96.9-99.3
Less than \$15,000	164	16,862	4	6.2	0.0-12.5	160	93.8	87.5- 100
\$15,000- 24,999	344	33,415	10	8.6	1.9-15.3	334	91.4	84.7-98.1
\$25,000- 34,999	255	23,054	5	6.8	0.0-13.7	250	93.2	86.3- 100
\$35,000- 49,999	358	30,658	2	0.7	0.0- 1.7	356	99.3	98.3- 100
\$50,000- 74,999	405	35,604	4	1.9	0.0- 4.3	401	98.1	95.7- 100
\$75,000+	829	92,386	9	1.6	0.4- 2.8	820	98.4	97.2-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2018**

End of Core Data Report