

North Dakota MMIS Companion Guide to the 005010X212 Health Care Claim Status Request and Response (276/277)

ND Medicaid May 2023



Preface

This Companion Guide to the Accredited Standards Committee (ASC) X12 Technical Report Type 3 (TR3) and associated errata adopted under HIPAA clarifies and specifies the data content when exchanging electronically with the North Dakota MMIS. Transmissions based on this Companion Guide, used in tandem with the v5010 ASC X12N Technical Report Type 3 (TR3), are compliant with both ASC X12N syntax and those guides. This Companion Guide is intended to convey information that is within the framework of the TR3 adopted for use under HIPAA. The Companion Guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3.

i

Table of Contents

1 Introduction	1
Scope	2
Overview	3
References	3
Additional Information	3
2 Getting Started	4
Working with North Dakota Medicaid	4
Scheduled Downtime	4
Non-Scheduled Downtime	5
Unscheduled/Emergency Downtime	7
Trading Partner Registration	7
Certification and Testing Overview	8
3 Testing with the North Dakota MMIS	9
4 Connectivity with the North Dakota MMIS	10
Process Flows	10
Editing and Validation Flow Diagram	10
Transmission Administration Procedures	11
Re-Transmission Procedures	12
Communication Protocol Specifications	12
Web Portal	12
ND Enterprise Managed File Transfer	16
Secure Channel HTTP MIME/SOAP WSDL	16
Passwords	16
5 Contact Information	18
EDI Customer Service	18
EDI Technical Assistance	18
Provider Services Number	18
Applicable Web site/E-mail	18
6 Control Segments/ Envelopes	19
ISA-IEA	19
GS-GE	19
ST-SE	19

7 North Dakota Medicaid Specific Business Rules and Limitations	20
8 Acknowledgements and/or Reports	21
Transmission Errors and Reports	21
Transmission Errors	21
Report Inventory	23
TA1 Interchange Acknowledgement Rejection Report	23
X12C 999 Implementation Acknowledgment	25
EDIFECS Error Report	29
9 Trading Partner Agreements	33
Trading Partners	33
10 Transaction Specific Information	34
ASC X12N 277 Claim Status Response	37
Appendices	42
Implementation Checklist	
Business Scenarios	43
Transmission Examples	43
Frequently Asked Questions	
Change Summary	

1 Introduction

This 276/277 Claim Status Inquiry Companion Guide is intended for use by Trading Partners in conjunction with the ASC X12N 276/277 National Electronic Data Interchange Transaction Set Technical Report Type 3 (TR3). The TR3 can be accessed at https://x12.org/products/technical-reports (Note: select Implementation Guide — Type 3 (TR3). System will then prompt you to create a unique user ID and login password).

This Companion Guide outlines the procedures necessary for engaging in Electronic Data Interchange (EDI) with the North Dakota MMIS and specifies data clarification where applicable. Section 10 Transaction Specific Information contains provider data clarifications for fields and values that are specific for the ND MMIS.

Transaction specific data will be detailed using a table. Each row on the table will contain information on the loop, segment, or data element that is specific to the ND MMIS. The table format is as described below:

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
45	2100B	NM1	Information Receiver Name			This type of row always exists to indicate that a new segment has begun. It is always shaded at 10% and notes or comments about the segment itself goes in this cell.
46	2100B	NM109	Identification Code		15	This type of row exists to limit the length of the specified data element.
49	2100C	NM1	Provider Name			
51	2100C	NM108	Identification Code Qualifier	SV, XX		These are the only codes transmitted by the payer.

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
			Service Provider Number	SV		This type of row exists when a note for a particular code value is required. For example, this note may say that value SV is valid only for particular providers. Not populating the first 3 columns makes it clear that the code value belongs to the row immediately above it.
69	2210D	SVC	Service Line Information			
69	2210D	SVC01-1	Product/Service ID Qualifier	AD, HC, NU		This row illustrates how to indicate a component data element in the Reference column and how to specify that only one code value is applicable.

Scope

This Companion Guide is intended for use by North Dakota Medicaid Trading Partners for the submission/retrieval of the X12N 276/277 transactions to/from ND Medicaid. This Companion Document is to be used in conjunction with the 276/277 TR3.

ND Medicaid provides connectivity for the flow of medical information and data between medical providers, facilities, vendors, claim payment agencies, clearinghouses, and the front-end Online Transaction Processor (OLTP). Beyond the receipt and delivery of this data, ND Medicaid provides translation to and from ASC X12N standard formats.

The 276/277 Claims Status Inquiry/Response transaction data will be exchanged with ND Medicaid for processing and validation of the X12N format(s). Please refer to Section 4 Connectivity with the North Dakota MMIS for more information regarding transmission methods.

Overview

This Companion Guide is divided into 10 Sections. Each section will describe the process or requirement that each Trading Partner must complete to submit and receive X12N transactions for ND Medicaid.

Each section will provide the needed information of how Trading Partners will be required to complete successful transmissions to the ND Medicaid MMIS.

This Companion Guide will provide contact information for obtaining assistance from the ND Medicaid MMIS, as well as data clarifications, including ND Medicaid specific data requirements.

References

This document serves as a companion to the ASC X12N Electronic Data Interchange Technical Report Type 3 (TR3) as adopted under HIPAA. These can be accessed at: https://x12.org/products/technical-reports (Note: select Implementation Guide – Type 3 (TR3). System will then prompt you to create a unique user ID and login password)

Additional Information

For more information on North Dakota Medicaid EDI services for providers, including provider enrollment and claim transaction information, please visit: http://www.hhs.nd.gov

2 Getting Started

Working with North Dakota Medicaid

We provide availability for transaction transmission and download retrieval 24 hours a day, seven days a week. This availability is subject to scheduled and unanticipated non-scheduled downtime.

Scheduled Downtime

Holiday Schedule

The following days are recognized as official State holidays. Please note that during these days assistance with system issues will be very limited.

- New Year's Day, January 1
- Martin Luther King Day, the 3rd Monday in January
- President's Day, the 3rd Monday in February
- Memorial Day, the last Monday in May
- Independence Day, July 4
- Labor Day, the 1st Monday in September
- Veteran's Day, November 11
- Thanksgiving Day, the 4th Thursday in November
- Christmas Day, December 25
- Every day appointed by the President of the United States, or by the Governor of North Dakota for a public holiday

Routine Maintenance

It is operational policy to schedule preventative maintenance periods on the second Thursday of the month from 09:00PM to 4:00AM CT. Any alteration from this schedule will be noted in the notification message as described below.

For Scheduled downtime, a notification message will be published on the Home screen and login screen.

Scheduled downtime - Home Screen



Scheduled downtime - Login Screen



Non-Scheduled Downtime

In the event of a non-scheduled downtime, North Dakota Medicaid will resolve the outage as quickly as possible. A notification message will be displayed near the Sign In portlet of the HOME page and near the Login portlet of the Login screen, as noted below. The anticipated timeframe for resolution will be noted on the message. Also, the message will state the extent of the disruption, whether it affects the MMIS functionality only, or if it also affects electronic file transfer processing.

If the file transfer processing is affected, trading partners will receive an email notification.

Non - Routine Downtime (MMIS and File Transfer affected)- Home Screen



Non – Routine Downtime (MMIS and File Transfer affected) – login Screen



Non - Routine Downtime (File Transfer affected)- Home Screen



Non – Routine Downtime (File Transfer affected) – login Screen



Unscheduled/Emergency Downtime

North Dakota Medicaid will resolve the outage as expeditiously as possible, for Unscheduled/Emergency Downtime. Along with the MMIS notification messages outlined above, the system sends an email notification to the trading partners.

Trading Partner Registration

All entities that send electronic transactions to ND Medicaid for processing and retrieve reports and responses must enroll as EDI Trading Partners. The completed Trading Partner enrollment application provides ND Medicaid Claim Customer Service the information necessary to assign a Login Name, Login ID, and Trading Partner ID, which are required to send or retrieve electronic transactions. The Trading Partner enrollment application is available on the North Dakota Medicaid Web site at:

Certification and Testing Overview

https://mmis.nd.gov/portals/wps/portal/ProviderEnrollment

X12N transaction files are certified by EDIFECS Transaction Manager software. Transaction Manager provides accurate trading partner verification and validation of HIPAA transactions (Type 1 EDI Syntax, Type 2 HIPAA Syntax, and some Type 7 ND Trading Partner Specific). ND Medicaid requires transaction testing with all enrolling Trading Partners.

Once a Trading Partner has successfully enrolled with North Dakota Medicaid, they will be contacted by a ND EDI Specialist. The EDI Specialist will guide the Trading Partner through the testing process.

3 Testing with the North Dakota MMIS

Before submitting/retrieving production files with ND Medicaid, the Trading Partner must submit/retrieve two valid test files for each transaction type. If the Trading Partner has received a test status of "Pass", then the ND EDI Specialist will contact the Trading Partner and update the Trading Partner status to Production.


These tests verify a Trading Partner's ability to submit/retrieve a specific transaction type containing valid data in the required format. Trading Partners are encouraged to include a minimum of 10 unique inquiries per test file to ensure more comprehensive testing.

Should Trading Partners receive a test status of "Fail", then Trading Partners should review the error(s) using the EDIFECS Error Report. The ND EDI Specialist will work with the Trading Partner until the file receives a status of "Pass". If Trading Partners require further assistance with resolving errors, please contact a ND EDI Specialist by email at NDMMISEDI@nd.gov, or call 701-328-2325 or 844-848-0844.

4 Connectivity with the North Dakota MMIS

Process Flows

Editing and Validation Flow Diagram



Legend:

- Content Identification: Data identification is attempted. If the data can be identified, it is then
 checked for Trading Partner Relationship Validation.
- 2. **Trading Partner Relationship Validation:** The Trading Partner information is validated. If the Trading Partner relationship is valid, the data will be passed for X12N syntax validation.
- 3. X12N Syntax Validation: A determination will be made as to whether the data is ASC X12N. An X12C 999 (Implementation Acknowledgement) will be sent to the mailbox of the submitter. The X12C 999 contains ACCEPT, REJECT or PARTIAL status. If the file contained syntactical errors, the segment(s), and element(s) where the error(s) occurred will be reported in the X12C 999 and will be further detailed in the EDIFECS Report.
- 4. Payer Business Edits: If the data passes X12N syntax validation, payer business edits, such as the NPI "check digit" validation" will be performed. Any errors found will be returned in an X12C 999, with details explaining the segment(s) and element(s) where the error(s) occurred. The X12C 999 will be sent to the Mailbox System for submitter retrieval.
- Data Transformation: Inbound X12N data is translated to XML format and passed to the North Dakota MMIS for processing. The 276-transaction file is created and made available to the Trading Partner.

Transmission Administration Procedures

Enrolled ND Trading Partners will submit X12N 276 transaction data to ND Medicaid for processing. ND Medicaid validates submission of X12N format(s). The TA1 Interchange Acknowledgement reports the syntactical analysis of the interchange header and trailer. If the data (Interchange Envelope) is invalid, the file will be rejected. A TA1 will be delivered to the Trading Partner mailbox and a copy forwarded to the Trading Partner Support Specialist for review. If the Trading Partner/Transaction Type relationship does not exist in the Trading Partner Management Database (a missing or invalid Trading Partner ID), then a TA1 will not be generated because the relationship does not exist within the ND Medicaid EDIFECS Trading Partner Management Database. A report of the TA1 will be generated and delivered to the Trading Partner Support Specialist for additional review.

An X12C 999 Implementation Acknowledgement is generated when a file has passed the interchange header and trailer validation. A negative X12C 999 is generated if the file contains one or more Type 1 or Type 2 EDI or HIPAA Syntax errors or Type 7 ND Trading Partner Specific errors. The segment(s) and element(s) where the error(s) occurred will be reported to the submitter in the X12C 999 response.

The EDIFECS Error Report will only be produced for Type 1 and Type 2 HIPAA Syntax errors and for Type 7 ND Trading Partner Specific errors.

If you have questions or require assistance with your TA1 or X12C 999 please contact ND Medicaid Claim Customer Service by email at NDMMISEDI@nd.gov, or call 701-328-2325 or 844-848-0844.

Re-Transmission Procedures

Transmission/Production Issues

When file transmission or technical production issues occur, which could require the resubmission of files, please contact ND Medicaid Claim Customer Service by email at NDMMISEDI@nd.gov, or call 701-328-2325 or 844-848-0844.

Please have the following information available when calling ND Medicaid Claim Customer Service regarding transmission and production issues.

- Trading Partner ID
- Web Portal Login Name (if using the Web Portal)
- Enterprise Managed File Transfer ID (MFT) (if using Secure FTP)

Communication Protocol Specifications

North Dakota Trading Partners can submit X12N files and download files such as the X12N 835, X12N 277CA, TA1, and X12C 999 via the ND Health Enterprise MMIS Web Portal and/or Managed File Transfer (MFT).

Web Portal

The Web Portal method allows a Trading Partner to initiate the submission of a batch file for processing by ND Medicaid. A Trading Partner must be an authenticated portal user who is either an active ND Provider, or an authorized representative of the Provider. The Trading Partner accesses the Web Portal via a Web browser and is prompted for a login and password. Trading Partners may select files for upload from their PC or work environment using the "Browse" function. All 276 files submitted must meet the ASC X12N 276 standard.

Note: All files submitted via the Web Portal must be less than 10MB. The File Name can be a maximum of 80 Characters. A "space" is not allowed in the file name. An "underscore" may be used in the file name instead of a space

Web Portal Upload Procedures

- 1. In your Web browser, log on to the **North Dakota MMIS Health Enterprise Portal** at https://mmis.nd.gov/portals/wps/portal/EnterpriseHome.
- 2. From the EDI menu, select Upload X12.




North Dakota MMIS Web Portal



3. Navigate to the file you wish to upload using the Browse button or type the path and filename into the File Information field.



4. Click **Submit**. Information on the file submitted is displayed in the **Upload Completed** screen.



5. To retrieve the file confirmation, click on the **Message Center** button to go to your mailbox.

Web Portal Data Retrieval Procedures

The Web Portal allows a Trading Partner to initiate file retrieval. Once logged into the Provider Homepage, multiple functions such as File Retrieval are available.

Downloading Files from the Web Portal

- 1. In your Web browser, log on to the **North Dakota MMIS Health Enterprise Portal** at https://mmis.nd.gov/portals/wps/portal/EnterpriseHome.
- 2. From the EDI menu, select File Retrieval Mailbox.




3. Select the X12 radio button; select a file type; and if desired, enter beginning and end dates for the search.




4. Click the Search button. The Results view displays files matching the search criteria. From the Results view, click the Creation Date of the file for downloads.


Note: After the first time selecting the files, the **Show All** box needs to be checked to retrieve them again



5. Click Save, to save the file to your PC.



6. Specify a path for download and click Save again.



ND Enterprise Managed File Transfer

ND Enterprise Managed File Transfer (MFT), or commonly referred to as Secure FTP is an appropriate alternative to the North Dakota Web Portal for large files (i.e., files more than 10MB each). MFT setup is separate from Trading Partner Enrollment, but still coordinated through ND Medicaid Claim Customer Service. Trading partners may use MFT for submission and retrieval of files. Note that ND Medicaid staff will not provider technical support for applications other than MFT.

Note: File Name is a maximum of 128 Characters. A "space" is not allowed in the inbound file name. An "underscore" may be used in the inbound file name instead of a space.

Managed File Transfer Setup and Support

Upon successful Trading Partner enrollment, a Trading Partner MFT account will be created. Trading Partners set up for submission and/or retrieval of files via the MFT mechanism will receive connectivity details from ND Medicaid Claim Customer Service once setup is complete. This information will include login credentials, policies concerning passwords, file retention, and basic information on site navigation. The ND Enterprise Managed File Transfer secured website is https://mft.nd.gov/.

If the Trading Partner requires support (i.e. account becomes locked or experiences connectivity issues), the Trading Partner should contact ND Medicaid Claim Customer Service by email at NDMMISEDI@nd.gov, or call 701-328-2325 or 844-848-0844.

Secure Channel HTTP MIME/SOAP WSDL

These are CAQH (Council for Affordable Quality HealthCare) compliant safe harbor channels. HTTP MIME is implemented as a RESTFUL Web Service and SOAP WSDL as a SOAP Web Service. Trading partners can use these web services to submit batch and real time transactions, retrieve the acknowledgements and responses, submit acknowledgements, etc. These channels are secured by a username and password through SSL communication.

Passwords

Log in Credentials: In order to receive your authorized user log in credentials all Trading Partners, regardless of submission method, must be enrolled with ND Medicaid and approved as Trading Partners on the ND Health Enterprise MMIS. Log in credentials include names/ids and passwords, that will be required for the submission of transactions to ND Medicaid.

The following login credentials are issued depending on the chosen communication method.

Web Portal User ID/Password: This Web Portal User ID allows Trading Partners access to the North Dakota MMIS Health Enterprise Portal for functions that include file submission and file retrieval. ND Medicaid Claim Customer Service also uses the logon name to access Web Portal data submissions.

MFT ID/Password: These are the login credentials for the ND Medicaid Managed File Transfer site. These allow FTP Trading Partners to access assigned folders for file submission or to retrieve responses. ND Medicaid Claim Customer Service also uses this secure FTP ID to reference your MFT data submissions.

Secure Channel HTTP MIME/SOAP WSDL Password: Trading partners are setup manually to be able to process transactions through HTTP MIME/SOAP WSDL channels. Trading Partners must contact the EDI Department 1-844-848-0844 to get access for using connectivity methods with secured id and password. Trading Partner ID and contact information details will be needed. Once Trading Partner access is granted, the user credentials will be forwarded to the Trading Partner.

5 Contact Information

EDI Customer Service

ND Medicaid Claim Customer Service is available to all ND Medicaid Trading Partners, Monday through Friday from 8:00 a.m. to 5:00 p.m., Central Time, at the following numbers:

Toll Free: (844) 848-0844

Local: (701) 328-2325

EDI Technical Assistance

ND Medicaid Claim Customer Service assists users with questions about electronic submissions. ND Medicaid Claim Customer Service is available to all ND Medicaid Trading Partners, Monday through Friday from 8:00 a.m. to 5:00 p.m., Central Time, at (844) 848-0844 or (701) 328-2325 ND Medicaid Claim Customer Service specializes in the following:

- Provides information on available services
- Creates user accounts for file submission for approved Trading Partners
- Verifies receipt of electronic transmissions
- Aids Trading Partners experiencing transmission difficulties

Provider Services Number

ND Medicaid Claim Customer Service is available to all ND Medicaid Trading Partners, Monday through Friday from 8:00 a.m. to 5:00 p.m., Central Time, at (844) 848-0844 or (701) 328-2325.

Applicable Web site/E-mail

Please visit https://mmis.nd.gov/portals/wps/portal/EnterpriseHome for ND Medicaid provider and Trading Partner services information, including Trading Partner enrollment information, FAQs, manuals, and related documentation.

6 Control Segments/ Envelopes

ISA-IEA

ND Medicaid will read the Interchange Control Segments to validate the Interchange Envelope of each ASC X12 file received for processing. If the Interchange Envelope is invalid, the Trading Partner will receive a TA1 Interchange Acknowledgement. In the event a TA1 is generated, the TA1 will be delivered to the Trading Partner Mailbox. The ISA table provides sender and receiver codes, authorization, and delimiter information.

GS-GE

ND Medicaid permits Trading Partners to submit single or multiple functional groups within an X12 file. If the X12 file contains multiple functional groups, ND Medicaid will split a file containing multiple functional groups in several files for processing. As a result, the Trading Partner will receive multiple X12C 999 Implementation Acknowledgments.

ST-SE

ND Medicaid will require a unique Transaction Set Control Number in the ST02. The ST02 value should match the SE02 value. Should a file contain multiple ST to SE Transaction Sets, each transaction set control number may not be duplicated within the same interchange (ISA to IEA).

7 North Dakota Medicaid Specific Business Rules and Limitations

Many of the data elements detailed in this Companion Guide reflect ND business requirements, but still meet the standard requirements in the ASC X12N TR3. Inclusion of a "business-required" data field, as defined by this Companion Guide, will aid in the delivery of a positive response from the ND Health Enterprise MMIS. For more information regarding ND specific billing requirements, consult the applicable ND Medicaid provider billing manual, which can be downloaded from the ND Medicaid Web site at: https://mmis.nd.gov/portals/wps/portal/EnterpriseHome

Note on decimal/amount fields: Even though the X12N transaction defines Amount fields as having an 18-byte maximum, there is an additional HIPAA rule that limits all decimal fields to a maximum of 10 characters, including the two implied or reported decimal places. Accordingly, for all decimal or amount fields:

- "123456789012" is not an acceptable amount, because it is greater than 10 bytes.
- "12345678.90" is acceptable because the number of digits is not greater than 10; the decimal point itself is not limited by the rule.
- However, "1234567890" is not acceptable because the X12N engine assumes that a decimal point and succeeding zeroes are implied so that the actual number being communicated is "1234567890.00", which is greater than 10 bytes.
- The 10-byte limitation applies to all decimal or amount fields, including AMT segments, but also including any other fields that hold amounts or decimals, such as 837 SV207, CAS03, CAS06, CAS09, CAS12, CAS15, CAS18, HI01-5, HI02-5, HCP02 and HCP03, etc.

For all fields not listed in these bullets, follow the guidelines in the ASC X12N Electronic Data Interchange Technical Report Type 3 (TR3), available at https://x12.org/products/technical-reports (Note: select Implementation Guide – Type 3 (TR3). System will then prompt you to create a unique user ID and login password).

North Dakota MMIS Companion Guide Version: 005010X212 Health Care Claim Status Request and Response (276/277)

8 Acknowledgements and/or Reports

Transmission Errors and Reports

The acceptance/rejection reports generated depend on the type of error, and the level where the error occurs. Depending on the error level, the result may be the rejection of an entire file or a single inquiry.

Transmission Errors

Transmission Errors can occur when there are errors in the ISA segment. The ISA is part of the Interchange Control. A transmission error will occur when the ISA and/or GS Sender and Receiver information is not submitted correctly or does not pass the Edifecs Trading Partner Validation process. When the file is unable to be recognized, an audit report will be generated and posted to the Trading Partner mailbox. If the Trading Partner is unable to be identified in either the ISA or GS, the audit report will still generate and post to a mailbox created for the Trading Partner ID found in the inbound file. The Trading Partner should use the audit report to correct and resubmit their X12 file.

 Example: Leading spaces before the start of the data makes the file unrecognizable. Compliance Check expects "ISA" in the first three spaces.

EDIFECS Audit Report

Business Message: The values are not equal.

Business path: SE/96

Powered by Edifecs **Error Report** Executed Thursday, March 13, 2014 01:16:42 PM (GMT) C:\Edifecs\XEServer\profiles\Enterprise_NorthDakota_837_835_Batch\workspace\E0222F50-2618-4150-BF69-1A434F7F65E7 This report shows the results of a submitted data file validated against a guideline. If there are errors, you must fix the application that created the data file and then generate and submit a new data file. Failed 1 Error(s) Interchange Received: Interchange Accepted: Rejecting Normal:1 1 Interchange Interchange Status: Rejected Sender Qualifier: ZZ Receiver Qualifier: ZZ Version: 00501 Time: 1230 Sender ID: ND1746 Receiver ID: ND00994 Control Number: 800065404 Date: 130501 FunctionalGroup Received: 1 FunctionalGroup Accepted: 0 1.1 FunctionalGroup FunctionalGroup Status: Rejected Sender ID: ND1746 Control Number: 131210002 Date: 20130501 Receiver ID: ND00994 Version: 005010X223A2 Time: 1230 TransactionSets Received: 1 TransactionSets Accepted: 0 Transaction Status: Rejected Provider Received: Provider Accepted: Control Number: 0001 Severity Guideline Properties The number of submitted segments in your file is 46. Number of included segments (SE01) has a value of 47'. Please review the specification and re-submit a test. 96 54430 Number of Included Segments ID: IID: This error was detected at: Segment Count: 46 0x810005 Element Count: 1 Characters: 1335 through 1337 Mandatory SE* 47 *0001 1 Normal Must Use

10 Numeric with implied decimal

Type:

Report Inventory

The three acceptance/rejection reports are:

- TA1 Interchange Acknowledgement
- X12C 999 Implementation Acknowledgement
- EDIFECS Error Report

TA1 Interchange Acknowledgement Rejection Report

The ISA and GS segments contain the header and trailer information within the Interchange (ISA-IEA) and Functional Group (GS-GE) envelopes. Some ISA-IEA and GS-GE problems will result in the entire submission being rejected resulting in the generation of a TA1 to be delivered to the Trading Partner mailbox. If the Trading Partner relationship does not exist (a missing or invalid Trading Partner ID), a TA1 will not be generated because the relationship does not exist within the ND Medicaid Trading Partner Management Database (TPMS).

A report of the TA1 will be generated daily and delivered ND Medicaid Claim Customer Service for additional review. For additional information regarding the TA1, please refer to the ASC X12C 999 (v005010X231A1) Electronic Data Interchange Technical Report Type 3 (TR3).

The TA1 Interchange Acknowledgement Report may result from various sources:

- The submitted file is not recognized as an X12N file due to file corruption or data errors in the ISA-IEA or GS-GE envelopes.
- The submitted file has errors that would prevent the translation engine from uniquely identifying the file, transaction type, or submitter.
- The ISA01 contains a value other than 00 or 03.

Interchange-Level Errors and the TA1 Rejection Report

Envelope problems that make it impossible to identify the ISA-IEA envelope will result in a TA1 Interchange Acknowledgement rejection of the entire submission.

An example of an Interchange-Level error that will result in a TA1:

The Header Interchange Control Number in ISA13 ("014640000") does not match the Trailer Interchange Control Number in IEA02 ("014640001"). The interchange envelope cannot be validated when the ISA13 and IEA02 do not contain the same values.

```
ISA*00* *00* *2Z*654321*ZZ*NDDHSMED
*120602*0800*^*00501*014640000*1*P*:~
GS*HR*654321*NDDHSMED*20120602*0800*19990000*X*005010X212~
ST*276*0001*005010X212~
BHT*0010*13*12345*20120602*1530~
```

```
HL*1**20*1~
NM1*PR*2*ND Medicaid****PI*NDDHSMED~
HL*2*1*21*1~
NM1*41*2*GENERAL BILLING AGENCY****46*ND001~
HL*3*2*19*1~
NM1*1P*2*GENERAL HOSPITAL****XX*1073715579~
HL*4*3*22*0~
DMG*D8*20001010*M~
NM1*IL*1*SMITH*LARRY***MI*10464071391~
TRN*1*123456789012345~
AMT*T3*1200.00~
DTP*472*RD8*20120102-20120102~
SE*15*0001~
GE*1*19990000~

IEA*1* 014640001
```

Functional Group Level Errors and the TA1 Rejection Report

When the ISA-IEA and GS-GE envelopes are identifiable, but the Trading Partner is not authorized for the transaction, the entire submission is rejected with a TA1.

Example of a Functional-Group-Level error that will result in a TA1 rejection:

• If an invalid Receiver ID is transmitted in the GS.

```
ISA*00*
                               *ZZ*654321
                                                  *ZZ*NDDHSMED
*120716*0800*^*00501*014640001*1*P*:~
      GS*HR*654331*02600068*20120716*0800*19990000*X*005010X212~
         ST*276*0001*005010X212~
           BHT*0010*13*12345*20120716~
           HL*1**20*1~
           NM1*PR*2*ND Medicaid****PI*NDDHSMED~
           HL*2*1*21*1~
           NM1*41*2*GENERAL BILLING AGENCY****46*ND001~
           HL*3*2*19*1~
           NM1*1P*2*GENERAL HOSPITAL****XX*1073715579~
           HL*4*3*22*0~
           DMG*D8*20001010*M~
           NM1*IL*1*SMITH*LARRY****MI*10464071391~
           TRN*1*123456789012345~
           AMT*T3*1200.00~
           DTP*472*RD8*20120102-20120102~
         SE*15*0001~
      GE*1*19990000~
IEA*1*014640001~
```

X12C 999 Implementation Acknowledgment

If the file, envelope, and submitter are recognized, the file is passed through Compliance Check to determine the syntactical validity of the X12N submission. An X12C 999 Implementation Acknowledgement is generated for all files that receive an accepted TA1. If errors are found, a rejected or partial X12C 999 will be generated. If errors are not found, an X12C 999 will be generated with an accepted acknowledgment. If the Trading Partner receives a rejected or partial X12C 999, the Trading Partner will review, correct, and resubmit. For additional information regarding the X12C 999, please refer to the ASC X12C 999 (v005010X231A1 Electronic Data Interchange Technical Report Type 3 (TR3). If the Trading Partner requires additional assistance with the X12C 999, please contact ND Medicaid Claim Customer Service.

Interchange Level Errors and the X12C 999 Implementation Acknowledgement

If the Interchange Header is recognizable and all elements are the proper length, but the header contains syntactically invalid data, such as invalid qualifiers or data relationships, an X12C 999 will be generated.

Example of an Interchange-Level error that will result in an X12C 999:

"K" is technically a valid repetition separator. An accepted TA1 will be produced. However, if "K" is used anywhere in the file, it will be classified as a repetition separator and it will fail as a syntax error on the X12C 999. ND Medicaid recommends using a caret (^) as the repetition separator.

```
ISA*00*
                 *00*
                               *XX*654321
                                                  *ZZ*NDDHSMED
*120616*0800*K*00501*014640000*1*P*:~
      GS*HR*654321*NDDHSMED*20120616*0800*19990000*X*005010X212~
         ST*276*0001*005010X212~
           BHT*0010*13*12345*20120616~
           HL*1**20*1~
           NM1*PR*2*ND Medicaid*****PI*NDDHSMED~
           HL*2*1*21*1~
           NM1*41*2*GENERAL BILLING AGENCY****46*ND001~
           HL*3*2*19*1~
           NM1*1P*2*GENERAL HOSPITAL****XX*1073715579~
           HL*4*3*22*0~
           DMG*D8*20001010*M~
           NM1*IL*1*SMITH*KERRY****MI*10464071391~
           TRN*1*123456789012345~
           AMT*T3*1200.00~
           DTP*472*RD8*20120102-20120102~
         SE*15*0001~
      GE*1*19990000~
IEA*1*014640000~
```

Functional Group Level Errors and the X12C 999 Implementation Acknowledgement

When the GS and GE segments are identifiable and the Trading Partner is authorized for the transaction, but a syntactical error is identified in the GS or GE segments, the entire functional group (from GS to GE) is rejected with an X12C 999.

Example of Functional Group Level Error that will result in an X12C 999:

The transaction was built with incorrect Total Number of transaction sets at the Functional Group Trailer. GE01 should be 2 because the Functional Group contains two ST to SE transaction sets.

```
*00*
ISA*00*
                               *ZZ*654321
                                                  *ZZ*NDDHSMED
*120716*0800*^*00501*014640000*1*P*:~
      GS*HR*654321*NDDHSMED*20120716*0800*19990000*X*005010X212*1~
           ST*276*0001*005010X212~
           BHT*0010*13*12345*20120716~
           HL*1**20*1~
           NM1*PR*2*ND Medicaid****PI*NDDHSMED~
           HL*2*1*21*1~
           NM1*41*2*GENERAL BILLING AGENCY****46*ND001~
           HL*3*2*19*1~
           NM1*1P*2*GENERAL HOSPITAL****XX*1073715579~
           HL*4*3*22*0~
           DMG*D8*20001010*M~
           NM1*IL*1*SMITH*LARRY****MI*10464071391~
           TRN*1*123456789012345~
           AMT*T3*1200.00~
           DTP*472*RD8*20120102-20120102~
           SE*15*0001~
           ST*276*0002~
           BHT*0010*13*12345*20120102~
           HL*1**20*1~
           NM1*PR*2*ND Medicaid****PI*NDDHSMED~
           HL*2*1*21*1~
           NM1*41*2*GENERAL BILLING AGENCY****46*ND001~
           HL*3*2*19*1~
           NM1*1P*2*GENERAL HOSPITAL****XX*1073715579~
           HL*4*3*22*0~
           DMG*D8*20001010*M~
           NM1*IL*1*SMITH*LARRY****MI*10464071391~
           TRN*1*123456789012345~
           AMT*T3*1200.00~
           DTP*472*RD8*20120102-20120102~
           SE*15*0002~
      GE*1*19990000~
IEA*1*014640000~
```

Transaction Set Level Errors and the X12C 999

If an error is identified within the Submitter, Receiver, or Provider loops, the entire Transaction Set (ST and SE segments and all segments in between) is rejected with an X12C 999. However, if the functional group consists of additional transactions without errors, the other transactions will be processed.

Example of a Transaction Set Level Error:

 The following example contains an invalid Payer ID of 77101. The Payer ID for ND Medicaid is NDDHSMED.

```
ISA*00*
                 *00*
                              *ZZ*654321
                                                 *ZZ*NDDHSMED
*120716*1234*^*00501*987654321*0*P*~
     GS*HR*654321*NDDHSMED*20120718*16265868*900000201*X*005010X212a1
      ST*276*0001*005010X212~
         BHT*0010*13*12345*20120716~
         HL*1**20*1~
         NM1*40*2*ND Medicaid****46*77101~
         HL*2*1*21*1~
         NM1*41*2*GENERAL BILLING AGENCY****46*ND001~
         HL*3*2*19*1~
         NM1*1P*2*GENERAL HOSPITAL****XX*1073715579~
         HL*4*3*22*0~
          DMG*D8*20001010*M~
         NM1*IL*1*SMITH*LARRY****MI*10464071391~
         TRN*1*123456789012345~
         AMT*T3*1200.00~
         DTP*472*RD8*20120102-20120102~
      SE*15*0001~
   GE*1*900000201
IEA*1*987654321
```

Inquiry-Level Errors and the X12C 999

In a case where header, submitter, receiver, provider, and subscriber loops are all valid, but an error occurs in a claim status inquiry, only the inquiry containing the error is rejected.

Example of an Inquiry Level Error:

• In the following example, the qualifier "RR" is not valid for the NM101 element. The inquiry below it will still be processed.

```
ISA*00*
                               *ZZ*654321
                                                   *ZZ*NDDHSMED
*120716*1234*^*00501*987654321*0*P*~
      GS*HR*654321*NDDHSMED*20120716*16265868*900000201*X*005010X212
         ST*276*0001*005010X212~
           BHT*0010*13*12345*20120716~
           HL*1**20*1~
           NM1*PR*2*ND Medicaid****PI*NDDHSMED~
           HL*2*1*21*1~
           NM1*41*2*GENERAL BILLING AGENCY****46*ND001~
           HL*3*2*19*1~
           NM1*1P*2*GENERAL HOSPITAL****XX*1073715579~
           {\tt HL} * 4 * 3 * 22 * 0 \sim
           DMG*D8*20001010*M~
           NM1*IL*1*SMITH*LARRY***MI*10464071391~
           TRN*1*123456789012345~
           AMT*T3*1200.00~
           DTP*472*RD8*20120102-20120102~
         SE*15*0001~
         ST*276*0002~
           BHT*0010*13*12345*20120102~
           HT.*1**20*1~
           NM1*PR*2*ND Medicaid****PI*NDDHSMED~
           HL*2*1*21*1~
           NM1*41*2*GENERAL BILLING AGENCY****46*ND001~
           HL*3*2*19*1~
           NM1*1P*2*GENERAL HOSPITAL****XX*1073715579~
           HL*4*3*22*0~
            DMG*D8*20001010*M~
            NM1*RR*1*SMITH*LARRY****MI*10464071391~
            TRN*1*123456789012345~
            AMT*T3*1200.00~
            DTP*472*RD8*20120102-20120102~
           HL*5*3*22*0~
           DMG*D8*20001010*M~
           NM1*IL*1*SMITH*LARRY****MI*10464071391~
           TRN*1*123451189012345~
           AMT*T3*100.00~
           DTP*472*RD8*20120113-20120113~
         SE*21*0002~
      GE*2*900000201
IEA*1*987654321
```

EDIFECS Error Report

Every X12N transaction that does not receive a TA1 or X12C 999 transaction rejection will pass through the EDIFECS Compliance Check engine. EDIFECS generates a full report of all Loops, Segments, Elements, along with the data contained within them, and explanations of the errors, if any. This report is especially useful in troubleshooting errors when it is combined with the X12C 999. The EDIFECS reports will be available to Trading Partners in their mailbox.

Below is an abbreviated sample Error Report that shows the level of detail contained in the EDIFECS Error Report. Note that the invalid data is shown in **bold** type, and the full explanation of the error is given in the "Error Message" column.

Sample EDIFECS Error Report

Error Report

Submitted: Thursday, July 09, 2012, 10:27:11 (Central Time)

Guideline: Spec3.ecs

Data File: I:\CustomerImplementation\ND\Test Data\276\x12s only\276 - Test

This report shows the results of a submitted data file validated against a guideline. If there are errors, you must fix the application that created the data file and then generate and submit a new data file.

Summary Report

Total Errors: 6
Total Warnings: 0
Total Information: 0

Error Count by WEDI SNIP Type							
SNIP Type SNIP Name Counts							
0	System	0					
1	EDI Syntax	4 Errors 0 Warnings 0 Information					
2	HIPAA Syntax	2 Errors 0 Warnings 0 Information					

S	Sample EDIFECS Error Report								
#	Error ID	Error Message	Error Data	SNIP Type	Severity	Guideline Pro	pperties		
1	0x81002B	The length of Element ST02 (Transaction Set Control Number) is '10'. The maximum allowed length is '9'. Segment ST is defined in the guideline at position 010. This error was detected at: Segment Count: 3 Element Count: 2 Characters: 175 through 185 The data element is too long.	ST*276* 000000011	1 - EDI Syntax	Normal	Element: Name: ID: Standard Option: Type: Min Length: Max Length: User Option:	ST02 Transaction Set Control Number 329 Mandatory AN 4 9 Required		
2	0x810024	Element NM108 (Identification Code Qualifier) does not contain a valid identification code: '45' is not allowed. Segment NM1 is defined in the guideline at position 050. This error was detected at: Segment Count: 9 Element Count: 8	NM1*41*1*HOUSE, JOHN MD*JOHN**** 45 *096489106	2 - HIPAA Syntax		Element: Name: ID: Standard Option: Type: Min Length: Max Length: User Option:	NM108 Identification Code Qualifier 66 Conditional ID 1 2 Required		

	Characters: 348 through 350					
	An invalid code value was encountered.					
3 0x81003C	Element DMG02 (Date Time Period) contains a lexical format rule - the data in this element did not match the rule. The lexical format pattern specified in the guideline is CCYYMMDD. Segment DMG is defined in the guideline at position 040. This error was detected at: Segment Count: 13 Element Count: 2 Characters: 438 through 447 A lexical format mismatch occurred.	DMG*D8* 200010101 *F	2 - HIPAA Syntax	Normal	Element: Name: ID: Standard Option: Type: Min Length: Max Length: User Option:	DMG02 Date Time Period 1251 Conditional AN 1 35 Required
	Element TRN02 (Reference Identification) is missing. This Element's standard option is 'Mandatory'. Segment TRN is defined in the guideline at position 090. This Element was expected in: Segment Count: 15 Element Count: 2 Character: 494 A data element with 'Mandatory' status is missing.		1 - EDI Syntax		Element: Name: ID: Standard Option: Type: Min Length: Max Length: User Option:	Reference Identification 127 Mandatory AN 1 30 Required
5 0x810076	There are extra trailing Element	TRN*1*	1 - EDI	Normal		

	0.040005	separators at the end of TRN Segment. Segment TRN is defined in the guideline at position 090. This error was detected at: Segment Count: 15 Characters: 493 through 494 Extra delimiters were encountered.		Syntax			
6	0x810005	Element SE02 (Transaction Set Control Number) has a value of '000000001'. The expected value was '0000000011'. Segment SE is defined in the guideline at position 160. This error was detected at: Segment Count: 18 Element Count: 18 Element Count: 2 Characters: 543 through 552 The values are not equal.	SE*16* 00000001	1 - EDI Syntax	Normal	Element: Name: ID: Standard Option: Type: Min Length: Max Length: User Option:	SE02 Transaction Set Control Number 329 Mandatory AN 4 9 Required

9 Trading Partner Agreements

Prior to engaging in EDI with the North Dakota MMIS Enterprise, prospective Trading Partners must complete a Trading Partner enrollment package, which includes a Trading Partner Signature Agreement Form that requires an original signature. Please follow all enrollment instructions and mail the signed Trading Partner Agreement Form to ND Medicaid, along with any other required documents to complete the enrollment application process.

Please find all ND Provider/Trading Partner Enrollment information at: https://mmis.nd.gov/portals/wps/portal/ProviderEnrollment

The mailing address is:

North Dakota Health and Human Services Attn: ND Medicaid Claim Customer Service 600 East Boulevard Avenue, Dept 325 Bismarck, ND 58505-0250

Trading Partners

In simple terms, an EDI Trading Partner is defined as any provider or agent acting on behalf of a provider that transmits electronic transaction data to or receives electronic transaction data from a health plan.

There are two different types of Trading Partners for the ND Medicaid:

First, there are Vendors, Billing Agents, Clearinghouses and Switch Vendors who engage in Electronic Data Interchange (EDI) which may include claims and eligibility inquiries on behalf of enrolled ND Title XIX providers. These Trading Partners are not enrolled providers, their only interaction with the MMIS is to submit and retrieve electronic data files.

Second, there are providers re-enrolling under the Title XIX Program who use their own software programs to engage in Electronic Data Interchange (EDI) with the ND Medicaid. Some providers may use the MMIS online file upload and retrieval features via the North Dakota MMIS Health Enterprise Portal.

10 Transaction Specific Information

This section contains data clarifications, including ND-specific data requirements. For additional guidance on the use of business rules, please see Section 7 ND Medicaid Specific Business Rules and Limitations.

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.3	N/A	ISA	Interchange Control Header			
C.4	N/A	ISA05	Interchange ID Qualifier	ZZ		
C.4	N/A	ISA06	Interchange Sender ID			Trading Partner ID assigned by North Dakota Medicaid
C.5	N/A	ISA07	Interchange ID Qualifier	ZZ		
C.5	N/A	ISA08	Interchange Receiver ID	NDDHSMED		
C.7	N/A	GS	Functional Group Header	Group		
C.7	N/A	GS02	Application Sender's Code			Trading Partner ID assigned by North Dakota Medicaid
C.7	N/A	GS03	Application Receiver's Code	NDDHSMED		
41	2100A	NM1	Payer Name			

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
41	2100A	NM103	Name Last or Organization Name	ND Medicaid		
42	2100A	NM108	Identification Code Qualifier	PI		
42	2100A	NM109	Identification Code	NDDHSMED		
45	2100B	NM1	Information Receiver Name			
46	2100B	NM109	Identification Code Trading Partner ID of the entity sending this transaction			
49	2100C	NM1	Provider Name			
51	2100C	NM108	Identification Code Qualifier	Code SV, XX		
56	2100D	NM1	Subscriber Name			
56	2100D	NM108	Identification Code MI Qualifier			
56	2100D	NM109	Identification Code	Identification ND Medicaid		

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
59	2200D	REF	Payer Claim Control Number			
59	2200D	REF02	Reference Identification			If sent, this needs to be the ND Medicaid 17-digit TCN number
69	2210D	SVC	Service Line Information			
69	2210D	SVC01-1	Product/Servi ce ID Qualifier	AD, HC, NU		If sent, these are the values ND Medicaid accepts
75	2000E	HL	Dependent Level			All Medicaid Members are assigned their own Member ID. There isn't a Subscriber/Depen dent relationship that is supported by a single Member ID. All 276 Inquiries must have the Member request information in the 2000D-Subscriber Level loop. Any information in the 2000E-Dependent Level loop will not be recognized.

ASC X12N 277 Claim Status Response

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.3	N/A	ISA	Interchange Control Header			
C.4	N/A	ISA05	Interchange ID Qualifier	ZZ		
C.4	N/A	ISA06	Interchange Sender ID	NDDHSMED		
C.5	N/A	ISA07	Interchange ID Qualifier	ZZ		
C.5	N/A	ISA08	Interchange Receiver ID			Trading Partner ID assigned by North Dakota Medicaid
C.7	N/A	GS	Functional Group Header			
C.7	N/A	GS02	Application Sender's Code	NDDHSMED		
C.7	N/A	GS03	Application Receiver's Code			Trading Partner ID assigned by North Dakota Medicaid
111	2100A	NM1	Payer Name			

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
111	2100A	NM103	Name Last or Organization Name	ND Medicaid		
112	2100A	NM108	Identification Code Qualifier	PI		
112	2100A	NM109	Identification Code	NDDHSMED		
113	2100A	PER	Payer Contact Information			
114	2100A	PER02	Name	ND Medicaid		
114	2100A	PER03	Communicati on Number Qualifier	TE		
114	2100A	PER04	Communicati on Number	7013282325		
114	2100A	PER05	Communicati on Number Qualifier	TE		
115	2100A	PER06	Communicati on Number	8448480844		
115	2100A	PER07	Communicati on Number Qualifier	EM		
115	2100A	PER08	Communicati on Number	NDMMISEDI@ nd.gov		
113	2100A	PER	Payer Contact Information			

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
114	2100A	PER02	Name	ND Medicaid		
114	2100A	PER03	Communicati on Number Qualifier	FX		
114	2100A	PER04	Communicati on Number	7013281544		
118	2100B	NM1	Information Receiver Name			
119	2100B	NM101	Identification Code	SV, XX		
126	2100C	NM1	Provider Name			
128	2100C	NM108	Identification Code Qualifier	SV, XX		
128	2100C	NM109	Identification Code			ND Medicaid will return the Provider Identifier that was sent in the same field in the 271 inquiry
135	2100D	NM1	Subscriber Name			
136	2100D	NM108	Identification Code Qualifier	МІ		
136	2100D	NM109	Identification Code	ND Medicaid Member ID		

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
138	2200D	STC	Claim Level Status Information			
138	2200D	STC01	Industry Code			In the event the File Transfer process is down: 1) Real-Time Claims Inquiry - STC01 will be populated with E1 (Response not possible - System Status) 2) Batch Claims Inquiry - the Claims Response will be provided when the File Transfer system is operational
145	2200D	STC06	Date			To Be Paid/To Be Denied Status = Adjudication Date Paid/Denied Status = Adjudication Date Suspended Status = blank
146	2200D	STC08	Date			To Be Paid/To Be Denied Status = Adjudication Date Paid/Denied Status = Remittance Date Suspended Status = blank

TR3 Page	Loop ID	Reference	Name	Codes	Length	Notes/Comments
157	2220D	SVC	Service Line Information			
157	2220D	SVC01-1	Product/Servi ce ID Qualifier	AD, HC, NU		

Appendices

Implementation Checklist

ND Medicaid Claim Customer Service assists new Trading Partners with enrollment and testing. The following checklist will help trading partners to begin exchanging information with ND Medicaid.

Tr	Trading Partner Checklist							
	Task	Responsibility	Completed Date					
	Enroll in the new MMIS as a Trading Partner at: https://mmis.nd.gov/portals/wps/portal/ProviderEnrollment	Trading Partner and ND Medicaid						
	Exchange Contact information for Business, Technical and/or Data contacts. (Name, Phone number, Email address and Mailing Address)	Trading Partner and ND Medicaid						
	Confirm X12 Transaction selections	Trading Partner and ND Medicaid						
	Establish Standard ISA and GS information	Trading Partner and ND Medicaid						
	Determine communication method	Trading Partner and ND Medicaid						
	Establish a schedule for testing	Trading Partner and ND Medicaid						
	Complete the testing for all selected X12 Transactions	Trading Partner and ND Medicaid						

	Promote Trading Partner to Production status	Trading Partner and ND Medicaid
	Production cut-over	ND Medicaid
	Begin sending X12 transactions to new MMIS for processing	Trading Partner

Business Scenarios

Please contact ND Medicaid Claim Customer Service to discuss your specific EDI related business needs, should they not be covered in this guide or other available North Dakota Medicaid X12N transaction companion guides.

Transmission Examples

Please contact ND Medicaid Claim Customer Service for transmission examples beyond the samples already provided in this guide.

Frequently Asked Questions

For current Provider and Trading Partner FAQs, please visit the following page: https://mmis.nd.gov/portals/wps/portal/ProviderFAQ

Change Summary

Version	Date	Description	Description of Changes
1.0	11/05/2012	Initial Document for Deliverables	Document reformatted to meet CAQH CORE standard companion guide format (Phase I CORE Req. 152).
1.1	10/26/2014	Change ND ID	Change ND ID from ND00994 to NDDHSMED
1.2	05/25/2017	Updates related to HIPAA Operating Rules requirements	Added information pertaining to: (1) System Availability, (2) MIME/SOAP Communication Protocol (3) Real-Time response when File Transfer is down
1.3	05/23/2023	Update Dept Logo, Phone Numbers, Verbiage	