
SAFETY DATA SHEET





Health

Be Legendary

Section 1. Identification

GHS product identifier	: Carbon Dioxide, Solid or Dry Ice
Chemical name Other	: Carbon dioxide, solid
means of identification	: Dry ice; carbonic anhydride
Product type Product	
use Synonym	: Solid.
SDS #	: Synthetic/Analytical chemistry.
	: Dry ice; carbonic anhydride
	: 001091
Supplier's details	: Praxair Welding Gas and Supply Store 820 E Front Ave Bismarck, ND 58504 1-701-223-8255
Emergency number	:1-800-363-0042

Section 2. Hazards identification **OSHA/HCS** status : Not classified. : Not classified by Globally Harmonized System of Classification and Labeling (GHS). **Classification of the** substance or mixture **GHS label elements** Signal word : Warning **Hazard statements** : May displace oxygen and cause rapid suffocation. May increase respiration and heart rate. May cause frostbite.

Precautionary statements	
General	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: Contact with cryogenic liquid can cause frostbite and cryogenic burns.

Section 3. Composition/information on ingredients

Substance/mixture	: Substance
Chemical name	: Carbon dioxide, solid
Other means of identification	: Dry ice; carbonic anhydride
Product code	: 001091

CAS number/other identifiers

CAS number	: 124-38-9		
Ingredient name		%	CAS number
Carbon Dioxide		100	124-38-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Date of issue/Date of revision	: 11/9/2020
--------------------------------	-------------

Section 3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necess	sary first aid measures
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effe	<u>cts</u>
Eye contact	: May cause eye irritation.
Inhalation	: May be harmful if inhaled. May cause respiratory irritation.
Skin contact	: Harmful if absorbed through the skin. May cause skin irritation.
Frostbite	: Try to warm up the frozen tissues and seek medical attention.
Ingestion	: May be harmful if swallowed and enters airways.
<u>Over-exposure signs/symp</u>	<u>ptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate mee	dical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide

Date of issue/Date of revision	:11/9/2020	Date of previous issue	: 11/9/2020	Version : 1	2/10
--------------------------------	------------	------------------------	-------------	-------------	------

Section 5. Fire-fighting measures

Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protect	tive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ontainment and cleaning up
Small spill	 Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
Section 7 Handlin	a and storage

muning and storage

Precautions for safe handling	1	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene		Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities		Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters Occupational exposure limits

Section 8. Exposure controls/personal protection

Ingredient name		Exposure limits	
Carbon Dioxide		ACGIH TLV (United States, 3/2017). STEL: 54000 mg/m ³ 15 minutes. STEL: 30000 ppm 15 minutes. TWA: 9000 mg/m ³ 8 hours. TWA: 5000 ppm 8 hours. NIOSH REL (United States, 10/2016). STEL: 54000 mg/m ³ 15 minutes. STEL: 30000 ppm 15 minutes. TWA: 9000 mg/m ³ 10 hours. TWA: 5000 ppm 10 hours. OSHA PEL (United States, 6/2016). TWA: 9000 mg/m ³ 8 hours. TWA: 5000 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). STEL: 54000 mg/m ³ 15 minutes. STEL: 30000 ppm 15 minutes. TWA: 18000 mg/m ³ 8 hours. TWA: 18000 mg/m ³ 8 hours. TWA: 10000 ppm 8 hours.	
Appropriate engineering controls	: Good general ventilation should be suf contaminants.	ficient to control worker exposure to airborne	
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
Individual protection meas	ures		
Hygiene measures	eating, smoking and using the lavator Appropriate techniques should be use	oughly after handling chemical products, before y and at the end of the working period. ed to remove potentially contaminated clothing. eusing. Ensure that eyewash stations and safety location.	
Eye/face protection		roved standard should be used when a risk	

face protection	: Safety eyewear complying with an approved standard should be used when a risk
	assessment indicates this is necessary to avoid exposure to liquid splashes, mists,
	gases or dusts. If contact is possible, the following protection should be worn, unless
	the assessment indicates a higher degree of protection: safety glasses with side-
	shields.

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be
	worn at all times when handling chemical products if a risk assessment indicates this is
	necessary.

Body protection	: Personal protective equipment for the body should be selected based on the task being
	performed and the risks involved and should be approved by a specialist before
	handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Skin protection

Section 9. Physical and chemical properties

Appearance	
Physical state	: Solid. [WHITE SNOW-LIKE SOLID]
Color	: White.
Odor	: Not available.
Odor threshold	: Not available.
рН	: Not available.
Melting point	: Sublimation temperature: -78.5°C (-109.3 to °F)
Boiling point	: Not available.
Critical temperature	: 31°C(87.8°F)
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Notavailable.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Specific Volume (ft ³ /lb)	: 0.6579
Gas Density (lb/ft ³)	: 1.52
Relative density	: Density Solid (Dry Ice) 97.5189 lb./ft.3 at -109.3° F
Solubility	: Not available.
Solubility in water	: Notavailable.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.
Molecular weight	: 44.01 g/mole

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will notoccur.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects

rotential acute ficalification	
Eye contact	: May cause eye irritation.
Inhalation	: May be harmful if inhaled. May cause respiratory irritation.
Skin contact	: Harmful if absorbed through the skin. May cause skin irritation.
Ingestion	: May be harmful if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Notavailable.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Notavailable.

Date of	issue/Date	of revision	

Section 11. Toxicological information

Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products
	via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Section 1/ Transport information

Section 14. Transport mormation					
	DOT	TDG	Mexico	IMDG	ΙΑΤΑ
UN number	UN1845	UN1845	UN1845	UN1845	UN1845
UN proper shipping name	CARBON DIOXIDE, SOLID OR DRY ICE	CARBON DIOXIDE, SOLID; OR DRY ICE	CARBON DIOXIDE, SOLID OR DRY ICE	CARBON DIOXIDE, SOLID (DRY ICE)	CARBON DIOXIDE, SOLID
Transport hazard class(es)	9	9	9	9	9
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

"Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product."

Additional information	
DOT Classification	: Limited guantity Yes. Quantity limitation Passenger aircraft/rail: 200 kg. Cargo aircraft: 200 kg.
TDG Classification	 Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9). <u>Explosive Limit and Limited Quantity Index</u> 5 <u>Passenger Carrying Ship Index</u> 200 <u>Special provisions</u> 18
ΙΑΤΑ	: Quantity limitation Passenger and Cargo Aircraft: 200 kg. Cargo Aircraft Only: 200 kg.
Special precautions for user	: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in bulk according to Annex II of MARPOL and the IBC Code	: Not available.

Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a) C	DR Exempt/Partial exe	mption: This mater	ial is listed or exempted.	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed				
Clean Air Act Section 602 Class I Substances	: Not listed				
Clean Air Act Section 602 Class II Substances	: Not listed				
DEA List I Chemicals (Precursor Chemicals)	: Not listed				
DEA List II Chemicals (Essential Chemicals)	: Not listed				
SARA 302/304					
Composition/information	on ingredients				
No products were found.					
Date of issue/Date of revision	: 11/9/2020	Date of previous issue	: 11/9/2020	Version : 1	8/10

Section 15. Regulatory information

SARA 304 RQ

: Notapplicable.

SARA 311/312 Classification

: Refer to Section 2: Hazards Identification of this SDS for classification of substance.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals


Not listed.

Inventory list

Australia	: This material is listed or exempted.
Canada	: This material is listed or exempted.
China	: This material is listed or exempted.
Europe	: This material is listed or exempted.
Japan	: Japan inventory (ENCS): This material is listed or exempted. Japan inventory (ISHL): This material is listed or exempted.
Malaysia	: Notdetermined.
New Zealand	: This material is listed or exempted.
Philippines	: This material is listed or exempted.
Republic of Korea	: This material is listed or exempted.
Taiwan	: This material is listed or exempted.
Thailand	: Not determined.
Turkey	: This material is listed or exempted.
United States	: This material is listed or exempted.
Viet Nam	: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Section 16. Other information

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

	Classification	Justification
Not classified.		
History		
Date of printing	: 11/10/2018	
Date of issue/Date of revision	: 11/10/2018	
Date of previous issue	: 6/26/2018	
Version	:1	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = BioconcentrationFactor GHS = Globally Harmonized System of Classification a IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coeff MARPOL = International Convention for the Prevention as modified by the Protocol of 1978. ("Marpol" = marin UN = United Nations	ficient n of Pollution From Ships, 1973
References	: Not available.	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.