

# NORTH DAKOTA

## 2005 Module Variables Report

### Behavioral Risk Factor Surveillance System

April 6, 2006



MODULE 1: DIABETES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
ARE YOU TAKING DIABETES PILLS? (DIABPILL)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 1: DIABETES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
19	MALES AND FEMALES	22
20	MALES ONLY	23
21	FEMALES ONLY	24
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)	
22	MALES AND FEMALES	25
23	MALES ONLY	26
24	FEMALES ONLY	27
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
25	MALES AND FEMALES	28
26	MALES ONLY	29
27	FEMALES ONLY	30
	WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
28	MALES AND FEMALES	31
29	MALES ONLY	32
30	FEMALES ONLY	33
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
31	MALES AND FEMALES	34
32	MALES ONLY	35
33	FEMALES ONLY	36
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
34	MALES AND FEMALES	37
35	MALES ONLY	38
36	FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	306	32,173	9	2.8	0.45-5.19	28	14.5	8.09-20.9	60	21.1	15.7-26.5	103	29.1	23.4-34.8	106	32.5	26.6-38.4
Male	125	15,640	1	2.1	0.00-6.09				29	22.9	14.5-31.3	45	30.3	21.4-39.2	40	29.8	21.0-38.7
Female	181	16,534	8	3.5	0.90-6.16	18	14.1	7.42-20.8	31	19.5	12.4-26.5	58	27.9	20.8-35.1	66	34.9	27.1-42.8
Non-Native	284	29,403	8	2.6	0.20-5.06	25	13.9	7.24-20.6	52	19.1	13.8-24.4	98	30.1	24.2-36.1	101	34.2	27.9-40.4
55-64	71	6,714				3	5.5	0.00-13.0							7	11.8	3.06-20.5
65+	158	15,136				4	1.8	0.04-3.56	17	11.7	5.57-17.8	38	22.7	15.5-29.9	99	63.8	55.3-72.2
H.S. or G.E.D.	105	10,600	2	2.0	0.00-4.83	6	8.1	1.39-14.8	19	17.0	9.04-25.0	37	33.1	23.3-42.9			
Some Post-H.S.	90	9,430	4	2.8	0.00-5.81												
College Graduate	63	7,000	3	6.1	0.00-15.1												
Less than \$15,000	52	4,364	3	6.3	0.00-13.6	6	8.8	1.80-15.8									
\$25,000- 34,999	57	5,550	3	7.4	0.00-18.4	2	5.6	0.00-13.7									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	125	15,640	1	2.1	0.00-6.11				29	22.9	14.4-31.3	45	30.3	21.4-39.2	40	29.8	21.2-38.5
Non-Native	117	14,597	1	2.2	0.00-6.55				23	18.4	10.7-26.2	44	32.0	22.5-41.6	39	31.4	22.3-40.4
65+	58	6,589				1	0.9	0.00-2.71	5	7.3	0.76-13.9						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	181	16,534	8	3.5	0.90-6.16	18	14.1	7.40-20.8	31	19.5	12.4-26.5	58	27.9	20.7-35.1	66	34.9	27.1-42.8
Non-Native	167	14,806	7	3.0	0.68-5.38	15	11.9	5.71-18.2	29	19.8	12.4-27.2	54	28.3	20.9-35.6	62	37.0	28.7-45.3
65+	100	8,547				3	2.5	0.00-5.25	12	15.1	5.67-24.5	24	20.4	12.2-28.7			
H.S. or G.E.D.	60	5,401	2	3.9	0.00-9.43				9	13.4	4.79-22.0						
Some Post-H.S.	58	4,827	4	5.5	0.00-11.2	6	10.6	1.99-19.2									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	311	32,547	87	29.8	23.7-36.0	224	70.1	64.0-76.3
Male	126	15,700	44	34.8	25.0-44.6	82	65.2	55.4-75.0
Female	185	16,847	43	25.2	17.7-32.8	142	74.8	67.2-82.3
Non-Native	288	29,716	81	29.5	23.2-35.8	207	70.5	64.2-76.8
65+	163	15,510	39	25.6	17.9-33.3	124	74.4	66.7-82.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	126	15,700	44	34.8	24.9-44.7	82	65.2	55.3-75.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	185	16,847	43	25.2	17.6-32.8	142	74.8	67.2-82.4
Non-Native	171	15,119	39	24.1	16.5-31.8	132	75.8	68.2-83.5
65+	104	8,860	19	18.2	9.62-26.8	85	81.8	73.2-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	311	32,547	218	65.6	58.8-72.4	93	34.4	27.6-41.2
Female	185	16,847	129	68.2	60.2-76.1	56	31.8	23.9-39.8
Non-Native	288	29,716	199	64.6	57.6-71.7	89	35.3	28.3-42.4
65+	163	15,510	125	76.1	68.6-83.6	38	23.9	16.4-31.4
H.S. or G.E.D.	106	10,670	80	72.2	62.4-82.0	26	27.8	18.0-37.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES

TABLE 8: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	185	16,847	129	68.2	60.2-76.1	56	31.8	23.9-39.8
Non-Native	171	15,119	119	69.0	61.0-77.1	52	30.9	22.9-39.0
65+	104	8,860	81	79.4	70.5-88.2	23	20.6	11.8-29.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Times per Day			Times per Week			Times per Month			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	311	32,547	35	13.0	7.16-18.9	201	63.6	56.9-70.3	56	17.4	12.8-22.1	13	3.7	1.56-5.92	6	2.2	0.33-4.09
Male	126	15,700							27	19.4	12.1-26.7	6	4.4	0.72-8.02	2	2.1	0.00-5.22
Female	185	16,847	16	8.1	4.04-12.1	129	70.9	63.6-78.2	29	15.6	9.52-21.7	7	3.1	0.72-5.58	4	2.3	0.01-4.51
Non-Native	288	29,716	34	14.1	7.73-20.4	185	62.2	55.2-69.2	52	17.6	12.7-22.6	11	3.6	1.35-5.93	6	2.4	0.36-4.48
55-64	71	6,714	7	11.0	2.59-19.4							5	5.8	0.70-10.9	2	2.5	0.00-5.95
65+	163	15,510	18	9.2	4.91-13.5	107	65.3	57.2-73.5	28	18.6	11.6-25.7	7	4.6	0.95-8.29	3	2.2	0.00-4.63
Less Than H.S.	50	5,290										2	4.3	0.00-10.7	1	1.8	0.00-5.33
H.S. or G.E.D.	106	10,670	12	10.5	4.62-16.4	70	66.9	57.1-76.6	17	14.9	7.82-22.0	4	4.2	0.12-8.28	3	3.5	0.00-7.87
Some Post-H.S.	90	9,430							18	19.4	10.2-28.7	4	3.8	0.00-7.99	1	1.4	0.00-4.04
College Graduate	65	7,157	5	7.3	0.44-14.2				11	15.1	5.99-24.2	3	2.5	0.00-5.36	1	1.7	0.00-4.95
Less than \$15,000	54	4,510	7	11.5	3.16-19.8										1	1.6	0.00-4.68
\$15,000- 24,999	67	7,405							9	11.5	1.92-21.0	3	2.8	0.00-6.19	2	3.0	0.00-7.30
\$25,000- 34,999	59	5,706	6	10.6	1.76-19.5				8	13.3	4.24-22.4	3	6.0	0.00-13.0	1	1.5	0.00-4.45

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Times per Week			Times per Month			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	126	15,700				27	19.4	12.3-26.6	6	4.4	0.72-8.02	2	2.1	0.00-5.24
Non-Native	117	14,597				25	19.5	12.0-26.9	5	4.3	0.45-8.09	2	2.3	0.00-5.63
65+	59	6,649	7	7.8	1.88-13.8				4	8.4	0.45-16.4	1	1.8	0.00-5.34

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Times per Day			Times per Week			Times per Month			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	185	16,847	16	8.1	4.04-12.1	129	70.9	63.6-78.2	29	15.6	9.50-21.7	7	3.1	0.70-5.60	4	2.3	0.01-4.51
Non-Native	171	15,119	16	9.0	4.52-13.5	118	69.5	61.8-77.3	27	15.9	9.46-22.4	6	3.0	0.46-5.60	4	2.5	0.01-5.03
65+	104	8,860	11	10.3	4.17-16.4				17	18.1	8.84-27.5	3	1.8	0.00-3.83	2	2.4	0.00-5.84
H.S. or G.E.D.	61	5,471	5	8.2	1.13-15.2				9	14.0	4.47-23.5	2	3.8	0.00-8.99	2	2.9	0.00-6.88
Some Post-H.S.	58	4,827							9	15.1	5.37-24.8	2	2.9	0.00-7.08	1	2.7	0.00-7.82

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 13: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	305	31,865	191	58.6	51.7-65.5	71	26.7	20.0-33.4	16	4.9	2.40-7.34	1	0.2	0.00-0.65	22	8.3	4.47-12.2	4	1.3	0.00-2.66
Male	122	15,229							6	3.9	0.61-7.27				8	6.6	1.87-11.3	1	0.8	0.00-2.34
Female	183	16,635	116	61.2	52.9-69.5	39	20.9	14.0-27.8	10	5.7	2.14-9.32	1	0.4	0.00-1.24	14	9.9	4.03-15.8	3	1.8	0.00-3.95
Non-Native	282	29,034	180	60.0	52.9-67.2	65	26.5	19.4-33.6	13	4.3	1.86-6.64	1	0.2	0.00-0.71	19	7.5	3.78-11.2	4	1.5	0.00-2.93
55-64	70	6,588				12	15.6	6.64-24.6	6	7.9	1.52-14.3				3	6.2	0.00-13.3			
65+	159	15,098	103	63.4	54.9-71.9	33	20.3	13.4-27.2	5	3.8	0.38-7.20	1	0.5	0.00-1.39	14	10.0	4.17-15.9	3	2.0	0.00-4.21
H.S. or G.E.D.	104	10,479				21	20.7	11.9-29.4	4	3.5	0.00-6.97				7	7.3	1.80-12.7	3	2.9	0.00-6.25
Some Post-H.S.	89	9,304							8	8.9	2.54-15.3	1	0.8	0.00-2.25	7	7.6	1.66-13.5	1	1.3	0.00-3.82
College Graduate	64	7,013							3	3.4	0.00-7.39				2	4.8	0.00-11.2			
Less than \$15,000	52	4,299							3	6.9	0.00-14.7				3	4.6	0.00-9.86	2	4.1	0.00-9.80
\$15,000- 24,999	67	7,405							1	0.8	0.00-2.54	1	0.9	0.00-2.83						
\$25,000- 34,999	59	5,706							2	4.3	0.00-10.4				3	6.5	0.00-14.2	1	2.1	0.00-6.21

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 14: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Month			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	122	15,229	6	3.9	0.61-7.27	8	6.6	1.81-11.4	1	0.8	0.00-2.34
Non-Native	113	14,126	4	2.9	0.00-6.02	6	5.7	0.96-10.4	1	0.8	0.00-2.52
65+	57	6,449	2	4.3	0.00-10.3	4	6.2	0.00-12.7	1	1.9	0.00-5.52

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 15: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	183	16,635	116	61.2	52.9-69.5	39	20.9	14.0-27.8	10	5.7	2.14-9.32	1	0.4	0.00-1.24	14	9.9	4.01-15.8	3	1.8	0.00-3.95
Non-Native	169	14,907	109	64.2	55.9-72.5	34	18.6	12.1-25.1	9	5.5	1.85-9.11	1	0.5	0.00-1.39	13	9.2	3.53-14.9	3	2.0	0.00-4.41
65+	102	8,649				21	19.8	11.1-28.6	3	3.4	0.00-7.35	1	0.8	0.00-2.43	10	12.9	3.98-21.9	2	2.0	0.00-4.92
H.S. or G.E.D.	60	5,401							2	4.3	0.00-10.2				4	6.5	0.00-13.2	3	5.6	0.00-12.1
Some Post-H.S.	58	4,827				11	15.7	6.58-24.8	5	10.0	1.39-18.6	1	1.5	0.00-4.32	6	11.6	2.25-21.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 16: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	311	32,547	26	7.6	4.30-10.8	285	92.4	89.2-95.7
Male	126	15,700	13	8.9	3.52-14.3	113	91.1	85.7-96.5
Female	185	16,847	13	6.3	2.45-10.2	172	93.7	89.8-97.6
Non-Native	288	29,716	22	7.0	3.73-10.2	266	93.0	89.8-96.3
55-64	71	6,714	5	4.8	0.47-9.21	66	95.2	90.8-99.5
65+	163	15,510	11	4.9	1.89-7.89	152	95.1	92.1-98.1
H.S. or G.E.D.	106	10,670	8	6.3	1.73-10.9	98	93.7	89.1-98.3
Some Post-H.S.	90	9,430	10	9.1	3.02-15.3	80	90.8	84.7-97.0
College Graduate	65	7,157	3	5.0	0.00-11.4	62	95.0	88.6-0100
\$15,000- 24,999	67	7,405	7	10.6	1.33-20.0	60	89.4	80.1-98.7
\$25,000- 34,999	59	5,706	4	5.5	0.00-11.1	55	94.5	88.9-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 17: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	126	15,700	13	8.9	3.46-14.4	113	91.1	85.6-96.5
Non-Native	117	14,597	12	9.2	3.39-15.0	105	90.8	85.0-96.6
65+	59	6,649	5	5.7	0.52-10.9	54	94.3	89.1-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 18: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	185	16,847	13	6.3	2.45-10.2	172	93.7	89.8-97.6
Non-Native	171	15,119	10	4.8	1.66-8.04	161	95.1	92.0-98.3
65+	104	8,860	6	4.3	0.75-7.77	98	95.7	92.2-99.2
H.S. or G.E.D.	61	5,471	3	3.5	0.00-7.64	58	96.5	92.4-100
Some Post-H.S.	58	4,827	5	7.4	0.32-14.5	53	92.6	85.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	301	31,690	47	14.7	10.3-19.2	75	25.0	19.4-30.6	37	10.5	6.87-14.2	67	22.9	17.3-28.6	43	13.1	8.97-17.2	32	13.7	7.52-19.9
Male	123	15,324	24	17.3	10.2-24.4	31	24.0	15.7-32.3	14	10.5	4.59-16.5	22	20.8	12.0-29.6	18	11.7	6.07-17.3			
Female	178	16,367	23	12.3	6.69-17.9	44	25.9	18.5-33.4	23	10.5	6.06-15.0	45	24.9	17.8-32.1	25	14.4	8.45-20.4	18	11.8	5.82-17.9
Non-Native	279	28,950	45	15.6	10.8-20.5	69	24.8	19.0-30.6	36	10.8	7.01-14.6	61	22.9	17.1-28.8	40	13.2	8.98-17.4	28	12.6	6.24-19.0
55-64	69	6,540							8	10.6	2.73-18.5				9	11.8	3.96-19.7	8	12.1	3.41-20.7
65+	155	14,827	22	13.3	7.19-19.5	41	27.1	19.3-35.0	18	10.1	5.26-14.9	38	26.1	18.2-33.9	20	12.2	6.61-17.7	16	11.2	5.52-16.8
H.S. or G.E.D.	103	10,558	14	11.6	5.39-17.7				11	9.9	4.03-15.9	20	17.7	9.49-25.9	18	17.9	9.64-26.3	8	6.7	1.90-11.4
Some Post-H.S.	86	9,039	10	11.1	3.72-18.4	17	18.0	9.18-26.9	11	10.0	3.20-16.8				12	11.9	4.64-19.2			
College Graduate	65	7,157							12	15.2	5.70-24.7				7	10.3	2.56-18.0	5	9.0	0.66-17.3
\$15,000- 24,999	64	7,189							8	8.9	2.18-15.7				8	11.1	2.63-19.6			
\$25,000- 34,999	59	5,706	6	8.7	1.65-15.8															

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	123	15,324	24	17.3	10.2-24.3	31	24.0	15.7-32.4	14	10.5	4.67-16.4	22	20.8	12.1-29.5	18	11.7	6.11-17.2			
Non-Native	115	14,311	23	18.1	10.6-25.6	29	23.9	15.2-32.5	13	9.8	4.09-15.5	19	19.4	10.6-28.2	17	12.1	6.17-18.0			
65+	57	6,399	10	15.2	5.87-24.5				4	6.6	0.00-13.2				9	13.5	4.40-22.5	7	12.5	3.33-21.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	178	16,367	23	12.3	6.68-18.0	44	25.9	18.5-33.4	23	10.5	6.06-15.0	45	24.9	17.7-32.1	25	14.4	8.45-20.4	18	11.8	5.80-17.9
Non-Native	164	14,639	22	13.3	7.10-19.5	40	25.7	18.0-33.4	23	11.8	6.81-16.7	42	26.4	18.6-34.1	23	14.3	8.26-20.3	14	8.6	3.80-13.4
65+	98	8,428	12	11.9	3.66-20.2	26	26.4	16.5-36.3	14	12.7	5.92-19.6				11	11.2	4.17-18.2	9	10.2	3.04-17.3
H.S. or G.E.D.	58	5,359	7	11.3	2.67-20.0				7	10.8	2.87-18.7	11	16.0	6.29-25.7				6	8.4	1.50-15.4
Some Post-H.S.	56	4,686	6	9.7	1.97-17.4				7	11.0	2.72-19.2				7	12.2	2.61-21.8	6	12.0	2.62-21.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 22: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	294	30,730	249	82.6	76.2-89.0	1	0.8	0.00-2.46	13	4.6	1.85-7.29	31	12.0	5.99-18.0
Male	118	14,524							7	5.6	1.16-10.1			
Female	176	16,206	151	86.6	81.0-92.3	1	1.6	0.00-4.66	6	3.6	0.35-6.93	18	8.1	4.32-12.0
Non-Native	273	28,024	236	85.1	78.6-91.7				9	3.3	0.92-5.58	28	11.6	5.26-18.0
55-64	69	6,618							4	6.7	0.00-14.0			
65+	151	14,244	120	82.6	76.6-88.7				5	2.6	0.22-5.04	26	14.8	9.09-20.4
H.S. or G.E.D.	99	10,277	89	86.1	77.5-94.7				3	4.2	0.00-9.13	7	9.7	2.22-17.2
Some Post-H.S.	87	9,135							4	4.6	0.00-9.80			
College Graduate	62	6,701	57	93.5	87.5-99.5				2	3.2	0.00-7.87	3	3.3	0.00-7.13
\$15,000- 24,999	63	6,903							3	4.8	0.00-11.2			
\$25,000- 34,999	59	5,706	52	87.3	77.6-97.1				4	8.1	0.00-16.6	3	4.6	0.00-9.75

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 23: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	118	14,524	7	5.6	1.18-10.0				
Non-Native	110	13,482	4	2.9	0.00-5.84				
65+	54	5,929	3	4.4	0.00-9.51	8	13.2	4.16-22.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 24: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	176	16,206	151	86.6	81.0-92.3	1	1.6	0.00-4.66	6	3.6	0.33-6.95	18	8.1	4.32-12.0
Non-Native	163	14,542	141	87.8	82.5-93.1				5	3.6	0.02-7.12	17	8.6	4.49-12.8
65+	97	8,315	77	82.8	75.3-90.2				2	1.4	0.00-3.31	18	15.9	8.63-23.1
H.S. or G.E.D.	56	5,241							2	5.9	0.00-14.4	3	5.4	0.00-11.7
Some Post-H.S.	56	4,692	50	90.8	83.5-98.2				2	2.9	0.00-7.28	4	6.2	0.17-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 25: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Respondents that reported having no feet  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	297	31,020	78	27.3	21.3-33.2	65	23.4	16.8-29.9	31	8.5	5.19-11.8	39	13.5	8.87-18.2	26	7.7	4.61-10.8	58	19.6	14.4-24.8
Male	122	15,279	35	29.9	20.5-39.4				11	6.6	2.27-11.0	16	14.8	7.10-22.6	11	7.4	2.88-12.0	23	18.5	10.8-26.2
Female	175	15,741	43	24.7	17.3-32.1	39	24.1	16.7-31.5	20	10.3	5.47-15.1	23	12.3	6.95-17.7	15	8.0	3.73-12.3	35	20.6	13.7-27.5
Non-Native	275	28,249	72	26.8	20.7-32.9	59	24.1	17.1-31.2	30	8.5	5.26-11.8	38	13.9	9.06-18.7	25	8.0	4.70-11.3	51	18.6	13.4-23.9
55-64	71	6,714				12	16.3	7.25-25.4	11	12.0	4.80-19.2	5	9.5	0.00-19.4	5	6.1	0.41-11.8			
65+	150	14,111	35	23.3	15.9-30.8	35	23.4	15.8-31.0	13	7.3	3.19-11.5	26	18.5	11.4-25.6	14	8.8	4.04-13.6	27	18.6	11.7-25.4
H.S. or G.E.D.	101	10,203				18	18.8	10.4-27.2	8	8.1	1.99-14.3	16	16.6	7.90-25.3	10	9.0	3.32-14.6	17	16.1	8.47-23.8
Some Post-H.S.	86	9,005	16	19.4	9.63-29.2				9	7.1	1.98-12.1	15	16.6	7.53-25.7	10	10.4	3.52-17.3	14	13.6	5.91-21.4
College Graduate	63	6,985							9	11.5	3.34-19.6									
\$15,000- 24,999	66	7,089							9	9.2	2.73-15.7	9	11.1	2.61-19.5	6	7.3	1.08-13.5			
\$25,000- 34,999	57	5,500							4	8.8	0.00-18.0				5	6.5	0.40-12.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 26: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	122	15,279	35	29.9	20.5-39.4				11	6.6	2.31-10.9	16	14.8	7.02-22.7	11	7.4	2.88-12.0	23	18.5	10.7-26.3
Non-Native	114	14,237	32	29.5	19.7-39.3				11	7.1	2.47-11.7	15	13.9	6.32-21.6	11	8.0	3.08-12.9	21	18.4	10.4-26.5
65+	55	6,229				11	17.0	7.15-26.9	3	5.5	0.00-11.9				4	6.4	0.00-13.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 27: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	175	15,741	43	24.7	17.3-32.1	39	24.1	16.7-31.5	20	10.3	5.45-15.1	23	12.3	6.95-17.7	15	8.0	3.73-12.3	35	20.6	13.7-27.5
Non-Native	161	14,013	40	24.0	16.7-31.4	35	25.3	17.3-33.3	19	10.0	5.38-14.6	23	13.8	7.86-19.8	14	8.0	3.59-12.4	30	18.8	12.1-25.6
65+	95	7,882	20	17.5	9.81-25.3				10	8.8	3.41-14.3	15	16.4	8.18-24.6	10	10.7	3.97-17.4	16	18.1	9.29-26.9
H.S. or G.E.D.	56	5,004													6	10.0	1.82-18.2			
Some Post-H.S.	57	4,763	9	15.3	5.47-25.1				5	6.2	0.74-11.6				5	9.1	0.63-17.6	10	15.7	6.20-25.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 28: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
TOTAL	307	32,270	64	19.5	14.5-24.5	170	56.7	50.2-63.3	33	10.8	7.05-14.6	29	8.8	5.28-12.3	11	4.2
Male	124	15,557	24	18.7	11.0-26.4				13	9.8	4.46-15.2	18	11.6	5.86-17.4	6	4.5
Female	183	16,713	40	20.2	13.7-26.7	107	58.0	49.8-66.3	20	11.7	6.48-17.0	11	6.2	1.98-10.4	5	3.8
Non-Native	284	29,439	58	19.4	14.2-24.5	158	57.8	51.1-64.6	32	11.3	7.33-15.4	27	8.2	4.84-11.5	9	3.3
55-64	69	6,603							7	11.5	3.14-19.8	6	7.9	0.90-14.9	4	7.9
65+	161	15,344	34	21.4	14.3-28.5	98	60.9	52.5-69.3	14	9.1	4.15-14.0	14	7.9	3.34-12.4	1	0.8
or G.E.D.	105	10,622	23	21.5	12.5-30.6				8	8.0	2.41-13.5	10	8.0	2.94-13.1	6	6.7
Post-H.S.	90	9,430	18	19.3	9.79-28.8				9	8.6	2.61-14.6	5	5.5	0.07-10.9	1	0.4
College Graduate	64	7,094										6	9.8	1.22-18.3	1	2.0
Less than \$15,000	53	4,424							2	3.3	0.00-8.06				1	1.7
\$15,000- 24,999	66	7,358							6	8.1	1.30-14.8	6	9.0	1.17-16.9	3	5.4
\$25,000- 34,999	58	5,626							9	14.3	5.02-23.6				1	2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 29: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (YEEXAM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

EMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1+ Yrs but < 2 Years			2 or more Years			Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
Male	124	15,557	24	18.7	11.0-26.4	13	9.8	4.46-15.2	18	11.6	5.80-17.5	6	4.5
Non-Native	115	14,454	21	17.3	9.98-24.6	12	9.6	4.09-15.0	17	11.0	5.37-16.7	5	4.1
65+	58	6,569				4	6.7	0.21-13.2	7	9.4	2.16-16.7	1	1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 30: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

GEOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
Female	183	16,713	40	20.2	13.7-26.8	107	58.0	49.8-66.3	20	11.7	6.46-17.0	11	6.2	1.96-10.4	5	3.8
Non-Native	169	14,985	37	21.4	14.3-28.4	98	57.6	49.2-66.1	20	13.1	7.27-18.9	10	5.4	1.60-9.28	4	2.5
65+	103	8,774	21	18.9	10.8-27.0				10	10.8	3.78-17.9	7	6.7	0.91-12.5		
or G.E.D.	60	5,424							7	13.4	3.67-23.2	3	4.5	0.00-9.83	3	6.1
Post-H.S.	58	4,827							5	8.2	1.06-15.3	2	3.2	0.00-7.68	1	0.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 31: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	308	32,265	56	17.4	12.6-22.2	252	82.6	77.8-87.4
Male	125	15,602	28	20.5	12.7-28.4	97	79.5	71.6-87.3
Female	183	16,663	28	14.5	8.79-20.2	155	85.5	79.8-91.2
Non-Native	286	29,477	53	17.4	12.5-22.3	233	82.6	77.7-87.5
65+	161	15,326	29	17.8	11.3-24.3	132	82.2	75.7-88.7
H.S. or G.E.D.	106	10,670	22	21.3	12.4-30.3	84	78.7	69.7-87.6
Some Post-H.S.	88	9,289	15	14.2	6.32-22.0	73	85.8	78.0-93.7
\$15,000- 24,999	67	7,405	10	11.3	3.09-19.5	57	88.7	80.5-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 32: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	125	15,602	28	20.5	12.6-28.5	97	79.5	71.5-87.4
Non-Native	116	14,499	26	19.3	11.7-27.0	90	80.7	73.0-88.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 33: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	183	16,663	28	14.5	8.77-20.2	155	85.5	79.8-91.2
Non-Native	170	14,978	27	15.6	9.47-21.8	143	84.4	78.2-90.5
65+	102	8,676	15	14.0	6.50-21.5	87	86.0	78.5-93.5
H.S. or G.E.D.	61	5,471	8	12.7	3.11-22.4	53	87.3	77.6-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 34: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

<NULL>

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	311	32,547	170	53.8	47.1-60.4	141	46.2	39.6-52.9
Female	185	16,847	106	57.6	49.4-65.7	79	42.4	34.3-50.6
Non-Native	288	29,716	158	53.9	47.0-60.8	130	46.1	39.2-53.0
65+	163	15,510	80	50.6	42.0-59.2	83	49.4	40.8-58.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES

**TABLE 35: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 1: DIABETES**

**TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	185	16,847	106	57.6	49.4-65.8	79	42.4	34.2-50.6
Non-Native	171	15,119	96	56.2	47.8-64.7	75	43.8	35.3-52.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005**

**MODULE 5: CARDIOVASCULAR HEALTH CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? (HAREHAB)	
1	MALES AND FEMALES	41
2	MALES ONLY	42
3	FEMALES ONLY	43
	AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? (STREHAB)	
4	MALES AND FEMALES	44
5	MALES ONLY	45
6	FEMALES ONLY	46
	DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)	
7	MALES AND FEMALES	47
8	MALES ONLY	48
9	FEMALES ONLY	49
	DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)	
10	MALES AND FEMALES	50
11	MALES ONLY	51
12	FEMALES ONLY	52



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH**

**TABLE 1: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? (HAREHAB)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	182	20,209	85	50.1	42.1-58.1	97	49.9	41.9-57.9	
Male	112	13,881	57	54.4	44.6-64.3	55	45.6	35.7-55.4	
Non-Native	172	19,189	84	52.1	43.9-60.3	88	47.9	39.7-56.1	
65+	127	13,862	58	49.8	40.3-59.3	69	50.2	40.7-59.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH**

**TABLE 2: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? (HAREHAB)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	112	13,881	57	54.4	44.5-64.3	55	45.6	35.7-55.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH

TABLE 3: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? (HAREHAB)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH

TABLE 4: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? (STREHAB)  
Denominator excludes: Respondents with do not know/refused/missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH

TABLE 5: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? (STREHAB)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH

TABLE 6: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? (STREHAB)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH**

**TABLE 7: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 35 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3849	466,275	1262	28.6	27.0-30.2	2587	71.4	69.8-73.0
Male	1564	231,808	564	31.3	28.8-33.9	1000	68.6	66.1-71.2
Female	2285	234,467	698	25.9	24.0-27.9	1587	74.1	72.1-76.1
Native	96	15,504	24	17.3	9.22-25.4	72	82.7	74.6-90.8
Non-Native	3719	447,112	1223	28.9	27.3-30.5	2496	71.1	69.5-72.7
18-24	197	69,849	17	8.4	4.29-12.5	180	91.6	87.5-95.7
25-34	476	75,891	30	6.7	4.15-9.29	446	93.3	90.7-95.8
35-44	694	79,314	91	14.0	11.2-16.9	603	85.9	83.1-88.8
45-54	842	87,270	249	29.6	26.2-33.0	593	70.4	67.0-73.8
55-64	632	61,339	301	49.4	45.2-53.7	331	50.6	46.3-54.8
65+	972	89,885	563	60.4	57.1-63.8	409	39.6	36.2-42.9
Less Than H.S.	334	38,137	159	42.7	36.1-49.4	175	57.3	50.6-63.9
H.S. or G.E.D.	1108	133,318	430	34.2	31.0-37.4	678	65.8	62.6-69.0
Some Post-H.S.	1199	147,983	364	25.4	22.8-28.1	835	74.6	71.9-77.2
College Graduate	1202	146,254	307	23.1	20.4-25.7	895	76.9	74.3-79.6
Less than \$15,000	326	37,624	119	28.0	22.2-33.9	207	72.0	66.1-77.8
\$15,000- 24,999	607	65,920	249	34.7	30.3-39.2	358	65.3	60.9-69.7
\$25,000- 34,999	516	62,273	177	29.0	24.5-33.4	339	71.0	66.6-75.5
\$35,000- 49,999	694	87,026	202	27.6	23.9-31.3	492	72.4	68.7-76.1
\$50,000- 74,999	643	80,267	167	24.1	20.6-27.6	476	75.9	72.4-79.4
\$75,000+	570	73,081	152	26.3	22.3-30.4	418	73.7	69.6-77.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH**

**TABLE 8: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1564	231,808	564	31.3	28.8-33.9	1000	68.6	66.1-71.2
Non-Native	1517	223,611	544	31.4	28.8-34.0	973	68.6	66.0-71.2
18-24	97	37,512	9	9.4	3.20-15.7	88	90.5	84.3-96.8
25-34	223	39,479	14	7.0	3.12-10.8	209	93.0	89.2-96.9
35-44	291	40,108	43	15.8	11.2-20.4	248	84.2	79.6-88.8
45-54	350	44,857	127	36.1	30.7-41.6	223	63.9	58.4-69.3
55-64	262	30,663	146	56.5	50.1-62.9	116	43.5	37.2-49.9
65+	334	38,407	221	68.0	62.8-73.3	113	32.0	26.7-37.2
H.S. or G.E.D.	466	69,405	198	36.9	31.9-41.8	268	63.1	58.2-68.1
Some Post-H.S.	463	70,404	144	25.1	21.0-29.1	319	74.9	70.9-79.0
College Graduate	484	71,629	147	28.1	23.7-32.5	337	71.9	67.5-76.3
\$15,000- 24,999	213	27,990	98	39.5	31.9-47.1	115	60.5	52.9-68.1
\$25,000- 34,999	228	35,068	81	28.8	22.4-35.1	147	71.2	64.9-77.6
\$35,000- 49,999	315	48,188	112	32.6	26.9-38.3	203	67.4	61.7-73.1
\$50,000- 74,999	287	41,542	91	28.9	23.5-34.3	196	71.1	65.7-76.5
\$75,000+	284	42,315	94	32.0	26.0-38.1	190	68.0	61.9-74.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH**

**TABLE 9: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2285	234,467	698	25.9	24.0-27.9	1587	74.1	72.1-76.1
Native	63	9,123	12	12.0	4.12-19.9	51	88.0	80.1-95.9
Non-Native	2202	223,501	679	26.4	24.4-28.4	1523	73.6	71.6-75.6
18-24	100	32,337	8	7.2	2.15-12.2	92	92.8	87.8-97.8
25-34	253	36,412	16	6.4	3.12-9.74	237	93.6	90.3-96.9
35-44	403	39,206	48	12.3	8.84-15.7	355	87.8	84.3-91.2
45-54	492	42,413	122	22.7	18.8-26.6	370	77.3	73.4-81.2
55-64	370	30,676	155	42.4	37.0-47.8	215	57.6	52.2-63.0
65+	638	51,478	342	54.7	50.5-59.0	296	45.3	41.0-49.5
Less Than H.S.	187	18,208	85	38.9	30.6-47.2	102	61.1	52.8-69.4
H.S. or G.E.D.	642	63,913	232	31.3	27.2-35.3	410	68.8	64.7-72.8
Some Post-H.S.	736	77,579	220	25.8	22.3-29.3	516	74.2	70.7-77.7
College Graduate	718	74,625	160	18.3	15.3-21.2	558	81.8	78.8-84.7
Less than \$15,000	233	24,735	88	28.3	21.4-35.1	145	71.8	64.9-78.6
\$15,000- 24,999	394	37,930	151	31.3	26.1-36.5	243	68.7	63.5-73.9
\$25,000- 34,999	288	27,205	96	29.3	23.2-35.3	192	70.7	64.7-76.8
\$35,000- 49,999	379	38,838	90	21.4	17.1-25.7	289	78.6	74.3-82.9
\$50,000- 74,999	356	38,725	76	19.0	14.8-23.2	280	81.0	76.8-85.2
\$75,000+	286	30,767	58	18.5	13.9-23.2	228	81.5	76.8-86.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH**

**TABLE 10: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 35 years of age and those that take aspirin daily/every other day

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2575	331,486	123	3.8	3.08-4.60	144	4.7	3.82-5.54	2308	91.5	90.3-92.6
Male	995	158,489	35	2.6	1.69-3.53	32	2.7	1.72-3.72	928	94.7	93.3-96.0
Female	1580	172,997	88	5.0	3.80-6.16	112	6.5	5.11-7.85	1380	88.5	86.8-90.3
Native	74	12,972	1	0.8	0.00-2.42	3	3.5	0.00-8.21	70	95.7	90.7-0100
Non-Native	2484	316,523	120	3.9	3.16-4.72	141	4.8	3.88-5.64	2223	91.3	90.1-92.5
18-24	180	63,985	1	0.6	0.00-1.89	2	1.3	0.00-3.14	177	98.1	95.8-0100
25-34	445	70,646	9	2.3	0.76-3.86	17	3.1	1.62-4.60	419	94.6	92.4-96.7
35-44	602	68,099	20	3.3	1.82-4.84	26	3.8	2.23-5.45	556	92.8	90.7-95.0
45-54	593	61,361	17	2.8	1.35-4.33	33	6.1	3.90-8.30	543	91.1	88.5-93.6
55-64	331	31,011	22	6.7	3.74-9.70	27	8.8	5.42-12.1	282	84.5	80.3-88.8
65+	399	34,486	54	13.3	9.76-16.9	37	8.9	5.95-11.8	308	77.8	73.4-82.2
Less Than H.S.	174	21,699	21	9.3	4.37-14.2	16	7.4	3.04-11.7	137	83.3	76.9-89.7
H.S. or G.E.D.	669	86,646	38	4.9	3.25-6.63	48	5.8	4.08-7.56	583	89.2	86.8-91.7
Some Post-H.S.	834	110,264	27	2.5	1.47-3.63	47	4.3	3.00-5.62	760	93.1	91.4-94.9
College Graduate	894	112,485	37	3.2	2.09-4.37	33	3.7	2.15-5.17	824	93.1	91.3-94.9
Less than \$15,000	205	26,865	15	4.8	1.86-7.70	19	7.5	3.59-11.5	171	87.7	82.7-92.6
\$15,000- 24,999	359	43,012	30	8.0	4.76-11.3	24	5.9	2.80-9.08	305	86.0	81.6-90.4
\$25,000- 34,999	337	43,969	14	2.8	1.19-4.33	19	4.5	2.39-6.55	304	92.8	90.2-95.4
\$35,000- 49,999	492	63,124	17	3.0	1.54-4.52	27	4.5	2.75-6.35	448	92.4	90.1-94.7
\$50,000- 74,999	475	60,786	17	3.2	1.56-4.90	22	4.5	2.53-6.41	436	92.3	89.8-94.8
\$75,000+	417	53,743	13	2.7	1.10-4.28	9	1.9	0.58-3.16	395	95.4	93.4-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH**

**TABLE 11: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	995	158,489	35	2.6	1.69-3.53	32	2.7	1.72-3.72	928	94.7	93.3-96.0
Non-Native	968	152,744	34	2.6	1.69-3.61	31	2.6	1.67-3.59	903	94.7	93.4-96.1
18-24	88	33,966							88	100.0	0100-0100
25-34	209	36,725	1	0.5	0.00-1.48				208	99.5	98.5-0100
35-44	247	33,695	6	2.3	0.33-4.17	7	2.6	0.53-4.61	234	95.2	92.4-98.0
45-54	223	28,582	6	3.2	0.56-5.82	11	5.2	2.08-8.40	206	91.6	87.6-95.6
55-64	116	13,343	7	4.7	0.92-8.52	8	8.0	2.63-13.4	101	87.3	80.9-93.6
65+	109	11,755	15	14.0	7.10-21.0	5	4.9	0.56-9.34	89	81.0	73.2-88.9
Less Than H.S.	73	10,724	8	6.9	1.70-12.2	1	2.7	0.00-8.00	64	90.3	83.0-97.7
H.S. or G.E.D.	263	43,050	13	4.2	1.86-6.48	12	3.3	1.34-5.26	238	92.5	89.5-95.5
Some Post-H.S.	318	52,690	2	0.5	0.00-1.25	9	2.4	0.78-4.00	307	97.1	95.4-98.9
College Graduate	338	51,705	12	2.6	0.97-4.19	10	2.6	0.93-4.23	316	94.8	92.5-97.1
Less than \$15,000	61	9,259	5	3.9	0.35-7.37	2	2.5	0.00-5.93	54	93.7	88.7-98.7
\$15,000- 24,999	116	17,008	11	8.0	3.06-12.9	4	2.9	0.00-5.87	101	89.1	83.4-94.8
\$25,000- 34,999	146	24,800	4	1.5	0.00-3.11	3	1.0	0.00-2.29	139	97.4	95.4-99.5
\$35,000- 49,999	203	32,590	6	2.4	0.46-4.42	5	2.1	0.24-4.04	192	95.4	92.7-98.1
\$50,000- 74,999	195	29,417	3	1.4	0.00-3.12	10	5.1	1.90-8.36	182	93.4	89.8-97.0
\$75,000+	190	28,766	5	2.4	0.10-4.76	3	1.4	0.00-2.89	182	96.2	93.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 5: CARDIOVASCULAR HEALTH**

**TABLE 12: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1580	172,997	88	5.0	3.80-6.16	112	6.5	5.11-7.85	1380	88.5	86.8-90.3
Native	53	8,176	1	1.3	0.00-3.84	2	1.9	0.00-4.75	50	96.8	92.9-0100
Non-Native	1516	163,780	86	5.1	3.92-6.38	110	6.8	5.32-8.18	1320	88.1	86.3-89.9
18-24	92	30,020	1	1.4	0.00-4.01	2	2.7	0.00-6.65	89	95.9	91.2-0100
25-34	236	33,921	8	4.3	1.26-7.30	17	6.5	3.41-9.53	211	89.3	85.1-93.4
35-44	355	34,404	14	4.4	2.10-6.68	19	5.1	2.61-7.55	322	90.5	87.3-93.8
45-54	370	32,779	11	2.5	0.97-4.11	22	6.8	3.80-9.88	337	90.6	87.3-94.0
55-64	215	17,668	15	8.2	3.91-12.5	19	9.3	5.12-13.5	181	82.5	76.8-88.2
65+	290	22,731	39	13.0	8.92-17.1	32	10.9	7.10-14.7	219	76.1	70.9-81.3
Less Than H.S.	101	10,974	13	11.6	3.45-19.8	15	11.9	5.08-18.8			
H.S. or G.E.D.	406	43,596	25	5.7	3.27-8.13	36	8.3	5.47-11.2	345	86.0	82.3-89.7
Some Post-H.S.	516	57,574	25	4.4	2.49-6.37	38	6.1	4.00-8.12	453	89.5	86.7-92.3
College Graduate	556	60,780	25	3.8	2.19-5.37	23	4.6	2.20-6.98	508	91.6	88.8-94.4
Less than \$15,000	144	17,606	10	5.3	1.21-9.33	17	10.2	4.49-16.0	117	84.5	77.6-91.4
\$15,000- 24,999	243	26,004	19	8.0	3.69-12.4	20	7.9	3.16-12.7	204	84.0	77.9-90.2
\$25,000- 34,999	191	19,170	10	4.4	1.47-7.31	16	8.9	4.55-13.3	165	86.7	81.6-91.8
\$35,000- 49,999	289	30,534	11	3.7	1.42-5.92	22	7.1	4.03-10.2	256	89.2	85.5-93.0
\$50,000- 74,999	280	31,369	14	4.9	2.12-7.72	12	3.8	1.60-6.10	254	91.2	87.7-94.8
\$75,000+	227	24,976	8	3.0	0.85-5.13	6	2.5	0.33-4.61	213	94.5	91.6-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005**

**MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)	
1 MALES AND FEMALES	55
2 MALES ONLY	56
3 FEMALES ONLY	57
(ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)	
4 MALES AND FEMALES	58
5 MALES ONLY	59
6 FEMALES ONLY	60
(ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)	
7 MALES AND FEMALES	61
8 MALES ONLY	62
9 FEMALES ONLY	63
(ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)	
10 MALES AND FEMALES	64
11 MALES ONLY	65
12 FEMALES ONLY	66
ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)	
13 MALES AND FEMALES	67
14 MALES ONLY	68
15 FEMALES ONLY	69
(EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)	
16 MALES AND FEMALES	70
17 MALES ONLY	71
18 FEMALES ONLY	72
(EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)	
19 MALES AND FEMALES	73
20 MALES ONLY	74
21 FEMALES ONLY	75

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005**

**MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	(EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)	
22	MALES AND FEMALES	76
23	MALES ONLY	77
24	FEMALES ONLY	78
	(EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)	
25	MALES AND FEMALES	79
26	MALES ONLY	80
27	FEMALES ONLY	81
	WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? BLOOD PRESSURE? (BPHI2MR)	
28	MALES AND FEMALES	82
29	MALES ONLY	83
30	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 1: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (ARE YOU CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)**

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1077	107,780	708	65.8	62.7-69.0	369	34.2	31.0-37.3
Male	415	50,863	254	62.9	57.8-68.0	161	37.1	32.0-42.2
Female	662	56,917	454	68.4	64.5-72.4	208	31.6	27.6-35.5
Non-Native	1031	102,756	678	66.1	62.9-69.4	353	33.9	30.6-37.1
45-54	224	22,657	151	69.2	62.6-75.7	73	30.8	24.3-37.4
55-64	228	21,111	150	66.4	59.8-73.0	78	33.6	27.0-40.2
65+	504	47,706	334	66.6	62.2-71.1	170	33.4	28.9-37.8
Less Than H.S.	146	14,579	88	58.6	49.4-67.8	58	41.4	32.2-50.6
H.S. or G.E.D.	356	34,790	229	63.1	57.6-68.7	127	36.9	31.3-42.4
Some Post-H.S.	311	30,176	211	68.1	62.3-73.9	100	31.9	26.1-37.7
College Graduate	261	27,989	179	70.9	64.8-76.9	82	29.1	23.1-35.2
Less than \$15,000	121	9,723	75	62.4	53.0-71.8	46	37.6	28.2-47.0
\$15,000- 24,999	232	21,928	147	62.9	55.7-70.2	85	37.1	29.8-44.3
\$25,000- 34,999	160	16,046	104	62.4	53.7-71.2	56	37.6	28.8-46.3
\$35,000- 49,999	180	18,499	118	67.5	60.1-74.8	62	32.5	25.2-39.9
\$50,000- 74,999	122	13,560	76	62.4	53.4-71.5	46	37.5	28.5-46.6
\$75,000+	101	12,297	77	81.7	74.5-89.0	24	18.3	11.0-25.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 2: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	415	50,863	254	62.9	57.8-68.0	161	37.1	32.0-42.2
Non-Native	398	48,629	246	63.4	58.3-68.6	152	36.6	31.4-41.7
45-54	104	13,020	68	70.0	60.8-79.2	36	30.0	20.8-39.2
65+	162	19,167	103	65.5	57.9-73.1	59	34.5	26.9-42.1
H.S. or G.E.D.	130	15,591	70	53.8	44.5-63.0	60	46.3	37.0-55.5
Some Post-H.S.	103	12,989	70	69.4	59.5-79.4	33	30.6	20.6-40.5
College Graduate	121	15,503	80	69.6	60.9-78.4	41	30.3	21.6-39.1
\$75,000+	59	8,505	47	86.9	79.3-94.6	12	13.1	5.42-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 3: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	662	56,917	454	68.4	64.5-72.4	208	31.6	27.6-35.5
Non-Native	633	54,127	432	68.5	64.5-72.5	201	31.5	27.5-35.5
45-54	120	9,637	83	68.1	58.9-77.2	37	31.9	22.8-41.1
55-64	132	10,840	100	77.4	70.0-84.7	32	22.6	15.3-30.0
65+	342	28,539	231	67.4	61.9-72.8	111	32.6	27.2-38.1
H.S. or G.E.D.	226	19,200	159	70.7	64.3-77.1	67	29.3	22.9-35.7
Some Post-H.S.	208	17,187	141	67.1	60.3-74.0	67	32.9	26.0-39.7
College Graduate	140	12,486	99	72.4	64.1-80.6	41	27.6	19.4-35.9
\$15,000- 24,999	156	13,555	106	68.3	59.5-77.2	50	31.7	22.8-40.5
\$35,000- 49,999	99	8,246	66	70.2	61.0-79.4	33	29.8	20.6-39.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 4: (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)  
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1080	107,989	770	70.7	67.7-73.8	207	20.5	17.8-23.3	103	8.7	6.96-10.5
Male	415	50,863	273	66.1	61.0-71.1	108	26.3	21.6-31.0	34	7.6	4.97-10.3
Female	665	57,126	497	74.9	71.3-78.5	99	15.4	12.3-18.5	69	9.7	7.34-12.0
Non-Native	1033	102,895	737	70.6	67.4-73.7	199	20.8	17.9-23.6	97	8.7	6.87-10.5
35-44	75	8,287							2	2.0	0.00-4.85
45-54	224	22,657	153	69.9	63.3-76.6	46	20.1	14.3-25.9	25	10.0	5.81-14.1
55-64	228	21,111	164	71.2	64.9-77.6	45	20.7	15.0-26.4	19	8.1	4.38-11.7
65+	506	47,820	378	73.6	69.4-77.9	75	16.1	12.5-19.7	53	10.3	7.41-13.1
Less Than H.S.	146	14,579	113	76.4	68.6-84.3	20	15.6	8.53-22.6	13	8.0	3.54-12.5
H.S. or G.E.D.	357	34,886	264	73.3	68.1-78.4	65	19.5	14.8-24.3	28	7.2	4.41-9.93
Some Post-H.S.	313	30,289	212	66.5	60.6-72.5	57	20.1	14.9-25.4	44	13.3	9.25-17.4
College Graduate	261	27,989	179	69.4	63.1-75.6	64	24.5	18.7-30.4	18	6.1	3.14-9.02
Less than \$15,000	121	9,653	90	73.3	64.5-82.2	17	15.0	7.96-22.1	14	11.6	5.17-18.1
\$15,000- 24,999	232	21,928	162	70.1	63.4-76.9	41	18.6	12.8-24.5	29	11.2	7.01-15.4
\$25,000- 34,999	161	16,141	116	69.7	61.4-78.1	33	24.1	16.0-32.2	12	6.2	2.51-9.85
\$35,000- 49,999	180	18,499	134	72.6	65.3-79.9	33	19.9	13.3-26.6	13	7.5	3.17-11.8
\$50,000- 74,999	124	13,744	85	69.6	61.2-78.1	33	26.6	18.3-34.8	6	3.8	0.72-6.84
\$75,000+	101	12,297	66	70.6	61.3-79.9	24	20.3	12.2-28.4	11	9.1	3.53-14.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 5: (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	415	50,863	273	66.1	61.0-71.1	108	26.3	21.6-31.0	34	7.6	4.97-10.3
Non-Native	398	48,629	263	65.9	60.8-71.0	101	26.1	21.3-31.0	34	8.0	5.21-10.8
45-54	104	13,020	74	72.8	63.5-82.0	21	19.8	11.4-28.1	9	7.5	2.29-12.7
55-64	96	10,270				29	28.2	18.7-37.6	8	8.7	2.74-14.6
65+	162	19,167	111	68.5	60.9-76.1	36	21.7	15.1-28.3	15	9.8	4.76-14.9
Less Than H.S.	58	6,535							4	5.9	0.11-11.6
H.S. or G.E.D.	130	15,591	91	69.2	60.4-78.1	31	25.4	16.9-33.9	8	5.4	1.51-9.27
Some Post-H.S.	103	12,989				24	24.7	15.0-34.4	14	14.1	6.69-21.5
College Graduate	121	15,503	75	65.2	56.0-74.3	38	29.4	20.7-38.2	8	5.4	1.44-9.32
\$15,000- 24,999	76	8,372							6	7.8	1.52-14.1
\$25,000- 34,999	68	8,283							5	5.0	0.47-9.57
\$35,000- 49,999	81	10,253							6	8.2	1.49-14.9
\$50,000- 74,999	65	8,231							2	2.4	0.00-5.64
\$75,000+	59	8,505				12	15.9	6.60-25.3	6	8.5	1.57-15.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 6: (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	665	57,126	497	74.9	71.3-78.5	99	15.4	12.4-18.5	69	9.7	7.34-12.0
Non-Native	635	54,266	474	74.7	71.0-78.4	98	16.0	12.8-19.2	63	9.3	6.92-11.6
45-54	120	9,637	79	66.1	56.8-75.3	25	20.6	12.8-28.4	16	13.3	6.64-20.0
55-64	132	10,840	105	78.9	71.5-86.3	16	13.6	7.13-20.1	11	7.5	3.00-11.9
65+	344	28,652	267	77.1	72.2-82.0	39	12.3	8.29-16.4	38	10.6	7.20-13.9
Less Than H.S.	88	8,044				6	9.3	0.76-17.8	9	9.8	3.19-16.3
H.S. or G.E.D.	227	19,295	173	76.6	70.7-82.4	34	14.8	9.92-19.8	20	8.6	4.72-12.5
Some Post-H.S.	210	17,300	147	70.5	63.9-77.1	33	16.7	11.1-22.3	30	12.8	8.25-17.3
College Graduate	140	12,486	104	74.6	66.5-82.7	26	18.5	11.3-25.6	10	6.9	2.53-11.4
Less than \$15,000	92	6,977	72	79.6	70.8-88.3	11	12.9	5.26-20.5	9	7.5	2.59-12.5
\$15,000- 24,999	156	13,555	111	71.4	63.0-79.8	22	15.3	8.29-22.3	23	13.3	7.69-19.0
\$25,000- 34,999	93	7,859	73	78.8	69.8-87.9	13	13.8	6.23-21.3	7	7.4	1.62-13.2
\$35,000- 49,999	99	8,246	79	82.3	74.8-89.8	13	11.1	5.05-17.2	7	6.6	1.74-11.4
\$50,000- 74,999	59	5,513							4	5.9	0.07-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 7: (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)  
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1069	106,962	443	41.9	38.5-45.2	213	21.9	19.0-24.9	413	36.2	33.0-39.4
Male	407	50,175	198	48.6	43.2-53.9	112	27.5	22.8-32.3	97	23.9	19.3-28.5
Female	662	56,787	245	36.0	31.9-40.0	101	17.0	13.3-20.7	316	47.0	42.8-51.3
Non-Native	1023	101,924	427	41.9	38.5-45.3	209	22.5	19.5-25.6	387	35.6	32.3-38.8
35-44	73	8,095				17	21.0	11.2-30.8	16	19.1	10.1-28.2
45-54	224	22,657	110	51.6	44.3-59.0	58	26.7	20.1-33.3	56	21.7	16.1-27.4
55-64	227	21,069	104	47.2	40.2-54.2	47	22.4	16.4-28.4	76	30.3	24.1-36.5
65+	499	47,091	176	35.1	30.5-39.7	72	15.6	12.1-19.1	251	49.3	44.5-54.1
Less Than H.S.	145	14,442	63	45.1	35.9-54.2	19	14.3	7.55-21.0	63	40.7	31.6-49.7
H.S. or G.E.D.	352	34,313	162	47.1	41.4-52.8	52	16.0	11.5-20.6	138	36.9	31.5-42.3
Some Post-H.S.	308	29,873	109	36.3	30.3-42.3	65	21.5	16.4-26.5	134	42.2	36.0-48.4
College Graduate	261	28,089	107	39.5	32.6-46.4	76	33.6	26.5-40.6	78	26.9	21.1-32.8
Less than \$15,000	121	9,698	49	41.4	31.5-51.3	14	14.8	6.67-22.9	58	43.8	34.1-53.5
\$15,000- 24,999	228	21,566	90	38.7	31.3-46.0	34	16.0	9.05-22.9	104	45.4	37.8-52.9
\$25,000- 34,999	160	16,021	60	36.7	28.4-45.1	35	22.6	15.3-29.9	65	40.6	31.8-49.5
\$35,000- 49,999	179	18,319	81	45.1	37.2-53.1	43	25.6	18.6-32.7	55	29.2	22.1-36.4
\$50,000- 74,999	123	13,648	56	45.8	36.6-55.1	31	27.1	18.6-35.5	36	27.1	19.1-35.1
\$75,000+	100	12,227				33	28.9	19.4-38.4	15	14.8	6.34-23.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 8: (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	407	50,175	198	48.6	43.2-53.9	112	27.5	22.8-32.3	97	23.9	19.3-28.5
Non-Native	392	48,061	189	48.1	42.7-53.5	110	28.3	23.4-33.2	93	23.7	19.0-28.4
45-54	104	13,020				27	24.5	15.5-33.5	14	12.5	6.01-19.0
55-64	95	10,228							18	17.5	9.74-25.3
65+	156	18,586	66	42.6	34.4-50.8	36	22.8	15.9-29.7	54	34.6	26.7-42.5
H.S. or G.E.D.	127	15,210	67	53.7	44.4-63.0	23	19.1	11.1-27.1	37	27.2	19.2-35.3
Some Post-H.S.	100	12,784				29	27.9	18.6-37.2			
College Graduate	120	15,461	54	45.4	35.5-55.4	45	38.1	28.6-47.7	21	16.4	9.50-23.3
\$15,000- 24,999	72	8,087				11	13.3	5.44-21.2			
\$35,000- 49,999	80	10,073							15	19.3	9.99-28.5
\$50,000- 74,999	65	8,231							11	17.0	7.63-26.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 9: (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	662	56,787	245	36.0	31.9-40.0	101	17.0	13.3-20.6	316	47.0	42.8-51.3
Non-Native	631	53,863	238	36.4	32.3-40.5	99	17.4	13.7-21.2	294	46.2	41.8-50.5
45-54	120	9,637	47	36.3	27.1-45.4	31	29.6	20.1-39.1	42	34.1	24.9-43.4
55-64	132	10,840	58	45.1	36.0-54.1	16	12.5	6.43-18.6	58	42.4	33.5-51.3
65+	343	28,505	110	30.3	25.0-35.5	36	10.9	7.31-14.5	197	58.8	53.1-64.5
Less Than H.S.	88	7,967				5	8.3	0.19-16.4			
H.S. or G.E.D.	225	19,104	95	41.8	34.8-48.8	29	13.6	8.71-18.5	101	44.6	37.5-51.6
Some Post-H.S.	208	17,089	64	32.1	25.2-39.1	36	16.7	11.3-22.1	108	51.2	43.8-58.5
College Graduate	141	12,627	53	32.2	23.6-40.8				57	39.8	30.3-49.3
Less than \$15,000	92	7,022				8	11.7	2.74-20.7			
\$15,000- 24,999	156	13,479	52	31.2	22.7-39.8	23	17.6	7.66-27.5	81	51.2	41.4-61.1
\$25,000- 34,999	93	7,859				19	18.3	10.1-26.6			
\$35,000- 49,999	99	8,246				19	20.1	11.6-28.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
 MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE  
 TABLE 10: (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)  
 Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1074	107,539	764	70.8	67.7-73.9	310	29.2	26.1-32.3
Male	411	50,518	286	69.4	64.4-74.4	125	30.6	25.6-35.6
Female	663	57,021	478	72.0	68.2-75.9	185	28.0	24.1-31.8
Non-Native	1027	102,444	733	71.0	67.8-74.2	294	29.0	25.8-32.2
45-54	222	22,464	158	69.5	62.4-76.7	64	30.5	23.3-37.6
55-64	227	21,063	150	65.2	58.6-71.9	77	34.8	28.1-41.4
65+	503	47,610	369	73.8	69.6-78.0	134	26.2	22.0-30.4
Less Than H.S.	145	14,508	93	61.3	52.0-70.5	52	38.7	29.5-48.0
H.S. or G.E.D.	352	34,493	240	66.7	61.2-72.2	112	33.3	27.8-38.8
Some Post-H.S.	313	30,289	230	75.2	69.9-80.5	83	24.8	19.5-30.1
College Graduate	261	28,002	199	76.0	69.8-82.1	62	24.0	17.9-30.2
Less than \$15,000	121	9,714	82	70.1	61.1-79.1	39	29.9	20.9-38.9
\$15,000- 24,999	229	21,730	160	68.3	61.3-75.4	69	31.6	24.6-38.7
\$25,000- 34,999	160	16,076	101	63.4	54.9-72.0	59	36.6	28.0-45.1
\$35,000- 49,999	180	18,499	130	72.1	65.0-79.3	50	27.8	20.7-35.0
\$50,000- 74,999	123	13,616	93	75.8	67.8-83.9	30	24.2	16.1-32.2
\$75,000+	101	12,297	80	78.6	69.0-88.2	21	21.4	11.8-31.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 11: (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	411	50,518	286	69.4	64.4-74.4	125	30.6	25.6-35.6
Non-Native	394	48,283	276	69.7	64.6-74.8	118	30.3	25.2-35.4
65+	159	18,887	120	77.7	71.1-84.4	39	22.3	15.6-28.9
H.S. or G.E.D.	126	15,245	82	64.3	55.1-73.5	44	35.7	26.5-44.9
Some Post-H.S.	103	12,989	75	73.6	64.1-83.2	28	26.4	16.8-35.9
College Graduate	121	15,503	90	72.7	63.5-82.0	31	27.3	18.0-36.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 12: (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	663	57,021	478	72.0	68.2-75.9	185	28.0	24.1-31.8
Non-Native	633	54,161	457	72.2	68.3-76.1	176	27.8	23.9-31.7
45-54	119	9,509	84	68.8	59.2-78.3	35	31.2	21.7-40.8
55-64	131	10,793	95	72.4	64.2-80.6	36	27.6	19.4-35.8
65+	344	28,723	249	71.3	65.9-76.6	95	28.7	23.4-34.1
H.S. or G.E.D.	226	19,248	158	68.6	62.0-75.3	68	31.4	24.7-38.0
Some Post-H.S.	210	17,300	155	76.3	70.4-82.2	55	23.7	17.8-29.6
College Graduate	140	12,499	109	80.0	72.8-87.2	31	20.0	12.8-27.2
\$15,000- 24,999	154	13,437	108	66.9	57.6-76.2	46	33.1	23.8-42.4
\$35,000- 49,999	99	8,246	70	73.1	64.1-82.0	29	26.9	18.0-35.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 13: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)**

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1080	108,089	590	55.2	51.8-58.5	490	44.8	41.5-48.2
Male	414	50,828	246	59.3	54.0-64.5	168	40.8	35.5-46.0
Female	666	57,261	344	51.5	47.3-55.8	322	48.5	44.2-52.7
Non-Native	1032	102,930	566	55.5	52.1-59.0	466	44.4	41.0-47.9
45-54	222	22,462	143	64.8	57.6-72.1	79	35.1	27.9-42.4
55-64	228	21,111	142	65.0	58.4-71.5	86	35.0	28.5-41.6
65+	508	48,115	237	46.2	41.5-50.9	271	53.8	49.1-58.5
Less Than H.S.	145	14,448	66	42.1	33.1-51.2	79	57.9	48.8-66.9
H.S. or G.E.D.	356	34,816	200	57.8	52.2-63.4	156	42.2	36.6-47.8
Some Post-H.S.	314	30,449	159	50.1	43.9-56.3	155	49.9	43.7-56.1
College Graduate	262	28,130	165	64.6	57.9-71.3	97	35.4	28.7-42.1
Less than \$15,000	120	9,658	59	48.0	38.0-58.0	61	52.0	42.0-62.0
\$15,000- 24,999	232	21,862	123	52.0	44.4-59.6	109	48.0	40.4-55.6
\$25,000- 34,999	161	16,141	86	53.5	44.7-62.3	75	46.5	37.7-55.3
\$35,000- 49,999	181	18,659	105	58.3	50.5-66.2	76	41.7	33.8-49.5
\$50,000- 74,999	124	13,744	75	64.1	55.4-72.9	49	35.8	27.1-44.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 14: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	414	50,828	246	59.3	54.0-64.5	168	40.8	35.5-46.0
Non-Native	397	48,593	237	59.5	54.2-64.9	160	40.5	35.1-45.8
55-64	96	10,270	63	69.6	59.9-79.2	33	30.4	20.8-40.1
65+	163	19,327	81	49.1	41.0-57.2	82	50.9	42.8-59.0
H.S. or G.E.D.	130	15,591	85	65.3	56.3-74.2	45	34.8	25.8-43.7
College Graduate	121	15,503	80	65.5	55.9-75.1	41	34.5	24.9-44.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 15: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	666	57,261	344	51.5	47.3-55.8	322	48.5	44.2-52.7
Non-Native	635	54,337	329	52.0	47.6-56.4	306	48.0	43.6-52.4
45-54	120	9,637	68	54.5	44.7-64.4	52	45.5	35.6-55.3
55-64	132	10,840	79	60.7	51.8-69.5	53	39.3	30.5-48.2
65+	345	28,787	156	44.3	38.5-50.0	189	55.8	50.0-61.5
H.S. or G.E.D.	226	19,225	115	51.8	44.7-58.8	111	48.2	41.2-55.3
Some Post-H.S.	210	17,300	102	47.5	40.2-54.8	108	52.5	45.2-59.8
College Graduate	141	12,627	85	63.4	54.3-72.6	56	36.5	27.4-45.7
\$15,000- 24,999	157	13,620	88	55.2	45.6-64.8	69	44.8	35.2-54.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 16: (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)  
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1079	107,929	681	62.8	59.5-66.1	369	35.0	31.8-38.3	29	2.2	1.33-3.01
Male	413	50,645	266	64.1	59.0-69.3	137	34.1	29.0-39.2	10	1.8	0.59-2.95
Female	666	57,284	415	61.6	57.4-65.8	232	35.9	31.7-40.1	19	2.5	1.34-3.70
Non-Native	1032	102,930	649	62.6	59.2-65.9	355	35.2	31.9-38.6	28	2.2	1.34-3.06
35-44	75	8,287							1	0.9	0.00-2.58
45-54	223	22,560	141	64.0	56.9-71.0	79	35.0	28.0-42.0	3	1.1	0.00-2.37
55-64	227	21,063	160	71.2	64.8-77.5	60	26.3	20.1-32.6	7	2.5	0.53-4.45
65+	507	47,905	313	62.6	58.1-67.2	176	34.2	29.8-38.7	18	3.1	1.63-4.65
Less Than H.S.	147	14,643	93	62.1	53.1-71.0	48	34.5	25.7-43.4	6	3.4	0.54-6.22
H.S. or G.E.D.	354	34,508	236	66.9	61.5-72.3	109	30.9	25.6-36.3	9	2.2	0.68-3.74
Some Post-H.S.	313	30,402	188	60.6	54.6-66.7	117	37.5	31.5-43.5	8	1.9	0.55-3.21
College Graduate	262	28,130	163	60.8	53.8-67.9	93	37.3	30.3-44.4	6	1.8	0.25-3.39
Less than \$15,000	122	9,794	75	63.3	53.9-72.7	41	32.2	23.1-41.3	6	4.5	0.71-8.31
\$15,000- 24,999	232	21,944	149	61.8	54.1-69.6	77	36.4	28.6-44.1	6	1.8	0.33-3.31
\$25,000- 34,999	160	16,021	104	62.8	54.0-71.5	51	35.2	26.4-44.0	5	2.0	0.22-3.86
\$35,000- 49,999	181	18,659	120	67.3	60.0-74.7	60	32.2	24.9-39.6	1	0.5	0.00-1.36
\$50,000- 74,999	123	13,646	76	62.0	52.9-71.1	46	37.4	28.3-46.4	1	0.6	0.00-1.86
\$75,000+	101	12,297	67	68.7	58.9-78.6	33	30.3	20.5-40.0	1	1.0	0.00-3.02

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 17: (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	413	50,645	266	64.1	59.0-69.3	137	34.1	29.0-39.2	10	1.8	0.59-2.95
Non-Native	397	48,570	256	64.1	58.9-69.3	131	34.0	28.9-39.2	10	1.8	0.62-3.06
45-54	103	12,922	69	67.3	57.3-77.3	32	31.2	21.3-41.1	2	1.5	0.00-3.71
55-64	96	10,270	70	72.6	62.9-82.4	24	25.7	16.1-35.3	2	1.6	0.00-4.14
65+	161	19,047	101	65.3	57.7-73.0	55	32.3	24.7-39.8	5	2.4	0.18-4.64
Less Than H.S.	58	6,535							2	2.2	0.00-5.30
H.S. or G.E.D.	127	15,213	91	70.4	61.6-79.3	33	27.6	18.8-36.3	3	2.0	0.00-4.38
Some Post-H.S.	104	13,149							1	0.5	0.00-1.63
College Graduate	121	15,503	77	62.6	53.0-72.1	40	35.0	25.5-44.5	4	2.4	0.00-4.99
\$15,000- 24,999	76	8,372							1	0.9	0.00-2.81
\$25,000- 34,999	67	8,162							3	2.4	0.00-5.18
\$75,000+	59	8,505							1	1.5	0.00-4.38

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 18: (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	666	57,284	415	61.6	57.4-65.8	232	35.9	31.7-40.1	19	2.5	1.34-3.70
Non-Native	635	54,360	393	61.2	56.8-65.5	224	36.3	32.0-40.6	18	2.5	1.31-3.75
45-54	120	9,637	72	59.5	50.0-69.1	47	40.0	30.5-49.6	1	0.4	0.00-1.30
55-64	131	10,793	90	69.8	61.5-78.0	36	26.9	19.0-34.9	5	3.3	0.31-6.31
65+	346	28,858	212	60.8	55.2-66.5	121	35.5	30.0-41.1	13	3.6	1.60-5.64
Less Than H.S.	89	8,108							4	4.3	0.00-8.80
H.S. or G.E.D.	227	19,295	145	64.0	57.3-70.7	76	33.6	27.0-40.2	6	2.4	0.43-4.35
Some Post-H.S.	209	17,253	125	61.0	53.9-68.0	77	36.1	29.2-43.0	7	2.9	0.70-5.10
College Graduate	141	12,627							2	1.1	0.00-2.59
Less than \$15,000	93	7,118	59	68.1	58.2-77.9	30	28.7	19.1-38.2	4	3.3	0.02-6.48
\$15,000- 24,999	156	13,572							5	2.3	0.21-4.49
\$25,000- 34,999	93	7,859							2	1.6	0.00-4.03
\$35,000- 49,999	99	8,246	62	63.2	53.2-73.2	36	35.7	25.8-45.7	1	1.0	0.00-3.08
\$50,000- 74,999	59	5,513							1	1.6	0.00-4.60

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 19: (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)  
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1079	107,971	296	29.1	26.1-32.2	543	50.4	47.0-53.8	240	20.4	17.8-23.1
Male	414	50,753	154	36.5	31.5-41.5	207	49.8	44.5-55.1	53	13.7	9.79-17.6
Female	665	57,218	142	22.6	19.0-26.2	336	50.9	46.7-55.2	187	26.4	22.8-30.0
Non-Native	1031	102,812	281	28.8	25.7-31.9	521	50.7	47.3-54.2	229	20.5	17.7-23.2
35-44	74	8,143							5	6.8	0.82-12.7
45-54	223	22,614	74	36.0	28.9-43.2	120	52.6	45.3-60.0	29	11.3	7.06-15.6
55-64	227	20,985	77	35.5	28.8-42.3	114	50.3	43.3-57.2	36	14.2	9.60-18.8
65+	508	48,115	106	23.1	19.0-27.3	242	47.6	42.9-52.4	160	29.2	25.0-33.5
Less Than H.S.	147	14,643	42	32.5	23.7-41.4	57	37.5	28.7-46.3	48	30.0	21.7-38.3
H.S. or G.E.D.	355	34,773	108	31.7	26.4-37.0	173	49.1	43.4-54.8	74	19.2	14.9-23.6
Some Post-H.S.	314	30,449	74	25.8	20.3-31.2	166	51.6	45.4-57.8	74	22.6	17.2-28.1
College Graduate	260	27,860	72	28.2	22.0-34.4	144	57.1	50.2-64.0	44	14.7	10.3-19.2
Less than \$15,000	122	9,794	33	30.2	20.8-39.6	50	42.5	32.6-52.4	39	27.3	19.2-35.4
\$15,000- 24,999	232	21,949	67	31.8	24.8-38.9	105	43.9	36.3-51.4	60	24.3	18.1-30.6
\$25,000- 34,999	160	16,071	43	26.4	18.9-34.0	79	50.5	41.7-59.4	38	23.1	15.3-30.8
\$35,000- 49,999	181	18,659	47	27.7	20.5-34.9	104	56.0	48.1-63.8	30	16.3	10.5-22.1
\$50,000- 74,999	122	13,474	39	34.0	25.2-42.9	65	53.1	43.8-62.4	18	12.9	6.98-18.7
\$75,000+	101	12,297							7	9.6	1.55-17.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 20: (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	414	50,753	154	36.5	31.5-41.5	207	49.8	44.5-55.1	53	13.7	9.79-17.6
Non-Native	397	48,518	148	36.8	31.7-41.9	199	49.9	44.5-55.3	50	13.3	9.36-17.2
45-54	104	13,020							11	10.0	4.08-15.9
55-64	95	10,144							5	5.0	0.51-9.41
65+	163	19,327	47	30.4	22.8-37.9	85	51.2	43.1-59.3	31	18.4	12.1-24.8
H.S. or G.E.D.	130	15,591	51	38.6	29.7-47.4	58	46.0	36.8-55.3	21	15.4	8.99-21.8
Some Post-H.S.	104	13,149	39	35.2	25.3-45.1				9	14.3	4.63-24.1
College Graduate	119	15,233	46	37.5	28.0-47.0	61	53.7	43.8-63.5	12	8.8	3.60-14.1
\$15,000- 24,999	76	8,372							11	16.6	7.43-25.7
\$35,000- 49,999	82	10,413							8	10.3	3.16-17.5
\$50,000- 74,999	63	7,961							5	7.3	0.92-13.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 21: (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	665	57,218	142	22.6	19.0-26.2	336	50.9	46.7-55.2	187	26.4	22.8-30.0
Non-Native	634	54,294	133	21.7	18.1-25.3	322	51.4	47.0-55.8	179	26.9	23.1-30.6
45-54	119	9,595	26	23.8	14.8-32.8	75	63.0	53.4-72.7	18	13.1	7.04-19.2
55-64	132	10,840	37	29.2	20.8-37.7	64	47.9	38.9-56.9	31	22.9	15.4-30.4
65+	345	28,787	59	18.3	13.7-22.9	157	45.3	39.5-51.0	129	36.5	30.9-42.0
H.S. or G.E.D.	225	19,182	57	26.1	19.8-32.4	115	51.5	44.5-58.6	53	22.3	16.4-28.2
Some Post-H.S.	210	17,300	35	18.6	12.6-24.5	110	52.5	45.2-59.8	65	28.9	22.6-35.3
College Graduate	141	12,627	26	16.9	10.1-23.7	83	61.2	51.9-70.5	32	21.8	14.4-29.3
Less than \$15,000	93	7,118							35	32.4	22.6-42.3
\$15,000- 24,999	156	13,577	38	26.6	18.1-35.1	69	44.3	34.4-54.2	49	29.1	20.7-37.5
\$25,000- 34,999	92	7,788	19	17.8	9.87-25.8				22	22.0	13.1-31.0
\$35,000- 49,999	99	8,246	19	19.9	11.3-28.5				22	23.8	14.6-33.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 22: (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXADV)  
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1076	107,666	783	72.8	69.8-75.7	293	27.3	24.3-30.2
Male	412	50,617	308	74.7	70.1-79.4	104	25.3	20.6-29.9
Female	664	57,049	475	71.0	67.1-74.9	189	29.0	25.1-32.9
Non-Native	1030	102,728	747	72.4	69.3-75.4	283	27.6	24.6-30.7
45-54	224	22,657	176	78.6	72.8-84.5	48	21.4	15.5-27.2
55-64	227	20,985	182	81.3	76.0-86.6	45	18.7	13.4-24.0
65+	503	47,623	340	67.9	63.5-72.4	163	32.1	27.6-36.5
Less Than H.S.	146	14,572	93	62.3	53.2-71.3	53	37.7	28.7-46.8
H.S. or G.E.D.	353	34,389	257	73.2	68.1-78.3	96	26.8	21.7-31.9
Some Post-H.S.	313	30,389	224	69.6	63.8-75.4	89	30.4	24.6-36.2
College Graduate	261	28,070	206	80.8	75.7-85.8	55	19.2	14.2-24.3
Less than \$15,000	120	9,663	75	60.6	50.6-70.6	45	39.4	29.4-49.4
\$15,000- 24,999	233	21,992	167	70.8	64.0-77.5	66	29.2	22.5-36.0
\$25,000- 34,999	161	16,141	124	73.8	65.5-82.2	37	26.2	17.8-34.5
\$35,000- 49,999	181	18,659	132	72.7	65.8-79.6	49	27.3	20.4-34.2
\$50,000- 74,999	124	13,744	96	78.0	70.3-85.7	28	22.0	14.3-29.7
\$75,000+	101	12,297	85	86.5	80.0-93.0	16	13.5	6.98-20.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 23: (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	412	50,617	308	74.7	70.1-79.4	104	25.3	20.6-29.9
Non-Native	397	48,602	297	74.6	69.9-79.4	100	25.4	20.6-30.1
45-54	104	13,020	82	82.0	74.6-89.4	22	18.0	10.6-25.4
55-64	95	10,144	76	82.0	74.2-89.8	19	18.0	10.2-25.8
65+	160	19,047	115	72.5	65.3-79.7	45	27.5	20.3-34.7
H.S. or G.E.D.	128	15,305	99	77.0	68.8-85.3	29	23.0	14.7-31.2
College Graduate	120	15,443	100	85.1	78.5-91.6	20	14.9	8.40-21.5
\$75,000+	59	8,505	52	90.6	83.7-97.6	7	9.4	2.42-16.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 24: (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	664	57,049	475	71.0	67.1-74.9	189	29.0	25.1-32.9
Non-Native	633	54,125	450	70.3	66.4-74.3	183	29.7	25.7-33.6
45-54	120	9,637	94	74.1	64.9-83.2	26	25.9	16.8-35.1
55-64	132	10,840	106	80.7	73.5-87.8	26	19.3	12.2-26.5
65+	343	28,576	225	64.9	59.3-70.4	118	35.1	29.6-40.7
H.S. or G.E.D.	225	19,084	158	70.2	63.8-76.6	67	29.8	23.4-36.2
Some Post-H.S.	210	17,300	154	72.9	66.4-79.3	56	27.1	20.7-33.6
College Graduate	141	12,627	106	75.5	67.5-83.4	35	24.5	16.6-32.5
\$15,000- 24,999	157	13,620	112	70.8	62.3-79.2	45	29.3	20.8-37.7
\$35,000- 49,999	99	8,246	75	75.9	67.1-84.6	24	24.1	15.4-32.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 25: (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)  
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1079	108,007	983	88.6	86.2-91.1	96	11.4	8.92-13.8
Male	414	50,783	364	85.1	80.8-89.4	50	14.9	10.6-19.2
Female	665	57,224	619	91.8	89.2-94.3	46	8.2	5.65-10.8
Non-Native	1032	102,913	940	88.7	86.2-91.2	92	11.3	8.78-13.8
45-54	223	22,614	200	88.6	83.8-93.4	23	11.4	6.65-16.2
55-64	228	21,111	213	94.2	91.3-97.2	15	5.8	2.80-8.72
65+	506	47,881	488	96.6	94.9-98.3	18	3.4	1.68-5.10
Less Than H.S.	145	14,459	133	89.5	83.1-95.9	12	10.5	4.09-16.9
H.S. or G.E.D.	355	34,723	331	91.6	87.8-95.4	24	8.4	4.64-12.2
Some Post-H.S.	314	30,449	282	86.2	81.0-91.5	32	13.8	8.55-19.0
College Graduate	262	28,130	234	87.0	82.2-91.9	28	13.0	8.11-17.8
Less than \$15,000	122	9,794	112	89.7	82.7-96.7	10	10.3	3.31-17.3
\$15,000- 24,999	231	21,885	219	94.4	91.1-97.7	12	5.6	2.35-8.85
\$25,000- 34,999	161	16,141	144	82.1	73.7-90.5	17	17.9	9.48-26.3
\$35,000- 49,999	181	18,659	158	86.4	80.8-92.0	23	13.6	7.97-19.2
\$50,000- 74,999	124	13,744	110	88.6	82.8-94.5	14	11.4	5.49-17.3
\$75,000+	101	12,297	90	87.2	78.6-95.8	11	12.8	4.23-21.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 26: (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	414	50,783	364	85.1	80.8-89.4	50	14.9	10.6-19.2
Non-Native	397	48,548	349	85.2	80.8-89.6	48	14.8	10.4-19.2
45-54	104	13,020	92	86.8	79.5-94.0	12	13.3	5.98-20.5
55-64	96	10,270	87	93.3	88.7-97.8	9	6.7	2.17-11.3
65+	161	19,087	153	95.1	91.5-98.6	8	4.9	1.36-8.50
Less Than H.S.	57	6,415	51	88.0	78.2-97.7	6	12.0	2.27-21.8
H.S. or G.E.D.	129	15,470	119	89.6	82.5-96.8	10	10.3	3.24-17.5
College Graduate	121	15,503	108	86.9	80.0-93.8	13	13.1	6.23-20.0
\$15,000- 24,999	76	8,372	70	92.0	85.6-98.5	6	7.9	1.54-14.4
\$35,000- 49,999	82	10,413	68	82.1	73.1-91.1	14	17.9	8.89-26.9
\$50,000- 74,999	65	8,231	55	86.0	77.6-94.5	10	13.9	5.46-22.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 27: (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	665	57,224	619	91.8	89.2-94.3	46	8.2	5.65-10.8
Non-Native	635	54,365	591	91.9	89.3-94.5	44	8.1	5.54-10.7
45-54	119	9,595	108	91.1	85.8-96.4	11	8.9	3.60-14.2
55-64	132	10,840	126	95.2	91.3-99.0	6	4.8	1.02-8.66
65+	345	28,793	335	97.6	96.1-99.2	10	2.4	0.80-3.94
Less Than H.S.	88	8,044	82	90.8	82.3-99.2	6	9.3	0.78-17.7
H.S. or G.E.D.	226	19,253	212	93.1	89.3-96.8	14	6.9	3.17-10.7
Some Post-H.S.	210	17,300	199	94.1	90.4-97.8	11	5.9	2.16-9.60
College Graduate	141	12,627	126	87.2	80.5-94.0	15	12.8	6.01-19.5
Less than \$15,000	93	7,118	85	89.7	82.0-97.4	8	10.3	2.60-18.0
\$15,000- 24,999	155	13,512	149	95.9	92.4-99.3	6	4.1	0.73-7.55
\$35,000- 49,999	99	8,246	90	91.9	86.5-97.2	9	8.1	2.81-13.5
\$50,000- 74,999	59	5,513	55	92.5	85.2-99.8	4	7.5	0.22-14.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 28: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? BLOOD PRESSURE?  
(BPHI2MR)**

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1062	106,448	891	82.1	79.4-84.9	1	0.1	0.00-0.41	164	17.1	14.4-19.8	6	0.6	0.07-1.13
Male	404	49,754	331	80.1	75.6-84.6				71	19.3	14.8-23.8	2	0.6	0.00-1.47
Female	658	56,694	560	84.0	80.8-87.2	1	0.3	0.00-0.77	93	15.2	12.1-18.3	4	0.6	0.00-1.21
Non-Native	1019	101,799	855	82.3	79.5-85.0	1	0.1	0.00-0.44	157	17.0	14.2-19.7	6	0.6	0.07-1.17
45-54	223	22,572	191	84.6	79.2-90.1				31	15.0	9.60-20.4	1	0.4	0.00-1.12
55-64	226	20,922	191	85.0	80.1-89.9				33	14.5	9.64-19.4	2	0.5	0.00-1.09
65+	491	46,553	425	86.2	82.8-89.5				65	13.6	10.2-16.9	1	0.3	0.00-0.77
Less Than H.S.	144	14,452	117	81.4	74.4-88.4				27	18.6	11.6-25.6			
H.S. or G.E.D.	354	34,407	305	84.4	79.8-89.0	1	0.4	0.00-1.27	46	14.5	10.1-19.0	2	0.7	0.00-1.75
Some Post-H.S.	306	29,893	251	80.0	74.7-85.3				52	19.2	13.9-24.4	3	0.8	0.00-1.87
College Graduate	255	27,451	215	82.0	76.3-87.6				39	17.5	11.9-23.1	1	0.5	0.00-1.60
Less than \$15,000	118	9,532	105	83.9	75.2-92.7				13	16.1	7.34-24.8			
\$15,000- 24,999	227	21,607	192	84.0	78.7-89.3	1	0.7	0.00-2.04	34	15.3	10.1-20.5			
\$25,000- 34,999	161	16,141	133	79.2	71.0-87.3				26	19.6	11.6-27.7	2	1.2	0.00-3.10
\$35,000- 49,999	179	18,510	148	82.6	76.6-88.6				31	17.4	11.4-23.4			
\$50,000- 74,999	121	13,338	92	75.9	67.8-84.0				29	24.1	16.0-32.2			
\$75,000+	100	12,212	90	90.2	83.6-96.9				9	9.1	2.55-15.6	1	0.7	0.00-2.07

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 29: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? BLOOD PRESSURE?  
(BPHI2MR)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	404	49,754	331	80.1	75.6-84.6	71	19.3	14.8-23.8	2	0.6	0.00-1.47
Non-Native	391	47,959	320	80.2	75.7-84.8	69	19.1	14.6-23.6	2	0.6	0.00-1.53
45-54	104	13,020	90	85.5	78.0-93.0	14	14.5	6.97-22.0			
55-64	94	10,081	80	86.9	79.8-93.9	14	13.1	6.05-20.2			
65+	153	18,247	130	84.9	78.9-90.9	22	14.5	8.58-20.4	1	0.7	0.00-1.95
H.S. or G.E.D.	127	15,111	112	85.0	77.1-92.8	14	13.8	6.18-21.4	1	1.2	0.00-3.59
Some Post-H.S.	103	13,089	81	76.3	66.7-85.8	21	22.8	13.3-32.3	1	0.9	0.00-2.72
College Graduate	115	14,894	93	79.9	71.7-88.2	22	20.1	11.8-28.3			
\$35,000- 49,999	81	10,350	65	80.4	71.4-89.5	16	19.6	10.5-28.6			
\$75,000+	59	8,505	55	92.6	84.5-0100	4	7.4	0.00-15.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 30: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? BLOOD PRESSURE?  
(BPHI2MR)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	658	56,694	560	84.0	80.7-87.2	1	0.3	0.00-0.77	93	15.2	12.1-18.3	4	0.6	0.00-1.21
Non-Native	628	53,840	535	84.1	80.8-87.3	1	0.3	0.00-0.83	88	15.0	11.9-18.2	4	0.6	0.00-1.28
45-54	119	9,552	101	83.4	75.8-91.1				17	15.7	8.15-23.2	1	0.9	0.00-2.64
55-64	132	10,840	111	83.3	76.5-90.1				19	15.8	9.06-22.6	2	0.9	0.00-2.10
65+	338	28,306	295	87.0	83.1-91.0				43	13.0	9.04-16.9			
Less Than H.S.	88	8,038	75	85.7	77.6-93.8				13	14.3	6.19-22.4			
H.S. or G.E.D.	227	19,295	193	83.9	78.5-89.3	1	0.8	0.00-2.28	32	15.1	9.83-20.3	1	0.3	0.00-0.74
Some Post-H.S.	203	16,804	170	82.9	77.2-88.6				31	16.3	10.7-21.9	2	0.8	0.00-1.93
College Graduate	140	12,557	122	84.3	76.9-91.8				17	14.5	7.25-21.7	1	1.2	0.00-3.50
Less than \$15,000	91	6,977	82	85.5	75.8-95.2				9	14.5	4.76-24.2			
\$15,000- 24,999	152	13,295	132	87.2	81.5-92.9	1	1.1	0.00-3.30	19	11.7	6.37-17.0			
\$25,000- 34,999	93	7,859							17	19.6	9.94-29.3	2	2.5	0.00-6.34
\$35,000- 49,999	98	8,160	83	85.4	78.1-92.7				15	14.6	7.27-21.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005**

**MODULE 10: RANDOM CHILD SELECTION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	86
2 MALES ONLY	87
3 FEMALES ONLY	88
IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4 MALES AND FEMALES	89
5 MALES ONLY	90
6 FEMALES ONLY	91
IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7 MALES AND FEMALES	92
8 MALES ONLY	93
9 FEMALES ONLY	94
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10 MALES AND FEMALES	95
11 MALES ONLY	96
12 FEMALES ONLY	97
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13 MALES AND FEMALES	98
14 MALES ONLY	99
15 FEMALES ONLY	100
HOW ARE YOU RELATED TO THE CHILD? (RCSRELTN)	
16 MALES AND FEMALES	101
17 MALES ONLY	102
18 FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2004			2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1125	166,290	311	26.8	23.7-30.0	297	22.8	20.0-25.6	266	23.9	21.1-26.8	223	23.4	20.5-26.3	28	3.1	1.85-4.31
Male	438	79,273	123	29.4	24.2-34.6	104	22.2	17.9-26.4	103	22.4	18.3-26.6	98	24.0	19.6-28.4	10	2.0	0.76-3.30
Female	687	87,017	188	24.4	20.7-28.2	193	23.4	19.6-27.1	163	25.3	21.4-29.1	125	22.9	19.0-26.8	18	4.0	2.02-6.06
Native	56	10,535													2	5.2	0.00-12.2
Non-Native	1065	154,998	299	27.3	24.1-30.5	282	22.8	20.0-25.6	248	23.5	20.7-26.4	210	23.4	20.5-26.4	26	2.9	1.72-4.18
18-24	82	29,826				12	16.9	7.40-26.5	13	15.2	6.78-23.6	27	27.1	17.3-36.9	7	6.4	1.42-11.4
25-34	298	49,149	5	2.1	0.00-4.32	42	13.3	9.34-17.3	101	32.7	27.2-38.2	135	46.7	40.8-52.6	15	5.1	2.53-7.71
35-44	462	54,423	115	25.0	20.8-29.2	168	33.4	28.9-37.9	120	28.0	23.6-32.4	53	12.4	9.14-15.6	6	1.3	0.22-2.34
45-54	252	28,850	153	61.8	55.3-68.3	62	22.7	17.0-28.4	29	11.6	7.36-15.8	8	4.0	1.24-6.68			
H.S. or G.E.D.	245	40,477	74	28.6	21.4-35.8	74	29.6	22.3-36.9	56	21.9	15.9-27.9	36	16.4	11.1-21.8	5	3.5	0.29-6.67
Some Post-H.S.	385	57,031	103	25.0	20.0-30.0	116	24.8	20.2-29.4	81	21.8	17.2-26.4	76	25.7	20.4-31.1	9	2.7	0.85-4.53
College Graduate	451	59,431	119	25.1	20.8-29.4	98	17.7	14.2-21.2	117	26.8	22.4-31.3	105	27.4	22.8-32.0	12	3.0	1.25-4.69
Less than \$15,000	60	11,881													3	4.0	0.00-8.53
\$15,000- 24,999	113	15,198	28	18.8	10.9-26.6	37	25.9	17.3-34.5	23	24.4	14.8-34.0				3	4.0	0.00-8.53
\$25,000- 34,999	115	17,764				24	16.8	9.50-24.2	28	23.8	15.0-32.5				4	4.7	0.00-9.44
\$35,000- 49,999	249	37,476	74	31.9	24.7-39.0	61	19.3	14.1-24.6	49	19.0	13.9-24.2	61	28.5	22.0-34.9	4	1.3	0.00-2.63
\$50,000- 74,999	266	37,617	66	23.2	17.8-28.6	72	23.7	18.4-29.1	75	29.8	23.6-36.1	45	19.0	13.8-24.3	8	4.2	1.08-7.28
\$75,000+	254	33,253	78	28.1	22.4-33.9	66	25.1	19.5-30.7	63	25.4	19.6-31.2	42	18.8	13.5-24.0	5	2.5	0.30-4.72

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2004			2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	438	79,273	123	29.4	24.2-34.6	104	22.2	17.9-26.4	103	22.4	18.3-26.6	98	24.0	19.6-28.4	10	2.0	0.76-3.30
Non-Native	420	74,847	119	29.0	23.8-34.1	101	22.8	18.4-27.2	96	22.0	17.8-26.3	94	24.0	19.5-28.5	10	2.1	0.80-3.50
25-34	119	22,817	3	3.6	0.00-8.03	14	12.3	5.96-18.6	35	28.0	19.8-36.1	61	51.3	42.0-60.6	6	4.8	1.05-8.61
35-44	167	25,227	38	23.3	16.6-30.0	55	31.9	24.6-39.1	48	29.4	22.3-36.5	22	13.4	8.08-18.8	4	2.0	0.00-4.00
45-54	102	14,812	61	61.3	51.5-71.2	23	22.8	14.1-31.6	13	11.0	5.09-16.9	5	4.8	0.62-9.04			
H.S. or G.E.D.	103	20,575							24	21.4	13.0-29.9	13	14.1	6.67-21.4	2	1.8	0.00-4.26
Some Post-H.S.	154	27,031	37	24.0	16.6-31.4	37	21.9	15.0-28.7	35	22.5	15.5-29.5	41	29.6	21.7-37.6	4	2.0	0.00-4.05
College Graduate	162	26,745	48	28.8	21.4-36.1	29	16.4	10.7-22.1	40	24.7	17.7-31.7	41	27.5	20.1-34.9	4	2.6	0.07-5.13
\$35,000- 49,999	101	19,339				22	18.3	10.5-26.2	14	12.4	6.01-18.9	29	31.0	21.0-41.0	2	1.3	0.00-3.32
\$50,000- 74,999	123	20,031	32	25.3	17.2-33.4	30	23.1	15.3-30.9	32	26.4	18.1-34.7	25	21.8	14.0-29.5	4	3.5	0.10-6.84
\$75,000+	108	16,995	31	27.6	19.0-36.3	29	25.9	17.5-34.4	30	29.0	19.8-38.2	16	15.5	8.31-22.7	2	1.9	0.00-4.60

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2004			2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	687	87,017	188	24.4	20.7-28.2	193	23.4	19.6-27.1	163	25.3	21.4-29.1	125	22.9	19.0-26.8	18	4.0	2.02-6.06
Non-Native	645	80,151	180	25.7	21.8-29.6	181	22.8	19.4-26.3	152	24.9	21.0-28.8	116	22.9	18.9-26.9	16	3.7	1.70-5.70
25-34	179	26,333	2	0.8	0.00-2.08	28	14.3	9.14-19.4	66	36.9	29.5-44.2	74	42.7	35.1-50.2	9	5.4	1.84-8.90
35-44	295	29,196	77	26.5	21.1-31.8	113	34.7	29.1-40.3	72	26.7	21.3-32.2	31	11.5	7.54-15.4	2	0.7	0.00-1.56
45-54	150	14,038	92	62.3	53.8-70.7	39	22.5	15.5-29.6	16	12.2	6.15-18.2	3	3.0	0.00-6.45			
H.S. or G.E.D.	142	19,902	44	27.3	18.3-36.3				32	22.4	13.9-30.9	23	18.9	11.2-26.6	3	5.2	0.00-11.1
Some Post-H.S.	231	30,000	66	25.9	19.2-32.5	79	27.5	21.2-33.7	46	21.1	15.1-27.2	35	22.2	14.9-29.5	5	3.3	0.33-6.29
College Graduate	289	32,686	71	22.0	17.0-27.1	69	18.8	14.4-23.2	77	28.6	23.0-34.2	64	27.3	21.5-33.1	8	3.3	0.93-5.63
Less than \$15,000	51	9,186	8	11.0	1.11-20.9										2	5.9	0.00-14.9
\$15,000- 24,999	84	10,152				29	24.9	15.6-34.2							2	4.1	0.00-9.99
\$25,000- 34,999	71	8,596	20	19.4	10.4-28.4				14	18.6	9.20-28.0				3	8.1	0.00-17.0
\$35,000- 49,999	148	18,137	40	26.5	18.5-34.4	39	20.4	13.5-27.4	35	26.1	18.3-33.9	32	25.8	17.8-33.9	2	1.2	0.00-3.01
\$50,000- 74,999	143	17,586	34	20.9	14.0-27.8	42	24.4	17.2-31.6	43	33.8	24.4-43.2	20	15.9	9.12-22.8	4	5.0	0.00-10.3
\$75,000+	146	16,257	47	28.7	21.2-36.2	37	24.3	17.0-31.6	33	21.7	14.9-28.6	26	22.2	14.5-29.8	3	3.1	0.00-6.70

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy male			Girl female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1191	176,957	585	48.4	45.1-51.8	606	51.6	48.2-54.9
Male	476	86,727	227	46.5	41.4-51.6	249	53.5	48.4-58.6
Female	715	90,230	358	50.3	45.9-54.7	357	49.7	45.3-54.1
Non-Native	1128	165,289	557	49.0	45.6-52.4	571	51.0	47.6-54.4
25-34	305	50,221	144	46.6	40.8-52.5	161	53.4	47.5-59.2
35-44	482	57,015	231	48.6	43.8-53.3	251	51.4	46.7-56.2
45-54	274	31,538	143	51.0	44.6-57.5	131	49.0	42.5-55.4
H.S. or G.E.D.	261	43,065	131	49.0	41.6-56.4	130	51.0	43.6-58.4
Some Post-H.S.	408	60,761	214	50.7	45.0-56.3	194	49.3	43.7-55.0
College Graduate	475	63,057	215	45.5	40.6-50.4	260	54.5	49.6-59.4
\$35,000- 49,999	259	38,907	122	47.8	40.8-54.8	137	52.2	45.2-59.2
\$50,000- 74,999	277	39,264	150	51.9	45.4-58.4	127	48.1	41.6-54.6
\$75,000+	269	35,929	127	46.3	39.8-52.7	142	53.7	47.3-60.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy male			Girl female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	476	86,727	227	46.5	41.4-51.6	249	53.5	48.4-58.6
Non-Native	457	82,156	220	47.3	42.1-52.4	237	52.7	47.6-57.9
25-34	122	23,368	53	42.4	33.4-51.5	69	57.6	48.5-66.6
35-44	179	27,101	88	48.8	41.3-56.3	91	51.2	43.7-58.7
45-54	114	16,602	57	48.8	39.2-58.4	57	51.2	41.6-60.8
Some Post-H.S.	163	29,485	82	47.5	39.0-55.9	81	52.5	44.1-61.0
College Graduate	177	29,015	77	44.1	36.4-51.8	100	55.9	48.2-63.6
\$50,000- 74,999	128	21,061	65	50.8	41.6-60.0	63	49.2	40.0-58.4
\$75,000+	120	19,352	57	45.3	35.8-54.8	63	54.7	45.2-64.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy male			Girl female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	715	90,230	358	50.3	45.9-54.7	357	49.7	45.3-54.1
Non-Native	671	83,133	337	50.6	46.2-55.1	334	49.3	44.9-53.8
25-34	183	26,853	91	50.3	42.7-57.8	92	49.7	42.2-57.3
35-44	303	29,914	143	48.4	42.5-54.3	160	51.6	45.7-57.5
45-54	160	14,936	86	53.5	45.1-61.9	74	46.5	38.1-54.9
Some Post-H.S.	245	31,277	132	53.7	46.3-61.1	113	46.3	38.9-53.7
College Graduate	298	34,042	138	46.6	40.4-52.8	160	53.4	47.2-59.6
\$35,000- 49,999	151	18,456	75	50.5	41.6-59.3	76	49.5	40.7-58.4
\$50,000- 74,999	149	18,203	85	53.2	43.9-62.4	64	46.8	37.6-56.1
\$75,000+	149	16,577	70	47.4	38.9-55.9	79	52.6	44.1-61.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1192	176,593	34	3.0	1.85-4.21	1158	97.0	95.8-98.1	
Male	475	86,134	8	2.0	0.53-3.43	467	98.0	96.6-99.5	
Female	717	90,459	26	4.0	2.22-5.86	691	96.0	94.1-97.8	
Native	58	10,816	4	4.9	0.00-10.1	54	95.1	89.9-0100	
Non-Native	1129	164,925	30	2.9	1.71-4.15	1099	97.1	95.9-98.3	
18-24	89	32,461	6	5.3	0.90-9.80	83	94.6	90.2-99.1	
25-34	305	50,221	7	2.1	0.43-3.69	298	97.9	96.3-99.6	
35-44	483	57,158	16	3.5	1.64-5.44	467	96.5	94.6-98.4	
45-54	275	31,668	4	1.3	0.00-3.06	271	98.6	96.9-0100	
H.S. or G.E.D.	261	42,780	12	4.3	1.55-6.95	249	95.8	93.0-98.5	
Some Post-H.S.	410	60,831	10	2.7	0.76-4.68	400	97.3	95.3-99.2	
College Graduate	474	62,908	8	1.7	0.41-2.91	466	98.3	97.1-99.6	
Less than \$15,000	61	12,018	7	10.9	1.68-20.1	54	89.1	79.9-98.3	
\$15,000- 24,999	118	16,044	6	6.9	0.37-13.3	112	93.1	86.7-99.6	
\$25,000- 34,999	124	18,827	4	2.6	0.00-5.76	120	97.4	94.2-0100	
\$35,000- 49,999	259	38,888	5	2.1	0.15-4.11	254	97.9	95.9-99.8	
\$50,000- 74,999	276	39,168	7	2.6	0.52-4.64	269	97.4	95.4-99.5	
\$75,000+	269	35,929	2	0.7	0.00-1.63	267	99.3	98.4-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	475	86,134	8	2.0	0.51-3.45	467	98.0	96.6-99.5	
Non-Native	456	81,563	8	2.1	0.54-3.64	448	97.9	96.4-99.5	
25-34	122	23,368	2	1.6	0.00-3.98	120	98.4	96.0-100	
35-44	179	27,101	4	2.8	0.00-5.71	175	97.2	94.3-100	
45-54	115	16,732				115	100.0	0100-0100	
H.S. or G.E.D.	113	22,148	4	4.1	0.00-8.24	109	95.9	91.8-100	
Some Post-H.S.	163	29,326	1	1.0	0.00-2.91	162	99.0	97.1-100	
College Graduate	177	29,015	3	1.8	0.00-3.94	174	98.2	96.1-100	
\$35,000- 49,999	109	20,580	2	2.1	0.00-5.17	107	97.9	94.8-100	
\$50,000- 74,999	128	21,061	3	2.7	0.00-5.99	125	97.3	94.0-100	
\$75,000+	120	19,352	1	0.5	0.00-1.41	119	99.5	98.6-100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	717	90,459	26	4.0	2.22-5.86	691	96.0	94.1-97.8	
Non-Native	673	83,362	22	3.8	1.89-5.61	651	96.3	94.4-98.1	
18-24	51	16,798	4	6.9	0.00-14.0	47	93.1	86.0-0100	
25-34	183	26,853	5	2.5	0.28-4.70	178	97.5	95.3-99.7	
35-44	304	30,058	12	4.2	1.71-6.73	292	95.8	93.3-98.3	
45-54	160	14,936	4	2.9	0.00-6.43	156	97.1	93.6-0100	
H.S. or G.E.D.	148	20,632	8	4.4	1.04-7.86	140	95.5	92.1-99.0	
Some Post-H.S.	247	31,506	9	4.3	1.03-7.65	238	95.7	92.3-99.0	
College Graduate	297	33,893	5	1.6	0.18-2.96	292	98.4	97.0-99.8	
\$15,000- 24,999	89	11,157	5	7.0	0.00-14.5	84	93.0	85.5-0100	
\$25,000- 34,999	75	8,934	3	2.4	0.00-5.30	72	97.6	94.7-0100	
\$35,000- 49,999	150	18,308	3	2.1	0.00-4.60	147	97.8	95.4-0100	
\$50,000- 74,999	148	18,107	4	2.4	0.01-4.75	144	97.6	95.2-0100	
\$75,000+	149	16,577	1	0.9	0.00-2.64	148	99.1	97.4-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1255	186,398	1088	85.0	82.4-87.6	9	0.4	0.14-0.76	3	0.5	0.00-1.26	3	0.2	0.00-0.52	56	5.9	3.90-7.82	96	7.9	6.12-9.72
Male	499	90,583	441	87.6	84.2-91.0	3	0.4	0.00-0.88	1	0.2	0.00-0.59				20	5.5	2.82-8.26	34	6.3	4.05-8.45
Female	756	95,815	647	82.6	78.7-86.5	6	0.5	0.07-0.89	2	0.8	0.00-2.20	3	0.4	0.00-1.00	36	6.2	3.32-9.00	62	9.5	6.71-12.3
Native	64	11,830	5	5.8	0.01-11.5															
Non-Native	1188	173,941	1080	90.4	88.3-92.5	9	0.5	0.15-0.81	3	0.5	0.00-1.35	3	0.3	0.00-0.56	10	1.1	0.32-1.84	83	7.3	5.48-9.08
18-24	99	35,876							1	1.9	0.00-5.58				13	13.5	5.17-21.8	15	13.6	6.71-20.6
25-34	319	52,363	277	87.4	83.6-91.2	2	0.3	0.00-0.86	1	0.3	0.00-1.04	1	0.3	0.00-0.83	16	5.0	2.44-7.66	22	6.6	3.81-9.33
35-44	509	60,133	449	88.3	85.2-91.3	3	0.5	0.00-1.07	1	0.2	0.00-0.47	1	0.4	0.00-1.07	20	4.0	2.11-5.91	35	6.7	4.45-9.03
45-54	285	32,645	256	91.5	88.2-94.7	4	1.1	0.00-2.23							5	1.4	0.00-2.86	20	6.0	3.32-8.76
H.S. or G.E.D.	288	46,343	232	77.8	71.1-84.5	1	0.1	0.00-0.27	1	0.2	0.00-0.62	3	0.9	0.00-2.08	14	9.8	3.61-16.1	37	11.1	7.17-15.0
Some Post-H.S.	431	64,702	372	85.4	81.3-89.5	3	0.4	0.00-0.96							22	4.9	2.62-7.20	34	9.3	5.70-12.8
College Graduate	487	64,934	449	92.5	89.9-95.1	5	0.8	0.05-1.47	1	0.3	0.00-0.83				10	1.8	0.54-2.98	22	4.7	2.49-6.89
Less than \$15,000	66	13,415										1	1.6	0.00-4.75						
\$15,000- 24,999	132	18,169	104	75.6	66.8-84.4	4	1.9	0.00-3.99							9	10.8	3.85-17.6	15	11.7	5.39-18.1
\$25,000- 34,999	133	20,192	115	86.1	79.0-93.2							1	0.3	0.00-1.04	7	5.5	1.05-9.87	10	8.1	2.27-14.0
\$35,000- 49,999	271	40,581	241	88.4	83.2-93.6	2	0.4	0.00-1.01	1	0.4	0.00-1.33				8	4.2	0.00-8.64	19	6.5	3.42-9.62
\$50,000- 74,999	282	39,971	256	89.5	84.7-94.2				2	1.9	0.00-5.26	1	0.4	0.00-1.10	6	2.1	0.31-3.87	17	6.1	2.98-9.30
\$75,000+	278	37,413	258	92.7	89.3-96.2	2	0.6	0.00-1.44							6	1.8	0.20-3.34	12	4.9	1.81-7.97

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	499	90,583	441	87.6	84.2-91.0	3	0.4	0.00-0.88	1	0.2	0.00-0.59	20	5.5	2.85-8.23	34	6.3	4.05-8.45
Non-Native	478	85,644	440	92.3	89.8-94.9	3	0.4	0.00-0.92	1	0.2	0.00-0.62	4	1.1	0.00-2.15	30	5.9	3.72-8.18
25-34	129	24,654	114	87.7	81.8-93.6				1	0.8	0.00-2.20	5	4.8	0.68-9.00	9	6.7	2.46-11.0
35-44	188	28,542	170	89.9	85.4-94.4	1	0.5	0.00-1.49				6	3.5	0.69-6.37	11	6.1	2.53-9.59
45-54	118	17,025	104	90.1	84.9-95.2	2	1.3	0.00-3.20				2	1.9	0.00-4.60	10	6.7	2.53-10.8
H.S. or G.E.D.	121	23,292	103	83.3	74.6-91.9							7	9.6	1.58-17.7	11	7.1	2.90-11.3
Some Post-H.S.	173	31,485	154	88.0	82.5-93.5							7	5.1	1.32-8.80	12	7.0	2.72-11.2
College Graduate	182	29,944	165	91.2	87.1-95.4	3	1.2	0.00-2.67	1	0.6	0.00-1.81	3	1.6	0.00-3.36	10	5.3	1.93-8.71
\$25,000- 34,999	52	10,727										4	7.1	0.00-14.2	3	7.8	0.00-16.8
\$35,000- 49,999	115	21,602	103	86.9	78.2-95.7	1	0.4	0.00-1.33	1	0.8	0.00-2.52	2	5.3	0.00-13.2	8	6.4	1.90-11.0
\$50,000- 74,999	131	21,533	120	92.8	88.5-97.0							3	2.2	0.00-4.66	8	5.0	1.51-8.57
\$75,000+	124	20,021	114	92.4	87.7-97.0	1	0.6	0.00-1.92				3	2.3	0.00-5.04	6	4.6	0.97-8.33

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	756	95,815	647	82.6	78.7-86.5	6	0.5	0.07-0.89	2	0.8	0.00-2.20	3	0.4	0.00-1.00	36	6.2	3.32-9.00	62	9.5	6.71-12.3
Non-Native	710	88,297	640	88.5	85.2-91.8	6	0.5	0.09-0.95	2	0.9	0.00-2.39	3	0.5	0.00-1.10	6	1.1	0.00-2.18	53	8.6	5.78-11.3
18-24	57	18,910							1	3.6	0.00-10.5									
25-34	190	27,709	163	87.1	82.3-92.0	2	0.7	0.00-1.61				1	0.5	0.00-1.60	11	5.2	1.94-8.52	13	6.4	2.85-10.0
35-44	321	31,591	279	86.8	82.7-90.8	2	0.4	0.00-1.12	1	0.3	0.00-0.89	1	0.7	0.00-2.01	14	4.4	1.84-7.02	24	7.3	4.39-10.3
45-54	167	15,620	152	93.0	89.3-96.8	2	0.8	0.00-2.02							3	0.8	0.00-1.76	10	5.3	1.89-8.79
H.S. or G.E.D.	167	23,051				1	0.2	0.00-0.56	1	0.4	0.00-1.24	3	1.9	0.00-4.18	7	10.1	0.52-19.6	26	15.1	8.60-21.7
Some Post-H.S.	258	33,217	218	82.9	76.9-88.9	3	0.9	0.00-1.88							15	4.8	2.05-7.49	22	11.4	5.83-17.0
College Graduate	305	34,990	284	93.6	90.3-96.9	2	0.3	0.00-0.84							7	1.9	0.25-3.59	12	4.1	1.26-7.02
Less than \$15,000	57	10,720										1	2.0	0.00-5.95						
\$15,000- 24,999	98	12,291	80	81.2	72.0-90.3	3	1.6	0.00-3.70							4	5.5	0.00-11.4	11	11.6	4.19-19.0
\$25,000- 34,999	81	9,465	70	87.2	78.8-95.5							1	0.8	0.00-2.24	3	3.6	0.00-8.45	7	8.5	1.47-15.5
\$35,000- 49,999	156	18,978	138	90.0	85.2-94.8	1	0.4	0.00-1.15							6	3.0	0.40-5.58	11	6.6	2.47-10.7
\$50,000- 74,999	151	18,438	136	85.6	76.9-94.3				2	4.2	0.00-11.3	1	0.8	0.00-2.38	3	2.0	0.00-4.55	9	7.4	1.98-12.8
\$75,000+	154	17,391	144	93.2	87.9-98.5	1	0.5	0.00-1.63							3	1.1	0.00-2.41	6	5.2	0.11-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)  
Denominator excludes: Respondents with do not know/refused/missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRELTN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1197	177,249	1105	85.1	81.8-88.4	24	1.7	0.98-2.50	19	1.6	0.78-2.34	43	10.7	7.56-13.9	3	0.5	0.00-1.33	3	0.3	0.00-0.56
Male	477	86,500	436	83.3	78.2-88.4	4	0.8	0.00-1.70	9	1.7	0.59-2.83	24	13.4	8.37-18.5	1	0.2	0.00-0.50	3	0.5	0.00-1.18
Female	720	90,749	669	86.9	82.7-91.1	20	2.6	1.37-3.83	10	1.4	0.31-2.55	19	8.2	4.36-12.0	2	0.9	0.00-2.41			
Native	57	10,680				4	6.3	0.00-13.2	2	3.1	0.00-7.35									
Non-Native	1135	165,717	1055	86.3	83.1-89.5	19	1.4	0.73-2.07	17	1.5	0.68-2.28	38	9.9	6.88-13.0	3	0.6	0.00-1.43	3	0.3	0.00-0.62
18-24	89	32,615							1	1.3	0.00-3.70				2	2.5	0.00-6.65	1	0.4	0.00-1.30
25-34	305	50,186	297	96.9	94.6-99.3				5	1.5	0.14-2.80	1	0.9	0.00-2.69	1	0.3	0.00-0.89	1	0.4	0.00-1.10
35-44	485	57,350	474	97.1	95.3-98.9	2	0.5	0.00-1.34	7	1.7	0.39-3.05	1	0.4	0.00-1.11				1	0.3	0.00-0.74
45-54	278	32,014	267	95.7	93.0-98.4	8	3.5	0.93-6.03	3	0.8	0.00-1.78									
H.S. or G.E.D.	262	42,778	232	77.8	69.8-85.9	10	3.0	0.98-4.98	3	0.7	0.00-1.58	16	18.1	10.0-26.2	1	0.3	0.00-1.04			
Some Post-H.S.	412	61,200	383	86.6	81.5-91.7	6	1.1	0.18-1.98	5	0.9	0.05-1.69	16	10.9	5.87-16.0	1	0.2	0.00-0.71	1	0.3	0.00-0.89
College Graduate	476	63,197	457	94.2	91.2-97.1	4	0.8	0.00-1.60	9	2.2	0.72-3.66	5	2.6	0.14-5.12				1	0.2	0.00-0.68
Less than \$15,000	60	11,881				3	3.3	0.00-7.89	2	4.0	0.00-10.7									
\$15,000- 24,999	119	16,334	108	87.2	78.5-95.9	5	3.2	0.32-6.08	2	1.2	0.00-3.02	3	7.5	0.00-15.8	1	0.9	0.00-2.61			
\$25,000- 34,999	124	18,827				4	2.7	0.00-5.52	3	1.5	0.00-3.48	2	6.5	0.00-17.3				1	0.8	0.00-2.26
\$35,000- 49,999	260	38,939	241	85.8	78.9-92.6	6	2.3	0.32-4.28	5	2.0	0.20-3.80	8	9.9	3.29-16.6						
\$50,000- 74,999	279	39,524	263	90.0	84.6-95.5	4	1.0	0.01-2.09	5	1.8	0.22-3.36	5	4.9	0.66-9.16	1	1.7	0.00-5.05	1	0.5	0.00-1.36
\$75,000+	270	36,025	265	95.7	91.4-0100	1	0.4	0.00-1.07	1	0.5	0.00-1.54	3	3.4	0.00-7.58						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRELTN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	477	86,500	436	83.3	78.2-88.4	4	0.8	0.00-1.70	9	1.7	0.59-2.83	24	13.4	8.35-18.5	1	0.2	0.00-0.50	3	0.5	0.00-1.18
Non-Native	458	81,929	423	84.7	79.6-89.8	2	0.4	0.00-0.91	8	1.6	0.48-2.68	21	12.6	7.53-17.6	1	0.2	0.00-0.53	3	0.6	0.00-1.23
25-34	121	23,184	117	95.6	91.1-0100				2	1.6	0.00-3.76	1	2.0	0.00-5.80				1	0.8	0.00-2.34
35-44	179	27,101	173	96.5	93.8-99.3				5	2.9	0.36-5.50							1	0.5	0.00-1.57
45-54	117	16,993	115	98.5	96.4-0100	2	1.5	0.00-3.65												
H.S. or G.E.D.	112	21,964				3	2.5	0.00-5.47												
Some Post-H.S.	165	29,745	153	85.5	77.6-93.5				2	1.0	0.00-2.30	8	12.4	4.55-20.3	1	0.5	0.00-1.45	1	0.6	0.00-1.84
College Graduate	178	29,145	168	93.2	88.8-97.7	1	0.6	0.00-1.84	7	4.1	1.05-7.09	1	1.6	0.00-4.64				1	0.5	0.00-1.48
\$35,000- 49,999	108	20,397				1	1.4	0.00-4.09	3	2.7	0.00-5.71									
\$50,000- 74,999	130	21,321	120	87.8	79.9-95.6	1	0.6	0.00-1.81	4	2.6	0.07-5.17	4	8.1	0.68-15.6				1	0.9	0.00-2.55
\$75,000+	120	19,352	116	92.8	85.0-0100	1	0.7	0.00-1.98	1	1.0	0.00-2.88	2	5.6	0.00-13.2						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005  
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRELTN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	720	90,749	669	86.9	82.7-91.1	20	2.6	1.37-3.83	10	1.4	0.31-2.55	19	8.2	4.36-12.0	2	0.9	0.00-2.41
Non-Native	677	83,788	632	87.9	83.9-91.8	17	2.4	1.18-3.62	9	1.4	0.22-2.54	17	7.4	3.89-10.8	2	1.0	0.00-2.62
18-24	50	16,662							1	2.4	0.00-7.21				1	4.1	0.00-11.9
25-34	184	27,002	180	98.1	96.1-0100				3	1.4	0.00-2.99				1	0.5	0.00-1.63
35-44	306	30,249	301	97.6	95.4-99.9	2	1.0	0.00-2.54	2	0.6	0.00-1.61	1	0.7	0.00-2.10			
45-54	161	15,021	152	92.6	87.4-97.8	6	5.7	0.91-10.5	3	1.7	0.00-3.79						
H.S. or G.E.D.	150	20,813				7	3.5	0.85-6.19	3	1.5	0.00-3.24				1	0.7	0.00-2.11
Some Post-H.S.	247	31,455	230	87.6	81.0-94.1	6	2.1	0.34-3.86	3	0.8	0.00-1.71	8	9.5	3.11-16.0			
College Graduate	298	34,052	289	94.9	91.0-98.9	3	0.9	0.00-2.05	2	0.6	0.00-1.48	4	3.5	0.00-7.31			
Less than \$15,000	51	9,186				3	4.3	0.00-10.2	2	5.2	0.00-13.8						
\$15,000- 24,999	89	11,157				5	4.7	0.48-8.90	2	1.8	0.00-4.43						
\$25,000- 34,999	75	8,934	70	95.3	90.7-0100	3	3.7	0.00-8.11	2	1.0	0.00-2.42						
\$35,000- 49,999	152	18,542	142	89.4	82.2-96.5	5	3.3	0.41-6.21	2	1.3	0.00-3.06	3	6.1	0.00-12.6			
\$50,000- 74,999	149	18,203	143	92.7	85.2-0100	3	1.6	0.00-3.35	1	0.8	0.00-2.43	1	1.1	0.00-3.32	1	3.8	0.00-10.8
\$75,000+	150	16,673	149	99.2	97.6-0100							1	0.8	0.00-2.41			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2005**

End of Module Data Report