

NORTH DAKOTA

2006 Core Variables Report

Behavioral Risk Factor Surveillance System

February 22, 2007



SECTION 1: HEALTH STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4771	493,340	825	20.5	18.7-22.3	1690	36.1	34.3-37.9	1569	31.9	30.1-33.7	504	8.8	07.8-09.8	183	2.7	02.1-03.3
Male	1925	244,147	330	20.9	18.2-23.6	638	34.6	31.9-37.3	662	32.8	30.1-35.5	223	8.9	07.1-10.7	72	2.8	02.0-03.6
Female	2846	249,193	495	20.1	18.1-22.1	1052	37.5	35.1-39.9	907	31.1	28.9-33.3	281	8.7	07.3-10.1	111	2.6	02.0-03.2
Native	108	15,913	11	10.0	02.9-17.1	19	15.0	07.6-22.4							4	1.4	00.0-02.8
Non-Native	4609	472,336	810	21.0	19.2-22.8	1658	36.9	34.9-38.9	1500	31.1	29.3-32.9	467	8.2	07.2-09.2	174	2.7	02.1-03.3
18-24	202	77,844	61	30.3	23.0-37.6	76	36.1	28.5-43.7	56	27.7	20.6-34.8	9	5.9	01.6-10.2			
25-34	519	75,972	118	23.8	19.5-28.1	201	38.0	33.3-42.7	168	33.1	28.4-37.8	26	3.9	02.3-05.5	6	1.1	00.1-02.1
35-44	749	81,622	157	21.5	18.2-24.8	313	40.8	36.9-44.7	223	29.8	26.1-33.5	46	6.6	04.4-08.8	10	1.4	00.4-02.4
45-54	1063	95,903	218	22.9	19.8-26.0	398	37.2	33.9-40.5	332	30.6	27.3-33.9	81	6.5	04.7-08.3	34	2.8	01.6-04.0
55-64	820	64,780	146	16.5	13.6-19.4	292	37.4	33.5-41.3	254	31.8	28.1-35.5	89	10.3	07.8-12.8	39	4.0	02.4-05.6
65+	1364	93,867	114	9.2	07.4-11.0	385	27.8	25.1-30.5	523	38.0	34.9-41.1	249	18.5	16.0-21.0	93	6.5	04.9-08.1
Less Than H.S.	428	37,755	26	8.3	03.8-12.8	78	16.6	12.1-21.1	170	42.8	35.7-49.9	104	21.8	16.5-27.1	50	10.6	06.9-14.3
H.S. or G.E.D.	1433	142,051	175	16.0	12.9-19.1	470	32.6	29.3-35.9	531	35.2	31.9-38.5	199	13.4	10.7-16.1	58	2.7	01.7-03.7
Some Post-H.S.	1485	159,853	265	21.0	17.9-24.1	556	37.7	34.4-41.0	493	32.7	29.4-36.0	123	6.4	05.0-07.8	48	2.2	01.4-03.0
College Graduate	1417	153,055	355	27.0	23.9-30.1	585	42.6	39.3-45.9	374	25.4	22.5-28.3	76	3.8	02.6-05.0	27	1.3	00.7-01.9
Less than \$15,000	394	34,386	26	9.3	04.8-13.8	88	29.4	21.8-37.0	128	29.7	23.2-36.2	89	19.9	14.2-25.6	63	11.7	08.0-15.4
\$15,000- 24,999	719	64,478	57	10.0	06.7-13.3	200	27.9	22.6-33.2	260	35.9	30.6-41.2	144	19.2	14.3-24.1	58	6.9	04.5-09.3
\$25,000- 34,999	614	61,968	87	15.3	11.2-19.4	205	33.5	28.0-39.0	240	39.4	33.7-45.1	70	10.2	07.5-12.9	12	1.5	00.5-02.5
\$35,000- 49,999	836	86,327	156	23.8	19.3-28.3	330	37.7	33.4-42.0	281	30.7	26.8-34.6	55	6.1	04.3-07.9	14	1.6	00.6-02.6
\$50,000- 74,999	783	88,950	173	22.4	18.9-25.9	329	43.2	39.1-47.3	231	29.2	25.5-32.9	40	4.5	02.9-06.1	10	0.7	00.1-01.3
\$75,000+	734	90,458	202	27.7	23.6-31.8	315	41.3	37.0-45.6	185	27.9	23.8-32.0	26	2.4	01.4-03.4	6	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1925	244,147	330	20.9	18.2-23.6	638	34.6	31.9-37.3	662	32.8	30.1-35.5	223	8.9	07.1-10.7	72	2.8	02.0-03.6
Non-Native	1867	236,115	324	21.3	18.6-24.0	625	35.1	32.2-38.0	646	32.8	30.1-35.5	203	8.0	06.6-09.4	69	2.8	02.0-03.6
18-24	88	41,066										3	5.6	00.0-12.7			
25-34	216	39,660	51	24.3	17.6-31.0	82	36.8	29.7-43.9	71	34.1	26.8-41.4	9	3.4	01.0-05.8	3	1.4	00.0-03.4
35-44	326	41,351	71	22.6	17.5-27.7	130	40.1	34.0-46.2	96	28.9	23.4-34.4	25	7.1	04.0-10.2	4	1.4	00.0-02.8
45-54	463	48,013	80	20.3	15.8-24.8	166	36.1	31.0-41.2	163	32.7	27.8-37.6	41	7.8	05.1-10.5	13	3.0	01.0-05.0
55-64	345	33,958	55	15.0	10.5-19.5	118	38.7	32.8-44.6	116	32.1	26.4-37.8	40	10.1	06.4-13.8	16	4.1	01.6-06.6
65+	475	39,328	40	9.4	06.3-12.5	109	24.1	19.6-28.6	187	39.0	33.7-44.3	103	20.3	16.0-24.6	36	7.2	04.5-09.9
Less Than H.S.	199	21,695	14	12.0	04.4-19.6	29	13.6	08.1-19.1				46	19.2	12.5-25.9	29	12.3	06.4-18.2
H.S. or G.E.D.	588	73,012	75	16.2	11.5-20.9	177	32.7	27.4-38.0	218	33.1	28.0-38.2	100	15.6	11.1-20.1	18	2.4	01.0-03.8
Some Post-H.S.	546	70,789	93	21.5	16.2-26.8	200	35.0	29.7-40.3	192	35.9	30.2-41.6	45	5.7	03.7-07.7	16	2.0	00.8-03.2
College Graduate	587	78,232	144	27.1	22.4-31.8	232	42.1	37.0-47.2	170	26.7	22.4-31.0	32	2.9	01.7-04.1	9	1.2	00.4-02.0
Less than \$15,000	110	12,691	12	12.9	03.5-22.3										19	11.6	04.5-18.7
\$15,000- 24,999	270	29,578	22	9.6	04.7-14.5	65	26.9	19.1-34.7	91	32.4	24.0-40.8	66	22.1	13.3-30.9	26	9.0	04.7-13.3
\$25,000- 34,999	247	31,359	31	13.9	07.8-20.0	70	32.6	23.8-41.4	106	40.2	31.4-49.0	35	11.5	06.8-16.2	5	1.8	00.0-03.6
\$35,000- 49,999	375	44,327	68	26.9	19.5-34.3	125	32.1	25.8-38.4	139	30.4	24.7-36.1	34	8.1	05.2-11.0	9	2.4	00.6-04.2
\$50,000- 74,999	375	49,767	81	23.0	17.9-28.1	148	41.2	35.3-47.1	116	29.7	24.2-35.2	25	5.5	03.1-07.9	5	0.7	00.0-01.5
\$75,000+	359	50,566	84	25.5	19.4-31.6	154	39.8	33.7-45.9	106	32.5	26.4-38.6	13	1.8	00.4-03.2	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2846	249,193	495	20.1	18.1-22.1	1052	37.5	35.1-39.9	907	31.1	28.9-33.3	281	8.7	07.3-10.1	111	2.6	02.0-03.2
Native	76	10,218	7	10.1	00.7-19.5	11	11.5	04.2-18.8				13	12.0	03.8-20.2	3	1.8	00.0-04.0
Non-Native	2742	236,221	486	20.7	18.5-22.9	1033	38.8	36.3-41.3	854	29.4	27.2-31.6	264	8.5	07.1-09.9	105	2.6	02.0-03.2
18-24	114	36,778	33	28.0	18.8-37.2				28	24.7	15.7-33.7	6	6.2	01.1-11.3			
25-34	303	36,312	67	23.3	18.0-28.6	119	39.4	33.3-45.5	97	32.1	26.0-38.2	17	4.5	02.3-06.7	3	0.7	00.0-01.5
35-44	423	40,271	86	20.4	16.1-24.7	183	41.5	36.2-46.8	127	30.7	25.6-35.8	21	6.0	02.9-09.1	6	1.4	00.0-02.8
45-54	600	47,890	138	25.4	21.3-29.5	232	38.3	33.8-42.8	169	28.5	24.4-32.6	40	5.3	03.3-07.3	21	2.5	01.3-03.7
55-64	475	30,822	91	18.0	14.1-21.9	174	36.1	31.0-41.2	138	31.5	26.4-36.6	49	10.5	07.2-13.8	23	3.9	01.9-05.9
65+	889	54,540	74	9.1	06.9-11.3	276	30.4	26.9-33.9	336	37.2	33.5-40.9	146	17.1	14.2-20.0	57	6.0	04.2-07.8
Less Than H.S.	229	16,061	12	3.2	00.5-05.9	49	20.6	13.2-28.0	89	42.6	33.2-52.0	58	25.3	17.1-33.5	21	8.3	04.2-12.4
H.S. or G.E.D.	845	69,039	100	15.9	12.0-19.8	293	32.5	28.4-36.6	313	37.5	33.2-41.8	99	11.1	08.4-13.8	40	2.9	01.7-04.1
Some Post-H.S.	939	89,064	172	20.7	17.2-24.2	356	39.8	35.5-44.1	301	30.2	26.5-33.9	78	6.9	05.1-08.7	32	2.4	01.4-03.4
College Graduate	830	74,823	211	26.9	23.2-30.6	353	43.0	38.9-47.1	204	23.9	20.2-27.6	44	4.7	02.9-06.5	18	1.4	00.6-02.2
Less than \$15,000	284	21,695	14	7.1	02.6-11.6	66	31.6	22.4-40.8	95	29.1	22.2-36.0	65	20.5	14.0-27.0	44	11.7	07.4-16.0
\$15,000- 24,999	449	34,900	35	10.3	05.6-15.0	135	28.8	21.7-35.9	169	38.9	32.0-45.8	78	16.8	12.1-21.5	32	5.2	03.0-07.4
\$25,000- 34,999	367	30,609	56	16.8	11.5-22.1	135	34.5	28.2-40.8	134	38.7	31.6-45.8	35	8.8	05.7-11.9	7	1.2	00.2-02.2
\$35,000- 49,999	461	42,000	88	20.5	15.8-25.2	205	43.7	38.0-49.4	142	31.0	25.9-36.1	21	4.0	02.0-06.0	5	0.8	00.0-01.6
\$50,000- 74,999	408	39,182	92	21.6	16.7-26.5	181	45.8	40.1-51.5	115	28.7	23.4-34.0	15	3.3	01.1-05.5	5	0.7	00.0-01.5
\$75,000+	375	39,892	118	30.6	25.3-35.9	161	43.2	37.1-49.3	79	22.0	16.5-27.5	13	3.1	01.3-04.9	4	1.1	00.0-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7	MALES AND FEMALES	13
8	MALES ONLY	14
9	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4675	486,160	3125	67.5	65.5-69.5	545	13.1	11.7-14.5	418	8.8	07.6-10.0	354	6.5	05.7-07.3	233	4.1	03.3-04.9
Male	1893	241,378	1325	70.1	67.2-73.0	206	12.4	10.2-14.6	149	7.6	06.2-09.0	118	5.3	04.1-06.5	95	4.6	03.2-06.0
Female	2782	244,782	1800	65.0	62.6-67.4	339	13.7	11.9-15.5	269	10.0	08.2-11.8	236	7.6	06.4-08.8	138	3.7	02.9-04.5
Native	106	15,311				13	12.7	04.9-20.5	9	5.9	01.2-10.6	15	11.9	04.3-19.5			
Non-Native	4520	466,124	3034	67.9	65.9-69.9	529	13.1	11.7-14.5	404	8.9	07.7-10.1	334	6.2	05.4-07.0	219	3.8	03.2-04.4
18-24	202	77,844	127	61.9	54.1-69.7	39	20.4	13.9-26.9	22	9.9	05.0-14.8	11	5.2	02.1-08.3	3	2.6	00.0-06.3
25-34	514	74,976	346	69.0	64.5-73.5	85	16.2	12.7-19.7	40	7.6	05.1-10.1	35	5.9	03.7-08.1	8	1.4	00.2-02.6
35-44	743	80,811	514	70.2	66.5-73.9	109	13.8	11.1-16.5	63	8.6	06.2-11.0	41	5.3	03.5-07.1	16	2.1	00.9-03.3
45-54	1055	95,238	750	72.4	69.3-75.5	115	10.8	08.6-13.0	81	7.0	05.2-08.8	61	5.1	03.7-06.5	48	4.7	03.1-06.3
55-64	813	64,115	551	69.2	65.3-73.1	80	9.4	06.9-11.9	67	7.5	05.3-09.7	63	8.2	06.0-10.4	52	5.8	03.8-07.8
65+	1295	89,889	794	61.6	58.5-64.7	112	8.8	07.0-10.6	142	12.3	10.1-14.5	142	9.5	07.7-11.3	105	7.8	06.0-09.6
Less Than H.S.	396	35,544	214	50.8	43.5-58.1	32	10.6	05.3-15.9	50	14.3	09.0-19.6	59	14.5	09.6-19.4	41	9.8	06.1-13.5
H.S. or G.E.D.	1395	138,773	951	68.1	64.6-71.6	136	11.3	08.8-13.8	118	9.0	06.8-11.2	112	6.6	05.0-08.2	78	5.1	02.9-07.3
Some Post-H.S.	1467	158,875	1002	69.8	66.5-73.1	174	13.2	10.7-15.7	125	7.7	05.5-09.9	100	5.7	04.3-07.1	66	3.6	02.6-04.6
College Graduate	1410	152,434	953	68.4	65.3-71.5	203	15.2	12.7-17.7	124	8.6	06.8-10.4	82	5.4	04.0-06.8	48	2.5	01.7-03.3
Less than \$15,000	374	32,957	171	50.5	42.9-58.1	34	11.6	06.1-17.1	53	12.9	08.0-17.8	71	17.1	11.8-22.4	45	7.9	05.0-10.8
\$15,000- 24,999	700	63,248	406	54.5	48.6-60.4	83	13.9	09.6-18.2	66	10.0	06.1-13.9	83	11.8	08.5-15.1	62	9.8	05.1-14.5
\$25,000- 34,999	608	61,621	395	64.2	58.7-69.7	82	16.8	11.7-21.9	54	7.7	05.0-10.4	47	6.4	04.0-08.8	30	4.9	02.9-06.9
\$35,000- 49,999	827	85,207	590	69.9	65.8-74.0	98	13.4	10.3-16.5	66	9.1	06.4-11.8	49	5.1	03.5-06.7	24	2.4	01.2-03.6
\$50,000- 74,999	779	88,507	559	73.5	69.8-77.2	99	12.2	09.5-14.9	69	8.5	06.1-10.9	29	3.5	01.9-05.1	23	2.3	01.1-03.5
\$75,000+	730	90,051	551	76.4	72.7-80.1	87	12.0	08.9-15.1	49	6.5	04.5-08.5	30	3.6	02.2-05.0	13	1.4	00.4-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1893	241,378	1325	70.1	67.2-73.0	206	12.4	10.2-14.6	149	7.6	06.2-09.0	118	5.3	04.1-06.5	95	4.6	03.2-06.0
Non-Native	1838	233,556	1291	70.7	68.0-73.4	204	12.8	10.4-15.2	143	7.5	05.9-09.1	112	5.1	03.9-06.3	88	3.9	02.9-04.9
18-24	88	41,066				16	19.9	10.3-29.5	6	4.6	00.3-08.9	6	5.8	01.1-10.5	2	4.7	00.0-11.6
25-34	214	39,173	150	70.6	63.7-77.5	37	16.7	11.2-22.2	16	7.1	03.2-11.0	7	3.8	00.9-06.7	4	1.7	00.0-03.5
35-44	324	41,190	233	73.6	68.3-78.9	39	10.7	07.0-14.4	27	8.5	05.0-12.0	17	4.9	02.5-07.3	8	2.3	00.5-04.1
45-54	459	47,636	345	75.3	70.6-80.0	39	8.8	05.7-11.9	27	5.7	03.2-08.2	28	5.0	02.8-07.2	20	5.2	02.7-07.7
55-64	341	33,609	242	71.6	65.9-77.3	33	9.1	05.6-12.6	25	7.8	04.5-11.1	19	5.7	02.8-08.6	22	5.9	03.0-08.8
65+	456	37,997	287	63.0	57.7-68.3	41	9.5	06.4-12.6	48	12.8	09.1-16.5	41	6.8	04.3-09.3	39	8.0	05.3-10.7
Less Than H.S.	186	20,829				17	10.4	03.0-17.8	19	10.8	04.5-17.1	30	12.6	06.3-18.9	22	10.2	04.9-15.5
H.S. or G.E.D.	575	71,425	413	69.8	64.1-75.5	54	11.8	07.9-15.7	44	7.8	04.9-10.7	34	4.4	02.2-06.6	30	6.3	02.2-10.4
Some Post-H.S.	541	70,529	389	73.0	67.9-78.1	59	12.5	08.4-16.6	44	6.8	04.4-09.2	26	4.1	02.1-06.1	23	3.6	01.8-05.4
College Graduate	586	78,175	420	71.3	66.6-76.0	76	13.6	09.7-17.5	42	7.4	05.0-09.8	28	5.3	02.9-07.7	20	2.4	01.2-03.6
Less than \$15,000	105	12,400							11	9.0	02.9-15.1				13	6.4	02.1-10.7
\$15,000- 24,999	262	28,933	151	52.4	43.0-61.8	33	15.3	08.2-22.4	24	8.0	04.3-11.7	28	10.0	05.3-14.7	26	14.4	05.0-23.8
\$25,000- 34,999	245	31,217	163	66.2	57.6-74.8	37	16.4	08.4-24.4	17	6.7	03.0-10.4	14	5.0	01.7-08.3	14	5.7	02.6-08.8
\$35,000- 49,999	371	43,875	280	74.1	68.0-80.2	32	10.7	06.2-15.2	31	10.0	05.9-14.1	16	3.0	01.2-04.8	12	2.2	00.6-03.8
\$50,000- 74,999	373	49,610	275	74.7	69.6-79.8	43	11.9	08.2-15.6	33	8.0	04.7-11.3	10	2.6	00.6-04.6	12	2.8	01.0-04.6
\$75,000+	357	50,316	280	81.1	76.4-85.8	34	8.5	05.2-11.8	22	6.2	03.5-08.9	13	2.5	00.9-04.1	8	1.7	00.3-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2782	244,782	1800	65.0	62.6-67.4	339	13.7	11.9-15.5	269	10.0	08.2-11.8	236	7.6	06.4-08.8	138	3.7	02.9-04.5
Native	74	9,616							5	3.0	00.0-06.1				5	2.4	00.0-04.8
Non-Native	2682	232,568	1743	65.2	62.7-67.7	325	13.5	11.5-15.5	261	10.2	08.4-12.0	222	7.4	06.2-08.6	131	3.7	02.9-04.5
18-24	114	36,778				23	21.0	12.4-29.6	16	15.8	07.0-24.6	5	4.5	00.4-08.6	1	0.3	00.0-00.9
25-34	300	35,804	196	67.2	61.3-73.1	48	15.6	10.9-20.3	24	8.0	04.5-11.5	28	8.2	04.9-11.5	4	1.0	00.0-02.0
35-44	419	39,620	281	66.8	61.7-71.9	70	17.0	13.1-20.9	36	8.7	05.6-11.8	24	5.8	03.3-08.3	8	1.8	00.4-03.2
45-54	596	47,602	405	69.4	65.1-73.7	76	12.8	09.7-15.9	54	8.3	05.8-10.8	33	5.2	03.2-07.2	28	4.2	02.4-06.0
55-64	472	30,506	309	66.6	61.5-71.7	47	9.6	06.1-13.1	42	7.1	04.6-09.6	44	11.1	07.8-14.4	30	5.6	03.1-08.1
65+	839	51,892	507	60.6	56.7-64.5	71	8.3	06.1-10.5	94	12.0	09.5-14.5	101	11.5	09.0-14.0	66	7.6	05.4-09.8
Less Than H.S.	210	14,714	116	43.3	34.1-52.5	15	10.9	03.3-18.5	31	19.3	10.5-28.1	29	17.2	09.4-25.0	19	9.4	04.7-14.1
H.S. or G.E.D.	820	67,348	538	66.4	61.9-70.9	82	10.7	07.8-13.6	74	10.2	06.9-13.5	78	8.9	06.4-11.4	48	3.8	02.4-05.2
Some Post-H.S.	926	88,345	613	67.2	62.9-71.5	115	13.8	10.7-16.9	81	8.5	05.4-11.6	74	6.9	05.1-08.7	43	3.6	02.4-04.8
College Graduate	824	74,259	533	65.4	61.3-69.5	127	16.9	13.4-20.4	82	9.8	07.4-12.2	54	5.4	03.6-07.2	28	2.5	01.5-03.5
Less than \$15,000	269	20,557	127	54.0	45.4-62.6	21	8.3	03.8-12.8	42	15.2	08.5-21.9	47	13.6	08.9-18.3	32	8.9	05.2-12.6
\$15,000- 24,999	438	34,314	255	56.3	49.0-63.6	50	12.8	07.3-18.3	42	11.6	05.1-18.1	55	13.3	08.6-18.0	36	5.9	03.5-08.3
\$25,000- 34,999	363	30,404	232	62.1	55.2-69.0	45	17.2	10.9-23.5	37	8.8	04.9-12.7	33	7.9	04.8-11.0	16	4.1	01.9-06.3
\$35,000- 49,999	456	41,332	310	65.5	59.8-71.2	66	16.3	11.8-20.8	35	8.2	04.5-11.9	33	7.3	04.6-10.0	12	2.7	00.9-04.5
\$50,000- 74,999	406	38,897	284	72.0	66.9-77.1	56	12.7	09.0-16.4	36	9.1	06.0-12.2	19	4.6	02.1-07.1	11	1.7	00.5-02.9
\$75,000+	373	39,736	271	70.5	64.6-76.4	53	16.5	11.2-21.8	27	6.9	04.2-09.6	17	4.9	02.4-07.4	5	1.2	00.2-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4674	485,071	3343	69.4	67.4-71.4	461	10.0	08.8-11.2	455	11.1	09.7-12.5	299	6.8	05.6-08.0	116	2.7	02.1-03.3
Male	1895	240,875	1468	74.2	71.3-77.1	146	8.2	06.4-10.0	135	9.4	07.2-11.6	98	5.9	04.1-07.7	48	2.4	01.6-03.2
Female	2779	244,196	1875	64.7	62.3-67.1	315	11.8	10.2-13.4	320	12.8	11.0-14.6	201	7.8	06.4-09.2	68	3.0	02.0-04.0
Native	106	15,460				9	5.5	01.4-09.6	16	15.4	06.4-24.4				9	7.1	02.2-12.0
Non-Native	4515	464,600	3245	70.0	68.0-72.0	449	10.2	09.0-11.4	438	11.1	09.7-12.5	276	6.2	05.2-07.2	107	2.6	02.0-03.2
18-24	198	76,840	115	57.5	49.5-65.5	26	11.1	06.4-15.8	34	17.5	11.2-23.8	19	11.9	06.2-17.6	4	2.1	00.0-04.3
25-34	511	75,190	326	64.2	59.3-69.1	59	11.4	08.3-14.5	63	13.5	09.8-17.2	43	7.2	04.8-09.6	20	3.7	01.7-05.7
35-44	742	80,452	464	63.4	59.5-67.3	94	13.1	10.4-15.8	100	13.4	10.7-16.1	67	7.4	05.4-09.4	17	2.7	01.3-04.1
45-54	1048	94,851	715	69.8	66.7-72.9	124	11.4	09.2-13.6	107	9.6	07.6-11.6	70	5.9	04.3-07.5	32	3.3	01.9-04.7
55-64	803	63,392	607	76.4	72.9-79.9	71	7.6	05.6-09.6	62	7.3	04.9-09.7	40	5.4	03.4-07.4	23	3.3	01.9-04.7
65+	1319	91,085	1070	83.3	80.9-85.7	85	5.5	04.1-06.9	87	6.1	04.5-07.7	57	3.8	02.6-05.0	20	1.3	00.5-02.1
Less Than H.S.	399	35,507	297	70.8	63.5-78.1	22	2.8	01.2-04.4	33	10.3	04.8-15.8	31	9.6	04.5-14.7	16	6.5	02.6-10.4
H.S. or G.E.D.	1407	140,095	1020	68.7	65.0-72.4	111	9.0	06.8-11.2	135	11.2	08.7-13.7	104	8.2	05.5-10.9	37	3.0	01.8-04.2
Some Post-H.S.	1457	157,080	1020	69.0	65.7-72.3	160	10.3	08.1-12.5	141	11.0	08.6-13.4	102	7.2	05.2-09.2	34	2.5	01.5-03.5
College Graduate	1404	151,809	999	70.1	67.0-73.2	168	12.2	10.0-14.4	146	11.3	08.8-13.8	62	4.6	03.2-06.0	29	1.8	01.0-02.6
Less than \$15,000	374	32,588	231	57.2	49.6-64.8	38	9.6	04.9-14.3	40	12.7	08.0-17.4	47	16.0	09.5-22.5	18	4.5	02.1-06.9
\$15,000- 24,999	698	62,782	484	63.8	57.7-69.9	57	10.2	06.1-14.3	73	11.8	08.1-15.5	55	8.5	03.8-13.2	29	5.6	03.1-08.1
\$25,000- 34,999	599	60,264	416	67.5	61.8-73.2	63	9.3	06.4-12.2	71	15.5	10.4-20.6	37	5.5	03.3-07.7	12	2.2	00.8-03.6
\$35,000- 49,999	832	86,086	593	70.9	66.8-75.0	76	8.4	06.0-10.8	94	11.8	08.9-14.7	54	7.3	04.8-09.8	15	1.5	00.7-02.3
\$50,000- 74,999	778	88,408	578	73.5	69.8-77.2	79	9.9	07.5-12.3	67	8.8	06.4-11.2	43	6.1	03.9-08.3	11	1.8	00.4-03.2
\$75,000+	730	90,020	531	71.2	66.9-75.5	98	12.9	10.2-15.6	60	10.0	06.5-13.5	33	4.9	02.5-07.3	8	1.0	00.2-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1895	240,875	1468	74.2	71.3-77.1	146	8.2	06.4-10.0	135	9.4	07.2-11.6	98	5.9	04.1-07.7	48	2.4	01.6-03.2
Non-Native	1837	232,854	1426	74.6	71.7-77.5	143	8.3	06.5-10.1	133	9.6	07.4-11.8	92	5.2	03.6-06.8	43	2.2	01.4-03.0
18-24	86	40,518				9	9.9	03.2-16.6	15	20.1	10.3-29.9	9	12.7	03.9-21.5	1	0.5	00.0-01.5
25-34	214	39,392	148	69.2	61.9-76.5	27	12.1	07.2-17.0	22	11.6	06.1-17.1	9	3.4	00.7-06.1	8	3.6	00.7-06.5
35-44	323	40,789	236	72.7	67.2-78.2	30	10.2	06.5-13.9	26	8.1	04.8-11.4	20	5.6	02.9-08.3	11	3.4	01.2-05.6
45-54	457	47,447	344	77.8	73.3-82.3	43	7.9	05.2-10.6	31	6.3	03.6-09.0	25	4.5	02.5-06.5	14	3.6	01.4-05.8
55-64	341	33,479	279	82.0	77.3-86.7	20	5.4	02.7-08.1	16	4.3	01.8-06.8	19	6.4	03.3-09.5	7	1.9	00.3-03.5
65+	462	38,478	398	87.8	84.5-91.1	17	3.0	01.4-04.6	25	5.7	03.2-08.2	15	2.5	00.9-04.1	7	1.0	00.2-01.8
Less Than H.S.	184	20,403				7	1.6	00.0-03.2	18	14.5	05.5-23.5	13	7.4	01.3-13.5	7	3.9	00.2-07.6
H.S. or G.E.D.	585	72,692	450	71.5	65.8-77.2	45	8.8	05.3-12.3	37	9.1	05.4-12.8	34	7.5	03.2-11.8	19	3.1	01.3-04.9
Some Post-H.S.	537	69,567	404	72.8	67.3-78.3	49	8.3	05.4-11.2	42	10.3	06.2-14.4	31	6.6	03.3-09.9	11	2.0	00.6-03.4
College Graduate	584	77,793	470	78.3	73.6-83.0	45	9.2	06.1-12.3	38	7.5	04.0-11.0	20	3.3	01.7-04.9	11	1.7	00.5-02.9
Less than \$15,000	102	12,063				10	9.8	00.8-18.8	9	9.9	02.3-17.5				8	5.7	01.0-10.4
\$15,000- 24,999	265	29,128	194	60.2	50.2-70.2	16	10.1	03.4-16.8	22	12.8	05.9-19.7	20	10.9	01.9-19.9	13	6.0	02.5-09.5
\$25,000- 34,999	241	30,279	175	67.7	58.7-76.7	23	8.6	03.7-13.5	23	15.8	07.6-24.0	11	4.7	01.4-08.0	9	3.3	00.8-05.8
\$35,000- 49,999	373	44,203	294	79.4	73.7-85.1	27	6.4	03.1-09.7	29	7.7	03.8-11.6	19	5.6	02.3-08.9	4	0.9	00.0-01.9
\$50,000- 74,999	373	49,470	312	82.4	77.7-87.1	22	6.9	04.0-09.8	19	4.7	02.2-07.2	17	5.5	02.4-08.6	3	0.6	00.0-01.6
\$75,000+	358	50,430	277	75.6	69.3-81.9	40	10.6	07.1-14.1	23	8.6	03.5-13.7	13	4.0	00.5-07.5	5	1.2	00.0-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2779	244,196	1875	64.7	62.3-67.1	315	11.8	10.2-13.4	320	12.8	11.0-14.6	201	7.8	06.4-09.2	68	3.0	02.0-04.0
Native	74	9,765				6	5.9	00.4-11.4							4	5.5	00.0-11.2
Non-Native	2678	231,747	1819	65.4	62.9-67.9	306	12.0	10.4-13.6	305	12.5	10.7-14.3	184	7.2	05.8-08.6	64	2.9	01.9-03.9
18-24	112	36,322				17	12.4	05.5-19.3	19	14.6	07.5-21.7	10	11.0	03.9-18.1	3	3.8	00.0-07.9
25-34	297	35,798	178	58.6	52.3-64.9	32	10.6	06.7-14.5	41	15.6	10.7-20.5	34	11.4	07.3-15.5	12	3.8	01.4-06.2
35-44	419	39,663	228	53.9	48.4-59.4	64	16.0	12.1-19.9	74	18.9	14.6-23.2	47	9.1	06.2-12.0	6	2.0	00.4-03.6
45-54	591	47,404	371	61.9	57.4-66.4	81	15.0	11.5-18.5	76	12.9	09.8-16.0	45	7.3	04.9-09.7	18	3.0	01.4-04.6
55-64	462	29,913	328	70.3	65.2-75.4	51	10.0	06.9-13.1	46	10.7	06.8-14.6	21	4.2	02.2-06.2	16	4.8	02.3-07.3
65+	857	52,607	672	80.0	76.9-83.1	68	7.3	05.3-09.3	62	6.4	04.6-08.2	42	4.8	03.0-06.6	13	1.6	00.6-02.6
Less Than H.S.	215	15,104	158	68.6	58.6-78.6	15	4.3	01.4-07.2	15	4.5	01.4-07.6	18	12.6	04.2-21.0	9	9.9	02.6-17.2
H.S. or G.E.D.	822	67,403	570	65.6	60.9-70.3	66	9.2	06.5-11.9	98	13.5	10.2-16.8	70	8.9	05.8-12.0	18	2.8	01.0-04.6
Some Post-H.S.	920	87,513	616	66.1	62.0-70.2	111	12.0	09.1-14.9	99	11.6	08.9-14.3	71	7.6	05.4-09.8	23	2.8	01.4-04.2
College Graduate	820	74,016	529	61.5	57.2-65.8	123	15.4	12.5-18.3	108	15.2	11.7-18.7	42	6.0	03.6-08.4	18	1.9	00.9-02.9
Less than \$15,000	272	20,526	166	55.1	46.3-63.9	28	9.4	04.3-14.5	31	14.3	08.4-20.2	37	17.4	09.8-25.0	10	3.8	01.3-06.3
\$15,000- 24,999	433	33,654	290	66.9	60.2-73.6	41	10.3	05.2-15.4	51	11.0	07.3-14.7	35	6.4	03.1-09.7	16	5.3	01.8-08.8
\$25,000- 34,999	358	29,985	241	67.3	60.6-74.0	40	10.0	06.5-13.5	48	15.2	09.5-20.9	26	6.3	03.4-09.2	3	1.2	00.0-02.6
\$35,000- 49,999	459	41,882	299	62.0	56.3-67.7	49	10.6	07.3-13.9	65	16.2	11.9-20.5	35	9.1	05.2-13.0	11	2.2	00.6-03.8
\$50,000- 74,999	405	38,938	266	62.2	56.5-67.9	57	13.7	09.8-17.6	48	14.0	09.7-18.3	26	6.8	04.1-09.5	8	3.3	00.6-06.0
\$75,000+	372	39,590	254	65.5	59.6-71.4	58	15.7	11.6-19.8	37	11.9	07.2-16.6	20	6.1	03.4-08.8	3	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2279	241,694	1475	65.5	62.8-68.2	289	13.6	11.6-15.6	214	9.8	08.0-11.6	200	7.0	05.6-08.4	101	4.0	02.6-05.4
Male	805	108,648	509	64.8	60.3-69.3	108	14.4	11.1-17.7	86	10.0	07.3-12.7	62	5.7	03.7-07.7	40	5.1	02.4-07.8
Female	1474	133,046	966	66.1	62.8-69.4	181	12.9	10.5-15.3	128	9.7	07.3-12.1	138	8.1	06.1-10.1	61	3.2	02.2-04.2
Native	69	9,588				5	8.0	00.4-15.6									
Non-Native	2186	229,649	1435	67.4	64.7-70.1	280	13.8	11.8-15.8	195	9.0	07.2-10.8	187	6.5	05.1-07.9	89	3.3	02.5-04.1
18-24	116	46,410	82	69.3	59.3-79.3	16	13.0	06.5-19.5	11	9.8	03.1-16.5	6	4.9	00.4-09.4	1	3.0	00.0-08.7
25-34	279	40,414	177	63.7	57.0-70.4	47	19.0	13.3-24.7	29	9.9	06.0-13.8	22	6.2	03.1-09.3	4	1.2	00.0-02.6
35-44	397	42,456	282	70.3	65.2-75.4	46	11.4	07.9-14.9	37	11.2	07.5-14.9	25	5.5	03.1-07.9	7	1.6	00.0-03.2
45-54	495	42,076	292	57.4	52.3-62.5	85	18.6	14.3-22.9	47	8.7	06.0-11.4	50	10.0	06.9-13.1	21	5.3	02.8-07.8
55-64	350	27,075	211	61.6	55.3-67.9	42	11.0	07.3-14.7	37	11.5	06.8-16.2	32	7.8	04.7-10.9	28	8.2	04.5-11.9
65+	627	42,513	420	68.8	64.5-73.1	51	8.1	05.6-10.6	53	8.7	06.2-11.2	64	8.3	05.8-10.8	39	6.1	03.9-08.3
Less Than H.S.	233	22,021	143	61.6	52.6-70.6	20	11.0	04.5-17.5	20	7.4	03.1-11.7	32	11.5	05.6-17.4	18	8.6	04.1-13.1
H.S. or G.E.D.	659	68,618	429	65.8	60.3-71.3	63	11.9	08.0-15.8	67	8.8	06.1-11.5	66	7.7	05.2-10.2	34	5.7	01.6-09.8
Some Post-H.S.	720	77,783	493	69.3	64.4-74.2	96	13.6	10.3-16.9	58	9.6	05.7-13.5	49	5.0	03.4-06.6	24	2.5	01.3-03.7
College Graduate	664	73,066	408	62.5	57.6-67.4	109	15.9	12.6-19.2	69	11.8	08.7-14.9	53	7.2	04.5-09.9	25	2.6	01.4-03.8
Less than \$15,000	254	22,908	126	54.5	45.3-63.7	22	10.1	04.0-16.2	32	11.7	05.8-17.6	50	16.2	09.7-22.7	24	7.5	04.2-10.8
\$15,000- 24,999	389	37,584	244	60.7	52.3-69.1	34	9.3	04.8-13.8	38	10.5	04.4-16.6	43	9.7	05.8-13.6	30	9.8	02.7-16.9
\$25,000- 34,999	312	32,940	222	71.3	64.2-78.4	35	12.5	07.4-17.6	20	7.4	02.7-12.1	21	4.8	02.4-07.2	14	4.0	01.6-06.4
\$35,000- 49,999	382	39,756	247	63.3	57.0-69.6	58	16.0	11.3-20.7	46	13.4	08.9-17.9	22	4.4	02.2-06.6	9	2.8	00.8-04.8
\$50,000- 74,999	346	39,508	231	66.8	60.7-72.9	56	15.8	11.3-20.3	34	10.7	06.6-14.8	19	5.1	02.4-07.8	6	1.6	00.0-03.2
\$75,000+	304	38,186	207	67.7	60.8-74.6	53	17.8	12.5-23.1	21	7.2	03.9-10.5	19	6.3	02.0-10.6	4	0.9	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	805	108,648	509	64.8	60.3-69.3	108	14.4	11.1-17.7	86	10.0	07.3-12.7	62	5.7	03.7-07.7	40	5.1	02.4-07.8
Non-Native	777	104,090	496	66.3	61.8-70.8	106	14.9	11.6-18.2	81	9.6	06.9-12.3	58	5.6	03.6-07.6	36	3.7	02.3-05.1
25-34	107	19,612				25	25.8	16.0-35.6	4	3.0	00.0-06.3	5	3.5	00.0-07.4	2	1.9	00.0-04.6
35-44	146	18,519	104	69.9	61.5-78.3	15	10.2	04.7-15.7	18	14.0	07.3-20.7	7	4.0	00.9-07.1	2	2.0	00.0-04.7
45-54	178	16,951	99	52.9	43.9-61.9	27	16.7	09.8-23.6	18	8.7	04.4-13.0	24	14.0	07.7-20.3	10	7.7	02.8-12.6
55-64	124	12,487				20	14.3	07.6-21.0	16	14.2	06.9-21.5	10	6.4	01.9-10.9	12	9.5	03.2-15.8
65+	199	16,537	131	66.7	58.9-74.5	16	9.5	04.4-14.6	24	11.9	06.6-17.2	15	6.5	02.2-10.8	13	5.4	01.9-08.9
Less Than H.S.	113	12,623				10	13.1	03.3-22.9	12	6.4	01.3-11.5	12	7.7	01.4-14.0	8	8.0	01.5-14.5
H.S. or G.E.D.	237	32,947	151	63.8	54.4-73.2	24	11.8	05.5-18.1	27	9.7	05.4-14.0	21	6.9	02.8-11.0	14	7.9	00.0-15.9
Some Post-H.S.	231	30,989	156	70.8	63.0-78.6	37	15.5	09.4-21.6	16	7.3	02.2-12.4	12	2.9	00.9-04.9	10	3.6	00.9-06.3
College Graduate	224	32,089	131	60.1	51.9-68.3	37	16.7	10.8-22.6	31	14.2	08.5-19.9	17	6.6	03.1-10.1	8	2.4	00.4-04.4
Less than \$15,000	68	8,591				5	6.8	00.0-15.4							4	3.4	00.0-07.1
\$15,000- 24,999	142	18,090				16	10.5	03.2-17.8	19	7.5	03.0-12.0	15	9.4	03.7-15.1			
\$25,000- 34,999	120	16,633				18	15.5	06.7-24.3	7	7.7	00.4-15.0	6	3.0	00.3-05.7	7	4.8	00.9-08.7
\$35,000- 49,999	140	16,754				21	17.1	08.3-25.9	21	16.0	08.6-23.4	6	2.4	00.0-04.9	7	4.8	00.9-08.7
\$50,000- 74,999	136	18,409	83	60.3	50.3-70.3	21	17.0	09.4-24.6	16	12.5	05.2-19.8	11	6.8	01.9-11.7	5	3.4	00.1-06.7
\$75,000+	129	18,481	92	73.9	64.7-83.1	22	16.8	09.2-24.4	7	6.2	01.3-11.1	7	2.8	00.3-05.3	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1474	133,046	966	66.1	62.8-69.4	181	12.9	10.5-15.3	128	9.7	07.3-12.1	138	8.1	06.1-10.1	61	3.2	02.2-04.2
Native	51	5,971													6	5.3	00.2-10.4
Non-Native	1409	125,559	939	68.3	65.0-71.6	174	12.8	10.4-15.2	114	8.5	06.1-10.9	129	7.4	05.6-09.2	53	3.0	02.0-04.0
18-24	67	21,998				11	15.8	06.4-25.2				5	7.9	00.0-15.9			
25-34	172	20,803	106	61.7	53.5-69.9	22	12.6	07.1-18.1	25	16.3	09.6-23.0	17	8.8	04.3-13.3	2	0.6	00.0-01.6
35-44	251	23,937	178	70.6	64.1-77.1	31	12.3	07.8-16.8	19	9.1	04.8-13.4	18	6.7	03.2-10.2	5	1.4	00.0-02.8
45-54	317	25,124	193	60.4	54.1-66.7	58	19.9	14.6-25.2	29	8.8	05.5-12.1	26	7.2	04.1-10.3	11	3.7	01.3-06.1
55-64	226	14,588	145	66.7	58.9-74.5	22	8.3	04.4-12.2	21	9.1	03.0-15.2	22	8.9	04.6-13.2	16	7.0	02.9-11.1
65+	428	25,976	289	70.2	65.3-75.1	35	7.2	04.5-09.9	29	6.6	03.9-09.3	49	9.4	06.5-12.3	26	6.6	03.7-09.5
Less Than H.S.	120	9,397				10	8.1	01.0-15.2	8	8.6	01.5-15.7				10	9.4	03.1-15.7
H.S. or G.E.D.	422	35,672	278	67.6	61.5-73.7	39	12.0	07.3-16.7	40	8.1	05.0-11.2	45	8.5	05.4-11.6	20	3.7	01.5-05.9
Some Post-H.S.	489	46,795	337	68.3	62.2-74.4	59	12.4	08.3-16.5	42	11.1	05.6-16.6	37	6.4	04.0-08.8	14	1.8	00.8-02.8
College Graduate	440	40,977	277	64.4	58.7-70.1	72	15.2	11.3-19.1	38	9.9	06.4-13.4	36	7.7	03.6-11.8	17	2.8	01.2-04.4
Less than \$15,000	186	14,316				17	12.0	04.0-20.0	24	11.1	05.4-16.8	38	16.4	09.7-23.1	20	10.0	05.1-14.9
\$15,000- 24,999	247	19,493				18	8.2	02.5-13.9				28	9.9	04.4-15.4	17	5.2	02.1-08.3
\$25,000- 34,999	192	16,306	140	73.7	65.5-81.9	17	9.4	04.5-14.3	13	7.2	01.3-13.1	15	6.6	02.7-10.5	7	3.2	00.7-05.7
\$35,000- 49,999	242	23,001	162	65.9	58.5-73.3	37	15.3	10.0-20.6	25	11.6	06.1-17.1	16	5.9	02.6-09.2	2	1.3	00.0-03.3
\$50,000- 74,999	210	21,099	148	72.5	65.6-79.4	35	14.7	09.4-20.0	18	9.2	04.9-13.5	8	3.6	00.9-06.3	1	0.0	00.0-00.0
\$75,000+	175	19,704	115	62.0	52.8-71.2	31	18.6	11.3-25.9	14	8.2	03.5-12.9	12	9.6	01.8-17.4	3	1.6	00.0-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4765	490,267	4298	88.4	87.0-89.8	467	11.6	10.2-13.0	
Male	1921	240,938	1701	86.5	84.1-88.9	220	13.5	11.1-15.9	
Female	2844	249,328	2597	90.2	88.6-91.8	247	9.8	08.2-11.4	
Non-Native	4600	469,140	4166	88.8	87.4-90.2	434	11.2	09.8-12.6	
18-24	196	74,463	159	79.8	73.3-86.3	37	20.2	13.7-26.7	
25-34	519	75,972	441	85.4	81.7-89.1	78	14.6	10.9-18.3	
35-44	747	81,491	639	85.6	82.7-88.5	108	14.4	11.5-17.3	
45-54	1063	95,898	945	89.9	87.9-91.9	118	10.1	08.1-12.1	
55-64	820	64,819	731	89.3	86.8-91.8	89	10.7	08.2-13.2	
65+	1368	94,330	1334	97.6	96.6-98.6	34	2.4	01.4-03.4	
Less Than H.S.	429	37,359	374	84.3	79.0-89.6	55	15.7	10.4-21.0	
H.S. or G.E.D.	1429	140,732	1248	84.0	81.1-86.9	181	16.0	13.1-18.9	
Some Post-H.S.	1481	158,410	1323	87.5	85.0-90.0	158	12.5	10.0-15.0	
College Graduate	1418	153,141	1346	94.5	92.7-96.3	72	5.5	03.7-07.3	
Less than \$15,000	394	33,772	313	76.4	70.1-82.7	81	23.6	17.3-29.9	
\$15,000- 24,999	722	64,604	603	79.2	74.7-83.7	119	20.8	16.3-25.3	
\$25,000- 34,999	614	61,968	538	83.6	79.3-87.9	76	16.4	12.1-20.7	
\$35,000- 49,999	832	85,315	771	90.4	86.9-93.9	61	9.6	06.1-13.1	
\$50,000- 74,999	783	88,950	742	94.6	92.4-96.8	41	5.4	03.2-07.6	
\$75,000+	733	89,636	704	96.3	94.7-97.9	29	3.7	02.1-05.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1921	240,938	1701	86.5	84.1-88.9	220	13.5	11.1-15.9
Non-Native	1862	232,902	1654	86.7	84.3-89.1	208	13.3	10.9-15.7
25-34	216	39,660	184	85.7	80.0-91.4	32	14.3	08.6-20.0
35-44	326	41,351	273	85.3	81.0-89.6	53	14.7	10.4-19.0
45-54	462	47,960	401	89.2	86.3-92.1	61	10.8	07.9-13.7
55-64	345	33,958	311	90.1	86.4-93.8	34	9.9	06.2-13.6
65+	478	39,553	464	97.1	95.3-98.9	14	2.9	01.1-04.7
Less Than H.S.	200	21,298	171	84.5	77.2-91.8	29	15.5	08.2-22.8
H.S. or G.E.D.	586	71,623	494	78.7	73.6-83.8	92	21.3	16.2-26.4
Some Post-H.S.	543	69,366	475	86.6	82.5-90.7	68	13.4	09.3-17.5
College Graduate	587	78,232	557	94.1	91.2-97.0	30	5.9	03.0-08.8
\$15,000- 24,999	272	29,657	212	73.4	65.4-81.4	60	26.6	18.6-34.6
\$25,000- 34,999	247	31,359	205	79.8	72.7-86.9	42	20.2	13.1-27.3
\$35,000- 49,999	372	43,360	332	85.3	79.0-91.6	40	14.7	08.4-21.0
\$50,000- 74,999	375	49,767	357	95.4	92.5-98.3	18	4.6	01.7-07.5
\$75,000+	358	49,744	345	96.7	94.7-98.7	13	3.3	01.3-05.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2844	249,328	2597	90.2	88.6-91.8	247	9.8	08.2-11.4
Non-Native	2738	236,239	2512	90.9	89.3-92.5	226	9.1	07.5-10.7
18-24	114	36,778	101	89.2	82.7-95.7	13	10.8	04.3-17.3
25-34	303	36,312	257	85.1	80.4-89.8	46	14.9	10.2-19.6
35-44	421	40,140	366	85.8	81.9-89.7	55	14.2	10.3-18.1
45-54	601	47,938	544	90.5	87.8-93.2	57	9.5	06.8-12.2
55-64	475	30,861	420	88.3	84.8-91.8	55	11.7	08.2-15.2
65+	890	54,777	870	98.0	97.0-99.0	20	2.0	01.0-03.0
Less Than H.S.	229	16,061	203	83.9	75.9-91.9	26	16.1	08.1-24.1
H.S. or G.E.D.	843	69,109	754	89.4	86.7-92.1	89	10.6	07.9-13.3
Some Post-H.S.	938	89,044	848	88.1	85.0-91.2	90	11.9	08.8-15.0
College Graduate	831	74,910	789	94.9	93.3-96.5	42	5.1	03.5-06.7
Less than \$15,000	285	21,630	230	78.6	71.3-85.9	55	21.4	14.1-28.7
\$15,000- 24,999	450	34,948	391	84.1	79.4-88.8	59	15.9	11.2-20.6
\$25,000- 34,999	367	30,609	333	87.5	82.2-92.8	34	12.5	07.2-17.8
\$35,000- 49,999	460	41,955	439	95.6	93.4-97.8	21	4.4	02.2-06.6
\$50,000- 74,999	408	39,182	385	93.5	90.6-96.4	23	6.5	03.6-09.4
\$75,000+	375	39,892	359	95.8	93.6-98.0	16	4.2	02.0-06.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4764	492,641	3458	67.3	65.3-69.3	411	8.2	07.2-09.2	895	24.5	22.7-26.3
Male	1917	243,356	1215	57.7	54.6-60.8	168	8.9	07.3-10.5	534	33.5	30.6-36.4
Female	2847	249,285	2243	76.7	74.5-78.9	243	7.6	06.4-08.8	361	15.7	13.7-17.7
Native	109	15,961				16	12.4	05.3-19.5			
Non-Native	4600	471,585	3363	67.9	65.9-69.9	391	8.1	07.1-09.1	846	24.0	22.2-25.8
18-24	202	77,844	119	54.0	46.0-62.0	15	6.6	03.1-10.1	68	39.4	31.4-47.4
25-34	519	75,972	309	56.9	52.0-61.8	39	7.9	05.2-10.6	171	35.2	30.3-40.1
35-44	745	81,351	507	66.2	62.3-70.1	57	7.7	05.5-09.9	181	26.1	22.4-29.8
45-54	1062	95,788	762	69.9	66.6-73.2	81	8.0	06.0-10.0	219	22.1	19.2-25.0
55-64	818	64,484	631	75.2	71.5-78.9	74	8.5	06.1-10.9	113	16.3	13.2-19.4
65+	1364	93,850	1084	79.1	76.6-81.6	142	10.4	08.4-12.4	138	10.4	08.4-12.4
Less Than H.S.	431	37,925	313	67.0	60.1-73.9	53	13.3	08.2-18.4	65	19.8	13.9-25.7
H.S. or G.E.D.	1426	141,553	1022	63.9	60.2-67.6	116	8.0	06.0-10.0	288	28.1	24.4-31.8
Some Post-H.S.	1481	159,411	1062	66.9	63.6-70.2	135	8.8	07.0-10.6	284	24.3	21.0-27.6
College Graduate	1418	153,126	1057	71.1	67.8-74.4	107	6.7	05.1-08.3	254	22.2	19.1-25.3
Less than \$15,000	393	34,225	256	56.8	49.2-64.4	59	17.6	11.3-23.9	78	25.7	18.4-33.0
\$15,000- 24,999	719	64,320	529	68.0	62.3-73.7	50	5.8	03.8-07.8	140	26.2	20.5-31.9
\$25,000- 34,999	613	61,946	442	63.1	57.0-69.2	56	8.7	06.0-11.4	115	28.2	22.1-34.3
\$35,000- 49,999	836	86,327	613	69.6	65.3-73.9	61	6.2	04.2-08.2	162	24.2	20.1-28.3
\$50,000- 74,999	782	88,813	577	68.3	64.2-72.4	60	8.2	05.8-10.6	145	23.5	19.8-27.2
\$75,000+	733	90,298	527	70.7	66.4-75.0	64	8.1	05.7-10.5	142	21.3	17.2-25.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1917	243,356	1215	57.7	54.8-60.6	168	8.9	07.3-10.5	534	33.5	30.6-36.4
Non-Native	1858	235,320	1191	58.6	55.5-61.7	163	8.9	07.1-10.7	504	32.4	29.5-35.3
18-24	88	41,066				8	8.5	02.4-14.6			
25-34	216	39,660	89	41.1	33.7-48.5	17	9.1	04.6-13.6	110	49.8	42.2-57.4
35-44	323	41,089	186	57.7	51.6-63.8	23	6.8	03.9-09.7	114	35.5	29.6-41.4
45-54	461	47,850	293	63.3	58.2-68.4	34	8.1	05.2-11.0	134	28.6	23.9-33.3
55-64	343	33,684	250	71.3	65.6-77.0	28	7.7	04.2-11.2	65	20.9	15.8-26.0
65+	474	39,235	352	73.5	68.6-78.4	57	12.7	09.0-16.4	65	13.7	10.0-17.4
Less Than H.S.	200	21,790	138	63.7	53.9-73.5	26	14.7	07.3-22.1	36	21.5	12.9-30.1
H.S. or G.E.D.	584	72,662	357	52.3	46.6-58.0	44	8.3	05.2-11.4	183	39.3	33.4-45.2
Some Post-H.S.	542	70,274	326	56.0	50.3-61.7	54	9.5	06.4-12.6	162	34.6	28.9-40.3
College Graduate	586	78,210	392	62.7	57.4-68.0	44	7.2	04.8-09.6	150	30.1	25.0-35.2
\$15,000- 24,999	269	29,372	174	57.3	47.9-66.7	20	6.4	02.9-09.9	75	36.3	26.7-45.9
\$25,000- 34,999	246	31,338	150	47.8	39.0-56.6	27	10.6	05.7-15.5	69	41.7	32.1-51.3
\$35,000- 49,999	375	44,327	246	61.3	54.4-68.2	23	5.3	02.6-08.0	106	33.4	26.7-40.1
\$50,000- 74,999	374	49,631	239	57.4	51.5-63.3	32	9.7	06.0-13.4	103	33.0	27.3-38.7
\$75,000+	358	50,406	230	64.5	58.0-71.0	32	8.5	05.0-12.0	96	27.0	20.7-33.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2847	249,285	2243	76.7	74.5-78.9	243	7.6	06.4-08.8	361	15.7	13.7-17.7
Native	77	10,266				14	16.8	07.0-26.6			
Non-Native	2742	236,265	2172	77.2	75.0-79.4	228	7.3	06.1-08.5	342	15.5	13.5-17.5
18-24	114	36,778	81	68.4	58.6-78.2	7	4.6	00.9-08.3	26	27.1	17.7-36.5
25-34	303	36,312	220	74.1	68.6-79.6	22	6.7	03.6-09.8	61	19.2	14.3-24.1
35-44	422	40,263	321	74.9	70.2-79.6	34	8.6	05.5-11.7	67	16.5	12.6-20.4
45-54	601	47,938	469	76.5	72.6-80.4	47	7.8	05.4-10.2	85	15.7	12.2-19.2
55-64	475	30,800	381	79.4	75.1-83.7	46	9.3	06.2-12.4	48	11.3	07.8-14.8
65+	890	54,615	732	83.2	80.3-86.1	85	8.8	06.6-11.0	73	8.1	06.1-10.1
Less Than H.S.	231	16,136	175	71.4	62.6-80.2	27	11.3	05.2-17.4	29	17.3	09.7-24.9
H.S. or G.E.D.	842	68,891	665	76.1	72.0-80.2	72	7.6	05.6-09.6	105	16.3	12.4-20.2
Some Post-H.S.	939	89,137	736	75.5	71.6-79.4	81	8.3	06.1-10.5	122	16.2	12.7-19.7
College Graduate	832	74,916	665	79.8	76.5-83.1	63	6.2	04.4-08.0	104	14.0	10.9-17.1
Less than \$15,000	286	21,745	198	63.1	54.3-71.9	45	17.9	10.8-25.0	43	19.0	11.0-27.0
\$15,000- 24,999	450	34,948	355	77.0	71.3-82.7	30	5.3	03.1-07.5	65	17.7	12.4-23.0
\$25,000- 34,999	367	30,609	292	78.8	73.1-84.5	29	6.8	04.1-09.5	46	14.5	09.2-19.8
\$35,000- 49,999	461	42,000	367	78.2	73.3-83.1	38	7.2	04.5-09.9	56	14.6	10.3-18.9
\$50,000- 74,999	408	39,182	338	82.1	77.8-86.4	28	6.3	03.8-08.8	42	11.6	07.9-15.3
\$75,000+	375	39,892	297	78.5	73.4-83.6	32	7.5	04.8-10.2	46	14.0	09.5-18.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4768	493,000	345	7.6	06.4-08.8	4423	92.4	91.2-93.6
Male	1925	243,892	126	7.0	05.4-08.6	1799	93.0	91.4-94.6
Female	2843	249,108	219	8.3	06.7-09.9	2624	91.7	90.1-93.3
Native	109	15,961	13	12.0	04.6-19.4	96	88.0	80.6-95.4
Non-Native	4603	471,874	329	7.5	06.3-08.7	4274	92.5	91.3-93.7
18-24	201	77,478	14	8.5	03.6-13.4	187	91.5	86.6-96.4
25-34	517	75,894	50	9.3	06.4-12.2	467	90.7	87.8-93.6
35-44	747	81,391	79	9.6	07.2-12.0	668	90.4	88.0-92.8
45-54	1063	95,912	98	9.0	07.0-11.0	965	91.0	89.0-93.0
55-64	820	64,757	58	7.3	04.9-09.7	762	92.7	90.3-95.1
65+	1367	94,240	44	3.0	02.0-04.0	1323	97.0	96.0-98.0
Less Than H.S.	428	37,549	35	8.8	05.1-12.5	393	91.2	87.5-94.9
H.S. or G.E.D.	1433	142,100	120	8.6	06.4-10.8	1313	91.4	89.2-93.6
Some Post-H.S.	1484	159,873	124	9.4	07.0-11.8	1360	90.6	88.2-93.0
College Graduate	1415	152,853	66	4.6	03.2-06.0	1349	95.4	94.0-96.8
Less than \$15,000	393	33,995	69	17.3	11.6-23.0	324	82.7	77.0-88.4
\$15,000- 24,999	720	64,540	102	17.8	13.1-22.5	618	82.2	77.5-86.9
\$25,000- 34,999	612	61,784	47	8.7	05.6-11.8	565	91.3	88.2-94.4
\$35,000- 49,999	836	86,327	40	5.7	03.2-08.2	796	94.3	91.8-96.8
\$50,000- 74,999	783	88,950	24	3.6	02.0-05.2	759	96.4	94.8-98.0
\$75,000+	734	90,458	23	2.5	01.3-03.7	711	97.5	96.3-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1925	243,892	126	7.0	05.4-08.6	1799	93.0	91.4-94.6
Non-Native	1866	235,856	120	7.0	05.4-08.6	1746	93.0	91.4-94.6
18-24	87	40,700	7	8.3	01.6-15.0	80	91.7	85.0-98.4
25-34	216	39,660	18	8.9	04.6-13.2	198	91.1	86.8-95.4
35-44	326	41,351	25	7.0	04.1-09.9	301	93.0	90.1-95.9
45-54	463	48,013	44	8.6	05.7-11.5	419	91.4	88.5-94.3
55-64	344	33,890	21	6.8	03.7-09.9	323	93.2	90.1-96.3
65+	477	39,507	11	2.1	00.7-03.5	466	97.9	96.5-99.3
Less Than H.S.	199	21,435	15	9.4	03.7-15.1	184	90.6	84.9-96.3
H.S. or G.E.D.	589	73,085	45	8.8	05.3-12.3	544	91.2	87.7-94.7
Some Post-H.S.	546	70,789	46	8.5	05.4-11.6	500	91.5	88.4-94.6
College Graduate	586	78,164	20	3.3	01.7-04.9	566	96.7	95.1-98.3
Less than \$15,000	109	12,325	19	16.0	06.2-25.8	90	84.0	74.2-93.8
\$15,000- 24,999	271	29,611	34	12.9	07.8-18.0	237	87.1	82.0-92.2
\$25,000- 34,999	246	31,291	23	10.9	05.6-16.2	223	89.1	83.8-94.4
\$35,000- 49,999	375	44,327	18	6.3	02.0-10.6	357	93.7	89.4-98.0
\$50,000- 74,999	375	49,767	15	4.4	02.0-06.8	360	95.6	93.2-98.0
\$75,000+	359	50,566	11	2.0	00.6-03.4	348	98.0	96.6-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2843	249,108	219	8.3	06.7-09.9	2624	91.7	90.1-93.3	
Native	77	10,266	9	12.7	03.3-22.1	68	87.3	77.9-96.7	
Non-Native	2737	236,018	209	8.1	06.5-09.7	2528	91.9	90.3-93.5	
18-24	114	36,778	7	8.7	01.3-16.1	107	91.3	83.9-98.7	
25-34	301	36,234	32	9.7	06.0-13.4	269	90.3	86.6-94.0	
35-44	421	40,040	54	12.3	08.6-16.0	367	87.7	84.0-91.4	
45-54	600	47,900	54	9.3	06.6-12.0	546	90.7	88.0-93.4	
55-64	476	30,867	37	7.9	04.4-11.4	439	92.1	88.6-95.6	
65+	890	54,733	33	3.6	02.0-05.2	857	96.4	94.8-98.0	
Less Than H.S.	229	16,114	20	8.0	03.5-12.5	209	92.0	87.5-96.5	
H.S. or G.E.D.	844	69,015	75	8.3	05.9-10.7	769	91.7	89.3-94.1	
Some Post-H.S.	938	89,084	78	10.2	06.9-13.5	860	89.8	86.5-93.1	
College Graduate	829	74,689	46	6.1	03.9-08.3	783	93.9	91.7-96.1	
Less than \$15,000	284	21,669	50	18.0	11.1-24.9	234	82.0	75.1-88.9	
\$15,000- 24,999	449	34,929	68	22.0	14.7-29.3	381	78.0	70.7-85.3	
\$25,000- 34,999	366	30,493	24	6.6	03.3-09.9	342	93.4	90.1-96.7	
\$35,000- 49,999	461	42,000	22	5.1	02.4-07.8	439	94.9	92.2-97.6	
\$50,000- 74,999	408	39,182	9	2.6	00.8-04.4	399	97.4	95.6-99.2	
\$75,000+	375	39,892	12	3.1	01.3-04.9	363	96.9	95.1-98.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4742	490,095	3112	62.2	60.2-64.2	690	15.8	14.2-17.4	400	9.6	08.4-10.8	509	11.8	10.4-13.2	31	0.6	00.4-00.8
Male	1916	242,907	1076	52.6	49.7-55.5	304	18.4	15.9-20.9	224	12.5	10.3-14.7	291	15.7	13.5-17.9	21	0.9	00.5-01.3
Female	2826	247,188	2036	71.7	69.5-73.9	386	13.3	11.7-14.9	176	6.7	05.3-08.1	218	8.0	06.6-09.4	10	0.3	00.1-00.5
Native	108	15,891				15	11.7	04.8-18.6				13	12.9	05.1-20.7	1	0.5	00.0-01.5
Non-Native	4579	469,096	3007	62.2	60.2-64.2	669	16.0	14.4-17.6	384	9.4	08.2-10.6	491	11.8	10.4-13.2	28	0.6	00.4-00.8
18-24	198	76,682	107	53.9	45.9-61.9	42	19.4	13.1-25.7	23	13.1	07.2-19.0	24	13.0	07.5-18.5	2	0.7	00.0-01.7
25-34	518	75,754	278	52.5	47.6-57.4	89	18.8	14.7-22.9	54	10.9	07.8-14.0	90	16.8	13.1-20.5	7	1.0	00.2-01.8
35-44	745	81,375	408	53.6	49.5-57.7	133	17.6	14.5-20.7	84	11.8	09.1-14.5	117	16.5	13.4-19.6	3	0.5	00.0-01.1
45-54	1053	94,916	630	59.4	55.9-62.9	190	18.4	15.7-21.1	100	9.4	07.2-11.6	123	11.7	09.3-14.1	10	1.0	00.2-01.8
55-64	816	64,491	577	70.3	66.6-74.0	97	12.2	09.5-14.9	68	8.8	06.4-11.2	72	8.5	06.1-10.9	2	0.2	00.0-00.6
65+	1359	93,551	1067	80.6	78.1-83.1	136	9.2	07.4-11.0	68	4.5	03.1-05.9	81	5.4	04.0-06.8	7	0.2	00.0-00.6
Less Than H.S.	430	37,799	302	63.6	56.5-70.7	49	14.2	08.7-19.7	36	10.3	06.2-14.4	39	11.8	06.3-17.3	4	0.1	00.1-00.1
H.S. or G.E.D.	1420	140,367	928	61.2	57.5-64.9	194	14.8	12.1-17.5	118	10.9	08.0-13.8	166	12.1	09.7-14.5	14	1.0	00.2-01.8
Some Post-H.S.	1474	158,944	964	62.6	59.1-66.1	217	16.5	13.8-19.2	124	8.8	06.8-10.8	162	11.4	09.2-13.6	7	0.6	00.0-01.2
College Graduate	1410	152,360	912	62.4	59.1-65.7	229	16.5	14.1-18.9	122	8.9	06.9-10.9	141	12.0	09.5-14.5	6	0.3	00.0-00.7
Less than \$15,000	389	33,890	247	59.1	51.7-66.5	41	11.1	06.0-16.2	39	10.1	05.6-14.6	61	18.7	12.6-24.8	1	1.1	00.0-03.3
\$15,000- 24,999	715	63,460	457	60.9	55.2-66.6	88	13.0	09.3-16.7	68	13.5	08.4-18.6	93	11.3	08.2-14.4	9	1.4	00.4-02.4
\$25,000- 34,999	612	61,782	404	61.2	55.3-67.1	81	12.7	09.0-16.4	47	8.5	05.2-11.8	78	17.3	12.2-22.4	2	0.3	00.0-00.9
\$35,000- 49,999	832	85,716	529	60.4	55.9-64.9	130	17.1	13.2-21.0	76	9.4	06.9-11.9	93	12.7	09.6-15.8	4	0.4	00.0-00.8
\$50,000- 74,999	778	88,629	505	60.2	56.1-64.3	124	17.3	14.0-20.6	73	10.7	08.0-13.4	72	11.6	08.7-14.5	4	0.2	00.0-00.6
\$75,000+	732	90,225	481	66.6	62.5-70.7	129	17.6	14.3-20.9	55	7.5	05.3-09.7	61	7.6	05.4-09.8	6	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1916	242,907	1076	52.6	49.7-55.5	304	18.4	15.9-20.9	224	12.5	10.3-14.7	291	15.7	13.5-17.9	21	0.9	00.5-01.3
Non-Native	1858	234,928	1045	52.8	49.7-55.9	300	18.9	16.4-21.4	214	12.0	10.0-14.0	281	15.5	13.3-17.7	18	0.8	00.4-01.2
18-24	87	40,518							12	15.8	06.6-25.0	14	15.7	07.1-24.3	1	0.9	00.0-02.7
25-34	216	39,660	79	37.2	29.9-44.5	42	23.1	16.4-29.8	36	14.5	09.4-19.6	55	24.2	17.7-30.7	4	0.9	00.0-01.9
35-44	324	41,228	145	44.5	38.4-50.6	53	16.9	12.2-21.6	51	15.6	11.1-20.1	74	22.8	17.7-27.9	1	0.2	00.0-00.6
45-54	458	47,526	219	50.3	45.0-55.6	94	21.3	16.8-25.8	62	12.4	08.9-15.9	73	14.0	10.5-17.5	10	2.0	00.6-03.4
55-64	344	33,855	219	62.4	56.5-68.3	50	15.2	10.7-19.7	36	11.2	07.3-15.1	38	10.7	07.0-14.4	1	0.4	00.0-01.2
65+	475	39,349	371	81.3	77.2-85.4	39	7.4	04.7-10.1	26	5.0	02.6-07.4	35	5.8	03.4-08.2	4	0.4	00.0-01.2
Less Than H.S.	201	21,847				21	16.5	07.9-25.1	21	11.6	05.7-17.5	18	11.4	03.8-19.0	3	0.1	00.0-00.3
H.S. or G.E.D.	582	71,993	327	50.5	44.8-56.2	89	18.6	13.9-23.3	61	13.8	08.9-18.7	94	15.4	11.5-19.3	11	1.7	00.3-03.1
Some Post-H.S.	542	70,481	290	52.8	47.1-58.5	87	18.4	13.3-23.5	73	12.8	09.3-16.3	88	15.2	11.5-18.9	4	0.7	00.0-01.5
College Graduate	586	78,167	318	52.2	47.1-57.3	106	18.7	14.8-22.6	69	11.2	08.1-14.3	90	17.4	13.1-21.7	3	0.4	00.0-00.8
Less than \$15,000	108	12,553							13	8.6	02.5-14.7				1	2.9	00.0-08.6
\$15,000- 24,999	269	28,938	142	49.1	40.1-58.1	29	13.6	07.1-20.1	34	18.7	08.9-28.5	58	17.2	11.7-22.7	6	1.4	00.0-02.8
\$25,000- 34,999	246	31,279	132	48.4	39.4-57.4	34	11.2	06.3-16.1	31	13.5	07.2-19.8	48	26.3	17.5-35.1	1	0.6	00.0-01.8
\$35,000- 49,999	373	44,029	201	51.2	44.1-58.3	62	20.1	13.4-26.8	50	12.1	08.0-16.2	56	15.9	10.6-21.2	4	0.7	00.0-01.5
\$50,000- 74,999	373	49,659	213	51.8	45.9-57.7	72	21.5	16.4-26.6	39	11.6	07.7-15.5	46	14.8	10.5-19.1	3	0.3	00.0-00.9
\$75,000+	359	50,566	198	58.3	52.0-64.6	67	19.2	14.3-24.1	43	10.8	07.3-14.3	47	11.1	07.6-14.6	4	0.7	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2826	247,188	2036	71.7	69.5-73.9	386	13.3	11.7-14.9	176	6.7	05.3-08.1	218	8.0	06.6-09.4	10	0.3	00.1-00.5
Native	76	10,196				13	15.6	06.2-25.0	4	4.2	00.0-08.5	6	9.9	01.3-18.5			
Non-Native	2721	234,168	1962	71.7	69.3-74.1	369	13.2	11.6-14.8	170	6.8	05.4-08.2	210	8.0	06.6-09.4	10	0.4	00.0-00.8
18-24	111	36,164	71	67.1	57.3-76.9	18	12.4	06.1-18.7	11	10.0	03.3-16.7	10	10.1	03.8-16.4	1	0.4	00.0-01.2
25-34	302	36,094	199	69.3	63.6-75.0	47	14.1	10.0-18.2	18	6.8	03.5-10.1	35	8.7	05.4-12.0	3	1.0	00.0-02.4
35-44	421	40,147	263	63.0	57.7-68.3	80	18.3	14.2-22.4	33	8.0	05.1-10.9	43	10.0	06.5-13.5	2	0.7	00.0-01.7
45-54	595	47,390	411	68.7	64.4-73.0	96	15.6	12.3-18.9	38	6.4	04.2-08.6	50	9.4	06.5-12.3			
55-64	472	30,635	358	78.9	74.6-83.2	47	8.8	05.9-11.7	32	6.1	03.6-08.6	34	6.1	03.6-08.6	1	0.0	00.0-00.0
65+	884	54,202	696	80.2	77.1-83.3	97	10.6	08.2-13.0	42	4.1	02.5-05.7	46	5.1	03.3-06.9	3	0.1	00.1-00.1
Less Than H.S.	229	15,953	164	68.0	59.0-77.0	28	11.0	06.1-15.9	15	8.6	03.3-13.9	21	12.3	04.9-19.7	1	0.1	00.0-00.3
H.S. or G.E.D.	838	68,374	601	72.5	68.4-76.6	105	10.8	08.3-13.3	57	7.9	05.0-10.8	72	8.6	05.9-11.3	3	0.2	00.0-00.6
Some Post-H.S.	932	88,463	674	70.5	66.6-74.4	130	15.0	11.9-18.1	51	5.6	03.4-07.8	74	8.4	06.0-10.8	3	0.6	00.0-01.2
College Graduate	824	74,193	594	73.1	69.4-76.8	123	14.1	11.4-16.8	53	6.4	04.0-08.8	51	6.2	03.8-08.6	3	0.2	00.0-00.6
Less than \$15,000	281	21,337	181	61.9	53.3-70.5	31	10.5	05.2-15.8	26	11.0	04.7-17.3	43	16.6	10.3-22.9			
\$15,000- 24,999	446	34,522	315	70.7	64.6-76.8	59	12.4	08.3-16.5	34	9.1	05.0-13.2	35	6.4	03.1-09.7	3	1.4	00.0-03.0
\$25,000- 34,999	366	30,504	272	74.2	68.1-80.3	47	14.3	09.0-19.6	16	3.4	01.2-05.6	30	8.1	04.6-11.6	1	0.0	00.0-00.0
\$35,000- 49,999	459	41,687	328	70.2	65.1-75.3	68	14.0	10.3-17.7	26	6.4	03.5-09.3	37	9.4	06.1-12.7			
\$50,000- 74,999	405	38,970	292	71.0	65.7-76.3	52	12.0	08.5-15.5	34	9.5	05.8-13.2	26	7.5	04.2-10.8	1	0.0	00.0-00.0
\$75,000+	373	39,659	283	77.2	72.3-82.1	62	15.5	11.4-19.6	12	3.2	01.0-05.4	14	3.3	01.3-05.3	2	0.8	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4773	493,426	3563	78.0	76.4-79.6	1210	22.0	20.4-23.6	
Male	1926	244,098	1434	78.0	75.6-80.4	492	22.0	19.6-24.4	
Female	2847	249,328	2129	78.1	76.1-80.1	718	21.9	19.9-23.9	
Non-Native	4608	472,300	3462	78.8	77.2-80.4	1146	21.2	19.6-22.8	
18-24	202	77,844	175	86.1	80.4-91.8	27	13.9	08.2-19.6	
25-34	518	75,863	440	84.1	80.4-87.8	78	15.9	12.2-19.6	
35-44	749	81,622	600	81.0	77.9-84.1	149	19.0	15.9-22.1	
45-54	1064	95,951	812	77.7	74.8-80.6	252	22.3	19.4-25.2	
55-64	818	64,507	592	73.4	69.7-77.1	226	26.6	22.9-30.3	
65+	1368	94,289	904	67.4	64.5-70.3	464	32.6	29.7-35.5	
Less Than H.S.	431	37,912	232	56.2	49.3-63.1	199	43.8	36.9-50.7	
H.S. or G.E.D.	1434	142,128	984	71.8	68.5-75.1	450	28.2	24.9-31.5	
Some Post-H.S.	1484	159,747	1135	80.5	78.0-83.0	349	19.5	17.0-22.0	
College Graduate	1416	153,014	1209	86.8	84.6-89.0	207	13.2	11.0-15.4	
Less than \$15,000	394	34,282	218	65.2	58.7-71.7	176	34.8	28.3-41.3	
\$15,000- 24,999	722	64,604	478	68.6	63.3-73.9	244	31.4	26.1-36.7	
\$25,000- 34,999	614	61,968	441	74.0	69.3-78.7	173	26.0	21.3-30.7	
\$35,000- 49,999	835	86,190	650	79.1	75.8-82.4	185	20.9	17.6-24.2	
\$50,000- 74,999	782	88,813	637	82.4	79.3-85.5	145	17.6	14.5-20.7	
\$75,000+	733	90,388	638	88.7	86.2-91.2	95	11.3	08.8-13.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1926	244,098	1434	78.0	75.6-80.4	492	22.0	19.6-24.4
Non-Native	1867	236,062	1402	79.0	76.6-81.4	465	21.0	18.6-23.4
18-24	88	41,066	75	85.4	76.6-94.2	13	14.6	05.8-23.4
25-34	216	39,660	174	81.0	75.1-86.9	42	19.0	13.1-24.9
35-44	326	41,351	259	81.5	76.8-86.2	67	18.5	13.8-23.2
45-54	463	48,013	341	75.1	70.6-79.6	122	24.9	20.4-29.4
55-64	343	33,684	246	74.0	68.7-79.3	97	26.0	20.7-31.3
65+	478	39,553	331	70.6	65.7-75.5	147	29.4	24.5-34.3
Less Than H.S.	201	21,847	108	59.2	49.8-68.6	93	40.8	31.4-50.2
H.S. or G.E.D.	588	72,948	406	70.6	65.3-75.9	182	29.4	24.1-34.7
Some Post-H.S.	545	70,652	419	82.8	79.3-86.3	126	17.2	13.7-20.7
College Graduate	587	78,232	500	86.0	82.7-89.3	87	14.0	10.7-17.3
\$15,000- 24,999	272	29,657	181	67.1	57.9-76.3	91	32.9	23.7-42.1
\$25,000- 34,999	247	31,359	175	73.3	65.9-80.7	72	26.7	19.3-34.1
\$35,000- 49,999	374	44,190	288	80.0	74.9-85.1	86	20.0	14.9-25.1
\$50,000- 74,999	374	49,631	284	77.7	72.8-82.6	90	22.3	17.4-27.2
\$75,000+	359	50,566	307	87.8	84.1-91.5	52	12.2	08.5-15.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2847	249,328	2129	78.1	76.1-80.1	718	21.9	19.9-23.9
Non-Native	2741	236,238	2060	78.7	76.7-80.7	681	21.3	19.3-23.3
18-24	114	36,778	100	86.8	79.7-93.9	14	13.2	06.1-20.3
25-34	302	36,203	266	87.6	83.5-91.7	36	12.4	08.3-16.5
35-44	423	40,271	341	80.4	75.9-84.9	82	19.6	15.1-24.1
45-54	601	47,938	471	80.2	76.7-83.7	130	19.8	16.3-23.3
55-64	475	30,822	346	72.7	67.8-77.6	129	27.3	22.4-32.2
65+	890	54,736	573	65.2	61.5-68.9	317	34.8	31.1-38.5
Less Than H.S.	230	16,066	124	52.1	42.7-61.5	106	47.9	38.5-57.3
H.S. or G.E.D.	846	69,180	578	73.0	69.3-76.7	268	27.0	23.3-30.7
Some Post-H.S.	939	89,095	716	78.6	75.3-81.9	223	21.4	18.1-24.7
College Graduate	829	74,782	709	87.6	85.1-90.1	120	12.4	09.9-14.9
Less than \$15,000	284	21,591	156	63.9	56.3-71.5	128	36.1	28.5-43.7
\$15,000- 24,999	450	34,948	297	69.8	63.7-75.9	153	30.2	24.1-36.3
\$25,000- 34,999	367	30,609	266	74.6	68.7-80.5	101	25.4	19.5-31.3
\$35,000- 49,999	461	42,000	362	78.2	73.7-82.7	99	21.8	17.3-26.3
\$50,000- 74,999	408	39,182	353	88.4	85.1-91.7	55	11.6	08.3-14.9
\$75,000+	374	39,822	331	89.8	86.5-93.1	43	10.2	06.9-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 5: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 5: DIABETES**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4776	493,657	392	6.7	05.9-07.5	30	0.6	00.4-00.8	4290	91.8	90.8-92.8	64	0.9	00.7-01.1
Male	1927	244,326	186	7.5	06.3-08.7				1717	91.7	90.3-93.1	24	0.8	00.4-01.2
Female	2849	249,331	206	5.9	04.7-07.1	30	1.2	00.8-01.6	2573	91.9	90.7-93.1	40	1.0	00.6-01.4
Native	109	15,961	18	12.6	05.3-19.9	1	1.4	00.0-04.1	89	85.0	77.2-92.8	1	1.0	00.0-03.0
Non-Native	4611	472,531	365	6.4	05.6-07.2	28	0.6	00.4-00.8	4156	92.1	91.1-93.1	62	0.9	00.7-01.1
18-24	202	77,844	1	1.0	00.0-03.0	1	0.2	00.0-00.6	199	98.6	96.6-100.0	1	0.2	00.0-00.6
25-34	518	75,827	6	1.1	00.1-02.1	10	1.4	00.4-02.4	498	97.1	95.7-98.5	4	0.3	00.0-00.7
35-44	749	81,622	24	3.6	02.0-05.2	7	0.9	00.1-01.7	715	95.2	93.4-97.0	3	0.3	00.0-00.7
45-54	1063	95,856	63	6.5	04.7-08.3	4	0.4	00.0-00.8	984	92.0	90.0-94.0	12	1.1	00.3-01.9
55-64	821	64,825	90	11.2	08.5-13.9	4	0.5	00.0-01.1	718	87.2	84.5-89.9	9	1.1	00.3-01.9
65+	1369	94,332	204	16.0	13.6-18.4	4	0.4	00.0-00.8	1127	81.6	79.1-84.1	34	2.1	01.3-02.9
Less Than H.S.	430	37,867	66	13.5	09.6-17.4	2	0.5	00.0-01.1	355	84.9	80.8-89.0	7	1.1	00.0-02.3
H.S. or G.E.D.	1435	142,265	128	7.3	05.7-08.9	5	0.5	00.1-00.9	1272	90.7	88.9-92.5	30	1.5	00.9-02.1
Some Post-H.S.	1485	159,848	118	6.2	04.8-07.6	15	0.9	00.3-01.5	1339	92.3	90.9-93.7	13	0.6	00.2-01.0
College Graduate	1418	153,053	79	5.0	03.4-06.6	8	0.4	00.0-00.8	1317	93.9	92.3-95.5	14	0.6	00.2-01.0
Less than \$15,000	395	34,366	59	9.9	07.0-12.8	3	1.0	00.0-02.2	326	88.1	84.8-91.4	7	1.1	00.1-02.1
\$15,000- 24,999	721	64,559	66	8.2	05.8-10.6	4	0.7	00.0-01.5	638	89.9	87.2-92.6	13	1.2	00.4-02.0
\$25,000- 34,999	613	61,873	54	8.0	05.5-10.5	8	1.4	00.4-02.4	535	89.2	86.5-91.9	16	1.4	00.6-02.2
\$35,000- 49,999	836	86,327	59	6.3	04.3-08.3	2	0.1	00.0-00.3	765	92.8	90.8-94.8	10	0.8	00.2-01.4
\$50,000- 74,999	782	88,804	58	6.3	04.5-08.1	5	0.5	00.1-00.9	711	92.3	90.3-94.3	8	0.9	00.1-01.7
\$75,000+	734	90,458	26	3.9	01.9-05.9	4	0.4	00.0-00.8	702	95.4	93.2-97.6	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 5: DIABETES**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1927	244,326	186	7.5	06.3-08.7	1717	91.7	90.3-93.1	24	0.8	00.4-01.2
Non-Native	1868	236,290	176	7.4	06.2-08.6	1669	91.8	90.4-93.2	23	0.8	00.4-01.2
18-24	88	41,066				88	100.0	0100-0100			
25-34	216	39,660	3	1.2	00.0-02.8	213	98.8	97.2-0100			
35-44	326	41,351	12	3.7	01.3-06.1	312	95.7	93.2-98.2	2	0.6	00.0-01.4
45-54	463	48,013	39	9.1	06.0-12.2	419	89.7	86.4-93.0	5	1.2	00.0-02.4
55-64	345	33,958	47	13.3	09.2-17.4	293	85.4	81.3-89.5	5	1.4	00.0-02.8
65+	477	39,507	85	18.8	14.5-23.1	380	79.2	74.9-83.5	12	2.0	00.6-03.4
Less Than H.S.	200	21,801	37	15.7	09.8-21.6	159	83.0	76.9-89.1	4	1.3	00.0-03.1
H.S. or G.E.D.	589	73,085	65	9.0	06.5-11.5	513	89.7	87.0-92.4	11	1.3	00.5-02.1
Some Post-H.S.	546	70,789	44	6.3	04.1-08.5	498	93.2	91.0-95.4	4	0.5	00.0-01.1
College Graduate	587	78,232	40	5.0	03.2-06.8	542	94.4	92.4-96.4	5	0.6	00.0-01.2
Less than \$15,000	110	12,691	18	7.3	03.2-11.4	92	92.7	88.6-96.8			
\$15,000- 24,999	271	29,611	35	11.2	06.7-15.7	233	88.1	83.4-92.8	3	0.7	00.0-01.7
\$25,000- 34,999	247	31,359	28	9.8	05.5-14.1	210	88.3	83.8-92.8	9	1.9	00.3-03.5
\$35,000- 49,999	375	44,327	35	8.1	05.2-11.0	336	91.3	88.4-94.2	4	0.6	00.0-01.2
\$50,000- 74,999	375	49,767	35	7.5	04.8-10.2	335	91.2	88.3-94.1	5	1.3	00.1-02.5
\$75,000+	359	50,566	14	3.1	01.3-04.9	344	96.6	94.8-98.4	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 5: DIABETES**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2849	249,331	206	5.9	04.7-07.1	30	1.2	00.8-01.6	2573	91.9	90.7-93.1	40	1.0	00.6-01.4
Native	77	10,266	15	15.9	06.3-25.5	1	2.1	00.0-06.2						
Non-Native	2743	236,241	189	5.5	04.5-06.5	28	1.1	00.7-01.5	2487	92.4	91.2-93.6	39	1.0	00.6-01.4
18-24	114	36,778	1	2.1	00.0-06.0	1	0.4	00.0-01.2	111	97.1	93.0-0100	1	0.4	00.0-01.2
25-34	302	36,167	3	1.1	00.0-02.5	10	2.9	00.7-05.1	285	95.3	92.8-97.8	4	0.7	00.0-01.5
35-44	423	40,271	12	3.4	01.2-05.6	7	1.9	00.5-03.3	403	94.7	92.2-97.2	1	0.0	00.0-00.0
45-54	600	47,843	24	3.8	02.2-05.4	4	0.8	00.0-01.6	565	94.4	92.4-96.4	7	1.0	00.0-02.0
55-64	476	30,867	43	8.9	05.4-12.4	4	1.0	00.0-02.0	425	89.3	85.6-93.0	4	0.8	00.0-01.8
65+	892	54,825	119	13.9	11.2-16.6	4	0.7	00.1-01.3	747	83.3	80.4-86.2	22	2.1	01.1-03.1
Less Than H.S.	230	16,066	29	10.4	05.9-14.9	2	1.1	00.0-02.7	196	87.5	82.6-92.4	3	1.0	00.0-02.2
H.S. or G.E.D.	846	69,180	63	5.6	04.0-07.2	5	1.0	00.0-02.0	759	91.8	89.6-94.0	19	1.6	00.6-02.6
Some Post-H.S.	939	89,059	74	6.1	04.5-07.7	15	1.7	00.7-02.7	841	91.6	89.8-93.4	9	0.7	00.1-01.3
College Graduate	831	74,821	39	5.1	02.6-07.6	8	0.9	00.3-01.5	775	93.4	90.7-96.1	9	0.6	00.0-01.2
Less than \$15,000	285	21,675	41	11.4	07.5-15.3	3	1.6	00.0-03.4	234	85.3	80.6-90.0	7	1.7	00.1-03.3
\$15,000- 24,999	450	34,948	31	5.8	03.4-08.2	4	1.2	00.0-02.6	405	91.5	88.6-94.4	10	1.5	00.3-02.7
\$25,000- 34,999	366	30,514	26	6.0	03.5-08.5	8	2.9	00.7-05.1	325	90.2	86.9-93.5	7	0.9	00.1-01.7
\$35,000- 49,999	461	42,000	24	4.5	02.1-06.9	2	0.3	00.0-00.7	429	94.3	91.8-96.8	6	1.0	00.2-01.8
\$50,000- 74,999	407	39,037	23	4.7	02.5-06.9	5	1.1	00.0-02.3	376	93.7	91.2-96.2	3	0.5	00.0-01.5
\$75,000+	375	39,892	12	4.9	00.8-09.0	4	0.9	00.0-01.9	358	93.9	89.8-98.0	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006**

SECTION 6: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST DUE TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	41
5	MALES ONLY	42
6	FEMALES ONLY	43
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)	
7	MALES AND FEMALES	44
8	MALES ONLY	45
9	FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4747	490,547	3247	70.8	69.0-72.6	511	10.0	08.8-11.2	438	9.1	07.9-10.3	534	9.8	08.8-10.8	17	0.3	00.1-00.5
Male	1919	242,785	1236	67.6	64.9-70.3	213	9.9	08.1-11.7	209	10.4	08.6-12.2	247	11.5	09.7-13.3	14	0.6	00.2-01.0
Female	2828	247,762	2011	73.8	71.6-76.0	298	10.1	08.5-11.7	229	7.9	06.5-09.3	287	8.1	06.9-09.3	3	0.1	00.1-00.1
Native	108	15,949				19	14.9	07.5-22.3	14	11.1	04.8-17.4	9	5.9	01.8-10.0			
Non-Native	4586	469,630	3159	71.1	69.3-72.9	490	9.9	08.7-11.1	414	9.0	07.8-10.2	507	9.7	08.7-10.7	16	0.3	00.1-00.5
18-24	198	76,580	143	75.6	68.9-82.3	26	11.3	06.6-16.0	17	8.4	03.7-13.1	10	4.3	01.4-07.2	2	0.3	00.0-00.9
25-34	517	75,430	353	69.1	64.6-73.6	70	11.9	09.0-14.8	51	10.1	07.0-13.2	42	8.8	05.9-11.7	1	0.2	00.0-00.6
35-44	748	81,391	523	71.4	67.7-75.1	84	10.5	08.0-13.0	68	8.8	06.4-11.2	69	8.8	06.4-11.2	4	0.5	00.0-01.1
45-54	1062	95,860	792	75.6	72.7-78.5	103	8.5	06.5-10.5	87	8.2	06.2-10.2	77	7.3	05.3-09.3	3	0.3	00.0-00.7
55-64	818	64,600	582	72.3	68.6-76.0	82	9.1	06.7-11.5	72	8.3	06.1-10.5	82	10.4	07.9-12.9			
65+	1351	93,400	815	61.3	58.2-64.4	143	9.4	07.6-11.2	135	10.5	08.5-12.5	251	18.3	15.8-20.8	7	0.5	00.1-00.9
Less Than H.S.	425	37,589	191	50.9	43.8-58.0	56	11.9	08.0-15.8	70	16.5	11.8-21.2	103	19.6	14.5-24.7	5	1.0	00.0-02.0
H.S. or G.E.D.	1427	141,639	895	63.8	60.3-67.3	162	12.2	09.7-14.7	141	9.7	07.7-11.7	223	13.9	11.7-16.1	6	0.5	00.1-00.9
Some Post-H.S.	1471	158,290	1049	74.0	71.1-76.9	160	9.2	07.4-11.0	138	9.0	07.0-11.0	122	7.8	06.0-09.6	2	0.1	00.0-00.3
College Graduate	1417	152,495	1110	78.9	76.2-81.6	132	8.4	06.6-10.2	88	6.9	04.7-09.1	84	5.6	04.0-07.2	3	0.2	00.0-00.4
Less than \$15,000	388	33,917	168	50.3	42.9-57.7	70	15.5	10.2-20.8	56	13.0	08.3-17.7	90	20.4	15.1-25.7	4	0.8	00.0-01.6
\$15,000- 24,999	716	64,303	382	55.4	49.9-60.9	84	11.4	07.9-14.9	105	14.5	10.8-18.2	142	18.4	14.5-22.3	3	0.3	00.0-00.7
\$25,000- 34,999	611	61,035	387	64.0	58.5-69.5	76	12.4	08.9-15.9	63	10.7	06.6-14.8	82	12.4	09.1-15.7	3	0.5	00.0-01.1
\$35,000- 49,999	832	85,798	602	72.7	68.8-76.6	95	11.7	08.6-14.8	67	7.5	05.3-09.7	67	8.1	05.7-10.5	1	0.2	00.0-00.6
\$50,000- 74,999	783	88,950	617	77.9	74.4-81.4	73	8.7	06.5-10.9	53	8.2	05.7-10.7	39	5.0	03.2-06.8	1	0.2	00.0-00.6
\$75,000+	733	90,243	627	85.5	82.4-88.6	44	6.3	04.1-08.5	28	3.8	02.2-05.4	31	4.2	02.4-06.0	3	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1919	242,785	1236	67.6	64.9-70.3	213	9.9	08.1-11.7	209	10.4	08.6-12.2	247	11.5	09.7-13.3	14	0.6	00.2-01.0
Non-Native	1861	234,753	1213	68.2	65.5-70.9	209	10.0	08.2-11.8	195	10.2	08.4-12.0	231	11.1	09.3-12.9	13	0.6	00.2-01.0
18-24	86	40,152	59	74.3	64.3-84.3	12	10.9	04.0-17.8	7	8.3	01.2-15.4	6	5.9	01.0-10.8	2	0.6	00.0-01.8
25-34	215	39,445	133	64.7	57.4-72.0	27	10.2	06.1-14.3	29	12.6	07.5-17.7	25	12.1	07.0-17.2	1	0.4	00.0-01.2
35-44	326	41,351	207	66.1	60.4-71.8	31	9.3	05.8-12.8	40	10.9	07.2-14.6	45	13.0	08.9-17.1	3	0.8	00.0-01.8
45-54	462	47,948	324	72.0	67.3-76.7	50	9.5	06.6-12.4	44	9.2	06.1-12.3	41	8.6	05.7-11.5	3	0.7	00.0-01.5
55-64	345	33,958	237	69.5	63.8-75.2	40	10.5	06.8-14.2	30	8.9	05.4-12.4	38	11.1	07.2-15.0			
65+	474	39,224	270	58.2	52.9-63.5	53	9.6	06.5-12.7	55	12.1	08.6-15.6	91	19.2	14.9-23.5	5	1.0	00.0-02.0
Less Than H.S.	199	21,695	88	49.7	39.7-59.7	24	11.1	05.8-16.4	30	16.1	09.6-22.6	54	21.6	13.8-29.4	3	1.5	00.0-03.3
H.S. or G.E.D.	588	73,020	339	58.7	53.2-64.2	74	13.8	09.7-17.9	71	11.8	08.5-15.1	99	15.0	11.5-18.5	5	0.7	00.0-01.5
Some Post-H.S.	541	69,967	364	72.7	68.0-77.4	63	8.5	06.0-11.0	64	9.7	06.8-12.6	48	8.9	06.0-11.8	2	0.2	00.0-00.4
College Graduate	586	77,684	444	76.7	72.2-81.2	52	7.3	04.9-09.7	43	8.0	04.5-11.5	44	7.5	04.8-10.2	3	0.4	00.0-00.8
Less than \$15,000	109	12,685				18	13.8	04.2-23.4	18	11.1	05.2-17.0				3	1.9	00.0-04.1
\$15,000- 24,999	270	29,505	123	47.9	38.7-57.1	32	11.3	05.8-16.8	46	15.5	09.8-21.2	67	24.9	17.8-32.0	2	0.4	00.0-01.0
\$25,000- 34,999	245	30,445	133	56.5	47.7-65.3	34	11.4	07.1-15.7	34	15.3	07.7-22.9	42	16.2	10.3-22.1	2	0.6	00.0-01.6
\$35,000- 49,999	375	44,327	247	69.3	63.0-75.6	52	13.3	08.2-18.4	35	7.5	04.6-10.4	40	9.5	05.8-13.2	1	0.3	00.0-00.9
\$50,000- 74,999	375	49,767	284	74.1	68.8-79.4	30	7.5	04.6-10.4	35	11.3	07.0-15.6	25	6.7	03.8-09.6	1	0.3	00.0-00.9
\$75,000+	358	50,352	290	82.2	77.5-86.9	28	8.0	04.5-11.5	20	5.0	02.5-07.5	17	4.3	02.1-06.5	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2828	247,762	2011	73.8	71.6-76.0	298	10.1	08.5-11.7	229	7.9	06.5-09.3	287	8.1	06.9-09.3	3	0.1	00.1-00.1
Native	76	10,254				15	16.0	07.4-24.6	8	9.6	02.5-16.7	3	2.3	00.0-05.0			
Non-Native	2725	234,877	1946	74.0	71.8-76.2	281	9.9	08.3-11.5	219	7.8	06.4-09.2	276	8.3	07.1-09.5	3	0.1	00.0-00.3
18-24	112	36,428	84	77.1	68.5-85.7	14	11.8	05.1-18.5	10	8.6	02.7-14.5	4	2.6	00.0-05.3			
25-34	302	35,985	220	73.9	68.4-79.4	43	13.7	09.4-18.0	22	7.3	04.0-10.6	17	5.2	02.5-07.9			
35-44	422	40,040	316	76.9	72.4-81.4	53	11.8	08.3-15.3	28	6.6	03.9-09.3	24	4.4	02.2-06.6	1	0.3	00.0-00.9
45-54	600	47,912	468	79.3	75.6-83.0	53	7.5	05.1-09.9	43	7.1	04.7-09.5	36	6.1	03.7-08.5			
55-64	473	30,642	345	75.3	70.8-79.8	42	7.5	04.8-10.2	42	7.6	04.9-10.3	44	9.6	06.5-12.7			
65+	877	54,176	545	63.6	59.9-67.3	90	9.3	07.1-11.5	80	9.3	06.9-11.7	160	17.7	14.8-20.6	2	0.1	00.0-00.3
Less Than H.S.	226	15,894	103	52.6	43.2-62.0	32	13.1	07.2-19.0	40	17.1	10.4-23.8	49	16.8	10.9-22.7	2	0.4	00.0-01.0
H.S. or G.E.D.	839	68,619	556	69.2	65.1-73.3	88	10.4	07.3-13.5	70	7.5	05.1-09.9	124	12.7	10.0-15.4	1	0.2	00.0-00.6
Some Post-H.S.	930	88,324	685	75.1	71.4-78.8	97	9.7	07.2-12.2	74	8.4	05.9-10.9	74	6.9	04.9-08.9			
College Graduate	831	74,811	666	81.2	78.1-84.3	80	9.6	07.2-12.0	45	5.6	03.6-07.6	40	3.6	02.2-05.0			
Less than \$15,000	279	21,232	126	51.0	42.4-59.6	52	16.5	10.2-22.8	38	14.2	07.5-20.9	62	18.2	12.9-23.5	1	0.1	00.0-00.3
\$15,000- 24,999	446	34,798	259	61.8	55.1-68.5	52	11.5	06.8-16.2	59	13.7	09.0-18.4	75	13.0	09.3-16.7	1	0.1	00.0-00.3
\$25,000- 34,999	366	30,590	254	71.5	65.4-77.6	42	13.3	08.0-18.6	29	6.2	03.7-08.7	40	8.6	05.5-11.7	1	0.4	00.0-01.2
\$35,000- 49,999	457	41,472	355	76.2	71.3-81.1	43	9.9	06.4-13.4	32	7.4	04.5-10.3	27	6.5	03.6-09.4			
\$50,000- 74,999	408	39,182	333	82.7	78.4-87.0	43	10.3	07.0-13.6	18	4.3	02.1-06.5	14	2.7	00.7-04.7			
\$75,000+	375	39,892	337	89.6	85.9-93.3	16	4.1	01.9-06.3	8	2.4	00.6-04.2	14	3.9	01.4-06.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST DUE TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4706	488,397	1527	28.2	26.6-29.8	638	10.1	09.1-11.1	409	6.1	05.3-06.9	2132	55.6	53.6-57.6
Male	1903	242,210	632	27.2	24.8-29.6	247	9.8	08.4-11.2	128	5.1	04.1-06.1	896	57.8	54.9-60.7
Female	2803	246,188	895	29.2	27.0-31.4	391	10.4	09.2-11.6	281	7.0	06.0-08.0	1236	53.3	50.9-55.7
Native	109	15,961				20	11.1	05.4-16.8	7	4.4	00.7-08.1			
Non-Native	4549	467,711	1473	27.9	26.3-29.5	608	10.1	09.1-11.1	391	6.0	05.2-06.8	2077	56.1	54.1-58.1
18-24	202	77,844	25	9.6	05.5-13.7	1	0.5	00.0-01.5				176	89.9	85.8-94.0
25-34	517	75,718	102	20.9	16.8-25.0	13	2.1	00.7-03.5	3	0.6	00.0-01.4	399	76.4	72.1-80.7
35-44	745	81,368	208	27.7	24.0-31.4	31	4.4	02.6-06.2	6	0.7	00.1-01.3	500	67.2	63.3-71.1
45-54	1056	95,284	395	37.0	33.7-40.3	103	9.4	07.2-11.6	23	1.9	00.9-02.9	535	51.7	48.2-55.2
55-64	808	63,651	328	39.5	35.4-43.6	139	17.7	14.6-20.8	70	8.9	06.5-11.3	271	34.0	30.1-37.9
65+	1327	91,342	448	33.1	30.2-36.0	349	26.0	23.3-28.7	302	22.9	20.2-25.6	228	18.0	15.6-20.4
Less Than H.S.	415	36,819	131	28.9	22.8-35.0	98	19.3	14.6-24.0	117	22.7	17.6-27.8	69	29.1	21.5-36.7
H.S. or G.E.D.	1405	140,060	515	31.5	28.4-34.6	263	15.1	12.9-17.3	166	9.0	07.4-10.6	461	44.4	40.5-48.3
Some Post-H.S.	1467	158,492	469	27.7	25.0-30.4	185	9.3	07.7-10.9	91	3.7	02.7-04.7	722	59.3	56.0-62.6
College Graduate	1411	152,401	408	25.5	22.8-28.2	90	4.2	03.0-05.4	35	1.9	01.1-02.7	878	68.4	65.5-71.3
Less than \$15,000	384	33,695	111	25.0	19.1-30.9	82	14.1	10.4-17.8	81	15.8	11.5-20.1	110	45.2	37.4-53.0
\$15,000- 24,999	712	63,999	231	28.6	23.9-33.3	168	19.6	15.9-23.3	115	12.2	09.5-14.9	198	39.6	33.5-45.7
\$25,000- 34,999	610	61,681	190	28.5	23.8-33.2	101	12.6	09.7-15.5	58	6.5	04.5-08.5	261	52.4	46.7-58.1
\$35,000- 49,999	824	85,189	293	29.9	26.0-33.8	89	8.9	06.7-11.1	30	3.2	01.8-04.6	412	58.0	53.7-62.3
\$50,000- 74,999	781	88,734	275	31.2	27.5-34.9	48	4.9	03.3-06.5	27	2.7	01.5-03.9	431	61.2	57.3-65.1
\$75,000+	729	90,021	210	26.5	22.8-30.2	39	4.7	02.9-06.5	12	1.3	00.5-02.1	468	67.5	63.6-71.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST DUE TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1903	242,210	632	27.2	24.8-29.6	247	9.8	08.4-11.2	128	5.1	04.1-06.1	896	57.8	54.9-60.7
Non-Native	1847	234,263	613	27.1	24.7-29.5	238	10.0	08.4-11.6	120	4.9	03.9-05.9	876	58.0	55.1-60.9
18-24	88	41,066	11	7.9	02.6-13.2	1	0.9	00.0-02.7				76	91.3	85.8-96.8
25-34	216	39,660	35	18.1	12.0-24.2	5	2.0	00.0-04.0	1	0.8	00.0-02.4	175	79.0	72.7-85.3
35-44	324	41,228	87	27.2	21.7-32.7	12	4.1	01.6-06.6	4	1.0	00.0-02.0	221	67.7	62.0-73.4
45-54	458	47,619	172	36.6	31.5-41.7	53	10.8	07.5-14.1	7	1.2	00.2-02.2	226	51.5	46.2-56.8
55-64	341	33,514	146	38.3	32.4-44.2	58	18.6	13.7-23.5	23	8.5	04.8-12.2	114	34.5	28.6-40.4
65+	464	38,353	175	35.8	30.7-40.9	118	25.1	20.4-29.8	91	21.2	16.7-25.7	80	17.9	13.8-22.0
Less Than H.S.	194	21,448	57	26.0	18.0-34.0	49	20.1	13.4-26.8	54	24.2	16.8-31.6			
H.S. or G.E.D.	582	72,599	221	29.9	25.2-34.6	96	13.5	10.4-16.6	46	6.7	04.5-08.9	219	49.9	44.2-55.6
Some Post-H.S.	539	70,011	181	27.0	22.5-31.5	61	8.5	05.8-11.2	18	1.8	00.8-02.8	279	62.6	57.5-67.7
College Graduate	583	77,732	170	25.1	21.0-29.2	40	4.6	02.8-06.4	10	1.4	00.4-02.4	363	68.9	64.6-73.2
Less than \$15,000	107	12,434				23	14.3	07.0-21.6	24	14.3	06.5-22.1			
\$15,000- 24,999	266	29,339	91	27.1	19.8-34.4	59	20.0	13.9-26.1	34	11.9	07.2-16.6	82	41.1	31.3-50.9
\$25,000- 34,999	246	31,245	76	24.8	18.1-31.5	40	12.1	07.4-16.8	19	6.5	03.4-09.6	111	56.6	48.2-65.0
\$35,000- 49,999	370	43,932	133	27.5	21.8-33.2	46	10.3	07.0-13.6	12	2.4	00.8-04.0	179	59.8	53.3-66.3
\$50,000- 74,999	374	49,638	139	32.6	27.3-37.9	27	5.6	03.2-08.0	10	2.5	00.7-04.3	198	59.4	53.7-65.1
\$75,000+	357	50,293	107	26.9	21.6-32.2	25	5.7	03.2-08.2	6	1.3	00.1-02.5	219	66.2	60.5-71.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST DUE TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2803	246,188	895	29.2	27.0-31.4	391	10.4	09.2-11.6	281	7.0	06.0-08.0	1236	53.3	50.9-55.7
Native	77	10,266				17	14.0	06.4-21.6	4	3.2	00.1-06.3			
Non-Native	2702	233,449	860	28.6	26.4-30.8	370	10.2	09.0-11.4	271	7.1	06.1-08.1	1201	54.1	51.7-56.5
18-24	114	36,778	14	11.6	05.3-17.9							100	88.4	82.1-94.7
25-34	301	36,058	67	24.0	18.3-29.7	8	2.1	00.3-03.9	2	0.4	00.0-01.0	224	73.5	67.8-79.2
35-44	421	40,140	121	28.2	23.1-33.3	19	4.7	02.3-07.1	2	0.4	00.0-01.0	279	66.7	61.4-72.0
45-54	598	47,665	223	37.5	33.0-42.0	50	8.0	05.6-10.4	16	2.7	01.3-04.1	309	51.8	47.1-56.5
55-64	467	30,138	182	40.7	35.4-46.0	81	16.7	12.8-20.6	47	9.2	06.1-12.3	157	33.4	28.5-38.3
65+	863	52,990	273	31.2	27.7-34.7	231	26.7	23.2-30.2	211	24.1	20.8-27.4	148	18.0	15.1-20.9
Less Than H.S.	221	15,371	74	33.1	24.1-42.1	49	18.1	12.0-24.2	63	20.7	14.2-27.2			
H.S. or G.E.D.	823	67,461	294	33.2	29.1-37.3	167	16.8	13.9-19.7	120	11.4	09.0-13.8	242	38.6	33.7-43.5
Some Post-H.S.	928	88,482	288	28.3	24.8-31.8	124	9.8	07.8-11.8	73	5.2	03.8-06.6	443	56.7	52.6-60.8
College Graduate	828	74,669	238	25.9	22.4-29.4	50	3.8	02.6-05.0	25	2.4	01.4-03.4	515	67.9	64.2-71.6
Less than \$15,000	277	21,261	80	24.1	17.2-31.0	59	13.9	09.6-18.2	57	16.6	11.5-21.7	81	45.4	36.4-54.4
\$15,000- 24,999	446	34,659	140	29.9	24.0-35.8	109	19.4	15.1-23.7	81	12.5	09.2-15.8	116	38.3	30.7-45.9
\$25,000- 34,999	364	30,435	114	32.3	25.8-38.8	61	13.2	09.5-16.9	39	6.5	04.0-09.0	150	48.0	40.9-55.1
\$35,000- 49,999	454	41,257	160	32.5	27.4-37.6	43	7.4	04.9-09.9	18	4.0	01.8-06.2	233	56.1	50.6-61.6
\$50,000- 74,999	407	39,096	136	29.3	24.2-34.4	21	4.1	02.1-06.1	17	2.9	01.3-04.5	233	63.7	58.4-69.0
\$75,000+	372	39,728	103	26.0	21.1-30.9	14	3.5	01.3-05.7	6	1.4	00.2-02.6	249	69.1	63.8-74.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 7: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic
Denominator excludes: Respondents that have had all of their permanent teeth extracted
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4313	459,456	2924	69.9	68.1-71.7	454	9.9	08.7-11.1	391	9.3	08.1-10.5	429	9.0	07.8-10.2	115	2.0	01.6-02.4
Male	1775	229,144	1104	66.0	63.1-68.9	173	8.7	06.9-10.5	195	11.1	08.9-13.3	239	11.9	10.1-13.7	64	2.4	01.6-03.2
Female	2538	230,313	1820	73.8	71.6-76.0	281	11.0	09.4-12.6	196	7.5	06.1-08.9	190	6.2	05.0-07.4	51	1.6	01.0-02.2
Native	102	15,254				24	20.8	11.2-30.4	15	12.8	05.0-20.6	14	12.2	04.9-19.5	1	0.7	00.0-02.1
Non-Native	4170	440,100	2858	70.6	68.8-72.4	426	9.5	08.3-10.7	366	9.0	07.8-10.2	407	8.8	07.6-10.0	113	2.1	01.5-02.7
18-24	200	77,611	140	72.8	65.7-79.9	26	11.0	06.3-15.7	23	11.1	06.0-16.2	10	4.5	01.6-07.4	1	0.6	00.0-01.8
25-34	512	74,624	337	66.9	62.2-71.6	59	10.2	07.3-13.1	54	10.7	07.4-14.0	54	11.0	07.7-14.3	8	1.2	00.0-02.4
35-44	735	80,157	488	68.2	64.3-72.1	78	10.1	07.6-12.6	72	9.9	07.4-12.4	86	10.5	08.0-13.0	11	1.3	00.3-02.3
45-54	1034	93,526	719	70.7	67.4-74.0	107	9.3	07.3-11.3	88	8.2	06.2-10.2	96	9.7	07.5-11.9	24	2.1	01.1-03.1
55-64	741	58,649	521	73.1	69.4-76.8	77	10.0	07.5-12.5	58	6.3	04.3-08.3	64	8.1	05.7-10.5	21	2.5	01.1-03.9
65+	1043	71,840	684	67.9	64.6-71.2	103	8.6	06.6-10.6	90	8.7	06.7-10.7	116	10.2	08.0-12.4	50	4.6	03.0-06.2
Less Than H.S.	301	28,571	137	52.3	43.9-60.7	46	13.8	09.1-18.5	41	11.9	07.2-16.6	53	16.3	10.2-22.4	24	5.8	02.9-08.7
H.S. or G.E.D.	1248	127,691	778	64.0	60.3-67.7	148	12.0	09.3-14.7	119	10.0	07.6-12.4	160	11.6	09.2-14.0	43	2.4	01.6-03.2
Some Post-H.S.	1384	153,403	947	70.6	67.5-73.7	136	8.3	06.5-10.1	142	10.4	08.0-12.8	124	8.7	06.9-10.5	35	2.0	01.0-03.0
College Graduate	1374	149,387	1061	77.7	74.8-80.6	124	8.9	07.1-10.7	87	7.0	04.8-09.2	91	5.7	04.1-07.3	11	0.8	00.2-01.4
Less than \$15,000	308	28,787	133	50.2	41.6-58.8	57	17.0	10.7-23.3	43	12.9	07.4-18.4	55	15.0	09.9-20.1	20	5.0	02.5-07.5
\$15,000- 24,999	595	56,218	317	55.3	49.2-61.4	72	11.0	07.3-14.7	79	12.8	08.9-16.7	100	16.9	12.8-21.0	27	4.0	02.0-06.0
\$25,000- 34,999	546	56,861	343	61.6	55.5-67.7	51	10.1	06.4-13.8	62	13.7	08.8-18.6	69	12.2	08.7-15.7	21	2.4	01.0-03.8
\$35,000- 49,999	801	83,104	554	70.3	66.2-74.4	91	11.8	08.7-14.9	72	7.8	05.6-10.0	65	7.4	05.0-09.8	19	2.6	01.2-04.0
\$50,000- 74,999	754	86,407	568	75.5	71.6-79.4	82	9.8	07.3-12.3	59	8.9	06.2-11.6	40	5.3	03.3-07.3	5	0.5	00.0-01.1
\$75,000+	718	89,077	601	83.2	79.7-86.7	44	6.3	04.1-08.5	30	5.0	02.6-07.4	39	5.3	03.3-07.3	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 8: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1775	229,144	1104	66.0	63.1-68.9	173	8.7	06.9-10.5	195	11.1	08.9-13.3	239	11.9	10.1-13.7	64	2.4	01.6-03.2
Female	2538	230,313	1820	73.8	71.6-76.0	281	11.0	09.4-12.6	196	7.5	06.1-08.9	190	6.2	05.0-07.4	51	1.6	01.0-02.2
Native	102	15,254				24	20.8	11.2-30.4	15	12.8	05.0-20.6	14	12.2	04.9-19.5	1	0.7	00.0-02.1
Non-Native	4170	440,100	2858	70.6	68.8-72.4	426	9.5	08.3-10.7	366	9.0	07.8-10.2	407	8.8	07.6-10.0	113	2.1	01.5-02.7
18-24	200	77,611	140	72.8	65.7-79.9	26	11.0	06.3-15.7	23	11.1	06.0-16.2	10	4.5	01.6-07.4	1	0.6	00.0-01.8
25-34	512	74,624	337	66.9	62.2-71.6	59	10.2	07.3-13.1	54	10.7	07.4-14.0	54	11.0	07.7-14.3	8	1.2	00.0-02.4
35-44	735	80,157	488	68.2	64.3-72.1	78	10.1	07.6-12.6	72	9.9	07.4-12.4	86	10.5	08.0-13.0	11	1.3	00.3-02.3
45-54	1034	93,526	719	70.7	67.4-74.0	107	9.3	07.3-11.3	88	8.2	06.2-10.2	96	9.7	07.5-11.9	24	2.1	01.1-03.1
55-64	741	58,649	521	73.1	69.4-76.8	77	10.0	07.5-12.5	58	6.3	04.3-08.3	64	8.1	05.7-10.5	21	2.5	01.1-03.9
65+	1043	71,840	684	67.9	64.6-71.2	103	8.6	06.6-10.6	90	8.7	06.7-10.7	116	10.2	08.0-12.4	50	4.6	03.0-06.2
Less Than H.S.	301	28,571	137	52.3	43.9-60.7	46	13.8	09.1-18.5	41	11.9	07.2-16.6	53	16.3	10.2-22.4	24	5.8	02.9-08.7
H.S. or G.E.D.	1248	127,691	778	64.0	60.3-67.7	148	12.0	09.3-14.7	119	10.0	07.6-12.4	160	11.6	09.2-14.0	43	2.4	01.6-03.2
Some Post-H.S.	1384	153,403	947	70.6	67.5-73.7	136	8.3	06.5-10.1	142	10.4	08.0-12.8	124	8.7	06.9-10.5	35	2.0	01.0-03.0
College Graduate	1374	149,387	1061	77.7	74.8-80.6	124	8.9	07.1-10.7	87	7.0	04.8-09.2	91	5.7	04.1-07.3	11	0.8	00.2-01.4
Less than \$15,000	308	28,787	133	50.2	41.6-58.8	57	17.0	10.7-23.3	43	12.9	07.4-18.4	55	15.0	09.9-20.1	20	5.0	02.5-07.5
\$15,000- 24,999	595	56,218	317	55.3	49.2-61.4	72	11.0	07.3-14.7	79	12.8	08.9-16.7	100	16.9	12.8-21.0	27	4.0	02.0-06.0
\$25,000- 34,999	546	56,861	343	61.6	55.5-67.7	51	10.1	06.4-13.8	62	13.7	08.8-18.6	69	12.2	08.7-15.7	21	2.4	01.0-03.8
\$35,000- 49,999	801	83,104	554	70.3	66.2-74.4	91	11.8	08.7-14.9	72	7.8	05.6-10.0	65	7.4	05.0-09.8	19	2.6	01.2-04.0
\$50,000- 74,999	754	86,407	568	75.5	71.6-79.4	82	9.8	07.3-12.3	59	8.9	06.2-11.6	40	5.3	03.3-07.3	5	0.5	00.0-01.1
\$75,000+	718	89,077	601	83.2	79.7-86.7	44	6.3	04.1-08.5	30	5.0	02.6-07.4	39	5.3	03.3-07.3	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 9: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2538	230,313	1820	73.8	71.6-76.0	281	11.0	09.4-12.6	196	7.5	06.1-08.9	190	6.2	05.0-07.4	51	1.6	01.0-02.2
Native	73	9,938										5	6.4	00.0-13.7	1	1.1	00.0-03.3
Non-Native	2444	218,180	1772	74.8	72.6-77.0	257	10.2	08.6-11.8	182	7.1	05.7-08.5	183	6.2	05.0-07.4	50	1.6	01.0-02.2
18-24	114	36,778	82	75.7	67.1-84.3	15	11.3	05.0-17.6	11	7.6	02.1-13.1	5	4.1	00.6-07.6	1	1.2	00.0-03.6
25-34	299	35,876	212	72.2	66.3-78.1	40	13.2	08.9-17.5	23	8.4	04.5-12.3	20	5.5	02.8-08.2	4	0.8	00.0-01.8
35-44	418	39,930	297	73.1	68.2-78.0	50	12.3	08.6-16.0	34	7.9	05.0-10.8	35	6.6	03.7-09.5	2	0.1	00.1-00.1
45-54	583	46,518	432	74.7	70.6-78.8	57	9.7	07.0-12.4	46	7.6	05.1-10.1	44	7.3	04.8-09.8	4	0.7	00.0-01.5
55-64	421	27,697	310	76.4	71.7-81.1	46	10.6	07.1-14.1	25	4.7	02.5-06.9	29	5.5	03.1-07.9	11	2.7	00.7-04.7
65+	665	41,162	457	71.1	67.2-75.0	70	9.2	06.7-11.7	53	7.6	05.4-09.8	56	7.5	05.1-09.9	29	4.5	02.7-06.3
Less Than H.S.	160	12,493				27	17.9	10.1-25.7	26	14.4	07.3-21.5	22	12.3	04.9-19.7	10	5.7	01.6-09.8
H.S. or G.E.D.	713	60,723	478	70.0	65.5-74.5	93	12.9	09.4-16.4	49	6.6	04.2-09.0	75	8.5	06.0-11.0	18	2.0	01.0-03.0
Some Post-H.S.	860	84,187	625	73.9	70.0-77.8	84	9.3	06.8-11.8	77	8.9	06.4-11.4	56	6.3	04.1-08.5	18	1.7	00.5-02.9
College Graduate	803	72,794	641	81.0	77.7-84.3	77	10.2	07.7-12.7	44	5.4	03.4-07.4	37	3.1	01.9-04.3	4	0.4	00.0-00.8
Less than \$15,000	224	18,036	102	49.9	40.1-59.7	44	18.7	11.3-26.1	29	14.0	06.6-21.4	37	13.3	07.6-19.0	12	4.2	01.5-06.9
\$15,000- 24,999	361	30,261	222	62.9	55.5-70.3	45	12.1	06.8-17.4	46	13.7	08.4-19.0	38	8.8	05.3-12.3	10	2.5	00.5-04.5
\$25,000- 34,999	323	28,193	232	72.0	65.3-78.7	31	12.3	06.8-17.8	28	8.6	04.5-12.7	23	5.2	02.7-07.7	9	1.9	00.5-03.3
\$35,000- 49,999	440	40,009	330	74.5	69.4-79.6	47	11.7	08.0-15.4	30	6.4	03.7-09.1	27	5.9	03.0-08.8	6	1.5	00.3-02.7
\$50,000- 74,999	391	38,030	306	80.7	76.2-85.2	48	11.2	07.5-14.9	22	4.9	02.5-07.3	14	3.1	00.9-05.3	1	0.1	00.0-00.3
\$75,000+	369	39,341	326	88.2	84.3-92.1	17	4.9	02.4-07.4	10	2.5	00.7-04.3	14	4.2	01.7-06.7	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006**

SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3)	
1	MALES AND FEMALES	48
2	MALES ONLY	49
3	FEMALES ONLY	50
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3)	
4	MALES AND FEMALES	51
5	MALES ONLY	52
6	FEMALES ONLY	53
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	54
8	MALES ONLY	55
9	FEMALES ONLY	56

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4756	492,009	268	4.0	03.4-04.6	4488	96.0	95.4-96.6	
Male	1915	242,973	137	4.6	03.6-05.6	1778	95.4	94.4-96.4	
Female	2841	249,036	131	3.5	02.7-04.3	2710	96.5	95.7-97.3	
Native	108	15,866	6	4.2	00.3-08.1	102	95.8	91.9-99.7	
Non-Native	4594	471,194	253	3.9	03.3-04.5	4341	96.1	95.5-96.7	
18-24	202	77,844				202	100.0	0100-0100	
25-34	518	75,961	1	0.3	00.0-00.9	517	99.7	99.1-0100	
35-44	747	81,491	5	0.6	00.0-01.2	742	99.4	98.8-0100	
45-54	1060	95,642	22	2.2	01.0-03.4	1038	97.8	96.6-99.0	
55-64	813	63,800	48	5.5	03.5-07.5	765	94.5	92.5-96.5	
65+	1362	93,921	192	14.4	12.0-16.8	1170	85.6	83.2-88.0	
Less Than H.S.	426	37,556	58	10.0	06.5-13.5	368	90.0	86.5-93.5	
H.S. or G.E.D.	1425	141,506	100	5.2	04.0-06.4	1325	94.8	93.6-96.0	
Some Post-H.S.	1481	159,566	67	3.6	02.6-04.6	1414	96.4	95.4-97.4	
College Graduate	1416	152,756	42	1.9	01.3-02.5	1374	98.1	97.5-98.7	
Less than \$15,000	389	33,970	39	6.5	04.0-09.0	350	93.5	91.0-96.0	
\$15,000- 24,999	717	63,965	66	7.0	04.8-09.2	651	93.0	90.8-95.2	
\$25,000- 34,999	611	61,878	42	5.2	03.4-07.0	569	94.8	93.0-96.6	
\$35,000- 49,999	831	85,760	27	2.5	01.3-03.7	804	97.5	96.3-98.7	
\$50,000- 74,999	782	88,881	23	2.1	01.1-03.1	759	97.9	96.9-98.9	
\$75,000+	734	90,458	25	3.0	01.6-04.4	709	97.0	95.6-98.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1915	242,973	137	4.6	03.6-05.6	1778	95.4	94.4-96.4
Non-Native	1858	235,153	130	4.4	03.4-05.4	1728	95.6	94.6-96.6
18-24	88	41,066				88	100.0	0100-0100
25-34	215	39,649				215	100.0	0100-0100
35-44	326	41,351	3	0.4	00.0-01.0	323	99.6	99.0-0100
45-54	462	47,883	13	3.2	01.2-05.2	449	96.8	94.8-98.8
55-64	337	32,932	28	6.9	03.8-10.0	309	93.1	90.0-96.2
65+	475	39,321	93	18.0	13.9-22.1	382	82.0	77.9-86.1
Less Than H.S.	197	21,476	34	10.5	05.6-15.4	163	89.5	84.6-94.4
H.S. or G.E.D.	583	72,528	47	5.6	03.6-07.6	536	94.4	92.4-96.4
Some Post-H.S.	544	70,522	35	4.5	02.7-06.3	509	95.5	93.7-97.3
College Graduate	586	78,027	21	2.1	01.1-03.1	565	97.9	96.9-98.9
Less than \$15,000	107	12,400	11	5.5	01.6-09.4	96	94.5	90.6-98.4
\$15,000- 24,999	269	29,173	31	8.1	04.4-11.8	238	91.9	88.2-95.6
\$25,000- 34,999	245	31,274	21	5.8	02.9-08.7	224	94.2	91.3-97.1
\$35,000- 49,999	371	43,855	19	3.1	01.5-04.7	352	96.9	95.3-98.5
\$50,000- 74,999	374	49,699	16	2.7	01.1-04.3	358	97.3	95.7-98.9
\$75,000+	359	50,566	18	3.9	01.9-05.9	341	96.1	94.1-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2841	249,036	131	3.5	02.7-04.3	2710	96.5	95.7-97.3
Native	76	10,171	4	3.7	00.0-08.4	72	96.3	91.6-0100
Non-Native	2736	236,041	123	3.4	02.6-04.2	2613	96.6	95.8-97.4
18-24	114	36,778				114	100.0	0100-0100
25-34	303	36,312	1	0.6	00.0-01.8	302	99.4	98.2-0100
35-44	421	40,140	2	0.7	00.0-01.7	419	99.3	98.3-0100
45-54	598	47,759	9	1.2	00.2-02.2	589	98.8	97.8-99.8
55-64	476	30,867	20	4.1	01.9-06.3	456	95.9	93.7-98.1
65+	887	54,600	99	11.7	09.2-14.2	788	88.3	85.8-90.8
Less Than H.S.	229	16,080	24	9.4	04.5-14.3	205	90.6	85.7-95.5
H.S. or G.E.D.	842	68,978	53	4.7	03.1-06.3	789	95.3	93.7-96.9
Some Post-H.S.	937	89,043	32	2.9	01.7-04.1	905	97.1	95.9-98.3
College Graduate	830	74,729	21	1.8	00.8-02.8	809	98.2	97.2-99.2
Less than \$15,000	282	21,570	28	7.1	03.8-10.4	254	92.9	89.6-96.2
\$15,000- 24,999	448	34,792	35	6.1	03.6-08.6	413	93.9	91.4-96.4
\$25,000- 34,999	366	30,604	21	4.5	02.3-06.7	345	95.5	93.3-97.7
\$35,000- 49,999	460	41,905	8	1.8	00.4-03.2	452	98.2	96.8-99.6
\$50,000- 74,999	408	39,182	7	1.4	00.2-02.6	401	98.6	97.4-99.8
\$75,000+	375	39,892	7	1.8	00.4-03.2	368	98.2	96.8-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 4: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4731	490,839	260	4.0	03.4-04.6	4471	96.0	95.4-96.6
Male	1911	242,793	141	4.9	03.9-05.9	1770	95.1	94.1-96.1
Female	2820	248,046	119	3.1	02.5-03.7	2701	96.9	96.3-97.5
Native	107	15,904	3	2.4	00.0-05.1	104	97.6	94.9-0100
Non-Native	4570	469,980	251	4.0	03.4-04.6	4319	96.0	95.4-96.6
18-24	202	77,844				202	100.0	0100-0100
25-34	519	75,972				519	100.0	0100-0100
35-44	746	81,426	3	0.4	00.0-01.0	743	99.6	99.0-0100
45-54	1059	95,615	23	2.2	01.0-03.4	1036	97.8	96.6-99.0
55-64	814	64,300	50	5.9	03.9-07.9	764	94.1	92.1-96.1
65+	1337	92,331	182	14.3	11.9-16.7	1155	85.7	83.3-88.1
Less Than H.S.	421	37,482	50	9.4	06.1-12.7	371	90.6	87.3-93.9
H.S. or G.E.D.	1412	140,761	90	4.7	03.5-05.9	1322	95.3	94.1-96.5
Some Post-H.S.	1478	159,401	65	3.3	02.3-04.3	1413	96.7	95.7-97.7
College Graduate	1412	152,571	54	2.8	02.0-03.6	1358	97.2	96.4-98.0
Less than \$15,000	386	34,099	27	4.4	02.4-06.4	359	95.6	93.6-97.6
\$15,000- 24,999	711	63,769	69	6.6	04.4-08.8	642	93.4	91.2-95.6
\$25,000- 34,999	611	61,775	39	4.8	03.0-06.6	572	95.2	93.4-97.0
\$35,000- 49,999	830	85,890	36	3.6	02.2-05.0	794	96.4	95.0-97.8
\$50,000- 74,999	781	88,742	30	2.7	01.5-03.9	751	97.3	96.1-98.5
\$75,000+	734	90,458	25	3.0	01.8-04.2	709	97.0	95.8-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 5: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1911	242,793	141	4.9	03.9-05.9	1770	95.1	94.1-96.1
Non-Native	1854	234,967	134	4.8	03.8-05.8	1720	95.2	94.2-96.2
18-24	88	41,066				88	100.0	0100-0100
25-34	216	39,660				216	100.0	0100-0100
35-44	325	41,286	2	0.3	00.0-00.9	323	99.7	99.1-0100
45-54	461	47,874	9	2.2	00.4-04.0	452	97.8	96.0-99.6
55-64	343	33,650	31	7.5	04.4-10.6	312	92.5	89.4-95.6
65+	466	38,486	98	20.7	16.4-25.0	368	79.3	75.0-83.6
Less Than H.S.	196	21,534	34	11.4	06.3-16.5	162	88.6	83.5-93.7
H.S. or G.E.D.	581	72,250	47	5.4	03.6-07.2	534	94.6	92.8-96.4
Some Post-H.S.	544	70,677	29	3.6	02.0-05.2	515	96.4	94.8-98.0
College Graduate	585	77,913	31	3.7	02.1-05.3	554	96.3	94.7-97.9
Less than \$15,000	108	12,618	10	4.5	01.0-08.0	98	95.5	92.0-99.0
\$15,000- 24,999	267	28,973	26	6.4	03.1-09.7	241	93.6	90.3-96.9
\$25,000- 34,999	245	31,236	18	5.1	02.4-07.8	227	94.9	92.2-97.6
\$35,000- 49,999	373	44,077	26	4.9	02.7-07.1	347	95.1	92.9-97.3
\$50,000- 74,999	374	49,703	22	3.5	01.7-05.3	352	96.5	94.7-98.3
\$75,000+	359	50,566	18	4.0	02.0-06.0	341	96.0	94.0-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 6: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2820	248,046	119	3.1	02.5-03.7	2701	96.9	96.3-97.5
Native	75	10,209	1	1.0	00.0-03.0	74	99.0	97.0-0100
Non-Native	2716	235,013	117	3.2	02.6-03.8	2599	96.8	96.2-97.4
18-24	114	36,778				114	100.0	0100-0100
25-34	303	36,312				303	100.0	0100-0100
35-44	421	40,140	1	0.4	00.0-01.2	420	99.6	98.8-0100
45-54	598	47,741	14	2.3	00.9-03.7	584	97.7	96.3-99.1
55-64	471	30,650	19	4.1	01.9-06.3	452	95.9	93.7-98.1
65+	871	53,845	84	9.7	07.3-12.1	787	90.3	87.9-92.7
Less Than H.S.	225	15,948	16	6.8	02.9-10.7	209	93.2	89.3-97.1
H.S. or G.E.D.	831	68,511	43	3.9	02.5-05.3	788	96.1	94.7-97.5
Some Post-H.S.	934	88,724	36	3.0	01.8-04.2	898	97.0	95.8-98.2
College Graduate	827	74,658	23	1.8	01.0-02.6	804	98.2	97.4-99.0
Less than \$15,000	278	21,480	17	4.3	01.9-06.7	261	95.7	93.3-98.1
\$15,000- 24,999	444	34,797	43	6.8	04.3-09.3	401	93.2	90.7-95.7
\$25,000- 34,999	366	30,539	21	4.4	02.2-06.6	345	95.6	93.4-97.8
\$35,000- 49,999	457	41,813	10	2.3	00.7-03.9	447	97.7	96.1-99.3
\$50,000- 74,999	407	39,040	8	1.7	00.3-03.1	399	98.3	96.9-99.7
\$75,000+	375	39,892	7	1.7	00.3-03.1	368	98.3	96.9-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 7: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4769	493,016	136	2.0	01.6-02.4	4633	98.0	97.6-98.4
Male	1923	243,835	62	2.3	01.7-02.9	1861	97.7	97.1-98.3
Female	2846	249,181	74	1.7	01.3-02.1	2772	98.3	97.9-98.7
Native	108	15,866	3	1.3	00.0-02.9	105	98.7	97.1-0100
Non-Native	4607	472,260	130	2.0	01.6-02.4	4477	98.0	97.6-98.4
18-24	202	77,844				202	100.0	0100-0100
25-34	519	75,972	2	0.4	00.0-01.0	517	99.6	99.0-0100
35-44	749	81,622	2	0.1	00.0-00.3	747	99.9	99.7-0100
45-54	1060	95,624	9	0.8	00.2-01.4	1051	99.2	98.6-99.8
55-64	819	64,484	26	2.7	01.3-04.1	793	97.3	95.9-98.7
65+	1366	94,119	97	7.4	05.6-09.2	1269	92.6	90.8-94.4
Less Than H.S.	432	37,982	36	7.8	04.7-10.9	396	92.2	89.1-95.3
H.S. or G.E.D.	1429	141,789	40	1.9	01.1-02.7	1389	98.1	97.3-98.9
Some Post-H.S.	1485	159,898	34	1.3	00.7-01.9	1451	98.7	98.1-99.3
College Graduate	1415	152,721	25	1.4	00.8-02.0	1390	98.6	98.0-99.2
Less than \$15,000	395	34,365	24	4.2	02.0-06.4	371	95.8	93.6-98.0
\$15,000- 24,999	720	64,342	45	5.0	03.2-06.8	675	95.0	93.2-96.8
\$25,000- 34,999	613	61,894	15	2.2	01.0-03.4	598	97.8	96.6-99.0
\$35,000- 49,999	833	86,009	15	1.6	00.8-02.4	818	98.4	97.6-99.2
\$50,000- 74,999	782	88,885	6	0.7	00.1-01.3	776	99.3	98.7-99.9
\$75,000+	733	90,363	4	0.4	00.0-00.8	729	99.6	99.2-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 8: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1923	243,835	62	2.3	01.7-02.9	1861	97.7	97.1-98.3
Non-Native	1865	236,003	60	2.3	01.7-02.9	1805	97.7	97.1-98.3
18-24	88	41,066				88	100.0	0100-0100
25-34	216	39,660	1	0.5	00.0-01.5	215	99.5	98.5-0100
35-44	326	41,351	1	0.1	00.0-00.3	325	99.9	99.7-0100
45-54	462	47,948	5	1.2	00.0-02.4	457	98.8	97.6-0100
55-64	343	33,616	7	1.8	00.0-03.6	336	98.2	96.4-0100
65+	476	39,423	48	10.5	07.2-13.8	428	89.5	86.2-92.8
Less Than H.S.	201	21,847	23	9.7	05.0-14.4	178	90.3	85.6-95.0
H.S. or G.E.D.	586	72,818	16	1.9	00.7-03.1	570	98.1	96.9-99.3
Some Post-H.S.	546	70,789	9	0.8	00.0-01.6	537	99.2	98.4-0100
College Graduate	585	77,962	14	1.9	00.9-02.9	571	98.1	97.1-99.1
Less than \$15,000	110	12,691	10	5.5	01.8-09.2	100	94.5	90.8-98.2
\$15,000- 24,999	270	29,394	21	6.0	02.7-09.3	249	94.0	90.7-97.3
\$25,000- 34,999	246	31,286	9	3.1	00.9-05.3	237	96.9	94.7-99.1
\$35,000- 49,999	374	44,190	10	2.3	00.7-03.9	364	97.7	96.1-99.3
\$50,000- 74,999	374	49,703	4	1.0	00.0-02.0	370	99.0	98.0-0100
\$75,000+	359	50,566	1	0.2	00.0-00.6	358	99.8	99.4-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 9: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2846	249,181	74	1.7	01.3-02.1	2772	98.3	97.9-98.7
Native	76	10,171	3	2.0	00.0-04.5	73	98.0	95.5-0100
Non-Native	2742	236,256	70	1.7	01.3-02.1	2672	98.3	97.9-98.7
18-24	114	36,778				114	100.0	0100-0100
25-34	303	36,312	1	0.3	00.0-00.9	302	99.7	99.1-0100
35-44	423	40,271	1	0.1	00.0-00.3	422	99.9	99.7-0100
45-54	598	47,677	4	0.5	00.1-00.9	594	99.5	99.1-99.9
55-64	476	30,867	19	3.6	01.6-05.6	457	96.4	94.4-98.4
65+	890	54,696	49	5.2	03.4-07.0	841	94.8	93.0-96.6
Less Than H.S.	231	16,136	13	5.4	01.9-08.9	218	94.6	91.1-98.1
H.S. or G.E.D.	843	68,971	24	1.9	00.9-02.9	819	98.1	97.1-99.1
Some Post-H.S.	939	89,109	25	1.7	00.9-02.5	914	98.3	97.5-99.1
College Graduate	830	74,759	11	0.8	00.2-01.4	819	99.2	98.6-99.8
Less than \$15,000	285	21,674	14	3.4	00.9-05.9	271	96.6	94.1-99.1
\$15,000- 24,999	450	34,948	24	4.2	02.2-06.2	426	95.8	93.8-97.8
\$25,000- 34,999	367	30,609	6	1.2	00.0-02.4	361	98.8	97.6-0100
\$35,000- 49,999	459	41,819	5	0.8	00.0-01.6	454	99.2	98.4-0100
\$50,000- 74,999	408	39,182	2	0.2	00.0-00.6	406	99.8	99.4-0100
\$75,000+	374	39,797	3	0.6	00.0-01.2	371	99.4	98.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 8: ASTHMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)	
1	MALES AND FEMALES	58
2	MALES ONLY	59
3	FEMALES ONLY	60
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
4	MALES AND FEMALES	61
5	MALES ONLY	62
6	FEMALES ONLY	63

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 8: ASTHMA**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4771	492,989	468	10.3	08.9-11.7	4303	89.7	88.3-91.1
Male	1925	243,835	165	9.3	07.1-11.5	1760	90.7	88.5-92.9
Female	2846	249,154	303	11.3	09.5-13.1	2543	88.7	86.9-90.5
Non-Native	4608	472,138	445	9.8	08.4-11.2	4163	90.2	88.8-91.6
18-24	202	77,844	31	17.1	10.4-23.8	171	82.9	76.2-89.6
25-34	518	75,650	66	11.6	08.5-14.7	452	88.4	85.3-91.5
35-44	748	81,507	73	9.7	07.3-12.1	675	90.3	87.9-92.7
45-54	1064	95,951	92	7.1	05.3-08.9	972	92.9	91.1-94.7
55-64	818	64,440	76	8.3	06.1-10.5	742	91.7	89.5-93.9
65+	1367	94,247	125	8.5	06.7-10.3	1242	91.5	89.7-93.3
Less Than H.S.	430	37,590	65	15.0	10.1-19.9	365	85.0	80.1-89.9
H.S. or G.E.D.	1433	142,144	129	10.5	07.8-13.2	1304	89.5	86.8-92.2
Some Post-H.S.	1483	159,802	140	9.7	07.3-12.1	1343	90.3	87.9-92.7
College Graduate	1417	152,827	134	9.6	07.2-12.0	1283	90.4	88.0-92.8
Less than \$15,000	393	33,989	48	11.4	06.7-16.1	345	88.6	83.9-93.3
\$15,000- 24,999	718	64,188	85	14.0	08.9-19.1	633	86.0	80.9-91.1
\$25,000- 34,999	614	61,968	63	13.3	08.2-18.4	551	86.7	81.6-91.8
\$35,000- 49,999	836	86,327	82	8.3	05.9-10.7	754	91.7	89.3-94.1
\$50,000- 74,999	783	88,950	64	8.4	06.0-10.8	719	91.6	89.2-94.0
\$75,000+	734	90,458	55	8.9	05.8-12.0	679	91.1	88.0-94.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1925	243,835	165	9.3	07.1-11.5	1760	90.7	88.5-92.9
Non-Native	1867	236,003	160	8.7	06.7-10.7	1707	91.3	89.3-93.3
18-24	88	41,066	14	17.4	07.4-27.4	74	82.6	72.6-92.6
25-34	215	39,338	18	9.0	04.7-13.3	197	91.0	86.7-95.3
35-44	326	41,351	27	8.9	05.4-12.4	299	91.1	87.6-94.6
45-54	463	48,013	29	5.2	02.8-07.6	434	94.8	92.4-97.2
55-64	344	33,753	29	7.3	04.2-10.4	315	92.7	89.6-95.8
65+	477	39,543	47	8.1	05.2-11.0	430	91.9	89.0-94.8
Less Than H.S.	200	21,525	27	11.4	05.3-17.5	173	88.6	82.5-94.7
H.S. or G.E.D.	589	73,085	49	10.7	06.2-15.2	540	89.3	84.8-93.8
Some Post-H.S.	545	70,779	51	9.0	05.3-12.7	494	91.0	87.3-94.7
College Graduate	586	78,027	38	7.8	04.3-11.3	548	92.2	88.7-95.7
\$15,000- 24,999	270	29,441	23	9.9	01.1-18.7	247	90.1	81.3-98.9
\$25,000- 34,999	247	31,359	25	16.4	07.4-25.4	222	83.6	74.6-92.6
\$35,000- 49,999	375	44,327	41	9.2	05.7-12.7	334	90.8	87.3-94.3
\$50,000- 74,999	375	49,767	24	6.9	04.0-09.8	351	93.1	90.2-96.0
\$75,000+	359	50,566	19	5.6	02.5-08.7	340	94.4	91.3-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2846	249,154	303	11.3	09.5-13.1	2543	88.7	86.9-90.5	
Non-Native	2741	236,135	285	10.9	09.1-12.7	2456	89.1	87.3-90.9	
18-24	114	36,778	17	16.9	08.7-25.1	97	83.1	74.9-91.3	
25-34	303	36,312	48	14.5	10.2-18.8	255	85.5	81.2-89.8	
35-44	422	40,156	46	10.6	07.3-13.9	376	89.4	86.1-92.7	
45-54	601	47,938	63	9.0	06.5-11.5	538	91.0	88.5-93.5	
55-64	474	30,687	47	9.3	06.4-12.2	427	90.7	87.8-93.6	
65+	890	54,704	78	8.9	06.7-11.1	812	91.1	88.9-93.3	
Less Than H.S.	230	16,066	38	19.7	11.9-27.5	192	80.3	72.5-88.1	
H.S. or G.E.D.	844	69,059	80	10.4	07.3-13.5	764	89.6	86.5-92.7	
Some Post-H.S.	938	89,024	89	10.4	07.5-13.3	849	89.6	86.7-92.5	
College Graduate	831	74,800	96	11.4	08.5-14.3	735	88.6	85.7-91.5	
Less than \$15,000	284	21,620	34	10.6	06.1-15.1	250	89.4	84.9-93.9	
\$15,000- 24,999	448	34,746	62	17.4	11.3-23.5	386	82.6	76.5-88.7	
\$25,000- 34,999	367	30,609	38	10.2	06.3-14.1	329	89.8	85.9-93.7	
\$35,000- 49,999	461	42,000	41	7.3	04.8-09.8	420	92.7	90.2-95.2	
\$50,000- 74,999	408	39,182	40	10.4	06.7-14.1	368	89.6	85.9-93.3	
\$75,000+	375	39,892	36	13.1	07.6-18.6	339	86.9	81.4-92.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 4: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	456	49,124	339	70.8	64.3-77.3	117	29.2	22.7-35.7
Female	297	27,284	237	78.5	72.2-84.8	60	21.5	15.2-27.8
Non-Native	433	44,522	321	69.6	62.9-76.3	112	30.4	23.7-37.1
65+	123	7,954	108	86.2	78.6-93.8	15	13.8	06.2-21.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 8: ASTHMA

TABLE 5: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 6: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	297	27,284	237	78.5	72.2-84.8	60	21.5	15.2-27.8
Non-Native	279	24,958	222	78.5	72.2-84.8	57	21.5	15.2-27.8
65+	77	4,824	68	85.9	76.1-95.7	9	14.1	04.3-23.9
Some Post-H.S.	86	8,547	69	85.8	78.0-93.6	17	14.2	06.4-22.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 9: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	65
2	MALES ONLY	66
3	FEMALES ONLY	67
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	68
5	MALES ONLY	69
6	FEMALES ONLY	70

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 9: DISABILITY**

TABLE 1: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4757	491,581	901	15.3	14.1-16.5	3856	84.7	83.5-85.9
Male	1920	243,839	340	14.5	12.7-16.3	1580	85.5	83.7-87.3
Female	2837	247,741	561	16.0	14.4-17.6	2276	84.0	82.4-85.6
Native	107	15,679	19	13.0	05.9-20.1	88	87.0	79.9-94.1
Non-Native	4597	470,882	869	15.3	14.1-16.5	3728	84.7	83.5-85.9
18-24	201	76,704	10	5.3	02.0-08.6	191	94.7	91.4-98.0
25-34	518	75,827	43	7.3	04.8-09.8	475	92.7	90.2-95.2
35-44	746	81,498	80	10.8	08.3-13.3	666	89.2	86.7-91.7
45-54	1062	95,836	170	14.8	12.3-17.3	892	85.2	82.7-87.7
55-64	817	64,569	203	24.4	20.9-27.9	614	75.6	72.1-79.1
65+	1359	93,796	388	28.0	25.1-30.9	971	72.0	69.1-74.9
Less Than H.S.	423	37,610	110	24.1	18.4-29.8	313	75.9	70.2-81.6
H.S. or G.E.D.	1428	141,842	285	15.5	13.3-17.7	1143	84.5	82.3-86.7
Some Post-H.S.	1482	158,605	274	15.3	13.1-17.5	1208	84.7	82.5-86.9
College Graduate	1416	152,898	232	13.0	11.0-15.0	1184	87.0	85.0-89.0
Less than \$15,000	392	34,248	154	28.2	22.3-34.1	238	71.8	65.9-77.7
\$15,000- 24,999	718	63,328	189	22.8	18.9-26.7	529	77.2	73.3-81.1
\$25,000- 34,999	610	61,765	109	14.8	11.3-18.3	501	85.2	81.7-88.7
\$35,000- 49,999	834	86,044	120	12.2	09.7-14.7	714	87.8	85.3-90.3
\$50,000- 74,999	782	88,942	100	11.5	09.0-14.0	682	88.5	86.0-91.0
\$75,000+	734	90,458	87	10.7	08.2-13.2	647	89.3	86.8-91.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 9: DISABILITY**

TABLE 2: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1920	243,839	340	14.5	12.7-16.3	1580	85.5	83.7-87.3
Non-Native	1863	235,945	327	14.4	12.6-16.2	1536	85.6	83.8-87.4
18-24	88	41,066	4	4.0	00.1-07.9	84	96.0	92.1-99.9
25-34	216	39,660	15	7.5	03.4-11.6	201	92.5	88.4-96.6
35-44	326	41,351	31	9.2	05.9-12.5	295	90.8	87.5-94.1
45-54	461	47,898	61	13.4	09.7-17.1	400	86.6	82.9-90.3
55-64	343	33,753	90	26.1	20.8-31.4	253	73.9	68.6-79.2
65+	474	39,340	137	29.6	24.7-34.5	337	70.4	65.5-75.3
Less Than H.S.	197	21,712	59	27.6	19.0-36.2	138	72.4	63.8-81.0
H.S. or G.E.D.	586	72,824	95	12.9	10.0-15.8	491	87.1	84.2-90.0
Some Post-H.S.	546	70,789	93	14.1	10.8-17.4	453	85.9	82.6-89.2
College Graduate	586	78,095	93	12.9	10.0-15.8	493	87.1	84.2-90.0
\$15,000- 24,999	270	29,555	76	24.4	17.9-30.9	194	75.6	69.1-82.1
\$25,000- 34,999	247	31,359	49	17.4	11.5-23.3	198	82.6	76.7-88.5
\$35,000- 49,999	374	44,190	55	13.2	09.1-17.3	319	86.8	82.7-90.9
\$50,000- 74,999	375	49,767	50	11.7	08.2-15.2	325	88.3	84.8-91.8
\$75,000+	359	50,566	37	9.3	06.0-12.6	322	90.7	87.4-94.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 9: DISABILITY**

TABLE 3: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2837	247,741	561	16.0	14.4-17.6	2276	84.0	82.4-85.6
Native	76	10,120	14	13.8	05.0-22.6	62	86.2	77.4-95.0
Non-Native	2734	234,937	542	16.2	14.6-17.8	2192	83.8	82.2-85.4
18-24	113	35,638	6	6.8	01.3-12.3	107	93.2	87.7-98.7
25-34	302	36,167	28	7.1	04.2-10.0	274	92.9	90.0-95.8
35-44	420	40,147	49	12.4	08.5-16.3	371	87.6	83.7-91.5
45-54	601	47,938	109	16.3	13.0-19.6	492	83.7	80.4-87.0
55-64	474	30,816	113	22.6	18.3-26.9	361	77.4	73.1-81.7
65+	885	54,455	251	26.9	23.6-30.2	634	73.1	69.8-76.4
Less Than H.S.	226	15,898	51	19.3	12.4-26.2	175	80.7	73.8-87.6
H.S. or G.E.D.	842	69,019	190	18.2	15.1-21.3	652	81.8	78.7-84.9
Some Post-H.S.	936	87,816	181	16.2	13.5-18.9	755	83.8	81.1-86.5
College Graduate	830	74,803	139	13.1	10.4-15.8	691	86.9	84.2-89.6
Less than \$15,000	285	21,700	110	29.2	22.3-36.1	175	70.8	63.9-77.7
\$15,000- 24,999	448	33,773	113	21.4	16.5-26.3	335	78.6	73.7-83.5
\$25,000- 34,999	363	30,406	60	12.1	08.6-15.6	303	87.9	84.4-91.4
\$35,000- 49,999	460	41,855	65	11.2	08.1-14.3	395	88.8	85.7-91.9
\$50,000- 74,999	407	39,174	50	11.2	07.7-14.7	357	88.8	85.3-92.3
\$75,000+	375	39,892	50	12.5	08.6-16.4	325	87.5	83.6-91.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 9: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4777	493,438	293	4.4	03.8-05.0	4484	95.6	95.0-96.2
Male	1927	244,317	104	3.9	03.1-04.7	1823	96.1	95.3-96.9
Female	2850	249,121	189	4.9	04.1-05.7	2661	95.1	94.3-95.9
Native	108	15,614	9	3.6	00.9-06.3	99	96.4	93.7-99.1
Non-Native	4613	472,658	276	4.3	03.7-04.9	4337	95.7	95.1-96.3
18-24	202	77,844	1	0.2	00.0-00.6	201	99.8	99.4-100.0
25-34	519	75,972	5	0.9	00.1-01.7	514	99.1	98.3-99.9
35-44	747	81,102	19	2.6	01.2-04.0	728	97.4	96.0-98.8
45-54	1064	95,951	42	3.2	02.0-04.4	1022	96.8	95.6-98.0
55-64	820	64,770	48	6.3	04.3-08.3	772	93.7	91.7-95.7
65+	1371	94,448	177	12.0	10.0-14.0	1194	88.0	86.0-90.0
Less Than H.S.	431	37,636	57	10.3	07.0-13.6	374	89.7	86.4-93.0
H.S. or G.E.D.	1434	142,210	100	5.3	04.1-06.5	1334	94.7	93.5-95.9
Some Post-H.S.	1485	159,820	69	3.2	02.2-04.2	1416	96.8	95.8-97.8
College Graduate	1419	153,148	67	3.3	02.3-04.3	1352	96.7	95.7-97.7
Less than \$15,000	395	34,089	65	12.2	08.7-15.7	330	87.8	84.3-91.3
\$15,000- 24,999	722	64,604	79	8.3	05.9-10.7	643	91.7	89.3-94.1
\$25,000- 34,999	614	61,968	34	4.4	02.6-06.2	580	95.6	93.8-97.4
\$35,000- 49,999	835	86,271	24	2.4	01.2-03.6	811	97.6	96.4-98.8
\$50,000- 74,999	783	88,950	14	1.6	00.6-02.6	769	98.4	97.4-99.4
\$75,000+	733	90,285	21	2.7	01.5-03.9	712	97.3	96.1-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 9: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1927	244,317	104	3.9	03.1-04.7	1823	96.1	95.3-96.9
Non-Native	1868	236,280	98	3.8	03.0-04.6	1770	96.2	95.4-97.0
18-24	88	41,066				88	100.0	0100-0100
25-34	216	39,660	2	1.1	00.0-02.7	214	98.9	97.3-0100
35-44	326	41,351	7	2.4	00.6-04.2	319	97.6	95.8-99.4
45-54	463	48,013	20	3.8	01.8-05.8	443	96.2	94.2-98.2
55-64	344	33,903	21	6.5	03.6-09.4	323	93.5	90.6-96.4
65+	478	39,553	54	10.0	06.9-13.1	424	90.0	86.9-93.1
Less Than H.S.	201	21,847	27	10.0	05.5-14.5	174	90.0	85.5-94.5
H.S. or G.E.D.	588	73,030	35	4.6	02.8-06.4	553	95.4	93.6-97.2
Some Post-H.S.	546	70,789	21	2.4	01.0-03.8	525	97.6	96.2-99.0
College Graduate	587	78,232	21	2.7	01.3-04.1	566	97.3	95.9-98.7
Less than \$15,000	110	12,691	22	10.6	05.1-16.1	88	89.4	83.9-94.9
\$15,000- 24,999	272	29,657	29	8.6	04.9-12.3	243	91.4	87.7-95.1
\$25,000- 34,999	247	31,359	13	4.5	01.8-07.2	234	95.5	92.8-98.2
\$35,000- 49,999	374	44,271	9	1.8	00.4-03.2	365	98.2	96.8-99.6
\$50,000- 74,999	375	49,767	7	1.8	00.4-03.2	368	98.2	96.8-99.6
\$75,000+	359	50,566	12	2.8	01.0-04.6	347	97.2	95.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 9: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2850	249,121	189	4.9	04.1-05.7	2661	95.1	94.3-95.9
Native	76	9,919	6	2.8	00.4-05.2	70	97.2	94.8-99.6
Non-Native	2745	236,378	178	4.9	04.1-05.7	2567	95.1	94.3-95.9
18-24	114	36,778	1	0.4	00.0-01.2	113	99.6	98.8-0100
25-34	303	36,312	3	0.6	00.0-01.2	300	99.4	98.8-0100
35-44	421	39,751	12	2.8	01.0-04.6	409	97.2	95.4-99.0
45-54	601	47,938	22	2.6	01.4-03.8	579	97.4	96.2-98.6
55-64	476	30,867	27	6.0	03.5-08.5	449	94.0	91.5-96.5
65+	893	54,895	123	13.5	11.0-16.0	770	86.5	84.0-89.0
Less Than H.S.	230	15,789	30	10.7	06.2-15.2	200	89.3	84.8-93.8
H.S. or G.E.D.	846	69,180	65	5.9	04.1-07.7	781	94.1	92.3-95.9
Some Post-H.S.	939	89,031	48	3.9	02.7-05.1	891	96.1	94.9-97.3
College Graduate	832	74,916	46	3.8	02.6-05.0	786	96.2	95.0-97.4
Less than \$15,000	285	21,399	43	13.2	08.5-17.9	242	86.8	82.1-91.5
\$15,000- 24,999	450	34,948	50	8.1	05.4-10.8	400	91.9	89.2-94.6
\$25,000- 34,999	367	30,609	21	4.2	02.2-06.2	346	95.8	93.8-97.8
\$35,000- 49,999	461	42,000	15	3.0	01.2-04.8	446	97.0	95.2-98.8
\$50,000- 74,999	408	39,182	7	1.4	00.2-02.6	401	98.6	97.4-99.8
\$75,000+	374	39,718	9	2.5	00.9-04.1	365	97.5	95.9-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 10: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	72
2	MALES ONLY	73
3	FEMALES ONLY	74
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	75
5	MALES ONLY	76
6	FEMALES ONLY	77
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	78
8	MALES ONLY	79
9	FEMALES ONLY	80

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 10: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4764	492,579	2155	43.6	41.6-45.6	2609	56.4	54.4-58.4
Male	1923	243,683	1020	48.6	45.7-51.5	903	51.4	48.5-54.3
Female	2841	248,895	1135	38.8	36.4-41.2	1706	61.2	58.8-63.6
Non-Native	4601	471,817	2057	42.7	40.7-44.7	2544	57.3	55.3-59.3
18-24	201	77,478	69	33.6	26.0-41.2	132	66.4	58.8-74.0
25-34	517	75,647	235	45.5	40.6-50.4	282	54.5	49.6-59.4
35-44	749	81,622	282	37.6	33.7-41.5	467	62.4	58.5-66.3
45-54	1062	95,860	480	44.9	41.4-48.4	582	55.1	51.6-58.6
55-64	819	64,645	430	53.2	49.1-57.3	389	46.8	42.7-50.9
65+	1363	94,012	634	47.5	44.4-50.6	729	52.5	49.4-55.6
Less Than H.S.	428	37,601	233	59.6	52.7-66.5	195	40.4	33.5-47.3
H.S. or G.E.D.	1431	141,994	742	52.6	48.9-56.3	689	47.4	43.7-51.1
Some Post-H.S.	1484	159,591	690	42.7	39.4-46.0	794	57.3	54.0-60.6
College Graduate	1413	152,767	486	32.4	29.5-35.3	927	67.6	64.7-70.5
Less than \$15,000	396	34,436	203	50.4	43.0-57.8	193	49.6	42.2-57.0
\$15,000- 24,999	719	64,236	379	55.8	50.3-61.3	340	44.2	38.7-49.7
\$25,000- 34,999	611	61,565	289	44.9	39.2-50.6	322	55.1	49.4-60.8
\$35,000- 49,999	835	86,284	390	44.2	39.7-48.7	445	55.8	51.3-60.3
\$50,000- 74,999	783	88,950	329	40.9	36.8-45.0	454	59.1	55.0-63.2
\$75,000+	732	90,281	290	37.4	33.1-41.7	442	62.6	58.3-66.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 10: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1923	243,683	1020	48.6	45.7-51.5	903	51.4	48.5-54.3
Non-Native	1865	235,794	984	47.8	44.9-50.7	881	52.2	49.3-55.1
25-34	215	39,553	103	48.3	40.7-55.9	112	51.7	44.1-59.3
35-44	326	41,351	132	39.7	33.8-45.6	194	60.3	54.4-66.2
45-54	462	47,948	231	48.5	43.2-53.8	231	51.5	46.2-56.8
55-64	345	33,958	214	60.4	54.3-66.5	131	39.6	33.5-45.7
65+	476	39,402	304	62.4	57.1-67.7	172	37.6	32.3-42.9
H.S. or G.E.D.	588	73,020	372	60.7	55.2-66.2	216	39.3	33.8-44.8
Some Post-H.S.	545	70,423	282	45.3	39.6-51.0	263	54.7	49.0-60.4
College Graduate	585	78,121	225	35.4	30.7-40.1	360	64.6	59.9-69.3
\$15,000- 24,999	270	29,506	172	64.5	55.7-73.3	98	35.5	26.7-44.3
\$25,000- 34,999	246	30,994	139	52.1	43.1-61.1	107	47.9	38.9-56.9
\$35,000- 49,999	375	44,327	193	45.7	38.8-52.6	182	54.3	47.4-61.2
\$50,000- 74,999	375	49,767	175	44.6	38.7-50.5	200	55.4	49.5-61.3
\$75,000+	358	50,459	155	40.6	34.3-46.9	203	59.4	53.1-65.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 10: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2841	248,895	1135	38.8	36.4-41.2	1706	61.2	58.8-63.6	
Non-Native	2736	236,023	1073	37.5	35.1-39.9	1663	62.5	60.1-64.9	
18-24	114	36,778	38	32.4	22.4-42.4	76	67.6	57.6-77.6	
25-34	302	36,094	132	42.5	36.2-48.8	170	57.5	51.2-63.8	
35-44	423	40,271	150	35.5	30.2-40.8	273	64.5	59.2-69.8	
45-54	600	47,912	249	41.2	36.7-45.7	351	58.8	54.3-63.3	
55-64	474	30,687	216	45.3	40.0-50.6	258	54.7	49.4-60.0	
65+	887	54,609	330	36.7	33.0-40.4	557	63.3	59.6-67.0	
Less Than H.S.	228	15,901	96	51.6	42.2-61.0	132	48.4	39.0-57.8	
H.S. or G.E.D.	843	68,973	370	44.1	39.6-48.6	473	55.9	51.4-60.4	
Some Post-H.S.	939	89,168	408	40.6	36.3-44.9	531	59.4	55.1-63.7	
College Graduate	828	74,647	261	29.2	25.5-32.9	567	70.8	67.1-74.5	
Less than \$15,000	286	21,745	126	45.4	37.0-53.8	160	54.6	46.2-63.0	
\$15,000- 24,999	449	34,730	207	48.4	41.3-55.5	242	51.6	44.5-58.7	
\$25,000- 34,999	365	30,572	150	37.6	30.9-44.3	215	62.4	55.7-69.1	
\$35,000- 49,999	460	41,957	197	42.7	37.2-48.2	263	57.3	51.8-62.8	
\$50,000- 74,999	408	39,182	154	36.3	30.8-41.8	254	63.7	58.2-69.2	
\$75,000+	374	39,822	135	33.3	27.8-38.8	239	66.7	61.2-72.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2155	214,952	659	35.7	32.8-38.6	187	9.0	07.4-10.6	1309	55.3	52.6-58.0
Male	1020	118,384	304	35.2	31.1-39.3	75	8.0	05.6-10.4	641	56.8	52.7-60.9
Female	1135	96,567	355	36.4	32.5-40.3	112	10.3	07.9-12.7	668	53.3	49.4-57.2
Non-Native	2057	201,367	623	35.3	32.4-38.2	171	8.6	07.0-10.2	1263	56.1	53.2-59.0
18-24	69	26,031				13	13.9	05.7-22.1			
25-34	235	34,444	102	42.6	35.2-50.0	51	19.7	14.0-25.4	82	37.7	30.4-45.0
35-44	282	30,718	130	45.1	38.4-51.8	27	7.8	04.5-11.1	125	47.1	40.4-53.8
45-54	480	43,001	191	41.0	35.9-46.1	41	7.7	05.0-10.4	248	51.3	46.2-56.4
55-64	430	34,401	105	22.9	18.2-27.6	18	2.8	01.2-04.4	307	74.4	69.5-79.3
65+	634	44,652	88	14.0	10.9-17.1	37	5.2	03.2-07.2	509	80.8	77.3-84.3
Less Than H.S.	233	22,419	69	40.0	31.0-49.0	13	7.4	02.3-12.5	151	52.6	43.8-61.4
H.S. or G.E.D.	742	74,752	256	43.1	37.8-48.4	57	8.2	05.3-11.1	429	48.7	43.8-53.6
Some Post-H.S.	690	68,073	220	36.0	30.7-41.3	76	10.5	07.6-13.4	394	53.4	48.3-58.5
College Graduate	486	49,434	113	22.1	17.6-26.6	41	9.0	05.9-12.1	332	68.8	63.7-73.9
Less than \$15,000	203	17,353	77	49.1	39.1-59.1	25	9.5	05.0-14.0	101	41.5	31.9-51.1
\$15,000- 24,999	379	35,851	139	44.7	36.5-52.9	41	9.8	05.7-13.9	199	45.5	37.9-53.1
\$25,000- 34,999	289	27,659	105	43.0	34.4-51.6	22	6.3	03.0-09.6	162	50.7	42.3-59.1
\$35,000- 49,999	390	38,165	117	36.7	30.2-43.2	34	8.5	05.2-11.8	239	54.8	48.3-61.3
\$50,000- 74,999	329	36,402	94	29.1	23.2-35.0	24	9.1	04.8-13.4	211	61.8	55.5-68.1
\$75,000+	290	33,747	63	22.6	16.3-28.9	24	9.7	05.4-14.0	203	67.7	60.8-74.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1020	118,384	304	35.2	31.1-39.3	75	8.0	05.6-10.4	641	56.8	52.7-60.9
Non-Native	984	112,810	291	34.5	30.4-38.6	71	8.0	05.6-10.4	622	57.4	53.3-61.5
25-34	103	19,100				17	16.7	08.7-24.7			
35-44	132	16,415	56	39.9	30.7-49.1	12	7.6	02.9-12.3	64	52.5	43.1-61.9
45-54	231	23,265	103	45.2	37.8-52.6	18	6.9	03.2-10.6	110	47.8	40.4-55.2
55-64	214	20,508	45	20.2	13.5-26.9	8	1.5	00.0-03.1	161	78.3	71.6-85.0
65+	304	24,592	36	10.9	06.8-15.0	14	4.3	01.9-06.7	254	84.8	80.1-89.5
Less Than H.S.	137	14,209				4	2.0	00.0-04.4			
H.S. or G.E.D.	372	44,351	127	42.9	35.5-50.3	24	7.7	03.4-12.0	221	49.4	42.3-56.5
Some Post-H.S.	282	31,912	93	37.7	29.7-45.7	30	10.4	05.9-14.9	159	51.8	44.0-59.6
College Graduate	225	27,640	45	17.9	11.8-24.0	17	8.8	04.1-13.5	163	73.3	66.2-80.4
Less than \$15,000	77	7,477				6	5.5	00.0-11.2			
\$15,000- 24,999	172	19,038				14	7.7	02.8-12.6			
\$25,000- 34,999	139	16,155				10	5.7	01.4-10.0			
\$35,000- 49,999	193	20,268	58	39.3	29.5-49.1	15	6.4	02.3-10.5	120	54.4	44.8-64.0
\$50,000- 74,999	175	22,196	48	27.9	20.1-35.7	12	10.3	03.6-17.0	115	61.9	53.1-70.7
\$75,000+	155	20,497	31	21.1	12.1-30.1	10	7.7	02.6-12.8	114	71.2	61.8-80.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1135	96,567	355	36.4	32.5-40.3	112	10.3	07.9-12.7	668	53.3	49.4-57.2
Non-Native	1073	88,557	332	36.4	32.3-40.5	100	9.3	07.1-11.5	641	54.3	50.4-58.2
25-34	132	15,345	55	39.8	30.2-49.4	34	23.3	15.3-31.3	43	36.8	27.0-46.6
35-44	150	14,303	74	50.9	41.5-60.3	15	8.1	03.2-13.0	61	40.9	31.7-50.1
45-54	249	19,736	88	36.0	29.3-42.7	23	8.7	04.6-12.8	138	55.3	48.2-62.4
55-64	216	13,893	60	26.8	19.9-33.7	10	4.6	01.5-07.7	146	68.6	61.5-75.7
65+	330	20,060	52	17.7	12.8-22.6	23	6.5	03.4-09.6	255	75.9	70.4-81.4
H.S. or G.E.D.	370	30,401	129	43.4	36.5-50.3	33	8.8	05.3-12.3	208	47.8	41.3-54.3
Some Post-H.S.	408	36,161	127	34.5	27.6-41.4	46	10.6	06.9-14.3	235	54.9	48.2-61.6
College Graduate	261	21,795	68	27.5	20.8-34.2	24	9.4	05.3-13.5	169	63.1	56.0-70.2
Less than \$15,000	126	9,877				19	12.5	05.8-19.2			
\$15,000- 24,999	207	16,812				27	12.3	05.6-19.0			
\$25,000- 34,999	150	11,505				12	7.1	02.0-12.2			
\$35,000- 49,999	197	17,897	59	33.8	25.8-41.8	19	10.8	05.5-16.1	119	55.3	47.1-63.5
\$50,000- 74,999	154	14,206	46	30.9	22.7-39.1	12	7.3	02.8-11.8	96	61.8	53.2-70.4
\$75,000+	135	13,250	32	24.8	16.6-33.0	14	12.8	05.4-20.2	89	62.3	52.9-71.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	840	95,923	391	49.1	44.2-54.0	449	50.9	46.0-55.8
Male	379	51,104	162	48.0	40.7-55.3	217	52.0	44.7-59.3
Female	461	44,819	229	50.3	43.8-56.8	232	49.7	43.2-56.2
Non-Native	788	88,210	368	47.9	43.0-52.8	420	52.1	47.2-57.0
25-34	152	21,310	92	61.0	51.8-70.2	60	39.0	29.8-48.2
35-44	154	16,151	68	45.6	36.4-54.8	86	54.4	45.2-63.6
45-54	232	20,954	95	40.0	32.7-47.3	137	60.0	52.7-67.3
H.S. or G.E.D.	311	38,299	132	47.0	38.8-55.2	179	53.0	44.8-61.2
Some Post-H.S.	295	31,633	150	48.6	40.4-56.8	145	51.4	43.2-59.6
College Graduate	152	15,250	77	57.2	47.6-66.8	75	42.8	33.2-52.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	379	51,104	162	48.0	40.7-55.3	217	52.0	44.7-59.3
Non-Native	362	48,002	153	46.1	39.0-53.2	209	53.9	46.8-61.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	461	44,819	229	50.3	43.8-56.8	232	49.7	43.2-56.2
Non-Native	426	40,208	215	50.1	43.4-56.8	211	49.9	43.2-56.6
45-54	111	8,820	46	38.3	28.3-48.3	65	61.7	51.7-71.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006**

SECTION 11: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS YOUR AGE? (AGE)	
1	MALES AND FEMALES	84
2	MALES ONLY	85
3	FEMALES ONLY	86
	ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4	MALES AND FEMALES	87
5	MALES ONLY	88
6	FEMALES ONLY	89
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7	MALES AND FEMALES	90
8	MALES ONLY	91
9	FEMALES ONLY	92
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10	MALES AND FEMALES	93
11	MALES ONLY	94
12	FEMALES ONLY	95
	ARE YOU: (MARITAL STATUS) (MARITAL)	
13	MALES AND FEMALES	96
14	MALES ONLY	97
15	FEMALES ONLY	98
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
16	MALES AND FEMALES	99
17	MALES ONLY	100
18	FEMALES ONLY	101
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19	MALES AND FEMALES	102
20	MALES ONLY	103
21	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006**

SECTION 11: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
22	MALES AND FEMALES	105
23	MALES ONLY	106
24	FEMALES ONLY	107
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
25	MALES AND FEMALES	108
26	MALES ONLY	109
27	FEMALES ONLY	110
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
28	MALES AND FEMALES	111
29	MALES ONLY	112
30	FEMALES ONLY	113
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
31	MALES AND FEMALES	114
32	MALES ONLY	115
33	FEMALES ONLY	116
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE)	
34	MALES AND FEMALES	117
35	MALES ONLY	118
36	FEMALES ONLY	119
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
37	MALES AND FEMALES	120
38	MALES ONLY	121
39	FEMALES ONLY	122
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
40	MALES AND FEMALES	123
41	MALES ONLY	124
42	FEMALES ONLY	125

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 11: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
43	MALES AND FEMALES	126
44	MALES ONLY	127
45	FEMALES ONLY	128
	DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)	
46	MALES AND FEMALES	129
	INDICATE SEX OF RESPONDENT. (SEX)	
47	FEMALES ONLY	130
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
52	MALES AND FEMALES	135
53	MALES ONLY	136
54	FEMALES ONLY	137

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4726	490,662	202	15.9	13.7-18.1	519	15.5	14.1-16.9	749	16.6	15.2-18.0	1064	19.6	18.2-21.0	821	13.2	12.2-14.2	1371	19.2	18.0-20.4
Male	1916	243,601	88	16.9	13.6-20.2	216	16.3	14.1-18.5	326	17.0	15.0-19.0	463	19.7	17.7-21.7	345	13.9	12.1-15.7	478	16.2	14.4-18.0
Female	2810	247,061	114	14.9	12.2-17.6	303	14.7	12.9-16.5	423	16.3	14.7-17.9	601	19.4	17.6-21.2	476	12.5	11.1-13.9	893	22.2	20.4-24.0
Native	108	15,831				27	23.8	14.0-33.6	24	22.5	12.9-32.1	19	11.5	05.8-17.2	14	9.7	03.0-16.4	15	7.1	03.0-11.2
Non-Native	4566	470,013	188	15.5	13.3-17.7	487	15.2	13.8-16.6	724	16.6	15.2-18.0	1043	20.0	18.6-21.4	802	13.3	12.3-14.3	1322	19.4	18.2-20.6
Less Than H.S.	430	37,934	15	16.2	08.6-23.8	15	7.9	03.2-12.6	26	6.7	03.6-09.8	23	7.4	04.1-10.7	49	10.6	07.1-14.1	302	51.3	44.2-58.4
H.S. or G.E.D.	1422	141,657	71	18.8	14.7-22.9	115	11.5	09.1-13.9	175	12.3	10.1-14.5	301	18.7	16.3-21.1	249	13.4	11.4-15.4	511	25.3	22.8-27.8
Some Post-H.S.	1467	158,726	75	19.1	15.0-23.2	179	16.2	13.7-18.7	262	18.2	15.8-20.6	377	21.1	18.7-23.5	248	11.4	09.8-13.0	326	14.0	12.2-15.8
College Graduate	1400	151,785	41	9.7	06.4-13.0	210	20.4	17.7-23.1	286	21.6	19.1-24.1	362	21.7	19.3-24.1	271	15.5	13.3-17.7	230	11.0	09.4-12.6
Less than \$15,000	394	34,346	30	30.5	21.7-39.3	28	7.4	04.3-10.5	35	11.8	07.5-16.1	46	8.2	05.3-11.1	54	9.0	06.1-11.9	201	33.1	27.2-39.0
\$15,000- 24,999	716	64,277	27	18.4	11.3-25.5	68	12.7	09.2-16.2	73	11.8	08.7-14.9	103	12.0	09.3-14.7	101	9.9	07.4-12.4	344	35.2	30.5-39.9
\$25,000- 34,999	611	61,677	31	20.1	13.4-26.8	73	18.2	13.7-22.7	96	12.8	09.7-15.9	115	14.6	11.5-17.7	97	11.3	08.6-14.0	199	23.0	19.3-26.7
\$35,000- 49,999	830	86,047	33	13.7	08.8-18.6	112	18.6	14.9-22.3	148	17.3	14.2-20.4	217	21.4	18.3-24.5	152	14.3	11.6-17.0	168	14.7	12.2-17.2
\$50,000- 74,999	779	88,656	18	6.8	03.5-10.1	123	23.0	19.3-26.7	166	22.2	18.9-25.5	242	25.7	22.4-29.0	148	14.4	11.9-16.9	82	7.9	05.9-09.9
\$75,000+	732	90,278	20	9.5	05.0-14.0	85	14.7	11.6-17.8	168	23.4	19.9-26.9	246	30.1	26.2-34.0	148	15.9	13.2-18.6	65	6.4	04.6-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1916	243,601	88	16.9	13.6-20.2	216	16.3	14.1-18.5	326	17.0	15.0-19.0	463	19.7	17.7-21.7	345	13.9	12.3-15.5	478	16.2	14.4-18.0
Non-Native	1859	235,703	83	16.5	13.2-19.8	209	16.3	13.9-18.7	313	16.7	14.7-18.7	458	20.2	18.0-22.4	336	14.0	12.2-15.8	460	16.3	14.5-18.1
Less Than H.S.	201	21,847				6	6.7	00.2-13.2	10	4.9	01.6-08.2	16	9.2	04.1-14.3	28	11.9	06.4-17.4	132	48.7	38.9-58.5
H.S. or G.E.D.	586	72,942	35	22.0	15.5-28.5	53	13.3	09.6-17.0	88	13.0	09.9-16.1	153	20.6	16.9-24.3	99	13.1	10.2-16.0	158	18.0	14.7-21.3
Some Post-H.S.	544	70,707	29	19.3	12.6-26.0	75	18.6	14.3-22.9	111	20.5	16.6-24.4	154	20.8	16.9-24.7	87	11.1	08.4-13.8	88	9.7	07.3-12.1
College Graduate	581	77,751	15	9.4	04.3-14.5	82	19.8	15.5-24.1	117	21.0	17.1-24.9	139	20.7	17.0-24.4	129	17.8	14.5-21.1	99	11.3	08.8-13.8
Less than \$15,000	110	12,691				5	5.3	00.0-11.0	14	13.6	05.6-21.6	17	9.3	04.0-14.6	16	10.3	04.2-16.4	46	23.1	14.3-31.9
\$15,000- 24,999	270	29,522				23	12.5	06.6-18.4	37	14.4	09.1-19.7	46	12.7	08.2-17.2	36	8.7	04.8-12.6	118	32.9	25.6-40.2
\$25,000- 34,999	246	31,294				32	20.6	13.3-27.9	38	12.4	07.7-17.1	61	16.8	11.7-21.9	36	10.7	06.6-14.8	67	18.7	13.4-24.0
\$35,000- 49,999	374	44,309	18	16.9	09.1-24.7	47	18.3	12.8-23.8	74	18.3	13.6-23.0	89	18.5	14.0-23.0	70	14.5	10.6-18.4	76	13.4	09.9-16.9
\$50,000- 74,999	375	49,767	8	6.2	01.7-10.7	60	23.3	18.0-28.6	74	20.8	16.3-25.3	104	23.4	18.9-27.9	78	16.4	12.5-20.3	51	9.9	06.8-13.0
\$75,000+	359	50,566	8	8.9	02.4-15.4	38	13.4	09.1-17.7	74	21.9	17.0-26.8	119	30.3	24.8-35.8	82	18.4	14.1-22.7	38	7.1	04.6-09.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2810	247,061	114	14.9	12.2-17.6	303	14.7	12.9-16.5	423	16.3	14.7-17.9	601	19.4	17.6-21.2	476	12.5	11.1-13.9	893	22.2	20.4-24.0
Native	77	10,266							12	16.3	06.5-26.1	15	14.6	06.8-22.4	8	8.4	00.2-16.6	13	9.2	03.7-14.7
Non-Native	2707	234,310	105	14.5	11.8-17.2	278	14.0	12.2-15.8	411	16.5	14.7-18.3	585	19.8	18.0-21.6	466	12.7	11.3-14.1	862	22.5	20.7-24.3
Less Than H.S.	229	16,087	6	13.0	03.0-23.0	9	9.4	02.9-15.9	16	9.1	03.4-14.8	7	5.0	00.9-09.1	21	8.7	04.4-13.0	170	54.8	45.0-64.6
H.S. or G.E.D.	836	68,715	36	15.4	10.3-20.5	62	9.5	06.8-12.2	87	11.6	08.9-14.3	148	16.8	13.7-19.9	150	13.7	11.2-16.2	353	33.0	29.3-36.7
Some Post-H.S.	923	88,019	46	18.9	13.8-24.0	104	14.3	11.4-17.2	151	16.3	13.6-19.0	223	21.3	18.2-24.4	161	11.6	09.6-13.6	238	17.5	15.0-20.0
College Graduate	819	74,034	26	10.0	05.9-14.1	128	21.1	17.6-24.6	169	22.3	19.0-25.6	223	22.7	19.6-25.8	142	13.0	10.5-15.5	131	10.7	08.5-12.9
Less than \$15,000	284	21,655				23	8.6	04.9-12.3	21	10.7	05.6-15.8	29	7.6	04.3-10.9	38	8.3	05.2-11.4	155	39.0	31.6-46.4
\$15,000- 24,999	446	34,755	17	18.1	09.3-26.9	45	13.0	08.7-17.3	36	9.5	06.0-13.0	57	11.5	08.0-15.0	65	10.8	07.7-13.9	226	37.1	31.2-43.0
\$25,000- 34,999	365	30,383	19	19.4	11.6-27.2	41	15.6	10.5-20.7	58	13.2	09.3-17.1	54	12.3	08.4-16.2	61	12.0	08.7-15.3	132	27.5	22.2-32.8
\$35,000- 49,999	456	41,738	15	10.2	04.9-15.5	65	19.0	14.3-23.7	74	16.3	12.4-20.2	128	24.4	19.9-28.9	82	14.1	10.6-17.6	92	16.0	12.5-19.5
\$50,000- 74,999	404	38,889	10	7.5	02.6-12.4	63	22.5	17.4-27.6	92	23.9	19.2-28.6	138	28.7	23.8-33.6	70	11.9	08.8-15.0	31	5.4	03.2-07.6
\$75,000+	373	39,711	12	10.4	04.3-16.5	47	16.2	11.7-20.7	94	25.3	20.4-30.2	127	29.9	24.8-35.0	66	12.7	09.4-16.0	27	5.5	03.3-07.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4743	491,151	54	1.1	00.7-01.5	4689	98.9	98.5-99.3	
Male	1912	243,072	21	1.0	00.4-01.6	1891	99.0	98.4-99.6	
Female	2831	248,079	33	1.2	00.6-01.8	2798	98.8	98.2-99.4	
18-24	200	77,683	4	0.9	00.0-02.1	196	99.1	97.9-0100	
25-34	518	75,961	6	1.6	00.2-03.0	512	98.4	97.0-99.8	
35-44	749	81,622	7	1.2	00.4-02.0	742	98.8	98.0-99.6	
45-54	1064	95,951	5	0.6	00.0-01.2	1059	99.4	98.8-0100	
55-64	817	64,258	16	1.8	00.8-02.8	801	98.2	97.2-99.2	
65+	1344	92,493	16	1.0	00.2-01.8	1328	99.0	98.2-99.8	
Less Than H.S.	415	36,808	5	0.6	00.0-01.4	410	99.4	98.6-0100	
H.S. or G.E.D.	1425	141,515	23	1.6	00.8-02.4	1402	98.4	97.6-99.2	
Some Post-H.S.	1480	159,474	18	1.4	00.6-02.2	1462	98.6	97.8-99.4	
College Graduate	1415	152,729	8	0.6	00.2-01.0	1407	99.4	99.0-99.8	
Less than \$15,000	392	34,175	4	0.5	00.0-01.1	388	99.5	98.9-0100	
\$15,000- 24,999	716	63,884	14	2.7	00.7-04.7	702	97.3	95.3-99.3	
\$25,000- 34,999	610	61,632	12	2.4	00.8-04.0	598	97.6	96.0-99.2	
\$35,000- 49,999	833	86,062	5	0.6	00.0-01.2	828	99.4	98.8-0100	
\$50,000- 74,999	781	88,768	8	0.9	00.1-01.7	773	99.1	98.3-99.9	
\$75,000+	734	90,458	5	0.7	00.1-01.3	729	99.3	98.7-99.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1912	243,072	21	1.0	00.4-01.6	1891	99.0	98.4-99.6	
18-24	87	41,027	1	0.1	00.0-00.3	86	99.9	99.7-0100	
25-34	215	39,649	3	1.9	00.0-04.1	212	98.1	95.9-0100	
35-44	326	41,351	3	1.2	00.0-02.6	323	98.8	97.4-0100	
45-54	463	48,013	2	0.4	00.0-01.0	461	99.6	99.0-0100	
55-64	343	33,616	7	1.5	00.1-02.9	336	98.5	97.1-99.9	
65+	467	38,654	5	1.5	00.0-03.1	462	98.5	96.9-0100	
Less Than H.S.	193	21,284	3	1.0	00.0-02.4	190	99.0	97.6-0100	
H.S. or G.E.D.	585	72,813	8	1.3	00.3-02.3	577	98.7	97.7-99.7	
Some Post-H.S.	545	70,652	7	1.3	00.1-02.5	538	98.7	97.5-99.9	
College Graduate	584	77,904	3	0.6	00.0-01.4	581	99.4	98.6-0100	
Less than \$15,000	109	12,605	1	0.3	00.0-00.9	108	99.7	99.1-0100	
\$15,000- 24,999	267	29,006	5	2.4	00.2-04.6	262	97.6	95.4-99.8	
\$25,000- 34,999	245	31,234	7	2.4	00.0-04.9	238	97.6	95.1-0100	
\$35,000- 49,999	374	44,288	2	0.6	00.0-01.4	372	99.4	98.6-0100	
\$50,000- 74,999	374	49,653	3	0.9	00.0-02.1	371	99.1	97.9-0100	
\$75,000+	359	50,566	2	0.6	00.0-01.4	357	99.4	98.6-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2831	248,079	33	1.2	00.6-01.8	2798	98.8	98.2-99.4	
18-24	113	36,655	3	1.9	00.0-04.4	110	98.1	95.6-0100	
25-34	303	36,312	3	1.3	00.0-02.9	300	98.7	97.1-0100	
35-44	423	40,271	4	1.1	00.0-02.3	419	98.9	97.7-0100	
45-54	601	47,938	3	0.9	00.0-02.1	598	99.1	97.9-0100	
55-64	474	30,642	9	2.1	00.5-03.7	465	97.9	96.3-99.5	
65+	877	53,839	11	0.7	00.1-01.3	866	99.3	98.7-99.9	
Less Than H.S.	222	15,524	2	0.1	00.0-00.3	220	99.9	99.7-0100	
H.S. or G.E.D.	840	68,701	15	1.8	00.6-03.0	825	98.2	97.0-99.4	
Some Post-H.S.	935	88,822	11	1.5	00.3-02.7	924	98.5	97.3-99.7	
College Graduate	831	74,826	5	0.6	00.0-01.2	826	99.4	98.8-0100	
Less than \$15,000	283	21,570	3	0.6	00.0-01.6	280	99.4	98.4-0100	
\$15,000- 24,999	449	34,878	9	3.0	00.1-05.9	440	97.0	94.1-99.9	
\$25,000- 34,999	365	30,398	5	2.3	00.1-04.5	360	97.7	95.5-99.9	
\$35,000- 49,999	459	41,774	3	0.6	00.0-01.4	456	99.4	98.6-0100	
\$50,000- 74,999	407	39,115	5	0.9	00.0-01.9	402	99.1	98.1-0100	
\$75,000+	375	39,892	3	0.9	00.0-01.9	372	99.1	98.1-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4780	494,013	4752	99.3	98.9-99.7	28	0.7	00.3-01.1
Male	1928	244,372	1918	99.4	98.8-0100	10	0.6	00.0-01.2
Female	2852	249,641	2834	99.2	98.6-99.8	18	0.8	00.2-01.4
18-24	202	77,844	199	98.8	97.4-0100	3	1.2	00.0-02.6
25-34	519	75,972	514	98.6	97.0-0100	5	1.4	00.0-03.0
35-44	749	81,622	742	99.1	98.3-99.9	7	0.9	00.1-01.7
45-54	1064	95,951	1059	99.6	99.2-0100	5	0.4	00.0-00.8
55-64	821	64,825	817	99.7	99.3-0100	4	0.3	00.0-00.7
65+	1371	94,448	1367	99.6	99.2-0100	4	0.4	00.0-00.8
Less Than H.S.	432	37,982	428	98.5	96.0-0100	4	1.5	00.0-04.0
H.S. or G.E.D.	1435	142,265	1427	99.0	98.2-99.8	8	1.0	00.2-01.8
Some Post-H.S.	1486	159,993	1478	99.4	99.0-99.8	8	0.6	00.2-01.0
College Graduate	1419	153,148	1411	99.5	99.1-99.9	8	0.5	00.1-00.9
Less than \$15,000	396	34,436	393	98.4	95.9-0100	3	1.6	00.0-04.1
\$15,000- 24,999	722	64,604	717	99.1	97.9-0100	5	0.9	00.0-02.1
\$25,000- 34,999	614	61,968	607	98.3	96.5-0100	7	1.7	00.0-03.5
\$35,000- 49,999	836	86,327	833	99.7	99.3-0100	3	0.3	00.0-00.7
\$50,000- 74,999	783	88,950	781	99.8	99.4-0100	2	0.2	00.0-00.6
\$75,000+	734	90,458	730	99.5	98.9-0100	4	0.5	00.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1928	244,372	1918	99.4	98.8-0100	10	0.6	00.0-01.2
18-24	88	41,066	88	100.0	0100-0100			
25-34	216	39,660	212	97.5	94.6-0100	4	2.5	00.0-05.4
35-44	326	41,351	323	99.0	97.8-0100	3	1.0	00.0-02.2
45-54	463	48,013	462	99.9	99.7-0100	1	0.1	00.0-00.3
55-64	345	33,958	344	99.9	99.7-0100	1	0.1	00.0-00.3
65+	478	39,553	477	99.7	99.1-0100	1	0.3	00.0-00.9
Less Than H.S.	201	21,847	198	97.6	93.3-0100	3	2.4	00.0-06.7
H.S. or G.E.D.	589	73,085	586	99.5	98.9-0100	3	0.5	00.0-01.1
Some Post-H.S.	546	70,789	544	99.4	98.4-0100	2	0.6	00.0-01.6
College Graduate	587	78,232	585	99.6	99.0-0100	2	0.4	00.0-01.0
Less than \$15,000	110	12,691	110	100.0	0100-0100			
\$15,000- 24,999	272	29,657	269	98.3	95.9-0100	3	1.7	00.0-04.1
\$25,000- 34,999	247	31,359	244	97.7	94.6-0100	3	2.3	00.0-05.4
\$35,000- 49,999	375	44,327	373	99.6	99.0-0100	2	0.4	00.0-01.0
\$50,000- 74,999	375	49,767	373	99.6	99.0-0100	2	0.4	00.0-01.0
\$75,000+	359	50,566	359	100.0	0100-0100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2852	249,641	2834	99.2	98.6-99.8	18	0.8	00.2-01.4
18-24	114	36,778	111	97.5	94.6-0100	3	2.5	00.0-05.4
25-34	303	36,312	302	99.7	99.1-0100	1	0.3	00.0-00.9
35-44	423	40,271	419	99.3	98.3-0100	4	0.7	00.0-01.7
45-54	601	47,938	597	99.4	98.8-0100	4	0.6	00.0-01.2
55-64	476	30,867	473	99.4	98.6-0100	3	0.6	00.0-01.4
65+	893	54,895	890	99.5	98.9-0100	3	0.5	00.0-01.1
Less Than H.S.	231	16,136	230	99.6	98.8-0100	1	0.4	00.0-01.2
H.S. or G.E.D.	846	69,180	841	98.6	97.0-0100	5	1.4	00.0-03.0
Some Post-H.S.	940	89,204	934	99.4	99.0-99.8	6	0.6	00.2-01.0
College Graduate	832	74,916	826	99.3	98.7-99.9	6	0.7	00.1-01.3
Less than \$15,000	286	21,745	283	97.4	93.3-0100	3	2.6	00.0-06.7
\$15,000- 24,999	450	34,948	448	99.7	99.3-0100	2	0.3	00.0-00.7
\$25,000- 34,999	367	30,609	363	98.9	97.5-0100	4	1.1	00.0-02.5
\$35,000- 49,999	461	42,000	460	99.8	99.4-0100	1	0.2	00.0-00.6
\$50,000- 74,999	408	39,182	408	100.0	0100-0100			
\$75,000+	375	39,892	371	98.9	97.7-0100	4	1.1	00.0-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)
Denominator Excludes: Respondents reporting only one race
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)
Denominator Excludes: Respondents reporting only one race
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 13: ARE YOU: (MARITAL STATUS) (MARITAL)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4771	493,494	2878	64.0	62.0-66.0	551	7.3	06.5-08.1	676	7.3	06.7-07.9	43	0.8	00.4-01.2	552	17.7	15.7-19.7	71	2.9	02.1-03.7
Male	1926	244,187	1227	65.1	62.0-68.2	229	6.8	05.8-07.8	112	2.7	02.1-03.3	18	0.7	00.3-01.1	313	22.2	19.1-25.3	27	2.5	01.5-03.5
Female	2845	249,307	1651	63.1	60.6-65.6	322	7.7	06.7-08.7	564	11.7	10.5-12.9	25	0.8	00.4-01.2	239	13.3	10.9-15.7	44	3.3	02.1-04.5
Native	108	15,840				23	15.0	08.1-21.9	15	5.1	02.2-08.0	3	1.6	00.0-03.4				5	9.2	01.0-17.4
Non-Native	4608	472,578	2823	65.2	63.2-67.2	525	7.1	06.3-07.9	642	7.2	06.6-07.8	40	0.8	00.4-01.2	514	17.1	15.1-19.1	64	2.7	01.9-03.5
18-24	202	77,844	51	20.4	14.5-26.3	2	0.6	00.0-01.8				2	0.6	00.0-01.4	126	69.3	62.4-76.2	21	9.1	05.0-13.2
25-34	518	75,899	323	67.9	63.2-72.6	38	4.8	03.0-06.6	2	0.4	00.0-01.0	8	1.4	00.2-02.6	123	20.1	16.0-24.2	24	5.5	03.1-07.9
35-44	746	81,429	525	76.9	73.6-80.2	92	8.5	06.5-10.5	9	0.7	00.1-01.3	8	1.1	00.3-01.9	98	10.2	07.8-12.6	14	2.7	01.1-04.3
45-54	1063	95,925	747	79.8	77.4-82.2	174	12.0	10.0-14.0	30	1.8	01.0-02.6	12	0.7	00.3-01.1	96	5.2	04.0-06.4	4	0.4	00.0-00.8
55-64	821	64,825	578	80.1	77.4-82.8	127	11.1	08.9-13.3	63	4.5	03.1-05.9	6	0.7	00.0-01.5	41	2.9	01.9-03.9	6	0.7	00.1-01.3
65+	1369	94,335	627	58.7	55.8-61.6	111	6.1	04.7-07.5	563	31.9	29.2-34.6	6	0.2	00.0-00.4	61	3.0	02.0-04.0	1	0.0	00.0-00.0
Less Than H.S.	432	37,982	179	47.9	41.0-54.8	40	7.6	04.7-10.5	162	21.2	17.1-25.3	4	0.6	00.0-01.4	41	17.2	09.9-24.5	6	5.4	01.1-09.7
H.S. or G.E.D.	1431	142,028	824	58.1	54.4-61.8	164	7.3	05.9-08.7	242	9.5	08.1-10.9	12	0.6	00.2-01.0	168	21.5	17.4-25.6	21	3.1	01.5-04.7
Some Post-H.S.	1486	159,993	919	63.6	59.9-67.3	195	8.1	06.7-09.5	168	5.3	04.3-06.3	17	1.2	00.4-02.0	168	19.5	15.8-23.2	19	2.3	01.1-03.5
College Graduate	1414	152,865	953	74.2	71.1-77.3	150	6.2	05.0-07.4	101	3.7	02.9-04.5	10	0.6	00.2-01.0	175	12.5	09.6-15.4	25	2.8	01.4-04.2
Less than \$15,000	396	34,436	61	18.7	13.4-24.0	85	15.2	11.3-19.1	139	20.2	15.9-24.5	8	1.9	00.0-03.9	97	39.7	31.7-47.7	6	4.3	00.4-08.2
\$15,000- 24,999	721	64,484	263	43.3	37.8-48.8	131	11.5	09.1-13.9	176	14.2	11.5-16.9	12	1.7	00.5-02.9	125	25.9	19.4-32.4	14	3.4	01.2-05.6
\$25,000- 34,999	613	61,925	294	51.7	46.0-57.4	110	11.3	08.8-13.8	95	8.5	06.5-10.5	7	1.2	00.0-02.4	97	23.5	17.4-29.6	10	3.8	01.1-06.5
\$35,000- 49,999	835	86,301	570	69.9	65.2-74.6	93	7.1	05.5-08.7	69	4.8	03.4-06.2	5	0.6	00.0-01.2	84	13.6	09.1-18.1	14	4.1	01.7-06.5
\$50,000- 74,999	781	88,812	642	84.6	81.3-87.9	61	4.9	03.5-06.3	20	1.4	00.6-02.2	5	0.4	00.0-00.8	42	6.8	04.1-09.5	11	1.9	00.7-03.1
\$75,000+	734	90,458	648	86.7	82.6-90.8	27	2.0	01.0-03.0	16	1.2	00.6-01.8	2	0.1	00.0-00.3	35	8.5	04.6-12.4	6	1.4	00.0-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1926	244,187	1227	65.1	62.0-68.2	229	6.8	05.8-07.8	112	2.7	02.1-03.3	18	0.7	00.3-01.1	313	22.2	19.1-25.3	27	2.5	01.5-03.5
Non-Native	1868	236,271	1204	65.7	62.6-68.8	217	6.6	05.6-07.6	107	2.7	02.1-03.3	17	0.7	00.3-01.1	297	21.8	18.7-24.9	26	2.4	01.4-03.4
18-24	88	41,066	13	13.4	06.0-20.8										68	80.3	71.7-88.9	7	6.2	01.5-10.9
25-34	216	39,660	129	66.0	58.7-73.3	15	3.8	01.6-06.0				3	1.6	00.0-03.6	59	22.8	16.3-29.3	10	5.7	02.0-09.4
35-44	324	41,166	215	76.1	71.4-80.8	34	6.4	04.0-08.8	4	0.7	00.0-01.5	4	1.1	00.0-02.3	60	13.3	09.6-17.0	7	2.4	00.4-04.4
45-54	463	48,013	317	79.1	75.4-82.8	74	11.6	08.7-14.5	4	0.6	00.0-01.2	6	0.8	00.0-01.6	61	7.5	05.3-09.7	1	0.4	00.0-01.2
55-64	345	33,958	253	82.5	78.6-86.4	53	11.7	08.2-15.2	8	1.6	00.4-02.8	3	0.7	00.0-01.5	27	3.5	01.9-05.1	1	0.1	00.0-00.3
65+	478	39,553	294	74.2	70.1-78.3	51	7.1	04.7-09.5	95	13.9	10.8-17.0	2	0.2	00.0-00.4	35	4.7	02.9-06.5	1	0.0	00.0-00.0
Less Than H.S.	201	21,847				21	6.7	03.0-10.4	35	9.8	05.9-13.7	1	0.3	00.0-00.9				2	3.9	00.0-09.2
H.S. or G.E.D.	587	72,900	358	58.5	52.6-64.4	77	7.7	05.7-09.7	35	2.8	01.6-04.0	7	0.5	00.1-00.9	101	27.7	21.4-34.0	9	2.7	00.7-04.7
Some Post-H.S.	546	70,789	339	62.4	56.3-68.5	77	7.8	05.8-09.8	23	1.7	00.9-02.5	5	1.1	00.0-02.3	96	25.7	19.4-32.0	6	1.4	00.2-02.6
College Graduate	587	78,232	418	76.3	71.4-81.2	52	4.9	03.3-06.5	18	1.5	00.7-02.3	5	0.7	00.0-01.5	84	13.7	09.0-18.4	10	2.9	00.7-05.1
Less than \$15,000	110	12,691	19	18.6	08.8-28.4	24	13.5	06.8-20.2	18	8.2	03.7-12.7	2	1.0	00.0-02.4				3	6.4	00.0-14.2
\$15,000- 24,999	271	29,536	114	46.2	37.2-55.2	50	11.0	07.3-14.7	29	5.8	03.1-08.5	3	1.1	00.0-02.7				6	2.9	00.2-05.6
\$25,000- 34,999	247	31,359	119	49.7	40.7-58.7	47	11.5	07.6-15.4	15	2.8	01.2-04.4	4	1.7	00.0-03.9	59	31.7	21.9-41.5	3	2.6	00.0-05.9
\$35,000- 49,999	375	44,327	239	64.4	57.0-71.8	56	9.0	06.3-11.7	15	2.3	00.9-03.7	4	1.0	00.0-02.0	55	19.0	11.6-26.4	6	4.4	00.9-07.9
\$50,000- 74,999	374	49,703	312	85.3	80.8-89.8	22	3.6	02.0-05.2	7	1.0	00.2-01.8	3	0.5	00.0-01.1	24	7.3	03.6-11.0	6	2.3	00.3-04.3
\$75,000+	359	50,566	309	85.2	79.1-91.3	13	1.6	00.6-02.6	7	0.9	00.1-01.7	2	0.2	00.0-00.6	26	11.4	05.3-17.5	2	0.7	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2845	249,307	1651	63.1	60.6-65.6	322	7.7	06.7-08.7	564	11.7	10.5-12.9	25	0.8	00.4-01.2	239	13.3	10.9-15.7	44	3.3	02.1-04.5
Native	77	10,266				14	13.7	06.1-21.3	13	6.9	02.6-11.2	2	1.8	00.0-04.3						
Non-Native	2740	236,308	1619	64.6	62.1-67.1	308	7.6	06.6-08.6	535	11.6	10.4-12.8	23	0.8	00.4-01.2	217	12.4	10.0-14.8	38	3.0	01.8-04.2
18-24	114	36,778	38	28.2	19.4-37.0	2	1.3	00.0-03.7				2	1.2	00.0-03.0				14	12.2	05.3-19.1
25-34	302	36,239	194	69.8	64.1-75.5	23	5.8	03.1-08.5	2	0.8	00.0-02.0	5	1.2	00.0-02.4	64	17.1	12.4-21.8	14	5.3	02.4-08.2
35-44	422	40,263	310	77.7	73.2-82.2	58	10.6	07.5-13.7	5	0.7	00.1-01.3	4	1.0	00.0-02.2	38	7.0	04.5-09.5	7	3.0	00.6-05.4
45-54	600	47,912	430	80.5	77.4-83.6	100	12.5	09.8-15.2	26	2.9	01.5-04.3	6	0.6	00.0-01.2	35	3.0	02.0-04.0	3	0.4	00.0-01.0
55-64	476	30,867	325	77.6	73.7-81.5	74	10.5	08.0-13.0	55	7.7	05.3-10.1	3	0.7	00.0-01.9	14	2.2	01.0-03.4	5	1.3	00.1-02.5
65+	891	54,782	333	47.5	43.6-51.4	60	5.5	03.9-07.1	468	44.9	41.2-48.6	4	0.3	00.0-00.7	26	1.8	00.8-02.8			
Less Than H.S.	231	16,136	69	37.1	28.1-46.1	19	8.9	04.0-13.8	127	36.7	28.7-44.7	3	1.1	00.0-02.7	9	8.8	01.2-16.4	4	7.5	00.1-14.9
H.S. or G.E.D.	844	69,128	466	57.6	52.9-62.3	87	6.7	04.9-08.5	207	16.5	14.0-19.0	5	0.7	00.0-01.5	67	15.0	10.5-19.5	12	3.5	01.1-05.9
Some Post-H.S.	940	89,204	580	64.6	60.1-69.1	118	8.4	06.4-10.4	145	8.2	06.6-09.8	12	1.2	00.2-02.2	72	14.6	10.1-19.1	13	3.0	01.0-05.0
College Graduate	827	74,633	535	71.9	68.0-75.8	98	7.6	05.8-09.4	83	6.0	04.6-07.4	5	0.4	00.0-00.8	91	11.3	07.8-14.8	15	2.7	00.9-04.5
Less than \$15,000	286	21,745	42	18.7	12.6-24.8	61	16.2	11.5-20.9	121	27.2	21.1-33.3	6	2.4	00.0-05.3	53	32.4	22.8-42.0	3	3.1	00.0-07.2
\$15,000- 24,999	450	34,948	149	40.8	34.1-47.5	81	11.9	08.8-15.0	147	21.3	17.0-25.6	9	2.2	00.4-04.0	56	19.9	12.1-27.7	8	3.9	00.6-07.2
\$25,000- 34,999	366	30,566	175	53.6	46.5-60.7	63	11.2	08.1-14.3	80	14.4	10.7-18.1	3	0.7	00.0-01.7	38	15.0	08.7-21.3	7	5.0	00.5-09.5
\$35,000- 49,999	460	41,974	331	75.7	70.6-80.8	37	5.1	03.3-06.9	54	7.4	05.2-09.6	1	0.1	00.0-00.3	29	7.8	03.9-11.7	8	3.8	00.9-06.7
\$50,000- 74,999	407	39,110	330	83.8	79.1-88.5	39	6.6	04.2-09.0	13	1.8	00.4-03.2	2	0.3	00.0-00.7	18	6.1	02.0-10.2	5	1.4	00.0-02.8
\$75,000+	375	39,892	339	88.6	83.3-93.9	14	2.6	01.0-04.2	9	1.7	00.5-02.9				9	4.9	00.4-09.4	4	2.3	00.0-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 16: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4779	493,898	542	15.1	13.5-16.7	499	13.4	12.0-14.8	251	6.8	05.8-07.8	65	1.8	01.4-02.2	24	0.6	00.2-01.0	3398	62.2	60.2-64.2
Male	1928	244,372	213	15.7	13.3-18.1	191	13.0	11.0-15.0	108	6.6	05.2-08.0	25	1.6	01.0-02.2	7	0.3	00.1-00.5	1384	62.8	59.9-65.7
Female	2851	249,526	329	14.6	12.8-16.4	308	13.8	12.0-15.6	143	7.0	05.6-08.4	40	2.1	01.3-02.9	17	0.9	00.3-01.5	2014	61.6	59.2-64.0
Native	109	15,961	20	17.9	09.1-26.7	16	12.2	05.5-18.9	13	14.8	06.0-23.6	3	3.6	00.0-07.7	3	5.1	00.0-11.4			
Non-Native	4614	472,771	521	15.2	13.6-16.8	479	13.4	12.0-14.8	237	6.6	05.6-07.6	60	1.7	01.3-02.1	21	0.5	00.3-00.7	3296	62.6	60.6-64.6
18-24	202	77,844	49	23.2	16.7-29.7	29	13.2	08.3-18.1	12	6.3	02.6-10.0				1	0.6	00.0-01.8	111	56.7	48.9-64.5
25-34	519	75,972	123	26.0	21.7-30.3	139	26.0	21.7-30.3	64	12.0	08.9-15.1	22	4.7	02.5-06.9	6	1.3	00.1-02.5	165	30.0	25.5-34.5
35-44	748	81,507	139	18.4	15.3-21.5	223	30.8	27.1-34.5	120	16.0	13.1-18.9	36	5.9	03.9-07.9	14	1.7	00.7-02.7	216	27.2	23.7-30.7
45-54	1064	95,951	184	18.8	15.9-21.7	96	10.3	08.1-12.5	50	6.3	04.5-08.1	6	0.6	00.0-01.2	3	0.4	00.0-00.8	725	63.7	60.2-67.2
55-64	821	64,825	29	3.8	02.2-05.4	3	0.6	00.0-01.2	4	0.6	00.0-01.4							785	95.1	93.3-96.9
65+	1371	94,448	13	1.3	00.5-02.1	3	0.3	00.0-00.7				1	0.1	00.0-00.3				1354	98.3	97.5-99.1
Less Than H.S.	432	37,982	25	12.5	06.4-18.6	15	7.9	03.0-12.8	6	4.7	00.6-08.8	3	1.0	00.0-02.2	2	0.6	00.0-01.8	381	73.4	65.8-81.0
H.S. or G.E.D.	1435	142,265	151	14.8	12.1-17.5	109	11.5	09.0-14.0	54	5.7	03.7-07.7	15	1.4	00.6-02.2	6	0.6	00.0-01.4	1100	66.1	62.4-69.8
Some Post-H.S.	1485	159,878	184	16.0	13.3-18.7	171	13.2	11.0-15.4	84	7.0	05.2-08.8	24	2.3	01.3-03.3	13	1.0	00.4-01.6	1009	60.5	57.0-64.0
College Graduate	1419	153,148	181	15.4	13.0-17.8	204	16.9	14.5-19.3	107	8.2	06.4-10.0	23	1.9	01.1-02.7	3	0.3	00.0-00.7	901	57.4	54.1-60.7
Less than \$15,000	396	34,436	30	13.2	07.3-19.1	15	6.9	02.2-11.6	8	5.0	00.9-09.1	3	1.3	00.0-02.9				340	73.6	66.2-81.0
\$15,000- 24,999	722	64,604	64	11.8	07.9-15.7	39	5.6	03.4-07.8	17	5.8	02.5-09.1	7	1.3	00.1-02.5	5	0.8	00.0-01.6	590	74.8	69.7-79.9
\$25,000- 34,999	614	61,968	65	11.3	07.8-14.8	54	14.0	09.5-18.5	30	6.8	04.1-09.5	7	1.6	00.4-02.8	2	0.2	00.0-00.6	456	66.2	60.7-71.7
\$35,000- 49,999	836	86,327	98	14.2	10.7-17.7	117	16.9	13.6-20.2	48	6.9	04.7-09.1	19	3.2	01.6-04.8	6	0.7	00.1-01.3	548	58.0	53.5-62.5
\$50,000- 74,999	783	88,950	129	21.1	17.4-24.8	102	13.8	11.1-16.5	55	6.7	04.7-08.7	13	2.2	01.0-03.4	4	0.6	00.0-01.2	480	55.6	51.5-59.7
\$75,000+	734	90,458	105	18.2	14.5-21.9	119	18.3	15.0-21.6	70	9.4	07.0-11.8	14	2.0	00.8-03.2	6	1.1	00.3-01.9	420	51.0	46.5-55.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 17: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1928	244,372	213	15.7	13.3-18.1	191	13.0	11.0-15.0	108	6.6	05.2-08.0	25	1.6	01.0-02.2	7	0.3	00.1-00.5	1384	62.8	59.9-65.7
Non-Native	1869	236,336	209	16.1	13.7-18.5	187	13.1	10.9-15.3	104	6.4	05.0-07.8	23	1.5	00.9-02.1	7	0.3	00.0-00.7	1339	62.6	59.7-65.5
18-24	88	41,066	20	23.2	13.6-32.8	12	13.0	05.7-20.3	3	2.3	00.0-05.4									
25-34	216	39,660	53	28.3	21.4-35.2	39	20.5	14.2-26.8	26	11.6	06.9-16.3	3	1.6	00.0-03.4	1	0.5	00.0-01.5	94	37.4	30.1-44.7
35-44	326	41,351	52	18.3	13.4-23.2	94	31.3	25.6-37.0	45	15.1	10.8-19.4	19	7.2	03.9-10.5	5	1.2	00.0-02.6	111	26.9	21.8-32.0
45-54	463	48,013	67	17.2	12.9-21.5	41	9.7	06.6-12.8	31	8.4	05.3-11.5	3	0.6	00.0-01.4	1	0.1	00.0-00.3	320	64.0	58.7-69.3
55-64	345	33,958	14	3.9	01.7-06.1	2	0.8	00.0-02.0	3	0.5	00.0-01.3							326	94.8	92.3-97.3
65+	478	39,553	6	1.3	00.1-02.5	1	0.4	00.0-01.2										471	98.3	96.9-99.7
Less Than H.S.	201	21,847	11	11.0	02.6-19.4	5	8.6	01.0-16.2	4	5.5	00.0-11.4	1	0.7	00.0-02.1	1	0.1	00.0-00.3			
H.S. or G.E.D.	589	73,085	68	15.8	11.5-20.1	52	13.2	09.1-17.3	19	4.0	02.0-06.0	6	1.2	00.2-02.2	1	0.0	00.0-00.0	443	65.8	60.3-71.3
Some Post-H.S.	546	70,789	67	18.1	13.2-23.0	60	12.6	09.1-16.1	40	7.8	05.1-10.5	9	2.0	00.6-03.4	3	0.6	00.0-01.4	367	58.9	53.2-64.6
College Graduate	587	78,232	67	15.0	11.3-18.7	74	14.5	11.2-17.8	45	8.1	05.6-10.6	9	1.8	00.6-03.0	2	0.4	00.0-01.0	390	60.1	55.2-65.0
Less than \$15,000	110	12,691				3	3.9	00.0-09.8	2	7.2	00.0-16.8	1	1.9	00.0-05.6						
\$15,000- 24,999	272	29,657	16	10.1	04.0-16.2	16	6.3	02.6-10.0	6	4.1	00.8-07.4	1	0.5	00.0-01.5	1	0.1	00.0-00.3	232	78.9	71.5-86.3
\$25,000- 34,999	247	31,359	24	9.9	05.0-14.8	17	13.5	06.4-20.6	8	5.0	01.5-08.5	4	2.2	00.0-04.4				194	69.4	61.0-77.8
\$35,000- 49,999	375	44,327	41	15.6	10.1-21.1	46	15.9	11.0-20.8	22	7.1	03.8-10.4	10	2.8	00.8-04.8	3	0.5	00.0-01.3	253	58.1	51.2-65.0
\$50,000- 74,999	375	49,767	66	23.4	17.9-28.9	36	10.6	06.9-14.3	29	7.1	04.4-09.8	4	1.4	00.0-02.8				240	57.5	51.4-63.6
\$75,000+	359	50,566	43	16.8	11.5-22.1	54	16.8	12.3-21.3	36	9.5	06.2-12.8	5	1.7	00.1-03.3	3	1.1	00.0-02.3	218	54.1	47.6-60.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 18: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2851	249,526	329	14.6	12.8-16.4	308	13.8	12.0-15.6	143	7.0	05.6-08.4	40	2.1	01.3-02.9	17	0.9	00.3-01.5	2014	61.6	59.2-64.0
Native	77	10,266				13	14.9	06.1-23.7				1	1.7	00.0-05.0	3	8.0	00.0-17.4			
Non-Native	2745	236,436	312	14.3	12.3-16.3	292	13.8	12.0-15.6	133	6.7	05.3-08.1	37	2.0	01.2-02.8	14	0.7	00.3-01.1	1957	62.5	60.0-65.0
18-24	114	36,778	29	23.1	14.7-31.5	17	13.5	06.8-20.2	9	10.7	03.6-17.8				1	1.2	00.0-03.6			
25-34	303	36,312	70	23.6	18.1-29.1	100	31.9	26.2-37.6	38	12.5	08.4-16.6	19	8.0	04.3-11.7	5	2.1	00.1-04.1	71	21.9	16.8-27.0
35-44	422	40,156	87	18.5	14.4-22.6	129	30.2	25.3-35.1	75	17.0	13.1-20.9	17	4.6	02.2-07.0	9	2.2	00.6-03.8	105	27.5	22.4-32.6
45-54	601	47,938	117	20.4	16.5-24.3	55	10.9	08.0-13.8	19	4.1	02.1-06.1	3	0.5	00.0-01.3	2	0.6	00.0-01.4	405	63.5	59.0-68.0
55-64	476	30,867	15	3.8	01.6-06.0	1	0.3	00.0-00.9	1	0.6	00.0-01.8							459	95.4	92.9-97.9
65+	893	54,895	7	1.3	00.3-02.3	2	0.3	00.0-00.7				1	0.2	00.0-00.6				883	98.3	97.1-99.5
Less Than H.S.	231	16,136	14	14.4	05.6-23.2	10	6.9	02.0-11.8	2	3.5	00.0-09.0	2	1.4	00.0-03.4	1	1.4	00.0-03.9			
H.S. or G.E.D.	846	69,180	83	13.7	10.0-17.4	57	9.6	06.5-12.7	35	7.4	04.3-10.5	9	1.6	00.2-03.0	5	1.3	00.0-02.7	657	66.4	61.5-71.3
Some Post-H.S.	939	89,089	117	14.3	11.2-17.4	111	13.7	10.8-16.6	44	6.4	04.0-08.8	15	2.5	01.1-03.9	10	1.3	00.3-02.3	642	61.8	57.5-66.1
College Graduate	832	74,916	114	15.8	12.7-18.9	130	19.4	16.1-22.7	62	8.2	06.0-10.4	14	2.0	00.8-03.2	1	0.2	00.0-00.6	511	54.5	50.4-58.6
Less than \$15,000	286	21,745	25	14.6	07.7-21.5	12	8.7	02.2-15.2	6	3.7	00.4-07.0	2	0.9	00.0-02.3				241	72.0	63.4-80.6
\$15,000- 24,999	450	34,948	48	13.2	08.3-18.1	23	5.0	02.8-07.2	11	7.2	01.9-12.5	6	1.9	00.1-03.7	4	1.3	00.0-02.9	358	71.4	64.7-78.1
\$25,000- 34,999	367	30,609	41	12.7	07.6-17.8	37	14.4	08.9-19.9	22	8.7	04.4-13.0	3	0.9	00.0-02.1	2	0.5	00.0-01.3	262	62.9	55.8-70.0
\$35,000- 49,999	461	42,000	57	12.8	08.7-16.9	71	17.9	13.6-22.2	26	6.7	04.0-09.4	9	3.7	01.2-06.2	3	0.8	00.0-01.8	295	58.0	52.3-63.7
\$50,000- 74,999	408	39,182	63	18.1	13.4-22.8	66	17.8	13.5-22.1	26	6.2	03.5-08.9	9	3.3	01.1-05.5	4	1.3	00.0-02.7	240	53.2	47.3-59.1
\$75,000+	375	39,892	62	20.0	14.9-25.1	65	20.2	15.3-25.1	34	9.3	06.0-12.6	9	2.4	00.6-04.2	3	1.1	00.0-02.3	202	47.0	40.9-53.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4772	493,388	2	0.0	00.0-00.0	229	3.1	02.5-03.7	201	4.6	03.6-05.6	1435	28.8	27.0-30.6	1486	32.4	30.6-34.2	1419	31.0	29.2-32.8
Male	1923	243,953				105	3.6	02.8-04.4	96	5.4	03.8-07.0	589	30.0	27.3-32.7	546	29.0	26.3-31.7	587	32.1	29.4-34.8
Female	2849	249,435	2	0.1	00.1-00.1	124	2.6	02.0-03.2	105	3.8	02.8-04.8	846	27.7	25.5-29.9	940	35.8	33.4-38.2	832	30.0	27.8-32.2
Native	109	15,961				5	5.0	00.0-10.1	19	18.9	09.5-28.3				30	24.5	14.7-34.3	23	16.7	08.5-24.9
Non-Native	4608	472,271	2	0.0	00.0-00.0	213	2.8	02.4-03.2	173	4.0	03.2-04.8	1387	28.6	26.8-30.4	1448	32.8	30.8-34.8	1385	31.7	29.9-33.5
18-24	202	77,844							15	7.9	03.8-12.0	71	34.3	26.9-41.7	75	38.9	31.1-46.7	41	18.9	12.6-25.2
25-34	519	75,972				2	0.7	00.0-01.9	13	3.2	01.0-05.4	115	21.4	17.3-25.5	179	33.9	29.2-38.6	210	40.8	35.9-45.7
35-44	749	81,622	1	0.1	00.0-00.3	8	1.3	00.3-02.3	17	1.8	00.8-02.8	175	21.4	18.1-24.7	262	35.3	31.4-39.2	286	40.2	36.3-44.1
45-54	1063	95,821				2	0.1	00.0-00.3	21	2.9	01.5-04.3	301	27.7	24.6-30.8	377	35.0	31.7-38.3	362	34.4	31.1-37.7
55-64	817	64,612				23	2.7	01.3-04.1	26	3.5	01.7-05.3	249	29.4	25.7-33.1	248	28.0	24.5-31.5	271	36.4	32.5-40.3
65+	1369	94,231	1	0.1	00.0-00.3	192	12.6	10.4-14.8	109	8.0	06.2-09.8	511	38.0	34.9-41.1	326	23.6	21.1-26.1	230	17.8	15.3-20.3
Less than \$15,000	394	34,219				65	10.7	07.2-14.2	48	12.8	07.7-17.9	130	32.6	25.7-39.5	103	31.3	24.0-38.6	48	12.7	07.2-18.2
\$15,000- 24,999	722	64,604	1	0.1	00.0-00.3	61	6.6	04.4-08.8	54	10.1	06.6-13.6	286	37.4	31.9-42.9	219	30.9	25.6-36.2	101	14.8	11.1-18.5
\$25,000- 34,999	614	61,968	1	0.1	00.0-00.3	30	4.0	02.0-06.0	25	3.7	01.5-05.9	215	34.5	29.2-39.8	209	35.2	29.7-40.7	134	22.6	17.5-27.7
\$35,000- 49,999	834	86,187				12	1.4	00.6-02.2	19	2.8	01.2-04.4	251	29.3	25.2-33.4	293	36.8	32.3-41.3	259	29.6	25.7-33.5
\$50,000- 74,999	783	88,950				6	0.4	00.0-00.8	12	1.4	00.0-02.8	175	22.7	19.2-26.2	270	33.5	29.6-37.4	320	42.0	37.9-46.1
\$75,000+	734	90,458				4	0.5	00.0-01.1	3	0.2	00.0-00.4	114	14.2	11.1-17.3	203	29.9	25.6-34.2	410	55.3	50.8-59.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 20: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1923	243,953	105	3.6	02.8-04.4	96	5.4	03.8-07.0	589	30.0	27.3-32.7	546	29.0	26.3-31.7	587	32.1	29.4-34.8
Non-Native	1865	235,926	97	3.2	02.4-04.0	88	5.1	03.5-06.7	569	29.6	26.9-32.3	538	29.4	26.7-32.1	573	32.7	30.0-35.4
18-24	88	41,066				9	9.9	03.2-16.6							15	17.7	08.3-27.1
25-34	216	39,660	1	1.2	00.0-03.6	5	2.5	00.0-05.4	53	24.4	17.9-30.9	75	33.1	26.2-40.0	82	38.8	31.4-46.2
35-44	326	41,351	2	0.6	00.0-01.4	8	2.0	00.4-03.6	88	22.9	17.8-28.0	111	35.0	29.1-40.9	117	39.5	33.4-45.6
45-54	462	47,883				16	4.2	01.8-06.6	153	31.4	26.5-36.3	154	30.8	25.9-35.7	139	33.6	28.5-38.7
55-64	343	33,880	14	3.2	01.0-05.4	14	4.5	01.8-07.2	99	28.2	22.7-33.7	87	23.2	18.1-28.3	129	40.8	34.7-46.9
65+	477	39,406	88	17.5	13.4-21.6	44	9.5	06.4-12.6	158	33.3	28.2-38.4	88	17.4	13.5-21.3	99	22.3	17.8-26.8
Less than \$15,000	109	12,544	24	11.3	05.6-17.0										15	14.2	04.2-24.2
\$15,000- 24,999	272	29,657	32	10.0	05.9-14.1	29	12.6	06.3-18.9	100	39.2	29.6-48.8	73	24.3	17.6-31.0	38	14.0	08.1-19.9
\$25,000- 34,999	247	31,359	12	4.6	01.1-08.1	13	5.0	01.3-08.7	97	35.2	27.2-43.2	79	34.6	26.0-43.2	46	20.6	12.4-28.8
\$35,000- 49,999	373	44,187	10	2.4	00.8-04.0	11	2.7	00.9-04.5	128	32.3	25.6-39.0	117	32.3	25.4-39.2	107	30.3	24.0-36.6
\$50,000- 74,999	375	49,767	4	0.5	00.0-01.1	10	2.4	00.0-04.8	100	27.4	22.1-32.7	120	29.1	23.8-34.4	141	40.6	34.7-46.5
\$75,000+	359	50,566	4	0.9	00.0-01.9	3	0.3	00.0-00.9	61	15.1	10.6-19.6	95	28.8	22.7-34.9	196	54.9	48.4-61.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 21: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2849	249,435	2	0.1	00.1-00.1	124	2.6	02.0-03.2	105	3.8	02.8-04.8	846	27.7	25.5-29.9	940	35.8	33.4-38.2	832	30.0	27.8-32.2
Native	77	10,266				4	6.3	00.0-13.7												
Non-Native	2743	236,346	2	0.1	00.1-00.1	116	2.3	01.7-02.9	85	2.9	01.9-03.9	818	27.7	25.5-29.9	910	36.3	33.8-38.8	812	30.7	28.5-32.9
18-24	114	36,778							6	5.7	00.8-10.6	36	28.8	19.6-38.0				26	20.2	12.0-28.4
25-34	303	36,312				1	0.2	00.0-00.6	8	4.0	01.1-06.9	62	18.0	13.1-22.9	104	34.7	28.6-40.8	128	43.1	37.0-49.2
35-44	423	40,271	1	0.1	00.0-00.3	6	1.9	00.0-03.9	9	1.5	00.1-02.9	87	19.7	15.4-24.0	151	35.6	30.3-40.9	169	41.0	35.7-46.3
45-54	601	47,938				2	0.1	00.0-00.3	5	1.5	00.1-02.9	148	24.0	19.9-28.1	223	39.2	34.7-43.7	223	35.1	30.8-39.4
55-64	474	30,732				9	2.2	00.6-03.8	12	2.4	00.8-04.0	150	30.7	25.8-35.6	161	33.3	28.4-38.2	142	31.4	26.3-36.5
65+	892	54,825	1	0.1	00.0-00.3	104	9.0	06.8-11.2	65	7.0	05.0-09.0	353	41.3	37.6-45.0	238	28.1	24.6-31.6	131	14.5	11.8-17.2
Less than \$15,000	285	21,675				41	10.3	05.8-14.8	33	9.0	05.1-12.9	101	35.0	27.2-42.8	77	34.0	25.4-42.6	33	11.8	05.5-18.1
\$15,000- 24,999	450	34,948	1	0.2	00.0-00.6	29	3.8	02.0-05.6	25	8.1	04.2-12.0	186	36.0	29.7-42.3	146	36.4	29.1-43.7	63	15.5	10.6-20.4
\$25,000- 34,999	367	30,609	1	0.2	00.0-00.6	18	3.4	01.4-05.4	12	2.3	00.7-03.9	118	33.8	26.9-40.7	130	35.8	29.1-42.5	88	24.5	18.6-30.4
\$35,000- 49,999	461	42,000				2	0.4	00.0-01.0	8	3.0	00.3-05.7	123	26.1	21.4-30.8	176	41.6	35.9-47.3	152	28.9	24.0-33.8
\$50,000- 74,999	408	39,182				2	0.3	00.0-00.7	2	0.2	00.0-00.4	75	16.7	12.6-20.8	150	39.2	33.3-45.1	179	43.7	38.0-49.4
\$75,000+	375	39,892										53	13.1	09.0-17.2	108	31.2	25.3-37.1	214	55.8	49.7-61.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 22: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4772	493,691	3005	66.9	65.1-68.7	106	3.0	02.2-03.8	348	6.6	05.8-07.4	88	5.4	04.0-06.8	1066	15.3	14.1-16.5	159	2.8	02.0-03.6
Male	1924	244,200	1374	74.3	71.6-77.0	44	3.4	02.0-04.8	7	0.5	00.1-00.9	26	4.5	02.5-06.5	411	14.4	12.8-16.0	62	2.9	01.5-04.3
Female	2848	249,491	1631	59.6	57.2-62.0	62	2.6	01.6-03.6	341	12.6	11.0-14.2	62	6.3	04.3-08.3	655	16.1	14.7-17.5	97	2.7	01.9-03.5
Native	109	15,961				9	11.6	03.2-20.0	7	7.7	01.0-14.4	8	5.8	01.5-10.1	16	6.7	02.8-10.6			
Non-Native	4608	472,574	2926	67.6	65.8-69.4	97	2.8	02.0-03.6	335	6.5	05.5-07.5	76	5.3	03.9-06.7	1027	15.4	14.2-16.6	147	2.4	02.0-02.8
18-24	202	77,844	120	54.6	46.6-62.6	13	7.6	03.3-11.9	13	5.9	02.6-09.2	54	29.5	22.2-36.8				2	2.3	00.0-05.8
25-34	519	75,972	429	82.8	79.1-86.5	13	3.5	01.3-05.7	46	9.1	06.4-11.8	24	3.7	01.9-05.5				7	1.0	00.0-02.0
35-44	749	81,622	663	88.6	86.1-91.1	27	3.2	01.8-04.6	41	5.5	03.7-07.3	3	0.3	00.0-00.7				15	2.5	00.9-04.1
45-54	1064	95,951	935	89.8	87.8-91.8	29	2.3	01.3-03.3	36	2.9	01.9-03.9	6	0.5	00.1-00.9	14	1.0	00.4-01.6	44	3.5	02.1-04.9
55-64	821	64,825	582	73.7	70.2-77.2	9	1.0	00.2-01.8	61	6.0	04.2-07.8				119	14.0	11.3-16.7	50	5.3	03.5-07.1
65+	1364	94,135	237	16.9	14.5-19.3	14	0.9	00.3-01.5	151	10.8	08.8-12.8				922	68.8	65.9-71.7	40	2.6	01.6-03.6
Less Than H.S.	427	37,813	119	32.5	25.6-39.4	10	4.6	01.1-08.1	44	8.4	04.9-11.9	6	7.1	01.4-12.8	212	39.1	32.8-45.4	36	8.4	04.7-12.1
H.S. or G.E.D.	1434	142,191	826	62.6	59.1-66.1	40	3.8	02.0-05.6	128	7.7	05.9-09.5	15	3.5	01.5-05.5	372	18.7	16.5-20.9	53	3.7	01.5-05.9
Some Post-H.S.	1486	159,993	994	67.7	64.2-71.2	37	3.6	02.0-05.2	109	7.0	05.4-08.6	41	8.5	05.6-11.4	261	11.1	09.5-12.7	44	2.3	01.5-03.1
College Graduate	1417	153,069	1063	78.6	75.9-81.3	19	1.3	00.3-02.3	65	4.8	03.4-06.2	26	3.6	01.6-05.6	219	10.5	08.9-12.1	25	1.2	00.6-01.8
Less than \$15,000	395	34,350	108	36.7	29.1-44.3	28	9.6	04.7-14.5	29	5.2	02.8-07.6	22	12.5	06.4-18.6	145	23.8	18.9-28.7	63	12.2	08.3-16.1
\$15,000- 24,999	720	64,527	323	44.9	39.4-50.4	24	4.1	01.6-06.6	53	8.9	06.0-11.8	13	6.5	02.0-11.0	264	27.6	23.5-31.7	43	8.0	03.5-12.5
\$25,000- 34,999	614	61,968	380	64.3	59.0-69.6	12	4.0	01.1-06.9	46	9.3	05.8-12.8	7	2.9	00.4-05.4	156	17.9	14.6-21.2	13	1.5	00.5-02.5
\$35,000- 49,999	836	86,327	630	77.2	73.5-80.9	10	1.6	00.2-03.0	50	5.3	03.5-07.1	8	2.7	00.5-04.9	125	11.8	09.4-14.2	13	1.4	00.6-02.2
\$50,000- 74,999	783	88,950	652	84.3	81.2-87.4	8	1.0	00.2-01.8	31	3.7	02.1-05.3	8	2.8	00.6-05.0	81	7.9	05.9-09.9	3	0.3	00.0-00.7
\$75,000+	733	90,388	617	83.5	79.6-87.4	6	0.7	00.1-01.3	41	5.1	03.3-06.9	10	5.1	01.6-08.6	58	5.4	03.8-07.0	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 23: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1924	244,200	1374	74.3	71.6-77.0	44	3.4	02.0-04.8	7	0.5	00.1-00.9	26	4.5	02.5-06.5	411	14.4	12.8-16.0	62	2.9	01.5-04.3
Non-Native	1866	236,173	1339	74.9	72.2-77.6	41	3.3	01.9-04.7	6	0.4	00.0-00.8	26	4.7	02.7-06.7	396	14.4	12.8-16.0	58	2.3	01.5-03.1
18-24	88	41,066				9	10.9	03.8-18.0										1	3.3	00.0-09.8
25-34	216	39,660	200	90.9	86.2-95.6	5	3.5	00.2-06.8	5	2.5	00.1-04.9	4	2.2	00.0-04.4				2	0.9	00.0-02.5
35-44	326	41,351	308	95.1	92.6-97.6	10	2.4	00.6-04.2										8	2.6	00.6-04.6
45-54	463	48,013	422	92.0	89.3-94.7	13	2.0	00.6-03.4	2	0.4	00.0-01.0	2	0.3	00.0-00.9	4	0.8	00.0-01.6	20	4.5	02.1-06.9
55-64	345	33,958	271	81.3	76.6-86.0	3	0.7	00.0-01.7							52	13.6	09.5-17.7	19	4.3	01.8-06.8
65+	475	39,390	107	21.5	17.2-25.8	4	0.8	00.0-01.6							352	75.9	71.4-80.4	12	1.8	00.6-03.0
Less Than H.S.	199	21,757	64	35.7	25.9-45.5	6	6.1	00.4-11.8	2	1.0	00.0-02.6	3	7.6	00.0-15.6	108	42.7	33.5-51.9	16	6.9	02.0-11.8
H.S. or G.E.D.	588	73,012	416	72.6	67.3-77.9	17	4.7	01.6-07.8	1	0.3	00.0-00.9	4	2.8	00.1-05.5	129	15.6	12.5-18.7	21	4.0	00.3-07.7
Some Post-H.S.	546	70,789	418	77.2	72.1-82.3	13	4.1	01.2-07.0	4	1.1	00.0-02.3	13	6.5	02.6-10.4	80	8.7	06.3-11.1	18	2.5	01.1-03.9
College Graduate	586	78,223	473	84.1	80.2-88.0	8	0.9	00.3-01.5				6	3.5	00.2-06.8	92	10.3	07.9-12.7	7	1.2	00.2-02.2
Less than \$15,000	109	12,605				12	11.9	03.3-20.5							40	21.1	12.7-29.5	18	10.4	03.5-17.3
\$15,000- 24,999	270	29,579	123	45.5	36.5-54.5	11	6.4	01.3-11.5	1	0.5	00.0-01.5	7	5.4	00.7-10.1	106	30.0	22.9-37.1	22	12.3	03.3-21.3
\$25,000- 34,999	247	31,359	172	75.0	67.9-82.1	5	3.6	00.0-07.7	1	1.0	00.0-03.0	1	1.7	00.0-05.0	58	16.3	11.4-21.2	10	2.3	00.7-03.9
\$35,000- 49,999	375	44,327	300	81.7	76.6-86.8	5	1.9	00.0-04.4	2	0.7	00.0-01.7	2	2.1	00.0-05.0	61	12.2	08.7-15.7	5	1.5	00.1-02.9
\$50,000- 74,999	375	49,767	319	87.0	83.1-90.9	2	0.7	00.0-01.7	2	0.7	00.0-01.7	2	1.4	00.0-03.6	48	9.7	06.8-12.6	2	0.5	00.0-01.3
\$75,000+	359	50,566	325	89.1	83.4-94.8	2	0.3	00.0-00.7				4	5.8	00.1-11.5	28	4.8	02.8-06.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 24: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2848	249,491	1631	59.6	57.2-62.0	62	2.6	01.6-03.6	341	12.6	11.0-14.2	62	6.3	04.3-08.3	655	16.1	14.7-17.5	97	2.7	01.9-03.5
Native	77	10,266							6	10.4	00.8-20.0	8	9.1	02.4-15.8	13	7.9	03.0-12.8			
Non-Native	2742	236,401	1587	60.4	57.9-62.9	56	2.3	01.5-03.1	329	12.6	11.0-14.2	50	5.9	03.9-07.9	631	16.4	14.8-18.0	89	2.4	01.8-03.0
18-24	114	36,778				4	3.9	00.0-08.0	13	12.5	05.8-19.2							1	1.2	00.0-03.6
25-34	303	36,312	229	73.9	68.2-79.6	8	3.5	00.6-06.4	41	16.2	11.3-21.1	20	5.3	02.8-07.8				5	1.1	00.0-02.3
35-44	423	40,271	355	81.9	77.6-86.2	17	4.1	01.9-06.3	41	11.1	07.6-14.6	3	0.6	00.0-01.4				7	2.4	00.2-04.6
45-54	601	47,938	513	87.6	84.9-90.3	16	2.5	01.1-03.9	34	5.4	03.4-07.4	4	0.7	00.0-01.5	10	1.2	00.4-02.0	24	2.6	01.4-03.8
55-64	476	30,867	311	65.2	60.1-70.3	6	1.4	00.2-02.6	61	12.5	09.0-16.0				67	14.5	10.8-18.2	31	6.4	03.9-08.9
65+	889	54,745	130	13.6	11.1-16.1	10	1.0	00.4-01.6	151	18.5	15.4-21.6				570	63.7	60.0-67.4	28	3.2	01.8-04.6
Less Than H.S.	228	16,056	55	28.1	19.3-36.9	4	2.4	00.0-05.3	42	18.5	11.1-25.9	3	6.4	00.0-14.0	104	34.1	26.3-41.9	20	10.4	04.9-15.9
H.S. or G.E.D.	846	69,180	410	52.1	47.6-56.6	23	2.8	01.4-04.2	127	15.4	12.1-18.7	11	4.3	01.6-07.0	243	22.0	18.9-25.1	32	3.4	01.6-05.2
Some Post-H.S.	940	89,204	576	60.1	55.6-64.6	24	3.2	01.4-05.0	105	11.6	09.1-14.1	28	10.1	05.8-14.4	181	12.9	10.7-15.1	26	2.1	01.1-03.1
College Graduate	831	74,846	590	72.8	69.1-76.5	11	1.9	00.1-03.7	65	9.7	07.2-12.2	20	3.6	01.6-05.6	127	10.8	08.6-13.0	18	1.2	00.6-01.8
Less than \$15,000	286	21,745	74	32.5	23.9-41.1	16	8.2	02.1-14.3	29	8.2	04.7-11.7	17	12.5	05.8-19.2	105	25.4	19.3-31.5	45	13.3	08.4-18.2
\$15,000- 24,999	450	34,948	200	44.4	37.5-51.3	13	2.1	00.7-03.5	52	15.9	10.8-21.0	6	7.5	00.2-14.8	158	25.6	20.7-30.5	21	4.5	02.3-06.7
\$25,000- 34,999	367	30,609	208	53.3	46.2-60.4	7	4.5	00.4-08.6	45	17.7	11.4-24.0	6	4.2	00.5-07.9	98	19.6	15.3-23.9	3	0.8	00.0-01.8
\$35,000- 49,999	461	42,000	330	72.4	67.3-77.5	5	1.4	00.0-02.8	48	10.2	06.7-13.7	6	3.4	00.1-06.7	64	11.2	08.3-14.1	8	1.3	00.3-02.3
\$50,000- 74,999	408	39,182	333	80.8	75.5-86.1	6	1.4	00.2-02.6	29	7.6	04.3-10.9	6	4.5	00.4-08.6	33	5.6	03.4-07.8	1	0.0	00.0-00.0
\$75,000+	374	39,822	292	76.4	70.9-81.9	4	1.3	00.0-02.7	41	11.6	07.7-15.5	6	4.2	00.3-08.1	30	6.2	03.8-08.6	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 25: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4085	426,742	169	3.7	02.9-04.5	227	4.4	03.6-05.2	312	6.4	05.2-07.6	410	8.8	07.6-10.0	614	14.5	12.9-16.1	2353	62.3	60.3-64.3
Male	1738	218,367	37	2.2	01.0-03.4	73	3.6	02.4-04.8	112	6.4	04.4-08.4	160	7.2	05.8-08.6	247	14.4	12.0-16.8	1109	66.2	63.1-69.3
Female	2347	208,376	132	5.2	03.8-06.6	154	5.3	04.1-06.5	200	6.4	05.2-07.6	250	10.4	08.4-12.4	367	14.7	12.7-16.7	1244	58.1	55.4-60.8
Native	99	14,405	16	12.5	05.2-19.8	14	11.2	03.9-18.5				10	13.7	04.5-22.9	9	10.9	02.1-19.7			
Non-Native	3954	408,819	150	3.3	02.5-04.1	210	4.2	03.4-05.0	292	5.9	04.9-06.9	398	8.6	07.4-09.8	597	14.5	12.9-16.1	2307	63.5	61.5-65.5
18-24	159	61,123	13	8.5	03.6-13.4	17	8.6	04.1-13.1	12	10.1	03.8-16.4	15	9.3	03.8-14.8	31	20.2	12.9-27.5	71	43.2	34.2-52.2
25-34	489	71,571	12	1.5	00.5-02.5	16	2.0	00.8-03.2	24	4.0	01.8-06.2	44	7.4	04.9-09.9	73	15.7	11.8-19.6	320	69.4	64.7-74.1
35-44	686	75,175	15	2.4	00.8-04.0	20	3.0	01.6-04.4	28	4.0	02.2-05.8	45	6.0	04.0-08.0	96	10.5	08.1-12.9	482	74.0	70.3-77.7
45-54	969	87,953	28	2.2	01.2-03.2	18	1.0	00.4-01.6	39	3.3	02.1-04.5	64	5.5	03.9-07.1	115	10.2	08.0-12.4	705	77.8	74.9-80.7
55-64	700	55,878	27	2.6	01.4-03.8	27	2.9	01.5-04.3	42	4.0	02.6-05.4	59	7.3	04.9-09.7	97	12.5	09.8-15.2	448	70.6	66.7-74.5
65+	1059	73,581	74	5.5	03.9-07.1	127	9.9	07.9-11.9	165	13.6	11.2-16.0	179	17.1	14.4-19.8	199	19.3	16.6-22.0	315	34.5	31.0-38.0
Less Than H.S.	341	29,687	50	10.5	06.6-14.4	63	16.6	10.7-22.5	69	20.1	13.8-26.4	47	16.6	10.9-22.3	56	16.2	10.5-21.9	56	20.0	13.7-26.3
H.S. or G.E.D.	1171	114,929	56	4.8	03.0-06.6	74	4.9	03.5-06.3	123	9.9	06.8-13.0	163	11.1	08.9-13.3	215	18.6	15.5-21.7	540	50.7	46.8-54.6
Some Post-H.S.	1297	141,038	41	3.0	01.6-04.4	62	4.5	02.9-06.1	81	4.4	03.0-05.8	138	9.7	07.3-12.1	209	15.5	12.8-18.2	766	62.8	59.1-66.5
College Graduate	1272	140,732	22	1.9	00.5-03.3	26	1.2	00.6-01.8	39	2.6	01.4-03.8	62	4.2	02.8-05.6	134	9.9	07.5-12.3	989	80.2	77.1-83.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 26: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1738	218,367	37	2.2	01.0-03.4	73	3.6	02.4-04.8	112	6.4	04.4-08.4	160	7.2	05.8-08.6	247	14.4	12.0-16.8	1109	66.2	63.1-69.3
Non-Native	1691	211,084	34	2.2	01.0-03.4	67	3.3	02.1-04.5	102	5.5	03.9-07.1	152	6.9	05.5-08.3	240	14.4	12.0-16.8	1096	67.7	64.8-70.6
18-24	68	32,047	5	7.0	00.5-13.5	7	8.3	02.0-14.6				4	4.0	00.0-08.3						
25-34	205	37,333				5	1.8	00.0-03.8	8	4.0	00.7-07.3	15	5.9	02.6-09.2	32	17.3	11.0-23.6	145	71.0	63.7-78.3
35-44	311	39,386	5	1.7	00.0-03.5	9	2.6	00.6-04.6	14	4.0	01.6-06.4	23	6.8	03.7-09.9	38	9.9	06.4-13.4	222	74.9	69.6-80.2
45-54	436	45,346	10	1.8	00.4-03.2	7	0.8	00.2-01.4	17	2.8	01.0-04.6	29	5.4	03.0-07.8	61	11.6	08.3-14.9	312	77.6	73.3-81.9
55-64	318	31,123	4	0.9	00.0-01.9	12	3.3	01.1-05.5	16	2.7	01.1-04.3	20	5.6	02.3-08.9	36	10.8	06.9-14.7	230	76.7	71.4-82.0
65+	396	32,916	13	2.5	00.9-04.1	33	6.4	03.9-08.9	51	13.5	09.4-17.6	67	15.9	11.6-20.2	67	17.8	13.3-22.3	165	43.9	38.0-49.8
Less Than H.S.	167	17,893	11	3.6	01.2-06.0	28	18.0	09.2-26.8	29	18.1	09.1-27.1	32	19.2	11.8-26.6	25	16.8	08.4-25.2	42	24.2	15.6-32.8
H.S. or G.E.D.	515	61,711	11	2.6	00.4-04.8	18	3.2	01.2-05.2	44	10.5	05.2-15.8	56	8.3	05.6-11.0	97	17.9	13.6-22.2	289	57.5	51.4-63.6
Some Post-H.S.	510	64,719	11	2.5	00.1-04.9	15	2.7	00.7-04.7	26	3.8	02.0-05.6	47	7.4	04.9-09.9	79	16.8	12.1-21.5	332	67.0	61.3-72.7
College Graduate	543	73,758	4	1.3	00.0-02.9	11	1.1	00.1-02.1	13	2.4	00.6-04.2	25	3.3	01.5-05.1	46	8.8	04.9-12.7	444	83.2	78.7-87.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 27: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2347	208,376	132	5.2	03.8-06.6	154	5.3	04.1-06.5	200	6.4	05.2-07.6	250	10.4	08.4-12.4	367	14.7	12.7-16.7	1244	58.1	55.4-60.8
Native	70	9,113				10	9.1	03.0-15.2	9	7.8	01.5-14.1									
Non-Native	2263	197,734	116	4.5	03.3-05.7	143	5.1	03.9-06.3	190	6.3	05.1-07.5	246	10.4	08.4-12.4	357	14.5	12.5-16.5	1211	59.1	56.4-61.8
18-24	91	29,076	8	10.2	03.1-17.3	10	9.0	02.7-15.3	6	6.4	00.7-12.1	11	15.2	05.2-25.2	19	20.2	11.2-29.2			
25-34	284	34,238	12	3.2	01.4-05.0	11	2.2	00.6-03.8	16	4.0	01.6-06.4	29	9.2	05.5-12.9	41	13.9	09.4-18.4	175	67.6	61.5-73.7
35-44	375	35,789	10	3.2	00.7-05.7	11	3.3	01.3-05.3	14	4.1	01.7-06.5	22	5.2	02.7-07.7	58	11.2	07.9-14.5	260	73.1	68.0-78.2
45-54	533	42,607	18	2.7	01.1-04.3	11	1.2	00.4-02.0	22	3.8	02.0-05.6	35	5.6	03.4-07.8	54	8.8	06.1-11.5	393	78.0	74.1-81.9
55-64	382	24,756	23	4.8	02.6-07.0	15	2.5	01.1-03.9	26	5.7	03.2-08.2	39	9.6	06.1-13.1	61	14.7	10.8-18.6	218	62.9	57.4-68.4
65+	663	40,666	61	8.0	05.6-10.4	94	12.7	09.8-15.6	114	13.7	10.8-16.6	112	18.0	14.5-21.5	132	20.5	17.0-24.0	150	27.0	22.9-31.1
Less Than H.S.	174	11,794	39	21.1	12.9-29.3	35	14.4	08.3-20.5	40	23.1	14.9-31.3	15	12.7	03.7-21.7	31	15.2	08.7-21.7	14	13.5	04.5-22.5
H.S. or G.E.D.	656	53,218	45	7.4	04.5-10.3	56	6.9	04.7-09.1	79	9.2	06.5-11.9	107	14.5	11.4-17.6	118	19.4	15.1-23.7	251	42.7	37.8-47.6
Some Post-H.S.	787	76,319	30	3.5	01.7-05.3	47	6.2	03.7-08.7	55	5.0	03.0-07.0	91	11.7	08.0-15.4	130	14.4	11.3-17.5	434	59.3	54.6-64.0
College Graduate	729	66,974	18	2.6	00.4-04.8	15	1.3	00.5-02.1	26	2.8	01.4-04.2	37	5.3	02.9-07.7	88	11.2	08.3-14.1	545	76.9	73.0-80.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 28: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs - 300 lbs			301 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4531	472,271	30	0.6	00.4-00.8	1446	29.4	27.6-31.2	2089	46.7	44.7-48.7	748	18.1	16.5-19.7	186	4.6	03.6-05.6	32	0.7	00.5-00.9
Male	1907	241,989	1	0.1	00.0-00.3	125	7.8	05.8-09.8	1035	54.5	51.6-57.4	566	28.8	26.1-31.5	155	7.8	06.2-09.4	25	1.1	00.5-01.7
Female	2624	230,282	29	1.2	00.6-01.8	1321	52.1	49.6-54.6	1054	38.4	35.9-40.9	182	6.8	05.6-08.0	31	1.2	00.6-01.8	7	0.2	00.0-00.4
Native	105	15,291																1	0.5	00.0-01.5
Non-Native	4378	452,436	28	0.6	00.4-00.8	1406	29.6	27.8-31.4	2022	47.0	45.0-49.0	713	17.8	16.2-19.4	178	4.3	03.5-05.1	31	0.7	00.3-01.1
18-24	195	75,197	2	0.8	00.0-02.0	87	38.7	31.1-46.3	80	44.6	36.6-52.6	20	13.0	07.1-18.9	6	3.0	00.0-06.7			
25-34	499	73,576	1	0.1	00.0-00.3	152	26.8	22.5-31.1	215	43.7	38.6-48.8	98	22.2	17.7-26.7	30	6.3	03.9-08.7	3	0.8	00.0-01.8
35-44	702	76,792	4	0.4	00.0-00.8	197	24.9	21.4-28.4	318	46.9	42.8-51.0	131	19.9	16.4-23.4	44	6.6	04.4-08.8	8	1.3	00.3-02.3
45-54	1009	91,960	2	0.3	00.0-00.7	285	26.1	23.0-29.2	469	47.1	43.6-50.6	203	21.3	18.4-24.2	40	4.4	02.8-06.0	10	0.8	00.2-01.4
55-64	773	61,672	4	0.5	00.0-01.1	192	21.0	17.9-24.1	382	50.1	46.0-54.2	150	22.4	18.7-26.1	38	5.1	03.3-06.9	7	0.8	00.0-01.6
65+	1324	91,381	17	1.5	00.7-02.3	520	36.4	33.5-39.3	613	47.9	44.8-51.0	142	11.1	08.9-13.3	28	2.7	01.5-03.9	4	0.4	00.0-00.8
Less Than H.S.	415	36,734	5	1.2	00.0-02.4	132	29.1	22.8-35.4	201	46.5	39.4-53.6	59	19.0	12.9-25.1	17	3.8	01.6-06.0	1	0.3	00.0-00.9
H.S. or G.E.D.	1353	135,158	13	0.9	00.3-01.5	427	30.2	26.7-33.7	621	45.6	41.9-49.3	229	17.6	14.9-20.3	54	5.1	02.7-07.5	9	0.6	00.2-01.0
Some Post-H.S.	1406	152,551	5	0.3	00.1-00.5	453	29.6	26.3-32.9	635	46.2	42.7-49.7	239	18.0	15.3-20.7	65	5.3	03.9-06.7	9	0.7	00.1-01.3
College Graduate	1351	147,357	7	0.6	00.0-01.2	434	28.6	25.7-31.5	627	48.1	44.8-51.4	221	18.4	15.7-21.1	49	3.6	02.4-04.8	13	0.8	00.2-01.4
Less than \$15,000	379	32,443	7	1.8	00.2-03.4	142	38.8	31.4-46.2	158	42.5	34.9-50.1	52	12.1	07.8-16.4	17	4.4	01.9-06.9	3	0.3	00.0-00.7
\$15,000- 24,999	705	63,216	4	0.5	00.0-01.1	241	29.9	25.2-34.6	327	48.0	42.3-53.7	100	14.6	10.9-18.3	25	5.7	01.4-10.0	8	1.2	00.0-02.4
\$25,000- 34,999	590	59,968	3	1.1	00.0-02.7	173	26.8	21.9-31.7	264	42.9	37.0-48.8	117	22.9	17.6-28.2	28	5.4	02.9-07.9	5	0.9	00.0-01.9
\$35,000- 49,999	806	83,951	3	0.3	00.0-00.7	233	28.0	23.7-32.3	393	47.8	43.3-52.3	131	17.9	14.2-21.6	43	5.5	03.7-07.3	3	0.3	00.0-00.7
\$50,000- 74,999	755	86,151	2	0.2	00.0-00.6	209	25.9	22.2-29.6	351	46.5	42.2-50.8	155	22.2	18.7-25.7	32	4.2	02.4-06.0	6	1.0	00.2-01.8
\$75,000+	709	87,577				202	26.5	22.6-30.4	340	48.1	43.6-52.6	137	20.7	16.6-24.8	25	4.2	02.4-06.0	5	0.5	00.1-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 29: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs - 300 lbs			301 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1907	241,989	1	0.1	00.0-00.3	125	7.8	05.8-09.8	1035	54.5	51.6-57.4	566	28.8	26.1-31.5	155	7.8	06.2-09.4	25	1.1	00.5-01.7
Non-Native	1850	233,973	1	0.1	00.0-00.3	124	8.0	06.0-10.0	1003	55.0	52.1-57.9	549	28.7	26.0-31.4	149	7.2	05.8-08.6	24	1.1	00.5-01.7
18-24	87	40,518				14	18.3	09.1-27.5				5	4.4	00.0-10.9						
25-34	214	39,488				13	6.7	03.0-10.4	105	50.5	42.9-58.1	71	31.5	24.4-38.6	23	10.0	05.9-14.1	2	1.4	00.0-03.4
35-44	319	40,748				14	3.7	01.5-05.9	167	53.5	47.4-59.6	95	30.2	24.5-35.9	37	10.9	07.2-14.6	6	1.8	00.2-03.4
45-54	461	47,753				23	4.6	02.4-06.8	241	52.7	47.4-58.0	154	33.4	28.3-38.5	34	7.8	04.9-10.7	9	1.4	00.2-02.6
55-64	342	33,648	1	0.4	00.0-01.2	13	3.3	01.1-05.5	173	51.8	45.7-57.9	117	34.7	28.8-40.6	33	8.5	05.4-11.6	5	1.3	00.0-02.7
65+	475	39,202				48	10.1	07.0-13.2	292	63.0	57.9-68.1	109	20.7	16.4-25.0	23	5.5	03.0-08.0	3	0.7	00.0-01.5
Less Than H.S.	198	21,632				25	14.4	07.1-21.7	110	51.6	41.6-61.6	46	27.1	17.9-36.3	16	6.4	02.7-10.1	1	0.5	00.0-01.5
H.S. or G.E.D.	583	72,517	1	0.2	00.0-00.6	40	9.8	05.9-13.7	306	53.0	47.3-58.7	183	27.7	23.0-32.4	45	8.3	04.2-12.4	8	1.0	00.2-01.8
Some Post-H.S.	541	69,738				33	6.9	03.0-10.8	278	51.2	45.5-56.9	173	31.1	25.8-36.4	48	9.2	06.5-11.9	9	1.6	00.2-03.0
College Graduate	581	77,747				27	4.9	02.5-07.3	338	59.6	54.5-64.7	164	28.3	23.6-33.0	45	6.4	04.2-08.6	7	0.9	00.1-01.7
Less than \$15,000	108	12,553										22	16.7	07.7-25.7	11	8.0	02.3-13.7	1	0.1	00.0-00.3
\$15,000- 24,999	270	29,488	1	0.5	00.0-01.5	28	9.2	04.3-14.1	144	54.8	45.6-64.0	70	22.2	15.5-28.9	19	10.6	01.8-19.4	8	2.7	00.2-05.2
\$25,000- 34,999	244	31,303				15	6.1	02.0-10.2	114	47.8	38.8-56.8	91	37.1	28.3-45.9	19	7.2	03.5-10.9	5	1.8	00.0-03.6
\$35,000- 49,999	373	44,029				21	9.8	03.7-15.9	217	54.6	47.5-61.7	97	26.3	20.2-32.4	36	9.0	05.7-12.3	2	0.3	00.0-00.7
\$50,000- 74,999	375	49,767				17	5.4	02.1-08.7	194	52.0	46.1-57.9	129	34.1	28.4-39.8	31	7.2	04.3-10.1	4	1.3	00.0-02.7
\$75,000+	355	49,730				17	5.2	02.1-08.3	193	54.5	48.0-61.0	116	32.0	25.7-38.3	25	7.5	04.4-10.6	4	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 30: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs - 300 lbs			301 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2624	230,282	29	1.2	00.6-01.8	1321	52.1	49.6-54.6	1054	38.4	35.9-40.9	182	6.8	05.6-08.0	31	1.2	00.6-01.8	7	0.2	00.0-00.4
Native	73	9,596										2	2.0	00.0-05.1						
Non-Native	2528	218,463	27	1.2	00.6-01.8	1282	52.8	50.3-55.3	1019	38.5	36.0-41.0	164	6.0	04.8-07.2	29	1.2	00.6-01.8	7	0.2	00.0-00.4
18-24	108	34,679	2	1.8	00.0-04.5							3	3.1	00.0-06.8	1	1.3	00.0-03.8			
25-34	285	34,089	1	0.3	00.0-00.9	139	50.0	43.5-56.5	110	36.0	29.9-42.1	27	11.3	06.8-15.8	7	2.1	00.3-03.9	1	0.2	00.0-00.6
35-44	383	36,044	4	0.8	00.0-01.8	183	48.8	43.1-54.5	151	39.5	34.0-45.0	36	8.3	05.2-11.4	7	1.8	00.2-03.4	2	0.8	00.0-02.0
45-54	548	44,207	2	0.5	00.0-01.3	262	49.3	44.4-54.2	228	41.1	36.4-45.8	49	8.2	05.7-10.7	6	0.8	00.2-01.4	1	0.0	00.0-00.0
55-64	431	28,024	3	0.6	00.0-01.4	179	42.3	36.8-47.8	209	48.2	42.5-53.9	33	7.6	04.7-10.5	5	1.0	00.0-02.0	2	0.2	00.0-00.6
65+	849	52,179	17	2.7	01.3-04.1	472	56.2	52.3-60.1	321	36.5	32.8-40.2	33	3.9	02.3-05.5	5	0.6	00.0-01.2	1	0.1	00.0-00.3
Less Than H.S.	217	15,103	5	3.0	00.3-05.7	107	50.3	40.7-59.9	91	39.2	29.6-48.8	13	7.4	02.5-12.3	1	0.1	00.0-00.3			
H.S. or G.E.D.	770	62,641	12	1.7	00.5-02.9	387	53.9	49.2-58.6	315	37.1	32.6-41.6	46	5.8	03.8-07.8	9	1.4	00.4-02.4	1	0.1	00.0-00.3
Some Post-H.S.	865	82,813	5	0.5	00.1-00.9	420	48.6	44.1-53.1	357	41.9	37.4-46.4	66	7.0	04.8-09.2	17	1.9	00.5-03.3			
College Graduate	770	69,610	7	1.3	00.0-02.7	407	55.1	50.8-59.4	289	35.2	31.1-39.3	57	7.4	05.0-09.8	4	0.4	00.0-00.8	6	0.6	00.0-01.2
Less than \$15,000	271	19,889	7	3.0	00.6-05.4	127	52.2	43.6-60.8	99	33.0	25.0-41.0	30	9.3	05.4-13.2	6	2.2	00.2-04.2	2	0.3	00.0-00.7
\$15,000- 24,999	435	33,728	3	0.6	00.0-01.4	213	47.9	40.8-55.0	183	42.1	34.7-49.5	30	7.9	04.2-11.6	6	1.4	00.2-02.6			
\$25,000- 34,999	346	28,666	3	2.3	00.0-05.4	158	49.5	42.2-56.8	150	37.5	30.6-44.4	26	7.3	03.4-11.2	9	3.4	00.1-06.7			
\$35,000- 49,999	433	39,922	3	0.6	00.0-01.4	212	48.1	42.2-54.0	176	40.4	34.7-46.1	34	8.7	05.2-12.2	7	1.8	00.4-03.2	1	0.4	00.0-01.2
\$50,000- 74,999	380	36,383	2	0.6	00.0-01.4	192	53.9	48.0-59.8	157	38.9	33.2-44.6	26	6.0	03.5-08.5	1	0.1	00.0-00.3	2	0.5	00.0-01.3
\$75,000+	354	37,847				185	54.3	48.0-60.6	147	39.8	33.7-45.9	21	5.8	03.1-08.5				1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in to 7-ft 0-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4732	490,767	201	3.3	02.7-03.9	2219	38.9	37.1-40.7	1949	47.3	45.3-49.3	355	10.4	09.0-11.8	8	0.2	00.0-00.4
Male	1914	243,012	1	0.0	00.0-00.0	164	7.2	05.8-08.6	1391	72.0	69.3-74.7	350	20.5	18.0-23.0	8	0.4	00.0-00.8
Female	2818	247,755	200	6.4	05.2-07.6	2055	69.9	67.5-72.3	558	23.1	20.7-25.5	5	0.5	00.0-01.1			
Native	109	15,961	7	7.2	00.5-13.9							4	3.8	00.0-07.7			
Non-Native	4570	469,745	188	3.1	02.5-03.7	2136	38.4	36.6-40.2	1889	47.6	45.6-49.6	349	10.7	09.3-12.1	8	0.2	00.0-00.4
18-24	201	77,478	6	2.1	00.1-04.1	73	29.6	22.7-36.5	94	53.3	45.5-61.1	27	14.8	09.1-20.5	1	0.2	00.0-00.6
25-34	518	75,961	4	0.5	00.0-01.1	204	32.9	28.6-37.2	265	57.2	52.3-62.1	43	8.9	06.0-11.8	2	0.6	00.0-01.4
35-44	743	81,191	14	2.0	00.8-03.2	308	36.3	32.4-40.2	344	48.3	44.2-52.4	76	13.5	10.4-16.6	1	0.0	00.0-00.0
45-54	1058	95,584	29	2.4	01.4-03.4	475	40.7	37.4-44.0	460	45.9	42.4-49.4	92	11.0	08.6-13.4	2	0.0	00.0-00.0
55-64	818	64,553	35	3.7	02.3-05.1	393	40.5	36.6-44.4	317	44.1	40.0-48.2	72	11.5	08.6-14.4	1	0.2	00.0-00.6
65+	1349	93,177	112	8.3	06.5-10.1	734	49.8	46.7-52.9	459	37.9	34.8-41.0	43	3.9	02.5-05.3	1	0.1	00.0-00.3
Less Than H.S.	424	37,654	45	7.7	05.0-10.4	188	36.2	29.7-42.7	177	50.8	43.7-57.9	14	5.3	01.4-09.2			
H.S. or G.E.D.	1418	141,101	69	4.5	03.1-05.9	712	40.2	36.9-43.5	538	44.1	40.4-47.8	96	11.0	08.3-13.7	3	0.1	00.0-00.3
Some Post-H.S.	1477	159,300	54	3.2	02.2-04.2	713	41.2	37.9-44.5	598	45.9	42.4-49.4	110	9.4	07.2-11.6	2	0.3	00.0-00.7
College Graduate	1407	152,242	32	1.0	00.6-01.4	605	35.9	33.0-38.8	634	50.9	47.6-54.2	133	12.1	09.7-14.5	3	0.1	00.0-00.3
Less than \$15,000	393	34,278	36	7.0	04.1-09.9	221	48.1	40.7-55.5	118	33.5	26.2-40.8	16	10.4	04.1-16.7	2	0.9	00.0-02.3
\$15,000- 24,999	714	63,908	46	4.4	02.8-06.0	372	43.8	38.3-49.3	255	43.9	38.0-49.8	39	7.3	04.0-10.6	2	0.5	00.0-01.5
\$25,000- 34,999	608	61,687	25	4.2	02.0-06.4	285	38.3	33.0-43.6	254	48.4	42.7-54.1	44	9.1	05.6-12.6			
\$35,000- 49,999	833	86,047	26	2.3	01.3-03.3	350	35.2	31.1-39.3	400	53.9	49.4-58.4	56	8.7	05.8-11.6	1	0.0	00.0-00.0
\$50,000- 74,999	783	88,950	11	1.3	00.3-02.3	311	33.3	29.6-37.0	381	53.0	48.9-57.1	78	12.1	09.4-14.8	2	0.2	00.0-00.4
\$75,000+	732	90,196	9	1.0	00.2-01.8	293	35.4	31.3-39.5	344	50.6	46.1-55.1	86	12.9	10.0-15.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 32: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in to 7-ft 0-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1914	243,012	1	0.0	00.0-00.0	164	7.2	05.8-08.6	1391	72.0	69.3-74.7	350	20.5	18.0-23.0	8	0.4	00.0-00.8
Non-Native	1857	234,990	1	0.0	00.0-00.0	159	7.3	05.9-08.7	1345	71.4	68.7-74.1	344	20.9	18.4-23.4	8	0.4	00.0-00.8
18-24	87	40,700				4	4.9	00.2-09.6				25	26.0	16.0-36.0	1	0.4	00.0-01.4
25-34	215	39,649				5	2.0	00.2-03.8	166	80.2	74.3-86.1	42	16.7	11.2-22.2	2	1.1	00.0-02.9
35-44	324	41,182				13	3.2	01.2-05.2	234	70.2	64.5-75.9	76	26.6	21.1-32.1	1	0.0	00.0-00.0
45-54	461	47,818				34	7.2	04.5-09.9	334	71.1	66.2-76.0	91	21.7	17.2-26.2	2	0.1	00.1-00.1
55-64	344	33,821				39	11.6	07.7-15.5	232	66.0	60.1-71.9	72	22.0	16.9-27.1	1	0.4	00.0-01.2
65+	473	39,144	1	0.0	00.0-00.0	67	15.3	11.4-19.2	362	75.3	70.6-80.0	42	9.2	06.1-12.3	1	0.2	00.0-00.6
Less Than H.S.	198	21,699	1	0.0	00.0-00.0	32	11.9	07.0-16.8	151	79.0	71.2-86.8	14	9.1	02.4-15.8			
H.S. or G.E.D.	583	72,391				58	8.8	06.1-11.5	428	70.4	65.1-75.7	94	20.6	15.7-25.5	3	0.3	00.0-00.7
Some Post-H.S.	545	70,642				41	7.5	04.6-10.4	395	71.6	66.5-76.7	107	20.3	15.8-24.8	2	0.7	00.0-01.7
College Graduate	584	77,925				33	4.2	02.4-06.0	415	71.9	67.4-76.4	133	23.7	19.4-28.0	3	0.2	00.0-00.6
Less than \$15,000	108	12,548				18	13.4	05.4-21.4							2	2.5	00.0-06.0
\$15,000- 24,999	269	29,355				45	12.7	08.2-17.2	183	70.2	62.2-78.2	39	15.9	09.0-22.8	2	1.1	00.0-03.3
\$25,000- 34,999	245	31,237				15	5.6	01.7-09.5	188	77.1	69.7-84.5	42	17.3	10.6-24.0			
\$35,000- 49,999	374	44,190				24	4.1	02.1-06.1	293	79.0	73.3-84.7	56	16.9	11.4-22.4	1	0.0	00.0-00.0
\$50,000- 74,999	375	49,767				18	4.2	02.0-06.4	277	73.8	68.7-78.9	78	21.7	17.0-26.4	2	0.4	00.0-01.0
\$75,000+	358	50,420				19	6.5	03.2-09.8	253	70.3	64.6-76.0	86	23.2	18.1-28.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 33: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2818	247,755	200	6.4	05.2-07.6	2055	69.9	67.5-72.3	558	23.1	20.7-25.5	5	0.5	00.0-01.1
Native	77	10,266	7	11.2	01.2-21.2				11	12.3	04.5-20.1			
Non-Native	2713	234,755	187	6.2	05.2-07.2	1977	69.6	67.2-72.0	544	23.7	21.3-26.1	5	0.5	00.0-01.1
18-24	114	36,778	6	4.4	00.5-08.3							2	2.5	00.0-05.8
25-34	303	36,312	4	1.0	00.0-02.2	199	66.6	60.7-72.5	99	32.0	26.1-37.9	1	0.4	00.0-01.2
35-44	419	40,009	14	4.0	01.6-06.4	295	70.3	65.4-75.2	110	25.7	21.0-30.4			
45-54	597	47,767	29	4.7	02.7-06.7	441	74.3	70.4-78.2	126	20.7	17.0-24.4	1	0.3	00.0-00.9
55-64	474	30,732	35	7.8	04.9-10.7	354	72.3	67.6-77.0	85	19.9	15.6-24.2			
65+	876	54,033	111	14.3	11.6-17.0	667	74.8	71.3-78.3	97	10.9	08.5-13.3	1	0.1	00.0-00.3
Less Than H.S.	226	15,955	44	18.2	12.1-24.3	156	69.4	61.0-77.8	26	12.4	05.7-19.1			
H.S. or G.E.D.	835	68,710	69	9.3	06.6-12.0	654	73.4	68.9-77.9	110	16.5	12.6-20.4	2	0.9	00.0-02.3
Some Post-H.S.	932	88,658	54	5.7	03.9-07.5	672	68.1	63.8-72.4	203	25.4	21.3-29.5	3	0.8	00.0-01.8
College Graduate	823	74,317	32	2.1	01.1-03.1	572	69.0	64.9-73.1	219	28.9	24.8-33.0			
Less than \$15,000	285	21,730	36	11.1	06.6-15.6	203	68.1	59.7-76.5	45	18.7	11.3-26.1	1	2.1	00.0-06.2
\$15,000- 24,999	445	34,553	46	8.2	05.3-11.1	327	70.2	62.8-77.6	72	21.6	14.0-29.2			
\$25,000- 34,999	363	30,451	25	8.6	04.5-12.7	270	71.7	65.2-78.2	66	19.0	13.1-24.9	2	0.7	00.0-01.7
\$35,000- 49,999	459	41,858	26	4.6	02.6-06.6	326	68.0	62.5-73.5	107	27.4	21.9-32.9			
\$50,000- 74,999	408	39,182	11	3.0	01.0-05.0	293	70.4	65.1-75.7	104	26.7	21.6-31.8			
\$75,000+	374	39,776	9	2.4	00.4-04.4	274	71.9	66.6-77.2	91	25.7	20.6-30.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 34: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4780	494,013	4718	98.7	98.3-99.1	23	0.6	00.2-01.0	39	0.7	00.5-00.9
Male	1928	244,372	1908	99.0	98.4-99.6	7	0.4	00.0-00.8	13	0.6	00.2-01.0
Female	2852	249,641	2810	98.4	97.8-99.0	16	0.8	00.2-01.4	26	0.7	00.3-01.1
Native	109	15,961	108	99.2	97.6-0100	1	0.8	00.0-02.4			
Non-Native	4615	472,887	4556	98.7	98.3-99.1	20	0.6	00.2-01.0	39	0.7	00.5-00.9
18-24	202	77,844	197	98.7	97.3-0100	3	1.1	00.0-02.5	2	0.1	00.0-00.3
25-34	519	75,972	512	98.8	97.8-99.8	4	0.6	00.0-01.4	3	0.6	00.0-01.4
35-44	749	81,622	738	98.6	97.6-99.6	4	0.6	00.0-01.2	7	0.7	00.1-01.3
45-54	1064	95,951	1056	99.2	98.4-0100	2	0.3	00.0-00.7	6	0.5	00.0-01.1
55-64	821	64,825	819	99.9	99.7-0100				2	0.1	00.0-00.3
65+	1371	94,448	1347	97.8	96.8-98.8	9	0.8	00.2-01.4	15	1.3	00.5-02.1
Less Than H.S.	432	37,982	425	98.1	96.5-99.7	2	0.6	00.0-01.6	5	1.2	00.0-02.4
H.S. or G.E.D.	1435	142,265	1413	98.8	98.2-99.4	10	0.6	00.0-01.2	12	0.5	00.1-00.9
Some Post-H.S.	1486	159,993	1467	98.6	97.8-99.4	4	0.5	00.1-00.9	15	1.0	00.4-01.6
College Graduate	1419	153,148	1407	99.0	98.2-99.8	7	0.7	00.0-01.5	5	0.3	00.1-00.5
Less than \$15,000	396	34,436	387	97.9	96.3-99.5	4	1.1	00.0-02.3	5	1.0	00.0-02.0
\$15,000- 24,999	722	64,604	713	98.7	97.7-99.7	5	0.6	00.0-01.2	4	0.7	00.0-01.5
\$25,000- 34,999	614	61,968	606	97.8	95.8-99.8	5	1.8	00.0-03.6	3	0.4	00.0-01.0
\$35,000- 49,999	836	86,327	833	99.9	99.7-0100				3	0.1	00.0-00.3
\$50,000- 74,999	783	88,950	780	99.4	98.8-0100	1	0.2	00.0-00.6	2	0.4	00.0-01.0
\$75,000+	734	90,458	731	99.6	99.2-0100	1	0.2	00.0-00.6	2	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 35: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1928	244,372	1908	99.0	98.4-99.6	7	0.4	00.0-00.8	13	0.6	00.2-01.0
Non-Native	1869	236,336	1850	99.0	98.4-99.6	6	0.3	00.0-00.7	13	0.6	00.2-01.0
18-24	88	41,066	86	99.3	97.9-0100	1	0.7	00.0-02.1	1	0.1	00.0-00.3
25-34	216	39,660	213	98.4	96.6-0100	1	0.5	00.0-01.5	2	1.1	00.0-02.7
35-44	326	41,351	323	99.4	98.6-0100	2	0.6	00.0-01.4	1	0.0	00.0-00.0
45-54	463	48,013	459	99.2	98.2-0100	1	0.0	00.0-00.0	3	0.8	00.0-01.8
55-64	345	33,958	345	100.0	0100-0100						
65+	478	39,553	472	98.4	97.0-99.8	1	0.1	00.0-00.3	5	1.5	00.1-02.9
Less Than H.S.	201	21,847	197	98.0	95.8-0100				4	2.0	00.0-04.2
H.S. or G.E.D.	589	73,085	585	99.4	98.6-0100	3	0.6	00.0-01.4	1	0.1	00.0-00.3
Some Post-H.S.	546	70,789	539	98.5	97.3-99.7	1	0.3	00.0-00.9	6	1.2	00.2-02.2
College Graduate	587	78,232	583	99.5	98.9-0100	3	0.4	00.0-01.0	1	0.2	00.0-00.6
Less than \$15,000	110	12,691	109	99.3	97.9-0100				1	0.7	00.0-02.1
\$15,000- 24,999	272	29,657	268	98.6	97.0-0100	2	0.3	00.0-00.9	2	1.1	00.0-02.7
\$25,000- 34,999	247	31,359	244	98.7	97.1-0100	2	0.9	00.0-02.3	1	0.4	00.0-01.2
\$35,000- 49,999	375	44,327	374	100.0	0100-0100				1	0.0	00.0-00.0
\$50,000- 74,999	375	49,767	372	99.0	97.8-0100	1	0.3	00.0-00.9	2	0.7	00.0-01.7
\$75,000+	359	50,566	359	100.0	0100-0100						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 36: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2852	249,641	2810	98.4	97.8-99.0	16	0.8	00.2-01.4	26	0.7	00.3-01.1
Native	77	10,266	77	100.0	0100-0100						
Non-Native	2746	236,551	2706	98.4	97.8-99.0	14	0.8	00.2-01.4	26	0.8	00.4-01.2
18-24	114	36,778	111	98.1	95.6-0100	2	1.7	00.0-04.2	1	0.2	00.0-00.6
25-34	303	36,312	299	99.2	98.2-0100	3	0.7	00.0-01.7	1	0.1	00.0-00.3
35-44	423	40,271	415	97.8	96.2-99.4	2	0.7	00.0-01.7	6	1.5	00.3-02.7
45-54	601	47,938	597	99.2	98.2-0100	1	0.5	00.0-01.5	3	0.3	00.0-00.7
55-64	476	30,867	474	99.8	99.6-0100				2	0.2	00.0-00.4
65+	893	54,895	875	97.4	96.0-98.8	8	1.3	00.3-02.3	10	1.3	00.5-02.1
Less Than H.S.	231	16,136	228	98.3	96.1-0100	2	1.5	00.0-03.7	1	0.2	00.0-00.6
H.S. or G.E.D.	846	69,180	828	98.2	97.2-99.2	7	0.7	00.1-01.3	11	1.0	00.2-01.8
Some Post-H.S.	940	89,204	928	98.6	97.6-99.6	3	0.6	00.0-01.4	9	0.8	00.2-01.4
College Graduate	832	74,916	824	98.6	97.2-0100	4	1.1	00.0-02.5	4	0.3	00.0-00.7
Less than \$15,000	286	21,745	278	97.1	94.9-99.3	4	1.7	00.0-03.7	4	1.2	00.0-02.4
\$15,000- 24,999	450	34,948	445	98.7	97.5-99.9	3	0.9	00.0-01.9	2	0.3	00.0-00.9
\$25,000- 34,999	367	30,609	362	96.8	93.5-0100	3	2.7	00.0-06.0	2	0.5	00.0-01.3
\$35,000- 49,999	461	42,000	459	99.9	99.7-0100				2	0.1	00.0-00.3
\$50,000- 74,999	408	39,182	408	100.0	0100-0100						
\$75,000+	375	39,892	372	99.1	97.9-0100	1	0.4	00.0-01.2	2	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 37: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid Zipcode			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4780	494,013	4661	97.9	97.5-98.3	52	0.9	00.7-01.1	67	1.2	00.8-01.6
Male	1928	244,372	1887	98.5	97.9-99.1	27	1.0	00.6-01.4	14	0.5	00.1-00.9
Female	2852	249,641	2774	97.4	96.6-98.2	25	0.8	00.4-01.2	53	1.8	01.2-02.4
Native	109	15,961	106	96.8	92.7-0100	2	1.3	00.0-03.3	1	1.9	00.0-05.6
Non-Native	4615	472,887	4506	98.1	97.7-98.5	45	0.8	00.6-01.0	64	1.1	00.7-01.5
18-24	202	77,844	195	98.4	97.0-99.8	1	0.4	00.0-01.2	6	1.2	00.0-02.4
25-34	519	75,972	515	99.5	98.9-0100	3	0.2	00.0-00.4	1	0.3	00.0-00.9
35-44	749	81,622	736	98.1	97.1-99.1	6	0.9	00.1-01.7	7	1.1	00.3-01.9
45-54	1064	95,951	1050	98.7	97.9-99.5	2	0.2	00.0-00.4	12	1.1	00.3-01.9
55-64	821	64,825	800	97.4	96.2-98.6	7	1.0	00.2-01.8	14	1.6	00.6-02.6
65+	1371	94,448	1319	96.3	95.1-97.5	32	2.4	01.4-03.4	20	1.3	00.7-01.9
Less Than H.S.	432	37,982	408	96.2	94.2-98.2	18	3.1	01.3-04.9	6	0.7	00.0-01.5
H.S. or G.E.D.	1435	142,265	1398	97.6	96.6-98.6	17	1.1	00.5-01.7	20	1.3	00.5-02.1
Some Post-H.S.	1486	159,993	1455	98.4	97.8-99.0	9	0.5	00.1-00.9	22	1.1	00.5-01.7
College Graduate	1419	153,148	1393	98.3	97.5-99.1	8	0.5	00.1-00.9	18	1.2	00.6-01.8
Less than \$15,000	396	34,436	385	97.4	95.6-99.2	6	1.7	00.1-03.3	5	0.9	00.1-01.7
\$15,000- 24,999	722	64,604	704	97.8	96.4-99.2	14	1.5	00.5-02.5	4	0.7	00.0-01.7
\$25,000- 34,999	614	61,968	601	98.3	97.1-99.5	8	0.9	00.1-01.7	5	0.8	00.0-01.6
\$35,000- 49,999	836	86,327	827	99.0	98.0-0100	3	0.3	00.0-00.7	6	0.7	00.0-01.5
\$50,000- 74,999	783	88,950	777	99.4	98.8-0100	2	0.3	00.0-00.7	4	0.3	00.0-00.7
\$75,000+	734	90,458	725	98.8	98.0-99.6	2	0.3	00.0-00.7	7	1.0	00.2-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 38: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid Zipcode			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1928	244,372	1887	98.5	97.9-99.1	27	1.0	00.6-01.4	14	0.5	00.1-00.9
Non-Native	1869	236,336	1832	98.6	98.0-99.2	23	0.9	00.5-01.3	14	0.5	00.1-00.9
18-24	88	41,066	86	99.3	97.9-0100	1	0.7	00.0-02.1	1	0.1	00.0-00.3
25-34	216	39,660	213	99.4	98.4-0100	2	0.1	00.1-00.1	1	0.5	00.0-01.5
35-44	326	41,351	321	98.5	97.1-99.9	3	0.8	00.0-01.8	2	0.7	00.0-01.7
45-54	463	48,013	458	99.2	98.4-0100	2	0.3	00.0-00.7	3	0.4	00.0-01.0
55-64	345	33,958	340	98.2	96.4-0100	3	1.0	00.0-02.4	2	0.8	00.0-02.0
65+	478	39,553	459	96.4	94.4-98.4	15	3.0	01.0-05.0	4	0.6	00.0-01.2
Less Than H.S.	201	21,847	187	95.9	93.2-98.6	12	3.8	01.1-06.5	2	0.3	00.0-00.7
H.S. or G.E.D.	589	73,085	574	98.0	96.6-99.4	9	1.4	00.2-02.6	6	0.5	00.0-01.1
Some Post-H.S.	546	70,789	542	99.8	99.6-0100	3	0.2	00.0-00.4	1	0.0	00.0-00.0
College Graduate	587	78,232	579	98.5	97.5-99.5	3	0.5	00.0-01.1	5	1.0	00.2-01.8
Less than \$15,000	110	12,691	107	97.0	93.3-0100	3	3.0	00.0-06.7			
\$15,000- 24,999	272	29,657	262	97.4	95.2-99.6	10	2.6	00.4-04.8			
\$25,000- 34,999	247	31,359	243	99.4	98.8-0100	4	0.6	00.0-01.2			
\$35,000- 49,999	375	44,327	371	99.3	98.3-0100	1	0.4	00.0-01.2	3	0.4	00.0-01.0
\$50,000- 74,999	375	49,767	372	99.4	98.6-0100	1	0.2	00.0-00.6	2	0.3	00.0-00.9
\$75,000+	359	50,566	355	98.9	97.7-0100				4	1.1	00.0-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 39: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid Zipcode			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2852	249,641	2774	97.4	96.6-98.2	25	0.8	00.4-01.2	53	1.8	01.2-02.4
Native	77	10,266	76	97.0	91.3-0100				1	3.0	00.0-08.7
Non-Native	2746	236,551	2674	97.5	96.9-98.1	22	0.7	00.3-01.1	50	1.8	01.2-02.4
18-24	114	36,778	109	97.5	95.0-0100				5	2.5	00.0-05.0
25-34	303	36,312	302	99.7	99.1-0100	1	0.3	00.0-00.9			
35-44	423	40,271	415	97.6	95.8-99.4	3	1.0	00.0-02.2	5	1.4	00.2-02.6
45-54	601	47,938	592	98.2	96.8-99.6				9	1.8	00.4-03.2
55-64	476	30,867	460	96.6	94.6-98.6	4	0.9	00.0-01.9	12	2.5	00.9-04.1
65+	893	54,895	860	96.2	94.8-97.6	17	2.0	01.0-03.0	16	1.8	00.8-02.8
Less Than H.S.	231	16,136	221	96.6	94.1-99.1	6	2.2	00.2-04.2	4	1.2	00.0-02.8
H.S. or G.E.D.	846	69,180	824	97.1	95.5-98.7	8	0.7	00.1-01.3	14	2.2	00.8-03.6
Some Post-H.S.	940	89,204	913	97.3	96.1-98.5	6	0.7	00.1-01.3	21	2.0	01.0-03.0
College Graduate	832	74,916	814	98.0	96.8-99.2	5	0.6	00.0-01.2	13	1.4	00.4-02.4
Less than \$15,000	286	21,745	278	97.6	95.8-99.4	3	1.0	00.0-02.2	5	1.4	00.0-02.8
\$15,000- 24,999	450	34,948	442	98.2	96.2-0100	4	0.6	00.0-01.2	4	1.2	00.0-03.0
\$25,000- 34,999	367	30,609	358	97.2	95.0-99.4	4	1.2	00.0-02.6	5	1.6	00.0-03.2
\$35,000- 49,999	461	42,000	456	98.7	97.1-0100	2	0.3	00.0-00.7	3	0.9	00.0-02.5
\$50,000- 74,999	408	39,182	405	99.4	98.6-0100	1	0.3	00.0-00.9	2	0.3	00.0-00.7
\$75,000+	375	39,892	370	98.7	97.5-99.9	2	0.6	00.0-01.4	3	0.7	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 40: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4775	493,566	193	3.4	02.8-04.0	4582	96.6	96.0-97.2
Male	1925	244,111	84	3.1	02.3-03.9	1841	96.9	96.1-97.7
Female	2850	249,455	109	3.6	02.6-04.6	2741	96.4	95.4-97.4
Native	109	15,961	9	5.9	01.2-10.6	100	94.1	89.4-98.8
Non-Native	4611	472,510	182	3.3	02.7-03.9	4429	96.7	96.1-97.3
18-24	202	77,844	6	2.1	00.1-04.1	196	97.9	95.9-99.9
25-34	519	75,972	19	3.8	01.8-05.8	500	96.2	94.2-98.2
35-44	748	81,507	28	3.3	01.9-04.7	720	96.7	95.3-98.1
45-54	1063	95,821	49	4.2	02.8-05.6	1014	95.8	94.4-97.2
55-64	821	64,825	46	4.3	02.7-05.9	775	95.7	94.1-97.3
65+	1369	94,264	43	2.6	01.6-03.6	1326	97.4	96.4-98.4
Less Than H.S.	432	37,982	17	2.9	01.1-04.7	415	97.1	95.3-98.9
H.S. or G.E.D.	1435	142,265	46	2.4	01.6-03.2	1389	97.6	96.8-98.4
Some Post-H.S.	1483	159,678	57	3.0	01.8-04.2	1426	97.0	95.8-98.2
College Graduate	1417	153,016	73	4.7	03.3-06.1	1344	95.3	93.9-96.7
Less than \$15,000	396	34,436	4	2.7	00.0-06.4	392	97.3	93.6-0100
\$15,000- 24,999	722	64,604	20	1.4	00.6-02.2	702	98.6	97.8-99.4
\$25,000- 34,999	613	61,854	17	2.2	00.8-03.6	596	97.8	96.4-99.2
\$35,000- 49,999	835	86,197	36	3.2	01.8-04.6	799	96.8	95.4-98.2
\$50,000- 74,999	783	88,950	37	3.7	02.3-05.1	746	96.3	94.9-97.7
\$75,000+	734	90,458	51	5.7	03.9-07.5	683	94.3	92.5-96.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 41: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1925	244,111	84	3.1	02.3-03.9	1841	96.9	96.1-97.7
Non-Native	1866	236,074	80	3.0	02.2-03.8	1786	97.0	96.2-97.8
18-24	88	41,066	1	0.7	00.0-02.1	87	99.3	97.9-0100
25-34	216	39,660	6	3.5	00.6-06.4	210	96.5	93.6-99.4
35-44	326	41,351	12	3.3	01.1-05.5	314	96.7	94.5-98.9
45-54	462	47,883	26	4.3	02.1-06.5	436	95.7	93.5-97.9
55-64	345	33,958	20	3.8	01.6-06.0	325	96.2	94.0-98.4
65+	477	39,439	19	3.0	01.4-04.6	458	97.0	95.4-98.6
Less Than H.S.	201	21,847	10	3.3	00.6-06.0	191	96.7	94.0-99.4
H.S. or G.E.D.	589	73,085	20	2.1	00.9-03.3	569	97.9	96.7-99.1
Some Post-H.S.	545	70,659	20	1.9	00.7-03.1	525	98.1	96.9-99.3
College Graduate	585	78,100	34	5.1	02.9-07.3	551	94.9	92.7-97.1
Less than \$15,000	110	12,691	2	0.8	00.0-02.0	108	99.2	98.0-0100
\$15,000- 24,999	272	29,657	6	1.1	00.0-02.3	266	98.9	97.7-0100
\$25,000- 34,999	246	31,245	6	1.8	00.0-03.8	240	98.2	96.2-0100
\$35,000- 49,999	374	44,197	15	3.0	00.6-05.4	359	97.0	94.6-99.4
\$50,000- 74,999	375	49,767	15	2.3	00.7-03.9	360	97.7	96.1-99.3
\$75,000+	359	50,566	27	6.0	03.5-08.5	332	94.0	91.5-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 42: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2850	249,455	109	3.6	02.6-04.6	2741	96.4	95.4-97.4
Native	77	10,266	5	4.6	00.0-09.7	72	95.4	90.3-0100
Non-Native	2745	236,436	102	3.5	02.5-04.5	2643	96.5	95.5-97.5
18-24	114	36,778	5	3.6	00.0-07.3	109	96.4	92.7-0100
25-34	303	36,312	13	4.0	01.6-06.4	290	96.0	93.6-98.4
35-44	422	40,156	16	3.4	01.4-05.4	406	96.6	94.6-98.6
45-54	601	47,938	23	4.0	02.0-06.0	578	96.0	94.0-98.0
55-64	476	30,867	26	4.7	02.7-06.7	450	95.3	93.3-97.3
65+	892	54,825	24	2.3	01.1-03.5	868	97.7	96.5-98.9
Less Than H.S.	231	16,136	7	2.2	00.0-04.4	224	97.8	95.6-0100
H.S. or G.E.D.	846	69,180	26	2.8	01.4-04.2	820	97.2	95.8-98.6
Some Post-H.S.	938	89,019	37	3.9	02.1-05.7	901	96.1	94.3-97.9
College Graduate	832	74,916	39	4.3	02.7-05.9	793	95.7	94.1-97.3
Less than \$15,000	286	21,745	2	3.8	00.0-09.5	284	96.2	90.5-0100
\$15,000- 24,999	450	34,948	14	1.7	00.5-02.9	436	98.3	97.1-99.5
\$25,000- 34,999	367	30,609	11	2.6	00.8-04.4	356	97.4	95.6-99.2
\$35,000- 49,999	461	42,000	21	3.4	01.6-05.2	440	96.6	94.8-98.4
\$50,000- 74,999	408	39,182	22	5.5	03.0-08.0	386	94.5	92.0-97.0
\$75,000+	375	39,892	24	5.2	02.8-07.6	351	94.8	92.4-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 43: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	190	16,226	93	68.6	60.8-76.4	85	28.9	21.3-36.5	8	1.9	00.5-03.3	3	0.5	00.0-01.1	1	0.2	00.0-00.6
Male	82	7,237							4	2.0	00.0-04.2	2	0.9	00.0-02.1			
Female	108	8,990							4	1.8	00.0-03.8	1	0.2	00.0-00.6	1	0.3	00.0-00.9
Non-Native	180	15,287	91	70.8	63.0-78.6	77	26.5	18.9-34.1	8	2.0	00.4-03.6	3	0.5	00.0-01.1	1	0.2	00.0-00.6
Some Post-H.S.	57	4,850							3	3.5	00.0-07.6						
College Graduate	71	7,047							2	0.9	00.0-02.3	1	0.5	00.0-01.5	1	0.4	00.0-01.2
\$75,000+	50	4,979							3	2.5	00.0-05.4						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 44: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	82	7,237	4	2.0	00.0-04.2	2	0.9	00.0-02.1	
Non-Native	79	6,975	4	2.0	00.0-04.4	2	0.9	00.0-02.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 45: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	108	8,990	4	1.8	00.0-03.8	1	0.2	00.0-00.6	1	0.3	00.0-00.9
Non-Native	101	8,313	4	2.0	00.0-04.0	1	0.2	00.0-00.6	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 46: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4767	491,999	97	4.0	02.8-05.2	4670	96.0	94.8-97.2
Male	1922	243,994	36	4.1	02.3-05.9	1886	95.9	94.1-97.7
Female	2845	248,005	61	3.9	02.5-05.3	2784	96.1	94.7-97.5
Non-Native	4603	470,953	87	3.5	02.5-04.5	4516	96.5	95.5-97.5
18-24	200	76,628	19	12.4	06.3-18.5	181	87.6	81.5-93.7
25-34	518	75,827	19	5.0	02.5-07.5	499	95.0	92.5-97.5
35-44	747	81,461	17	2.8	01.4-04.2	730	97.2	95.8-98.6
45-54	1061	95,661	16	1.7	00.7-02.7	1045	98.3	97.3-99.3
55-64	821	64,825	12	2.3	00.7-03.9	809	97.7	96.1-99.3
65+	1367	94,263	13	0.9	00.3-01.5	1354	99.1	98.5-99.7
Less Than H.S.	431	37,978	9	6.5	01.6-11.4	422	93.5	88.6-98.4
H.S. or G.E.D.	1432	141,319	26	4.1	01.6-06.6	1406	95.9	93.4-98.4
Some Post-H.S.	1483	159,402	40	4.7	02.5-06.9	1443	95.3	93.1-97.5
College Graduate	1413	152,675	22	2.5	01.1-03.9	1391	97.5	96.1-98.9
Less than \$15,000	395	34,371	10	6.6	01.9-11.3	385	93.4	88.7-98.1
\$15,000- 24,999	720	64,519	25	9.2	03.5-14.9	695	90.8	85.1-96.5
\$25,000- 34,999	613	61,963	13	5.0	01.3-08.7	600	95.0	91.3-98.7
\$35,000- 49,999	835	86,246	15	4.0	01.3-06.7	820	96.0	93.3-98.7
\$50,000- 74,999	783	88,950	9	1.5	00.3-02.7	774	98.5	97.3-99.7
\$75,000+	730	90,018	11	1.9	00.7-03.1	719	98.1	96.9-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 47: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1922	243,994	36	4.1	02.3-05.9	1886	95.9	94.1-97.7
Non-Native	1864	236,038	34	3.6	02.0-05.2	1830	96.4	94.8-98.0
18-24	88	41,066	8	13.1	03.9-22.3	80	86.9	77.7-96.1
25-34	216	39,660	10	6.9	02.6-11.2	206	93.1	88.8-97.4
35-44	324	41,190	4	1.1	00.0-02.3	320	98.9	97.7-0100
45-54	461	47,818	6	1.3	00.1-02.5	455	98.7	97.5-99.9
55-64	345	33,958	7	2.1	00.3-03.9	338	97.9	96.1-99.7
65+	477	39,548	1	0.1	00.0-00.3	476	99.9	99.7-0100
Less Than H.S.	201	21,847	6	7.5	00.4-14.6	195	92.5	85.4-99.6
H.S. or G.E.D.	588	73,005	10	5.4	00.9-09.9	578	94.6	90.1-99.1
Some Post-H.S.	544	70,654	9	2.9	00.2-05.6	535	97.1	94.4-99.8
College Graduate	584	78,069	11	3.0	00.8-05.2	573	97.0	94.8-99.2
Less than \$15,000	109	12,626	4	8.6	00.0-18.2	105	91.4	81.8-0100
\$15,000- 24,999	270	29,571	7	7.9	00.0-16.7	263	92.1	83.3-0100
\$25,000- 34,999	247	31,359	6	7.2	00.1-14.3	241	92.8	85.7-99.9
\$35,000- 49,999	374	44,246	5	3.7	00.0-08.0	369	96.3	92.0-0100
\$50,000- 74,999	375	49,767	3	1.1	00.0-02.7	372	98.9	97.3-0100
\$75,000+	358	50,437	6	1.8	00.0-03.6	352	98.2	96.4-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 48: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2845	248,005	61	3.9	02.5-05.3	2784	96.1	94.7-97.5
Non-Native	2739	234,915	53	3.4	02.0-04.8	2686	96.6	95.2-98.0
18-24	112	35,562	11	11.5	03.7-19.3	101	88.5	80.7-96.3
25-34	302	36,167	9	2.9	00.9-04.9	293	97.1	95.1-99.1
35-44	423	40,271	13	4.6	02.1-07.1	410	95.4	92.9-97.9
45-54	600	47,843	10	2.1	00.5-03.7	590	97.9	96.3-99.5
55-64	476	30,867	5	2.5	00.0-05.2	471	97.5	94.8-0100
65+	890	54,715	12	1.5	00.5-02.5	878	98.5	97.5-99.5
Less Than H.S.	230	16,131	3	5.3	00.0-11.6	227	94.7	88.4-0100
H.S. or G.E.D.	844	68,314	16	2.7	00.9-04.5	828	97.3	95.5-99.1
Some Post-H.S.	939	88,748	31	6.1	03.0-09.2	908	93.9	90.8-97.0
College Graduate	829	74,605	11	2.1	00.5-03.7	818	97.9	96.3-99.5
Less than \$15,000	286	21,745	6	5.4	00.5-10.3	280	94.6	89.7-99.5
\$15,000- 24,999	450	34,948	18	10.2	03.1-17.3	432	89.8	82.7-96.9
\$25,000- 34,999	366	30,604	7	2.7	00.2-05.2	359	97.3	94.8-99.8
\$35,000- 49,999	461	42,000	10	4.3	01.2-07.4	451	95.7	92.6-98.8
\$50,000- 74,999	408	39,182	6	2.1	00.3-03.9	402	97.9	96.1-99.7
\$75,000+	372	39,581	5	1.9	00.1-03.7	367	98.1	96.3-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 49: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4780	494,013	1928	49.5	47.5-51.5	2852	50.5	48.5-52.5	
Non-Native	4615	472,887	1869	50.0	48.0-52.0	2746	50.0	48.0-52.0	
18-24	202	77,844	88	52.8	45.0-60.6	114	47.2	39.4-55.0	
25-34	519	75,972	216	52.2	47.3-57.1	303	47.8	42.9-52.7	
35-44	749	81,622	326	50.7	46.6-54.8	423	49.3	45.2-53.4	
45-54	1064	95,951	463	50.0	46.5-53.5	601	50.0	46.5-53.5	
55-64	821	64,825	345	52.4	48.3-56.5	476	47.6	43.5-51.7	
65+	1371	94,448	478	41.9	38.8-45.0	893	58.1	55.0-61.2	
Less Than H.S.	432	37,982	201	57.5	50.8-64.2	231	42.5	35.8-49.2	
H.S. or G.E.D.	1435	142,265	589	51.4	47.7-55.1	846	48.6	44.9-52.3	
Some Post-H.S.	1486	159,993	546	44.2	40.7-47.7	940	55.8	52.3-59.3	
College Graduate	1419	153,148	587	51.1	47.8-54.4	832	48.9	45.6-52.2	
Less than \$15,000	396	34,436	110	36.9	29.3-44.5	286	63.1	55.5-70.7	
\$15,000- 24,999	722	64,604	272	45.9	40.2-51.6	450	54.1	48.4-59.8	
\$25,000- 34,999	614	61,968	247	50.6	44.9-56.3	367	49.4	43.7-55.1	
\$35,000- 49,999	836	86,327	375	51.3	46.8-55.8	461	48.7	44.2-53.2	
\$50,000- 74,999	783	88,950	375	56.0	51.9-60.1	408	44.0	39.9-48.1	
\$75,000+	734	90,458	359	55.9	51.6-60.2	375	44.1	39.8-48.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 50: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	836	113,033	50	7.0	04.6-09.4	786	93.0	90.6-95.4
Non-Native	790	105,167	42	6.1	03.7-08.5	748	93.9	91.5-96.3
18-24	113	36,696	11	7.5	02.2-12.8	102	92.5	87.2-97.8
25-34	303	36,312	36	13.9	09.2-18.6	267	86.1	81.4-90.8
35-44	420	40,025	3	0.3	00.0-00.9	417	99.7	99.1-0100
H.S. or G.E.D.	183	24,971	14	6.9	02.8-11.0	169	93.1	89.0-97.2
Some Post-H.S.	300	43,502	12	6.9	02.2-11.6	288	93.1	88.4-97.8
College Graduate	322	39,482	22	7.1	03.8-10.4	300	92.9	89.6-96.2
Less than \$15,000	62	9,759	6	6.1	01.0-11.2	56	93.9	88.8-99.0
\$15,000- 24,999	98	14,098	4	7.7	00.0-17.3	94	92.3	82.7-0100
\$25,000- 34,999	118	14,649	9	8.0	00.7-15.3	109	92.0	84.7-99.3
\$35,000- 49,999	154	18,993	10	9.8	03.3-16.3	144	90.2	83.7-96.7
\$50,000- 74,999	164	20,865	10	6.4	02.3-10.5	154	93.6	89.5-97.7
\$75,000+	152	20,541	9	7.6	02.1-13.1	143	92.4	86.9-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 12: VETERANS STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)	
1	MALES AND FEMALES	135
2	MALES ONLY	136
3	FEMALES ONLY	137

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 12: VETERANS STATUS**

TABLE 1: THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4769	493,043	684	14.7	13.3-16.1	4085	85.3	83.9-86.7
Male	1922	243,735	632	27.4	24.9-29.9	1290	72.6	70.1-75.1
Female	2847	249,308	52	2.2	01.4-03.0	2795	97.8	97.0-98.6
Native	109	15,961	13	9.3	03.8-14.8	96	90.7	85.2-96.2
Non-Native	4605	472,063	659	14.8	13.4-16.2	3946	85.2	83.8-86.6
18-24	202	77,844	12	5.6	01.9-09.3	190	94.4	90.7-98.1
25-34	519	75,972	40	10.2	06.7-13.7	479	89.8	86.3-93.3
35-44	749	81,622	81	12.5	09.8-15.2	668	87.5	84.8-90.2
45-54	1064	95,951	101	10.8	08.4-13.2	963	89.2	86.8-91.6
55-64	817	64,418	173	26.0	22.3-29.7	644	74.0	70.3-77.7
65+	1364	93,885	272	23.9	21.0-26.8	1092	76.1	73.2-79.0
Less Than H.S.	428	37,650	77	16.7	12.2-21.2	351	83.3	78.8-87.8
H.S. or G.E.D.	1432	142,041	223	16.2	13.8-18.6	1209	83.8	81.4-86.2
Some Post-H.S.	1483	159,715	193	12.5	10.5-14.5	1290	87.5	85.5-89.5
College Graduate	1418	153,011	188	14.8	12.3-17.3	1230	85.2	82.7-87.7
Less than \$15,000	395	34,417	41	8.0	05.1-10.9	354	92.0	89.1-94.9
\$15,000- 24,999	720	64,311	119	18.0	14.1-21.9	601	82.0	78.1-85.9
\$25,000- 34,999	613	61,878	90	16.4	11.7-21.1	523	83.6	78.9-88.3
\$35,000- 49,999	835	86,253	140	17.5	14.2-20.8	695	82.5	79.2-85.8
\$50,000- 74,999	783	88,950	123	16.4	13.5-19.3	660	83.6	80.7-86.5
\$75,000+	733	90,321	92	12.1	09.4-14.8	641	87.9	85.2-90.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 12: VETERANS STATUS**

TABLE 2: THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1922	243,735	632	27.4	24.9-29.9	1290	72.6	70.1-75.1
Non-Native	1864	235,845	611	27.4	24.9-29.9	1253	72.6	70.1-75.1
18-24	88	41,066	8	7.3	01.2-13.4	80	92.7	86.6-98.8
25-34	216	39,660	33	17.5	11.4-23.6	183	82.5	76.4-88.6
35-44	326	41,351	68	21.2	16.3-26.1	258	78.8	73.9-83.7
45-54	463	48,013	85	19.4	15.1-23.7	378	80.6	76.3-84.9
55-64	344	33,821	170	49.0	42.9-55.1	174	51.0	44.9-57.1
65+	473	39,052	266	56.3	51.0-61.6	207	43.7	38.4-49.0
Less Than H.S.	198	21,533	76	29.1	21.3-36.9	122	70.9	63.1-78.7
H.S. or G.E.D.	589	73,085	215	29.8	25.3-34.3	374	70.2	65.7-74.7
Some Post-H.S.	544	70,601	165	24.0	19.7-28.3	379	76.0	71.7-80.3
College Graduate	586	78,095	173	27.4	22.9-31.9	413	72.6	68.1-77.1
Less than \$15,000	110	12,691	37	19.6	11.4-27.8	73	80.4	72.2-88.6
\$15,000- 24,999	270	29,363	110	35.8	28.0-43.6	160	64.2	56.4-72.0
\$25,000- 34,999	247	31,359	82	28.3	20.3-36.3	165	71.7	63.7-79.7
\$35,000- 49,999	374	44,253	128	31.4	25.3-37.5	246	68.6	62.5-74.7
\$50,000- 74,999	375	49,767	113	27.3	22.4-32.2	262	72.7	67.8-77.6
\$75,000+	358	50,430	85	20.6	15.9-25.3	273	79.4	74.7-84.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 12: VETERANS STATUS**

TABLE 3: THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2847	249,308	52	2.2	01.4-03.0	2795	97.8	97.0-98.6
Native	77	10,266	2	1.6	00.0-04.0	75	98.4	96.0-100
Non-Native	2741	236,219	48	2.2	01.4-03.0	2693	97.8	97.0-98.6
18-24	114	36,778	4	3.7	00.0-07.4	110	96.3	92.6-100
25-34	303	36,312	7	2.1	00.1-04.1	296	97.9	95.9-99.9
35-44	423	40,271	13	3.5	01.5-05.5	410	96.5	94.5-98.5
45-54	601	47,938	16	2.2	01.0-03.4	585	97.8	96.6-99.0
55-64	473	30,597	3	0.6	00.0-01.4	470	99.4	98.6-100
65+	891	54,833	6	0.8	00.0-01.6	885	99.2	98.4-100
Less Than H.S.	230	16,117	1	0.0	00.0-00.0	229	100.0	0100-0100
H.S. or G.E.D.	843	68,956	8	1.8	00.2-03.4	835	98.2	96.6-99.8
Some Post-H.S.	939	89,114	28	3.4	01.8-05.0	911	96.6	95.0-98.2
College Graduate	832	74,916	15	1.7	00.7-02.7	817	98.3	97.3-99.3
Less than \$15,000	285	21,726	4	1.3	00.0-02.7	281	98.7	97.3-100
\$15,000- 24,999	450	34,948	9	2.9	00.0-05.8	441	97.1	94.2-100
\$25,000- 34,999	366	30,518	8	4.2	00.5-07.9	358	95.8	92.1-99.5
\$35,000- 49,999	461	42,000	12	2.9	01.1-04.7	449	97.1	95.3-98.9
\$50,000- 74,999	408	39,182	10	2.5	00.9-04.1	398	97.5	95.9-99.1
\$75,000+	375	39,892	7	1.4	00.2-02.6	368	98.6	97.4-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006**

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)	
1	MALES AND FEMALES	139
2	MALES ONLY	140
3	FEMALES ONLY	141
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)	
4	MALES AND FEMALES	142
5	MALES ONLY	143
6	FEMALES ONLY	144
	ONE DRINK IS EQUIVALENT TO A 12 OUNCE BEER, A 4 OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. ON THE DAYS WHEN YOU DRANK, DURING THE PAST 30 DAYS, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
7	MALES AND FEMALES	145
8	MALES ONLY	146
9	FEMALES ONLY	147
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
10	MALES AND FEMALES	148
11	MALES ONLY	149
12	FEMALES ONLY	150
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
13	MALES AND FEMALES	151
14	MALES ONLY	152
15	FEMALES ONLY	153

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4741	490,924	2646	59.0	57.0-61.0	2095	41.0	39.0-43.0
Male	1910	242,530	1227	65.8	62.9-68.7	683	34.2	31.3-37.1
Female	2831	248,394	1419	52.5	50.1-54.9	1412	47.5	45.1-49.9
Non-Native	4577	469,944	2596	59.9	57.9-61.9	1981	40.1	38.1-42.1
18-24	202	77,844	117	58.5	50.7-66.3	85	41.5	33.7-49.3
25-34	516	75,451	343	67.8	63.1-72.5	173	32.2	27.5-36.9
35-44	748	81,507	496	65.7	61.8-69.6	252	34.3	30.4-38.2
45-54	1058	95,414	670	64.9	61.6-68.2	388	35.1	31.8-38.4
55-64	811	63,982	462	59.4	55.3-63.5	349	40.6	36.5-44.7
65+	1355	93,500	533	40.7	37.6-43.8	822	59.3	56.2-62.4
Less Than H.S.	425	37,657	160	41.9	35.0-48.8	265	58.1	51.2-65.0
H.S. or G.E.D.	1423	141,324	742	56.4	52.9-59.9	681	43.6	40.1-47.1
Some Post-H.S.	1474	158,928	841	56.9	53.4-60.4	633	43.1	39.6-46.6
College Graduate	1412	152,455	900	68.1	65.0-71.2	512	31.9	28.8-35.0
Less than \$15,000	392	34,280	132	47.0	39.4-54.6	260	53.0	45.4-60.6
\$15,000- 24,999	719	64,292	305	45.1	39.4-50.8	414	54.9	49.2-60.6
\$25,000- 34,999	609	61,571	334	56.7	51.0-62.4	275	43.3	37.6-49.0
\$35,000- 49,999	830	85,732	506	59.7	55.2-64.2	324	40.3	35.8-44.8
\$50,000- 74,999	782	88,813	535	69.6	65.7-73.5	247	30.4	26.5-34.3
\$75,000+	731	90,118	525	72.1	68.2-76.0	206	27.9	24.0-31.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1910	242,530	1227	65.8	62.9-68.7	683	34.2	31.3-37.1
Non-Native	1852	234,640	1207	66.3	63.4-69.2	645	33.7	30.8-36.6
25-34	214	39,284	165	77.1	70.6-83.6	49	22.9	16.4-29.4
35-44	326	41,351	228	69.6	63.9-75.3	98	30.4	24.7-36.1
45-54	459	47,619	298	65.6	60.5-70.7	161	34.4	29.3-39.5
55-64	342	33,616	219	64.9	59.0-70.8	123	35.1	29.2-41.0
65+	470	38,887	254	52.9	47.6-58.2	216	47.1	41.8-52.4
Less Than H.S.	198	21,595	91	47.0	37.0-57.0	107	53.0	43.0-63.0
H.S. or G.E.D.	586	72,659	388	68.6	63.5-73.7	198	31.4	26.3-36.5
Some Post-H.S.	538	70,061	343	61.0	55.1-66.9	195	39.0	33.1-44.9
College Graduate	584	77,861	403	72.9	68.4-77.4	181	27.1	22.6-31.6
\$15,000- 24,999	269	29,344	138	53.0	44.0-62.0	131	47.0	38.0-56.0
\$25,000- 34,999	245	31,076	154	62.0	52.8-71.2	91	38.0	28.8-47.2
\$35,000- 49,999	373	44,058	251	64.4	57.5-71.3	122	35.6	28.7-42.5
\$50,000- 74,999	374	49,631	273	73.6	68.3-78.9	101	26.4	21.1-31.7
\$75,000+	356	50,227	259	75.4	70.1-80.7	97	24.6	19.3-29.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2831	248,394	1419	52.5	50.1-54.9	1412	47.5	45.1-49.9	
Non-Native	2725	235,304	1389	53.6	51.1-56.1	1336	46.4	43.9-48.9	
25-34	302	36,167	178	57.7	51.4-64.0	124	42.3	36.0-48.6	
35-44	422	40,156	268	61.6	56.3-66.9	154	38.4	33.1-43.7	
45-54	599	47,795	372	64.1	59.6-68.6	227	35.9	31.4-40.4	
55-64	469	30,366	243	53.4	48.1-58.7	226	46.6	41.3-51.9	
65+	885	54,613	279	32.0	28.5-35.5	606	68.0	64.5-71.5	
Less Than H.S.	227	16,062	69	35.2	26.2-44.2	158	64.8	55.8-73.8	
H.S. or G.E.D.	837	68,665	354	43.5	39.0-48.0	483	56.5	52.0-61.0	
Some Post-H.S.	936	88,867	498	53.7	49.4-58.0	438	46.3	42.0-50.6	
College Graduate	828	74,594	497	63.0	58.9-67.1	331	37.0	32.9-41.1	
Less than \$15,000	284	21,681	80	37.9	28.9-46.9	204	62.1	53.1-71.1	
\$15,000- 24,999	450	34,948	167	38.5	31.2-45.8	283	61.5	54.2-68.8	
\$25,000- 34,999	364	30,495	180	51.2	44.3-58.1	184	48.8	41.9-55.7	
\$35,000- 49,999	457	41,674	255	54.7	49.0-60.4	202	45.3	39.6-51.0	
\$50,000- 74,999	408	39,182	262	64.7	59.0-70.4	146	35.3	29.6-41.0	
\$75,000+	375	39,892	266	67.9	62.0-73.8	109	32.1	26.2-38.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 4: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2566	281,878	746	28.6	26.2-31.0	57	1.9	01.3-02.5	1536	61.1	58.6-63.6	209	7.7	06.3-09.1	18	0.6	00.2-01.0
Male	1183	154,302	368	30.5	27.2-33.8	36	2.4	01.4-03.4	630	55.8	52.1-59.5	145	10.9	08.7-13.1	4	0.5	00.0-01.3
Female	1383	127,577	378	26.4	23.5-29.3	21	1.3	00.7-01.9	906	67.6	64.5-70.7	64	3.9	02.7-05.1	14	0.9	00.3-01.5
Non-Native	2520	274,331	735	28.8	26.4-31.2	56	1.9	01.3-02.5	1505	60.8	58.3-63.3	207	7.9	06.5-09.3	17	0.6	00.2-01.0
18-24	115	44,809	22	19.4	11.2-27.6	1	0.8	00.0-02.4	87	74.4	65.2-83.6	4	4.2	00.0-08.9	1	1.2	00.0-03.6
25-34	340	50,653	97	30.9	25.2-36.6	3	0.9	00.0-02.1	217	60.3	54.2-66.4	21	7.4	04.3-10.5	2	0.5	00.0-01.3
35-44	483	51,878	153	31.4	26.7-36.1	5	1.6	00.2-03.0	300	62.7	57.8-67.6	24	4.2	02.2-06.2	1	0.1	00.0-00.3
45-54	655	60,801	196	30.7	26.6-34.8	15	2.1	00.9-03.3	395	58.4	53.9-62.9	47	8.3	05.8-10.8	2	0.4	00.0-01.0
55-64	448	36,392	124	27.9	23.0-32.8	7	1.6	00.2-03.0	255	55.8	50.3-61.3	58	14.1	10.2-18.0	4	0.6	00.0-01.4
65+	506	36,136	148	29.3	24.6-34.0	26	5.1	02.7-07.5	271	53.8	48.7-58.9	53	10.5	07.4-13.6	8	1.3	00.3-02.3
Less Than H.S.	150	14,690	54	32.2	22.6-41.8	8	5.7	00.2-11.2				19	15.0	06.2-23.8	2	0.7	00.0-01.9
H.S. or G.E.D.	712	76,748	215	29.4	24.9-33.9	18	2.3	01.1-03.5	416	58.8	53.7-63.9	54	8.5	05.4-11.6	9	0.9	00.3-01.5
Some Post-H.S.	817	87,994	217	26.3	22.2-30.4	16	1.6	00.6-02.6	518	65.6	61.3-69.9	61	5.5	03.7-07.3	5	1.0	00.0-02.2
College Graduate	884	102,298	259	29.5	25.8-33.2	15	1.2	00.6-01.8	534	61.1	57.2-65.0	74	8.0	06.0-10.0	2	0.1	00.0-00.3
Less than \$15,000	123	15,177				5	5.0	00.0-10.3				11	7.8	00.4-15.2	2	0.5	00.0-01.3
\$15,000- 24,999	296	28,281	77	21.8	15.3-28.3	7	1.4	00.0-02.8	171	64.3	56.1-72.5	37	11.6	06.9-16.3	4	1.0	00.0-02.2
\$25,000- 34,999	329	34,060	96	27.1	20.4-33.8	8	1.6	00.4-02.8	196	61.4	54.1-68.7	26	9.4	05.1-13.7	3	0.5	00.0-01.1
\$35,000- 49,999	493	50,331	152	30.0	24.7-35.3	10	1.8	00.4-03.2	302	62.2	56.5-67.9	27	5.6	02.1-09.1	2	0.4	00.0-01.0
\$50,000- 74,999	527	61,230	156	30.5	25.8-35.2	10	1.3	00.3-02.3	319	61.3	56.4-66.2	41	6.9	04.5-09.3	1	0.0	00.0-00.0
\$75,000+	518	64,064	166	32.0	27.1-36.9	9	1.5	00.5-02.5	295	57.7	52.4-63.0	46	8.4	05.9-10.9	2	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 5: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1183	154,302	368	30.5	27.2-33.8	36	2.4	01.4-03.4	630	55.8	52.1-59.5	145	10.9	08.7-13.1	4	0.5	00.0-01.3
Non-Native	1165	150,568	365	30.9	27.6-34.2	35	2.4	01.4-03.4	618	55.2	51.5-58.9	143	11.0	08.8-13.2	4	0.5	00.0-01.3
18-24	55	25,690				1	1.4	00.0-04.1				3	5.5	00.0-12.8	1	2.1	00.0-06.2
25-34	163	29,847	58	35.9	27.7-44.1	2	1.4	00.0-03.4	85	51.6	43.0-60.2	18	11.0	05.9-16.1			
35-44	218	27,666	78	35.8	28.5-43.1	3	1.9	00.0-04.1	121	56.2	48.8-63.6	16	6.1	02.8-09.4			
45-54	288	30,520	92	31.0	24.7-37.3	10	2.8	00.8-04.8	151	52.6	45.9-59.3	35	13.7	09.0-18.4			
55-64	210	20,569	57	28.2	21.1-35.3	4	1.4	00.0-03.2	110	51.4	43.6-59.2	37	18.2	12.1-24.3	2	0.7	00.0-01.7
65+	244	19,602	70	28.6	21.9-35.3	16	6.4	02.9-09.9	123	52.6	45.2-60.0	34	12.3	07.4-17.2	1	0.1	00.0-00.3
Less Than H.S.	87	9,728				5	7.4	00.0-15.4									
H.S. or G.E.D.	366	47,390	111	28.5	22.2-34.8	15	3.1	01.3-04.9	197	57.3	50.2-64.4	40	10.7	06.2-15.2	3	0.3	00.0-00.7
Some Post-H.S.	331	41,113	89	28.7	22.0-35.4	10	2.2	00.2-04.2	193	59.5	52.4-66.6	38	8.3	05.0-11.6	1	1.3	00.0-03.8
College Graduate	397	55,993	134	33.0	27.5-38.5	6	1.1	00.3-01.9	205	54.6	48.7-60.5	52	11.3	08.0-14.6			
\$15,000- 24,999	133	15,010	32	20.9	11.3-30.5	6	2.3	00.0-04.8				26	17.0	08.6-25.4			
\$25,000- 34,999	150	18,479	47	28.3	18.5-38.1	5	1.6	00.2-03.0				19	12.9	06.6-19.2	2	0.5	00.0-01.3
\$35,000- 49,999	240	27,616	77	30.4	22.6-38.2	8	2.8	00.4-05.2	134	57.7	49.1-66.3	21	9.1	02.8-15.4			
\$50,000- 74,999	268	35,979	87	33.0	26.5-39.5	6	1.9	00.1-03.7	145	55.6	48.7-62.5	30	9.4	05.7-13.1			
\$75,000+	253	37,066	91	34.5	27.6-41.4	5	1.7	00.1-03.3	124	52.2	44.6-59.8	32	11.4	07.3-15.5	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 6: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1383	127,577	378	26.4	23.5-29.3	21	1.3	00.7-01.9	906	67.6	64.5-70.7	64	3.9	02.7-05.1	14	0.9	00.3-01.5
Non-Native	1355	123,763	370	26.2	23.3-29.1	21	1.3	00.7-01.9	887	67.7	64.6-70.8	64	4.1	02.9-05.3	13	0.8	00.2-01.4
18-24	60	19,119										1	2.4	00.0-07.1			
25-34	177	20,806	39	23.8	16.9-30.7	1	0.1	00.0-00.3	132	72.8	65.5-80.1	3	2.1	00.0-04.5	2	1.2	00.0-03.0
35-44	265	24,212	75	26.4	20.3-32.5	2	1.2	00.0-03.0	179	70.1	63.8-76.4	8	2.1	00.5-03.7	1	0.2	00.0-00.6
45-54	367	30,281	104	30.5	25.0-36.0	5	1.4	00.0-02.8	244	64.3	58.6-70.0	12	3.0	01.2-04.8	2	0.8	00.0-02.0
55-64	238	15,823	67	27.5	21.0-34.0	3	1.7	00.0-03.7	145	61.5	54.4-68.6	21	8.6	04.7-12.5	2	0.6	00.0-01.8
65+	262	16,534	78	30.1	23.8-36.4	10	3.6	00.9-06.3	148	55.3	48.4-62.2	19	8.3	04.4-12.2	7	2.7	00.5-04.9
Less Than H.S.	63	4,963				3	2.4	00.0-05.7				5	6.2	00.7-11.7	2	2.1	00.0-05.6
H.S. or G.E.D.	346	29,358	104	31.0	24.5-37.5	3	1.1	00.0-02.5	219	61.2	54.3-68.1	14	5.0	01.5-08.5	6	1.7	00.1-03.3
Some Post-H.S.	486	46,881	128	24.2	19.3-29.1	6	1.1	00.1-02.1	325	70.9	65.8-76.0	23	3.1	01.7-04.5	4	0.7	00.0-01.5
College Graduate	487	46,305	125	25.3	20.4-30.2	9	1.4	00.4-02.4	329	69.0	63.9-74.1	22	3.9	02.1-05.7	2	0.3	00.0-00.9
Less than \$15,000	75	7,495				2	2.1	00.0-05.8				4	3.6	00.1-07.1	2	1.0	00.0-02.6
\$15,000- 24,999	163	13,271	45	22.8	14.4-31.2	1	0.3	00.0-00.9	102	69.4	59.6-79.2	11	5.4	02.1-08.7	4	2.1	00.0-04.5
\$25,000- 34,999	179	15,580	49	25.7	17.5-33.9	3	1.6	00.0-03.6	119	67.0	57.6-76.4	7	5.1	00.0-11.0	1	0.6	00.0-01.8
\$35,000- 49,999	253	22,715	75	29.6	22.9-36.3	2	0.6	00.0-01.6	168	67.5	60.6-74.4	6	1.3	00.1-02.5	2	0.9	00.0-02.3
\$50,000- 74,999	259	25,251	69	26.8	20.5-33.1	4	0.6	00.0-01.6	174	69.3	62.8-75.8	11	3.3	01.1-05.5	1	0.0	00.0-00.0
\$75,000+	265	26,998	75	28.6	21.7-35.5	4	1.2	00.0-02.4	171	65.4	58.3-72.5	14	4.3	01.9-06.7	1	0.5	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 7. ONE DRINK IS EQUIVALENT TO A 12 OUNCE BEER, A 4 OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. ON THE DAYS WHEN YOU DRANK, DURING THE PAST 30 DAYS, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2547	277,975	1052	35.9	33.5-38.3	751	28.7	26.5-30.9	333	13.7	11.9-15.5	150	6.3	04.9-07.7	261	15.4	13.0-17.8
Male	1187	154,064	373	28.4	25.3-31.5	369	28.8	25.7-31.9	185	14.8	12.4-17.2	74	6.2	04.2-08.2	186	21.8	18.1-25.5
Female	1360	123,912	679	45.1	41.8-48.4	382	28.6	25.7-31.5	148	12.4	10.0-14.8	76	6.5	04.5-08.5	75	7.5	05.0-10.0
Non-Native	2502	270,440	1044	36.6	34.2-39.0	742	29.0	26.8-31.2	328	13.7	11.9-15.5	142	6.1	04.7-07.5	246	14.5	12.1-16.9
18-24	109	41,705	26	20.4	12.0-28.8	22	17.7	10.1-25.3	16	11.5	05.6-17.4	12	10.8	04.3-17.3			
25-34	333	50,025	64	20.9	15.6-26.2	100	30.4	24.7-36.1	60	16.9	12.4-21.4	32	8.5	05.4-11.6	77	23.3	18.0-28.6
35-44	480	51,850	130	26.9	22.4-31.4	154	32.2	27.5-36.9	86	19.1	15.0-23.2	43	7.1	04.7-09.5	67	14.6	10.9-18.3
45-54	656	60,740	263	40.2	35.9-44.5	211	32.2	28.1-36.3	89	14.2	11.1-17.3	46	6.8	04.6-09.0	47	6.6	04.4-08.8
55-64	443	36,251	235	51.1	45.6-56.6	122	28.8	23.9-33.7	52	12.1	08.4-15.8	9	1.3	00.1-02.5	25	6.7	03.8-09.6
65+	504	35,998	317	63.0	58.1-67.9	137	28.4	23.7-33.1	30	5.3	02.9-07.7	8	1.4	00.2-02.6	12	1.8	00.4-03.2
Less Than H.S.	146	14,086				31	19.3	11.5-27.1	17	9.7	04.4-15.0	10	7.9	01.2-14.6			
H.S. or G.E.D.	704	75,900	272	30.2	25.9-34.5	189	25.5	21.4-29.6	107	14.4	11.1-17.7	39	5.2	03.0-07.4	97	24.6	18.9-30.3
Some Post-H.S.	816	86,507	325	35.0	30.9-39.1	246	27.6	23.7-31.5	103	14.5	11.2-17.8	58	9.0	05.9-12.1	84	14.0	10.1-17.9
College Graduate	878	101,334	381	39.9	36.0-43.8	285	33.3	29.6-37.0	106	13.1	10.4-15.8	42	4.7	03.1-06.3	64	9.0	05.9-12.1
Less than \$15,000	121	14,149	47	25.1	15.7-34.5	30	19.3	10.1-28.5	15	11.4	04.5-18.3						
\$15,000- 24,999	293	28,133	128	33.0	25.0-41.0	71	23.4	16.5-30.3	37	11.3	06.6-16.0	20	5.1	02.2-08.0			
\$25,000- 34,999	321	33,337	138	40.3	33.0-47.6	88	28.0	21.5-34.5	42	12.1	07.4-16.8	21	5.8	02.1-09.5	32	13.9	07.6-20.2
\$35,000- 49,999	493	49,868	176	33.8	28.5-39.1	157	32.2	26.9-37.5	65	12.5	08.8-16.2	28	4.5	02.5-06.5	67	17.0	11.7-22.3
\$50,000- 74,999	527	61,112	204	33.4	28.9-37.9	159	28.6	24.1-33.1	77	17.2	13.3-21.1	32	7.1	04.6-09.6	55	13.7	09.8-17.6
\$75,000+	515	63,128	198	35.5	30.6-40.4	188	35.2	30.3-40.1	74	16.5	12.6-20.4	21	3.7	01.9-05.5	34	9.0	04.7-13.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: ONE DRINK IS EQUIVALENT TO A 12 OUNCE BEER, A 4 OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. ON THE DAYS WHEN YOU DRANK, DURING THE PAST 30 DAYS, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1187	154,064	373	28.4	25.3-31.5	369	28.8	25.7-31.9	185	14.8	12.4-17.2	74	6.2	04.2-08.2	186	21.8	18.1-25.5
Non-Native	1168	150,125	370	29.0	25.9-32.1	365	29.1	25.8-32.4	184	15.1	12.6-17.6	71	6.1	04.1-08.1	178	20.6	17.1-24.1
18-24	54	24,685	8	13.2	03.8-22.6				5	6.7	00.6-12.8	4	8.9	00.3-17.5			
25-34	163	30,055	24	18.3	11.0-25.6	45	29.0	21.2-36.8	32	17.4	11.1-23.7	13	6.4	02.5-10.3	49	28.9	20.9-36.9
35-44	219	27,827	45	23.0	16.7-29.3	63	29.0	22.3-35.7	42	19.7	13.6-25.8	20	6.9	03.4-10.4	49	21.4	15.3-27.5
45-54	290	30,555	81	29.3	23.2-35.4	97	32.5	26.0-39.0	54	19.6	14.3-24.9	26	9.0	05.3-12.7	32	9.6	05.9-13.3
55-64	209	20,637	85	41.6	33.8-49.4	68	32.7	25.4-40.0	31	14.5	09.0-20.0	7	2.1	00.1-04.1	18	9.1	04.4-13.8
65+	246	19,880	125	53.8	46.4-61.2	85	34.4	27.3-41.5	21	7.2	03.5-10.9	4	1.3	00.0-02.7	11	3.3	00.8-05.8
Less Than H.S.	87	9,573							8	6.8	01.9-11.7	7	8.5	00.0-17.1			
H.S. or G.E.D.	366	47,552	97	22.6	17.3-27.9	103	23.3	18.0-28.6	70	16.3	11.8-20.8	17	3.9	01.2-06.6	79	33.9	26.1-41.7
Some Post-H.S.	335	40,778	97	26.2	20.3-32.1	104	28.2	21.9-34.5	53	16.3	11.2-21.4	30	10.6	05.7-15.5	51	18.6	12.9-24.3
College Graduate	397	56,082	141	34.1	28.4-39.8	140	35.2	29.5-40.9	54	13.7	09.8-17.6	19	4.4	02.2-06.6	43	12.6	07.5-17.7
Less than \$15,000	50	7,768							8	10.6	01.8-19.4						
\$15,000- 24,999	134	15,116				38	23.9	14.5-33.3	20	10.3	04.6-16.0	7	4.5	00.0-09.0			
\$25,000- 34,999	147	18,540				41	24.9	16.5-33.3	21	12.7	06.0-19.4	10	6.9	00.6-13.2	26	20.0	10.4-29.6
\$35,000- 49,999	246	28,040	66	27.5	20.1-34.9	77	30.1	22.7-37.5	40	14.3	08.6-20.0	17	4.6	02.1-07.1	46	23.5	15.1-31.9
\$50,000- 74,999	268	35,920	74	24.9	19.2-30.6	85	29.2	22.9-35.5	48	18.6	13.1-24.1	19	7.6	04.1-11.1	42	19.5	13.4-25.6
\$75,000+	253	36,491	79	28.7	22.2-35.2	100	37.4	30.1-44.7	39	17.7	12.2-23.2	11	3.4	01.2-05.6	24	12.8	05.9-19.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 9: ONE DRINK IS EQUIVALENT TO A 12 OUNCE BEER, A 4 OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. ON THE DAYS WHEN YOU DRANK, DURING THE PAST 30 DAYS, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1360	123,912	679	45.1	41.8-48.4	382	28.6	25.7-31.5	148	12.4	10.0-14.8	76	6.5	04.5-08.5	75	7.5	05.0-10.0
Non-Native	1334	120,315	674	46.0	42.5-49.5	377	29.0	25.9-32.1	144	12.0	09.6-14.4	71	6.1	04.3-07.9	68	6.9	04.4-09.4
25-34	170	19,971	40	24.7	17.4-32.0	55	32.6	24.8-40.4	28	16.1	10.0-22.2	19	11.7	06.4-17.0	28	14.9	09.2-20.6
35-44	261	24,023	85	31.4	24.9-37.9	91	36.0	29.3-42.7	44	18.4	12.9-23.9	23	7.3	04.0-10.6	18	6.8	03.3-10.3
45-54	366	30,184	182	51.2	45.3-57.1	114	31.8	26.3-37.3	35	8.8	05.7-11.9	20	4.5	02.1-06.9	15	3.7	01.7-05.7
55-64	234	15,613	150	63.6	56.5-70.7	54	23.6	17.3-29.9	21	9.0	04.7-13.3	2	0.3	00.0-00.9	7	3.5	00.8-06.2
65+	258	16,118	192	74.3	68.2-80.4	52	21.1	15.4-26.8	9	3.1	00.7-05.5	4	1.5	00.0-03.3	1	0.0	00.0-00.0
Less Than H.S.	59	4,513										3	6.4	00.0-16.0	3	2.1	00.0-05.0
H.S. or G.E.D.	338	28,348	175	43.1	36.2-50.0	86	29.3	22.6-36.0	37	11.2	06.7-15.7	22	7.4	03.7-11.1	18	9.0	03.9-14.1
Some Post-H.S.	481	45,729	228	42.8	36.9-48.7	142	27.1	22.4-31.8	50	12.8	08.7-16.9	28	7.5	03.6-11.4	33	9.8	04.5-15.1
College Graduate	481	45,252	240	47.0	41.7-52.3	145	31.0	26.1-35.9	52	12.4	08.7-16.1	23	5.0	02.8-07.2	21	4.6	02.2-07.0
Less than \$15,000	71	6,381							17	12.5	05.2-19.8	13	5.8	01.9-09.7	4	6.0	00.0-12.5
\$15,000- 24,999	159	13,016							21	11.2	04.3-18.1	11	4.3	01.2-07.4	6	6.2	00.0-12.7
\$25,000- 34,999	174	14,798	89	46.3	36.3-56.3	47	31.9	22.1-41.7	25	10.2	05.7-14.7	11	4.4	01.3-07.5	21	8.6	04.5-12.7
\$35,000- 49,999	247	21,828	110	41.9	34.6-49.2	80	34.9	27.6-42.2	29	15.1	09.6-20.6	13	6.4	02.9-09.9	13	5.4	02.3-08.5
\$50,000- 74,999	259	25,193	130	45.4	38.3-52.5	74	27.6	21.3-33.9	35	14.9	09.8-20.0	10	4.2	01.5-06.9	10	3.8	01.3-06.3
\$75,000+	262	26,637	119	45.0	37.7-52.3	88	32.2	25.7-38.7									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 10: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2567	280,020	343	16.0	14.0-18.0	178	8.8	07.0-10.6	73	3.5	02.3-04.7	56	2.6	01.6-03.6	112	5.7	04.1-07.3	1805	63.4	60.7-66.1
Male	1189	153,751	185	18.7	15.6-21.8	99	10.2	07.5-12.9	47	4.8	02.8-06.8	34	3.1	01.7-04.5	80	7.7	05.5-09.9	744	55.5	51.6-59.4
Female	1378	126,268	158	12.9	10.5-15.3	79	7.1	05.3-08.9	26	2.0	01.0-03.0	22	1.9	00.7-03.1	32	3.3	01.3-05.3	1061	72.9	69.6-76.2
Non-Native	2523	272,748	332	15.8	13.8-17.8	168	8.0	06.4-09.6	70	3.5	02.3-04.7	52	2.4	01.4-03.4	111	5.8	04.2-07.4	1790	64.4	61.9-66.9
18-24	111	42,251	23	19.4	11.2-27.6	19	17.0	08.4-25.6	8	8.0	01.5-14.5	3	4.0	00.0-08.5	10	12.0	04.2-19.8			
25-34	335	50,381	70	22.7	17.4-28.0	35	11.2	07.1-15.3	14	4.2	01.8-06.6	15	4.1	01.7-06.5	29	8.9	05.4-12.4	172	48.9	42.8-55.0
35-44	487	52,283	80	17.2	13.3-21.1	48	10.6	07.5-13.7	20	3.3	01.7-04.9	17	4.2	02.0-06.4	33	5.7	03.3-08.1	289	59.0	53.9-64.1
45-54	658	60,745	102	16.1	12.8-19.4	40	5.8	03.8-07.8	18	3.1	01.5-04.7	13	1.0	00.4-01.6	24	4.1	02.3-05.9	461	70.0	65.9-74.1
55-64	442	36,404	47	14.1	10.0-18.2	24	5.5	03.0-08.0	4	0.4	00.0-01.0	7	1.5	00.1-02.9	11	2.3	00.7-03.9	349	76.2	71.3-81.1
65+	512	36,551	21	3.8	02.0-05.6	12	2.1	00.7-03.5	9	1.5	00.1-02.9	1	0.2	00.0-00.6	5	0.6	00.0-01.2	464	91.9	89.2-94.6
Less Than H.S.	150	14,788	10	9.4	02.0-16.8	9	10.4	02.8-18.0	9	9.8	01.2-18.4	3	1.9	00.0-04.3	6	6.2	00.0-13.6			
H.S. or G.E.D.	707	75,075	97	16.6	12.7-20.5	54	11.2	06.7-15.7	20	2.7	01.3-04.1	21	3.9	01.5-06.3	39	9.0	05.3-12.7	476	56.6	51.1-62.1
Some Post-H.S.	823	87,745	121	17.6	13.9-21.3	64	8.6	06.1-11.1	23	3.9	01.9-05.9	19	2.8	01.0-04.6	33	5.4	02.5-08.3	563	61.8	57.1-66.5
College Graduate	884	102,263	115	15.3	12.2-18.4	50	6.9	04.7-09.1	21	2.9	00.7-05.1	13	1.4	00.4-02.4	34	3.6	02.0-05.2	651	69.8	65.7-73.9
Less than \$15,000	124	14,855				9	13.2	03.2-23.2	6	6.1	00.0-13.4	4	6.6	00.0-14.8	8	7.4	00.0-14.8			
\$15,000- 24,999	292	27,545	35	11.0	05.7-16.3	21	14.0	04.2-23.8	13	4.1	01.6-06.6	5	1.6	00.0-03.6	12	8.1	00.1-16.1			
\$25,000- 34,999	326	34,362	47	19.3	12.6-26.0	21	7.0	02.9-11.1	9	2.0	00.4-03.6	13	4.5	01.0-08.0	14	5.8	02.1-09.5	222	61.4	53.8-69.0
\$35,000- 49,999	497	50,231	58	14.0	09.9-18.1	49	10.1	06.4-13.8	12	2.7	00.5-04.9	10	2.3	00.5-04.1	29	6.5	02.4-10.6	339	64.4	58.5-70.3
\$50,000- 74,999	529	61,394	92	19.2	15.3-23.1	38	8.5	05.6-11.4	17	4.2	01.7-06.7	13	2.0	00.4-03.6	22	5.1	02.7-07.5	347	61.0	56.1-65.9
\$75,000+	517	63,399	71	15.6	11.7-19.5	28	6.9	04.2-09.6	11	3.7	00.2-07.2	6	1.3	00.3-02.3	21	4.5	02.3-06.7	380	68.2	62.9-73.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1189	153,751	185	18.7	15.6-21.8	99	10.2	07.5-12.9	47	4.8	02.8-06.8	34	3.1	01.7-04.5	80	7.7	05.5-09.9	744	55.5	51.6-59.4
Non-Native	1171	149,973	180	18.6	15.5-21.7	96	9.3	06.9-11.7	45	4.8	02.8-06.8	32	3.0	01.6-04.4	79	7.8	05.4-10.2	739	56.5	52.8-60.2
18-24	52	23,588										2	4.6	00.0-10.9						
25-34	162	30,047	37	24.5	16.9-32.1	21	12.9	06.8-19.0	11	5.9	02.4-09.4	8	4.5	01.0-08.0	19	11.1	05.8-16.4	66	41.1	32.5-49.7
35-44	225	28,475	35	16.5	11.0-22.0	24	10.2	05.9-14.5	7	2.9	00.5-05.3	11	5.4	01.9-08.9	24	8.3	04.4-12.2	124	56.7	49.4-64.0
45-54	293	30,742	56	19.9	14.6-25.2	22	6.8	03.7-09.9	12	4.5	02.0-07.0	7	1.3	00.1-02.5	18	6.6	03.3-09.9	178	60.9	54.4-67.4
55-64	206	20,610	33	20.4	13.9-26.9	17	7.7	03.6-11.8	3	0.4	00.0-00.8	5	1.7	00.0-03.7	8	2.9	00.4-05.4	140	67.0	59.6-74.4
65+	245	19,866	12	4.4	01.5-07.3	5	1.1	00.0-02.5	8	2.4	00.2-04.6	1	0.4	00.0-01.2	3	0.4	00.0-01.0	216	91.2	87.3-95.1
Less Than H.S.	86	9,744				4	8.9	00.0-18.9				2	2.3	00.0-05.8	3	7.7	00.0-18.7			
H.S. or G.E.D.	366	46,595	58	19.0	13.5-24.5	34	13.1	06.4-19.8	13	3.0	01.0-05.0	15	5.1	01.4-08.8	35	12.8	07.3-18.3	211	46.9	39.8-54.0
Some Post-H.S.	337	41,107	54	20.8	14.1-27.5	34	10.9	06.4-15.4	15	5.9	02.4-09.4	11	3.2	01.0-05.4	19	6.0	02.9-09.1	204	53.1	46.0-60.2
College Graduate	398	56,228	65	17.7	13.2-22.2	26	7.5	04.2-10.8	12	3.8	00.0-07.7	6	1.5	00.0-03.1	23	4.7	02.2-07.2	266	64.8	58.7-70.9
Less than \$15,000	50	7,769										3	4.7	00.0-10.4						
\$15,000- 24,999	132	14,566	18	13.3	04.5-22.1				6	4.0	00.3-07.7	3	2.2	00.0-05.5	8	6.1	01.2-11.0			
\$25,000- 34,999	148	18,876				14	10.1	03.2-17.0	5	2.2	00.0-04.6	10	7.3	00.8-13.8	9	6.5	01.8-11.2			
\$35,000- 49,999	246	27,835	27	13.6	07.3-19.9	27	11.2	05.5-16.9	9	2.8	00.4-05.2	5	2.8	00.1-05.5	22	9.7	02.8-16.6	156	59.9	51.1-68.7
\$50,000- 74,999	269	36,053	57	21.9	16.4-27.4	19	7.0	03.5-10.5	14	6.7	02.6-10.8	9	2.6	00.2-05.0	17	7.0	03.1-10.9	153	54.7	47.8-61.6
\$75,000+	255	36,757	43	19.0	12.9-25.1	20	9.3	04.8-13.8	6	4.7	00.0-10.6	3	1.2	00.0-02.8	15	6.0	02.5-09.5	168	59.7	51.9-67.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 12: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1378	126,268	158	12.9	10.5-15.3	79	7.1	05.3-08.9	26	2.0	01.0-03.0	22	1.9	00.7-03.1	32	3.3	01.3-05.3	1061	72.9	69.6-76.2
Non-Native	1352	122,775	152	12.4	10.0-14.8	72	6.4	04.6-08.2	25	2.0	01.0-03.0	20	1.7	00.5-02.9	32	3.4	01.2-05.6	1051	74.1	70.8-77.4
18-24	59	18,663	11	14.9	05.3-24.5	9	11.7	03.5-19.9	2	3.3	00.0-08.2	1	3.3	00.0-09.6						
25-34	173	20,334	33	20.2	13.5-26.9	14	8.8	04.1-13.5	3	1.6	00.0-03.6	7	3.4	00.9-05.9	10	5.6	02.1-09.1	106	60.4	52.4-68.4
35-44	262	23,808	45	18.0	12.7-23.3	24	10.9	06.4-15.4	13	3.8	01.4-06.2	6	2.9	00.4-05.4	9	2.6	00.4-04.8	165	61.7	55.0-68.4
45-54	365	30,003	46	12.2	08.5-15.9	18	4.7	02.3-07.1	6	1.6	00.2-03.0	6	0.7	00.1-01.3	6	1.5	00.1-02.9	283	79.4	74.9-83.9
55-64	236	15,794	14	5.9	02.6-09.2	7	2.7	00.3-05.1	1	0.6	00.0-01.8	2	1.1	00.0-02.7	3	1.6	00.0-03.4	209	88.2	83.5-92.9
65+	267	16,685	9	2.9	00.7-05.1	7	3.1	00.6-05.6	1	0.5	00.0-01.5				2	0.8	00.0-02.0	248	92.6	89.1-96.1
Less Than H.S.	64	5,044	2	1.2	00.0-03.6				2	2.3	00.0-05.4	1	1.1	00.0-03.3	3	3.4	00.0-07.5			
H.S. or G.E.D.	341	28,480	39	12.5	07.6-17.4	20	8.1	03.6-12.6	7	2.2	00.4-04.0	6	1.9	00.1-03.7	4	2.7	00.0-06.0	265	72.6	65.9-79.3
Some Post-H.S.	486	46,639	67	14.7	11.0-18.4	30	6.6	03.9-09.3	8	2.1	00.0-04.3	8	2.5	00.0-05.2	14	4.8	00.0-09.7	359	69.3	63.2-75.4
College Graduate	486	46,035	50	12.5	08.4-16.6	24	6.2	03.5-08.9	9	1.7	00.5-02.9	7	1.3	00.3-02.3	11	2.3	00.9-03.7	385	76.0	71.1-80.9
Less than \$15,000	74	7,085				4	4.8	00.0-10.3	2	1.8	00.0-04.3				3	2.7	00.0-05.8			
\$15,000- 24,999	160	12,979	17	8.3	03.2-13.4	11	9.3	02.6-16.0	7	4.2	00.7-07.7	2	0.9	00.0-02.3						
\$25,000- 34,999	178	15,485	27	15.9	08.5-23.3	7	3.2	00.5-05.9	4	1.9	00.0-03.9	3	1.0	00.0-02.2	5	5.0	00.0-11.1	132	73.0	63.8-82.2
\$35,000- 49,999	251	22,396	31	14.5	09.2-19.8	22	8.7	04.8-12.6	3	2.5	00.0-06.4	5	1.7	00.0-03.5	7	2.6	00.4-04.8	183	69.9	62.8-77.0
\$50,000- 74,999	260	25,342	35	15.4	10.3-20.5	19	10.5	05.6-15.4	3	0.7	00.0-01.7	4	1.1	00.0-02.3	5	2.3	00.1-04.5	194	70.0	63.3-76.7
\$75,000+	262	26,642	28	10.8	06.5-15.1	8	3.5	01.1-05.9	5	2.2	00.2-04.2	3	1.3	00.0-02.9	6	2.4	00.2-04.6	212	79.8	74.3-85.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 13: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2500	271,248	668	22.2	20.2-24.2	654	23.8	21.6-26.0	383	14.5	12.9-16.1	196	7.6	06.2-09.0	599	32.0	29.3-34.7
Male	1153	149,219	217	16.2	13.7-18.7	243	18.8	16.1-21.5	188	14.6	12.2-17.0	99	7.4	05.8-09.0	406	43.0	39.1-46.9
Female	1347	122,029	451	29.5	26.6-32.4	411	29.8	26.7-32.9	195	14.4	12.0-16.8	97	7.8	05.6-10.0	193	18.5	15.4-21.6
Non-Native	2459	264,487	661	22.5	20.5-24.5	648	24.1	21.9-26.3	378	14.6	12.8-16.4	194	7.7	06.3-09.1	578	31.1	28.4-33.8
18-24	107	40,823	14	12.3	05.4-19.2	18	14.4	07.3-21.5	12	8.4	03.5-13.3	7	5.7	01.0-10.4			
25-34	324	48,369	39	11.2	07.5-14.9	66	21.5	16.2-26.8	53	14.1	10.0-18.2	22	5.8	03.3-08.3	144	47.4	41.1-53.7
35-44	464	49,999	81	16.5	12.8-20.2	111	24.3	19.8-28.8	72	15.5	11.8-19.2	42	8.8	05.9-11.7	158	34.9	29.8-40.0
45-54	638	58,943	156	24.2	20.5-27.9	174	26.1	22.2-30.0	95	15.3	12.0-18.6	69	11.0	08.3-13.7	144	23.5	19.6-27.4
55-64	438	35,730	144	30.5	25.6-35.4	120	25.0	20.3-29.7	75	18.9	14.6-23.2	28	7.0	04.3-09.7	71	18.7	14.2-23.2
65+	508	36,068	222	42.9	37.8-48.0	158	31.6	26.9-36.3	74	14.9	11.4-18.4	28	5.9	03.4-08.4	26	4.7	02.3-07.1
Less Than H.S.	140	13,415				38	18.1	11.2-25.0	22	15.7	08.1-23.3	7	4.9	00.6-09.2			
H.S. or G.E.D.	689	72,808	187	19.7	16.0-23.4	170	22.4	18.3-26.5	92	11.9	09.0-14.8	54	7.0	04.8-09.2	186	39.0	33.3-44.7
Some Post-H.S.	801	84,679	200	21.2	17.7-24.7	215	24.3	20.6-28.0	113	12.6	09.9-15.3	70	8.2	05.8-10.6	203	33.7	28.8-38.6
College Graduate	867	100,199	232	23.6	20.3-26.9	231	25.1	21.6-28.6	155	17.6	14.7-20.5	65	7.9	05.5-10.3	184	25.7	21.8-29.6
Less than \$15,000	119	13,791	32	14.5	08.2-20.8				15	8.2	03.7-12.7	8	8.1	00.3-15.9			
\$15,000- 24,999	288	27,543	95	24.5	17.4-31.6	59	19.0	12.7-25.3	38	12.8	07.3-18.3	26	6.4	03.1-09.7			
\$25,000- 34,999	315	32,359	87	24.9	18.4-31.4	84	24.4	18.1-30.7	38	10.4	06.5-14.3	29	7.2	03.9-10.5	77	33.1	25.1-41.1
\$35,000- 49,999	484	48,890	112	18.7	14.8-22.6	119	24.9	19.8-30.0	80	15.6	11.5-19.7	47	9.5	06.6-12.4	126	31.3	25.2-37.4
\$50,000- 74,999	517	60,275	117	20.3	16.4-24.2	143	24.7	20.4-29.0	67	12.6	09.3-15.9	45	8.4	05.9-10.9	145	34.0	29.1-38.9
\$75,000+	507	62,036	110	19.2	15.3-23.1	133	22.9	18.8-27.0	115	22.5	18.4-26.6	33	7.5	04.2-10.8	116	27.8	22.5-33.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 14: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1153	149,219	217	16.2	13.7-18.7	243	18.8	16.1-21.5	188	14.6	12.2-17.0	99	7.4	05.8-09.0	406	43.0	39.1-46.9
Non-Native	1137	145,778	214	16.4	13.9-18.9	240	18.9	16.2-21.6	188	14.9	12.5-17.3	99	7.6	05.8-09.4	396	42.2	38.3-46.1
18-24	53	24,137	4	7.4	00.0-15.0	5	9.8	01.4-18.2	5	6.8	00.7-12.9	1	0.8	00.0-02.4			
25-34	155	28,544	10	7.2	02.5-11.9	27	20.4	12.8-28.0	19	10.1	05.2-15.0	8	4.6	01.3-07.9	91	57.7	48.9-66.5
35-44	214	27,304	28	12.3	07.4-17.2	40	20.3	14.2-26.4	30	15.2	09.7-20.7	21	9.3	05.0-13.6	95	42.9	35.5-50.3
45-54	280	29,264	50	17.8	12.5-23.1	50	15.7	10.8-20.6	45	17.8	12.1-23.5	33	12.7	08.0-17.4	102	36.0	29.5-42.5
55-64	203	20,004	44	23.1	16.4-29.8	45	18.1	12.0-24.2	40	21.3	14.8-27.8	18	9.1	04.6-13.6	56	28.4	21.1-35.7
65+	242	19,543	78	34.6	27.3-41.9	74	31.2	24.3-38.1	48	18.1	12.6-23.6	18	7.8	03.5-12.1	24	8.3	04.2-12.4
Less Than H.S.	81	8,937				22	15.5	07.5-23.5				4	3.7	00.0-07.8			
H.S. or G.E.D.	353	44,902	60	13.1	08.8-17.4	68	16.4	11.5-21.3	54	11.7	08.0-15.4	33	8.1	05.0-11.2	138	50.7	43.4-58.0
Some Post-H.S.	327	40,002	57	15.6	11.1-20.1	73	18.0	12.9-23.1	44	12.3	08.0-16.6	27	7.7	04.4-11.0	126	46.5	39.2-53.8
College Graduate	390	55,300	80	18.5	14.0-23.0	80	22.0	16.9-27.1	74	18.0	13.7-22.3	35	7.4	04.7-10.1	121	34.2	28.1-40.3
Less than \$15,000	51	7,773	8	6.3	00.6-12.0				6	5.8	00.9-10.7	3	2.9	00.0-06.8			
\$15,000- 24,999	127	14,605				25	15.8	08.2-23.4	17	10.2	03.7-16.7	10	6.4	01.1-11.7			
\$25,000- 34,999	144	17,989	28	18.6	10.0-27.2	34	19.0	11.6-26.4	15	8.7	03.6-13.8	14	7.1	02.4-11.8			
\$35,000- 49,999	238	26,798	37	13.3	08.4-18.2	48	19.8	12.7-26.9	40	15.4	09.3-21.5	26	10.7	06.2-15.2	87	40.8	31.8-49.8
\$50,000- 74,999	262	35,378	45	15.4	10.7-20.1	54	20.4	14.5-26.3	33	12.0	07.5-16.5	25	8.2	04.7-11.7	105	44.0	36.9-51.1
\$75,000+	248	35,670	39	14.0	08.9-19.1	48	16.5	11.2-21.8	65	25.5	19.4-31.6	17	6.5	03.4-09.6	79	37.5	29.5-45.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 15: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1347	122,029	451	29.5	26.6-32.4	411	29.8	26.7-32.9	195	14.4	12.0-16.8	97	7.8	05.6-10.0	193	18.5	15.4-21.6
Non-Native	1322	118,709	447	30.0	26.9-33.1	408	30.4	27.3-33.5	190	14.3	11.9-16.7	95	7.9	05.7-10.1	182	17.4	14.3-20.5
18-24	54	16,687							7	10.8	02.4-19.2						
25-34	169	19,825	29	16.9	10.6-23.2	39	23.2	16.1-30.3	34	19.9	13.2-26.6	14	7.4	03.3-11.5	53	32.6	24.8-40.4
35-44	250	22,695	53	21.5	15.6-27.4	71	29.1	22.6-35.6	42	15.8	10.9-20.7	21	8.3	04.4-12.2	63	25.3	19.0-31.6
45-54	358	29,679	106	30.5	25.0-36.0	124	36.3	30.6-42.0	50	12.8	08.9-16.7	36	9.3	06.0-12.6	42	11.2	07.7-14.7
55-64	235	15,726	100	39.8	32.7-46.9	75	33.7	26.8-40.6	35	15.9	10.4-21.4	10	4.3	01.4-07.2	15	6.3	03.0-09.6
65+	266	16,524	144	52.7	45.8-59.6	84	32.2	25.7-38.7	26	11.0	06.7-15.3	10	3.6	01.2-06.0	2	0.5	00.0-01.5
Less Than H.S.	59	4,477										3	7.4	00.0-17.2	5	4.3	00.0-08.6
H.S. or G.E.D.	336	27,906	127	30.2	23.9-36.5	102	32.2	25.5-38.9	38	12.2	07.7-16.7	21	5.3	02.6-08.0	48	20.1	13.4-26.8
Some Post-H.S.	474	44,677	143	26.2	21.1-31.3	142	29.9	24.6-35.2	69	13.0	09.7-16.3	43	8.7	05.4-12.0	77	22.3	16.0-28.6
College Graduate	477	44,899	152	29.9	25.2-34.6	151	29.0	24.3-33.7	81	17.2	13.1-21.3	30	8.6	04.5-12.7	63	15.3	11.4-19.2
Less than \$15,000	68	6,018							9	11.3	03.3-19.3						
\$15,000- 24,999	161	12,939	63	27.8	17.8-37.8	34	22.6	12.6-32.6	21	15.8	06.8-24.8	16	6.4	02.5-10.3			
\$25,000- 34,999	171	14,371	59	32.8	23.4-42.2	50	31.1	21.3-40.9	23	12.6	06.3-18.9	15	7.2	02.9-11.5	24	16.2	07.4-25.0
\$35,000- 49,999	246	22,092	75	25.1	19.2-31.0	71	31.1	23.8-38.4	40	15.9	10.4-21.4	21	8.0	04.3-11.7	39	19.8	13.1-26.5
\$50,000- 74,999	255	24,897	72	27.2	20.7-33.7	89	30.8	24.5-37.1	34	13.5	08.8-18.2	20	8.6	04.7-12.5	40	19.9	13.8-26.0
\$75,000+	259	26,366	71	26.3	20.4-32.2	85	31.5	25.0-38.0	50	18.6	13.3-23.9	16	8.9	02.6-15.2	37	14.8	09.9-19.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006**

SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A FLU SHOT IS AN INFLUENZA VACCINE INJECTED IN YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)	
1	MALES AND FEMALES	155
2	MALES ONLY	156
3	FEMALES ONLY	157
	DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE THAT IS SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)	
4	MALES AND FEMALES	158
5	MALES ONLY	159
6	FEMALES ONLY	160
	HAVE YOU EVER HAD A PNEUMONIA SHOT? A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7	MALES AND FEMALES	161
8	MALES ONLY	162
9	FEMALES ONLY	163
	HAVE YOU EVER RECEIVED THE HEPATITIS B VACCINE? THE HEPATITIS B VACCINE IS COMPLETED AFTER THE THIRD SHOT IS GIVEN. (HEPBVAC)	
10	MALES AND FEMALES	164
11	MALES ONLY	165
12	FEMALES ONLY	166
	'TELL ME IF ANY OF THESE STATEMENTS IS TRUE FOR YOU. DO NOT TELL ME WHICH STATEMENT OR STATEMENTS ARE TRUE FOR YOU, JUST IF ANY OF THEM ARE: YOU HAVE HEMOPHILIA AND HAVE RECEIVED CLOTTING FACTOR CONCENTRATE: YOU ARE A MAN WHO HAS HAD SEX WITH OTHER MEN, EVEN JUST ONE TIME: YOU HAVE TAKEN STREET DRUGS BY NEEDLE, EVEN JUST ONE TIME: YOU TRADED SEX FOR MONEY OR DRUGS, EVEN JUST ONE TIME: YOU HAVE HAD SEX (EVEN JUST ONE TIME) WITH SOMEONE WHO WOULD ANSWER YES TO ANY OF THESE STATEMENTS: YOU HAD MORE THAN TWO SEX PARTNERS IN THE PAST YEAR (HEPBRSN)'	
13	MALES AND FEMALES	167
14	MALES ONLY	168
15	FEMALES ONLY	169

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

**TABLE 1: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED IN YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4732	487,457	1982	37.8	36.0-39.6	2750	62.2	60.4-64.0
Male	1902	239,530	695	33.5	30.8-36.2	1207	66.5	63.8-69.2
Female	2830	247,928	1287	41.8	39.4-44.2	1543	58.2	55.8-60.6
Non-Native	4570	466,776	1919	37.9	36.1-39.7	2651	62.1	60.3-63.9
18-24	199	75,925	44	20.1	13.4-26.8	155	79.9	73.2-86.6
25-34	513	75,070	143	29.5	25.0-34.0	370	70.5	66.0-75.0
35-44	742	80,818	200	29.0	25.3-32.7	542	71.0	67.3-74.7
45-54	1058	95,226	319	29.9	26.6-33.2	739	70.1	66.8-73.4
55-64	814	64,144	336	41.7	37.6-45.8	478	58.3	54.2-62.4
65+	1355	93,127	917	71.4	68.7-74.1	438	28.6	25.9-31.3
Less Than H.S.	421	36,314	218	47.2	40.3-54.1	203	52.8	45.9-59.7
H.S. or G.E.D.	1422	140,851	580	33.7	30.6-36.8	842	66.3	63.2-69.4
Some Post-H.S.	1473	157,879	565	35.1	31.8-38.4	908	64.9	61.6-68.2
College Graduate	1408	151,788	614	41.9	38.6-45.2	794	58.1	54.8-61.4
Less than \$15,000	392	34,249	184	36.1	29.6-42.6	208	63.9	57.4-70.4
\$15,000- 24,999	717	63,883	339	43.8	38.3-49.3	378	56.2	50.7-61.7
\$25,000- 34,999	611	61,741	236	33.4	28.3-38.5	375	66.6	61.5-71.7
\$35,000- 49,999	829	85,647	302	32.5	28.6-36.4	527	67.5	63.6-71.4
\$50,000- 74,999	781	88,265	309	36.2	32.3-40.1	472	63.8	59.9-67.7
\$75,000+	726	88,465	294	41.5	37.0-46.0	432	58.5	54.0-63.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 2: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED IN YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1902	239,530	695	33.5	30.8-36.2	1207	66.5	63.8-69.2
Non-Native	1845	231,720	675	33.6	30.9-36.3	1170	66.4	63.7-69.1
18-24	85	39,147	14	14.1	05.3-22.9	71	85.9	77.1-94.7
25-34	214	39,231	51	28.3	21.2-35.4	163	71.7	64.6-78.8
35-44	322	40,709	71	24.4	19.1-29.7	251	75.6	70.3-80.9
45-54	460	47,526	112	26.1	21.2-31.0	348	73.9	69.0-78.8
55-64	341	33,548	131	39.1	33.0-45.2	210	60.9	54.8-67.0
65+	468	38,598	312	72.9	68.2-77.6	156	27.1	22.4-31.8
Less Than H.S.	195	20,579	103	48.8	38.8-58.8	92	51.2	41.2-61.2
H.S. or G.E.D.	582	71,982	190	26.2	21.9-30.5	392	73.8	69.5-78.1
Some Post-H.S.	538	69,139	173	30.1	25.0-35.2	365	69.9	64.8-75.0
College Graduate	582	77,410	227	39.3	34.4-44.2	355	60.7	55.8-65.6
Less than \$15,000	108	12,571	46	25.9	16.1-35.7	62	74.1	64.3-83.9
\$15,000- 24,999	268	29,008	103	34.9	27.1-42.7	165	65.1	57.3-72.9
\$25,000- 34,999	245	31,222	80	30.7	22.5-38.9	165	69.3	61.1-77.5
\$35,000- 49,999	372	44,059	119	29.8	23.9-35.7	253	70.2	64.3-76.1
\$50,000- 74,999	373	49,082	139	35.1	29.6-40.6	234	64.9	59.4-70.4
\$75,000+	353	48,783	127	36.9	30.6-43.2	226	63.1	56.8-69.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

**TABLE 3: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED IN YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2830	247,928	1287	41.8	39.4-44.2	1543	58.2	55.8-60.6
Non-Native	2725	235,056	1244	42.1	39.7-44.5	1481	57.9	55.5-60.3
18-24	114	36,778	30	26.5	16.7-36.3	84	73.5	63.7-83.3
25-34	299	35,840	92	30.8	24.9-36.7	207	69.2	63.3-75.1
35-44	420	40,109	129	33.8	28.7-38.9	291	66.2	61.1-71.3
45-54	598	47,700	207	33.7	29.4-38.0	391	66.3	62.0-70.6
55-64	473	30,597	205	44.6	39.3-49.9	268	55.4	50.1-60.7
65+	887	54,529	605	70.4	66.9-73.9	282	29.6	26.1-33.1
Less Than H.S.	226	15,735	115	45.2	36.0-54.4	111	54.8	45.6-64.0
H.S. or G.E.D.	840	68,869	390	41.6	37.3-45.9	450	58.4	54.1-62.7
Some Post-H.S.	935	88,741	392	39.0	34.7-43.3	543	61.0	56.7-65.3
College Graduate	826	74,378	387	44.6	40.5-48.7	439	55.4	51.3-59.5
Less than \$15,000	284	21,679	138	42.0	33.8-50.2	146	58.0	49.8-66.2
\$15,000- 24,999	449	34,875	236	51.1	44.0-58.2	213	48.9	41.8-56.0
\$25,000- 34,999	366	30,518	156	36.2	29.9-42.5	210	63.8	57.5-70.1
\$35,000- 49,999	457	41,588	183	35.4	30.1-40.7	274	64.6	59.3-69.9
\$50,000- 74,999	408	39,182	170	37.5	32.0-43.0	238	62.5	57.0-68.0
\$75,000+	373	39,681	167	47.1	41.0-53.2	206	52.9	46.8-59.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE THAT IS SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4726	488,038	37	0.9	00.5-01.3	4689	99.1	98.7-99.5
Male	1899	240,263	22	1.2	00.4-02.0	1877	98.8	98.0-99.6
Female	2827	247,775	15	0.5	00.1-00.9	2812	99.5	99.1-99.9
Native	106	15,526	1	0.2	00.0-00.6	105	99.8	99.4-0100
Non-Native	4565	467,494	35	0.9	00.5-01.3	4530	99.1	98.7-99.5
18-24	201	77,022	4	1.8	00.0-03.8	197	98.2	96.2-0100
25-34	512	74,445	6	1.5	00.1-02.9	506	98.5	97.1-99.9
35-44	745	81,266	6	0.6	00.2-01.0	739	99.4	99.0-99.8
45-54	1059	95,548	6	0.5	00.1-00.9	1053	99.5	99.1-99.9
55-64	811	63,805	4	0.3	00.0-00.7	807	99.7	99.3-0100
65+	1347	92,806	11	0.7	00.3-01.1	1336	99.3	98.9-99.7
Less Than H.S.	420	37,051	3	0.6	00.0-01.4	417	99.4	98.6-0100
H.S. or G.E.D.	1419	140,652	10	0.8	00.0-01.6	1409	99.2	98.4-0100
Some Post-H.S.	1471	157,691	17	1.3	00.5-02.1	1454	98.7	97.9-99.5
College Graduate	1408	152,020	7	0.6	00.0-01.2	1401	99.4	98.8-0100
Less than \$15,000	392	34,279	5	0.7	00.0-01.5	387	99.3	98.5-0100
\$15,000- 24,999	713	63,260	5	0.5	00.0-01.1	708	99.5	98.9-0100
\$25,000- 34,999	610	61,710	9	2.7	00.3-05.1	601	97.3	94.9-99.7
\$35,000- 49,999	830	85,660	4	0.4	00.0-00.8	826	99.6	99.2-0100
\$50,000- 74,999	782	88,813	5	0.8	00.0-01.6	777	99.2	98.4-0100
\$75,000+	727	88,786	1	0.1	00.0-00.3	726	99.9	99.7-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE THAT IS SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1899	240,263	22	1.2	00.4-02.0	1877	98.8	98.0-99.6
Non-Native	1843	232,590	21	1.3	00.5-02.1	1822	98.7	97.9-99.5
18-24	87	40,244	4	3.4	00.0-06.9	83	96.6	93.1-0100
25-34	212	38,533	4	2.2	00.0-04.6	208	97.8	95.4-0100
35-44	323	41,110	3	0.6	00.0-01.2	320	99.4	98.8-0100
45-54	460	47,800	2	0.3	00.0-00.7	458	99.7	99.3-0100
55-64	341	33,479	3	0.5	00.0-01.3	338	99.5	98.7-0100
65+	464	38,325	6	0.6	00.0-01.4	458	99.4	98.6-0100
Less Than H.S.	196	21,409	2	0.4	00.0-01.0	194	99.6	99.0-0100
H.S. or G.E.D.	580	71,815	6	1.2	00.0-02.6	574	98.8	97.4-0100
Some Post-H.S.	537	69,058	10	2.1	00.3-03.9	527	97.9	96.1-99.7
College Graduate	581	77,561	4	0.8	00.0-01.8	577	99.2	98.2-0100
Less than \$15,000	107	12,553	3	0.9	00.0-02.1	104	99.1	97.9-0100
\$15,000- 24,999	265	28,455	2	0.7	00.0-01.7	263	99.3	98.3-0100
\$25,000- 34,999	245	31,210	6	4.3	00.0-08.6	239	95.7	91.4-0100
\$35,000- 49,999	372	44,059	3	0.4	00.0-01.0	369	99.6	99.0-0100
\$50,000- 74,999	374	49,631	3	0.8	00.0-01.8	371	99.2	98.2-0100
\$75,000+	354	49,105	1	0.2	00.0-00.6	353	99.8	99.4-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE THAT IS SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2827	247,775	15	0.5	00.1-00.9	2812	99.5	99.1-99.9
Native	76	10,048				76	100.0	0100-0100
Non-Native	2722	234,904	14	0.5	00.3-00.7	2708	99.5	99.3-99.7
18-24	114	36,778				114	100.0	0100-0100
25-34	300	35,913	2	0.8	00.0-02.0	298	99.2	98.0-0100
35-44	422	40,156	3	0.5	00.0-01.1	419	99.5	98.9-0100
45-54	599	47,748	4	0.8	00.0-01.6	595	99.2	98.4-0100
55-64	470	30,326	1	0.2	00.0-00.6	469	99.8	99.4-0100
65+	883	54,481	5	0.7	00.1-01.3	878	99.3	98.7-99.9
Less Than H.S.	224	15,642	1	0.9	00.0-02.7	223	99.1	97.3-0100
H.S. or G.E.D.	839	68,837	4	0.4	00.0-00.8	835	99.6	99.2-0100
Some Post-H.S.	934	88,633	7	0.7	00.1-01.3	927	99.3	98.7-99.9
College Graduate	827	74,459	3	0.4	00.0-00.8	824	99.6	99.2-0100
Less than \$15,000	285	21,726	2	0.6	00.0-01.6	283	99.4	98.4-0100
\$15,000- 24,999	448	34,805	3	0.4	00.0-00.8	445	99.6	99.2-0100
\$25,000- 34,999	365	30,500	3	1.0	00.0-02.2	362	99.0	97.8-0100
\$35,000- 49,999	458	41,602	1	0.3	00.0-00.9	457	99.7	99.1-0100
\$50,000- 74,999	408	39,182	2	0.7	00.0-01.7	406	99.3	98.3-0100
\$75,000+	373	39,681				373	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 7. HAVE YOU EVER HAD A PNEUMONIA SHOT? A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4405	440,059	1357	26.2	24.4-28.0	3048	73.8	72.0-75.6
Male	1706	210,156	493	25.5	22.8-28.2	1213	74.5	71.8-77.2
Female	2699	229,902	864	26.9	24.7-29.1	1835	73.1	70.9-75.3
Non-Native	4259	421,595	1306	26.1	24.3-27.9	2953	73.9	72.1-75.7
18-24	156	59,283	23	19.6	11.8-27.4	133	80.4	72.6-88.2
25-34	431	62,719	41	9.5	06.2-12.8	390	90.5	87.2-93.8
35-44	688	74,451	66	11.7	08.8-14.6	622	88.3	85.4-91.2
45-54	996	89,273	110	10.7	08.3-13.1	886	89.3	86.9-91.7
55-64	779	61,093	208	26.7	23.0-30.4	571	73.3	69.6-77.0
65+	1309	90,360	899	69.4	66.5-72.3	410	30.6	27.7-33.5
Less Than H.S.	401	35,282	207	42.7	35.6-49.8	194	57.3	50.2-64.4
H.S. or G.E.D.	1344	129,980	492	29.7	26.6-32.8	852	70.3	67.2-73.4
Some Post-H.S.	1356	139,404	363	24.0	20.9-27.1	993	76.0	72.9-79.1
College Graduate	1296	134,768	291	20.9	18.0-23.8	1005	79.1	76.2-82.0
Less than \$15,000	363	30,796	180	36.4	29.7-43.1	183	63.6	56.9-70.3
\$15,000- 24,999	682	59,427	311	41.1	35.6-46.6	371	58.9	53.4-64.4
\$25,000- 34,999	571	56,114	194	31.1	25.2-37.0	377	68.9	63.0-74.8
\$35,000- 49,999	779	79,598	183	22.7	18.8-26.6	596	77.3	73.4-81.2
\$50,000- 74,999	712	78,641	133	15.7	12.8-18.6	579	84.3	81.4-87.2
\$75,000+	673	78,471	109	17.7	14.0-21.4	564	82.3	78.6-86.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 8: HAVE YOU EVER HAD A PNEUMONIA SHOT? A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1706	210,156	493	25.5	22.8-28.2	1213	74.5	71.8-77.2
Non-Native	1656	202,968	475	25.4	22.7-28.1	1181	74.6	71.9-77.3
25-34	172	31,540	20	12.3	06.6-18.0	152	87.7	82.0-93.4
35-44	285	36,091	37	15.4	10.5-20.3	248	84.6	79.7-89.5
45-54	414	42,919	42	11.6	07.7-15.5	372	88.4	84.5-92.3
55-64	315	31,029	89	26.4	20.9-31.9	226	73.6	68.1-79.1
65+	445	37,007	293	66.3	61.0-71.6	152	33.7	28.4-39.0
Less Than H.S.	185	20,431	89	41.1	31.1-51.1			
H.S. or G.E.D.	529	65,364	166	24.8	20.3-29.3	363	75.2	70.7-79.7
Some Post-H.S.	476	58,664	117	24.2	18.5-29.9	359	75.8	70.1-81.5
College Graduate	511	65,278	120	22.5	17.8-27.2	391	77.5	72.8-82.2
\$15,000- 24,999	251	27,304	101	36.4	27.6-45.2	150	63.6	54.8-72.4
\$25,000- 34,999	219	27,048	75	36.4	26.4-46.4	144	63.6	53.6-73.6
\$35,000- 49,999	334	39,822	76	22.0	15.5-28.5	258	78.0	71.5-84.5
\$50,000- 74,999	327	42,455	69	18.3	13.8-22.8	258	81.7	77.2-86.2
\$75,000+	318	41,776	60	19.8	14.7-24.9	258	80.2	75.1-85.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 9: HAVE YOU EVER HAD A PNEUMONIA SHOT? A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2699	229,902	864	26.9	24.7-29.1	1835	73.1	70.9-75.3
Non-Native	2603	218,626	831	26.8	24.6-29.0	1772	73.2	71.0-75.4
18-24	90	28,271	14	19.1	09.3-28.9	76	80.9	71.1-90.7
25-34	259	31,179	21	6.7	03.6-09.8	238	93.3	90.2-96.4
35-44	403	38,360	29	8.3	05.2-11.4	374	91.7	88.6-94.8
45-54	582	46,354	68	9.9	07.4-12.4	514	90.1	87.6-92.6
55-64	464	30,064	119	27.1	22.2-32.0	345	72.9	68.0-77.8
65+	864	53,353	606	71.5	68.0-75.0	258	28.5	25.0-32.0
Less Than H.S.	216	14,851	118	44.8	35.4-54.2	98	55.2	45.8-64.6
H.S. or G.E.D.	815	64,616	326	34.6	30.7-38.5	489	65.4	61.5-69.3
Some Post-H.S.	880	80,740	246	23.8	20.3-27.3	634	76.2	72.7-79.7
College Graduate	785	69,489	171	19.3	15.8-22.8	614	80.7	77.2-84.2
Less than \$15,000	267	19,527	138	41.2	33.2-49.2	129	58.8	50.8-66.8
\$15,000- 24,999	431	32,123	210	45.0	38.5-51.5	221	55.0	48.5-61.5
\$25,000- 34,999	352	29,067	119	26.2	20.7-31.7	233	73.8	68.3-79.3
\$35,000- 49,999	445	39,776	107	23.3	18.4-28.2	338	76.7	71.8-81.6
\$50,000- 74,999	385	36,186	64	12.6	09.3-15.9	321	87.4	84.1-90.7
\$75,000+	355	36,695	49	15.2	09.7-20.7	306	84.8	79.3-90.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 10: HAVE YOU EVER RECEIVED THE HEPATITIS B VACCINE? THE HEPATITIS B VACCINE IS COMPLETED AFTER THE THIRD SHOT IS GIVEN. (HEPBVAC)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4035	412,375	1152	37.6	35.4-39.8	2883	62.4	60.2-64.6	
Male	1576	199,660	403	34.8	31.3-38.3	1173	65.2	61.7-68.7	
Female	2459	212,715	749	40.3	37.6-43.0	1710	59.7	57.0-62.4	
Non-Native	3896	394,102	1100	37.6	35.4-39.8	2796	62.4	60.2-64.6	
18-24	170	65,937	133	77.9	70.5-85.3	37	22.1	14.7-29.5	
25-34	401	59,174	200	51.7	46.0-57.4	201	48.3	42.6-54.0	
35-44	586	63,848	240	42.2	37.7-46.7	346	57.8	53.3-62.3	
45-54	920	82,826	272	28.5	25.2-31.8	648	71.5	68.2-74.8	
55-64	723	56,538	182	25.9	22.0-29.8	541	74.1	70.2-78.0	
65+	1191	81,518	115	9.0	07.0-11.0	1076	91.0	89.0-93.0	
Less Than H.S.	363	32,106	55	26.9	18.7-35.1	308	73.1	64.9-81.3	
H.S. or G.E.D.	1204	117,302	259	28.8	24.9-32.7	945	71.2	67.3-75.1	
Some Post-H.S.	1268	134,730	395	42.2	38.1-46.3	873	57.8	53.7-61.9	
College Graduate	1194	127,667	441	43.7	40.0-47.4	753	56.3	52.6-60.0	
Less than \$15,000	331	29,131	73	39.8	31.0-48.6	258	60.2	51.4-69.0	
\$15,000- 24,999	618	54,320	143	30.9	24.4-37.4	475	69.1	62.6-75.6	
\$25,000- 34,999	525	52,268	140	36.2	29.5-42.9	385	63.8	57.1-70.5	
\$35,000- 49,999	697	71,410	213	38.1	32.8-43.4	484	61.9	56.6-67.2	
\$50,000- 74,999	676	75,256	227	36.6	32.1-41.1	449	63.4	58.9-67.9	
\$75,000+	620	76,288	228	43.7	38.6-48.8	392	56.3	51.2-61.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 11: HAVE YOU EVER RECEIVED THE HEPATITIS B VACCINE? THE HEPATITIS B VACCINE IS COMPLETED AFTER THE THIRD SHOT IS GIVEN. (HEPBVAC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1576	199,660	403	34.8	31.3-38.3	1173	65.2	61.7-68.7	
Non-Native	1529	192,643	390	35.2	31.7-38.7	1139	64.8	61.3-68.3	
25-34	161	29,722	65	46.2	37.4-55.0	96	53.8	45.0-62.6	
35-44	260	32,685	94	38.0	31.3-44.7	166	62.0	55.3-68.7	
45-54	388	40,746	93	25.2	20.1-30.3	295	74.8	69.7-79.9	
55-64	285	28,167	57	21.4	15.7-27.1	228	78.6	72.9-84.3	
65+	399	32,968	41	9.3	06.0-12.6	358	90.7	87.4-94.0	
H.S. or G.E.D.	476	58,770	102	27.8	21.7-33.9	374	72.2	66.1-78.3	
Some Post-H.S.	450	58,104	130	41.5	34.6-48.4	320	58.5	51.6-65.4	
College Graduate	476	64,057	149	38.2	32.3-44.1	327	61.8	55.9-67.7	
\$15,000- 24,999	223	23,898	39	21.2	12.2-30.2	184	78.8	69.8-87.8	
\$35,000- 49,999	304	36,442	90	39.0	30.8-47.2	214	61.0	52.8-69.2	
\$50,000- 74,999	309	40,167	75	28.0	21.7-34.3	234	72.0	65.7-78.3	
\$75,000+	299	42,099	92	39.3	32.0-46.6	207	60.7	53.4-68.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 12: HAVE YOU EVER RECEIVED THE HEPATITIS B VACCINE? THE HEPATITIS B VACCINE IS COMPLETED AFTER THE THIRD SHOT IS GIVEN. (HEPBVAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2459	212,715	749	40.3	37.6-43.0	1710	59.7	57.0-62.4
Non-Native	2367	201,459	710	39.8	37.1-42.5	1657	60.2	57.5-62.9
18-24	95	30,993	81	88.5	82.0-95.0	14	11.5	05.0-18.0
25-34	240	29,452	135	57.2	50.3-64.1	105	42.8	35.9-49.7
35-44	326	31,163	146	46.7	40.4-53.0	180	53.3	47.0-59.6
45-54	532	42,081	179	31.7	27.2-36.2	353	68.3	63.8-72.8
55-64	438	28,372	125	30.4	25.1-35.7	313	69.6	64.3-74.9
65+	792	48,550	74	8.8	06.4-11.2	718	91.2	88.8-93.6
H.S. or G.E.D.	728	58,532	157	29.8	24.7-34.9	571	70.2	65.1-75.3
Some Post-H.S.	818	76,626	265	42.7	37.8-47.6	553	57.3	52.4-62.2
College Graduate	718	63,610	292	49.2	44.7-53.7	426	50.8	46.3-55.3
\$15,000- 24,999	395	30,422	104	38.5	30.1-46.9	291	61.5	53.1-69.9
\$25,000- 34,999	319	26,035	94	37.7	30.1-45.3	225	62.3	54.7-69.9
\$35,000- 49,999	393	34,968	123	37.1	30.8-43.4	270	62.9	56.6-69.2
\$50,000- 74,999	367	35,089	152	46.5	40.2-52.8	215	53.5	47.2-59.8
\$75,000+	321	34,190	136	49.0	42.3-55.7	185	51.0	44.3-57.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 13: 'TELL ME IF ANY OF THESE STATEMENTS IS TRUE FOR YOU. DO NOT TELL ME WHICH STATEMENT OR STATEMENTS ARE TRUE FOR YOU, JUST IF ANY OF THEM ARE: YOU HAVE HEMOPHILIA AND HAVE RECEIVED CLOTTING FACTOR CONCENTRATE: YOU ARE A MAN WHO HAS HAD SEX WITH OTHER MEN, EVEN JUST ONE TIME: YOU HAVE TAKEN STREET DRUGS BY NEEDLE, EVEN JUST ONE TIME: YOU TRADED SEX FOR MONEY OR DRUGS, EVEN JUST ONE TIME: YOU HAVE HAD SEX (EVEN JUST ONE TIME) WITH SOMEONE WHO WOULD ANSWER YES TO ANY OF THESE STATEMENTS: YOU HAD MORE THAN TWO SEX PARTNERS IN THE PAST YEAR (HEPBRSN)'

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4700	484,798	109	3.8	02.8-04.8	4591	96.2	95.2-97.2
Male	1887	238,745	64	5.3	03.5-07.1	1823	94.7	92.9-96.5
Female	2813	246,053	45	2.4	01.4-03.4	2768	97.6	96.6-98.6
Non-Native	4542	464,330	101	3.3	02.5-04.1	4441	96.7	95.9-97.5
18-24	197	75,561	21	11.5	06.0-17.0	176	88.5	83.0-94.0
25-34	512	75,065	30	5.6	03.2-08.0	482	94.4	92.0-96.8
35-44	737	80,565	26	3.7	02.1-05.3	711	96.3	94.7-97.9
45-54	1054	94,722	18	1.4	00.6-02.2	1036	98.6	97.8-99.4
55-64	808	63,486	9	1.3	00.3-02.3	799	98.7	97.7-99.7
65+	1343	92,305	5	0.4	00.0-00.8	1338	99.6	99.2-0100
Less Than H.S.	420	36,804	8	5.7	01.2-10.2	412	94.3	89.8-98.8
H.S. or G.E.D.	1407	139,335	40	6.4	03.5-09.3	1367	93.6	90.7-96.5
Some Post-H.S.	1460	156,131	35	2.8	01.6-04.0	1425	97.2	96.0-98.4
College Graduate	1405	151,902	26	1.9	01.1-02.7	1379	98.1	97.3-98.9
Less than \$15,000	389	33,963	21	10.3	04.8-15.8	368	89.7	84.2-95.2
\$15,000- 24,999	714	64,041	19	5.9	01.4-10.4	695	94.1	89.6-98.6
\$25,000- 34,999	609	61,654	16	3.8	01.1-06.5	593	96.2	93.5-98.9
\$35,000- 49,999	822	84,354	21	3.5	01.3-05.7	801	96.5	94.3-98.7
\$50,000- 74,999	777	87,998	13	2.6	00.8-04.4	764	97.4	95.6-99.2
\$75,000+	724	88,326	7	0.8	00.0-01.6	717	99.2	98.4-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 14: 'TELL ME IF ANY OF THESE STATEMENTS IS TRUE FOR YOU. DO NOT TELL ME WHICH STATEMENT OR STATEMENTS ARE TRUE FOR YOU, JUST IF ANY OF THEM ARE: YOU HAVE HEMOPHILIA AND HAVE RECEIVED CLOTTING FACTOR CONCENTRATE: YOU ARE A MAN WHO HAS HAD SEX WITH OTHER MEN, EVEN JUST ONE TIME: YOU HAVE TAKEN STREET DRUGS BY NEEDLE, EVEN JUST ONE TIME: YOU TRADED SEX FOR MONEY OR DRUGS, EVEN JUST ONE TIME: YOU HAVE HAD SEX (EVEN JUST ONE TIME) WITH SOMEONE WHO WOULD ANSWER YES TO ANY OF THESE STATEMENTS: YOU HAD MORE THAN TWO SEX PARTNERS IN THE PAST YEAR (HEPBRSN)'

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1887	238,745	64	5.3	03.5-07.1	1823	94.7	92.9-96.5
Non-Native	1832	231,009	62	4.8	03.2-06.4	1770	95.2	93.6-96.8
18-24	86	39,695	11	15.5	06.1-24.9	75	84.5	75.1-93.9
25-34	214	39,231	17	7.4	03.5-11.3	197	92.6	88.7-96.5
35-44	318	40,649	15	4.2	01.8-06.6	303	95.8	93.4-98.2
45-54	455	46,974	12	2.2	00.8-03.6	443	97.8	96.4-99.2
55-64	339	33,206	7	1.8	00.4-03.2	332	98.2	96.8-99.6
65+	464	38,228	2	0.3	00.0-00.7	462	99.7	99.3-0100
Less Than H.S.	195	21,112	5	5.5	00.0-11.4	190	94.5	88.6-0100
H.S. or G.E.D.	573	70,935	28	10.1	05.0-15.2	545	89.9	84.8-95.0
Some Post-H.S.	534	68,618	17	3.3	01.1-05.5	517	96.7	94.5-98.9
College Graduate	580	77,660	14	2.5	00.9-04.1	566	97.5	95.9-99.1
Less than \$15,000	107	12,490	6	10.1	00.3-19.9	101	89.9	80.1-99.7
\$15,000- 24,999	268	29,278	14	11.6	02.2-21.0	254	88.4	79.0-97.8
\$25,000- 34,999	243	31,136	11	5.5	01.0-10.0	232	94.5	90.0-99.0
\$35,000- 49,999	366	43,309	13	4.9	00.8-09.0	353	95.1	91.0-99.2
\$50,000- 74,999	373	49,371	11	4.2	01.3-07.1	362	95.8	92.9-98.7
\$75,000+	352	48,780	4	1.3	00.0-02.9	348	98.7	97.1-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 14: IMMUNIZATION, ADULT INFLUENZA SUPPLEMENT**

TABLE 15: 'TELL ME IF ANY OF THESE STATEMENTS IS TRUE FOR YOU. DO NOT TELL ME WHICH STATEMENT OR STATEMENTS ARE TRUE FOR YOU, JUST IF ANY OF THEM ARE: YOU HAVE HEMOPHILIA AND HAVE RECEIVED CLOTTING FACTOR CONCENTRATE: YOU ARE A MAN WHO HAS HAD SEX WITH OTHER MEN, EVEN JUST ONE TIME: YOU HAVE TAKEN STREET DRUGS BY NEEDLE, EVEN JUST ONE TIME: YOU TRADED SEX FOR MONEY OR DRUGS, EVEN JUST ONE TIME: YOU HAVE HAD SEX (EVEN JUST ONE TIME) WITH SOMEONE WHO WOULD ANSWER YES TO ANY OF THESE STATEMENTS: YOU HAD MORE THAN TWO SEX PARTNERS IN THE PAST YEAR (HEPBRSN)'

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2813	246,053	45	2.4	01.4-03.4	2768	97.6	96.6-98.6
Non-Native	2710	233,321	39	1.8	01.0-02.6	2671	98.2	97.4-99.0
18-24	111	35,866	10	7.0	02.3-11.7	101	93.0	88.3-97.7
25-34	298	35,834	13	3.5	00.8-06.2	285	96.5	93.8-99.2
35-44	419	39,916	11	3.2	00.8-05.6	408	96.8	94.4-99.2
45-54	599	47,748	6	0.7	00.1-01.3	593	99.3	98.7-99.9
55-64	469	30,280	2	0.7	00.0-01.7	467	99.3	98.3-0100
65+	879	54,078	3	0.4	00.0-00.8	876	99.6	99.2-0100
Less Than H.S.	225	15,692	3	6.1	00.0-13.2	222	93.9	86.8-0100
H.S. or G.E.D.	834	68,400	12	2.6	00.6-04.6	822	97.4	95.4-99.4
Some Post-H.S.	926	87,513	18	2.4	01.0-03.8	908	97.6	96.2-99.0
College Graduate	825	74,242	12	1.3	00.5-02.1	813	98.7	97.9-99.5
Less than \$15,000	282	21,473	15	10.4	03.9-16.9	267	89.6	83.1-96.1
\$15,000- 24,999	446	34,763	5	1.0	00.0-02.0	441	99.0	98.0-0100
\$25,000- 34,999	366	30,518	5	2.1	00.0-05.0	361	97.9	95.0-0100
\$35,000- 49,999	456	41,045	8	1.9	00.3-03.5	448	98.1	96.5-99.7
\$50,000- 74,999	404	38,627	2	0.6	00.0-01.4	402	99.4	98.6-0100
\$75,000+	372	39,546	3	0.3	00.0-00.7	369	99.7	99.3-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 15: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE NEXT QUESTION ASKS ABOUT A RECENT FALL. BY A FALL, WE MEAN WHEN A PERSON UNINTENTIONALLY COMES TO REST ON THE GROUND OR ANOTHER LOWER LEVEL. IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)	
1	MALES AND FEMALES	171
2	MALES ONLY	172
3	FEMALES ONLY	173
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	174
5	MALES ONLY	175
6	FEMALES ONLY	176

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 15: FALLS**

TABLE 1: THE NEXT QUESTION ASKS ABOUT A RECENT FALL. BY A FALL, WE MEAN WHEN A PERSON UNINTENTIONALLY COMES TO REST ON THE GROUND OR ANOTHER LOWER LEVEL. IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3234	252,613	338	10.5	09.3-11.7	119	3.5	02.7-04.3	24	0.6	00.2-01.0	16	0.6	00.2-01.0	22	0.7	00.3-01.1	2715	84.0	82.4-85.6
Male	1255	118,492	121	9.6	07.6-11.6	49	3.6	02.4-04.8	11	0.7	00.1-01.3	9	0.8	00.2-01.4	9	0.7	00.1-01.3	1056	84.7	82.3-87.1
Female	1979	134,121	217	11.4	09.6-13.2	70	3.5	02.5-04.5	13	0.6	00.2-01.0	7	0.3	00.1-00.5	13	0.7	00.3-01.1	1659	83.5	81.5-85.5
Non-Native	3146	245,284	324	10.5	09.3-11.7	111	3.5	02.7-04.3	23	0.6	00.2-01.0	15	0.5	00.1-00.9	21	0.7	00.3-01.1	2652	84.2	82.6-85.8
45-54	1053	94,992	109	10.1	07.9-12.3	35	3.0	01.8-04.2	8	0.6	00.2-01.0	7	0.8	00.2-01.4	7	0.6	00.0-01.2	887	84.9	82.4-87.4
55-64	803	62,912	86	12.2	09.5-14.9	19	2.5	01.1-03.9	6	0.7	00.1-01.3	4	0.5	00.0-01.1	8	0.9	00.1-01.7	680	83.1	80.0-86.2
65+	1332	91,717	139	9.9	07.9-11.9	63	4.7	03.3-06.1	10	0.6	00.0-01.2	5	0.5	00.1-00.9	7	0.6	00.0-01.2	1108	83.6	81.2-86.0
Less Than H.S.	360	25,365	37	10.6	06.7-14.5	20	7.2	03.9-10.5	3	0.5	00.0-01.3	3	1.2	00.0-02.8	4	1.2	00.0-02.6	293	79.3	74.0-84.6
H.S. or G.E.D.	1048	79,878	99	10.2	08.0-12.4	43	3.5	02.3-04.7	10	0.6	00.2-01.0	6	0.6	00.0-01.2	6	0.7	00.0-01.5	884	84.4	81.7-87.1
Some Post-H.S.	951	73,635	99	10.1	07.9-12.3	24	1.8	01.0-02.6	5	0.3	00.0-00.7	3	0.4	00.0-01.0	9	0.9	00.3-01.5	811	86.5	84.0-89.0
College Graduate	867	73,110	102	11.3	08.9-13.7	32	4.1	02.5-05.7	6	1.0	00.2-01.8	4	0.5	00.0-01.1	3	0.3	00.0-00.7	720	82.8	79.9-85.7
Less than \$15,000	290	16,594	31	12.0	07.5-16.5	22	7.5	04.0-11.0	2	0.4	00.0-01.2				9	3.7	01.2-06.2	226	76.4	70.5-82.3
\$15,000- 24,999	544	36,330	61	12.4	09.1-15.7	27	4.5	02.5-06.5	5	1.0	00.0-02.2	5	1.2	00.0-02.4	6	1.7	00.3-03.1	440	79.3	75.0-83.6
\$25,000- 34,999	409	30,116	37	7.8	04.9-10.7	18	5.8	02.9-08.7	5	1.3	00.1-02.5	2	0.9	00.0-02.3	1	0.0	00.0-00.0	346	84.1	79.8-88.4
\$35,000- 49,999	535	42,933	53	11.0	07.9-14.1	9	1.6	00.4-02.8	1	0.3	00.0-00.9	1	0.2	00.0-00.6	2	0.6	00.0-01.6	469	86.2	82.7-89.7
\$50,000- 74,999	475	42,774	51	10.8	07.7-13.9	11	2.2	00.6-03.8	6	0.7	00.0-01.5	4	0.6	00.0-01.6	1	0.2	00.0-00.6	402	85.5	81.8-89.2
\$75,000+	453	46,707	53	11.6	08.3-14.9	14	3.0	01.2-04.8	2	0.3	00.0-00.9	2	0.5	00.0-01.3	1	0.2	00.0-00.6	381	84.4	80.7-88.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 15: FALLS**

TABLE 2: THE NEXT QUESTION ASKS ABOUT A RECENT FALL. BY A FALL, WE MEAN WHEN A PERSON UNINTENTIONALLY COMES TO REST ON THE GROUND OR ANOTHER LOWER LEVEL. IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1255	118,492	121	9.6	07.6-11.6	49	3.6	02.4-04.8	11	0.7	00.1-01.3	9	0.8	00.2-01.4	9	0.7	00.1-01.3	1056	84.7	82.3-87.1
Non-Native	1225	116,246	113	9.3	07.3-11.3	47	3.6	02.4-04.8	11	0.7	00.1-01.3	9	0.9	00.3-01.5	9	0.7	00.1-01.3	1036	84.9	82.5-87.3
45-54	456	47,346	45	9.0	06.1-11.9	16	3.1	01.3-04.9	2	0.4	00.0-01.0	4	1.1	00.0-02.3	5	1.0	00.0-02.0	384	85.4	81.7-89.1
55-64	334	32,722	30	10.2	06.5-13.9	9	2.6	00.6-04.6	3	0.7	00.0-01.7	2	0.5	00.0-01.3	2	0.5	00.0-01.3	288	85.5	81.2-89.8
65+	455	37,665	46	9.9	06.8-13.0	23	4.9	02.5-07.3	6	1.1	00.0-02.5	3	0.8	00.0-01.8	2	0.4	00.0-01.0	375	82.9	78.8-87.0
Less Than H.S.	167	14,606	15	9.7	04.2-15.2	8	7.2	02.3-12.1	2	0.5	00.0-01.3	2	1.1	00.0-03.1	3	1.7	00.0-03.9	137	79.9	72.5-87.3
H.S. or G.E.D.	400	36,675	33	9.9	06.4-13.4	18	3.3	01.5-05.1	4	0.5	00.0-01.1	3	1.0	00.0-02.2	2	0.9	00.0-02.1	340	84.4	80.1-88.7
Some Post-H.S.	322	28,795	32	8.5	05.2-11.8	9	1.8	00.4-03.2	2	0.3	00.0-00.7	2	0.7	00.0-02.1	3	0.6	00.0-01.4	274	88.2	84.5-91.9
College Graduate	361	37,996	41	10.1	06.8-13.4	14	3.8	01.6-06.0	3	1.3	00.0-02.9	2	0.7	00.0-01.7	1	0.2	00.0-00.6	300	84.0	79.9-88.1
Less than \$15,000	74	5,086	6	7.2	00.3-14.1	1	1.1	00.0-03.3	1	1.1	00.0-03.3				4	6.1	00.0-12.6	62	84.4	75.0-93.8
\$15,000- 24,999	194	15,569	24	15.1	08.8-21.4	13	5.4	01.7-09.1	3	1.5	00.0-04.2	2	1.1	00.0-02.9	2	1.4	00.0-03.4	150	75.5	68.1-82.9
\$25,000- 34,999	161	14,246	9	3.7	00.8-06.6	13	10.2	04.5-15.9	2	1.2	00.0-03.0	2	2.0	00.0-04.7	1	0.1	00.0-00.3	134	82.9	76.0-89.8
\$35,000- 49,999	231	20,198	25	11.5	06.8-16.2	5	2.0	00.0-04.2	1	0.7	00.0-02.1				2	1.3	00.0-03.3	198	84.6	79.1-90.1
\$50,000- 74,999	232	24,572	19	8.5	04.6-12.4	6	2.1	00.0-04.3	3	0.6	00.0-01.6	2	0.8	00.0-02.4				202	87.9	83.2-92.6
\$75,000+	234	27,675	26	10.9	06.6-15.2	8	2.7	00.5-04.9	1	0.2	00.0-00.6	2	0.8	00.0-02.2				197	85.4	80.5-90.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 15: FALLS**

TABLE 3: THE NEXT QUESTION ASKS ABOUT A RECENT FALL. BY A FALL, WE MEAN WHEN A PERSON UNINTENTIONALLY COMES TO REST ON THE GROUND OR ANOTHER LOWER LEVEL. IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1979	134,121	217	11.4	09.6-13.2	70	3.5	02.5-04.5	13	0.6	00.2-01.0	7	0.3	00.1-00.5	13	0.7	00.3-01.1	1659	83.5	81.5-85.5
Non-Native	1921	129,038	211	11.5	09.7-13.3	64	3.4	02.4-04.4	12	0.6	00.2-01.0	6	0.2	00.0-00.4	12	0.7	00.3-01.1	1616	83.6	81.6-85.6
45-54	597	47,646	64	11.2	08.1-14.3	19	2.9	01.3-04.5	6	0.8	00.0-01.6	3	0.4	00.0-00.8	2	0.3	00.0-00.7	503	84.4	81.1-87.7
55-64	469	30,190	56	14.5	10.6-18.4	10	2.4	00.6-04.2	3	0.7	00.0-01.5	2	0.5	00.0-01.3	6	1.4	00.2-02.6	392	80.5	76.2-84.8
65+	877	54,052	93	9.9	07.7-12.1	40	4.6	03.0-06.2	4	0.3	00.0-00.7	2	0.2	00.0-00.6	5	0.8	00.0-01.6	733	84.2	81.5-86.9
Less Than H.S.	193	10,758	22	11.7	06.4-17.0	12	7.2	03.1-11.3	1	0.7	00.0-02.1	1	1.3	00.0-03.7	1	0.7	00.0-02.1	156	78.6	71.7-85.5
H.S. or G.E.D.	648	43,203	66	10.5	07.6-13.4	25	3.6	01.8-05.4	6	0.6	00.0-01.2	3	0.4	00.0-00.8	4	0.6	00.0-01.4	544	84.3	81.0-87.6
Some Post-H.S.	629	44,840	67	11.1	08.2-14.0	15	1.9	00.7-03.1	3	0.4	00.0-00.8	1	0.1	00.0-00.3	6	1.1	00.1-02.1	537	85.4	82.3-88.5
College Graduate	506	35,114	61	12.7	09.2-16.2	18	4.4	02.2-06.6	3	0.7	00.0-01.5	2	0.3	00.0-00.9	2	0.5	00.0-01.1	420	81.5	77.4-85.6
Less than \$15,000	216	11,508	25	14.1	08.4-19.8	21	10.3	05.4-15.2	1	0.1	00.0-00.3				5	2.6	00.1-05.1	164	72.9	65.6-80.2
\$15,000- 24,999	350	20,761	37	10.4	06.7-14.1	14	3.8	01.4-06.2	2	0.6	00.0-01.4	3	1.2	00.0-02.8	4	1.9	00.0-03.9	290	82.1	77.4-86.8
\$25,000- 34,999	248	15,869	28	11.5	06.8-16.2	5	1.8	00.0-04.0	3	1.4	00.0-03.2							212	85.2	79.9-90.5
\$35,000- 49,999	304	22,736	28	10.5	06.4-14.6	4	1.3	00.0-02.9				1	0.4	00.0-01.2				271	87.8	83.3-92.3
\$50,000- 74,999	243	18,202	32	13.8	08.7-18.9	5	2.3	00.0-04.8	3	0.9	00.0-02.1	2	0.3	00.0-00.9	1	0.4	00.0-01.2	200	82.2	76.5-87.9
\$75,000+	219	19,032	27	12.5	07.6-17.4	6	3.5	00.8-06.2	1	0.5	00.0-01.5				1	0.5	00.0-01.5	184	83.0	77.3-88.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 15: FALLS**

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	516	40,135	136	24.6	20.1-29.1	19	3.7	01.9-05.5	4	1.0	00.0-02.0	2	0.5	00.0-01.1	5	1.1	00.0-02.3	350	69.1	64.4-73.8
Male	199	18,145	43	22.4	15.5-29.3	7	4.0	00.9-07.1	3	1.8	00.0-04.0				3	1.5	00.0-03.7	143	70.3	62.7-77.9
Female	317	21,989	93	26.4	20.7-32.1	12	3.4	01.2-05.6	1	0.4	00.0-01.2	2	0.8	00.0-02.0	2	0.7	00.0-01.7	207	68.2	62.3-74.1
Non-Native	492	38,631	129	24.3	19.8-28.8	17	3.3	01.5-05.1	4	1.1	00.0-02.3	2	0.5	00.0-01.1	4	0.9	00.0-02.1	336	69.9	65.0-74.8
45-54	165	14,245	32	19.4	12.0-26.8	8	2.9	00.7-05.1	1	0.9	00.0-02.7	1	0.7	00.0-02.1	4	2.4	00.0-05.3	119	73.7	65.7-81.7
55-64	122	10,519	37	28.4	19.6-37.2	6	5.6	00.9-10.3	2	2.0	00.0-04.7	1	0.9	00.0-02.7	1	0.9	00.0-02.7	75	62.4	52.8-72.0
65+	223	14,988	64	26.0	18.9-33.1	5	3.2	00.3-06.1	1	0.6	00.0-01.8							153	70.2	62.9-77.5
Less Than H.S.	66	5,230				5	11.4	01.8-21.0	1	2.6	00.0-07.7									
H.S. or G.E.D.	163	12,393	49	27.9	19.5-36.3	3	0.9	00.0-02.1	2	1.7	00.0-04.1				1	1.6	00.0-04.7	108	67.9	59.1-76.7
Some Post-H.S.	140	9,937	39	29.2	20.0-38.4	5	3.2	00.1-06.3	1	0.7	00.0-02.1				1	0.1	00.0-00.3	94	66.8	57.4-76.2
College Graduate	146	12,504	35	20.3	13.0-27.6	6	3.6	00.5-06.7				2	1.5	00.0-03.5	3	1.8	00.0-04.0	100	72.8	64.8-80.8
Less than \$15,000	64	3,913				3	4.0	00.0-09.3	2	5.7	00.0-13.5				2	3.5	00.0-08.2			
\$15,000- 24,999	104	7,521				8	9.6	02.5-16.7	1	1.7	00.0-05.0									
\$25,000- 34,999	63	4,781				3	5.2	00.0-11.3							1	0.2	00.0-00.6			
\$35,000- 49,999	66	5,904				2	3.1	00.0-07.8				1	1.6	00.0-04.7	2	4.8	00.0-11.7			
\$75,000+	72	7,286							1	0.9	00.0-02.7									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 15: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	199	18,145	43	22.4	15.5-29.3	7	4.0	00.9-07.1	3	1.8	00.0-04.0	3	1.5	00.0-03.7	143	70.3	62.7-77.9
Non-Native	189	17,604	41	22.1	15.0-29.2	7	4.1	00.8-07.4	3	1.9	00.0-04.1	3	1.5	00.0-03.9	135	70.3	62.5-78.1
45-54	72	6,909				1	0.9	00.0-02.7	1	1.9	00.0-05.6	3	3.9	00.0-09.6			
65+	80	6,443				2	4.6	00.0-10.7									
H.S. or G.E.D.	60	5,707							1	2.3	00.0-06.8	1	3.4	00.0-09.9			
College Graduate	61	6,093				2	3.9	00.0-09.4				1	1.1	00.0-03.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 15: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	317	21,989	93	26.4	20.7-32.1	12	3.4	01.2-05.6	1	0.4	00.0-01.2	2	0.8	00.0-02.0	2	0.7	00.0-01.7	207	68.2	62.3-74.1
Non-Native	303	21,026	88	26.1	20.2-32.0	10	2.7	00.9-04.5	1	0.4	00.0-01.2	2	0.9	00.0-02.1	1	0.4	00.0-01.2	201	69.5	63.4-75.6
45-54	93	7,337	20	20.6	10.6-30.6	7	4.7	01.0-08.4				1	1.3	00.0-03.8	1	1.0	00.0-03.0			
55-64	76	5,791				2	3.9	00.0-09.2				1	1.6	00.0-04.7	1	1.6	00.0-04.7			
65+	143	8,545	44	26.5	18.1-34.9	3	2.1	00.0-04.6	1	1.0	00.0-03.0							95	70.3	61.7-78.9
H.S. or G.E.D.	103	6,686				3	1.6	00.0-03.6	1	1.3	00.0-03.8									
Some Post-H.S.	92	6,535				2	2.0	00.0-04.9												
College Graduate	85	6,411	25	21.4	12.4-30.4	4	3.3	00.0-06.6				2	2.9	00.0-06.8	2	2.5	00.0-06.0			
Less than \$15,000	52	3,122				3	5.0	00.0-11.7	1	2.8	00.0-08.1				1	2.3	00.0-06.8			
\$15,000- 24,999	60	3,706				4	9.3	00.1-18.5												

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 16: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY... (SEATBELT)	
1	MALES AND FEMALES	178
2	MALES ONLY	179
3	FEMALES ONLY	180

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 16: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY... (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4689	483,353	2791	58.3	56.3-60.3	1186	25.7	23.9-27.5	405	9.3	08.1-10.5	152	3.5	02.7-04.3	151	3.1	02.3-03.9	4	0.0	00.0-00.0
Male	1877	237,312	851	46.9	44.0-49.8	571	29.5	26.8-32.2	242	13.2	11.0-15.4	101	5.0	03.6-06.4	111	5.4	04.0-06.8	1	0.0	00.0-00.0
Female	2812	246,041	1940	69.3	66.9-71.7	615	22.0	20.0-24.0	163	5.5	04.3-06.7	51	2.1	01.3-02.9	40	0.9	00.5-01.3	3	0.1	00.1-00.1
Native	105	14,227							8	8.7	02.4-15.0	2	2.5	00.0-06.0	3	2.6	00.0-05.9			
Non-Native	4532	464,191	2691	58.3	56.3-60.3	1153	25.7	23.9-27.5	393	9.3	08.1-10.5	148	3.5	02.7-04.3	145	3.2	02.4-04.0	2	0.0	00.0-00.0
18-24	196	74,191	92	46.8	38.8-54.8	61	30.5	23.2-37.8	23	12.8	07.3-18.3	15	6.6	02.9-10.3	5	3.2	00.3-06.1			
25-34	512	75,065	296	58.2	53.3-63.1	124	24.7	20.4-29.0	53	10.6	07.3-13.9	19	3.1	01.3-04.9	20	3.5	01.7-05.3			
35-44	739	80,667	416	56.9	52.8-61.0	194	26.2	22.5-29.9	76	9.9	07.4-12.4	31	4.0	02.4-05.6	21	2.9	01.5-04.3	1	0.1	00.0-00.3
45-54	1052	94,921	625	60.9	57.4-64.4	254	23.6	20.5-26.7	109	9.8	07.8-11.8	30	2.6	01.4-03.8	34	3.0	01.8-04.2			
55-64	809	63,730	486	59.4	55.3-63.5	214	25.6	22.1-29.1	55	7.4	05.2-09.6	29	3.8	02.2-05.4	25	3.7	01.9-05.5			
65+	1334	91,782	847	65.2	62.1-68.3	329	24.6	21.9-27.3	85	5.7	04.1-07.3	25	1.6	00.8-02.4	45	2.8	01.8-03.8	3	0.2	00.0-00.4
Less Than H.S.	417	36,720	230	51.0	43.9-58.1	94	24.7	18.4-31.0	49	12.8	08.1-17.5	16	4.9	01.0-08.8	27	6.4	01.9-10.9	1	0.2	00.0-00.6
H.S. or G.E.D.	1401	138,064	752	50.1	46.6-53.6	390	29.0	25.7-32.3	148	12.4	09.9-14.9	52	4.2	02.6-05.8	58	4.3	02.9-05.7	1	0.0	00.0-00.0
Some Post-H.S.	1463	156,346	863	60.0	56.7-63.3	378	24.1	21.2-27.0	127	9.0	06.8-11.2	46	3.5	02.3-04.7	47	3.4	02.2-04.6	2	0.1	00.0-00.3
College Graduate	1400	151,599	940	65.7	62.4-69.0	322	24.6	21.5-27.7	81	5.9	04.1-07.7	38	2.6	01.4-03.8	19	1.1	00.5-01.7			
Less than \$15,000	386	33,876	230	54.7	47.1-62.3	88	23.7	17.2-30.2	36	12.5	06.4-18.6	13	3.7	01.2-06.2	18	5.3	01.4-09.2	1	0.2	00.0-00.6
\$15,000- 24,999	710	62,544	415	56.5	51.0-62.0	179	24.6	19.9-29.3	54	8.8	05.7-11.9	27	5.0	02.1-07.9	34	5.1	02.4-07.8	1	0.1	00.0-00.3
\$25,000- 34,999	608	61,600	343	56.7	51.0-62.4	148	26.0	21.1-30.9	71	9.5	06.8-12.2	26	4.6	02.1-07.1	20	3.2	01.4-05.0			
\$35,000- 49,999	821	84,418	450	54.0	49.5-58.5	244	29.2	24.9-33.5	72	10.2	07.1-13.3	27	3.1	01.7-04.5	28	3.6	02.0-05.2			
\$50,000- 74,999	780	88,393	475	60.0	55.9-64.1	198	25.0	21.3-28.7	65	9.1	06.6-11.6	21	2.9	01.5-04.3	21	3.1	01.5-04.7			
\$75,000+	723	88,418	448	61.9	57.4-66.4	189	26.5	22.4-30.6	55	7.8	05.1-10.5	17	2.2	01.0-03.4	14	1.6	00.6-02.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 16: SEATBELT USE**

TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY... (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1877	237,312	851	46.9	44.0-49.8	571	29.5	26.8-32.2	242	13.2	11.0-15.4	101	5.0	03.6-06.4	111	5.4	04.0-06.8	1	0.0	00.0-00.0
Non-Native	1824	230,951	819	46.6	43.5-49.7	559	29.5	26.8-32.2	238	13.3	11.1-15.5	98	4.9	03.5-06.3	109	5.5	04.1-06.9	1	0.0	00.0-00.0
18-24	85	38,325							15	18.3	09.1-27.5	6	6.3	00.8-11.8	5	6.2	00.7-11.7			
25-34	214	39,231	101	48.9	41.3-56.5	52	25.8	19.1-32.5	29	13.9	08.4-19.4	17	5.6	02.1-09.1	15	5.9	02.8-09.0			
35-44	320	40,751	140	46.5	40.4-52.6	94	30.4	24.7-36.1	48	12.9	08.8-17.0	20	5.4	02.9-07.9	18	4.9	02.4-07.4			
45-54	456	47,346	209	51.5	46.2-56.8	128	25.8	21.1-30.5	68	12.8	09.5-16.1	21	4.4	02.2-06.6	30	5.4	03.0-07.8			
55-64	337	33,269	139	44.0	37.9-50.1	118	32.0	26.3-37.7	33	10.6	06.7-14.5	24	6.4	03.5-09.3	23	6.9	03.6-10.2			
65+	455	37,633	223	52.9	47.4-58.4	152	31.2	26.1-36.3	47	10.3	07.0-13.6	12	1.7	00.5-02.9	20	3.6	01.6-05.6	1	0.2	00.0-00.6
Less Than H.S.	192	21,028	81	40.8	31.0-50.6	50	26.9	18.1-35.7	34	17.9	10.6-25.2	10	5.2	00.0-10.5	17	9.2	01.8-16.6			
H.S. or G.E.D.	569	69,741	216	36.7	31.6-41.8	197	32.8	27.5-38.1	79	16.6	12.1-21.1	34	6.8	03.9-09.7	43	7.2	04.7-09.7			
Some Post-H.S.	535	68,748	222	46.8	40.9-52.7	162	27.0	22.1-31.9	81	14.7	10.4-19.0	31	4.9	02.7-07.1	38	6.6	03.9-09.3	1	0.1	00.0-00.3
College Graduate	576	77,375	329	57.6	52.5-62.7	160	29.5	24.6-34.4	48	7.7	05.0-10.4	26	3.4	01.8-05.0	13	1.8	00.6-03.0			
Less than \$15,000	105	12,473							11	12.0	02.4-21.6	3	1.3	00.0-03.1	9	10.7	00.9-20.5	1	0.6	00.0-01.8
\$15,000- 24,999	263	27,757	117	40.9	33.1-48.7	73	27.4	19.6-35.2	34	15.8	09.1-22.5	15	5.8	01.1-10.5	24	10.0	04.1-15.9			
\$25,000- 34,999	243	31,100	98	48.5	39.3-57.7	68	25.5	18.2-32.8	45	13.6	08.7-18.5	18	7.4	02.5-12.3	14	5.0	01.7-08.3			
\$35,000- 49,999	365	43,373	139	41.7	34.6-48.8	129	32.7	25.8-39.6	48	14.2	08.7-19.7	24	5.6	03.1-08.1	25	5.8	03.1-08.5			
\$50,000- 74,999	374	49,631	171	46.8	40.9-52.7	123	31.5	26.0-37.0	43	12.2	08.1-16.3	17	4.3	01.9-06.7	20	5.3	02.6-08.0			
\$75,000+	352	48,879	184	52.7	46.2-59.2	104	30.8	24.5-37.1	38	11.0	06.5-15.5	13	2.9	01.1-04.7	13	2.7	00.9-04.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 16: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY... (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2812	246,041	1940	69.3	66.9-71.7	615	22.0	20.0-24.0	163	5.5	04.3-06.7	51	2.1	01.3-02.9	40	0.9	00.5-01.3	3	0.1	00.1-00.1
Native	76	10,048							5	7.3	00.2-14.4	1	2.3	00.0-06.6	2	1.7	00.0-04.1			
Non-Native	2708	233,240	1872	69.8	67.4-72.2	594	21.8	19.6-24.0	155	5.3	04.1-06.5	50	2.2	01.4-03.0	36	0.9	00.5-01.3	1	0.0	00.0-00.0
18-24	111	35,866				34	27.3	18.3-36.3	8	7.0	01.7-12.3	9	7.0	01.9-12.1						
25-34	298	35,834	195	68.4	62.5-74.3	72	23.4	18.1-28.7	24	6.9	03.8-10.0	2	0.3	00.0-00.7	5	0.9	00.0-02.1			
35-44	419	39,916	276	67.5	62.4-72.6	100	21.9	17.4-26.4	28	6.8	04.1-09.5	11	2.7	00.9-04.5	3	0.9	00.0-02.1	1	0.1	00.0-00.3
45-54	596	47,575	416	70.2	65.9-74.5	126	21.4	17.5-25.3	41	6.8	04.4-09.2	9	0.9	00.1-01.7	4	0.7	00.0-01.5			
55-64	472	30,461	347	76.3	71.8-80.8	96	18.7	14.6-22.8	22	3.9	01.9-05.9	5	0.9	00.0-01.9	2	0.2	00.0-00.4			
65+	879	54,149	624	73.7	70.2-77.2	177	20.0	16.9-23.1	38	2.4	01.4-03.4	13	1.5	00.5-02.5	25	2.2	01.0-03.4	2	0.1	00.0-00.3
Less Than H.S.	225	15,692	149	64.8	55.0-74.6	44	21.6	12.8-30.4	15	6.0	01.3-10.7	6	4.5	00.0-10.2	10	2.7	00.2-05.2	1	0.4	00.0-01.2
H.S. or G.E.D.	832	68,323	536	63.7	59.2-68.2	193	25.2	20.9-29.5	69	8.2	05.7-10.7	18	1.6	00.6-02.6	15	1.4	00.4-02.4	1	0.0	00.0-00.0
Some Post-H.S.	928	87,597	641	70.5	66.8-74.2	216	21.8	18.5-25.1	46	4.5	02.9-06.1	15	2.4	00.8-04.0	9	0.8	00.2-01.4	1	0.1	00.0-00.3
College Graduate	824	74,224	611	74.1	70.2-78.0	162	19.6	16.3-22.9	33	4.2	02.2-06.2	12	1.8	00.2-03.4	6	0.4	00.0-00.8			
Less than \$15,000	281	21,403	178	58.9	49.9-67.9	59	21.1	14.0-28.2	25	12.8	05.0-20.6	10	5.1	01.2-09.0	9	2.1	00.3-03.9			
\$15,000- 24,999	447	34,786	298	69.0	62.7-75.3	106	22.3	16.8-27.8	20	3.2	01.6-04.8	12	4.3	00.6-08.0	10	1.1	00.1-02.1	1	0.2	00.0-00.6
\$25,000- 34,999	365	30,500	245	65.0	58.1-71.9	80	26.4	19.7-33.1	26	5.4	02.9-07.9	8	1.8	00.4-03.2	6	1.4	00.0-02.8			
\$35,000- 49,999	456	41,045	311	67.0	61.7-72.3	115	25.4	20.5-30.3	24	6.0	03.3-08.7	3	0.5	00.0-01.1	3	1.2	00.0-02.6			
\$50,000- 74,999	406	38,763	304	77.0	72.1-81.9	75	16.6	12.3-20.9	22	5.1	02.6-07.6	4	1.1	00.0-02.3	1	0.2	00.0-00.6			
\$75,000+	371	39,539	264	73.4	68.3-78.5	85	21.2	16.5-25.9	17	3.9	01.9-05.9	4	1.3	00.0-02.9	1	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 17: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRINKDRI)	
1	MALES AND FEMALES	182
2	MALES ONLY	183
3	FEMALES ONLY	184

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 17: DRINKING AND DRIVING**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRINKDRI)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2616	285,222	103	4.5	03.3-05.7	36	1.7	01.1-02.3	10	0.4	00.0-00.8	6	0.2	00.0-00.4	7	0.5	00.1-00.9	2454	92.7	91.1-94.3
Male	1207	156,359	65	5.5	03.7-07.3	29	2.6	01.4-03.8	9	0.8	00.0-01.6	4	0.1	00.0-00.3	7	0.9	00.1-01.7	1093	90.1	87.7-92.5
Female	1409	128,864	38	3.3	01.3-05.3	7	0.5	00.1-00.9	1	0.1	00.0-00.3	2	0.2	00.0-00.6				1361	95.9	93.9-97.9
Non-Native	2569	277,341	101	4.5	03.1-05.9	33	1.4	00.8-02.0	10	0.5	00.1-00.9	6	0.2	00.0-00.4	7	0.5	00.1-00.9	2412	92.9	91.3-94.5
18-24	114	44,018	7	7.1	00.8-13.4	3	2.1	00.0-05.0	1	1.2	00.0-03.6							103	89.6	82.5-96.7
25-34	338	50,663	14	4.2	01.5-06.9	11	3.1	01.1-05.1	3	1.0	00.0-02.2				5	2.3	00.3-04.3	305	89.4	85.5-93.3
35-44	485	52,438	26	4.9	02.7-07.1	12	2.4	00.8-04.0	2	0.0	00.0-00.0	5	0.9	00.0-01.9	1	0.3	00.0-00.9	439	91.3	88.6-94.0
45-54	666	61,405	37	5.1	03.1-07.1	7	1.0	00.2-01.8	3	0.3	00.0-00.7							619	93.6	91.4-95.8
55-64	463	37,983	14	3.9	01.7-06.1	2	0.5	00.0-01.3	1	0.2	00.0-00.6				1	0.4	00.0-01.2	445	95.0	92.5-97.5
65+	528	37,317	5	1.1	00.0-02.3	1	0.3	00.0-00.9				1	0.0	00.0-00.0				521	98.6	97.4-99.8
Less Than H.S.	156	14,948	5	2.3	00.0-04.8	2	3.1	00.0-08.0	2	0.1	00.0-00.3	1	0.0	00.0-00.0				146	94.5	89.2-99.8
H.S. or G.E.D.	731	78,391	27	5.1	02.6-07.6	9	1.4	00.4-02.4	2	0.2	00.0-00.4	1	0.1	00.0-00.3	3	0.8	00.0-01.6	689	92.4	89.7-95.1
Some Post-H.S.	833	88,520	47	6.7	03.6-09.8	14	1.8	00.8-02.8	3	0.9	00.0-02.3	2	0.3	00.0-00.7	3	0.8	00.0-01.8	764	89.5	86.0-93.0
College Graduate	892	103,150	24	2.5	01.3-03.7	11	1.5	00.3-02.7	3	0.3	00.0-00.7	2	0.1	00.0-00.3	1	0.1	00.0-00.3	851	95.4	93.6-97.2
Less than \$15,000	132	16,043	4	2.3	00.0-04.7	4	3.9	00.0-08.6				1	0.0	00.0-00.0				123	93.7	88.4-99.0
\$15,000- 24,999	301	28,823	16	9.7	01.7-17.7	1	0.7	00.0-02.1	2	0.4	00.0-01.2				1	0.7	00.0-02.1	281	88.4	80.2-96.6
\$25,000- 34,999	335	34,835	11	3.9	00.6-07.2	5	1.0	00.0-02.0	3	2.7	00.0-06.0	1	0.3	00.0-00.9				315	92.2	87.5-96.9
\$35,000- 49,999	497	50,266	26	5.3	02.6-08.0	11	3.4	00.9-05.9	3	0.2	00.0-00.4	2	0.3	00.0-00.7	1	0.4	00.0-01.2	454	90.4	86.5-94.3
\$50,000- 74,999	533	61,611	28	5.0	02.8-07.2	6	1.1	00.1-02.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3	4	1.5	00.0-03.1	493	92.2	89.5-94.9
\$75,000+	519	63,280	12	2.7	00.9-04.5	7	1.3	00.3-02.3							1	0.2	00.0-00.6	499	95.8	93.8-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 17: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRINKDRI)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1207	156,359	65	5.5	03.7-07.3	29	2.6	01.4-03.8	9	0.8	00.0-01.6	4	0.1	00.0-00.3	7	0.9	00.1-01.7	1093	90.1	87.7-92.5
Non-Native	1188	152,420	64	5.5	03.7-07.3	26	2.2	01.2-03.2	9	0.8	00.0-01.6	4	0.1	00.0-00.3	7	1.0	00.2-01.8	1078	90.4	88.2-92.6
18-24	55	25,051	4	6.0	00.0-12.7	3	3.7	00.0-08.8	1	2.2	00.0-06.5							47	88.1	79.1-97.1
25-34	164	30,223	8	5.0	00.7-09.3	10	5.0	01.9-08.1	3	1.6	00.0-03.6				5	3.9	00.6-07.2	138	84.5	78.2-90.8
35-44	221	28,111	15	6.3	02.8-09.8	8	3.3	00.8-05.8	2	0.0	00.0-00.0	3	0.7	00.0-01.5	1	0.6	00.0-01.8	192	89.1	84.6-93.6
45-54	296	30,941	22	6.8	03.7-09.9	5	1.4	00.2-02.6	2	0.2	00.0-00.6							267	91.5	88.2-94.8
55-64	217	21,659	12	6.0	02.3-09.7	2	0.9	00.0-02.3	1	0.3	00.0-00.9				1	0.6	00.0-01.8	201	92.1	88.0-96.2
65+	248	19,903	4	1.6	00.0-03.6	1	0.6	00.0-01.8				1	0.0	00.0-00.0				242	97.8	95.6-0100
Less Than H.S.	88	9,659	3	2.5	00.0-06.0	2	4.8	00.0-12.2	2	0.2	00.0-00.4	1	0.0	00.0-00.0				80	92.5	84.5-0100
H.S. or G.E.D.	377	48,633	22	7.5	03.6-11.4	7	1.8	00.2-03.4	2	0.3	00.0-00.7				3	1.2	00.0-02.6	343	89.2	84.9-93.5
Some Post-H.S.	341	41,438	25	6.7	03.2-10.2	11	3.2	01.2-05.2	2	1.7	00.0-04.4	1	0.2	00.0-00.6	3	1.8	00.0-04.0	299	86.4	81.3-91.5
College Graduate	398	56,486	15	3.3	01.5-05.1	9	2.5	00.1-04.9	3	0.6	00.0-01.4	2	0.2	00.0-00.6	1	0.2	00.0-00.6	368	93.1	90.2-96.0
Less than \$15,000	52	7,859	2	1.9	00.0-04.6	3	7.1	00.0-16.5				1	0.1	00.0-00.3				46	90.9	81.1-0100
\$15,000- 24,999	136	15,487	8	7.7	00.6-14.8	1	1.4	00.0-04.1	2	0.7	00.0-02.1				1	1.4	00.0-04.1	124	88.8	80.8-96.8
\$25,000- 34,999	154	19,333	9	6.6	00.5-12.7	3	1.5	00.0-03.3	3	4.8	00.0-10.9							139	87.1	78.9-95.3
\$35,000- 49,999	243	27,669	14	5.9	01.4-10.4	11	6.1	01.4-10.8	3	0.3	00.0-00.7	2	0.6	00.0-01.4	1	0.8	00.0-02.4	212	86.3	79.8-92.8
\$50,000- 74,999	272	36,375	21	6.8	03.3-10.3	6	1.8	00.2-03.4	1	0.2	00.0-00.6	1	0.1	00.0-00.3	4	2.5	00.0-05.0	239	88.5	84.0-93.0
\$75,000+	256	36,533	8	3.2	00.8-05.6	4	1.3	00.0-02.7							1	0.4	00.0-01.2	243	95.1	92.4-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 17: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRINKDRI)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1409	128,864	38	3.3	01.3-05.3	7	0.5	00.1-00.9	1	0.1	00.0-00.3	2	0.2	00.0-00.6	1361	95.9	93.9-97.9
Non-Native	1381	124,921	37	3.4	01.4-05.4	7	0.5	00.1-00.9	1	0.1	00.0-00.3	2	0.2	00.0-00.6	1334	95.8	93.8-97.8
18-24	59	18,967	3	8.4	00.0-20.0										56	91.6	80.0-0100
25-34	174	20,440	6	2.8	00.4-05.2	1	0.4	00.0-01.2							167	96.8	94.3-99.3
35-44	264	24,327	11	3.4	01.2-05.6	4	1.5	00.0-03.1				2	1.2	00.0-03.0	247	94.0	90.9-97.1
45-54	370	30,464	15	3.3	01.3-05.3	2	0.6	00.0-01.6	1	0.3	00.0-00.9				352	95.7	93.3-98.1
55-64	246	16,324	2	1.1	00.0-02.9										244	98.9	97.1-0100
65+	280	17,414	1	0.5	00.0-01.5										279	99.5	98.5-0100
Less Than H.S.	68	5,289	2	1.9	00.0-04.6										66	98.1	95.4-0100
H.S. or G.E.D.	354	29,758	5	1.2	00.0-02.6	2	0.8	00.0-01.8				1	0.4	00.0-01.2	346	97.7	95.9-99.5
Some Post-H.S.	492	47,082	22	6.6	01.7-11.5	3	0.6	00.0-01.4	1	0.2	00.0-00.6	1	0.4	00.0-01.2	465	92.2	87.3-97.1
College Graduate	494	46,664	9	1.5	00.3-02.7	2	0.3	00.0-00.7							483	98.2	97.0-99.4
Less than \$15,000	80	8,184	2	2.7	00.0-06.8	1	0.9	00.0-02.7							77	96.4	92.1-0100
\$25,000- 34,999	181	15,502	2	0.4	00.0-01.2	2	0.4	00.0-01.0				1	0.7	00.0-02.1	176	98.5	96.7-0100
\$35,000- 49,999	254	22,597	12	4.6	01.7-07.5										242	95.4	92.5-98.3
\$50,000- 74,999	261	25,236	7	2.5	00.5-04.5										254	97.5	95.5-99.5
\$75,000+	263	26,747	4	1.9	00.0-04.3	3	1.4	00.0-03.0							256	96.7	93.8-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 18: WOMENS HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	186
2	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	187
3	A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	188
4	HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	189
5	A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	190
6	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	191
7	HAVE YOU HAD A HYSTERECTOMY? A HYSTERECTOMY IS AN OPERATION TO REMOVE THE UTERUS (WOMB). (HADHYST2) FEMALES ONLY	192

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMMAM)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2805	245,415	2181	65.9	63.4-68.4	624	34.1	31.6-36.6
Non-Native	2701	232,613	2115	66.5	63.8-69.2	586	33.5	30.8-36.2
18-24	111	35,866	18	16.4	08.0-24.8	93	83.6	75.2-92.0
25-34	297	35,617	45	15.3	10.8-19.8	252	84.7	80.2-89.2
35-44	417	39,743	267	63.1	57.8-68.4	150	36.9	31.6-42.2
45-54	595	47,551	538	89.9	87.0-92.8	57	10.1	07.2-13.0
55-64	471	30,416	448	95.7	93.5-97.9	23	4.3	02.1-06.5
65+	878	54,028	833	95.2	93.4-97.0	45	4.8	03.0-06.6
H.S. or G.E.D.	832	68,323	684	71.5	66.6-76.4	148	28.5	23.6-33.4
Some Post-H.S.	926	87,261	702	62.9	58.4-67.4	224	37.1	32.6-41.6
College Graduate	820	74,003	606	62.9	58.4-67.4	214	37.1	32.6-41.6
Less than \$15,000	280	21,333	220	62.2	52.8-71.6	60	37.8	28.4-47.2
\$15,000- 24,999	445	34,694	363	70.4	63.1-77.7	82	29.6	22.3-36.9
\$25,000- 34,999	366	30,518	279	61.0	53.6-68.4	87	39.0	31.6-46.4
\$35,000- 49,999	453	40,734	332	63.5	57.6-69.4	121	36.5	30.6-42.4
\$50,000- 74,999	406	38,763	307	65.9	60.0-71.8	99	34.1	28.2-40.0
\$75,000+	371	39,539	279	66.2	59.7-72.7	92	33.8	27.3-40.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a mammogram.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 lt 12 months			1 lt 2 years			2 lt 3 years			3 lt 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2159	160,052	1459	68.0	65.6-70.4	350	15.5	13.7-17.3	128	6.2	05.0-07.4	114	5.4	04.2-06.6	108	4.9	03.9-05.9
Non-Native	2096	153,208	1421	68.0	65.6-70.4	338	15.4	13.6-17.2	123	6.2	05.0-07.4	110	5.5	04.3-06.7	104	4.9	03.9-05.9
35-44	266	24,907	154	57.7	50.8-64.6	51	18.8	13.3-24.3	20	8.2	04.3-12.1	22	8.7	05.0-12.4	19	6.6	03.1-10.1
45-54	537	42,700	354	68.3	63.8-72.8	102	17.6	14.1-21.1	33	6.5	04.0-09.0	22	3.3	01.7-04.9	26	4.2	02.2-06.2
55-64	444	28,854	330	76.3	71.8-80.8	56	10.7	07.6-13.8	22	4.8	02.6-07.0	24	5.4	03.0-07.8	12	2.7	01.1-04.3
65+	818	50,323	563	68.5	64.8-72.2	123	14.9	12.2-17.6	49	6.1	04.1-08.1	40	5.1	03.3-06.9	43	5.5	03.7-07.3
Less Than H.S.	181	10,902	106	56.2	46.8-65.6	32	15.5	09.4-21.6	20	15.1	08.0-22.2	15	8.4	03.5-13.3	8	4.8	01.5-08.1
H.S. or G.E.D.	676	48,135	458	67.1	62.8-71.4	108	15.9	12.6-19.2	37	5.8	03.6-08.0	35	5.5	03.3-07.7	38	5.7	03.5-07.9
Some Post-H.S.	697	54,473	474	68.2	63.9-72.5	124	17.5	14.2-20.8	34	4.6	02.8-06.4	33	4.9	03.1-06.7	32	4.9	02.9-06.9
College Graduate	602	46,336	420	71.7	67.6-75.8	86	12.8	09.9-15.7	35	6.1	03.7-08.5	31	5.2	03.2-07.2	30	4.2	02.4-06.0
Less than \$15,000	218	13,011	121	57.4	49.2-65.6	46	20.4	13.9-26.9	18	8.0	03.5-12.5	12	5.4	01.9-08.9	21	8.8	04.7-12.9
\$15,000- 24,999	358	24,179	250	69.5	62.8-76.2	49	12.7	08.0-17.4	19	6.8	03.3-10.3	23	5.7	03.0-08.4	17	5.3	02.4-08.2
\$25,000- 34,999	278	18,489	175	63.1	56.2-70.0	55	17.5	12.6-22.4	13	6.0	02.5-09.5	18	6.4	03.1-09.7	17	7.0	03.1-10.9
\$35,000- 49,999	330	25,798	236	71.7	66.0-77.4	48	14.4	10.1-18.7	19	4.9	02.4-07.4	11	3.8	01.4-06.2	16	5.1	02.4-07.8
\$50,000- 74,999	307	25,530	206	65.5	59.4-71.6	49	16.0	11.3-20.7	22	8.2	04.5-11.9	20	6.3	03.4-09.2	10	4.0	01.5-06.5
\$75,000+	278	26,077	199	72.6	66.7-78.5	45	15.0	10.3-19.7	13	4.6	01.9-07.3	12	5.5	02.4-08.6	9	2.3	00.5-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2795	244,714	2605	92.5	90.9-94.1	190	7.5	05.9-09.1
Native	76	10,048	69	89.3	80.5-98.1	7	10.7	01.9-19.5
Non-Native	2691	231,912	2512	92.6	91.0-94.2	179	7.4	05.8-09.0
18-24	111	35,866	86	78.8	70.0-87.6	25	21.2	12.4-30.0
25-34	297	35,617	274	93.5	90.4-96.6	23	6.5	03.4-09.6
35-44	417	39,743	404	96.8	94.6-99.0	13	3.2	01.0-05.4
45-54	592	47,219	576	97.4	95.8-99.0	16	2.6	01.0-04.2
55-64	470	30,326	454	97.0	95.2-98.8	16	3.0	01.2-04.8
65+	874	53,840	778	90.4	88.2-92.6	96	9.6	07.4-11.8
Less Than H.S.	222	15,547	185	85.5	77.5-93.5	37	14.5	06.5-22.5
H.S. or G.E.D.	830	68,210	757	89.5	86.0-93.0	73	10.5	07.0-14.0
Some Post-H.S.	922	86,839	869	92.5	89.8-95.2	53	7.5	04.8-10.2
College Graduate	818	73,913	791	96.6	94.6-98.6	27	3.4	01.4-05.4
Less than \$15,000	278	21,199	238	84.8	77.7-91.9	40	15.2	08.1-22.3
\$15,000- 24,999	443	34,619	403	90.6	86.7-94.5	40	9.4	05.5-13.3
\$25,000- 34,999	366	30,518	344	94.4	90.9-97.9	22	5.6	02.1-09.1
\$35,000- 49,999	450	40,499	429	93.8	90.3-97.3	21	6.2	02.7-09.7
\$50,000- 74,999	405	38,620	390	96.0	93.8-98.2	15	4.0	01.8-06.2
\$75,000+	370	39,469	365	97.8	95.3-0100	5	2.2	00.0-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a clinical breast exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 lt 12 months			1 lt 2 years			2 lt 3 years			3 lt 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2572	224,127	1754	69.8	67.4-72.2	439	16.9	14.9-18.9	142	4.9	03.9-05.9	97	3.5	02.7-04.3	140	4.8	03.8-05.8
Native	67	8,756							5	6.6	00.0-13.3	2	1.5	00.0-03.7	6	5.9	01.2-10.6
Non-Native	2483	213,041	1699	69.8	67.4-72.2	425	17.1	15.1-19.1	135	4.9	03.9-05.9	91	3.5	02.7-04.3	133	4.8	03.8-05.8
18-24	86	28,278				17	21.0	11.2-30.8	2	2.7	00.0-07.0	1	1.6	00.0-04.7	1	1.6	00.0-04.7
25-34	274	33,295	200	76.1	70.8-81.4	42	13.7	09.6-17.8	15	4.7	02.2-07.2	8	2.4	00.4-04.4	9	3.2	01.0-05.4
35-44	401	38,201	261	65.3	60.0-70.6	83	19.8	15.3-24.3	21	5.5	03.0-08.0	15	3.6	01.6-05.6	21	5.7	03.2-08.2
45-54	575	45,989	389	68.2	63.9-72.5	103	18.1	14.6-21.6	29	4.7	02.5-06.9	23	3.4	01.8-05.0	31	5.6	03.4-07.8
55-64	450	29,238	313	72.5	67.8-77.2	66	12.8	09.3-16.3	23	4.7	02.3-07.1	20	4.6	02.4-06.8	28	5.3	03.1-07.5
65+	754	47,032	499	66.3	62.4-70.2	124	15.9	12.8-19.0	51	6.5	04.3-08.7	30	4.8	02.8-06.8	50	6.5	04.3-08.7
Less Than H.S.	177	12,648	109	62.4	53.0-71.8	24	11.3	06.0-16.6	14	9.7	03.8-15.6	12	6.8	02.7-10.9	18	9.9	04.8-15.0
H.S. or G.E.D.	747	60,408	496	68.6	64.3-72.9	118	15.5	12.0-19.0	50	6.1	04.1-08.1	33	3.6	02.0-05.2	50	6.2	03.8-08.6
Some Post-H.S.	859	79,844	594	70.0	65.9-74.1	152	18.2	14.5-21.9	45	4.4	02.8-06.0	24	2.8	01.6-04.0	44	4.6	03.0-06.2
College Graduate	786	71,022	554	72.1	68.2-76.0	145	17.6	14.5-20.7	31	3.5	01.5-05.5	28	3.6	01.8-05.4	28	3.1	01.7-04.5
Less than \$15,000	229	17,347	136	61.3	52.3-70.3	39	15.2	09.1-21.3	19	9.8	02.7-16.9	8	2.9	00.5-05.3	27	10.8	06.3-15.3
\$15,000- 24,999	397	31,067	257	69.9	63.2-76.6	66	14.1	08.4-19.8	27	6.3	03.4-09.2	20	3.8	01.6-06.0	27	5.9	03.2-08.6
\$25,000- 34,999	342	28,585	232	68.4	61.5-75.3	61	17.5	11.6-23.4	17	4.0	01.8-06.2	12	4.7	01.0-08.4	20	5.4	02.7-08.1
\$35,000- 49,999	428	37,955	304	70.2	65.1-75.3	75	18.1	13.8-22.4	19	4.2	01.8-06.6	12	3.0	01.2-04.8	18	4.6	02.4-06.8
\$50,000- 74,999	389	37,047	280	70.9	65.4-76.4	63	18.5	13.4-23.6	20	4.3	02.1-06.5	16	3.4	01.6-05.2	10	2.9	00.9-04.9
\$75,000+	364	38,520	261	73.9	68.8-79.0	67	17.0	12.7-21.3	12	3.0	01.2-04.8	13	3.1	01.3-04.9	11	2.9	01.1-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

**TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2798	244,731	2704	95.5	94.1-96.9	94	4.5	03.1-05.9	
Native	75	9,939	73	97.5	94.0-100	2	2.5	00.0-06.0	
Non-Native	2695	232,038	2606	95.4	93.8-97.0	89	4.6	03.0-06.2	
18-24	111	35,866	94	81.8	73.2-90.4	17	18.2	09.6-26.8	
25-34	296	35,508	289	98.3	96.9-99.7	7	1.7	00.3-03.1	
35-44	415	39,599	411	99.4	98.8-100	4	0.6	00.0-01.2	
45-54	595	47,551	588	98.8	97.8-99.8	7	1.2	00.2-02.2	
55-64	471	30,416	465	99.1	98.1-100	6	0.9	00.0-01.9	
65+	875	53,642	823	94.9	93.1-96.7	52	5.1	03.3-06.9	
Less Than H.S.	223	15,564	199	91.5	85.2-97.8	24	8.5	02.2-14.8	
H.S. or G.E.D.	830	68,127	797	94.7	91.8-97.6	33	5.3	02.4-08.2	
Some Post-H.S.	925	87,156	898	95.0	92.5-97.5	27	5.0	02.5-07.5	
College Graduate	818	73,748	808	97.7	95.5-99.9	10	2.3	00.1-04.5	
Less than \$15,000	278	21,122	257	90.6	84.3-96.9	21	9.4	03.1-15.7	
\$15,000- 24,999	444	34,588	425	95.7	92.8-98.6	19	4.3	01.4-07.2	
\$25,000- 34,999	366	30,518	358	95.5	91.2-99.8	8	4.5	00.2-08.8	
\$35,000- 49,999	452	40,626	444	97.1	94.4-99.8	8	2.9	00.2-05.6	
\$50,000- 74,999	406	38,763	399	98.4	97.0-99.8	7	1.6	00.2-03.0	
\$75,000+	371	39,539	368	98.3	95.9-100	3	1.7	00.0-04.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a Pap Test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 lt 12 months			1 lt 2 years			2 lt 3 years			3 lt 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2653	230,315	1396	59.8	57.4-62.2	476	16.6	14.8-18.4	207	6.9	05.7-08.1	190	5.5	04.5-06.5	384	11.2	09.8-12.6
Native	72	9,641							4	7.1	00.0-14.9	4	3.0	00.0-06.1	10	6.8	02.1-11.5
Non-Native	2558	218,170	1345	59.6	57.2-62.0	458	16.6	14.8-18.4	201	6.9	05.7-08.1	183	5.6	04.6-06.6	371	11.4	10.0-12.8
18-24	94	29,331	74	80.3	71.3-89.3	15	14.6	06.8-22.4	2	2.6	00.0-06.7	1	0.4	00.0-01.2	2	2.1	00.0-05.2
25-34	288	34,742	214	77.1	71.8-82.4	45	13.3	09.2-17.4	9	2.7	00.7-04.7	11	3.6	01.1-06.1	9	3.2	01.0-05.4
35-44	410	39,313	248	61.8	56.5-67.1	95	21.5	17.0-26.0	20	6.1	03.0-09.2	19	4.3	02.1-06.5	28	6.3	03.8-08.8
45-54	582	46,301	341	60.0	55.5-64.5	108	17.5	14.2-20.8	45	8.5	05.6-11.4	31	4.1	02.3-05.9	57	9.9	07.2-12.6
55-64	452	29,499	241	58.1	52.8-63.4	74	14.4	10.7-18.1	34	7.1	04.4-09.8	36	8.5	05.6-11.4	67	11.9	08.6-15.2
65+	793	48,990	256	34.2	30.3-38.1	135	16.8	13.9-19.7	97	11.6	08.9-14.3	88	10.5	08.0-13.0	217	26.9	23.4-30.4
Less Than H.S.	190	13,800				24	8.7	04.6-12.8	22	11.7	05.2-18.2	26	14.3	07.8-20.8	60	24.7	17.3-32.1
H.S. or G.E.D.	779	63,075	363	53.8	49.3-58.3	138	17.0	13.7-20.3	73	7.4	05.2-09.6	63	6.4	04.4-08.4	142	15.5	12.4-18.6
Some Post-H.S.	882	81,883	479	60.9	56.8-65.0	160	16.9	13.8-20.0	69	7.4	05.4-09.4	57	4.6	03.2-06.0	117	10.2	08.0-12.4
College Graduate	800	71,421	496	67.8	64.1-71.5	154	17.4	14.5-20.3	42	4.7	02.5-06.9	43	4.1	02.7-05.5	65	5.9	04.3-07.5
Less than \$15,000	251	18,849	94	48.4	39.4-57.4	32	8.5	05.0-12.0	32	14.0	06.6-21.4	31	10.7	06.4-15.0	62	18.5	13.0-24.0
\$15,000- 24,999	417	32,742	184	55.4	48.3-62.5	66	13.4	09.1-17.7	39	7.7	04.6-10.8	41	8.0	04.9-11.1	87	15.6	11.5-19.7
\$25,000- 34,999	353	28,581	176	58.6	51.9-65.3	68	18.2	12.9-23.5	22	5.1	02.7-07.5	30	5.6	03.2-08.0	57	12.5	08.8-16.2
\$35,000- 49,999	440	39,187	259	61.9	56.6-67.2	81	18.1	13.8-22.4	25	4.1	02.1-06.1	23	4.9	02.7-07.1	52	11.0	07.9-14.1
\$50,000- 74,999	396	38,025	246	65.9	60.4-71.4	73	18.0	13.3-22.7	32	8.1	05.0-11.2	17	3.1	01.5-04.7	28	5.0	02.8-07.2
\$75,000+	366	38,575	234	68.1	62.6-73.6	77	18.6	14.1-23.1	19	4.9	02.5-07.3	14	3.0	01.2-04.8	22	5.3	02.9-07.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

**TABLE 7: HAVE YOU HAD A HYSTERECTOMY? A HYSTERECTOMY IS AN OPERATION TO REMOVE THE UTERUS (WOMB). (HADHYST2)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2750	237,097	756	22.1	20.3-23.9	1994	77.9	76.1-79.7
Non-Native	2655	225,900	730	22.0	20.2-23.8	1925	78.0	76.2-79.8
18-24	100	33,123	1	1.4	00.0-04.1	99	98.6	95.9-0100
25-34	260	30,467	5	2.6	00.1-05.1	255	97.4	94.9-99.9
35-44	414	39,583	51	12.8	08.9-16.7	363	87.2	83.3-91.1
45-54	594	47,456	163	26.3	22.2-30.4	431	73.7	69.6-77.8
55-64	471	30,416	162	33.2	28.3-38.1	309	66.8	61.9-71.7
65+	877	53,907	367	42.8	38.9-46.7	510	57.2	53.3-61.1
Less Than H.S.	221	15,249	98	44.8	35.4-54.2	123	55.2	45.8-64.6
H.S. or G.E.D.	814	66,227	260	25.6	22.1-29.1	554	74.4	70.9-77.9
Some Post-H.S.	913	84,151	237	20.2	17.3-23.1	676	79.8	76.9-82.7
College Graduate	799	71,265	160	16.3	13.6-19.0	639	83.7	81.0-86.4
Less than \$15,000	274	20,736	86	23.9	17.6-30.2	188	76.1	69.8-82.4
\$15,000- 24,999	440	33,502	155	29.4	23.7-35.1	285	70.6	64.9-76.3
\$25,000- 34,999	357	29,348	94	20.6	15.9-25.3	263	79.4	74.7-84.1
\$35,000- 49,999	441	38,676	110	20.2	16.1-24.3	331	79.8	75.7-83.9
\$50,000- 74,999	396	37,427	91	18.3	14.2-22.4	305	81.7	77.6-85.8
\$75,000+	362	37,973	66	17.1	13.0-21.2	296	82.9	78.8-87.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)	
1	MALES ONLY	194
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
2	MALES ONLY	195
	A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)	
3	MALES ONLY	196
	HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME)	
4	MALES ONLY	197
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)	
5	MALES ONLY	198

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1369	134,343	874	62.6	59.7-65.5	495	37.4	34.5-40.3
Non-Native	1335	130,911	857	62.9	59.8-66.0	478	37.1	34.0-40.2
35-44	154	19,303	40	26.2	18.2-34.2	114	73.8	65.8-81.8
45-54	440	45,725	215	49.4	43.9-54.9	225	50.6	45.1-56.1
55-64	329	32,416	242	74.2	68.7-79.7	87	25.8	20.3-31.3
65+	446	36,898	377	87.6	84.1-91.1	69	12.4	08.9-15.9
Less Than H.S.	166	14,414	118	70.6	62.2-79.0	48	29.4	21.0-37.8
H.S. or G.E.D.	432	40,279	272	62.1	56.6-67.6	160	37.9	32.4-43.4
Some Post-H.S.	368	34,734	218	56.7	50.6-62.8	150	43.3	37.2-49.4
College Graduate	399	44,561	264	65.2	59.9-70.5	135	34.8	29.5-40.1
\$15,000- 24,999	209	17,330	129	64.7	56.9-72.5	80	35.3	27.5-43.1
\$25,000- 34,999	178	15,849	108	62.2	53.8-70.6	70	37.8	29.4-46.2
\$35,000- 49,999	256	22,904	175	64.9	57.8-72.0	81	35.1	28.0-42.2
\$50,000- 74,999	260	28,630	166	58.7	51.8-65.6	94	41.3	34.4-48.2
\$75,000+	263	32,361	167	63.6	57.1-70.1	96	36.4	29.9-42.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	868	83,655	579	64.3	60.6-68.0	155	19.3	16.2-22.4	66	8.8	06.4-11.2	46	5.2	03.4-07.0	22	2.4	01.2-03.6
Non-Native	852	82,064	566	63.8	59.9-67.7	155	19.7	16.4-23.0	65	8.8	06.4-11.2	44	5.2	03.4-07.0	22	2.5	01.3-03.7
45-54	215	22,605	134	60.6	52.8-68.4	39	20.2	13.5-26.9	16	8.2	03.7-12.7	18	8.5	03.8-13.2	8	2.5	00.5-04.5
55-64	241	24,034	158	62.8	55.7-69.9	49	22.0	15.7-28.3	19	9.3	05.0-13.6	12	4.2	01.5-06.9	3	1.7	00.0-03.7
65+	372	31,960	270	72.3	67.0-77.6	56	15.1	10.8-19.4	24	6.8	03.9-09.7	14	3.3	01.3-05.3	8	2.5	00.5-04.5
Less Than H.S.	117	10,173				21	22.3	12.3-32.3	9	7.2	01.9-12.5	1	1.4	00.0-04.1	5	5.2	00.3-10.1
H.S. or G.E.D.	269	24,679	183	64.9	58.0-71.8	44	17.7	12.2-23.2	20	9.2	05.1-13.3	14	5.2	02.1-08.3	8	3.0	00.8-05.2
Some Post-H.S.	218	19,687	148	65.6	58.0-73.2	31	15.5	09.8-21.2	19	10.1	05.0-15.2	14	6.6	02.3-10.9	6	2.2	00.2-04.2
College Graduate	262	28,977	165	62.9	56.2-69.6	59	22.3	16.4-28.2	18	8.2	04.3-12.1	17	5.5	02.6-08.4	3	1.2	00.0-02.6
\$15,000- 24,999	127	11,210				22	22.7	12.9-32.5	13	10.9	04.0-17.8	8	5.1	00.8-09.4	4	3.8	00.0-07.7
\$25,000- 34,999	107	9,747				15	13.1	06.2-20.0	5	5.5	00.4-10.6	7	8.4	01.0-15.8	3	3.8	00.0-08.3
\$35,000- 49,999	175	14,857	115	61.4	52.8-70.0	33	20.5	13.2-27.8	16	12.5	06.2-18.8	9	4.7	01.2-08.2	2	1.0	00.0-02.4
\$50,000- 74,999	166	16,814	113	68.9	60.9-76.9	29	16.4	09.9-22.9	13	8.0	03.3-12.7	6	4.3	00.8-07.8	5	2.3	00.0-04.8
\$75,000+	167	20,570	108	63.8	55.6-72.0	32	21.1	13.8-28.4	13	7.9	03.4-12.4	10	5.0	01.5-08.5	4	2.2	00.0-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 3: A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1402	137,958	1087	78.3	75.8-80.8	315	21.7	19.2-24.2
Non-Native	1368	134,758	1063	78.7	76.2-81.2	305	21.3	18.8-23.8
35-44	162	20,470	83	55.2	46.6-63.8	79	44.8	36.2-53.4
45-54	455	47,169	322	74.2	69.5-78.9	133	25.8	21.1-30.5
55-64	334	33,086	281	84.4	79.9-88.9	53	15.6	11.1-20.1
65+	451	37,233	401	90.7	87.6-93.8	50	9.3	06.2-12.4
Less Than H.S.	169	14,798	135	79.5	72.2-86.8	34	20.5	13.2-27.8
H.S. or G.E.D.	447	41,406	331	73.9	69.0-78.8	116	26.1	21.2-31.0
Some Post-H.S.	374	35,913	274	74.6	69.5-79.7	100	25.4	20.3-30.5
College Graduate	409	45,555	345	85.0	80.9-89.1	64	15.0	10.9-19.1
\$15,000- 24,999	210	17,417	159	73.9	66.5-81.3	51	26.1	18.7-33.5
\$25,000- 34,999	181	16,254	134	76.8	69.5-84.1	47	23.2	15.9-30.5
\$35,000- 49,999	262	23,526	203	79.0	73.3-84.7	59	21.0	15.3-26.7
\$50,000- 74,999	269	29,673	221	83.1	77.8-88.4	48	16.9	11.6-22.2
\$75,000+	272	33,334	214	78.9	73.4-84.4	58	21.1	15.6-26.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRE) TIME

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a digital rectal exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1071	106,485	554	51.4	47.9-54.9	190	18.8	16.1-21.5	105	10.9	08.5-13.3	78	6.9	05.1-08.7	144	12.0	09.8-14.2
Non-Native	1047	104,582	543	51.3	47.8-54.8	189	19.1	16.2-22.0	103	10.9	08.5-13.3	75	7.0	05.2-08.8	137	11.8	09.4-14.2
35-44	82	11,143				13	18.3	08.5-28.1				7	9.0	02.5-15.5	20	18.3	09.5-27.1
45-54	317	34,551	136	45.1	38.8-51.4	64	20.9	15.6-26.2	28	8.3	04.8-11.8	35	10.7	06.8-14.6	54	15.0	10.5-19.5
55-64	278	27,594	161	56.5	49.8-63.2	44	16.7	11.4-22.0	29	11.5	07.2-15.8	16	5.5	02.6-08.4	28	9.7	05.8-13.6
65+	394	33,197	228	59.6	53.9-65.3	69	18.5	14.0-23.0	35	9.7	06.2-13.2	20	3.5	01.5-05.5	42	8.7	05.6-11.8
Less Than H.S.	134	11,648				27	24.5	14.9-34.1	14	11.4	04.9-17.9	9	5.5	01.4-09.6	16	9.2	03.3-15.1
H.S. or G.E.D.	325	30,057	178	55.1	48.6-61.6	57	17.2	12.5-21.9	26	8.7	05.0-12.4	20	6.1	03.2-09.0	44	12.9	08.8-17.0
Some Post-H.S.	270	26,291	129	47.6	40.5-54.7	45	16.5	11.4-21.6	33	14.1	09.0-19.2	20	8.0	04.1-11.9	43	13.7	08.8-18.6
College Graduate	340	38,350	178	51.5	45.4-57.6	61	19.9	14.8-25.0	32	10.2	06.5-13.9	29	7.3	04.4-10.2	40	11.0	07.3-14.7
Less than \$15,000	53	3,855										5	10.4	00.4-20.4			
\$15,000- 24,999	157	12,711	74	46.4	36.6-56.2	24	17.3	09.1-25.5	16	13.4	06.3-20.5	17	7.9	03.4-12.4	26	15.0	08.5-21.5
\$25,000- 34,999	130	12,107	73	55.2	45.2-65.2	26	21.6	13.4-29.8	9	7.3	02.2-12.4	6	3.5	00.4-06.6	16	12.3	05.8-18.8
\$35,000- 49,999	202	18,540	100	50.9	42.9-58.9	33	16.5	10.6-22.4	22	11.9	06.4-17.4	16	6.9	03.0-10.8	31	13.8	07.9-19.7
\$50,000- 74,999	218	24,345	116	53.7	46.3-61.1	44	20.6	14.5-26.7	22	9.6	05.1-14.1	14	7.3	03.4-11.2	22	8.8	04.7-12.9
\$75,000+	213	26,173	118	52.1	44.5-59.7	31	16.6	10.5-22.7	19	10.9	06.0-15.8	17	8.4	04.3-12.5	28	12.0	07.1-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.
Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1409	138,321	56	3.7	02.5-04.9	1353	96.3	95.1-97.5
Non-Native	1373	135,001	54	3.8	02.6-05.0	1319	96.2	95.0-97.4
35-44	162	20,470				162	100.0	0100-0100
45-54	455	47,169	3	0.6	00.0-01.4	452	99.4	98.6-0100
55-64	336	32,996	3	1.2	00.0-02.6	333	98.8	97.4-0100
65+	456	37,686	50	11.9	08.4-15.4	406	88.1	84.6-91.6
Less Than H.S.	171	14,750	14	8.8	03.9-13.7	157	91.2	86.3-96.1
H.S. or G.E.D.	446	41,315	15	2.7	01.1-04.3	431	97.3	95.7-98.9
Some Post-H.S.	376	35,959	14	3.9	01.5-06.3	362	96.1	93.7-98.5
College Graduate	412	45,942	13	3.0	01.2-04.8	399	97.0	95.2-98.8
Less than \$15,000	85	6,312	3	2.7	00.0-06.2	82	97.3	93.8-0100
\$15,000- 24,999	211	17,454	15	9.6	04.5-14.7	196	90.4	85.3-95.5
\$25,000- 34,999	182	16,327	5	2.2	00.0-04.4	177	97.8	95.6-0100
\$35,000- 49,999	262	23,526	10	3.1	00.7-05.5	252	96.9	94.5-99.3
\$50,000- 74,999	267	29,411	7	2.7	00.7-04.7	260	97.3	95.3-99.3
\$75,000+	272	33,334	8	2.2	00.4-04.0	264	97.8	96.0-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006**

MODULE 20: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1 MALES AND FEMALES	200
2 MALES ONLY	201
3 FEMALES ONLY	202
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)	
4 MALES AND FEMALES	203
5 MALES ONLY	204
6 FEMALES ONLY	205
SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7 MALES AND FEMALES	206
8 MALES ONLY	207
9 FEMALES ONLY	208
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)	
10 MALES AND FEMALES	209
11 MALES ONLY	210
12 FEMALES ONLY	211

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2674	202,933	1074	40.4	38.2-42.6	1600	59.6	57.4-61.8
Male	1028	95,255	346	36.1	32.6-39.6	682	63.9	60.4-67.4
Female	1646	107,678	728	44.3	41.6-47.0	918	55.7	53.0-58.4
Non-Native	2602	197,139	1050	40.7	38.5-42.9	1552	59.3	57.1-61.5
45-54	548	48,564	134	24.3	20.0-28.6	414	75.7	71.4-80.0
55-64	803	63,141	325	42.2	38.1-46.3	478	57.8	53.7-61.9
65+	1323	91,228	615	47.8	44.7-50.9	708	52.2	49.1-55.3
Less Than H.S.	340	23,428	116	33.1	27.0-39.2	224	66.9	60.8-73.0
H.S. or G.E.D.	891	66,320	374	43.1	39.2-47.0	517	56.9	53.0-60.8
Some Post-H.S.	748	56,106	307	41.9	37.8-46.0	441	58.1	54.0-62.2
College Graduate	688	56,519	276	39.1	34.8-43.4	412	60.9	56.6-65.2
Less than \$15,000	261	14,713	95	37.7	30.4-45.0	166	62.3	55.0-69.6
\$15,000- 24,999	493	32,810	210	42.4	37.1-47.7	283	57.6	52.3-62.9
\$25,000- 34,999	359	26,705	149	40.4	34.3-46.5	210	59.6	53.5-65.7
\$35,000- 49,999	434	33,904	175	39.9	34.4-45.4	259	60.1	54.6-65.6
\$50,000- 74,999	344	30,189	128	37.3	31.4-43.2	216	62.7	56.8-68.6
\$75,000+	331	32,783	132	42.3	36.2-48.4	199	57.7	51.6-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1028	95,255	346	36.1	32.6-39.6	682	63.9	60.4-67.4
Non-Native	1003	93,311	340	36.1	32.6-39.6	663	63.9	60.4-67.4
45-54	241	24,763	46	22.7	16.0-29.4	195	77.3	70.6-84.0
55-64	336	32,996	123	39.2	33.1-45.3	213	60.8	54.7-66.9
65+	451	37,496	177	42.3	36.8-47.8	274	57.7	52.2-63.2
Less Than H.S.	156	13,508	48	29.4	21.0-37.8	108	70.6	62.2-79.0
H.S. or G.E.D.	321	28,980	118	38.5	32.2-44.8	203	61.5	55.2-67.8
Some Post-H.S.	252	22,027	72	34.2	27.1-41.3	180	65.8	58.7-72.9
College Graduate	295	30,385	107	38.1	31.6-44.6	188	61.9	55.4-68.4
\$15,000- 24,999	175	14,072	57	30.4	22.2-38.6	118	69.6	61.4-77.8
\$25,000- 34,999	139	12,588	46	35.4	26.0-44.8	93	64.6	55.2-74.0
\$35,000- 49,999	192	16,444	63	34.8	27.0-42.6	129	65.2	57.4-73.0
\$50,000- 74,999	177	18,249	59	36.0	28.0-44.0	118	64.0	56.0-72.0
\$75,000+	174	19,952	65	44.0	35.6-52.4	109	56.0	47.6-64.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1646	107,678	728	44.3	41.6-47.0	918	55.7	53.0-58.4
Non-Native	1599	103,828	710	44.8	41.9-47.7	889	55.2	52.3-58.1
45-54	307	23,801	88	26.0	20.5-31.5	219	74.0	68.5-79.5
55-64	467	30,145	202	45.5	40.2-50.8	265	54.5	49.2-59.8
65+	872	53,733	438	51.7	47.8-55.6	434	48.3	44.4-52.2
Less Than H.S.	184	9,920	68	38.0	29.4-46.6	116	62.0	53.4-70.6
H.S. or G.E.D.	570	37,339	256	46.6	41.7-51.5	314	53.4	48.5-58.3
Some Post-H.S.	496	34,080	235	46.9	41.8-52.0	261	53.1	48.0-58.2
College Graduate	393	26,134	169	40.4	34.9-45.9	224	59.6	54.1-65.1
Less than \$15,000	197	10,184	80	42.8	34.4-51.2	117	57.2	48.8-65.6
\$15,000- 24,999	318	18,738	153	51.4	44.7-58.1	165	48.6	41.9-55.3
\$25,000- 34,999	220	14,117	103	44.9	37.3-52.5	117	55.1	47.5-62.7
\$35,000- 49,999	242	17,461	112	44.8	37.5-52.1	130	55.2	47.9-62.5
\$50,000- 74,999	167	11,940	69	39.2	30.6-47.8	98	60.8	52.2-69.4
\$75,000+	157	12,831	67	39.6	31.4-47.8	90	60.4	52.2-68.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1056	80,933	383	37.7	34.2-41.2	195	17.6	14.9-20.3	266	25.1	22.0-28.2	212	19.6	16.7-22.5
Male	342	34,112	130	39.7	33.8-45.6	65	17.5	12.8-22.2	80	23.0	17.9-28.1	67	19.8	14.9-24.7
Female	714	46,821	253	36.2	32.1-40.3	130	17.6	14.3-20.9	186	26.7	23.0-30.4	145	19.5	16.2-22.8
Non-Native	1032	78,989	375	37.6	34.1-41.1	192	17.9	15.2-20.6	260	25.1	22.0-28.2	205	19.4	16.5-22.3
45-54	134	11,803				26	18.6	10.0-27.2	30	20.0	12.4-27.6	22	16.2	08.0-24.4
55-64	320	26,292	108	34.7	28.8-40.6	66	18.8	13.9-23.7	81	26.4	20.7-32.1	65	20.1	15.0-25.2
65+	602	42,838	219	37.5	33.0-42.0	103	16.6	13.1-20.1	155	25.7	21.6-29.8	125	20.2	16.5-23.9
Less Than H.S.	114	7,601				15	14.7	06.7-22.7	30	24.9	15.7-34.1	25	22.3	13.1-31.5
H.S. or G.E.D.	366	27,994	125	37.4	31.5-43.3	70	17.6	13.1-22.1	90	22.6	17.7-27.5	81	22.4	17.3-27.5
Some Post-H.S.	303	23,230	122	42.1	35.6-48.6	64	18.0	13.1-22.9	74	26.9	21.0-32.8	43	13.0	08.7-17.3
College Graduate	272	21,978	92	33.5	27.0-40.0	46	18.3	12.4-24.2	71	26.0	19.9-32.1	63	22.2	16.3-28.1
Less than \$15,000	93	5,506				23	22.0	12.4-31.6						
\$15,000- 24,999	205	13,598	81	40.2	32.4-48.0	31	16.2	10.1-22.3	56	28.4	21.1-35.7	37	15.2	09.5-20.9
\$25,000- 34,999	147	10,675	54	37.4	28.2-46.6	26	17.1	09.8-24.4	34	21.8	14.0-29.6	33	23.6	15.6-31.6
\$35,000- 49,999	174	13,499	65	42.3	33.7-50.9	30	13.7	07.8-19.6	40	23.5	16.4-30.6	39	20.5	13.8-27.2
\$50,000- 74,999	128	11,260	50	39.6	29.8-49.4	23	18.8	10.8-26.8	33	23.8	15.6-32.0	22	17.7	09.7-25.7
\$75,000+	132	13,868	39	31.5	22.5-40.5	26	18.1	10.1-26.1	39	28.3	19.9-36.7	28	22.1	13.9-30.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	342	34,112	130	39.7	33.6-45.8	65	17.5	12.8-22.2	80	23.0	17.9-28.1	67	19.8	14.9-24.7
Non-Native	336	33,385	127	39.3	33.2-45.4	65	17.9	13.0-22.8	79	23.1	18.0-28.2	65	19.7	14.6-24.8
55-64	123	12,934	36	30.0	21.0-39.0	23	17.2	09.6-24.8	39	30.4	21.2-39.6	25	22.4	14.0-30.8
65+	173	15,565	72	43.7	35.3-52.1	34	18.7	12.0-25.4	33	19.5	12.8-26.2	34	18.2	11.7-24.7
H.S. or G.E.D.	117	11,098				26	18.0	10.4-25.6	28	22.4	14.0-30.8	23	21.8	12.8-30.8
Some Post-H.S.	72	7,542				14	14.8	06.2-23.4				8	10.4	02.0-18.8
College Graduate	106	11,512	35	32.4	22.6-42.2	17	18.3	08.9-27.7	26	23.3	14.3-32.3	28	26.0	16.6-35.4
\$15,000- 24,999	55	4,125										6	8.9	00.0-17.9
\$35,000- 49,999	63	5,724				12	13.2	04.0-22.4				11	16.2	06.2-26.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	714	46,821	253	36.2	32.1-40.3	130	17.6	14.3-20.9	186	26.7	23.0-30.4	145	19.5	16.2-22.8
Non-Native	696	45,604	248	36.3	32.2-40.4	127	17.8	14.5-21.1	181	26.6	22.9-30.3	140	19.2	15.9-22.5
45-54	88	6,191										14	14.2	05.8-22.6
55-64	197	13,358	72	39.2	31.6-46.8	43	20.3	13.8-26.8	42	22.5	15.8-29.2	40	17.9	11.8-24.0
65+	429	27,273	147	33.9	28.6-39.2	69	15.4	11.5-19.3	122	29.3	24.2-34.4	91	21.4	16.9-25.9
Less Than H.S.	68	3,772				7	9.4	01.6-17.2						
H.S. or G.E.D.	249	16,896	85	37.1	30.0-44.2	44	17.3	12.0-22.6	62	22.8	16.7-28.9	58	22.8	16.7-28.9
Some Post-H.S.	231	15,688	87	39.0	31.7-46.3	50	19.5	13.6-25.4	59	27.3	20.6-34.0	35	14.2	09.1-19.3
College Graduate	166	10,466	57	34.6	26.4-42.8	29	18.3	11.4-25.2	45	29.1	21.3-36.9	35	18.0	11.5-24.5
\$15,000- 24,999	150	9,474	57	37.7	28.9-46.5	20	14.9	08.4-21.4	42	29.5	21.1-37.9	31	17.9	10.8-25.0
\$25,000- 34,999	102	6,295				16	12.9	05.8-20.0	25	24.5	14.9-34.1	25	25.9	16.1-35.7
\$35,000- 49,999	111	7,776				18	14.1	06.7-21.5	21	18.5	10.5-26.5	28	23.6	14.8-32.4
\$50,000- 74,999	69	4,683										8	8.6	00.6-16.6
\$75,000+	67	5,082										12	17.6	07.6-27.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2669	202,187	1516	56.5	54.1-58.9	1153	43.5	41.1-45.9
Male	1026	94,688	548	54.6	51.1-58.1	478	45.4	41.9-48.9
Female	1643	107,499	968	58.1	55.4-60.8	675	41.9	39.2-44.6
Non-Native	2598	196,440	1483	56.8	54.4-59.2	1115	43.2	40.8-45.6
45-54	549	48,616	188	33.3	28.6-38.0	361	66.7	62.0-71.4
55-64	805	63,298	455	57.9	53.8-62.0	350	42.1	38.0-46.2
65+	1315	90,273	873	67.9	65.0-70.8	442	32.1	29.2-35.0
Less Than H.S.	339	23,308	186	56.8	50.1-63.5	153	43.2	36.5-49.9
H.S. or G.E.D.	889	66,106	534	60.0	56.1-63.9	355	40.0	36.1-43.9
Some Post-H.S.	751	56,209	394	50.2	46.1-54.3	357	49.8	45.7-53.9
College Graduate	683	56,005	397	58.3	54.0-62.6	286	41.7	37.4-46.0
Less than \$15,000	259	14,656	134	52.0	44.6-59.4	125	48.0	40.6-55.4
\$15,000- 24,999	491	32,729	283	59.6	54.3-64.9	208	40.4	35.1-45.7
\$25,000- 34,999	361	26,801	201	55.9	49.8-62.0	160	44.1	38.0-50.2
\$35,000- 49,999	433	33,758	242	53.0	47.5-58.5	191	47.0	41.5-52.5
\$50,000- 74,999	345	30,318	195	55.2	49.1-61.3	150	44.8	38.7-50.9
\$75,000+	329	32,599	189	57.4	51.3-63.5	140	42.6	36.5-48.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1026	94,688	548	54.6	51.1-58.1	478	45.4	41.9-48.9
Non-Native	1002	92,807	539	55.0	51.3-58.7	463	45.0	41.3-48.7
45-54	242	24,816	75	32.2	25.1-39.3	167	67.8	60.7-74.9
55-64	335	32,927	190	57.9	51.8-64.0	145	42.1	36.0-48.2
65+	449	36,945	283	66.7	61.6-71.8	166	33.3	28.2-38.4
Less Than H.S.	158	13,494	82	53.4	43.8-63.0	76	46.6	37.0-56.2
H.S. or G.E.D.	321	28,922	174	56.3	49.8-62.8	147	43.7	37.2-50.2
Some Post-H.S.	251	21,970	118	46.4	39.1-53.7	133	53.6	46.3-60.9
College Graduate	292	29,948	172	59.6	53.1-66.1	120	40.4	33.9-46.9
\$15,000- 24,999	175	14,066	79	50.5	41.3-59.7	96	49.5	40.3-58.7
\$25,000- 34,999	139	12,588	68	50.8	41.0-60.6	71	49.2	39.4-59.0
\$35,000- 49,999	191	16,297	101	51.7	43.3-60.1	90	48.3	39.9-56.7
\$50,000- 74,999	177	18,249	111	62.1	53.9-70.3	66	37.9	29.7-46.1
\$75,000+	173	19,837	102	58.1	49.7-66.5	71	41.9	33.5-50.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1643	107,499	968	58.1	55.4-60.8	675	41.9	39.2-44.6
Non-Native	1596	103,633	944	58.5	55.6-61.4	652	41.5	38.6-44.4
45-54	307	23,801	113	34.5	28.4-40.6	194	65.5	59.4-71.6
55-64	470	30,371	265	57.9	52.6-63.2	205	42.1	36.8-47.4
65+	866	53,328	590	68.8	65.1-72.5	276	31.2	27.5-34.9
Less Than H.S.	181	9,814	104	61.6	52.8-70.4	77	38.4	29.6-47.2
H.S. or G.E.D.	568	37,183	360	62.9	58.2-67.6	208	37.1	32.4-41.8
Some Post-H.S.	500	34,239	276	52.7	47.6-57.8	224	47.3	42.2-52.4
College Graduate	391	26,057	225	56.7	50.8-62.6	166	43.3	37.4-49.2
Less than \$15,000	196	10,195	103	53.7	45.5-61.9	93	46.3	38.1-54.5
\$15,000- 24,999	316	18,663	204	66.4	60.1-72.7	112	33.6	27.3-39.9
\$25,000- 34,999	222	14,212	133	60.4	52.8-68.0	89	39.6	32.0-47.2
\$35,000- 49,999	242	17,461	141	54.1	46.7-61.5	101	45.9	38.5-53.3
\$50,000- 74,999	168	12,068	84	44.8	36.2-53.4	84	55.2	46.6-63.8
\$75,000+	156	12,761	87	56.2	47.8-64.6	69	43.8	35.4-52.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1501	113,519	366	24.5	22.0-27.0	273	17.7	15.3-20.1	579	38.6	35.7-41.5	171	11.4	09.4-13.4	112	7.8	06.2-09.4
Male	546	51,602	145	27.5	23.2-31.8	102	18.7	14.8-22.6	208	37.6	32.9-42.3	52	9.4	06.7-12.1	39	6.8	04.4-09.2
Female	955	61,917	221	22.0	19.1-24.9	171	16.9	14.2-19.6	371	39.3	35.8-42.8	119	13.1	10.6-15.6	73	8.6	06.4-10.8
Non-Native	1469	111,014	356	24.3	21.8-26.8	267	17.7	15.3-20.1	568	38.7	35.8-41.6	169	11.6	09.6-13.6	109	7.7	06.1-09.3
45-54	188	16,210	50	26.1	18.5-33.7	32	18.5	11.4-25.6	63	32.4	24.6-40.2	20	9.2	04.7-13.7	23	13.9	08.0-19.8
55-64	453	36,586	106	24.3	19.6-29.0	85	17.5	13.4-21.6	178	38.9	33.6-44.2	59	13.6	09.9-17.3	25	5.7	03.2-08.2
65+	860	60,724	210	24.3	21.0-27.6	156	17.6	14.7-20.5	338	40.0	36.1-43.9	92	10.7	08.3-13.1	64	7.4	05.2-09.6
Less Than H.S.	184	13,130	47	25.5	17.7-33.3	35	20.1	12.5-27.7	65	33.2	25.0-41.4	18	11.3	05.2-17.4	19	9.9	04.8-15.0
H.S. or G.E.D.	528	39,420	129	22.2	18.1-26.3	98	18.2	14.3-22.1	209	41.3	36.2-46.4	56	10.3	07.4-13.2	36	8.0	05.1-10.9
Some Post-H.S.	389	28,023	91	25.8	20.7-30.9	67	15.9	11.8-20.0	151	36.9	31.4-42.4	53	15.1	11.0-19.2	27	6.3	03.6-09.0
College Graduate	396	32,612	99	26.1	21.0-31.2	73	17.8	13.3-22.3	150	38.3	32.8-43.8	44	9.7	06.4-13.0	30	8.1	05.0-11.2
Less than \$15,000	131	7,436	35	26.0	17.0-35.0	24	21.4	12.4-30.4	45	31.0	21.4-40.6	14	10.3	04.2-16.4	13	11.2	04.1-18.3
\$15,000- 24,999	280	19,386	65	22.0	16.3-27.7	49	18.5	12.6-24.4	102	35.2	28.5-41.9	42	15.9	10.6-21.2	22	8.4	04.5-12.3
\$25,000- 34,999	199	14,866	55	27.0	19.6-34.4	32	15.9	10.0-21.8	77	37.7	29.9-45.5	19	11.0	05.9-16.1	16	8.4	03.9-12.9
\$35,000- 49,999	242	17,879	56	24.8	18.3-31.3	43	16.7	11.2-22.2	99	41.4	34.1-48.7	31	11.5	07.0-16.0	13	5.6	02.3-08.9
\$50,000- 74,999	194	16,712	48	24.1	17.2-31.0	39	19.1	12.6-25.6	73	39.2	31.2-47.2	22	11.3	06.2-16.4	12	6.4	02.3-10.5
\$75,000+	189	18,698	54	28.7	21.4-36.0	29	15.1	09.2-21.0	73	37.3	29.7-44.9	18	10.7	05.8-15.6	15	8.3	04.0-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	546	51,602	145	27.5	23.2-31.8	102	18.7	14.8-22.6	208	37.6	32.9-42.3	52	9.4	06.7-12.1	39	6.8	04.4-09.2
Non-Native	538	50,978	143	27.3	23.0-31.6	102	18.9	15.0-22.8	204	37.6	32.9-42.3	50	9.3	06.6-12.0	39	6.9	04.5-09.3
45-54	75	8,002										4	2.5	00.0-05.2	10	12.3	04.5-20.1
55-64	190	19,073	44	25.0	17.7-32.3	35	17.5	11.2-23.8	77	39.3	31.5-47.1	23	13.1	07.4-18.8	11	5.0	01.7-08.3
65+	281	24,527	73	25.8	19.9-31.7	52	18.5	13.0-24.0	113	40.6	33.9-47.3	25	8.7	05.0-12.4	18	6.4	03.1-09.7
Less Than H.S.	81	7,132										4	8.4	00.0-17.4	9	8.6	01.9-15.3
H.S. or G.E.D.	173	16,212	49	25.2	17.6-32.8	34	20.1	13.0-27.2	65	41.1	32.5-49.7	16	8.9	04.2-13.6	9	4.6	01.3-07.9
Some Post-H.S.	118	10,198	30	30.8	21.0-40.6	20	15.3	07.9-22.7	40	30.0	20.4-39.6	18	15.3	07.9-22.7	10	8.6	02.7-14.5
College Graduate	172	17,862	48	29.5	21.9-37.1	32	17.7	11.0-24.4	67	38.8	30.8-46.8	14	6.9	02.8-11.0	11	7.1	02.8-11.4
\$15,000- 24,999	79	7,103										9	13.6	03.8-23.4	6	6.8	00.7-12.9
\$25,000- 34,999	67	6,326				11	14.0	04.8-23.2				3	4.3	00.0-09.4	5	8.1	00.3-15.9
\$35,000- 49,999	101	8,424				19	17.8	09.0-26.6				10	7.5	02.0-13.0	8	6.9	01.4-12.4
\$50,000- 74,999	111	11,328	29	26.3	17.1-35.5	23	19.5	11.1-27.9				11	9.1	03.2-15.0	9	7.3	02.0-12.6
\$75,000+	102	11,522	31	28.9	19.1-38.7	18	18.4	09.8-27.0				10	10.9	04.2-17.6	5	5.2	00.7-09.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
MODULE 20: COLORECTAL CANCER SCREENING**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	955	61,917	221	22.0	19.1-24.9	171	16.9	14.2-19.6	371	39.3	35.8-42.8	119	13.1	10.6-15.6	73	8.6	06.4-10.8
Non-Native	931	60,036	213	21.7	18.8-24.6	165	16.7	14.0-19.4	364	39.7	36.0-43.4	119	13.5	11.0-16.0	70	8.3	06.1-10.5
45-54	113	8,208	22	13.7	06.8-20.6	17	15.1	07.7-22.5				16	15.7	07.5-23.9	13	15.4	06.8-24.0
55-64	263	17,513	62	23.4	17.5-29.3	50	17.5	12.2-22.8	101	38.5	31.8-45.2	36	14.2	09.5-18.9	14	6.5	02.8-10.2
65+	579	36,196	137	23.2	19.3-27.1	104	17.0	13.5-20.5	225	39.6	34.9-44.3	67	12.0	08.9-15.1	46	8.1	05.6-10.6
Less Than H.S.	103	5,998				19	16.7	07.7-25.7				14	14.8	06.8-22.8	10	11.4	03.4-19.4
H.S. or G.E.D.	355	23,207	80	20.0	15.3-24.7	64	16.9	12.4-21.4	144	41.4	35.3-47.5	40	11.3	07.4-15.2	27	10.4	06.3-14.5
Some Post-H.S.	271	17,825	61	23.0	17.3-28.7	47	16.3	11.4-21.2	111	40.8	34.1-47.5	35	14.9	10.0-19.8	17	5.0	02.3-07.7
College Graduate	224	14,750	51	22.1	15.8-28.4	41	17.9	12.2-23.6	83	37.6	30.3-44.9	30	13.2	07.9-18.5	19	9.3	04.8-13.8
Less than \$15,000	100	5,295	28	25.5	15.7-35.3	20	22.4	12.6-32.2				10	10.7	03.3-18.1	9	9.3	01.5-17.1
\$15,000- 24,999	201	12,283	46	22.1	15.4-28.8	35	15.8	09.9-21.7	71	35.6	27.8-43.4	33	17.2	10.9-23.5	16	9.3	04.4-14.2
\$25,000- 34,999	132	8,540	30	20.2	12.4-28.0	21	17.3	09.9-24.7	54	37.9	28.5-47.3	16	16.0	08.2-23.8	11	8.6	03.3-13.9
\$35,000- 49,999	141	9,455	34	22.3	14.5-30.1	24	15.7	08.8-22.6	57	42.3	32.7-51.9	21	15.1	08.2-22.0	5	4.5	00.6-08.4
\$50,000- 74,999	83	5,384	19	19.4	10.0-28.8	16	18.2	08.4-28.0				11	15.9	06.3-25.5	3	4.7	00.0-10.6
\$75,000+	87	7,176				11	9.7	03.6-15.8				8	10.3	03.4-17.2	10	13.2	05.2-21.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006**

SECTION 21: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU EVER BEEN TESTED FOR HIV? (HIVTST5)	
1 MALES AND FEMALES	213
2 MALES ONLY	214
3 FEMALES ONLY	215
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVTSTD2)	
4 MALES AND FEMALES	216
5 MALES ONLY	217
6 FEMALES ONLY	218
WHERE DID YOU HAVE YOUR LAST HIV TEST, AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST7)	
7 MALES AND FEMALES	219
8 MALES ONLY	220
9 FEMALES ONLY	221
WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)	
10 MALES AND FEMALES	222
11 MALES ONLY	223
12 FEMALES ONLY	224

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? (HIVTST5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3275	384,361	702	24.0	22.0-26.0	2573	76.0	74.0-78.0
Male	1385	196,838	302	23.0	20.1-25.9	1083	77.0	74.1-79.9
Female	1890	187,523	400	25.1	22.4-27.8	1490	74.9	72.2-77.6
Non-Native	3170	367,656	662	23.4	21.4-25.4	2508	76.6	74.6-78.6
18-24	193	74,552	50	22.1	15.8-28.4	143	77.9	71.6-84.2
25-34	506	73,982	199	41.1	36.2-46.0	307	58.9	54.0-63.8
35-44	716	78,242	225	32.7	28.8-36.6	491	67.3	63.4-71.2
45-54	1031	93,241	150	14.4	11.9-16.9	881	85.6	83.1-88.1
55-64	787	61,722	75	10.0	07.3-12.7	712	90.0	87.3-92.7
Less Than H.S.	125	17,652	27	20.6	10.6-30.6	98	79.4	69.4-89.4
H.S. or G.E.D.	884	102,981	166	21.6	17.9-25.3	718	78.4	74.7-82.1
Some Post-H.S.	1119	131,961	249	24.8	21.5-28.1	870	75.2	71.9-78.5
College Graduate	1142	131,424	260	25.6	22.5-28.7	882	74.4	71.3-77.5
Less than \$15,000	190	22,720	58	31.5	21.9-41.1	132	68.5	58.9-78.1
\$15,000- 24,999	366	40,694	98	27.3	20.6-34.0	268	72.7	66.0-79.4
\$25,000- 34,999	400	45,890	91	25.0	19.1-30.9	309	75.0	69.1-80.9
\$35,000- 49,999	639	70,753	118	22.6	18.1-27.1	521	77.4	72.9-81.9
\$50,000- 74,999	688	80,062	139	22.5	18.8-26.2	549	77.5	73.8-81.2
\$75,000+	640	80,651	145	25.8	21.5-30.1	495	74.2	69.9-78.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? (HIVTST5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1385	196,838	302	23.0	20.3-25.7	1083	77.0	74.3-79.7
Non-Native	1350	190,446	293	23.0	20.1-25.9	1057	77.0	74.1-79.9
18-24	86	39,695	14	14.6	06.6-22.6	72	85.4	77.4-93.4
25-34	212	38,801	73	38.9	31.5-46.3	139	61.1	53.7-68.5
35-44	306	39,267	100	33.4	27.5-39.3	206	66.6	60.7-72.5
45-54	445	46,419	72	15.3	11.6-19.0	373	84.7	81.0-88.4
55-64	328	32,092	42	12.7	08.6-16.8	286	87.3	83.2-91.4
Less Than H.S.	66	10,690	10	11.3	01.5-21.1	56	88.7	78.9-98.5
H.S. or G.E.D.	408	57,604	82	21.1	15.8-26.4	326	78.9	73.6-84.2
Some Post-H.S.	440	60,946	102	24.0	18.7-29.3	338	76.0	70.7-81.3
College Graduate	468	67,390	108	25.6	20.9-30.3	360	74.4	69.7-79.1
\$15,000- 24,999	147	19,304	37	23.8	14.4-33.2	110	76.2	66.8-85.6
\$25,000- 34,999	174	24,916	44	23.8	15.4-32.2	130	76.2	67.8-84.6
\$35,000- 49,999	286	37,288	58	24.2	17.1-31.3	228	75.8	68.7-82.9
\$50,000- 74,999	316	43,762	68	23.0	17.7-28.3	248	77.0	71.7-82.3
\$75,000+	301	43,667	61	22.5	17.0-28.0	240	77.5	72.0-83.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? (HIVTST5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1890	187,523	400	25.1	22.4-27.8	1490	74.9	72.2-77.6
Non-Native	1820	177,210	369	24.0	21.3-26.7	1451	76.0	73.3-78.7
18-24	107	34,857	36	30.7	21.1-40.3	71	69.3	59.7-78.9
25-34	294	35,181	126	43.5	37.2-49.8	168	56.5	50.2-62.8
35-44	410	38,975	125	32.1	26.8-37.4	285	67.9	62.6-73.2
45-54	586	46,822	78	13.5	10.4-16.6	508	86.5	83.4-89.6
55-64	459	29,630	33	7.0	03.7-10.3	426	93.0	89.7-96.3
H.S. or G.E.D.	476	45,377	84	22.3	17.2-27.4	392	77.7	72.6-82.8
Some Post-H.S.	679	71,015	147	25.5	21.0-30.0	532	74.5	70.0-79.0
College Graduate	674	64,034	152	25.7	21.4-30.0	522	74.3	70.0-78.6
\$15,000- 24,999	219	21,390	61	30.4	21.0-39.8	158	69.6	60.2-79.0
\$25,000- 34,999	226	20,974	47	26.5	18.3-34.7	179	73.5	65.3-81.7
\$35,000- 49,999	353	33,465	60	20.9	15.2-26.6	293	79.1	73.4-84.8
\$50,000- 74,999	372	36,300	71	21.9	16.8-27.0	301	78.1	73.0-83.2
\$75,000+	339	36,985	84	29.8	23.5-36.1	255	70.2	63.9-76.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVTSTD2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	619	82,883	37	4.6	03.0-06.2	83	10.0	07.5-12.5	141	19.7	16.2-23.2	295	52.9	48.0-57.8	63	12.9	09.0-16.8
Male	264	39,763	16	5.1	02.6-07.6	32	10.9	06.8-15.0	51	17.5	12.2-22.8	138	54.9	47.5-62.3	27	11.6	05.9-17.3
Female	355	43,120	21	4.2	02.2-06.2	51	9.0	06.1-11.9	90	21.7	17.0-26.4	157	51.1	44.4-57.8	36	14.0	08.9-19.1
Non-Native	584	77,050	37	4.9	03.1-06.7	81	10.6	07.9-13.3	136	20.0	16.3-23.7	274	52.3	47.2-57.4	56	12.2	08.3-16.1
25-34	188	28,587	2	1.3	00.0-03.1	15	9.3	04.4-14.2	46	22.5	15.8-29.2	104	55.0	46.8-63.2	21	11.8	06.3-17.3
35-44	195	22,234	11	5.9	02.4-09.4	29	13.3	08.0-18.6	55	29.4	22.1-36.7	84	44.2	36.4-52.0	16	7.2	03.3-11.1
45-54	126	11,145	18	14.8	07.9-21.7	26	17.5	10.6-24.4	28	18.5	11.2-25.8	43	39.1	29.1-49.1	11	10.2	04.1-16.3
55-64	60	5,107	6	9.8	01.4-18.2	12	12.3	04.1-20.5							4	8.5	00.0-17.3
H.S. or G.E.D.	150	19,894	8	4.9	01.2-08.6	19	8.7	03.8-13.6	27	17.1	09.8-24.4				19	15.6	06.6-24.6
Some Post-H.S.	219	29,678	10	3.7	01.3-06.1	28	10.1	05.8-14.4	59	23.2	16.9-29.5	105	51.1	42.7-59.5	17	11.9	05.2-18.6
College Graduate	231	30,044	18	5.5	02.8-08.2	34	11.6	07.1-16.1	54	19.6	13.9-25.3	100	51.9	44.3-59.5	25	11.4	06.5-16.3
Less than \$15,000	50	6,677	3	3.5	00.0-07.8	5	6.1	00.2-12.0	7	10.4	01.6-19.2						
\$15,000- 24,999	87	9,445	4	2.6	00.0-05.3	14	6.6	02.5-10.7							10	10.8	03.2-18.4
\$25,000- 34,999	74	9,966	2	1.7	00.0-04.2	9	11.1	02.9-19.3	15	12.9	05.3-20.5				8	11.8	01.8-21.8
\$35,000- 49,999	110	15,486	8	5.3	01.4-09.2	18	12.3	05.6-19.0	30	21.8	13.0-30.6						
\$50,000- 74,999	126	16,537	8	6.8	02.1-11.5	18	11.2	05.7-16.7	27	20.3	12.7-27.9	65	56.4	46.8-66.0	8	5.3	01.4-09.2
\$75,000+	130	18,445	10	5.5	01.8-09.2	15	10.7	04.6-16.8	35	23.8	15.8-31.8	61	53.0	43.0-63.0	9	7.0	02.1-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVTSTD2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	264	39,763	16	5.1	02.6-07.6	32	10.9	06.8-15.0	51	17.5	12.2-22.8	138	54.9	47.5-62.3	27	11.6	05.9-17.3
Non-Native	257	38,497	16	5.2	02.5-07.9	32	11.3	07.0-15.6	49	16.7	11.6-21.8	134	55.2	47.8-62.6	26	11.5	05.6-17.4
25-34	69	14,037	1	1.5	00.0-04.4	7	12.2	03.6-20.8							5	6.5	00.8-12.2
35-44	87	11,097	6	7.6	01.5-13.7	13	15.1	06.7-23.5	14	17.8	08.4-27.2				9	7.6	01.9-13.3
45-54	62	6,304	5	8.7	01.1-16.3	8	10.8	03.2-18.4	14	15.4	06.0-24.8				6	9.8	01.8-17.8
H.S. or G.E.D.	73	10,413	5	7.0	00.7-13.3	8	7.9	00.6-15.2									
Some Post-H.S.	87	12,781	4	4.0	00.0-08.1	8	10.0	02.4-17.6	19	20.1	10.1-30.1				9	11.9	02.5-21.3
College Graduate	98	15,634	6	4.5	00.8-08.2	15	14.3	07.0-21.6	18	16.6	08.4-24.8				10	10.1	03.4-16.8
\$35,000- 49,999	55	8,833	4	6.0	00.0-12.1	7	10.6	01.2-20.0									
\$50,000- 74,999	61	9,065	5	8.8	01.4-16.2	7	10.2	02.4-18.0							5	6.3	00.2-12.4
\$75,000+	55	8,776	4	4.7	00.0-09.4										3	5.8	00.0-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVTSTD2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	355	43,120	21	4.2	02.2-06.2	51	9.0	06.1-11.9	90	21.7	17.0-26.4	157	51.1	44.4-57.8	36	14.0	08.7-19.3
Non-Native	327	38,553	21	4.6	02.4-06.8	49	9.8	06.7-12.9	87	23.4	18.3-28.5	140	49.4	42.3-56.5	30	12.8	07.5-18.1
25-34	119	14,550	1	1.0	00.0-03.0	8	6.6	01.9-11.3	30	23.5	15.3-31.7				16	17.0	08.2-25.8
35-44	108	11,137	5	4.1	00.2-08.0	16	11.6	04.9-18.3							7	6.7	01.2-12.2
45-54	64	4,841													5	10.8	01.8-19.8
H.S. or G.E.D.	77	9,482	3	2.5	00.0-05.8	11	9.5	02.8-16.2	13	17.0	07.0-27.0						
Some Post-H.S.	132	16,897	6	3.5	00.6-06.4	20	10.2	05.3-15.1	40	25.6	17.4-33.8				8	11.9	02.7-21.1
College Graduate	133	14,409	12	6.7	02.6-10.8	19	8.7	04.0-13.4	36	22.9	15.1-30.7				15	12.9	05.8-20.0
\$15,000- 24,999	57	6,182	3	2.4	00.0-05.1	10	6.4	01.3-11.5							6	10.9	01.1-20.7
\$35,000- 49,999	55	6,654	4	4.4	00.0-08.9	11	14.6	05.2-24.0									
\$50,000- 74,999	65	7,472	3	4.5	00.0-09.6	11	12.3	04.5-20.1							3	4.1	00.0-08.8
\$75,000+	75	9,669	6	6.2	00.7-11.7	8	6.3	00.6-12.0	21	22.9	12.9-32.9				6	8.1	01.0-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST, AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST7)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	696	91,586	146	19.9	16.2-23.6	15	1.9	00.7-03.1	401	59.6	55.1-64.1	12	1.8	00.6-03.0	36	4.5	02.9-06.1	86	12.3	09.4-15.2
Male	300	44,758	48	15.5	10.2-20.8	7	2.6	00.2-05.0	165	59.0	52.1-65.9	9	2.7	00.7-04.7	19	4.7	02.3-07.1	52	15.6	11.1-20.1
Female	396	46,827	98	24.2	18.9-29.5	8	1.2	00.0-02.4	236	60.1	54.0-66.2	3	1.0	00.0-02.2	17	4.3	02.1-06.5	34	9.1	05.4-12.8
Non-Native	656	85,412	136	19.9	16.0-23.8	14	1.6	00.6-02.6	377	59.4	54.7-64.1	12	2.0	00.8-03.2	36	4.8	03.0-06.6	81	12.3	09.4-15.2
18-24	50	16,508				2	3.6	00.0-08.7										4	7.4	00.0-14.8
25-34	196	29,889	49	22.3	15.8-28.8	3	2.2	00.0-04.6	113	56.2	48.2-64.2	5	3.4	00.5-06.3	7	3.4	00.9-05.9	19	12.6	06.7-18.5
35-44	224	25,448	50	20.0	14.3-25.7	1	0.5	00.0-01.5	129	60.2	52.9-67.5	5	1.6	00.0-03.2	12	5.1	01.8-08.4	27	12.7	07.8-17.6
45-54	150	13,392	22	13.3	07.2-19.4	6	2.3	00.5-04.1	78	52.2	43.0-61.4	2	1.9	00.0-04.8	12	10.7	04.6-16.8	30	19.6	12.5-26.7
55-64	73	6,067	12	16.1	06.5-25.7	3	1.3	00.0-03.1							5	6.1	00.2-12.0	4	5.4	00.0-11.1
H.S. or G.E.D.	165	22,201	33	15.4	09.1-21.7	2	1.2	00.0-03.2	101	65.7	56.9-74.5	7	5.0	01.1-08.9	6	3.5	00.6-06.4	16	9.3	04.4-14.2
Some Post-H.S.	248	32,679	58	26.0	18.4-33.6	7	3.6	00.5-06.7	138	53.3	45.3-61.3	4	1.1	00.0-02.3	13	4.1	01.6-06.6	28	11.9	06.6-17.2
College Graduate	256	33,064	51	18.5	13.2-23.8	6	0.9	00.1-01.7	144	59.2	52.1-66.3				16	5.9	02.8-09.0	39	15.5	10.4-20.6
Less than \$15,000	57	7,091				3	4.5	00.0-11.0				1	0.9	00.0-02.7	1	0.9	00.0-02.7	5	9.3	00.0-18.7
\$15,000- 24,999	97	11,090	18	15.4	05.8-25.0	1	1.9	00.0-05.6				1	1.9	00.0-05.6	4	2.6	00.0-05.7	12	13.5	03.7-23.3
\$25,000- 34,999	91	11,491	16	13.1	05.7-20.5	2	3.7	00.0-08.8				2	1.2	00.0-03.2	2	0.7	00.0-01.9	5	6.8	00.0-14.6
\$35,000- 49,999	116	15,762	26	20.9	11.5-30.3	2	2.6	00.0-07.1				1	1.0	00.0-03.0	5	3.8	00.3-07.3	19	14.9	07.5-22.3
\$50,000- 74,999	138	17,874	31	20.1	12.8-27.4	1	0.4	00.0-01.2	76	59.1	50.1-68.1	5	3.8	00.1-07.5	9	5.8	01.5-10.1	16	10.8	05.3-16.3
\$75,000+	145	20,821	31	20.4	13.1-27.7	3	0.9	00.0-02.1	77	53.5	44.1-62.9				12	8.5	03.6-13.4	22	16.7	09.4-24.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST, AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST7)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	300	44,758	48	15.5	10.2-20.8	7	2.6	00.2-05.0	165	59.0	52.1-65.9	9	2.7	00.7-04.7	19	4.7	02.3-07.1	52	15.6	11.1-20.1
Non-Native	291	43,260	45	14.9	09.4-20.4	6	1.8	00.0-03.6	160	59.5	52.6-66.4	9	2.7	00.5-04.9	19	4.8	02.3-07.3	52	16.2	11.5-20.9
25-34	72	14,789	17	19.1	09.7-28.5	3	4.4	00.0-09.3				3	4.4	00.0-09.3	1	1.5	00.0-04.2	11	16.3	06.9-25.7
35-44	99	12,943	14	14.3	06.5-22.1							4	2.2	00.0-04.9	8	7.3	01.4-13.2	20	19.4	11.0-27.8
45-54	72	7,081	7	7.0	00.7-13.3	2	1.7	00.0-04.1				2	3.7	00.0-09.2	6	9.2	01.6-16.8			
H.S. or G.E.D.	82	12,137	7	3.9	00.0-07.8	1	1.8	00.0-05.3				7	9.1	02.0-16.2	5	5.2	00.3-10.1	12	12.2	04.6-19.8
Some Post-H.S.	102	14,626				4	5.9	00.0-12.2				2	0.6	00.0-01.6	6	3.2	00.1-06.3	14	12.0	04.9-19.1
College Graduate	106	16,790	20	18.5	10.7-26.3	2	0.5	00.0-01.3							7	5.7	01.0-10.4	24	21.4	12.8-30.0
\$35,000- 49,999	57	8,874	8	9.0	01.0-17.0	1	4.1	00.0-11.9				1	1.8	00.0-05.3	2	2.0	00.0-05.1			
\$50,000- 74,999	68	10,073	11	14.6	05.4-23.8	1	0.6	00.0-01.8				4	5.3	00.0-11.2	6	6.7	00.2-13.2	11	14.7	06.1-23.3
\$75,000+	61	9,818				1	0.3	00.0-00.9							4	7.1	00.2-14.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST, AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST7)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	396	46,827	98	24.2	18.9-29.5	8	1.2	00.0-02.4	236	60.1	54.0-66.2	3	1.0	00.0-02.2	17	4.3	02.1-06.5	34	9.1	05.4-12.8
Non-Native	365	42,152	91	25.1	19.4-30.8	8	1.4	00.0-02.8	217	59.2	52.9-65.5	3	1.1	00.0-02.5	17	4.8	02.4-07.2	29	8.4	04.7-12.1
25-34	124	15,100	32	25.5	16.7-34.3							2	2.4	00.0-05.7	6	5.3	01.2-09.4	8	8.9	01.8-16.0
35-44	125	12,505	36	25.8	17.4-34.2	1	0.9	00.0-02.7	76	63.8	54.4-73.2	1	0.9	00.0-02.7	4	2.8	00.0-06.1	7	5.8	01.3-10.3
45-54	78	6,311				4	3.0	00.1-05.9							6	12.4	02.8-22.0	12	13.0	05.4-20.6
H.S. or G.E.D.	83	10,064				1	0.5	00.0-01.5							1	1.4	00.0-04.1	4	5.8	00.0-11.7
Some Post-H.S.	146	18,054	39	29.4	19.6-39.2	3	1.8	00.0-04.3				2	1.4	00.0-03.4	7	4.9	01.2-08.6	14	11.8	04.0-19.6
College Graduate	150	16,274	31	18.6	11.5-25.7	4	1.3	00.0-02.9	91	64.6	55.4-73.8				9	6.1	01.8-10.4	15	9.5	04.0-15.0
\$15,000- 24,999	60	6,499													2	1.0	00.0-02.6			
\$35,000- 49,999	59	6,888				1	0.7	00.0-02.1							3	6.3	00.0-13.2	5	6.3	00.0-13.2
\$50,000- 74,999	70	7,801										1	1.9	00.0-05.4	3	4.6	00.0-09.9	5	5.7	00.4-11.0
\$75,000+	84	11,003	17	17.5	08.7-26.3	2	1.5	00.0-03.7							8	9.8	02.9-16.7	10	11.6	03.8-19.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 10: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	165	28,549	15	11.1	03.7-18.5	150	88.9	81.5-96.3
Female	81	13,111	7	8.8	00.0-18.4	74	91.2	81.6-0100
Non-Native	150	26,361	14	11.4	03.6-19.2	136	88.6	80.8-96.4
25-34	61	10,238	4	5.8	00.0-12.9	57	94.2	87.1-0100
H.S. or G.E.D.	52	8,635	3	3.5	00.0-08.0	49	96.5	92.0-0100
College Graduate	56	8,980	6	7.0	00.3-13.7	50	93.0	86.3-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS

TABLE 11: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 12: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	81	13,111	7	8.8	00.0-18.4	74	91.2	81.6-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006

SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
1	MALES AND FEMALES	226
2	MALES ONLY	227
3	FEMALES ONLY	228
	IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
4	MALES AND FEMALES	229
5	MALES ONLY	230
6	FEMALES ONLY	231

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	4567	473,865	2078	48.3	46.3-50.3	1659	35.6	33.6-37.6	468	9.3	08.1-10.5	116	2.4	01.8-03.0	246	4.5	03.7-05.3
Male	1823	233,138	837	50.4	47.3-53.5	592	31.8	28.9-34.7	195	9.3	07.5-11.1	56	2.7	01.7-03.7	143	5.8	04.6-07.0
Female	2744	240,728	1241	46.1	43.6-48.6	1067	39.3	36.9-41.7	273	9.3	07.9-10.7	60	2.1	01.5-02.7	103	3.2	02.4-04.0
Native	102	15,057							20	20.5	10.7-30.3	7	6.3	00.0-12.8	5	5.2	00.5-09.9
Non-Native	4417	454,251	2017	48.4	46.4-50.4	1617	36.0	34.0-38.0	443	8.9	07.7-10.1	107	2.2	01.6-02.8	233	4.4	03.6-05.2
18-24	195	75,151	99	50.1	42.1-58.1	64	34.0	26.4-41.6	20	10.8	05.9-15.7	4	2.0	00.0-04.2	8	3.1	00.7-05.5
25-34	506	73,698	234	48.9	43.8-54.0	203	38.4	33.5-43.3	50	8.5	05.8-11.2	11	2.3	00.5-04.1	8	1.9	00.5-03.3
35-44	730	79,701	315	47.8	43.7-51.9	293	37.9	34.0-41.8	82	9.3	06.9-11.7	18	2.1	00.9-03.3	22	2.9	01.5-04.3
45-54	1034	93,484	453	47.5	44.0-51.0	411	37.0	33.7-40.3	112	10.1	07.9-12.3	30	2.6	01.4-03.8	28	2.8	01.6-04.0
55-64	783	61,526	370	48.2	44.1-52.3	294	37.4	33.3-41.5	60	7.2	05.0-09.4	18	1.8	00.8-02.8	41	5.5	03.5-07.5
65+	1277	87,557	592	47.8	44.5-51.1	375	29.1	26.2-32.0	139	9.5	07.5-11.5	33	3.1	01.9-04.3	138	10.5	08.3-12.7
Less Than H.S.	392	34,991	139	35.5	28.4-42.6	91	25.4	18.9-31.9	73	18.2	12.1-24.3	14	6.3	02.0-10.6	75	14.6	10.5-18.7
H.S. or G.E.D.	1365	135,987	639	49.6	45.9-53.3	443	32.1	28.6-35.6	152	9.5	07.3-11.7	40	2.4	01.2-03.6	91	6.4	04.6-08.2
Some Post-H.S.	1428	152,907	667	47.7	44.2-51.2	530	37.3	33.8-40.8	140	9.7	07.5-11.9	38	2.3	01.3-03.3	53	3.0	02.0-04.0
College Graduate	1375	149,420	628	50.5	47.2-53.8	595	39.6	36.5-42.7	102	6.6	04.8-08.4	24	1.6	00.8-02.4	26	1.7	00.9-02.5
Less than \$15,000	377	33,106	133	38.3	30.7-45.9	92	26.2	19.3-33.1	72	17.2	11.9-22.5	20	6.4	02.3-10.5	60	11.9	08.0-15.8
\$15,000- 24,999	687	62,008	288	42.0	36.1-47.9	217	32.5	27.0-38.0	103	15.3	11.0-19.6	31	4.1	01.9-06.3	48	6.1	03.9-08.3
\$25,000- 34,999	595	60,303	248	45.6	39.7-51.5	227	34.6	29.3-39.9	63	10.1	06.8-13.4	16	3.5	01.1-05.9	41	6.3	03.6-09.0
\$35,000- 49,999	799	82,265	352	46.1	41.4-50.8	327	39.8	35.3-44.3	76	8.8	06.4-11.2	15	1.5	00.5-02.5	29	3.9	02.3-05.5
\$50,000- 74,999	773	87,399	377	52.3	48.2-56.4	311	37.7	33.6-41.8	53	6.5	04.5-08.5	12	1.5	00.5-02.5	20	2.0	00.8-03.2
\$75,000+	708	87,159	369	55.5	51.0-60.0	280	37.4	33.1-41.7	36	4.7	02.5-06.9	8	0.8	00.2-01.4	15	1.6	00.6-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 2. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1823	233,138	837	50.4	47.3-53.5	592	31.8	28.9-34.7	195	9.3	07.5-11.1	56	2.7	01.7-03.7	143	5.8	04.6-07.0
Non-Native	1774	226,004	817	50.4	47.3-53.5	579	32.1	29.2-35.0	186	9.1	07.3-10.9	54	2.6	01.6-03.6	138	5.8	04.6-07.0
18-24	85	39,513							13	13.3	05.9-20.7	2	2.3	00.0-05.6	5	3.7	00.0-07.4
25-34	211	38,372	106	54.9	47.3-62.5	73	32.2	25.1-39.3	19	6.6	03.3-09.9	6	3.2	00.1-06.3	7	3.2	00.7-05.7
35-44	315	40,102	146	51.7	45.4-58.0	113	34.7	28.8-40.6	36	8.2	05.1-11.3	7	2.0	00.2-03.8	13	3.5	01.1-05.9
45-54	447	46,634	202	52.0	46.5-57.5	165	31.5	26.6-36.4	44	9.3	06.2-12.4	16	3.0	01.2-04.8	20	4.2	02.2-06.2
55-64	325	32,073	152	49.3	43.0-55.6	106	33.3	27.4-39.2	31	8.2	04.9-11.5	10	1.7	00.3-03.1	26	7.5	04.2-10.8
65+	431	35,751	192	47.6	41.9-53.3	103	24.4	19.5-29.3	50	10.2	06.7-13.7	15	3.7	01.5-05.9	71	14.1	10.2-18.0
Less Than H.S.	178	19,978	60	35.6	25.6-45.6	35	23.2	14.0-32.4	34	19.2	10.2-28.2	8	6.5	00.6-12.4	41	15.4	09.5-21.3
H.S. or G.E.D.	553	69,287	249	50.5	44.6-56.4	170	29.6	24.5-34.7	66	9.5	06.4-12.6	19	2.6	00.8-04.4	49	7.7	04.8-10.6
Some Post-H.S.	522	67,143	234	46.6	40.7-52.5	185	35.7	29.8-41.6	51	10.5	07.0-14.0	19	2.7	00.9-04.5	33	4.4	02.6-06.2
College Graduate	566	76,375	291	57.5	52.6-62.4	202	32.6	27.9-37.3	44	5.6	03.6-07.6	10	1.6	00.4-02.8	19	2.6	01.2-04.0
Less than \$15,000	103	12,172							20	14.7	06.1-23.3	6	9.5	00.0-19.5	19	13.4	05.8-21.0
\$15,000- 24,999	253	28,081	92	39.1	29.3-48.9	68	29.0	21.0-37.0	46	19.2	11.4-27.0	16	3.8	01.3-06.3	31	8.9	05.0-12.8
\$25,000- 34,999	237	30,463	92	44.5	35.3-53.7	80	31.3	23.1-39.5	30	11.9	06.4-17.4	9	4.9	00.6-09.2	26	7.5	03.2-11.8
\$35,000- 49,999	357	42,438	152	46.8	39.5-54.1	132	35.6	28.5-42.7	42	9.9	06.2-13.6	7	1.3	00.1-02.5	24	6.5	03.6-09.4
\$50,000- 74,999	368	48,731	200	58.6	52.7-64.5	117	29.5	24.0-35.0	25	6.7	04.0-09.4	9	2.1	00.5-03.7	17	3.1	01.1-05.1
\$75,000+	341	47,937	191	61.4	55.3-67.5	119	33.0	27.1-38.9	17	3.2	01.2-05.2	3	0.3	00.0-00.9	11	2.0	00.6-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 3. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2744	240,728	1241	46.1	43.6-48.6	1067	39.3	36.9-41.7	273	9.3	07.9-10.7	60	2.1	01.5-02.7	103	3.2	02.4-04.0
Native	75	9,953										6	8.2	00.0-17.2	3	4.7	00.0-10.4
Non-Native	2643	228,247	1200	46.5	44.0-49.0	1038	39.9	37.4-42.4	257	8.7	07.3-10.1	53	1.8	01.2-02.4	95	3.0	02.2-03.8
18-24	110	35,638							7	7.9	01.8-14.0	2	1.7	00.0-04.2	3	2.3	00.0-05.2
25-34	295	35,326	128	42.4	36.1-48.7	130	45.3	39.0-51.6	31	10.6	06.3-14.9	5	1.3	00.1-02.5	1	0.4	00.0-01.2
35-44	415	39,599	169	43.9	38.4-49.4	180	41.1	35.8-46.4	46	10.4	07.1-13.7	11	2.2	00.6-03.8	9	2.4	00.6-04.2
45-54	587	46,851	251	43.1	38.4-47.8	246	42.4	37.9-46.9	68	10.9	08.2-13.6	14	2.3	00.9-03.7	8	1.3	00.1-02.5
55-64	458	29,453	218	47.0	41.5-52.5	188	41.9	36.4-47.4	29	6.0	03.6-08.4	8	1.9	00.5-03.3	15	3.2	01.2-05.2
65+	846	51,806	400	47.9	44.0-51.8	272	32.3	28.6-36.0	89	9.0	06.8-11.2	18	2.7	01.3-04.1	67	8.0	05.8-10.2
Less Than H.S.	214	15,012	79	35.3	26.1-44.5	56	28.2	19.4-37.0	39	16.8	09.4-24.2	6	6.0	00.0-12.3	34	13.6	07.9-19.3
H.S. or G.E.D.	812	66,700	390	48.6	43.9-53.3	273	34.6	30.1-39.1	86	9.6	07.1-12.1	21	2.1	00.9-03.3	42	5.1	02.9-07.3
Some Post-H.S.	906	85,764	433	48.6	44.1-53.1	345	38.5	34.2-42.8	89	9.1	06.7-11.5	19	1.9	00.9-02.9	20	1.9	00.9-02.9
College Graduate	809	73,046	337	43.2	38.9-47.5	393	46.8	42.5-51.1	58	7.6	04.9-10.3	14	1.6	00.8-02.4	7	0.8	00.2-01.4
Less than \$15,000	274	20,934	98	39.5	30.5-48.5	69	26.2	18.6-33.8	52	18.6	11.9-25.3	14	4.6	01.9-07.3	41	11.1	06.8-15.4
\$15,000- 24,999	434	33,927	196	44.4	37.3-51.5	149	35.4	28.0-42.8	57	12.0	07.9-16.1	15	4.3	01.2-07.4	17	3.9	01.7-06.1
\$25,000- 34,999	358	29,840	156	46.7	39.6-53.8	147	37.9	31.2-44.6	33	8.2	04.3-12.1	7	2.2	00.4-04.0	15	5.0	01.5-08.5
\$35,000- 49,999	442	39,827	200	45.3	39.6-51.0	195	44.2	38.5-49.9	34	7.6	04.7-10.5	8	1.7	00.3-03.1	5	1.1	00.0-02.3
\$50,000- 74,999	405	38,668	177	44.4	38.5-50.3	194	48.0	42.1-53.9	28	6.2	03.7-08.7	3	0.7	00.0-01.5	3	0.7	00.0-01.7
\$75,000+	367	39,222	178	48.2	42.1-54.3	161	42.8	36.7-48.9	19	6.5	02.4-10.6	5	1.5	00.1-02.9	4	1.1	00.0-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 4. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4618	477,744	2028	46.1	44.1-48.1	2431	50.4	48.4-52.4	136	3.2	02.4-04.0	23	0.4	00.2-00.6
Male	1854	235,541	787	46.3	43.2-49.4	998	49.4	46.3-52.5	60	3.9	02.3-05.5	9	0.4	00.2-00.6
Female	2764	242,204	1241	45.8	43.3-48.3	1433	51.4	48.9-53.9	76	2.5	01.7-03.3	14	0.4	00.2-00.6
Non-Native	4467	458,305	1970	46.4	44.4-48.4	2344	50.3	48.3-52.3	130	2.9	02.3-03.5	23	0.4	00.2-00.6
18-24	194	74,298	85	43.0	35.0-51.0	104	52.6	44.4-60.8	5	4.4	00.1-08.7			
25-34	507	74,020	253	51.4	46.3-56.5	233	44.8	39.9-49.7	20	3.7	01.7-05.7	1	0.1	00.0-00.3
35-44	729	79,583	320	46.2	42.1-50.3	378	49.8	45.7-53.9	28	3.6	02.0-05.2	3	0.3	00.0-00.7
45-54	1041	94,071	443	45.4	41.9-48.9	545	50.1	46.6-53.6	44	3.7	02.3-05.1	9	0.8	00.2-01.4
55-64	794	62,570	377	48.6	44.5-52.7	398	49.2	45.1-53.3	14	1.6	00.6-02.6	5	0.6	00.0-01.2
65+	1312	90,505	532	42.8	39.7-45.9	750	54.9	51.8-58.0	25	1.9	01.1-02.7	5	0.4	00.0-00.8
Less Than H.S.	408	35,731	124	34.2	27.1-41.3	265	59.1	51.8-66.4	17	6.2	02.1-10.3	2	0.4	00.0-01.0
H.S. or G.E.D.	1384	137,819	546	38.7	35.2-42.2	793	57.7	54.0-61.4	38	3.2	01.0-05.4	7	0.4	00.0-00.8
Some Post-H.S.	1441	153,702	601	43.5	40.0-47.0	784	52.3	48.8-55.8	50	3.8	02.4-05.2	6	0.4	00.0-00.8
College Graduate	1378	149,932	755	58.3	55.0-61.6	585	39.6	36.5-42.7	31	1.8	01.0-02.6	7	0.3	00.1-00.5
Less than \$15,000	379	33,020	98	28.4	21.3-35.5	241	61.6	54.2-69.0	33	8.6	04.5-12.7	7	1.4	00.2-02.6
\$15,000- 24,999	700	63,160	223	31.7	26.4-37.0	432	60.4	54.7-66.1	37	6.8	02.5-11.1	8	1.1	00.3-01.9
\$25,000- 34,999	603	61,040	221	41.0	35.1-46.9	356	53.4	47.5-59.3	25	5.5	02.8-08.2	1	0.1	00.0-00.3
\$35,000- 49,999	812	83,768	353	45.3	40.6-50.0	445	53.3	48.6-58.0	13	1.3	00.5-02.1	1	0.2	00.0-00.6
\$50,000- 74,999	776	87,810	396	52.7	48.6-56.8	374	46.5	42.4-50.6	4	0.6	00.0-01.2	2	0.2	00.0-00.4
\$75,000+	710	86,605	449	63.4	59.1-67.7	253	35.7	31.4-40.0	8	0.9	00.1-01.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 5. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1854	235,541	787	46.3	43.2-49.4	998	49.4	46.3-52.5	60	3.9	02.3-05.5	9	0.4	00.2-00.6
Non-Native	1803	228,071	767	46.6	43.5-49.7	968	49.6	46.5-52.7	59	3.4	02.2-04.6	9	0.4	00.2-00.6
18-24	85	38,964							4	7.3	00.0-14.9			
25-34	212	38,694	102	51.5	43.9-59.1	102	44.5	36.9-52.1	8	4.1	00.8-07.4			
35-44	317	40,504	136	46.7	40.4-53.0	166	48.8	42.7-54.9	12	3.9	01.5-06.3	3	0.6	00.0-01.2
45-54	452	46,909	181	47.1	41.6-52.6	247	48.2	42.9-53.5	21	3.8	01.8-05.8	3	0.8	00.0-01.8
55-64	331	32,508	146	48.1	41.8-54.4	178	49.6	43.3-55.9	5	1.8	00.0-03.6	2	0.5	00.0-01.3
65+	449	37,286	180	40.7	35.2-46.2	258	56.9	51.4-62.4	10	2.2	00.6-03.8	1	0.2	00.0-00.6
Less Than H.S.	188	20,706							11	6.8	01.5-12.1			
H.S. or G.E.D.	565	70,458	202	36.8	31.3-42.3	341	58.0	52.1-63.9	17	4.6	00.5-08.7	5	0.6	00.0-01.2
Some Post-H.S.	529	67,399	213	41.8	36.3-47.3	292	52.8	47.1-58.5	22	5.0	02.5-07.5	2	0.4	00.0-01.0
College Graduate	568	76,623	322	62.6	57.9-67.3	234	35.6	30.9-40.3	10	1.5	00.5-02.5	2	0.3	00.0-00.7
Less than \$15,000	105	12,309							12	13.0	03.4-22.6	2	1.2	00.0-02.8
\$15,000- 24,999	261	28,914	69	29.0	20.4-37.6	172	59.5	49.7-69.3	17	10.3	01.3-19.3	3	1.2	00.0-02.8
\$25,000- 34,999	243	31,100	84	38.6	29.6-47.6	140	52.5	43.5-61.5	18	8.7	03.8-13.6	1	0.2	00.0-00.6
\$35,000- 49,999	366	43,441	140	41.4	34.3-48.5	223	57.8	50.7-64.9	2	0.5	00.0-01.3	1	0.3	00.0-00.9
\$50,000- 74,999	371	49,142	191	55.4	49.5-61.3	177	43.8	37.9-49.7	2	0.7	00.0-01.7	1	0.1	00.0-00.3
\$75,000+	342	47,230	218	66.6	60.5-72.7	120	32.9	26.8-39.0	4	0.5	00.0-01.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 6. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2764	242,204	1241	45.8	43.3-48.3	1433	51.4	48.9-53.9	76	2.5	01.7-03.3	14	0.4	00.2-00.6
Native	74	9,606							4	3.8	00.0-07.9			
Non-Native	2664	230,233	1203	46.2	43.7-48.7	1376	50.9	48.4-53.4	71	2.4	01.6-03.2	14	0.4	00.2-00.6
18-24	109	35,334							1	1.3	00.0-03.8			
25-34	295	35,326	151	51.3	45.0-57.6	131	45.2	38.9-51.5	12	3.3	01.3-05.3	1	0.2	00.0-00.6
35-44	412	39,079	184	45.7	40.2-51.2	212	50.9	45.4-56.4	16	3.4	01.4-05.4			
45-54	589	47,161	262	43.7	39.0-48.4	298	51.9	47.2-56.6	23	3.6	01.8-05.4	6	0.7	00.1-01.3
55-64	463	30,062	231	49.1	43.8-54.4	220	48.7	43.4-54.0	9	1.4	00.4-02.4	3	0.8	00.0-01.6
65+	863	53,219	352	44.3	40.4-48.2	492	53.5	49.6-57.4	15	1.7	00.7-02.7	4	0.5	00.0-01.1
Less Than H.S.	220	15,025	74	35.0	26.2-43.8	138	58.7	49.3-68.1	6	5.4	00.0-11.5	2	1.0	00.0-02.4
H.S. or G.E.D.	819	67,361	344	40.7	36.2-45.2	452	57.4	52.9-61.9	21	1.7	00.7-02.7	2	0.2	00.0-00.4
Some Post-H.S.	912	86,304	388	44.8	40.5-49.1	492	51.9	47.6-56.2	28	2.9	01.7-04.1	4	0.3	00.0-00.7
College Graduate	810	73,309	433	53.7	49.4-58.0	351	43.7	39.4-48.0	21	2.2	01.0-03.4	5	0.4	00.0-00.8
Less than \$15,000	274	20,712	77	31.8	23.2-40.4	171	60.6	52.0-69.2	21	6.1	03.0-09.2	5	1.6	00.2-03.0
\$15,000- 24,999	439	34,246	154	34.0	27.5-40.5	260	61.2	54.5-67.9	20	3.9	01.9-05.9	5	1.0	00.0-02.0
\$25,000- 34,999	360	29,939	137	43.5	36.4-50.6	216	54.4	47.3-61.5	7	2.1	00.3-03.9			
\$35,000- 49,999	446	40,327	213	49.5	43.8-55.2	222	48.4	42.7-54.1	11	2.1	00.7-03.5			
\$50,000- 74,999	405	38,668	205	49.3	43.4-55.2	197	50.0	44.1-55.9	2	0.4	00.0-01.2	1	0.2	00.0-00.6
\$75,000+	368	39,376	231	59.5	53.2-65.8	133	39.2	33.1-45.3	4	1.3	00.0-02.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006**

End of Core Data Report