

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 1: Occupation**

Table 1: On the average, how many hours per week, if any, do you work at a job or business?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
0	21.7	20.2-23.2
1-39	21.9	20.0-23.7
40	26.0	24.2-27.7
41-50	18.3	16.8-19.9
51+	12.1	10.7-13.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 1: Occupation**

**Table 2: Which of the following most accurately describes the type of work or business you currently work in most often?
Denominator: Percentage among respondents with jobs.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
State government employee	9.3	7.9-10.6
Other government employee	8.6	7.4-9.9
Farmer or rancher	8.1	7.0-9.3
Other farm or ranch worker	1.4	0.9-2.0
Manufacturing	6.0	4.9-7.0
Health care	13.4	11.8-15.0
Food or drink server	2.7	1.8-3.7
Wholesale or retail sales	11.5	9.9-13.2
Financial sales	3.7	3.0-4.5
Other	35.2	32.9-37.5

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 1: Occupation**

Table 3: Excluding vacation days or other planned days off, during the past 12 months, how many days did you miss work due to physical illness excluding mental or emotional illness?

Denominator: Percentage among respondents with jobs.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
0	53.8	51.4-56.1
1-5	35.7	33.4-38.0
6-10	2.8	2.1-3.5
11-20	1.3	0.8-1.8
21+	6.5	5.3-7.7

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 1: Occupation**

Table 4: Excluding vacation days or other planned days off, during the past 12 months, how many days did you miss work due to mental or emotional illness?

Denominator: Percentage among respondents with jobs.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
0	89.1	87.5-90.6
1-5	4.8	3.7-6.0
6-10	0.3	0.1-0.5
11-20	0.4	0.1-0.6
21+	5.4	4.3-6.5

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 2: Childhood Asthma**

**Table 1: Has a doctor or other health official ever told you that [randomly selected child] has asthma?
Denominator: Percentage among all respondents with children.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	9.9	7.8-11.9
No	90.1	88.1-92.2

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 2: Childhood Asthma**

Table 2: Does the [randomly selected child] still have asthma?

Denominator: Percentage among all respondents with children ever told had asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	72.3	61.9-82.7
No	27.7	17.3-38.1

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006**

State Added 2: Childhood Asthma

Table 3: During the past 12 months, did the [randomly selected child] take Prednisone or any other steroid such as a pill, capsule, or injection to control his or her asthma?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	53.8	40.9-66.7
No	46.2	33.3-59.1

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006**

State Added 2: Childhood Asthma

Table 4: Does the [randomly selected child] currently take the preventative kind of asthma medication used everyday to protect his or her lungs and keep him or her from having an attack? Include both pills and inhalers. This is different from inhalers used for quick relief.

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	48.6	36.2-61.0
No	51.4	39.0-63.8

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 2: Childhood Asthma**

Table 5: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness, and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did the [randomly selected child] have any symptoms of asthma?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Two days a week or less	52.4	39.3-65.4
Three to six days a week	8.1	0.0-16.7
Daily but not all the time	1.6	0.0-4.1
Continually	0.9	0.0-2.7
None	37.0	25.0-49.1

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 2: Childhood Asthma**

Table 6: During the past 30 days, how many days did symptoms of asthma make it difficult for {randomly selected child] to stay asleep?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Two nights a month or less	27.9	17.6-38.2
Three or four nights a month	0.9	0.0-2.8
More than one night per week	8.4	1.3-15.6
Every night or almost every night	3.7	0.0-10.9
None	59.1	47.5-70.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 2: Childhood Asthma**

**Table 9: Is there a bird, cat, dog or some other pet with fur that spends all or some of its time in the house?
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	50.1	37.4-62.9
No	49.9	37.1-62.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 2: Childhood Asthma**

**Table 10: Does anyone, including household members or guests, smoke inside the home?
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	6.7	0.7-12.7
No	93.3	87.3-99.3

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 2: Childhood Asthma**

**Table 12: During the cold months, about how often do you light a fire in a fireplace to burn wood or other solid fuel? Do not include
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Less than once per month	3.3	0.0-7.0
More than once per month but not every week	2.4	0.0-5.5
More than once per week but not every day	1.1	0.0-2.9
Daily	2.9	0.0-6.1
Never/No fireplace	90.3	84.3-96.2

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2006
 State Added 3: Smoking Cessation**

Table 1: How long has it been since you last smoked cigarettes?

Denominator: Percentage among respondents who are former smokers.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
<1 month	3.1	1.6-4.7
1-3 months	2.7	1.1-4.2
3-6 months	2.2	1.1-3.2
6-12 months	5.1	3.2-7.0
1-5 years	14.3	11.8-16.8
5-10 years	10.8	8.6-12.9
10+ years	61.9	58.4-65.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 3: Smoking Cessation**

Table 2: In the last 12 months, how many times have you seen a doctor, nurse or other health professional to get any kind of care for yourself?

Denominator: Percentage among respondents who smoked regularly in the past 12 months.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
None	22.5	16.9-28.1
1	24.1	18.5-29.7
2+	53.4	46.4-60.3

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 3: Smoking Cessation**

**Table 3: In the last 12 months, on how many visits were you advised to quit smoking by a doctor or other health provider?
Denominator: Percentage among respondents who smoked regularly in the past 12 months and have received any kind of health care.**

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
None	40.1	32.2-47.9
1	25.1	18.7-31.4
2+	34.8	27.0-42.7

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006**

State Added 3: Smoking Cessation

Table 4: On how many visits did your doctor nurse or other health professional recommend or discuss medication to assist you with quitting smoking, such as nicotine gum, patch, nasal spray, inhaler, lozenge, or prescription medication such as Wellbutrin/Zyban/Bupropion?

Denominator: Percentage among respondents who smoked regularly in the past 12 months and have received any kind of health care.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
None	67.5	60.8-74.3
1	20.8	15.1-26.5
2+	11.7	7.7-15.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 4: Tobacco Source**

**Table 1: During the past 30 days, how did you usually get your own cigarettes?
Denominator: Percentage among respondents who reported smoking some days or every day.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
I did not smoke during the past 30 days	1.8	0.8-2.8
From a store	87.3	84.3-90.4
From a vending machine	0.5	0.0-1.1
Over the internet	0.1	0.0-0.2
From an Indian reservation	6.6	4.2-8.9
In a different state	0.5	0.5-1.5
Someplace else	3.2	1.8-4.7

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 5: Pesticide Exposure**

Table 1: Over your lifetime, how many years have you lived on a farm?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Never lived on a farm	45.6	43.6-47.6
≤5 years	6.8	5.6-7.9
6-10 years	4.5	3.7-5.3
11-20 years	20.4	18.9-21.9
21-30 years	8.2	7.2-9.3
>30 years	14.5	13.4-15.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 5: Pesticide Exposure**

**Table 2: Have you or a member of your family ever mixed or applied herbicides, insecticides, or fungicides?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Yes	41.8	39.9-43.8
No	58.2	56.2-60.1

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 5: Pesticide Exposure**

**Table 3: In your household, how are clothes usually washed after they have been worn when mixing or applying pesticides?
Denominator: Percentage among respondents or their family members who have ever mixed or applied herbicides, insecticides, or fungicides.**

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Always wear disposable clothing	3.0	2.0-4.1
Mixed with family wash	32.3	29.5-35.1
Soaked separately then mixed with family wash	5.0	3.8-6.2
Washed separately in family machine	54.6	51.6-57.6
Sent out or washed in machine only used for that purpose	5.0	3.7-6.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 5: Pesticide Exposure**

Table 4: How far is your drinking water well from the nearest area where pesticides are mixed?
Denominator: Percentage among respondents or their family members who have ever mixed or applied herbicides, insecticides, or fungicides.
Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Don't have a well	60.6	57.7-63.5
≤50 yards	5.5	4.3-6.7
51-100 yards	6.5	5.0-8.1
>100 yards	27.4	24.8-29.9

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 5: Pesticide Exposure**

Table 5: Are agricultural or commercial pesticides in unmixed concentrates stored, even temporarily, at your home?

Denominator: Percentage among all respondents

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes, in building not attached to home	6.3	5.3-7.3
Yes, in garage or attached outbuilding	6.0	5.1-7.0
Yes, in basement	1.4	1.0-1.8
Yes, in home, but not in basement	0.5	0.2-0.7
No	85.9	84.5-87.3

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 6: Indian Health**

Table 1: Do you live on a reservation or Indian Service Area?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes, reservation	2.3	1.7-2.9
Yes, Indian service area	1.2	0.8-1.6
No, neither	96.5	95.8-97.2

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 6: Indian Health**

Table 2: Are you currently an enrolled tribal member?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Yes	3.7	2.8-4.7
No	96.3	95.3-97.2

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 6: Indian Health**

Table 4: How much of your health care do you get from an Indian Health Service (IHS) clinic?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
All	1.0	0.6-1.4
Most	0.9	0.6-1.3
Some	1.0	0.5-1.5
Little	0.4	0.2-0.7
None	96.6	95.8-97.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006
State Added 7: Health Care Coverage**

**Table 1: What is the name of the health plan you use to pay for most of your medical care?
Denominator: Percentage among respondents who reported having any kind of health care coverage.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
Medicare	14.9	13.7-16.1
Medicaid or Medical Assistance	2.7	1.9-3.4
Military, Tricare or CHAMPUS	3.8	2.9-4.6
Indian Health Services	0.3	0.1-0.5
Blue Cross/Blue Shield or Noridian	65.7	63.8-67.6
ND-PERS	0.5	0.2-0.7
Fortis Insurance	0.4	0.2-0.6
American Family Mutual	0.4	0.2-0.7
Medica Health Plans	0.9	0.6-1.3
Heart of America (HMO)	0.4	0.2-0.6
Altru Health Plan	0.3	0.0-0.5
Other	9.1	8.0-10.3
None	0.6	0.1-1.1

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2006**

State Added 8: Sexual Orientation

Table 1: Now I will read a list of terms people sometimes use to describe themselves: heterosexual or straight, homosexual or gay/lesbian and bisexual. As I read the list again, please stop me when I get to the term that best describes how you think of yourself.

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	C.I. (95%)
Heterosexual	98.4	98.0-98.9
Homosexual	0.3	0.1-0.5
Bisexual	0.6	0.2-0.9
Other	0.7	0.4-0.9

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.