

NORTH DAKOTA

2013 Core Variables Report

Behavioral Risk Factor Surveillance System

June 11, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7775	557,428	1177	16.5	15.3-17.7	2856	37.5	35.9-39.1	2539	31.3	29.9-32.7	903	10.7	09.7-11.7	300	4.0	03.4-04.6
Male	3508	281,736	511	15.6	13.8-17.4	1271	37.2	35.0-39.4	1191	33.0	30.8-35.2	398	10.5	09.1-11.9	137	3.7	02.9-04.5
Female	4267	275,692	666	17.3	15.5-19.1	1585	37.9	35.7-40.1	1348	29.6	27.6-31.6	505	11.0	09.6-12.4	163	4.2	03.2-05.2
18-24	494	84,456	116	22.5	17.8-27.2	218	44.1	38.4-49.8	135	27.1	22.0-32.2	21	5.1	02.4-07.8	4	1.3	00.0-03.1
25-34	893	98,427	184	20.5	17.2-23.8	415	44.4	40.3-48.5	240	27.0	23.3-30.7	46	6.7	04.3-09.1	8	1.4	00.2-02.6
35-44	870	78,687	164	18.8	15.5-22.1	357	39.8	35.7-43.9	280	32.5	28.6-36.4	55	6.6	04.4-08.8	14	2.3	00.9-03.7
45-54	1315	91,636	206	15.7	13.2-18.2	521	39.2	35.7-42.7	426	31.9	28.6-35.2	111	8.6	06.6-10.6	51	4.6	03.0-06.2
55-64	1699	90,691	231	13.0	10.8-15.2	639	34.6	31.7-37.5	531	30.7	27.8-33.6	220	14.5	12.1-16.9	78	7.2	05.0-09.4
65+	2429	108,594	265	10.0	08.4-11.6	686	26.0	23.8-28.2	899	37.5	35.0-40.0	438	20.2	18.0-22.4	141	6.3	04.9-07.7
Less Than H.S.	519	52,727	45	9.4	05.9-12.9	103	22.1	16.8-27.4	186	34.6	28.7-40.5	134	24.5	19.2-29.8	51	9.5	05.8-13.2
H.S. or G.E.D.	2403	151,106	297	14.5	12.3-16.7	772	33.4	30.7-36.1	874	34.5	31.8-37.2	342	12.6	10.8-14.4	118	4.9	03.7-06.1
Some Post-H.S.	2516	215,519	353	15.4	13.2-17.6	954	39.3	36.6-42.0	839	31.9	29.4-34.4	274	9.6	08.0-11.2	96	3.8	02.6-05.0
College Graduate	2313	136,423	476	22.8	20.4-25.2	1020	45.3	42.6-48.0	630	25.6	23.2-28.0	152	5.2	04.0-06.4	35	1.1	00.7-01.5
Less than \$15,000	499	45,713	47	12.7	08.0-17.4	97	27.7	21.2-34.2	157	27.8	21.7-33.9	121	19.4	14.7-24.1	77	12.4	08.3-16.5
\$15,000- 24,999	927	70,055	97	12.3	08.8-15.8	246	26.3	22.2-30.4	337	36.4	31.9-40.9	178	17.9	14.4-21.4	69	7.1	04.7-09.5
\$25,000- 34,999	711	49,690	96	14.5	10.6-18.4	221	30.0	25.3-34.7	256	35.4	30.3-40.5	97	13.3	10.0-16.6	41	6.8	03.7-09.9
\$35,000- 49,999	1041	72,127	158	17.3	14.0-20.6	376	35.7	31.6-39.8	357	33.4	29.5-37.3	125	10.5	08.0-13.0	25	3.0	01.6-04.4
\$50,000- 74,999	1253	94,171	197	16.5	13.6-19.4	503	42.9	39.0-46.8	423	30.7	27.2-34.2	108	8.6	06.2-11.0	22	1.3	00.5-02.1
\$75,000+	2319	154,692	446	20.7	18.3-23.1	1082	47.7	45.0-50.4	647	26.9	24.5-29.3	118	3.7	02.9-04.5	26	1.0	00.4-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3508	281,736	511	15.6	13.8-17.4	1271	37.2	35.0-39.4	1191	33.0	30.8-35.2	398	10.5	09.1-11.9	137	3.7	02.9-04.5
18-24	285	45,167	74	24.9	18.6-31.2	121	42.5	35.1-49.9	78	28.8	21.9-35.7	11	3.8	00.7-06.9	1	0.2	00.0-00.6
25-34	448	52,359	85	18.2	13.9-22.5	205	44.5	38.6-50.4	125	27.7	22.2-33.2	28	8.5	04.8-12.2	5	1.1	00.0-02.3
35-44	412	40,850	76	17.7	13.0-22.4	162	39.7	33.6-45.8	150	36.6	30.7-42.5	22	5.4	02.5-08.3	2	0.6	00.0-01.6
45-54	627	46,505	91	13.6	10.3-16.9	250	40.2	35.1-45.3	213	33.4	28.5-38.3	52	8.7	05.6-11.8	21	4.1	02.1-06.1
55-64	788	46,984	91	10.0	07.3-12.7	281	32.3	28.0-36.6	268	33.5	29.0-38.0	102	14.8	11.5-18.1	46	9.3	05.8-12.8
65+	922	48,123	91	9.7	07.2-12.2	246	24.6	21.1-28.1	349	39.0	34.9-43.1	177	20.1	16.8-23.4	59	6.6	04.4-08.8
Less Than H.S.	273	30,086	33	11.5	06.2-16.8	56	21.5	14.4-28.6	98	36.7	28.7-44.7	62	23.3	16.4-30.2	24	7.0	03.7-10.3
H.S. or G.E.D.	1149	83,956	154	16.5	13.4-19.6	371	33.1	29.4-36.8	426	34.9	31.2-38.6	143	11.1	08.7-13.5	55	4.5	02.9-06.1
Some Post-H.S.	1085	104,067	146	13.8	10.9-16.7	417	39.6	35.5-43.7	375	34.4	30.5-38.3	110	8.7	06.5-10.9	37	3.5	01.9-05.1
College Graduate	989	62,580	173	18.8	15.7-21.9	424	46.6	42.5-50.7	288	26.5	23.0-30.0	83	6.7	04.7-08.7	21	1.4	00.6-02.2
Less than \$15,000	162	17,457	26	19.1	10.9-27.3	24	24.0	14.0-34.0	47	27.0	17.4-36.6	32	16.3	09.4-23.2	33	13.6	08.1-19.1
\$15,000- 24,999	356	32,977	29	10.5	05.6-15.4	90	24.9	18.6-31.2	124	36.3	29.0-43.6	80	21.4	15.1-27.7	33	7.0	03.7-10.3
\$25,000- 34,999	290	24,837	44	18.6	11.9-25.3	87	27.4	20.5-34.3	99	32.8	25.2-40.4	43	13.6	08.5-18.7	17	7.7	02.2-13.2
\$35,000- 49,999	526	42,027	86	17.3	12.8-21.8	170	34.9	29.2-40.6	183	32.8	27.5-38.1	70	11.5	08.0-15.0	17	3.6	01.4-05.8
\$50,000- 74,999	641	52,354	93	16.1	12.2-20.0	253	41.2	35.9-46.5	227	34.1	29.0-39.2	57	7.3	04.9-09.7	11	1.2	00.2-02.2
\$75,000+	1209	83,853	197	16.3	13.6-19.0	544	47.5	43.6-51.4	381	30.7	27.2-34.2	72	4.5	03.1-05.9	15	1.1	00.5-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4267	275,692	666	17.3	15.5-19.1	1585	37.9	35.7-40.1	1348	29.6	27.6-31.6	505	11.0	09.6-12.4	163	4.2	03.2-05.2
18-24	209	39,289	42	19.7	12.6-26.8	97	45.9	37.1-54.7	57	25.2	17.4-33.0	10	6.5	01.6-11.4	3	2.6	00.0-06.3
25-34	445	46,068	99	23.1	18.0-28.2	210	44.3	38.2-50.4	115	26.3	21.0-31.6	18	4.6	01.7-07.5	3	1.7	00.0-03.9
35-44	458	37,837	88	20.1	15.4-24.8	195	39.8	34.3-45.3	130	28.2	23.1-33.3	33	7.8	04.7-10.9	12	4.1	01.4-06.8
45-54	688	45,131	115	17.8	13.9-21.7	271	38.2	33.5-42.9	213	30.4	26.1-34.7	59	8.5	06.0-11.0	30	5.1	02.7-07.5
55-64	911	43,707	140	16.2	13.1-19.3	358	37.0	33.1-40.9	263	27.6	23.9-31.3	118	14.1	11.2-17.0	32	5.0	02.6-07.4
65+	1507	60,471	174	10.3	08.3-12.3	440	27.1	24.2-30.0	550	36.2	33.1-39.3	261	20.3	17.4-23.2	82	6.1	04.5-07.7
Less Than H.S.	246	22,640	12	6.5	01.8-11.2	47	22.9	14.7-31.1	88	31.8	23.4-40.2	72	26.0	18.0-34.0	27	12.7	05.3-20.1
H.S. or G.E.D.	1254	67,149	143	12.0	09.3-14.7	401	33.9	29.8-38.0	448	34.1	30.2-38.0	199	14.5	12.0-17.0	63	5.5	03.7-07.3
Some Post-H.S.	1431	111,451	207	16.8	13.7-19.9	537	39.0	35.3-42.7	464	29.5	26.4-32.6	164	10.5	08.3-12.7	59	4.1	02.7-05.5
College Graduate	1324	73,843	303	26.3	23.0-29.6	596	44.1	40.4-47.8	342	24.9	21.8-28.0	69	3.9	02.7-05.1	14	0.7	00.3-01.1
Less than \$15,000	337	28,256	21	8.8	03.3-14.3	73	30.0	21.8-38.2	110	28.3	20.5-36.1	89	21.2	14.9-27.5	44	11.7	06.0-17.4
\$15,000- 24,999	571	37,078	68	14.0	09.1-18.9	156	27.6	22.3-32.9	213	36.4	30.5-42.3	98	14.8	11.1-18.5	36	7.2	03.7-10.7
\$25,000- 34,999	421	24,854	52	10.3	06.0-14.6	134	32.7	26.0-39.4	157	38.1	31.4-44.8	54	13.0	08.7-17.3	24	6.0	02.9-09.1
\$35,000- 49,999	515	30,100	72	17.4	12.3-22.5	206	36.9	30.8-43.0	174	34.4	28.3-40.5	55	9.1	05.8-12.4	8	2.1	00.5-03.7
\$50,000- 74,999	612	41,817	104	16.9	12.8-21.0	250	45.1	39.2-51.0	196	26.4	21.9-30.9	51	10.2	05.7-14.7	11	1.4	00.2-02.6
\$75,000+	1110	70,839	249	25.9	22.2-29.6	538	48.0	43.9-52.1	266	22.3	19.2-25.4	46	2.9	01.9-03.9	11	0.9	00.1-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7	MALES AND FEMALES	13
8	MALES ONLY	14
9	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7576	544,739	4951	65.0	63.4-66.6	852	12.6	11.4-13.8	786	10.3	09.3-11.3	578	6.8	06.0-07.6	409	5.3	04.5-06.1
Male	3436	276,153	2327	66.3	64.1-68.5	379	12.9	11.1-14.7	321	9.9	08.5-11.3	219	5.7	04.7-06.7	190	5.2	04.2-06.2
Female	4140	268,586	2624	63.7	61.5-65.9	473	12.3	10.7-13.9	465	10.7	09.3-12.1	359	8.0	06.8-09.2	219	5.3	04.3-06.3
18-24	486	83,633	330	64.0	58.3-69.7	77	19.2	14.5-23.9	53	10.9	07.2-14.6	20	4.4	02.0-06.8	6	1.6	00.0-03.4
25-34	889	97,763	639	69.6	65.7-73.5	125	14.6	11.7-17.5	83	10.0	07.5-12.5	28	3.8	02.0-05.6	14	1.9	00.5-03.3
35-44	861	77,947	591	69.2	65.3-73.1	110	11.6	09.1-14.1	81	9.6	07.1-12.1	50	5.4	03.4-07.4	29	4.3	02.5-06.1
45-54	1302	90,225	872	67.6	64.3-70.9	155	11.4	09.2-13.6	127	9.2	07.0-11.4	90	6.4	04.8-08.0	58	5.4	03.6-07.2
55-64	1672	88,601	1066	60.5	57.4-63.6	172	10.9	08.9-12.9	174	10.5	08.5-12.5	145	9.4	07.4-11.4	115	8.8	06.4-11.2
65+	2300	102,328	1410	59.8	57.1-62.5	209	9.0	07.4-10.6	259	11.4	09.6-13.2	243	11.1	09.3-12.9	179	8.7	07.1-10.3
Less Than H.S.	483	49,738	255	51.9	45.4-58.4	43	12.3	07.6-17.0	66	13.4	08.7-18.1	70	12.9	09.2-16.6	49	9.4	05.5-13.3
H.S. or G.E.D.	2308	145,596	1514	65.2	62.5-67.9	229	11.0	09.0-13.0	239	10.9	08.9-12.9	193	7.0	05.6-08.4	133	5.9	04.5-07.3
Some Post-H.S.	2475	212,464	1609	64.8	62.1-67.5	267	13.1	11.1-15.1	266	10.2	08.6-11.8	203	7.0	05.6-08.4	130	4.9	03.7-06.1
College Graduate	2286	135,300	1557	69.9	67.4-72.4	311	13.7	11.9-15.5	211	8.6	07.0-10.2	110	4.1	02.9-05.3	97	3.7	02.7-04.7
Less than \$15,000	474	43,962	218	50.5	43.6-57.4	57	15.0	09.9-20.1	45	10.9	06.4-15.4	79	10.6	07.3-13.9	75	13.0	08.7-17.3
\$15,000- 24,999	885	67,878	476	51.3	46.4-56.2	81	11.6	08.1-15.1	123	14.1	10.8-17.4	121	13.5	10.2-16.8	84	9.5	06.8-12.2
\$25,000- 34,999	689	48,631	420	59.7	54.4-65.0	78	13.2	09.5-16.9	82	11.6	08.3-14.9	62	8.4	05.5-11.3	47	7.1	04.0-10.2
\$35,000- 49,999	1016	70,623	671	68.7	64.8-72.6	131	11.9	09.2-14.6	93	8.2	06.0-10.4	66	5.7	03.7-07.7	55	5.5	03.7-07.3
\$50,000- 74,999	1239	92,852	851	67.0	63.3-70.7	147	14.2	11.1-17.3	126	11.8	09.1-14.5	73	4.6	03.2-06.0	42	2.4	01.6-03.2
\$75,000+	2304	153,538	1678	73.8	71.4-76.2	268	12.4	10.6-14.2	200	7.8	06.4-09.2	108	4.4	03.4-05.4	50	1.7	01.1-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3436	276,153	2327	66.3	64.1-68.5	379	12.9	11.1-14.7	321	9.9	08.5-11.3	219	5.7	04.7-06.7	190	5.2	04.2-06.2
18-24	283	45,096	207	67.3	60.0-74.6	38	18.7	12.4-25.0	27	9.9	05.4-14.4	8	3.6	00.7-06.5	3	0.5	00.0-01.3
25-34	443	51,607	317	68.4	62.7-74.1	67	16.6	12.1-21.1	37	10.3	06.4-14.2	13	2.8	00.8-04.8	9	1.9	00.3-03.5
35-44	409	40,520	296	69.6	63.9-75.3	42	11.4	07.5-15.3	40	10.6	06.7-14.5	19	4.3	01.9-06.7	12	4.1	01.4-06.8
45-54	620	45,633	440	70.4	65.7-75.1	66	10.8	07.7-13.9	59	9.6	06.5-12.7	29	4.4	02.4-06.4	26	4.7	02.5-06.9
55-64	771	45,558	520	64.7	60.0-69.4	71	8.5	06.0-11.0	67	7.9	05.5-10.3	54	7.7	05.2-10.2	59	11.2	07.5-14.9
65+	884	45,991	531	57.5	53.2-61.8	94	11.5	08.6-14.4	87	11.0	08.3-13.7	95	11.4	08.5-14.3	77	8.5	06.1-10.9
Less Than H.S.	257	28,826	139	51.1	42.7-59.5	26	15.1	08.4-21.8	33	11.9	06.4-17.4	33	12.9	07.8-18.0	26	9.0	04.9-13.1
H.S. or G.E.D.	1114	81,094	765	67.4	63.5-71.3	116	10.9	08.4-13.4	96	10.4	07.9-12.9	71	5.5	03.7-07.3	66	5.8	04.0-07.6
Some Post-H.S.	1075	103,119	714	65.4	61.5-69.3	122	14.4	11.3-17.5	120	10.5	08.0-13.0	73	5.5	03.9-07.1	46	4.2	02.4-06.0
College Graduate	979	62,096	702	73.4	69.9-76.9	114	12.2	09.7-14.7	70	7.2	05.0-09.4	41	2.9	01.7-04.1	52	4.3	02.7-05.9
Less than \$15,000	155	16,804	76	52.5	41.7-63.3	19	15.9	07.9-23.9	10	10.2	02.2-18.2	21	8.0	03.7-12.3	29	13.4	07.5-19.3
\$15,000- 24,999	344	32,300	169	49.4	41.8-57.0	34	11.6	06.3-16.9	50	16.2	10.7-21.7	50	12.3	07.6-17.0	41	10.6	06.3-14.9
\$25,000- 34,999	283	24,579	181	61.4	53.2-69.6	26	11.6	05.7-17.5	30	10.5	05.8-15.2	20	7.9	03.4-12.4	26	8.6	03.3-13.9
\$35,000- 49,999	514	41,004	331	65.6	59.9-71.3	71	13.9	09.8-18.0	49	8.7	05.4-12.0	35	5.9	03.2-08.6	28	5.9	03.2-08.6
\$50,000- 74,999	634	51,321	459	69.5	64.4-74.6	73	13.9	09.8-18.0	51	10.3	06.8-13.8	31	4.3	02.3-06.3	20	2.1	00.9-03.3
\$75,000+	1203	83,406	902	74.9	71.6-78.2	122	12.0	09.3-14.7	106	8.3	06.3-10.3	45	3.0	02.0-04.0	28	1.8	01.0-02.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4140	268,586	2624	63.7	61.5-65.9	473	12.3	10.7-13.9	465	10.7	09.3-12.1	359	8.0	06.8-09.2	219	5.3	04.3-06.3
18-24	203	38,536	123	60.1	51.3-68.9	39	19.8	12.5-27.1	26	12.1	06.0-18.2	12	5.3	01.6-09.0	3	2.7	00.0-06.4
25-34	446	46,156	322	70.9	65.4-76.4	58	12.5	08.8-16.2	46	9.7	06.4-13.0	15	5.0	01.9-08.1	5	2.0	00.0-04.2
35-44	452	37,427	295	68.6	63.5-73.7	68	11.8	08.7-14.9	41	8.6	05.5-11.7	31	6.6	03.7-09.5	17	4.4	02.0-06.8
45-54	682	44,592	432	64.8	60.1-69.5	89	11.9	09.0-14.8	68	8.8	06.3-11.3	61	8.5	06.0-11.0	32	6.0	03.5-08.5
55-64	901	43,043	546	56.1	52.0-60.2	101	13.4	10.5-16.3	107	13.2	10.3-16.1	91	11.1	08.4-13.8	56	6.2	03.8-08.6
65+	1416	56,338	879	61.6	58.3-64.9	115	7.0	05.4-08.6	172	11.7	09.5-13.9	148	10.9	08.7-13.1	102	8.8	06.8-10.8
Less Than H.S.	226	20,912	116	53.1	42.9-63.3	17	8.5	02.8-14.2	33	15.4	07.0-23.8	37	13.0	07.5-18.5	23	10.1	02.8-17.4
H.S. or G.E.D.	1194	64,502	749	62.4	58.3-66.5	113	11.2	08.3-14.1	143	11.5	09.0-14.0	122	8.9	06.7-11.1	67	6.0	04.0-08.0
Some Post-H.S.	1400	109,345	895	64.3	60.8-67.8	145	11.9	09.4-14.4	146	9.9	07.7-12.1	130	8.4	06.4-10.4	84	5.5	03.9-07.1
College Graduate	1307	73,203	855	66.9	63.4-70.4	197	15.0	12.5-17.5	141	9.7	07.5-11.9	69	5.1	03.3-06.9	45	3.2	02.0-04.4
Less than \$15,000	319	27,158	142	49.3	40.3-58.3	38	14.4	07.7-21.1	35	11.4	05.9-16.9	58	12.1	07.4-16.8	46	12.8	06.9-18.7
\$15,000- 24,999	541	35,578	307	53.0	46.7-59.3	47	11.7	07.2-16.2	73	12.2	08.3-16.1	71	14.6	10.1-19.1	43	8.6	04.9-12.3
\$25,000- 34,999	406	24,052	239	58.1	51.2-65.0	52	14.8	10.1-19.5	52	12.7	08.0-17.4	42	8.8	04.9-12.7	21	5.6	02.3-08.9
\$35,000- 49,999	502	29,619	340	73.0	67.7-78.3	60	9.2	05.9-12.5	44	7.4	04.5-10.3	31	5.6	03.1-08.1	27	4.8	02.4-07.2
\$50,000- 74,999	605	41,531	392	63.8	58.1-69.5	74	14.6	10.1-19.1	75	13.8	09.5-18.1	42	5.0	03.2-06.8	22	2.8	01.4-04.2
\$75,000+	1101	70,132	776	72.5	69.2-75.8	146	12.8	10.4-15.2	94	7.2	05.4-09.0	63	6.0	04.0-08.0	22	1.6	00.8-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7617	547,130	5506	68.9	67.3-70.5	677	9.2	8.2-10.2	706	10.7	09.7-11.7	508	7.9	06.9-08.9	220	3.2	02.6-03.8
Male	3432	276,950	2615	73.1	70.9-75.3	261	8.0	06.8-09.2	273	9.7	08.1-11.3	176	6.2	05.0-07.4	107	2.9	02.1-03.7
Female	4185	270,180	2891	64.6	62.4-66.8	416	10.5	09.1-11.9	433	11.7	10.1-13.3	332	9.6	08.2-11.0	113	3.6	02.6-04.6
18-24	493	84,411	296	57.5	51.8-63.2	61	12.1	08.6-15.6	81	18.2	13.7-22.7	41	9.6	06.1-13.1	14	2.6	00.6-04.6
25-34	884	97,193	595	66.4	62.3-70.5	84	9.2	06.8-11.6	110	13.0	10.1-15.9	72	8.6	06.2-11.0	23	2.8	01.2-04.4
35-44	859	77,725	580	69.4	65.5-73.3	94	9.8	07.4-12.2	102	10.7	08.2-13.2	55	6.0	04.0-08.0	28	4.1	02.3-05.9
45-54	1296	90,323	893	69.5	66.2-72.8	126	8.9	06.9-10.9	129	9.2	07.2-11.2	101	8.3	06.3-10.3	47	4.0	02.2-05.8
55-64	1678	89,679	1191	69.1	66.0-72.2	165	10.1	08.1-12.1	127	6.7	05.3-08.1	133	10.1	07.7-12.5	62	4.0	02.6-05.4
65+	2336	103,266	1890	78.7	76.3-81.1	143	6.3	04.9-07.7	155	7.6	06.2-09.0	103	5.2	03.8-06.6	45	2.1	01.3-02.9
Less Than H.S.	493	49,742	343	65.3	59.0-71.6	39	7.5	04.4-10.6	49	11.8	07.5-16.1	41	9.7	05.8-13.6	21	5.7	02.0-09.4
H.S. or G.E.D.	2341	147,579	1734	71.3	68.6-74.0	177	7.9	06.3-09.5	195	9.7	07.7-11.7	159	7.5	05.9-09.1	76	3.7	02.7-04.7
Some Post-H.S.	2476	213,171	1757	67.2	64.5-69.9	210	8.9	07.3-10.5	253	11.8	09.8-13.8	180	8.9	07.1-10.7	76	3.2	02.2-04.2
College Graduate	2286	135,378	1654	70.2	67.7-72.7	250	12.0	10.2-13.8	208	9.8	08.0-11.6	127	6.1	04.7-07.5	47	1.9	01.1-02.7
Less than \$15,000	478	44,005	263	53.5	46.6-60.4	43	7.3	04.4-10.2	62	13.8	09.1-18.5	68	17.0	11.9-22.1	42	8.3	04.2-12.4
\$15,000- 24,999	902	68,805	597	59.0	54.1-63.9	71	8.0	05.3-10.7	105	15.0	11.3-18.7	96	14.0	10.5-17.5	33	4.0	02.0-06.0
\$25,000- 34,999	698	49,032	489	64.3	58.8-69.8	58	9.5	06.0-13.0	76	13.2	09.1-17.3	49	8.1	04.8-11.4	26	4.8	02.4-07.2
\$35,000- 49,999	1026	71,306	761	70.4	66.3-74.5	93	10.4	07.7-13.1	82	8.9	06.4-11.4	58	7.1	04.4-09.8	32	3.2	01.8-04.6
\$50,000- 74,999	1247	93,748	929	71.9	68.4-75.4	96	7.8	05.6-10.0	122	11.6	09.1-14.1	81	7.2	05.0-09.4	19	1.6	00.6-02.6
\$75,000+	2302	153,243	1725	75.5	73.1-77.9	239	10.9	09.1-12.7	199	8.6	07.0-10.2	101	3.8	02.8-04.8	38	1.3	00.7-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3432	276,950	2615	73.1	70.9-75.3	261	8.0	06.8-09.2	273	9.7	08.1-11.3	176	6.2	05.0-07.4	107	2.9	02.1-03.7
18-24	285	45,130	188	63.9	56.6-71.2	34	10.2	05.9-14.5	40	16.6	10.7-22.5	18	8.1	03.8-12.4	5	1.2	00.0-02.4
25-34	439	51,535	319	71.3	66.0-76.6	33	7.6	04.7-10.5	51	13.3	09.0-17.6	27	6.1	03.4-08.8	9	1.7	00.0-03.5
35-44	404	40,156	301	74.9	69.4-80.4	37	8.5	05.2-11.8	35	8.4	04.9-11.9	17	4.5	01.8-07.2	14	3.6	01.2-06.0
45-54	615	45,720	453	74.4	69.9-78.9	59	8.2	05.7-10.7	48	8.2	05.3-11.1	32	5.1	02.9-07.3	23	4.0	02.0-06.0
55-64	775	46,537	587	72.9	68.4-77.4	60	8.2	05.7-10.7	48	5.5	03.5-07.5	50	9.4	05.7-13.1	30	4.0	02.0-06.0
65+	888	46,125	745	81.1	77.4-84.8	37	5.8	03.4-08.2	50	6.3	04.1-08.5	31	4.2	02.2-06.2	25	2.6	01.4-03.8
Less Than H.S.	262	29,284	186	68.2	60.4-76.0	18	6.4	02.7-10.1	25	12.8	06.5-19.1	19	7.6	03.5-11.7	14	4.9	01.4-08.4
H.S. or G.E.D.	1118	81,862	856	75.0	71.5-78.5	83	7.2	05.2-09.2	81	7.6	05.2-10.0	59	6.5	04.3-08.7	39	3.7	02.3-05.1
Some Post-H.S.	1064	102,840	801	71.7	67.8-75.6	74	7.6	05.4-09.8	100	11.7	08.8-14.6	61	6.6	04.2-09.0	28	2.3	01.1-03.5
College Graduate	977	61,946	763	75.1	71.4-78.8	85	10.6	08.1-13.1	66	7.9	05.5-10.3	37	4.7	02.7-06.7	26	1.7	00.7-02.7
Less than \$15,000	155	16,906	82	58.0	47.8-68.2	13	9.8	04.1-15.5	20	10.6	04.7-16.5	22	15.3	07.9-22.7	18	6.3	02.4-10.2
\$15,000- 24,999	348	32,556	231	62.4	55.0-69.8	29	8.8	04.1-13.5	34	12.2	06.9-17.5	33	11.2	06.3-16.1	21	5.3	02.0-08.6
\$25,000- 34,999	283	24,534	200	61.0	52.6-69.4	22	10.8	05.1-16.5	28	15.3	08.2-22.4	16	6.9	01.6-12.2	17	6.1	02.6-09.6
\$35,000- 49,999	516	41,407	402	73.8	68.5-79.1	45	9.9	06.6-13.2	35	7.8	04.5-11.1	23	6.7	03.2-10.2	11	1.9	00.5-03.3
\$50,000- 74,999	635	51,928	498	76.1	71.4-80.8	41	5.4	03.2-07.6	56	12.1	08.4-15.8	31	5.2	02.8-07.6	9	1.3	00.1-02.5
\$75,000+	1192	82,729	967	80.9	77.8-84.0	90	8.0	06.0-10.0	82	7.4	05.2-09.6	33	2.3	01.3-03.3	20	1.3	00.5-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4185	270,180	2891	64.6	62.4-66.8	416	10.5	09.1-11.9	433	11.7	10.1-13.3	332	9.6	08.2-11.0	113	3.6	02.6-04.6
18-24	208	39,281	108	50.2	41.4-59.0	27	14.2	08.1-20.3	41	20.1	13.0-27.2	23	11.4	05.5-17.3	9	4.2	00.3-08.1
25-34	445	45,658	276	60.9	55.0-66.8	51	11.1	07.4-14.8	59	12.7	08.8-16.6	45	11.4	07.3-15.5	14	3.9	01.2-06.6
35-44	455	37,569	279	63.6	58.1-69.1	57	11.2	07.7-14.7	67	13.1	09.4-16.8	38	7.6	04.5-10.7	14	4.5	01.6-07.4
45-54	681	44,603	440	64.5	59.6-69.4	67	9.7	06.8-12.6	81	10.3	07.6-13.0	69	11.6	08.3-14.9	24	4.0	01.3-06.7
55-64	903	43,142	604	64.9	61.0-68.8	105	12.1	09.4-14.8	79	8.1	05.9-10.3	83	10.9	08.2-13.6	32	4.0	02.2-05.8
65+	1448	57,141	1145	76.9	74.0-79.8	106	6.7	05.1-08.3	105	8.6	06.6-10.6	72	6.1	04.3-07.9	20	1.7	00.7-02.7
Less Than H.S.	231	20,458	157	61.0	50.8-71.2	21	9.0	03.5-14.5	24	10.5	04.8-16.2	22	12.6	05.0-20.2	7	6.9	00.0-14.2
H.S. or G.E.D.	1223	65,716	878	66.6	62.5-70.7	94	8.7	06.3-11.1	114	12.2	08.9-15.5	100	8.8	06.6-11.0	37	3.7	02.1-05.3
Some Post-H.S.	1412	110,331	956	63.1	59.4-66.8	136	10.1	07.7-12.5	153	11.8	09.3-14.3	119	11.1	08.6-13.6	48	3.9	02.3-05.5
College Graduate	1309	73,431	891	66.1	62.6-69.6	165	13.2	10.7-15.7	142	11.5	09.1-13.9	90	7.3	05.3-09.3	21	2.0	01.0-03.0
Less than \$15,000	323	27,099	181	50.8	41.8-59.8	30	5.8	02.7-08.9	42	15.8	08.9-22.7	46	18.1	11.4-24.8	24	9.6	03.5-15.7
\$15,000- 24,999	554	36,249	366	56.0	49.7-62.3	42	7.3	04.4-10.2	71	17.5	12.0-23.0	63	16.4	11.5-21.3	12	2.8	01.0-04.6
\$25,000- 34,999	415	24,499	289	67.6	61.1-74.1	36	8.3	04.4-12.2	48	11.2	07.1-15.3	33	9.3	05.4-13.2	9	3.6	00.7-06.5
\$35,000- 49,999	510	29,899	359	65.7	59.2-72.2	48	11.1	06.4-15.8	47	10.5	06.6-14.4	35	7.8	03.7-11.9	21	5.0	02.3-07.7
\$50,000- 74,999	612	41,820	431	66.7	61.0-72.4	55	10.8	06.7-14.9	66	10.9	07.4-14.4	50	9.6	06.1-13.1	10	1.9	00.5-03.3
\$75,000+	1110	70,515	758	69.1	65.4-72.8	149	14.2	11.5-16.9	117	10.0	07.6-12.4	68	5.6	03.8-07.4	18	1.2	00.4-02.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3814	282,836	2435	64.1	61.9-66.3	409	10.6	09.2-12.0	403	11.1	09.5-12.7	345	8.2	07.0-09.4	222	5.9	04.7-07.1
Male	1571	132,869	1023	65.1	61.8-68.4	152	9.8	07.8-11.8	145	11.0	08.6-13.4	139	7.3	05.7-08.9	112	6.9	05.1-08.7
Female	2243	149,966	1412	63.3	60.4-66.2	257	11.3	09.5-13.1	258	11.2	09.2-13.2	206	9.1	07.3-10.9	110	5.1	03.7-06.5
18-24	276	49,012	206	73.2	66.3-80.1	27	9.4	05.1-13.7	28	11.7	06.8-16.6	10	3.9	00.6-07.2	5	1.9	00.0-04.1
25-34	435	50,700	291	67.7	62.2-73.2	67	13.9	10.0-17.8	51	11.7	07.8-15.6	16	4.3	01.8-06.8	10	2.5	00.5-04.5
35-44	439	38,278	278	63.3	57.6-69.0	63	12.6	09.1-16.1	41	9.9	06.2-13.6	40	7.9	04.6-11.2	17	6.3	03.0-09.6
45-54	623	42,442	373	56.3	51.0-61.6	83	12.6	09.5-15.7	68	11.9	08.2-15.6	65	13.0	09.5-16.5	34	6.2	03.1-09.3
55-64	843	46,637	513	58.7	54.2-63.2	91	10.1	07.6-12.6	86	10.8	08.1-13.5	88	10.3	07.6-13.0	65	10.2	06.7-13.7
65+	1164	53,428	755	64.1	60.4-67.8	76	6.4	04.6-08.2	124	10.7	08.3-13.1	122	10.6	08.2-13.0	87	8.2	06.0-10.4
Less Than H.S.	292	30,874	158	58.5	50.5-66.5	21	6.1	02.6-09.6	41	12.9	07.8-18.0	42	13.8	07.9-19.7	30	8.6	04.5-12.7
H.S. or G.E.D.	1151	74,919	763	65.7	61.8-69.6	93	8.3	06.1-10.5	120	11.4	08.7-14.1	111	8.7	06.5-10.9	64	6.0	04.0-08.0
Some Post-H.S.	1274	111,387	811	64.2	60.5-67.9	125	9.5	07.3-11.7	138	11.8	09.1-14.5	123	8.1	06.1-10.1	77	6.4	04.2-08.6
College Graduate	1087	64,927	696	64.8	61.1-68.5	168	17.2	14.3-20.1	103	8.9	06.5-11.3	69	5.3	03.5-07.1	51	3.8	02.4-05.2
Less than \$15,000	330	29,225	148	46.0	38.0-54.0	24	7.7	03.6-11.8	44	17.7	10.8-24.6	67	18.3	12.0-24.6	47	10.2	06.5-13.9
\$15,000- 24,999	535	42,668	313	60.9	55.0-66.8	40	5.2	03.0-07.4	68	12.0	08.3-15.7	69	13.9	09.6-18.2	45	7.9	04.8-11.0
\$25,000- 34,999	382	28,445	233	60.1	52.8-67.4	46	13.0	07.7-18.3	44	11.7	07.2-16.2	32	6.5	03.6-09.4	27	8.7	04.0-13.4
\$35,000- 49,999	510	35,963	366	72.6	67.1-78.1	41	7.3	04.6-10.0	46	8.9	05.2-12.6	39	7.0	04.1-09.9	18	4.2	01.7-06.7
\$50,000- 74,999	578	47,112	385	70.0	64.9-75.1	76	12.3	08.6-16.0	65	11.7	08.0-15.4	39	4.3	02.5-06.1	13	1.8	00.6-03.0
\$75,000+	987	65,177	662	67.7	63.8-71.6	137	15.2	12.3-18.1	90	9.0	06.5-11.5	64	5.0	03.4-06.6	34	3.1	01.9-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1571	132,869	1023	65.1	61.8-68.4	152	9.8	07.8-11.8	145	11.0	08.6-13.4	139	7.3	05.7-08.9	112	6.9	05.1-08.7
18-24	141	24,253	109	73.5	64.3-82.7	13	11.5	04.8-18.2	14	12.5	05.2-19.8	2	0.8	00.0-02.2	3	1.7	00.0-03.7
25-34	204	25,393	143	69.8	62.0-77.6	27	11.9	06.4-17.4	20	11.1	05.6-16.6	8	4.1	00.8-07.4	6	3.2	00.1-06.3
35-44	181	18,467	118	66.7	58.1-75.3	29	13.3	08.0-18.6	13	7.8	01.9-13.7	12	4.8	00.9-08.7	9	7.3	02.2-12.4
45-54	267	19,711	174	61.4	53.8-69.0	25	8.4	04.5-12.3	26	12.7	06.8-18.6	30	13.7	08.2-19.2	12	3.7	01.0-06.4
55-64	343	21,319	204	55.3	47.9-62.7	34	7.8	04.5-11.1	31	10.1	05.8-14.4	37	11.2	06.3-16.1	37	15.7	09.0-22.4
65+	423	23,067	269	62.1	55.8-68.4	24	6.4	03.3-09.5	39	11.3	07.0-15.6	48	10.3	06.4-14.2	43	9.9	06.2-13.6
Less Than H.S.	150	16,827	84	60.9	50.7-71.1	11	5.6	01.1-10.1	18	12.3	06.0-18.6	18	11.3	05.0-17.6	19	9.8	04.3-15.3
H.S. or G.E.D.	505	38,839	337	64.7	59.0-70.4	37	8.7	05.2-12.2	51	11.4	07.5-15.3	47	7.7	04.8-10.6	33	7.6	04.5-10.7
Some Post-H.S.	515	51,312	344	66.5	60.8-72.2	46	9.0	05.5-12.5	46	11.5	07.2-15.8	47	7.0	04.5-09.5	32	6.1	03.0-09.2
College Graduate	396	25,518	256	65.7	59.6-71.8	56	15.6	10.9-20.3	29	8.6	04.5-12.7	27	4.5	02.3-06.7	28	5.6	03.1-08.1
Less than \$15,000	106	10,968	43	44.0	31.5-56.5	8	8.5	01.2-15.8	11	17.7	06.3-29.1	27	17.4	09.0-25.8	17	12.5	05.4-19.6
\$15,000- 24,999	212	19,196	118	60.1	50.9-69.3	12	3.4	01.0-05.8	21	9.5	04.4-14.6	33	13.7	07.8-19.6	28	13.3	06.8-19.8
\$25,000- 34,999	148	14,301	99	66.1	54.7-77.5	16	12.5	03.7-21.3	9	6.0	01.1-10.9	8	4.2	00.9-07.5	16	11.2	02.8-19.6
\$35,000- 49,999	248	20,829	174	69.4	61.6-77.2	22	7.9	03.8-12.0	24	10.2	04.9-15.5	17	6.9	02.6-11.2	11	5.6	01.7-09.5
\$50,000- 74,999	272	24,440	192	70.2	62.8-77.6	27	10.0	05.3-14.7	28	14.4	08.1-20.7	18	4.2	01.5-06.9	7	1.3	00.1-02.5
\$75,000+	437	30,769	300	69.6	63.7-75.5	53	13.6	09.3-17.9	37	8.9	04.8-13.0	27	4.0	02.2-05.8	20	4.0	02.0-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2243	149,966	1412	63.3	60.4-66.2	257	11.3	09.5-13.1	258	11.2	09.2-13.2	206	9.1	07.3-10.9	110	5.1	03.7-06.5
18-24	135	24,759	97	72.8	62.8-82.8	14	7.4	02.1-12.7	14	10.9	04.2-17.6	8	6.9	00.4-13.4	2	2.0	00.0-05.7
25-34	231	25,306	148	65.5	57.7-73.3	40	16.0	10.3-21.7	31	12.3	06.8-17.8	8	4.4	00.3-08.5	4	1.9	00.0-03.9
35-44	258	19,812	160	60.0	52.4-67.6	34	12.0	07.3-16.7	28	11.8	06.9-16.7	28	10.8	05.7-15.9	8	5.3	01.2-09.4
45-54	356	22,731	199	51.9	44.8-59.0	58	16.2	11.5-20.9	42	11.2	06.5-15.9	35	12.3	07.6-17.0	22	8.4	03.1-13.7
55-64	500	25,318	309	61.6	56.1-67.1	57	11.9	08.4-15.4	55	11.4	07.9-14.9	51	9.6	06.5-12.7	28	5.6	02.3-08.9
65+	741	30,361	486	65.7	61.4-70.0	52	6.3	04.3-08.3	85	10.3	07.6-13.0	74	10.8	07.9-13.7	44	7.0	04.5-09.5
Less Than H.S.	142	14,047	74	55.7	43.0-68.4	10	6.7	01.0-12.4	23	13.6	05.2-22.0	24	16.9	06.5-27.3	11	7.2	00.7-13.7
H.S. or G.E.D.	646	36,080	426	66.7	61.6-71.8	56	7.9	05.2-10.6	69	11.3	07.8-14.8	64	9.8	06.7-12.9	31	4.2	02.2-06.2
Some Post-H.S.	759	60,075	467	62.3	57.4-67.2	79	10.0	07.1-12.9	92	12.0	08.7-15.3	76	9.1	06.2-12.0	45	6.6	03.9-09.3
College Graduate	691	39,409	440	64.2	59.3-69.1	112	18.3	14.4-22.2	74	9.1	06.4-11.8	42	5.7	03.3-08.1	23	2.7	01.1-04.3
Less than \$15,000	224	18,257	105	47.2	36.8-57.6	16	7.3	02.2-12.4	33	17.8	09.4-26.2	40	18.9	10.1-27.7	30	8.9	04.8-13.0
\$15,000- 24,999	323	23,472	195	61.6	54.0-69.2	28	6.8	03.5-10.1	47	14.1	08.8-19.4	36	14.1	08.2-20.0	17	3.4	01.2-05.6
\$25,000- 34,999	234	14,144	134	54.0	45.0-63.0	30	13.6	07.3-19.9	35	17.4	10.0-24.8	24	8.9	04.0-13.8	11	6.1	01.8-10.4
\$35,000- 49,999	262	15,133	192	77.0	69.9-84.1	19	6.4	02.9-09.9	22	7.1	02.2-12.0	22	7.2	03.5-10.9	7	2.3	00.0-05.0
\$50,000- 74,999	306	22,672	193	69.7	62.6-76.8	49	14.7	08.8-20.6	37	8.9	05.2-12.6	21	4.5	02.1-06.9	6	2.2	00.2-04.2
\$75,000+	550	34,408	362	66.0	60.7-71.3	84	16.7	12.6-20.8	53	9.2	06.1-12.3	37	6.0	03.5-08.5	14	2.2	00.8-03.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7770	556,380	7140	89.7	88.7-90.7	630	10.3	09.3-11.3
Male	3505	281,331	3149	87.5	85.9-89.1	356	12.5	10.9-14.1
Female	4265	275,049	3991	91.9	90.5-93.3	274	8.1	06.7-09.5
18-24	488	83,655	402	84.2	80.1-88.3	86	15.8	11.7-19.9
25-34	894	98,425	765	84.7	81.6-87.8	129	15.3	12.2-18.4
35-44	869	78,663	793	89.9	87.2-92.6	76	10.1	07.4-12.8
45-54	1320	91,709	1180	88.6	86.2-91.0	140	11.4	09.0-13.8
55-64	1700	90,688	1550	90.9	88.9-92.9	150	9.1	07.1-11.1
65+	2426	108,586	2379	97.8	97.0-98.6	47	2.2	01.4-03.0
Less Than H.S.	517	52,627	462	86.8	82.3-91.3	55	13.2	08.7-17.7
H.S. or G.E.D.	2393	150,259	2106	84.3	81.9-86.7	287	15.7	13.3-18.1
Some Post-H.S.	2522	215,475	2324	90.2	88.4-92.0	198	9.8	08.0-11.6
College Graduate	2313	136,351	2226	95.8	94.6-97.0	87	4.2	03.0-05.4
Less than \$15,000	499	45,597	420	81.4	76.3-86.5	79	18.6	13.5-23.7
\$15,000- 24,999	922	69,621	787	82.6	78.7-86.5	135	17.4	13.5-21.3
\$25,000- 34,999	710	49,659	631	85.4	81.1-89.7	79	14.6	10.3-18.9
\$35,000- 49,999	1044	72,100	950	87.9	85.0-90.8	94	12.1	09.2-15.0
\$50,000- 74,999	1260	94,393	1188	93.1	90.9-95.3	72	6.9	04.7-09.1
\$75,000+	2323	154,762	2219	94.9	93.5-96.3	104	5.1	03.7-06.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3505	281,331	3149	87.5	85.9-89.1	356	12.5	10.9-14.1
18-24	281	44,664	220	80.0	74.1-85.9	61	20.0	14.1-25.9
25-34	447	52,333	369	82.4	77.9-86.9	78	17.6	13.1-22.1
35-44	412	40,855	368	88.2	84.1-92.3	44	11.8	07.7-15.9
45-54	629	46,595	553	86.5	82.8-90.2	76	13.5	09.8-17.2
55-64	786	46,903	717	90.1	87.0-93.2	69	9.9	06.8-13.0
65+	924	48,233	897	97.3	95.9-98.7	27	2.7	01.3-04.1
Less Than H.S.	270	29,867	237	87.2	81.7-92.7	33	12.8	07.3-18.3
H.S. or G.E.D.	1148	83,763	985	82.5	79.4-85.6	163	17.5	14.4-20.6
Some Post-H.S.	1086	104,093	978	87.6	84.7-90.5	108	12.4	09.5-15.3
College Graduate	989	62,562	940	94.2	92.2-96.2	49	5.8	03.8-07.8
Less than \$15,000	160	17,219	129	83.4	76.3-90.5	31	16.6	09.5-23.7
\$15,000- 24,999	356	32,958	287	78.3	71.8-84.8	69	21.7	15.2-28.2
\$25,000- 34,999	289	24,806	251	82.7	75.6-89.8	38	17.3	10.2-24.4
\$35,000- 49,999	526	41,934	465	84.7	80.4-89.0	61	15.3	11.0-19.6
\$50,000- 74,999	646	52,514	597	91.3	88.0-94.6	49	8.7	05.4-12.0
\$75,000+	1210	83,910	1142	93.2	91.0-95.4	68	6.8	04.6-09.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4265	275,049	3991	91.9	90.5-93.3	274	8.1	06.7-09.5
18-24	207	38,991	182	89.0	83.5-94.5	25	11.0	05.5-16.5
25-34	447	46,092	396	87.3	83.0-91.6	51	12.7	08.4-17.0
35-44	457	37,808	425	91.8	88.5-95.1	32	8.2	04.9-11.5
45-54	691	45,115	627	90.7	87.8-93.6	64	9.3	06.4-12.2
55-64	914	43,785	833	91.7	89.3-94.1	81	8.3	05.9-10.7
65+	1502	60,353	1482	98.2	97.2-99.2	20	1.8	00.8-02.8
Less Than H.S.	247	22,760	225	86.3	79.0-93.6	22	13.7	06.4-21.0
H.S. or G.E.D.	1245	66,496	1121	86.6	83.5-89.7	124	13.4	10.3-16.5
Some Post-H.S.	1436	111,382	1346	92.7	90.5-94.9	90	7.3	05.1-09.5
College Graduate	1324	73,789	1286	97.2	96.0-98.4	38	2.8	01.6-04.0
Less than \$15,000	339	28,378	291	80.2	73.1-87.3	48	19.8	12.7-26.9
\$15,000- 24,999	566	36,663	500	86.4	82.1-90.7	66	13.6	09.3-17.9
\$25,000- 34,999	421	24,854	380	88.1	83.0-93.2	41	11.9	06.8-17.0
\$35,000- 49,999	518	30,166	485	92.4	89.3-95.5	33	7.6	04.5-10.7
\$50,000- 74,999	614	41,879	591	95.3	92.6-98.0	23	4.7	02.0-07.4
\$75,000+	1113	70,851	1077	97.0	95.4-98.6	36	3.0	01.4-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7745	555,133	5289	63.8	62.2-65.4	752	9.5	08.5-10.5	1704	26.7	25.1-28.3
Male	3485	279,981	2061	54.5	52.1-56.9	357	10.6	09.0-12.2	1067	34.9	32.5-37.3
Female	4260	275,151	3228	73.2	71.0-75.4	395	8.4	07.2-09.6	637	18.3	16.3-20.3
18-24	492	84,209	207	44.3	38.6-50.0	48	9.6	06.3-12.9	237	46.1	40.4-51.8
25-34	890	98,157	439	50.3	46.0-54.6	66	7.6	05.4-09.8	385	42.0	37.9-46.1
35-44	867	78,358	530	60.8	56.7-64.9	86	9.5	07.0-12.0	251	29.7	25.8-33.6
45-54	1316	91,490	903	69.5	66.2-72.8	114	8.9	06.7-11.1	299	21.6	18.5-24.7
55-64	1701	90,466	1237	74.5	71.8-77.2	167	9.0	07.0-11.0	297	16.5	14.1-18.9
65+	2407	107,860	1929	79.5	77.3-81.7	262	11.9	10.1-13.7	216	8.6	07.2-10.0
Less Than H.S.	513	52,227	331	60.0	53.7-66.3	69	14.3	09.8-18.8	113	25.7	20.0-31.4
H.S. or G.E.D.	2391	150,212	1569	61.1	58.2-64.0	243	10.1	08.5-11.7	579	28.7	26.0-31.4
Some Post-H.S.	2511	214,798	1727	64.0	61.3-66.7	236	8.8	07.2-10.4	548	27.2	24.7-29.7
College Graduate	2306	136,279	1646	67.7	65.0-70.4	201	8.0	06.6-09.4	459	24.2	21.7-26.7
Less than \$15,000	497	45,539	342	58.6	51.7-65.5	49	8.9	05.4-12.4	106	32.5	25.8-39.2
\$15,000- 24,999	919	69,580	614	60.6	55.7-65.5	114	13.5	10.0-17.0	191	25.9	21.4-30.4
\$25,000- 34,999	707	49,455	466	56.0	50.5-61.5	79	11.3	07.4-15.2	162	32.6	27.3-37.9
\$35,000- 49,999	1041	72,082	690	60.9	56.6-65.2	94	9.4	06.9-11.9	257	29.7	25.6-33.8
\$50,000- 74,999	1252	93,894	855	65.5	61.8-69.2	111	7.2	05.2-09.2	286	27.3	23.6-31.0
\$75,000+	2316	154,450	1630	70.5	68.0-73.0	198	7.5	06.1-08.9	488	21.9	19.5-24.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3485	279,981	2061	54.5	52.1-56.9	357	10.6	09.0-12.2	1067	34.9	32.7-37.1
18-24	283	44,920	92	32.9	25.8-40.0	28	11.7	06.6-16.8	163	55.4	48.0-62.8
25-34	442	51,943	157	36.4	30.7-42.1	31	7.9	04.8-11.0	254	55.8	49.9-61.7
35-44	410	40,677	210	50.7	44.4-57.0	43	10.4	06.5-14.3	157	38.9	32.8-45.0
45-54	627	46,313	369	59.3	54.2-64.4	49	9.3	06.2-12.4	209	31.4	26.5-36.3
55-64	786	46,846	521	69.4	64.9-73.9	91	11.1	07.8-14.4	174	19.5	15.8-23.2
65+	914	47,878	699	78.2	74.7-81.7	113	13.0	10.1-15.9	102	8.8	06.6-11.0
Less Than H.S.	270	29,731	153	54.1	45.7-62.5	39	15.9	09.2-22.6	78	30.0	22.2-37.8
H.S. or G.E.D.	1142	83,287	637	53.3	49.4-57.2	122	10.5	08.1-12.9	383	36.2	32.3-40.1
Some Post-H.S.	1079	103,498	626	52.1	48.0-56.2	107	10.1	07.6-12.6	346	37.7	33.6-41.8
College Graduate	982	62,419	639	60.0	55.9-64.1	88	8.9	06.5-11.3	255	31.1	27.2-35.0
Less than \$15,000	161	17,249	90	46.6	36.2-57.0	18	12.0	05.3-18.7	53	41.5	30.7-52.3
\$15,000- 24,999	352	32,713	200	51.2	43.8-58.6	56	17.7	11.4-24.0	96	31.0	23.7-38.3
\$25,000- 34,999	288	24,777	159	42.2	34.6-49.8	38	15.5	08.6-22.4	91	42.2	34.0-50.4
\$35,000- 49,999	525	42,020	304	52.8	46.9-58.7	52	9.3	06.2-12.4	169	37.8	32.1-43.5
\$50,000- 74,999	639	52,099	373	54.4	49.1-59.7	60	7.9	05.2-10.6	206	37.7	32.4-43.0
\$75,000+	1201	83,444	762	63.0	59.3-66.7	98	7.3	05.5-09.1	341	29.7	26.0-33.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4260	275,151	3228	73.2	71.2-75.2	395	8.4	07.2-09.6	637	18.3	16.3-20.3
18-24	209	39,289	115	57.3	48.5-66.1	20	7.2	02.9-11.5	74	35.6	27.0-44.2
25-34	448	46,214	282	66.0	60.3-71.7	35	7.3	04.2-10.4	131	26.6	21.3-31.9
35-44	457	37,681	320	71.6	66.5-76.7	43	8.5	05.6-11.4	94	19.9	15.2-24.6
45-54	689	45,177	534	80.0	75.7-84.3	65	8.5	05.6-11.4	90	11.5	08.0-15.0
55-64	915	43,619	716	80.0	76.7-83.3	76	6.7	04.7-08.7	123	13.3	10.6-16.0
65+	1493	59,982	1230	80.5	77.8-83.2	149	11.0	08.8-13.2	114	8.4	06.4-10.4
Less Than H.S.	243	22,495	178	67.8	59.0-76.6	30	12.2	06.3-18.1	35	20.0	12.2-27.8
H.S. or G.E.D.	1249	66,925	932	70.9	66.8-75.0	121	9.7	07.3-12.1	196	19.4	15.5-23.3
Some Post-H.S.	1432	111,300	1101	75.0	71.7-78.3	129	7.6	05.6-09.6	202	17.4	14.3-20.5
College Graduate	1324	73,860	1007	74.3	71.0-77.6	113	7.3	05.5-09.1	204	18.4	15.3-21.5
Less than \$15,000	336	28,291	252	65.9	57.3-74.5	31	7.0	03.3-10.7	53	27.1	18.7-35.5
\$15,000- 24,999	567	36,867	414	69.0	62.9-75.1	58	9.8	06.1-13.5	95	21.3	15.6-27.0
\$25,000- 34,999	419	24,678	307	69.8	63.3-76.3	41	7.1	03.6-10.6	71	23.0	16.9-29.1
\$35,000- 49,999	516	30,062	386	72.1	66.4-77.8	42	9.5	05.4-13.6	88	18.3	13.4-23.2
\$50,000- 74,999	613	41,796	482	79.3	74.8-83.8	51	6.4	04.0-08.8	80	14.2	10.1-18.3
\$75,000+	1115	71,006	868	79.3	76.0-82.6	100	7.8	05.6-10.0	147	12.9	10.2-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7790	557,270	433	7.2	06.4-08.0	7357	92.8	92.0-93.6
Male	3512	281,270	185	6.8	05.6-08.0	3327	93.2	92.0-94.4
Female	4278	276,000	248	7.6	06.4-08.8	4030	92.4	91.2-93.6
18-24	493	84,087	28	6.0	03.5-08.5	465	94.0	91.5-96.5
25-34	894	98,309	86	12.2	09.3-15.1	808	87.8	84.9-90.7
35-44	868	78,259	59	7.7	05.3-10.1	809	92.3	89.9-94.7
45-54	1322	91,895	94	7.7	05.9-09.5	1228	92.3	90.5-94.1
55-64	1708	91,086	108	7.1	05.1-09.1	1600	92.9	90.9-94.9
65+	2432	108,863	54	2.6	01.6-03.6	2378	97.4	96.4-98.4
Less Than H.S.	521	52,814	42	9.3	06.0-12.6	479	90.7	87.4-94.0
H.S. or G.E.D.	2402	150,761	148	8.7	06.9-10.5	2254	91.3	89.5-93.1
Some Post-H.S.	2526	215,526	148	7.4	05.8-09.0	2378	92.6	91.0-94.2
College Graduate	2316	136,501	95	4.3	03.1-05.5	2221	95.7	94.5-96.9
Less than \$15,000	502	45,954	79	15.9	11.6-20.2	423	84.1	79.8-88.4
\$15,000- 24,999	926	69,516	108	15.0	11.5-18.5	818	85.0	81.5-88.5
\$25,000- 34,999	710	49,644	56	12.8	08.7-16.9	654	87.2	83.1-91.3
\$35,000- 49,999	1044	71,985	48	6.4	04.2-08.6	996	93.6	91.4-95.8
\$50,000- 74,999	1260	94,393	45	4.1	02.5-05.7	1215	95.9	94.3-97.5
\$75,000+	2328	155,099	47	2.1	01.3-02.9	2281	97.9	97.1-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3512	281,270	185	6.8	05.6-08.0	3327	93.2	92.0-94.4
18-24	284	44,798	12	4.4	01.5-07.3	272	95.6	92.7-98.5
25-34	446	52,034	44	12.4	08.5-16.3	402	87.6	83.7-91.5
35-44	412	40,681	23	6.7	03.6-09.8	389	93.3	90.2-96.4
45-54	630	46,624	41	7.5	04.8-10.2	589	92.5	89.8-95.2
55-64	790	47,141	43	7.1	04.0-10.2	747	92.9	89.8-96.0
65+	924	48,245	22	2.2	00.8-03.6	902	97.8	96.4-99.2
Less Than H.S.	273	30,075	20	9.1	04.4-13.8	253	90.9	86.2-95.6
H.S. or G.E.D.	1149	83,680	64	7.9	05.5-10.3	1085	92.1	89.7-94.5
Some Post-H.S.	1087	103,724	51	6.0	03.8-08.2	1036	94.0	91.8-96.2
College Graduate	991	62,745	50	5.6	03.6-07.6	941	94.4	92.4-96.4
Less than \$15,000	163	17,568	26	14.4	07.9-20.9	137	85.6	79.1-92.1
\$15,000- 24,999	355	32,485	45	15.4	09.9-20.9	310	84.6	79.1-90.1
\$25,000- 34,999	289	24,791	25	14.5	07.6-21.4	264	85.5	78.6-92.4
\$35,000- 49,999	526	41,819	28	6.8	03.9-09.7	498	93.2	90.3-96.1
\$50,000- 74,999	646	52,514	18	2.7	00.9-04.5	628	97.3	95.5-99.1
\$75,000+	1212	84,022	26	2.4	01.2-03.6	1186	97.6	96.4-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4278	276,000	248	7.6	06.4-08.8	4030	92.4	91.2-93.6
18-24	209	39,289	16	7.9	03.4-12.4	193	92.1	87.6-96.6
25-34	448	46,275	42	12.0	07.7-16.3	406	88.0	83.7-92.3
35-44	456	37,578	36	8.8	05.5-12.1	420	91.2	87.9-94.5
45-54	692	45,271	53	7.9	05.4-10.4	639	92.1	89.6-94.6
55-64	918	43,945	65	7.1	04.9-09.3	853	92.9	90.7-95.1
65+	1508	60,618	32	3.0	01.8-04.2	1476	97.0	95.8-98.2
Less Than H.S.	248	22,738	22	9.6	04.7-14.5	226	90.4	85.5-95.3
H.S. or G.E.D.	1253	67,081	84	9.8	07.3-12.3	1169	90.2	87.7-92.7
Some Post-H.S.	1439	111,802	97	8.7	06.3-11.1	1342	91.3	88.9-93.7
College Graduate	1325	73,756	45	3.3	01.9-04.7	1280	96.7	95.3-98.1
Less than \$15,000	339	28,386	53	16.8	10.9-22.7	286	83.2	77.3-89.1
\$15,000- 24,999	571	37,031	63	14.7	10.0-19.4	508	85.3	80.6-90.0
\$25,000- 34,999	421	24,854	31	11.1	06.4-15.8	390	88.9	84.2-93.6
\$35,000- 49,999	518	30,166	20	5.7	02.4-09.0	498	94.3	91.0-97.6
\$50,000- 74,999	614	41,879	27	5.8	03.1-08.5	587	94.2	91.5-96.9
\$75,000+	1116	71,076	21	1.6	00.6-02.6	1095	98.4	97.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7720	550,241	5235	63.6	62.0-65.2	1001	13.9	12.7-15.1	635	10.0	09.0-11.0	795	11.9	10.7-13.1	54	0.7	00.5-00.9
Male	3477	277,324	2110	56.4	54.0-58.8	475	13.7	12.1-15.3	363	12.5	10.9-14.1	501	16.6	14.8-18.4	28	0.9	00.5-01.3
Female	4243	272,917	3125	70.8	68.6-73.0	526	14.1	12.5-15.7	272	7.5	06.3-08.7	294	7.1	05.9-08.3	26	0.5	00.3-00.7
18-24	487	83,517	219	47.8	41.9-53.7	92	18.8	14.3-23.3	104	19.7	15.2-24.2	68	13.1	09.2-17.0	4	0.7	00.1-01.3
25-34	884	96,736	472	53.9	49.6-58.2	144	15.2	12.3-18.1	112	13.3	10.6-16.0	148	17.1	13.8-20.4	8	0.6	00.0-01.2
35-44	865	77,788	491	55.3	51.0-59.6	141	16.5	13.4-19.6	101	11.1	08.6-13.6	124	16.4	13.1-19.7	8	0.7	00.1-01.3
45-54	1310	90,347	835	65.3	62.0-68.6	187	13.5	11.0-16.0	112	8.3	06.3-10.3	165	11.9	09.5-14.3	11	1.0	00.2-01.8
55-64	1698	90,468	1179	70.6	67.9-73.3	220	11.8	09.8-13.8	114	6.3	04.9-07.7	177	10.6	08.6-12.6	8	0.6	00.0-01.2
65+	2407	107,028	1991	82.6	80.4-84.8	205	9.2	07.4-11.0	89	3.6	02.6-04.6	107	4.2	03.2-05.2	15	0.6	00.2-01.0
Less Than H.S.	509	50,694	357	69.1	63.4-74.8	51	11.5	07.4-15.6	37	5.9	03.5-08.3	55	12.5	08.4-16.6	9	1.0	00.2-01.8
H.S. or G.E.D.	2379	148,523	1582	61.5	58.6-64.4	305	14.2	12.0-16.4	184	8.7	06.9-10.5	288	14.8	12.6-17.0	20	0.8	00.2-01.4
Some Post-H.S.	2506	214,215	1682	62.5	59.8-65.2	340	14.5	12.5-16.5	214	11.2	09.2-13.2	254	11.3	09.3-13.3	16	0.5	00.1-00.9
College Graduate	2303	135,445	1599	65.4	62.7-68.1	301	13.5	11.5-15.5	199	11.1	09.1-13.1	195	9.4	07.6-11.2	9	0.6	00.0-01.2
Less than \$15,000	493	44,817	325	60.2	53.5-66.9	50	12.6	07.9-17.3	46	12.0	07.7-16.3	65	14.5	09.8-19.2	7	0.7	00.0-01.5
\$15,000- 24,999	918	69,237	649	67.4	62.9-71.9	105	13.2	09.9-16.5	63	7.9	05.2-10.6	95	10.9	07.8-14.0	6	0.6	00.0-01.2
\$25,000- 34,999	705	49,005	465	58.1	52.8-63.4	75	12.7	09.0-16.4	60	9.6	06.3-12.9	98	18.7	14.2-23.2	7	0.9	00.1-01.7
\$35,000- 49,999	1037	71,419	669	59.5	55.2-63.8	146	14.9	11.8-18.0	99	12.0	08.9-15.1	114	12.9	10.0-15.8	9	0.7	00.1-01.3
\$50,000- 74,999	1253	93,509	831	63.8	59.9-67.7	187	13.1	10.6-15.6	93	8.0	05.8-10.2	136	14.2	11.3-17.1	6	0.9	00.1-01.7
\$75,000+	2313	153,719	1572	65.4	62.7-68.1	321	14.7	12.7-16.7	205	10.3	08.3-12.3	202	9.0	07.2-10.8	13	0.5	00.1-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3477	277,324	2110	56.4	54.0-58.8	475	13.7	12.1-15.3	363	12.5	10.9-14.1	501	16.6	14.8-18.4	28	0.9	00.5-01.3
18-24	283	44,729	111	40.5	33.2-47.8	54	18.4	12.7-24.1	68	24.8	18.1-31.5	47	15.3	09.8-20.8	3	1.0	00.0-02.2
25-34	439	51,011	177	39.0	33.3-44.7	79	17.9	13.4-22.4	69	16.4	12.1-20.7	109	26.0	20.7-31.3	5	0.6	00.0-01.4
35-44	407	39,952	205	48.9	42.6-55.2	47	9.9	06.4-13.4	60	14.0	09.7-18.3	89	25.8	20.1-31.5	6	1.3	00.1-02.5
45-54	626	46,089	353	59.1	54.0-64.2	96	14.0	10.7-17.3	65	9.6	06.7-12.5	103	15.8	11.9-19.7	9	1.6	00.2-03.0
55-64	787	46,905	507	67.4	63.1-71.7	114	12.2	09.5-14.9	61	6.8	04.6-09.0	102	12.9	09.8-16.0	3	0.7	00.0-01.7
65+	911	47,157	741	82.3	79.0-85.6	81	9.1	06.4-11.8	38	4.0	02.2-05.8	49	4.4	02.8-06.0	2	0.2	00.0-00.4
Less Than H.S.	267	29,132	169	65.3	57.5-73.1	34	11.8	06.5-17.1	21	5.7	02.6-08.8	38	16.1	09.8-22.4	5	1.1	00.0-02.5
H.S. or G.E.D.	1137	82,102	681	54.6	50.7-58.5	157	15.2	12.3-18.1	108	10.5	08.0-13.0	181	18.7	15.4-22.0	10	1.0	00.2-01.8
Some Post-H.S.	1078	103,189	636	54.9	50.8-59.0	156	13.3	10.6-16.0	121	14.7	11.4-18.0	159	16.7	13.4-20.0	6	0.4	00.0-00.8
College Graduate	984	62,109	619	57.3	53.2-61.4	125	13.0	10.3-15.7	112	14.5	11.4-17.6	121	13.9	11.0-16.8	7	1.3	00.1-02.5
Less than \$15,000	162	17,379	96	55.3	44.7-65.9	19	12.0	05.3-18.7	21	14.6	06.8-22.4	23	16.8	08.2-25.4	3	1.3	00.0-03.3
\$15,000- 24,999	350	32,310	237	63.5	56.1-70.9	36	12.6	07.3-17.9	25	8.8	03.9-13.7	49	14.1	09.0-19.2	3	0.9	00.0-02.1
\$25,000- 34,999	286	24,334	159	45.5	37.5-53.5	38	17.8	11.3-24.3	32	11.1	06.0-16.2	57	25.6	18.2-33.0			
\$35,000- 49,999	524	41,411	315	54.2	48.3-60.1	65	13.7	09.6-17.8	59	13.9	09.4-18.4	79	17.3	12.6-22.0	6	0.8	00.0-01.6
\$50,000- 74,999	641	51,816	367	54.1	48.8-59.4	108	13.5	10.0-17.0	58	10.5	07.2-13.8	102	20.3	15.8-24.8	6	1.6	00.2-03.0
\$75,000+	1199	82,813	745	59.7	55.8-63.6	171	13.9	11.4-16.4	128	12.6	09.7-15.5	146	13.0	10.1-15.9	9	0.8	00.2-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4243	272,917	3125	70.8	68.6-73.0	526	14.1	12.5-15.7	272	7.5	06.3-08.7	294	7.1	05.9-08.3	26	0.5	00.3-00.7
18-24	204	38,788	108	56.2	47.4-65.0	38	19.2	12.1-26.3	36	13.8	08.3-19.3	21	10.6	04.9-16.3	1	0.3	00.0-00.9
25-34	445	45,725	295	70.5	65.0-76.0	65	12.1	08.4-15.8	43	9.7	06.2-13.2	39	7.2	04.1-10.3	3	0.5	00.0-01.3
35-44	458	37,837	286	62.0	56.5-67.5	94	23.4	18.3-28.5	41	8.1	05.2-11.0	35	6.4	03.9-08.9	2	0.1	00.0-00.3
45-54	684	44,258	482	71.9	67.4-76.4	91	12.9	09.4-16.4	47	7.1	04.7-09.5	62	7.8	05.1-10.5	2	0.3	00.0-00.9
55-64	911	43,564	672	74.1	70.6-77.6	106	11.3	08.8-13.8	53	5.8	03.8-07.8	75	8.2	06.0-10.4	5	0.6	00.0-01.4
65+	1496	59,871	1250	82.8	80.1-85.5	124	9.2	07.0-11.4	51	3.2	02.0-04.4	58	3.9	02.5-05.3	13	0.9	00.3-01.5
Less Than H.S.	242	21,562	188	74.2	65.8-82.6	17	11.2	04.3-18.1	16	6.3	02.6-10.0	17	7.5	02.8-12.2	4	0.8	00.0-01.8
H.S. or G.E.D.	1242	66,421	901	70.1	66.2-74.0	148	12.9	10.0-15.8	76	6.6	04.6-08.6	107	9.9	07.4-12.4	10	0.6	00.0-01.2
Some Post-H.S.	1428	111,026	1046	69.6	66.1-73.1	184	15.6	12.7-18.5	93	7.9	05.9-09.9	95	6.3	04.3-08.3	10	0.6	00.2-01.0
College Graduate	1319	73,336	980	72.2	68.7-75.7	176	14.0	11.5-16.5	87	8.2	05.8-10.6	74	5.6	03.6-07.6	2	0.1	00.0-00.3
Less than \$15,000	331	27,438	229	63.3	54.9-71.7	31	13.0	06.5-19.5	25	10.4	05.3-15.5	42	13.0	07.5-18.5	4	0.4	00.0-00.8
\$15,000- 24,999	568	36,927	412	70.8	65.1-76.5	69	13.6	09.3-17.9	38	7.1	04.2-10.0	46	8.1	04.4-11.8	3	0.3	00.0-00.7
\$25,000- 34,999	419	24,671	306	70.6	64.1-77.1	37	7.7	04.4-11.0	28	8.2	04.3-12.1	41	11.9	07.0-16.8	7	1.7	00.1-03.3
\$35,000- 49,999	513	30,009	354	66.8	60.7-72.9	81	16.5	11.8-21.2	40	9.3	05.4-13.2	35	6.7	03.8-09.6	3	0.6	00.0-01.8
\$50,000- 74,999	612	41,694	464	75.8	70.7-80.9	79	12.5	08.8-16.2	35	4.9	02.7-07.1	34	6.7	03.2-10.2			
\$75,000+	1114	70,907	827	72.1	68.4-75.8	150	15.8	12.7-18.9	77	7.7	05.5-09.9	56	4.2	02.4-06.0	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013

SECTION 4: INADEQUATE SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 4: INADEQUATE SLEEP**

TABLE 1: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1-4 hrs per day		5-8 hrs per day		9-12 hrs per day		13-16 hrs per day		17-20 hrs per day					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	7717	552,330	209	2.8	02.2-03.4	6852	88.8	87.8-89.8	641	8.2	07.2-09.2	14	0.1	00.0-00.3	1	0.0	00.0-00.0
Male	3483	279,281	121	3.9	02.9-04.9	3085	88.4	86.8-90.0	270	7.5	06.3-08.7	6	0.1	00.0-00.3	1	0.0	00.0-00.0
Female	4234	273,049	88	1.8	01.2-02.4	3767	89.1	87.7-90.5	371	8.9	07.5-10.3	8	0.2	00.0-00.4			
18-24	491	83,295	13	1.7	00.3-03.1	415	86.7	82.6-90.8	62	11.5	07.6-15.4	1	0.0	00.0-00.0			
25-34	891	98,166	32	3.7	02.1-05.3	796	89.6	87.1-92.1	61	6.4	04.2-08.6	1	0.1	00.0-00.3	1	0.1	00.0-00.3
35-44	862	78,038	21	2.4	01.0-03.8	797	92.2	89.8-94.6	44	5.4	03.4-07.4						
45-54	1312	90,767	45	3.5	02.1-04.9	1187	90.8	88.8-92.8	79	5.6	04.0-07.2	1	0.0	00.0-00.0			
55-64	1699	90,643	46	3.2	02.0-04.4	1543	89.9	87.9-91.9	109	6.9	05.3-08.5	1	0.0	00.0-00.0			
65+	2389	106,686	49	2.3	01.5-03.1	2048	84.5	82.5-86.5	282	12.6	10.8-14.4	10	0.6	00.0-01.2			
Less Than H.S.	502	50,890	26	5.1	02.6-07.6	398	79.4	74.5-84.3	75	14.9	10.6-19.2	3	0.6	00.0-01.6			
H.S. or G.E.D.	2368	148,439	74	3.7	02.5-04.9	2075	86.6	84.4-88.8	212	9.5	07.5-11.5	7	0.2	00.0-00.4			
Some Post-H.S.	2513	214,964	67	2.5	01.7-03.3	2242	90.1	88.5-91.7	200	7.2	05.8-08.6	3	0.1	00.0-00.3	1	0.1	00.0-00.3
College Graduate	2310	136,420	41	1.6	00.8-02.4	2116	92.6	91.2-94.0	152	5.8	04.6-07.0	1	0.0	00.0-00.0			
Less than \$15,000	492	45,575	40	6.2	03.8-08.6	379	76.9	71.0-82.8	71	16.6	10.9-22.3	2	0.3	00.0-00.7			
\$15,000- 24,999	914	69,192	41	5.8	03.4-08.2	773	83.4	79.9-86.9	96	10.2	07.5-12.9	4	0.5	00.0-01.3			
\$25,000- 34,999	705	49,524	25	4.1	01.9-06.3	601	84.2	80.1-88.3	77	11.6	07.9-15.3	2	0.1	00.0-00.3			
\$35,000- 49,999	1041	71,978	13	2.1	00.3-03.9	936	89.6	86.9-92.3	90	8.2	05.8-10.6	2	0.1	00.0-00.3			
\$50,000- 74,999	1252	93,155	23	1.9	00.9-02.9	1144	92.3	90.3-94.3	83	5.7	04.1-07.3	2	0.2	00.0-00.4			
\$75,000+	2319	154,450	34	1.3	00.7-01.9	2149	93.4	92.0-94.8	135	5.3	04.1-06.5				1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 4: INADEQUATE SLEEP**

TABLE 2: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1-4 hrs per day		5-8 hrs per day		9-12 hrs per day		13-16 hrs per day		17-20 hrs per day					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	3483	279,281	121	3.9	02.9-04.9	3085	88.4	86.8-90.0	270	7.5	06.3-08.7	6	0.1	00.0-00.3	1	0.0	00.0-00.0
18-24	283	44,668	10	3.0	00.5-05.5	242	87.5	82.8-92.2	30	9.5	05.4-13.6	1	0.0	00.0-00.0			
25-34	443	51,952	22	5.2	02.5-07.9	392	88.3	84.2-92.4	28	6.3	03.2-09.4				1	0.2	00.0-00.6
35-44	408	40,283	18	4.1	01.7-06.5	375	92.3	89.0-95.6	15	3.6	01.1-06.1						
45-54	625	46,260	24	3.9	01.9-05.9	570	91.1	88.2-94.0	30	5.0	02.6-07.4	1	0.1	00.0-00.3			
55-64	786	46,980	25	4.1	01.9-06.3	712	89.8	86.9-92.7	49	6.1	03.9-08.3						
65+	912	47,391	21	3.0	01.4-04.6	772	82.8	79.5-86.1	115	13.5	10.8-16.2	4	0.7	00.0-01.7			
Less Than H.S.	268	29,851	18	7.2	03.1-11.3	211	77.4	70.5-84.3	37	14.5	08.4-20.6	2	0.9	00.0-02.5			
H.S. or G.E.D.	1129	82,034	42	4.8	02.8-06.8	990	87.4	84.7-90.1	94	7.6	05.4-09.8	3	0.1	00.0-00.3			
Some Post-H.S.	1085	103,754	38	3.5	02.1-04.9	976	90.6	88.2-93.0	69	5.8	04.0-07.6	1	0.0	00.0-00.0	1	0.1	00.0-00.3
College Graduate	989	62,597	23	1.8	00.6-03.0	897	91.4	89.0-93.8	69	6.8	04.8-08.8						
Less than \$15,000	161	17,471	15	8.7	03.8-13.6	127	78.2	69.6-86.8	18	12.7	05.1-20.3	1	0.4	00.0-01.2			
\$15,000- 24,999	351	32,398	26	8.5	04.2-12.8	281	80.8	75.1-86.5	43	10.1	06.2-14.0	1	0.7	00.0-02.1			
\$25,000- 34,999	288	24,770	18	5.8	02.3-09.3	239	80.7	73.8-87.6	30	13.5	07.2-19.8	1	0.0	00.0-00.0			
\$35,000- 49,999	525	42,024	8	3.3	00.4-06.2	466	87.2	82.9-91.5	49	9.3	06.0-12.6	2	0.2	00.0-00.4			
\$50,000- 74,999	639	51,937	17	2.6	01.0-04.2	583	92.8	90.4-95.2	39	4.6	02.6-06.6						
\$75,000+	1206	83,471	25	2.0	01.0-03.0	1117	93.2	91.4-95.0	63	4.6	03.2-06.0				1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 4: INADEQUATE SLEEP**

TABLE 3: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1-4 hrs per day		5-8 hrs per day		9-12 hrs per day		13-16 hrs per day				
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4234	273,049	88	1.8	01.2-02.4	3767	89.1	87.7-90.5	371	8.9	07.5-10.3	8	0.2	00.0-00.4
18-24	208	38,627	3	0.3	00.0-00.7	173	85.9	79.2-92.6	32	13.8	07.1-20.5			
25-34	448	46,214	10	2.1	00.5-03.7	404	91.2	87.9-94.5	33	6.5	03.6-09.4	1	0.3	00.0-00.9
35-44	454	37,755	3	0.6	00.0-01.2	422	92.1	88.8-95.4	29	7.3	04.0-10.6			
45-54	687	44,507	21	3.1	01.1-05.1	617	90.5	87.8-93.2	49	6.3	04.1-08.5			
55-64	913	43,663	21	2.2	01.0-03.4	831	90.0	87.5-92.5	60	7.8	05.4-10.2	1	0.0	00.0-00.0
65+	1477	59,295	28	1.8	01.0-02.6	1276	85.8	83.4-88.2	167	11.9	09.7-14.1	6	0.5	00.1-00.9
Less Than H.S.	234	21,039	8	2.0	00.4-03.6	187	82.1	75.6-88.6	38	15.5	09.2-21.8	1	0.3	00.0-00.9
H.S. or G.E.D.	1239	66,405	32	2.2	01.2-03.2	1085	85.7	82.0-89.4	118	11.8	08.3-15.3	4	0.3	00.0-00.7
Some Post-H.S.	1428	111,210	29	1.7	00.9-02.5	1266	89.6	87.4-91.8	131	8.6	06.6-10.6	2	0.1	00.0-00.3
College Graduate	1321	73,823	18	1.4	00.6-02.2	1219	93.6	92.0-95.2	83	4.9	03.5-06.3	1	0.0	00.0-00.0
Less than \$15,000	331	28,104	25	4.7	02.3-07.1	252	76.1	68.1-84.1	53	19.0	11.2-26.8	1	0.2	00.0-00.6
\$15,000- 24,999	563	36,794	15	3.5	01.1-05.9	492	85.8	81.5-90.1	53	10.4	06.5-14.3	3	0.4	00.0-01.0
\$25,000- 34,999	417	24,755	7	2.4	00.2-04.6	362	87.6	83.3-91.9	47	9.8	06.1-13.5	1	0.2	00.0-00.6
\$35,000- 49,999	516	29,954	5	0.3	00.1-00.5	470	92.9	90.0-95.8	41	6.8	03.9-09.7			
\$50,000- 74,999	613	41,218	6	1.0	00.0-02.0	561	91.6	88.7-94.5	44	7.0	04.3-09.7	2	0.4	00.0-01.0
\$75,000+	1113	70,979	9	0.4	00.0-00.8	1032	93.6	91.6-95.6	72	6.0	04.0-08.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	37
5	MALES ONLY	38
6	FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7788	557,401	2889	29.7	28.3-31.1	59	1.1	00.7-01.5	4773	68.5	67.1-69.9	67	0.7	00.5-00.9
Male	3512	281,535	1358	31.9	29.9-33.9	1	0.0	00.0-00.0	2115	67.2	65.2-69.2	38	0.9	00.5-01.3
Female	4276	275,866	1531	27.6	25.8-29.4	58	2.3	01.5-03.1	2658	69.8	67.8-71.8	29	0.4	00.2-00.6
18-24	494	84,419	21	4.1	01.9-06.3	5	2.2	00.0-04.4	468	93.7	90.6-96.8			
25-34	897	98,657	117	13.0	10.1-15.9	23	2.4	01.2-03.6	752	84.2	81.1-87.3	5	0.4	00.0-00.8
35-44	870	78,655	151	18.3	15.0-21.6	15	1.6	00.4-02.8	698	79.4	75.9-82.9	6	0.7	00.0-01.5
45-54	1319	91,421	397	30.6	27.3-33.9	4	0.2	00.0-00.4	905	68.0	64.7-71.3	13	1.2	00.4-02.0
55-64	1705	90,813	721	43.4	40.3-46.5	4	0.2	00.0-00.4	964	55.6	52.5-58.7	16	0.8	00.4-01.2
65+	2432	108,959	1457	60.5	58.0-63.0	8	0.4	00.0-00.8	941	38.2	35.7-40.7	26	0.9	00.5-01.3
Less Than H.S.	520	52,847	276	41.8	35.9-47.7	5	2.6	00.0-05.3	237	55.3	49.2-61.4	2	0.3	00.0-00.7
H.S. or G.E.D.	2405	151,050	973	31.8	29.4-34.2	15	0.8	00.2-01.4	1401	67.0	64.5-69.5	16	0.5	00.1-00.9
Some Post-H.S.	2524	215,443	957	29.7	27.3-32.1	14	0.8	00.2-01.4	1528	68.6	66.2-71.0	25	0.9	00.5-01.3
College Graduate	2314	136,393	674	22.6	20.4-24.8	25	1.4	00.6-02.2	1593	75.2	73.0-77.4	22	0.8	00.2-01.4
Less than \$15,000	501	45,879	239	33.5	27.8-39.2	2	0.4	00.0-01.2	257	65.5	59.8-71.2	3	0.7	00.0-01.5
\$15,000- 24,999	928	70,092	455	40.7	36.2-45.2	4	0.3	00.0-00.7	463	58.7	54.2-63.2	6	0.3	00.0-00.7
\$25,000- 34,999	709	49,390	290	31.6	26.9-36.3	5	0.5	00.0-01.1	405	67.2	62.5-71.9	9	0.6	00.0-01.2
\$35,000- 49,999	1044	72,154	415	32.8	28.9-36.7	6	0.7	00.0-01.5	615	65.8	61.9-69.7	8	0.7	00.1-01.3
\$50,000- 74,999	1258	94,203	414	24.6	21.7-27.5	15	2.9	00.9-04.9	814	71.7	68.4-75.0	15	0.9	00.3-01.5
\$75,000+	2327	155,029	656	23.2	21.0-25.4	22	1.3	00.5-02.1	1630	74.8	72.6-77.0	19	0.8	00.4-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3512	281,535	1358	31.9	29.9-33.9	1	0.0	00.0-00.0	2115	67.2	65.2-69.2	38	0.9	00.5-01.3
18-24	285	45,130	17	5.9	02.4-09.4				268	94.1	90.6-97.6			
25-34	448	52,359	82	16.8	12.5-21.1				361	82.5	78.2-86.8	5	0.7	00.1-01.3
35-44	412	40,818	100	24.6	19.3-29.9				309	74.6	69.1-80.1	3	0.9	00.0-02.3
45-54	628	46,376	223	34.9	30.0-39.8	1	0.0	00.0-00.0	394	63.0	58.1-67.9	10	2.0	00.4-03.6
55-64	788	46,971	376	47.5	42.8-52.2				401	51.4	46.7-56.1	11	1.1	00.3-01.9
65+	926	48,383	553	60.5	56.4-64.6				364	38.4	34.3-42.5	9	1.1	00.1-02.1
Less Than H.S.	272	30,070	130	40.9	33.1-48.7				141	58.8	51.0-66.6	1	0.3	00.0-00.9
H.S. or G.E.D.	1152	83,939	441	32.2	28.7-35.7	1	0.0	00.0-00.0	701	67.2	63.7-70.7	9	0.6	00.0-01.2
Some Post-H.S.	1087	103,906	418	30.4	26.9-33.9				655	68.4	64.9-71.9	14	1.1	00.3-01.9
College Graduate	989	62,575	366	29.5	26.0-33.0				609	69.1	65.6-72.6	14	1.4	00.4-02.4
Less than \$15,000	163	17,568	67	32.0	23.0-41.0				95	67.4	58.4-76.4	1	0.6	00.0-01.8
\$15,000- 24,999	356	32,948	171	42.4	35.1-49.7				185	57.6	50.3-64.9			
\$25,000- 34,999	289	24,763	121	31.8	24.5-39.1				164	67.4	60.1-74.7	4	0.8	00.0-01.6
\$35,000- 49,999	527	42,091	232	36.0	30.7-41.3				291	63.3	57.8-68.8	4	0.7	00.0-01.5
\$50,000- 74,999	645	52,347	239	27.6	23.3-31.9				396	71.2	66.9-75.5	10	1.2	00.2-02.2
\$75,000+	1211	83,953	404	28.1	25.0-31.2	1	0.0	00.0-00.0	789	70.5	67.2-73.8	17	1.4	00.6-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4276	275,866	1531	27.6	25.8-29.4	58	2.3	01.5-03.1	2658	69.8	68.0-71.6	29	0.4	00.2-00.6
18-24	209	39,289	4	2.0	00.0-04.5	5	4.8	00.1-09.5	200	93.2	87.9-98.5			
25-34	449	46,298	35	8.8	05.1-12.5	23	5.1	02.6-07.6	391	86.2	81.9-90.5			
35-44	458	37,837	51	11.6	08.1-15.1	15	3.3	00.9-05.7	389	84.6	80.5-88.7	3	0.5	00.0-01.1
45-54	691	45,045	174	26.1	21.8-30.4	3	0.4	00.0-00.8	511	73.1	68.8-77.4	3	0.5	00.0-01.1
55-64	917	43,842	345	39.0	34.9-43.1	4	0.4	00.0-00.8	563	60.1	56.0-64.2	5	0.5	00.0-01.1
65+	1506	60,576	904	60.5	57.4-63.6	8	0.7	00.0-01.5	577	38.0	34.9-41.1	17	0.8	00.4-01.2
Less Than H.S.	248	22,778	146	42.9	34.1-51.7	5	6.1	00.0-12.4	96	50.8	41.4-60.2	1	0.2	00.0-00.6
H.S. or G.E.D.	1253	67,111	532	31.3	28.0-34.6	14	1.7	00.1-03.3	700	66.8	63.3-70.3	7	0.2	00.0-00.4
Some Post-H.S.	1437	111,537	539	29.1	26.2-32.0	14	1.6	00.4-02.8	873	68.7	65.6-71.8	11	0.6	00.2-01.0
College Graduate	1325	73,818	308	16.8	14.4-19.2	25	2.6	01.2-04.0	984	80.3	77.6-83.0	8	0.3	00.1-00.5
Less than \$15,000	338	28,311	172	34.4	27.1-41.7	2	0.6	00.0-01.8	162	64.3	56.9-71.7	2	0.7	00.0-01.7
\$15,000- 24,999	572	37,144	284	39.2	33.7-44.7	4	0.5	00.0-01.1	278	59.7	54.0-65.4	6	0.6	00.0-01.2
\$25,000- 34,999	420	24,627	169	31.5	25.6-37.4	5	0.9	00.0-02.3	241	67.1	61.2-73.0	5	0.5	00.0-01.1
\$35,000- 49,999	517	30,063	183	28.5	23.2-33.8	6	1.7	00.1-03.3	324	69.3	63.8-74.8	4	0.6	00.0-01.2
\$50,000- 74,999	613	41,856	175	20.7	16.8-24.6	15	6.5	02.2-10.8	418	72.4	67.3-77.5	5	0.4	00.0-01.0
\$75,000+	1116	71,076	252	17.3	14.8-19.8	21	2.8	01.2-04.4	841	79.8	76.9-82.7	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2885	165,519	2425	79.3	76.9-81.7	460	20.7	18.3-23.1
Male	1356	89,576	1068	74.0	70.5-77.5	288	26.0	22.5-29.5
Female	1529	75,943	1357	85.5	82.8-88.2	172	14.5	11.8-17.2
25-34	117	12,870	33	35.7	23.5-47.9	84	64.3	52.1-76.5
35-44	151	14,413	90	57.2	47.2-67.2	61	42.8	32.8-52.8
45-54	396	27,919	296	74.1	68.2-80.0	100	25.9	20.0-31.8
55-64	720	39,370	610	84.6	80.9-88.3	110	15.4	11.7-19.1
65+	1455	65,803	1373	95.4	94.2-96.6	82	4.6	03.4-05.8
Less Than H.S.	276	22,076	241	83.3	76.2-90.4	35	16.7	09.6-23.8
H.S. or G.E.D.	973	48,005	831	81.0	77.3-84.7	142	19.0	15.3-22.7
Some Post-H.S.	954	63,888	804	79.0	75.1-82.9	150	21.0	17.1-24.9
College Graduate	673	30,834	543	75.2	70.5-79.9	130	24.8	20.1-29.5
Less than \$15,000	239	15,355	209	80.0	72.0-88.0	30	20.0	12.0-28.0
\$15,000- 24,999	455	28,536	402	81.4	75.1-87.7	53	18.6	12.3-24.9
\$25,000- 34,999	290	15,628	240	78.5	71.6-85.4	50	21.5	14.6-28.4
\$35,000- 49,999	413	23,566	349	81.2	75.3-87.1	64	18.8	12.9-24.7
\$50,000- 74,999	414	23,139	343	80.4	75.3-85.5	71	19.6	14.5-24.7
\$75,000+	654	35,828	523	76.7	72.0-81.4	131	23.3	18.6-28.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1356	89,576	1068	74.0	70.7-77.3	288	26.0	22.7-29.3
25-34	82	8,818	18	25.1	12.0-38.2	64	74.9	61.8-88.0
35-44	100	10,026	58	54.1	41.6-66.6	42	45.9	33.4-58.4
45-54	222	16,150	161	71.9	63.9-79.9	61	28.1	20.1-36.1
55-64	376	22,307	312	84.5	79.2-89.8	64	15.5	10.2-20.8
65+	552	29,217	511	94.3	92.1-96.5	41	5.7	03.5-07.9
Less Than H.S.	130	12,301	106	75.8	64.6-87.0	24	24.2	13.0-35.4
H.S. or G.E.D.	441	27,011	348	75.6	69.9-81.3	93	24.4	18.7-30.1
Some Post-H.S.	417	31,533	326	73.8	67.5-80.1	91	26.2	19.9-32.5
College Graduate	365	18,409	286	71.3	64.6-78.0	79	28.7	22.0-35.4
Less than \$15,000	67	5,623	49	65.1	48.8-81.4	18	34.9	18.6-51.2
\$15,000- 24,999	171	13,971	140	73.8	63.2-84.4	31	26.2	15.6-36.8
\$25,000- 34,999	121	7,873	97	74.4	63.0-85.8	24	25.6	14.2-37.0
\$35,000- 49,999	231	15,069	186	78.4	70.8-86.0	45	21.6	14.0-29.2
\$50,000- 74,999	239	14,467	193	77.8	70.7-84.9	46	22.2	15.1-29.3
\$75,000+	403	23,557	313	74.3	68.2-80.4	90	25.7	19.6-31.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1529	75,943	1357	85.5	82.8-88.2	172	14.5	11.8-17.2
35-44	51	4,387	32	64.3	48.8-79.8	19	35.7	20.2-51.2
45-54	174	11,769	135	77.2	68.8-85.6	39	22.8	14.4-31.2
55-64	344	17,064	298	84.7	79.4-90.0	46	15.3	10.0-20.6
65+	903	36,587	862	96.3	94.9-97.7	41	3.7	02.3-05.1
Less Than H.S.	146	9,775	135	92.7	87.2-98.2	11	7.3	01.8-12.8
H.S. or G.E.D.	532	20,994	483	88.1	84.0-92.2	49	11.9	07.8-16.0
Some Post-H.S.	537	32,355	478	84.1	79.2-89.0	59	15.9	11.0-20.8
College Graduate	308	12,425	257	81.0	74.9-87.1	51	19.0	12.9-25.1
Less than \$15,000	172	9,732	160	88.7	81.8-95.6	12	11.3	04.4-18.2
\$15,000- 24,999	284	14,564	262	88.7	82.6-94.8	22	11.3	05.2-17.4
\$25,000- 34,999	169	7,755	143	82.7	74.9-90.5	26	17.3	09.5-25.1
\$35,000- 49,999	182	8,497	163	86.1	77.7-94.5	19	13.9	05.5-22.3
\$50,000- 74,999	175	8,672	150	84.9	78.2-91.6	25	15.1	08.4-21.8
\$75,000+	251	12,271	210	81.2	74.5-87.9	41	18.8	12.1-25.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1 MALES AND FEMALES	41
2 MALES ONLY	42
3 FEMALES ONLY	43
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4 MALES AND FEMALES	44
5 MALES ONLY	45
6 FEMALES ONLY	46
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7 MALES AND FEMALES	47
8 MALES ONLY	48
9 FEMALES ONLY	49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7632	540,283	6501	78.1	76.5-79.7	1131	21.9	20.3-23.5
Male	3435	272,788	2807	74.7	72.5-76.9	628	25.3	23.1-27.5
Female	4197	267,494	3694	81.5	79.5-83.5	503	18.5	16.5-20.5
18-24	453	77,309	157	36.9	31.2-42.6	296	63.1	57.4-68.8
25-34	845	92,995	492	61.3	57.2-65.4	353	38.7	34.6-42.8
35-44	855	77,307	699	81.5	78.2-84.8	156	18.5	15.2-21.8
45-54	1309	90,637	1175	89.4	87.2-91.6	134	10.6	08.4-12.8
55-64	1691	89,811	1599	93.8	92.2-95.4	92	6.2	04.6-07.8
65+	2407	107,687	2316	96.4	95.4-97.4	91	3.6	02.6-04.6
Less Than H.S.	501	49,845	413	74.4	68.1-80.7	88	25.6	19.3-31.9
H.S. or G.E.D.	2356	145,982	1957	73.6	70.9-76.3	399	26.4	23.7-29.1
Some Post-H.S.	2476	210,037	2105	77.7	75.2-80.2	371	22.3	19.8-24.8
College Graduate	2275	133,004	2008	84.8	82.6-87.0	267	15.2	13.0-17.4
Less than \$15,000	485	42,270	391	65.6	58.7-72.5	94	34.4	27.5-41.3
\$15,000- 24,999	910	68,926	759	77.0	72.5-81.5	151	23.0	18.5-27.5
\$25,000- 34,999	697	48,370	578	74.1	69.0-79.2	119	25.9	20.8-31.0
\$35,000- 49,999	1026	70,281	890	81.0	77.3-84.7	136	19.0	15.3-22.7
\$50,000- 74,999	1224	90,893	1041	77.2	73.5-80.9	183	22.8	19.1-26.5
\$75,000+	2296	151,973	1992	83.4	81.0-85.8	304	16.6	14.2-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3435	272,788	2807	74.7	72.5-76.9	628	25.3	23.1-27.5
18-24	267	42,575	92	35.4	28.1-42.7	175	64.6	57.3-71.9
25-34	419	48,514	239	58.0	52.1-63.9	180	42.0	36.1-47.9
35-44	405	40,119	313	78.4	73.3-83.5	92	21.6	16.5-26.7
45-54	622	45,611	536	85.6	82.1-89.1	86	14.4	10.9-17.9
55-64	784	46,849	736	92.2	89.5-94.9	48	7.8	05.1-10.5
65+	914	47,639	873	95.9	94.3-97.5	41	4.1	02.5-05.7
Less Than H.S.	261	28,289	205	73.7	65.7-81.7	56	26.3	18.3-34.3
H.S. or G.E.D.	1126	82,022	881	69.0	65.1-72.9	245	31.0	27.1-34.9
Some Post-H.S.	1058	100,116	848	73.3	69.4-77.2	210	26.7	22.8-30.6
College Graduate	979	61,569	866	85.3	82.0-88.6	113	14.7	11.4-18.0
Less than \$15,000	155	16,297	110	57.1	46.3-67.9	45	42.9	32.1-53.7
\$15,000- 24,999	352	32,757	282	72.2	64.8-79.6	70	27.8	20.4-35.2
\$25,000- 34,999	284	24,259	223	70.3	62.3-78.3	61	29.7	21.7-37.7
\$35,000- 49,999	514	40,562	438	79.2	73.9-84.5	76	20.8	15.5-26.1
\$50,000- 74,999	627	50,574	512	74.0	68.9-79.1	115	26.0	20.9-31.1
\$75,000+	1194	81,982	1005	80.3	77.0-83.6	189	19.7	16.4-23.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4197	267,494	3694	81.5	79.5-83.5	503	18.5	16.5-20.5
18-24	186	34,734	65	38.8	29.8-47.8	121	61.2	52.2-70.2
25-34	426	44,481	253	64.8	58.9-70.7	173	35.2	29.3-41.1
35-44	450	37,188	386	84.9	80.8-89.0	64	15.1	11.0-19.2
45-54	687	45,026	639	93.2	90.5-95.9	48	6.8	04.1-09.5
55-64	907	42,963	863	95.5	93.9-97.1	44	4.5	02.9-06.1
65+	1493	60,047	1443	96.8	95.6-98.0	50	3.2	02.0-04.4
Less Than H.S.	240	21,556	208	75.3	65.1-85.5	32	24.7	14.5-34.9
H.S. or G.E.D.	1230	63,960	1076	79.6	75.7-83.5	154	20.4	16.5-24.3
Some Post-H.S.	1418	109,921	1257	81.8	78.5-85.1	161	18.2	14.9-21.5
College Graduate	1296	71,436	1142	84.4	81.5-87.3	154	15.6	12.7-18.5
Less than \$15,000	330	25,973	281	71.0	62.0-80.0	49	29.0	20.0-38.0
\$15,000- 24,999	558	36,169	477	81.4	75.9-86.9	81	18.6	13.1-24.1
\$25,000- 34,999	413	24,112	355	78.0	71.5-84.5	58	22.0	15.5-28.5
\$35,000- 49,999	512	29,720	452	83.4	78.3-88.5	60	16.6	11.5-21.7
\$50,000- 74,999	597	40,319	529	81.2	75.5-86.9	68	18.8	13.1-24.5
\$75,000+	1102	69,991	987	87.0	83.9-90.1	115	13.0	09.9-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6430	416,569	4655	68.6	67.0-70.2	839	14.7	13.3-16.1	610	11.1	09.9-12.3	326	5.6	04.8-06.4
Male	2776	200,986	1961	66.7	64.2-69.2	365	15.0	13.0-17.0	267	10.9	09.1-12.7	183	7.3	05.9-08.7
Female	3654	215,583	2694	70.4	68.2-72.6	474	14.3	12.5-16.1	343	11.3	09.7-12.9	143	4.0	03.0-05.0
18-24	151	26,923	86	57.4	47.6-67.2	38	23.2	14.8-31.6	21	13.7	06.8-20.6	6	5.8	00.7-10.9
25-34	485	56,474	243	52.4	46.7-58.1	104	20.8	16.3-25.3	93	18.5	14.4-22.6	45	8.3	05.4-11.2
35-44	691	62,226	367	53.7	49.0-58.4	125	17.6	14.1-21.1	146	20.5	16.6-24.4	53	8.2	05.5-10.9
45-54	1165	80,290	756	66.3	62.8-69.8	177	15.0	12.3-17.7	140	11.9	09.5-14.3	92	6.8	04.8-08.8
55-64	1592	83,980	1195	74.7	71.8-77.6	193	12.7	10.2-15.2	125	8.0	06.2-09.8	79	4.7	03.3-06.1
65+	2283	102,455	1960	86.3	84.5-88.1	196	8.6	07.0-10.2	78	2.8	02.0-03.6	49	2.3	01.5-03.1
Less Than H.S.	400	35,302	315	71.8	65.1-78.5	39	13.8	08.3-19.3	24	8.2	04.3-12.1	22	6.1	02.6-09.6
H.S. or G.E.D.	1934	106,322	1423	71.2	68.3-74.1	249	14.3	11.9-16.7	163	8.6	06.8-10.4	99	5.9	04.3-07.5
Some Post-H.S.	2091	161,817	1534	69.1	66.2-72.0	266	14.6	12.2-17.0	189	11.0	09.0-13.0	102	5.3	03.9-06.7
College Graduate	1989	112,128	1371	64.5	61.6-67.4	284	15.6	13.4-17.8	231	14.4	12.2-16.6	103	5.5	04.1-06.9
Less than \$15,000	381	27,208	286	73.9	67.6-80.2	46	13.2	08.5-17.9	28	8.2	03.9-12.5	21	4.7	02.2-07.2
\$15,000- 24,999	754	52,890	590	74.0	69.3-78.7	76	14.9	10.8-19.0	55	8.0	05.1-10.9	33	3.1	01.7-04.5
\$25,000- 34,999	571	35,383	434	67.6	61.5-73.7	60	14.2	09.1-19.3	47	9.1	05.8-12.4	30	9.2	05.1-13.3
\$35,000- 49,999	881	56,694	613	63.8	59.1-68.5	133	17.7	13.8-21.6	92	12.3	09.2-15.4	43	6.3	03.8-08.8
\$50,000- 74,999	1033	68,830	743	69.2	65.3-73.1	139	13.6	10.7-16.5	93	11.1	08.2-14.0	58	6.1	03.9-08.3
\$75,000+	1983	126,034	1334	65.1	62.2-68.0	298	15.7	13.5-17.9	246	14.4	12.2-16.6	105	4.8	03.6-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)
Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2776	200,986	1961	66.7	64.2-69.2	365	15.0	13.0-17.0	267	10.9	09.1-12.7	183	7.3	05.9-08.7
18-24	87	13,932	45	50.1	37.2-63.0	23	28.1	15.9-40.3	15	14.3	05.3-23.3	4	7.5	00.1-14.9
25-34	235	27,919	114	46.1	38.3-53.9	58	25.9	18.6-33.2	37	17.0	11.1-22.9	26	10.9	06.0-15.8
35-44	308	30,846	160	51.2	43.9-58.5	44	13.9	09.0-18.8	77	23.2	17.1-29.3	27	11.7	06.6-16.8
45-54	533	38,887	337	67.1	61.8-72.4	87	14.3	10.4-18.2	54	9.7	06.4-13.0	55	8.9	06.0-11.8
55-64	733	43,028	550	73.9	69.2-78.6	87	13.8	09.7-17.9	52	7.0	04.6-09.4	44	5.2	03.2-07.2
65+	862	45,077	739	87.2	84.5-89.9	66	7.3	05.1-09.5	30	2.7	01.3-04.1	27	2.7	01.5-03.9
Less Than H.S.	196	19,282	146	69.8	60.6-79.0	24	15.2	07.6-22.8	10	6.8	01.7-11.9	16	8.2	02.9-13.5
H.S. or G.E.D.	871	56,016	600	67.9	63.6-72.2	126	15.5	12.2-18.8	85	9.1	06.6-11.6	60	7.5	05.1-09.9
Some Post-H.S.	843	72,942	596	65.3	60.6-70.0	116	15.9	12.0-19.8	80	11.8	08.5-15.1	51	6.9	04.4-09.4
College Graduate	860	52,288	616	66.5	62.4-70.6	99	13.4	10.5-16.3	89	12.8	09.7-15.9	56	7.3	04.9-09.7
Less than \$15,000	107	9,166	77	73.9	62.9-84.9	12	9.6	02.5-16.7	7	6.7	00.0-13.8	11	9.8	03.1-16.5
\$15,000- 24,999	281	23,626	216	74.2	66.6-81.8	30	15.9	09.0-22.8	19	6.5	02.2-10.8	16	3.4	01.2-05.6
\$25,000- 34,999	222	16,930	163	60.5	50.7-70.3	31	18.9	09.9-27.9	15	8.8	03.5-14.1	13	11.7	04.6-18.8
\$35,000- 49,999	432	31,979	305	63.6	57.1-70.1	57	16.5	11.2-21.8	40	10.9	06.8-15.0	30	9.0	04.9-13.1
\$50,000- 74,999	507	36,595	353	67.3	61.6-73.0	69	13.7	09.4-18.0	53	11.1	07.4-14.8	32	7.9	04.2-11.6
\$75,000+	1000	65,443	681	65.4	61.3-69.5	143	15.5	12.4-18.6	114	13.3	10.2-16.4	62	5.7	03.9-07.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3654	215,583	2694	70.4	68.2-72.6	474	14.3	12.5-16.1	343	11.3	09.7-12.9	143	4.0	03.0-05.0
18-24	64	12,991	41	65.2	50.5-79.9	15	18.0	06.4-29.6	6	12.9	02.7-23.1	2	3.9	00.0-11.0
25-34	250	28,556	129	58.5	50.9-66.1	46	15.9	10.6-21.2	56	19.9	14.0-25.8	19	5.7	02.6-08.8
35-44	383	31,380	207	56.1	49.8-62.4	81	21.2	16.1-26.3	69	17.9	13.0-22.8	26	4.8	02.4-07.2
45-54	632	41,403	419	65.5	60.4-70.6	90	15.7	11.6-19.8	86	13.9	10.4-17.4	37	4.8	02.4-07.2
55-64	859	40,952	645	75.4	71.7-79.1	106	11.6	09.1-14.1	73	8.9	06.5-11.3	35	4.1	02.3-05.9
65+	1421	57,377	1221	85.6	83.1-88.1	130	9.6	07.4-11.8	48	2.9	01.9-03.9	22	1.9	00.9-02.9
Less Than H.S.	204	16,020	169	74.2	64.8-83.6	15	12.2	04.6-19.8	14	9.9	04.0-15.8	6	3.7	00.0-08.4
H.S. or G.E.D.	1063	50,305	823	75.0	71.3-78.7	123	12.8	09.9-15.7	78	8.2	05.8-10.6	39	4.1	02.5-05.7
Some Post-H.S.	1248	88,875	938	72.2	68.7-75.7	150	13.5	10.8-16.2	109	10.3	07.8-12.8	51	4.0	02.4-05.6
College Graduate	1129	59,840	755	62.8	58.9-66.7	185	17.4	14.3-20.5	142	15.8	12.9-18.7	47	4.0	02.4-05.6
Less than \$15,000	274	18,042	209	73.9	66.3-81.5	34	15.1	09.0-21.2	21	9.0	03.7-14.3	10	2.0	00.4-03.6
\$15,000- 24,999	473	29,264	374	73.8	67.7-79.9	46	14.1	09.0-19.2	36	9.2	05.3-13.1	17	2.9	00.9-04.9
\$25,000- 34,999	349	18,453	271	74.1	67.4-80.8	29	9.8	05.1-14.5	32	9.3	05.0-13.6	17	6.8	02.7-10.9
\$35,000- 49,999	449	24,715	308	63.9	57.0-70.8	76	19.3	13.4-25.2	52	14.1	09.2-19.0	13	2.7	00.9-04.5
\$50,000- 74,999	526	32,234	390	71.3	65.8-76.8	70	13.4	09.5-17.3	40	11.2	06.7-15.7	26	4.1	02.1-06.1
\$75,000+	983	60,592	653	64.8	60.7-68.9	155	15.8	12.9-18.7	132	15.6	12.5-18.7	43	3.8	02.2-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6433	417,887	2664	36.4	34.8-38.0	3769	63.6	62.0-65.2
Male	2773	201,725	1102	36.2	33.8-38.6	1671	63.8	61.4-66.2
Female	3660	216,162	1562	36.7	34.5-38.9	2098	63.3	61.1-65.5
18-24	156	28,346	11	6.0	01.3-10.7	145	94.0	89.3-98.7
25-34	488	56,602	61	13.6	09.7-17.5	427	86.4	82.5-90.3
35-44	698	62,922	173	25.9	21.8-30.0	525	74.1	70.0-78.2
45-54	1167	80,327	405	36.2	32.5-39.9	762	63.8	60.1-67.5
55-64	1583	83,190	739	47.4	44.1-50.7	844	52.6	49.3-55.9
65+	2282	102,519	1247	55.0	52.3-57.7	1035	45.0	42.3-47.7
Less Than H.S.	403	36,594	196	45.3	38.6-52.0	207	54.7	48.0-61.4
H.S. or G.E.D.	1936	106,315	886	41.5	38.6-44.4	1050	58.5	55.6-61.4
Some Post-H.S.	2087	162,150	858	35.6	32.9-38.3	1229	64.4	61.7-67.1
College Graduate	1989	111,734	721	30.1	27.6-32.6	1268	69.9	67.4-72.4
Less than \$15,000	386	27,575	199	48.3	41.0-55.6	187	51.7	44.4-59.0
\$15,000- 24,999	750	52,575	350	40.3	35.4-45.2	400	59.7	54.8-64.6
\$25,000- 34,999	575	35,757	264	36.7	31.2-42.2	311	63.3	57.8-68.8
\$35,000- 49,999	880	56,242	369	36.3	32.0-40.6	511	63.7	59.4-68.0
\$50,000- 74,999	1038	69,855	419	34.8	31.1-38.5	619	65.2	61.5-68.9
\$75,000+	1979	125,792	698	31.8	29.1-34.5	1281	68.2	65.5-70.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2773	201,725	1102	36.2	33.8-38.6	1671	63.8	61.4-66.2
18-24	91	14,864	5	3.7	00.0-07.8	86	96.3	92.2-0100
25-34	236	27,806	30	14.9	09.0-20.8	206	85.1	79.2-91.0
35-44	313	31,460	85	27.4	21.1-33.7	228	72.6	66.3-78.9
45-54	530	38,577	197	38.7	33.2-44.2	333	61.3	55.8-66.8
55-64	726	42,562	327	46.6	41.7-51.5	399	53.4	48.5-58.3
65+	859	45,159	449	53.5	49.2-57.8	410	46.5	42.2-50.8
Less Than H.S.	201	20,655	86	43.0	33.8-52.2	115	57.0	47.8-66.2
H.S. or G.E.D.	872	55,869	367	38.9	34.6-43.2	505	61.1	56.8-65.4
Some Post-H.S.	840	73,073	311	33.8	29.5-38.1	529	66.2	61.9-70.5
College Graduate	853	51,627	337	34.2	30.3-38.1	516	65.8	61.9-69.7
Less than \$15,000	109	9,298	47	42.6	30.6-54.6	62	57.4	45.4-69.4
\$15,000- 24,999	276	23,206	110	38.1	30.1-46.1	166	61.9	53.9-69.9
\$25,000- 34,999	223	17,059	93	33.5	24.9-42.1	130	66.5	57.9-75.1
\$35,000- 49,999	432	31,734	184	39.7	33.6-45.8	248	60.3	54.2-66.4
\$50,000- 74,999	510	37,141	204	34.4	28.9-39.9	306	65.6	60.1-71.1
\$75,000+	995	65,155	388	36.8	32.9-40.7	607	63.2	59.3-67.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3660	216,162	1562	36.7	34.5-38.9	2098	63.3	61.1-65.5
18-24	65	13,482	6	8.5	00.0-17.1	59	91.5	82.9-0100
25-34	252	28,796	31	12.3	06.8-17.8	221	87.7	82.2-93.2
35-44	385	31,463	88	24.4	18.9-29.9	297	75.6	70.1-81.1
45-54	637	41,750	208	33.9	29.2-38.6	429	66.1	61.4-70.8
55-64	857	40,628	412	48.2	43.9-52.5	445	51.8	47.5-56.1
65+	1423	57,359	798	56.1	52.8-59.4	625	43.9	40.6-47.2
Less Than H.S.	202	15,939	110	48.2	38.6-57.8	92	51.8	42.2-61.4
H.S. or G.E.D.	1064	50,446	519	44.4	40.3-48.5	545	55.6	51.5-59.7
Some Post-H.S.	1247	89,077	547	37.1	33.6-40.6	700	62.9	59.4-66.4
College Graduate	1136	60,107	384	26.6	23.5-29.7	752	73.4	70.3-76.5
Less than \$15,000	277	18,277	152	51.2	42.4-60.0	125	48.8	40.0-57.6
\$15,000- 24,999	474	29,370	240	42.0	35.9-48.1	234	58.0	51.9-64.1
\$25,000- 34,999	352	18,698	171	39.7	32.8-46.6	181	60.3	53.4-67.2
\$35,000- 49,999	448	24,509	185	32.0	26.3-37.7	263	68.0	62.3-73.7
\$50,000- 74,999	528	32,714	215	35.3	30.0-40.6	313	64.7	59.4-70.0
\$75,000+	984	60,637	310	26.3	22.8-29.8	674	73.7	70.2-77.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	52
2 MALES ONLY	53
3 FEMALES ONLY	54
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	55
5 MALES ONLY	56
6 FEMALES ONLY	57
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	58
8 MALES ONLY	59
9 FEMALES ONLY	60
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	61
11 MALES ONLY	62
12 FEMALES ONLY	63
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	64
14 MALES ONLY	65
15 FEMALES ONLY	66
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	67
17 MALES ONLY	68
18 FEMALES ONLY	69
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	70
20 MALES ONLY	71
21 FEMALES ONLY	72

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22 MALES AND FEMALES	73
23 MALES ONLY	74
24 FEMALES ONLY	75
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	76
26 MALES ONLY	77
27 FEMALES ONLY	78
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	79
29 MALES ONLY	80
30 FEMALES ONLY	81
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	82
32 MALES ONLY	83
33 FEMALES ONLY	84
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	85
35 MALES ONLY	86
36 FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7760	555,922	440	4.1	03.5-04.7	7320	95.9	95.3-96.5
Male	3494	280,593	276	5.8	05.0-06.6	3218	94.2	93.4-95.0
Female	4266	275,330	164	2.4	02.0-02.8	4102	97.6	97.2-98.0
18-24	494	84,377				494	100.0	0100-0100
25-34	894	98,387	2	0.2	00.0-00.4	892	99.8	99.6-0100
35-44	871	78,725	6	0.8	00.2-01.4	865	99.2	98.6-99.8
45-54	1316	91,468	26	1.7	00.9-02.5	1290	98.3	97.5-99.1
55-64	1701	90,449	93	6.3	04.7-07.9	1608	93.7	92.1-95.3
65+	2410	107,715	308	13.7	11.7-15.7	2102	86.3	84.3-88.3
Less Than H.S.	511	51,911	62	8.7	06.0-11.4	449	91.3	88.6-94.0
H.S. or G.E.D.	2397	150,706	166	4.9	03.9-05.9	2231	95.1	94.1-96.1
Some Post-H.S.	2520	215,545	129	3.5	02.7-04.3	2391	96.5	95.7-97.3
College Graduate	2307	136,092	83	2.7	01.9-03.5	2224	97.3	96.5-98.1
Less than \$15,000	495	45,193	51	6.4	04.0-08.8	444	93.6	91.2-96.0
\$15,000- 24,999	924	69,769	83	6.7	04.7-08.7	841	93.3	91.3-95.3
\$25,000- 34,999	705	49,375	49	4.5	02.9-06.1	656	95.5	93.9-97.1
\$35,000- 49,999	1042	71,945	71	4.9	03.3-06.5	971	95.1	93.5-96.7
\$50,000- 74,999	1253	94,158	47	2.8	01.8-03.8	1206	97.2	96.2-98.2
\$75,000+	2322	154,865	75	2.4	01.6-03.2	2247	97.6	96.8-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3494	280,593	276	5.8	05.0-06.6	3218	94.2	93.4-95.0
18-24	285	45,088				285	100.0	0100-0100
25-34	447	52,256	2	0.3	00.0-00.7	445	99.7	99.3-0100
35-44	413	40,888	3	0.6	00.0-01.4	410	99.4	98.6-0100
45-54	626	46,305	18	2.6	01.0-04.2	608	97.4	95.8-99.0
55-64	786	46,609	70	9.9	07.2-12.6	716	90.1	87.4-92.8
65+	911	47,698	180	20.6	17.1-24.1	731	79.4	75.9-82.9
Less Than H.S.	267	29,545	37	10.5	06.2-14.8	230	89.5	85.2-93.8
H.S. or G.E.D.	1145	83,579	99	6.1	04.5-07.7	1046	93.9	92.3-95.5
Some Post-H.S.	1084	103,959	79	4.9	03.5-06.3	1005	95.1	93.7-96.5
College Graduate	986	62,463	61	4.8	03.2-06.4	925	95.2	93.6-96.8
Less than \$15,000	160	17,240	16	6.7	02.8-10.6	144	93.3	89.4-97.2
\$15,000- 24,999	354	32,756	55	10.6	06.7-14.5	299	89.4	85.5-93.3
\$25,000- 34,999	285	24,678	29	6.6	03.7-09.5	256	93.4	90.5-96.3
\$35,000- 49,999	524	41,779	50	6.4	04.0-08.8	474	93.6	91.2-96.0
\$50,000- 74,999	642	52,320	37	4.2	02.6-05.8	605	95.8	94.2-97.4
\$75,000+	1208	83,887	61	4.0	02.8-05.2	1147	96.0	94.8-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4266	275,330	164	2.4	02.0-02.8	4102	97.6	97.2-98.0
18-24	209	39,289				209	100.0	0100-0100
25-34	447	46,130				447	100.0	0100-0100
35-44	458	37,837	3	0.9	00.0-02.1	455	99.1	97.9-0100
45-54	690	45,163	8	0.8	00.2-01.4	682	99.2	98.6-99.8
55-64	915	43,840	23	2.4	01.2-03.6	892	97.6	96.4-98.8
65+	1499	60,017	128	8.2	06.4-10.0	1371	91.8	90.0-93.6
Less Than H.S.	244	22,366	25	6.3	03.4-09.2	219	93.7	90.8-96.6
H.S. or G.E.D.	1252	67,126	67	3.4	02.4-04.4	1185	96.6	95.6-97.6
Some Post-H.S.	1436	111,586	50	2.2	01.4-03.0	1386	97.8	97.0-98.6
College Graduate	1321	73,629	22	0.9	00.5-01.3	1299	99.1	98.7-99.5
Less than \$15,000	335	27,952	35	6.2	03.5-08.9	300	93.8	91.1-96.5
\$15,000- 24,999	570	37,013	28	3.4	01.8-05.0	542	96.6	95.0-98.2
\$25,000- 34,999	420	24,697	20	2.3	01.1-03.5	400	97.7	96.5-98.9
\$35,000- 49,999	518	30,166	21	2.9	01.5-04.3	497	97.1	95.7-98.5
\$50,000- 74,999	611	41,837	10	0.9	00.1-01.7	601	99.1	98.3-99.9
\$75,000+	1114	70,978	14	0.5	00.3-00.7	1100	99.5	99.3-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7730	554,648	424	4.1	03.5-04.7	7306	95.9	95.3-96.5
Male	3487	280,275	227	4.7	03.9-05.5	3260	95.3	94.5-96.1
Female	4243	274,372	197	3.4	02.8-04.0	4046	96.6	96.0-97.2
18-24	495	84,482				495	100.0	0100-0100
25-34	895	98,625	1	0.1	00.0-00.3	894	99.9	99.7-0100
35-44	871	78,725	5	0.3	00.0-00.7	866	99.7	99.3-0100
45-54	1320	91,800	29	2.4	01.4-03.4	1291	97.6	96.6-98.6
55-64	1690	89,592	88	6.3	04.7-07.9	1602	93.7	92.1-95.3
65+	2385	106,621	297	13.3	11.5-15.1	2088	86.7	84.9-88.5
Less Than H.S.	511	51,956	45	5.8	03.6-08.0	466	94.2	92.0-96.4
H.S. or G.E.D.	2377	149,882	155	4.5	03.5-05.5	2222	95.5	94.5-96.5
Some Post-H.S.	2510	214,946	134	4.1	03.3-04.9	2376	95.9	95.1-96.7
College Graduate	2307	136,195	89	2.9	02.1-03.7	2218	97.1	96.3-97.9
Less than \$15,000	493	45,291	44	5.6	03.4-07.8	449	94.4	92.2-96.6
\$15,000- 24,999	916	69,639	92	7.3	05.3-09.3	824	92.7	90.7-94.7
\$25,000- 34,999	704	49,462	49	5.1	03.3-06.9	655	94.9	93.1-96.7
\$35,000- 49,999	1035	71,363	51	4.0	02.6-05.4	984	96.0	94.6-97.4
\$50,000- 74,999	1253	94,053	72	3.9	02.7-05.1	1181	96.1	94.9-97.3
\$75,000+	2319	154,647	70	2.3	01.5-03.1	2249	97.7	96.9-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3487	280,275	227	4.7	03.9-05.5	3260	95.3	94.5-96.1
18-24	286	45,193				286	100.0	0100-0100
25-34	448	52,359				448	100.0	0100-0100
35-44	413	40,888	2	0.2	00.0-00.4	411	99.8	99.6-0100
45-54	629	46,617	17	2.6	01.0-04.2	612	97.4	95.8-99.0
55-64	779	46,044	60	8.2	05.7-10.7	719	91.8	89.3-94.3
65+	906	47,426	147	17.3	14.0-20.6	759	82.7	79.4-86.0
Less Than H.S.	270	29,620	23	6.0	03.1-08.9	247	94.0	91.1-96.9
H.S. or G.E.D.	1135	83,280	73	4.2	03.0-05.4	1062	95.8	94.6-97.0
Some Post-H.S.	1082	103,821	68	4.8	03.4-06.2	1014	95.2	93.8-96.6
College Graduate	988	62,508	63	4.8	03.4-06.2	925	95.2	93.8-96.6
Less than \$15,000	161	17,269	13	5.2	01.9-08.5	148	94.8	91.5-98.1
\$15,000- 24,999	350	32,764	38	7.0	03.9-10.1	312	93.0	89.9-96.1
\$25,000- 34,999	286	24,711	26	6.7	03.8-09.6	260	93.3	90.4-96.2
\$35,000- 49,999	521	41,552	33	4.4	02.4-06.4	488	95.6	93.6-97.6
\$50,000- 74,999	643	52,298	50	5.3	03.5-07.1	593	94.7	92.9-96.5
\$75,000+	1209	83,793	55	3.6	02.4-04.8	1154	96.4	95.2-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4243	274,372	197	3.4	02.8-04.0	4046	96.6	96.0-97.2
18-24	209	39,289				209	100.0	0100-0100
25-34	447	46,266	1	0.2	00.0-00.6	446	99.8	99.4-0100
35-44	458	37,837	3	0.5	00.0-01.1	455	99.5	98.9-0100
45-54	691	45,183	12	2.2	00.8-03.6	679	97.8	96.4-99.2
55-64	911	43,549	28	4.2	02.4-06.0	883	95.8	94.0-97.6
65+	1479	59,194	150	10.1	08.1-12.1	1329	89.9	87.9-91.9
Less Than H.S.	241	22,335	22	5.5	02.8-08.2	219	94.5	91.8-97.2
H.S. or G.E.D.	1242	66,602	82	4.9	03.5-06.3	1160	95.1	93.7-96.5
Some Post-H.S.	1428	111,125	66	3.5	02.5-04.5	1362	96.5	95.5-97.5
College Graduate	1319	73,687	26	1.2	00.6-01.8	1293	98.8	98.2-99.4
Less than \$15,000	332	28,023	31	5.9	03.2-08.6	301	94.1	91.4-96.8
\$15,000- 24,999	566	36,875	54	7.5	05.1-09.9	512	92.5	90.1-94.9
\$25,000- 34,999	418	24,751	23	3.5	01.3-05.7	395	96.5	94.3-98.7
\$35,000- 49,999	514	29,810	18	3.5	01.7-05.3	496	96.5	94.7-98.3
\$50,000- 74,999	610	41,755	22	2.3	01.1-03.5	588	97.7	96.5-98.9
\$75,000+	1110	70,854	15	0.8	00.2-01.4	1095	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7785	557,417	262	2.5	02.1-02.9	7523	97.5	97.1-97.9
Male	3512	281,835	116	2.5	01.9-03.1	3396	97.5	96.9-98.1
Female	4273	275,583	146	2.5	01.9-03.1	4127	97.5	96.9-98.1
18-24	495	84,482				495	100.0	0100-0100
25-34	897	98,657	1	0.1	00.0-00.3	896	99.9	99.7-0100
35-44	870	78,587	8	1.0	00.0-02.0	862	99.0	98.0-0100
45-54	1321	91,638	17	1.3	00.5-02.1	1304	98.7	97.9-99.5
55-64	1702	90,690	52	3.4	02.2-04.6	1650	96.6	95.4-97.8
65+	2426	108,561	182	7.9	06.3-09.5	2244	92.1	90.5-93.7
Less Than H.S.	521	52,828	41	6.6	04.1-09.1	480	93.4	90.9-95.9
H.S. or G.E.D.	2405	151,231	83	2.7	01.9-03.5	2322	97.3	96.5-98.1
Some Post-H.S.	2520	215,353	91	2.3	01.7-02.9	2429	97.7	97.1-98.3
College Graduate	2314	136,337	47	1.0	00.6-01.4	2267	99.0	98.6-99.4
Less than \$15,000	497	45,539	50	6.5	04.1-08.9	447	93.5	91.1-95.9
\$15,000- 24,999	928	70,135	54	4.0	02.6-05.4	874	96.0	94.6-97.4
\$25,000- 34,999	710	49,464	25	1.6	00.8-02.4	685	98.4	97.6-99.2
\$35,000- 49,999	1044	72,204	32	2.0	01.0-03.0	1012	98.0	97.0-99.0
\$50,000- 74,999	1258	94,289	23	1.6	00.6-02.6	1235	98.4	97.4-99.4
\$75,000+	2324	154,741	35	1.2	00.8-01.6	2289	98.8	98.4-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3512	281,835	116	2.5	01.9-03.1	3396	97.5	96.9-98.1
18-24	286	45,193				286	100.0	0100-0100
25-34	448	52,359				448	100.0	0100-0100
35-44	412	40,750	2	0.1	00.0-00.3	410	99.9	99.7-0100
45-54	630	46,593	7	1.0	00.2-01.8	623	99.0	98.2-99.8
55-64	787	46,935	29	4.2	02.2-06.2	758	95.8	93.8-97.8
65+	923	48,257	77	9.3	06.8-11.8	846	90.7	88.2-93.2
Less Than H.S.	274	30,197	23	7.4	03.7-11.1	251	92.6	88.9-96.3
H.S. or G.E.D.	1151	84,009	27	1.7	00.9-02.5	1124	98.3	97.5-99.1
Some Post-H.S.	1087	104,114	37	2.2	01.4-03.0	1050	97.8	97.0-98.6
College Graduate	988	62,469	29	1.7	00.9-02.5	959	98.3	97.5-99.1
Less than \$15,000	161	17,456	17	8.7	03.8-13.6	144	91.3	86.4-96.2
\$15,000- 24,999	357	33,002	20	3.4	01.2-05.6	337	96.6	94.4-98.8
\$25,000- 34,999	290	24,837	10	1.7	00.3-03.1	280	98.3	96.9-99.7
\$35,000- 49,999	527	42,091	21	2.2	01.0-03.4	506	97.8	96.6-99.0
\$50,000- 74,999	644	52,410	15	2.3	00.9-03.7	629	97.7	96.3-99.1
\$75,000+	1209	83,807	20	1.3	00.5-02.1	1189	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4273	275,583	146	2.5	01.9-03.1	4127	97.5	96.9-98.1
18-24	209	39,289				209	100.0	0100-0100
25-34	449	46,298	1	0.3	00.0-00.9	448	99.7	99.1-0100
35-44	458	37,837	6	2.0	00.2-03.8	452	98.0	96.2-99.8
45-54	691	45,045	10	1.7	00.3-03.1	681	98.3	96.9-99.7
55-64	915	43,756	23	2.5	01.3-03.7	892	97.5	96.3-98.7
65+	1503	60,304	105	6.8	05.2-08.4	1398	93.2	91.6-94.8
Less Than H.S.	247	22,631	18	5.6	02.3-08.9	229	94.4	91.1-97.7
H.S. or G.E.D.	1254	67,222	56	3.9	02.5-05.3	1198	96.1	94.7-97.5
Some Post-H.S.	1433	111,239	54	2.4	01.6-03.2	1379	97.6	96.8-98.4
College Graduate	1326	73,868	18	0.4	00.2-00.6	1308	99.6	99.4-99.8
Less than \$15,000	336	28,083	33	5.2	02.8-07.6	303	94.8	92.4-97.2
\$15,000- 24,999	571	37,133	34	4.5	02.5-06.5	537	95.5	93.5-97.5
\$25,000- 34,999	420	24,627	15	1.6	00.6-02.6	405	98.4	97.4-99.4
\$35,000- 49,999	517	30,113	11	1.8	00.4-03.2	506	98.2	96.8-99.6
\$50,000- 74,999	614	41,879	8	0.9	00.1-01.7	606	99.1	98.3-99.9
\$75,000+	1115	70,934	15	1.0	00.4-01.6	1100	99.0	98.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7780	557,399	845	12.3	11.1-13.5	6935	87.7	86.5-88.9
Male	3504	281,421	345	11.6	10.0-13.2	3159	88.4	86.8-90.0
Female	4276	275,978	500	13.1	11.5-14.7	3776	86.9	85.3-88.5
18-24	494	84,464	76	14.0	10.1-17.9	418	86.0	82.1-89.9
25-34	895	98,281	121	15.7	12.6-18.8	774	84.3	81.2-87.4
35-44	870	78,711	110	13.8	10.7-16.9	760	86.2	83.1-89.3
45-54	1323	91,941	139	10.3	08.1-12.5	1184	89.7	87.5-91.9
55-64	1703	90,922	165	11.3	08.9-13.7	1538	88.7	86.3-91.1
65+	2422	108,299	230	9.6	08.0-11.2	2192	90.4	88.8-92.0
Less Than H.S.	521	52,866	74	16.6	11.3-21.9	447	83.4	78.1-88.7
H.S. or G.E.D.	2403	151,027	272	12.1	10.3-13.9	2131	87.9	86.1-89.7
Some Post-H.S.	2518	215,618	272	12.3	10.3-14.3	2246	87.7	85.7-89.7
College Graduate	2314	136,473	223	10.8	09.0-12.6	2091	89.2	87.4-91.0
Less than \$15,000	503	45,985	96	15.9	11.2-20.6	407	84.1	79.4-88.8
\$15,000- 24,999	922	69,886	122	15.7	12.0-19.4	800	84.3	80.6-88.0
\$25,000- 34,999	708	49,592	82	12.9	09.0-16.8	626	87.1	83.2-91.0
\$35,000- 49,999	1043	72,153	114	13.5	10.6-16.4	929	86.5	83.6-89.4
\$50,000- 74,999	1256	94,165	124	12.3	09.4-15.2	1132	87.7	84.8-90.6
\$75,000+	2326	155,020	211	9.5	07.9-11.1	2115	90.5	88.9-92.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3504	281,421	345	11.6	10.0-13.2	3159	88.4	86.8-90.0
18-24	285	45,175	45	11.8	07.5-16.1	240	88.2	83.9-92.5
25-34	446	51,983	60	15.9	11.4-20.4	386	84.1	79.6-88.6
35-44	412	40,874	47	12.9	08.4-17.4	365	87.1	82.6-91.6
45-54	631	46,670	51	9.4	06.3-12.5	580	90.6	87.5-93.7
55-64	787	47,003	63	10.2	06.7-13.7	724	89.8	86.3-93.3
65+	918	47,989	76	8.8	06.3-11.3	842	91.2	88.7-93.7
Less Than H.S.	272	30,022	35	13.6	07.7-19.5	237	86.4	80.5-92.3
H.S. or G.E.D.	1148	83,918	123	11.9	09.4-14.4	1025	88.1	85.6-90.6
Some Post-H.S.	1085	104,085	105	12.0	09.1-14.9	980	88.0	85.1-90.9
College Graduate	988	62,605	82	9.6	07.1-12.1	906	90.4	87.9-92.9
Less than \$15,000	163	17,568	23	11.2	05.9-16.5	140	88.8	83.5-94.1
\$15,000- 24,999	354	32,976	59	19.8	13.5-26.1	295	80.2	73.9-86.5
\$25,000- 34,999	288	24,742	25	11.3	05.0-17.6	263	88.7	82.4-95.0
\$35,000- 49,999	525	41,986	53	12.0	08.3-15.7	472	88.0	84.3-91.7
\$50,000- 74,999	643	52,310	61	13.3	09.2-17.4	582	86.7	82.6-90.8
\$75,000+	1210	83,944	99	8.6	06.4-10.8	1111	91.4	89.2-93.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4276	275,978	500	13.1	11.5-14.7	3776	86.9	85.3-88.5
18-24	209	39,289	31	16.6	09.7-23.5	178	83.4	76.5-90.3
25-34	449	46,298	61	15.4	10.9-19.9	388	84.6	80.1-89.1
35-44	458	37,837	63	14.9	10.8-19.0	395	85.1	81.0-89.2
45-54	692	45,271	88	11.2	08.5-13.9	604	88.8	86.1-91.5
55-64	916	43,918	102	12.4	09.7-15.1	814	87.6	84.9-90.3
65+	1504	60,310	154	10.1	08.1-12.1	1350	89.9	87.9-91.9
Less Than H.S.	249	22,845	39	20.7	11.5-29.9	210	79.3	70.1-88.5
H.S. or G.E.D.	1255	67,110	149	12.4	09.9-14.9	1106	87.6	85.1-90.1
Some Post-H.S.	1433	111,533	167	12.6	10.1-15.1	1266	87.4	84.9-89.9
College Graduate	1326	73,868	141	11.8	09.3-14.3	1185	88.2	85.7-90.7
Less than \$15,000	340	28,417	73	18.7	11.8-25.6	267	81.3	74.4-88.2
\$15,000- 24,999	568	36,910	63	12.1	08.0-16.2	505	87.9	83.8-92.0
\$25,000- 34,999	420	24,851	57	14.5	09.8-19.2	363	85.5	80.8-90.2
\$35,000- 49,999	518	30,166	61	15.6	10.9-20.3	457	84.4	79.7-89.1
\$50,000- 74,999	613	41,856	63	11.1	07.0-15.2	550	88.9	84.8-93.0
\$75,000+	1116	71,076	112	10.6	08.1-13.1	1004	89.4	86.9-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	807	66,092	586	69.9	65.4-74.4	221	30.1	25.6-34.6
Male	324	31,095	211	62.6	55.3-69.9	113	37.4	30.1-44.7
Female	483	34,997	375	76.3	70.8-81.8	108	23.7	18.2-29.2
18-24	72	11,591	40	63.1	49.0-77.2	32	36.9	22.8-51.0
25-34	115	14,723	68	61.3	50.1-72.5	47	38.7	27.5-49.9
35-44	107	10,697	73	72.8	62.6-83.0	34	27.2	17.0-37.4
45-54	132	8,917	100	77.9	69.3-86.5	32	22.1	13.5-30.7
55-64	158	9,754	127	73.0	61.2-84.8	31	27.0	15.2-38.8
65+	219	10,027	177	78.0	69.2-86.8	42	22.0	13.2-30.8
Less Than H.S.	72	8,686	57	82.1	69.4-94.8	15	17.9	05.2-30.6
H.S. or G.E.D.	259	17,361	184	65.3	57.3-73.3	75	34.7	26.7-42.7
Some Post-H.S.	255	25,457	187	70.0	61.8-78.2	68	30.0	21.8-38.2
College Graduate	217	14,406	155	67.5	59.1-75.9	62	32.5	24.1-40.9
Less than \$15,000	93	7,158	77	82.2	72.2-92.2	16	17.8	07.8-27.8
\$15,000- 24,999	116	10,863	88	63.0	49.5-76.5	28	37.0	23.5-50.5
\$25,000- 34,999	77	6,163	58	76.2	59.0-93.4	19	23.8	06.6-41.0
\$35,000- 49,999	105	8,975	72	65.3	53.3-77.3	33	34.7	22.7-46.7
\$50,000- 74,999	119	11,310	86	77.9	68.3-87.5	33	22.1	12.5-31.7
\$75,000+	204	14,031	137	64.3	55.7-72.9	67	35.7	27.1-44.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	324	31,095	211	62.6	55.3-69.9	113	37.4	30.1-44.7
25-34	56	7,872	33	61.9	46.2-77.6	23	38.1	22.4-53.8
55-64	61	4,615	43	59.6	39.2-80.0	18	40.4	20.0-60.8
65+	72	4,175	56	69.6	53.1-86.1	16	30.4	13.9-46.9
H.S. or G.E.D.	116	9,319	76	60.1	48.5-71.7	40	39.9	28.3-51.5
Some Post-H.S.	96	11,993	64	67.4	54.3-80.5	32	32.6	19.5-45.7
College Graduate	77	5,703	45	52.5	38.0-67.0	32	47.5	33.0-62.0
\$15,000- 24,999	57	6,478	41	60.6	42.0-79.2	16	39.4	20.8-58.0
\$50,000- 74,999	57	6,740	37	74.5	60.4-88.6	20	25.5	11.4-39.6
\$75,000+	96	6,918	57	57.2	44.5-69.9	39	42.8	30.1-55.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	483	34,997	375	76.3	70.8-81.8	108	23.7	18.2-29.2
25-34	59	6,850	35	60.7	44.8-76.6	24	39.3	23.4-55.2
35-44	62	5,595	49	81.0	69.6-92.4	13	19.0	07.6-30.4
45-54	87	5,000	66	76.0	65.0-87.0	21	24.0	13.0-35.0
55-64	97	5,139	84	85.0	76.2-93.8	13	15.0	06.2-23.8
65+	147	5,852	121	84.0	77.1-90.9	26	16.0	09.1-22.9
H.S. or G.E.D.	143	8,043	108	71.3	60.5-82.1	35	28.7	17.9-39.5
Some Post-H.S.	159	13,465	123	72.3	62.3-82.3	36	27.7	17.7-37.7
College Graduate	140	8,703	110	77.3	67.5-87.1	30	22.7	12.9-32.5
Less than \$15,000	71	5,232	58	81.5	69.2-93.8	13	18.5	06.2-30.8
\$15,000- 24,999	59	4,385	47	66.4	46.8-86.0	12	33.6	14.0-53.2
\$25,000- 34,999	56	3,584	44	85.9	74.1-97.7	12	14.1	02.3-25.9
\$35,000- 49,999	59	4,568	45	80.0	66.9-93.1	14	20.0	06.9-33.1
\$50,000- 74,999	62	4,571	49	82.8	71.8-93.8	13	17.2	06.2-28.2
\$75,000+	108	7,114	80	71.3	59.5-83.1	28	28.7	16.9-40.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7783	557,911	479	4.2	03.8-04.6	7304	95.8	95.4-96.2
Male	3507	281,812	232	4.5	03.7-05.3	3275	95.5	94.7-96.3
Female	4276	276,099	247	4.0	03.4-04.6	4029	96.0	95.4-96.6
18-24	495	84,482	2	0.1	00.1-00.1	493	99.9	99.9-99.9
25-34	897	98,657	5	0.5	00.0-01.1	892	99.5	98.9-0100
35-44	868	78,623	14	1.3	00.5-02.1	854	98.7	97.9-99.5
45-54	1320	91,689	46	3.9	02.5-05.3	1274	96.1	94.7-97.5
55-64	1702	90,843	92	4.7	03.5-05.9	1610	95.3	94.1-96.5
65+	2427	108,815	316	12.9	11.1-14.7	2111	87.1	85.3-88.9
Less Than H.S.	521	52,907	45	4.6	02.8-06.4	476	95.4	93.6-97.2
H.S. or G.E.D.	2404	151,205	138	4.3	03.3-05.3	2266	95.7	94.7-96.7
Some Post-H.S.	2523	215,707	150	4.2	03.4-05.0	2373	95.8	95.0-96.6
College Graduate	2310	136,422	144	4.2	03.2-05.2	2166	95.8	94.8-96.8
Less than \$15,000	501	45,853	26	3.2	01.6-04.8	475	96.8	95.2-98.4
\$15,000- 24,999	924	69,955	64	4.1	02.9-05.3	860	95.9	94.7-97.1
\$25,000- 34,999	711	49,690	50	4.0	02.6-05.4	661	96.0	94.6-97.4
\$35,000- 49,999	1039	71,968	67	5.1	03.5-06.7	972	94.9	93.3-96.5
\$50,000- 74,999	1259	94,317	77	3.7	02.5-04.9	1182	96.3	95.1-97.5
\$75,000+	2325	154,987	117	4.2	03.2-05.2	2208	95.8	94.8-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3507	281,812	232	4.5	03.7-05.3	3275	95.5	94.7-96.3
18-24	286	45,193				286	100.0	0100-0100
25-34	448	52,359	4	0.9	00.0-01.9	444	99.1	98.1-0100
35-44	412	40,825	6	1.1	00.1-02.1	406	98.9	97.9-99.9
45-54	630	46,593	17	3.0	01.2-04.8	613	97.0	95.2-98.8
55-64	785	46,926	47	5.6	03.6-07.6	738	94.4	92.4-96.4
65+	920	48,168	155	15.5	12.6-18.4	765	84.5	81.6-87.4
Less Than H.S.	273	30,096	27	4.7	02.5-06.9	246	95.3	93.1-97.5
H.S. or G.E.D.	1151	84,085	69	4.2	03.0-05.4	1082	95.8	94.6-97.0
Some Post-H.S.	1085	103,973	60	3.8	02.6-05.0	1025	96.2	95.0-97.4
College Graduate	986	62,610	75	5.8	04.2-07.4	911	94.2	92.6-95.8
Less than \$15,000	162	17,491	4	1.6	00.0-03.6	158	98.4	96.4-0100
\$15,000- 24,999	355	32,881	32	5.1	02.9-07.3	323	94.9	92.7-97.1
\$25,000- 34,999	290	24,837	23	4.5	02.3-06.7	267	95.5	93.3-97.7
\$35,000- 49,999	523	41,948	41	5.4	03.2-07.6	482	94.6	92.4-96.8
\$50,000- 74,999	645	52,438	44	4.8	03.0-06.6	601	95.2	93.4-97.0
\$75,000+	1211	83,967	65	4.4	03.0-05.8	1146	95.6	94.2-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4276	276,099	247	4.0	03.4-04.6	4029	96.0	95.4-96.6
18-24	209	39,289	2	0.1	00.0-00.3	207	99.9	99.7-0100
25-34	449	46,298	1	0.1	00.0-00.3	448	99.9	99.7-0100
35-44	456	37,798	8	1.5	00.3-02.7	448	98.5	97.3-99.7
45-54	690	45,096	29	4.8	02.8-06.8	661	95.2	93.2-97.2
55-64	917	43,917	45	3.8	02.4-05.2	872	96.2	94.8-97.6
65+	1507	60,647	161	10.9	08.9-12.9	1346	89.1	87.1-91.1
Less Than H.S.	248	22,811	18	4.5	01.8-07.2	230	95.5	92.8-98.2
H.S. or G.E.D.	1253	67,120	69	4.4	03.0-05.8	1184	95.6	94.2-97.0
Some Post-H.S.	1438	111,734	90	4.5	03.3-05.7	1348	95.5	94.3-96.7
College Graduate	1324	73,812	69	2.9	01.9-03.9	1255	97.1	96.1-98.1
Less than \$15,000	339	28,362	22	4.2	01.8-06.6	317	95.8	93.4-98.2
\$15,000- 24,999	569	37,074	32	3.3	01.9-04.7	537	96.7	95.3-98.1
\$25,000- 34,999	421	24,854	27	3.4	01.6-05.2	394	96.6	94.8-98.4
\$35,000- 49,999	516	30,020	26	4.7	02.5-06.9	490	95.3	93.1-97.5
\$50,000- 74,999	614	41,879	33	2.3	01.1-03.5	581	97.7	96.5-98.9
\$75,000+	1114	71,020	52	3.9	02.5-05.3	1062	96.1	94.7-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7789	557,580	725	7.0	06.4-07.6	7064	93.0	92.4-93.6
Male	3513	281,704	256	5.2	04.4-06.0	3257	94.8	94.0-95.6
Female	4276	275,876	469	8.8	07.8-09.8	3807	91.2	90.2-92.2
18-24	495	84,482	4	0.4	00.0-00.8	491	99.6	99.2-100.0
25-34	895	98,350	11	1.4	00.2-02.6	884	98.6	97.4-99.8
35-44	871	78,725	26	3.4	01.8-05.0	845	96.6	95.0-98.2
45-54	1320	91,737	67	4.7	03.3-06.1	1253	95.3	93.9-96.7
55-64	1706	90,994	165	10.1	08.1-12.1	1541	89.9	87.9-91.9
65+	2429	108,671	449	19.3	17.1-21.5	1980	80.7	78.5-82.9
Less Than H.S.	518	52,674	68	10.6	07.3-13.9	450	89.4	86.1-92.7
H.S. or G.E.D.	2405	150,968	241	7.7	06.5-08.9	2164	92.3	91.1-93.5
Some Post-H.S.	2528	216,044	210	6.1	05.1-07.1	2318	93.9	92.9-94.9
College Graduate	2315	136,544	206	6.3	05.1-07.5	2109	93.7	92.5-94.9
Less than \$15,000	502	45,925	68	8.5	05.8-11.2	434	91.5	88.8-94.2
\$15,000- 24,999	925	69,861	108	9.5	07.0-12.0	817	90.5	88.0-93.0
\$25,000- 34,999	710	49,657	74	7.0	04.8-09.2	636	93.0	90.8-95.2
\$35,000- 49,999	1043	72,199	104	7.7	05.7-09.7	939	92.3	90.3-94.3
\$50,000- 74,999	1260	94,393	109	5.5	04.1-06.9	1151	94.5	93.1-95.9
\$75,000+	2325	154,849	136	4.7	03.7-05.7	2189	95.3	94.3-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3513	281,704	256	5.2	04.4-06.0	3257	94.8	94.0-95.6
18-24	286	45,193	2	0.3	00.0-00.7	284	99.7	99.3-0100
25-34	446	52,052	1	0.1	00.0-00.3	445	99.9	99.7-0100
35-44	413	40,888	6	1.8	00.2-03.4	407	98.2	96.6-99.8
45-54	631	46,670	10	1.2	00.2-02.2	621	98.8	97.8-99.8
55-64	789	47,077	58	7.4	05.0-09.8	731	92.6	90.2-95.0
65+	923	48,257	179	20.0	16.7-23.3	744	80.0	76.7-83.3
Less Than H.S.	272	30,076	28	8.9	04.8-13.0	244	91.1	87.0-95.2
H.S. or G.E.D.	1150	83,866	92	5.9	04.3-07.5	1058	94.1	92.5-95.7
Some Post-H.S.	1090	104,289	55	3.6	02.4-04.8	1035	96.4	95.2-97.6
College Graduate	991	62,745	81	5.1	03.7-06.5	910	94.9	93.5-96.3
Less than \$15,000	163	17,568	12	4.4	01.3-07.5	151	95.6	92.5-98.7
\$15,000- 24,999	355	32,881	38	8.1	04.6-11.6	317	91.9	88.4-95.4
\$25,000- 34,999	290	24,837	25	5.1	02.6-07.6	265	94.9	92.4-97.4
\$35,000- 49,999	525	42,033	47	6.6	04.2-09.0	478	93.4	91.0-95.8
\$50,000- 74,999	646	52,514	47	4.4	02.8-06.0	599	95.6	94.0-97.2
\$75,000+	1211	83,842	66	4.4	03.0-05.8	1145	95.6	94.2-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4276	275,876	469	8.8	07.8-09.8	3807	91.2	90.2-92.2
18-24	209	39,289	2	0.5	00.0-01.3	207	99.5	98.7-0100
25-34	449	46,298	10	2.8	00.4-05.2	439	97.2	94.8-99.6
35-44	458	37,837	20	5.2	02.5-07.9	438	94.8	92.1-97.5
45-54	689	45,067	57	8.3	05.8-10.8	632	91.7	89.2-94.2
55-64	917	43,917	107	13.0	09.9-16.1	810	87.0	83.9-90.1
65+	1506	60,414	270	18.7	16.2-21.2	1236	81.3	78.8-83.8
Less Than H.S.	246	22,598	40	12.8	07.5-18.1	206	87.2	81.9-92.5
H.S. or G.E.D.	1255	67,101	149	9.9	07.9-11.9	1106	90.1	88.1-92.1
Some Post-H.S.	1438	111,755	155	8.4	06.6-10.2	1283	91.6	89.8-93.4
College Graduate	1324	73,799	125	7.4	05.8-09.0	1199	92.6	91.0-94.2
Less than \$15,000	339	28,357	56	11.1	07.2-15.0	283	88.9	85.0-92.8
\$15,000- 24,999	570	36,980	70	10.7	07.2-14.2	500	89.3	85.8-92.8
\$25,000- 34,999	420	24,820	49	8.9	05.6-12.2	371	91.1	87.8-94.4
\$35,000- 49,999	518	30,166	57	9.3	06.2-12.4	461	90.7	87.6-93.8
\$50,000- 74,999	614	41,879	62	6.9	04.7-09.1	552	93.1	90.9-95.3
\$75,000+	1114	71,007	70	5.0	03.4-06.6	1044	95.0	93.4-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7755	555,593	424	4.8	04.2-05.4	7331	95.2	94.6-95.8
Male	3492	280,488	171	4.6	03.6-05.6	3321	95.4	94.4-96.4
Female	4263	275,105	253	5.0	04.0-06.0	4010	95.0	94.0-96.0
18-24	493	84,246	8	2.0	00.0-04.0	485	98.0	96.0-100.0
25-34	894	98,393	14	1.4	00.4-02.4	880	98.6	97.6-99.6
35-44	871	78,725	15	2.2	00.8-03.6	856	97.8	96.4-99.2
45-54	1320	91,678	54	5.4	03.6-07.2	1266	94.6	92.8-96.4
55-64	1698	90,482	93	6.4	04.6-08.2	1605	93.6	91.8-95.4
65+	2405	107,267	237	10.3	08.7-11.9	2168	89.7	88.1-91.3
Less Than H.S.	512	52,073	52	10.0	06.3-13.7	460	90.0	86.3-93.7
H.S. or G.E.D.	2393	150,242	172	5.8	04.6-07.0	2221	94.2	93.0-95.4
Some Post-H.S.	2513	215,249	133	4.5	03.5-05.5	2380	95.5	94.5-96.5
College Graduate	2312	136,360	65	2.1	01.5-02.7	2247	97.9	97.3-98.5
Less than \$15,000	495	45,338	86	11.7	08.4-15.0	409	88.3	85.0-91.6
\$15,000- 24,999	917	69,252	92	9.0	06.5-11.5	825	91.0	88.5-93.5
\$25,000- 34,999	703	49,201	44	4.6	02.8-06.4	659	95.4	93.6-97.2
\$35,000- 49,999	1042	72,139	51	5.5	03.7-07.3	991	94.5	92.7-96.3
\$50,000- 74,999	1256	94,043	42	3.2	01.4-05.0	1214	96.8	95.0-98.6
\$75,000+	2320	154,671	54	2.0	01.2-02.8	2266	98.0	97.2-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3492	280,488	171	4.6	03.6-05.6	3321	95.4	94.4-96.4
18-24	284	44,957	4	1.7	00.0-03.7	280	98.3	96.3-0100
25-34	446	52,263	6	1.2	00.0-02.4	440	98.8	97.6-0100
35-44	413	40,888	7	2.6	00.2-05.0	406	97.4	95.0-99.8
45-54	630	46,586	20	4.9	02.4-07.4	610	95.1	92.6-97.6
55-64	785	46,791	45	6.8	04.3-09.3	740	93.2	90.7-95.7
65+	908	47,256	88	10.2	07.5-12.9	820	89.8	87.1-92.5
Less Than H.S.	267	29,626	22	8.9	04.4-13.4	245	91.1	86.6-95.6
H.S. or G.E.D.	1144	83,353	66	5.1	03.5-06.7	1078	94.9	93.3-96.5
Some Post-H.S.	1081	103,793	47	4.0	02.4-05.6	1034	96.0	94.4-97.6
College Graduate	988	62,669	36	2.9	01.7-04.1	952	97.1	95.9-98.3
Less than \$15,000	160	17,371	26	13.3	07.0-19.6	134	86.7	80.4-93.0
\$15,000- 24,999	349	32,431	41	9.7	05.4-14.0	308	90.3	86.0-94.6
\$25,000- 34,999	284	24,514	13	3.0	01.0-05.0	271	97.0	95.0-99.0
\$35,000- 49,999	525	41,982	21	4.8	02.3-07.3	504	95.2	92.7-97.7
\$50,000- 74,999	644	52,292	26	3.2	01.4-05.0	618	96.8	95.0-98.6
\$75,000+	1207	83,685	29	2.1	01.1-03.1	1178	97.9	96.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4263	275,105	253	5.0	04.0-06.0	4010	95.0	94.0-96.0
18-24	209	39,289	4	2.2	00.0-05.5	205	97.8	94.5-0100
25-34	448	46,131	8	1.7	00.1-03.3	440	98.3	96.7-99.9
35-44	458	37,837	8	1.7	00.3-03.1	450	98.3	96.9-99.7
45-54	690	45,092	34	6.0	03.5-08.5	656	94.0	91.5-96.5
55-64	913	43,691	48	6.0	03.8-08.2	865	94.0	91.8-96.2
65+	1497	60,011	149	10.3	08.1-12.5	1348	89.7	87.5-91.9
Less Than H.S.	245	22,447	30	11.4	04.9-17.9	215	88.6	82.1-95.1
H.S. or G.E.D.	1249	66,889	106	6.8	05.0-08.6	1143	93.2	91.4-95.0
Some Post-H.S.	1432	111,456	86	5.1	03.7-06.5	1346	94.9	93.5-96.3
College Graduate	1324	73,691	29	1.4	00.8-02.0	1295	98.6	98.0-99.2
Less than \$15,000	335	27,966	60	10.8	07.1-14.5	275	89.2	85.5-92.9
\$15,000- 24,999	568	36,821	51	8.4	05.3-11.5	517	91.6	88.5-94.7
\$25,000- 34,999	419	24,687	31	6.2	03.1-09.3	388	93.8	90.7-96.9
\$35,000- 49,999	517	30,157	30	6.5	03.8-09.2	487	93.5	90.8-96.2
\$50,000- 74,999	612	41,751	16	3.2	00.1-06.3	596	96.8	93.7-99.9
\$75,000+	1113	70,986	25	1.9	00.9-02.9	1088	98.1	97.1-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7759	555,721	2514	26.1	24.7-27.5	5245	73.9	72.5-75.3
Male	3494	280,265	954	22.9	21.1-24.7	2540	77.1	75.3-78.9
Female	4265	275,457	1560	29.3	27.5-31.1	2705	70.7	68.9-72.5
18-24	494	84,469	18	4.1	01.4-06.8	476	95.9	93.2-98.6
25-34	893	98,386	64	8.3	05.8-10.8	829	91.7	89.2-94.2
35-44	869	78,568	114	15.8	12.5-19.1	755	84.2	80.9-87.5
45-54	1316	91,402	337	26.7	23.6-29.8	979	73.3	70.2-76.4
55-64	1702	90,541	648	39.4	36.3-42.5	1054	60.6	57.5-63.7
65+	2411	107,553	1302	54.8	52.3-57.3	1109	45.2	42.7-47.7
Less Than H.S.	517	52,340	237	40.0	33.9-46.1	280	60.0	53.9-66.1
H.S. or G.E.D.	2392	150,171	869	29.3	26.9-31.7	1523	70.7	68.3-73.1
Some Post-H.S.	2518	215,521	836	25.9	23.7-28.1	1682	74.1	71.9-76.3
College Graduate	2307	136,021	566	17.6	15.8-19.4	1741	82.4	80.6-84.2
Less than \$15,000	499	45,717	238	33.5	27.6-39.4	261	66.5	60.6-72.4
\$15,000- 24,999	923	69,640	416	36.5	32.2-40.8	507	63.5	59.2-67.8
\$25,000- 34,999	707	49,441	250	27.8	23.3-32.3	457	72.2	67.7-76.7
\$35,000- 49,999	1040	71,780	351	25.4	22.1-28.7	689	74.6	71.3-77.9
\$50,000- 74,999	1251	93,950	346	22.4	19.5-25.3	905	77.6	74.7-80.5
\$75,000+	2318	154,437	527	18.5	16.5-20.5	1791	81.5	79.5-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3494	280,265	954	22.9	21.1-24.7	2540	77.1	75.3-78.9
18-24	285	45,180	6	2.1	00.1-04.1	279	97.9	95.9-99.9
25-34	447	52,250	27	7.0	03.5-10.5	420	93.0	89.5-96.5
35-44	412	40,852	50	16.0	11.1-20.9	362	84.0	79.1-88.9
45-54	627	46,339	160	27.2	22.5-31.9	467	72.8	68.1-77.5
55-64	787	46,683	268	34.4	29.9-38.9	519	65.6	61.1-70.1
65+	910	47,213	434	50.0	45.7-54.3	476	50.0	45.7-54.3
Less Than H.S.	270	29,603	94	31.6	24.3-38.9	176	68.4	61.1-75.7
H.S. or G.E.D.	1142	83,275	350	26.7	23.4-30.0	792	73.3	70.0-76.6
Some Post-H.S.	1084	103,905	289	21.4	18.3-24.5	795	78.6	75.5-81.7
College Graduate	986	62,437	219	16.6	13.9-19.3	767	83.4	80.7-86.1
Less than \$15,000	161	17,379	60	29.8	20.6-39.0	101	70.2	61.0-79.4
\$15,000- 24,999	354	32,715	139	32.5	25.8-39.2	215	67.5	60.8-74.2
\$25,000- 34,999	288	24,673	91	25.3	18.4-32.2	197	74.7	67.8-81.6
\$35,000- 49,999	522	41,613	159	23.7	19.2-28.2	363	76.3	71.8-80.8
\$50,000- 74,999	640	52,227	150	18.1	14.6-21.6	490	81.9	78.4-85.4
\$75,000+	1208	83,652	268	19.4	16.5-22.3	940	80.6	77.7-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4265	275,457	1560	29.3	27.5-31.1	2705	70.7	68.9-72.5
18-24	209	39,289	12	6.3	01.2-11.4	197	93.7	88.6-98.8
25-34	446	46,136	37	9.7	05.6-13.8	409	90.3	86.2-94.4
35-44	457	37,716	64	15.6	11.3-19.9	393	84.4	80.1-88.7
45-54	689	45,063	177	26.1	21.8-30.4	512	73.9	69.6-78.2
55-64	915	43,858	380	44.6	40.5-48.7	535	55.4	51.3-59.5
65+	1501	60,340	868	58.6	55.3-61.9	633	41.4	38.1-44.7
Less Than H.S.	247	22,737	143	51.0	41.6-60.4	104	49.0	39.6-58.4
H.S. or G.E.D.	1250	66,896	519	32.4	28.9-35.9	731	67.6	64.1-71.1
Some Post-H.S.	1434	111,616	547	30.2	27.1-33.3	887	69.8	66.7-72.9
College Graduate	1321	73,585	347	18.4	16.0-20.8	974	81.6	79.2-84.0
Less than \$15,000	338	28,338	178	35.7	28.1-43.3	160	64.3	56.7-71.9
\$15,000- 24,999	569	36,924	277	40.0	34.3-45.7	292	60.0	54.3-65.7
\$25,000- 34,999	419	24,769	159	30.2	24.3-36.1	260	69.8	63.9-75.7
\$35,000- 49,999	518	30,166	192	27.6	22.9-32.3	326	72.4	67.7-77.1
\$50,000- 74,999	611	41,723	196	27.7	22.8-32.6	415	72.3	67.4-77.2
\$75,000+	1110	70,785	259	17.6	14.9-20.3	851	82.4	79.7-85.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7767	555,849	1243	16.8	15.6-18.0	6524	83.2	82.0-84.4
Male	3501	280,839	425	12.6	11.0-14.2	3076	87.4	85.8-89.0
Female	4266	275,010	818	21.1	19.1-23.1	3448	78.9	76.9-80.9
18-24	492	84,155	69	17.8	13.1-22.5	423	82.2	77.5-86.9
25-34	893	98,103	134	17.0	13.7-20.3	759	83.0	79.7-86.3
35-44	864	78,050	148	16.2	13.1-19.3	716	83.8	80.7-86.9
45-54	1316	91,359	244	18.4	15.7-21.1	1072	81.6	78.9-84.3
55-64	1705	91,007	336	19.4	16.9-21.9	1369	80.6	78.1-83.1
65+	2424	108,495	308	13.4	11.6-15.2	2116	86.6	84.8-88.4
Less Than H.S.	518	52,340	77	16.7	12.0-21.4	441	83.3	78.6-88.0
H.S. or G.E.D.	2399	150,752	355	16.1	13.9-18.3	2044	83.9	81.7-86.1
Some Post-H.S.	2519	215,415	457	18.3	16.1-20.5	2062	81.7	79.5-83.9
College Graduate	2306	135,673	352	15.4	13.4-17.4	1954	84.6	82.6-86.6
Less than \$15,000	499	45,682	144	28.0	22.1-33.9	355	72.0	66.1-77.9
\$15,000- 24,999	922	69,487	189	22.8	18.7-26.9	733	77.2	73.1-81.3
\$25,000- 34,999	710	49,625	124	16.6	12.5-20.7	586	83.4	79.3-87.5
\$35,000- 49,999	1042	72,125	173	16.0	12.7-19.3	869	84.0	80.7-87.3
\$50,000- 74,999	1259	94,351	188	15.2	12.3-18.1	1071	84.8	81.9-87.7
\$75,000+	2316	154,131	285	12.0	10.2-13.8	2031	88.0	86.2-89.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3501	280,839	425	12.6	11.0-14.2	3076	87.4	85.8-89.0
18-24	284	45,057	27	10.8	06.1-15.5	257	89.2	84.5-93.9
25-34	447	52,346	50	12.9	08.8-17.0	397	87.1	83.0-91.2
35-44	409	40,377	43	11.1	07.2-15.0	366	88.9	85.0-92.8
45-54	626	46,230	83	13.8	10.3-17.3	543	86.2	82.7-89.7
55-64	789	47,110	118	14.8	11.1-18.5	671	85.2	81.5-88.9
65+	921	48,093	103	12.0	09.1-14.9	818	88.0	85.1-90.9
Less Than H.S.	272	29,984	35	15.3	09.2-21.4	237	84.7	78.6-90.8
H.S. or G.E.D.	1146	83,713	144	13.2	10.5-15.9	1002	86.8	84.1-89.5
Some Post-H.S.	1084	103,795	145	12.3	09.6-15.0	939	87.7	85.0-90.4
College Graduate	987	62,301	101	11.1	08.6-13.6	886	88.9	86.4-91.4
Less than \$15,000	161	17,334	47	26.8	17.8-35.8	114	73.2	64.2-82.2
\$15,000- 24,999	352	32,498	66	21.5	15.2-27.8	286	78.5	72.2-84.8
\$25,000- 34,999	289	24,771	44	15.0	08.7-21.3	245	85.0	78.7-91.3
\$35,000- 49,999	525	41,969	67	11.6	07.9-15.3	458	88.4	84.7-92.1
\$50,000- 74,999	646	52,514	63	9.4	06.5-12.3	583	90.6	87.7-93.5
\$75,000+	1206	83,674	98	8.1	05.9-10.3	1108	91.9	89.7-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4266	275,010	818	21.1	19.1-23.1	3448	78.9	76.9-80.9
18-24	208	39,098	42	25.8	17.8-33.8	166	74.2	66.2-82.2
25-34	446	45,757	84	21.7	16.6-26.8	362	78.3	73.2-83.4
35-44	455	37,673	105	21.6	16.9-26.3	350	78.4	73.7-83.1
45-54	690	45,129	161	23.0	18.7-27.3	529	77.0	72.7-81.3
55-64	916	43,896	218	24.4	20.9-27.9	698	75.6	72.1-79.1
65+	1503	60,403	205	14.5	12.1-16.9	1298	85.5	83.1-87.9
Less Than H.S.	246	22,357	42	18.5	10.9-26.1	204	81.5	73.9-89.1
H.S. or G.E.D.	1253	67,040	211	19.8	16.5-23.1	1042	80.2	76.9-83.5
Some Post-H.S.	1435	111,620	312	23.9	20.6-27.2	1123	76.1	72.8-79.4
College Graduate	1319	73,372	251	19.0	16.1-21.9	1068	81.0	78.1-83.9
Less than \$15,000	338	28,348	97	28.7	21.1-36.3	241	71.3	63.7-78.9
\$15,000- 24,999	570	36,989	123	23.9	18.6-29.2	447	76.1	70.8-81.4
\$25,000- 34,999	421	24,854	80	18.3	12.8-23.8	341	81.7	76.2-87.2
\$35,000- 49,999	517	30,156	106	22.2	16.7-27.7	411	77.8	72.3-83.3
\$50,000- 74,999	613	41,837	125	22.6	17.5-27.7	488	77.4	72.3-82.5
\$75,000+	1110	70,458	187	16.6	13.7-19.5	923	83.4	80.5-86.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7780	557,282	224	2.6	02.2-03.0	7556	97.4	97.0-97.8
Male	3507	281,771	80	2.0	01.4-02.6	3427	98.0	97.4-98.6
Female	4273	275,511	144	3.1	02.3-03.9	4129	96.9	96.1-97.7
18-24	495	84,482	6	1.3	00.1-02.5	489	98.7	97.5-99.9
25-34	896	98,404	7	0.7	00.0-01.5	889	99.3	98.5-0100
35-44	870	78,683	6	1.1	00.1-02.1	864	98.9	97.9-99.9
45-54	1321	91,718	27	2.1	01.1-03.1	1294	97.9	96.9-98.9
55-64	1705	90,994	54	3.7	02.5-04.9	1651	96.3	95.1-97.5
65+	2419	108,198	123	5.9	04.5-07.3	2296	94.1	92.7-95.5
Less Than H.S.	519	52,767	20	4.4	02.0-06.8	499	95.6	93.2-98.0
H.S. or G.E.D.	2399	150,871	53	2.1	01.3-02.9	2346	97.9	97.1-98.7
Some Post-H.S.	2525	215,608	82	2.7	01.9-03.5	2443	97.3	96.5-98.1
College Graduate	2312	136,367	67	2.2	01.4-03.0	2245	97.8	97.0-98.6
Less than \$15,000	499	45,783	26	5.0	02.5-07.5	473	95.0	92.5-97.5
\$15,000- 24,999	925	69,972	39	3.2	01.8-04.6	886	96.8	95.4-98.2
\$25,000- 34,999	711	49,690	28	3.8	02.0-05.6	683	96.2	94.4-98.0
\$35,000- 49,999	1043	72,086	30	2.8	01.4-04.2	1013	97.2	95.8-98.6
\$50,000- 74,999	1258	94,363	28	1.6	00.8-02.4	1230	98.4	97.6-99.2
\$75,000+	2324	154,658	42	1.6	01.0-02.2	2282	98.4	97.8-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3507	281,771	80	2.0	01.4-02.6	3427	98.0	97.4-98.6
18-24	286	45,193	1	0.3	00.0-00.9	285	99.7	99.1-0100
25-34	448	52,359	3	0.4	00.0-01.0	445	99.6	99.0-0100
35-44	413	40,888				413	100.0	0100-0100
45-54	630	46,573	7	1.5	00.1-02.9	623	98.5	97.1-99.9
55-64	788	47,077	27	4.4	02.4-06.4	761	95.6	93.6-97.6
65+	916	47,933	42	5.4	03.0-07.8	874	94.6	92.2-97.0
Less Than H.S.	273	30,185	7	4.0	00.9-07.1	266	96.0	92.9-99.1
H.S. or G.E.D.	1146	83,719	16	1.2	00.4-02.0	1130	98.8	98.0-99.6
Some Post-H.S.	1088	104,154	26	2.0	01.0-03.0	1062	98.0	97.0-99.0
College Graduate	988	62,667	31	2.2	01.2-03.2	957	97.8	96.8-98.8
Less than \$15,000	162	17,506	5	4.0	00.1-07.9	157	96.0	92.1-99.9
\$15,000- 24,999	355	32,938	12	2.8	00.4-05.2	343	97.2	94.8-99.6
\$25,000- 34,999	290	24,837	12	2.7	00.9-04.5	278	97.3	95.5-99.1
\$35,000- 49,999	525	41,920	14	3.0	01.0-05.0	511	97.0	95.0-99.0
\$50,000- 74,999	644	52,484	15	1.7	00.7-02.7	629	98.3	97.3-99.3
\$75,000+	1210	83,960	17	1.2	00.4-02.0	1193	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4273	275,511	144	3.1	02.3-03.9	4129	96.9	96.1-97.7
18-24	209	39,289	5	2.4	00.0-04.8	204	97.6	95.2-0100
25-34	448	46,045	4	1.0	00.0-02.4	444	99.0	97.6-0100
35-44	457	37,795	6	2.2	00.2-04.2	451	97.8	95.8-99.8
45-54	691	45,145	20	2.8	01.4-04.2	671	97.2	95.8-98.6
55-64	917	43,917	27	3.0	01.6-04.4	890	97.0	95.6-98.4
65+	1503	60,264	81	6.3	04.5-08.1	1422	93.7	91.9-95.5
Less Than H.S.	246	22,582	13	4.8	01.3-08.3	233	95.2	91.7-98.7
H.S. or G.E.D.	1253	67,152	37	3.2	01.6-04.8	1216	96.8	95.2-98.4
Some Post-H.S.	1437	111,454	56	3.3	02.3-04.3	1381	96.7	95.7-97.7
College Graduate	1324	73,700	36	2.3	01.1-03.5	1288	97.7	96.5-98.9
Less than \$15,000	337	28,277	21	5.6	02.3-08.9	316	94.4	91.1-97.7
\$15,000- 24,999	570	37,033	27	3.5	01.7-05.3	543	96.5	94.7-98.3
\$25,000- 34,999	421	24,854	16	4.8	01.9-07.7	405	95.2	92.3-98.1
\$35,000- 49,999	518	30,166	16	2.5	00.9-04.1	502	97.5	95.9-99.1
\$50,000- 74,999	614	41,879	13	1.6	00.6-02.6	601	98.4	97.4-99.4
\$75,000+	1114	70,698	25	2.1	01.1-03.1	1089	97.9	96.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7800	558,580	865	8.9	08.1-09.7	46	0.7	00.3-01.1	6782	89.4	88.6-90.2	107	1.0	00.8-01.2
Male	3519	282,296	448	10.0	08.8-11.2				3033	89.4	88.2-90.6	38	0.7	00.5-00.9
Female	4281	276,285	417	7.8	06.8-08.8	46	1.5	00.9-02.1	3749	89.5	88.3-90.7	69	1.2	00.8-01.6
18-24	495	84,482	4	0.4	00.0-01.0	5	1.3	00.0-02.9	486	98.2	96.6-99.8			
25-34	897	98,657	17	2.7	01.1-04.3	9	0.9	00.3-01.5	870	96.3	94.5-98.1	1	0.1	00.0-00.3
35-44	870	78,714	32	3.4	01.8-05.0	8	0.8	00.0-01.6	830	95.9	94.1-97.7			
45-54	1322	91,922	131	10.5	08.3-12.7	11	0.8	00.2-01.4	1166	87.6	85.2-90.0	14	1.1	00.3-01.9
55-64	1707	91,000	220	13.8	11.4-16.2	6	0.4	00.0-00.8	1460	84.8	82.4-87.2	21	1.1	00.5-01.7
65+	2435	109,003	448	19.5	17.3-21.7	7	0.3	00.1-00.5	1910	77.2	75.0-79.4	70	3.0	02.2-03.8
Less Than H.S.	523	53,042	98	14.1	10.4-17.8	2	0.3	00.0-00.7	411	84.2	80.5-87.9	12	1.4	00.4-02.4
H.S. or G.E.D.	2408	151,268	308	10.8	09.2-12.4	11	0.9	00.1-01.7	2053	87.3	85.5-89.1	36	0.9	00.5-01.3
Some Post-H.S.	2527	215,989	275	8.4	07.0-09.8	12	0.5	00.1-00.9	2199	89.9	88.5-91.3	41	1.1	00.7-01.5
College Graduate	2317	136,613	183	5.7	04.7-06.7	21	1.0	00.4-01.6	2096	92.8	91.6-94.0	17	0.5	00.3-00.7
Less than \$15,000	503	45,985	78	12.1	08.4-15.8	5	1.6	00.0-03.4	409	85.1	81.0-89.2	11	1.2	00.2-02.2
\$15,000- 24,999	929	70,146	162	13.8	10.9-16.7	2	0.4	00.0-01.0	746	84.2	81.1-87.3	19	1.6	00.8-02.4
\$25,000- 34,999	710	49,671	102	12.6	09.1-16.1	2	0.4	00.0-01.0	594	85.9	82.4-89.4	12	1.1	00.3-01.9
\$35,000- 49,999	1043	72,137	120	9.3	07.1-11.5	4	0.3	00.0-00.7	906	89.4	87.2-91.6	13	0.9	00.3-01.5
\$50,000- 74,999	1260	94,393	117	6.5	04.9-08.1	10	1.3	00.1-02.5	1121	91.6	89.6-93.6	12	0.6	00.2-01.0
\$75,000+	2328	155,099	170	6.0	04.8-07.2	16	0.5	00.1-00.9	2126	93.0	91.8-94.2	16	0.4	00.2-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3519	282,296	448	10.0	08.8-11.2	3033	89.4	88.2-90.6	38	0.7	00.5-00.9
18-24	286	45,193	3	0.5	00.0-01.3	283	99.5	98.7-0100			
25-34	448	52,359	10	2.3	00.3-04.3	437	97.6	95.6-99.6	1	0.1	00.0-00.3
35-44	413	40,888	18	4.2	01.7-06.7	395	95.8	93.3-98.3			
45-54	631	46,670	73	11.8	08.3-15.3	553	87.5	84.0-91.0	5	0.7	00.0-01.5
55-64	789	47,055	127	16.4	12.7-20.1	657	83.0	79.3-86.7	5	0.6	00.0-01.2
65+	926	48,383	214	24.1	20.6-27.6	685	73.3	69.6-77.0	27	2.6	01.4-03.8
Less Than H.S.	274	30,197	50	15.0	09.7-20.3	222	84.8	79.5-90.1	2	0.2	00.0-00.4
H.S. or G.E.D.	1153	84,105	159	11.3	09.1-13.5	978	88.0	85.8-90.2	16	0.7	00.3-01.1
Some Post-H.S.	1089	104,202	122	8.6	06.4-10.8	954	90.5	88.3-92.7	13	0.9	00.3-01.5
College Graduate	991	62,745	117	8.1	06.3-09.9	867	91.3	89.3-93.3	7	0.6	00.2-01.0
Less than \$15,000	163	17,568	27	12.0	06.7-17.3	134	87.6	82.3-92.9	2	0.4	00.0-01.0
\$15,000- 24,999	357	33,002	69	15.8	10.7-20.9	285	83.8	78.5-89.1	3	0.5	00.0-01.1
\$25,000- 34,999	290	24,837	46	12.1	06.6-17.6	242	87.7	82.2-93.2	2	0.3	00.0-00.7
\$35,000- 49,999	527	42,091	72	10.9	07.8-14.0	447	88.3	85.2-91.4	8	0.9	00.1-01.7
\$50,000- 74,999	646	52,514	76	8.2	05.8-10.6	561	90.9	88.4-93.4	9	0.9	00.1-01.7
\$75,000+	1212	84,022	124	8.3	06.5-10.1	1081	91.3	89.3-93.3	7	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4281	276,285	417	7.8	06.8-08.8	46	1.5	00.9-02.1	3749	89.5	88.3-90.7	69	1.2	00.8-01.6
18-24	209	39,289	1	0.4	00.0-01.2	5	2.9	00.0-06.0	203	96.7	93.6-99.8			
25-34	449	46,298	7	3.1	00.4-05.8	9	1.9	00.5-03.3	433	94.9	91.8-98.0			
35-44	457	37,826	14	2.5	00.9-04.1	8	1.6	00.0-03.2	435	95.9	93.7-98.1			
45-54	691	45,252	58	9.0	06.3-11.7	11	1.7	00.5-02.9	613	87.7	84.6-90.8	9	1.5	00.3-02.7
55-64	918	43,945	93	11.0	08.5-13.5	6	0.8	00.0-01.6	803	86.7	84.0-89.4	16	1.6	00.6-02.6
65+	1509	60,620	234	15.9	13.5-18.3	7	0.6	00.0-01.2	1225	80.2	77.5-82.9	43	3.3	02.1-04.5
Less Than H.S.	249	22,845	48	12.9	08.4-17.4	2	0.6	00.0-01.4	189	83.4	78.1-88.7	10	3.1	00.7-05.5
H.S. or G.E.D.	1255	67,163	149	10.2	08.0-12.4	11	2.1	00.1-04.1	1075	86.5	83.8-89.2	20	1.2	00.4-02.0
Some Post-H.S.	1438	111,787	153	8.2	06.4-10.0	12	1.0	00.2-01.8	1245	89.4	87.4-91.4	28	1.3	00.7-01.9
College Graduate	1326	73,868	66	3.6	02.4-04.8	21	1.9	00.9-02.9	1229	94.0	92.4-95.6	10	0.5	00.1-00.9
Less than \$15,000	340	28,417	51	12.2	07.3-17.1	5	2.5	00.0-05.4	275	83.6	77.9-89.3	9	1.7	00.3-03.1
\$15,000- 24,999	572	37,144	93	12.0	08.9-15.1	2	0.8	00.0-02.0	461	84.7	81.2-88.2	16	2.6	01.0-04.2
\$25,000- 34,999	420	24,834	56	13.1	08.8-17.4	2	0.8	00.0-02.0	352	84.1	79.6-88.6	10	2.0	00.2-03.8
\$35,000- 49,999	516	30,045	48	7.2	04.7-09.7	4	0.8	00.0-02.0	459	91.1	88.2-94.0	5	1.0	00.0-02.0
\$50,000- 74,999	614	41,879	41	4.3	02.7-05.9	10	2.9	00.2-05.6	560	92.6	89.7-95.5	3	0.2	00.0-00.4
\$75,000+	1116	71,076	46	3.4	02.0-04.8	16	1.2	00.4-02.0	1045	95.0	93.4-96.6	9	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	88
2 MALES ONLY	89
3 FEMALES ONLY	90
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
4 MALES AND FEMALES	91
5 MALES ONLY	92
6 FEMALES ONLY	93
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)	
7 MALES AND FEMALES	94
8 MALES ONLY	95
9 FEMALES ONLY	96
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10 MALES AND FEMALES	97
11 MALES ONLY	98
12 FEMALES ONLY	99
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
13 MALES AND FEMALES	100
14 MALES ONLY	101
15 FEMALES ONLY	102
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	103
17 MALES ONLY	104
18 FEMALES ONLY	105
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	106
20 MALES ONLY	107
21 FEMALES ONLY	108

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22	MALES AND FEMALES	109
23	MALES ONLY	110
24	FEMALES ONLY	111
	ARE YOU CURRENTLY...? (EMPLOY1)	
25	MALES AND FEMALES	112
26	MALES ONLY	113
27	FEMALES ONLY	114
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28	MALES AND FEMALES	115
29	MALES ONLY	116
30	FEMALES ONLY	117
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31	MALES AND FEMALES	118
32	MALES ONLY	119
33	FEMALES ONLY	120
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34	MALES AND FEMALES	121
35	MALES ONLY	122
36	FEMALES ONLY	123
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37	MALES AND FEMALES	124
38	MALES ONLY	125
39	FEMALES ONLY	126
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40	MALES AND FEMALES	127
41	MALES ONLY	128
42	FEMALES ONLY	129

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43	MALES AND FEMALES	130
44	MALES ONLY	131
45	FEMALES ONLY	132
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46	MALES AND FEMALES	133
	DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47	FEMALES ONLY	134
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52	MALES AND FEMALES	139
53	MALES ONLY	140
54	FEMALES ONLY	141
	HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
55	MALES AND FEMALES	142
56	MALES ONLY	143
57	FEMALES ONLY	144
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
58	MALES AND FEMALES	145
59	MALES ONLY	146
60	FEMALES ONLY	147
	INDICATE SEX OF RESPONDENT. (SEX)	
61	MALES AND FEMALES	148
62	MALES ONLY	149
63	FEMALES ONLY	150
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
64	MALES AND FEMALES	151
65	MALES ONLY	152
66	FEMALES ONLY	153
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
67	MALES AND FEMALES	154
68	MALES ONLY	155
69	FEMALES ONLY	156

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
70	MALES AND FEMALES	157
71	MALES ONLY	158
72	FEMALES ONLY	159
	ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
73	MALES AND FEMALES	160
74	MALES ONLY	161
75	FEMALES ONLY	162
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
76	MALES AND FEMALES	163
77	MALES ONLY	164
78	FEMALES ONLY	165
	DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
79	MALES AND FEMALES	166
80	MALES ONLY	167
81	FEMALES ONLY	168
	DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
82	MALES AND FEMALES	169
83	MALES ONLY	170
84	FEMALES ONLY	171
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
85	MALES AND FEMALES	172
86	MALES ONLY	173
87	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7731	554,028	495	15.2	13.6-16.8	897	17.8	16.4-19.2	871	14.2	13.0-15.4	1323	16.6	15.4-17.8	1708	16.4	15.4-17.4	2437	19.7	18.7-20.7
Male	3494	280,634	286	16.1	13.9-18.3	448	18.7	16.7-20.7	413	14.6	12.8-16.4	631	16.6	15.0-18.2	790	16.8	15.2-18.4	926	17.2	15.8-18.6
Female	4237	273,394	209	14.4	12.2-16.6	449	16.9	15.1-18.7	458	13.8	12.2-15.4	692	16.6	15.0-18.2	918	16.1	14.7-17.5	1511	22.2	20.8-23.6
Less Than H.S.	523	53,042	47	19.7	13.4-26.0	29	8.9	04.8-13.0	26	7.7	04.2-11.2	46	9.6	06.1-13.1	46	9.9	06.4-13.4	329	44.2	38.3-50.1
H.S. or G.E.D.	2386	150,088	181	17.6	14.7-20.5	216	14.6	12.2-17.0	186	10.4	08.6-12.2	385	16.5	14.5-18.5	494	16.7	14.9-18.5	924	24.2	22.2-26.2
Some Post-H.S.	2510	214,690	175	16.7	14.0-19.4	273	17.4	15.0-19.8	275	13.9	11.9-15.9	487	18.5	16.5-20.5	626	18.3	16.5-20.1	674	15.2	13.8-16.6
College Graduate	2292	134,984	90	8.6	06.4-10.8	375	25.4	22.9-27.9	383	21.6	19.2-24.0	403	16.4	14.4-18.4	538	15.7	14.1-17.3	503	12.3	10.9-13.7
Less than \$15,000	501	45,896	62	32.9	25.6-40.2	41	14.4	09.3-19.5	31	7.7	04.6-10.8	62	9.5	06.4-12.6	85	13.0	09.5-16.5	220	22.5	18.2-26.8
\$15,000- 24,999	925	69,921	88	21.5	16.6-26.4	70	13.2	09.7-16.7	58	8.9	06.0-11.8	98	12.0	09.1-14.9	146	12.3	09.6-15.0	465	32.2	28.5-35.9
\$25,000- 34,999	705	49,240	54	16.0	11.1-20.9	87	23.1	18.2-28.0	41	7.4	04.7-10.1	88	12.7	09.6-15.8	128	15.5	11.8-19.2	307	25.2	21.5-28.9
\$35,000- 49,999	1039	72,061	59	11.4	07.7-15.1	122	21.0	17.1-24.9	92	12.1	09.4-14.8	168	15.7	12.8-18.6	225	17.6	14.9-20.3	373	22.3	19.4-25.2
\$50,000- 74,999	1255	94,170	60	12.0	08.5-15.5	184	21.1	17.8-24.4	163	17.0	13.9-20.1	226	17.0	14.3-19.7	340	18.8	16.3-21.3	282	14.2	12.0-16.4
\$75,000+	2316	154,200	80	7.8	05.8-09.8	340	19.5	17.1-21.9	430	22.7	20.3-25.1	573	24.1	21.7-26.5	598	18.2	16.4-20.0	295	7.7	06.5-08.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3494	280,634	286	16.1	13.9-18.3	448	18.7	16.7-20.7	413	14.6	13.0-16.2	631	16.6	15.0-18.2	790	16.8	15.2-18.4	926	17.2	15.8-18.6
Less Than H.S.	274	30,197	29	18.6	11.0-26.2	20	9.6	03.9-15.3	15	8.6	03.5-13.7	33	12.6	07.3-17.9	33	12.7	07.4-18.0	144	37.9	30.6-45.2
H.S. or G.E.D.	1146	83,687	122	19.5	15.8-23.2	140	18.0	14.7-21.3	98	10.3	07.8-12.8	216	16.6	13.9-19.3	243	16.5	14.0-19.0	327	19.0	16.5-21.5
Some Post-H.S.	1086	103,884	91	16.9	13.0-20.8	148	20.3	16.8-23.8	142	15.4	12.3-18.5	215	18.0	15.1-20.9	280	18.4	15.7-21.1	210	11.1	09.1-13.1
College Graduate	979	61,974	42	8.9	06.0-11.8	139	21.1	17.4-24.8	157	21.9	18.4-25.4	166	16.4	13.7-19.1	232	16.5	14.0-19.0	243	15.3	12.9-17.7
Less than \$15,000	163	17,568	28	33.0	22.2-43.8	20	17.8	09.2-26.4	11	7.9	02.6-13.2	22	9.1	04.6-13.6	33	16.7	10.0-23.4	49	15.5	10.0-21.0
\$15,000- 24,999	355	32,856	43	24.0	16.6-31.4	25	12.1	06.8-17.4	23	10.5	05.6-15.4	47	12.3	07.8-16.8	62	12.2	08.1-16.3	155	28.8	22.9-34.7
\$25,000- 34,999	289	24,793	33	20.5	12.7-28.3	41	25.4	17.8-33.0	21	7.9	03.6-12.2	34	9.2	05.5-12.9	48	15.3	09.2-21.4	112	21.6	16.5-26.7
\$35,000- 49,999	526	42,022	38	12.5	07.6-17.4	67	21.7	16.4-27.0	37	9.4	05.9-12.9	90	16.3	12.4-20.2	117	19.1	15.0-23.2	177	21.0	16.9-25.1
\$50,000- 74,999	644	52,468	39	10.8	06.9-14.7	94	20.8	16.1-25.5	80	17.7	13.2-22.2	109	17.0	13.1-20.9	164	17.5	14.0-21.0	158	16.3	13.2-19.4
\$75,000+	1203	83,490	52	9.3	06.4-12.2	174	18.2	15.1-21.3	218	21.7	18.4-25.0	278	22.8	19.7-25.9	309	18.6	16.1-21.1	172	9.4	07.6-11.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4237	273,394	209	14.4	12.2-16.6	449	16.9	15.1-18.7	458	13.8	12.2-15.4	692	16.6	15.0-18.2	918	16.1	14.7-17.5	1511	22.2	20.8-23.6
Less Than H.S.	249	22,845	18	21.2	10.8-31.6	9	7.9	02.0-13.8	11	6.6	01.9-11.3	13	5.5	01.0-10.0	13	6.3	02.0-10.6	185	52.5	42.9-62.1
H.S. or G.E.D.	1240	66,400	59	15.2	10.7-19.7	76	10.3	07.6-13.0	88	10.4	07.9-12.9	169	16.4	13.5-19.3	251	17.0	14.5-19.5	597	30.6	27.5-33.7
Some Post-H.S.	1424	110,806	84	16.5	12.8-20.2	125	14.8	11.9-17.7	133	12.4	10.0-14.8	272	19.0	16.3-21.7	346	18.2	15.8-20.6	464	19.0	16.8-21.2
College Graduate	1313	73,010	48	8.3	05.4-11.2	236	29.0	25.5-32.5	226	21.4	18.5-24.3	237	16.4	13.9-18.9	306	15.0	13.0-17.0	260	9.8	08.2-11.4
Less than \$15,000	338	28,328	34	32.9	23.3-42.5	21	12.2	05.9-18.5	20	7.6	03.7-11.5	40	9.8	05.7-13.9	52	10.7	07.0-14.4	171	26.8	20.7-32.9
\$15,000- 24,999	570	37,065	45	19.2	12.9-25.5	45	14.1	09.4-18.8	35	7.4	04.1-10.7	51	11.7	07.8-15.6	84	12.4	08.9-15.9	310	35.2	30.3-40.1
\$25,000- 34,999	416	24,447	21	11.5	05.6-17.4	46	20.9	14.4-27.4	20	6.8	03.1-10.5	54	16.2	11.1-21.3	80	15.8	11.5-20.1	195	28.9	23.6-34.2
\$35,000- 49,999	513	30,039	21	9.7	04.0-15.4	55	19.9	14.0-25.8	55	15.9	11.2-20.6	78	14.8	10.7-18.9	108	15.5	12.0-19.0	196	24.2	19.9-28.5
\$50,000- 74,999	611	41,702	21	13.5	07.2-19.8	90	21.4	16.7-26.1	83	16.0	12.1-19.9	117	17.0	13.3-20.7	176	20.4	16.7-24.1	124	11.5	09.0-14.0
\$75,000+	1113	70,710	28	6.1	03.4-08.8	166	20.9	17.2-24.6	212	23.9	20.4-27.4	295	25.7	22.4-29.0	289	17.7	15.2-20.2	123	5.7	04.5-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7762	555,710	45	1.2	00.8-01.6	9	0.3	00.1-00.5	1	0.0	00.0-00.0	19	0.3	00.1-00.5	1	0.0	00.0-00.0	7687	98.1	97.5-98.7
Male	3494	280,395	22	1.1	00.5-01.7	4	0.4	00.0-00.8	1	0.0	00.0-00.0	10	0.5	00.1-00.9	1	0.0	00.0-00.0	3456	98.0	97.2-98.8
Female	4268	275,316	23	1.4	00.6-02.2	5	0.3	00.0-00.7				9	0.2	00.0-00.4				4231	98.1	97.3-98.9
18-24	493	84,171	7	1.6	00.0-03.2							2	0.4	00.0-01.0	1	0.0	00.0-00.0	483	97.9	96.1-99.7
25-34	895	98,513	12	2.2	00.6-03.8	4	1.0	00.0-02.0				3	0.3	00.0-00.7				876	96.5	94.7-98.3
35-44	869	78,188	11	2.2	00.6-03.8	2	0.6	00.0-01.4				3	0.8	00.0-02.0				853	96.4	94.2-98.6
45-54	1319	91,739	8	1.0	00.2-01.8	2	0.5	00.0-01.3	1	0.1	00.0-00.3	4	0.3	00.1-00.5				1304	98.2	97.0-99.4
55-64	1700	90,506	4	0.8	00.0-01.8	1	0.0	00.0-00.0				3	0.1	00.0-00.3				1692	99.1	98.1-0100
65+	2414	107,709	3	0.0	00.0-00.0							4	0.3	00.1-00.5				2407	99.7	99.5-99.9
Less Than H.S.	516	52,367	8	2.1	00.0-04.3	2	1.4	00.0-03.4										506	96.5	93.6-99.4
H.S. or G.E.D.	2396	150,323	21	1.5	00.7-02.3	4	0.3	00.0-00.7				9	0.6	00.2-01.0	1	0.0	00.0-00.0	2361	97.6	96.6-98.6
Some Post-H.S.	2522	215,247	11	1.1	00.3-01.9	2	0.3	00.0-00.7	1	0.0	00.0-00.0	8	0.3	00.0-00.7				2500	98.2	97.2-99.2
College Graduate	2306	136,140	5	0.8	00.0-01.6	1	0.1	00.0-00.3				2	0.1	00.0-00.3				2298	98.9	98.1-99.7
Less than \$15,000	499	45,613	7	2.1	00.1-04.1	1	0.1	00.0-00.3										491	97.8	95.8-99.8
\$15,000- 24,999	925	69,815	11	1.6	00.2-03.0	4	1.8	00.0-03.6				4	0.3	00.0-00.7				906	96.4	94.2-98.6
\$25,000- 34,999	709	49,530	6	2.1	00.1-04.1				1	0.1	00.0-00.3	3	0.7	00.0-01.7	1	0.1	00.0-00.3	698	97.0	94.6-99.4
\$35,000- 49,999	1041	72,147	4	0.6	00.0-01.4							2	0.4	00.0-01.0				1035	99.0	98.0-0100
\$50,000- 74,999	1255	94,229	6	1.2	00.0-02.4	1	0.1	00.0-00.3				3	0.6	00.0-01.6				1245	98.2	96.6-99.8
\$75,000+	2320	154,437	8	0.9	00.1-01.7	1	0.1	00.0-00.3				4	0.2	00.0-00.4				2307	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3494	280,395	22	1.1	00.5-01.7	4	0.4	00.0-00.8	1	0.0	00.0-00.0	10	0.5	00.1-00.9	1	0.0	00.0-00.0	3456	98.0	97.2-98.8
18-24	285	45,130	3	0.8	00.0-02.2							1	0.5	00.0-01.5	1	0.1	00.0-00.3	280	98.6	97.0-0100
25-34	447	52,227	7	2.2	00.4-04.0	2	1.2	00.0-03.0				1	0.2	00.0-00.6				437	96.3	93.8-98.8
35-44	411	40,351	4	1.4	00.0-03.2	1	0.2	00.0-00.6				2	1.5	00.0-03.7				404	96.9	94.0-99.8
45-54	629	46,565	6	1.1	00.1-02.1	1	0.8	00.0-02.2	1	0.1	00.0-00.3	3	0.5	00.0-01.1				618	97.5	95.7-99.3
55-64	786	46,764	2	1.3	00.0-03.3							2	0.1	00.0-00.3				782	98.6	96.6-0100
65+	912	47,647										1	0.1	00.0-00.3				911	99.9	99.7-0100
Less Than H.S.	271	29,935	4	2.0	00.0-04.9	2	2.5	00.0-06.0										265	95.5	91.0-0100
H.S. or G.E.D.	1146	83,645	11	1.5	00.3-02.7	1	0.1	00.0-00.3				5	0.9	00.1-01.7	1	0.0	00.0-00.0	1128	97.5	96.1-98.9
Some Post-H.S.	1084	103,554	4	0.7	00.0-01.5	1	0.2	00.0-00.6	1	0.1	00.0-00.3	5	0.6	00.0-01.4				1073	98.4	97.2-99.6
College Graduate	982	62,227	3	1.0	00.0-02.2													979	99.0	97.8-0100
Less than \$15,000	163	17,568	2	1.4	00.0-03.4													161	98.6	96.6-0100
\$15,000- 24,999	355	32,806	5	2.4	00.0-05.1	2	2.3	00.0-05.4				1	0.1	00.0-00.3				347	95.2	91.1-99.3
\$25,000- 34,999	288	24,676	3	2.3	00.0-05.4				1	0.2	00.0-00.6	2	1.1	00.0-03.1	1	0.1	00.0-00.3	281	96.2	92.7-99.7
\$35,000- 49,999	523	41,981	2	0.4	00.0-01.0							2	0.7	00.0-01.7				519	98.9	97.7-0100
\$50,000- 74,999	644	52,408	3	0.7	00.0-01.7	1	0.2	00.0-00.6				2	1.0	00.0-02.6				638	98.2	96.2-0100
\$75,000+	1205	83,396	5	0.5	00.0-01.1							2	0.2	00.0-00.6				1198	99.3	98.7-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4268	275,316	23	1.4	00.6-02.2	5	0.3	00.0-00.7	9	0.2	00.0-00.4	4231	98.1	97.3-98.9
18-24	208	39,042	4	2.6	00.0-05.5				1	0.2	00.0-00.6	203	97.2	94.1-0100
25-34	448	46,287	5	2.2	00.0-04.6	2	0.8	00.0-01.8	2	0.3	00.0-00.9	439	96.7	94.0-99.4
35-44	458	37,837	7	3.0	00.6-05.4	1	0.9	00.0-02.7	1	0.1	00.0-00.3	449	96.0	93.1-98.9
45-54	690	45,175	2	0.8	00.0-02.2	1	0.2	00.0-00.6	1	0.1	00.0-00.3	686	98.8	97.2-0100
55-64	914	43,742	2	0.2	00.0-00.6	1	0.1	00.0-00.3	1	0.1	00.0-00.3	910	99.6	99.0-0100
65+	1502	60,061	3	0.1	00.0-00.3				3	0.4	00.0-00.8	1496	99.6	99.2-0100
Less Than H.S.	245	22,432	4	2.2	00.0-05.1							241	97.8	94.9-0100
H.S. or G.E.D.	1250	66,678	10	1.5	00.3-02.7	3	0.6	00.0-01.4	4	0.3	00.0-00.7	1233	97.6	96.0-99.2
Some Post-H.S.	1438	111,693	7	1.5	00.1-02.9	1	0.3	00.0-00.9	3	0.1	00.0-00.3	1427	98.0	96.4-99.6
College Graduate	1324	73,913	2	0.7	00.0-01.7	1	0.1	00.0-00.3	2	0.3	00.0-00.7	1319	98.9	97.7-0100
Less than \$15,000	336	28,045	5	2.6	00.0-05.5	1	0.2	00.0-00.6				330	97.3	94.4-0100
\$15,000- 24,999	570	37,009	6	0.9	00.0-01.9	2	1.3	00.0-03.3	3	0.4	00.0-01.0	559	97.4	95.2-99.6
\$25,000- 34,999	421	24,854	3	2.0	00.0-04.5				1	0.3	00.0-00.9	417	97.7	95.0-0100
\$35,000- 49,999	518	30,166	2	0.9	00.0-02.5							516	99.1	97.5-0100
\$50,000- 74,999	611	41,821	3	1.7	00.0-04.1				1	0.1	00.0-00.3	607	98.2	95.8-0100
\$75,000+	1115	71,040	3	1.4	00.0-03.0	1	0.1	00.0-00.3	2	0.2	00.0-00.4	1109	98.3	96.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7738	552,476	7337	94.8	90.2-92.6	43	1.2	00.8-01.6	251	4.5	03.7-05.3	40	1.3	00.9-01.7	6	0.3	00.0-00.7	61	1.2	00.8-01.6
Male	3476	277,520	3298	94.9	90.5-93.7	25	1.4	00.8-02.0	107	3.9	02.9-04.9	16	1.1	00.3-01.9	4	0.5	00.0-01.1	26	1.0	00.4-01.6
Female	4262	274,957	4039	94.8	89.0-92.6	18	1.1	00.5-01.7	144	5.1	03.7-06.5	24	1.4	00.8-02.0	2	0.2	00.0-00.4	35	1.4	00.8-02.0
18-24	492	83,678	436	88.6	79.8-89.2	6	1.5	00.1-02.9	31	7.8	04.1-11.5	9	3.5	01.0-06.0	3	1.6	00.0-03.4	7	1.2	00.0-02.4
25-34	891	97,874	805	90.3	85.2-91.0	12	2.3	00.7-03.9	44	5.0	03.0-07.0	13	1.9	00.7-03.1	1	0.3	00.0-00.9	16	2.4	01.0-03.8
35-44	864	77,190	806	93.3	89.6-94.6	8	1.9	00.3-03.5	40	4.6	02.6-06.6	6	0.9	00.1-01.7				4	0.5	00.0-01.3
45-54	1312	91,047	1216	92.7	88.8-93.6	7	1.0	00.0-02.2	64	5.0	03.4-06.6	5	0.7	00.1-01.3	2	0.3	00.0-00.9	18	1.8	00.6-03.0
55-64	1696	90,152	1641	96.8	92.9-96.9	4	0.3	00.0-00.7	43	3.7	01.9-05.5	4	0.5	00.0-01.1				4	0.5	00.0-01.1
65+	2414	107,964	2367	98.1	95.1-97.9	6	0.5	00.0-01.1	27	1.9	00.7-03.1	2	0.2	00.0-00.4				12	0.9	00.3-01.5
Less Than H.S.	514	51,694	467	91.0	80.1-90.7	5	2.3	00.0-04.7	34	9.1	04.8-13.4	1	0.2	00.0-00.6	1	1.2	00.0-03.6	6	1.8	00.0-03.6
H.S. or G.E.D.	2391	150,138	2285	95.6	90.8-94.8	12	1.2	00.4-02.0	73	4.6	02.8-06.4	5	0.6	00.0-01.4				16	0.8	00.2-01.4
Some Post-H.S.	2513	213,767	2362	94.0	88.7-92.7	16	1.3	00.5-02.1	98	5.2	03.8-06.6	12	1.1	00.3-01.9	3	0.5	00.0-01.1	22	1.2	00.4-02.0
College Graduate	2299	135,376	2202	95.8	91.5-95.1	10	0.7	00.1-01.3	46	1.6	01.0-02.2	22	2.7	01.5-03.9	2	0.2	00.0-00.6	17	1.5	00.5-02.5
Less than \$15,000	497	45,719	440	88.5	70.6-84.0	7	2.5	00.1-04.9	40	16.1	09.8-22.4	5	2.2	00.2-04.2	1	0.7	00.0-02.1	4	1.3	00.0-02.9
\$15,000- 24,999	919	68,478	842	91.6	83.0-90.8	7	1.8	00.4-03.2	55	7.8	04.9-10.7	6	0.7	00.0-01.5	3	1.8	00.0-04.0	6	1.0	00.0-02.0
\$25,000- 34,999	707	49,491	670	94.8	87.4-95.2	5	1.9	00.0-03.9	25	5.1	02.2-08.0	2	1.2	00.0-03.2				5	0.5	00.0-01.1
\$35,000- 49,999	1039	71,640	989	95.2	88.2-94.4	5	1.5	00.0-03.1	33	4.6	02.2-07.0	6	1.3	00.0-02.7	1	0.3	00.0-00.9	5	1.0	00.0-02.0
\$50,000- 74,999	1250	93,630	1206	96.4	94.0-97.6	2	0.1	00.0-00.3	27	2.1	00.9-03.3	8	1.5	00.3-02.7	1	0.1	00.0-00.3	6	0.4	00.0-00.8
\$75,000+	2316	154,118	2227	96.2	93.4-96.2	9	0.5	00.1-00.9	43	1.5	00.9-02.1	11	1.3	00.5-02.1				26	2.0	01.0-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3476	277,520	3298	92.1	90.5-93.7	25	1.4	00.8-02.0	107	3.9	02.9-04.9	16	1.1	00.3-01.9	4	0.5	00.0-01.1	26	1.0	00.4-01.6
18-24	284	44,864	257	86.6	80.7-92.5	4	1.9	00.0-04.1	12	3.5	01.0-06.0	4	3.8	00.1-07.5	2	2.2	00.0-05.3	5	1.9	00.0-04.3
25-34	445	51,681	410	89.5	85.6-93.4	5	1.9	00.1-03.7	19	5.5	02.4-08.6	4	1.1	00.0-02.3	1	0.5	00.0-01.5	6	1.5	00.1-02.9
35-44	407	39,409	385	92.1	88.2-96.0	5	2.9	00.2-05.6	14	3.9	01.4-06.4	2	0.4	00.0-01.2				1	0.7	00.0-02.1
45-54	624	45,877	572	91.8	89.1-94.5	5	0.6	00.0-01.2	33	5.2	02.8-07.6	4	0.9	00.0-01.9	1	0.2	00.0-00.6	9	1.3	00.1-02.5
55-64	782	46,603	756	94.5	91.4-97.6	3	0.6	00.0-01.2	21	4.4	01.5-07.3	2	0.6	00.0-01.6						
65+	912	47,677	896	97.6	95.8-99.4	3	0.4	00.0-01.0	8	1.2	00.0-02.8							5	0.7	00.0-01.5
Less Than H.S.	266	28,916	244	86.5	79.6-93.4	2	1.6	00.0-04.1	16	8.6	03.1-14.1				1	2.1	00.0-06.0	3	1.2	00.0-02.6
H.S. or G.E.D.	1144	83,419	1094	94.1	91.7-96.5	7	1.6	00.2-03.0	31	2.7	01.3-04.1	3	0.6	00.0-01.8				9	1.0	00.2-01.8
Some Post-H.S.	1079	102,763	1010	91.2	88.5-93.9	8	1.1	00.1-02.1	46	4.9	02.9-06.9	5	1.2	00.0-02.6	2	0.6	00.0-01.6	8	0.8	00.0-01.8
College Graduate	976	61,497	939	93.2	90.7-95.7	8	1.4	00.4-02.4	14	1.8	00.6-03.0	8	2.1	00.5-03.7	1	0.1	00.0-00.3	6	1.3	00.1-02.5
Less than \$15,000	161	17,429	140	79.4	69.8-89.0	3	2.8	00.0-05.9	15	14.3	05.7-22.9	3	3.6	00.0-07.7						
\$15,000- 24,999	352	31,843	317	85.5	79.2-91.8	4	2.7	00.0-05.4	25	7.8	03.7-11.9	2	0.6	00.0-01.6	2	3.1	00.0-07.4	2	0.2	00.0-00.4
\$25,000- 34,999	288	24,798	267	87.1	80.0-94.2	4	3.4	00.0-07.1	13	6.8	01.3-12.3	1	1.9	00.0-05.6				3	0.8	00.0-01.8
\$35,000- 49,999	521	41,474	495	92.0	88.3-95.7	4	1.4	00.0-03.0	16	3.7	01.3-06.1	3	1.6	00.0-04.0	1	0.6	00.0-01.8	2	0.6	00.0-01.6
\$50,000- 74,999	637	51,756	616	96.7	94.9-98.5	2	0.2	00.0-00.4	12	1.9	00.5-03.3	4	0.9	00.0-01.9	1	0.2	00.0-00.6	2	0.2	00.0-00.4
\$75,000+	1203	83,133	1164	95.9	94.1-97.7	6	0.4	00.0-00.8	18	1.3	00.5-02.1	2	0.2	00.0-00.6				13	2.2	00.6-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4262	274,957	4039	90.8	89.0-92.6	18	1.1	00.5-01.7	144	5.1	03.7-06.5	24	1.4	00.8-02.0	2	0.2	00.0-00.4	35	1.4	00.8-02.0
18-24	208	38,814	179	82.0	74.4-89.6	2	1.1	00.0-02.7	19	12.7	05.6-19.8	5	3.0	00.0-06.3	1	0.9	00.0-02.7	2	0.3	00.0-00.7
25-34	446	46,193	395	86.5	82.0-91.0	7	2.7	00.0-05.4	25	4.5	02.1-06.9	9	2.8	00.6-05.0				10	3.4	00.9-05.9
35-44	457	37,782	421	92.1	88.8-95.4	3	0.8	00.0-01.8	26	5.5	02.6-08.4	4	1.4	00.0-03.0				3	0.3	00.0-00.7
45-54	688	45,170	644	90.7	86.8-94.6	2	1.3	00.0-03.7	31	4.7	02.5-06.9	1	0.5	00.0-01.5	1	0.5	00.0-01.5	9	2.3	00.1-04.5
55-64	914	43,548	885	95.4	93.2-97.6	1	0.1	00.0-00.3	22	3.0	01.4-04.6	2	0.5	00.0-01.3				4	1.0	00.0-02.2
65+	1502	60,287	1471	95.6	93.6-97.6	3	0.6	00.0-01.4	19	2.4	00.8-04.0	2	0.3	00.0-00.7				7	1.1	00.3-01.9
Less Than H.S.	248	22,778	223	84.0	76.0-92.0	3	3.1	00.0-07.2	18	9.8	03.1-16.5	1	0.6	00.0-01.8				3	2.5	00.0-06.0
H.S. or G.E.D.	1247	66,719	1191	91.2	87.7-94.7	5	0.8	00.0-01.6	42	6.9	03.6-10.2	2	0.6	00.0-01.4				7	0.5	00.1-00.9
Some Post-H.S.	1434	111,005	1352	90.2	87.5-92.9	8	1.5	00.1-02.9	52	5.5	03.5-07.5	7	0.9	00.0-01.9	1	0.3	00.0-00.9	14	1.6	00.4-02.8
College Graduate	1323	73,879	1263	93.3	90.9-95.7	2	0.1	00.0-00.3	32	1.4	00.8-02.0	14	3.2	01.2-05.2	1	0.3	00.0-00.9	11	1.6	00.4-02.8
Less than \$15,000	336	28,290	300	76.0	67.0-85.0	4	2.3	00.0-05.4	25	17.1	08.7-25.5	2	1.3	00.0-03.3	1	1.2	00.0-03.6	4	2.0	00.0-04.5
\$15,000- 24,999	567	36,635	525	88.0	83.3-92.7	3	1.0	00.0-02.4	30	7.8	03.7-11.9	4	0.9	00.0-01.9	1	0.6	00.0-01.8	4	1.7	00.0-03.7
\$25,000- 34,999	419	24,694	403	95.5	92.8-98.2	1	0.3	00.0-00.9	12	3.3	00.9-05.7	1	0.5	00.0-01.5				2	0.3	00.0-00.7
\$35,000- 49,999	518	30,166	494	90.3	84.8-95.8	1	1.5	00.0-04.4	17	5.9	01.6-10.2	3	0.8	00.0-02.0				3	1.4	00.0-03.6
\$50,000- 74,999	613	41,874	590	94.8	91.7-97.9				15	2.5	00.7-04.3	4	2.1	00.0-04.6				4	0.7	00.0-01.5
\$75,000+	1113	70,985	1063	93.5	91.1-95.9	3	0.5	00.0-01.1	25	1.8	00.8-02.8	9	2.5	00.7-04.3				13	1.7	00.5-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7799	558,360	981	12.1	11.1-13.1	6818	87.9	86.9-88.9
Male	3517	282,147	919	22.0	20.2-23.8	2598	78.0	76.2-79.8
Female	4282	276,213	62	2.0	01.2-02.8	4220	98.0	97.2-98.8
18-24	495	84,482	21	5.5	03.0-08.0	474	94.5	92.0-97.0
25-34	896	98,579	69	8.6	06.2-11.0	827	91.4	89.0-93.8
35-44	871	78,725	68	9.0	06.5-11.5	803	91.0	88.5-93.5
45-54	1322	91,772	120	9.7	07.5-11.9	1202	90.3	88.1-92.5
55-64	1706	90,961	198	13.5	11.1-15.9	1508	86.5	84.1-88.9
65+	2436	109,079	498	23.4	21.0-25.8	1938	76.6	74.2-79.0
Less Than H.S.	523	53,042	73	11.5	08.2-14.8	450	88.5	85.2-91.8
H.S. or G.E.D.	2407	151,218	343	15.4	13.2-17.6	2064	84.6	82.4-86.8
Some Post-H.S.	2529	215,937	304	11.3	09.7-12.9	2225	88.7	87.1-90.3
College Graduate	2315	136,495	257	10.0	08.4-11.6	2058	90.0	88.4-91.6
Less than \$15,000	503	45,985	41	7.0	03.9-10.1	462	93.0	89.9-96.1
\$15,000- 24,999	929	70,146	138	14.4	11.3-17.5	791	85.6	82.5-88.7
\$25,000- 34,999	711	49,690	98	12.8	09.5-16.1	613	87.2	83.9-90.5
\$35,000- 49,999	1045	72,258	178	17.3	14.0-20.6	867	82.7	79.4-86.0
\$50,000- 74,999	1258	94,307	172	12.9	10.4-15.4	1086	87.1	84.6-89.6
\$75,000+	2328	155,099	256	10.4	08.8-12.0	2072	89.6	88.0-91.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3517	282,147	919	22.0	20.2-23.8	2598	78.0	76.2-79.8
18-24	286	45,193	19	8.8	04.5-13.1	267	91.2	86.9-95.5
25-34	448	52,359	58	13.4	09.5-17.3	390	86.6	82.7-90.5
35-44	413	40,888	58	15.4	10.7-20.1	355	84.6	79.9-89.3
45-54	630	46,501	100	16.0	12.3-19.7	530	84.0	80.3-87.7
55-64	789	47,134	188	24.7	20.6-28.8	601	75.3	71.2-79.4
65+	925	48,325	489	52.1	48.0-56.2	436	47.9	43.8-52.0
Less Than H.S.	274	30,197	71	19.9	14.4-25.4	203	80.1	74.6-85.6
H.S. or G.E.D.	1151	84,039	327	26.0	22.7-29.3	824	74.0	70.7-77.3
Some Post-H.S.	1089	104,120	281	21.1	18.0-24.2	808	78.9	75.8-82.0
College Graduate	991	62,745	236	19.3	16.4-22.2	755	80.7	77.8-83.6
Less than \$15,000	163	17,568	32	12.3	06.8-17.8	131	87.7	82.2-93.2
\$15,000- 24,999	357	33,002	126	28.2	21.9-34.5	231	71.8	65.5-78.1
\$25,000- 34,999	290	24,837	95	24.5	18.2-30.8	195	75.5	69.2-81.8
\$35,000- 49,999	527	42,091	171	27.6	22.5-32.7	356	72.4	67.3-77.5
\$50,000- 74,999	645	52,506	164	21.8	17.7-25.9	481	78.2	74.1-82.3
\$75,000+	1212	84,022	238	17.5	15.0-20.0	974	82.5	80.0-85.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4282	276,213	62	2.0	01.2-02.8	4220	98.0	97.2-98.8
18-24	209	39,289	2	1.7	00.0-04.4	207	98.3	95.6-0100
25-34	448	46,220	11	3.3	00.8-05.8	437	96.7	94.2-99.2
35-44	458	37,837	10	2.0	00.4-03.6	448	98.0	96.4-99.6
45-54	692	45,271	20	3.3	01.5-05.1	672	96.7	94.9-98.5
55-64	917	43,827	10	1.6	00.4-02.8	907	98.4	97.2-99.6
65+	1511	60,754	9	0.6	00.2-01.0	1502	99.4	99.0-99.8
Less Than H.S.	249	22,845	2	0.4	00.0-01.0	247	99.6	99.0-0100
H.S. or G.E.D.	1256	67,179	16	2.1	00.3-03.9	1240	97.9	96.1-99.7
Some Post-H.S.	1440	111,817	23	2.1	00.9-03.3	1417	97.9	96.7-99.1
College Graduate	1324	73,750	21	2.2	01.0-03.4	1303	97.8	96.6-99.0
Less than \$15,000	340	28,417	9	3.8	00.0-07.9	331	96.2	92.1-0100
\$15,000- 24,999	572	37,144	12	2.2	00.6-03.8	560	97.8	96.2-99.4
\$25,000- 34,999	421	24,854	3	1.0	00.0-02.2	418	99.0	97.8-0100
\$35,000- 49,999	518	30,166	7	2.9	00.4-05.4	511	97.1	94.6-99.6
\$50,000- 74,999	613	41,801	8	1.8	00.4-03.2	605	98.2	96.8-99.6
\$75,000+	1116	71,076	18	2.0	00.4-03.6	1098	98.0	96.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7764	555,297	4465	56.3	54.7-57.9	912	9.4	08.6-10.2	999	6.1	05.5-06.7	86	1.2	00.8-01.6	1156	23.5	21.9-25.1	146	3.4	02.6-04.2
Male	3498	279,937	2044	54.7	52.3-57.1	438	9.8	08.6-11.0	187	2.5	01.9-03.1	44	1.3	00.7-01.9	713	28.5	26.1-30.9	72	3.2	02.2-04.2
Female	4266	275,360	2421	58.0	55.8-60.2	474	9.1	07.9-10.3	812	9.8	08.8-10.8	42	1.1	00.5-01.7	443	18.4	16.2-20.6	74	3.6	02.6-04.6
18-24	491	83,538	52	8.5	05.6-11.4	2	0.5	00.0-01.3	1	0.5	00.0-01.5	3	0.4	00.0-00.8	391	80.7	76.2-85.2	42	9.4	06.1-12.7
25-34	892	98,282	542	55.8	51.5-60.1	53	5.7	03.7-07.7	2	0.2	00.0-00.4	10	1.5	00.5-02.5	239	30.6	26.7-34.5	46	6.2	04.0-08.4
35-44	868	78,406	617	71.1	67.2-75.0	104	12.2	09.3-15.1	9	0.3	00.1-00.5	15	2.0	00.6-03.4	105	12.2	09.5-14.9	18	2.3	00.9-03.7
45-54	1320	91,675	866	68.6	65.3-71.9	217	14.5	12.1-16.9	35	2.4	01.0-03.8	25	1.9	00.9-02.9	156	10.9	08.5-13.3	21	1.7	00.7-02.7
55-64	1696	90,212	1133	70.1	67.2-73.0	293	15.7	13.5-17.9	89	3.2	02.2-04.2	19	1.1	00.5-01.7	149	8.7	06.7-10.7	13	1.2	00.4-02.0
65+	2431	108,945	1210	60.4	57.9-62.9	239	8.4	06.8-10.0	859	25.6	23.4-27.8	14	0.6	00.2-01.0	104	4.8	03.6-06.0	5	0.2	00.0-00.4
Less Than H.S.	521	52,297	184	36.1	30.4-41.8	72	12.9	09.2-16.6	164	18.0	14.3-21.7	11	2.7	00.7-04.7	82	27.2	20.7-33.7	8	3.0	00.5-05.5
H.S. or G.E.D.	2402	150,922	1249	51.3	48.4-54.2	302	10.8	09.2-12.4	403	7.1	06.1-08.1	34	1.8	01.0-02.6	364	25.5	22.6-28.4	50	3.5	02.1-04.9
Some Post-H.S.	2516	214,905	1455	56.3	53.6-59.0	318	9.4	08.0-10.8	271	4.7	03.9-05.5	25	0.8	00.4-01.2	392	25.0	22.3-27.7	55	3.8	02.4-05.2
College Graduate	2302	135,528	1565	69.8	67.1-72.5	220	6.8	05.6-08.0	155	2.5	01.9-03.1	16	0.7	00.3-01.1	314	17.5	15.1-19.9	32	2.7	01.5-03.9
Less than \$15,000	502	45,806	56	13.1	09.0-17.2	132	18.3	14.0-22.6	134	12.1	09.4-14.8	11	2.3	00.3-04.3	157	50.2	43.5-56.9	12	3.9	01.4-06.4
\$15,000- 24,999	923	69,125	268	30.5	26.2-34.8	161	14.9	11.8-18.0	251	13.8	11.3-16.3	25	2.7	01.3-04.1	198	33.3	28.4-38.2	20	4.8	02.3-07.3
\$25,000- 34,999	709	49,588	262	38.5	33.4-43.6	140	16.7	13.0-20.4	146	9.2	07.2-11.2	7	1.4	00.0-02.8	128	28.4	23.1-33.7	26	5.9	03.0-08.8
\$35,000- 49,999	1043	71,934	572	56.6	52.3-60.9	135	10.3	07.9-12.7	130	4.5	03.3-05.7	17	2.4	01.0-03.8	168	22.6	18.5-26.7	21	3.5	01.5-05.5
\$50,000- 74,999	1255	94,062	874	70.1	66.2-74.0	121	7.2	05.2-09.2	66	1.8	01.2-02.4	7	0.4	00.0-00.8	160	16.7	13.2-20.2	27	3.8	01.8-05.8
\$75,000+	2324	154,838	1903	80.9	78.5-83.3	146	4.3	03.3-05.3	57	0.9	00.5-01.3	12	0.2	00.0-00.4	178	11.8	09.6-14.0	28	1.8	00.8-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3498	279,937	2044	54.7	52.3-57.1	438	9.8	08.6-11.0	187	2.5	01.9-03.1	44	1.3	00.7-01.9	713	28.5	26.1-30.9	72	3.2	02.2-04.2
18-24	282	44,249	25	6.5	03.6-09.4	1	0.4	00.0-01.2				2	0.6	00.0-01.4	233	84.2	79.1-89.3	21	8.4	04.3-12.5
25-34	445	52,125	244	48.4	42.5-54.3	26	5.0	02.6-07.4	2	0.3	00.0-00.7	6	2.2	00.4-04.0	149	39.1	33.2-45.0	18	5.1	02.4-07.8
35-44	413	40,888	274	67.7	61.8-73.6	53	12.9	08.6-17.2	2	0.1	00.0-00.3	6	1.2	00.0-02.4	67	15.2	10.9-19.5	11	3.0	00.6-05.4
45-54	629	46,458	378	65.7	60.8-70.6	108	15.2	11.5-18.9	10	0.8	00.0-01.6	15	2.3	00.9-03.7	105	14.5	10.8-18.2	13	1.4	00.4-02.4
55-64	784	46,657	510	66.4	61.9-70.9	156	18.4	14.9-21.9	18	1.5	00.3-02.7	7	0.6	00.0-01.2	87	11.7	08.2-15.2	6	1.3	00.0-02.7
65+	923	48,242	598	72.2	68.7-75.7	94	7.6	05.6-09.6	154	11.7	09.3-14.1	8	0.9	00.1-01.7	66	7.4	05.2-09.6	3	0.2	00.0-00.4
Less Than H.S.	272	29,452	119	42.3	34.5-50.1	36	11.1	06.6-15.6	47	9.2	05.7-12.7	5	2.4	00.0-04.8	58	30.9	22.7-39.1	7	4.1	00.4-07.8
H.S. or G.E.D.	1148	83,681	618	50.7	46.8-54.6	161	11.3	09.1-13.5	71	2.6	01.8-03.4	19	1.9	00.9-02.9	252	30.9	27.0-34.8	27	2.6	01.2-04.0
Some Post-H.S.	1083	103,687	629	53.9	49.8-58.0	145	9.8	07.6-12.0	36	1.3	00.7-01.9	11	0.7	00.1-01.3	238	30.8	26.7-34.9	24	3.6	01.8-05.4
College Graduate	983	62,071	670	67.4	63.5-71.3	96	7.2	05.2-09.2	32	1.1	00.5-01.7	9	1.1	00.3-01.9	163	20.5	17.0-24.0	13	2.6	01.0-04.2
Less than \$15,000	163	17,568	19	9.9	04.8-15.0	35	14.0	08.5-19.5	20	7.0	02.9-11.1	3	1.1	00.0-02.5	83	65.2	56.2-74.2	3	2.8	00.0-06.7
\$15,000- 24,999	355	32,342	122	32.3	25.6-39.0	68	16.3	11.2-21.4	43	5.3	02.9-07.7	12	3.6	01.1-06.1	101	36.1	28.7-43.5	9	6.3	02.0-10.6
\$25,000- 34,999	290	24,837	129	40.1	32.5-47.7	49	12.8	08.1-17.5	27	3.8	01.8-05.8	3	1.5	00.0-03.7	73	36.4	28.2-44.6	9	5.3	00.8-09.8
\$35,000- 49,999	525	41,768	285	53.2	47.3-59.1	67	9.9	06.8-13.0	38	2.3	01.1-03.5	13	3.3	01.3-05.3	108	27.2	21.5-32.9	14	4.1	01.2-07.0
\$50,000- 74,999	642	52,210	419	66.7	61.6-71.8	76	8.9	06.0-11.8	15	0.9	00.3-01.5	5	0.5	00.0-01.1	115	20.5	15.8-25.2	12	2.5	00.7-04.3
\$75,000+	1209	83,793	912	74.1	70.4-77.8	109	6.5	04.7-08.3	24	0.9	00.5-01.3	8	0.4	00.0-00.8	138	16.6	13.1-20.1	18	1.5	00.5-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4266	275,360	2421	58.0	55.8-60.2	474	9.1	07.9-10.3	812	9.8	08.8-10.8	42	1.1	00.5-01.7	443	18.4	16.2-20.6	74	3.6	02.6-04.6
18-24	209	39,289	27	10.7	05.4-16.0	1	0.7	00.0-02.1	1	1.0	00.0-03.0	1	0.2	00.0-00.6	158	76.9	69.5-84.3	21	10.6	05.1-16.1
25-34	447	46,157	298	64.1	58.2-70.0	27	6.6	03.5-09.7				4	0.8	00.0-01.6	90	21.1	16.2-26.0	28	7.4	04.1-10.7
35-44	455	37,518	343	74.8	69.5-80.1	51	11.5	07.8-15.2	7	0.5	00.1-00.9	9	2.9	00.5-05.3	38	8.9	05.4-12.4	7	1.5	00.1-02.9
45-54	691	45,218	488	71.5	66.8-76.2	109	13.8	10.5-17.1	25	4.0	01.3-06.7	10	1.5	00.0-03.1	51	7.1	04.6-09.6	8	2.1	00.5-03.7
55-64	912	43,555	623	74.1	70.6-77.6	137	12.7	10.0-15.4	71	4.9	03.5-06.3	12	1.6	00.4-02.8	62	5.6	03.8-07.4	7	1.1	00.1-02.1
65+	1508	60,704	612	51.1	47.8-54.4	145	9.0	06.8-11.2	705	36.7	33.6-39.8	6	0.3	00.1-00.5	38	2.7	01.7-03.7	2	0.2	00.0-00.6
Less Than H.S.	249	22,845	65	28.3	20.3-36.3	36	15.4	09.1-21.7	117	29.2	21.9-36.5	6	3.0	00.0-06.5	24	22.5	12.3-32.7	1	1.6	00.0-04.7
H.S. or G.E.D.	1254	67,241	631	52.0	47.9-56.1	141	10.1	07.9-12.3	332	12.8	11.0-14.6	15	1.7	00.5-02.9	112	18.8	14.5-23.1	23	4.6	02.2-07.0
Some Post-H.S.	1433	111,218	826	58.6	54.9-62.3	173	9.1	07.1-11.1	235	7.9	06.3-09.5	14	0.8	00.2-01.4	154	19.6	16.1-23.1	31	4.0	02.2-05.8
College Graduate	1319	73,457	895	71.8	68.3-75.3	124	6.4	04.8-08.0	123	3.7	02.9-04.5	7	0.4	00.0-00.8	151	15.0	11.9-18.1	19	2.7	01.1-04.3
Less than \$15,000	339	28,238	37	15.1	09.2-21.0	97	21.0	15.1-26.9	114	15.3	11.4-19.2	8	3.1	00.0-06.2	74	40.9	31.7-50.1	9	4.5	01.2-07.8
\$15,000- 24,999	568	36,783	146	28.9	23.4-34.4	93	13.7	10.2-17.2	208	21.2	17.1-25.3	13	2.0	00.6-03.4	97	30.8	24.5-37.1	11	3.4	00.5-06.3
\$25,000- 34,999	419	24,751	133	36.8	30.1-43.5	91	20.5	15.0-26.0	119	14.6	11.1-18.1	4	1.2	00.0-02.8	55	20.3	13.8-26.8	17	6.6	02.7-10.5
\$35,000- 49,999	518	30,166	287	61.4	54.9-67.9	68	10.9	07.2-14.6	92	7.6	05.6-09.6	4	1.1	00.0-02.9	60	16.2	10.1-22.3	7	2.8	00.3-05.3
\$50,000- 74,999	613	41,852	455	74.3	68.4-80.2	45	5.0	02.8-07.2	51	3.0	01.8-04.2	2	0.4	00.0-01.0	45	11.9	06.8-17.0	15	5.4	01.7-09.1
\$75,000+	1115	71,046	991	89.0	86.1-91.9	37	1.6	00.8-02.4	33	0.9	00.5-01.3	4	0.1	00.0-00.3	40	6.2	03.7-08.7	10	2.2	00.6-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7793	557,694	789	13.2	12.0-14.4	686	11.1	10.1-12.1	324	5.3	04.5-06.1	129	2.2	01.6-02.8	53	1.1	00.7-01.5	5812	67.1	65.5-68.7
Male	3512	281,636	363	12.9	11.1-14.7	310	10.3	08.9-11.7	136	3.9	03.1-04.7	64	2.4	01.6-03.2	30	1.4	00.8-02.0	2609	69.1	66.9-71.3
Female	4281	276,058	426	13.5	11.7-15.3	376	11.9	10.3-13.5	188	6.7	05.3-08.1	65	2.1	01.3-02.9	23	0.8	00.4-01.2	3203	64.9	62.7-67.1
18-24	495	84,482	74	15.5	11.2-19.8	36	6.3	03.8-08.8	15	4.0	01.3-06.7	7	1.5	00.3-02.7	6	1.8	00.0-03.6	357	70.9	65.6-76.2
25-34	897	98,657	188	20.6	17.1-24.1	192	19.4	16.1-22.7	104	10.6	08.1-13.1	48	4.9	02.9-06.9	15	1.3	00.5-02.1	350	43.2	39.1-47.3
35-44	869	78,554	163	21.1	17.6-24.6	276	30.2	26.3-34.1	134	12.9	10.4-15.4	60	6.6	04.4-08.8	24	3.4	01.6-05.2	212	25.8	22.1-29.5
45-54	1322	91,786	259	20.4	17.5-23.3	143	11.6	09.4-13.8	53	4.8	02.8-06.8	11	0.7	00.3-01.1	7	0.5	00.0-01.1	849	62.0	58.5-65.5
55-64	1708	91,086	81	4.0	02.8-05.2	27	2.1	00.7-03.5	11	1.2	00.2-02.2	1	0.5	00.0-01.5	1	0.1	00.0-00.3	1587	92.0	89.8-94.2
65+	2435	108,990	20	1.0	00.4-01.6	10	0.8	00.2-01.4	4	0.2	00.0-00.4	2	0.1	00.0-00.3				2399	97.9	96.9-98.9
Less Than H.S.	522	53,027	41	14.1	08.8-19.4	23	6.4	03.3-09.5	10	1.7	00.1-03.3	5	2.7	00.0-05.6	5	3.0	00.3-05.7	438	72.1	65.8-78.4
H.S. or G.E.D.	2410	151,402	212	11.6	09.6-13.6	147	8.2	06.4-10.0	65	4.1	02.5-05.7	28	2.2	01.2-03.2	21	1.4	00.6-02.2	1937	72.5	69.8-75.2
Some Post-H.S.	2527	215,751	267	13.8	11.6-16.0	225	11.8	10.0-13.6	101	5.5	04.1-06.9	44	1.9	01.1-02.7	14	0.6	00.2-01.0	1876	66.4	63.7-69.1
College Graduate	2311	136,122	269	14.0	12.0-16.0	290	15.0	13.0-17.0	145	7.8	06.2-09.4	51	2.7	01.9-03.5	13	0.7	00.1-01.3	1543	59.8	57.1-62.5
Less than \$15,000	503	45,985	32	9.8	05.3-14.3	20	5.8	02.5-09.1	10	4.7	00.6-08.8	2	1.4	00.0-03.8	3	1.2	00.0-02.6	436	77.0	70.5-83.5
\$15,000- 24,999	928	70,088	70	12.4	08.9-15.9	33	3.6	02.0-05.2	17	3.2	01.2-05.2	5	1.4	00.0-02.8	7	1.9	00.1-03.7	796	77.3	72.8-81.8
\$25,000- 34,999	711	49,690	58	11.6	07.9-15.3	45	9.6	05.7-13.5	18	2.7	01.1-04.3	5	0.6	00.0-01.2	3	0.8	00.0-01.8	582	74.6	69.5-79.7
\$35,000- 49,999	1045	72,258	83	12.0	08.7-15.3	65	9.4	06.7-12.1	36	4.3	02.5-06.1	19	3.4	01.4-05.4	5	0.7	00.0-01.5	837	70.3	66.0-74.6
\$50,000- 74,999	1258	94,246	145	14.6	11.5-17.7	159	16.1	13.2-19.0	66	6.8	04.6-09.0	20	1.9	00.9-02.9	10	1.3	00.3-02.3	858	59.4	55.5-63.3
\$75,000+	2325	154,734	331	16.8	14.6-19.0	325	16.7	14.5-18.9	155	7.7	06.1-09.3	71	3.4	02.4-04.4	20	1.0	00.4-01.6	1423	54.4	51.7-57.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3512	281,636	363	12.9	11.1-14.7	310	10.3	08.9-11.7	136	3.9	03.1-04.7	64	2.4	01.6-03.2	30	1.4	00.8-02.0	2609	69.1	66.9-71.3
18-24	286	45,193	39	12.9	07.6-18.2	19	5.3	02.2-08.4	4	1.0	00.0-02.2	6	2.1	00.1-04.1	5	2.5	00.0-05.0	213	76.2	69.7-82.7
25-34	448	52,359	82	18.4	13.7-23.1	76	14.4	10.5-18.3	35	6.7	04.2-09.2	23	4.9	02.2-07.6	7	1.4	00.2-02.6	225	54.3	48.4-60.2
35-44	411	40,717	75	22.2	16.7-27.7	117	26.9	21.6-32.2	58	10.8	07.3-14.3	25	5.4	02.7-08.1	14	4.5	01.8-07.2	122	30.2	24.5-35.9
45-54	630	46,514	122	21.7	17.0-26.4	81	14.0	10.5-17.5	29	4.1	02.1-06.1	7	0.9	00.1-01.7	4	0.3	00.0-00.7	387	59.0	53.9-64.1
55-64	790	47,141	37	3.5	02.1-04.9	11	2.3	00.0-04.8	6	1.3	00.0-03.1	1	1.0	00.0-03.0				735	91.9	88.2-95.6
65+	925	48,368	8	0.4	00.0-00.8	4	0.8	00.0-01.6	2	0.4	00.0-01.0	2	0.3	00.0-00.7				909	98.1	96.9-99.3
Less Than H.S.	273	30,182	26	14.8	07.9-21.7	14	5.2	01.7-08.7	4	1.1	00.0-02.3	5	4.8	00.0-09.9	3	3.1	00.0-06.8	221	71.1	62.7-79.5
H.S. or G.E.D.	1153	84,105	115	10.8	08.3-13.3	85	9.5	07.0-12.0	37	3.6	02.2-05.0	20	3.0	01.4-04.6	11	1.5	00.5-02.5	885	71.7	68.0-75.4
Some Post-H.S.	1089	104,217	125	15.0	11.9-18.1	91	10.1	07.6-12.6	44	4.5	02.7-06.3	20	1.4	00.6-02.2	8	1.0	00.0-02.0	801	68.1	64.2-72.0
College Graduate	987	62,361	97	11.6	08.9-14.3	119	14.2	11.3-17.1	49	4.9	03.1-06.7	19	2.0	01.0-03.0	8	1.1	00.1-02.1	695	66.2	62.3-70.1
Less than \$15,000	163	17,568	8	7.0	00.3-13.7	3	0.8	00.0-01.8	2	1.9	00.0-04.4	1	3.1	00.0-09.0	2	2.0	00.0-04.7	147	85.2	76.2-94.2
\$15,000- 24,999	357	33,002	31	14.1	08.0-20.2	11	3.6	01.1-06.1	7	3.0	00.3-05.7	1	0.7	00.0-02.1	3	2.3	00.0-05.4	304	76.3	69.2-83.4
\$25,000- 34,999	290	24,837	23	8.2	03.9-12.5	19	9.8	03.7-15.9	5	1.2	00.0-02.6	3	0.8	00.0-01.8	2	1.5	00.0-03.7	238	78.6	71.3-85.9
\$35,000- 49,999	527	42,091	38	10.9	06.6-15.2	28	7.4	04.3-10.5	11	2.3	00.5-04.1	11	3.2	00.8-05.6	3	0.7	00.0-01.7	436	75.5	70.0-81.0
\$50,000- 74,999	645	52,499	75	14.1	10.0-18.2	66	13.1	09.2-17.0	26	4.3	02.1-06.5	9	1.4	00.2-02.6	7	1.9	00.1-03.7	462	65.3	60.0-70.6
\$75,000+	1209	83,657	160	16.4	13.3-19.5	165	15.9	13.2-18.6	76	6.3	04.5-08.1	33	3.1	01.7-04.5	11	0.9	00.3-01.5	764	57.3	53.4-61.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4281	276,058	426	13.5	11.7-15.3	376	11.9	10.3-13.5	188	6.7	05.3-08.1	65	2.1	01.3-02.9	23	0.8	00.4-01.2	3203	64.9	62.7-67.1
18-24	209	39,289	35	18.5	11.2-25.8	17	7.5	03.2-11.8	11	7.4	01.9-12.9	1	0.8	00.0-02.4	1	1.0	00.0-03.0	144	64.8	56.0-73.6
25-34	449	46,298	106	23.1	18.0-28.2	116	25.1	20.0-30.2	69	14.9	10.6-19.2	25	5.0	02.3-07.7	8	1.3	00.3-02.3	125	30.6	25.1-36.1
35-44	458	37,837	88	19.9	15.2-24.6	159	33.8	28.3-39.3	76	15.2	11.3-19.1	35	7.9	04.8-11.0	10	2.3	00.5-04.1	90	21.0	16.3-25.7
45-54	692	45,271	137	19.1	15.4-22.8	62	9.0	06.3-11.7	24	5.5	02.4-08.6	4	0.5	00.0-01.1	3	0.7	00.0-01.7	462	65.2	60.5-69.9
55-64	918	43,945	44	4.6	02.8-06.4	16	1.9	00.9-02.9	5	1.0	00.0-02.0				1	0.3	00.0-00.9	852	92.2	89.8-94.6
65+	1510	60,622	12	1.5	00.3-02.7	6	0.8	00.0-01.6	2	0.1	00.1-00.1							1490	97.6	96.2-99.0
Less Than H.S.	249	22,845	15	13.1	05.1-21.1	9	8.0	02.3-13.7	6	2.6	00.0-05.7				2	2.9	00.0-06.8	217	73.4	63.8-83.0
H.S. or G.E.D.	1257	67,297	97	12.5	09.4-15.6	62	6.6	04.2-09.0	28	4.8	01.9-07.7	8	1.2	00.0-02.4	10	1.3	00.3-02.3	1052	73.4	69.1-77.7
Some Post-H.S.	1438	111,534	142	12.7	10.0-15.4	134	13.4	10.9-15.9	57	6.4	04.2-08.6	24	2.3	00.9-03.7	6	0.4	00.0-00.8	1075	64.9	61.2-68.6
College Graduate	1324	73,760	172	16.0	13.1-18.9	171	15.6	12.9-18.3	96	10.2	07.8-12.6	32	3.3	01.9-04.7	5	0.4	00.0-00.8	848	54.4	50.7-58.1
Less than \$15,000	340	28,417	24	11.6	05.7-17.5	17	8.8	03.7-13.9	8	6.4	00.1-12.7	1	0.4	00.0-01.2	1	0.8	00.0-02.4	289	72.0	63.4-80.6
\$15,000- 24,999	571	37,086	39	11.0	06.9-15.1	22	3.7	01.7-05.7	10	3.5	00.6-06.4	4	2.1	00.0-04.5	4	1.6	00.0-03.8	492	78.3	72.8-83.8
\$25,000- 34,999	421	24,854	35	15.0	09.1-20.9	26	9.5	04.8-14.2	13	4.2	01.3-07.1	2	0.4	00.0-01.2	1	0.1	00.0-00.3	344	70.7	63.8-77.6
\$35,000- 49,999	518	30,166	45	13.4	08.1-18.7	37	12.1	07.4-16.8	25	7.0	03.9-10.1	8	3.6	00.3-06.9	2	0.9	00.0-02.1	401	63.0	56.3-69.7
\$50,000- 74,999	613	41,747	70	15.3	10.2-20.4	93	19.9	15.2-24.6	40	9.8	05.9-13.7	11	2.5	00.5-04.5	3	0.4	00.0-01.0	396	52.1	46.2-58.0
\$75,000+	1116	71,076	171	17.2	14.1-20.3	160	17.7	14.6-20.8	79	9.4	06.7-12.1	38	3.6	02.2-05.0	9	1.1	00.1-02.1	659	51.1	47.0-55.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7781	557,296	223	3.2	02.6-03.8	300	6.3	05.3-07.3	2410	27.2	25.8-28.6	2530	38.8	37.2-40.4	2318	24.5	23.3-25.7
Male	3508	281,336	115	3.7	02.9-04.5	159	7.1	05.7-08.5	1153	29.9	27.9-31.9	1090	37.1	34.7-39.5	991	22.3	20.5-24.1
Female	4273	275,960	108	2.7	01.9-03.5	141	5.6	04.2-07.0	1257	24.4	22.6-26.2	1440	40.5	38.3-42.7	1327	26.8	25.0-28.6
18-24	493	84,255	1	0.0	00.0-00.0	46	12.4	08.1-16.7	181	31.3	26.2-36.4	175	42.5	36.8-48.2	90	13.7	10.2-17.2
25-34	893	98,349	5	1.2	00.0-02.4	24	3.6	01.6-05.6	216	22.3	19.0-25.6	273	38.1	33.8-42.4	375	34.8	31.1-38.5
35-44	870	78,682	2	0.4	00.0-01.2	24	4.8	02.4-07.2	186	19.8	16.5-23.1	275	37.9	33.6-42.2	383	37.1	33.2-41.0
45-54	1321	91,735	7	0.8	00.0-01.8	39	4.7	02.7-06.7	385	27.0	23.9-30.1	487	43.3	39.8-46.8	403	24.1	21.4-26.8
55-64	1704	90,916	10	1.4	00.4-02.4	36	4.4	02.4-06.4	494	27.6	24.9-30.3	626	43.2	40.1-46.3	538	23.3	20.9-25.7
65+	2430	108,867	198	13.2	11.0-15.4	131	8.4	06.6-10.2	924	33.3	30.9-35.7	674	29.9	27.5-32.3	503	15.3	13.7-16.9
Less than \$15,000	500	45,733	44	8.7	05.4-12.0	49	15.1	09.6-20.6	210	34.7	28.4-41.0	140	32.7	26.2-39.2	57	8.8	05.5-12.1
\$15,000- 24,999	927	70,083	67	8.7	06.0-11.4	72	11.2	07.7-14.7	368	29.0	25.1-32.9	295	38.4	33.7-43.1	125	12.7	09.8-15.6
\$25,000- 34,999	711	49,690	24	3.1	01.5-04.7	27	4.6	02.2-07.0	252	32.8	27.9-37.7	259	43.7	38.4-49.0	149	15.8	12.3-19.3
\$35,000- 49,999	1044	72,215	18	2.1	00.9-03.3	30	4.7	02.3-07.1	366	33.0	29.1-36.9	330	36.1	31.8-40.4	300	24.2	20.7-27.7
\$50,000- 74,999	1260	94,393	10	0.8	00.0-01.6	26	5.0	02.6-07.4	333	23.8	20.7-26.9	431	42.0	38.1-45.9	460	28.3	25.2-31.4
\$75,000+	2323	154,791	10	0.4	00.2-00.6	44	2.5	01.5-03.5	486	18.8	16.6-21.0	757	38.9	36.2-41.6	1026	39.4	36.9-41.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3508	281,336	115	3.7	02.9-04.5	159	7.1	05.7-08.5	1153	29.9	27.9-31.9	1090	37.1	34.7-39.5	991	22.3	20.5-24.1
18-24	284	44,966	1	0.0	00.0-00.0	28	12.4	06.9-17.9	122	36.3	29.4-43.2	91	38.9	31.5-46.3	42	12.3	08.0-16.6
25-34	447	52,105	3	1.0	00.0-02.6	17	4.6	01.5-07.7	140	28.9	23.6-34.2	148	40.4	34.5-46.3	139	25.1	20.4-29.8
35-44	412	40,846	1	0.0	00.0-00.0	14	6.3	02.4-10.2	98	21.2	16.3-26.1	142	39.3	33.0-45.6	157	33.2	27.7-38.7
45-54	630	46,514	3	0.6	00.0-01.6	30	7.6	04.3-10.9	216	29.8	25.3-34.3	215	40.1	34.8-45.4	166	21.8	18.1-25.5
55-64	788	46,994	8	2.4	00.4-04.4	25	5.7	02.8-08.6	243	29.4	25.3-33.5	280	40.7	36.0-45.4	232	21.8	18.5-25.1
65+	924	48,318	99	17.2	13.5-20.9	45	6.5	04.3-08.7	327	33.0	29.1-36.9	210	23.8	20.3-27.3	243	19.6	16.7-22.5
Less than \$15,000	162	17,394	17	10.1	04.8-15.4	18	14.7	06.3-23.1	64	32.3	23.3-41.3	36	30.9	20.3-41.5	27	12.0	05.9-18.1
\$15,000- 24,999	357	33,002	38	13.3	08.2-18.4	36	15.6	09.3-21.9	132	27.4	21.3-33.5	102	32.9	25.6-40.2	49	10.8	06.7-14.9
\$25,000- 34,999	290	24,837	12	2.9	00.9-04.9	12	5.1	01.2-09.0	111	35.6	28.0-43.2	102	41.6	33.4-49.8	53	14.7	09.8-19.6
\$35,000- 49,999	526	42,049	14	3.0	01.0-05.0	22	5.4	02.5-08.3	209	38.6	32.9-44.3	157	34.2	28.5-39.9	124	18.8	14.9-22.7
\$50,000- 74,999	646	52,514	8	1.1	00.1-02.1	20	6.0	02.9-09.1	199	29.0	24.3-33.7	213	40.1	34.6-45.6	206	23.8	19.9-27.7
\$75,000+	1210	83,784	10	0.7	00.3-01.1	35	3.3	01.7-04.9	308	22.9	19.8-26.0	390	39.7	35.8-43.6	467	33.4	30.1-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4273	275,960	108	2.7	01.9-03.5	141	5.6	04.2-07.0	1257	24.4	22.6-26.2	1440	40.5	38.3-42.7	1327	26.8	25.0-28.6
18-24	209	39,289				18	12.3	05.6-19.0	59	25.6	18.0-33.2	84	46.7	37.9-55.5	48	15.4	09.7-21.1
25-34	446	46,244	2	1.3	00.0-03.3	7	2.6	00.2-05.0	76	14.8	10.7-18.9	125	35.4	29.3-41.5	236	45.9	40.0-51.8
35-44	458	37,837	1	0.7	00.0-02.1	10	3.2	00.8-05.6	88	18.3	13.8-22.8	133	36.4	30.7-42.1	226	41.3	35.8-46.8
45-54	691	45,220	4	0.9	00.0-02.5	9	1.8	00.0-03.6	169	24.1	20.0-28.2	272	46.6	41.7-51.5	237	26.5	22.6-30.4
55-64	916	43,922	2	0.2	00.0-00.6	11	3.0	00.8-05.2	251	25.7	22.2-29.2	346	46.0	41.9-50.1	306	25.0	21.9-28.1
65+	1506	60,549	99	9.9	07.5-12.3	86	9.9	07.4-12.4	597	33.6	30.7-36.5	464	34.8	31.7-37.9	260	11.8	10.0-13.6
Less than \$15,000	338	28,339	27	7.8	03.3-12.3	31	15.4	08.1-22.7	146	36.1	27.9-44.3	104	33.9	25.9-41.9	30	6.8	03.1-10.5
\$15,000- 24,999	570	37,081	29	4.5	02.5-06.5	36	7.4	04.3-10.5	236	30.5	25.4-35.6	193	43.2	36.9-49.5	76	14.4	10.3-18.5
\$25,000- 34,999	421	24,854	12	3.2	00.8-05.6	15	4.0	01.3-06.7	141	30.1	23.8-36.4	157	45.8	38.9-52.7	96	16.9	12.2-21.6
\$35,000- 49,999	518	30,166	4	0.8	00.0-01.6	8	3.7	00.0-07.4	157	25.1	20.2-30.0	173	38.7	32.4-45.0	176	31.6	25.7-37.5
\$50,000- 74,999	614	41,879	2	0.5	00.0-01.3	6	3.9	00.2-07.6	134	17.2	13.3-21.1	218	44.4	38.5-50.3	254	34.0	28.9-39.1
\$75,000+	1113	71,007				9	1.5	00.1-02.9	178	13.9	11.2-16.6	367	38.0	34.1-41.9	559	46.6	42.7-50.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7761	555,443	4705	66.0	64.4-67.6	175	3.3	02.7-03.9	465	4.8	04.2-05.4	168	5.5	04.5-06.5	1921	15.9	15.1-16.7	327	4.6	03.8-05.4
Male	3497	280,418	2457	73.1	71.1-75.1	82	3.3	02.3-04.3	4	0.1	00.0-00.3	73	5.2	03.8-06.6	742	14.4	13.0-15.8	139	4.0	03.0-05.0
Female	4264	275,025	2248	58.8	56.6-61.0	93	3.3	02.3-04.3	461	9.7	08.5-10.9	95	5.7	04.3-07.1	1179	17.4	16.2-18.6	188	5.2	04.0-06.4
18-24	493	84,343	322	61.0	55.3-66.7	32	5.6	03.1-08.1	6	0.7	00.0-01.5	129	31.1	25.6-36.6				4	1.6	00.0-03.6
25-34	892	97,779	760	84.9	81.8-88.0	28	4.5	02.3-06.7	73	6.2	04.4-08.0	20	2.9	01.5-04.3	3	0.2	00.0-00.4	8	1.3	00.3-02.3
35-44	870	78,529	763	87.3	84.4-90.2	22	3.1	01.5-04.7	52	4.9	03.1-06.7	9	1.0	00.2-01.8	3	0.2	00.0-00.4	21	3.6	01.8-05.4
45-54	1319	91,644	1123	82.8	79.9-85.7	40	4.0	02.4-05.6	48	4.0	02.4-05.6	4	0.3	00.0-00.7	29	1.9	01.1-02.7	75	6.9	04.9-08.9
55-64	1699	90,434	1227	71.3	68.4-74.2	36	2.4	01.4-03.4	62	3.4	02.2-04.6	2	0.1	00.0-00.3	250	13.5	11.3-15.7	122	9.4	07.0-11.8
65+	2418	108,224	471	19.0	16.8-21.2	17	0.8	00.4-01.2	218	8.5	07.1-09.9	3	0.1	00.1-00.1	1616	67.2	64.7-69.7	93	4.4	03.2-05.6
Less Than H.S.	521	52,618	165	38.4	32.1-44.7	18	5.0	01.9-08.1	40	5.5	03.1-07.9	16	7.6	03.5-11.7	225	30.1	25.2-35.0	57	13.5	08.8-18.2
H.S. or G.E.D.	2392	150,307	1326	62.5	59.8-65.2	77	4.9	03.5-06.3	170	5.5	04.3-06.7	30	4.1	02.3-05.9	682	18.2	16.4-20.0	107	4.7	03.5-05.9
Some Post-H.S.	2518	214,987	1577	68.7	66.2-71.2	58	3.1	01.9-04.3	159	4.8	03.8-05.8	69	6.0	04.2-07.8	544	13.4	12.0-14.8	111	3.9	02.9-04.9
College Graduate	2306	135,953	1622	76.2	73.8-78.6	21	1.0	00.4-01.6	93	3.8	02.8-04.8	53	5.3	03.5-07.1	465	11.6	10.2-13.0	52	2.0	01.2-02.8
Less than \$15,000	502	45,966	124	29.6	23.3-35.9	39	12.3	07.6-17.0	33	4.8	02.4-07.2	38	16.5	10.6-22.4	158	16.4	12.9-19.9	110	20.4	15.1-25.7
\$15,000- 24,999	923	69,564	349	48.3	43.6-53.0	30	3.4	01.8-05.0	61	4.4	02.8-06.0	37	8.9	05.4-12.4	364	26.3	22.8-29.8	82	8.7	06.2-11.2
\$25,000- 34,999	708	49,514	379	64.8	59.9-69.7	17	3.5	01.3-05.7	44	4.8	02.8-06.8	7	2.6	00.2-05.0	242	20.5	17.2-23.8	19	3.7	01.0-06.4
\$35,000- 49,999	1039	71,706	644	70.9	67.2-74.6	23	3.3	01.3-05.3	49	3.8	02.4-05.2	13	2.7	00.9-04.5	285	16.9	14.4-19.4	25	2.4	01.2-03.6
\$50,000- 74,999	1256	93,901	917	79.0	76.1-81.9	8	0.6	00.0-01.2	66	4.3	03.1-05.5	17	3.7	01.5-05.9	234	11.4	09.6-13.2	14	1.0	00.4-01.6
\$75,000+	2321	154,758	1873	83.6	81.6-85.6	21	0.9	00.3-01.5	127	4.9	03.7-06.1	24	3.0	01.6-04.4	252	6.7	05.7-07.7	24	0.8	00.4-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3497	280,418	2457	73.1	71.1-75.1	82	3.3	02.3-04.3	4	0.1	00.0-00.3	73	5.2	03.8-06.6	742	14.4	13.2-15.6	139	4.0	03.0-05.0
18-24	284	45,054	204	65.3	58.0-72.6	19	5.7	02.6-08.8				61	29.0	21.9-36.1						
25-34	445	51,943	413	89.8	85.9-93.7	19	6.3	03.0-09.6				7	2.4	00.6-04.2	3	0.4	00.0-00.8	3	1.1	00.0-02.5
35-44	412	40,692	390	93.9	90.8-97.0	10	2.9	00.7-05.1							3	0.3	00.0-00.7	9	3.0	00.8-05.2
45-54	628	46,443	565	89.4	86.1-92.7	15	2.6	01.0-04.2	1	0.2	00.0-00.6	2	0.3	00.0-00.9	8	0.8	00.0-01.6	37	6.7	04.0-09.4
55-64	786	46,700	611	74.7	70.2-79.2	13	1.7	00.7-02.7	2	0.3	00.0-00.9	2	0.1	00.0-00.3	100	12.9	09.8-16.0	58	10.3	06.8-13.8
65+	920	48,150	257	27.5	23.6-31.4	6	0.6	00.0-01.2	1	0.1	00.0-00.3	1	0.0	00.0-00.0	624	69.0	65.1-72.9	31	2.7	01.5-03.9
Less Than H.S.	273	29,979	121	47.3	39.1-55.5	12	6.2	01.5-10.9				12	10.5	04.0-17.0	105	27.7	21.4-34.0	23	8.3	04.0-12.6
H.S. or G.E.D.	1143	83,342	795	73.3	70.0-76.6	40	5.2	03.2-07.2	2	0.2	00.0-00.4	12	2.6	01.0-04.2	252	14.5	12.3-16.7	42	4.1	02.5-05.7
Some Post-H.S.	1082	103,710	809	76.9	73.4-80.4	20	2.1	00.9-03.3	2	0.1	00.0-00.3	28	6.2	03.7-08.7	177	11.0	09.0-13.0	46	3.7	02.1-05.3
College Graduate	987	62,342	723	78.8	75.7-81.9	9	1.1	00.3-01.9				21	4.6	02.2-07.0	206	13.4	11.2-15.6	28	2.1	01.1-03.1
Less than \$15,000	163	17,568	51	34.8	24.6-45.0	19	16.8	08.2-25.4	1	0.1	00.0-00.3	16	17.1	08.5-25.7	39	13.4	08.1-18.7	37	17.8	11.1-24.5
\$15,000- 24,999	355	32,958	146	49.1	41.7-56.5	13	4.4	01.5-07.3	2	0.4	00.0-01.2	15	9.5	04.0-15.0	131	25.5	20.0-31.0	48	11.0	06.5-15.5
\$25,000- 34,999	287	24,660	174	71.4	64.1-78.7	7	3.0	00.1-05.9				2	2.9	00.0-07.0	96	18.9	14.2-23.6	8	3.8	00.0-08.5
\$35,000- 49,999	524	41,740	344	74.2	69.5-78.9	14	4.1	01.4-06.8				5	1.6	00.0-03.2	145	17.1	13.6-20.6	16	3.0	01.0-05.0
\$50,000- 74,999	642	52,021	501	83.8	80.3-87.3	4	0.7	00.0-01.7				5	1.9	00.0-03.9	126	12.6	09.9-15.3	6	1.0	00.0-02.0
\$75,000+	1209	83,764	1050	88.1	85.6-90.6	9	0.6	00.2-01.0	1	0.1	00.0-00.3	13	3.2	01.2-05.2	127	7.4	05.8-09.0	9	0.7	00.3-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4264	275,025	2248	58.8	56.6-61.0	93	3.3	02.3-04.3	461	9.7	08.5-10.9	95	5.7	04.3-07.1	1179	17.4	16.2-18.6	188	5.2	04.0-06.4
18-24	209	39,289	118	56.1	47.3-64.9	13	5.5	01.4-09.6	6	1.5	00.0-03.3	68	33.5	25.1-41.9				4	3.5	00.0-07.8
25-34	447	45,836	347	79.3	74.6-84.0	9	2.6	00.4-04.8	73	13.2	09.7-16.7	13	3.4	01.2-05.6				5	1.5	00.0-03.3
35-44	458	37,837	373	80.2	75.3-85.1	12	3.4	01.0-05.8	52	10.1	06.6-13.6	9	2.0	00.4-03.6				12	4.2	01.5-06.9
45-54	691	45,201	558	76.1	71.4-80.8	25	5.4	02.7-08.1	47	7.9	04.8-11.0	2	0.4	00.0-01.0	21	3.0	01.4-04.6	38	7.2	04.3-10.1
55-64	913	43,734	616	67.7	63.8-71.6	23	3.1	01.5-04.7	60	6.7	04.5-08.9				150	14.1	11.4-16.8	64	8.4	05.7-11.1
65+	1498	60,074	214	12.2	10.2-14.2	11	1.0	00.2-01.8	217	15.3	12.9-17.7	2	0.1	00.1-00.1	992	65.8	62.7-68.9	62	5.7	03.7-07.7
Less Than H.S.	248	22,639	44	26.6	17.2-36.0	6	3.3	00.0-06.8	40	12.8	07.5-18.1	4	3.7	00.0-07.8	120	33.3	25.7-40.9	34	20.3	11.3-29.3
H.S. or G.E.D.	1249	66,966	531	49.0	44.9-53.1	37	4.6	02.6-06.6	168	12.2	09.7-14.7	18	6.0	02.5-09.5	430	22.8	20.1-25.5	65	5.5	03.7-07.3
Some Post-H.S.	1436	111,278	768	61.2	57.7-64.7	38	4.0	02.2-05.8	157	9.2	07.2-11.2	41	5.9	03.7-08.1	367	15.7	13.7-17.7	65	4.1	02.7-05.5
College Graduate	1319	73,611	899	74.1	71.0-77.2	12	1.0	00.2-01.8	93	7.1	05.3-08.9	32	5.9	03.5-08.3	259	10.1	08.5-11.7	24	1.9	00.9-02.9
Less than \$15,000	339	28,397	73	26.4	18.6-34.2	20	9.5	04.0-15.0	32	7.7	04.0-11.4	22	16.1	08.1-24.1	119	18.3	13.8-22.8	73	22.0	14.6-29.4
\$15,000- 24,999	568	36,606	203	47.6	41.5-53.7	17	2.5	01.1-03.9	59	8.1	05.2-11.0	22	8.4	03.9-12.9	233	27.0	22.7-31.3	34	6.5	03.6-09.4
\$25,000- 34,999	421	24,854	205	58.2	51.7-64.7	10	4.1	01.2-07.0	44	9.6	05.9-13.3	5	2.3	00.0-04.7	146	22.1	17.4-26.8	11	3.7	01.0-06.4
\$35,000- 49,999	515	29,967	300	66.4	60.7-72.1	9	2.2	00.0-04.4	49	9.1	05.8-12.4	8	4.3	00.8-07.8	140	16.5	13.0-20.0	9	1.5	00.3-02.7
\$50,000- 74,999	614	41,879	416	73.1	68.2-78.0	4	0.5	00.0-01.3	66	9.6	06.9-12.3	12	5.8	01.9-09.7	108	9.9	07.5-12.3	8	1.0	00.0-02.0
\$75,000+	1112	70,994	823	78.2	75.1-81.3	12	1.3	00.3-02.3	126	10.7	08.3-13.1	11	2.8	01.0-04.6	125	6.0	04.8-07.2	15	1.0	00.4-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6776	487,571	221	4.5	03.7-05.3	282	4.9	04.1-05.7	391	6.0	05.2-06.8	538	8.4	07.4-09.4	711	10.2	09.2-11.2	4633	66.0	64.2-67.8
Male	3195	254,035	77	3.6	02.6-04.6	86	3.3	02.3-04.3	145	5.0	03.8-06.2	212	7.9	06.5-09.3	290	9.8	08.2-11.4	2385	70.3	67.9-72.7
Female	3581	233,536	144	5.5	04.1-06.9	196	6.6	05.2-08.0	246	7.0	05.8-08.2	326	8.9	07.5-10.3	421	10.6	09.2-12.0	2248	61.3	58.9-63.7
18-24	403	69,594	34	12.4	07.7-17.1	28	9.3	05.4-13.2	40	10.0	06.3-13.7	48	11.6	07.5-15.7	54	11.4	07.7-15.1	199	45.3	39.0-51.6
25-34	844	92,175	20	2.8	01.0-04.6	21	4.4	02.2-06.6	27	3.5	01.7-05.3	43	6.5	04.1-08.9	87	12.4	09.5-15.3	646	70.5	66.4-74.6
35-44	815	72,992	14	2.0	00.6-03.4	17	2.8	01.2-04.4	24	3.1	01.5-04.7	34	5.4	03.0-07.8	41	5.0	03.0-07.0	685	81.7	78.2-85.2
45-54	1215	83,518	32	3.1	01.9-04.3	30	2.1	00.9-03.3	37	4.0	02.4-05.6	61	6.1	04.1-08.1	88	7.5	05.5-09.5	967	77.2	74.1-80.3
55-64	1522	80,604	46	3.5	02.3-04.7	39	3.9	02.5-05.3	61	4.3	02.7-05.9	85	6.4	04.6-08.2	128	9.5	07.1-11.9	1163	72.4	69.3-75.5
65+	1942	86,606	74	4.4	03.0-05.8	146	7.5	05.9-09.1	201	11.5	09.5-13.5	264	14.5	12.3-16.7	307	14.3	12.3-16.3	950	47.8	44.9-50.7
Less Than H.S.	421	43,464	41	10.5	06.0-15.0	52	14.5	09.2-19.8	69	13.3	09.4-17.2	70	18.8	13.1-24.5	51	8.7	05.6-11.8	138	34.2	27.5-40.9
H.S. or G.E.D.	2015	127,841	89	6.6	04.4-08.8	121	5.8	04.2-07.4	147	6.6	05.0-08.2	221	9.3	07.7-10.9	252	12.8	10.6-15.0	1185	58.9	55.8-62.0
Some Post-H.S.	2212	189,586	63	3.8	02.4-05.2	77	4.1	02.9-05.3	119	5.5	03.9-07.1	176	8.7	06.9-10.5	259	11.5	09.5-13.5	1518	66.5	63.6-69.4
College Graduate	2117	126,015	26	1.2	00.6-01.8	31	2.0	01.0-03.0	54	3.5	02.3-04.7	71	3.5	02.3-04.7	149	6.2	04.8-07.6	1786	83.5	81.1-85.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	3195	254,035	77	3.6	02.6-04.6	86	3.3	02.3-04.3	145	5.0	03.8-06.2	212	7.9	06.5-09.3	290	9.8	08.2-11.4	2385	70.3	67.9-72.7			
18-24	233	37,463	16	9.8	04.7-14.9	12	5.7	01.8-09.6	18	9.1	04.4-13.8	25	11.9	06.2-17.6	33	13.6	07.9-19.3	129	49.9	41.7-58.1			
25-34	421	48,674	9	2.6	00.1-05.1	11	3.9	01.4-06.4	7	1.9	00.1-03.7	18	6.3	03.0-09.6	41	12.9	08.6-17.2	335	72.5	66.8-78.2			
35-44	390	38,125	6	1.8	00.2-03.4	5	1.9	00.0-03.9	9	2.8	00.6-05.0	14	6.3	02.6-10.0	21	5.2	02.5-07.9	335	82.1	76.8-87.4			
45-54	580	42,705	11	2.5	00.9-04.1	11	1.3	00.3-02.3	22	4.6	02.2-07.0	25	4.9	02.4-07.4	34	5.4	03.2-07.6	477	81.4	77.1-85.7			
55-64	733	43,465	18	3.3	01.5-05.1	15	3.5	01.3-05.7	33	4.8	02.3-07.3	29	4.4	02.4-06.4	48	8.7	05.2-12.2	590	75.3	70.6-80.0			
65+	823	42,766	17	2.3	00.9-03.7	32	4.0	02.2-05.8	55	7.8	05.1-10.5	100	14.3	11.0-17.6	112	12.5	09.8-15.2	507	59.0	54.5-63.5			
Less Than H.S.	242	26,443	17	9.0	03.7-14.3	18	7.3	03.2-11.4	31	12.3	07.0-17.6	43	23.7	15.7-31.7	24	7.6	03.5-11.7	109	40.1	31.7-48.5			
H.S. or G.E.D.	1023	74,155	30	4.2	02.4-06.0	34	3.4	01.8-05.0	53	5.0	03.0-07.0	79	7.2	05.0-09.4	111	11.9	09.0-14.8	716	68.3	64.4-72.2			
Some Post-H.S.	1000	95,294	17	2.9	01.1-04.7	19	2.8	01.2-04.4	40	4.3	02.3-06.3	62	7.2	04.8-09.6	102	10.8	08.1-13.5	760	72.1	68.0-76.2			
College Graduate	926	57,687	13	1.5	00.3-02.7	14	2.1	00.5-03.7	21	3.2	01.4-05.0	28	3.0	01.4-04.6	53	6.3	04.1-08.5	797	83.9	80.4-87.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	3581	233,536	144	5.5	04.1-06.9	196	6.6	05.2-08.0	246	7.0	05.8-08.2	326	8.9	07.5-10.3	421	10.6	09.2-12.0	2248	61.3	58.9-63.7			
18-24	170	32,131	18	15.6	07.6-23.6	16	13.4	06.3-20.5	22	11.1	05.4-16.8	23	11.1	05.0-17.2	21	8.8	04.1-13.5	70	40.1	30.3-49.9			
25-34	423	43,501	11	3.0	00.6-05.4	10	4.9	01.4-08.4	20	5.2	02.3-08.1	25	6.8	03.9-09.7	46	11.7	07.8-15.6	311	68.3	62.2-74.4			
35-44	425	34,867	8	2.3	00.3-04.3	12	3.9	01.4-06.4	15	3.5	01.1-05.9	20	4.3	01.8-06.8	20	4.7	02.2-07.2	350	81.2	76.3-86.1			
45-54	635	40,813	21	3.7	01.7-05.7	19	3.1	00.9-05.3	15	3.4	01.2-05.6	36	7.3	04.4-10.2	54	9.7	06.6-12.8	490	72.9	68.2-77.6			
55-64	789	37,139	28	3.8	02.2-05.4	24	4.4	02.4-06.4	28	3.7	01.7-05.7	56	8.7	06.0-11.4	80	10.4	07.7-13.1	573	69.1	64.8-73.4			
65+	1119	43,840	57	6.5	04.1-08.9	114	10.9	08.4-13.4	146	15.1	12.2-18.0	164	14.6	11.9-17.3	195	16.1	13.4-18.8	443	36.8	33.1-40.5			
Less Than H.S.	179	17,021	24	13.0	05.0-21.0	34	25.5	14.7-36.3	38	14.8	08.9-20.7	27	11.1	05.2-17.0	27	10.6	05.3-15.9	29	25.0	14.0-36.0			
H.S. or G.E.D.	992	53,685	59	10.0	05.9-14.1	87	9.1	06.2-12.0	94	8.9	06.4-11.4	142	12.1	09.6-14.6	141	13.9	10.6-17.2	469	45.9	41.2-50.6			
Some Post-H.S.	1212	94,292	46	4.9	02.9-06.9	58	5.3	03.3-07.3	79	6.8	04.6-09.0	114	10.2	07.7-12.7	157	12.1	09.7-14.5	758	60.8	56.9-64.7			
College Graduate	1191	68,328	13	1.0	00.4-01.6	17	1.8	00.4-03.2	33	3.8	02.0-05.6	43	4.0	02.4-05.6	96	6.1	04.3-07.9	989	83.2	80.1-86.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7489	538,444	57	0.7	00.3-01.1	2048	26.6	25.2-28.0	3377	44.3	42.7-45.9	1521	20.7	19.3-22.1	482	7.6	06.6-08.6	4	0.1	00.0-00.3
Male	3492	279,995	5	0.2	00.0-00.4	235	7.8	06.4-09.2	1711	49.1	46.7-51.5	1161	31.4	29.2-33.6	377	11.4	09.8-13.0	3	0.1	00.0-00.3
Female	3997	258,449	52	1.4	00.8-02.0	1813	46.9	44.5-49.3	1666	39.0	36.8-41.2	360	9.1	07.9-10.3	105	3.5	02.5-04.5	1	0.1	00.0-00.3
18-24	487	83,212	5	0.8	00.0-01.8	172	38.1	32.4-43.8	219	42.6	36.9-48.3	70	13.6	09.9-17.3	21	4.8	02.3-07.3			
25-34	878	96,086	5	0.5	00.0-01.1	226	24.1	20.6-27.6	392	44.9	40.6-49.2	187	21.5	18.0-25.0	66	8.6	06.1-11.1	2	0.4	00.0-01.0
35-44	830	74,942	6	0.6	00.0-01.2	186	21.6	18.1-25.1	341	41.2	36.9-45.5	215	25.4	21.7-29.1	81	11.1	08.2-14.0	1	0.1	00.0-00.3
45-54	1260	87,906	6	0.8	00.0-02.0	283	21.4	18.5-24.3	539	43.5	39.8-47.2	314	24.9	21.8-28.0	117	9.4	07.2-11.6	1	0.0	00.0-00.0
55-64	1625	86,948	10	0.6	00.2-01.0	369	21.3	18.8-23.8	744	44.3	41.2-47.4	376	24.0	21.3-26.7	126	9.8	07.4-12.2			
65+	2366	106,513	25	1.1	00.5-01.7	796	31.9	29.4-34.4	1127	47.8	45.1-50.5	351	15.8	13.8-17.8	67	3.4	02.4-04.4			
Less Than H.S.	508	51,628	2	0.2	00.0-00.6	144	29.2	23.5-34.9	240	49.1	42.8-55.4	88	14.1	10.4-17.8	34	7.4	04.1-10.7			
H.S. or G.E.D.	2307	145,659	17	1.0	00.4-01.6	614	24.5	22.0-27.0	1083	46.4	43.5-49.3	449	20.8	18.4-23.2	143	7.1	05.5-08.7	1	0.1	00.0-00.3
Some Post-H.S.	2419	207,726	17	0.6	00.0-01.2	624	24.4	22.0-26.8	1095	43.7	41.0-46.4	495	21.6	19.2-24.0	187	9.5	07.7-11.3	1	0.1	00.0-00.3
College Graduate	2239	132,278	21	0.8	00.2-01.4	662	31.2	28.5-33.9	953	41.1	38.4-43.8	484	21.4	19.2-23.6	117	5.3	04.1-06.5	2	0.0	00.0-00.0
Less than \$15,000	475	44,370	4	0.4	00.0-00.8	174	33.6	27.3-39.9	202	45.8	38.9-52.7	66	15.3	10.8-19.8	29	5.0	02.5-07.5			
\$15,000- 24,999	897	68,289	5	0.5	00.0-01.1	284	29.7	25.4-34.0	390	40.2	35.5-44.9	150	17.1	13.6-20.6	68	12.4	08.7-16.1			
\$25,000- 34,999	688	47,547	8	0.8	00.0-01.8	181	23.9	19.4-28.4	331	46.3	40.8-51.8	122	19.7	15.4-24.0	46	9.3	05.6-13.0			
\$35,000- 49,999	1026	71,141	6	0.6	00.0-01.4	256	23.6	19.9-27.3	485	46.8	42.5-51.1	223	22.7	19.2-26.2	54	6.1	04.1-08.1	2	0.2	00.0-00.6
\$50,000- 74,999	1224	92,122	8	0.4	00.0-00.8	270	21.7	18.2-25.2	575	46.2	42.3-50.1	282	24.1	20.8-27.4	89	7.7	05.5-09.9			
\$75,000+	2271	150,697	11	0.6	00.0-01.2	534	24.5	22.1-26.9	997	43.6	40.9-46.3	572	24.2	21.8-26.6	156	7.1	05.5-08.7	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									WGHT Reported in Metrics								
	TOTAL	WEIGHTED	100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			N	%	C.I. (95%)
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3492	279,995	5	0.2	00.0-00.4	235	7.8	06.4-09.2	1711	49.1	46.7-51.5	1161	31.4	29.2-33.6	377	11.4	09.8-13.0	3	0.1	00.0-00.3
18-24	286	45,193	3	0.5	00.0-01.5	46	17.9	12.2-23.6	163	54.5	47.1-61.9	59	21.0	15.1-26.9	15	6.1	02.4-09.8			
25-34	444	51,698	1	0.0	00.0-00.0	22	4.5	02.1-06.9	227	53.1	47.2-59.0	141	30.4	25.1-35.7	52	11.6	07.9-15.3	1	0.4	00.0-01.2
35-44	410	40,524				18	4.1	01.7-06.5	171	43.5	37.2-49.8	155	35.5	29.6-41.4	65	16.7	11.8-21.6	1	0.1	00.0-00.3
45-54	626	46,248				40	5.7	03.5-07.9	258	44.0	38.7-49.3	229	35.8	30.9-40.7	98	14.5	11.0-18.0	1	0.0	00.0-00.0
55-64	786	46,895				36	5.0	02.8-07.2	362	43.9	39.2-48.6	295	36.7	32.2-41.2	93	14.5	10.8-18.2			
65+	922	48,234	1	0.5	00.0-01.5	70	9.9	07.2-12.6	526	54.7	50.6-58.8	275	29.0	25.3-32.7	50	5.8	03.8-07.8			
Less Than H.S.	272	30,149				32	13.7	08.0-19.4	137	53.7	45.7-61.7	74	21.3	15.4-27.2	29	11.2	05.9-16.5			
H.S. or G.E.D.	1144	83,403	3	0.6	00.0-01.4	98	9.9	07.4-12.4	579	49.3	45.4-53.2	342	29.8	26.3-33.3	122	10.4	08.0-12.8			
Some Post-H.S.	1085	103,683	2	0.0	00.0-00.0	61	5.4	03.4-07.4	522	48.1	44.0-52.2	364	32.5	28.8-36.2	135	13.7	10.8-16.6	1	0.2	00.0-00.6
College Graduate	982	61,776				43	5.9	03.7-08.1	470	48.7	44.6-52.8	377	36.3	32.4-40.2	90	9.1	06.7-11.5	2	0.1	00.0-00.3
Less than \$15,000	161	17,520				30	18.0	10.6-25.4	80	50.7	40.3-61.1	37	25.5	16.5-34.5	14	5.8	02.1-09.5			
\$15,000- 24,999	355	32,927				41	12.4	07.7-17.1	171	46.3	38.9-53.7	97	24.4	18.3-30.5	46	16.9	11.0-22.8			
\$25,000- 34,999	287	24,219	1	0.1	00.0-00.3	22	9.8	04.3-15.3	151	50.1	41.9-58.3	80	25.5	18.4-32.6	33	14.5	07.8-21.2			
\$35,000- 49,999	526	41,943	1	0.6	00.0-01.8	39	8.1	04.6-11.6	269	51.9	46.0-57.8	176	31.4	26.1-36.7	40	7.9	04.8-11.0	1	0.0	00.0-00.0
\$50,000- 74,999	645	52,453				33	5.5	03.0-08.0	319	49.3	44.0-54.6	218	33.7	28.6-38.8	75	11.6	08.3-14.9			
\$75,000+	1206	83,403	1	0.0	00.0-00.0	39	3.3	01.9-04.7	551	47.8	43.9-51.7	474	37.4	33.7-41.1	140	11.4	08.9-13.9	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3997	258,449	52	1.4	00.8-02.0	1813	46.9	44.5-49.3	1666	39.0	36.8-41.2	360	9.1	07.9-10.3	105	3.5	02.5-04.5	1	0.1	00.0-00.3
18-24	201	38,019	2	1.2	00.0-03.4	126	62.1	53.1-71.1	56	28.5	19.9-37.1	11	4.9	01.6-08.2	6	3.3	00.0-06.6			
25-34	434	44,388	4	1.1	00.0-02.3	204	46.9	40.8-53.0	165	35.4	29.5-41.3	46	11.1	07.4-14.8	14	5.1	01.8-08.4	1	0.4	00.0-01.2
35-44	420	34,417	6	1.2	00.0-02.4	168	42.1	36.2-48.0	170	38.5	32.6-44.4	60	13.6	09.5-17.7	16	4.5	01.8-07.2			
45-54	634	41,658	6	1.8	00.0-04.3	243	38.8	33.7-43.9	281	42.9	37.8-48.0	85	12.8	09.5-16.1	19	3.7	01.3-06.1			
55-64	839	40,053	10	1.2	00.2-02.2	333	40.4	36.1-44.7	382	44.8	40.5-49.1	81	9.2	06.7-11.7	33	4.3	02.5-06.1			
65+	1444	58,279	24	1.6	00.8-02.4	726	50.0	46.7-53.3	601	42.1	38.8-45.4	76	4.9	03.5-06.3	17	1.4	00.6-02.2			
Less Than H.S.	236	21,479	2	0.5	00.0-01.3	112	50.9	41.1-60.7	103	42.7	32.9-52.5	14	3.9	01.5-06.3	5	2.0	00.0-04.5			
H.S. or G.E.D.	1163	62,256	14	1.6	00.4-02.8	516	44.1	39.8-48.4	504	42.5	38.2-46.8	107	8.9	06.7-11.1	21	2.6	01.0-04.2	1	0.3	00.0-00.9
Some Post-H.S.	1334	104,043	15	1.2	00.0-02.4	563	43.3	39.4-47.2	573	39.3	35.6-43.0	131	10.8	08.4-13.2	52	5.4	03.4-07.4			
College Graduate	1257	70,502	21	1.6	00.4-02.8	619	53.4	49.7-57.1	483	34.5	31.0-38.0	107	8.4	06.2-10.6	27	2.0	00.8-03.2			
Less than \$15,000	314	26,850	4	0.7	00.0-01.5	144	43.7	34.9-52.5	122	42.6	33.6-51.6	29	8.6	04.5-12.7	15	4.5	01.2-07.8			
\$15,000- 24,999	542	35,362	5	0.9	00.0-02.1	243	45.8	39.5-52.1	219	34.6	29.1-40.1	53	10.4	06.7-14.1	22	8.3	03.6-13.0			
\$25,000- 34,999	401	23,327	7	1.5	00.0-03.5	159	38.6	31.7-45.5	180	42.3	35.2-49.4	42	13.7	08.4-19.0	13	3.9	01.0-06.8			
\$35,000- 49,999	500	29,198	5	0.5	00.0-01.1	217	45.9	39.4-52.4	216	39.5	33.2-45.8	47	10.1	06.2-14.0	14	3.4	01.2-05.6	1	0.6	00.0-01.8
\$50,000- 74,999	579	39,670	8	0.9	00.1-01.7	237	43.1	37.0-49.2	256	42.1	36.2-48.0	64	11.4	07.9-14.9	14	2.5	00.7-04.3			
\$75,000+	1065	67,294	10	1.4	00.0-02.8	495	50.9	46.8-55.0	446	38.3	34.4-42.2	98	7.8	05.8-09.8	16	1.6	00.4-02.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7734	554,829	301	3.2	02.6-03.8	3298	38.2	36.6-39.8	3398	47.2	45.6-48.8	711	10.8	09.8-11.8	18	0.3	00.1-00.5	8	0.3	00.1-00.5
Male	3502	281,050	6	0.1	00.1-00.1	279	7.4	06.2-08.6	2491	70.2	68.0-72.4	703	21.3	19.3-23.3	18	0.7	00.3-01.1	5	0.4	00.0-00.8
Female	4232	273,779	295	6.3	05.3-07.3	3019	69.8	67.6-72.0	907	23.6	21.6-25.6	8	0.1	00.0-00.3				3	0.1	00.0-00.3
18-24	492	84,181	7	1.2	00.0-02.6	142	30.4	25.1-35.7	257	51.6	45.9-57.3	84	16.1	12.0-20.2				2	0.6	00.0-01.8
25-34	891	98,298	18	1.9	00.7-03.1	301	34.5	30.4-38.6	443	46.9	42.8-51.0	122	15.4	12.3-18.5	4	0.7	00.0-01.5	3	0.6	00.0-01.2
35-44	867	78,236	17	1.7	00.7-02.7	303	33.5	29.6-37.4	437	52.1	47.8-56.4	105	12.0	09.1-14.9	4	0.5	00.0-01.1	1	0.2	00.0-00.6
45-54	1311	91,204	25	2.2	01.0-03.4	543	39.8	36.3-43.3	587	47.0	43.5-50.5	148	10.3	08.3-12.3	6	0.6	00.0-01.2	2	0.2	00.0-00.6
55-64	1694	90,602	55	3.4	02.2-04.6	720	39.5	36.6-42.4	778	49.6	46.5-52.7	139	7.4	05.8-09.0	2	0.1	00.0-00.3			
65+	2414	108,072	174	7.2	05.8-08.6	1257	48.0	45.5-50.5	871	39.3	36.8-41.8	110	5.2	04.0-06.4	2	0.2	00.0-00.6			
Less Than H.S.	517	52,710	43	7.5	04.4-10.6	206	35.2	29.3-41.1	219	44.8	38.5-51.1	48	12.1	07.6-16.6	1	0.4	00.0-01.2			
H.S. or G.E.D.	2380	149,999	114	3.7	02.7-04.7	1036	36.8	34.1-39.5	1036	49.6	46.7-52.5	187	9.5	07.7-11.3	7	0.4	00.0-00.8			
Some Post-H.S.	2515	215,024	92	2.3	01.7-02.9	1110	39.9	37.2-42.6	1064	45.6	42.9-48.3	238	11.4	09.4-13.4	6	0.3	00.1-00.5	5	0.4	00.0-01.0
College Graduate	2301	135,479	50	2.2	01.4-03.0	937	38.0	35.3-40.7	1073	48.3	45.6-51.0	234	10.9	09.1-12.7	4	0.3	00.0-00.7	3	0.4	00.0-00.8
Less than \$15,000	494	45,649	37	4.6	02.2-07.0	259	46.7	40.0-53.4	161	39.3	32.6-46.0	33	8.3	04.6-12.0	3	0.7	00.0-01.7	1	0.4	00.0-01.2
\$15,000- 24,999	921	69,883	67	5.5	03.7-07.3	459	41.4	36.9-45.9	333	43.1	38.4-47.8	59	9.2	05.9-12.5	2	0.5	00.0-01.3	1	0.2	00.0-00.6
\$25,000- 34,999	707	49,387	36	4.4	02.4-06.4	339	40.4	35.3-45.5	274	42.9	37.6-48.2	57	12.0	08.1-15.9				1	0.3	00.0-00.9
\$35,000- 49,999	1044	72,210	34	3.0	01.2-04.8	438	37.0	32.9-41.1	478	47.7	43.4-52.0	91	11.8	08.9-14.7	1	0.4	00.0-01.2	2	0.1	00.0-00.3
\$50,000- 74,999	1255	94,213	28	1.5	00.7-02.3	460	31.3	27.8-34.8	623	54.5	50.6-58.4	140	12.5	10.0-15.0	4	0.2	00.0-00.4			
\$75,000+	2320	154,507	28	1.0	00.6-01.4	808	34.3	31.8-36.8	1191	51.4	48.7-54.1	285	12.8	10.8-14.8	8	0.5	00.1-00.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3502	281,050	6	0.1	00.1-00.1	279	7.4	06.2-08.6	2491	70.2	68.0-72.4	703	21.3	19.3-23.3	18	0.7	00.3-01.1	5	0.4	00.0-00.8
18-24	284	44,926	1	0.0	00.0-00.0	13	3.5	01.1-05.9	185	65.2	57.9-72.5	84	30.2	23.3-37.1				1	1.1	00.0-03.3
25-34	445	52,247				24	5.5	03.0-08.0	295	63.8	58.1-69.5	120	28.7	23.4-34.0	4	1.2	00.0-02.6	2	0.8	00.0-01.8
35-44	411	40,553				15	3.9	01.5-06.3	289	72.0	66.5-77.5	103	23.1	17.8-28.4	4	0.9	00.0-02.1			
45-54	627	46,425	2	0.2	00.0-00.6	52	8.1	05.4-10.8	419	70.1	65.6-74.6	146	20.0	16.1-23.9	6	1.1	00.0-02.3	2	0.4	00.0-01.2
55-64	789	47,139	1	0.0	00.0-00.0	67	9.4	06.7-12.1	581	76.2	72.5-79.9	138	14.2	11.3-17.1	2	0.2	00.0-00.4			
65+	924	48,241	2	0.3	00.0-00.7	106	13.2	10.3-16.1	705	74.4	70.7-78.1	109	11.6	09.1-14.1	2	0.5	00.0-01.3			
Less Than H.S.	274	30,197				35	11.0	06.7-15.3	191	67.3	59.5-75.1	47	21.0	13.7-28.3	1	0.8	00.0-02.4			
H.S. or G.E.D.	1147	83,607	3	0.2	00.0-00.4	131	10.1	07.9-12.3	821	72.0	68.5-75.5	185	16.9	14.0-19.8	7	0.7	00.0-01.5			
Some Post-H.S.	1086	104,126	3	0.1	00.1-00.1	66	5.7	03.9-07.5	771	69.3	65.4-73.2	236	23.4	19.9-26.9	6	0.6	00.0-01.2	4	0.9	00.0-01.9
College Graduate	984	62,087				46	4.5	02.9-06.1	702	71.0	67.3-74.7	231	23.6	20.3-26.9	4	0.6	00.0-01.4	1	0.3	00.0-00.9
Less than \$15,000	162	17,533	1	0.1	00.0-00.3	22	11.7	06.0-17.4	104	64.1	54.1-74.1	31	21.4	12.6-30.2	3	1.7	00.0-04.2	1	1.0	00.0-03.0
\$15,000- 24,999	357	33,002	2	0.4	00.0-01.0	48	9.8	06.1-13.5	247	69.3	62.2-76.4	58	19.4	12.9-25.9	2	1.1	00.0-02.7			
\$25,000- 34,999	289	24,820				30	9.1	05.0-13.2	202	67.0	59.2-74.8	57	23.9	16.5-31.3						
\$35,000- 49,999	527	42,091	1	0.1	00.0-00.3	46	9.7	06.4-13.0	387	69.2	63.7-74.7	91	20.3	15.4-25.2	1	0.6	00.0-01.8	1	0.1	00.0-00.3
\$50,000- 74,999	644	52,439				43	4.7	02.9-06.5	460	72.7	68.0-77.4	137	22.2	17.7-26.7	4	0.4	00.0-00.8			
\$75,000+	1208	83,620	1	0.0	00.0-00.0	60	5.1	03.5-06.7	855	70.3	66.8-73.8	284	23.7	20.4-27.0	8	0.9	00.1-01.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4232	273,779	295	6.3	05.3-07.3	3019	69.8	67.6-72.0	907	23.6	21.6-25.6	8	0.1	00.0-00.3	3	0.1	00.0-00.3
18-24	208	39,255	6	2.5	00.0-05.6	129	61.3	52.5-70.1	72	36.1	27.5-44.7				1	0.1	00.0-00.3
25-34	446	46,050	18	4.1	01.7-06.5	277	67.3	61.8-72.8	148	27.8	22.7-32.9	2	0.3	00.0-00.7	1	0.4	00.0-01.2
35-44	456	37,683	17	3.6	01.6-05.6	288	65.2	59.7-70.7	148	30.7	25.4-36.0	2	0.1	00.0-00.3	1	0.4	00.0-01.2
45-54	684	44,778	23	4.2	02.0-06.4	491	72.7	68.4-77.0	168	23.0	18.9-27.1	2	0.2	00.0-00.4			
55-64	905	43,464	54	7.0	04.6-09.4	653	72.1	68.4-75.8	197	20.8	17.5-24.1	1	0.1	00.0-00.3			
65+	1490	59,831	172	12.8	10.4-15.2	1151	76.0	73.1-78.9	166	11.1	08.9-13.3	1	0.1	00.0-00.3			
Less Than H.S.	243	22,513	43	17.5	10.6-24.4	171	67.7	58.5-76.9	28	14.6	07.0-22.2	1	0.2	00.0-00.6			
H.S. or G.E.D.	1233	66,393	111	8.1	06.1-10.1	905	70.4	66.1-74.7	215	21.3	17.2-25.4	2	0.2	00.0-00.4			
Some Post-H.S.	1429	110,897	89	4.4	03.2-05.6	1044	72.1	68.8-75.4	293	23.3	20.0-26.6	2	0.1	00.0-00.3	1	0.0	00.0-00.0
College Graduate	1317	73,391	50	4.0	02.6-05.4	891	66.3	62.8-69.8	371	29.1	25.8-32.4	3	0.2	00.0-00.4	2	0.4	00.0-01.0
Less than \$15,000	332	28,116	36	7.4	03.7-11.1	237	68.5	59.9-77.1	57	23.8	15.6-32.0	2	0.2	00.0-00.6			
\$15,000- 24,999	564	36,881	65	10.1	07.0-13.2	411	69.6	63.9-75.3	86	19.7	14.4-25.0	1	0.2	00.0-00.6	1	0.5	00.0-01.5
\$25,000- 34,999	418	24,567	36	8.8	04.9-12.7	309	72.1	65.8-78.4	72	18.6	12.9-24.3				1	0.5	00.0-01.5
\$35,000- 49,999	517	30,119	33	7.1	03.2-11.0	392	75.1	69.4-80.8	91	17.7	12.8-22.6				1	0.1	00.0-00.3
\$50,000- 74,999	611	41,774	28	3.3	01.7-04.9	417	64.7	58.8-70.6	163	31.6	25.7-37.5	3	0.4	00.0-00.8			
\$75,000+	1112	70,886	27	2.0	01.0-03.0	748	68.7	65.0-72.4	336	29.3	25.8-32.8	1	0.0	00.0-00.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7728	547,339	7578	97.3	96.7-97.9	74	1.4	01.0-01.8	76	1.3	00.9-01.7
Male	3481	276,764	3396	96.8	95.8-97.8	49	2.0	01.2-02.8	36	1.3	00.7-01.9
Female	4247	270,575	4182	97.9	97.1-98.7	25	0.7	00.3-01.1	40	1.3	00.7-01.9
18-24	470	78,323	442	93.5	90.4-96.6	15	3.4	01.0-05.8	13	3.1	00.9-05.3
25-34	877	95,864	856	96.8	95.2-98.4	13	1.9	00.7-03.1	8	1.3	00.3-02.3
35-44	863	77,809	852	98.3	97.1-99.5	3	0.3	00.0-00.7	8	1.5	00.3-02.7
45-54	1315	91,334	1293	98.4	97.6-99.2	12	1.1	00.3-01.9	10	0.5	00.1-00.9
55-64	1695	90,282	1673	98.7	97.9-99.5	11	0.9	00.3-01.5	11	0.5	00.1-00.9
65+	2433	108,790	2397	98.3	97.7-98.9	19	1.0	00.4-01.6	17	0.7	00.3-01.1
Less Than H.S.	521	52,419	506	95.2	92.1-98.3	10	3.6	00.9-06.3	5	1.2	00.0-02.8
H.S. or G.E.D.	2393	149,157	2335	97.2	96.2-98.2	31	1.6	01.0-02.2	27	1.3	00.7-01.9
Some Post-H.S.	2505	211,485	2460	97.6	96.6-98.6	19	1.1	00.5-01.7	26	1.4	00.6-02.2
College Graduate	2284	132,610	2256	98.1	97.1-99.1	13	0.7	00.3-01.1	15	1.2	00.4-02.0
Less than \$15,000	497	44,412	485	95.1	91.8-98.4	7	2.5	00.1-04.9	5	2.5	00.0-05.0
\$15,000- 24,999	920	68,129	900	96.2	93.7-98.7	9	1.9	00.0-03.9	11	1.8	00.2-03.4
\$25,000- 34,999	704	48,476	695	97.7	96.1-99.3	5	1.1	00.1-02.1	4	1.2	00.0-02.4
\$35,000- 49,999	1030	70,563	1008	97.6	96.2-99.0	13	1.4	00.4-02.4	9	1.0	00.0-02.0
\$50,000- 74,999	1252	93,390	1235	98.3	97.1-99.5	5	0.6	00.0-01.2	12	1.2	00.2-02.2
\$75,000+	2304	152,287	2283	98.8	98.2-99.4	9	0.5	00.1-00.9	12	0.7	00.3-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3481	276,764	3396	96.8	95.8-97.8	49	2.0	01.2-02.8	36	1.3	00.7-01.9
18-24	272	41,813	254	92.5	88.2-96.8	11	5.6	01.5-09.7	7	1.9	00.1-03.7
25-34	438	51,109	424	95.9	93.5-98.3	9	2.2	00.6-03.8	5	1.8	00.0-03.6
35-44	409	40,588	401	98.2	96.8-99.6	2	0.1	00.0-00.3	6	1.6	00.2-03.0
45-54	628	46,438	613	97.7	96.1-99.3	11	2.0	00.6-03.4	4	0.2	00.0-00.4
55-64	783	46,766	773	98.1	96.7-99.5	8	1.4	00.2-02.6	2	0.5	00.0-01.3
65+	925	48,302	910	98.4	97.4-99.4	8	0.7	00.1-01.3	7	0.9	00.1-01.7
Less Than H.S.	273	29,844	266	94.9	90.2-99.6	6	5.0	00.3-09.7	1	0.2	00.0-00.6
H.S. or G.E.D.	1141	82,562	1101	96.4	95.0-97.8	25	2.2	01.2-03.2	15	1.4	00.6-02.2
Some Post-H.S.	1080	102,488	1060	97.3	95.9-98.7	11	1.6	00.4-02.8	9	1.1	00.3-01.9
College Graduate	975	60,823	960	97.5	95.9-99.1	6	0.7	00.0-01.5	9	1.9	00.3-03.5
Less than \$15,000	160	16,749	157	95.2	89.7-0100	3	4.8	00.0-10.3			
\$15,000- 24,999	354	32,059	341	93.6	88.9-98.3	8	4.0	00.0-08.1	5	2.4	00.0-04.9
\$25,000- 34,999	287	24,368	282	97.8	95.6-0100	4	1.7	00.0-03.5	1	0.5	00.0-01.5
\$35,000- 49,999	518	41,291	504	97.5	95.9-99.1	9	1.5	00.3-02.7	5	1.0	00.0-02.2
\$50,000- 74,999	641	52,038	628	97.8	96.2-99.4	4	0.5	00.0-01.1	9	1.7	00.1-03.3
\$75,000+	1198	82,426	1183	98.2	97.2-99.2	7	0.8	00.2-01.4	8	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4247	270,575	4182	97.9	97.1-98.7	25	0.7	00.3-01.1	40	1.3	00.7-01.9
18-24	198	36,510	188	94.7	90.6-98.8	4	0.8	00.0-01.8	6	4.5	00.6-08.4
25-34	439	44,755	432	97.8	96.0-99.6	4	1.5	00.0-03.1	3	0.8	00.0-01.8
35-44	454	37,221	451	98.3	96.3-0100	1	0.4	00.0-01.2	2	1.3	00.0-03.1
45-54	687	44,896	680	99.1	98.1-0100	1	0.1	00.0-00.3	6	0.9	00.1-01.7
55-64	912	43,517	900	99.3	98.9-99.7	3	0.2	00.0-00.6	9	0.5	00.1-00.9
65+	1508	60,488	1487	98.2	97.2-99.2	11	1.2	00.4-02.0	10	0.6	00.2-01.0
Less Than H.S.	248	22,574	240	95.6	91.5-99.7	4	1.7	00.0-03.7	4	2.7	00.0-06.4
H.S. or G.E.D.	1252	66,595	1234	98.1	96.9-99.3	6	0.8	00.0-01.6	12	1.1	00.1-02.1
Some Post-H.S.	1425	108,996	1400	97.8	96.4-99.2	8	0.5	00.0-01.1	17	1.7	00.5-02.9
College Graduate	1309	71,787	1296	98.6	97.6-99.6	7	0.7	00.1-01.3	6	0.6	00.0-01.2
Less than \$15,000	337	27,663	328	95.0	90.9-99.1	4	1.1	00.0-02.5	5	4.0	00.1-07.9
\$15,000- 24,999	566	36,069	559	98.6	96.8-0100	1	0.1	00.0-00.3	6	1.3	00.0-03.1
\$25,000- 34,999	417	24,107	413	97.6	95.2-0100	1	0.6	00.0-01.8	3	1.9	00.0-04.1
\$35,000- 49,999	512	29,272	504	97.8	95.6-0100	4	1.2	00.0-02.6	4	1.0	00.0-02.6
\$50,000- 74,999	611	41,351	607	98.9	97.5-0100	1	0.6	00.0-01.8	3	0.5	00.0-01.1
\$75,000+	1106	69,860	1100	99.6	99.2-0100	2	0.2	00.0-00.6	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7805	558,477	7513	96.0	95.4-96.6	2	0.0	00.0-00.0	104	1.4	01.0-01.8	186	2.5	01.9-03.1
Male	3519	281,894	3374	95.5	94.5-96.5				59	1.9	01.1-02.7	86	2.7	01.9-03.5
Female	4286	276,583	4139	96.6	95.8-97.4	2	0.0	00.0-00.0	45	1.0	00.6-01.4	100	2.4	01.6-03.2
18-24	494	83,994	463	93.9	91.2-96.6				9	2.5	00.3-04.7	22	3.6	01.6-05.6
25-34	897	98,657	868	97.8	96.6-99.0				9	0.5	00.0-01.1	20	1.7	00.7-02.7
35-44	871	78,725	849	96.5	94.5-98.5				4	0.2	00.0-00.4	18	3.3	01.3-05.3
45-54	1323	91,941	1286	96.7	95.3-98.1				13	1.2	00.0-02.4	24	2.1	01.1-03.1
55-64	1708	91,086	1660	97.2	96.2-98.2	1	0.0	00.0-00.0	12	0.6	00.2-01.0	35	2.2	01.2-03.2
65+	2437	109,137	2331	95.0	93.8-96.2	1	0.0	00.0-00.0	56	3.3	02.1-04.5	49	1.7	01.1-02.3
Less Than H.S.	523	53,042	483	93.1	90.0-96.2				31	6.0	03.1-08.9	9	0.9	00.1-01.7
H.S. or G.E.D.	2410	151,402	2313	96.4	95.4-97.4				36	1.4	00.6-02.2	61	2.2	01.4-03.0
Some Post-H.S.	2529	215,618	2446	96.0	94.8-97.2				22	0.9	00.3-01.5	61	3.1	02.1-04.1
College Graduate	2318	136,747	2254	96.8	95.8-97.8	2	0.0	00.0-00.0	14	0.6	00.2-01.0	48	2.6	01.6-03.6
Less than \$15,000	503	45,985	473	94.5	91.8-97.2				14	2.2	00.6-03.8	16	3.3	00.9-05.7
\$15,000- 24,999	929	70,146	896	94.8	92.1-97.5				18	3.3	00.9-05.7	15	1.9	00.5-03.3
\$25,000- 34,999	711	49,690	684	96.7	94.9-98.5				8	0.7	00.1-01.3	19	2.6	01.0-04.2
\$35,000- 49,999	1045	72,258	1016	96.8	95.2-98.4				9	0.8	00.2-01.4	20	2.4	01.0-03.8
\$50,000- 74,999	1260	94,393	1221	96.7	95.1-98.3	1	0.0	00.0-00.0	11	0.5	00.1-00.9	27	2.8	01.2-04.4
\$75,000+	2328	155,099	2286	97.9	96.9-98.9	1	0.0	00.0-00.0	13	0.9	00.1-01.7	28	1.2	00.6-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3519	281,894	3374	95.5	94.5-96.5	59	1.9	01.1-02.7	86	2.7	01.9-03.5
18-24	285	44,705	269	94.6	91.1-98.1	6	3.0	00.0-06.1	10	2.5	00.5-04.5
25-34	448	52,359	429	96.8	95.0-98.6	7	0.9	00.0-01.9	12	2.2	00.6-03.8
35-44	413	40,888	398	95.3	92.2-98.4	2	0.2	00.0-00.6	13	4.4	01.3-07.5
45-54	631	46,670	610	95.9	93.5-98.3	9	2.1	00.0-04.3	12	2.0	00.6-03.4
55-64	790	47,141	766	96.5	94.7-98.3	8	0.8	00.0-01.6	16	2.7	00.9-04.5
65+	926	48,383	883	94.1	91.9-96.3	27	4.2	02.2-06.2	16	1.7	00.7-02.7
Less Than H.S.	274	30,197	248	90.9	86.0-95.8	20	7.7	02.8-12.6	6	1.4	00.0-02.8
H.S. or G.E.D.	1153	84,105	1103	96.5	95.1-97.9	21	1.7	00.7-02.7	29	1.8	01.0-02.6
Some Post-H.S.	1089	103,801	1052	95.7	93.9-97.5	9	0.9	00.0-01.9	28	3.3	01.7-04.9
College Graduate	991	62,745	964	96.1	94.3-97.9	8	0.8	00.0-01.6	19	3.1	01.3-04.9
Less than \$15,000	163	17,568	151	93.5	88.8-98.2	6	3.9	00.0-08.0	6	2.5	00.0-05.2
\$15,000- 24,999	357	33,002	342	94.0	89.5-98.5	12	4.7	00.6-08.8	3	1.3	00.0-02.9
\$25,000- 34,999	290	24,837	280	97.0	94.3-99.7	3	0.5	00.0-01.1	7	2.5	00.0-05.2
\$35,000- 49,999	527	42,091	507	96.0	93.8-98.2	6	0.9	00.1-01.7	14	3.1	01.1-05.1
\$50,000- 74,999	646	52,514	622	96.6	94.6-98.6	8	0.8	00.0-01.6	16	2.6	00.6-04.6
\$75,000+	1212	84,022	1185	96.8	95.2-98.4	11	1.5	00.1-02.9	16	1.7	00.7-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4286	276,583	4139	96.6	95.8-97.4	2	0.0	00.0-00.0	45	1.0	00.6-01.4	100	2.4	01.6-03.2
18-24	209	39,289	194	93.2	88.9-97.5				3	1.9	00.0-04.6	12	4.9	01.4-08.4
25-34	449	46,298	439	98.8	97.8-99.8				2	0.1	00.0-00.3	8	1.1	00.1-02.1
35-44	458	37,837	451	97.7	95.5-99.9				2	0.2	00.0-00.6	5	2.0	00.0-04.0
45-54	692	45,271	676	97.5	95.9-99.1				4	0.3	00.0-00.7	12	2.2	00.8-03.6
55-64	918	43,945	894	97.9	96.9-98.9	1	0.1	00.0-00.3	4	0.4	00.0-01.0	19	1.5	00.5-02.5
65+	1511	60,754	1448	95.7	94.3-97.1	1	0.0	00.0-00.0	29	2.6	01.4-03.8	33	1.7	00.9-02.5
Less Than H.S.	249	22,845	235	95.9	93.4-98.4				11	3.7	01.2-06.2	3	0.4	00.0-00.8
H.S. or G.E.D.	1257	67,297	1210	96.3	94.7-97.9				15	1.1	00.1-02.1	32	2.6	01.2-04.0
Some Post-H.S.	1440	111,817	1394	96.3	94.7-97.9				13	0.8	00.0-01.6	33	2.9	01.5-04.3
College Graduate	1327	74,002	1290	97.4	96.4-98.4	2	0.1	00.0-00.3	6	0.4	00.0-00.8	29	2.1	01.1-03.1
Less than \$15,000	340	28,417	322	95.1	91.8-98.4				8	1.1	00.3-01.9	10	3.8	00.5-07.1
\$15,000- 24,999	572	37,144	554	95.6	92.3-98.9				6	2.0	00.0-04.5	12	2.4	00.2-04.6
\$25,000- 34,999	421	24,854	404	96.4	94.2-98.6				5	0.9	00.0-01.9	12	2.6	00.6-04.6
\$35,000- 49,999	518	30,166	509	97.8	95.8-99.8				3	0.7	00.0-01.5	6	1.6	00.0-03.4
\$50,000- 74,999	614	41,879	599	96.7	94.2-99.2	1	0.0	00.0-00.0	3	0.1	00.1-00.1	11	3.2	00.7-05.7
\$75,000+	1116	71,076	1101	99.1	98.5-99.7	1	0.1	00.0-00.3	2	0.1	00.0-00.3	12	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5622	299,839	186	2.7	02.1-03.3	5436	97.3	96.7-97.9
Male	2237	129,788	88	3.2	02.0-04.4	2149	96.8	95.6-98.0
Female	3385	170,051	98	2.3	01.7-02.9	3287	97.7	97.1-98.3
18-24	126	18,455	4	2.1	00.0-04.5	122	97.9	95.5-0100
25-34	352	25,819	5	2.2	00.0-05.1	347	97.8	94.9-0100
35-44	516	34,427	13	2.8	00.8-04.8	503	97.2	95.2-99.2
45-54	925	55,304	20	2.1	00.7-03.5	905	97.9	96.5-99.3
55-64	1389	66,195	50	2.5	01.7-03.3	1339	97.5	96.7-98.3
65+	2254	96,113	91	3.4	02.4-04.4	2163	96.6	95.6-97.6
Less Than H.S.	399	33,467	6	1.8	00.0-04.0	393	98.2	96.0-0100
H.S. or G.E.D.	1796	84,882	51	2.9	01.5-04.3	1745	97.1	95.7-98.5
Some Post-H.S.	1787	111,710	61	2.3	01.5-03.1	1726	97.7	96.9-98.5
College Graduate	1621	68,476	67	3.5	02.3-04.7	1554	96.5	95.3-97.7
Less than \$15,000	366	24,146	9	2.6	00.2-05.0	357	97.4	95.0-99.8
\$15,000- 24,999	669	35,715	15	2.2	00.0-04.4	654	97.8	95.6-0100
\$25,000- 34,999	513	24,735	18	2.8	01.0-04.6	495	97.2	95.4-99.0
\$35,000- 49,999	739	37,012	31	3.3	01.1-05.5	708	96.7	94.5-98.9
\$50,000- 74,999	904	50,826	25	2.6	01.0-04.2	879	97.4	95.8-99.0
\$75,000+	1634	85,802	64	2.8	01.8-03.8	1570	97.2	96.2-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2237	129,788	88	3.2	02.0-04.4	2149	96.8	95.6-98.0
18-24	66	8,639	3	2.4	00.0-05.3	63	97.6	94.7-0100
25-34	144	10,580	2	4.9	00.0-12.2	142	95.1	87.8-0100
35-44	204	14,112	4	1.8	00.0-03.8	200	98.2	96.2-0100
45-54	383	24,148	5	1.9	00.0-04.3	378	98.1	95.7-0100
55-64	600	30,552	27	2.9	01.5-04.3	573	97.1	95.7-98.5
65+	822	40,886	46	4.5	02.3-06.7	776	95.5	93.3-97.7
Less Than H.S.	188	17,787	3	2.6	00.0-06.7	185	97.4	93.3-0100
H.S. or G.E.D.	760	40,074	24	3.4	01.0-05.8	736	96.6	94.2-99.0
Some Post-H.S.	643	43,575	29	3.0	01.6-04.4	614	97.0	95.6-98.4
College Graduate	637	27,625	31	3.4	02.0-04.8	606	96.6	95.2-98.0
Less than \$15,000	95	7,397	4	3.1	00.0-06.6	91	96.9	93.4-0100
\$15,000- 24,999	233	15,501	5	3.3	00.0-08.0	228	96.7	92.0-0100
\$25,000- 34,999	175	9,510	6	3.5	00.0-07.0	169	96.5	93.0-0100
\$35,000- 49,999	342	18,860	16	4.0	00.1-07.9	326	96.0	92.1-99.9
\$50,000- 74,999	419	24,417	12	3.3	00.6-06.0	407	96.7	94.0-99.4
\$75,000+	768	41,482	41	3.3	02.1-04.5	727	96.7	95.5-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3385	170,051	98	2.3	01.7-02.9	3287	97.7	97.1-98.3
18-24	60	9,816	1	1.8	00.0-05.3	59	98.2	94.7-0100
25-34	208	15,240	3	0.3	00.0-00.7	205	99.7	99.3-0100
35-44	312	20,316	9	3.6	00.7-06.5	303	96.4	93.5-99.3
45-54	542	31,156	15	2.3	00.9-03.7	527	97.7	96.3-99.1
55-64	789	35,643	23	2.1	01.1-03.1	766	97.9	96.9-98.9
65+	1432	55,227	45	2.6	01.6-03.6	1387	97.4	96.4-98.4
Less Than H.S.	211	15,680	3	0.8	00.0-02.0	208	99.2	98.0-0100
H.S. or G.E.D.	1036	44,808	27	2.5	01.3-03.7	1009	97.5	96.3-98.7
Some Post-H.S.	1144	68,135	32	1.8	01.0-02.6	1112	98.2	97.4-99.0
College Graduate	984	40,850	36	3.6	01.8-05.4	948	96.4	94.6-98.2
Less than \$15,000	271	16,749	5	2.4	00.0-05.3	266	97.6	94.7-0100
\$15,000- 24,999	436	20,215	10	1.4	00.4-02.4	426	98.6	97.6-99.6
\$25,000- 34,999	338	15,225	12	2.4	00.4-04.4	326	97.6	95.6-99.6
\$35,000- 49,999	397	18,152	15	2.5	00.9-04.1	382	97.5	95.9-99.1
\$50,000- 74,999	485	26,409	13	2.0	00.6-03.4	472	98.0	96.6-99.4
\$75,000+	866	44,320	23	2.3	00.9-03.7	843	97.7	96.3-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	183	7,947	108	78.9	72.2-85.6	61	17.2	11.3-23.1	12	3.6	00.7-06.5	2	0.3	00.0-00.9
Male	86	4,051	47	74.9	63.3-86.5	31	19.6	09.8-29.4	6	4.9	00.0-10.4	2	0.6	00.0-01.6
Female	97	3,896	61	83.1	76.2-90.0	30	14.7	08.2-21.2	6	2.2	00.2-04.2			
65+	90	3,245	49	72.7	61.5-83.9	37	24.6	14.0-35.2	4	2.7	00.0-05.4			
H.S. or G.E.D.	51	2,498	33	84.1	74.3-93.9	15	13.0	04.4-21.6	2	2.1	00.0-05.2	1	0.8	00.0-02.4
Some Post-H.S.	61	2,553	35	74.3	62.0-86.6	22	20.0	10.0-30.0	4	5.6	00.0-13.6			
College Graduate	65	2,302	38	78.8	67.4-90.2	21	18.1	07.5-28.7	5	2.9	00.2-05.6	1	0.2	00.0-00.6
\$75,000+	62	2,312	37	79.5	69.3-89.7	19	18.3	08.5-28.1	5	2.0	00.0-04.0	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	86	4,051	47	74.9	63.1-86.7	31	19.6	09.6-29.6	6	4.9	00.0-10.4	2	0.6	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	97	3,896	61	83.1	76.2-90.0	30	14.7	08.2-21.2	6	2.2	00.0-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5611	296,974	4644	71.4	69.4-73.4	967	28.6	26.6-30.6
Male	2231	128,329	1867	71.0	67.9-74.1	364	29.0	25.9-32.1
Female	3380	168,645	2777	71.6	69.1-74.1	603	28.4	25.9-30.9
18-24	125	18,030	115	81.8	69.1-94.5	10	18.2	05.5-30.9
25-34	353	25,873	319	73.1	64.5-81.7	34	26.9	18.3-35.5
35-44	514	33,964	479	83.5	77.8-89.2	35	16.5	10.8-22.2
45-54	922	54,498	832	79.6	75.1-84.1	90	20.4	15.9-24.9
55-64	1385	65,574	1190	73.9	70.2-77.6	195	26.1	22.4-29.8
65+	2255	95,703	1671	59.2	56.3-62.1	584	40.8	37.9-43.7
Less Than H.S.	396	33,055	232	48.1	41.0-55.2	164	51.9	44.8-59.0
H.S. or G.E.D.	1794	84,402	1427	67.2	63.7-70.7	367	32.8	29.3-36.3
Some Post-H.S.	1786	110,130	1522	74.6	71.3-77.9	264	25.4	22.1-28.7
College Graduate	1618	68,268	1453	83.2	80.3-86.1	165	16.8	13.9-19.7
Less than \$15,000	363	23,809	171	29.3	22.6-36.0	192	70.7	64.0-77.4
\$15,000- 24,999	667	35,575	462	53.8	48.1-59.5	205	46.2	40.5-51.9
\$25,000- 34,999	513	24,734	412	68.3	61.8-74.8	101	31.7	25.2-38.2
\$35,000- 49,999	741	37,033	634	71.5	66.0-77.0	107	28.5	23.0-34.0
\$50,000- 74,999	901	49,820	823	83.0	78.7-87.3	78	17.0	12.7-21.3
\$75,000+	1636	85,750	1553	88.8	85.9-91.7	83	11.2	08.3-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2231	128,329	1867	71.0	67.9-74.1	364	29.0	25.9-32.1
18-24	66	8,639	61	93.5	87.6-99.4	5	6.5	00.6-12.4
25-34	144	10,580	126	71.2	58.1-84.3	18	28.8	15.7-41.9
35-44	203	13,827	188	77.7	67.1-88.3	15	22.3	11.7-32.9
45-54	381	23,541	334	73.3	65.7-80.9	47	26.7	19.1-34.3
55-64	599	30,410	494	67.7	61.6-73.8	105	32.3	26.2-38.4
65+	822	40,602	652	65.2	60.3-70.1	170	34.8	29.9-39.7
Less Than H.S.	186	17,641	124	56.8	46.8-66.8	62	43.2	33.2-53.2
H.S. or G.E.D.	758	39,699	629	69.4	64.3-74.5	129	30.6	25.5-35.7
Some Post-H.S.	644	42,938	555	73.7	67.8-79.6	89	26.3	20.4-32.2
College Graduate	636	27,509	554	78.6	73.7-83.5	82	21.4	16.5-26.3
Less than \$15,000	95	7,397	43	38.6	24.7-52.5	52	61.4	47.5-75.3
\$15,000- 24,999	232	15,377	164	57.3	47.7-66.9	68	42.7	33.1-52.3
\$25,000- 34,999	174	9,488	146	71.6	59.3-83.9	28	28.4	16.1-40.7
\$35,000- 49,999	344	18,881	287	67.1	59.1-75.1	57	32.9	24.9-40.9
\$50,000- 74,999	417	23,837	367	74.7	67.4-82.0	50	25.3	18.0-32.6
\$75,000+	769	41,365	708	83.7	78.8-88.6	61	16.3	11.4-21.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3380	168,645	2777	71.6	69.1-74.1	603	28.4	25.9-30.9
18-24	59	9,390	54	71.1	49.9-92.3	5	28.9	07.7-50.1
25-34	209	15,293	193	74.5	63.1-85.9	16	25.5	14.1-36.9
35-44	311	20,137	291	87.4	81.5-93.3	20	12.6	06.7-18.5
45-54	541	30,957	498	84.4	79.1-89.7	43	15.6	10.3-20.9
55-64	786	35,164	696	79.3	74.8-83.8	90	20.7	16.2-25.2
65+	1433	55,101	1019	54.9	51.4-58.4	414	45.1	41.6-48.6
Less Than H.S.	210	15,414	108	38.2	29.2-47.2	102	61.8	52.8-70.8
H.S. or G.E.D.	1036	44,703	798	65.2	60.3-70.1	238	34.8	29.9-39.7
Some Post-H.S.	1142	67,192	967	75.2	71.1-79.3	175	24.8	20.7-28.9
College Graduate	982	40,759	899	86.2	82.7-89.7	83	13.8	10.3-17.3
Less than \$15,000	268	16,412	128	25.1	18.2-32.0	140	74.9	68.0-81.8
\$15,000- 24,999	435	20,198	298	51.1	44.4-57.8	137	48.9	42.2-55.6
\$25,000- 34,999	339	15,246	266	66.2	58.8-73.6	73	33.8	26.4-41.2
\$35,000- 49,999	397	18,152	347	76.1	68.7-83.5	50	23.9	16.5-31.3
\$50,000- 74,999	484	25,983	456	90.6	86.5-94.7	28	9.4	05.3-13.5
\$75,000+	867	44,384	845	93.6	90.3-96.9	22	6.4	03.1-09.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 52: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	ZERO		1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4470	205,008	188	3.2	02.6-03.8	1544	30.7	28.9-32.5	465	10.9	09.7-12.1	830	20.9	19.3-22.5	685	19.1	17.3-20.9	758	15.1	13.7-16.5
Male	1805	88,113	58	2.6	01.6-03.6	536	29.1	26.4-31.8	169	9.6	07.8-11.4	350	21.2	18.7-23.7	311	20.6	17.7-23.5	381	16.8	14.6-19.0
Female	2665	116,895	130	3.7	02.9-04.5	1008	31.9	29.7-34.1	296	11.8	10.0-13.6	480	20.7	18.7-22.7	374	18.0	15.8-20.2	377	13.9	12.1-15.7
18-24	112	14,403	3	2.8	00.0-07.1	11	9.1	02.8-15.4	10	11.2	03.6-18.8	16	17.4	07.4-27.4	22	27.4	15.2-39.6	50	32.0	21.2-42.8
25-34	314	18,768	4	0.8	00.0-01.8	41	15.0	09.9-20.1	14	4.7	01.6-07.8	46	17.9	12.4-23.4	78	30.0	23.3-36.7	131	31.6	25.5-37.7
35-44	469	27,579	4	1.1	00.0-02.3	78	18.5	14.2-22.8	36	8.3	05.2-11.4	92	23.6	18.9-28.3	109	26.8	21.9-31.7	150	21.8	17.9-25.7
45-54	812	42,541	14	1.7	00.7-02.7	195	25.4	21.7-29.1	74	10.9	08.0-13.8	161	21.6	18.1-25.1	179	22.4	18.9-25.9	189	18.0	14.9-21.1
55-64	1162	47,299	30	2.6	01.4-03.8	367	29.4	26.3-32.5	152	13.9	11.4-16.4	257	25.0	21.9-28.1	186	18.0	15.1-20.9	170	11.1	09.1-13.1
65+	1570	53,271	130	7.1	05.7-08.5	840	53.7	50.8-56.6	178	11.8	09.8-13.8	254	17.5	15.1-19.9	104	7.1	05.5-08.7	64	2.8	02.0-03.6
Less Than H.S.	211	14,918	19	4.2	02.0-06.4	100	39.9	31.1-48.7	9	5.4	01.5-09.3	35	14.3	07.4-21.2	21	18.5	08.7-28.3	27	17.6	09.6-25.6
H.S. or G.E.D.	1359	54,152	86	5.7	03.9-07.5	542	35.6	32.5-38.7	154	11.8	09.4-14.2	220	18.8	16.1-21.5	168	16.0	13.1-18.9	189	12.1	09.9-14.3
Some Post-H.S.	1472	79,854	46	2.5	01.5-03.5	507	31.4	28.5-34.3	153	10.7	08.7-12.7	280	21.3	18.6-24.0	226	18.4	15.7-21.1	260	15.8	13.4-18.2
College Graduate	1419	55,670	37	1.7	01.1-02.3	391	22.5	20.0-25.0	149	11.7	09.3-14.1	293	24.0	21.3-26.7	268	23.6	20.7-26.5	281	16.5	14.1-18.9
Less than \$15,000	159	6,537	17	6.3	02.6-10.0	72	38.0	27.2-48.8	2	0.8	00.0-02.0	28	16.0	08.9-23.1	18	21.6	08.7-34.5	22	17.2	07.8-26.6
\$15,000- 24,999	440	18,355	35	6.8	04.1-09.5	234	51.4	44.3-58.5	49	11.4	07.5-15.3	52	11.3	07.4-15.2	30	9.7	03.0-16.4	40	9.5	05.6-13.4
\$25,000- 34,999	397	16,325	26	5.0	02.6-07.4	182	43.8	37.5-50.1	34	6.1	03.6-08.6	59	18.8	13.5-24.1	40	10.0	06.3-13.7	56	16.2	11.3-21.1
\$35,000- 49,999	616	25,827	27	3.8	01.3-06.3	244	36.0	31.3-40.7	65	10.7	07.8-13.6	134	26.7	22.2-31.2	70	12.4	08.9-15.9	76	10.3	07.4-13.2
\$50,000- 74,999	801	40,612	21	2.4	01.2-03.6	250	28.6	24.7-32.5	100	12.4	09.5-15.3	174	24.9	21.0-28.8	129	17.5	14.0-21.0	127	14.3	11.0-17.6
\$75,000+	1528	74,385	13	0.6	00.2-01.0	317	19.2	16.8-21.6	158	11.5	09.3-13.7	308	21.2	18.5-23.9	340	27.6	24.5-30.7	392	19.9	17.5-22.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 53: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	ZERO		1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1805	88,113	58	2.6	01.6-03.6	536	29.1	26.4-31.8	169	9.6	07.8-11.4	350	21.2	18.7-23.7	311	20.6	17.7-23.5	381	16.8	14.6-19.0
18-24	59	7,931	2	4.8	00.0-12.4	8	15.2	04.0-26.4	6	10.5	01.1-19.9	11	20.4	06.1-34.7	14	34.8	17.0-52.6	18	14.3	05.7-22.9
25-34	123	7,417	1	0.3	00.0-00.9	11	13.0	04.6-21.4	1	1.8	00.0-05.3	15	12.3	04.9-19.7	32	33.8	21.8-45.8	63	38.7	27.9-49.5
35-44	182	10,279	3	1.5	00.0-03.3	23	16.7	09.6-23.8	14	9.4	04.1-14.7	30	16.4	10.1-22.7	47	32.0	23.4-40.6	65	24.0	17.1-30.9
45-54	324	16,805	6	1.9	00.1-03.7	56	19.2	13.7-24.7	22	7.0	03.3-10.7	61	23.4	17.3-29.5	78	22.8	17.3-28.3	101	25.6	19.7-31.5
55-64	482	20,062	10	2.2	00.4-04.0	128	26.4	21.5-31.3	53	11.8	08.3-15.3	111	27.0	21.9-32.1	83	17.6	13.3-21.9	97	14.9	11.4-18.4
65+	625	25,257	35	3.8	02.2-05.4	308	51.9	47.2-56.6	73	11.8	08.9-14.7	121	20.2	16.5-23.9	54	8.3	05.8-10.8	34	3.9	02.3-05.5
Less Than H.S.	117	9,573	6	2.0	00.4-03.6	60	45.2	32.7-57.7	3	2.8	00.0-06.3	23	17.3	07.3-27.3	11	19.2	05.3-33.1	14	13.7	05.5-21.9
H.S. or G.E.D.	605	26,488	25	4.4	01.7-07.1	200	31.5	26.8-36.2	55	10.0	06.7-13.3	105	19.9	15.8-24.0	100	19.2	14.7-23.7	120	14.9	11.8-18.0
Some Post-H.S.	539	30,627	9	1.6	00.4-02.8	143	26.0	21.3-30.7	54	9.4	06.3-12.5	103	21.8	17.1-26.5	102	22.3	17.4-27.2	128	18.9	15.0-22.8
College Graduate	539	21,095	18	2.3	01.1-03.5	132	23.6	19.1-28.1	57	12.7	09.2-16.2	118	23.4	19.1-27.7	96	20.7	16.4-25.0	118	17.3	13.8-20.8
\$15,000- 24,999	158	8,587	8	3.4	00.9-05.9	86	58.3	46.0-70.6	16	9.4	03.9-14.9	20	9.6	04.1-15.1	16	13.2	00.5-25.9	12	6.2	01.1-11.3
\$25,000- 34,999	141	6,525	6	3.0	00.1-05.9	57	39.7	29.9-49.5	11	7.4	02.5-12.3	26	20.0	12.0-28.0	18	12.2	05.5-18.9	23	17.8	09.8-25.8
\$35,000- 49,999	277	12,295	14	5.1	00.2-10.0	98	32.8	25.9-39.7	29	11.1	06.4-15.8	68	27.2	20.7-33.7	31	12.4	07.1-17.7	37	11.4	06.9-15.9
\$50,000- 74,999	357	17,335	11	2.8	00.8-04.8	104	26.7	21.0-32.4	40	11.3	07.2-15.4	78	27.0	20.3-33.7	50	14.1	09.4-18.8	74	18.0	13.1-22.9
\$75,000+	696	33,725	5	0.5	00.0-01.1	122	17.8	14.3-21.3	56	8.8	05.9-11.7	132	20.5	16.4-24.6	172	30.5	25.8-35.2	209	21.9	18.4-25.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 54: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	ZERO		1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2665	116,895	130	3.7	02.9-04.5	1008	31.9	29.7-34.1	296	11.8	10.0-13.6	480	20.7	18.7-22.7	374	18.0	15.8-20.2	377	13.9	12.1-15.7
18-24	53	6,473	1	0.4	00.0-01.2	3	1.6	00.0-03.6	4	12.0	00.0-24.5	5	13.9	00.8-27.0	8	18.4	03.7-33.1	32	53.7	35.7-71.7
25-34	191	11,352	3	1.2	00.0-02.8	30	16.3	10.0-22.6	13	6.5	02.0-11.0	31	21.5	14.1-28.9	46	27.5	19.7-35.3	68	27.0	19.9-34.1
35-44	287	17,300	1	0.8	00.0-02.4	55	19.5	13.8-25.2	22	7.6	03.9-11.3	62	27.9	21.6-34.2	62	23.8	17.9-29.7	85	20.4	15.5-25.3
45-54	488	25,736	8	1.6	00.4-02.8	139	29.5	24.4-34.6	52	13.5	09.4-17.6	100	20.4	16.1-24.7	101	22.1	17.4-26.8	88	13.0	09.9-16.1
55-64	680	27,237	20	2.8	01.4-04.2	239	31.6	27.5-35.7	99	15.4	12.1-18.7	146	23.5	19.6-27.4	103	18.3	14.4-22.2	73	8.3	06.1-10.5
65+	945	28,014	95	10.0	07.6-12.4	532	55.2	51.3-59.1	105	11.8	09.3-14.3	133	15.0	12.1-17.9	50	6.1	03.9-08.3	30	1.9	01.1-02.7
Less Than H.S.	94	5,345	13	8.3	02.8-13.8	40	30.5	19.5-41.5	6	10.2	01.8-18.6	12	9.0	02.9-15.1	10	17.5	05.9-29.1	13	24.5	08.8-40.2
H.S. or G.E.D.	754	27,665	61	7.0	04.8-09.2	342	39.6	35.1-44.1	99	13.5	10.0-17.0	115	17.8	14.3-21.3	68	12.8	08.7-16.9	69	9.3	06.6-12.0
Some Post-H.S.	933	49,228	37	3.1	01.9-04.3	364	34.7	31.0-38.4	99	11.5	09.0-14.0	177	20.9	17.4-24.4	124	15.9	12.8-19.0	132	13.8	11.1-16.5
College Graduate	880	34,574	19	1.3	00.5-02.1	259	21.8	18.7-24.9	92	11.1	08.2-14.0	175	24.4	20.7-28.1	172	25.4	21.5-29.3	163	16.0	12.9-19.1
Less than \$15,000	117	3,792	13	7.6	02.5-12.7	56	42.8	31.2-54.4	1	0.6	00.0-01.8	19	17.8	09.0-26.6	13	11.7	04.4-19.0	15	19.4	07.1-31.7
\$15,000- 24,999	282	9,769	27	9.9	05.6-14.2	148	45.3	37.9-52.7	33	13.1	07.6-18.6	32	12.8	07.5-18.1	14	6.6	02.1-11.1	28	12.3	06.4-18.2
\$25,000- 34,999	256	9,800	20	6.4	03.1-09.7	125	46.6	38.4-54.8	23	5.3	02.4-08.2	33	18.1	10.8-25.4	22	8.5	04.2-12.8	33	15.2	08.9-21.5
\$35,000- 49,999	339	13,533	13	2.6	01.0-04.2	146	38.9	32.6-45.2	36	10.4	06.5-14.3	66	26.3	20.0-32.6	39	12.5	08.0-17.0	39	9.3	05.8-12.8
\$50,000- 74,999	444	23,277	10	2.1	00.3-03.9	146	29.9	24.6-35.2	60	13.2	09.1-17.3	96	23.3	18.4-28.2	79	20.0	14.9-25.1	53	11.5	06.6-16.4
\$75,000+	832	40,660	8	0.7	00.1-01.3	195	20.4	17.1-23.7	102	13.8	10.5-17.1	176	21.8	18.3-25.3	168	25.1	21.2-29.0	183	18.2	15.1-21.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 55: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7788	557,098	5951	81.3	80.3-82.3	1837	18.7	17.7-19.7
Male	3509	280,804	2678	80.6	79.0-82.2	831	19.4	17.8-21.0
Female	4279	276,293	3273	82.1	80.7-83.5	1006	17.9	16.5-19.3
18-24	493	83,959	478	97.8	96.4-99.2	15	2.2	00.8-03.6
25-34	897	98,657	860	96.2	94.6-97.8	37	3.8	02.2-05.4
35-44	869	78,316	832	94.1	91.9-96.3	37	5.9	03.7-08.1
45-54	1321	91,720	1166	86.5	84.0-89.0	155	13.5	11.0-16.0
55-64	1705	90,781	1394	79.8	77.3-82.3	311	20.2	17.7-22.7
65+	2430	108,958	1165	42.9	40.4-45.4	1265	57.1	54.6-59.6
Less Than H.S.	522	52,993	181	47.4	41.1-53.7	341	52.6	46.3-58.9
H.S. or G.E.D.	2403	150,956	1567	71.9	69.5-74.3	836	28.1	25.7-30.5
Some Post-H.S.	2526	215,134	2058	87.7	86.3-89.1	468	12.3	10.9-13.7
College Graduate	2312	136,346	2131	95.0	94.0-96.0	181	5.0	04.0-06.0
Less than \$15,000	502	45,861	241	66.1	60.6-71.6	261	33.9	28.4-39.4
\$15,000- 24,999	928	70,142	510	67.1	63.2-71.0	418	32.9	29.0-36.8
\$25,000- 34,999	709	49,566	496	77.9	74.2-81.6	213	22.1	18.4-25.8
\$35,000- 49,999	1042	72,157	808	81.7	78.8-84.6	234	18.3	15.4-21.2
\$50,000- 74,999	1260	94,393	1085	86.9	84.4-89.4	175	13.1	10.6-15.6
\$75,000+	2326	154,784	2178	95.6	94.6-96.6	148	4.4	03.4-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 56: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3509	280,804	2678	80.6	79.0-82.2	831	19.4	17.8-21.0
18-24	284	44,670	271	96.7	94.5-98.9	13	3.3	01.1-05.5
25-34	448	52,359	418	94.8	92.4-97.2	30	5.2	02.8-07.6
35-44	412	40,603	393	93.8	90.7-96.9	19	6.2	03.1-09.3
45-54	629	46,449	524	81.8	77.7-85.9	105	18.2	14.1-22.3
55-64	787	46,836	600	74.4	70.3-78.5	187	25.6	21.5-29.7
65+	924	48,320	452	43.9	39.8-48.0	472	56.1	52.0-60.2
Less Than H.S.	273	30,148	104	48.4	40.2-56.6	169	51.6	43.4-59.8
H.S. or G.E.D.	1148	83,674	769	72.5	69.4-75.6	379	27.5	24.4-30.6
Some Post-H.S.	1087	103,441	897	88.5	86.3-90.7	190	11.5	09.3-13.7
College Graduate	989	62,495	899	93.6	91.8-95.4	90	6.4	04.6-08.2
Less than \$15,000	163	17,568	81	66.3	57.5-75.1	82	33.7	24.9-42.5
\$15,000- 24,999	357	33,002	186	66.5	60.2-72.8	171	33.5	27.2-39.8
\$25,000- 34,999	288	24,713	194	77.1	71.2-83.0	94	22.9	17.0-28.8
\$35,000- 49,999	525	42,001	372	76.6	72.1-81.1	153	23.4	18.9-27.9
\$50,000- 74,999	646	52,514	530	82.7	78.8-86.6	116	17.3	13.4-21.2
\$75,000+	1210	83,708	1103	93.4	91.8-95.0	107	6.6	05.0-08.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 57: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4279	276,293	3273	82.1	80.7-83.5	1006	17.9	16.5-19.3
18-24	209	39,289	207	99.1	97.7-100.0	2	0.9	00.0-02.3
25-34	449	46,298	442	97.8	95.8-99.8	7	2.2	00.2-04.2
35-44	457	37,713	439	94.5	91.6-97.4	18	5.5	02.6-08.4
45-54	692	45,271	642	91.3	88.2-94.4	50	8.7	05.6-11.8
55-64	918	43,945	794	85.5	82.6-88.4	124	14.5	11.6-17.4
65+	1506	60,639	713	42.2	39.1-45.3	793	57.8	54.7-60.9
Less Than H.S.	249	22,845	77	46.2	36.4-56.0	172	53.8	44.0-63.6
H.S. or G.E.D.	1255	67,282	798	71.2	67.9-74.5	457	28.8	25.5-32.1
Some Post-H.S.	1439	111,693	1161	87.0	85.0-89.0	278	13.0	11.0-15.0
College Graduate	1323	73,851	1232	96.2	95.0-97.4	91	3.8	02.6-05.0
Less than \$15,000	339	28,293	160	65.9	58.8-73.0	179	34.1	27.0-41.2
\$15,000- 24,999	571	37,140	324	67.6	62.7-72.5	247	32.4	27.5-37.3
\$25,000- 34,999	421	24,854	302	78.7	73.8-83.6	119	21.3	16.4-26.2
\$35,000- 49,999	517	30,155	436	88.7	85.6-91.8	81	11.3	08.2-14.4
\$50,000- 74,999	614	41,879	555	92.3	89.8-94.8	59	7.7	05.2-10.2
\$75,000+	1116	71,076	1075	98.3	97.7-98.9	41	1.7	01.1-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 58: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7759	554,098	6008	70.1	68.5-71.7	1486	25.2	23.6-26.8	265	4.7	03.9-05.5
Male	3495	279,677	2698	69.7	67.5-71.9	668	25.4	23.2-27.6	129	4.9	03.7-06.1
Female	4264	274,421	3310	70.5	68.3-72.7	818	25.0	22.8-27.2	136	4.5	03.3-05.7
18-24	489	82,984	145	28.8	23.5-34.1	249	52.6	46.9-58.3	95	18.6	14.3-22.9
25-34	896	98,591	560	58.2	54.1-62.3	310	38.5	34.4-42.6	26	3.3	01.7-04.9
35-44	867	78,293	687	78.0	74.5-81.5	159	20.1	16.6-23.6	21	1.9	00.9-02.9
45-54	1313	91,163	1082	81.8	78.9-84.7	200	16.0	13.3-18.7	31	2.3	01.3-03.3
55-64	1698	90,263	1483	86.7	84.5-88.9	186	11.7	09.5-13.9	29	1.6	00.8-02.4
65+	2428	108,606	1992	82.5	80.5-84.5	375	15.3	13.3-17.3	61	2.2	01.4-03.0
Less Than H.S.	517	52,361	314	56.8	50.5-63.1	169	35.7	29.6-41.8	34	7.5	04.0-11.0
H.S. or G.E.D.	2398	150,537	1808	68.9	66.0-71.8	494	25.7	23.0-28.4	96	5.4	03.8-07.0
Some Post-H.S.	2517	214,043	1963	69.1	66.4-71.8	477	25.9	23.4-28.4	77	5.0	03.6-06.4
College Graduate	2305	135,888	1911	78.5	76.0-81.0	338	19.2	16.8-21.6	56	2.2	01.4-03.0
Less than \$15,000	499	45,279	207	30.5	24.6-36.4	266	65.5	59.4-71.6	26	4.0	01.8-06.2
\$15,000- 24,999	927	69,812	571	49.7	45.0-54.4	309	43.2	38.5-47.9	47	7.1	04.4-09.8
\$25,000- 34,999	708	49,518	496	61.1	55.6-66.6	188	34.3	29.0-39.6	24	4.6	02.1-07.1
\$35,000- 49,999	1041	71,961	824	72.0	67.9-76.1	193	25.1	21.2-29.0	24	2.9	01.3-04.5
\$50,000- 74,999	1256	94,171	1079	84.3	81.2-87.4	151	13.2	10.3-16.1	26	2.5	00.9-04.1
\$75,000+	2325	154,808	2105	88.2	86.2-90.2	172	8.6	06.8-10.4	48	3.2	02.0-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 59: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3495	279,677	2698	69.7	67.5-71.9	668	25.4	23.2-27.6	129	4.9	03.7-06.1
18-24	282	44,431	85	29.3	22.4-36.2	145	53.3	45.9-60.7	52	17.4	11.7-23.1
25-34	447	52,293	273	55.2	49.3-61.1	163	41.5	35.6-47.4	11	3.4	01.2-05.6
35-44	412	40,665	323	77.5	72.4-82.6	75	19.7	14.8-24.6	14	2.8	01.0-04.6
45-54	624	45,977	507	81.7	77.8-85.6	99	15.5	11.8-19.2	18	2.9	01.1-04.7
55-64	785	46,696	688	87.0	83.7-90.3	85	11.5	08.4-14.6	12	1.5	00.5-02.5
65+	922	48,133	803	87.5	84.8-90.2	98	10.2	07.7-12.7	21	2.3	00.9-03.7
Less Than H.S.	272	30,095	180	63.3	55.3-71.3	74	27.6	20.2-35.0	18	9.1	03.6-14.6
H.S. or G.E.D.	1147	83,616	871	69.8	66.1-73.5	228	25.0	21.5-28.5	48	5.2	03.2-07.2
Some Post-H.S.	1081	102,787	832	67.7	63.6-71.8	211	27.5	23.6-31.4	38	4.8	02.8-06.8
College Graduate	984	62,252	809	76.7	73.0-80.4	151	20.9	17.2-24.6	24	2.4	01.2-03.6
Less than \$15,000	161	17,361	63	29.2	20.0-38.4	87	66.8	57.4-76.2	11	4.0	00.9-07.1
\$15,000- 24,999	356	32,976	215	47.7	40.4-55.0	122	45.2	37.8-52.6	19	7.1	02.8-11.4
\$25,000- 34,999	288	24,740	190	56.2	48.0-64.4	81	36.0	28.0-44.0	17	7.8	02.9-12.7
\$35,000- 49,999	525	41,843	403	69.2	63.5-74.9	109	27.5	22.0-33.0	13	3.3	01.1-05.5
\$50,000- 74,999	643	52,315	544	83.1	79.0-87.2	84	14.8	10.9-18.7	15	2.0	00.8-03.2
\$75,000+	1210	83,784	1073	86.2	83.3-89.1	114	10.8	08.3-13.3	23	3.0	01.4-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 60: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4264	274,421	3310	70.5	68.3-72.7	818	25.0	22.8-27.2	136	4.5	03.3-05.7
18-24	207	38,553	60	28.2	20.2-36.2	104	51.8	42.8-60.8	43	20.0	13.1-26.9
25-34	449	46,298	287	61.7	55.8-67.6	147	35.2	29.3-41.1	15	3.2	01.0-05.4
35-44	455	37,628	364	78.6	73.7-83.5	84	20.6	15.7-25.5	7	0.9	00.1-01.7
45-54	689	45,186	575	81.9	77.6-86.2	101	16.5	12.4-20.6	13	1.6	00.4-02.8
55-64	913	43,566	795	86.4	83.5-89.3	101	11.9	09.2-14.6	17	1.6	00.6-02.6
65+	1506	60,474	1189	78.5	75.8-81.2	277	19.4	16.7-22.1	40	2.1	01.1-03.1
Less Than H.S.	245	22,266	134	48.1	38.7-57.5	95	46.7	37.1-56.3	16	5.3	01.2-09.4
H.S. or G.E.D.	1251	66,921	937	67.8	63.5-72.1	266	26.6	22.5-30.7	48	5.7	03.3-08.1
Some Post-H.S.	1436	111,255	1131	70.4	66.7-74.1	266	24.5	21.0-28.0	39	5.2	03.0-07.4
College Graduate	1321	73,636	1102	80.1	77.0-83.2	187	17.8	14.7-20.9	32	2.1	01.1-03.1
Less than \$15,000	338	27,918	144	31.2	23.8-38.6	179	64.7	56.9-72.5	15	4.1	01.2-07.0
\$15,000- 24,999	571	36,836	356	51.5	45.4-57.6	187	41.4	35.3-47.5	28	7.1	03.4-10.8
\$25,000- 34,999	420	24,778	306	66.0	59.1-72.9	107	32.6	25.7-39.5	7	1.4	00.0-02.8
\$35,000- 49,999	516	30,118	421	75.9	70.0-81.8	84	21.7	16.0-27.4	11	2.3	00.0-04.7
\$50,000- 74,999	613	41,857	535	85.7	80.6-90.8	67	11.1	06.6-15.6	11	3.2	00.3-06.1
\$75,000+	1115	71,025	1032	90.7	88.0-93.4	58	5.9	03.9-07.9	25	3.4	01.4-05.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 61: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7806	558,965	3520	50.5	48.9-52.1	4286	49.5	47.9-51.1
18-24	495	84,482	286	53.5	47.8-59.2	209	46.5	40.8-52.2
25-34	897	98,657	448	53.1	49.0-57.2	449	46.9	42.8-51.0
35-44	871	78,725	413	51.9	47.6-56.2	458	48.1	43.8-52.4
45-54	1323	91,941	631	50.8	47.3-54.3	692	49.2	45.7-52.7
55-64	1708	91,086	790	51.8	48.7-54.9	918	48.2	45.1-51.3
65+	2437	109,137	926	44.3	41.8-46.8	1511	55.7	53.2-58.2
Less Than H.S.	523	53,042	274	56.9	50.8-63.0	249	43.1	37.0-49.2
H.S. or G.E.D.	2410	151,402	1153	55.6	52.9-58.3	1257	44.4	41.7-47.1
Some Post-H.S.	2530	216,106	1090	48.3	45.6-51.0	1440	51.7	49.0-54.4
College Graduate	2318	136,747	991	45.9	43.2-48.6	1327	54.1	51.4-56.8
Less than \$15,000	503	45,985	163	38.2	31.7-44.7	340	61.8	55.3-68.3
\$15,000- 24,999	929	70,146	357	47.0	42.3-51.7	572	53.0	48.3-57.7
\$25,000- 34,999	711	49,690	290	50.0	44.7-55.3	421	50.0	44.7-55.3
\$35,000- 49,999	1045	72,258	527	58.3	54.2-62.4	518	41.7	37.6-45.8
\$50,000- 74,999	1260	94,393	646	55.6	51.7-59.5	614	44.4	40.5-48.3
\$75,000+	2328	155,099	1212	54.2	51.5-56.9	1116	45.8	43.1-48.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 62: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1107	122,562	55	4.4	02.8-06.0	1052	95.6	94.0-97.2
18-24	208	39,071	12	4.7	01.6-07.8	196	95.3	92.2-98.4
25-34	444	45,770	35	5.6	03.2-08.0	409	94.4	92.0-96.8
35-44	455	37,721	8	2.7	00.5-04.9	447	97.3	95.1-99.5
H.S. or G.E.D.	222	23,781	12	5.3	01.6-09.0	210	94.7	91.0-98.4
Some Post-H.S.	340	48,020	13	2.9	00.7-05.1	327	97.1	94.9-99.3
College Graduate	505	42,567	28	5.5	03.1-07.9	477	94.5	92.1-96.9
Less than \$15,000	75	14,919	3	1.7	00.0-03.9	72	98.3	96.1-0100
\$15,000- 24,999	122	14,809	5	3.0	00.0-06.1	117	97.0	93.9-0100
\$25,000- 34,999	87	9,576	6	9.9	01.5-18.3	81	90.1	81.7-98.5
\$35,000- 49,999	131	13,682	4	2.2	00.0-04.9	127	97.8	95.1-0100
\$50,000- 74,999	193	21,245	15	5.0	01.1-08.9	178	95.0	91.1-98.9
\$75,000+	402	35,661	15	3.6	01.4-05.8	387	96.4	94.2-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 63: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7711	551,187	1451	16.7	15.5-17.9	6260	83.3	82.1-84.5
Male	3465	277,369	618	16.1	14.5-17.7	2847	83.9	82.3-85.5
Female	4246	273,818	833	17.3	15.7-18.9	3413	82.7	81.1-84.3
18-24	489	83,230	22	4.2	01.7-06.7	467	95.8	93.3-98.3
25-34	886	97,237	69	8.2	05.8-10.6	817	91.8	89.4-94.2
35-44	861	77,809	103	13.3	10.4-16.2	758	86.7	83.8-89.6
45-54	1312	91,188	230	20.2	17.1-23.3	1082	79.8	76.7-82.9
55-64	1686	89,705	385	24.9	22.0-27.8	1301	75.1	72.2-78.0
65+	2405	107,275	627	26.7	24.3-29.1	1778	73.3	70.9-75.7
Less Than H.S.	509	51,415	141	26.2	20.7-31.7	368	73.8	68.3-79.3
H.S. or G.E.D.	2379	149,377	454	16.9	14.9-18.9	1925	83.1	81.1-85.1
Some Post-H.S.	2504	213,513	499	17.0	15.0-19.0	2005	83.0	81.0-85.0
College Graduate	2294	135,214	354	12.6	10.8-14.4	1940	87.4	85.6-89.2
Less than \$15,000	495	45,108	202	30.4	24.7-36.1	293	69.6	63.9-75.3
\$15,000- 24,999	915	69,053	273	27.5	23.4-31.6	642	72.5	68.4-76.6
\$25,000- 34,999	707	49,477	160	20.9	16.8-25.0	547	79.1	75.0-83.2
\$35,000- 49,999	1032	71,374	159	11.2	09.0-13.4	873	88.8	86.6-91.0
\$50,000- 74,999	1250	93,617	200	14.0	11.5-16.5	1050	86.0	83.5-88.5
\$75,000+	2313	154,180	264	9.3	07.9-10.7	2049	90.7	89.3-92.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 64: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3465	277,369	618	16.1	14.5-17.7	2847	83.9	82.3-85.5
18-24	282	44,344	14	3.0	01.0-05.0	268	97.0	95.0-99.0
25-34	442	51,469	43	10.6	06.9-14.3	399	89.4	85.7-93.1
35-44	405	40,034	41	13.3	08.8-17.8	364	86.7	82.2-91.2
45-54	622	45,963	87	16.6	12.7-20.5	535	83.4	79.5-87.3
55-64	775	46,080	189	26.4	21.9-30.9	586	73.6	69.1-78.1
65+	913	47,731	239	26.3	22.6-30.0	674	73.7	70.0-77.4
Less Than H.S.	270	29,645	61	21.9	15.4-28.4	209	78.1	71.6-84.6
H.S. or G.E.D.	1135	82,701	201	16.6	13.9-19.3	934	83.4	80.7-86.1
Some Post-H.S.	1072	102,172	196	15.9	13.0-18.8	876	84.1	81.2-87.0
College Graduate	976	61,805	159	13.2	10.7-15.7	817	86.8	84.3-89.3
Less than \$15,000	161	17,280	65	29.7	21.3-38.1	96	70.3	61.9-78.7
\$15,000- 24,999	353	32,557	124	31.1	24.4-37.8	229	68.9	62.2-75.6
\$25,000- 34,999	287	24,647	63	20.4	13.9-26.9	224	79.6	73.1-86.1
\$35,000- 49,999	519	41,467	75	10.7	07.6-13.8	444	89.3	86.2-92.4
\$50,000- 74,999	638	51,918	101	13.6	10.1-17.1	537	86.4	82.9-89.9
\$75,000+	1198	83,152	131	9.4	07.4-11.4	1067	90.6	88.6-92.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS

TABLE 65: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4246	273,818	833	17.3	15.7-18.9	3413	82.7	81.1-84.3
18-24	207	38,886	8	5.5	00.8-10.2	199	94.5	89.8-99.2
25-34	444	45,768	26	5.6	02.7-08.5	418	94.4	91.5-97.3
35-44	456	37,775	62	13.4	09.7-17.1	394	86.6	82.9-90.3
45-54	690	45,225	143	23.8	19.3-28.3	547	76.2	71.7-80.7
55-64	911	43,626	196	23.3	19.6-27.0	715	76.7	73.0-80.4
65+	1492	59,544	388	27.0	24.1-29.9	1104	73.0	70.1-75.9
Less Than H.S.	239	21,770	80	31.9	22.7-41.1	159	68.1	58.9-77.3
H.S. or G.E.D.	1244	66,676	253	17.3	14.6-20.0	991	82.7	80.0-85.4
Some Post-H.S.	1432	111,340	303	17.9	15.4-20.4	1129	82.1	79.6-84.6
College Graduate	1318	73,409	195	12.1	09.9-14.3	1123	87.9	85.7-90.1
Less than \$15,000	334	27,828	137	30.9	23.3-38.5	197	69.1	61.5-76.7
\$15,000- 24,999	562	36,496	149	24.2	19.1-29.3	413	75.8	70.7-80.9
\$25,000- 34,999	420	24,830	97	21.3	16.0-26.6	323	78.7	73.4-84.0
\$35,000- 49,999	513	29,907	84	12.0	08.7-15.3	429	88.0	84.7-91.3
\$50,000- 74,999	612	41,699	99	14.4	10.9-17.9	513	85.6	82.1-89.1
\$75,000+	1115	71,029	133	9.3	07.3-11.3	982	90.7	88.7-92.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 66: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7741	552,821	617	6.2	05.6-06.8	7124	93.8	93.2-94.4
Male	3485	278,725	246	5.9	04.9-06.9	3239	94.1	93.1-95.1
Female	4256	274,096	371	6.6	05.6-07.6	3885	93.4	92.4-94.4
18-24	489	83,173	3	0.2	00.0-00.6	486	99.8	99.4-0100
25-34	887	97,254	9	1.1	00.1-02.1	878	98.9	97.9-99.9
35-44	864	78,189	25	3.4	01.8-05.0	839	96.6	95.0-98.2
45-54	1316	91,363	58	5.3	03.5-07.1	1258	94.7	92.9-96.5
55-64	1692	89,877	122	8.4	06.2-10.6	1570	91.6	89.4-93.8
65+	2420	108,213	397	16.6	14.6-18.6	2023	83.4	81.4-85.4
Less Than H.S.	520	52,613	94	12.4	09.3-15.5	426	87.6	84.5-90.7
H.S. or G.E.D.	2386	149,429	197	6.6	05.4-07.8	2189	93.4	92.2-94.6
Some Post-H.S.	2510	213,746	193	6.1	04.9-07.3	2317	93.9	92.7-95.1
College Graduate	2300	135,364	131	3.8	03.0-04.6	2169	96.2	95.4-97.0
Less than \$15,000	499	45,454	121	15.4	11.9-18.9	378	84.6	81.1-88.1
\$15,000- 24,999	922	69,606	148	13.0	10.3-15.7	774	87.0	84.3-89.7
\$25,000- 34,999	704	49,256	69	7.8	04.9-10.7	635	92.2	89.3-95.1
\$35,000- 49,999	1036	71,532	70	5.1	03.5-06.7	966	94.9	93.3-96.5
\$50,000- 74,999	1251	93,395	55	3.0	02.0-04.0	1196	97.0	96.0-98.0
\$75,000+	2317	154,345	54	2.0	01.4-02.6	2263	98.0	97.4-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 67: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3485	278,725	246	5.9	04.9-06.9	3239	94.1	93.1-95.1
18-24	283	44,535	3	0.5	00.0-01.3	280	99.5	98.7-0100
25-34	443	51,599	7	1.8	00.2-03.4	436	98.2	96.6-99.8
35-44	408	40,487	13	4.4	01.7-07.1	395	95.6	92.9-98.3
45-54	626	46,138	27	3.7	01.9-05.5	599	96.3	94.5-98.1
55-64	780	46,333	61	10.1	06.6-13.6	719	89.9	86.4-93.4
65+	919	47,884	135	14.9	12.0-17.8	784	85.1	82.2-88.0
Less Than H.S.	274	30,197	37	9.0	05.5-12.5	237	91.0	87.5-94.5
H.S. or G.E.D.	1139	82,933	72	5.6	04.0-07.2	1067	94.4	92.8-96.0
Some Post-H.S.	1077	102,588	71	6.1	04.1-08.1	1006	93.9	91.9-95.9
College Graduate	983	61,960	66	4.6	03.2-06.0	917	95.4	94.0-96.8
Less than \$15,000	162	17,469	38	15.9	09.6-22.2	124	84.1	77.8-90.4
\$15,000- 24,999	356	32,972	67	14.0	09.5-18.5	289	86.0	81.5-90.5
\$25,000- 34,999	286	24,466	27	8.6	03.3-13.9	259	91.4	86.1-96.7
\$35,000- 49,999	521	41,569	35	5.2	02.8-07.6	486	94.8	92.4-97.2
\$50,000- 74,999	641	51,988	30	2.9	01.5-04.3	611	97.1	95.7-98.5
\$75,000+	1202	83,316	31	2.6	01.4-03.8	1171	97.4	96.2-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 68: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4256	274,096	371	6.6	05.6-07.6	3885	93.4	92.4-94.4
18-24	206	38,639				206	100.0	0100-0100
25-34	444	45,654	2	0.2	00.0-00.6	442	99.8	99.4-0100
35-44	456	37,701	12	2.4	00.8-04.0	444	97.6	96.0-99.2
45-54	690	45,225	31	7.0	03.9-10.1	659	93.0	89.9-96.1
55-64	912	43,544	61	6.6	04.6-08.6	851	93.4	91.4-95.4
65+	1501	60,329	262	18.0	15.5-20.5	1239	82.0	79.5-84.5
Less Than H.S.	246	22,416	57	17.0	11.1-22.9	189	83.0	77.1-88.9
H.S. or G.E.D.	1247	66,496	125	7.8	06.0-09.6	1122	92.2	90.4-94.0
Some Post-H.S.	1433	111,158	122	6.0	04.6-07.4	1311	94.0	92.6-95.4
College Graduate	1317	73,404	65	3.1	02.1-04.1	1252	96.9	95.9-97.9
Less than \$15,000	337	27,986	83	15.1	10.8-19.4	254	84.9	80.6-89.2
\$15,000- 24,999	566	36,634	81	12.0	08.7-15.3	485	88.0	84.7-91.3
\$25,000- 34,999	418	24,790	42	7.0	04.3-09.7	376	93.0	90.3-95.7
\$35,000- 49,999	515	29,963	35	4.9	02.7-07.1	480	95.1	92.9-97.3
\$50,000- 74,999	610	41,407	25	3.2	01.6-04.8	585	96.8	95.2-98.4
\$75,000+	1115	71,029	23	1.2	00.6-01.8	1092	98.8	98.2-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 69: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7719	550,811	250	3.1	02.5-03.7	7469	96.9	96.3-97.5
Male	3469	277,424	95	2.7	01.9-03.5	3374	97.3	96.5-98.1
Female	4250	273,388	155	3.4	02.6-04.2	4095	96.6	95.8-97.4
18-24	487	82,855	9	2.5	00.5-04.5	478	97.5	95.5-99.5
25-34	885	96,952	11	1.5	00.3-02.7	874	98.5	97.3-99.7
35-44	864	78,154	16	2.2	00.8-03.6	848	97.8	96.4-99.2
45-54	1315	91,128	33	3.0	01.8-04.2	1282	97.0	95.8-98.2
55-64	1689	89,741	55	3.2	02.0-04.4	1634	96.8	95.6-98.0
65+	2406	107,229	125	5.6	04.2-07.0	2281	94.4	93.0-95.8
Less Than H.S.	514	52,035	40	8.1	04.6-11.6	474	91.9	88.4-95.4
H.S. or G.E.D.	2373	148,531	77	3.5	02.3-04.7	2296	96.5	95.3-97.7
Some Post-H.S.	2508	213,623	89	2.6	01.8-03.4	2419	97.4	96.6-98.2
College Graduate	2299	134,953	42	1.4	00.6-02.2	2257	98.6	97.8-99.4
Less than \$15,000	495	44,865	65	11.0	07.1-14.9	430	89.0	85.1-92.9
\$15,000- 24,999	916	69,380	55	6.8	04.4-09.2	861	93.2	90.8-95.6
\$25,000- 34,999	707	49,477	29	2.9	01.3-04.5	678	97.1	95.5-98.7
\$35,000- 49,999	1034	71,440	28	2.2	01.0-03.4	1006	97.8	96.6-99.0
\$50,000- 74,999	1250	93,142	14	0.6	00.2-01.0	1236	99.4	99.0-99.8
\$75,000+	2313	154,004	14	0.3	00.1-00.5	2299	99.7	99.5-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS

TABLE 70: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3469	277,424	95	2.7	01.9-03.5	3374	97.3	96.5-98.1
18-24	281	44,216	3	1.7	00.0-03.7	278	98.3	96.3-0100
25-34	441	51,298	8	2.0	00.2-03.8	433	98.0	96.2-99.8
35-44	408	40,487	6	2.3	00.1-04.5	402	97.7	95.5-99.9
45-54	624	45,880	18	2.9	01.1-04.7	606	97.1	95.3-98.9
55-64	778	46,352	23	2.9	01.1-04.7	755	97.1	95.3-98.9
65+	911	47,443	36	4.3	02.1-06.5	875	95.7	93.5-97.9
Less Than H.S.	270	29,911	14	6.0	02.1-09.9	256	94.0	90.1-97.9
H.S. or G.E.D.	1130	82,365	31	3.2	01.6-04.8	1099	96.8	95.2-98.4
Some Post-H.S.	1078	102,708	33	2.3	01.3-03.3	1045	97.7	96.7-98.7
College Graduate	979	61,394	17	1.2	00.2-02.2	962	98.8	97.8-99.8
Less than \$15,000	160	16,993	19	9.6	03.7-15.5	141	90.4	84.5-96.3
\$15,000- 24,999	351	32,711	24	7.2	03.3-11.1	327	92.8	88.9-96.7
\$25,000- 34,999	287	24,647	12	3.3	00.6-06.0	275	96.7	94.0-99.4
\$35,000- 49,999	520	41,502	14	2.7	00.7-04.7	506	97.3	95.3-99.3
\$50,000- 74,999	640	51,817	8	0.4	00.0-00.8	632	99.6	99.2-0100
\$75,000+	1199	83,108	3	0.2	00.0-00.6	1196	99.8	99.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS

TABLE 71: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4250	273,388	155	3.4	02.6-04.2	4095	96.6	95.8-97.4
18-24	206	38,639	6	3.5	00.2-06.8	200	96.5	93.2-99.8
25-34	444	45,654	3	0.9	00.0-02.1	441	99.1	97.9-0100
35-44	456	37,667	10	2.1	00.5-03.7	446	97.9	96.3-99.5
45-54	691	45,248	15	3.1	01.3-04.9	676	96.9	95.1-98.7
55-64	911	43,389	32	3.6	02.0-05.2	879	96.4	94.8-98.0
65+	1495	59,786	89	6.6	04.8-08.4	1406	93.4	91.6-95.2
Less Than H.S.	244	22,125	26	11.0	05.1-16.9	218	89.0	83.1-94.9
H.S. or G.E.D.	1243	66,166	46	4.0	02.4-05.6	1197	96.0	94.4-97.6
Some Post-H.S.	1430	110,916	56	2.8	01.8-03.8	1374	97.2	96.2-98.2
College Graduate	1320	73,558	25	1.6	00.6-02.6	1295	98.4	97.4-99.4
Less than \$15,000	335	27,872	46	11.8	06.7-16.9	289	88.2	83.1-93.3
\$15,000- 24,999	565	36,669	31	6.4	03.7-09.1	534	93.6	90.9-96.3
\$25,000- 34,999	420	24,830	17	2.6	00.8-04.4	403	97.4	95.6-99.2
\$35,000- 49,999	514	29,938	14	1.4	00.4-02.4	500	98.6	97.6-99.6
\$50,000- 74,999	610	41,326	6	0.9	00.1-01.7	604	99.1	98.3-99.9
\$75,000+	1114	70,897	11	0.5	00.1-00.9	1103	99.5	99.1-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 72: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7702	550,264	501	7.0	06.2-07.8	7201	93.0	92.2-93.8
Male	3462	277,184	216	6.7	05.5-07.9	3246	93.3	92.1-94.5
Female	4240	273,080	285	7.3	06.1-08.5	3955	92.7	91.5-93.9
18-24	485	82,625	24	6.1	03.0-09.2	461	93.9	90.8-97.0
25-34	882	96,939	41	5.6	03.4-07.8	841	94.4	92.2-96.6
35-44	860	77,593	44	5.5	03.3-07.7	816	94.5	92.3-96.7
45-54	1311	91,093	100	8.7	06.5-10.9	1211	91.3	89.1-93.5
55-64	1691	89,970	116	8.3	06.1-10.5	1575	91.7	89.5-93.9
65+	2401	107,322	173	7.5	06.1-08.9	2228	92.5	91.1-93.9
Less Than H.S.	515	52,413	67	13.7	09.2-18.2	448	86.3	81.8-90.8
H.S. or G.E.D.	2370	148,329	171	7.5	06.1-08.9	2199	92.5	91.1-93.9
Some Post-H.S.	2502	213,457	165	7.1	05.5-08.7	2337	92.9	91.3-94.5
College Graduate	2291	134,411	96	3.7	02.7-04.7	2195	96.3	95.3-97.3
Less than \$15,000	492	44,800	101	20.6	15.1-26.1	391	79.4	73.9-84.9
\$15,000- 24,999	911	68,967	105	12.7	09.6-15.8	806	87.3	84.2-90.4
\$25,000- 34,999	704	49,358	62	9.7	06.2-13.2	642	90.3	86.8-93.8
\$35,000- 49,999	1034	71,297	57	4.1	02.7-05.5	977	95.9	94.5-97.3
\$50,000- 74,999	1247	93,031	46	3.4	02.2-04.6	1201	96.6	95.4-97.8
\$75,000+	2309	154,095	53	2.3	01.3-03.3	2256	97.7	96.7-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 73: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3462	277,184	216	6.7	05.5-07.9	3246	93.3	92.1-94.5
18-24	280	44,133	12	4.3	01.2-07.4	268	95.7	92.6-98.8
25-34	441	51,357	20	5.8	02.9-08.7	421	94.2	91.3-97.1
35-44	405	40,070	16	5.0	02.1-07.9	389	95.0	92.1-97.9
45-54	623	45,973	39	6.6	04.2-09.0	584	93.4	91.0-95.8
55-64	779	46,454	55	9.0	05.7-12.3	724	91.0	87.7-94.3
65+	908	47,448	72	8.9	06.2-11.6	836	91.1	88.4-93.8
Less Than H.S.	272	30,150	31	12.5	07.0-18.0	241	87.5	82.0-93.0
H.S. or G.E.D.	1129	82,095	80	7.6	05.6-09.6	1049	92.4	90.4-94.4
Some Post-H.S.	1073	102,512	66	6.3	04.1-08.5	1007	93.7	91.5-95.9
College Graduate	976	61,382	39	3.6	02.0-05.2	937	96.4	94.8-98.0
Less than \$15,000	159	17,138	39	21.9	14.3-29.5	120	78.1	70.5-85.7
\$15,000- 24,999	350	32,585	53	16.0	10.5-21.5	297	84.0	78.5-89.5
\$25,000- 34,999	285	24,538	27	10.6	04.9-16.3	258	89.4	83.7-95.1
\$35,000- 49,999	520	41,481	29	4.2	02.2-06.2	491	95.8	93.8-97.8
\$50,000- 74,999	638	51,728	19	2.3	00.9-03.7	619	97.7	96.3-99.1
\$75,000+	1198	83,245	25	2.5	01.1-03.9	1173	97.5	96.1-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 74: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4240	273,080	285	7.3	06.1-08.5	3955	92.7	91.5-93.9
18-24	205	38,492	12	8.2	02.7-13.7	193	91.8	86.3-97.3
25-34	441	45,582	21	5.4	02.5-08.3	420	94.6	91.7-97.5
35-44	455	37,522	28	6.1	03.4-08.8	427	93.9	91.2-96.6
45-54	688	45,120	61	10.8	07.3-14.3	627	89.2	85.7-92.7
55-64	912	43,516	61	7.6	05.2-10.0	851	92.4	90.0-94.8
65+	1493	59,874	101	6.5	05.1-07.9	1392	93.5	92.1-94.9
Less Than H.S.	243	22,263	36	15.3	07.5-23.1	207	84.7	76.9-92.5
H.S. or G.E.D.	1241	66,234	91	7.5	05.3-09.7	1150	92.5	90.3-94.7
Some Post-H.S.	1429	110,945	99	7.8	05.6-10.0	1330	92.2	90.0-94.4
College Graduate	1315	73,030	57	3.9	02.5-05.3	1258	96.1	94.7-97.5
Less than \$15,000	333	27,662	62	19.7	12.4-27.0	271	80.3	73.0-87.6
\$15,000- 24,999	561	36,381	52	9.8	06.5-13.1	509	90.2	86.9-93.5
\$25,000- 34,999	419	24,820	35	8.8	05.1-12.5	384	91.2	87.5-94.9
\$35,000- 49,999	514	29,816	28	4.0	02.0-06.0	486	96.0	94.0-98.0
\$50,000- 74,999	609	41,303	27	4.7	02.5-06.9	582	95.3	93.1-97.5
\$75,000+	1111	70,850	28	2.0	01.0-03.0	1083	98.0	97.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 75: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7702	549,455	991	10.9	09.9-11.9	6711	89.1	88.1-90.1
Male	3462	276,611	360	9.2	08.0-10.4	3102	90.8	89.6-92.0
Female	4240	272,843	631	12.7	11.3-14.1	3609	87.3	85.9-88.7
18-24	485	82,741	6	1.4	00.0-02.8	479	98.6	97.2-0100
25-34	883	96,727	20	2.9	01.3-04.5	863	97.1	95.5-98.7
35-44	862	77,908	52	7.0	04.6-09.4	810	93.0	90.6-95.4
45-54	1312	91,253	124	11.0	08.6-13.4	1188	89.0	86.6-91.4
55-64	1687	89,620	214	14.5	12.0-17.0	1473	85.5	83.0-88.0
65+	2402	106,713	566	25.1	22.7-27.5	1836	74.9	72.5-77.3
Less Than H.S.	515	52,022	134	20.5	16.0-25.0	381	79.5	75.0-84.0
H.S. or G.E.D.	2367	147,935	364	13.4	11.6-15.2	2003	86.6	84.8-88.4
Some Post-H.S.	2501	213,145	330	10.6	09.0-12.2	2171	89.4	87.8-91.0
College Graduate	2294	134,683	160	5.1	04.1-06.1	2134	94.9	93.9-95.9
Less than \$15,000	495	44,773	177	24.8	20.1-29.5	318	75.2	70.5-79.9
\$15,000- 24,999	913	69,165	242	24.1	20.2-28.0	671	75.9	72.0-79.8
\$25,000- 34,999	704	49,306	120	14.2	10.7-17.7	584	85.8	82.3-89.3
\$35,000- 49,999	1035	71,510	108	7.7	05.7-09.7	927	92.3	90.3-94.3
\$50,000- 74,999	1246	93,014	86	5.0	03.6-06.4	1160	95.0	93.6-96.4
\$75,000+	2314	153,890	113	4.0	03.0-05.0	2201	96.0	95.0-97.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 76: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3462	276,611	360	9.2	08.0-10.4	3102	90.8	89.6-92.0
18-24	279	44,103	3	0.9	00.0-02.3	276	99.1	97.7-0100
25-34	442	51,428	12	2.8	00.8-04.8	430	97.2	95.2-99.2
35-44	406	40,163	18	5.9	02.8-09.0	388	94.1	91.0-97.2
45-54	623	46,051	47	8.5	05.6-11.4	576	91.5	88.6-94.4
55-64	776	46,176	89	13.7	10.0-17.4	687	86.3	82.6-90.0
65+	911	47,192	190	22.8	19.1-26.5	721	77.2	73.5-80.9
Less Than H.S.	271	30,017	57	17.4	11.9-22.9	214	82.6	77.1-88.1
H.S. or G.E.D.	1127	81,954	126	10.6	08.2-13.0	1001	89.4	87.0-91.8
Some Post-H.S.	1074	102,275	104	7.5	05.5-09.5	970	92.5	90.5-94.5
College Graduate	978	61,320	73	6.1	04.1-08.1	905	93.9	91.9-95.9
Less than \$15,000	160	17,002	55	22.9	15.6-30.2	105	77.1	69.8-84.4
\$15,000- 24,999	350	32,556	98	23.3	17.4-29.2	252	76.7	70.8-82.6
\$25,000- 34,999	285	24,490	40	11.5	06.0-17.0	245	88.5	83.0-94.0
\$35,000- 49,999	522	41,578	49	7.6	04.9-10.3	473	92.4	89.7-95.1
\$50,000- 74,999	637	51,711	42	4.8	02.8-06.8	595	95.2	93.2-97.2
\$75,000+	1201	83,291	49	4.0	02.6-05.4	1152	96.0	94.6-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 77: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4240	272,843	631	12.7	11.3-14.1	3609	87.3	85.9-88.7
18-24	206	38,639	3	2.0	00.0-04.4	203	98.0	95.6-0100
25-34	441	45,299	8	2.9	00.4-05.4	433	97.1	94.6-99.6
35-44	456	37,745	34	8.2	04.9-11.5	422	91.8	88.5-95.1
45-54	689	45,201	77	13.6	09.9-17.3	612	86.4	82.7-90.1
55-64	911	43,445	125	15.4	12.1-18.7	786	84.6	81.3-87.9
65+	1491	59,521	376	27.0	24.1-29.9	1115	73.0	70.1-75.9
Less Than H.S.	244	22,006	77	24.7	17.4-32.0	167	75.3	68.0-82.6
H.S. or G.E.D.	1240	65,982	238	16.8	14.1-19.5	1002	83.2	80.5-85.9
Some Post-H.S.	1427	110,870	226	13.4	11.2-15.6	1201	86.6	84.4-88.8
College Graduate	1316	73,363	87	4.4	03.2-05.6	1229	95.6	94.4-96.8
Less than \$15,000	335	27,771	122	26.0	19.7-32.3	213	74.0	67.7-80.3
\$15,000- 24,999	563	36,609	144	24.8	19.7-29.9	419	75.2	70.1-80.3
\$25,000- 34,999	419	24,817	80	16.9	12.4-21.4	339	83.1	78.6-87.6
\$35,000- 49,999	513	29,932	59	7.8	05.1-10.5	454	92.2	89.5-94.9
\$50,000- 74,999	609	41,303	44	5.3	03.3-07.3	565	94.7	92.7-96.7
\$75,000+	1113	70,599	64	3.9	02.7-05.1	1049	96.1	94.9-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 78: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7711	550,269	194	2.6	02.0-03.2	7517	97.4	96.8-98.0
Male	3466	277,193	81	2.4	01.6-03.2	3385	97.6	96.8-98.4
Female	4245	273,077	113	2.8	02.0-03.6	4132	97.2	96.4-98.0
18-24	485	82,741				485	100.0	0100-0100
25-34	882	96,705	5	1.1	00.0-02.3	877	98.9	97.7-0100
35-44	862	77,908	11	1.7	00.5-02.9	851	98.3	97.1-99.5
45-54	1309	90,857	36	3.8	02.4-05.2	1273	96.2	94.8-97.6
55-64	1689	89,714	50	4.4	02.6-06.2	1639	95.6	93.8-97.4
65+	2412	107,602	87	3.6	02.6-04.6	2325	96.4	95.4-97.4
Less Than H.S.	515	52,404	24	4.4	02.2-06.6	491	95.6	93.4-97.8
H.S. or G.E.D.	2372	148,030	61	3.0	02.0-04.0	2311	97.0	96.0-98.0
Some Post-H.S.	2505	213,421	66	2.6	01.6-03.6	2439	97.4	96.4-98.4
College Graduate	2294	134,745	42	1.4	00.8-02.0	2252	98.6	98.0-99.2
Less than \$15,000	495	44,863	45	6.5	04.1-08.9	450	93.5	91.1-95.9
\$15,000- 24,999	915	69,133	49	5.6	03.4-07.8	866	94.4	92.2-96.6
\$25,000- 34,999	704	49,326	18	3.9	01.2-06.6	686	96.1	93.4-98.8
\$35,000- 49,999	1036	71,535	21	2.5	01.1-03.9	1015	97.5	96.1-98.9
\$50,000- 74,999	1245	92,944	14	0.8	00.4-01.2	1231	99.2	98.8-99.6
\$75,000+	2313	153,864	13	0.6	00.2-01.0	2300	99.4	99.0-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 79: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3466	277,193	81	2.4	01.6-03.2	3385	97.6	96.8-98.4
18-24	279	44,103				279	100.0	0100-0100
25-34	442	51,428	2	0.7	00.0-01.9	440	99.3	98.1-0100
35-44	406	40,163	2	1.2	00.0-03.0	404	98.8	97.0-0100
45-54	622	45,987	11	2.2	00.8-03.6	611	97.8	96.4-99.2
55-64	779	46,318	29	5.8	02.7-08.9	750	94.2	91.1-97.3
65+	912	47,446	35	3.7	02.1-05.3	877	96.3	94.7-97.9
Less Than H.S.	271	30,097	12	4.5	01.6-07.4	259	95.5	92.6-98.4
H.S. or G.E.D.	1128	82,080	23	2.4	01.2-03.6	1105	97.6	96.4-98.8
Some Post-H.S.	1077	102,676	22	2.0	00.6-03.4	1055	98.0	96.6-99.4
College Graduate	978	61,293	24	1.8	00.8-02.8	954	98.2	97.2-99.2
Less than \$15,000	160	17,096	17	8.1	03.6-12.6	143	91.9	87.4-96.4
\$15,000- 24,999	350	32,556	24	5.1	02.4-07.8	326	94.9	92.2-97.6
\$25,000- 34,999	286	24,616	6	3.7	00.0-08.4	280	96.3	91.6-0100
\$35,000- 49,999	522	41,578	12	2.6	00.6-04.6	510	97.4	95.4-99.4
\$50,000- 74,999	637	51,663	4	0.3	00.0-00.7	633	99.7	99.3-0100
\$75,000+	1201	83,291	8	0.9	00.1-01.7	1193	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 80: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4245	273,077	113	2.8	02.0-03.6	4132	97.2	96.4-98.0
18-24	206	38,639				206	100.0	0100-0100
25-34	440	45,277	3	1.5	00.0-03.5	437	98.5	96.5-0100
35-44	456	37,745	9	2.2	00.2-04.2	447	97.8	95.8-99.8
45-54	687	44,871	25	5.4	02.9-07.9	662	94.6	92.1-97.1
55-64	910	43,396	21	2.9	01.5-04.3	889	97.1	95.7-98.5
65+	1500	60,156	52	3.6	02.2-05.0	1448	96.4	95.0-97.8
Less Than H.S.	244	22,307	12	4.2	00.9-07.5	232	95.8	92.5-99.1
H.S. or G.E.D.	1244	65,950	38	3.7	02.1-05.3	1206	96.3	94.7-97.9
Some Post-H.S.	1428	110,746	44	3.2	01.8-04.6	1384	96.8	95.4-98.2
College Graduate	1316	73,452	18	1.1	00.5-01.7	1298	98.9	98.3-99.5
Less than \$15,000	335	27,767	28	5.5	03.0-08.0	307	94.5	92.0-97.0
\$15,000- 24,999	565	36,577	25	5.9	02.6-09.2	540	94.1	90.8-97.4
\$25,000- 34,999	418	24,709	12	4.1	01.2-07.0	406	95.9	93.0-98.8
\$35,000- 49,999	514	29,957	9	2.4	00.4-04.4	505	97.6	95.6-99.6
\$50,000- 74,999	608	41,281	10	1.3	00.3-02.3	598	98.7	97.7-99.7
\$75,000+	1112	70,573	5	0.2	00.0-00.4	1107	99.8	99.6-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 81: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7690	548,613	354	4.7	03.9-05.5	7336	95.3	94.5-96.1
Male	3458	276,501	115	3.5	02.5-04.5	3343	96.5	95.5-97.5
Female	4232	272,112	239	5.9	04.7-07.1	3993	94.1	92.9-95.3
18-24	484	82,595	8	2.5	00.1-04.9	476	97.5	95.1-99.9
25-34	880	96,495	16	2.7	01.1-04.3	864	97.3	95.7-98.9
35-44	860	77,719	20	3.1	01.3-04.9	840	96.9	95.1-98.7
45-54	1310	91,038	52	5.4	03.4-07.4	1258	94.6	92.6-96.6
55-64	1685	89,379	85	6.6	04.4-08.8	1600	93.4	91.2-95.6
65+	2400	106,840	167	6.9	05.5-08.3	2233	93.1	91.7-94.5
Less Than H.S.	512	52,040	57	10.2	06.5-13.9	455	89.8	86.1-93.5
H.S. or G.E.D.	2361	147,407	117	5.0	03.8-06.2	2244	95.0	93.8-96.2
Some Post-H.S.	2500	212,943	109	4.7	03.3-06.1	2391	95.3	93.9-96.7
College Graduate	2292	134,554	68	2.2	01.4-03.0	2224	97.8	97.0-98.6
Less than \$15,000	494	44,713	95	16.3	11.6-21.0	399	83.7	79.0-88.4
\$15,000- 24,999	911	69,000	79	9.9	07.0-12.8	832	90.1	87.2-93.0
\$25,000- 34,999	699	48,838	35	4.9	02.0-07.8	664	95.1	92.2-98.0
\$35,000- 49,999	1036	71,534	36	2.8	01.4-04.2	1000	97.2	95.8-98.6
\$50,000- 74,999	1243	92,734	19	1.8	00.4-03.2	1224	98.2	96.8-99.6
\$75,000+	2310	153,515	25	0.8	00.4-01.2	2285	99.2	98.8-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 82: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3458	276,501	115	3.5	02.5-04.5	3343	96.5	95.5-97.5
18-24	279	44,103	2	0.2	00.0-00.4	277	99.8	99.6-100.0
25-34	440	51,218	10	3.2	01.0-05.4	430	96.8	94.6-99.0
35-44	404	39,974	7	2.7	00.3-05.1	397	97.3	94.9-99.7
45-54	621	45,890	19	3.8	01.6-06.0	602	96.2	94.0-98.4
55-64	778	46,294	35	7.0	03.7-10.3	743	93.0	89.7-96.3
65+	910	47,275	40	3.6	02.2-05.0	870	96.4	95.0-97.8
Less Than H.S.	270	30,043	18	4.9	02.2-07.6	252	95.1	92.4-97.8
H.S. or G.E.D.	1126	81,843	35	3.8	02.2-05.4	1091	96.2	94.6-97.8
Some Post-H.S.	1074	102,434	34	3.9	02.1-05.7	1040	96.1	94.3-97.9
College Graduate	976	61,134	28	1.8	00.8-02.8	948	98.2	97.2-99.2
Less than \$15,000	161	17,175	30	15.6	08.9-22.3	131	84.4	77.7-91.1
\$15,000- 24,999	348	32,457	35	9.5	05.2-13.8	313	90.5	86.2-94.8
\$25,000- 34,999	285	24,510	10	5.1	00.0-10.2	275	94.9	89.8-100.0
\$35,000- 49,999	522	41,578	12	2.5	00.5-04.5	510	97.5	95.5-99.5
\$50,000- 74,999	635	51,453	6	0.3	00.1-00.5	629	99.7	99.5-99.9
\$75,000+	1197	82,916	10	0.8	00.2-01.4	1187	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 83: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4232	272,112	239	5.9	04.7-07.1	3993	94.1	92.9-95.3
18-24	205	38,492	6	5.2	00.3-10.1	199	94.8	89.9-99.7
25-34	440	45,277	6	2.0	00.0-04.2	434	98.0	95.8-0100
35-44	456	37,745	13	3.6	01.2-06.0	443	96.4	94.0-98.8
45-54	689	45,148	33	7.0	03.9-10.1	656	93.0	89.9-96.1
55-64	907	43,084	50	6.2	03.8-08.6	857	93.8	91.4-96.2
65+	1490	59,565	127	9.6	07.4-11.8	1363	90.4	88.2-92.6
Less Than H.S.	242	21,997	39	17.5	09.7-25.3	203	82.5	74.7-90.3
H.S. or G.E.D.	1235	65,564	82	6.5	04.5-08.5	1153	93.5	91.5-95.5
Some Post-H.S.	1426	110,509	75	5.4	03.4-07.4	1351	94.6	92.6-96.6
College Graduate	1316	73,419	40	2.5	01.3-03.7	1276	97.5	96.3-98.7
Less than \$15,000	333	27,538	65	16.7	10.4-23.0	268	83.3	77.0-89.6
\$15,000- 24,999	563	36,544	44	10.3	06.4-14.2	519	89.7	85.8-93.6
\$25,000- 34,999	414	24,327	25	4.8	02.4-07.2	389	95.2	92.8-97.6
\$35,000- 49,999	514	29,956	24	3.2	01.6-04.8	490	96.8	95.2-98.4
\$50,000- 74,999	608	41,281	13	3.7	00.6-06.8	595	96.3	93.2-99.4
\$75,000+	1113	70,599	15	0.8	00.4-01.2	1098	99.2	98.8-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	172
2 MALES ONLY	173
3 FEMALES ONLY	174
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	175
5 MALES ONLY	176
6 FEMALES ONLY	177
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	178
8 MALES ONLY	179
9 FEMALES ONLY	180
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	181
11 MALES ONLY	182
12 FEMALES ONLY	183
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	184
14 MALES ONLY	185
15 FEMALES ONLY	186

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7665	546,845	3480	46.4	44.8-48.0	4185	53.6	52.0-55.2
Male	3435	274,576	1831	52.7	50.3-55.1	1604	47.3	44.9-49.7
Female	4230	272,269	1649	40.1	37.9-42.3	2581	59.9	57.7-62.1
18-24	480	82,414	152	36.4	30.5-42.3	328	63.6	57.7-69.5
25-34	874	95,620	371	46.1	41.8-50.4	503	53.9	49.6-58.2
35-44	858	77,620	345	43.8	39.5-48.1	513	56.2	51.9-60.5
45-54	1305	90,807	568	46.3	42.8-49.8	737	53.7	50.2-57.2
55-64	1678	88,739	830	52.1	49.0-55.2	848	47.9	44.8-51.0
65+	2400	107,109	1191	51.9	49.4-54.4	1209	48.1	45.6-50.6
Less Than H.S.	510	51,801	283	61.3	55.2-67.4	227	38.7	32.6-44.8
H.S. or G.E.D.	2351	146,689	1282	56.2	53.3-59.1	1069	43.8	40.9-46.7
Some Post-H.S.	2495	212,701	1202	47.2	44.5-49.9	1293	52.8	50.1-55.5
College Graduate	2284	133,986	702	28.5	26.0-31.0	1582	71.5	69.0-74.0
Less than \$15,000	490	44,364	256	49.8	42.9-56.7	234	50.2	43.3-57.1
\$15,000- 24,999	910	69,110	481	52.5	47.6-57.4	429	47.5	42.6-52.4
\$25,000- 34,999	698	48,699	347	52.6	47.3-57.9	351	47.4	42.1-52.7
\$35,000- 49,999	1034	71,228	498	52.4	48.1-56.7	536	47.6	43.3-51.9
\$50,000- 74,999	1241	92,621	561	45.7	41.8-49.6	680	54.3	50.4-58.2
\$75,000+	2300	152,843	927	38.9	36.2-41.6	1373	61.1	58.4-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3435	274,576	1831	52.7	50.3-55.1	1604	47.3	44.9-49.7
18-24	276	43,936	97	38.1	30.7-45.5	179	61.9	54.5-69.3
25-34	435	50,551	209	51.4	45.5-57.3	226	48.6	42.7-54.5
35-44	403	39,927	184	48.7	42.4-55.0	219	51.3	45.0-57.6
45-54	617	45,663	286	48.7	43.4-54.0	331	51.3	46.0-56.6
55-64	772	45,701	430	59.2	54.5-63.9	342	40.8	36.1-45.5
65+	908	47,255	618	69.0	65.1-72.9	290	31.0	27.1-34.9
Less Than H.S.	265	29,479	184	72.6	65.3-79.9	81	27.4	20.1-34.7
H.S. or G.E.D.	1119	81,229	687	60.2	56.3-64.1	432	39.8	35.9-43.7
Some Post-H.S.	1069	102,233	581	51.9	47.8-56.0	488	48.1	44.0-52.2
College Graduate	970	60,589	374	33.9	30.2-37.6	596	66.1	62.4-69.8
Less than \$15,000	158	16,671	102	59.7	49.1-70.3	56	40.3	29.7-50.9
\$15,000- 24,999	346	32,436	222	60.0	52.6-67.4	124	40.0	32.6-47.4
\$25,000- 34,999	284	24,344	172	60.7	52.7-68.7	112	39.3	31.3-47.3
\$35,000- 49,999	519	41,265	300	59.6	53.9-65.3	219	40.4	34.7-46.1
\$50,000- 74,999	633	51,340	324	49.6	44.1-55.1	309	50.4	44.9-55.9
\$75,000+	1189	82,335	560	45.7	41.8-49.6	629	54.3	50.4-58.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4230	272,269	1649	40.1	37.9-42.3	2581	59.9	57.7-62.1
18-24	204	38,477	55	34.4	25.2-43.6	149	65.6	56.4-74.8
25-34	439	45,069	162	40.1	34.0-46.2	277	59.9	53.8-66.0
35-44	455	37,693	161	38.5	32.8-44.2	294	61.5	55.8-67.2
45-54	688	45,144	282	43.8	38.9-48.7	406	56.2	51.3-61.1
55-64	906	43,037	400	44.6	40.5-48.7	506	55.4	51.3-59.5
65+	1492	59,854	573	38.4	35.3-41.5	919	61.6	58.5-64.7
Less Than H.S.	245	22,322	99	46.4	36.8-56.0	146	53.6	44.0-63.2
H.S. or G.E.D.	1232	65,460	595	51.2	46.9-55.5	637	48.8	44.5-53.1
Some Post-H.S.	1426	110,468	621	42.7	39.0-46.4	805	57.3	53.6-61.0
College Graduate	1314	73,396	328	24.0	20.9-27.1	986	76.0	72.9-79.1
Less than \$15,000	332	27,694	154	43.8	35.0-52.6	178	56.2	47.4-65.0
\$15,000- 24,999	564	36,674	259	45.9	39.8-52.0	305	54.1	48.0-60.2
\$25,000- 34,999	414	24,355	175	44.6	37.7-51.5	239	55.4	48.5-62.3
\$35,000- 49,999	515	29,963	198	42.6	36.1-49.1	317	57.4	50.9-63.9
\$50,000- 74,999	608	41,281	237	40.9	35.0-46.8	371	59.1	53.2-65.0
\$75,000+	1111	70,508	367	30.9	27.2-34.6	744	69.1	65.4-72.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3470	253,207	1003	33.7	31.3-36.1	333	12.0	10.2-13.8	2134	54.3	51.9-56.7
Male	1825	144,206	517	33.5	30.4-36.6	155	10.1	07.9-12.3	1153	56.4	53.3-59.5
Female	1645	109,001	486	34.1	30.4-37.8	178	14.5	11.6-17.4	981	51.4	47.7-55.1
18-24	151	29,957	76	49.1	38.5-59.7	36	26.0	16.4-35.6	39	24.9	15.9-33.9
25-34	371	44,051	165	47.6	41.1-54.1	52	12.7	08.6-16.8	154	39.7	33.2-46.2
35-44	345	33,968	129	36.0	29.5-42.5	48	12.5	08.0-17.0	168	51.4	44.7-58.1
45-54	568	42,008	215	36.4	31.1-41.7	60	9.5	06.6-12.4	293	54.1	48.8-59.4
55-64	829	46,249	248	29.9	25.6-34.2	82	11.8	08.7-14.9	499	58.4	53.7-63.1
65+	1183	55,166	165	14.1	11.6-16.6	53	5.4	03.6-07.2	965	80.6	77.7-83.5
Less Than H.S.	282	31,649	101	46.0	37.6-54.4	14	8.2	03.1-13.3	167	45.8	37.8-53.8
H.S. or G.E.D.	1277	82,179	434	38.4	34.5-42.3	132	14.6	11.3-17.9	711	47.0	43.1-50.9
Some Post-H.S.	1199	100,215	334	31.6	27.9-35.3	127	11.8	09.1-14.5	738	56.6	52.5-60.7
College Graduate	701	38,107	131	19.4	15.1-23.7	60	10.3	07.2-13.4	510	70.4	65.5-75.3
Less than \$15,000	256	22,073	91	42.5	32.7-52.3	41	21.8	12.6-31.0	124	35.8	27.2-44.4
\$15,000- 24,999	481	36,296	162	37.3	30.8-43.8	44	11.0	06.9-15.1	275	51.7	45.0-58.4
\$25,000- 34,999	345	25,496	104	39.7	31.9-47.5	27	9.6	04.7-14.5	214	50.7	43.1-58.3
\$35,000- 49,999	496	37,295	156	38.0	31.7-44.3	51	14.7	09.4-20.0	289	47.3	41.0-53.6
\$50,000- 74,999	561	42,317	161	32.9	27.0-38.8	51	8.5	05.4-11.6	349	58.7	52.8-64.6
\$75,000+	925	59,224	221	22.5	18.8-26.2	91	12.3	09.0-15.6	613	65.2	60.9-69.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1825	144,206	517	33.5	30.4-36.6	155	10.1	07.9-12.3	1153	56.4	53.3-59.5
18-24	96	16,716	45	47.0	34.3-59.7	26	26.6	15.0-38.2	25	26.5	14.9-38.1
25-34	209	25,994	92	48.9	40.1-57.7	28	9.8	05.1-14.5	89	41.2	32.8-49.6
35-44	184	19,448	63	34.3	25.7-42.9	23	10.1	04.6-15.6	98	55.6	46.6-64.6
45-54	286	22,249	106	36.2	28.9-43.5	22	5.9	02.8-09.0	158	57.9	50.6-65.2
55-64	430	27,061	133	31.6	25.5-37.7	34	10.7	06.4-15.0	263	57.7	51.2-64.2
65+	613	32,218	77	13.0	09.5-16.5	22	4.4	02.0-06.8	514	82.6	78.7-86.5
Less Than H.S.	183	21,290	64	42.8	32.8-52.8	8	6.9	01.4-12.4	111	50.3	40.5-60.1
H.S. or G.E.D.	683	48,692	222	39.2	34.1-44.3	68	11.5	08.0-15.0	393	49.3	44.2-54.4
Some Post-H.S.	580	53,035	158	30.6	25.3-35.9	54	11.5	07.6-15.4	368	57.9	52.2-63.6
College Graduate	374	20,541	72	18.7	13.4-24.0	25	7.0	03.5-10.5	277	74.4	68.5-80.3
Less than \$15,000	102	9,947	45	49.1	35.4-62.8	13	19.2	07.2-31.2	44	31.7	20.1-43.3
\$15,000- 24,999	222	19,475	71	36.2	27.0-45.4	20	9.6	04.1-15.1	131	54.2	44.6-63.8
\$25,000- 34,999	171	14,659	50	39.6	28.6-50.6	9	5.7	00.8-10.6	112	54.7	43.7-65.7
\$35,000- 49,999	298	24,544	90	37.7	29.9-45.5	32	14.2	07.9-20.5	176	48.2	40.4-56.0
\$50,000- 74,999	324	25,439	97	32.1	25.0-39.2	22	7.2	02.9-11.5	205	60.7	53.3-68.1
\$75,000+	558	37,450	123	22.7	18.0-27.4	52	10.6	06.7-14.5	383	66.8	61.3-72.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1645	109,001	486	34.1	30.6-37.6	178	14.5	11.6-17.4	981	51.4	47.9-54.9
18-24	55	13,241	31	51.8	34.4-69.2	10	25.3	09.2-41.4	14	22.9	08.6-37.2
25-34	162	18,057	73	45.6	35.6-55.6	24	16.9	09.5-24.3	65	37.5	27.9-47.1
35-44	161	14,519	66	38.3	28.5-48.1	25	15.8	08.5-23.1	70	45.9	35.9-55.9
45-54	282	19,759	109	36.6	29.0-44.2	38	13.6	08.3-18.9	135	49.9	42.1-57.7
55-64	399	19,188	115	27.4	21.5-33.3	48	13.3	08.8-17.8	236	59.3	52.8-65.8
65+	570	22,947	88	15.6	11.7-19.5	31	6.7	03.8-09.6	451	77.7	73.2-82.2
Less Than H.S.	99	10,360	37	52.6	37.5-67.7	6	11.0	00.2-21.8	56	36.4	23.5-49.3
H.S. or G.E.D.	594	33,488	212	37.2	31.3-43.1	64	19.1	12.6-25.6	318	43.7	37.8-49.6
Some Post-H.S.	619	47,180	176	32.6	27.1-38.1	73	12.2	08.3-16.1	370	55.1	49.4-60.8
College Graduate	327	17,567	59	20.3	13.2-27.4	35	14.1	08.6-19.6	233	65.6	57.8-73.4
Less than \$15,000	154	12,126	46	37.0	23.3-50.7	28	23.9	10.4-37.4	80	39.1	26.6-51.6
\$15,000- 24,999	259	16,820	91	38.7	29.9-47.5	24	12.6	06.3-18.9	144	48.8	40.0-57.6
\$25,000- 34,999	174	10,838	54	39.9	29.1-50.7	18	14.8	06.0-23.6	102	45.3	34.9-55.7
\$35,000- 49,999	198	12,751	66	38.7	28.5-48.9	19	15.8	05.8-25.8	113	45.5	35.5-55.5
\$50,000- 74,999	237	16,878	64	34.1	24.1-44.1	29	10.4	05.7-15.1	144	55.6	45.8-65.4
\$75,000+	367	21,774	98	22.3	16.4-28.2	39	15.2	09.3-21.1	230	62.5	55.2-69.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1329	114,705	627	51.0	47.1-54.9	702	49.0	45.1-52.9
Male	669	62,508	296	50.8	45.5-56.1	373	49.2	43.9-54.5
Female	660	52,196	331	51.2	45.3-57.1	329	48.8	42.9-54.7
18-24	111	22,031	66	61.9	49.9-73.9	45	38.1	26.1-50.1
25-34	216	26,446	119	56.0	47.4-64.6	97	44.0	35.4-52.6
35-44	176	16,475	82	49.6	40.0-59.2	94	50.4	40.8-60.0
45-54	274	19,116	116	41.2	33.4-49.0	158	58.8	51.0-66.6
55-64	328	18,932	155	49.2	41.6-56.8	173	50.8	43.2-58.4
65+	217	10,716	87	41.5	32.9-50.1	130	58.5	49.9-67.1
Less Than H.S.	115	17,156	47	50.4	37.7-63.1	68	49.6	36.9-62.3
H.S. or G.E.D.	563	43,279	263	51.2	45.3-57.1	300	48.8	42.9-54.7
Some Post-H.S.	458	42,664	228	50.3	43.8-56.8	230	49.7	43.2-56.2
College Graduate	190	11,280	88	54.8	45.0-64.6	102	45.2	35.4-55.0
Less than \$15,000	132	14,180	81	63.1	50.4-75.8	51	36.9	24.2-49.6
\$15,000- 24,999	205	17,364	96	48.8	39.0-58.6	109	51.2	41.4-61.0
\$25,000- 34,999	131	12,574	53	40.5	28.9-52.1	78	59.5	47.9-71.1
\$35,000- 49,999	206	19,489	112	57.4	48.0-66.8	94	42.6	33.2-52.0
\$50,000- 74,999	211	17,357	104	56.7	47.1-66.3	107	43.3	33.7-52.9
\$75,000+	311	20,599	129	47.1	39.1-55.1	182	52.9	44.9-60.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	669	62,508	296	50.8	45.5-56.1	373	49.2	43.9-54.5
18-24	71	12,294	41	63.6	49.5-77.7	30	36.4	22.3-50.5
25-34	120	15,277	63	57.8	46.4-69.2	57	42.2	30.8-53.6
35-44	85	8,614	40	50.9	37.6-64.2	45	49.1	35.8-62.4
45-54	127	9,208	42	35.8	24.4-47.2	85	64.2	52.8-75.6
55-64	166	11,261	73	47.7	37.1-58.3	93	52.3	41.7-62.9
65+	99	5,604	37	37.2	24.9-49.5	62	62.8	50.5-75.1
Less Than H.S.	72	10,570	33	59.5	44.8-74.2	39	40.5	25.8-55.2
H.S. or G.E.D.	290	24,689	121	47.7	39.9-55.5	169	52.3	44.5-60.1
Some Post-H.S.	210	21,975	99	50.0	40.8-59.2	111	50.0	40.8-59.2
College Graduate	96	5,246	43	51.9	38.6-65.2	53	48.1	34.8-61.4
Less than \$15,000	58	6,790	31	61.2	44.0-78.4	27	38.8	21.6-56.0
\$15,000- 24,999	90	8,747	40	49.8	35.3-64.3	50	50.2	35.7-64.7
\$25,000- 34,999	59	6,644	21	38.6	21.7-55.5	38	61.4	44.5-78.3
\$35,000- 49,999	121	12,544	64	58.8	47.2-70.4	57	41.2	29.6-52.8
\$50,000- 74,999	119	9,996	55	54.7	42.7-66.7	64	45.3	33.3-57.3
\$75,000+	174	12,429	64	43.5	33.1-53.9	110	56.5	46.1-66.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	660	52,196	331	51.2	45.3-57.1	329	48.8	42.9-54.7
25-34	96	11,169	56	53.5	40.8-66.2	40	46.5	33.8-59.2
35-44	91	7,861	42	48.1	34.4-61.8	49	51.9	38.2-65.6
45-54	147	9,908	74	46.3	35.1-57.5	73	53.7	42.5-64.9
55-64	162	7,671	82	51.4	40.6-62.2	80	48.6	37.8-59.4
65+	118	5,111	50	46.2	34.2-58.2	68	53.8	41.8-65.8
H.S. or G.E.D.	273	18,590	142	55.8	46.8-64.8	131	44.2	35.2-53.2
Some Post-H.S.	248	20,689	129	50.7	41.5-59.9	119	49.3	40.1-58.5
College Graduate	94	6,035	45	57.3	43.0-71.6	49	42.7	28.4-57.0
Less than \$15,000	74	7,390	50	64.8	46.0-83.6	24	35.2	16.4-54.0
\$15,000- 24,999	115	8,617	56	47.9	34.8-61.0	59	52.1	39.0-65.2
\$25,000- 34,999	72	5,930	32	42.6	26.7-58.5	40	57.4	41.5-73.3
\$35,000- 49,999	85	6,944	48	54.9	39.0-70.8	37	45.1	29.2-61.0
\$50,000- 74,999	92	7,361	49	59.3	43.0-75.6	43	40.7	24.4-57.0
\$75,000+	137	8,170	65	52.7	40.2-65.2	72	47.3	34.8-59.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2120	136,046	228	15.6	13.1-18.1	260	17.0	14.5-19.5	190	10.7	08.5-12.9	1373	53.8	50.9-56.7	69	2.9	01.7-04.1
Male	1145	80,318	147	17.5	14.2-20.8	135	16.0	12.9-19.1	115	11.9	09.0-14.8	714	52.0	48.1-55.9	34	2.6	01.2-04.0
Female	975	55,728	81	13.0	09.3-16.7	125	18.5	14.4-22.6	75	8.9	06.4-11.4	659	56.5	51.8-61.2	35	3.2	01.2-05.2
25-34	152	17,194	55	37.8	27.6-48.0	52	36.3	26.5-46.1	23	14.5	07.4-21.6	18	9.6	04.1-15.1	4	1.8	00.0-04.7
35-44	168	17,475	43	26.0	17.6-34.4	43	29.3	20.5-38.1	28	16.7	09.6-23.8	47	23.7	15.9-31.5	7	4.3	00.2-08.4
45-54	289	22,406	48	17.5	11.8-23.2	44	16.9	10.8-23.0	39	12.7	08.0-17.4	155	51.8	44.5-59.1	3	1.2	00.0-02.6
55-64	496	26,792	25	4.0	02.2-05.8	53	11.5	08.0-15.0	57	12.9	07.8-18.0	345	69.9	64.2-75.6	16	1.7	00.7-02.7
65+	961	44,220	32	3.8	02.2-05.4	57	6.2	04.2-08.2	41	4.7	02.7-06.7	796	82.4	79.3-85.5	35	2.8	01.6-04.0
Less Than H.S.	166	14,371	18	12.4	05.7-19.1	17	9.2	04.3-14.1	12	11.9	02.7-21.1	116	64.9	54.5-75.3	3	1.7	00.0-03.7
H.S. or G.E.D.	706	38,121	76	17.4	12.7-22.1	83	14.2	10.5-17.9	63	8.5	05.8-11.2	468	58.5	53.4-63.6	16	1.5	00.7-02.3
Some Post-H.S.	733	56,160	86	16.0	11.9-20.1	96	21.0	16.1-25.9	66	10.9	07.4-14.4	459	49.0	43.9-54.1	26	3.1	00.7-05.5
College Graduate	507	26,664	46	13.3	08.6-18.0	63	17.4	12.5-22.3	49	12.8	08.7-16.9	326	52.5	46.6-58.4	23	4.0	01.8-06.2
Less than \$15,000	123	7,798	18	23.3	11.5-35.1	25	28.7	14.4-43.0	9	6.7	01.2-12.2	66	38.2	26.6-49.8	5	3.1	00.0-06.2
\$15,000- 24,999	273	18,429	24	11.0	04.9-17.1	33	19.4	11.4-27.4	24	11.1	04.0-18.2	187	57.7	48.3-67.1	5	0.8	00.0-01.6
\$25,000- 34,999	213	12,871	27	18.3	09.9-26.7	27	15.1	08.2-22.0	17	14.6	04.6-24.6	134	48.8	39.0-58.6	8	3.2	00.3-06.1
\$35,000- 49,999	288	17,378	20	11.0	04.9-17.1	24	13.7	07.2-20.2	24	10.2	05.1-15.3	207	61.8	53.8-69.8	13	3.2	01.0-05.4
\$50,000- 74,999	347	24,642	45	21.8	14.4-29.2	40	14.9	09.2-20.6	32	10.5	06.0-15.0	220	50.0	42.6-57.4	10	2.8	00.1-05.5
\$75,000+	609	38,374	71	14.6	10.5-18.7	85	18.9	14.2-23.6	69	11.9	08.6-15.2	366	52.6	47.3-57.9	18	2.0	00.4-03.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1145	80,318	147	17.5	14.2-20.8	135	16.0	12.9-19.1	115	11.9	09.0-14.8	714	52.0	48.1-55.9	34	2.6	01.2-04.0
25-34	87	10,423	36	42.4	29.1-55.7	24	30.1	18.1-42.1	13	15.8	05.8-25.8	11	9.1	02.4-15.8	3	2.7	00.0-07.4
35-44	98	10,816	30	29.0	17.6-40.4	25	28.5	17.1-39.9	14	15.5	06.7-24.3	25	22.0	11.6-32.4	4	5.0	00.0-10.9
45-54	156	12,730	30	20.7	12.5-28.9	27	20.6	11.8-29.4	25	15.0	08.3-21.7	72	42.5	32.9-52.1	2	1.2	00.0-02.8
55-64	262	15,529	12	4.1	01.4-06.8	29	11.4	06.3-16.5	38	15.9	08.1-23.7	175	67.2	58.8-75.6	8	1.4	00.2-02.6
65+	512	26,439	22	3.8	01.8-05.8	24	4.7	02.3-07.1	24	4.8	02.3-07.3	427	84.5	80.4-88.6	15	2.2	00.6-03.8
Less Than H.S.	110	10,597	14	12.1	04.7-19.5	8	6.2	01.1-11.3	8	13.4	01.4-25.4	78	66.7	54.0-79.4	2	1.6	00.0-04.0
H.S. or G.E.D.	391	23,597	50	18.6	12.3-24.9	46	15.0	09.9-20.1	38	9.0	05.5-12.5	247	55.9	49.0-62.8	10	1.6	00.4-02.8
Some Post-H.S.	366	30,371	53	19.4	13.1-25.7	50	20.5	14.2-26.8	39	13.2	07.7-18.7	213	44.1	37.4-50.8	11	2.8	00.1-05.5
College Graduate	274	15,132	28	14.1	08.2-20.0	31	16.3	09.6-23.0	30	13.4	07.9-18.9	175	53.3	45.7-60.9	10	2.9	00.4-05.4
\$15,000- 24,999	130	10,249	13	12.3	02.9-21.7	14	15.4	06.0-24.8	11	13.0	01.2-24.8	90	59.1	45.6-72.6	2	0.3	00.0-00.7
\$25,000- 34,999	112	8,015	17	18.5	07.5-29.5	14	16.3	06.5-26.1	11	16.9	02.6-31.2	67	45.3	32.4-58.2	3	3.0	00.0-07.3
\$35,000- 49,999	175	11,571	11	11.7	03.7-19.7	15	14.4	06.2-22.6	16	10.4	03.9-16.9	123	60.0	49.6-70.4	10	3.6	00.9-06.3
\$50,000- 74,999	204	15,353	32	23.8	14.6-33.0	19	11.3	05.2-17.4	20	10.9	05.0-16.8	128	50.6	41.2-60.0	5	3.4	00.0-07.7
\$75,000+	380	24,857	51	16.0	10.9-21.1	53	19.9	13.6-26.2	48	13.0	08.5-17.5	219	49.1	42.4-55.8	9	1.9	00.0-04.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	975	55,728	81	13.0	09.5-16.5	125	18.5	14.4-22.6	75	8.9	06.4-11.4	659	56.5	52.0-61.0	35	3.2	01.2-05.2
25-34	65	6,771	19	30.5	15.2-45.8	28	45.9	29.6-62.2	10	12.6	03.6-21.6	7	10.4	00.8-20.0	1	0.5	00.0-01.5
35-44	70	6,659	13	21.0	08.7-33.3	18	30.6	16.3-44.9	14	18.7	07.3-30.1	22	26.4	14.4-38.4	3	3.2	00.0-07.9
45-54	133	9,675	18	13.3	06.2-20.4	17	12.1	04.1-20.1	14	9.6	02.9-16.3	83	63.9	53.1-74.7	1	1.1	00.0-03.3
55-64	234	11,264	13	3.9	01.5-06.3	24	11.6	06.5-16.7	19	8.7	04.0-13.4	170	73.6	66.7-80.5	8	2.2	00.2-04.2
65+	449	17,781	10	3.9	01.0-06.8	33	8.4	05.1-11.7	17	4.7	02.0-07.4	369	79.3	74.2-84.4	20	3.8	01.8-05.8
Less Than H.S.	56	3,774	4	13.1	00.0-27.2	9	17.6	05.4-29.8	4	7.9	00.0-16.5	38	59.6	42.9-76.3	1	1.7	00.0-05.0
H.S. or G.E.D.	315	14,524	26	15.4	08.0-22.8	37	12.8	07.9-17.7	25	7.8	03.9-11.7	221	62.7	54.7-70.7	6	1.3	00.1-02.5
Some Post-H.S.	367	25,789	33	12.0	06.7-17.3	46	21.6	14.2-29.0	27	8.2	04.3-12.1	246	54.7	47.1-62.3	15	3.5	00.0-07.2
College Graduate	233	11,532	18	12.2	04.6-19.8	32	18.8	11.5-26.1	19	12.1	05.8-18.4	151	51.6	42.6-60.6	13	5.3	01.6-09.0
Less than \$15,000	80	4,737	9	17.6	04.9-30.3	16	33.4	13.4-53.4	5	4.0	00.0-08.5	46	41.9	26.0-57.8	4	3.2	00.0-06.9
\$15,000- 24,999	143	8,180	11	9.3	02.4-16.2	19	24.4	11.3-37.5	13	8.8	03.1-14.5	97	56.0	43.5-68.5	3	1.5	00.0-03.3
\$25,000- 34,999	101	4,856	10	17.9	04.8-31.0	13	13.1	05.1-21.1	6	10.8	00.0-21.8	67	54.6	40.5-68.7	5	3.5	00.2-06.8
\$35,000- 49,999	113	5,807	9	9.7	01.9-17.5	9	12.4	02.0-22.8	8	9.8	02.0-17.6	84	65.5	52.8-78.2	3	2.6	00.0-06.3
\$50,000- 74,999	143	9,289	13	18.6	05.9-31.3	21	20.9	09.9-31.9	12	10.0	02.7-17.3	92	48.9	36.7-61.1	5	1.7	00.1-03.3
\$75,000+	229	13,516	20	11.9	05.0-18.8	32	16.9	10.2-23.6	21	10.0	04.7-15.3	147	59.0	50.2-67.8	9	2.2	00.4-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7664	546,844	312	4.5	03.7-05.3	179	3.1	02.5-03.7	7173	92.4	91.4-93.4
Male	3437	274,767	296	8.3	06.9-09.7	157	5.5	04.3-06.7	2984	86.1	84.3-87.9
Female	4227	272,077	16	0.6	00.2-01.0	22	0.6	00.2-01.0	4189	98.8	98.2-99.4
18-24	484	82,595	36	5.0	02.8-07.2	40	5.6	03.2-08.0	408	89.4	86.3-92.5
25-34	876	96,142	55	5.5	03.5-07.5	43	5.1	03.3-06.9	778	89.5	87.0-92.0
35-44	857	77,678	62	6.1	03.9-08.3	32	3.5	01.9-05.1	763	90.4	87.9-92.9
45-54	1299	90,253	68	5.8	03.8-07.8	30	3.2	01.8-04.6	1201	91.0	88.6-93.4
55-64	1676	88,830	57	3.7	02.1-05.3	18	0.9	00.3-01.5	1601	95.5	93.7-97.3
65+	2401	106,783	32	1.7	00.9-02.5	14	1.0	00.4-01.6	2355	97.3	96.3-98.3
Less Than H.S.	512	52,119	19	3.1	01.1-05.1	12	3.0	00.8-05.2	481	93.9	91.2-96.6
H.S. or G.E.D.	2348	146,549	122	5.7	04.3-07.1	73	4.6	03.2-06.0	2153	89.7	87.9-91.5
Some Post-H.S.	2489	211,980	116	5.5	04.1-06.9	57	2.9	01.9-03.9	2316	91.6	89.8-93.4
College Graduate	2291	134,542	52	2.0	01.2-02.8	36	1.9	01.1-02.7	2203	96.1	94.9-97.3
Less than \$15,000	493	44,838	9	2.5	00.3-04.7	10	2.9	00.5-05.3	474	94.6	91.7-97.5
\$15,000- 24,999	911	69,022	33	3.5	01.7-05.3	20	3.6	01.6-05.6	858	93.0	90.3-95.7
\$25,000- 34,999	700	48,844	18	3.6	00.9-06.3	13	1.7	00.3-03.1	669	94.7	91.8-97.6
\$35,000- 49,999	1033	71,120	32	3.9	02.1-05.7	27	4.7	02.7-06.7	974	91.5	89.0-94.0
\$50,000- 74,999	1233	91,956	65	5.5	03.7-07.3	24	2.3	01.1-03.5	1144	92.1	89.9-94.3
\$75,000+	2298	152,791	124	6.0	04.4-07.6	70	4.0	02.8-05.2	2104	90.0	88.0-92.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3437	274,767	296	8.3	06.9-09.7	157	5.5	04.3-06.7	2984	86.1	84.5-87.7
18-24	279	44,103	34	8.5	04.6-12.4	36	9.5	05.4-13.6	209	81.9	76.4-87.4
25-34	437	50,880	51	9.5	06.2-12.8	40	9.1	05.8-12.4	346	81.4	76.9-85.9
35-44	403	39,991	60	11.4	07.5-15.3	27	5.8	03.1-08.5	316	82.8	78.3-87.3
45-54	613	45,284	66	10.8	07.3-14.3	25	5.0	02.5-07.5	522	84.2	80.1-88.3
55-64	772	45,710	54	6.9	03.8-10.0	14	1.5	00.5-02.5	704	91.6	88.3-94.9
65+	908	47,233	29	3.4	01.6-05.2	13	2.3	00.9-03.7	866	94.3	92.1-96.5
Less Than H.S.	269	30,028	17	3.9	01.5-06.3	11	5.1	01.6-08.6	241	90.9	86.6-95.2
H.S. or G.E.D.	1113	80,902	115	9.4	07.0-11.8	66	7.7	05.5-09.9	932	82.9	80.0-85.8
Some Post-H.S.	1066	101,604	111	10.9	08.2-13.6	49	5.2	03.2-07.2	906	83.9	80.6-87.2
College Graduate	977	61,188	51	4.5	02.9-06.1	30	3.7	01.9-05.5	896	91.9	89.5-94.3
Less than \$15,000	159	17,062	7	3.5	00.2-06.8	9	7.4	01.7-13.1	143	89.0	82.5-95.5
\$15,000- 24,999	348	32,464	28	6.6	02.9-10.3	17	6.9	02.8-11.0	303	86.5	81.2-91.8
\$25,000- 34,999	284	24,294	17	6.6	01.3-11.9	11	3.3	00.8-05.8	256	90.1	84.4-95.8
\$35,000- 49,999	518	41,157	31	6.6	03.7-09.5	24	7.1	04.0-10.2	463	86.3	82.2-90.4
\$50,000- 74,999	629	50,842	65	10.0	06.7-13.3	23	4.2	02.0-06.4	541	85.8	82.1-89.5
\$75,000+	1190	82,446	120	10.5	08.0-13.0	63	6.6	04.4-08.8	1007	82.9	79.8-86.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4227	272,077	16	0.6	00.2-01.0	22	0.6	00.2-01.0	4189	98.8	98.2-99.4
18-24	205	38,492	2	0.9	00.0-02.5	4	1.2	00.0-02.8	199	97.9	95.7-0100
25-34	439	45,262	4	1.0	00.0-02.6	3	0.5	00.0-01.3	432	98.5	96.7-0100
35-44	454	37,687	2	0.5	00.0-01.3	5	1.1	00.0-02.5	447	98.5	96.9-0100
45-54	686	44,969	2	0.8	00.0-02.0	5	1.3	00.0-02.9	679	97.9	95.9-99.9
55-64	904	43,121	3	0.3	00.0-00.7	4	0.2	00.0-00.4	897	99.6	99.2-0100
65+	1493	59,550	3	0.3	00.0-00.7	1	0.0	00.0-00.0	1489	99.7	99.3-0100
Less Than H.S.	243	22,091	2	1.9	00.0-05.2	1	0.2	00.0-00.6	240	97.9	94.6-0100
H.S. or G.E.D.	1235	65,648	7	1.1	00.1-02.1	7	0.7	00.0-01.7	1221	98.1	96.7-99.5
Some Post-H.S.	1423	110,376	5	0.4	00.0-01.0	8	0.8	00.0-01.6	1410	98.8	97.8-99.8
College Graduate	1314	73,354	1	0.0	00.0-00.0	6	0.4	00.0-01.0	1307	99.6	99.0-0100
Less than \$15,000	334	27,776	2	1.9	00.0-04.4	1	0.1	00.0-00.3	331	98.0	95.3-0100
\$15,000- 24,999	563	36,558	5	0.7	00.0-01.5	3	0.6	00.0-01.6	555	98.7	97.5-99.9
\$25,000- 34,999	416	24,550	1	0.7	00.0-02.1	2	0.2	00.0-00.4	413	99.2	97.8-0100
\$35,000- 49,999	515	29,963	1	0.2	00.0-00.6	3	1.3	00.0-03.3	511	98.6	96.6-0100
\$50,000- 74,999	604	41,114				1	0.0	00.0-00.0	603	100.0	0100-0100
\$75,000+	1108	70,345	4	0.7	00.0-01.7	7	1.0	00.0-02.0	1097	98.4	97.0-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	188
2 MALES ONLY	189
3 FEMALES ONLY	190
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	191
5 MALES ONLY	192
6 FEMALES ONLY	193
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	194
8 MALES ONLY	195
9 FEMALES ONLY	196
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	197
11 MALES ONLY	198
12 FEMALES ONLY	199

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7580	541,108	1071	15.0	13.8-16.2	149	1.9	0.15-02.3	2656	36.7	35.1-38.3	536	7.3	0.65-08.1	3168	39.0	37.4-40.6
Male	3386	270,679	593	18.7	16.9-20.5	112	3.1	0.23-03.9	1166	34.3	32.1-36.5	385	11.3	0.97-12.9	1130	32.6	30.4-34.8
Female	4194	270,429	478	11.3	0.99-12.7	37	0.8	0.04-01.2	1490	39.0	36.8-41.2	151	3.4	0.26-04.2	2038	45.5	43.3-47.7
18-24	482	82,086	81	16.3	12.0-20.6	4	0.7	0.00-01.7	191	40.1	34.4-45.8	38	8.0	0.49-11.1	168	34.9	29.4-40.4
25-34	871	95,855	147	15.3	12.4-18.2	8	1.1	0.01-02.1	411	46.1	41.8-50.4	61	7.6	0.52-10.0	244	29.9	25.8-34.0
35-44	847	76,721	137	16.5	13.4-19.6	12	1.7	0.03-03.1	377	42.2	37.9-46.5	73	9.2	0.67-11.7	248	30.4	26.3-34.5
45-54	1288	89,556	217	17.7	15.0-20.4	27	2.7	0.11-04.3	502	36.9	33.4-40.4	84	6.9	0.49-08.9	458	35.7	32.2-39.2
55-64	1660	87,807	239	14.6	12.4-16.8	39	2.2	0.12-03.2	574	34.3	31.4-37.2	135	7.6	0.60-09.2	673	41.4	38.3-44.5
65+	2363	104,835	246	10.9	0.91-12.7	58	3.0	0.20-04.0	582	23.8	21.6-26.0	143	5.7	0.45-06.9	1334	56.6	54.1-59.1
Less Than H.S.	505	51,242	49	11.2	0.71-15.3	11	3.0	0.06-05.4	93	19.6	14.3-24.9	27	4.4	0.20-06.8	325	61.8	55.5-68.1
H.S. or G.E.D.	2318	144,766	317	15.6	13.4-17.8	33	1.5	0.07-02.3	723	31.3	28.6-34.0	145	6.9	0.53-08.5	1100	44.7	41.8-47.6
Some Post-H.S.	2470	210,330	351	14.7	12.7-16.7	50	1.9	0.11-02.7	909	40.3	37.6-43.0	182	7.9	0.63-09.5	978	35.2	32.7-37.7
College Graduate	2266	133,173	351	16.3	14.1-18.5	55	2.1	0.13-02.9	927	43.6	40.9-46.3	182	8.1	0.65-09.7	751	29.9	27.4-32.4
Less than \$15,000	483	43,938	41	11.5	0.66-16.4	7	1.1	0.01-02.1	106	24.8	18.7-30.9	17	3.7	0.13-06.1	312	58.8	51.9-65.7
\$15,000- 24,999	906	68,638	100	12.1	0.90-15.2	10	0.6	0.02-01.0	257	33.6	28.9-38.3	48	5.9	0.35-08.3	491	47.8	43.1-52.5
\$25,000- 34,999	694	48,478	83	14.0	10.3-17.7	7	1.4	0.00-03.0	218	32.7	27.6-37.8	38	5.9	0.34-08.4	348	45.9	40.6-51.2
\$35,000- 49,999	1027	70,785	141	14.6	11.5-17.7	27	2.7	0.13-04.1	341	36.1	32.0-40.2	84	8.4	0.60-10.8	434	38.2	34.1-42.3
\$50,000- 74,999	1227	91,688	195	16.3	13.4-19.2	34	2.9	0.15-04.3	477	37.0	33.3-40.7	90	8.4	0.60-10.8	431	35.4	31.5-39.3
\$75,000+	2283	152,053	398	18.8	16.6-21.0	51	1.9	0.11-02.7	995	46.4	43.7-49.1	225	9.8	0.82-11.4	614	23.1	20.7-25.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3386	270,679	593	18.7	16.9-20.5	112	3.1	02.3-03.9	1166	34.3	32.1-36.5	385	11.3	09.7-12.9	1130	32.6	30.4-34.8
18-24	277	43,594	56	20.0	13.9-26.1	3	0.7	00.0-01.9	92	33.2	25.9-40.5	33	12.2	07.5-16.9	93	33.9	26.8-41.0
25-34	434	50,632	92	20.7	16.0-25.4	7	1.8	00.0-03.6	199	41.7	35.8-47.6	40	10.3	06.6-14.0	96	25.5	20.0-31.0
35-44	398	39,340	73	18.8	13.9-23.7	10	3.3	00.8-05.8	166	38.1	32.0-44.2	57	15.0	10.5-19.5	92	24.8	19.1-30.5
45-54	607	44,839	120	20.7	16.4-25.0	20	3.8	01.6-06.0	215	33.4	28.5-38.3	67	11.9	08.4-15.4	185	30.2	25.3-35.1
55-64	764	45,173	121	17.4	13.9-20.9	30	3.4	01.8-05.0	267	34.9	30.4-39.4	89	9.1	06.7-11.5	257	35.2	30.3-40.1
65+	883	45,848	130	14.8	11.7-17.9	42	5.7	03.5-07.9	221	24.7	21.0-28.4	98	10.4	07.9-12.9	392	44.4	40.1-48.7
Less Than H.S.	264	29,271	36	14.8	08.9-20.7	9	4.8	00.9-08.7	55	20.2	13.3-27.1	25	6.9	03.2-10.6	139	53.3	44.9-61.7
H.S. or G.E.D.	1089	79,445	201	19.7	16.6-22.8	27	2.2	01.2-03.2	346	30.2	26.5-33.9	105	10.5	08.0-13.0	410	37.4	33.5-41.3
Some Post-H.S.	1059	100,627	188	18.9	15.6-22.2	39	3.1	01.7-04.5	383	38.2	34.1-42.3	129	12.4	09.7-15.1	320	27.3	23.6-31.0
College Graduate	962	60,289	165	18.6	15.3-21.9	37	3.5	02.1-04.9	379	40.3	36.2-44.4	126	12.9	10.2-15.6	255	24.7	21.2-28.2
Less than \$15,000	153	16,530	19	15.4	06.8-24.0	5	2.0	00.0-04.2	36	22.9	13.5-32.3	10	7.9	02.2-13.6	83	51.8	41.0-62.6
\$15,000- 24,999	346	32,110	56	16.8	11.1-22.5	7	1.1	00.1-02.1	97	31.5	24.2-38.8	33	11.1	06.2-16.0	153	39.5	32.2-46.8
\$25,000- 34,999	282	24,201	53	20.6	14.3-26.9	4	2.1	00.0-05.2	80	26.7	19.3-34.1	24	9.6	04.9-14.3	121	41.0	32.8-49.2
\$35,000- 49,999	513	40,867	78	16.2	11.9-20.5	23	4.5	02.1-06.9	172	34.2	28.5-39.9	63	12.5	08.6-16.4	177	32.5	27.0-38.0
\$50,000- 74,999	625	50,822	115	19.3	15.0-23.6	28	4.8	02.4-07.2	230	35.0	29.9-40.1	70	11.5	08.0-15.0	182	29.4	24.3-34.5
\$75,000+	1179	81,789	225	21.6	18.3-24.9	37	2.9	01.5-04.3	469	41.5	37.6-45.4	167	13.3	10.8-15.8	281	20.7	17.8-23.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4194	270,429	478	11.3	09.9-12.7	37	0.8	00.4-01.2	1490	39.0	36.8-41.2	151	3.4	02.6-04.2	2038	45.5	43.3-47.7
18-24	205	38,492	25	12.1	06.0-18.2	1	0.8	00.0-02.4	99	47.9	38.9-56.9	5	3.2	00.0-06.7	75	36.0	27.4-44.6
25-34	437	45,223	55	9.3	06.2-12.4	1	0.3	00.0-00.9	212	51.0	44.9-57.1	21	4.6	02.2-07.0	148	34.7	28.6-40.8
35-44	449	37,381	64	14.0	09.9-18.1	2	0.1	00.0-00.3	211	46.4	40.7-52.1	16	3.0	01.2-04.8	156	36.4	30.7-42.1
45-54	681	44,717	97	14.8	11.3-18.3	7	1.6	00.0-04.0	287	40.5	35.8-45.2	17	1.9	00.7-03.1	273	41.2	36.3-46.1
55-64	896	42,634	118	11.5	09.0-14.0	9	0.9	00.1-01.7	307	33.8	29.9-37.7	46	5.9	03.5-08.3	416	47.9	43.8-52.0
65+	1480	58,987	116	7.9	06.1-09.7	16	0.9	00.3-01.5	361	23.0	20.3-25.7	45	2.1	01.3-02.9	942	66.2	63.1-69.3
Less Than H.S.	241	21,972	13	6.5	01.4-11.6	2	0.6	00.0-01.6	38	18.8	10.4-27.2	2	1.1	00.0-03.1	186	73.0	63.8-82.2
H.S. or G.E.D.	1229	65,320	116	10.6	07.7-13.5	6	0.7	00.0-01.7	377	32.8	28.9-36.7	40	2.5	01.5-03.5	690	53.5	49.2-57.8
Some Post-H.S.	1411	109,702	163	10.8	08.4-13.2	11	0.8	00.0-01.8	526	42.2	38.5-45.9	53	3.8	02.2-05.4	658	42.4	38.7-46.1
College Graduate	1304	72,884	186	14.3	11.6-17.0	18	1.0	00.4-01.6	548	46.3	42.6-50.0	56	4.1	02.5-05.7	496	34.3	30.8-37.8
Less than \$15,000	330	27,409	22	9.2	03.5-14.9	2	0.6	00.0-01.4	70	26.0	18.2-33.8	7	1.1	00.1-02.1	229	63.1	54.5-71.7
\$15,000- 24,999	560	36,528	44	8.0	04.9-11.1	3	0.2	00.0-00.4	160	35.5	29.2-41.8	15	1.3	00.5-02.1	338	55.1	48.8-61.4
\$25,000- 34,999	412	24,277	30	7.4	03.5-11.3	3	0.8	00.0-02.0	138	38.8	31.7-45.9	14	2.2	00.2-04.2	227	50.8	43.7-57.9
\$35,000- 49,999	514	29,918	63	12.4	07.7-17.1	4	0.3	00.0-00.7	169	38.6	32.3-44.9	21	2.8	00.8-04.8	257	45.8	39.5-52.1
\$50,000- 74,999	602	40,866	80	12.5	08.4-16.6	6	0.6	00.0-01.2	247	39.5	33.8-45.2	20	4.6	01.7-07.5	249	42.8	36.9-48.7
\$75,000+	1104	70,264	173	15.5	12.6-18.4	14	0.7	00.3-01.1	526	52.0	47.9-56.1	58	5.8	03.8-07.8	333	25.9	22.6-29.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4337	322,948	1718	31.4	29.6-33.2	1255	29.3	27.3-31.3	602	15.8	14.2-17.4	263	7.6	06.4-08.8	499	15.9	14.1-17.7
Male	2215	178,807	618	22.4	20.2-24.6	655	29.1	26.6-31.6	393	18.2	15.8-20.6	183	9.0	07.2-10.8	366	21.3	18.8-23.8
Female	2122	144,141	1100	42.6	39.7-45.5	600	29.5	26.8-32.2	209	12.9	10.5-15.3	80	5.8	04.0-07.6	133	9.1	06.9-11.3
18-24	309	51,601	42	10.8	06.5-15.1	66	23.3	17.2-29.4	62	20.4	14.3-26.5	40	11.9	07.2-16.6	99	33.7	26.6-40.8
25-34	617	65,786	147	23.7	19.4-28.0	170	26.4	22.1-30.7	111	17.3	13.6-21.0	56	9.5	06.4-12.6	133	23.1	18.8-27.4
35-44	589	52,535	154	23.7	19.6-27.8	220	38.1	33.0-43.2	91	16.1	12.4-19.8	40	7.6	04.7-10.5	84	14.5	10.6-18.4
45-54	820	56,498	264	29.8	25.9-33.7	259	33.1	28.8-37.4	153	20.1	16.4-23.8	53	7.4	04.9-09.9	91	9.5	07.0-12.0
55-64	973	50,769	446	44.4	40.3-48.5	286	28.9	25.2-32.6	127	13.7	10.8-16.6	45	4.3	02.7-05.9	69	8.7	06.2-11.2
65+	1003	44,373	646	62.0	58.1-65.9	250	26.2	22.5-29.9	56	5.3	03.5-07.1	29	3.7	01.9-05.5	22	2.7	01.3-04.1
Less Than H.S.	173	19,183	67	26.0	17.8-34.2	43	27.6	18.2-37.0	21	17.7	08.3-27.1	13	6.3	01.0-11.6	29	22.4	12.4-32.4
H.S. or G.E.D.	1192	78,384	437	27.3	24.2-30.4	336	30.9	27.2-34.6	158	14.1	11.2-17.0	88	8.6	06.2-11.0	173	19.1	15.6-22.6
Some Post-H.S.	1467	132,619	546	29.5	26.6-32.4	405	26.5	23.4-29.6	238	18.0	15.3-20.7	88	8.0	05.8-10.2	190	18.0	14.9-21.1
College Graduate	1498	92,143	664	38.6	35.5-41.7	468	32.1	29.0-35.2	185	14.0	11.5-16.5	74	6.4	04.6-08.2	107	8.9	06.5-11.3
Less than \$15,000	167	17,613	55	17.1	10.4-23.8	42	27.6	17.8-37.4	24	14.2	06.9-21.5	10	9.2	02.5-15.9	36	31.9	20.5-43.3
\$15,000- 24,999	407	35,043	165	29.7	23.6-35.8	116	29.0	22.5-35.5	43	12.7	07.4-18.0	29	10.4	05.5-15.3	54	18.3	12.4-24.2
\$25,000- 34,999	337	25,571	127	31.9	25.0-38.8	96	23.2	17.1-29.3	49	16.6	10.9-22.3	23	9.0	04.3-13.7	42	19.3	12.4-26.2
\$35,000- 49,999	584	42,888	232	30.1	25.4-34.8	165	26.1	21.4-30.8	79	19.2	14.1-24.3	41	7.2	04.3-10.1	67	17.4	12.5-22.3
\$50,000- 74,999	782	57,663	298	30.8	26.7-34.9	242	31.0	26.5-35.5	104	15.4	11.5-19.3	44	5.9	03.4-08.4	94	16.8	12.5-21.1
\$75,000+	1655	115,557	607	31.1	28.4-33.8	510	33.2	30.1-36.3	262	16.5	14.1-18.9	99	7.2	05.2-09.2	177	12.0	09.6-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2215	178,807	618	22.4	20.2-24.6	655	29.1	26.6-31.6	393	18.2	15.8-20.6	183	9.0	07.2-10.8	366	21.3	18.8-23.8
18-24	182	27,972	20	6.7	02.8-10.6	33	20.9	13.6-28.2	38	20.9	12.9-28.9	21	9.3	04.0-14.6	70	42.2	32.8-51.6
25-34	332	37,101	49	16.6	11.3-21.9	82	23.8	18.1-29.5	65	18.2	13.1-23.3	36	10.2	06.3-14.1	100	31.2	24.7-37.7
35-44	297	28,810	52	15.4	10.7-20.1	96	34.6	27.5-41.7	56	17.8	12.3-23.3	29	11.1	06.4-15.8	64	21.2	15.1-27.3
45-54	419	31,146	90	20.0	15.3-24.7	128	33.3	27.0-39.6	98	23.6	18.3-28.9	40	10.7	06.6-14.8	63	12.5	08.4-16.6
55-64	499	28,722	164	32.5	27.2-37.8	160	30.9	25.6-36.2	94	18.8	14.1-23.5	32	5.6	03.2-08.0	49	12.2	08.1-16.3
65+	478	24,722	238	48.0	42.3-53.7	154	32.6	27.1-38.1	42	8.5	05.4-11.6	25	6.4	03.5-09.3	19	4.5	02.0-07.0
Less Than H.S.	119	13,342	38	23.8	14.2-33.4	29	26.0	15.4-36.6	14	15.0	04.4-25.6	12	8.9	01.5-16.3	26	26.3	14.9-37.7
H.S. or G.E.D.	660	48,120	172	20.2	16.5-23.9	193	30.6	25.9-35.3	102	14.7	11.2-18.2	64	10.4	07.3-13.5	129	24.1	19.4-28.8
Some Post-H.S.	731	72,179	167	18.0	14.7-21.3	203	27.3	22.8-31.8	165	21.6	17.5-25.7	56	8.0	05.3-10.7	140	25.1	20.4-29.8
College Graduate	699	44,562	238	30.9	26.6-35.2	227	31.1	26.8-35.4	112	17.8	13.9-21.7	51	9.1	06.2-12.0	71	11.1	07.8-14.4
Less than \$15,000	68	7,902	16	13.4	03.4-23.4	14	20.5	07.8-33.2	9	17.4	04.9-29.9	5	6.6	00.0-13.3	24	42.1	25.4-58.8
\$15,000- 24,999	188	19,072	46	18.4	11.5-25.3	63	28.9	20.1-37.7	24	14.8	06.6-23.0	16	11.8	04.9-18.7	39	26.1	16.9-35.3
\$25,000- 34,999	158	14,118	35	19.5	11.3-27.7	41	18.6	11.3-25.9	37	25.6	16.6-34.6	13	8.0	02.3-13.7	32	28.3	17.9-38.7
\$35,000- 49,999	329	26,708	93	22.0	16.7-27.3	94	26.2	19.9-32.5	56	19.8	13.5-26.1	33	9.6	05.5-13.7	53	22.4	15.7-29.1
\$50,000- 74,999	434	35,254	122	23.7	18.6-28.8	143	33.2	27.1-39.3	74	16.4	11.5-21.3	26	6.0	02.7-09.3	69	20.7	15.0-26.4
\$75,000+	889	63,724	244	22.5	19.2-25.8	261	32.4	28.1-36.7	171	18.5	15.2-21.8	80	10.4	07.5-13.3	133	16.2	12.7-19.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2122	144,141	1100	42.6	39.7-45.5	600	29.5	26.8-32.2	209	12.9	10.5-15.3	80	5.8	04.0-07.6	133	9.1	06.9-11.3
18-24	127	23,629	22	15.5	07.7-23.3	33	26.1	16.1-36.1	24	19.8	10.8-28.8	19	15.0	07.0-23.0	29	23.5	13.3-33.7
25-34	285	28,684	98	32.9	26.0-39.8	88	29.6	23.1-36.1	46	16.3	10.8-21.8	20	8.6	03.7-13.5	33	12.6	07.7-17.5
35-44	292	23,725	102	33.8	27.1-40.5	124	42.5	35.4-49.6	35	14.0	08.9-19.1	11	3.4	00.9-05.9	20	6.3	02.6-10.0
45-54	401	25,352	174	41.8	35.7-47.9	131	33.0	27.1-38.9	55	15.9	10.8-21.0	13	3.4	01.0-05.8	28	6.0	03.1-08.9
55-64	474	22,047	282	60.0	54.3-65.7	126	26.2	21.1-31.3	33	7.0	04.1-09.9	13	2.7	00.7-04.7	20	4.2	01.8-06.6
65+	525	19,651	408	79.6	75.3-83.9	96	18.2	13.9-22.5	14	1.3	00.5-02.1	4	0.3	00.0-00.7	3	0.4	00.0-01.0
Less Than H.S.	54	5,840	29	30.9	15.0-46.8	14	31.3	11.9-50.7	7	23.8	05.2-42.4	1	0.3	00.0-00.9	3	13.7	00.0-33.7
H.S. or G.E.D.	532	30,264	265	38.6	32.9-44.3	143	31.4	25.3-37.5	56	13.1	08.0-18.2	24	5.7	02.2-09.2	44	11.2	06.3-16.1
Some Post-H.S.	736	60,440	379	43.3	38.4-48.2	202	25.7	21.4-30.0	73	13.7	10.0-17.4	32	7.9	04.4-11.4	50	9.5	06.2-12.8
College Graduate	799	47,580	426	45.8	41.1-50.5	241	33.0	28.5-37.5	73	10.4	07.3-13.5	23	3.8	01.8-05.8	36	6.9	03.8-10.0
Less than \$15,000	99	9,711	39	20.0	11.2-28.8	28	33.4	19.3-47.5	15	11.6	03.2-20.0	5	11.4	00.8-22.0	12	23.6	08.1-39.1
\$15,000- 24,999	219	15,971	119	43.2	33.4-53.0	53	29.2	19.8-38.6	19	10.1	04.2-16.0	13	8.6	01.5-15.7	15	8.9	02.4-15.4
\$25,000- 34,999	179	11,453	92	47.1	36.3-57.9	55	28.9	18.9-38.9	12	5.6	00.9-10.3	10	10.2	02.4-18.0	10	8.2	01.7-14.7
\$35,000- 49,999	255	16,181	139	43.4	34.8-52.0	71	25.9	18.5-33.3	23	18.2	09.4-27.0	8	3.2	00.1-06.3	14	9.2	02.7-15.7
\$50,000- 74,999	348	22,409	176	42.0	34.7-49.3	99	27.4	20.9-33.9	30	14.0	07.5-20.5	18	5.9	02.4-09.4	25	10.8	04.3-17.3
\$75,000+	766	51,833	363	41.8	37.1-46.5	249	34.2	29.7-38.7	91	14.0	10.5-17.5	19	3.2	01.0-05.4	44	6.9	04.2-09.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4336	323,444	516	14.2	12.6-15.8	311	8.9	07.5-10.3	133	3.4	02.6-04.2	123	3.4	02.4-04.4	302	9.6	08.2-11.0	2951	60.6	58.4-62.8
Male	2216	178,932	321	15.8	13.6-18.0	195	9.4	07.6-11.2	86	4.5	03.3-05.7	88	4.3	02.9-05.7	229	14.1	11.9-16.3	1297	51.9	49.0-54.8
Female	2120	144,512	195	12.3	09.9-14.7	116	8.2	06.0-10.4	47	2.0	01.2-02.8	35	2.2	01.0-03.4	73	4.0	02.6-05.4	1654	71.4	68.3-74.5
18-24	307	52,371	72	23.6	17.5-29.7	47	17.6	11.9-23.3	25	5.3	02.4-08.2	12	5.1	01.4-08.8	58	17.4	12.1-22.7	93	31.0	24.1-37.9
25-34	617	65,877	119	17.4	13.7-21.1	74	11.0	08.1-13.9	21	3.3	01.5-05.1	29	4.9	02.7-07.1	61	12.7	09.2-16.2	313	50.7	45.8-55.6
35-44	588	52,570	89	15.8	11.9-19.7	53	8.9	06.2-11.6	26	3.8	02.0-05.6	16	3.1	01.1-05.1	49	9.7	06.4-13.0	355	58.7	53.6-63.8
45-54	823	56,641	114	14.1	11.0-17.2	55	6.7	04.3-09.1	31	3.9	02.1-05.7	32	3.3	01.5-05.1	52	6.0	03.8-08.2	539	66.0	61.7-70.3
55-64	972	50,687	78	8.0	05.6-10.4	56	5.4	03.6-07.2	16	2.4	01.0-03.8	23	2.0	01.0-03.0	65	7.3	05.1-09.5	734	74.9	71.2-78.6
65+	1007	44,221	42	3.9	02.3-05.5	25	2.2	01.2-03.2	13	1.0	00.4-01.6	11	1.1	00.3-01.9	15	2.4	01.0-03.8	901	89.5	87.0-92.0
Less Than H.S.	172	18,519	21	10.8	04.3-17.3	11	10.4	03.1-17.7	3	0.8	00.0-01.8	6	6.4	00.0-14.0	15	8.3	02.8-13.8	116	63.3	52.3-74.3
H.S. or G.E.D.	1185	78,093	137	13.6	10.7-16.5	101	10.6	07.9-13.3	42	3.8	02.2-05.4	33	2.3	01.1-03.5	102	13.3	10.4-16.2	770	56.4	52.3-60.5
Some Post-H.S.	1469	133,740	168	14.4	11.7-17.1	117	9.0	06.6-11.4	55	4.2	02.8-05.6	55	4.3	02.7-05.9	109	10.4	08.0-12.8	965	57.6	54.1-61.1
College Graduate	1503	92,473	190	15.2	12.7-17.7	82	6.8	04.8-08.8	33	2.3	01.3-03.3	29	2.2	01.2-03.2	75	5.5	03.7-07.3	1094	67.8	64.5-71.1
Less than \$15,000	164	17,117	19	16.2	07.8-24.6	15	12.9	03.9-21.9	7	6.3	00.4-12.2	4	0.8	00.0-01.8	19	16.5	07.5-25.5	100	47.3	36.1-58.5
\$15,000- 24,999	405	34,835	39	10.7	06.2-15.2	30	10.6	05.3-15.9	14	3.8	01.1-06.5	10	3.7	00.6-06.8	27	8.7	04.4-13.0	285	62.5	55.2-69.8
\$25,000- 34,999	339	25,963	46	15.1	09.4-20.8	23	10.0	05.1-14.9	12	3.9	00.6-07.2	7	1.8	00.0-03.6	17	7.8	03.5-12.1	234	61.4	53.8-69.0
\$35,000- 49,999	579	42,789	66	12.8	08.9-16.7	42	10.8	06.5-15.1	21	3.0	01.2-04.8	20	4.3	01.9-06.7	43	12.3	08.0-16.6	387	56.7	50.8-62.6
\$50,000- 74,999	785	58,450	89	15.9	11.8-20.0	55	7.1	04.6-09.6	22	1.9	00.9-02.9	32	5.0	02.3-07.7	58	11.7	08.0-15.4	529	58.6	53.5-63.7
\$75,000+	1657	115,901	219	14.9	12.4-17.4	128	8.3	06.5-10.1	49	3.8	02.4-05.2	45	3.3	01.9-04.7	117	7.5	05.7-09.3	1099	62.1	58.8-65.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2216	178,932	321	15.8	13.6-18.0	195	9.4	07.6-11.2	86	4.5	03.3-05.7	88	4.3	02.9-05.7	229	14.1	11.9-16.3	1297	51.9	49.0-54.8
18-24	179	27,877	40	20.6	13.0-28.2	27	14.7	08.0-21.4	14	7.3	02.6-12.0	7	5.2	00.7-09.7	44	25.3	17.3-33.3	47	26.9	18.3-35.5
25-34	331	37,139	74	21.0	15.5-26.5	47	11.9	07.8-16.0	14	4.3	01.4-07.2	23	6.3	03.0-09.6	47	19.2	13.3-25.1	126	37.3	30.8-43.8
35-44	300	29,165	53	18.3	12.4-24.2	34	9.7	05.8-13.6	19	6.0	02.9-09.1	14	5.5	02.0-09.0	39	14.4	09.1-19.7	141	46.1	38.8-53.4
45-54	419	30,997	70	15.5	11.0-20.0	34	9.5	05.4-13.6	16	4.4	01.9-06.9	20	4.1	01.2-07.0	41	9.2	05.7-12.7	238	57.3	50.8-63.8
55-64	501	28,837	55	11.1	07.4-14.8	35	6.1	03.4-08.8	12	2.9	00.9-04.9	16	2.4	00.8-04.0	43	9.8	06.3-13.3	340	67.6	62.1-73.1
65+	479	24,606	28	5.6	03.1-08.1	18	3.2	01.4-05.0	11	1.6	00.4-02.8	8	1.3	00.0-02.7	13	3.8	01.4-06.2	401	84.4	80.3-88.5
Less Than H.S.	120	12,847	14	11.6	03.2-20.0	9	10.6	03.2-18.0	3	1.2	00.0-02.6	3	3.2	00.0-08.9	15	11.9	04.3-19.5	76	61.6	49.3-73.9
H.S. or G.E.D.	660	48,212	91	15.8	11.9-19.7	69	11.3	08.0-14.6	26	4.2	02.2-06.2	26	3.2	01.4-05.0	79	17.4	13.1-21.7	369	48.1	43.0-53.2
Some Post-H.S.	729	72,251	109	15.8	12.1-19.5	68	8.6	05.7-11.5	36	5.8	03.4-08.2	38	5.9	03.4-08.4	87	16.2	12.3-20.1	391	47.7	42.8-52.6
College Graduate	701	45,020	107	17.2	13.5-20.9	49	8.4	05.5-11.3	21	3.5	01.5-05.5	21	3.3	01.5-05.1	47	7.8	05.1-10.5	456	59.6	54.7-64.5
Less than \$15,000	68	7,874	15	24.9	10.6-39.2	4	5.9	00.0-12.8	4	7.1	00.0-15.3	1	0.1	00.0-00.3	16	30.3	14.2-46.4	28	31.7	17.0-46.4
\$15,000- 24,999	188	18,768	18	7.2	02.5-11.9	18	9.0	03.1-14.9	9	5.4	00.7-10.1	9	5.4	00.3-10.5	17	12.1	05.2-19.0	117	60.8	50.8-70.8
\$25,000- 34,999	157	14,149	31	18.4	10.6-26.2	11	9.9	03.6-16.2	9	6.2	00.3-12.1	5	2.9	00.0-06.2	16	13.4	06.0-20.8	85	49.2	38.6-59.8
\$35,000- 49,999	327	26,699	49	16.9	11.4-22.4	29	11.4	06.1-16.7	15	3.5	01.1-05.9	12	4.1	01.2-07.0	34	18.2	11.7-24.7	188	46.0	38.7-53.3
\$50,000- 74,999	434	35,209	57	16.3	11.0-21.6	35	8.0	04.3-11.7	14	2.2	00.8-03.6	20	4.6	01.9-07.3	44	15.6	10.1-21.1	264	53.3	46.6-60.0
\$75,000+	892	64,388	135	16.2	12.7-19.7	89	10.0	07.5-12.5	32	5.4	03.2-07.6	38	4.9	02.5-07.3	89	10.7	08.0-13.4	509	52.7	48.2-57.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2120	144,512	195	12.3	09.9-14.7	116	8.2	06.0-10.4	47	2.0	01.2-02.8	35	2.2	01.0-03.4	73	4.0	02.6-05.4	1654	71.4	68.3-74.5
18-24	128	24,494	32	27.0	17.2-36.8	20	20.8	11.2-30.4	11	3.1	00.0-06.4	5	5.1	00.0-11.0	14	8.4	02.3-14.5	46	35.6	24.8-46.4
25-34	286	28,739	45	12.8	08.1-17.5	27	9.9	05.6-14.2	7	2.0	00.0-04.0	6	2.9	00.4-05.4	14	4.2	01.7-06.7	187	68.1	61.4-74.8
35-44	288	23,405	36	12.7	07.8-17.6	19	7.9	03.8-12.0	7	1.0	00.0-02.0	2	0.1	00.0-00.3	10	3.9	00.6-07.2	214	74.3	67.8-80.8
45-54	404	25,644	44	12.4	08.1-16.7	21	3.3	01.5-05.1	15	3.4	01.4-05.4	12	2.2	00.2-04.2	11	2.2	00.6-03.8	301	76.5	71.2-81.8
55-64	471	21,850	23	3.9	01.9-05.9	21	4.5	02.0-07.0	4	1.7	00.0-03.7	7	1.5	00.3-02.7	22	3.9	01.7-06.1	394	84.5	80.2-88.8
65+	528	19,616	14	1.7	00.5-02.9	7	0.9	00.3-01.5	2	0.1	00.0-00.3	3	0.7	00.0-01.7	2	0.7	00.0-01.9	500	95.9	93.9-97.9
Less Than H.S.	52	5,672	7	9.1	00.3-17.9	2	10.0	00.0-26.9				3	13.7	00.0-34.3				40	67.2	44.3-90.1
H.S. or G.E.D.	525	29,881	46	10.0	05.3-14.7	32	9.6	04.7-14.5	16	3.1	00.4-05.8	7	0.9	00.1-01.7	23	6.5	03.0-10.0	401	69.7	63.0-76.4
Some Post-H.S.	740	61,489	59	12.8	08.9-16.7	49	9.5	05.8-13.2	19	2.3	00.9-03.7	17	2.5	00.9-04.1	22	3.5	01.3-05.7	574	69.3	64.2-74.4
College Graduate	802	47,454	83	13.3	09.6-17.0	33	5.4	03.0-07.8	12	1.2	00.4-02.0	8	1.2	00.2-02.2	28	3.4	01.4-05.4	638	75.6	71.1-80.1
Less than \$15,000	96	9,242	4	8.7	00.0-18.1	11	18.8	03.9-33.7	3	5.7	00.0-13.9	3	1.4	00.0-03.2	3	4.8	00.0-11.5	72	60.6	44.5-76.7
\$15,000- 24,999	217	16,066	21	14.7	06.9-22.5	12	12.4	03.6-21.2	5	2.0	00.0-04.0	1	1.6	00.0-04.7	10	4.7	00.2-09.2	168	64.5	53.9-75.1
\$25,000- 34,999	182	11,814	15	11.2	02.8-19.6	12	10.1	02.7-17.5	3	1.1	00.0-02.9	2	0.6	00.0-01.6	1	1.0	00.0-03.0	149	76.0	65.6-86.4
\$35,000- 49,999	252	16,090	17	6.2	01.5-10.9	13	10.0	02.4-17.6	6	2.3	00.0-05.0	8	4.5	00.2-08.8	9	2.6	00.0-05.3	199	74.4	65.2-83.6
\$50,000- 74,999	351	23,241	32	15.3	08.4-22.2	20	5.6	02.7-08.5	8	1.4	00.2-02.6	12	5.5	00.0-11.2	14	5.7	01.0-10.4	265	66.5	58.3-74.7
\$75,000+	765	51,514	84	13.3	09.8-16.8	39	6.1	03.6-08.6	17	1.9	00.7-03.1	7	1.2	00.0-02.4	28	3.6	01.8-05.4	590	73.9	69.6-78.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4241	313,437	1035	18.9	17.3-20.5	1052	22.3	20.5-24.1	654	15.4	13.8-17.0	328	8.4	07.2-09.6	1172	35.0	32.8-37.2
Male	2167	173,355	322	12.0	10.4-13.6	411	16.5	14.5-18.5	369	15.4	13.4-17.4	192	8.8	07.2-10.4	873	47.3	44.4-50.2
Female	2074	140,082	713	27.4	24.9-29.9	641	29.5	26.8-32.2	285	15.4	13.2-17.6	136	7.9	05.9-09.9	299	19.9	17.0-22.8
18-24	294	49,667	25	8.0	04.1-11.9	34	11.0	06.3-15.7	20	7.6	03.5-11.7	28	11.1	06.2-16.0	187	62.3	55.0-69.6
25-34	596	63,963	73	12.7	09.2-16.2	111	18.2	14.3-22.1	95	16.0	12.3-19.7	46	6.6	04.2-09.0	271	46.5	41.4-51.6
35-44	575	50,561	77	12.2	09.1-15.3	150	26.2	21.7-30.7	99	18.0	13.9-22.1	46	7.0	04.5-09.5	203	36.6	31.5-41.7
45-54	802	54,625	137	14.8	11.9-17.7	217	26.1	22.2-30.0	136	19.4	15.7-23.1	72	9.9	07.2-12.6	240	29.7	25.4-34.0
55-64	955	48,955	275	27.1	23.6-30.6	256	26.6	23.1-30.1	156	15.9	13.0-18.8	80	9.4	06.9-11.9	188	21.1	17.6-24.6
65+	996	44,351	435	42.4	38.5-46.3	282	27.4	23.9-30.9	145	15.1	12.2-18.0	55	6.7	04.5-08.9	79	8.5	06.1-10.9
Less Than H.S.	166	17,094	33	13.0	07.1-18.9	48	28.5	18.9-38.1	25	19.5	09.7-29.3	18	9.5	03.4-15.6	42	29.5	19.1-39.9
H.S. or G.E.D.	1160	75,627	280	17.5	15.0-20.0	263	20.6	17.5-23.7	168	14.5	11.8-17.2	87	6.4	04.6-08.2	362	41.0	36.9-45.1
Some Post-H.S.	1428	129,070	343	19.2	16.7-21.7	343	20.0	17.3-22.7	212	14.4	12.0-16.8	107	9.0	06.6-11.4	423	37.4	33.7-41.1
College Graduate	1480	91,026	377	20.5	18.0-23.0	396	25.7	22.8-28.6	247	16.7	14.2-19.2	116	9.1	06.9-11.3	344	27.9	24.8-31.0
Less than \$15,000	161	16,539	28	6.4	03.1-09.7	46	23.2	14.2-32.2	18	9.6	03.9-15.3	15	11.6	03.4-19.8	54	49.1	37.5-60.7
\$15,000- 24,999	393	33,146	118	21.9	16.4-27.4	98	23.6	17.7-29.5	49	13.0	07.7-18.3	25	8.2	04.1-12.3	103	33.3	26.0-40.6
\$25,000- 34,999	334	25,667	82	21.9	15.8-28.0	89	21.0	14.5-27.5	53	17.1	11.6-22.6	20	6.1	02.4-09.8	90	33.7	26.3-41.1
\$35,000- 49,999	571	41,883	148	19.6	15.7-23.5	131	18.0	14.1-21.9	92	17.2	12.9-21.5	37	6.2	03.1-09.3	163	39.1	33.2-45.0
\$50,000- 74,999	765	55,601	169	16.5	13.4-19.6	197	22.3	18.6-26.0	122	15.7	12.2-19.2	62	9.1	06.4-11.8	215	36.4	31.3-41.5
\$75,000+	1628	113,397	331	16.6	14.2-19.0	397	23.8	21.1-26.5	273	16.3	13.9-18.7	145	9.1	07.1-11.1	482	34.2	30.9-37.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2167	173,355	322	12.0	10.4-13.6	411	16.5	14.5-18.5	369	15.4	13.4-17.4	192	8.8	07.2-10.4	873	47.3	44.4-50.2
18-24	175	27,116	11	4.2	01.1-07.3	17	9.7	04.2-15.2	8	5.4	00.5-10.3	11	7.5	02.2-12.8	128	73.2	64.6-81.8
25-34	321	36,317	22	8.0	04.1-11.9	34	10.0	05.9-14.1	41	12.1	07.8-16.4	27	6.7	03.4-10.0	197	63.1	56.4-69.8
35-44	290	27,543	20	5.5	02.6-08.4	43	16.9	11.0-22.8	50	19.0	12.9-25.1	28	8.4	04.7-12.1	149	50.2	42.8-57.6
45-54	408	29,540	43	9.0	05.7-12.3	75	18.4	13.5-23.3	70	17.5	12.8-22.2	42	11.0	06.9-15.1	178	44.1	37.6-50.6
55-64	492	27,717	94	19.8	15.3-24.3	108	20.1	15.6-24.6	98	18.9	14.4-23.4	43	10.5	07.0-14.0	149	30.7	25.2-36.2
65+	474	24,810	129	28.2	22.9-33.5	132	26.5	21.4-31.6	102	21.1	16.4-25.8	41	9.6	05.9-13.3	70	14.7	10.8-18.6
Less Than H.S.	116	12,117	17	12.9	05.6-20.2	32	22.4	12.8-32.0	17	20.8	08.3-33.3	11	8.6	01.3-15.9	39	35.4	23.1-47.7
H.S. or G.E.D.	646	46,822	93	11.7	08.6-14.8	115	15.1	11.6-18.6	104	14.2	10.9-17.5	54	6.7	04.5-08.9	280	52.3	47.2-57.4
Some Post-H.S.	709	69,612	93	10.3	07.8-12.8	116	14.4	10.9-17.9	122	14.9	11.8-18.0	62	8.9	06.0-11.8	316	51.5	46.4-56.6
College Graduate	690	44,202	118	14.4	11.3-17.5	146	19.5	15.8-23.2	124	15.9	12.6-19.2	65	11.0	07.9-14.1	237	39.1	34.2-44.0
Less than \$15,000	68	7,728	5	2.1	00.0-04.8	13	9.2	01.9-16.5	5	7.1	00.4-13.8	4	8.0	00.0-18.0	41	73.6	60.1-87.1
\$15,000- 24,999	183	17,927	29	14.8	08.3-21.3	44	21.7	13.9-29.5	29	16.7	08.1-25.3	18	10.6	04.1-17.1	63	36.3	26.3-46.3
\$25,000- 34,999	156	14,214	15	8.8	02.9-14.7	31	16.0	07.6-24.4	29	19.3	11.3-27.3	6	3.0	00.0-06.5	75	52.9	42.3-63.5
\$35,000- 49,999	318	25,898	59	14.3	09.8-18.8	55	13.5	08.6-18.4	56	15.7	10.6-20.8	18	4.4	01.7-07.1	130	52.2	44.9-59.5
\$50,000- 74,999	425	33,795	69	13.4	09.5-17.3	78	15.0	10.9-19.1	76	16.1	11.6-20.6	37	9.1	05.6-12.6	165	46.3	39.6-53.0
\$75,000+	875	62,538	114	10.1	07.7-12.5	153	16.8	13.5-20.1	149	15.3	12.2-18.4	97	11.4	08.5-14.3	362	46.4	41.9-50.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2074	140,082	713	27.4	24.9-29.9	641	29.5	26.8-32.2	285	15.4	13.2-17.6	136	7.9	05.9-09.9	299	19.9	17.2-22.6
18-24	119	22,551	14	12.6	05.2-20.0	17	12.4	04.4-20.4	12	10.2	03.5-16.9	17	15.5	07.1-23.9	59	49.3	37.7-60.9
25-34	275	27,646	51	18.8	12.9-24.7	77	29.1	22.2-36.0	54	21.1	15.0-27.2	19	6.5	02.8-10.2	74	24.6	18.3-30.9
35-44	285	23,017	57	20.1	14.4-25.8	107	37.4	30.3-44.5	49	16.8	11.7-21.9	18	5.3	02.4-08.2	54	20.4	14.1-26.7
45-54	394	25,085	94	21.6	16.7-26.5	142	35.3	29.4-41.2	66	21.7	15.8-27.6	30	8.7	05.0-12.4	62	12.8	08.9-16.7
55-64	463	21,238	181	36.5	31.0-42.0	148	35.0	29.3-40.7	58	12.0	08.3-15.7	37	7.9	04.6-11.2	39	8.5	05.2-11.8
65+	522	19,541	306	60.4	55.1-65.7	150	28.5	23.6-33.4	43	7.4	04.7-10.1	14	3.0	01.2-04.8	9	0.7	00.1-01.3
Less Than H.S.	50	4,978	16	13.4	04.2-22.6	16	43.4	22.6-64.2	8	16.2	03.3-29.1	7	11.9	00.7-23.1	3	15.2	00.0-34.4
H.S. or G.E.D.	514	28,806	187	26.8	21.9-31.7	148	29.5	23.8-35.2	64	15.1	10.2-20.0	33	5.9	03.4-08.4	82	22.7	16.0-29.4
Some Post-H.S.	719	59,458	250	29.7	25.2-34.2	227	26.6	22.3-30.9	90	13.8	10.3-17.3	45	9.0	05.5-12.5	107	20.9	16.2-25.6
College Graduate	790	46,824	259	26.3	22.4-30.2	250	31.6	27.1-36.1	123	17.4	13.7-21.1	51	7.3	04.6-10.0	107	17.4	13.3-21.5
Less than \$15,000	93	8,811	23	10.2	04.3-16.1	33	35.4	20.7-50.1	13	11.8	02.8-20.8	11	14.9	02.2-27.6	13	27.7	11.8-43.6
\$15,000- 24,999	210	15,219	89	30.3	21.5-39.1	54	25.8	17.0-34.6	20	8.8	03.7-13.9	7	5.3	00.4-10.2	40	29.8	19.4-40.2
\$25,000- 34,999	178	11,454	67	38.2	27.6-48.8	58	27.3	17.7-36.9	24	14.4	06.8-22.0	14	10.0	02.9-17.1	15	10.0	02.7-17.3
\$35,000- 49,999	253	15,986	89	28.2	20.9-35.5	76	25.4	18.3-32.5	36	19.5	12.2-26.8	19	9.1	02.6-15.6	33	17.9	09.3-26.5
\$50,000- 74,999	340	21,806	100	21.2	16.1-26.3	119	33.5	26.6-40.4	46	15.2	09.5-20.9	25	9.0	04.7-13.3	50	21.1	13.5-28.7
\$75,000+	753	50,859	217	24.6	20.5-28.7	244	32.4	27.9-36.9	124	17.6	13.9-21.3	48	6.2	03.8-08.6	120	19.3	15.2-23.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 11: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1	201
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)	
MALES AND FEMALES	
2	202
MALES ONLY	
3	203
FEMALES ONLY	
DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)	
4	204
MALES AND FEMALES	
5	205
MALES ONLY	
6	206
FEMALES ONLY	
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)	
7	207
MALES AND FEMALES	
8	208
MALES ONLY	
9	209
FEMALES ONLY	
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)	
10	210
MALES AND FEMALES	
11	211
MALES ONLY	
12	212
FEMALES ONLY	
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)	
13	213
MALES AND FEMALES	
14	214
MALES ONLY	
15	215
FEMALES ONLY	
NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGETAB1)	
16	216
MALES AND FEMALES	
17	217
MALES ONLY	
18	218
FEMALES ONLY	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7328	517,583	1458	18.1	16.9-19.3	1387	20.6	19.2-22.0	1696	23.8	22.4-25.2	19	0.3	00.1-00.5	2768	37.2	35.6-38.8
Male	3270	260,094	634	17.7	15.9-19.5	663	21.3	19.3-23.3	844	26.1	23.9-28.3	11	0.3	00.1-00.5	1118	34.6	32.2-37.0
Female	4058	257,489	824	18.6	16.8-20.4	724	19.9	17.9-21.9	852	21.6	19.8-23.4	8	0.2	00.0-00.4	1650	39.8	37.6-42.0
18-24	458	77,395	70	16.1	11.6-20.6	111	22.7	17.6-27.8	117	25.5	20.4-30.6	1	0.0	00.0-00.0	159	35.6	29.9-41.3
25-34	836	90,295	127	14.3	11.4-17.2	206	24.4	20.7-28.1	228	26.1	22.4-29.8	5	0.9	00.0-01.9	270	34.3	30.0-38.6
35-44	823	74,267	108	13.7	10.6-16.8	175	21.5	18.0-25.0	219	26.2	22.3-30.1	1	0.0	00.0-00.0	320	38.5	34.2-42.8
45-54	1250	86,949	199	16.6	13.7-19.5	248	21.6	18.5-24.7	328	25.5	22.4-28.6	3	0.1	00.0-00.3	472	36.2	32.7-39.7
55-64	1622	84,839	284	16.4	14.2-18.6	258	17.0	14.6-19.4	393	24.3	21.4-27.2	4	0.2	00.0-00.4	683	42.0	38.9-45.1
65+	2272	99,417	661	29.6	27.1-32.1	377	17.1	14.9-19.3	395	16.8	14.8-18.8	4	0.2	00.0-00.4	835	36.3	33.8-38.8
Less Than H.S.	475	46,961	115	20.8	15.9-25.7	103	22.7	17.2-28.2	78	17.5	12.4-22.6	2	0.2	00.0-00.4	177	38.8	32.3-45.3
H.S. or G.E.D.	2230	137,906	465	19.4	17.0-21.8	405	19.3	16.8-21.8	458	21.5	19.1-23.9	5	0.3	00.0-00.7	897	39.6	36.7-42.5
Some Post-H.S.	2391	202,183	464	17.8	15.6-20.0	452	20.9	18.5-23.3	564	24.3	21.9-26.7	3	0.2	00.0-00.6	908	36.8	34.1-39.5
College Graduate	2212	129,155	408	16.3	14.3-18.3	422	20.5	18.1-22.9	594	28.1	25.6-30.6	9	0.3	00.1-00.5	779	34.8	32.1-37.5
Less than \$15,000	462	40,816	106	18.1	12.8-23.4	84	22.4	16.1-28.7	85	17.7	12.6-22.8	1	0.2	00.0-00.6	186	41.6	34.7-48.5
\$15,000- 24,999	866	64,852	222	22.7	18.8-26.6	169	21.2	17.1-25.3	159	18.9	15.0-22.8	1	0.1	00.0-00.3	315	37.2	32.3-42.1
\$25,000- 34,999	668	46,900	127	16.2	12.7-19.7	142	22.1	17.4-26.8	148	23.1	18.2-28.0	1	0.1	00.0-00.3	250	38.5	33.2-43.8
\$35,000- 49,999	1001	67,823	206	20.5	16.8-24.2	200	22.4	18.7-26.1	213	21.3	17.8-24.8	5	0.8	00.0-01.6	377	35.1	31.0-39.2
\$50,000- 74,999	1191	88,395	218	17.1	14.2-20.0	224	21.4	17.9-24.9	308	27.8	24.1-31.5	6	0.6	00.0-01.4	435	33.0	29.3-36.7
\$75,000+	2239	147,601	365	15.4	13.2-17.6	424	19.5	17.1-21.9	600	26.4	24.0-28.8	3	0.0	00.0-00.0	847	38.6	35.9-41.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3270	260,094	634	17.7	15.9-19.5	663	21.3	19.3-23.3	844	26.1	23.9-28.3	11	0.3	00.1-00.5	1118	34.6	32.2-37.0
18-24	268	42,386	42	17.1	11.0-23.2	69	21.1	15.0-27.2	69	27.9	21.0-34.8				88	33.9	26.6-41.2
25-34	412	47,592	63	12.4	08.5-16.3	96	23.0	17.7-28.3	117	28.3	22.8-33.8	3	1.2	00.0-02.6	133	35.2	29.3-41.1
35-44	384	38,086	49	13.0	08.7-17.3	75	19.9	14.8-25.0	120	29.3	23.4-35.2				140	37.8	31.5-44.1
45-54	589	43,813	95	17.3	13.0-21.6	130	25.4	20.5-30.3	175	27.3	22.8-31.8	3	0.2	00.0-00.6	186	29.8	24.9-34.7
55-64	742	43,477	131	16.0	12.9-19.1	137	20.5	16.6-24.4	186	25.0	20.7-29.3	2	0.2	00.0-00.6	286	38.3	33.6-43.0
65+	851	43,194	253	31.0	26.9-35.1	151	17.7	14.0-21.4	171	18.6	15.5-21.7	2	0.3	00.0-00.7	274	32.4	28.5-36.3
Less Than H.S.	251	27,859	57	18.0	12.3-23.7	55	22.6	15.5-29.7	46	19.0	11.7-26.3	1	0.2	00.0-00.6	92	40.1	31.5-48.7
H.S. or G.E.D.	1050	75,458	205	18.9	15.6-22.2	217	20.1	16.8-23.4	239	23.6	20.1-27.1	3	0.4	00.0-01.0	386	37.0	33.1-40.9
Some Post-H.S.	1022	97,664	196	17.9	14.6-21.2	209	22.3	18.8-25.8	276	25.8	22.1-29.5	1	0.3	00.0-00.9	340	33.8	29.7-37.9
College Graduate	937	58,275	173	15.6	12.7-18.5	178	20.1	16.8-23.4	281	33.2	29.3-37.1	6	0.4	00.0-00.8	299	30.7	26.8-34.6
Less than \$15,000	146	15,982	27	13.6	06.2-21.0	22	19.3	10.5-28.1	30	22.8	13.2-32.4	1	0.4	00.0-01.2	66	43.9	32.9-54.9
\$15,000- 24,999	329	30,228	78	19.4	13.9-24.9	70	21.6	15.3-27.9	67	18.9	12.8-25.0				114	40.1	32.3-47.9
\$25,000- 34,999	268	23,334	56	16.4	11.1-21.7	69	27.9	19.9-35.9	52	23.3	15.5-31.1	1	0.2	00.0-00.6	90	32.1	24.5-39.7
\$35,000- 49,999	500	39,177	99	19.8	14.9-24.7	107	23.1	18.0-28.2	111	21.6	16.7-26.5	4	1.0	00.0-02.2	179	34.5	28.8-40.2
\$50,000- 74,999	600	48,261	114	17.6	13.5-21.7	125	21.5	16.8-26.2	174	29.2	24.1-34.3	3	0.7	00.0-01.9	184	31.0	25.7-36.3
\$75,000+	1151	78,943	202	17.2	14.1-20.3	217	19.5	16.4-22.6	344	29.2	25.7-32.7	2	0.0	00.0-00.0	386	34.1	30.4-37.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4058	257,489	824	18.6	16.8-20.4	724	19.9	17.9-21.9	852	21.6	19.8-23.4	8	0.2	00.0-00.4	1650	39.8	37.6-42.0
18-24	190	35,009	28	15.0	08.1-21.9	42	24.7	16.3-33.1	48	22.5	14.9-30.1	1	0.1	00.0-00.3	71	37.7	28.7-46.7
25-34	424	42,703	64	16.4	11.7-21.1	110	25.9	20.4-31.4	111	23.7	18.8-28.6	2	0.7	00.0-01.7	137	33.3	27.4-39.2
35-44	439	36,181	59	14.4	10.3-18.5	100	23.2	18.3-28.1	99	23.0	18.1-27.9	1	0.1	00.0-00.3	180	39.4	33.7-45.1
45-54	661	43,136	104	15.8	11.7-19.9	118	17.8	14.1-21.5	153	23.6	19.3-27.9				286	42.8	37.9-47.7
55-64	880	41,362	153	16.8	13.7-19.9	121	13.3	10.6-16.0	207	23.7	20.2-27.2	2	0.2	00.0-00.6	397	45.9	41.6-50.2
65+	1421	56,223	408	28.6	25.5-31.7	226	16.7	14.2-19.2	224	15.4	13.0-17.8	2	0.1	00.0-00.3	561	39.3	36.0-42.6
Less Than H.S.	224	19,103	58	24.9	16.3-33.5	48	22.9	14.7-31.1	32	15.1	08.2-22.0	1	0.1	00.0-00.3	85	36.9	27.1-46.7
H.S. or G.E.D.	1180	62,448	260	19.9	16.6-23.2	188	18.4	14.5-22.3	219	19.0	15.9-22.1	2	0.1	00.0-00.3	511	42.6	38.3-46.9
Some Post-H.S.	1369	104,519	268	17.8	14.9-20.7	243	19.5	16.4-22.6	288	22.8	19.7-25.9	2	0.2	00.0-00.6	568	39.6	35.9-43.3
College Graduate	1275	70,880	235	16.9	14.0-19.8	244	20.8	17.7-23.9	313	23.9	20.8-27.0	3	0.2	00.0-00.6	480	38.1	34.4-41.8
Less than \$15,000	316	24,834	79	21.0	13.7-28.3	62	24.4	16.0-32.8	55	14.5	08.8-20.2				120	40.1	31.1-49.1
\$15,000- 24,999	537	34,623	144	25.5	20.2-30.8	99	20.8	15.5-26.1	92	18.9	13.6-24.2	1	0.1	00.0-00.3	201	34.7	28.8-40.6
\$25,000- 34,999	400	23,566	71	16.0	11.1-20.9	73	16.4	11.5-21.3	96	22.9	17.2-28.6				160	44.8	37.5-52.1
\$35,000- 49,999	501	28,646	107	21.4	15.5-27.3	93	21.4	16.3-26.5	102	20.8	15.9-25.7	1	0.5	00.0-01.5	198	35.9	30.0-41.8
\$50,000- 74,999	591	40,135	104	16.4	11.9-20.9	99	21.3	15.8-26.8	134	26.2	20.7-31.7	3	0.6	00.0-01.4	251	35.5	30.2-40.8
\$75,000+	1088	68,658	163	13.4	10.9-15.9	207	19.5	16.2-22.8	256	23.2	19.9-26.5	1	0.0	00.0-00.0	461	43.8	39.7-47.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7381	522,047	3483	43.4	41.8-45.0	1856	27.2	25.6-28.8	1759	24.4	23.0-25.8	3	0.0	00.0-00.0	280	5.0	04.2-05.8
Male	3306	262,039	1137	32.5	30.3-34.7	971	30.1	27.9-32.3	1007	30.0	27.8-32.2	2	0.1	00.0-00.3	189	7.3	05.9-08.7
Female	4075	260,008	2346	54.3	51.9-56.7	885	24.3	22.3-26.3	752	18.6	16.8-20.4	1	0.0	00.0-00.0	91	2.8	02.0-03.6
18-24	463	79,060	153	34.8	29.1-40.5	170	35.3	29.6-41.0	116	23.4	18.5-28.3				24	6.5	03.4-09.6
25-34	841	90,761	365	40.3	36.0-44.6	242	30.4	26.3-34.5	186	21.5	18.0-25.0				48	7.8	05.3-10.3
35-44	826	74,396	334	39.5	35.2-43.8	208	25.8	21.9-29.7	248	30.5	26.4-34.6				36	4.3	02.5-06.1
45-54	1257	87,178	551	42.2	38.7-45.7	317	26.4	23.1-29.7	343	27.7	24.4-31.0	2	0.2	00.0-00.4	44	3.6	02.2-05.0
55-64	1622	84,613	755	44.7	41.6-47.8	387	22.5	20.0-25.0	418	27.1	24.2-30.0				62	5.7	03.9-07.5
65+	2309	102,172	1296	55.0	52.3-57.7	510	23.7	21.3-26.1	437	18.3	16.3-20.3	1	0.1	00.0-00.3	65	2.9	01.9-03.9
Less Than H.S.	479	47,208	198	35.0	29.1-40.9	143	29.4	23.7-35.1	96	22.8	17.3-28.3	1	0.2	00.0-00.6	41	12.6	07.3-17.9
H.S. or G.E.D.	2250	139,719	1016	40.6	37.7-43.5	583	27.5	24.8-30.2	543	25.8	23.1-28.5	1	0.0	00.0-00.0	107	6.1	04.5-07.7
Some Post-H.S.	2404	203,841	1111	43.2	40.5-45.9	609	28.0	25.5-30.5	594	24.1	21.7-26.5	1	0.1	00.0-00.3	89	4.6	03.4-05.8
College Graduate	2228	130,019	1150	49.7	47.0-52.4	514	24.7	22.2-27.2	521	23.8	21.4-26.2				43	1.9	01.1-02.7
Less than \$15,000	465	41,740	197	35.5	28.8-42.2	129	32.0	25.5-38.5	106	24.3	17.8-30.8	1	0.3	00.0-00.9	32	7.9	04.2-11.6
\$15,000- 24,999	878	65,329	433	44.1	39.2-49.0	217	26.4	22.1-30.7	190	22.6	18.5-26.7				38	7.0	04.1-09.9
\$25,000- 34,999	675	47,220	308	38.9	33.6-44.2	193	34.7	29.2-40.2	147	21.8	17.3-26.3				27	4.6	02.2-07.0
\$35,000- 49,999	1002	68,043	455	44.3	40.0-48.6	245	25.1	21.4-28.8	261	26.1	22.4-29.8				41	4.5	02.7-06.3
\$50,000- 74,999	1199	88,882	577	45.6	41.7-49.5	304	26.9	23.2-30.6	283	23.3	20.0-26.6				35	4.1	01.9-06.3
\$75,000+	2248	148,433	1031	44.0	41.3-46.7	548	25.1	22.6-27.6	600	26.9	24.4-29.4	2	0.1	00.0-00.3	67	3.8	02.6-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3306	262,039	1137	32.5	30.3-34.7	971	30.1	27.9-32.3	1007	30.0	27.8-32.2	2	0.1	00.0-00.3	189	7.3	05.9-08.7
18-24	270	42,572	73	27.5	20.6-34.4	105	35.2	27.9-42.5	72	28.1	21.4-34.8				20	9.2	04.5-13.9
25-34	414	47,604	139	32.4	26.7-38.1	133	32.1	26.4-37.8	104	22.9	17.8-28.0				38	12.6	08.1-17.1
35-44	387	38,216	97	23.4	17.9-28.9	109	29.4	23.5-35.3	156	41.3	34.8-47.8				25	5.9	03.0-08.8
45-54	599	44,347	204	34.5	29.4-39.6	162	28.4	23.5-33.3	202	32.0	27.1-36.9	1	0.2	00.0-00.6	30	4.8	02.6-07.0
55-64	747	43,386	256	33.6	29.1-38.1	205	25.6	21.7-29.5	243	33.1	28.6-37.6				43	7.7	05.0-10.4
65+	866	44,618	362	41.8	37.5-46.1	248	29.6	25.7-33.5	222	25.0	21.3-28.7	1	0.2	00.0-00.6	33	3.4	02.0-04.8
Less Than H.S.	254	27,637	75	28.0	20.6-35.4	88	31.5	23.9-39.1	61	26.1	18.7-33.5	1	0.4	00.0-01.2	29	14.0	07.1-20.9
H.S. or G.E.D.	1063	76,645	372	34.1	30.2-38.0	314	28.3	24.8-31.8	303	28.8	25.1-32.5				74	8.8	06.4-11.2
Some Post-H.S.	1029	98,044	328	30.7	26.8-34.6	307	32.5	28.4-36.6	333	29.6	25.9-33.3	1	0.1	00.0-00.3	60	7.1	04.9-09.3
College Graduate	949	58,720	357	35.2	31.3-39.1	258	27.7	24.0-31.4	308	34.5	30.6-38.4				26	2.6	01.2-04.0
Less than \$15,000	149	16,177	41	24.4	15.0-33.8	49	34.5	24.1-44.9	43	27.0	17.6-36.4	1	0.7	00.0-02.1	15	13.4	05.2-21.6
\$15,000- 24,999	333	30,182	119	32.5	25.4-39.6	103	30.5	23.4-37.6	84	24.9	18.2-31.6				27	12.0	05.9-18.1
\$25,000- 34,999	270	23,366	88	29.1	21.5-36.7	91	37.4	29.2-45.6	72	25.5	18.4-32.6				19	7.9	03.4-12.4
\$35,000- 49,999	503	39,518	177	36.7	30.6-42.8	135	26.6	21.3-31.9	161	30.0	24.7-35.3				30	6.7	04.0-09.4
\$50,000- 74,999	608	48,661	220	36.0	30.7-41.3	188	29.6	24.5-34.7	177	29.6	24.5-34.7				23	4.9	02.4-07.4
\$75,000+	1160	79,812	398	32.1	28.4-35.8	319	28.1	24.6-31.6	388	34.0	30.3-37.7	1	0.1	00.0-00.3	54	5.7	03.7-07.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4075	260,008	2346	54.3	51.9-56.7	885	24.3	22.3-26.3	752	18.6	16.8-20.4	1	0.0	00.0-00.0	91	2.8	02.0-03.6
18-24	193	36,488	80	43.5	34.3-52.7	65	35.5	26.7-44.3	44	17.8	10.4-25.2				4	3.3	00.0-07.2
25-34	427	43,157	226	49.0	42.9-55.1	109	28.5	22.8-34.2	82	19.9	14.8-25.0				10	2.6	00.4-04.8
35-44	439	36,181	237	56.4	50.5-62.3	99	22.0	17.1-26.9	92	19.1	14.6-23.6				11	2.6	00.8-04.4
45-54	658	42,832	347	50.1	45.2-55.0	155	24.3	20.0-28.6	141	23.3	19.0-27.6	1	0.1	00.0-00.3	14	2.2	00.8-03.6
55-64	875	41,227	499	56.4	52.1-60.7	182	19.1	15.8-22.4	175	20.8	17.3-24.3				19	3.6	01.2-06.0
65+	1443	57,555	934	65.2	62.1-68.3	262	19.1	16.4-21.8	215	13.2	11.0-15.4				32	2.5	01.3-03.7
Less Than H.S.	225	19,571	123	44.9	35.1-54.7	55	26.5	17.9-35.1	35	18.0	10.0-26.0				12	10.6	02.4-18.8
H.S. or G.E.D.	1187	63,074	644	48.5	44.2-52.8	269	26.5	22.4-30.6	240	22.1	18.2-26.0	1	0.1	00.0-00.3	33	2.8	01.4-04.2
Some Post-H.S.	1375	105,797	783	54.8	51.1-58.5	302	23.9	20.6-27.2	261	19.1	16.2-22.0				29	2.2	01.2-03.2
College Graduate	1279	71,300	793	61.6	57.9-65.3	256	22.1	18.8-25.4	213	15.0	12.5-17.5				17	1.3	00.5-02.1
Less than \$15,000	316	25,563	156	42.6	33.8-51.4	80	30.4	22.0-38.8	63	22.6	13.8-31.4				17	4.4	01.7-07.1
\$15,000- 24,999	545	35,148	314	53.9	47.6-60.2	114	22.8	17.3-28.3	106	20.6	15.7-25.5				11	2.6	00.6-04.6
\$25,000- 34,999	405	23,854	220	48.4	41.3-55.5	102	32.0	24.9-39.1	75	18.2	12.9-23.5				8	1.4	00.2-02.6
\$35,000- 49,999	499	28,526	278	54.7	48.4-61.0	110	23.1	17.8-28.4	100	20.6	15.3-25.9				11	1.6	00.2-03.0
\$50,000- 74,999	591	40,221	357	57.2	51.1-63.3	116	23.7	18.2-29.2	106	15.8	12.1-19.5				12	3.3	00.0-06.6
\$75,000+	1088	68,621	633	57.8	53.9-61.7	229	21.7	18.2-25.2	212	18.7	15.8-21.6	1	0.1	00.0-00.3	13	1.7	00.3-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7312	518,490	232	3.5	02.9-04.1	2220	30.8	29.2-32.4	3351	45.0	43.4-46.6	12	0.2	00.0-00.4	1497	20.4	19.0-21.8
Male	3275	260,114	87	2.8	02.0-03.6	1011	30.9	28.7-33.1	1570	47.3	44.9-49.7	2	0.1	00.0-00.3	605	18.9	16.9-20.9
Female	4037	258,377	145	4.2	03.2-05.2	1209	30.7	28.5-32.9	1781	42.8	40.6-45.0	10	0.4	00.2-00.6	892	21.9	19.9-23.9
18-24	461	78,807	18	4.4	01.9-06.9	125	26.2	20.9-31.5	200	43.1	37.2-49.0	1	0.4	00.0-01.2	117	25.9	20.6-31.2
25-34	843	91,072	28	3.4	01.8-05.0	258	31.1	27.0-35.2	394	45.3	41.0-49.6	3	0.5	00.0-01.1	160	19.7	16.2-23.2
35-44	822	73,867	22	3.2	01.4-05.0	252	31.1	27.0-35.2	411	49.7	45.4-54.0				137	16.0	12.9-19.1
45-54	1253	86,826	34	2.9	01.7-04.1	403	34.1	30.6-37.6	604	47.0	43.3-50.7	2	0.1	00.0-00.3	210	15.9	13.2-18.6
55-64	1610	84,141	46	3.1	01.9-04.3	492	32.3	29.2-35.4	766	44.9	41.8-48.0	2	0.2	00.0-00.6	304	19.5	17.0-22.0
65+	2261	99,660	81	3.8	02.8-04.8	671	30.1	27.6-32.6	947	41.2	38.5-43.9	4	0.2	00.0-00.4	558	24.7	22.3-27.1
Less Than H.S.	475	47,109	22	4.4	01.9-06.9	135	26.4	21.1-31.7	181	38.5	32.2-44.8				137	30.7	24.4-37.0
H.S. or G.E.D.	2207	137,539	69	3.8	02.4-05.2	628	28.4	25.7-31.1	960	42.7	39.8-45.6	5	0.2	00.0-00.4	545	25.0	22.3-27.7
Some Post-H.S.	2394	202,782	65	2.8	01.8-03.8	737	32.4	29.7-35.1	1108	45.5	42.8-48.2	5	0.4	00.0-00.8	479	18.9	16.7-21.1
College Graduate	2214	129,476	76	4.1	02.9-05.3	715	32.8	30.3-35.3	1090	49.0	46.3-51.7	2	0.1	00.0-00.3	331	14.0	12.0-16.0
Less than \$15,000	462	41,964	20	4.7	01.4-08.0	127	28.2	21.7-34.7	189	39.0	32.3-45.7	1	0.1	00.0-00.3	125	28.0	21.3-34.7
\$15,000- 24,999	863	64,164	33	5.0	02.8-07.2	260	29.5	25.0-34.0	340	38.5	33.6-43.4	3	0.3	00.0-00.7	227	26.6	22.3-30.9
\$25,000- 34,999	668	46,975	20	2.9	01.3-04.5	195	32.1	26.6-37.6	284	41.6	36.3-46.9	2	0.9	00.0-02.3	167	22.5	18.0-27.0
\$35,000- 49,999	993	67,635	31	3.3	01.7-04.9	318	31.9	27.8-36.0	441	44.1	39.8-48.4				203	20.7	17.0-24.4
\$50,000- 74,999	1200	89,212	29	2.4	01.2-03.6	377	31.5	27.8-35.2	603	50.1	46.0-54.2	4	0.5	00.0-01.1	187	15.5	12.8-18.2
\$75,000+	2234	147,936	62	3.1	01.9-04.3	686	32.3	29.6-35.0	1134	49.7	46.8-52.6	1	0.1	00.0-00.3	351	14.8	12.6-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3275	260,114	87	2.8	02.0-03.6	1011	30.9	28.7-33.1	1570	47.3	44.9-49.7	2	0.1	00.0-00.3	605	18.9	16.9-20.9
18-24	270	42,802	9	2.5	00.1-04.9	78	26.0	19.3-32.7	119	45.8	38.2-53.4				64	25.6	18.7-32.5
25-34	416	47,961	7	2.4	00.2-04.6	119	28.2	22.7-33.7	201	47.2	41.1-53.3	2	0.7	00.0-01.9	87	21.5	16.2-26.8
35-44	385	37,833	9	3.1	00.4-05.8	105	27.1	21.4-32.8	211	55.2	48.7-61.7				60	14.6	10.1-19.1
45-54	593	43,983	12	2.1	00.3-03.9	203	37.0	31.7-42.3	293	47.3	42.0-52.6				85	13.5	09.8-17.2
55-64	742	43,291	21	3.0	01.4-04.6	226	34.2	29.5-38.9	370	45.7	41.0-50.4				125	17.1	13.6-20.6
65+	846	42,841	28	3.6	02.0-05.2	275	32.4	28.3-36.5	363	43.5	39.2-47.8				180	20.5	17.0-24.0
Less Than H.S.	250	27,257	11	3.9	01.2-06.6	69	25.2	18.3-32.1	100	42.9	34.3-51.5				70	28.0	20.2-35.8
H.S. or G.E.D.	1047	75,601	24	2.7	01.1-04.3	326	30.1	26.4-33.8	469	44.1	40.0-48.2				228	23.2	19.5-26.9
Some Post-H.S.	1024	97,570	24	2.6	01.2-04.0	320	32.9	28.8-37.0	496	46.8	42.5-51.1	1	0.3	00.0-00.9	183	17.4	14.1-20.7
College Graduate	943	58,692	28	2.8	01.2-04.4	293	31.4	27.5-35.3	499	54.0	49.9-58.1	1	0.1	00.0-00.3	122	11.7	09.0-14.4
Less than \$15,000	146	15,966	5	2.4	00.0-05.3	32	22.2	13.2-31.2	67	47.7	36.7-58.7				42	27.7	17.5-37.9
\$15,000- 24,999	324	29,480	12	3.7	01.2-06.2	109	29.6	22.7-36.5	125	42.9	35.1-50.7				78	23.8	17.1-30.5
\$25,000- 34,999	268	23,098	7	1.5	00.1-02.9	81	33.0	24.4-41.6	119	43.3	35.1-51.5				61	22.2	15.3-29.1
\$35,000- 49,999	498	39,245	11	2.1	00.5-03.7	165	32.8	27.1-38.5	223	42.9	37.0-48.8				99	22.2	16.7-27.7
\$50,000- 74,999	608	48,925	13	2.7	00.7-04.7	186	30.1	25.0-35.2	324	50.6	45.1-56.1	2	0.7	00.0-01.9	83	15.9	11.8-20.0
\$75,000+	1153	79,625	29	2.9	01.3-04.5	354	33.2	29.3-37.1	589	50.6	46.7-54.5				181	13.3	10.6-16.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4037	258,377	145	4.2	03.2-05.2	1209	30.7	28.5-32.9	1781	42.8	40.6-45.0	10	0.4	00.2-00.6	892	21.9	19.9-23.9
18-24	191	36,004	9	6.5	01.8-11.2	47	26.4	18.0-34.8	81	40.0	30.8-49.2	1	0.9	00.0-02.7	53	26.2	18.2-34.2
25-34	427	43,111	21	4.6	02.2-07.0	139	34.3	28.4-40.2	193	43.1	37.0-49.2	1	0.3	00.0-00.9	73	17.7	13.0-22.4
35-44	437	36,034	13	3.2	01.2-05.2	147	35.4	29.7-41.1	200	43.9	38.0-49.8				77	17.5	13.0-22.0
45-54	660	42,843	22	3.7	01.9-05.5	200	31.1	26.4-35.8	311	46.7	41.8-51.6	2	0.3	00.0-00.7	125	18.3	14.6-22.0
55-64	868	40,850	25	3.3	01.5-05.1	266	30.2	26.5-33.9	396	44.1	40.0-48.2	2	0.4	00.0-01.0	179	22.0	18.3-25.7
65+	1415	56,819	53	3.9	02.5-05.3	396	28.4	25.3-31.5	584	39.5	36.2-42.8	4	0.3	00.0-00.7	378	27.9	24.8-31.0
Less Than H.S.	225	19,853	11	5.1	00.4-09.8	66	28.0	19.6-36.4	81	32.4	23.2-41.6				67	34.5	24.5-44.5
H.S. or G.E.D.	1160	61,938	45	5.1	02.9-07.3	302	26.3	22.2-30.4	491	41.1	36.8-45.4	5	0.4	00.0-00.8	317	27.2	23.3-31.1
Some Post-H.S.	1370	105,211	41	3.0	01.6-04.4	417	31.9	28.4-35.4	612	44.3	40.6-48.0	4	0.5	00.0-01.1	296	20.3	17.4-23.2
College Graduate	1271	70,784	48	5.1	03.1-07.1	422	33.9	30.4-37.4	591	44.9	41.2-48.6	1	0.2	00.0-00.6	209	15.9	13.2-18.6
Less than \$15,000	316	25,998	15	6.1	01.2-11.0	95	31.9	23.3-40.5	122	33.6	25.6-41.6	1	0.2	00.0-00.6	83	28.2	19.6-36.8
\$15,000- 24,999	539	34,683	21	6.1	02.8-09.4	151	29.5	23.6-35.4	215	34.8	28.9-40.7	3	0.6	00.0-01.4	149	29.0	23.3-34.7
\$25,000- 34,999	400	23,877	13	4.2	01.3-07.1	114	31.3	24.6-38.0	165	40.0	33.1-46.9	2	1.8	00.0-04.5	106	22.8	17.1-28.5
\$35,000- 49,999	495	28,390	20	4.8	01.9-07.7	153	30.7	24.8-36.6	218	45.9	39.6-52.2				104	18.6	13.9-23.3
\$50,000- 74,999	592	40,286	16	2.1	00.7-03.5	191	33.2	27.7-38.7	279	49.4	43.5-55.3	2	0.2	00.0-00.4	104	15.1	11.4-18.8
\$75,000+	1081	68,312	33	3.4	01.8-05.0	332	31.2	27.5-34.9	545	48.6	44.5-52.7	1	0.1	00.0-00.3	170	16.7	13.6-19.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7344	521,103	1008	13.5	12.3-14.7	2819	37.7	36.1-39.3	2596	35.9	34.3-37.5	7	0.1	00.1-00.1	914	12.9	11.7-14.1
Male	3290	261,932	330	10.7	09.1-12.3	1160	35.2	32.8-37.6	1296	39.4	37.0-41.8	3	0.1	00.1-00.1	501	14.6	12.8-16.4
Female	4054	259,172	678	16.3	14.5-18.1	1659	40.1	37.9-42.3	1300	32.3	30.1-34.5	4	0.1	00.1-00.1	413	11.2	09.6-12.8
18-24	459	78,735	54	11.1	07.4-14.8	166	37.0	31.3-42.7	168	36.8	30.9-42.7				71	15.1	11.0-19.2
25-34	837	90,505	130	16.1	12.8-19.4	359	41.6	37.3-45.9	264	32.0	27.9-36.1				84	10.2	07.5-12.9
35-44	825	74,375	89	11.8	08.9-14.7	329	37.9	33.8-42.0	332	41.0	36.7-45.3	2	0.1	00.0-00.3	73	9.3	06.6-12.0
45-54	1259	87,067	162	13.6	11.1-16.1	476	37.0	33.5-40.5	473	37.3	33.8-40.8				148	12.1	09.6-14.6
55-64	1614	84,828	211	13.0	10.6-15.4	595	35.1	32.0-38.2	605	37.9	34.8-41.0	2	0.1	00.0-00.3	201	13.9	11.5-16.3
65+	2286	101,503	348	14.1	12.3-15.9	870	37.5	35.0-40.0	732	31.9	29.4-34.4	3	0.2	00.0-00.4	333	16.4	14.2-18.6
Less Than H.S.	482	48,039	59	11.7	07.6-15.8	167	34.0	28.1-39.9	144	32.3	25.8-38.8				112	22.0	16.9-27.1
H.S. or G.E.D.	2220	138,379	262	11.4	09.4-13.4	839	37.0	34.1-39.9	747	33.1	30.4-35.8	2	0.1	00.0-00.3	370	18.5	16.1-20.9
Some Post-H.S.	2392	202,894	337	13.9	11.9-15.9	873	36.3	33.6-39.0	887	37.8	35.1-40.5	1	0.0	00.0-00.0	294	12.0	10.2-13.8
College Graduate	2228	130,207	346	15.6	13.4-17.8	932	41.8	39.1-44.5	811	37.3	34.6-40.0	4	0.1	00.0-00.3	135	5.1	03.9-06.3
Less than \$15,000	466	42,185	58	11.4	06.9-15.9	161	35.8	29.1-42.5	138	30.3	23.6-37.0				109	22.6	16.9-28.3
\$15,000- 24,999	864	64,355	123	11.9	09.0-14.8	327	39.0	34.1-43.9	281	34.5	29.8-39.2	2	0.2	00.0-00.4	131	14.4	11.1-17.7
\$25,000- 34,999	671	47,322	97	14.6	10.5-18.7	266	41.3	35.8-46.8	221	30.6	25.7-35.5				87	13.5	09.8-17.2
\$35,000- 49,999	999	67,825	134	14.8	11.5-18.1	391	36.9	32.8-41.0	361	35.7	31.6-39.8	1	0.1	00.0-00.3	112	12.5	09.6-15.4
\$50,000- 74,999	1198	88,868	142	11.6	09.1-14.1	482	37.1	33.2-41.0	436	38.9	34.8-43.0	3	0.2	00.0-00.4	135	12.3	09.6-15.0
\$75,000+	2242	148,577	321	14.8	12.6-17.0	857	38.3	35.6-41.0	875	39.0	36.3-41.7	1	0.0	00.0-00.0	188	7.8	06.4-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3290	261,932	330	10.7	09.1-12.3	1160	35.2	32.8-37.6	1296	39.4	37.0-41.8	3	0.1	00.1-00.1	501	14.6	12.8-16.4
18-24	270	42,777	27	8.3	04.2-12.4	94	37.3	29.9-44.7	106	39.7	32.3-47.1				43	14.7	09.4-20.0
25-34	411	47,495	61	15.7	11.0-20.4	156	36.6	30.7-42.5	134	32.6	26.7-38.5				60	15.2	10.7-19.7
35-44	387	38,223	28	8.9	04.8-13.0	135	33.8	27.9-39.7	180	46.0	39.5-52.5	1	0.2	00.0-00.6	43	11.1	07.0-15.2
45-54	599	44,248	55	10.5	07.2-13.8	202	34.3	29.2-39.4	253	42.5	37.2-47.8				89	12.6	09.1-16.1
55-64	742	43,871	72	10.5	07.0-14.0	242	33.0	28.5-37.5	303	39.6	34.9-44.3	2	0.2	00.0-00.4	123	16.7	13.2-20.2
65+	858	44,021	84	9.7	07.3-12.1	325	36.2	32.1-40.3	308	37.1	33.0-41.2				141	17.1	13.8-20.4
Less Than H.S.	253	27,946	26	11.1	05.4-16.8	82	30.9	23.3-38.5	80	35.9	27.5-44.3				65	22.1	15.6-28.6
H.S. or G.E.D.	1052	75,961	90	9.5	07.0-12.0	389	36.5	32.6-40.4	378	35.3	31.4-39.2				195	18.8	15.7-21.9
Some Post-H.S.	1025	98,072	95	10.7	08.0-13.4	335	33.6	29.5-37.7	426	41.0	36.9-45.1				169	14.8	11.9-17.7
College Graduate	949	58,959	116	11.9	09.4-14.4	350	38.4	34.3-42.5	408	43.9	39.8-48.0	3	0.2	00.0-00.4	72	5.6	04.0-07.2
Less than \$15,000	149	16,147	16	13.3	05.1-21.5	42	34.2	23.2-45.2	45	29.2	20.0-38.4				46	23.3	14.5-32.1
\$15,000- 24,999	325	29,624	34	8.1	04.4-11.8	121	35.2	27.9-42.5	105	38.7	30.9-46.5				65	18.0	12.1-23.9
\$25,000- 34,999	269	23,366	30	13.4	06.9-19.9	104	43.5	35.1-51.9	95	31.3	23.7-38.9				40	11.7	07.2-16.2
\$35,000- 49,999	500	39,288	50	12.7	08.2-17.2	172	32.7	27.0-38.4	197	37.8	32.1-43.5	1	0.1	00.0-00.3	80	16.6	12.1-21.1
\$50,000- 74,999	608	48,750	58	9.4	06.1-12.7	213	32.2	27.3-37.1	249	42.8	37.3-48.3	2	0.2	00.0-00.4	86	15.5	11.0-20.0
\$75,000+	1157	80,067	121	11.3	08.6-14.0	410	36.2	32.3-40.1	497	42.4	38.5-46.3				129	10.1	07.7-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4054	259,172	678	16.3	14.5-18.1	1659	40.1	37.9-42.3	1300	32.3	30.1-34.5	4	0.1	00.1-00.1	413	11.2	09.6-12.8
18-24	189	35,958	27	14.5	08.0-21.0	72	36.6	27.8-45.4	62	33.5	24.5-42.5				28	15.5	08.8-22.2
25-34	426	43,010	69	16.7	12.0-21.4	203	47.2	41.1-53.3	130	31.4	25.5-37.3				24	4.8	02.3-07.3
35-44	438	36,153	61	14.8	10.5-19.1	194	42.2	36.3-48.1	152	35.6	29.9-41.3	1	0.1	00.0-00.3	30	7.3	04.2-10.4
45-54	660	42,819	107	16.7	12.8-20.6	274	39.8	34.9-44.7	220	32.0	27.5-36.5				59	11.5	08.0-15.0
55-64	872	40,957	139	15.7	12.8-18.6	353	37.4	33.5-41.3	302	36.1	32.0-40.2				78	10.8	07.7-13.9
65+	1428	57,481	264	17.5	15.0-20.0	545	38.4	35.1-41.7	424	28.0	25.1-30.9	3	0.3	00.0-00.7	192	15.9	13.2-18.6
Less Than H.S.	229	20,093	33	12.6	06.5-18.7	85	38.2	28.8-47.6	64	27.2	17.6-36.8				47	22.0	13.8-30.2
H.S. or G.E.D.	1168	62,419	172	13.7	11.0-16.4	450	37.6	33.5-41.7	369	30.5	26.4-34.6	2	0.2	00.0-00.4	175	18.1	14.4-21.8
Some Post-H.S.	1367	104,822	242	17.0	14.1-19.9	538	38.9	35.2-42.6	461	34.8	31.3-38.3	1	0.1	00.0-00.3	125	9.3	07.1-11.5
College Graduate	1279	71,248	230	18.6	15.5-21.7	582	44.6	40.9-48.3	403	31.9	28.4-35.4	1	0.1	00.0-00.3	63	4.8	03.2-06.4
Less than \$15,000	317	26,038	42	10.2	04.9-15.5	119	36.7	28.3-45.1	93	31.0	22.0-40.0				63	22.1	14.5-29.7
\$15,000- 24,999	539	34,730	89	15.2	10.7-19.7	206	42.3	36.0-48.6	176	31.0	25.5-36.5	2	0.3	00.0-00.7	66	11.2	07.5-14.9
\$25,000- 34,999	402	23,956	67	15.8	10.9-20.7	162	39.1	32.4-45.8	126	29.9	23.4-36.4				47	15.2	09.5-20.9
\$35,000- 49,999	499	28,537	84	17.6	12.5-22.7	219	42.6	36.3-48.9	164	32.9	27.0-38.8				32	6.9	03.4-10.4
\$50,000- 74,999	590	40,117	84	14.2	10.5-17.9	269	43.0	37.1-48.9	187	34.2	28.3-40.1	1	0.1	00.0-00.3	49	8.5	05.6-11.4
\$75,000+	1085	68,510	200	18.9	15.6-22.2	447	40.7	36.8-44.6	378	35.1	31.4-38.8	1	0.1	00.0-00.3	59	5.2	03.4-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7348	521,131	457	5.8	05.0-06.6	2630	34.6	33.0-36.2	3105	41.0	39.4-42.6	17	0.2	00.0-00.4	1139	18.4	17.0-19.8
Male	3300	262,316	123	3.5	02.5-04.5	1010	30.9	28.7-33.1	1525	44.0	41.6-46.4	10	0.3	00.1-00.5	632	21.3	19.3-23.3
Female	4048	258,815	334	8.0	06.8-09.2	1620	38.3	36.1-40.5	1580	38.0	35.8-40.2	7	0.2	00.0-00.4	507	15.4	13.4-17.4
18-24	458	78,677	23	6.2	03.1-09.3	130	29.4	23.9-34.9	178	36.0	30.3-41.7	2	0.7	00.0-01.7	125	27.6	22.1-33.1
25-34	840	91,021	46	5.3	03.3-07.3	313	36.6	32.5-40.7	328	37.3	33.2-41.4	2	0.4	00.0-01.0	151	20.5	16.8-24.2
35-44	824	74,000	31	4.4	02.6-06.2	267	31.9	27.8-36.0	369	44.3	40.0-48.6	2	0.1	00.0-00.3	155	19.2	15.7-22.7
45-54	1253	86,370	67	5.1	03.5-06.7	440	34.4	30.9-37.9	539	43.7	40.2-47.2	3	0.0	00.0-00.0	204	16.7	14.0-19.4
55-64	1618	85,123	96	5.6	04.2-07.0	570	34.3	31.2-37.4	712	43.9	40.8-47.0	5	0.2	00.0-00.4	235	16.0	13.5-18.5
65+	2290	101,580	190	7.4	06.0-08.8	884	39.0	36.5-41.5	956	41.5	39.0-44.0	3	0.1	00.0-00.3	257	12.0	10.0-14.0
Less Than H.S.	476	47,589	30	5.1	02.7-07.5	158	30.2	24.5-35.9	180	36.3	30.0-42.6	2	0.1	00.0-00.3	106	28.3	22.0-34.6
H.S. or G.E.D.	2226	138,787	119	5.2	03.8-06.6	732	31.1	28.4-33.8	934	38.9	36.0-41.8	4	0.1	00.0-00.3	437	24.7	22.0-27.4
Some Post-H.S.	2399	203,546	152	5.7	04.3-07.1	868	35.6	32.9-38.3	1023	42.3	39.6-45.0	2	0.3	00.0-00.7	354	16.1	13.9-18.3
College Graduate	2225	129,625	154	6.5	05.1-07.9	867	38.6	35.9-41.3	961	43.2	40.5-45.9	9	0.4	00.0-00.8	234	11.3	09.5-13.1
Less than \$15,000	465	41,682	26	7.4	02.9-11.9	139	32.4	25.7-39.1	194	34.0	27.7-40.3				106	26.2	19.5-32.9
\$15,000- 24,999	872	65,057	58	5.2	03.4-07.0	318	35.5	30.8-40.2	332	40.7	35.8-45.6	2	0.2	00.0-00.4	162	18.4	14.7-22.1
\$25,000- 34,999	669	47,277	53	8.8	05.9-11.7	251	37.4	31.9-42.9	274	36.0	30.9-41.1	1	0.7	00.0-01.9	90	17.2	12.7-21.7
\$35,000- 49,999	999	67,802	61	6.4	03.9-08.9	349	33.9	29.8-38.0	426	40.7	36.4-45.0	1	0.0	00.0-00.0	162	18.9	15.4-22.4
\$50,000- 74,999	1199	88,854	76	4.9	03.3-06.5	441	34.8	31.1-38.5	509	43.4	39.5-47.3	4	0.4	00.0-01.0	169	16.5	13.2-19.8
\$75,000+	2241	148,035	115	4.6	03.4-05.8	786	34.9	32.2-37.6	1035	45.5	42.8-48.2	7	0.3	00.0-00.7	298	14.7	12.5-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3300	262,316	123	3.5	02.5-04.5	1010	30.9	28.7-33.1	1525	44.0	41.6-46.4	10	0.3	00.1-00.5	632	21.3	19.3-23.3
18-24	270	42,758	7	4.2	00.5-07.9	75	28.6	21.7-35.5	112	39.8	32.4-47.2	1	0.6	00.0-01.8	75	26.8	20.1-33.5
25-34	413	47,848	15	3.3	01.1-05.5	130	32.2	26.5-37.9	178	38.1	32.2-44.0	2	0.7	00.0-01.9	88	25.7	20.0-31.4
35-44	388	38,138	8	2.0	00.2-03.8	101	28.4	22.5-34.3	190	48.4	41.9-54.9				89	21.1	15.8-26.4
45-54	595	43,622	18	2.8	01.0-04.6	184	30.7	25.8-35.6	277	46.5	41.2-51.8	2	0.1	00.0-00.3	114	20.0	15.7-24.3
55-64	747	44,117	29	3.8	02.0-05.6	220	30.3	25.8-34.8	363	46.6	41.7-51.5	3	0.3	00.0-00.7	132	19.1	15.0-23.2
65+	864	44,307	46	5.0	03.2-06.8	292	34.6	30.5-38.7	396	45.4	41.1-49.7	2	0.2	00.0-00.6	128	14.8	11.7-17.9
Less Than H.S.	252	27,822	13	4.1	01.4-06.8	67	23.7	16.8-30.6	101	39.5	30.9-48.1	1	0.1	00.0-00.3	70	32.6	24.6-40.6
H.S. or G.E.D.	1056	76,320	42	4.8	02.6-07.0	307	28.2	24.5-31.9	457	39.6	35.7-43.5	2	0.1	00.0-00.3	248	27.2	23.3-31.1
Some Post-H.S.	1028	97,948	32	2.4	01.0-03.8	325	33.7	29.6-37.8	476	44.7	40.6-48.8	1	0.3	00.0-00.9	194	18.9	15.4-22.4
College Graduate	953	59,232	34	2.9	01.7-04.1	308	33.4	29.5-37.3	488	50.8	46.7-54.9	6	0.7	00.0-01.5	117	12.2	09.5-14.9
Less than \$15,000	149	16,160	5	5.4	00.0-11.7	37	32.0	21.4-42.6	62	33.8	23.8-43.8				45	28.9	19.1-38.7
\$15,000- 24,999	328	29,994	12	3.2	00.8-05.6	105	28.2	21.5-34.9	132	44.1	36.3-51.9	1	0.2	00.0-00.6	78	24.3	17.6-31.0
\$25,000- 34,999	269	23,370	13	4.8	01.5-08.1	95	39.6	31.0-48.2	115	35.7	28.1-43.3				46	19.8	12.7-26.9
\$35,000- 49,999	503	39,340	18	4.2	01.1-07.3	156	32.7	27.0-38.4	223	39.0	33.3-44.7	1	0.1	00.0-00.3	105	24.0	18.7-29.3
\$50,000- 74,999	610	48,982	24	3.1	01.3-04.9	184	29.9	25.0-34.8	292	47.2	41.7-52.7	3	0.7	00.0-01.9	107	19.1	14.4-23.8
\$75,000+	1157	79,650	38	2.3	01.3-03.3	349	30.5	26.8-34.2	576	49.7	45.8-53.6	5	0.5	00.0-01.1	189	17.0	13.9-20.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4048	258,815	334	8.0	06.8-09.2	1620	38.3	36.1-40.5	1580	38.0	35.8-40.2	7	0.2	00.0-00.4	507	15.4	13.4-17.4
18-24	188	35,919	16	8.6	03.5-13.7	55	30.4	21.8-39.0	66	31.6	23.2-40.0	1	0.9	00.0-02.7	50	28.6	19.8-37.4
25-34	427	43,173	31	7.4	04.1-10.7	183	41.5	35.4-47.6	150	36.3	30.4-42.2				63	14.7	10.2-19.2
35-44	436	35,862	23	7.0	03.9-10.1	166	35.7	30.2-41.2	179	40.0	34.3-45.7	2	0.2	00.0-00.4	66	17.1	12.4-21.8
45-54	658	42,748	49	7.6	05.1-10.1	256	38.3	33.4-43.2	262	40.8	35.9-45.7	1	0.0	00.0-00.0	90	13.3	10.0-16.6
55-64	871	41,006	67	7.6	05.4-09.8	350	38.6	34.5-42.7	349	41.1	37.0-45.2	2	0.1	00.0-00.3	103	12.7	09.6-15.8
65+	1426	57,273	144	9.3	07.3-11.3	592	42.4	39.1-45.7	560	38.4	35.1-41.7	1	0.1	00.0-00.3	129	9.8	07.4-12.2
Less Than H.S.	224	19,767	17	6.5	02.0-11.0	91	39.3	29.7-48.9	79	31.8	22.8-40.8	1	0.1	00.0-00.3	36	22.3	12.5-32.1
H.S. or G.E.D.	1170	62,468	77	5.6	03.8-07.4	425	34.6	30.5-38.7	477	38.1	34.0-42.2	2	0.1	00.0-00.3	189	21.7	17.4-26.0
Some Post-H.S.	1371	105,597	120	8.8	06.6-11.0	543	37.3	33.8-40.8	547	40.1	36.4-43.8	1	0.3	00.0-00.9	160	13.5	10.8-16.2
College Graduate	1272	70,393	120	9.6	07.2-12.0	559	43.0	39.3-46.7	473	36.8	33.1-40.5	3	0.1	00.0-00.3	117	10.4	08.0-12.8
Less than \$15,000	316	25,522	21	8.8	02.7-14.9	102	32.7	24.3-41.1	132	34.1	26.1-42.1				61	24.5	15.5-33.5
\$15,000- 24,999	544	35,063	46	6.9	04.4-09.4	213	41.7	35.4-48.0	200	37.9	31.8-44.0	1	0.1	00.0-00.3	84	13.4	09.7-17.1
\$25,000- 34,999	400	23,907	40	12.7	07.8-17.6	156	35.3	28.8-41.8	159	36.2	29.5-42.9	1	1.3	00.0-03.8	44	14.6	08.9-20.3
\$35,000- 49,999	496	28,461	43	9.4	05.5-13.3	193	35.6	29.7-41.5	203	43.1	36.8-49.4				57	11.9	08.0-15.8
\$50,000- 74,999	589	39,872	52	7.2	04.7-09.7	257	40.7	35.0-46.4	217	38.7	33.0-44.4	1	0.1	00.0-00.3	62	13.4	08.5-18.3
\$75,000+	1084	68,385	77	7.1	04.9-09.3	437	40.1	36.2-44.0	459	40.6	36.7-44.5	2	0.1	00.0-00.3	109	12.1	09.2-15.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7319	520,127	2568	32.8	31.2-34.4	2515	35.8	34.2-37.4	2144	29.6	28.0-31.2	3	0.0	00.0-00.0	89	1.8	01.2-02.4
Male	3290	261,978	914	26.8	24.6-29.0	1150	36.0	33.6-38.4	1168	35.1	32.7-37.5	3	0.1	00.0-00.3	55	2.0	01.2-02.8
Female	4029	258,149	1654	38.8	36.6-41.0	1365	35.6	33.4-37.8	976	23.9	21.9-25.9				34	1.7	00.7-02.7
18-24	459	78,964	110	25.1	19.8-30.4	194	40.1	34.2-46.0	142	30.2	24.9-35.5				13	4.6	01.7-07.5
25-34	835	90,334	282	33.6	29.5-37.7	312	36.7	32.6-40.8	222	26.9	23.0-30.8				19	2.9	01.3-04.5
35-44	823	74,187	238	28.4	24.5-32.3	291	36.4	32.3-40.5	282	34.0	29.9-38.1				12	1.2	00.2-02.2
45-54	1254	86,921	425	35.0	31.5-38.5	432	34.5	31.0-38.0	381	29.6	26.3-32.9	2	0.2	00.0-00.6	14	0.6	00.2-01.0
55-64	1615	84,893	570	33.3	30.4-36.2	508	32.9	29.8-36.0	529	33.2	30.1-36.3				8	0.7	00.1-01.3
65+	2267	100,428	914	38.2	35.7-40.7	752	34.5	32.0-37.0	578	26.1	23.7-28.5	1	0.0	00.0-00.0	22	1.1	00.5-01.7
Less Than H.S.	474	47,094	147	28.5	22.4-34.6	176	36.5	30.4-42.6	133	29.0	23.1-34.9				18	6.0	01.9-10.1
H.S. or G.E.D.	2213	137,917	767	31.1	28.4-33.8	773	36.4	33.5-39.3	636	29.5	26.8-32.2	2	0.1	00.0-00.3	35	2.8	01.4-04.2
Some Post-H.S.	2398	204,033	856	34.3	31.6-37.0	802	35.4	32.7-38.1	715	29.3	26.8-31.8				25	1.0	00.4-01.6
College Graduate	2214	129,566	793	33.7	31.2-36.2	755	35.5	32.8-38.2	654	30.2	27.7-32.7	1	0.0	00.0-00.0	11	0.5	00.1-00.9
Less than \$15,000	463	41,231	146	28.1	21.8-34.4	156	37.0	30.3-43.7	143	26.9	20.8-33.0				18	8.1	03.2-13.0
\$15,000- 24,999	865	64,527	303	31.0	26.5-35.5	309	36.1	31.4-40.8	242	31.6	26.9-36.3				11	1.2	00.0-02.4
\$25,000- 34,999	665	47,174	255	31.2	26.5-35.9	232	41.2	35.5-46.9	170	26.3	21.4-31.2				8	1.3	00.1-02.5
\$35,000- 49,999	999	67,480	341	34.3	30.0-38.6	354	34.8	30.7-38.9	294	29.2	25.3-33.1	1	0.0	00.0-00.0	9	1.7	00.1-03.3
\$50,000- 74,999	1197	88,946	404	32.1	28.4-35.8	429	36.0	32.1-39.9	357	30.9	27.2-34.6	1	0.1	00.0-00.3	6	1.0	00.0-02.0
\$75,000+	2238	147,959	774	32.8	30.3-35.3	730	34.9	32.2-37.6	714	31.8	29.3-34.3				20	0.5	00.1-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3290	261,978	914	26.8	24.6-29.0	1150	36.0	33.6-38.4	1168	35.1	32.7-37.5	3	0.1	00.0-00.3	55	2.0	01.2-02.8
18-24	271	42,812	55	20.9	14.4-27.4	111	39.4	32.0-46.8	97	36.2	28.9-43.5				8	3.5	00.6-06.4
25-34	412	47,657	118	31.1	25.2-37.0	147	33.6	27.9-39.3	133	31.5	25.8-37.2				14	3.8	01.4-06.2
35-44	387	38,223	85	22.6	17.1-28.1	127	33.1	27.2-39.0	167	42.6	36.1-49.1				8	1.6	00.0-03.2
45-54	597	44,151	156	28.6	23.5-33.7	210	36.4	31.1-41.7	219	33.9	29.0-38.8	2	0.4	00.0-01.2	10	0.6	00.2-01.0
55-64	745	43,823	221	26.3	22.4-30.2	238	36.5	31.6-41.4	281	36.5	31.8-41.2				5	0.6	00.0-01.4
65+	855	43,787	273	29.5	25.6-33.4	308	37.3	33.0-41.6	264	31.9	28.0-35.8	1	0.1	00.0-00.3	9	1.3	00.3-02.3
Less Than H.S.	253	27,825	66	27.4	19.2-35.6	92	35.5	27.7-43.3	84	33.6	25.6-41.6				11	3.5	00.8-06.2
H.S. or G.E.D.	1051	75,815	300	27.0	23.3-30.7	385	36.3	32.4-40.2	341	33.1	29.2-37.0	2	0.3	00.0-00.7	23	3.4	01.4-05.4
Some Post-H.S.	1028	98,298	280	26.9	23.2-30.6	362	37.5	33.4-41.6	373	34.5	30.6-38.4				13	1.1	00.3-01.9
College Graduate	947	59,045	265	26.1	22.6-29.6	306	33.5	29.6-37.4	367	39.5	35.4-43.6	1	0.1	00.0-00.3	8	0.9	00.1-01.7
Less than \$15,000	148	16,091	37	26.7	16.1-37.3	46	37.4	26.6-48.2	58	31.1	21.5-40.7				7	4.8	00.7-08.9
\$15,000- 24,999	328	29,848	84	22.5	16.0-29.0	138	40.4	32.8-48.0	99	35.1	27.5-42.7				7	2.0	00.0-04.4
\$25,000- 34,999	267	23,227	83	24.1	17.8-30.4	94	39.8	31.2-48.4	84	34.2	26.2-42.2				6	1.9	00.0-03.9
\$35,000- 49,999	502	39,039	136	25.9	20.6-31.2	185	37.0	31.1-42.9	174	34.4	28.7-40.1	1	0.1	00.0-00.3	6	2.6	00.1-05.1
\$50,000- 74,999	608	48,865	163	26.1	21.2-31.0	220	33.8	28.7-38.9	219	38.6	33.1-44.1	1	0.1	00.0-00.3	5	1.4	00.0-03.0
\$75,000+	1159	80,109	334	28.8	25.3-32.3	371	34.1	30.4-37.8	438	36.3	32.6-40.0				16	0.8	00.2-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4029	258,149	1654	38.8	36.6-41.0	1365	35.6	33.4-37.8	976	23.9	21.9-25.9	34	1.7	00.7-02.7
18-24	188	36,152	55	30.1	21.5-38.7	83	41.0	32.0-50.0	45	23.1	15.3-30.9	5	5.8	00.5-11.1
25-34	423	42,677	164	36.4	30.5-42.3	165	40.1	34.0-46.2	89	21.7	16.8-26.6	5	1.8	00.0-04.0
35-44	436	35,964	153	34.6	29.1-40.1	164	39.8	33.9-45.7	115	24.8	19.7-29.9	4	0.8	00.0-01.6
45-54	657	42,770	269	41.6	36.5-46.7	222	32.6	28.1-37.1	162	25.1	20.8-29.4	4	0.7	00.0-01.5
55-64	870	41,070	349	40.7	36.6-44.8	270	29.0	25.3-32.7	248	29.5	25.6-33.4	3	0.7	00.0-01.7
65+	1412	56,641	641	45.0	41.7-48.3	444	32.4	29.3-35.5	314	21.6	18.9-24.3	13	1.0	00.4-01.6
Less Than H.S.	221	19,268	81	30.2	21.2-39.2	84	37.8	28.4-47.2	49	22.5	14.5-30.5	7	9.6	00.4-18.8
H.S. or G.E.D.	1162	62,101	467	36.2	32.3-40.1	388	36.6	32.3-40.9	295	25.1	21.2-29.0	12	2.1	00.5-03.7
Some Post-H.S.	1370	105,734	576	41.2	37.5-44.9	440	33.4	29.9-36.9	342	24.5	21.4-27.6	12	0.9	00.1-01.7
College Graduate	1267	70,520	528	40.1	36.4-43.8	449	37.2	33.5-40.9	287	22.4	19.3-25.5	3	0.3	00.0-00.7
Less than \$15,000	315	25,140	109	28.9	21.3-36.5	110	36.7	28.1-45.3	85	24.3	16.3-32.3	11	10.1	02.5-17.7
\$15,000- 24,999	537	34,679	219	38.4	32.3-44.5	171	32.4	26.5-38.3	143	28.7	22.8-34.6	4	0.5	00.0-01.1
\$25,000- 34,999	398	23,947	172	38.1	31.4-44.8	138	42.6	35.3-49.9	86	18.6	13.5-23.7	2	0.7	00.0-01.7
\$35,000- 49,999	497	28,440	205	45.8	39.3-52.3	169	31.9	26.2-37.6	120	21.9	17.2-26.6	3	0.4	00.0-01.0
\$50,000- 74,999	589	40,081	241	39.3	33.4-45.2	209	38.8	32.9-44.7	138	21.5	17.2-25.8	1	0.4	00.0-01.2
\$75,000+	1079	67,850	440	37.4	33.5-41.3	359	35.8	31.7-39.9	276	26.6	23.1-30.1	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 12: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	221
2	MALES ONLY	222
3	FEMALES ONLY	223
	WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)	
4	MALES AND FEMALES	224
5	MALES ONLY	225
6	FEMALES ONLY	226
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7	MALES AND FEMALES	227
8	MALES ONLY	228
9	FEMALES ONLY	229
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10	MALES AND FEMALES	230
11	MALES ONLY	231
12	FEMALES ONLY	232
	WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)	
13	MALES AND FEMALES	233
14	MALES ONLY	234
15	FEMALES ONLY	235
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16	MALES AND FEMALES	236
17	MALES ONLY	237
18	FEMALES ONLY	238

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 12: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19 MALES AND FEMALES	239
20 MALES ONLY	240
21 FEMALES ONLY	241
DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22 MALES AND FEMALES	242
23 MALES ONLY	243
24 FEMALES ONLY	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7380	521,677	5215	72.4	71.0-73.8	2165	27.6	26.2-29.0
Male	3313	262,275	2294	72.5	70.3-74.7	1019	27.5	25.3-29.7
Female	4067	259,402	2921	72.3	70.3-74.3	1146	27.7	25.7-29.7
18-24	461	78,717	372	79.9	75.0-84.8	89	20.1	15.2-25.0
25-34	837	90,412	663	79.2	75.5-82.9	174	20.8	17.1-24.5
35-44	827	74,291	592	70.5	66.4-74.6	235	29.5	25.4-33.6
45-54	1249	86,199	896	72.4	69.1-75.7	353	27.6	24.3-30.9
55-64	1620	84,848	1108	67.9	64.8-71.0	512	32.1	29.0-35.2
65+	2321	102,838	1536	65.7	63.2-68.2	785	34.3	31.8-36.8
Less Than H.S.	482	47,272	289	58.3	51.8-64.8	193	41.7	35.2-48.2
H.S. or G.E.D.	2240	138,988	1399	65.1	62.4-67.8	841	34.9	32.2-37.6
Some Post-H.S.	2407	204,004	1705	74.1	71.7-76.5	702	25.9	23.5-28.3
College Graduate	2230	129,879	1809	82.9	80.9-84.9	421	17.1	15.1-19.1
Less than \$15,000	468	41,801	279	60.6	53.7-67.5	189	39.4	32.5-46.3
\$15,000- 24,999	874	64,779	576	67.5	63.0-72.0	298	32.5	28.0-37.0
\$25,000- 34,999	672	47,337	456	69.8	64.7-74.9	216	30.2	25.1-35.3
\$35,000- 49,999	996	66,871	702	72.9	69.2-76.6	294	27.1	23.4-30.8
\$50,000- 74,999	1206	89,322	863	74.0	70.5-77.5	343	26.0	22.5-29.5
\$75,000+	2242	147,908	1710	78.7	76.5-80.9	532	21.3	19.1-23.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3313	262,275	2294	72.5	70.3-74.7	1019	27.5	25.3-29.7
18-24	270	42,503	220	82.3	76.4-88.2	50	17.7	11.8-23.6
25-34	413	47,697	319	79.7	74.8-84.6	94	20.3	15.4-25.2
35-44	391	38,432	271	70.3	64.4-76.2	120	29.7	23.8-35.6
45-54	593	43,547	400	69.4	64.5-74.3	193	30.6	25.7-35.5
55-64	748	43,889	477	64.0	59.3-68.7	271	36.0	31.3-40.7
65+	876	44,708	591	68.5	64.6-72.4	285	31.5	27.6-35.4
Less Than H.S.	253	27,287	149	61.9	53.7-70.1	104	38.1	29.9-46.3
H.S. or G.E.D.	1063	76,471	651	66.1	62.4-69.8	412	33.9	30.2-37.6
Some Post-H.S.	1033	98,416	716	73.8	70.3-77.3	317	26.2	22.7-29.7
College Graduate	953	59,108	771	83.5	80.6-86.4	182	16.5	13.6-19.4
Less than \$15,000	151	16,328	89	66.9	56.9-76.9	62	33.1	23.1-43.1
\$15,000- 24,999	328	29,682	221	69.6	62.7-76.5	107	30.4	23.5-37.3
\$25,000- 34,999	271	23,485	185	70.7	63.1-78.3	86	29.3	21.7-36.9
\$35,000- 49,999	501	38,561	343	72.0	66.9-77.1	158	28.0	22.9-33.1
\$50,000- 74,999	616	49,322	420	70.8	65.9-75.7	196	29.2	24.3-34.1
\$75,000+	1160	80,007	848	76.2	72.9-79.5	312	23.8	20.5-27.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4067	259,402	2921	72.3	70.3-74.3	1146	27.7	25.7-29.7
18-24	191	36,214	152	77.1	68.9-85.3	39	22.9	14.7-31.1
25-34	424	42,715	344	78.6	73.3-83.9	80	21.4	16.1-26.7
35-44	436	35,859	321	70.7	65.2-76.2	115	29.3	23.8-34.8
45-54	656	42,651	496	75.4	71.1-79.7	160	24.6	20.3-28.9
55-64	872	40,959	631	72.0	68.1-75.9	241	28.0	24.1-31.9
65+	1445	58,130	945	63.5	60.2-66.8	500	36.5	33.2-39.8
Less Than H.S.	229	19,985	140	53.3	43.1-63.5	89	46.7	36.5-56.9
H.S. or G.E.D.	1177	62,518	748	63.9	59.8-68.0	429	36.1	32.0-40.2
Some Post-H.S.	1374	105,589	989	74.4	71.1-77.7	385	25.6	22.3-28.9
College Graduate	1277	70,771	1038	82.3	79.6-85.0	239	17.7	15.0-20.4
Less than \$15,000	317	25,473	190	56.6	47.4-65.8	127	43.4	34.2-52.6
\$15,000- 24,999	546	35,097	355	65.7	60.0-71.4	191	34.3	28.6-40.0
\$25,000- 34,999	401	23,851	271	69.0	62.5-75.5	130	31.0	24.5-37.5
\$35,000- 49,999	495	28,311	359	74.1	68.6-79.6	136	25.9	20.4-31.4
\$50,000- 74,999	590	39,999	443	78.0	73.1-82.9	147	22.0	17.1-26.9
\$75,000+	1082	67,901	862	81.6	78.7-84.5	220	18.4	15.5-21.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4883	355,534	1028	26.0	24.0-28.0	2981	54.8	52.8-56.8	215	4.8	03.8-05.8	44	0.8	00.4-01.2	47	0.9	00.5-01.3	568	12.6	11.2-14.0
Male	2150	179,906	477	26.8	24.1-29.5	1193	47.9	45.0-50.8	176	8.3	06.7-09.9	20	0.9	00.3-01.5	30	1.1	00.5-01.7	254	15.1	12.7-17.5
Female	2733	175,628	551	25.3	22.8-27.8	1788	61.8	59.1-64.5	39	1.3	00.7-01.9	24	0.7	00.3-01.1	17	0.7	00.1-01.3	314	10.2	08.6-11.8
18-24	353	60,429	149	45.6	38.9-52.3	108	28.8	22.7-34.9	26	5.9	02.8-09.0	5	0.9	00.0-01.9	1	0.1	00.0-00.3	64	18.6	13.5-23.7
25-34	624	68,147	224	35.8	31.1-40.5	276	43.4	38.5-48.3	46	7.0	04.6-09.4	5	0.6	00.0-01.2	7	1.7	00.1-03.3	66	11.6	08.3-14.9
35-44	556	48,823	173	30.3	25.6-35.0	279	49.1	43.8-54.4	29	5.6	03.1-08.1	7	1.3	00.1-02.5	4	0.9	00.0-02.1	64	12.8	08.9-16.7
45-54	856	59,756	163	18.0	14.7-21.3	566	68.6	64.7-72.5	35	3.4	02.0-04.8	6	0.6	00.0-01.2	6	0.7	00.1-01.3	80	8.7	06.3-11.1
55-64	1054	54,300	130	12.1	09.4-14.8	724	68.4	64.7-72.1	48	5.0	03.0-07.0	11	0.8	00.2-01.4	11	0.9	00.3-01.5	130	12.8	10.3-15.3
65+	1395	60,932	180	12.4	10.0-14.8	999	72.3	69.4-75.2	30	2.0	01.2-02.8	10	0.8	00.2-01.4	18	1.1	00.5-01.7	158	11.5	09.3-13.7
Less Than H.S.	260	25,100	40	20.7	12.9-28.5	183	62.5	53.7-71.3	5	2.4	00.0-04.8				1	0.4	00.0-01.2	31	13.9	07.0-20.8
H.S. or G.E.D.	1310	85,328	222	23.2	19.5-26.9	846	57.4	53.5-61.3	46	3.7	02.3-05.1	12	0.7	00.1-01.3	12	1.3	00.3-02.3	172	13.7	11.0-16.4
Some Post-H.S.	1585	141,461	313	25.1	21.8-28.4	992	55.6	52.1-59.1	80	5.5	03.7-07.3	15	1.1	00.5-01.7	18	0.9	00.3-01.5	167	11.9	09.5-14.3
College Graduate	1716	102,806	450	30.9	28.0-33.8	955	49.9	46.8-53.0	83	5.6	04.0-07.2	17	0.7	00.3-01.1	16	0.8	00.4-01.2	195	12.2	10.0-14.4
Less than \$15,000	255	23,865	49	31.8	22.6-41.0	162	51.5	42.1-60.9	10	4.5	00.8-08.2	1	0.0	00.0-00.0	3	0.6	00.0-01.6	30	11.4	05.9-16.9
\$15,000- 24,999	528	40,705	101	24.1	18.0-30.2	350	59.0	52.5-65.5	13	2.8	00.4-05.2	5	1.3	00.0-02.7				59	12.8	07.9-17.7
\$25,000- 34,999	429	31,715	75	21.1	15.2-27.0	277	59.9	53.0-66.8	16	5.7	01.6-09.8	3	0.9	00.0-01.9	10	2.0	00.0-04.0	48	10.4	06.7-14.1
\$35,000- 49,999	652	45,324	120	24.0	18.9-29.1	426	58.5	53.0-64.0	23	3.7	01.7-05.7	4	0.6	00.0-01.4	4	0.6	00.0-01.4	75	12.7	08.8-16.6
\$50,000- 74,999	820	63,654	161	23.9	19.6-28.2	506	53.6	48.7-58.5	38	6.0	03.5-08.5	5	0.5	00.0-01.3	11	1.4	00.2-02.6	99	14.6	10.9-18.3
\$75,000+	1632	110,076	426	29.7	26.6-32.8	886	50.5	47.2-53.8	103	6.3	04.7-07.9	17	0.6	00.2-01.0	14	0.9	00.1-01.7	186	12.1	09.9-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2150	179,906	477	26.8	24.1-29.5	1193	47.9	45.0-50.8	176	8.3	06.7-09.9	20	0.9	00.3-01.5	30	1.1	00.5-01.7	254	15.1	12.7-17.5
18-24	210	33,683	83	43.4	34.8-52.0	45	18.4	12.3-24.5	23	9.2	04.1-14.3	3	1.2	00.0-02.8				56	27.8	20.2-35.4
25-34	296	36,460	111	36.2	29.5-42.9	111	36.8	29.9-43.7	35	10.6	06.5-14.7	3	0.4	00.0-01.0	4	1.8	00.0-04.0	32	14.2	08.9-19.5
35-44	258	25,418	76	29.7	22.6-36.8	114	42.2	34.6-49.8	26	10.1	05.2-15.0	5	1.8	00.0-03.8	2	0.5	00.0-01.3	35	15.8	09.3-22.3
45-54	383	28,810	82	19.4	14.5-24.3	232	64.5	58.2-70.8	29	5.9	03.4-08.4	3	0.7	00.0-01.7	4	0.9	00.0-02.1	33	8.6	04.9-12.3
55-64	452	26,507	54	12.5	08.0-17.0	304	63.6	57.5-69.7	37	9.3	05.6-13.0	1	0.6	00.0-01.8	9	1.7	00.5-02.9	47	12.4	08.3-16.5
65+	535	27,810	67	12.5	08.8-16.2	378	72.2	67.5-76.9	25	3.8	02.0-05.6	5	0.9	00.0-01.9	11	1.7	00.5-02.9	49	9.0	06.1-11.9
Less Than H.S.	138	15,751	22	21.1	10.7-31.5	90	55.4	43.4-67.4	5	3.8	00.0-07.7				1	0.7	00.0-02.1	20	18.9	08.5-29.3
H.S. or G.E.D.	607	47,689	113	23.4	18.3-28.5	363	52.6	47.1-58.1	36	5.5	03.1-07.9	4	0.6	00.0-01.4	9	1.3	00.3-02.3	82	16.5	12.2-20.8
Some Post-H.S.	669	68,572	153	28.2	23.3-33.1	359	45.5	40.4-50.6	66	9.8	06.5-13.1	8	1.5	00.3-02.7	11	1.0	00.0-02.0	72	14.0	10.1-17.9
College Graduate	730	47,177	188	30.0	25.7-34.3	379	44.7	40.2-49.2	69	10.5	07.6-13.4	8	0.6	00.0-01.2	9	1.1	00.3-01.9	77	13.1	09.8-16.4
Less than \$15,000	83	10,567	17	35.1	20.8-49.4	41	38.5	25.4-51.6	8	6.9	00.6-13.2	1	0.1	00.0-00.3	3	1.4	00.0-03.6	13	18.1	07.3-28.9
\$15,000- 24,999	204	19,299	37	22.5	13.7-31.3	130	55.6	45.4-65.8	9	3.9	00.0-08.2	4	1.9	00.0-04.3				24	16.1	07.7-24.5
\$25,000- 34,999	177	16,113	34	23.0	13.8-32.2	97	49.8	39.6-60.0	15	11.1	03.5-18.7	2	1.3	00.0-03.1	4	1.0	00.0-02.0	25	13.8	07.5-20.1
\$35,000- 49,999	316	25,753	52	23.7	16.4-31.0	197	52.2	44.6-59.8	20	6.1	02.8-09.4	2	0.9	00.0-02.1	3	1.0	00.0-02.4	42	16.1	10.2-22.0
\$50,000- 74,999	399	33,662	82	23.8	17.9-29.7	229	44.3	37.8-50.8	29	10.2	05.7-14.7	2	0.8	00.0-02.2	9	2.3	00.1-04.5	48	18.6	12.3-24.9
\$75,000+	802	57,549	217	30.3	26.0-34.6	404	46.5	41.8-51.2	88	10.8	07.9-13.7	6	0.2	00.0-00.4	10	0.9	00.3-01.5	77	11.3	08.2-14.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2733	175,628	551	25.3	22.8-27.8	1788	61.8	59.1-64.5	39	1.3	00.7-01.9	24	0.7	00.3-01.1	17	0.7	00.1-01.3	314	10.2	08.6-11.8
18-24	143	26,746	66	48.4	37.8-59.0	63	42.0	31.4-52.6	3	1.7	00.0-04.1	2	0.5	00.0-01.3	1	0.3	00.0-00.9	8	7.1	01.8-12.4
25-34	328	31,687	113	35.3	28.6-42.0	165	51.0	43.9-58.1	11	2.8	00.6-05.0	2	0.7	00.0-01.9	3	1.6	00.0-04.0	34	8.6	05.1-12.1
35-44	298	23,405	97	30.9	24.4-37.4	165	56.6	49.5-63.7	3	0.8	00.0-01.8	2	0.8	00.0-02.0	2	1.4	00.0-03.6	29	9.6	05.5-13.7
45-54	473	30,946	81	16.8	12.5-21.1	334	72.4	67.3-77.5	6	1.1	00.1-02.1	3	0.6	00.0-01.4	2	0.5	00.0-01.3	47	8.7	05.8-11.6
55-64	602	27,793	76	11.8	08.7-14.9	420	73.1	68.8-77.4	11	1.0	00.2-01.8	10	0.9	00.3-01.5	2	0.1	00.0-00.3	83	13.1	10.0-16.2
65+	860	33,123	113	12.3	09.6-15.0	621	72.3	68.4-76.2	5	0.5	00.0-01.1	5	0.7	00.1-01.3	7	0.6	00.0-01.2	109	13.6	10.7-16.5
Less Than H.S.	122	9,349	18	20.1	08.7-31.5	93	74.5	62.9-86.1										11	5.4	01.3-09.5
H.S. or G.E.D.	703	37,639	109	22.9	17.4-28.4	483	63.5	57.6-69.4	10	1.4	00.0-02.8	8	0.9	00.1-01.7	3	1.2	00.0-03.2	90	10.1	07.4-12.8
Some Post-H.S.	916	72,890	160	22.2	17.9-26.5	633	65.0	60.5-69.5	14	1.4	00.4-02.4	7	0.6	00.0-01.2	7	0.8	00.0-01.6	95	9.9	07.4-12.4
College Graduate	986	55,629	262	31.7	27.6-35.8	576	54.4	50.1-58.7	14	1.4	00.4-02.4	9	0.7	00.1-01.3	7	0.5	00.1-00.9	118	11.4	08.9-13.9
Less than \$15,000	172	13,298	32	29.2	17.4-41.0	121	61.9	49.7-74.1	2	2.7	00.0-07.2							17	6.2	02.3-10.1
\$15,000- 24,999	324	21,406	64	25.7	17.5-33.9	220	62.1	53.7-70.5	4	1.7	00.0-03.7	1	0.8	00.0-02.4				35	9.7	04.8-14.6
\$25,000- 34,999	252	15,602	41	19.2	11.8-26.6	180	70.2	62.0-78.4	1	0.2	00.0-00.6	1	0.4	00.0-01.2	6	3.2	00.0-06.9	23	6.8	02.7-10.9
\$35,000- 49,999	336	19,570	68	24.3	17.4-31.2	229	66.7	59.3-74.1	3	0.6	00.0-01.4	2	0.3	00.0-00.7	1	0.0	00.0-00.0	33	8.1	04.0-12.2
\$50,000- 74,999	421	29,993	79	24.0	17.5-30.5	277	64.1	57.4-70.8	9	1.3	00.3-02.3	3	0.2	00.0-00.4	2	0.4	00.0-01.0	51	10.1	06.8-13.4
\$75,000+	830	52,526	209	29.0	24.5-33.5	482	54.8	50.1-59.5	15	1.4	00.4-02.4	11	1.0	00.2-01.8	4	0.9	00.0-02.3	109	13.0	10.1-15.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5114	371,732	2307	47.4	45.4-49.4	1376	25.7	23.9-27.5	640	12.4	11.2-13.6	215	3.7	02.9-04.5	576	10.8	09.6-12.0
Male	2244	186,760	927	45.0	42.1-47.9	568	23.5	21.1-25.9	350	15.5	13.5-17.5	104	3.7	02.7-04.7	295	12.3	10.5-14.1
Female	2870	184,972	1380	49.8	47.1-52.5	808	27.9	25.4-30.4	290	9.4	08.0-10.8	111	3.7	02.7-04.7	281	9.2	07.6-10.8
18-24	370	62,850	189	50.4	43.7-57.1	99	29.2	23.1-35.3	35	7.3	04.4-10.2	12	3.1	00.9-05.3	35	10.0	06.1-13.9
25-34	653	70,897	349	51.7	46.8-56.6	133	20.0	16.1-23.9	84	14.1	10.6-17.6	28	3.7	01.9-05.5	59	10.5	07.4-13.6
35-44	588	51,926	310	55.7	50.6-60.8	121	20.7	16.4-25.0	83	12.7	09.4-16.0	18	2.4	01.0-03.8	56	8.5	05.4-11.6
45-54	879	61,199	421	47.1	42.8-51.4	204	24.9	21.0-28.8	114	13.2	10.5-15.9	38	4.3	02.3-06.3	102	10.4	07.9-12.9
55-64	1089	56,537	469	42.0	38.3-45.7	279	24.6	21.3-27.9	157	15.9	13.0-18.8	52	4.9	03.1-06.7	132	12.6	10.1-15.1
65+	1488	65,250	549	37.9	34.8-41.0	522	33.7	30.6-36.8	162	11.9	09.7-14.1	67	4.0	02.8-05.2	188	12.5	10.3-14.7
Less Than H.S.	275	26,643	91	36.6	28.2-45.0	101	34.5	26.7-42.3	42	16.6	10.5-22.7	8	1.9	00.1-03.7	33	10.5	05.6-15.4
H.S. or G.E.D.	1358	88,175	592	45.0	41.1-48.9	409	28.7	25.0-32.4	150	10.6	08.4-12.8	46	3.5	02.1-04.9	161	12.3	09.6-15.0
Some Post-H.S.	1672	148,888	746	48.2	44.9-51.5	430	24.3	21.4-27.2	231	12.4	10.4-14.4	77	4.0	02.8-05.2	188	11.1	08.9-13.3
College Graduate	1797	107,176	872	50.9	47.8-54.0	432	23.0	20.5-25.5	217	13.1	10.9-15.3	82	3.7	02.5-04.9	194	9.3	07.5-11.1
Less than \$15,000	271	25,008	104	42.0	33.0-51.0	90	31.2	22.2-40.2	27	8.9	04.6-13.2	12	4.7	01.6-07.8	38	13.2	07.3-19.1
\$15,000- 24,999	562	43,013	213	42.4	36.1-48.7	193	31.8	26.1-37.5	68	12.3	08.4-16.2	22	3.9	01.7-06.1	66	9.7	06.4-13.0
\$25,000- 34,999	449	32,851	192	47.1	40.4-53.8	124	24.1	18.6-29.6	58	13.4	09.3-17.5	21	4.5	01.8-07.2	54	11.0	07.1-14.9
\$35,000- 49,999	689	48,015	301	44.8	39.5-50.1	185	27.2	22.3-32.1	88	12.6	09.3-15.9	28	2.6	01.2-04.0	87	12.8	09.5-16.1
\$50,000- 74,999	854	65,777	396	46.6	41.9-51.3	214	23.2	19.3-27.1	109	14.2	10.9-17.5	42	3.7	02.3-05.1	93	12.4	08.9-15.9
\$75,000+	1697	115,733	831	51.1	47.8-54.4	391	22.7	20.0-25.4	222	12.8	10.6-15.0	72	4.3	02.9-05.7	181	9.1	07.3-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2244	186,760	927	45.0	42.1-47.9	568	23.5	21.1-25.9	350	15.5	13.5-17.5	104	3.7	02.7-04.7	295	12.3	10.5-14.1
18-24	219	34,942	111	51.8	43.4-60.2	56	27.7	20.1-35.3	25	8.9	04.6-13.2	7	2.8	00.3-05.3	20	8.8	04.3-13.3
25-34	315	37,601	156	46.2	39.3-53.1	49	15.4	10.1-20.7	53	20.1	14.4-25.8	18	4.0	01.6-06.4	39	14.3	09.2-19.4
35-44	269	26,749	126	50.6	42.8-58.4	55	21.8	15.1-28.5	45	14.1	09.0-19.2	10	2.4	00.6-04.2	33	11.1	05.8-16.4
45-54	390	29,353	170	46.5	39.8-53.2	81	20.5	15.0-26.0	72	17.7	13.0-22.4	17	4.0	00.9-07.1	50	11.2	07.1-15.3
55-64	465	27,534	177	38.4	32.5-44.3	116	23.1	18.0-28.2	84	20.0	15.1-24.9	27	5.9	03.2-08.6	61	12.5	08.8-16.2
65+	571	29,612	179	34.3	29.2-39.4	210	34.0	29.1-38.9	68	12.3	08.8-15.8	25	3.3	01.7-04.9	89	16.1	12.4-19.8
Less Than H.S.	143	16,585	42	38.8	27.2-50.4	44	29.1	19.1-39.1	27	18.6	10.2-27.0	6	1.7	00.0-03.5	24	11.8	05.7-17.9
H.S. or G.E.D.	632	49,157	260	44.0	38.7-49.3	186	26.4	21.7-31.1	82	11.5	08.4-14.6	22	3.9	01.7-06.1	82	14.3	10.4-18.2
Some Post-H.S.	697	71,139	299	45.6	40.5-50.7	153	21.9	17.6-26.2	129	16.8	13.3-20.3	33	3.7	01.9-05.5	83	12.0	08.7-15.3
College Graduate	765	49,135	322	46.9	42.4-51.4	184	21.2	17.7-24.7	112	16.8	13.3-20.3	41	3.8	02.4-05.2	106	11.2	08.5-13.9
Less than \$15,000	85	10,771	29	38.7	25.0-52.4	20	27.1	14.0-40.2	15	12.9	05.3-20.5	7	7.4	01.1-13.7	14	13.8	04.8-22.8
\$15,000- 24,999	216	20,283	79	41.9	32.1-51.7	71	30.7	21.9-39.5	28	11.5	06.0-17.0	11	3.1	00.9-05.3	27	12.8	06.5-19.1
\$25,000- 34,999	182	16,540	79	50.7	40.7-60.7	43	19.1	11.8-26.4	28	14.9	08.2-21.6	8	3.5	00.0-07.4	24	11.6	05.9-17.3
\$35,000- 49,999	333	27,158	130	44.0	36.6-51.4	83	22.0	15.5-28.5	54	15.9	10.8-21.0	12	2.8	00.6-05.0	54	15.3	10.2-20.4
\$50,000- 74,999	415	34,762	169	42.1	35.4-48.8	101	19.0	14.3-23.7	66	20.1	14.6-25.6	27	4.2	02.2-06.2	52	14.7	09.6-19.8
\$75,000+	839	60,484	358	46.2	41.5-50.9	201	23.7	19.8-27.6	137	15.8	12.5-19.1	38	4.4	02.4-06.4	105	10.0	07.5-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2870	184,972	1380	49.8	47.1-52.5	808	27.9	25.4-30.4	290	9.4	08.0-10.8	111	3.7	02.7-04.7	281	9.2	07.6-10.8
18-24	151	27,908	78	48.7	38.3-59.1	43	31.0	21.0-41.0	10	5.2	01.1-09.3	5	3.5	00.0-07.0	15	11.5	04.6-18.4
25-34	338	33,296	193	57.9	51.0-64.8	84	25.2	19.1-31.3	31	7.4	04.1-10.7	10	3.4	00.9-05.9	20	6.1	02.8-09.4
35-44	319	25,177	184	61.1	54.4-67.8	66	19.6	14.3-24.9	38	11.2	06.9-15.5	8	2.4	00.4-04.4	23	5.8	03.1-08.5
45-54	489	31,846	251	47.7	41.8-53.6	123	29.0	23.3-34.7	42	9.0	05.9-12.1	21	4.6	02.2-07.0	52	9.6	06.1-13.1
55-64	624	29,003	292	45.4	40.5-50.3	163	26.0	21.7-30.3	73	12.0	08.9-15.1	25	3.9	01.9-05.9	71	12.7	09.2-16.2
65+	917	35,638	370	40.9	36.8-45.0	312	33.5	29.6-37.4	94	11.5	09.0-14.0	42	4.5	02.7-06.3	99	9.6	07.1-12.1
Less Than H.S.	132	10,058	49	32.8	21.6-44.0	57	43.5	31.3-55.7	15	13.1	04.5-21.7	2	2.2	00.0-05.5	9	8.3	00.0-16.9
H.S. or G.E.D.	726	39,018	332	46.2	40.5-51.9	223	31.7	26.0-37.4	68	9.4	06.3-12.5	24	2.9	01.3-04.5	79	9.8	06.5-13.1
Some Post-H.S.	975	77,749	447	50.5	46.0-55.0	277	26.5	22.6-30.4	102	8.4	06.4-10.4	44	4.4	02.6-06.2	105	10.2	07.5-12.9
College Graduate	1032	58,041	550	54.3	50.0-58.6	248	24.4	20.7-28.1	105	10.0	07.6-12.4	41	3.7	02.1-05.3	88	7.6	05.2-10.0
Less than \$15,000	186	14,236	75	44.5	32.5-56.5	70	34.2	22.0-46.4	12	6.0	01.5-10.5	5	2.7	00.0-05.4	24	12.7	04.9-20.5
\$15,000- 24,999	346	22,729	134	42.8	34.8-50.8	122	32.7	25.3-40.1	40	13.0	07.5-18.5	11	4.6	01.1-08.1	39	6.8	03.7-09.9
\$25,000- 34,999	267	16,311	113	43.3	34.9-51.7	81	29.1	21.1-37.1	30	11.8	06.7-16.9	13	5.4	01.3-09.5	30	10.4	05.1-15.7
\$35,000- 49,999	356	20,857	171	45.9	38.6-53.2	102	33.9	26.5-41.3	34	8.3	04.8-11.8	16	2.3	00.9-03.7	33	9.5	05.2-13.8
\$50,000- 74,999	439	31,015	227	51.6	44.7-58.5	113	28.0	21.9-34.1	43	7.5	04.8-10.2	15	3.1	01.1-05.1	41	9.8	05.1-14.5
\$75,000+	858	55,249	473	56.5	52.0-61.0	190	21.7	18.0-25.4	85	9.5	07.0-12.0	34	4.1	02.3-05.9	76	8.2	05.7-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5149	373,427	2581	46.9	44.9-48.9	744	14.5	13.1-15.9	36	0.7	00.3-01.1	1132	24.9	23.1-26.7	421	8.7	07.5-09.9	235	4.3	03.5-05.1
Male	2261	187,820	1024	42.5	39.8-45.2	298	12.6	10.6-14.6	12	0.3	00.1-00.5	541	26.3	23.8-28.8	251	12.9	10.9-14.9	135	5.3	04.1-06.5
Female	2888	185,607	1557	51.3	48.6-54.0	446	16.4	14.4-18.4	24	1.2	00.4-02.0	591	23.4	21.0-25.8	170	4.4	03.4-05.4	100	3.2	02.2-04.2
18-24	368	62,818	132	37.1	30.6-43.6	48	14.1	09.4-18.8	4	1.4	00.0-03.0	118	32.2	25.9-38.5	57	12.5	08.6-16.4	9	2.7	00.5-04.9
25-34	658	71,123	288	41.0	36.3-45.7	96	12.4	09.5-15.3	1	0.7	00.0-02.1	175	30.6	26.1-35.1	62	9.5	06.6-12.4	36	5.8	03.4-08.2
35-44	587	51,730	258	41.3	36.2-46.4	110	18.3	14.4-22.2	5	0.6	00.0-01.2	140	27.8	23.1-32.5	55	9.7	06.4-13.0	19	2.4	01.0-03.8
45-54	883	61,457	455	52.9	48.6-57.2	143	15.7	12.6-18.8	7	0.8	00.2-01.4	190	20.9	17.4-24.4	54	5.7	03.5-07.9	34	4.0	01.8-06.2
55-64	1101	57,251	585	53.5	49.8-57.2	177	17.2	14.3-20.1	6	0.4	00.0-00.8	209	17.1	14.4-19.8	79	7.7	05.5-09.9	45	4.0	02.6-05.4
65+	1505	65,921	835	55.0	51.9-58.1	168	11.1	09.1-13.1	12	0.6	00.2-01.0	291	20.1	17.6-22.6	110	7.0	05.4-08.6	89	6.2	04.6-07.8
Less Than H.S.	277	26,877	148	53.3	44.9-61.7	27	11.2	05.5-16.9				52	19.6	12.5-26.7	26	8.8	04.3-13.3	24	7.1	03.2-11.0
H.S. or G.E.D.	1382	89,211	712	48.3	44.4-52.2	152	11.8	09.4-14.2	12	0.7	00.0-01.5	320	25.0	21.7-28.3	114	9.2	06.8-11.6	72	5.0	03.4-06.6
Some Post-H.S.	1679	149,198	850	45.5	42.2-48.8	227	14.0	11.6-16.4	7	0.7	00.0-01.5	356	25.3	22.2-28.4	155	9.7	07.7-11.7	84	4.7	03.3-06.1
College Graduate	1798	107,275	864	46.1	43.0-49.2	337	18.3	15.9-20.7	17	0.9	00.3-01.5	402	25.5	22.8-28.2	124	6.8	05.2-08.4	54	2.4	01.6-03.2
Less than \$15,000	275	25,180	135	41.3	32.3-50.3	30	17.0	09.9-24.1				59	26.1	18.1-34.1	35	12.0	06.7-17.3	16	3.6	01.4-05.8
\$15,000- 24,999	565	43,335	304	48.2	42.1-54.3	63	11.5	07.4-15.6				121	26.5	20.6-32.4	49	9.6	05.7-13.5	28	4.2	01.8-06.6
\$25,000- 34,999	451	32,558	243	49.3	42.6-56.0	52	11.7	07.4-16.0	3	0.1	00.0-00.3	94	23.7	18.0-29.4	43	10.7	06.4-15.0	16	4.4	01.5-07.3
\$35,000- 49,999	692	47,957	372	53.2	47.9-58.5	91	14.8	10.9-18.7	4	0.2	00.0-00.4	149	21.2	16.9-25.5	57	8.1	05.4-10.8	19	2.5	01.1-03.9
\$50,000- 74,999	861	66,073	436	47.0	42.3-51.7	133	13.5	10.6-16.4	4	0.6	00.0-01.2	201	27.3	22.8-31.8	54	8.1	05.4-10.8	33	3.5	01.9-05.1
\$75,000+	1700	115,850	773	42.9	39.8-46.0	311	17.8	15.4-20.2	18	1.6	00.4-02.8	392	25.6	22.7-28.5	134	7.8	06.0-09.6	72	4.3	02.9-05.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2261	187,820	1024	42.5	39.8-45.2	298	12.6	10.6-14.6	12	0.3	00.1-00.5	541	26.3	23.8-28.8	251	12.9	10.9-14.9	135	5.3	04.1-06.5
18-24	217	34,909	63	29.6	21.8-37.4	24	13.0	07.1-18.9	1	0.2	00.0-00.6	76	33.9	25.9-41.9	44	18.4	12.1-24.7	9	4.9	01.2-08.6
25-34	316	37,662	116	35.4	28.7-42.1	39	9.6	05.9-13.3				86	31.0	24.5-37.5	51	16.1	11.0-21.2	24	7.9	04.0-11.8
35-44	268	26,553	119	41.0	33.6-48.4	36	13.0	07.9-18.1	1	0.2	00.0-00.6	64	27.5	20.4-34.6	36	15.2	09.1-21.3	12	3.1	00.6-05.6
45-54	392	29,587	190	50.9	44.2-57.6	65	16.5	11.6-21.4	4	0.8	00.0-01.8	80	20.0	14.7-25.3	33	8.5	04.6-12.4	20	3.4	01.6-05.2
55-64	472	27,976	234	50.8	44.9-56.7	70	14.9	11.0-18.8	1	0.0	00.0-00.0	101	19.4	14.9-23.9	40	9.6	05.9-13.3	26	5.2	02.8-07.6
65+	580	29,912	291	51.7	46.6-56.8	63	9.8	07.1-12.5	5	0.7	00.0-01.5	132	23.6	19.1-28.1	45	7.4	04.7-10.1	44	6.7	04.3-09.1
Less Than H.S.	146	16,746	77	51.4	40.2-62.6	12	9.5	02.6-16.4				28	19.9	10.3-29.5	16	12.0	04.9-19.1	13	7.2	01.7-12.7
H.S. or G.E.D.	642	49,796	297	41.2	36.1-46.3	70	12.0	08.7-15.3	4	0.3	00.1-00.5	160	28.3	23.4-33.2	71	13.0	09.1-16.9	40	5.2	02.8-07.6
Some Post-H.S.	700	71,340	318	42.3	37.4-47.2	81	11.2	07.9-14.5	1	0.0	00.0-00.0	163	25.7	21.0-30.4	89	14.6	10.9-18.3	48	6.1	03.7-08.5
College Graduate	766	49,192	329	41.0	36.5-45.5	134	16.4	13.1-19.7	7	0.9	00.1-01.7	189	27.5	23.4-31.6	74	10.6	07.7-13.5	33	3.6	01.8-05.4
Less than \$15,000	87	10,825	32	32.3	19.8-44.8	9	15.9	05.1-26.7				20	27.4	14.7-40.1	20	21.4	10.6-32.2	6	3.1	00.0-06.6
\$15,000- 24,999	217	20,577	106	41.9	32.7-51.1	20	8.2	02.9-13.5				53	31.2	21.8-40.6	21	12.7	05.8-19.6	17	6.0	01.7-10.3
\$25,000- 34,999	183	16,383	79	36.1	26.7-45.5	27	15.5	08.1-22.9				42	23.9	15.5-32.3	25	17.0	09.0-25.0	10	7.6	01.9-13.3
\$35,000- 49,999	335	27,080	177	55.9	48.5-63.3	32	10.9	06.0-15.8	3	0.3	00.0-00.7	77	20.3	14.6-26.0	34	9.4	05.1-13.7	12	3.2	00.8-05.6
\$50,000- 74,999	419	34,931	191	38.4	32.1-44.7	62	11.5	08.0-15.0	2	0.7	00.0-01.7	111	32.7	26.2-39.2	33	12.3	07.4-17.2	20	4.4	01.7-07.1
\$75,000+	840	60,508	350	40.2	35.7-44.7	135	15.4	12.1-18.7	6	0.4	00.0-00.8	199	25.9	21.8-30.0	97	12.2	09.1-15.3	53	5.9	03.7-08.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2888	185,607	1557	51.3	48.6-54.0	446	16.4	14.4-18.4	24	1.2	00.4-02.0	591	23.4	21.0-25.8	170	4.4	03.4-05.4	100	3.2	02.2-04.2
18-24	151	27,908	69	46.4	36.0-56.8	24	15.5	08.2-22.8	3	3.0	00.0-06.3	42	30.0	20.4-39.6	13	5.1	01.4-08.8			
25-34	342	33,461	172	47.4	40.5-54.3	57	15.6	10.9-20.3	1	1.4	00.0-04.1	89	30.2	23.7-36.7	11	2.0	00.4-03.6	12	3.5	00.8-06.2
35-44	319	25,177	139	41.6	34.9-48.3	74	23.9	18.0-29.8	4	1.0	00.0-02.2	76	28.1	21.6-34.6	19	3.8	01.6-06.0	7	1.6	00.2-03.0
45-54	491	31,870	265	54.9	49.0-60.8	78	15.0	11.1-18.9	3	0.8	00.0-01.8	110	21.9	17.2-26.6	21	3.1	01.5-04.7	14	4.4	00.7-08.1
55-64	629	29,274	351	56.1	51.2-61.0	107	19.4	15.3-23.5	5	0.7	00.0-01.5	108	14.9	11.8-18.0	39	5.9	03.5-08.3	19	2.9	01.3-04.5
65+	925	36,008	544	57.7	53.6-61.8	105	12.2	09.5-14.9	7	0.4	00.0-00.8	159	17.2	14.1-20.3	65	6.6	04.6-08.6	45	5.8	03.8-07.8
Less Than H.S.	131	10,131	71	56.4	44.1-68.7	15	14.1	04.3-23.9				24	19.1	09.1-29.1	10	3.4	00.9-05.9	11	7.0	02.3-11.7
H.S. or G.E.D.	740	39,414	415	57.3	51.8-62.8	82	11.6	08.3-14.9	8	1.3	00.0-02.9	160	20.8	16.7-24.9	43	4.3	02.5-06.1	32	4.7	02.3-07.1
Some Post-H.S.	979	77,857	532	48.4	43.9-52.9	146	16.6	13.3-19.9	6	1.4	00.0-02.8	193	25.0	20.7-29.3	66	5.2	03.6-06.8	36	3.4	01.6-05.2
College Graduate	1032	58,083	535	50.3	46.0-54.6	203	19.9	16.6-23.2	10	1.0	00.0-02.0	213	23.8	20.1-27.5	50	3.6	02.0-05.2	21	1.4	00.8-02.0
Less than \$15,000	188	14,355	103	48.1	35.9-60.3	21	17.8	08.2-27.4				39	25.2	15.0-35.4	15	4.9	01.8-08.0	10	4.0	01.1-06.9
\$15,000- 24,999	348	22,758	198	53.9	45.9-61.9	43	14.5	08.4-20.6				68	22.2	15.1-29.3	28	6.7	02.6-10.8	11	2.6	00.4-04.8
\$25,000- 34,999	268	16,175	164	62.7	54.5-70.9	25	7.9	04.0-11.8	3	0.3	00.0-00.7	52	23.5	15.9-31.1	18	4.4	01.7-07.1	6	1.2	00.0-02.4
\$35,000- 49,999	357	20,876	195	49.7	42.3-57.1	59	19.9	13.4-26.4	1	0.2	00.0-00.6	72	22.5	16.2-28.8	23	6.3	03.0-09.6	7	1.5	00.1-02.9
\$50,000- 74,999	442	31,142	245	56.6	49.9-63.3	71	15.9	11.2-20.6	2	0.4	00.0-01.0	90	21.2	15.3-27.1	21	3.5	01.5-05.5	13	2.5	00.9-04.1
\$75,000+	860	55,342	423	45.7	41.2-50.2	176	20.5	17.0-24.0	12	2.9	00.5-05.3	193	25.3	21.2-29.4	37	2.9	01.7-04.1	19	2.7	00.9-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2641	201,431	784	31.5	29.0-34.0	807	27.4	25.0-29.8	208	9.8	08.0-11.6	84	3.1	02.1-04.1	138	4.2	03.2-05.2	620	24.0	21.6-26.4
Male	1172	102,050	319	28.9	25.2-32.6	332	25.2	21.9-28.5	146	13.9	11.0-16.8	32	2.9	01.5-04.3	85	5.7	04.1-07.3	258	23.3	20.0-26.6
Female	1469	99,381	465	34.1	30.6-37.6	475	29.6	26.3-32.9	62	5.6	03.6-07.6	52	3.4	02.2-04.6	53	2.6	01.6-03.6	362	24.7	21.6-27.8
18-24	257	43,625	93	36.9	29.5-44.3	51	22.2	15.5-28.9	36	17.0	11.1-22.9	9	2.7	00.3-05.1	3	1.2	00.0-02.6	65	20.0	13.9-26.1
25-34	394	42,330	137	32.7	26.8-38.6	104	25.3	20.0-30.6	34	6.9	04.0-09.8	13	3.1	01.1-05.1	14	4.3	01.6-07.0	92	27.8	21.9-33.7
35-44	333	29,682	103	33.5	27.0-40.0	88	22.6	17.1-28.1	35	12.7	07.6-17.8	7	2.1	00.5-03.7	14	3.4	01.2-05.6	86	25.6	19.5-31.7
45-54	458	29,944	141	29.7	24.0-35.4	130	27.4	22.1-32.7	32	7.6	04.5-10.7	19	4.8	02.1-07.5	25	5.0	02.6-07.4	111	25.5	20.2-30.8
55-64	549	28,175	136	24.8	20.1-29.5	183	31.8	26.7-36.9	38	7.3	04.6-10.0	18	2.8	01.0-04.6	36	6.4	03.9-08.9	138	26.9	22.0-31.8
65+	624	26,022	167	27.9	23.4-32.4	244	39.7	34.8-44.6	31	4.3	02.5-06.1	17	3.9	01.5-06.3	45	6.9	04.4-09.4	120	17.2	13.7-20.7
Less Than H.S.	93	9,529	24	27.9	15.2-40.6	39	36.2	22.9-49.5	5	9.4	00.4-18.4	5	6.8	00.0-14.2	7	5.0	00.7-09.3	13	14.6	04.8-24.4
H.S. or G.E.D.	616	42,843	191	32.7	27.2-38.2	182	26.4	21.3-31.5	43	8.8	05.3-12.3	28	4.9	02.5-07.3	53	8.2	05.1-11.3	119	19.1	14.6-23.6
Some Post-H.S.	852	82,562	253	31.6	27.1-36.1	256	25.6	21.7-29.5	69	10.7	07.4-14.0	17	2.0	00.8-03.2	28	2.4	01.2-03.6	229	27.7	23.6-31.8
College Graduate	1074	65,785	314	30.9	27.2-34.6	328	28.8	25.3-32.3	91	9.6	07.2-12.0	34	3.0	01.6-04.4	50	3.8	02.4-05.2	257	24.0	20.5-27.5
Less than \$15,000	131	14,463	38	26.6	16.0-37.2	46	30.1	18.7-41.5	7	8.2	01.1-15.3	5	2.3	00.0-04.7	6	4.5	00.0-09.2	29	28.2	16.8-39.6
\$15,000- 24,999	252	20,654	82	30.2	22.2-38.2	83	30.6	22.0-39.2	12	7.7	01.2-14.2	11	5.4	00.9-09.9	14	2.3	00.9-03.7	50	23.8	15.6-32.0
\$25,000- 34,999	201	15,789	59	36.6	26.6-46.6	67	28.1	19.7-36.5	8	3.7	00.8-06.6	5	2.6	00.0-05.7	16	7.9	03.2-12.6	46	21.0	13.2-28.8
\$35,000- 49,999	343	25,336	97	29.4	22.5-36.3	99	26.5	19.8-33.2	23	9.6	04.5-14.7	10	3.0	00.5-05.5	18	5.2	01.7-08.7	96	26.2	19.7-32.7
\$50,000- 74,999	464	35,673	143	33.8	27.7-39.9	131	27.6	22.1-33.1	40	12.2	07.3-17.1	18	3.5	01.3-05.7	31	4.7	02.7-06.7	101	18.2	13.5-22.9
\$75,000+	966	67,645	286	31.5	27.4-35.6	286	25.4	21.9-28.9	93	10.5	07.8-13.2	26	2.4	01.2-03.6	37	3.6	02.2-05.0	238	26.6	22.7-30.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1172	102,050	319	28.9	25.2-32.6	332	25.2	21.9-28.5	146	13.9	11.0-16.8	32	2.9	01.5-04.3	85	5.7	04.1-07.3	258	23.3	20.0-26.6
18-24	152	24,850	53	33.8	24.4-43.2	25	18.7	10.9-26.5	26	19.7	11.7-27.7	4	2.6	00.0-05.9	3	2.2	00.0-04.7	41	23.1	14.9-31.3
25-34	193	22,527	64	34.3	25.9-42.7	47	22.2	15.1-29.3	23	9.0	04.3-13.7	7	3.0	00.3-05.7	9	5.4	01.1-09.7	43	26.1	18.1-34.1
35-44	152	15,628	40	27.2	18.2-36.2	34	20.0	12.2-27.8	27	20.5	11.7-29.3	1	0.6	00.0-01.8	10	3.9	01.0-06.8	40	27.8	18.6-37.0
45-54	187	12,962	50	25.3	17.5-33.1	49	27.7	18.9-36.5	21	11.8	05.7-17.9	8	4.5	00.8-08.2	15	7.8	03.3-12.3	44	22.9	14.9-30.9
55-64	229	13,369	54	22.0	14.9-29.1	66	29.9	22.1-37.7	30	12.4	07.3-17.5	7	3.3	00.2-06.4	22	9.3	04.8-13.8	50	23.1	16.0-30.2
65+	250	12,075	55	22.3	15.8-28.8	108	42.7	35.1-50.3	18	6.4	03.1-09.7	5	4.6	00.1-09.1	26	10.3	05.8-14.8	38	13.8	08.9-18.7
H.S. or G.E.D.	296	25,323	82	29.3	22.0-36.6	82	23.7	17.0-30.4	30	11.6	06.3-16.9	10	4.1	01.0-07.2	35	9.9	05.4-14.4	57	21.3	14.4-28.2
Some Post-H.S.	353	39,358	102	30.7	24.0-37.4	96	23.1	17.4-28.8	41	14.0	08.7-19.3	7	1.6	00.0-03.2	17	3.6	01.6-05.6	90	26.9	20.6-33.2
College Graduate	470	30,698	122	26.4	21.3-31.5	131	26.2	21.3-31.1	71	16.8	12.3-21.3	12	2.5	00.7-04.3	30	5.5	03.0-08.0	104	22.5	17.6-27.4
Less than \$15,000	50	7,309	10	27.5	10.8-44.2	15	17.1	05.1-29.1	6	11.8	01.0-22.6				4	6.7	00.0-14.9	15	37.0	19.9-54.1
\$15,000- 24,999	96	9,549	26	24.9	13.7-36.1	33	33.6	20.5-46.7	6	3.6	00.0-08.9	5	5.9	00.0-13.0	6	2.8	00.3-05.3	20	29.2	15.9-42.5
\$25,000- 34,999	84	8,192	23	34.2	18.7-49.7	27	27.5	14.8-40.2	4	4.8	00.0-09.7				9	10.8	02.6-19.0	21	22.7	10.5-34.9
\$35,000- 49,999	158	14,568	45	27.2	18.0-36.4	45	28.4	18.4-38.4	17	12.7	05.3-20.1	5	3.9	00.0-08.0	14	7.2	01.5-12.9	32	20.5	11.7-29.3
\$50,000- 74,999	225	19,229	65	28.6	20.6-36.6	61	29.2	21.2-37.2	28	15.7	08.1-23.3	6	2.1	00.0-04.3	19	5.2	02.7-07.7	46	19.2	11.9-26.5
\$75,000+	468	33,710	123	29.2	23.3-35.1	125	20.6	16.3-24.9	69	17.4	12.5-22.3	12	2.4	00.6-04.2	29	5.7	03.2-08.2	110	24.8	19.5-30.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1469	99,381	465	34.1	30.6-37.6	475	29.6	26.3-32.9	62	5.6	03.6-07.6	52	3.4	02.2-04.6	53	2.6	01.6-03.6	362	24.7	21.6-27.8
18-24	105	18,776	40	41.0	29.0-53.0	26	26.8	15.6-38.0	10	13.4	04.6-22.2	5	2.8	00.0-05.9				24	16.0	07.2-24.8
25-34	201	19,803	73	30.9	23.1-38.7	57	28.7	20.5-36.9	11	4.5	01.2-07.8	6	3.1	00.2-06.0	5	3.1	00.2-06.0	49	29.6	21.0-38.2
35-44	181	14,054	63	40.6	31.6-49.6	54	25.5	17.7-33.3	8	4.1	00.8-07.4	6	3.8	00.7-06.9	4	2.8	00.0-05.9	46	23.2	15.8-30.6
45-54	271	16,982	91	33.1	25.1-41.1	81	27.1	20.4-33.8	11	4.4	01.1-07.7	11	5.1	01.2-09.0	10	2.8	00.4-05.2	67	27.5	20.6-34.4
55-64	320	14,805	82	27.2	21.1-33.3	117	33.4	26.9-39.9	8	2.7	00.5-04.9	11	2.4	00.6-04.2	14	3.9	01.5-06.3	88	30.4	23.9-36.9
65+	374	13,947	112	32.8	26.5-39.1	136	37.2	30.9-43.5	13	2.6	01.0-04.2	12	3.2	01.0-05.4	19	4.0	01.5-06.5	82	20.2	15.3-25.1
H.S. or G.E.D.	320	17,520	109	37.5	29.3-45.7	100	30.3	22.1-38.5	13	4.7	01.2-08.2	18	6.0	02.5-09.5	18	5.8	02.3-09.3	62	15.8	10.9-20.7
Some Post-H.S.	499	43,204	151	32.5	26.6-38.4	160	28.0	22.5-33.5	28	7.6	03.7-11.5	10	2.3	00.5-04.1	11	1.3	00.3-02.3	139	28.4	22.9-33.9
College Graduate	604	35,087	192	34.8	29.3-40.3	197	31.0	25.9-36.1	20	3.2	01.4-05.0	22	3.5	01.5-05.5	20	2.2	00.8-03.6	153	25.4	20.5-30.3
Less than \$15,000	81	7,154	28	25.8	12.7-38.9	31	43.4	25.8-61.0	1	4.6	00.0-13.4	5	4.7	00.0-09.6	2	2.3	00.0-06.4	14	19.2	04.5-33.9
\$15,000- 24,999	156	11,106	56	34.8	23.2-46.4	50	28.0	17.0-39.0	6	11.2	00.4-22.0	6	5.0	00.0-10.5	8	1.9	00.3-03.5	30	19.2	09.2-29.2
\$25,000- 34,999	117	7,597	36	39.3	26.6-52.0	40	28.8	17.8-39.8	4	2.6	00.0-05.7	5	5.3	00.0-11.6	7	4.8	00.1-09.5	25	19.2	09.8-28.6
\$35,000- 49,999	185	10,768	52	32.4	22.2-42.6	54	23.9	15.5-32.3	6	5.4	00.0-11.5	5	1.8	00.0-03.8	4	2.6	00.0-05.9	64	34.0	24.6-43.4
\$50,000- 74,999	239	16,444	78	39.8	31.0-48.6	70	25.7	18.4-33.0	12	8.2	02.7-13.7	12	5.1	01.2-09.0	12	4.2	00.9-07.5	55	17.1	11.6-22.6
\$75,000+	498	33,935	163	33.7	28.0-39.4	161	30.1	24.6-35.6	24	3.7	01.7-05.7	14	2.5	00.9-04.1	8	1.5	00.3-02.7	128	28.4	22.7-34.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3375	243,529	1684	51.2	48.8-53.6	578	15.5	13.7-17.3	734	23.7	21.5-25.9	118	2.6	01.8-03.4	261	7.0	05.8-08.2
Male	1433	118,961	656	47.3	43.8-50.8	216	14.8	12.3-17.3	378	27.0	23.9-30.1	65	3.4	02.2-04.6	118	7.6	05.6-09.6
Female	1942	124,568	1028	55.0	51.7-58.3	362	16.2	14.0-18.4	356	20.5	17.8-23.2	53	1.9	01.1-02.7	143	6.4	04.8-08.0
18-24	283	47,924	156	51.8	44.4-59.2	43	17.0	11.5-22.5	64	24.7	18.2-31.2	6	1.7	00.0-03.5	14	5.0	01.9-08.1
25-34	457	47,423	254	54.1	48.2-60.0	63	13.9	10.0-17.8	105	23.4	18.5-28.3	9	1.7	00.1-03.3	26	6.8	03.5-10.1
35-44	398	34,348	232	61.4	55.3-67.5	35	7.6	04.7-10.5	92	24.9	19.4-30.4	13	2.2	00.4-04.0	26	4.0	02.0-06.0
45-54	567	37,437	297	52.5	47.0-58.0	75	12.3	08.8-15.8	141	25.7	21.0-30.4	19	3.2	01.2-05.2	35	6.4	02.7-10.1
55-64	726	36,678	359	47.3	42.6-52.0	126	17.6	14.1-21.1	148	21.8	17.9-25.7	32	4.0	02.2-05.8	61	9.3	06.6-12.0
65+	914	37,734	369	39.5	35.6-43.4	230	23.6	20.1-27.1	181	22.4	18.9-25.9	38	3.8	02.4-05.2	96	10.8	08.1-13.5
Less Than H.S.	140	12,759	58	43.0	31.4-54.6	31	22.4	12.6-32.2	28	21.3	12.3-30.3	4	2.4	00.0-05.3	19	10.9	04.0-17.8
H.S. or G.E.D.	822	52,828	382	47.4	42.3-52.5	164	18.0	14.3-21.7	176	23.4	19.1-27.7	26	2.8	01.2-04.4	74	8.4	05.5-11.3
Some Post-H.S.	1118	100,801	529	49.4	45.3-53.5	204	15.6	12.7-18.5	254	25.1	21.4-28.8	46	3.1	01.9-04.3	85	6.7	04.5-08.9
College Graduate	1288	76,403	713	57.7	54.0-61.4	177	12.4	10.0-14.8	274	22.5	19.4-25.6	41	1.7	00.9-02.5	83	5.7	04.1-07.3
Less than \$15,000	173	17,082	73	48.1	37.1-59.1	43	16.0	08.7-23.3	38	23.6	14.4-32.8	5	5.7	00.2-11.2	14	6.6	01.7-11.5
\$15,000- 24,999	348	26,160	146	40.9	33.1-48.7	73	18.7	12.6-24.8	79	28.2	20.6-35.8	11	3.1	00.6-05.6	39	9.2	05.1-13.3
\$25,000- 34,999	272	19,879	125	48.2	39.6-56.8	55	17.8	11.1-24.5	63	26.6	19.2-34.0	7	0.9	00.0-01.9	22	6.5	02.4-10.6
\$35,000- 49,999	438	29,679	219	52.5	45.8-59.2	75	17.6	12.3-22.9	93	21.4	16.3-26.5	16	1.7	00.7-02.7	35	6.8	03.9-09.7
\$50,000- 74,999	574	43,538	287	51.5	45.8-57.2	89	13.4	09.9-16.9	136	25.5	20.4-30.6	23	2.3	01.1-03.5	39	7.4	04.1-10.7
\$75,000+	1189	80,029	649	56.7	53.0-60.4	159	12.8	10.3-15.3	262	22.5	19.4-25.6	44	2.8	01.6-04.0	75	5.1	03.3-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1433	118,961	656	47.3	43.8-50.8	216	14.8	12.3-17.3	378	27.0	23.9-30.1	65	3.4	02.2-04.6	118	7.6	05.6-09.6
18-24	165	27,001	83	47.4	37.8-57.0	29	20.2	12.6-27.8	41	26.2	17.6-34.8	3	1.8	00.0-04.5	9	4.5	01.0-08.0
25-34	214	23,914	106	47.4	39.0-55.8	31	15.1	09.0-21.2	54	24.8	17.5-32.1	7	2.8	00.1-05.5	16	9.9	04.2-15.6
35-44	180	17,628	101	61.7	52.7-70.7	12	4.7	01.6-07.8	49	28.1	19.7-36.5	5	1.8	00.0-04.3	13	3.8	01.1-06.5
45-54	233	16,473	101	43.8	35.2-52.4	34	14.1	08.2-20.0	73	31.5	23.9-39.1	9	4.5	00.4-08.6	16	6.0	00.9-11.1
55-64	303	17,194	139	45.4	38.1-52.7	41	14.1	08.8-19.4	81	27.1	20.6-33.6	19	5.5	02.6-08.4	23	7.9	04.0-11.8
65+	329	16,114	120	35.8	29.5-42.1	69	18.1	13.0-23.2	79	26.4	20.3-32.5	22	5.6	02.9-08.3	39	14.1	09.2-19.0
Less Than H.S.	68	7,594	23	38.9	23.4-54.4	14	18.5	06.7-30.3	16	24.7	11.8-37.6	4	4.1	00.0-09.2	11	13.8	03.2-24.4
H.S. or G.E.D.	361	28,665	154	43.8	36.7-50.9	68	17.2	11.9-22.5	94	27.2	20.7-33.7	14	3.1	00.9-05.3	31	8.7	04.6-12.8
Some Post-H.S.	447	46,813	195	43.9	37.6-50.2	67	16.2	11.5-20.9	125	28.9	23.0-34.8	24	4.0	01.6-06.4	36	7.1	04.0-10.2
College Graduate	552	35,192	282	56.6	51.3-61.9	66	10.2	07.1-13.3	142	25.0	20.5-29.5	22	2.1	00.9-03.3	40	6.1	03.7-08.5
Less than \$15,000	60	7,984	25	45.3	29.0-61.6	9	5.7	01.0-10.4	17	29.9	14.6-45.2	4	11.2	00.0-22.4	5	7.7	00.0-16.9
\$15,000- 24,999	127	11,972	45	33.6	22.4-44.8	29	18.4	09.8-27.0	32	32.0	19.8-44.2	6	5.4	00.3-10.5	15	10.6	03.3-17.9
\$25,000- 34,999	107	9,683	46	47.4	34.1-60.7	19	17.0	06.4-27.6	33	29.1	17.7-40.5	3	0.3	00.0-00.7	6	6.2	00.0-12.9
\$35,000- 49,999	198	16,355	90	48.1	38.3-57.9	32	18.1	09.9-26.3	51	25.0	17.2-32.8	7	1.5	00.3-02.7	18	7.4	03.5-11.3
\$50,000- 74,999	274	22,830	129	45.3	37.1-53.5	34	12.8	07.3-18.3	72	30.7	22.9-38.5	15	2.6	01.0-04.2	24	8.6	03.9-13.3
\$75,000+	557	38,818	268	53.1	47.4-58.8	71	12.8	09.1-16.5	153	25.2	20.5-29.9	27	3.4	01.6-05.2	38	5.6	02.9-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1942	124,568	1028	55.0	51.7-58.3	362	16.2	14.0-18.4	356	20.5	17.8-23.2	53	1.9	01.3-02.5	143	6.4	04.8-08.0
18-24	118	20,924	73	57.4	45.8-69.0	14	12.8	05.0-20.6	23	22.7	12.7-32.7	3	1.5	00.0-03.5	5	5.6	00.1-11.1
25-34	243	23,509	148	61.0	53.2-68.8	32	12.7	07.6-17.8	51	22.0	15.5-28.5	2	0.7	00.0-01.9	10	3.7	00.8-06.6
35-44	218	16,721	131	61.0	53.0-69.0	23	10.7	05.6-15.8	43	21.5	14.8-28.2	8	2.6	00.1-05.1	13	4.2	01.5-06.9
45-54	334	20,964	196	59.3	52.2-66.4	41	10.9	06.8-15.0	68	21.0	15.3-26.7	10	2.1	00.5-03.7	19	6.6	01.3-11.9
55-64	423	19,485	220	49.1	43.2-55.0	85	20.7	15.8-25.6	67	17.1	12.6-21.6	13	2.6	00.8-04.4	38	10.5	06.4-14.6
65+	585	21,620	249	42.2	37.1-47.3	161	27.6	22.9-32.3	102	19.4	15.1-23.7	16	2.4	01.0-03.8	57	8.3	05.2-11.4
Less Than H.S.	72	5,165	35	49.1	32.0-66.2	17	28.1	11.8-44.4	12	16.2	05.0-27.4				8	6.6	00.9-12.3
H.S. or G.E.D.	461	24,162	228	51.7	44.6-58.8	96	19.0	13.9-24.1	82	18.7	13.6-23.8	12	2.3	00.3-04.3	43	8.2	03.9-12.5
Some Post-H.S.	671	53,987	334	54.2	48.9-59.5	137	15.2	11.9-18.5	129	21.8	17.3-26.3	22	2.4	01.2-03.6	49	6.5	03.8-09.2
College Graduate	736	41,210	431	58.7	53.6-63.8	111	14.3	10.8-17.8	132	20.3	16.0-24.6	19	1.3	00.5-02.1	43	5.4	03.2-07.6
Less than \$15,000	113	9,098	48	50.6	35.9-65.3	34	24.9	12.7-37.1	21	18.0	07.8-28.2	1	0.9	00.0-02.7	9	5.5	01.0-10.0
\$15,000- 24,999	221	14,188	101	47.0	36.4-57.6	44	19.0	10.6-27.4	47	24.9	15.3-34.5	5	1.1	00.0-02.7	24	8.0	03.5-12.5
\$25,000- 34,999	165	10,197	79	49.0	38.2-59.8	36	18.4	10.2-26.6	30	24.3	14.7-33.9	4	1.5	00.0-03.3	16	6.8	01.9-11.7
\$35,000- 49,999	240	13,324	129	57.8	49.2-66.4	43	17.1	10.8-23.4	42	16.9	10.8-23.0	9	2.0	00.4-03.6	17	6.2	02.1-10.3
\$50,000- 74,999	300	20,708	158	58.3	50.5-66.1	55	14.0	09.5-18.5	64	19.8	13.7-25.9	8	1.8	00.0-03.6	15	6.1	01.2-11.0
\$75,000+	632	41,211	381	60.2	55.1-65.3	88	12.8	09.3-16.3	109	20.0	15.7-24.3	17	2.3	00.9-03.7	37	4.7	02.7-06.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3387	243,968	1680	47.8	45.4-50.2	274	9.0	07.6-10.4	23	0.7	00.3-01.1	730	23.7	21.5-25.9	447	13.5	11.7-15.3	233	5.3	04.3-06.3
Male	1437	119,432	666	44.8	41.3-48.3	122	8.3	06.3-10.3	4	0.2	00.0-00.4	306	23.9	20.8-27.0	225	16.5	13.8-19.2	114	6.3	04.7-07.9
Female	1950	124,536	1014	50.6	47.3-53.9	152	9.7	07.5-11.9	19	1.1	00.5-01.7	424	23.4	20.5-26.3	222	10.7	08.7-12.7	119	4.4	03.4-05.4
18-24	284	47,993	133	47.6	40.2-55.0	21	8.6	04.3-12.9	2	1.0	00.0-02.4	87	28.7	22.0-35.4	33	12.3	07.4-17.2	8	1.8	00.0-03.6
25-34	458	47,626	232	47.8	41.9-53.7	41	11.0	06.9-15.1	1	0.2	00.0-00.6	103	24.6	19.3-29.9	60	12.5	08.8-16.2	21	3.8	01.6-06.0
35-44	394	33,927	190	46.4	40.1-52.7	37	11.4	07.3-15.5	3	0.5	00.0-01.1	93	24.1	18.4-29.8	48	11.5	07.6-15.4	23	6.1	02.8-09.4
45-54	571	37,564	291	45.6	40.3-50.9	41	7.4	04.7-10.1	4	0.8	00.0-01.6	137	24.6	19.9-29.3	73	18.1	13.0-23.2	25	3.5	01.7-05.3
55-64	727	36,898	359	50.3	45.6-55.0	62	7.9	05.5-10.3	7	1.0	00.2-01.8	139	20.8	16.9-24.7	106	13.2	10.3-16.1	54	6.7	04.3-09.1
65+	922	37,865	465	49.9	45.8-54.0	70	7.8	05.6-10.0	6	0.6	00.0-01.2	162	17.6	14.5-20.7	123	13.8	10.9-16.7	96	10.3	07.8-12.8
Less Than H.S.	139	12,658	65	49.5	37.9-61.1	8	7.5	01.2-13.8	1	0.1	00.0-00.3	27	22.6	12.4-32.8	21	13.3	05.9-20.7	17	7.0	02.9-11.1
H.S. or G.E.D.	830	53,464	387	43.7	38.8-48.6	62	9.2	06.1-12.3	2	0.6	00.0-01.8	190	25.6	21.1-30.1	113	13.5	10.4-16.6	76	7.5	05.0-10.0
Some Post-H.S.	1118	100,518	555	47.0	42.9-51.1	85	8.3	05.9-10.7	9	0.6	00.2-01.0	241	24.1	20.4-27.8	160	15.1	12.0-18.2	68	4.9	03.3-06.5
College Graduate	1293	76,588	669	51.1	47.4-54.8	119	10.1	07.9-12.3	11	0.9	00.3-01.5	270	22.1	19.2-25.0	152	11.5	09.1-13.9	72	4.3	03.1-05.5
Less than \$15,000	177	17,193	86	49.7	38.7-60.7	14	10.6	03.0-18.2	2	0.6	00.0-01.6	39	18.6	10.8-26.4	25	16.2	07.8-24.6	11	4.4	01.1-07.7
\$15,000- 24,999	348	26,084	186	46.1	38.3-53.9	25	10.5	04.4-16.6	2	0.5	00.0-01.3	68	26.0	18.4-33.6	43	12.8	07.1-18.5	24	4.0	01.8-06.2
\$25,000- 34,999	273	19,884	129	47.8	39.2-56.4	21	9.0	04.1-13.9	2	0.9	00.0-02.5	60	24.3	16.5-32.1	37	12.1	07.4-16.8	24	6.0	02.7-09.3
\$35,000- 49,999	441	29,891	220	43.6	36.9-50.3	33	12.8	07.7-17.9	2	0.3	00.0-00.7	93	24.3	18.4-30.2	68	14.0	09.7-18.3	25	5.1	02.4-07.8
\$50,000- 74,999	574	43,452	289	49.4	43.7-55.1	52	7.5	04.8-10.2	4	0.6	00.0-01.2	118	25.5	20.0-31.0	75	10.9	07.8-14.0	36	6.1	03.4-08.8
\$75,000+	1190	80,101	585	47.6	43.7-51.5	102	8.7	06.5-10.9	8	0.9	00.0-01.9	264	22.7	19.4-26.0	155	15.3	12.2-18.4	76	4.7	03.3-06.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1437	119,432	666	44.8	41.3-48.3	122	8.3	06.3-10.3	4	0.2	00.0-00.4	306	23.9	20.8-27.0	225	16.5	13.8-19.2	114	6.3	04.7-07.9
18-24	166	27,069	68	44.5	34.9-54.1	14	7.7	02.8-12.6	1	0.6	00.0-01.8	51	26.1	18.1-34.1	25	18.1	10.3-25.9	7	3.0	00.0-06.1
25-34	214	24,006	95	44.4	36.0-52.8	16	7.6	03.1-12.1				51	25.9	18.1-33.7	38	17.6	11.1-24.1	14	4.5	01.4-07.6
35-44	179	17,616	78	42.4	33.2-51.6	17	10.2	04.7-15.7	1	0.4	00.0-01.2	45	25.1	16.5-33.7	26	14.4	07.7-21.1	12	7.4	01.7-13.1
45-54	233	16,473	118	45.6	37.2-54.0	19	7.6	03.5-11.7	1	0.1	00.0-00.3	53	25.7	18.1-33.3	29	16.9	09.6-24.2	13	4.0	01.1-06.9
55-64	303	17,298	139	45.9	38.6-53.2	28	8.6	04.7-12.5				51	20.0	13.9-26.1	60	16.5	11.6-21.4	25	8.9	04.6-13.2
65+	332	16,083	162	46.6	39.9-53.3	27	8.4	04.7-12.1	1	0.2	00.0-00.6	54	18.7	13.4-24.0	47	14.7	09.6-19.8	41	11.3	07.2-15.4
Less Than H.S.	66	7,446	28	42.8	27.3-58.3	5	6.8	00.0-13.7				14	27.0	12.1-41.9	10	15.9	04.3-27.5	9	7.6	01.5-13.7
H.S. or G.E.D.	367	29,274	174	45.2	37.9-52.5	27	8.7	04.4-13.0	1	0.1	00.0-00.3	79	23.4	17.3-29.5	57	15.8	10.9-20.7	29	6.8	03.1-10.5
Some Post-H.S.	446	46,793	205	44.1	37.8-50.4	35	6.7	03.8-09.6	1	0.1	00.0-00.3	99	24.6	18.9-30.3	78	18.8	13.5-24.1	28	5.7	02.8-08.6
College Graduate	553	35,222	256	45.5	40.2-50.8	55	10.4	07.1-13.7	2	0.7	00.0-01.7	113	22.9	18.2-27.6	79	13.9	10.2-17.6	48	6.7	04.3-09.1
Less than \$15,000	62	8,070	30	46.7	30.6-62.8	6	8.0	00.4-15.6				14	19.8	07.6-32.0	7	20.9	05.8-36.0	5	4.6	00.0-09.9
\$15,000- 24,999	128	11,969	68	49.6	37.4-61.8	7	7.1	00.0-14.2				26	24.4	13.6-35.2	19	15.5	05.9-25.1	8	3.4	00.1-06.7
\$25,000- 34,999	107	9,683	41	37.6	24.5-50.7	9	8.4	01.9-14.9	1	1.6	00.0-04.7	29	31.8	18.7-44.9	20	17.4	08.6-26.2	7	3.1	00.0-06.2
\$35,000- 49,999	199	16,467	90	42.0	32.4-51.6	15	13.6	06.0-21.2	1	0.2	00.0-00.6	39	22.4	14.0-30.8	40	16.4	10.3-22.5	14	5.4	01.5-09.3
\$50,000- 74,999	274	22,830	133	45.7	37.5-53.9	21	6.1	02.6-09.6	1	0.3	00.0-00.9	59	27.4	19.6-35.2	42	12.5	07.6-17.4	18	7.9	03.0-12.8
\$75,000+	557	38,951	251	42.9	37.4-48.4	57	8.5	05.8-11.2				114	22.5	17.8-27.2	83	19.1	13.8-24.4	52	6.9	04.5-09.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1950	124,536	1014	50.6	47.3-53.9	152	9.7	07.5-11.9	19	1.1	00.5-01.7	424	23.4	20.5-26.3	222	10.7	08.7-12.7	119	4.4	03.4-05.4
18-24	118	20,924	65	51.5	39.9-63.1	7	9.8	02.4-17.2	1	1.5	00.0-04.4	36	32.2	21.2-43.2	8	4.8	00.3-09.3	1	0.2	00.0-00.6
25-34	244	23,620	137	51.3	43.1-59.5	25	14.6	07.9-21.3	1	0.4	00.0-01.2	52	23.3	16.2-30.4	22	7.4	03.7-11.1	7	3.1	00.4-05.8
35-44	215	16,311	112	50.7	42.3-59.1	20	12.6	06.5-18.7	2	0.6	00.0-01.6	48	23.1	15.8-30.4	22	8.3	04.2-12.4	11	4.6	01.5-07.7
45-54	338	21,092	173	45.5	38.6-52.4	22	7.3	03.6-11.0	3	1.3	00.0-02.9	84	23.8	18.1-29.5	44	19.1	12.2-26.0	12	3.1	00.9-05.3
55-64	424	19,600	220	54.1	48.2-60.0	34	7.4	04.7-10.1	7	2.0	00.4-03.6	88	21.4	16.5-26.3	46	10.3	06.6-14.0	29	4.8	02.8-06.8
65+	590	21,783	303	52.4	47.3-57.5	43	7.3	04.8-09.8	5	0.9	00.0-01.9	108	16.8	13.1-20.5	76	13.0	09.7-16.3	55	9.5	06.4-12.6
Less Than H.S.	73	5,211	37	59.1	43.0-75.2	3	8.5	00.0-19.9	1	0.3	00.0-00.9	13	16.3	04.3-28.3	11	9.6	03.1-16.1	8	6.3	01.4-11.2
H.S. or G.E.D.	463	24,189	213	41.8	34.9-48.7	35	9.7	05.0-14.4	1	1.3	00.0-03.8	111	28.1	21.4-34.8	56	10.7	07.2-14.2	47	8.3	05.2-11.4
Some Post-H.S.	672	53,725	350	49.6	44.1-55.1	50	9.7	06.0-13.4	8	1.0	00.2-01.8	142	23.7	18.8-28.6	82	11.7	08.2-15.2	40	4.2	02.4-06.0
College Graduate	740	41,366	413	55.9	51.0-60.8	64	9.9	06.8-13.0	9	1.1	00.3-01.9	157	21.3	17.4-25.2	73	9.5	06.6-12.4	24	2.2	01.0-03.4
Less than \$15,000	115	9,123	56	52.2	37.7-66.7	8	13.0	00.7-25.3	2	1.1	00.0-03.1	25	17.5	07.5-27.5	18	11.9	04.5-19.3	6	4.2	00.0-08.5
\$15,000- 24,999	220	14,116	118	43.3	33.3-53.3	18	13.4	04.2-22.6	2	1.0	00.0-02.4	42	27.4	16.8-38.0	24	10.4	03.9-16.9	16	4.5	01.8-07.2
\$25,000- 34,999	166	10,201	88	57.5	46.9-68.1	12	9.6	02.5-16.7	1	0.1	00.0-00.3	31	17.1	09.3-24.9	17	7.0	03.1-10.9	17	8.7	03.2-14.2
\$35,000- 49,999	242	13,424	130	45.6	36.6-54.6	18	11.8	05.5-18.1	1	0.3	00.0-00.9	54	26.6	18.6-34.6	28	11.1	05.0-17.2	11	4.6	00.9-08.3
\$50,000- 74,999	300	20,622	156	53.5	45.5-61.5	31	9.1	04.6-13.6	3	0.9	00.0-01.9	59	23.4	16.0-30.8	33	9.0	05.1-12.9	18	4.0	01.6-06.4
\$75,000+	633	41,150	334	52.1	46.8-57.4	45	8.8	05.5-12.1	8	1.8	00.0-03.6	150	22.9	18.4-27.4	72	11.7	08.4-15.0	24	2.6	01.2-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7288	514,563	1183	19.0	17.6-20.4	437	7.0	06.0-08.0	531	8.3	07.3-09.3	87	1.3	00.9-01.7	172	2.9	02.3-03.5	4878	61.5	59.9-63.1
Male	3274	259,015	490	18.0	16.0-20.0	226	7.8	06.4-09.2	233	7.3	06.1-08.5	47	1.5	00.9-02.1	107	4.2	03.2-05.2	2171	61.2	58.8-63.6
Female	4014	255,548	693	20.1	18.1-22.1	211	6.2	05.0-07.4	298	9.4	07.8-11.0	40	1.0	00.6-01.4	65	1.5	01.1-01.9	2707	61.8	59.4-64.2
18-24	453	77,635	141	29.2	23.7-34.7	50	14.4	10.1-18.7	61	13.6	09.3-17.9	8	1.7	00.1-03.3	24	4.2	02.2-06.2	169	37.0	31.1-42.9
25-34	827	89,526	196	23.3	19.6-27.0	56	6.7	04.5-08.9	82	8.8	06.4-11.2	15	1.7	00.7-02.7	25	4.0	02.0-06.0	453	55.4	51.1-59.7
35-44	822	73,394	168	21.5	17.8-25.2	49	5.9	03.9-07.9	71	8.7	06.3-11.1	17	2.3	00.9-03.7	17	2.4	00.6-04.2	500	59.1	54.8-63.4
45-54	1239	85,380	201	16.2	13.5-18.9	57	5.7	03.7-07.7	104	8.8	06.8-10.8	16	0.7	00.3-01.1	18	1.7	00.7-02.7	843	66.9	63.4-70.4
55-64	1609	84,246	216	13.7	11.3-16.1	77	4.1	02.9-05.3	124	7.1	05.5-08.7	9	0.6	00.0-01.2	36	2.7	01.7-03.7	1147	71.7	68.8-74.6
65+	2276	100,443	246	12.3	10.5-14.1	144	5.8	04.6-07.0	85	4.3	03.1-05.5	22	0.9	00.5-01.3	49	2.2	01.4-03.0	1730	74.4	72.0-76.8
Less Than H.S.	473	46,523	53	14.7	09.6-19.8	40	9.4	05.7-13.1	25	8.3	03.6-13.0				7	1.5	00.0-03.1	348	66.2	59.5-72.9
H.S. or G.E.D.	2213	136,828	255	14.2	12.0-16.4	128	7.2	05.2-09.2	119	6.1	04.7-07.5	24	1.0	00.4-01.6	42	3.1	01.9-04.3	1645	68.3	65.4-71.2
Some Post-H.S.	2369	200,910	392	20.5	18.0-23.0	111	5.9	04.3-07.5	163	7.5	05.9-09.1	32	1.6	00.8-02.4	53	2.9	01.9-03.9	1618	61.6	58.7-64.5
College Graduate	2211	128,717	479	23.4	21.0-25.8	156	7.6	06.0-09.2	222	11.9	09.9-13.9	31	1.5	00.9-02.1	70	3.1	02.1-04.1	1253	52.5	49.8-55.2
Less than \$15,000	460	41,183	59	18.4	12.5-24.3	34	8.0	03.9-12.1	25	8.7	04.0-13.4	5	2.4	00.0-04.8	5	1.5	00.0-03.5	332	61.0	53.7-68.3
\$15,000- 24,999	865	63,924	107	16.3	12.2-20.4	59	7.8	04.9-10.7	48	7.5	04.6-10.4	2	0.6	00.0-01.6	22	3.6	01.6-05.6	627	64.3	59.2-69.4
\$25,000- 34,999	668	47,095	100	16.6	12.5-20.7	33	5.4	02.5-08.3	49	8.1	05.0-11.2	7	1.0	00.0-02.2	15	2.2	00.8-03.6	464	66.7	61.4-72.0
\$35,000- 49,999	990	66,684	148	17.0	13.5-20.5	69	8.7	05.8-11.6	70	7.8	05.6-10.0	16	1.5	00.5-02.5	24	2.0	01.0-03.0	663	63.0	58.7-67.3
\$50,000- 74,999	1188	87,946	204	19.5	16.2-22.8	58	6.2	03.8-08.6	98	8.9	06.4-11.4	16	1.0	00.4-01.6	25	4.1	02.1-06.1	787	60.3	56.2-64.4
\$75,000+	2226	146,367	424	21.3	18.9-23.7	131	7.0	05.4-08.6	201	10.2	08.4-12.0	34	1.5	00.9-02.1	62	2.6	01.8-03.4	1374	57.5	54.6-60.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3274	259,015	490	18.0	16.0-20.0	226	7.8	06.4-09.2	233	7.3	06.1-08.5	47	1.5	00.9-02.1	107	4.2	03.2-05.2	2171	61.2	58.8-63.6
18-24	265	42,009	83	30.9	23.6-38.2	35	16.2	10.3-22.1	22	8.1	03.8-12.4	7	3.0	00.3-05.7	19	6.4	03.1-09.7	99	35.4	28.1-42.7
25-34	408	47,347	84	18.8	14.1-23.5	26	6.8	03.7-09.9	34	7.6	04.7-10.5	11	2.1	00.5-03.7	19	6.4	03.1-09.7	234	58.4	52.3-64.5
35-44	388	38,109	70	21.4	15.9-26.9	25	5.6	02.7-08.5	27	6.4	03.7-09.1	9	2.0	00.4-03.6	11	3.8	00.7-06.9	246	60.8	54.3-67.3
45-54	586	42,811	76	13.5	09.6-17.4	34	7.0	04.1-09.9	50	8.3	05.6-11.0	9	0.7	00.1-01.3	11	2.2	00.6-03.8	406	68.3	63.2-73.4
55-64	743	43,571	87	12.1	08.8-15.4	35	3.9	02.1-05.7	56	7.9	05.5-10.3	5	1.0	00.0-02.0	22	3.5	01.7-05.3	538	71.7	67.4-76.0
65+	863	43,919	86	11.9	09.0-14.8	70	7.3	05.1-09.5	42	5.6	03.4-07.8	6	0.5	00.1-00.9	24	2.9	01.5-04.3	635	71.9	68.0-75.8
Less Than H.S.	250	27,033	27	15.2	08.1-22.3	20	8.2	03.9-12.5	10	3.7	01.0-06.4				4	2.0	00.0-04.7	189	70.9	62.7-79.1
H.S. or G.E.D.	1052	75,261	119	14.7	11.6-17.8	71	7.5	05.0-10.0	66	6.6	04.6-08.6	15	1.3	00.1-02.5	32	5.0	02.8-07.2	749	64.8	60.7-68.9
Some Post-H.S.	1016	97,068	169	19.9	16.2-23.6	55	7.8	05.1-10.5	67	6.7	04.5-08.9	17	1.9	00.7-03.1	29	4.3	02.3-06.3	679	59.4	55.1-63.7
College Graduate	945	58,659	172	19.9	16.6-23.2	79	8.0	05.6-10.4	88	10.5	08.0-13.0	15	1.9	00.7-03.1	42	4.3	02.7-05.9	549	55.5	51.4-59.6
Less than \$15,000	146	15,930	25	24.9	14.3-35.5	11	8.9	02.6-15.2	8	8.5	02.0-15.0	4	4.8	00.0-10.3	2	3.2	00.0-07.9	96	49.7	38.7-60.7
\$15,000- 24,999	326	29,584	42	18.5	11.6-25.4	31	8.5	04.6-12.4	16	5.1	01.4-08.8	1	0.0	00.0-00.0	13	5.9	02.0-09.8	223	62.0	54.2-69.8
\$25,000- 34,999	271	23,454	44	18.4	11.7-25.1	17	5.9	01.2-10.6	16	7.0	01.9-12.1	2	0.8	00.0-02.2	5	2.4	00.0-04.9	187	65.5	57.3-73.7
\$35,000- 49,999	497	38,490	65	16.9	12.0-21.8	38	7.7	04.0-11.4	40	7.8	04.9-10.7	6	1.5	00.3-02.7	13	2.4	00.8-04.0	335	63.8	57.9-69.7
\$50,000- 74,999	604	48,392	95	16.8	12.5-21.1	32	5.9	03.0-08.8	37	7.1	04.4-09.8	9	1.0	00.2-01.8	19	6.6	03.3-09.9	412	62.6	57.1-68.1
\$75,000+	1151	78,924	172	16.8	13.7-19.9	79	9.2	06.5-11.9	99	8.2	06.2-10.2	22	1.9	00.9-02.9	43	3.5	02.1-04.9	736	60.3	56.4-64.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4014	255,548	693	20.1	18.1-22.1	211	6.2	05.0-07.4	298	9.4	07.8-11.0	40	1.0	00.6-01.4	65	1.5	01.1-01.9	2707	61.8	59.4-64.2
18-24	188	35,626	58	27.2	19.2-35.2	15	12.3	05.8-18.8	39	20.0	12.4-27.6	1	0.1	00.0-00.3	5	1.5	00.0-03.3	70	38.8	29.6-48.0
25-34	419	42,179	112	28.5	22.8-34.2	30	6.7	04.0-09.4	48	10.2	06.5-13.9	4	1.2	00.0-02.6	6	1.3	00.0-02.7	219	52.1	45.8-58.4
35-44	434	35,285	98	21.7	17.0-26.4	24	6.2	03.3-09.1	44	11.1	07.2-15.0	8	2.7	00.3-05.1	6	1.0	00.2-01.8	254	57.3	51.4-63.2
45-54	653	42,569	125	18.9	15.2-22.6	23	4.3	01.8-06.8	54	9.4	06.7-12.1	7	0.7	00.1-01.3	7	1.1	00.1-02.1	437	65.6	60.9-70.3
55-64	866	40,675	129	15.5	12.4-18.6	42	4.3	02.7-05.9	68	6.4	04.6-08.2	4	0.3	00.0-00.7	14	1.8	00.6-03.0	609	71.7	68.0-75.4
65+	1413	56,525	160	12.6	10.2-15.0	74	4.6	03.2-06.0	43	3.4	02.2-04.6	16	1.2	00.4-02.0	25	1.7	00.9-02.5	1095	76.4	73.5-79.3
Less Than H.S.	223	19,490	26	13.9	07.2-20.6	20	11.1	04.6-17.6	15	14.7	04.5-24.9				3	0.7	00.0-01.7	159	59.6	49.0-70.2
H.S. or G.E.D.	1161	61,568	136	13.5	10.4-16.6	57	6.9	04.0-09.8	53	5.5	03.5-07.5	9	0.7	00.1-01.3	10	0.8	00.2-01.4	896	72.5	68.4-76.6
Some Post-H.S.	1353	103,842	223	21.0	17.7-24.3	56	4.1	02.3-05.9	96	8.2	06.0-10.4	15	1.4	00.4-02.4	24	1.6	00.8-02.4	939	63.7	60.0-67.4
College Graduate	1266	70,058	307	26.3	23.0-29.6	77	7.3	04.9-09.7	134	13.1	10.2-16.0	16	1.1	00.3-01.9	28	2.1	01.1-03.1	704	50.1	46.4-53.8
Less than \$15,000	314	25,254	34	14.3	07.8-20.8	23	7.5	02.2-12.8	17	8.8	02.3-15.3	1	0.8	00.0-02.4	3	0.5	00.0-01.1	236	68.1	59.1-77.1
\$15,000- 24,999	539	34,340	65	14.3	09.4-19.2	28	7.2	03.1-11.3	32	9.5	05.0-14.0	1	1.0	00.0-03.0	9	1.5	00.1-02.9	404	66.4	59.9-72.9
\$25,000- 34,999	397	23,641	56	14.8	09.9-19.7	16	4.9	01.4-08.4	33	9.2	05.3-13.1	5	1.2	00.0-03.0	10	1.9	00.5-03.3	277	67.9	61.2-74.6
\$35,000- 49,999	493	28,194	83	17.2	12.5-21.9	31	10.2	05.7-14.7	30	7.7	04.4-11.0	10	1.6	00.4-02.8	11	1.4	00.4-02.4	328	61.9	55.6-68.2
\$50,000- 74,999	584	39,554	109	22.8	17.7-27.9	26	6.6	02.9-10.3	61	11.1	06.6-15.6	7	1.1	00.1-02.1	6	1.1	00.0-02.3	375	57.4	51.3-63.5
\$75,000+	1075	67,443	252	26.5	22.8-30.2	52	4.4	02.6-06.2	102	12.4	09.5-15.3	12	1.1	00.3-01.9	19	1.6	00.6-02.6	638	54.1	50.0-58.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 13: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARTHTRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1 MALES AND FEMALES	248
2 MALES ONLY	249
3 FEMALES ONLY	250
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4 MALES AND FEMALES	251
5 MALES ONLY	252
6 FEMALES ONLY	253
DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7 MALES AND FEMALES	254
8 MALES ONLY	255
9 FEMALES ONLY	256
PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
10 MALES AND FEMALES	257
11 MALES ONLY	258
12 FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2363	135,674	1056	46.8	43.9-49.7	1307	53.2	50.3-56.1
Male	898	61,001	385	45.2	40.7-49.7	513	54.8	50.3-59.3
Female	1465	74,673	671	48.1	44.4-51.8	794	51.9	48.2-55.6
25-34	57	7,175	21	36.5	18.5-54.5	36	63.5	45.5-81.5
35-44	110	11,848	48	42.3	30.9-53.7	62	57.7	46.3-69.1
45-54	317	22,910	147	49.2	41.9-56.5	170	50.8	43.5-58.1
55-64	617	33,523	281	48.5	43.2-53.8	336	51.5	46.2-56.8
65+	1218	54,920	542	45.8	42.1-49.5	676	54.2	50.5-57.9
Less Than H.S.	217	19,146	112	60.3	51.5-69.1	105	39.7	30.9-48.5
H.S. or G.E.D.	809	40,822	326	40.8	36.3-45.3	483	59.2	54.7-63.7
Some Post-H.S.	793	52,576	386	48.1	43.4-52.8	407	51.9	47.2-56.6
College Graduate	540	23,040	230	43.1	37.6-48.6	310	56.9	51.4-62.4
Less than \$15,000	221	14,071	140	68.4	59.4-77.4	81	31.6	22.6-40.6
\$15,000- 24,999	394	23,573	181	52.1	45.2-59.0	213	47.9	41.0-54.8
\$25,000- 34,999	238	13,400	109	47.7	38.3-57.1	129	52.3	42.9-61.7
\$35,000- 49,999	334	17,307	140	41.1	34.0-48.2	194	58.9	51.8-66.0
\$50,000- 74,999	332	20,105	145	44.3	36.7-51.9	187	55.7	48.1-63.3
\$75,000+	504	27,376	190	35.3	29.8-40.8	314	64.7	59.2-70.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	898	61,001	385	45.2	40.7-49.7	513	54.8	50.3-59.3
45-54	150	11,907	64	43.0	32.6-53.4	86	57.0	46.6-67.4
55-64	260	15,482	125	55.5	47.3-63.7	135	44.5	36.3-52.7
65+	401	21,904	168	44.0	37.5-50.5	233	56.0	49.5-62.5
Less Than H.S.	87	8,739	44	57.2	43.7-70.7	43	42.8	29.3-56.3
H.S. or G.E.D.	324	20,564	125	42.7	35.6-49.8	199	57.3	50.2-64.4
Some Post-H.S.	276	21,539	131	43.5	35.5-51.5	145	56.5	48.5-64.5
College Graduate	210	10,146	85	43.3	34.1-52.5	125	56.7	47.5-65.9
Less than \$15,000	53	4,522	33	65.3	47.5-83.1	20	34.7	16.9-52.5
\$15,000- 24,999	130	10,131	71	59.6	48.0-71.2	59	40.4	28.8-52.0
\$25,000- 34,999	87	6,160	34	43.0	27.1-58.9	53	57.0	41.1-72.9
\$35,000- 49,999	151	9,388	60	39.1	28.9-49.3	91	60.9	50.7-71.1
\$50,000- 74,999	143	9,031	60	42.5	31.9-53.1	83	57.5	46.9-68.1
\$75,000+	257	15,616	85	30.4	23.1-37.7	172	69.6	62.3-76.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1465	74,673	671	48.1	44.4-51.8	794	51.9	48.2-55.6
35-44	62	5,466	35	60.6	45.9-75.3	27	39.4	24.7-54.1
45-54	167	11,004	83	55.9	46.3-65.5	84	44.1	34.5-53.7
55-64	357	18,041	156	42.5	35.8-49.2	201	57.5	50.8-64.2
65+	817	33,016	374	46.9	42.4-51.4	443	53.1	48.6-57.6
Less Than H.S.	130	10,407	68	63.0	51.2-74.8	62	37.0	25.2-48.8
H.S. or G.E.D.	485	20,258	201	38.9	33.2-44.6	284	61.1	55.4-66.8
Some Post-H.S.	517	31,037	255	51.3	45.6-57.0	262	48.7	43.0-54.4
College Graduate	330	12,894	145	43.0	36.1-49.9	185	57.0	50.1-63.9
Less than \$15,000	168	9,549	107	69.9	59.7-80.1	61	30.1	19.9-40.3
\$15,000- 24,999	264	13,442	110	46.5	38.5-54.5	154	53.5	45.5-61.5
\$25,000- 34,999	151	7,239	75	51.8	40.6-63.0	76	48.2	37.0-59.4
\$35,000- 49,999	183	7,918	80	43.5	34.3-52.7	103	56.5	47.3-65.7
\$50,000- 74,999	189	11,073	85	45.7	34.9-56.5	104	54.3	43.5-65.1
\$75,000+	247	11,759	105	41.9	33.9-49.9	142	58.1	50.1-66.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2325	132,544	717	34.2	31.5-36.9	1608	65.8	63.1-68.5
Male	886	59,758	278	34.7	30.2-39.2	608	65.3	60.8-69.8
Female	1439	72,786	439	33.9	30.4-37.4	1000	66.1	62.6-69.6
25-34	58	7,268	18	33.9	16.3-51.5	40	66.1	48.5-83.7
35-44	108	11,441	36	31.8	21.0-42.6	72	68.2	57.4-79.0
45-54	319	22,413	121	38.6	31.5-45.7	198	61.4	54.3-68.5
55-64	613	33,476	210	40.8	35.3-46.3	403	59.2	53.7-64.7
65+	1183	52,898	319	29.2	25.7-32.7	864	70.8	67.3-74.3
Less Than H.S.	204	17,622	78	45.0	34.6-55.4	126	55.0	44.6-65.4
H.S. or G.E.D.	802	40,133	250	33.6	29.1-38.1	552	66.4	61.9-70.9
Some Post-H.S.	775	51,555	261	34.9	30.2-39.6	514	65.1	60.4-69.8
College Graduate	540	23,070	128	26.0	20.9-31.1	412	74.0	68.9-79.1
Less than \$15,000	217	13,904	110	50.1	39.5-60.7	107	49.9	39.3-60.5
\$15,000- 24,999	381	22,382	145	44.1	37.0-51.2	236	55.9	48.8-63.0
\$25,000- 34,999	230	12,892	83	40.7	31.1-50.3	147	59.3	49.7-68.9
\$35,000- 49,999	333	17,279	97	33.6	26.3-40.9	236	66.4	59.1-73.7
\$50,000- 74,999	330	19,880	78	25.9	18.3-33.5	252	74.1	66.5-81.7
\$75,000+	505	27,425	112	21.6	16.9-26.3	393	78.4	73.7-83.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	886	59,758	278	34.7	30.2-39.2	608	65.3	60.8-69.8
45-54	152	11,927	53	33.5	23.9-43.1	99	66.5	56.9-76.1
55-64	259	15,584	94	45.7	37.1-54.3	165	54.3	45.7-62.9
65+	389	20,851	105	27.1	21.2-33.0	284	72.9	67.0-78.8
Less Than H.S.	81	7,993	24	38.2	22.7-53.7	57	61.8	46.3-77.3
H.S. or G.E.D.	324	20,487	109	37.8	30.7-44.9	215	62.2	55.1-69.3
Some Post-H.S.	271	21,105	96	34.5	26.7-42.3	175	65.5	57.7-73.3
College Graduate	208	10,077	49	26.4	18.0-34.8	159	73.6	65.2-82.0
Less than \$15,000	52	4,473	29	51.3	31.5-71.1	23	48.7	28.9-68.5
\$15,000- 24,999	126	9,526	55	44.7	32.5-56.9	71	55.3	43.1-67.5
\$25,000- 34,999	84	6,045	33	42.4	26.3-58.5	51	57.6	41.5-73.7
\$35,000- 49,999	149	9,317	50	38.6	27.6-49.6	99	61.4	50.4-72.4
\$50,000- 74,999	141	8,850	33	26.5	16.5-36.5	108	73.5	63.5-83.5
\$75,000+	259	15,713	56	21.4	14.9-27.9	203	78.6	72.1-85.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1439	72,786	439	33.9	30.4-37.4	1000	66.1	62.6-69.6
35-44	61	5,320	25	46.5	30.8-62.2	36	53.5	37.8-69.2
45-54	167	10,487	68	44.4	34.6-54.2	99	55.6	45.8-65.4
55-64	354	17,892	116	36.5	29.8-43.2	238	63.5	56.8-70.2
65+	794	32,047	214	30.6	26.3-34.9	580	69.4	65.1-73.7
Less Than H.S.	123	9,629	54	50.6	36.7-64.5	69	49.4	35.5-63.3
H.S. or G.E.D.	478	19,647	141	29.3	24.0-34.6	337	70.7	65.4-76.0
Some Post-H.S.	504	30,450	165	35.1	29.6-40.6	339	64.9	59.4-70.4
College Graduate	332	12,993	79	25.6	19.3-31.9	253	74.4	68.1-80.7
Less than \$15,000	165	9,431	81	49.5	37.0-62.0	84	50.5	38.0-63.0
\$15,000- 24,999	255	12,856	90	43.7	35.7-51.7	165	56.3	48.3-64.3
\$25,000- 34,999	146	6,846	50	39.1	28.1-50.1	96	60.9	49.9-71.9
\$35,000- 49,999	184	7,961	47	27.7	18.9-36.5	137	72.3	63.5-81.1
\$50,000- 74,999	189	11,030	45	25.3	14.1-36.5	144	74.7	63.5-85.9
\$75,000+	246	11,712	56	21.9	15.0-28.8	190	78.1	71.2-85.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2367	134,880	288	13.0	11.0-15.0	630	27.8	25.1-30.5	1449	59.2	56.3-62.1
Male	902	60,658	89	11.0	07.9-14.1	227	26.2	22.3-30.1	586	62.8	58.3-67.3
Female	1465	74,222	199	14.6	12.1-17.1	403	29.2	25.7-32.7	863	56.3	52.6-60.0
25-34	57	6,994	5	4.2	00.1-08.3	10	23.7	06.1-41.3	42	72.1	54.5-89.7
35-44	108	11,476	13	12.6	04.4-20.8	29	20.9	12.7-29.1	66	66.6	56.0-77.2
45-54	321	22,974	43	14.9	10.0-19.8	88	28.5	22.0-35.0	190	56.7	49.6-63.8
55-64	615	33,289	78	15.3	10.8-19.8	142	22.7	18.2-27.2	395	62.0	56.7-67.3
65+	1220	54,759	145	12.2	09.7-14.7	349	31.1	27.6-34.6	726	56.7	53.0-60.4
Less Than H.S.	213	18,875	41	17.5	11.0-24.0	83	44.9	34.7-55.1	89	37.6	28.4-46.8
H.S. or G.E.D.	812	40,667	93	10.7	08.0-13.4	207	25.0	21.1-28.9	512	64.3	60.0-68.6
Some Post-H.S.	787	51,885	99	13.9	10.4-17.4	217	27.0	22.9-31.1	471	59.1	54.4-63.8
College Graduate	549	23,254	55	11.3	07.2-15.4	121	20.7	16.4-25.0	373	68.0	62.7-73.3
Less than \$15,000	221	14,100	69	32.0	23.2-40.8	74	39.6	28.4-50.8	78	28.4	19.8-37.0
\$15,000- 24,999	390	23,161	74	19.3	14.2-24.4	113	31.0	24.7-37.3	203	49.7	42.8-56.6
\$25,000- 34,999	237	13,266	32	16.9	07.7-26.1	60	25.0	17.6-32.4	145	58.1	48.5-67.7
\$35,000- 49,999	335	17,021	26	8.7	04.6-12.8	99	26.1	20.2-32.0	210	65.2	58.5-71.9
\$50,000- 74,999	334	20,158	18	3.9	01.9-05.9	100	32.8	25.2-40.4	216	63.3	55.7-70.9
\$75,000+	509	27,523	24	3.9	01.9-05.9	102	20.3	15.6-25.0	383	75.8	70.9-80.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	902	60,658	89	11.0	07.9-14.1	227	26.2	22.3-30.1	586	62.8	58.3-67.3
45-54	152	11,927	13	8.9	03.4-14.4	38	26.0	17.0-35.0	101	65.1	55.3-74.9
55-64	260	15,504	31	16.6	08.4-24.8	56	22.2	15.5-28.9	173	61.3	52.7-69.9
65+	404	21,959	40	10.6	06.5-14.7	119	33.1	26.8-39.4	245	56.3	49.8-62.8
Less Than H.S.	86	8,727	17	17.9	08.5-27.3	33	40.8	26.7-54.9	36	41.3	27.4-55.2
H.S. or G.E.D.	326	20,395	23	7.3	03.8-10.8	85	26.4	20.1-32.7	218	66.2	59.5-72.9
Some Post-H.S.	273	21,114	25	11.2	04.7-17.7	70	23.5	17.0-30.0	178	65.4	57.4-73.4
College Graduate	215	10,326	24	12.2	05.3-19.1	39	19.0	12.1-25.9	152	68.7	60.1-77.3
Less than \$15,000	52	4,523	17	27.4	12.5-42.3	18	45.4	25.0-65.8	17	27.3	10.8-43.8
\$15,000- 24,999	129	9,888	35	24.3	14.7-33.9	38	28.2	17.8-38.6	56	47.5	35.2-59.8
\$25,000- 34,999	88	6,189	8	15.5	00.0-32.6	19	21.6	10.6-32.6	61	62.9	46.6-79.2
\$35,000- 49,999	150	9,049	8	5.3	01.2-09.4	43	25.4	16.4-34.4	99	69.2	59.6-78.8
\$50,000- 74,999	144	9,071	3	1.7	00.0-03.7	43	31.4	21.4-41.4	98	66.9	56.9-76.9
\$75,000+	261	15,792	9	2.7	00.5-04.9	43	17.5	11.4-23.6	209	79.8	73.5-86.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1465	74,222	199	14.6	12.1-17.1	403	29.2	25.7-32.7	863	56.3	52.6-60.0
35-44	61	5,354	11	20.6	06.9-34.3	23	35.1	20.8-49.4	27	44.3	28.8-59.8
45-54	169	11,047	30	21.3	13.3-29.3	50	31.1	21.9-40.3	89	47.6	37.8-57.4
55-64	355	17,784	47	14.3	09.6-19.0	86	23.2	17.3-29.1	222	62.5	55.8-69.2
65+	816	32,800	105	13.4	10.3-16.5	230	29.7	25.6-33.8	481	56.9	52.4-61.4
Less Than H.S.	127	10,148	24	17.1	08.1-26.1	50	48.5	34.4-62.6	53	34.4	22.4-46.4
H.S. or G.E.D.	486	20,272	70	14.1	10.0-18.2	122	23.5	18.8-28.2	294	62.4	56.7-68.1
Some Post-H.S.	514	30,771	74	15.8	11.7-19.9	147	29.5	24.2-34.8	293	54.7	49.0-60.4
College Graduate	334	12,928	31	10.5	05.6-15.4	82	22.1	16.4-27.8	221	67.4	60.7-74.1
Less than \$15,000	169	9,576	52	34.1	23.3-44.9	56	36.9	23.6-50.2	61	28.9	18.9-38.9
\$15,000- 24,999	261	13,273	39	15.5	09.8-21.2	75	33.1	25.3-40.9	147	51.3	43.3-59.3
\$25,000- 34,999	149	7,077	24	18.1	09.1-27.1	41	27.9	17.7-38.1	84	53.9	42.5-65.3
\$35,000- 49,999	185	7,972	18	12.6	05.5-19.7	56	26.8	19.2-34.4	111	60.6	51.6-69.6
\$50,000- 74,999	190	11,087	15	5.8	02.5-09.1	57	33.9	22.7-45.1	118	60.3	49.3-71.3
\$75,000+	248	11,731	15	5.5	02.2-08.8	59	24.2	17.1-31.3	174	70.3	62.9-77.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1917	105,709	159	8.5	06.7-10.3	690	35.0	32.1-37.9	706	35.2	32.3-38.1	289	17.1	14.4-19.8	73	4.1	02.5-05.7
Male	728	46,783	70	10.5	07.2-13.8	307	38.2	33.5-42.9	232	32.1	27.6-36.6	97	16.5	12.4-20.6	22	2.8	01.0-04.6
Female	1189	58,926	89	6.9	04.9-08.9	383	32.5	28.8-36.2	474	37.8	33.9-41.7	192	17.6	14.3-20.9	51	5.2	02.7-07.7
35-44	91	9,613	12	22.3	10.0-34.6	36	36.3	24.3-48.3	28	21.8	12.6-31.0	10	12.7	04.1-21.3	5	6.8	00.0-14.6
45-54	250	16,867	13	4.3	01.2-07.4	101	38.7	31.1-46.3	83	36.1	28.1-44.1	46	18.1	12.2-24.0	7	2.8	00.4-05.2
55-64	501	25,917	36	7.2	04.5-09.9	206	39.7	34.2-45.2	174	35.2	29.7-40.7	68	14.8	10.9-18.7	17	3.2	01.2-05.2
65+	994	43,918	90	8.1	05.9-10.3	318	31.4	27.7-35.1	391	39.0	35.1-42.9	153	18.0	14.5-21.5	42	3.5	02.1-04.9
Less Than H.S.	172	15,422	11	4.3	01.4-07.2	31	15.4	08.7-22.1	68	33.4	24.0-42.8	46	35.2	23.8-46.6	16	11.6	02.6-20.6
H.S. or G.E.D.	644	31,285	56	9.5	06.0-13.0	196	32.5	27.6-37.4	270	40.0	34.9-45.1	93	14.1	10.6-17.6	29	3.9	01.9-05.9
Some Post-H.S.	634	39,669	44	8.6	05.3-11.9	237	38.5	33.4-43.6	237	35.6	30.5-40.7	100	15.5	12.0-19.0	16	1.8	00.8-02.8
College Graduate	463	19,194	47	9.9	06.2-13.6	224	47.3	41.2-53.4	130	28.3	23.0-33.6	50	11.2	07.3-15.1	12	3.2	00.1-06.3
Less than \$15,000	171	10,775	12	6.1	00.4-11.8	34	16.4	09.1-23.7	67	36.2	24.6-47.8	44	32.6	19.3-45.9	14	8.8	03.5-14.1
\$15,000- 24,999	327	19,712	27	7.2	03.1-11.3	80	22.7	16.8-28.6	131	38.9	31.6-46.2	71	26.9	19.8-34.0	18	4.2	01.7-06.7
\$25,000- 34,999	194	9,797	11	3.8	00.5-07.1	66	31.3	22.7-39.9	73	39.8	30.4-49.2	32	19.6	12.2-27.0	12	5.5	01.0-10.0
\$35,000- 49,999	273	13,760	18	5.9	02.6-09.2	111	44.9	36.9-52.9	106	35.5	28.1-42.9	30	11.1	06.0-16.2	8	2.6	00.2-05.0
\$50,000- 74,999	277	15,843	22	6.6	02.9-10.3	124	43.6	35.6-51.6	99	37.3	29.7-44.9	25	7.2	04.1-10.3	7	5.4	00.0-13.2
\$75,000+	414	21,259	38	12.2	07.1-17.3	201	49.3	42.8-55.8	133	27.5	22.0-33.0	39	10.8	06.5-15.1	3	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	728	46,783	70	10.5	07.2-13.8	307	38.2	33.5-42.9	232	32.1	27.6-36.6	97	16.5	12.4-20.6	22	2.8	01.0-04.6
45-54	113	7,776	7	6.3	00.2-12.4	57	44.9	33.1-56.7	32	31.8	20.2-43.4	15	14.4	06.2-22.6	2	2.7	00.0-06.6
55-64	211	12,206	15	5.0	01.7-08.3	101	44.0	35.4-52.6	66	35.8	27.2-44.4	22	11.5	05.8-17.2	7	3.7	00.4-07.0
65+	334	17,605	35	9.7	05.8-13.6	123	32.7	26.2-39.2	112	35.3	28.6-42.0	52	20.3	14.0-26.6	12	2.0	00.4-03.6
Less Than H.S.	68	6,984	3	4.6	00.0-09.9	15	20.8	09.0-32.6	25	30.5	17.4-43.6	21	40.4	23.7-57.1	4	3.7	00.0-08.2
H.S. or G.E.D.	262	15,761	20	8.8	03.5-14.1	101	37.2	29.6-44.8	103	39.5	31.7-47.3	27	11.3	06.4-16.2	11	3.1	00.6-05.6
Some Post-H.S.	212	15,443	17	12.9	05.5-20.3	103	43.6	34.8-52.4	62	28.6	20.6-36.6	28	14.0	07.7-20.3	2	0.9	00.0-02.1
College Graduate	184	8,498	29	13.9	07.4-20.4	87	43.6	34.0-53.2	42	26.1	17.5-34.7	21	11.5	05.6-17.4	5	4.9	00.0-11.6
\$15,000- 24,999	108	8,290	8	7.6	00.0-16.0	26	20.6	10.8-30.4	36	35.6	23.1-48.1	29	32.5	19.6-45.4	9	3.7	00.8-06.6
\$25,000- 34,999	70	4,252	5	3.2	00.0-06.5	26	35.3	21.6-49.0	26	41.8	26.9-56.7	11	18.2	06.8-29.6	2	1.6	00.0-04.1
\$35,000- 49,999	120	7,265	8	6.4	01.1-11.7	57	51.6	39.6-63.6	39	27.8	17.6-38.0	14	11.9	03.9-19.9	2	2.4	00.0-06.3
\$50,000- 74,999	119	6,925	12	10.0	02.6-17.4	59	42.2	30.8-53.6	37	40.7	29.3-52.1	10	6.8	02.3-11.3	1	0.2	00.0-00.6
\$75,000+	210	11,758	23	13.0	05.9-20.1	113	50.4	41.4-59.4	57	25.0	17.6-32.4	17	11.7	04.8-18.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1189	58,926	89	6.9	04.9-08.9	383	32.5	28.8-36.2	474	37.8	33.9-41.7	192	17.6	14.3-20.9	51	5.2	02.7-07.7
35-44	50	4,106	2	8.1	00.0-19.5	20	36.6	20.3-52.9	17	28.4	14.3-42.5	7	17.9	04.0-31.8	4	9.0	00.0-21.7
45-54	137	9,091	6	2.6	00.0-05.3	44	33.4	23.2-43.6	51	39.9	28.5-51.3	31	21.2	12.8-29.6	5	2.9	00.0-05.8
55-64	290	13,710	21	9.2	04.9-13.5	105	35.8	28.7-42.9	108	34.6	27.7-41.5	46	17.7	12.2-23.2	10	2.7	00.3-05.1
65+	660	26,313	55	7.1	04.7-09.5	195	30.6	26.1-35.1	279	41.4	36.5-46.3	101	16.4	12.5-20.3	30	4.5	02.5-06.5
Less Than H.S.	104	8,437	8	4.1	00.8-07.4	16	11.0	04.1-17.9	43	35.8	22.3-49.3	25	30.9	15.4-46.4	12	18.1	03.0-33.2
H.S. or G.E.D.	382	15,524	36	10.2	05.7-14.7	95	27.7	21.8-33.6	167	40.5	34.0-47.0	66	16.9	12.0-21.8	18	4.7	01.8-07.6
Some Post-H.S.	422	24,226	27	5.9	03.4-08.4	134	35.2	29.1-41.3	175	40.0	33.7-46.3	72	16.4	12.1-20.7	14	2.4	00.8-04.0
College Graduate	279	10,696	18	6.7	02.2-11.2	137	50.3	42.7-57.9	88	30.1	23.2-37.0	29	11.0	05.5-16.5	7	1.9	00.0-03.9
Less than \$15,000	131	7,157	8	2.9	00.5-05.3	25	14.3	07.2-21.4	53	41.0	26.3-55.7	35	33.7	17.6-49.8	10	8.2	02.5-13.9
\$15,000- 24,999	219	11,423	19	7.0	03.3-10.7	54	24.3	16.9-31.7	95	41.3	32.7-49.9	42	22.9	15.1-30.7	9	4.5	00.8-08.2
\$25,000- 34,999	124	5,545	6	4.2	00.0-09.3	40	28.3	17.5-39.1	47	38.2	26.4-50.0	21	20.8	10.8-30.8	10	8.5	00.9-16.1
\$35,000- 49,999	153	6,496	10	5.4	01.1-09.7	54	37.5	27.7-47.3	67	44.0	34.0-54.0	16	10.3	04.4-16.2	6	2.8	00.3-05.3
\$50,000- 74,999	158	8,918	10	3.8	01.1-06.5	65	44.8	33.2-56.4	62	34.6	24.4-44.8	15	7.5	03.0-12.0	6	9.3	00.0-22.8
\$75,000+	204	9,501	15	11.3	04.2-18.4	88	48.0	39.0-57.0	76	30.6	22.8-38.4	22	9.7	05.0-14.4	3	0.5	00.0-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	261
2	MALES ONLY	262
3	FEMALES ONLY	263

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7318	517,333	5094	69.0	67.4-70.6	1390	18.0	16.6-19.4	458	7.5	06.5-08.5	190	2.8	02.2-03.4	177	2.5	01.9-03.1	9	0.1	00.1-00.1
Male	3285	260,402	1916	59.6	57.2-62.0	786	21.2	19.2-23.2	312	11.1	09.5-12.7	132	4.3	03.3-05.3	135	3.7	02.9-04.5	4	0.1	00.0-00.3
Female	4033	256,931	3178	78.5	76.5-80.5	604	14.8	13.0-16.6	146	4.0	03.0-05.0	58	1.3	00.7-01.9	42	1.2	00.6-01.8	5	0.1	00.1-00.1
18-24	456	78,527	233	53.0	46.9-59.1	112	24.2	18.9-29.5	62	13.2	09.1-17.3	30	5.9	03.2-08.6	19	3.7	01.3-06.1			
25-34	832	89,729	536	68.1	64.2-72.0	173	17.7	14.6-20.8	73	9.3	06.8-11.8	29	2.5	01.3-03.7	21	2.4	01.0-03.8			
35-44	818	72,959	553	70.3	66.4-74.2	186	19.7	16.4-23.0	45	6.0	03.8-08.2	13	1.5	00.3-02.7	21	2.5	01.1-03.9			
45-54	1244	85,863	855	69.8	66.5-73.1	240	18.2	15.5-20.9	77	7.2	05.0-09.4	37	2.6	01.6-03.6	35	2.2	01.2-03.2			
55-64	1615	84,649	1136	72.8	70.1-75.5	308	15.9	13.7-18.1	98	6.1	04.5-07.7	33	2.3	01.3-03.3	37	2.6	01.6-03.6	3	0.3	00.0-00.7
65+	2289	101,378	1731	76.9	74.5-79.3	360	14.1	12.3-15.9	100	4.5	03.3-05.7	48	2.4	01.6-03.2	44	1.8	01.2-02.4	6	0.2	00.0-00.4
Less Than H.S.	474	46,680	309	63.9	57.4-70.4	79	19.4	13.7-25.1	39	9.3	05.0-13.6	20	3.1	00.9-05.3	24	3.9	01.7-06.1	3	0.5	00.0-01.1
H.S. or G.E.D.	2225	137,853	1459	63.2	60.3-66.1	442	18.9	16.4-21.4	185	10.7	08.7-12.7	71	4.0	02.8-05.2	66	3.1	02.1-04.1	2	0.0	00.0-00.0
Some Post-H.S.	2381	202,249	1623	68.8	66.1-71.5	484	18.7	16.5-20.9	146	7.1	05.5-08.7	62	2.7	01.7-03.7	64	2.7	01.7-03.7	2	0.1	00.0-00.3
College Graduate	2216	128,966	1688	77.7	75.3-80.1	382	15.5	13.5-17.5	87	4.4	03.2-05.6	37	1.7	00.9-02.5	21	0.7	00.3-01.1	1	0.0	00.0-00.0
Less than \$15,000	462	41,328	341	69.3	62.2-76.4	66	16.8	10.7-22.9	24	7.3	03.0-11.6	13	2.5	00.1-04.9	14	3.3	00.4-06.2	4	0.8	00.0-01.6
\$15,000- 24,999	866	63,547	616	70.7	66.0-75.4	128	14.4	10.7-18.1	64	8.9	05.8-12.0	27	3.9	01.9-05.9	29	2.0	01.0-03.0	2	0.1	00.0-00.3
\$25,000- 34,999	669	47,237	455	64.7	59.4-70.0	123	17.9	13.8-22.0	45	8.4	05.3-11.5	26	4.2	02.2-06.2	20	4.8	02.1-07.5			
\$35,000- 49,999	990	66,734	666	65.2	60.9-69.5	206	20.7	17.0-24.4	68	7.9	05.4-10.4	25	3.3	01.3-05.3	24	2.8	01.2-04.4	1	0.0	00.0-00.0
\$50,000- 74,999	1199	88,851	805	66.4	62.5-70.3	256	20.7	17.2-24.2	81	7.8	05.6-10.0	34	3.0	01.4-04.6	23	2.0	00.8-03.2			
\$75,000+	2230	146,945	1538	69.7	67.2-72.2	470	19.1	16.9-21.3	127	7.2	05.4-09.0	43	1.9	01.1-02.7	52	2.1	01.3-02.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 14: SEATBELT USE

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3285	260,402	1916	59.6	57.2-62.0	786	21.2	19.2-23.2	312	11.1	09.5-12.7	132	4.3	03.3-05.3	135	3.7	02.9-04.5	4	0.1	00.0-00.3
18-24	267	42,425	115	45.9	38.3-53.5	65	23.2	16.7-29.7	45	17.9	12.0-23.8	27	8.5	04.4-12.6	15	4.5	01.6-07.4			
25-34	410	47,374	229	60.2	54.1-66.3	90	18.3	13.6-23.0	54	14.1	09.8-18.4	24	4.0	01.8-06.2	13	3.4	01.0-05.8			
35-44	387	37,874	211	57.6	51.3-63.9	118	27.4	21.9-32.9	31	8.3	04.8-11.8	9	2.6	00.4-04.8	18	4.2	01.7-06.7			
45-54	589	43,209	352	60.8	55.5-66.1	141	21.8	17.7-25.9	48	10.2	06.5-13.9	24	3.8	01.8-05.8	24	3.4	01.6-05.2			
55-64	744	43,650	435	63.8	59.3-68.3	180	19.0	15.7-22.3	69	8.4	05.9-10.9	24	3.8	02.0-05.6	33	4.3	02.3-06.3	3	0.6	00.0-01.4
65+	866	44,371	560	68.0	64.1-71.9	186	18.9	15.6-22.2	63	7.3	04.9-09.7	24	3.1	01.5-04.7	32	2.6	01.4-03.8	1	0.1	00.0-00.3
Less Than H.S.	251	27,249	134	59.4	51.2-67.6	51	21.4	14.1-28.7	33	11.5	06.2-16.8	13	2.8	00.6-05.0	18	4.3	01.8-06.8	2	0.5	00.0-01.3
H.S. or G.E.D.	1057	76,003	563	54.5	50.4-58.6	262	20.4	17.3-23.5	128	14.4	11.3-17.5	54	6.3	04.3-08.3	50	4.3	02.7-05.9			
Some Post-H.S.	1020	97,426	573	57.3	53.0-61.6	261	23.0	19.5-26.5	96	10.8	08.1-13.5	39	4.3	02.5-06.1	50	4.5	02.7-06.3	1	0.1	00.0-00.3
College Graduate	946	58,731	640	70.8	67.1-74.5	209	18.7	15.6-21.8	54	7.1	04.7-09.5	26	2.3	01.1-03.5	16	1.0	00.2-01.8	1	0.0	00.0-00.0
Less than \$15,000	148	16,013	94	70.5	61.1-79.9	25	13.1	06.6-19.6	13	9.1	03.0-15.2	5	2.0	00.0-04.4	9	3.9	00.4-07.4	2	1.5	00.0-03.5
\$15,000- 24,999	326	29,365	188	60.4	52.6-68.2	60	18.0	11.3-24.7	39	12.3	07.0-17.6	19	6.4	02.7-10.1	19	2.7	00.9-04.5	1	0.1	00.0-00.3
\$25,000- 34,999	271	23,507	154	56.0	47.8-64.2	56	19.1	12.6-25.6	25	9.1	04.4-13.8	20	7.4	03.7-11.1	16	8.4	03.1-13.7			
\$35,000- 49,999	495	38,336	289	57.2	51.1-63.3	118	22.2	17.1-27.3	48	11.0	07.1-14.9	20	5.3	02.2-08.4	20	4.2	01.7-06.7			
\$50,000- 74,999	612	49,155	353	60.7	55.4-66.0	156	21.0	16.7-25.3	55	10.4	06.9-13.9	31	5.4	02.9-07.9	17	2.5	00.9-04.1			
\$75,000+	1153	79,398	665	57.7	53.8-61.6	314	24.3	21.0-27.6	101	11.9	08.8-15.0	29	2.6	01.4-03.8	44	3.5	02.1-04.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4033	256,931	3178	78.5	76.5-80.5	604	14.8	13.0-16.6	146	4.0	03.0-05.0	58	1.3	00.7-01.9	42	1.2	00.6-01.8	5	0.1	00.1-00.1
18-24	189	36,102	118	61.4	52.0-70.8	47	25.4	16.8-34.0	17	7.6	02.3-12.9	3	2.8	00.0-05.9	4	2.7	00.0-06.2			
25-34	422	42,354	307	76.9	72.0-81.8	83	17.1	12.8-21.4	19	3.9	01.7-06.1	5	0.9	00.0-01.9	8	1.2	00.0-02.4			
35-44	431	35,085	342	84.1	80.2-88.0	68	11.4	08.1-14.7	14	3.6	01.2-06.0	4	0.3	00.0-00.7	3	0.6	00.0-01.4			
45-54	655	42,654	503	79.0	74.9-83.1	99	14.5	11.0-18.0	29	4.2	02.2-06.2	13	1.4	00.4-02.4	11	1.0	00.4-01.6			
55-64	871	40,999	701	82.4	79.3-85.5	128	12.6	09.9-15.3	29	3.6	01.8-05.4	9	0.7	00.1-01.3	4	0.7	00.0-01.5			
65+	1423	57,007	1171	83.9	81.5-86.3	174	10.4	08.4-12.4	37	2.2	01.2-03.2	24	1.9	01.1-02.7	12	1.3	00.5-02.1	5	0.3	00.0-00.7
Less Than H.S.	223	19,431	175	70.1	59.3-80.9	28	16.5	07.7-25.3	6	6.3	00.0-13.6	7	3.4	00.0-07.7	6	3.3	00.0-07.2	1	0.4	00.0-01.2
H.S. or G.E.D.	1168	61,851	896	73.8	69.5-78.1	180	17.2	13.1-21.3	57	6.1	04.1-08.1	17	1.2	00.2-02.2	16	1.7	00.7-02.7	2	0.1	00.0-00.3
Some Post-H.S.	1361	104,824	1050	79.5	76.4-82.6	223	14.7	12.2-17.2	50	3.6	02.2-05.0	23	1.1	00.5-01.7	14	1.1	00.1-02.1	1	0.0	00.0-00.0
College Graduate	1270	70,235	1048	83.5	80.6-86.4	173	12.7	10.2-15.2	33	2.2	01.0-03.4	11	1.2	00.2-02.2	5	0.4	00.0-00.8			
Less than \$15,000	314	25,315	247	68.6	58.6-78.6	41	19.1	10.1-28.1	11	6.1	00.2-12.0	8	2.8	00.0-06.1	5	3.0	00.0-07.1	2	0.3	00.0-00.7
\$15,000- 24,999	540	34,183	428	79.5	74.2-84.8	68	11.2	07.3-15.1	25	6.0	02.5-09.5	8	1.7	00.0-03.5	10	1.4	00.4-02.4	1	0.2	00.0-00.6
\$25,000- 34,999	398	23,730	301	73.3	66.8-79.8	67	16.7	11.2-22.2	20	7.8	03.7-11.9	6	1.0	00.0-02.2	4	1.3	00.0-03.1			
\$35,000- 49,999	495	28,398	377	75.9	70.2-81.6	88	18.7	13.4-24.0	20	3.7	01.2-06.2	5	0.7	00.1-01.3	4	0.9	00.0-02.1	1	0.1	00.0-00.3
\$50,000- 74,999	587	39,696	452	73.5	67.6-79.4	100	20.4	14.7-26.1	26	4.5	02.1-06.9	3	0.1	00.0-00.3	6	1.5	00.0-03.5			
\$75,000+	1077	67,547	873	83.9	81.2-86.6	156	12.9	10.4-15.4	26	1.6	00.8-02.4	14	1.1	00.3-01.9	8	0.5	00.1-00.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 15: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1	MALES AND FEMALES	265
2	MALES ONLY	266
3	FEMALES ONLY	267
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4	MALES AND FEMALES	268
5	MALES ONLY	269
6	FEMALES ONLY	270
	SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)	
7	MALES AND FEMALES	271
8	MALES ONLY	272
9	FEMALES ONLY	273
	A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10	MALES AND FEMALES	274
11	MALES ONLY	275
12	FEMALES ONLY	276

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7303	516,387	3303	41.4	39.8-43.0	4000	58.6	57.0-60.2
Male	3278	259,753	1222	34.7	32.5-36.9	2056	65.3	63.1-67.5
Female	4025	256,635	2081	48.2	45.8-50.6	1944	51.8	49.4-54.2
18-24	451	78,220	107	25.3	20.0-30.6	344	74.7	69.4-80.0
25-34	829	89,578	291	36.5	32.2-40.8	538	63.5	59.2-67.8
35-44	816	72,709	322	38.3	34.2-42.4	494	61.7	57.6-65.8
45-54	1243	85,829	444	37.0	33.5-40.5	799	63.0	59.5-66.5
55-64	1613	84,574	771	47.8	44.5-51.1	842	52.2	48.9-55.5
65+	2287	101,249	1342	59.0	56.5-61.5	945	41.0	38.5-43.5
Less Than H.S.	471	46,431	197	35.5	29.6-41.4	274	64.5	58.6-70.4
H.S. or G.E.D.	2229	138,088	890	36.5	33.6-39.4	1339	63.5	60.6-66.4
Some Post-H.S.	2369	201,421	1061	40.3	37.6-43.0	1308	59.7	57.0-62.4
College Graduate	2212	128,863	1148	50.8	48.1-53.5	1064	49.2	46.5-51.9
Less than \$15,000	462	41,328	197	37.5	30.8-44.2	265	62.5	55.8-69.2
\$15,000- 24,999	866	63,576	411	43.1	38.2-48.0	455	56.9	52.0-61.8
\$25,000- 34,999	669	47,209	306	37.5	32.4-42.6	363	62.5	57.4-67.6
\$35,000- 49,999	989	66,736	449	42.2	37.9-46.5	540	57.8	53.5-62.1
\$50,000- 74,999	1194	88,669	537	41.3	37.4-45.2	657	58.7	54.8-62.6
\$75,000+	2225	146,581	1005	44.1	41.4-46.8	1220	55.9	53.2-58.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3278	259,753	1222	34.7	32.5-36.9	2056	65.3	63.1-67.5
18-24	263	42,129	48	19.0	13.1-24.9	215	81.0	75.1-86.9
25-34	409	47,351	104	27.2	21.5-32.9	305	72.8	67.1-78.5
35-44	384	37,511	117	31.1	25.2-37.0	267	68.9	63.0-74.8
45-54	589	43,209	157	28.6	23.7-33.5	432	71.4	66.5-76.3
55-64	743	43,581	298	41.9	37.0-46.8	445	58.1	53.2-63.0
65+	868	44,472	489	59.2	55.1-63.3	379	40.8	36.7-44.9
Less Than H.S.	250	27,123	95	36.0	28.0-44.0	155	64.0	56.0-72.0
H.S. or G.E.D.	1058	76,050	328	29.8	26.1-33.5	730	70.2	66.5-73.9
Some Post-H.S.	1012	96,929	364	31.9	28.0-35.8	648	68.1	64.2-72.0
College Graduate	947	58,656	433	45.6	41.5-49.7	514	54.4	50.3-58.5
Less than \$15,000	148	16,013	51	30.2	20.6-39.8	97	69.8	60.2-79.4
\$15,000- 24,999	325	29,219	134	37.1	29.7-44.5	191	62.9	55.5-70.3
\$25,000- 34,999	270	23,482	97	30.5	22.9-38.1	173	69.5	61.9-77.1
\$35,000- 49,999	495	38,349	201	36.8	31.1-42.5	294	63.2	57.5-68.9
\$50,000- 74,999	610	49,112	226	34.6	29.5-39.7	384	65.4	60.3-70.5
\$75,000+	1152	79,276	429	36.5	32.8-40.2	723	63.5	59.8-67.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4025	256,635	2081	48.2	45.8-50.6	1944	51.8	49.4-54.2
18-24	188	36,091	59	32.7	23.9-41.5	129	67.3	58.5-76.1
25-34	420	42,227	187	46.9	40.6-53.2	233	53.1	46.8-59.4
35-44	432	35,197	205	45.9	40.0-51.8	227	54.1	48.2-60.0
45-54	654	42,620	287	45.5	40.6-50.4	367	54.5	49.6-59.4
55-64	870	40,993	473	54.1	49.8-58.4	397	45.9	41.6-50.2
65+	1419	56,777	853	58.9	55.6-62.2	566	41.1	37.8-44.4
Less Than H.S.	221	19,308	102	34.7	26.1-43.3	119	65.3	56.7-73.9
H.S. or G.E.D.	1171	62,038	562	44.6	40.3-48.9	609	55.4	51.1-59.7
Some Post-H.S.	1357	104,492	697	48.1	44.4-51.8	660	51.9	48.2-55.6
College Graduate	1265	70,206	715	55.1	51.4-58.8	550	44.9	41.2-48.6
Less than \$15,000	314	25,315	146	42.0	33.0-51.0	168	58.0	49.0-67.0
\$15,000- 24,999	541	34,357	277	48.2	41.9-54.5	264	51.8	45.5-58.1
\$25,000- 34,999	399	23,727	209	44.4	37.5-51.3	190	55.6	48.7-62.5
\$35,000- 49,999	494	28,387	248	49.4	43.1-55.7	246	50.6	44.3-56.9
\$50,000- 74,999	584	39,556	311	49.7	43.6-55.8	273	50.3	44.2-56.4
\$75,000+	1073	67,305	576	53.1	49.0-57.2	497	46.9	42.8-51.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2012			May-Aug 2012			Sep-Dec 2012			Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3147	202,742	6	0.4	00.0-00.8	39	1.7	00.9-02.5	2249	69.6	67.2-72.0	227	8.7	07.3-10.1	21	1.1	00.5-01.7	605	18.5	16.5-20.5
Male	1160	85,108	4	0.4	00.0-00.8	23	3.1	01.5-04.7	798	65.8	61.9-69.7	96	8.8	06.6-11.0	10	1.9	00.3-03.5	229	20.0	16.7-23.3
Female	1987	117,635	2	0.3	00.0-00.9	16	0.7	00.3-01.1	1451	72.4	69.7-75.1	131	8.6	06.6-10.6	11	0.6	00.2-01.0	376	17.4	15.2-19.6
18-24	98	17,616	1	1.7	00.0-05.0	5	3.6	00.0-07.5	51	55.0	42.8-67.2	22	17.2	09.2-25.2	3	3.7	00.0-08.6	16	18.8	08.6-29.0
25-34	281	31,581				5	1.9	00.0-03.9	181	63.0	55.7-70.3	42	16.2	10.9-21.5	2	1.8	00.0-04.3	51	17.1	11.4-22.8
35-44	312	26,657				3	0.8	00.0-01.8	222	69.1	62.6-75.6	15	5.4	02.3-08.5	4	1.5	00.0-03.3	68	23.2	17.3-29.1
45-54	426	30,097	2	0.6	00.0-01.4	7	2.7	00.0-05.6	307	75.2	70.1-80.3	33	6.9	04.2-09.6	2	0.1	00.0-00.3	75	14.6	10.7-18.5
55-64	734	38,740	1	0.2	00.0-00.6	6	1.0	00.0-02.0	550	73.4	69.3-77.5	45	6.7	04.3-09.1	2	0.5	00.0-01.3	130	18.2	14.7-21.7
65+	1275	56,662	2	0.3	00.0-00.9	13	1.5	00.5-02.5	919	72.1	69.0-75.2	70	5.9	04.3-07.5	8	0.8	00.0-01.6	263	19.4	16.7-22.1
Less Than H.S.	179	15,008	1	0.2	00.0-00.6	2	0.5	00.0-01.3	124	66.4	56.2-76.6	12	7.0	02.5-11.5	3	4.0	00.0-09.1	37	21.9	12.3-31.5
H.S. or G.E.D.	837	46,568	1	0.4	00.0-01.2	14	2.3	00.7-03.9	591	67.2	62.7-71.7	72	11.0	07.9-14.1	7	1.6	00.0-03.4	152	17.6	14.1-21.1
Some Post-H.S.	1007	76,862	2	0.5	00.0-01.3	16	2.4	00.8-04.0	733	72.6	68.7-76.5	64	6.8	04.6-09.0	7	0.6	00.0-01.2	185	17.0	13.9-20.1
College Graduate	1117	63,961	2	0.2	00.0-00.6	7	0.8	00.0-01.6	796	68.4	64.7-72.1	78	9.7	07.2-12.2	4	0.7	00.0-01.5	230	20.2	17.1-23.3
Less than \$15,000	187	14,035	1	0.2	00.0-00.6	3	1.5	00.0-03.3	124	58.0	47.8-68.2	19	19.6	10.4-28.8	4	3.4	00.0-08.3	36	17.3	10.0-24.6
\$15,000- 24,999	383	25,576	1	0.7	00.0-02.1	6	2.1	00.0-04.3	276	67.4	60.1-74.7	25	6.9	03.6-10.2	4	2.4	00.0-04.9	71	20.7	13.8-27.6
\$25,000- 34,999	293	16,944				2	0.5	00.0-01.3	207	70.8	63.4-78.2	20	10.0	04.7-15.3	3	0.4	00.0-01.0	61	18.3	12.2-24.4
\$35,000- 49,999	434	26,787				10	4.3	00.8-07.8	299	65.7	59.2-72.2	34	8.8	05.3-12.3	1	1.4	00.0-04.1	90	19.8	14.7-24.9
\$50,000- 74,999	512	34,375				8	2.3	00.3-04.3	377	73.7	68.4-79.0	38	5.7	03.5-07.9	2	0.8	00.0-02.2	87	17.5	13.0-22.0
\$75,000+	980	63,617	3	0.4	00.0-00.8	5	0.6	00.0-01.2	720	73.2	69.5-76.9	58	7.6	05.2-10.0	5	0.6	00.0-01.2	189	17.7	14.8-20.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2012			May-Aug 2012			Sep-Dec 2012			Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1160	85,108	4	0.4	00.0-00.8	23	3.1	01.5-04.7	798	65.8	61.9-69.7	96	8.8	06.6-11.0	10	1.9	00.3-03.5	229	20.0	16.7-23.3
25-34	99	12,096				4	4.6	00.0-09.7	57	58.2	45.9-70.5	19	15.9	07.7-24.1	1	2.9	00.0-08.6	18	18.4	08.4-28.4
35-44	110	10,786				1	1.2	00.0-03.6	69	61.0	49.6-72.4	4	4.4	00.1-08.7	4	3.7	00.0-08.2	32	29.6	19.0-40.2
45-54	148	11,660	1	0.8	00.0-02.4	4	5.4	00.0-12.3	108	77.6	68.8-86.4	14	6.5	02.4-10.6				21	9.7	04.6-14.8
55-64	281	17,354	1	0.4	00.0-01.2	4	1.9	00.0-04.1	203	71.7	64.8-78.6	23	7.6	03.9-11.3				50	18.5	12.6-24.4
65+	469	24,969	2	0.8	00.0-02.2	6	2.0	00.2-03.8	335	71.1	65.8-76.4	27	6.1	03.4-08.8	3	0.9	00.0-02.3	96	19.1	14.6-23.6
Less Than H.S.	89	9,195	1	0.3	00.0-00.9	2	0.8	00.0-02.0	62	62.8	48.1-77.5	6	6.5	00.8-12.2	2	5.8	00.0-13.8	16	23.8	09.5-38.1
H.S. or G.E.D.	309	21,087	1	0.8	00.0-02.4	8	3.9	00.6-07.2	210	62.1	54.5-69.7	32	12.9	07.8-18.0	2	1.8	00.0-05.3	56	18.5	12.4-24.6
Some Post-H.S.	339	28,740	1	0.3	00.0-00.9	11	5.1	01.4-08.8	230	69.6	62.9-76.3	25	6.7	03.2-10.2	2	0.9	00.0-02.3	70	17.4	12.3-22.5
College Graduate	421	25,990	1	0.3	00.0-00.9	2	1.1	00.0-02.9	294	65.7	59.6-71.8	33	8.4	04.9-11.9	4	1.7	00.0-03.9	87	22.8	17.3-28.3
\$15,000- 24,999	119	9,669	1	1.8	00.0-05.1	2	2.3	00.0-06.4	87	61.0	47.5-74.5	8	8.5	02.0-15.0	3	4.0	00.0-09.5	18	22.3	09.0-35.6
\$25,000- 34,999	90	6,962							58	65.7	52.2-79.2	9	8.8	01.5-16.1	1	0.6	00.0-01.8	22	24.8	12.6-37.0
\$35,000- 49,999	196	13,522				8	8.1	01.4-14.8	132	59.6	49.8-69.4	19	10.7	05.0-16.4	1	2.8	00.0-08.1	36	18.8	11.2-26.4
\$50,000- 74,999	211	15,577				6	4.3	00.0-08.6	148	70.2	61.6-78.8	20	5.6	02.5-08.7	1	1.5	00.0-04.4	36	18.4	11.0-25.8
\$75,000+	416	28,230	2	0.6	00.0-01.4	2	0.7	00.0-01.9	300	72.9	67.4-78.4	23	5.8	02.9-08.7	2	0.6	00.0-01.6	87	19.4	14.7-24.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2012			May-Aug 2012			Sep-Dec 2012			Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1987	117,635	2	0.3	00.0-00.9	16	0.7	00.3-01.1	1451	72.4	69.7-75.1	131	8.6	06.6-10.6	11	0.6	00.2-01.0	376	17.4	15.2-19.6
18-24	54	10,032	1	3.0	00.0-08.9	1	1.1	00.0-03.3	32	70.2	55.7-84.7	13	15.8	05.6-26.0	1	0.3	00.0-00.9	6	9.5	00.0-19.9
25-34	182	19,485				1	0.2	00.0-00.6	124	66.0	57.2-74.8	23	16.3	09.2-23.4	1	1.1	00.0-03.3	33	16.4	09.7-23.1
35-44	202	15,872				2	0.5	00.0-01.3	153	74.5	67.1-81.9	11	6.1	01.8-10.4				36	18.9	12.2-25.6
45-54	278	18,437	1	0.4	00.0-01.2	3	0.9	00.0-02.3	199	73.7	67.4-80.0	19	7.1	03.4-10.8	2	0.1	00.0-00.3	54	17.7	12.4-23.0
55-64	453	21,387				2	0.4	00.0-01.0	347	74.7	69.6-79.8	22	6.1	02.8-09.4	2	0.9	00.0-02.3	80	18.0	13.7-22.3
65+	806	31,693				7	1.1	00.1-02.1	584	72.8	68.9-76.7	43	5.8	03.8-07.8	5	0.7	00.1-01.3	167	19.6	16.1-23.1
Less Than H.S.	90	5,813							62	72.1	60.7-83.5	6	7.7	00.6-14.8	1	1.3	00.0-03.8	21	18.8	09.2-28.4
H.S. or G.E.D.	528	25,482				6	0.9	00.1-01.7	381	71.5	66.2-76.8	40	9.4	05.7-13.1	5	1.4	00.0-03.2	96	16.8	12.9-20.7
Some Post-H.S.	668	48,122	1	0.6	00.0-01.8	5	0.8	00.0-01.6	503	74.4	69.7-79.1	39	6.9	04.2-09.6	5	0.5	00.0-01.1	115	16.7	12.6-20.8
College Graduate	696	37,971	1	0.2	00.0-00.6	5	0.5	00.0-01.1	502	70.3	65.6-75.0	45	10.5	07.0-14.0				143	18.5	15.0-22.0
Less than \$15,000	139	9,541				1	0.8	00.0-02.4	96	59.2	47.0-71.4	14	21.0	09.4-32.6	2	1.1	00.0-02.7	26	17.9	09.3-26.5
\$15,000- 24,999	264	15,907				4	1.9	00.0-04.1	189	71.2	63.2-79.2	17	5.8	02.3-09.3	1	1.3	00.0-03.8	53	19.7	12.4-27.0
\$25,000- 34,999	203	9,982				2	0.8	00.0-02.2	149	74.4	65.8-83.0	11	10.8	03.4-18.2	2	0.3	00.0-00.7	39	13.7	08.0-19.4
\$35,000- 49,999	238	13,264				2	0.4	00.0-01.0	167	71.9	64.3-79.5	15	6.8	02.9-10.7				54	20.8	13.7-27.9
\$50,000- 74,999	301	18,798				2	0.6	00.0-01.4	229	76.6	70.3-82.9	18	5.7	02.6-08.8	1	0.3	00.0-00.9	51	16.8	11.1-22.5
\$75,000+	564	35,387	1	0.2	00.0-00.6	3	0.4	00.0-01.0	420	73.5	68.6-78.4	35	8.9	05.4-12.4	3	0.5	00.0-01.3	102	16.4	12.5-20.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

**TABLE 7. SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3032	194,919	911	33.2	30.8-35.6	231	7.0	05.8-08.2	928	31.8	29.4-34.2	962	27.9	25.7-30.1
Male	1121	81,515	297	30.4	26.5-34.3	84	6.5	04.7-08.3	437	40.1	36.2-44.0	303	23.0	19.9-26.1
Female	1911	113,404	614	35.3	32.2-38.4	147	7.3	05.7-08.9	491	25.9	23.2-28.6	659	31.5	28.6-34.4
18-24	99	18,438	39	41.8	29.5-54.1	3	2.9	00.0-06.6	38	34.5	23.1-45.9	19	20.8	09.2-32.4
25-34	260	29,067	136	51.9	44.1-59.7	13	6.7	02.4-11.0	63	22.8	16.1-29.5	48	18.6	12.7-24.5
35-44	301	26,193	124	41.6	34.7-48.5	13	3.7	01.5-05.9	95	33.0	26.1-39.9	69	21.7	16.0-27.4
45-54	411	28,768	144	31.7	26.2-37.2	41	9.0	05.9-12.1	121	33.3	27.4-39.2	105	26.0	20.5-31.5
55-64	715	37,408	236	32.9	28.2-37.6	53	7.9	05.2-10.6	215	31.8	27.5-36.1	211	27.4	23.3-31.5
65+	1225	53,863	228	17.4	14.7-20.1	107	8.5	06.5-10.5	390	34.4	30.9-37.9	500	39.6	36.1-43.1
Less Than H.S.	176	14,278	25	22.1	11.5-32.7	13	7.2	02.5-11.9	59	31.8	22.2-41.4	79	38.8	29.2-48.4
H.S. or G.E.D.	812	45,325	170	24.2	19.7-28.7	75	7.9	05.5-10.3	276	34.5	29.8-39.2	291	33.4	28.5-38.3
Some Post-H.S.	977	74,860	278	32.0	27.7-36.3	77	7.7	05.5-09.9	307	33.1	29.0-37.2	315	27.2	23.5-30.9
College Graduate	1061	60,163	437	44.2	40.1-48.3	66	5.4	03.6-07.2	285	28.3	24.6-32.0	273	22.0	18.9-25.1
Less than \$15,000	180	14,123	46	28.6	18.6-38.6	14	7.4	01.7-13.1	52	24.9	16.1-33.7	68	39.1	27.5-50.7
\$15,000- 24,999	377	24,678	77	25.5	18.4-32.6	32	8.0	04.3-11.7	116	33.3	26.4-40.2	152	33.3	26.8-39.8
\$25,000- 34,999	271	14,832	68	29.6	20.2-39.0	24	6.7	03.4-10.0	93	35.7	27.5-43.9	86	28.0	20.4-35.6
\$35,000- 49,999	413	26,231	109	30.9	24.0-37.8	42	9.9	06.0-13.8	127	32.2	25.9-38.5	135	27.0	21.5-32.5
\$50,000- 74,999	501	33,972	166	36.7	30.6-42.8	35	5.6	03.2-08.0	153	31.3	25.6-37.0	147	26.5	21.0-32.0
\$75,000+	931	60,249	364	40.1	36.0-44.2	65	7.3	04.9-09.7	275	30.6	26.5-34.7	227	22.0	18.7-25.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 8: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1121	81,515	297	30.4	26.5-34.3	84	6.5	04.7-08.3	437	40.1	36.2-44.0	303	23.0	19.9-26.1
25-34	90	10,723	37	43.9	30.6-57.2	6	8.0	00.9-15.1	28	24.9	12.9-36.9	19	23.2	11.8-34.6
35-44	110	10,884	44	41.7	29.9-53.5	3	2.7	00.0-05.8	41	40.3	28.3-52.3	22	15.3	07.9-22.7
45-54	145	11,143	41	25.2	16.2-34.2	16	8.2	03.5-12.9	57	43.0	32.4-53.6	31	23.5	13.9-33.1
55-64	276	16,784	73	29.0	21.0-37.0	22	7.2	03.5-10.9	104	39.2	31.6-46.8	77	24.5	18.0-31.0
65+	448	23,841	83	18.2	13.7-22.7	35	7.3	04.2-10.4	182	43.6	37.5-49.7	148	30.9	25.6-36.2
Less Than H.S.	83	8,725	15	26.5	11.4-41.6	5	6.7	00.0-13.6	34	37.4	23.3-51.5	29	29.3	16.8-41.8
H.S. or G.E.D.	297	19,888	63	25.2	17.8-32.6	27	8.1	04.4-11.8	132	45.2	37.4-53.0	75	21.6	15.5-27.7
Some Post-H.S.	336	28,458	79	28.7	21.6-35.8	26	6.2	03.3-09.1	136	42.4	35.1-49.7	95	22.7	17.0-28.4
College Graduate	403	24,349	139	37.9	31.6-44.2	26	5.6	02.7-08.5	135	34.2	28.3-40.1	103	22.3	17.2-27.4
\$15,000- 24,999	123	9,712	23	29.6	15.9-43.3	7	4.1	00.2-08.0	49	36.9	25.1-48.7	44	29.4	18.4-40.4
\$25,000- 34,999	82	5,660	16	27.8	09.6-46.0	9	5.8	00.9-10.7	38	44.2	28.3-60.1	19	22.2	09.7-34.7
\$35,000- 49,999	188	13,119	40	24.4	15.4-33.4	20	10.1	04.2-16.0	75	43.7	33.9-53.5	53	21.7	14.4-29.0
\$50,000- 74,999	213	15,626	56	27.8	19.6-36.0	19	6.9	02.8-11.0	77	39.5	30.3-48.7	61	25.8	18.0-33.6
\$75,000+	395	26,587	127	35.0	28.7-41.3	26	6.9	03.8-10.0	150	37.7	31.2-44.2	92	20.5	15.6-25.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 9: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1911	113,404	614	35.3	32.2-38.4	147	7.3	05.7-08.9	491	25.9	23.2-28.6	659	31.5	28.6-34.4
18-24	54	10,892	22	40.9	24.2-57.6	2	2.7	00.0-07.2	15	25.2	11.5-38.9	15	31.3	13.9-48.7
25-34	170	18,345	99	56.6	47.2-66.0	7	5.9	00.4-11.4	35	21.6	13.8-29.4	29	15.9	09.4-22.4
35-44	191	15,310	80	41.5	33.1-49.9	10	4.3	01.4-07.2	54	27.9	20.3-35.5	47	26.3	18.5-34.1
45-54	266	17,625	103	35.8	28.9-42.7	25	9.5	05.2-13.8	64	27.1	20.4-33.8	74	27.6	20.9-34.3
55-64	439	20,624	163	36.0	30.5-41.5	31	8.5	04.8-12.2	111	25.8	20.7-30.9	134	29.7	24.2-35.2
65+	777	30,022	145	16.7	13.6-19.8	72	9.5	06.8-12.2	208	27.2	23.3-31.1	352	46.5	42.0-51.0
Less Than H.S.	93	5,554	10	15.3	02.2-28.4	8	8.0	02.1-13.9	25	23.0	12.8-33.2	50	53.7	40.2-67.2
H.S. or G.E.D.	515	25,437	107	23.5	18.0-29.0	48	7.8	05.1-10.5	144	26.1	20.6-31.6	216	42.7	35.8-49.6
Some Post-H.S.	641	46,402	199	34.1	28.8-39.4	51	8.6	05.5-11.7	171	27.4	22.7-32.1	220	30.0	25.1-34.9
College Graduate	658	35,814	298	48.5	43.2-53.8	40	5.3	02.9-07.7	150	24.3	19.6-29.0	170	21.8	17.7-25.9
Less than \$15,000	135	9,837	35	27.3	15.5-39.1	11	6.8	00.0-13.9	35	21.8	12.2-31.4	54	44.1	29.6-58.6
\$15,000- 24,999	254	14,966	54	22.8	15.4-30.2	25	10.5	05.0-16.0	67	30.9	22.5-39.3	108	35.8	28.0-43.6
\$25,000- 34,999	189	9,172	52	30.7	20.3-41.1	15	7.3	03.0-11.6	55	30.5	21.3-39.7	67	31.6	22.2-41.0
\$35,000- 49,999	225	13,112	69	37.3	27.5-47.1	22	9.8	04.7-14.9	52	20.6	13.5-27.7	82	32.3	24.1-40.5
\$50,000- 74,999	288	18,346	110	44.3	35.9-52.7	16	4.4	01.9-06.9	76	24.2	17.9-30.5	86	27.1	19.5-34.7
\$75,000+	536	33,662	237	44.2	38.5-49.9	39	7.7	04.4-11.0	125	25.0	19.9-30.1	135	23.1	18.6-27.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6540	439,799	2544	33.2	31.6-34.8	3996	66.8	65.2-68.4
Male	2824	214,932	1024	32.5	30.1-34.9	1800	67.5	65.1-69.9
Female	3716	224,867	1520	33.9	31.7-36.1	2196	66.1	63.9-68.3
18-24	333	56,301	71	21.9	16.2-27.6	262	78.1	72.4-83.8
25-34	618	64,704	117	21.7	17.4-26.0	501	78.3	74.0-82.6
35-44	675	60,665	109	17.9	14.0-21.8	566	82.1	78.2-86.0
45-54	1147	79,324	232	20.3	17.2-23.4	915	79.7	76.6-82.8
55-64	1494	77,303	431	29.5	26.4-32.6	1063	70.5	67.4-73.6
65+	2212	97,357	1559	70.4	67.9-72.9	653	29.6	27.1-32.1
Less Than H.S.	424	39,830	230	45.7	39.0-52.4	194	54.3	47.6-61.0
H.S. or G.E.D.	2037	121,837	861	34.6	31.9-37.3	1176	65.4	62.7-68.1
Some Post-H.S.	2118	168,920	812	33.1	30.4-35.8	1306	66.9	64.2-69.6
College Graduate	1943	107,944	633	27.3	24.8-29.8	1310	72.7	70.2-75.2
Less than \$15,000	421	36,068	213	37.5	30.8-44.2	208	62.5	55.8-69.2
\$15,000- 24,999	800	55,309	432	45.5	40.4-50.6	368	54.5	49.4-59.6
\$25,000- 34,999	616	40,779	306	39.0	33.5-44.5	310	61.0	55.5-66.5
\$35,000- 49,999	895	57,367	361	35.4	31.1-39.7	534	64.6	60.3-68.9
\$50,000- 74,999	1065	74,751	343	28.1	24.4-31.8	722	71.9	68.2-75.6
\$75,000+	1961	126,075	504	22.9	20.4-25.4	1457	77.1	74.6-79.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2824	214,932	1024	32.5	30.1-34.9	1800	67.5	65.1-69.9
18-24	194	31,536	46	25.1	17.5-32.7	148	74.9	67.3-82.5
25-34	292	31,970	63	24.7	18.2-31.2	229	75.3	68.8-81.8
35-44	295	30,183	49	18.8	12.7-24.9	246	81.2	75.1-87.3
45-54	519	38,380	102	17.9	13.8-22.0	417	82.1	78.0-86.2
55-64	669	38,897	200	30.9	26.0-35.8	469	69.1	64.2-74.0
65+	835	42,531	556	67.9	63.8-72.0	279	32.1	28.0-36.2
Less Than H.S.	222	22,807	103	39.4	30.8-48.0	119	60.6	52.0-69.2
H.S. or G.E.D.	924	64,652	333	31.4	27.5-35.3	591	68.6	64.7-72.5
Some Post-H.S.	861	79,459	290	31.8	27.5-36.1	571	68.2	63.9-72.5
College Graduate	808	47,296	294	32.0	28.1-35.9	514	68.0	64.1-71.9
Less than \$15,000	132	13,670	53	33.8	23.4-44.2	79	66.2	55.8-76.6
\$15,000- 24,999	292	24,666	142	41.1	33.1-49.1	150	58.9	50.9-66.9
\$25,000- 34,999	246	20,331	112	37.9	29.5-46.3	134	62.1	53.7-70.5
\$35,000- 49,999	428	31,086	170	36.4	30.1-42.7	258	63.6	57.3-69.9
\$50,000- 74,999	534	41,108	187	30.5	25.4-35.6	347	69.5	64.4-74.6
\$75,000+	970	65,707	267	24.6	21.1-28.1	703	75.4	71.9-78.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3716	224,867	1520	33.9	31.7-36.1	2196	66.1	63.9-68.3
18-24	139	24,765	25	17.7	09.5-25.9	114	82.3	74.1-90.5
25-34	326	32,733	54	18.9	13.2-24.6	272	81.1	75.4-86.8
35-44	380	30,482	60	17.0	11.9-22.1	320	83.0	77.9-88.1
45-54	628	40,944	130	22.4	17.9-26.9	498	77.6	73.1-82.1
55-64	825	38,405	231	28.0	24.1-31.9	594	72.0	68.1-75.9
65+	1377	54,825	1003	72.4	69.3-75.5	374	27.6	24.5-30.7
Less Than H.S.	202	17,023	127	54.2	43.6-64.8	75	45.8	35.2-56.4
H.S. or G.E.D.	1113	57,185	528	38.2	34.1-42.3	585	61.8	57.7-65.9
Some Post-H.S.	1257	89,461	522	34.2	30.7-37.7	735	65.8	62.3-69.3
College Graduate	1135	60,648	339	23.5	20.4-26.6	796	76.5	73.4-79.6
Less than \$15,000	289	22,398	160	39.7	30.9-48.5	129	60.3	51.5-69.1
\$15,000- 24,999	508	30,644	290	49.0	42.7-55.3	218	51.0	44.7-57.3
\$25,000- 34,999	370	20,448	194	40.0	33.1-46.9	176	60.0	53.1-66.9
\$35,000- 49,999	467	26,281	191	34.2	28.1-40.3	276	65.8	59.7-71.9
\$50,000- 74,999	531	33,643	156	25.1	20.0-30.2	375	74.9	69.8-80.0
\$75,000+	991	60,368	237	21.1	17.8-24.4	754	78.9	75.6-82.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1 MALES AND FEMALES	278
2 MALES ONLY	279
3 FEMALES ONLY	280
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4 MALES AND FEMALES	281
5 MALES ONLY	282
6 FEMALES ONLY	283
WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)	
7 MALES AND FEMALES	284
8 MALES ONLY	285
9 FEMALES ONLY	286

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7126	502,430	1470	26.2	24.6-27.8	5656	73.8	72.2-75.4
Male	3189	252,014	697	25.9	23.7-28.1	2492	74.1	71.9-76.3
Female	3937	250,416	773	26.4	24.2-28.6	3164	73.6	71.4-75.8
18-24	445	77,012	109	28.7	23.0-34.4	336	71.3	65.6-77.0
25-34	809	86,959	343	43.8	39.3-48.3	466	56.2	51.7-60.7
35-44	802	71,212	324	43.6	39.1-48.1	478	56.4	51.9-60.9
45-54	1211	83,003	319	26.2	22.9-29.5	892	73.8	70.5-77.1
55-64	1582	82,612	238	14.3	12.1-16.5	1344	85.7	83.5-87.9
65+	2215	97,493	129	6.2	04.8-07.6	2086	93.8	92.4-95.2
Less Than H.S.	457	44,463	63	23.0	16.5-29.5	394	77.0	70.5-83.5
H.S. or G.E.D.	2163	134,054	374	24.3	21.6-27.0	1789	75.7	73.0-78.4
Some Post-H.S.	2312	196,194	482	26.0	23.3-28.7	1830	74.0	71.3-76.7
College Graduate	2174	126,238	550	29.9	27.2-32.6	1624	70.1	67.4-72.8
Less than \$15,000	448	39,377	96	30.0	22.9-37.1	352	70.0	62.9-77.1
\$15,000- 24,999	844	61,973	160	25.8	21.1-30.5	684	74.2	69.5-78.9
\$25,000- 34,999	651	45,835	122	25.1	20.0-30.2	529	74.9	69.8-80.0
\$35,000- 49,999	965	64,833	193	28.3	23.8-32.8	772	71.7	67.2-76.2
\$50,000- 74,999	1170	86,842	247	28.2	24.1-32.3	923	71.8	67.7-75.9
\$75,000+	2189	144,123	540	25.4	22.9-27.9	1649	74.6	72.1-77.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3189	252,014	697	25.9	23.7-28.1	2492	74.1	71.9-76.3
18-24	261	41,695	49	22.9	16.2-29.6	212	77.1	70.4-83.8
25-34	399	45,528	135	38.6	32.3-44.9	264	61.4	55.1-67.7
35-44	378	36,799	137	41.1	34.4-47.8	241	58.9	52.2-65.6
45-54	573	41,522	171	29.7	24.8-34.6	402	70.3	65.4-75.2
55-64	729	42,657	129	15.5	12.2-18.8	600	84.5	81.2-87.8
65+	829	42,406	71	8.5	06.1-10.9	758	91.5	89.1-93.9
Less Than H.S.	242	25,955	37	20.5	13.1-27.9	205	79.5	72.1-86.9
H.S. or G.E.D.	1025	73,981	204	26.3	22.4-30.2	821	73.7	69.8-77.6
Some Post-H.S.	986	94,160	226	26.0	22.1-29.9	760	74.0	70.1-77.9
College Graduate	927	57,028	230	27.9	24.0-31.8	697	72.1	68.2-76.0
Less than \$15,000	141	15,139	36	31.2	20.6-41.8	105	68.8	58.2-79.4
\$15,000- 24,999	317	28,559	69	26.9	19.6-34.2	248	73.1	65.8-80.4
\$25,000- 34,999	262	22,646	57	28.3	20.3-36.3	205	71.7	63.7-79.7
\$35,000- 49,999	482	37,157	98	26.0	20.1-31.9	384	74.0	68.1-79.9
\$50,000- 74,999	596	48,158	126	27.3	22.0-32.6	470	72.7	67.4-78.0
\$75,000+	1127	77,370	271	24.0	20.7-27.3	856	76.0	72.7-79.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3937	250,416	773	26.4	24.2-28.6	3164	73.6	71.4-75.8
18-24	184	35,317	60	35.6	26.2-45.0	124	64.4	55.0-73.8
25-34	410	41,431	208	49.5	43.2-55.8	202	50.5	44.2-56.8
35-44	424	34,413	187	46.3	40.2-52.4	237	53.7	47.6-59.8
45-54	638	41,481	148	22.7	18.2-27.2	490	77.3	72.8-81.8
55-64	853	39,955	109	13.0	10.1-15.9	744	87.0	84.1-89.9
65+	1386	55,087	58	4.4	03.0-05.8	1328	95.6	94.2-97.0
Less Than H.S.	215	18,508	26	26.4	15.0-37.8	189	73.6	62.2-85.0
H.S. or G.E.D.	1138	60,073	170	21.8	17.9-25.7	968	78.2	74.3-82.1
Some Post-H.S.	1326	102,034	256	25.9	22.2-29.6	1070	74.1	70.4-77.8
College Graduate	1247	69,210	320	31.5	27.8-35.2	927	68.5	64.8-72.2
Less than \$15,000	307	24,239	60	29.3	20.1-38.5	247	70.7	61.5-79.9
\$15,000- 24,999	527	33,413	91	24.9	18.8-31.0	436	75.1	69.0-81.2
\$25,000- 34,999	389	23,190	65	21.9	15.6-28.2	324	78.1	71.8-84.4
\$35,000- 49,999	483	27,676	95	31.3	24.6-38.0	388	68.7	62.0-75.4
\$50,000- 74,999	574	38,685	121	29.3	23.2-35.4	453	70.7	64.6-76.8
\$75,000+	1062	66,753	269	27.1	23.4-30.8	793	72.9	69.2-76.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2012			2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1235	110,488	43	1.9	01.1-02.7	90	5.7	04.3-07.1	135	9.1	07.1-11.1	244	16.8	14.1-19.5	582	53.4	49.5-57.3	141	13.1	10.2-16.0
Male	567	53,623	16	1.5	00.7-02.3	38	5.3	03.3-07.3	54	7.5	05.0-10.0	112	18.9	14.4-23.4	280	54.9	49.4-60.4	67	11.9	08.2-15.6
Female	668	56,865	27	2.3	01.1-03.5	52	6.1	04.1-08.1	81	10.6	07.9-13.3	132	14.9	11.8-18.0	302	51.9	46.4-57.4	74	14.2	09.9-18.5
18-24	98	19,568										2	2.3	00.0-06.4	69	73.6	62.6-84.6	27	24.1	13.5-34.7
25-34	308	32,956				3	1.1	00.0-02.5	12	3.6	00.9-06.3	52	17.0	11.7-22.3	193	62.1	55.0-69.2	48	16.3	10.6-22.0
35-44	288	26,408	8	1.7	00.1-03.3	26	7.9	04.4-11.4	41	15.9	10.4-21.4	72	23.3	16.6-30.0	120	44.4	36.8-52.0	21	6.9	03.4-10.4
45-54	268	18,144	15	3.3	01.3-05.3	31	11.6	06.9-16.3	43	14.7	09.6-19.8	57	19.7	13.8-25.6	101	41.5	33.3-49.7	21	9.2	03.9-14.5
55-64	183	9,056	12	7.4	01.9-12.9	24	16.7	09.1-24.3	29	17.2	09.9-24.5	38	21.5	13.7-29.3	62	30.1	21.5-38.7	18	7.1	02.8-11.4
65+	86	4,225	8	8.8	02.1-15.5	6	6.4	00.9-11.9	10	10.5	02.7-18.3	21	20.1	10.7-29.5	35	48.7	35.6-61.8	6	5.5	00.0-12.2
Less Than H.S.	51	7,874				2	2.8	00.0-06.9	3	4.2	00.0-09.1	9	15.2	03.4-27.0	33	56.4	37.6-75.2	4	21.4	02.4-40.4
H.S. or G.E.D.	309	27,150	5	0.4	00.0-00.8	29	7.8	04.3-11.3	38	9.1	05.4-12.8	52	13.6	08.7-18.5	156	57.4	50.0-64.8	29	11.6	06.5-16.7
Some Post-H.S.	402	43,010	20	2.6	01.2-04.0	30	5.7	03.2-08.2	43	9.1	05.6-12.6	78	16.5	11.6-21.4	183	54.9	48.2-61.6	48	11.3	06.8-15.8
College Graduate	472	32,429	18	2.7	00.9-04.5	29	4.7	02.7-06.7	51	10.3	07.0-13.6	105	20.4	15.9-24.9	209	47.3	41.4-53.2	60	14.6	10.1-19.1
Less than \$15,000	81	10,370	1	0.1	00.0-00.3	6	5.4	00.1-10.7	10	6.6	01.3-11.9	10	7.6	01.5-13.7	39	58.5	43.2-73.8	15	21.7	07.4-36.0
\$15,000- 24,999	129	13,284	4	0.7	00.0-01.5	8	5.0	00.9-09.1	10	8.5	02.4-14.6	18	9.7	03.2-16.2	71	58.4	46.8-70.0	18	17.6	07.4-27.8
\$25,000- 34,999	104	9,960	4	1.1	00.0-02.3	4	3.2	00.0-07.7	9	5.0	01.1-08.9	21	25.8	14.0-37.6	52	51.8	38.9-64.7	14	13.2	05.0-21.4
\$35,000- 49,999	159	15,333	4	1.3	00.0-02.7	12	5.5	01.8-09.2	17	7.9	03.6-12.2	40	20.3	12.3-28.3	73	56.0	45.4-66.6	13	9.0	01.6-16.4
\$50,000- 74,999	196	19,158	7	1.7	00.1-03.3	14	6.0	02.5-09.5	27	11.7	06.0-17.4	37	19.9	12.5-27.3	95	54.1	44.5-63.7	16	6.6	02.1-11.1
\$75,000+	477	31,641	18	2.7	00.9-04.5	43	8.1	05.2-11.0	55	11.5	07.8-15.2	110	21.1	16.4-25.8	202	44.5	38.6-50.4	49	12.1	08.0-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2012			2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	567	53,623	16	1.5	00.7-02.3	38	5.3	03.3-07.3	54	7.5	05.0-10.0	112	18.9	14.4-23.4	280	54.9	49.4-60.4	67	11.9	08.2-15.6
25-34	116	14,996							6	4.6	00.0-09.5	28	21.7	12.5-30.9	67	59.0	47.6-70.4	15	14.7	05.9-23.5
35-44	116	12,089	4	1.8	00.0-04.3	13	8.7	02.8-14.6	13	8.4	02.3-14.5	21	22.1	10.7-33.5	51	48.8	36.6-61.0	14	10.2	04.1-16.3
45-54	139	9,814	6	2.4	00.0-04.8	11	8.1	02.6-13.6	18	13.2	06.1-20.3	30	21.8	13.6-30.0	63	46.6	36.0-57.2	11	7.9	02.2-13.6
55-64	99	5,215	3	2.4	00.0-05.5	11	17.1	06.3-27.9	13	16.8	06.4-27.2	20	21.4	10.6-32.2	41	35.2	22.9-47.5	11	7.0	00.9-13.1
65+	52	2,693	3	7.4	00.0-15.8	3	3.8	00.0-08.7	4	5.2	00.0-11.1	11	19.9	07.7-32.1	27	56.9	40.8-73.0	4	6.8	00.0-17.0
H.S. or G.E.D.	162	15,307	2	0.5	00.0-01.3	13	7.5	02.6-12.4	15	8.8	03.7-13.9	28	15.8	08.5-23.1	87	54.1	43.9-64.3	17	13.3	06.0-20.6
Some Post-H.S.	187	20,832	8	1.6	00.2-03.0	13	5.0	01.9-08.1	15	5.8	01.7-09.9	40	20.3	12.1-28.5	89	58.1	48.3-67.9	22	9.3	03.8-14.8
College Graduate	187	13,043	6	2.9	00.2-05.6	12	5.1	02.0-08.2	22	9.2	04.1-14.3	37	20.0	12.9-27.1	84	49.0	40.0-58.0	26	13.8	07.5-20.1
\$15,000- 24,999	52	5,789				3	7.5	00.0-15.9	3	7.7	00.0-17.7	10	12.5	02.1-22.9	30	56.8	38.8-74.8	6	15.5	00.0-31.0
\$35,000- 49,999	78	8,166	1	0.6	00.0-01.8	5	3.2	00.0-06.9	4	3.7	00.0-07.8	19	21.9	09.6-34.2	40	63.1	48.6-77.6	9	7.5	00.0-16.3
\$50,000- 74,999	98	10,743	5	2.7	00.2-05.2	8	7.6	01.9-13.3	10	6.7	00.2-13.2	17	22.1	10.5-33.7	49	53.7	40.2-67.2	9	7.3	00.4-14.2
\$75,000+	230	15,296	10	2.9	00.5-05.3	18	7.5	03.2-11.8	28	10.2	05.5-14.9	48	19.5	12.2-26.8	104	47.9	39.3-56.5	22	11.8	06.3-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2012			2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	668	56,865	27	2.3	01.1-03.5	52	6.1	04.1-08.1	81	10.6	07.9-13.3	132	14.9	11.8-18.0	302	51.9	46.6-57.2	74	14.2	09.9-18.5
18-24	55	10,843				3	2.0	00.0-04.5	6	2.7	00.0-05.4	1	0.4	00.0-01.2	39	71.2	55.1-87.3	15	28.4	12.3-44.5
25-34	192	17,959				13	7.1	02.6-11.6	28	22.2	14.0-30.4	24	13.0	07.3-18.7	126	64.6	55.8-73.4	33	17.6	10.2-25.0
35-44	172	14,319	4	1.6	00.0-04.0	13	7.1	02.6-11.6	28	22.2	14.0-30.4	51	24.3	16.9-31.7	69	40.6	31.2-50.0	7	4.1	00.0-08.4
45-54	129	8,330	9	4.4	00.9-07.9	20	15.6	07.6-23.6	25	16.5	08.9-24.1	27	17.2	08.6-25.8	38	35.5	22.4-48.6	10	10.7	01.3-20.1
55-64	84	3,841	9	14.1	02.3-25.9	13	16.2	06.0-26.4	16	17.8	08.2-27.4	18	21.6	10.2-33.0	21	23.1	11.3-34.9	7	7.3	01.2-13.4
H.S. or G.E.D.	147	11,843	3	0.3	00.0-00.7	16	8.3	03.4-13.2	23	9.5	04.4-14.6	24	10.8	05.3-16.3	69	61.6	51.2-72.0	12	9.5	02.4-16.6
Some Post-H.S.	215	22,178	12	3.5	01.1-05.9	17	6.3	02.6-10.0	28	12.1	06.6-17.6	38	13.0	07.9-18.1	94	51.9	42.5-61.3	26	13.2	06.3-20.1
College Graduate	285	19,386	12	2.6	00.4-04.8	17	4.5	02.0-07.0	29	11.0	06.5-15.5	68	20.7	14.8-26.6	125	46.1	38.5-53.7	34	15.2	09.1-21.3
Less than \$15,000	50	6,222	1	0.2	00.0-00.6	5	7.5	00.0-15.9	7	5.4	00.1-10.7	5	5.6	00.0-11.5	26	57.1	36.1-78.1	6	24.1	02.9-45.3
\$15,000- 24,999	77	7,496	4	1.3	00.0-02.9	5	3.0	00.1-05.9	7	9.2	01.6-16.8	8	7.6	00.0-15.8	41	59.6	44.5-74.7	12	19.3	05.6-33.0
\$25,000- 34,999	60	4,812	4	2.2	00.0-04.6	1	4.7	00.0-13.7	5	4.9	00.0-10.0	11	18.6	05.3-31.9	30	52.1	35.0-69.2	9	17.5	04.0-31.0
\$35,000- 49,999	81	7,168	3	2.0	00.0-04.5	7	8.0	01.3-14.7	13	12.8	05.0-20.6	21	18.6	08.6-28.6	33	47.8	32.5-63.1	4	10.8	00.0-23.1
\$50,000- 74,999	98	8,416	2	0.4	00.0-01.2	6	4.0	00.1-07.9	17	18.0	07.8-28.2	20	17.2	08.6-25.8	46	54.6	41.1-68.1	7	5.9	00.8-11.0
\$75,000+	247	16,345	8	2.6	00.2-05.0	25	8.6	04.9-12.3	27	12.7	07.0-18.4	62	22.6	16.3-28.9	98	41.2	33.0-49.4	27	12.3	06.2-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1442	128,303	438	30.8	27.3-34.3	39	3.5	0.2-1-04.9	686	46.7	43.0-50.4	19	2.4	0.1-0-03.8	14	1.0	0.0-2-01.8	246	15.6	13.1-18.1
Male	684	63,827	183	24.3	20.0-28.6	17	3.5	0.1-1-05.9	306	45.4	40.3-50.5	17	4.6	0.2-1-07.1	8	1.5	0.0-1-02.9	153	20.8	16.9-24.7
Female	758	64,475	255	37.3	32.0-42.6	22	3.5	0.1-7-05.3	380	48.0	42.9-53.1	2	0.2	0.0-0-00.6	6	0.6	0.0-0-01.2	93	10.4	0.7-13.1
18-24	109	22,119	31	35.6	23.4-47.8	3	3.5	0.0-0-07.6	59	46.5	34.5-58.5	1	1.7	0.0-0-05.0	3	2.0	0.0-0-04.9	12	10.7	0.4-17.2
25-34	337	36,857	111	32.8	26.3-39.3	8	2.8	0.0-4-05.2	167	47.8	40.9-54.7	4	2.1	0.0-0-04.5	2	0.4	0.0-0-01.2	45	14.1	0.9-18.8
35-44	320	30,519	101	29.1	22.8-35.4	9	4.6	0.1-1-08.1	147	44.8	37.7-51.9	8	4.7	0.1-0-08.4	4	0.9	0.0-0-02.1	51	15.9	10.8-21.0
45-54	311	20,850	85	25.6	19.3-31.9	8	3.7	0.0-0-07.4	146	48.8	41.5-56.1	5	2.2	0.0-0-04.4	4	1.4	0.0-0-03.2	63	18.4	12.9-23.9
55-64	234	11,663	80	35.9	27.7-44.1	9	3.6	0.0-9-06.3	99	42.0	33.6-50.4				1	1.5	0.0-0-04.4	45	17.1	11.0-23.2
65+	123	5,787	29	20.5	11.1-29.9	2	1.7	0.0-0-04.1	65	54.3	43.1-65.5	1	0.9	0.0-0-02.7				26	22.7	13.3-32.1
Less Than H.S.	60	9,735	20	47.4	29.8-65.0	1	3.6	0.0-0-10.5	29	34.9	19.6-50.2	2	5.2	0.0-0-12.8	3	1.6	0.0-0-03.6	5	7.2	0.0-15.4
H.S. or G.E.D.	365	31,784	124	31.1	24.4-37.8	6	1.7	0.0-1-03.3	164	45.1	38.2-52.0	8	4.6	0.0-9-08.3	6	2.8	0.0-3-05.3	57	14.8	0.9-19.7
Some Post-H.S.	477	49,671	128	26.6	20.9-32.3	18	4.1	0.1-4-06.8	244	51.7	45.4-58.0	8	1.7	0.0-3-03.1	2	0.5	0.0-0-01.3	77	15.4	11.1-19.7
College Graduate	539	37,087	165	31.9	26.6-37.2	14	4.2	0.1-7-06.7	249	44.4	38.9-49.9	1	0.8	0.0-0-02.4	3	0.1	0.0-0-00.3	107	18.6	14.5-22.7
Less than \$15,000	92	11,330	22	31.5	15.8-47.2				53	54.2	39.3-69.1	2	1.5	0.0-0-03.9	3	2.5	0.0-0-05.8	12	10.3	0.2-18.1
\$15,000- 24,999	157	15,937	35	25.3	15.1-35.5	10	8.9	0.2-0-15.8	91	51.9	40.9-62.9	3	1.3	0.0-0-03.1	1	0.9	0.0-0-02.7	17	11.6	0.4-18.5
\$25,000- 34,999	117	11,037	39	31.9	20.5-43.3	3	2.6	0.0-0-05.9	57	41.7	29.7-53.7	5	11.1	0.1-5-20.7				13	12.7	0.4-20.7
\$35,000- 49,999	190	18,021	48	28.0	19.2-36.8	6	2.2	0.0-0-04.4	92	50.9	41.1-60.7	3	2.3	0.0-0-05.2	4	3.0	0.0-0-06.7	37	13.5	0.7-19.2
\$50,000- 74,999	243	23,897	78	33.2	24.4-42.0	7	2.8	0.0-0-06.5	101	40.3	31.5-49.1	1	0.9	0.0-0-02.7	1	0.7	0.0-0-02.1	55	22.1	15.0-29.2
\$75,000+	535	36,057	180	31.8	26.7-36.9	10	3.4	0.0-9-05.9	244	47.0	41.3-52.7	3	0.5	0.0-0-01.1	3	0.4	0.0-0-01.0	95	17.0	12.9-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	684	63,827	183	24.3	20.0-28.6	17	3.5	01.1-05.9	306	45.4	40.3-50.5	17	4.6	02.1-07.1	8	1.5	00.1-02.9	153	20.8	16.9-24.7
25-34	132	16,823	36	28.1	18.1-38.1	4	2.4	00.0-04.9	61	47.1	36.3-57.9	3	4.4	00.0-09.3	2	1.0	00.0-02.8	26	17.1	09.5-24.7
35-44	136	14,958	41	21.8	14.0-29.6	4	5.6	00.0-11.9	48	37.6	26.6-48.6	8	9.6	02.3-16.9	3	1.4	00.0-03.6	32	24.1	15.1-33.1
45-54	167	12,156	41	22.5	14.9-30.1	6	4.4	00.0-10.1	78	49.5	39.7-59.3	4	2.7	00.0-05.8				38	20.9	13.1-28.7
55-64	128	6,528	41	38.0	26.4-49.6	2	0.8	00.0-02.2	55	39.6	28.4-50.8				1	2.7	00.0-08.0	29	19.0	10.6-27.4
65+	67	3,404	12	15.0	05.6-24.4				37	55.1	40.4-69.8	1	1.5	00.0-04.4				17	28.4	14.7-42.1
H.S. or G.E.D.	200	18,940	64	26.1	18.5-33.7	2	0.4	00.0-01.0	80	42.5	33.3-51.7	7	7.5	01.4-13.6	6	4.7	00.4-09.0	41	18.8	11.7-25.9
Some Post-H.S.	224	24,135	50	17.8	11.3-24.3	7	4.1	00.0-08.8	111	53.2	44.0-62.4	7	2.9	00.2-05.6				49	22.0	14.7-29.3
College Graduate	224	15,436	57	28.1	20.7-35.5	7	5.2	01.1-09.3	96	38.6	30.6-46.6	1	1.9	00.0-05.4	2	0.3	00.0-00.7	61	26.0	18.9-33.1
\$15,000- 24,999	66	7,618	12	16.4	04.2-28.6	4	12.8	00.0-25.7	37	51.5	35.2-67.8	3	2.8	00.0-06.3				10	16.6	04.8-28.4
\$25,000- 34,999	54	6,008	18	29.7	14.2-45.2	2	2.3	00.0-06.0	21	32.3	15.6-49.0	4	18.2	02.1-34.3				9	17.4	04.9-29.9
\$35,000- 49,999	95	9,371	22	24.6	12.4-36.8	2	0.6	00.0-01.6	41	47.9	33.6-62.2	3	4.5	00.0-10.2	4	5.8	00.0-12.9	23	16.6	07.8-25.4
\$50,000- 74,999	124	12,710	34	23.5	13.9-33.1	3	3.6	00.0-10.1	43	35.0	23.2-46.8	1	1.6	00.0-04.7	1	1.3	00.0-03.8	42	34.9	23.5-46.3
\$75,000+	270	18,381	77	27.7	20.8-34.6	5	2.2	00.0-04.6	123	48.4	40.4-56.4	3	1.0	00.0-02.4	2	0.2	00.0-00.6	60	20.6	14.5-26.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	758	64,475	255	37.3	32.0-42.6	22	3.5	01.7-05.3	380	48.0	42.9-53.1	2	0.2	00.0-00.6	6	0.6	00.0-01.2	93	10.4	07.7-13.1
18-24	60	12,562	20	48.2	31.1-65.3	2	3.0	00.0-07.3	34	43.1	26.8-59.4				1	0.6	00.0-01.8	3	5.1	00.0-11.0
25-34	205	20,034	75	36.8	28.4-45.2	4	3.1	00.0-06.6	106	48.4	39.8-57.0	1	0.1	00.0-00.3				19	11.5	05.6-17.4
35-44	184	15,561	60	36.1	27.1-45.1	5	3.7	00.0-07.4	99	51.8	42.6-61.0				1	0.3	00.0-00.9	19	8.1	03.4-12.8
45-54	144	8,694	44	29.9	19.5-40.3	2	2.6	00.0-06.3	68	47.8	36.6-59.0	1	1.5	00.0-04.4	4	3.3	00.0-07.2	25	15.0	07.7-22.3
55-64	106	5,134	39	33.3	21.7-44.9	7	7.1	01.0-13.2	44	45.0	32.5-57.5							16	14.6	06.2-23.0
65+	56	2,383	17	28.2	10.8-45.6	2	4.0	00.0-09.7	28	53.2	36.0-70.4							9	14.5	03.7-25.3
H.S. or G.E.D.	165	12,845	60	38.5	27.3-49.7	4	3.5	00.0-07.0	84	49.0	38.2-59.8	1	0.2	00.0-00.6				16	8.8	02.7-14.9
Some Post-H.S.	253	25,536	78	34.9	26.3-43.5	11	4.2	00.9-07.5	133	50.3	41.5-59.1	1	0.5	00.0-01.5	2	1.0	00.0-02.4	28	9.2	04.7-13.7
College Graduate	315	21,652	108	34.6	27.5-41.7	7	3.5	00.6-06.4	153	48.6	41.2-56.0				1	0.0	00.0-00.0	46	13.3	08.6-18.0
Less than \$15,000	57	6,620	15	38.7	16.9-60.5				30	47.3	27.7-66.9	1	0.4	00.0-01.2	2	1.6	00.0-04.0	9	11.9	00.5-23.3
\$15,000- 24,999	91	8,319	23	33.5	18.6-48.4	6	5.3	00.4-10.2	54	52.4	37.9-66.9				1	1.8	00.0-05.3	7	7.1	00.0-14.2
\$25,000- 34,999	63	5,029	21	34.4	17.7-51.1	1	3.1	00.0-09.0	36	52.9	36.0-69.8	1	2.6	00.0-07.7				4	7.0	00.0-16.0
\$35,000- 49,999	95	8,650	26	31.6	19.1-44.1	4	4.0	00.0-08.5	51	54.3	40.8-67.8							14	10.1	03.0-17.2
\$50,000- 74,999	119	11,187	44	44.1	30.4-57.8	4	2.0	00.0-04.9	58	46.4	33.1-59.7							13	7.5	02.4-12.6
\$75,000+	265	17,675	103	36.0	28.4-43.6	5	4.6	00.0-09.3	121	45.5	37.7-53.3				1	0.5	00.0-01.5	35	13.3	08.2-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

End of Core Data Report