

NORTH DAKOTA

2014 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 5, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6612	504,765	4011	52.4	50.4-54.4	2601	47.6	45.6-49.6
Male	2715	251,710	1590	50.0	47.1-52.9	1125	50.0	47.1-52.9
Female	3897	253,055	2421	54.8	52.1-57.5	1476	45.2	42.5-47.9
Native	175	19,981	113	48.2	36.0-60.4	62	51.8	39.6-64.0
Non-Native	6324	474,722	3835	52.7	50.7-54.7	2489	47.3	45.3-49.3
18-24	325	82,756	79	23.1	17.2-29.0	246	76.9	71.0-82.8
25-34	615	96,269	264	43.3	37.8-48.8	351	56.7	51.2-62.2
35-44	756	74,454	367	48.2	43.1-53.3	389	51.8	46.7-56.9
45-54	1077	80,133	654	61.3	57.2-65.4	423	38.7	34.6-42.8
55-64	1575	79,169	1075	69.5	66.4-72.6	500	30.5	27.4-33.6
65+	2185	87,100	1526	70.3	67.6-73.0	659	29.7	27.0-32.4
Less Than H.S.	364	43,719	203	54.0	46.0-62.0	161	46.0	38.0-54.0
H.S. or G.E.D.	1973	131,946	1162	50.7	47.2-54.2	811	49.3	45.8-52.8
Some Post-H.S.	2101	194,814	1305	54.5	51.0-58.0	796	45.5	42.0-49.0
College Graduate	2132	129,376	1319	51.1	47.8-54.4	813	48.9	45.6-52.2
Less than \$15,000	352	38,118	188	43.2	34.8-51.6	164	56.8	48.4-65.2
\$15,000- 24,999	728	63,518	417	48.6	42.5-54.7	311	51.4	45.3-57.5
\$25,000- 34,999	590	48,193	361	48.0	41.1-54.9	229	52.0	45.1-58.9
\$35,000- 49,999	838	61,068	513	53.0	47.3-58.7	325	47.0	41.3-52.7
\$50,000- 74,999	1057	77,315	687	60.3	55.4-65.2	370	39.7	34.8-44.6
\$75,000+	2212	155,020	1356	55.9	52.8-59.0	856	44.1	41.0-47.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2715	251,710	1590	50.0	47.1-52.9	1125	50.0	47.1-52.9
Native	55	6,471	37	65.4	46.6-84.2	18	34.6	15.8-53.4
Non-Native	2593	238,474	1514	49.6	46.7-52.5	1079	50.4	47.5-53.3
18-24	170	42,913	35	22.1	13.9-30.3	135	77.9	69.7-86.1
25-34	293	51,525	102	37.1	29.7-44.5	191	62.9	55.5-70.3
35-44	342	38,205	162	46.9	39.5-54.3	180	53.1	45.7-60.5
45-54	448	39,403	281	59.3	52.8-65.8	167	40.7	34.2-47.2
55-64	646	40,206	443	69.7	65.0-74.4	203	30.3	25.6-35.0
65+	793	37,668	552	71.2	66.9-75.5	241	28.8	24.5-33.1
Less Than H.S.	175	26,204	103	61.0	50.0-72.0	72	39.0	28.0-50.0
H.S. or G.E.D.	824	67,370	449	45.5	40.4-50.6	375	54.5	49.4-59.6
Some Post-H.S.	833	96,546	498	51.3	46.2-56.4	335	48.7	43.6-53.8
College Graduate	870	58,990	535	49.5	44.6-54.4	335	50.5	45.6-55.4
Less than \$15,000	121	15,921	58	36.1	23.9-48.3	63	63.9	51.7-76.1
\$15,000- 24,999	244	30,276	121	46.2	36.4-56.0	123	53.8	44.0-63.6
\$25,000- 34,999	215	22,371	125	46.9	36.7-57.1	90	53.1	42.9-63.3
\$35,000- 49,999	344	32,395	195	50.2	42.0-58.4	149	49.8	41.6-58.0
\$50,000- 74,999	456	40,809	276	56.5	49.4-63.6	180	43.5	36.4-50.6
\$75,000+	1083	85,608	667	53.3	48.8-57.8	416	46.7	42.2-51.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3897	253,055	2421	54.8	52.1-57.5	1476	45.2	42.5-47.9
Native	120	13,510	76	40.0	26.1-53.9	44	60.0	46.1-73.9
Non-Native	3731	236,247	2321	55.8	53.1-58.5	1410	44.2	41.5-46.9
18-24	155	39,843	44	24.2	15.8-32.6	111	75.8	67.4-84.2
25-34	322	44,744	162	50.4	42.6-58.2	160	49.6	41.8-57.4
35-44	414	36,249	205	49.6	42.7-56.5	209	50.4	43.5-57.3
45-54	629	40,730	373	63.3	58.4-68.2	256	36.7	31.8-41.6
55-64	929	38,963	632	69.2	65.3-73.1	297	30.8	26.9-34.7
65+	1392	49,431	974	69.7	66.4-73.0	418	30.3	27.0-33.6
Less Than H.S.	189	17,515	100	43.4	33.2-53.6	89	56.6	46.4-66.8
H.S. or G.E.D.	1149	64,576	713	56.1	51.0-61.2	436	43.9	38.8-49.0
Some Post-H.S.	1268	98,268	807	57.7	53.0-62.4	461	42.3	37.6-47.0
College Graduate	1262	70,386	784	52.5	48.0-57.0	478	47.5	43.0-52.0
Less than \$15,000	231	22,197	130	48.3	37.1-59.5	101	51.7	40.5-62.9
\$15,000- 24,999	484	33,242	296	50.9	43.3-58.5	188	49.1	41.5-56.7
\$25,000- 34,999	375	25,822	236	49.0	39.8-58.2	139	51.0	41.8-60.2
\$35,000- 49,999	494	28,673	318	56.1	48.8-63.4	176	43.9	36.6-51.2
\$50,000- 74,999	601	36,506	411	64.6	58.1-71.1	190	35.4	28.9-41.9
\$75,000+	1129	69,411	689	59.0	54.5-63.5	440	41.0	36.5-45.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6827	518,435	623	7.1	06.3-07.9	61	0.7	00.5-00.9	6143	92.2	91.4-93.0
Male	2807	260,203	246	6.4	05.2-07.6				2561	93.6	92.4-94.8
Female	4020	258,232	377	7.8	06.6-09.0	61	1.5	00.9-02.1	3582	90.7	89.5-91.9
Native	177	19,590	18	7.0	02.1-11.9	5	1.6	00.0-03.4	154	91.4	86.3-96.5
Non-Native	6534	488,474	595	7.2	06.4-08.0	56	0.7	00.5-00.9	5883	92.1	91.1-93.1
18-24	336	85,099	7	1.8	00.2-03.4	2	0.2	00.0-00.4	327	98.1	96.5-99.7
25-34	628	97,978	17	2.8	01.2-04.4	7	0.6	00.0-01.2	604	96.6	94.8-98.4
35-44	791	76,762	52	6.5	04.0-09.0	13	1.7	00.5-02.9	726	91.8	89.1-94.5
45-54	1096	81,192	90	8.0	05.6-10.4	18	1.1	00.5-01.7	988	90.9	88.5-93.3
55-64	1618	81,193	168	9.8	07.8-11.8	9	0.6	00.2-01.0	1441	89.6	87.6-91.6
65+	2280	91,338	282	13.4	11.4-15.4	11	0.4	00.0-00.8	1987	86.2	84.2-88.2
Less Than H.S.	380	45,175	42	7.3	04.4-10.2				338	92.7	89.8-95.6
H.S. or G.E.D.	2028	135,536	196	7.1	05.5-08.7	16	0.8	00.2-01.4	1816	92.0	90.4-93.6
Some Post-H.S.	2162	199,341	192	7.0	05.6-08.4	19	0.6	00.2-01.0	1951	92.4	90.8-94.0
College Graduate	2212	133,215	188	6.9	05.5-08.3	25	1.0	00.6-01.4	1999	92.1	90.5-93.7
Less than \$15,000	361	38,983	40	6.9	03.2-10.6	1	0.1	00.0-00.3	320	93.0	89.3-96.7
\$15,000- 24,999	748	64,850	63	6.0	03.8-08.2	4	0.4	00.0-01.0	681	93.6	91.2-96.0
\$25,000- 34,999	601	48,971	75	8.6	05.7-11.5	5	0.3	00.0-00.7	521	91.1	88.2-94.0
\$35,000- 49,999	866	62,296	91	7.5	05.1-09.9	9	0.9	00.1-01.7	766	91.6	89.2-94.0
\$50,000- 74,999	1081	79,086	106	9.7	07.0-12.4	8	0.5	00.1-00.9	967	89.9	87.2-92.6
\$75,000+	2279	159,039	175	6.0	04.6-07.4	25	1.0	00.4-01.6	2079	93.0	91.6-94.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2807	260,203	246	6.4	05.2-07.6	2561	93.6	92.4-94.8
Native	57	6,906	5	8.6	00.0-19.4	52	91.4	80.6-0100
Non-Native	2681	246,239	233	6.4	05.0-07.8	2448	93.6	92.2-95.0
18-24	181	46,015	1	1.2	00.0-03.6	180	98.8	96.4-0100
25-34	300	52,501	6	2.5	00.3-04.7	294	97.5	95.3-99.7
35-44	354	39,304	21	6.3	02.8-09.8	333	93.7	90.2-97.2
45-54	455	39,920	38	7.4	03.7-11.1	417	92.6	88.9-96.3
55-64	667	41,278	64	7.9	05.4-10.4	603	92.1	89.6-94.6
65+	827	39,397	112	13.9	10.6-17.2	715	86.1	82.8-89.4
Less Than H.S.	185	27,938	22	7.0	02.9-11.1	163	93.0	88.9-97.1
H.S. or G.E.D.	849	69,709	74	5.7	03.5-07.9	775	94.3	92.1-96.5
Some Post-H.S.	852	98,625	69	6.1	03.9-08.3	783	93.9	91.7-96.1
College Graduate	908	61,332	80	7.0	04.8-09.2	828	93.0	90.8-95.2
Less than \$15,000	124	16,444	14	8.6	01.5-15.7	110	91.4	84.3-98.5
\$15,000- 24,999	253	31,247	14	3.2	00.3-06.1	239	96.8	93.9-99.7
\$25,000- 34,999	217	22,533	29	9.5	04.0-15.0	188	90.5	85.0-96.0
\$35,000- 49,999	360	33,186	35	8.0	04.3-11.7	325	92.0	88.3-95.7
\$50,000- 74,999	467	42,187	45	8.2	04.7-11.7	422	91.8	88.3-95.3
\$75,000+	1114	87,716	90	5.4	03.6-07.2	1024	94.6	92.8-96.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4020	258,232	377	7.8	06.6-09.0	61	1.5	00.9-02.1	3582	90.7	89.5-91.9
Native	120	12,684	13	6.1	01.8-10.4	5	2.4	00.0-04.9	102	91.5	86.2-96.8
Non-Native	3853	242,235	362	8.0	06.8-09.2	56	1.5	00.9-02.1	3435	90.6	89.4-91.8
18-24	155	39,084	6	2.4	00.2-04.6	2	0.3	00.0-00.9	147	97.3	95.1-99.5
25-34	328	45,478	11	3.2	00.8-05.6	7	1.3	00.1-02.5	310	95.5	92.8-98.2
35-44	437	37,458	31	6.7	03.2-10.2	13	3.6	01.2-06.0	393	89.8	85.7-93.9
45-54	641	41,272	52	8.6	05.9-11.3	18	2.1	00.7-03.5	571	89.2	86.1-92.3
55-64	951	39,915	104	11.8	09.1-14.5	9	1.2	00.2-02.2	838	87.0	84.1-89.9
65+	1453	51,942	170	13.0	10.6-15.4	11	0.7	00.1-01.3	1272	86.3	83.8-88.8
Less Than H.S.	195	17,238	20	7.7	03.4-12.0				175	92.3	88.0-96.6
H.S. or G.E.D.	1179	65,827	122	8.7	06.5-10.9	16	1.7	00.5-02.9	1041	89.6	87.1-92.1
Some Post-H.S.	1310	100,716	123	7.8	05.8-09.8	19	1.3	00.5-02.1	1168	90.9	88.9-92.9
College Graduate	1304	71,883	108	6.7	04.7-08.7	25	1.9	01.1-02.7	1171	91.4	89.2-93.6
Less than \$15,000	237	22,539	26	5.7	02.2-09.2	1	0.1	00.0-00.3	210	94.2	90.7-97.7
\$15,000- 24,999	495	33,602	49	8.6	05.3-11.9	4	0.7	00.0-01.9	442	90.7	87.2-94.2
\$25,000- 34,999	384	26,438	46	7.8	04.7-10.9	5	0.6	00.0-01.4	333	91.6	88.5-94.7
\$35,000- 49,999	506	29,110	56	6.9	04.5-09.3	9	1.9	00.1-03.7	441	91.2	88.3-94.1
\$50,000- 74,999	614	36,900	61	11.3	07.2-15.4	8	1.0	00.2-01.8	545	87.7	83.4-92.0
\$75,000+	1165	71,323	85	6.6	04.8-08.4	25	2.3	01.1-03.5	1055	91.0	88.8-93.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	867	49,787	307	37.4	32.3-42.5	560	62.6	57.5-67.7
Male	401	27,414	136	36.8	29.9-43.7	265	63.2	56.3-70.1
Female	466	22,373	171	38.1	30.7-45.5	295	61.9	54.5-69.3
Native	66	3,673	32	38.0	20.0-56.0	34	62.0	44.0-80.0
Non-Native	789	45,733	269	37.2	31.9-42.5	520	62.8	57.5-68.1
45-54	96	8,492	32	32.7	19.6-45.8	64	67.3	54.2-80.4
55-64	227	12,544	92	38.7	30.5-46.9	135	61.3	53.1-69.5
65+	485	21,518	163	36.7	30.4-43.0	322	63.3	57.0-69.6
Less Than H.S.	84	6,719	32	37.2	22.3-52.1	52	62.8	47.9-77.7
H.S. or G.E.D.	282	14,909	95	33.6	25.6-41.6	187	66.4	58.4-74.4
Some Post-H.S.	285	19,203	97	38.6	29.6-47.6	188	61.4	52.4-70.4
College Graduate	209	8,332	79	38.4	29.2-47.6	130	61.6	52.4-70.8
Less than \$15,000	95	5,336	37	38.7	25.0-52.4	58	61.3	47.6-75.0
\$15,000- 24,999	131	7,681	65	55.1	42.8-67.4	66	44.9	32.6-57.2
\$25,000- 34,999	93	5,668	44	52.7	37.8-67.6	49	47.3	32.4-62.2
\$35,000- 49,999	120	5,926	32	28.3	16.5-40.1	88	71.7	59.9-83.5
\$50,000- 74,999	115	7,182	43	31.0	18.7-43.3	72	69.0	56.7-81.3
\$75,000+	179	9,932	43	30.2	17.3-43.1	136	69.8	56.9-82.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	401	27,414	136	36.8	29.9-43.7	265	63.2	56.3-70.1
Non-Native	375	25,862	126	37.5	30.4-44.6	249	62.5	55.4-69.6
45-54	59	5,851	21	29.4	14.7-44.1	38	70.6	55.9-85.3
55-64	117	7,227	37	32.1	21.7-42.5	80	67.9	57.5-78.3
65+	200	10,957	66	38.8	29.2-48.4	134	61.2	51.6-70.8
H.S. or G.E.D.	134	9,029	49	38.7	26.9-50.5	85	61.3	49.5-73.1
Some Post-H.S.	106	8,765	31	33.4	21.2-45.6	75	66.6	54.4-78.8
College Graduate	116	5,337	39	36.5	24.3-48.7	77	63.5	51.3-75.7
\$35,000- 49,999	61	3,672	15	29.7	13.2-46.2	46	70.3	53.8-86.8
\$50,000- 74,999	67	4,937	29	38.7	22.0-55.4	38	61.3	44.6-78.0
\$75,000+	107	5,925	25	22.0	11.0-33.0	82	78.0	67.0-89.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	466	22,373	171	38.1	30.7-45.5	295	61.9	54.5-69.3
Non-Native	414	19,871	143	36.9	29.1-44.7	271	63.1	55.3-70.9
55-64	110	5,318	55	47.8	35.1-60.5	55	52.2	39.5-64.9
65+	285	10,561	97	34.6	26.6-42.6	188	65.4	57.4-73.4
H.S. or G.E.D.	148	5,880	46	25.7	16.5-34.9	102	74.3	65.1-83.5
Some Post-H.S.	179	10,438	66	43.0	30.7-55.3	113	57.0	44.7-69.3
College Graduate	93	2,995	40	41.9	28.0-55.8	53	58.1	44.2-72.0
Less than \$15,000	61	3,004	24	37.6	20.7-54.5	37	62.4	45.5-79.3
\$15,000- 24,999	84	3,768	44	50.9	35.6-66.2	40	49.1	33.8-64.4
\$25,000- 34,999	50	2,647	23	52.7	30.0-75.4	27	47.3	24.6-70.0
\$35,000- 49,999	59	2,255	17	25.9	11.4-40.4	42	74.1	59.6-88.6
\$75,000+	72	4,007	18	42.4	19.1-65.7	54	57.6	34.3-80.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	854	48,604	102	10.8	08.1-13.5	204	24.0	19.5-28.5	530	60.3	55.2-65.4	18	4.9	01.4-08.4
Male	399	27,197	47	9.2	05.5-12.9	125	30.9	24.2-37.6	220	56.6	49.5-63.7	7	3.3	00.0-06.6
Female	455	21,407	55	12.7	08.4-17.0	79	15.2	10.5-19.9	310	65.0	57.6-72.4	11	7.0	00.3-13.7
Native	63	3,485	1	2.3	00.0-06.8	11	31.1	06.0-56.2	49	64.4	40.3-88.5	2	2.3	00.0-06.0
Non-Native	779	44,738	97	11.3	08.2-14.4	192	23.6	19.3-27.9	474	59.9	54.6-65.2	16	5.2	01.5-08.9
45-54	94	8,259	10	9.9	01.3-18.5	16	23.5	09.2-37.8	64	64.5	49.6-79.4	4	2.1	00.0-04.3
55-64	225	12,318	27	9.8	05.3-14.3	58	26.3	18.5-34.1	136	61.2	52.8-69.6	4	2.6	00.0-05.9
65+	477	20,941	58	12.8	08.7-16.9	116	23.6	18.5-28.7	300	62.7	56.6-68.8	3	0.9	00.0-02.3
Less Than H.S.	81	6,429	9	4.9	01.0-08.8	24	35.5	19.4-51.6	48	59.6	43.7-75.5			
H.S. or G.E.D.	281	14,870	36	12.8	07.7-17.9	64	26.8	18.4-35.2	178	58.7	50.1-67.3	3	1.6	00.0-03.8
Some Post-H.S.	279	18,650	33	11.8	06.3-17.3	65	19.3	13.2-25.4	173	60.7	51.7-69.7	8	8.3	00.3-16.3
College Graduate	206	8,032	24	10.2	05.3-15.1	49	21.0	13.9-28.1	127	63.4	54.4-72.4	6	5.4	00.0-11.5
Less than \$15,000	95	5,336	6	5.8	00.0-11.9	24	33.6	18.3-48.9	63	58.7	43.6-73.8	2	2.0	00.0-05.3
\$15,000- 24,999	128	7,272	12	9.4	02.9-15.9	18	11.5	05.0-18.0	96	73.7	62.1-85.3	2	5.4	00.0-15.0
\$25,000- 34,999	91	5,437	13	11.3	02.9-19.7	21	21.2	10.8-31.6	56	66.9	54.0-79.8	1	0.6	00.0-01.8
\$35,000- 49,999	118	5,849	20	13.5	06.6-20.4	35	29.2	18.2-40.2	62	56.7	44.4-69.0	1	0.6	00.0-01.8
\$50,000- 74,999	114	7,112	13	13.6	04.0-23.2	28	18.8	09.4-28.2	69	62.9	50.0-75.8	4	4.7	00.0-11.2
\$75,000+	178	9,925	20	8.9	04.2-13.6	50	26.8	15.8-37.8	103	52.7	40.2-65.2	5	11.6	00.0-24.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	399	27,197	47	9.2	05.5-12.9	125	30.9	24.0-37.8	220	56.6	49.5-63.7	7	3.3	00.0-06.6
Non-Native	374	25,652	46	9.7	05.8-13.6	122	30.6	24.1-37.1	199	56.3	49.2-63.4	7	3.5	00.0-07.0
45-54	58	5,705	4	8.4	00.0-19.8	11	24.7	06.5-42.9	40	64.9	45.9-83.9	3	2.0	00.0-04.4
55-64	117	7,227	16	8.7	03.6-13.8	41	35.4	24.0-46.8	60	55.8	44.2-67.4			
65+	199	10,887	26	12.7	06.6-18.8	65	29.2	21.2-37.2	107	56.8	47.6-66.0	1	1.3	00.0-03.8
H.S. or G.E.D.	134	9,029	20	9.5	04.2-14.8	41	33.2	21.2-45.2	72	55.7	43.5-67.9	1	1.6	00.0-04.7
Some Post-H.S.	106	8,765	12	12.5	03.5-21.5	36	28.2	17.2-39.2	55	54.1	41.2-67.0	3	5.2	00.0-13.2
College Graduate	113	5,038	12	8.3	02.4-14.2	32	25.2	15.2-35.2	66	60.6	48.4-72.8	3	5.8	00.0-14.6
\$35,000- 49,999	61	3,672	11	14.0	05.0-23.0	23	33.0	18.9-47.1	27	53.0	36.9-69.1			
\$50,000- 74,999	66	4,867	8	9.6	00.4-18.8	16	21.0	08.3-33.7	39	62.8	46.5-79.1	3	6.6	00.0-16.0
\$75,000+	106	5,919	11	8.1	02.4-13.8	35	35.6	20.3-50.9	58	55.3	40.4-70.2	2	1.0	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	455	21,407	55	12.7	08.4-17.0	79	15.2	10.5-19.9	310	65.0	57.6-72.4	11	7.0	00.3-13.7
Non-Native	405	19,086	51	13.6	08.7-18.5	70	14.2	09.7-18.7	275	64.8	57.0-72.6	9	7.5	00.1-14.9
55-64	108	5,091	11	11.3	02.9-19.7	17	13.4	04.8-22.0	76	68.9	56.6-81.2	4	6.4	00.0-14.0
65+	278	10,055	32	12.8	07.3-18.3	51	17.6	11.5-23.7	193	69.1	61.7-76.5	2	0.5	00.0-01.3
H.S. or G.E.D.	147	5,841	16	18.1	08.7-27.5	23	16.9	06.5-27.3	106	63.3	51.3-75.3	2	1.7	00.0-04.2
Some Post-H.S.	173	9,884	21	11.2	04.3-18.1	29	11.4	06.1-16.7	118	66.5	53.6-79.4	5	11.0	00.0-24.3
College Graduate	93	2,995	12	13.3	04.9-21.7	17	13.9	05.3-22.5	61	68.2	55.5-80.9	3	4.6	00.0-10.9
Less than \$15,000	61	3,004	5	9.3	00.0-19.7	15	35.3	15.9-54.7	39	51.9	33.3-70.5	2	3.5	00.0-09.4
\$15,000- 24,999	81	3,359	9	14.5	03.1-25.9	9	10.0	02.7-17.3	62	74.9	62.2-87.6	1	0.6	00.0-01.8
\$35,000- 49,999	57	2,177	9	12.7	02.1-23.3	12	22.7	04.9-40.5	35	62.9	43.7-82.1	1	1.7	00.0-05.0
\$75,000+	72	4,007	9	10.2	02.0-18.4	15	13.7	04.5-22.9	45	48.8	27.6-70.0	3	27.3	00.1-54.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	839	48,000	451	53.7	48.6-58.8	177	23.7	19.0-28.4	67	6.5	04.3-08.7	18	1.3	00.5-02.1	125	14.7	10.8-18.6	1	0.0	00.0-00.0
Male	391	26,756	213	54.6	47.3-61.9	78	24.6	18.1-31.1	33	6.4	03.5-09.3	10	1.8	00.4-03.2	57	12.7	08.0-17.4			
Female	448	21,244	238	52.7	45.3-60.1	99	22.6	15.7-29.5	34	6.6	03.5-09.7	8	0.8	00.2-01.4	68	17.3	10.8-23.8	1	0.0	00.0-00.0
Native	65	3,650	44	71.5	53.3-89.7	9	14.4	00.0-30.1	6	9.8	00.0-20.4	1	0.5	00.0-01.5	5	3.8	00.0-08.7			
Non-Native	763	44,035	402	52.2	46.9-57.5	166	24.6	19.7-29.5	60	6.2	04.0-08.4	17	1.4	00.6-02.2	117	15.6	11.3-19.9	1	0.0	00.0-00.0
45-54	95	8,433	59	57.1	42.2-72.0	16	26.7	12.6-40.8	6	4.5	00.0-10.4				14	11.7	02.3-21.1			
55-64	225	12,398	138	62.7	54.3-71.1	42	18.7	12.0-25.4	14	6.5	02.2-10.8	4	1.4	00.0-03.2	26	10.7	05.0-16.4	1	0.0	00.0-00.0
65+	462	20,019	229	50.6	44.1-57.1	102	22.6	16.9-28.3	42	8.0	04.7-11.3	12	2.1	00.5-03.7	77	16.7	12.2-21.2			
Less Than H.S.	79	6,191	44	55.2	39.3-71.1	13	20.1	06.8-33.4	8	7.5	00.6-14.4	3	2.7	00.0-06.2	11	14.4	03.0-25.8			
H.S. or G.E.D.	271	14,338	144	56.6	48.0-65.2	56	21.3	14.0-28.6	22	7.2	03.1-11.3	8	2.0	00.4-03.6	41	12.9	07.8-18.0			
Some Post-H.S.	278	18,741	149	51.3	42.3-60.3	62	26.6	17.8-35.4	26	6.7	03.0-10.4	5	0.9	00.0-01.9	35	14.5	07.1-21.9	1	0.0	00.0-00.0
College Graduate	204	8,107	112	56.4	46.8-66.0	43	21.1	14.0-28.2	11	4.5	01.2-07.8	2	0.3	00.0-00.7	36	17.7	09.5-25.9			
Less than \$15,000	95	5,336	51	52.0	37.3-66.7	23	27.7	14.2-41.2	6	5.4	00.0-12.3	2	1.9	00.0-05.0	13	13.1	01.9-24.3			
\$15,000- 24,999	126	7,267	77	55.5	42.2-68.8	22	25.4	11.9-38.9	10	7.9	01.8-14.0	2	1.6	00.0-04.0	15	9.6	02.7-16.5			
\$25,000- 34,999	88	5,226	48	50.7	35.0-66.4	22	27.0	11.1-42.9	5	4.5	00.0-09.8	2	2.6	00.0-06.3	11	15.2	04.4-26.0			
\$35,000- 49,999	118	5,785	59	56.3	43.6-69.0	27	23.7	12.3-35.1	10	5.7	01.4-10.0	2	0.6	00.0-01.4	19	13.7	05.5-21.9	1	0.1	00.0-00.3
\$50,000- 74,999	115	7,182	69	56.7	43.2-70.2	25	26.3	13.8-38.8	5	3.4	00.3-06.5	4	2.4	00.0-04.9	12	11.2	02.2-20.2			
\$75,000+	178	9,848	84	49.6	37.3-61.9	38	21.3	11.1-31.5	22	10.3	04.0-16.6	4	0.7	00.0-01.5	30	18.1	06.7-29.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	391	26,756	213	54.6	47.3-61.9	78	24.6	18.1-31.1	33	6.4	03.5-09.3	10	1.8	00.4-03.2	57	12.7	08.0-17.4
Non-Native	366	25,227	198	53.0	45.7-60.3	73	25.4	18.7-32.1	30	6.4	03.3-09.5	9	1.8	00.4-03.2	56	13.4	08.3-18.5
45-54	59	5,887	34	58.1	40.1-76.1	13	25.2	09.7-40.7	6	6.5	00.0-14.7				6	10.3	00.0-22.8
55-64	116	7,147	65	58.4	46.8-70.0	21	21.0	11.4-30.6	8	5.2	01.1-09.3	3	2.2	00.0-04.9	19	13.4	05.2-21.6
65+	192	10,364	105	53.1	43.5-62.7	34	21.9	12.9-30.9	17	7.6	02.9-12.3	5	2.6	00.1-05.1	31	14.8	08.5-21.1
H.S. or G.E.D.	132	8,967	72	59.8	48.2-71.4	25	20.7	11.1-30.3	11	6.7	01.6-11.8	4	2.1	00.0-04.3	20	10.6	04.3-16.9
Some Post-H.S.	103	8,580	57	50.5	37.2-63.8	20	28.8	15.7-41.9	12	8.2	01.7-14.7	1	1.1	00.0-03.3	13	11.3	02.5-20.1
College Graduate	114	5,268	60	54.5	41.8-67.2	24	21.9	12.5-31.3	7	4.6	00.1-09.1	2	0.5	00.0-01.3	21	18.5	07.1-29.9
\$35,000- 49,999	60	3,626	31	58.5	42.0-75.0	15	28.0	11.7-44.3	4	3.8	00.0-08.5				10	9.7	02.4-17.0
\$50,000- 74,999	67	4,937	40	59.9	43.2-76.6	14	25.4	09.7-41.1	3	2.4	00.0-05.3	3	3.0	00.0-06.5	7	9.3	00.0-19.1
\$75,000+	106	5,842	55	58.2	44.1-72.3	15	15.2	05.4-25.0	14	13.4	03.8-23.0	2	0.5	00.0-01.1	20	12.7	05.3-20.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	448	21,244	238	52.7	45.3-60.1	99	22.6	15.7-29.5	34	6.6	03.5-09.7	8	0.8	00.2-01.4	68	17.3	10.8-23.8	1	0.0	00.0-00.0
Non-Native	397	18,808	204	51.2	43.4-59.0	93	23.4	16.1-30.7	30	6.0	03.1-08.9	8	0.9	00.1-01.7	61	18.4	11.3-25.5	1	0.0	00.0-00.0
55-64	109	5,251	73	68.6	56.3-80.9	21	15.6	07.0-24.2	6	8.3	00.0-16.7	1	0.4	00.0-01.2	7	7.1	00.0-14.5	1	0.1	00.0-00.3
65+	270	9,655	124	48.0	39.4-56.6	68	23.4	16.3-30.5	25	8.5	04.0-13.0	7	1.6	00.2-03.0	46	18.6	12.1-25.1			
H.S. or G.E.D.	139	5,370	72	51.1	38.9-63.3	31	22.2	11.0-33.4	11	8.1	01.4-14.8	4	1.9	00.0-03.9	21	16.7	07.9-25.5			
Some Post-H.S.	175	10,161	92	51.9	39.7-64.1	42	24.6	13.0-36.2	14	5.5	01.8-09.2	4	0.7	00.0-01.5	22	17.3	05.7-28.9	1	0.0	00.0-00.0
College Graduate	90	2,839	52	59.8	46.1-73.5	19	19.6	09.2-30.0	4	4.2	00.0-08.5				15	16.4	06.6-26.2			
Less than \$15,000	61	3,004	31	45.5	28.1-62.9	16	33.4	14.6-52.2	4	9.1	00.0-21.1	1	0.5	00.0-01.5	9	11.5	01.5-21.5			
\$15,000- 24,999	80	3,394	51	73.2	61.0-85.4	14	11.4	04.1-18.7	6	7.0	00.0-15.2				9	8.4	01.9-14.9			
\$35,000- 49,999	58	2,159	28	52.5	32.5-72.5	12	16.5	04.5-28.5	6	8.9	00.3-17.5	2	1.5	00.0-03.9	9	20.4	02.6-38.2	1	0.2	00.0-00.6
\$75,000+	72	4,007	29	37.1	18.5-55.7	23	30.3	10.5-50.1	8	5.7	00.6-10.8	2	1.0	00.0-02.6	10	25.9	02.2-49.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	847	48,799	174	19.8	16.1-23.5	218	26.7	22.0-31.4	109	11.6	08.3-14.9	156	20.5	16.2-24.8	87	9.4	06.9-11.9	103	12.1	08.8-15.4			
Male	395	27,153	90	21.5	16.0-27.0	98	25.1	18.6-31.6	47	12.7	07.6-17.8	68	17.6	12.5-22.7	41	9.2	05.7-12.7	51	13.8	08.7-18.9			
Female	452	21,646	84	17.6	12.9-22.3	120	28.7	21.8-35.6	62	10.1	06.4-13.8	88	24.1	17.2-31.0	46	9.7	05.6-13.8	52	9.8	06.5-13.1			
Native	63	3,333	9	13.4	01.2-25.6	9	26.8	02.3-51.3	9	7.2	01.3-13.1	20	39.6	19.2-60.0	9	9.4	00.0-18.8	7	3.6	00.5-06.7			
Non-Native	774	45,179	164	20.3	16.4-24.2	208	26.8	22.1-31.5	99	11.9	08.4-15.4	133	19.1	14.8-23.4	77	9.3	06.6-12.0	93	12.6	09.1-16.1			
45-54	95	8,254	14	18.7	07.5-29.9	27	32.4	18.1-46.7	13	14.1	04.5-23.7	21	23.0	10.3-35.7	12	7.3	01.8-12.8	8	4.4	00.9-07.9			
55-64	225	12,449	46	22.4	15.1-29.7	59	26.3	18.5-34.1	29	9.9	05.4-14.4	43	18.4	11.5-25.3	27	13.5	07.4-19.6	21	9.5	04.2-14.8			
65+	469	20,886	107	22.4	17.3-27.5	120	25.3	19.4-31.2	56	9.3	06.0-12.6	81	20.5	15.0-26.0	41	8.0	04.7-11.3	64	14.5	10.2-18.8			
Less Than H.S.	81	6,570	16	14.3	06.1-22.5	22	38.4	21.9-54.9	3	0.9	00.0-02.1	12	19.5	07.0-32.0	10	9.5	02.6-16.4	18	17.3	06.7-27.9			
H.S. or G.E.D.	271	14,338	67	25.4	18.1-32.7	68	17.8	12.1-23.5	30	13.2	06.3-20.1	50	19.1	12.6-25.6	26	9.6	05.1-14.1	30	14.9	07.3-22.5			
Some Post-H.S.	281	19,047	55	19.1	12.8-25.4	72	26.9	18.7-35.1	44	13.0	07.1-18.9	49	24.2	16.0-32.4	28	7.0	03.5-10.5	33	9.8	05.5-14.1			
College Graduate	208	8,287	35	16.1	09.4-22.8	55	31.6	22.0-41.2	31	13.1	07.4-18.8	45	16.8	11.1-22.5	22	15.2	06.8-23.6	20	7.2	03.5-10.9			
Less than \$15,000	91	4,984	17	17.9	07.3-28.5	17	14.3	05.1-23.5	12	6.5	02.2-10.8	14	15.6	05.4-25.8	15	18.4	07.4-29.4	16	27.3	13.0-41.6			
\$15,000- 24,999	125	7,369	21	14.3	06.3-22.3	22	20.1	09.3-30.9	17	15.8	04.4-27.2	23	19.0	09.4-28.6	24	16.3	07.7-24.9	18	14.5	05.7-23.3			
\$25,000- 34,999	93	5,668	16	16.7	06.5-26.9	22	18.6	08.0-29.2	16	10.3	03.0-17.6	23	41.9	26.0-57.8	7	7.4	01.3-13.5	9	5.1	01.0-09.2			
\$35,000- 49,999	117	5,749	30	30.3	18.3-42.3	31	27.5	15.5-39.5	12	4.3	01.2-07.4	22	13.9	06.8-21.0	10	14.5	03.3-25.7	12	9.6	03.7-15.5			
\$50,000- 74,999	114	7,137	20	19.8	09.0-30.6	36	31.2	18.7-43.7	16	20.1	07.2-33.0	21	16.7	06.9-26.5	11	6.2	01.5-10.9	10	6.0	01.7-10.3			
\$75,000+	179	9,932	39	17.9	10.1-25.7	55	34.3	22.1-46.5	24	9.3	04.2-14.4	32	22.7	11.7-33.7	11	4.5	01.2-07.8	18	11.2	02.2-20.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	395	27,153	90	21.5	16.0-27.0	98	25.1	18.8-31.4	47	12.7	07.6-17.8	68	17.6	12.5-22.7	41	9.2	05.7-12.7	51	13.8	08.7-18.9
Non-Native	371	25,653	86	22.2	16.5-27.9	95	24.1	18.0-30.2	43	13.2	07.9-18.5	58	16.6	11.3-21.9	39	9.4	05.9-12.9	50	14.5	09.0-20.0
45-54	60	5,934	8	18.9	04.8-33.0	15	34.5	16.3-52.7	9	15.3	02.6-28.0	17	22.0	08.9-35.1	6	5.5	00.0-11.6	5	3.9	00.2-07.6
55-64	115	7,131	25	23.1	13.5-32.7	32	26.9	16.1-37.7	13	9.5	03.4-15.6	17	14.5	06.5-22.5	14	14.1	05.9-22.3	14	11.9	03.5-20.3
65+	196	10,732	54	25.6	17.6-33.6	47	20.9	12.9-28.9	17	8.3	03.2-13.4	31	20.1	11.7-28.5	19	9.9	04.6-15.2	28	15.2	08.7-21.7
H.S. or G.E.D.	133	9,007	34	24.9	14.9-34.9	29	14.7	07.3-22.1	17	16.3	06.1-26.5	27	21.0	11.8-30.2	15	8.9	03.4-14.4	11	14.2	03.2-25.2
Some Post-H.S.	104	8,638	23	23.2	12.2-34.2	27	25.1	13.7-36.5	15	14.6	04.4-24.8	15	17.6	07.6-27.6	10	8.2	01.9-14.5	14	11.4	03.8-19.0
College Graduate	115	5,292	23	18.6	09.4-27.8	33	36.3	23.2-49.4	14	11.3	03.9-18.7	22	15.1	07.8-22.4	9	9.3	01.5-17.1	14	9.4	03.7-15.1
\$35,000- 49,999	60	3,567	18	37.7	21.0-54.4	16	25.0	09.5-40.5	3	2.3	00.0-05.6	11	15.8	05.4-26.2	6	9.9	00.0-20.1	6	9.4	01.8-17.0
\$50,000- 74,999	66	4,892	14	25.1	10.2-40.0	16	26.1	10.6-41.6	13	22.6	06.3-38.9	13	16.5	05.1-27.9	5	5.1	00.0-10.6	5	4.5	00.0-09.2
\$75,000+	107	5,925	24	20.8	09.6-32.0	35	34.3	20.8-47.8	10	6.1	01.2-11.0	16	17.3	06.3-28.3	8	6.3	00.8-11.8	14	15.2	01.3-29.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	452	21,646	84	17.6	12.9-22.3	120	28.7	21.8-35.6	62	10.1	06.4-13.8	88	24.1	17.2-31.0	46	9.7	05.6-13.8	52	9.8	06.5-13.1
Non-Native	403	19,526	78	17.7	12.6-22.8	113	30.3	22.9-37.7	56	10.2	06.3-14.1	75	22.5	15.2-29.8	38	9.1	04.8-13.4	43	10.1	06.4-13.8
55-64	110	5,318	21	21.4	10.6-32.2	27	25.5	14.1-36.9	16	10.5	03.8-17.2	26	23.6	12.0-35.2	13	12.7	04.1-21.3	7	6.3	01.0-11.6
65+	273	10,154	53	19.1	12.8-25.4	73	29.8	21.6-38.0	39	10.4	06.1-14.7	50	20.9	13.8-28.0	22	6.0	02.3-09.7	36	13.7	08.2-19.2
H.S. or G.E.D.	138	5,332	33	26.3	15.9-36.7	39	23.1	14.3-31.9	13	7.9	02.4-13.4	23	15.8	07.8-23.8	11	10.7	02.9-18.5	19	16.2	07.8-24.6
Some Post-H.S.	177	10,410	32	15.8	08.9-22.7	45	28.5	16.9-40.1	29	11.7	05.0-18.4	34	29.6	17.4-41.8	18	6.0	01.9-10.1	19	8.4	03.7-13.1
College Graduate	93	2,995	12	11.5	02.7-20.3	22	23.4	12.4-34.4	17	16.3	07.7-24.9	23	19.8	10.4-29.2	13	25.6	08.5-42.7	6	3.4	00.3-06.5
Less than \$15,000	57	2,653	10	17.9	06.1-29.7	11	18.3	04.0-32.6	10	9.8	02.7-16.9	10	23.5	07.8-39.2	7	17.2	02.5-31.9	9	13.2	02.8-23.6
\$15,000- 24,999	81	3,604	13	18.2	05.9-30.5	16	25.2	09.9-40.5	10	8.0	02.5-13.5	15	19.8	08.0-31.6	18	18.7	07.1-30.3	9	10.1	00.3-19.9
\$25,000- 34,999	50	2,647	7	13.2	00.0-27.9	10	14.1	02.1-26.1	11	10.6	02.4-18.8	14	52.4	29.7-75.1	2	1.5	00.0-03.7	6	8.2	00.0-16.4
\$35,000- 49,999	57	2,182	12	18.2	05.9-30.5	15	31.6	12.6-50.6	9	7.6	01.3-13.9	11	10.8	03.2-18.4	4	21.9	00.0-44.4	6	9.9	01.1-18.7
\$75,000+	72	4,007	15	13.7	04.5-22.9	20	34.3	11.8-56.8	14	14.2	03.8-24.6	16	30.9	09.9-51.9	3	1.7	00.0-04.2	4	5.3	00.0-11.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 13: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	830	47,649	431	52.7	47.6-57.8	277	34.7	29.6-39.8	26	2.4	01.0-03.8	13	2.0	00.4-03.6	68	6.8	04.6-09.0	15	1.3	00.5-02.1
Male	386	26,631	229	57.7	50.6-64.8	113	30.7	24.0-37.4	5	2.0	00.0-04.0	6	2.0	00.0-04.4	29	6.6	03.5-09.7	4	1.0	00.0-02.0
Female	444	21,018	202	46.3	39.0-53.6	164	39.9	32.3-47.5	21	3.0	01.2-04.8	7	2.0	00.2-03.8	39	7.1	04.4-09.8	11	1.7	00.3-03.1
Native	60	3,301	22	49.3	27.3-71.3	27	39.2	19.2-59.2	5	2.8	00.0-05.9	2	1.8	00.0-04.9	3	6.5	00.0-15.3	1	0.3	00.0-00.9
Non-Native	759	43,995	407	53.2	47.9-58.5	245	34.4	29.1-39.7	21	2.4	00.8-04.0	11	2.0	00.4-03.6	63	6.9	04.7-09.1	12	1.1	00.3-01.9
45-54	94	8,214	48	54.6	40.1-69.1	32	36.0	21.7-50.3	2	1.3	00.0-03.5	3	1.3	00.0-02.9	7	6.4	00.1-12.7	2	0.4	00.0-01.0
55-64	220	12,181	112	52.8	44.0-61.6	88	38.9	30.3-47.5	7	2.9	00.0-05.8	1	0.6	00.0-01.8	9	3.2	00.8-05.6	3	1.6	00.0-03.4
65+	457	20,022	241	51.4	44.9-57.9	135	30.0	23.9-36.1	16	3.3	00.8-05.8	8	3.6	00.3-06.9	47	9.8	06.3-13.3	10	1.9	00.3-03.5
Less Than H.S.	74	5,875	34	45.7	28.8-62.6	21	27.9	12.6-43.2				2	6.6	00.0-16.2	13	14.8	05.6-24.0	4	5.0	00.0-10.1
H.S. or G.E.D.	269	14,088	138	55.4	47.0-63.8	93	32.8	25.0-40.6	6	2.7	00.0-05.4	3	2.0	00.0-04.4	20	5.2	02.1-08.3	9	2.0	00.4-03.6
Some Post-H.S.	276	18,896	142	49.4	40.6-58.2	92	40.6	31.4-49.8	12	2.2	00.0-04.6	6	1.1	00.1-02.1	22	6.4	02.7-10.1	2	0.2	00.0-00.6
College Graduate	206	8,284	115	60.9	51.9-69.9	68	28.4	20.4-36.4	8	4.5	00.8-08.2	2	0.8	00.0-02.2	13	5.4	02.1-08.7			
Less than \$15,000	91	4,819	39	49.1	34.6-63.6	29	26.8	14.5-39.1	6	5.2	00.1-10.3	3	4.2	00.0-09.3	10	11.7	02.7-20.7	4	3.1	00.0-06.8
\$15,000- 24,999	120	6,884	49	38.5	26.2-50.8	46	44.2	30.7-57.7	6	3.6	00.0-08.3	3	1.8	00.0-04.7	13	9.4	02.9-15.9	3	2.5	00.0-05.6
\$25,000- 34,999	88	5,415	41	41.5	26.8-56.2	36	47.7	32.0-63.4	2	1.9	00.0-05.6	2	3.2	00.0-07.9	6	5.5	00.0-11.2	1	0.1	00.0-00.3
\$35,000- 49,999	117	5,869	68	59.8	47.5-72.1	35	25.7	15.7-35.7	5	2.8	00.0-06.3	2	5.1	00.0-14.1	6	5.6	01.1-10.1	1	1.0	00.0-03.0
\$50,000- 74,999	112	7,086	65	60.5	47.2-73.8	37	30.2	17.7-42.7	3	3.7	00.0-09.4	2	1.8	00.0-04.3	5	3.9	00.2-07.6			
\$75,000+	178	9,921	105	55.0	42.5-67.5	57	37.3	24.4-50.2	2	0.3	00.0-00.7	1	0.3	00.0-00.9	12	6.6	01.1-12.1	1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 14: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	386	26,631	229	57.7	50.8-64.6	113	30.7	24.0-37.4	5	2.0	00.0-04.0	6	2.0	00.0-04.4	29	6.6	03.5-09.7	4	1.0	00.0-02.0
Non-Native	363	25,149	219	57.0	49.9-64.1	100	30.7	23.8-37.6	5	2.1	00.0-04.3	6	2.1	00.0-04.5	29	7.0	03.7-10.3	4	1.0	00.0-02.0
45-54	58	5,869	28	55.5	37.9-73.1	22	34.5	17.8-51.2	2	1.8	00.0-04.9	1	0.8	00.0-02.4	5	7.4	00.0-16.0			
55-64	112	7,026	69	61.9	50.5-73.3	35	30.9	20.1-41.7	1	2.3	00.0-06.6				4	2.1	00.0-04.6	3	2.8	00.0-05.9
65+	191	10,358	118	50.3	40.5-60.1	46	31.1	21.3-40.9	2	2.6	00.0-06.5	5	4.7	00.0-10.4	19	10.7	05.0-16.4	1	0.6	00.0-01.8
H.S. or G.E.D.	131	8,763	72	57.8	45.8-69.8	45	32.8	21.6-44.0	2	2.6	00.0-06.5	1	0.6	00.0-01.8	8	4.2	00.1-08.3	3	2.0	00.0-04.4
Some Post-H.S.	102	8,698	62	55.4	42.3-68.5	28	34.4	21.5-47.3	3	3.5	00.0-08.4	2	0.8	00.0-02.0	7	5.9	00.0-12.0			
College Graduate	114	5,293	76	69.4	58.4-80.4	31	24.8	14.6-35.0				1	0.3	00.0-00.9	6	5.5	00.8-10.2			
\$35,000- 49,999	60	3,638	38	59.3	42.6-76.0	17	27.8	13.9-41.7				2	8.2	00.0-22.3	2	3.0	00.0-07.3	1	1.7	00.0-05.0
\$50,000- 74,999	65	4,866	40	63.9	48.0-79.8	20	27.1	12.8-41.4	1	4.1	00.0-11.9				4	4.8	00.0-09.9			
\$75,000+	106	5,914	67	65.3	51.6-79.0	27	22.7	10.7-34.7				1	0.4	00.0-01.2	10	10.5	01.7-19.3	1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 15: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	444	21,018	202	46.3	39.0-53.6	164	39.9	32.3-47.5	21	3.0	01.2-04.8	7	2.0	00.2-03.8	39	7.1	04.4-09.8	11	1.7	00.3-03.1
Non-Native	396	18,846	188	48.1	40.5-55.7	145	39.3	31.1-47.5	16	2.8	00.8-04.8	5	1.9	00.0-03.9	34	6.6	03.9-09.3	8	1.2	00.0-02.4
55-64	108	5,155	43	40.5	27.6-53.4	53	49.8	36.7-62.9	6	3.6	00.0-07.5	1	1.4	00.0-04.1	5	4.7	00.4-09.0			
65+	266	9,664	123	52.6	44.4-60.8	89	28.7	21.4-36.0	14	4.0	00.9-07.1	3	2.4	00.0-05.5	28	8.8	04.9-12.7	9	3.4	00.7-06.1
H.S. or G.E.D.	138	5,325	66	51.4	40.4-62.4	48	32.8	22.6-43.0	4	2.8	00.0-06.5	2	4.2	00.0-09.9	12	6.9	02.2-11.6	6	2.0	00.0-04.0
Some Post-H.S.	174	10,198	80	44.4	32.8-56.0	64	45.8	33.1-58.5	9	1.1	00.3-01.9	4	1.4	00.0-03.2	15	6.9	02.6-11.2	2	0.4	00.0-01.0
College Graduate	92	2,991	39	45.8	30.5-61.1	37	34.7	21.8-47.6	8	12.4	02.6-22.2	1	1.8	00.0-05.3	7	5.3	01.0-09.6			
Less than \$15,000	59	2,692	24	44.5	27.1-61.9	21	33.6	17.5-49.7	4	6.0	00.0-13.3	1	1.8	00.0-05.3	6	11.7	00.5-22.9	3	2.4	00.0-05.1
\$15,000- 24,999	78	3,152	26	41.0	25.7-56.3	33	37.5	23.4-51.6	5	2.8	00.0-05.9	3	4.0	00.0-10.3	9	11.0	02.4-19.6	2	3.6	00.0-09.3
\$35,000- 49,999	57	2,231	30	60.6	42.6-78.6	18	22.3	09.0-35.6	5	7.4	00.0-16.4				4	9.8	00.0-19.6			
\$75,000+	72	4,007	38	39.7	21.1-58.3	30	58.8	39.8-77.8	2	0.7	00.0-01.7				2	0.8	00.0-02.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	848	48,775	206	24.1	20.0-28.2	217	25.1	20.6-29.6	85	10.5	07.4-13.6	114	15.0	11.1-18.9	57	7.1	04.4-09.8	169	18.3	14.6-22.0
Male	394	27,093	106	26.9	20.6-33.2	102	24.2	18.1-30.3	33	9.7	05.4-14.0	45	12.4	07.9-16.9	23	6.2	03.3-09.1	85	20.7	14.8-26.6
Female	454	21,682	100	20.6	15.3-25.9	115	26.2	19.7-32.7	52	11.5	07.0-16.0	69	18.3	11.8-24.8	34	8.2	03.5-12.9	84	15.2	11.1-19.3
Native	62	3,340	13	20.1	05.2-35.0	12	40.7	17.8-63.6	11	10.4	01.6-19.2	6	6.6	00.5-12.7	5	6.1	00.0-14.3	15	16.0	05.0-27.0
Non-Native	775	45,075	191	24.5	20.2-28.8	203	23.9	19.6-28.2	71	10.2	06.9-13.5	107	15.7	11.6-19.8	51	7.2	04.5-09.9	152	18.5	14.4-22.6
45-54	95	8,269	17	19.8	08.2-31.4	24	30.0	15.3-44.7	10	9.8	01.8-17.8	13	12.1	03.7-20.5	7	7.9	01.4-14.4	24	20.4	09.8-31.0
55-64	222	12,331	51	20.9	14.0-27.8	55	27.6	19.6-35.6	20	9.6	04.7-14.5	33	14.3	08.4-20.2	15	8.4	03.7-13.1	48	19.2	12.1-26.3
65+	472	20,943	124	28.5	22.6-34.4	122	21.9	17.0-26.8	46	10.2	06.1-14.3	62	16.4	11.3-21.5	30	5.1	02.6-07.6	88	17.8	13.1-22.5
Less Than H.S.	80	6,468	19	20.5	08.9-32.1	19	30.3	14.0-46.6	10	9.2	00.4-18.0	10	16.7	04.7-28.7	4	4.1	00.0-08.4	18	19.2	07.8-30.6
H.S. or G.E.D.	275	14,517	79	33.7	25.1-42.3	66	19.6	13.3-25.9	28	10.1	05.6-14.6	38	12.3	07.2-17.4	16	7.0	02.7-11.3	48	17.4	10.1-24.7
Some Post-H.S.	280	18,989	58	20.9	14.2-27.6	63	21.7	14.6-28.8	32	12.2	05.9-18.5	36	17.5	09.9-25.1	22	7.7	02.4-13.0	69	19.9	13.6-26.2
College Graduate	207	8,247	50	18.9	12.6-25.2	67	37.4	27.4-47.4	15	8.8	03.1-14.5	29	11.6	06.5-16.7	14	8.6	03.3-13.9	32	14.7	07.6-21.8
Less than \$15,000	92	5,008	25	26.1	13.4-38.8	13	13.3	04.1-22.5	9	7.9	01.2-14.6	12	11.0	03.0-19.0	9	11.4	02.6-20.2	24	30.3	16.4-44.2
\$15,000- 24,999	126	7,423	23	16.8	08.2-25.4	28	18.5	08.9-28.1	21	26.1	13.0-39.2	16	16.2	06.8-25.6	13	6.5	01.8-11.2	25	15.9	07.3-24.5
\$25,000- 34,999	92	5,650	24	24.1	12.5-35.7	22	27.2	11.3-43.1	10	6.9	00.6-13.2	16	21.8	09.6-34.0	8	10.2	01.2-19.2	12	9.9	02.8-17.0
\$35,000- 49,999	119	5,922	30	29.5	16.8-42.2	36	33.8	21.6-46.0	8	3.9	00.8-07.0	14	8.8	02.9-14.7	8	7.8	00.9-14.7	23	16.2	08.8-23.6
\$50,000- 74,999	113	7,113	25	27.1	13.6-40.6	32	26.0	14.2-37.8	13	10.7	02.7-18.7	15	12.8	04.0-21.6	9	4.9	00.8-09.0	19	18.6	08.6-28.6
\$75,000+	177	9,808	43	21.3	12.7-29.9	54	26.9	17.1-36.7	10	3.9	00.8-07.0	24	21.6	09.3-33.9	4	6.9	00.0-15.7	42	19.5	09.7-29.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	394	27,093	106	26.9	20.6-33.2	102	24.2	18.1-30.3	33	9.7	05.4-14.0	45	12.4	07.9-16.9	23	6.2	03.3-09.1	85	20.7	14.8-26.6
Non-Native	369	25,564	99	27.1	20.6-33.6	98	23.2	17.3-29.1	27	9.2	04.7-13.7	43	12.8	08.1-17.5	22	6.6	03.5-09.7	80	21.0	14.9-27.1
45-54	60	5,934	11	23.9	08.4-39.4	14	27.2	10.0-44.4	8	11.9	01.1-22.7	7	10.9	00.3-21.5	6	9.8	01.2-18.4	14	16.1	03.8-28.4
55-64	115	7,080	27	19.3	10.7-27.9	28	25.9	15.3-36.5	9	9.6	02.2-17.0	14	12.8	05.5-20.1	7	8.4	02.1-14.7	30	24.0	13.2-34.8
65+	194	10,701	60	31.2	22.2-40.2	54	22.7	14.9-30.5	10	4.9	01.0-08.8	23	16.5	08.3-24.7	10	4.8	00.9-08.7	37	19.8	12.5-27.1
H.S. or G.E.D.	132	8,976	45	38.8	26.6-51.0	28	17.3	08.9-25.7	11	8.1	02.6-13.6	16	11.6	04.5-18.7	7	6.1	00.6-11.6	25	18.3	07.7-28.9
Some Post-H.S.	103	8,580	25	25.9	14.5-37.3	19	16.7	07.1-26.3	10	13.0	02.2-23.8	11	14.0	05.0-23.0	8	7.3	01.6-13.0	30	23.0	12.0-34.0
College Graduate	115	5,292	25	15.7	08.4-23.0	45	41.5	28.8-54.2	9	11.5	02.9-20.1	12	8.1	02.4-13.8	5	6.4	00.1-12.7	19	16.8	06.6-27.0
\$35,000- 49,999	61	3,672	19	41.3	24.1-58.5	16	23.2	10.9-35.5	3	3.0	00.0-06.7	7	8.3	00.9-15.7	3	6.3	00.0-15.5	13	17.8	07.6-28.0
\$50,000- 74,999	66	4,892	15	34.5	16.7-52.3	19	24.3	10.0-38.6	8	7.1	01.4-12.8	9	11.7	02.3-21.1	4	4.5	00.0-09.6	11	17.9	05.4-30.4
\$75,000+	106	5,842	28	27.1	15.1-39.1	34	32.7	19.2-46.2	4	2.6	00.0-05.9	10	12.1	01.7-22.5	3	4.0	00.0-08.7	27	21.5	07.4-35.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	454	21,682	100	20.6	15.5-25.7	115	26.2	19.7-32.7	52	11.5	07.0-16.0	69	18.3	11.8-24.8	34	8.2	03.5-12.9	84	15.2	11.1-19.3
Non-Native	406	19,511	92	21.0	15.5-26.5	105	24.8	18.1-31.5	44	11.6	06.7-16.5	64	19.4	12.3-26.5	29	8.1	03.0-13.2	72	15.1	10.6-19.6
55-64	107	5,252	24	23.1	11.5-34.7	27	29.9	17.6-42.2	11	9.5	03.2-15.8	19	16.3	06.3-26.3	8	8.4	01.0-15.8	18	12.8	05.9-19.7
65+	278	10,243	64	25.7	18.3-33.1	68	21.1	15.0-27.2	36	15.7	08.4-23.0	39	16.3	10.2-22.4	20	5.5	02.4-08.6	51	15.7	09.8-21.6
H.S. or G.E.D.	143	5,541	34	25.4	15.4-35.4	38	23.5	14.7-32.3	17	13.3	05.7-20.9	22	13.4	06.7-20.1	9	8.4	01.5-15.3	23	16.0	08.0-24.0
Some Post-H.S.	177	10,409	33	16.8	09.2-24.4	44	25.8	15.4-36.2	22	11.6	04.7-18.5	25	20.4	08.8-32.0	14	8.0	00.0-16.4	39	17.4	10.3-24.5
College Graduate	92	2,954	25	24.5	12.9-36.1	22	30.1	14.0-46.2	6	4.1	00.2-08.0	17	17.8	08.2-27.4	9	12.6	02.8-22.4	13	11.0	03.4-18.6
Less than \$15,000	58	2,676	13	22.1	07.2-37.0	11	23.1	07.6-38.6	7	6.3	00.8-11.8	10	14.4	04.8-24.0	6	15.9	01.6-30.2	11	18.1	05.9-30.3
\$15,000- 24,999	83	3,682	13	19.6	06.7-32.5	16	12.3	05.0-19.6	13	24.0	08.7-39.3	11	16.6	05.2-28.0	12	11.9	03.1-20.7	18	15.6	05.8-25.4
\$35,000- 49,999	58	2,250	11	10.1	02.8-17.4	20	51.2	32.0-70.4	5	5.3	00.0-11.2	7	9.6	00.0-19.2	5	10.2	00.0-20.8	10	13.6	03.2-24.0
\$75,000+	71	3,966	15	12.6	02.8-22.4	20	18.4	07.2-29.6	6	5.8	00.0-11.7	14	35.7	12.4-59.0	1	11.1	00.0-30.9	15	16.4	05.0-27.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	852	49,207	133	15.2	11.9-18.5	472	52.5	47.4-57.6	122	13.6	10.3-16.9	99	14.2	10.3-18.1	26	4.6	02.2-07.0
Male	397	27,307	64	15.8	11.1-20.5	206	48.9	41.8-56.0	60	14.0	09.3-18.7	53	15.3	09.6-21.0	14	6.1	02.2-10.0
Female	455	21,901	69	14.4	09.9-18.9	266	57.0	49.9-64.1	62	13.1	08.6-17.6	46	12.8	07.3-18.3	12	2.6	00.6-04.6
Native	65	3,650	6	9.1	00.0-18.9	40	63.8	45.0-82.6	13	24.1	07.8-40.4	5	2.8	00.0-05.7	1	0.2	00.0-00.6
Non-Native	777	45,277	123	15.6	12.1-19.1	428	51.5	46.2-56.8	108	12.8	09.5-16.1	94	15.2	11.1-19.3	24	4.9	02.4-07.4
45-54	97	8,575	16	17.1	06.5-27.7	43	48.0	33.5-62.5	19	14.5	05.7-23.3	15	13.9	04.7-23.1	4	6.6	00.0-13.5
55-64	226	12,535	28	11.0	05.9-16.1	122	56.4	47.8-65.0	40	17.5	10.6-24.4	32	12.5	06.8-18.2	4	2.6	00.0-05.7
65+	471	20,925	81	20.5	15.4-25.6	281	55.3	48.8-61.8	54	11.0	06.9-15.1	40	9.6	05.9-13.3	15	3.7	01.2-06.2
Less Than H.S.	83	6,659	11	9.2	02.9-15.5	40	57.4	42.7-72.1	18	18.4	07.2-29.6	10	7.0	01.9-12.1	4	7.9	00.0-17.1
H.S. or G.E.D.	276	14,730	36	11.2	05.9-16.5	153	47.5	38.9-56.1	33	12.7	07.0-18.4	44	24.6	15.8-33.4	10	4.0	00.9-07.1
Some Post-H.S.	280	18,943	50	19.8	13.3-26.3	160	54.1	45.3-62.9	38	11.2	06.1-16.3	25	10.1	04.0-16.2	7	4.7	00.4-09.0
College Graduate	206	8,251	34	16.8	09.7-23.9	115	52.0	42.2-61.8	33	17.7	09.7-25.7	19	10.9	03.6-18.2	5	2.7	00.0-06.4
Less than \$15,000	95	5,336	9	8.1	01.6-14.6	44	39.3	25.2-53.4	25	29.2	16.1-42.3	13	11.7	03.5-19.9	4	11.7	00.0-23.7
\$15,000- 24,999	130	7,638	19	15.7	07.3-24.1	74	55.8	43.3-68.3	13	10.1	02.1-18.1	19	16.2	06.6-25.8	5	2.2	00.0-04.6
\$25,000- 34,999	92	5,646	16	18.9	08.5-29.3	50	50.3	35.2-65.4	10	13.0	02.0-24.0	14	14.0	05.6-22.4	2	3.8	00.0-09.1
\$35,000- 49,999	117	5,784	16	10.8	04.3-17.3	77	61.1	48.2-74.0	10	7.8	02.3-13.3	11	15.4	03.8-27.0	3	4.9	00.0-11.8
\$50,000- 74,999	115	7,182	19	15.4	05.8-25.0	59	48.6	35.1-62.1	22	19.6	08.4-30.8	13	15.6	04.2-27.0	2	0.8	00.0-02.2
\$75,000+	178	9,879	25	11.8	06.3-17.3	103	56.4	44.2-68.6	29	10.9	05.4-16.4	16	13.9	02.5-25.3	5	7.0	00.0-14.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	397	27,307	64	15.8	10.9-20.7	206	48.9	42.0-55.8	60	14.0	09.3-18.7	53	15.3	09.8-20.8	14	6.1	02.2-10.0
Non-Native	373	25,813	57	16.0	10.9-21.1	195	47.4	40.3-54.5	56	14.1	09.2-19.0	51	16.0	10.1-21.9	14	6.5	02.4-10.6
45-54	60	5,934	10	19.1	05.0-33.2	25	43.9	26.1-61.7	13	15.6	03.8-27.4	8	12.0	00.6-23.4	4	9.5	00.0-19.5
55-64	116	7,218	14	11.3	04.6-18.0	61	52.2	40.4-64.0	21	18.9	09.3-28.5	20	17.6	08.4-26.8			
65+	196	10,776	35	21.0	13.4-28.6	108	52.4	42.8-62.0	25	12.2	05.7-18.7	20	9.2	04.3-14.1	8	5.2	00.5-09.9
H.S. or G.E.D.	133	9,020	16	12.8	04.8-20.8	75	46.5	34.7-58.3	16	10.8	03.4-18.2	23	27.9	15.2-40.6	3	2.0	00.0-04.9
Some Post-H.S.	104	8,673	21	21.7	11.3-32.1	49	47.7	34.6-60.8	16	12.1	04.8-19.4	13	9.6	01.6-17.6	5	8.9	00.1-17.7
College Graduate	115	5,302	21	18.9	09.3-28.5	63	51.7	39.0-64.4	19	18.0	06.6-29.4	10	8.0	02.1-13.9	2	3.5	00.0-09.0
\$35,000- 49,999	59	3,593	8	12.0	03.0-21.0	36	58.1	41.6-74.6	6	10.0	01.6-18.4	7	13.9	01.2-26.6	2	6.0	00.0-16.2
\$50,000- 74,999	67	4,937	13	19.9	06.4-33.4	31	45.6	28.7-62.5	13	19.0	05.7-32.3	8	14.3	00.0-28.8	2	1.2	00.0-03.4
\$75,000+	106	5,872	15	11.6	04.9-18.3	58	51.5	36.8-66.2	17	10.3	03.2-17.4	12	14.9	01.0-28.8	4	11.7	00.0-23.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	455	21,901	69	14.4	09.9-18.9	266	57.0	49.9-64.1	62	13.1	08.6-17.6	46	12.8	07.3-18.3	12	2.6	00.6-04.6
Non-Native	404	19,464	66	15.0	10.3-19.7	233	57.0	49.4-64.6	52	11.0	06.7-15.3	43	14.1	08.0-20.2	10	2.8	00.4-05.2
55-64	110	5,318	14	10.6	02.8-18.4	61	62.0	49.5-74.5	19	15.6	06.4-24.8	12	5.7	02.0-09.4	4	6.1	00.0-13.4
65+	275	10,149	46	19.9	12.8-27.0	173	58.4	50.0-66.8	29	9.8	04.7-14.9	20	9.9	04.4-15.4	7	2.1	00.3-03.9
H.S. or G.E.D.	143	5,710	20	8.6	03.1-14.1	78	49.1	37.3-60.9	17	15.9	07.3-24.5	21	19.2	10.0-28.4	7	7.2	00.3-14.1
Some Post-H.S.	176	10,270	29	18.3	10.3-26.3	111	59.5	47.7-71.3	22	10.5	03.4-17.6	12	10.5	01.5-19.5	2	1.2	00.0-02.8
College Graduate	91	2,948	13	13.0	03.6-22.4	52	52.6	37.5-67.7	14	17.2	07.2-27.2	9	16.0	00.0-32.5	3	1.3	00.0-03.1
Less than \$15,000	61	3,004	7	9.7	00.5-18.9	31	50.1	31.7-68.5	14	25.9	10.6-41.2	7	7.7	00.4-15.0	2	6.5	00.0-15.9
\$15,000- 24,999	83	3,725	10	12.3	02.7-21.9	51	67.9	55.0-80.8	6	5.5	00.0-12.2	12	11.8	04.4-19.2	4	2.5	00.0-05.2
\$35,000- 49,999	58	2,191	8	8.8	00.0-18.2	41	66.2	44.8-87.6	4	4.2	00.0-09.1	4	17.9	00.0-39.9	1	3.0	00.0-08.9
\$75,000+	72	4,007	10	12.0	03.0-21.0	45	63.6	43.4-83.8	12	11.8	02.8-20.8	4	12.4	00.0-32.0	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	855	48,962	124	16.8	12.9-20.7	731	83.2	79.3-87.1
Male	395	27,145	62	17.9	12.2-23.6	333	82.1	76.4-87.8
Female	460	21,817	62	15.3	09.8-20.8	398	84.7	79.2-90.2
Native	65	3,602	13	15.3	03.5-27.1	52	84.7	72.9-96.5
Non-Native	779	45,046	109	16.8	12.5-21.1	670	83.2	78.9-87.5
45-54	97	8,575	16	16.7	04.9-28.5	81	83.3	71.5-95.1
55-64	225	12,464	35	18.0	11.3-24.7	190	82.0	75.3-88.7
65+	475	20,837	65	16.6	11.7-21.5	410	83.4	78.5-88.3
Less Than H.S.	82	6,504	15	11.3	04.4-18.2	67	88.7	81.8-95.6
H.S. or G.E.D.	278	14,618	32	14.2	06.4-22.0	246	85.8	78.0-93.6
Some Post-H.S.	283	19,018	42	16.9	10.0-23.8	241	83.1	76.2-90.0
College Graduate	205	8,199	33	24.3	15.5-33.1	172	75.7	66.9-84.5
Less than \$15,000	95	5,336	18	17.0	07.2-26.8	77	83.0	73.2-92.8
\$15,000- 24,999	129	7,401	22	19.8	09.6-30.0	107	80.2	70.0-90.4
\$25,000- 34,999	91	5,473	19	21.1	05.8-36.4	72	78.9	63.6-94.2
\$35,000- 49,999	117	5,822	13	16.5	06.3-26.7	104	83.5	73.3-93.7
\$50,000- 74,999	115	7,182	7	12.4	01.2-23.6	108	87.6	76.4-98.8
\$75,000+	177	9,880	18	12.6	03.6-21.6	159	87.4	78.4-96.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	395	27,145	62	17.9	12.2-23.6	333	82.1	76.4-87.8
Non-Native	370	25,665	56	18.1	12.2-24.0	314	81.9	76.0-87.8
45-54	60	5,934	10	12.8	02.0-23.6	50	87.2	76.4-98.0
55-64	115	7,146	20	20.3	10.7-29.9	95	79.7	70.1-89.3
65+	195	10,686	28	15.9	09.0-22.8	167	84.1	77.2-91.0
H.S. or G.E.D.	131	8,804	16	17.2	05.2-29.2	115	82.8	70.8-94.8
Some Post-H.S.	106	8,765	16	16.3	06.9-25.7	90	83.7	74.3-93.1
College Graduate	113	5,220	19	24.6	12.8-36.4	94	75.4	63.6-87.2
\$35,000- 49,999	58	3,567	7	19.4	05.1-33.7	51	80.6	66.3-94.9
\$50,000- 74,999	67	4,937	7	18.0	02.3-33.7	60	82.0	66.3-97.7
\$75,000+	105	5,874	15	19.1	05.0-33.2	90	80.9	66.8-95.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	460	21,817	62	15.3	09.8-20.8	398	84.7	79.2-90.2
Non-Native	409	19,381	53	15.1	09.2-21.0	356	84.9	79.0-90.8
55-64	110	5,318	15	15.0	06.0-24.0	95	85.0	76.0-94.0
65+	280	10,151	37	17.2	10.3-24.1	243	82.8	75.9-89.7
H.S. or G.E.D.	147	5,814	16	9.7	04.0-15.4	131	90.3	84.6-96.0
Some Post-H.S.	177	10,252	26	17.5	07.5-27.5	151	82.5	72.5-92.5
College Graduate	92	2,979	14	23.8	10.9-36.7	78	76.2	63.3-89.1
Less than \$15,000	61	3,004	10	15.7	04.1-27.3	51	84.3	72.7-95.9
\$15,000- 24,999	82	3,488	12	17.8	05.6-30.0	70	82.2	70.0-94.4
\$25,000- 34,999	50	2,647	13	32.0	06.1-57.9	37	68.0	42.1-93.9
\$35,000- 49,999	59	2,255	6	11.9	00.0-23.9	53	88.1	76.1-0100
\$75,000+	72	4,007	3	2.9	00.0-06.8	69	97.1	93.2-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	866	49,795	494	59.4	54.5-64.3	372	40.6	35.7-45.5
Male	400	27,421	199	52.4	45.3-59.5	201	47.6	40.5-54.7
Female	466	22,373	295	67.9	61.4-74.4	171	32.1	25.6-38.6
Native	65	3,650	33	46.0	25.2-66.8	32	54.0	33.2-74.8
Non-Native	789	45,763	455	60.6	55.5-65.7	334	39.4	34.3-44.5
45-54	97	8,575	59	55.5	40.6-70.4	38	44.5	29.6-59.4
55-64	227	12,544	141	68.4	60.8-76.0	86	31.6	24.0-39.2
65+	483	21,443	251	50.6	44.3-56.9	232	49.4	43.1-55.7
Less Than H.S.	85	6,802	37	38.1	23.8-52.4	48	61.9	47.6-76.2
H.S. or G.E.D.	282	14,909	138	48.1	39.5-56.7	144	51.9	43.3-60.5
Some Post-H.S.	283	19,129	186	71.2	63.6-78.8	97	28.8	21.2-36.4
College Graduate	209	8,332	129	68.6	60.0-77.2	80	31.4	22.8-40.0
Less than \$15,000	95	5,336	43	42.3	28.4-56.2	52	57.7	43.8-71.6
\$15,000- 24,999	131	7,681	86	63.3	51.1-75.5	45	36.7	24.5-48.9
\$25,000- 34,999	93	5,668	51	51.6	36.5-66.7	42	48.4	33.3-63.5
\$35,000- 49,999	120	5,926	56	53.4	40.9-65.9	64	46.6	34.1-59.1
\$50,000- 74,999	115	7,182	72	54.1	40.4-67.8	43	45.9	32.2-59.6
\$75,000+	179	9,932	111	72.6	63.8-81.4	68	27.4	18.6-36.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	400	27,421	199	52.4	45.3-59.5	201	47.6	40.5-54.7
Non-Native	375	25,893	188	53.9	46.8-61.0	187	46.1	39.0-53.2
45-54	60	5,934	37	58.3	39.7-76.9	23	41.7	23.1-60.3
55-64	117	7,227	67	62.6	51.6-73.6	50	37.4	26.4-48.4
65+	198	10,882	81	41.6	32.2-51.0	117	58.4	49.0-67.8
H.S. or G.E.D.	134	9,029	59	44.5	32.3-56.7	75	55.5	43.3-67.7
Some Post-H.S.	104	8,691	60	65.0	53.0-77.0	44	35.0	23.0-47.0
College Graduate	116	5,337	69	68.1	56.7-79.5	47	31.9	20.5-43.3
\$35,000- 49,999	61	3,672	22	46.6	29.9-63.3	39	53.4	36.7-70.1
\$50,000- 74,999	67	4,937	39	44.5	28.2-60.8	28	55.5	39.2-71.8
\$75,000+	107	5,925	63	71.2	60.2-82.2	44	28.8	17.8-39.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	466	22,373	295	67.9	61.4-74.4	171	32.1	25.6-38.6
Non-Native	414	19,871	267	69.4	62.5-76.3	147	30.6	23.7-37.5
55-64	110	5,318	74	76.3	66.7-85.9	36	23.7	14.1-33.3
65+	285	10,561	170	59.8	51.8-67.8	115	40.2	32.2-48.2
H.S. or G.E.D.	148	5,880	79	53.5	41.9-65.1	69	46.5	34.9-58.1
Some Post-H.S.	179	10,438	126	76.3	66.5-86.1	53	23.7	13.9-33.5
College Graduate	93	2,995	60	69.7	57.5-81.9	33	30.3	18.1-42.5
Less than \$15,000	61	3,004	34	58.9	41.1-76.7	27	41.1	23.3-58.9
\$15,000- 24,999	84	3,768	60	66.3	51.2-81.4	24	33.7	18.6-48.8
\$25,000- 34,999	50	2,647	29	54.6	30.5-78.7	21	45.4	21.3-69.5
\$35,000- 49,999	59	2,255	34	64.4	47.5-81.3	25	35.6	18.7-52.5
\$75,000+	72	4,007	48	74.7	59.8-89.6	24	25.3	10.4-40.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE MEDICARE? (MEDICARE)	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
DELAYED GETTING MEDICAL CARE (DELAYMED)	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)	
19	MALES AND FEMALES	58
20	MALES ONLY	59
21	FEMALES ONLY	60
	IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY- (CARERCVD)	
22	MALES AND FEMALES	61
23	MALES ONLY	62
24	FEMALES ONLY	63
	DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)	
25	MALES AND FEMALES	64
26	MALES ONLY	65
27	FEMALES ONLY	66
	37	
28	MALES AND FEMALES	67
29	MALES ONLY	68
30	FEMALES ONLY	69

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7211	509,766	2959	27.6	26.2-29.0	4252	72.4	71.0-73.8
Male	2938	251,225	1114	26.3	24.1-28.5	1824	73.7	71.5-75.9
Female	4273	258,540	1845	28.8	26.8-30.8	2428	71.2	69.2-73.2
Native	226	20,331	61	16.1	09.0-23.2	165	83.9	76.8-91.0
Non-Native	6874	480,638	2834	27.8	26.2-29.4	4040	72.2	70.6-73.8
18-24	261	67,504	27	12.2	06.7-17.7	234	87.8	82.3-93.3
25-34	566	85,929	23	5.4	02.7-08.1	543	94.6	91.9-97.3
35-44	748	72,030	32	6.1	03.2-09.0	716	93.9	91.0-96.8
45-54	1109	83,014	63	6.7	04.3-09.1	1046	93.3	90.9-95.7
55-64	1739	86,841	153	11.7	09.3-14.1	1586	88.3	85.9-90.7
65+	2713	109,824	2627	96.5	95.5-97.5	86	3.5	02.5-04.5
Less Than H.S.	410	42,050	296	56.6	49.0-64.2	114	43.4	35.8-51.0
H.S. or G.E.D.	2101	126,148	1064	35.4	32.5-38.3	1037	64.6	61.7-67.5
Some Post-H.S.	2312	201,296	869	24.0	21.6-26.4	1443	76.0	73.6-78.4
College Graduate	2343	135,055	709	16.8	15.0-18.6	1634	83.2	81.4-85.0
Less than \$15,000	400	36,407	280	48.3	39.9-56.7	120	51.7	43.3-60.1
\$15,000- 24,999	778	58,500	524	48.2	42.3-54.1	254	51.8	45.9-57.7
\$25,000- 34,999	641	46,780	386	35.8	30.3-41.3	255	64.2	58.7-69.7
\$35,000- 49,999	921	62,310	427	29.6	25.5-33.7	494	70.4	66.3-74.5
\$50,000- 74,999	1143	81,114	368	21.2	17.9-24.5	775	78.8	75.5-82.1
\$75,000+	2387	161,143	487	12.1	10.5-13.7	1900	87.9	86.3-89.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2938	251,225	1114	26.3	24.1-28.5	1824	73.7	71.5-75.9
Native	74	7,608	14	17.9	04.0-31.8	60	82.1	68.2-96.0
Non-Native	2804	238,140	1068	26.3	23.9-28.7	1736	73.7	71.3-76.1
18-24	134	35,141	20	18.7	09.7-27.7	114	81.3	72.3-90.3
25-34	263	45,223	12	4.4	01.7-07.1	251	95.6	92.9-98.3
35-44	320	35,168	18	6.9	02.6-11.2	302	93.1	88.8-97.4
45-54	474	41,486	28	5.8	02.9-08.7	446	94.2	91.3-97.1
55-64	722	43,653	68	12.9	09.2-16.6	654	87.1	83.4-90.8
65+	1001	48,735	958	95.9	94.3-97.5	43	4.1	02.5-05.7
Less Than H.S.	195	25,211	128	50.7	39.7-61.7	67	49.3	38.3-60.3
H.S. or G.E.D.	866	62,412	364	32.4	27.9-36.9	502	67.6	63.1-72.1
Some Post-H.S.	880	98,147	273	21.0	17.5-24.5	607	79.0	75.5-82.5
College Graduate	983	62,815	345	19.6	16.7-22.5	638	80.4	77.5-83.3
Less than \$15,000	126	13,689	79	52.3	38.0-66.6	47	47.7	33.4-62.0
\$15,000- 24,999	250	26,359	152	45.8	36.2-55.4	98	54.2	44.6-63.8
\$25,000- 34,999	225	21,087	136	38.1	29.1-47.1	89	61.9	52.9-70.9
\$35,000- 49,999	379	33,016	187	29.5	23.4-35.6	192	70.5	64.4-76.6
\$50,000- 74,999	500	43,492	174	23.5	18.4-28.6	326	76.5	71.4-81.6
\$75,000+	1179	88,498	279	14.0	11.6-16.4	900	86.0	83.6-88.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4273	258,540	1845	28.8	26.8-30.8	2428	71.2	69.2-73.2
Native	152	12,723	47	15.0	07.4-22.6	105	85.0	77.4-92.6
Non-Native	4070	242,498	1766	29.3	27.3-31.3	2304	70.7	68.7-72.7
18-24	127	32,363	7	5.2	00.3-10.1	120	94.8	89.9-99.7
25-34	303	40,706	11	6.6	01.9-11.3	292	93.4	88.7-98.1
35-44	428	36,862	14	5.4	01.5-09.3	414	94.6	90.7-98.5
45-54	635	41,528	35	7.6	04.3-10.9	600	92.4	89.1-95.7
55-64	1017	43,188	85	10.5	07.8-13.2	932	89.5	86.8-92.2
65+	1712	61,089	1669	97.1	95.9-98.3	43	2.9	01.7-04.1
Less Than H.S.	215	16,838	168	65.5	56.1-74.9	47	34.5	25.1-43.9
H.S. or G.E.D.	1235	63,736	700	38.4	34.3-42.5	535	61.6	57.5-65.7
Some Post-H.S.	1432	103,149	596	26.9	23.6-30.2	836	73.1	69.8-76.4
College Graduate	1360	72,241	364	14.4	12.0-16.8	996	85.6	83.2-88.0
Less than \$15,000	274	22,718	201	45.9	35.9-55.9	73	54.1	44.1-64.1
\$15,000- 24,999	528	32,141	372	50.2	42.9-57.5	156	49.8	42.5-57.1
\$25,000- 34,999	416	25,692	250	33.9	27.0-40.8	166	66.1	59.2-73.0
\$35,000- 49,999	542	29,294	240	29.8	24.3-35.3	302	70.2	64.7-75.7
\$50,000- 74,999	643	37,623	194	18.4	14.3-22.5	449	81.6	77.5-85.7
\$75,000+	1208	72,645	208	9.8	07.8-11.8	1000	90.2	88.2-92.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 4: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7087	504,327	3335	56.7	54.9-58.5	1249	14.2	13.0-15.4	1997	20.0	18.6-21.4	248	4.3	03.5-05.1	226	4.3	03.3-05.3	32	0.6	00.2-01.0
Male	2901	248,993	1411	58.0	55.3-60.7	502	14.1	12.1-16.1	723	17.3	15.5-19.1	159	5.9	04.5-07.3	91	4.0	02.8-05.2	15	0.7	00.3-01.1
Female	4186	255,335	1924	55.4	52.9-57.9	747	14.3	12.7-15.9	1274	22.6	20.6-24.6	89	2.6	01.8-03.4	135	4.7	03.3-06.1	17	0.4	00.0-00.8
Native	224	20,468	56	20.0	12.4-27.6	17	6.6	02.1-11.1	56	23.9	14.5-33.3	8	1.4	00.2-02.6	84	43.7	32.9-54.5	3	4.5	00.0-10.0
Non-Native	6763	475,706	3249	58.6	56.8-60.4	1209	14.5	13.1-15.9	1902	19.7	18.3-21.1	236	4.2	03.4-05.0	138	2.7	01.9-03.5	29	0.4	00.2-00.6
18-24	261	67,287	149	58.6	51.2-66.0	71	22.5	16.4-28.6	13	7.4	03.1-11.7	5	3.2	00.5-05.9	20	7.3	03.0-11.6	3	1.0	00.0-02.4
25-34	568	86,766	428	75.8	70.9-80.7	62	6.6	04.2-09.0	32	8.2	04.9-11.5	24	5.6	02.9-08.3	22	3.9	01.7-06.1			
35-44	749	72,273	545	73.4	68.9-77.9	98	9.2	06.5-11.9	47	7.2	04.7-09.7	27	4.4	02.2-06.6	30	5.2	02.8-07.6	2	0.6	00.0-01.6
45-54	1102	82,492	807	72.2	68.3-76.1	150	11.3	08.8-13.8	68	7.7	05.3-10.1	40	4.2	02.4-06.0	32	4.2	02.0-06.4	5	0.5	00.0-01.1
55-64	1728	86,447	1088	63.7	60.6-66.8	371	17.3	15.1-19.5	138	10.7	08.5-12.9	71	4.4	03.0-05.8	56	3.7	02.3-05.1	4	0.1	00.0-00.3
65+	2610	104,699	287	10.5	08.9-12.1	482	18.2	16.2-20.2	1684	63.9	61.4-66.4	78	3.6	02.6-04.6	61	2.8	01.6-04.0	18	1.1	00.3-01.9
Less Than H.S.	381	40,424	80	26.7	19.4-34.0	91	17.6	12.1-23.1	169	39.8	32.4-47.2	9	3.6	00.1-07.1	23	9.4	03.9-14.9	9	3.0	00.5-05.5
H.S. or G.E.D.	2059	125,247	784	49.0	45.5-52.5	425	16.7	14.3-19.1	712	26.0	23.3-28.7	55	3.7	02.1-05.3	72	4.0	02.4-05.6	11	0.6	00.0-01.4
Some Post-H.S.	2280	199,205	1092	58.3	55.2-61.4	395	13.3	11.1-15.5	601	17.7	15.5-19.9	103	5.5	03.9-07.1	82	5.0	03.4-06.6	7	0.3	00.1-00.5
College Graduate	2325	134,634	1359	70.1	67.4-72.8	333	12.2	10.2-14.2	500	12.1	10.5-13.7	80	3.3	02.3-04.3	49	2.2	01.2-03.2	4	0.2	00.0-00.4
Less than \$15,000	388	36,347	34	20.9	12.5-29.3	55	10.0	05.9-14.1	248	51.8	43.2-60.4	14	2.9	00.4-05.4	32	13.0	06.3-19.7	5	1.3	00.0-02.9
\$15,000- 24,999	747	56,068	144	27.4	21.5-33.3	159	19.0	14.1-23.9	366	39.0	33.3-44.7	31	6.2	02.9-09.5	46	8.3	04.6-12.0	1	0.1	00.0-00.3
\$25,000- 34,999	633	46,924	196	41.0	34.3-47.7	131	19.0	13.7-24.3	238	23.5	19.0-28.0	31	7.8	03.7-11.9	33	7.7	04.0-11.4	4	1.1	00.0-02.7
\$35,000- 49,999	910	62,108	399	58.0	52.9-63.1	174	17.0	13.1-20.9	284	18.6	15.5-21.7	25	3.6	01.4-05.8	28	2.8	01.0-04.6			
\$50,000- 74,999	1139	81,570	656	68.7	64.8-72.6	152	11.1	08.4-13.8	252	13.1	10.7-15.5	49	5.4	03.2-07.6	26	1.6	00.4-02.8	4	0.2	00.0-00.4
\$75,000+	2375	160,679	1602	77.2	74.8-79.6	351	10.6	09.0-12.2	305	7.1	05.9-08.3	76	3.4	02.2-04.6	32	1.3	00.7-01.9	9	0.3	00.1-00.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 5: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2901	248,993	1411	58.0	55.3-60.7	502	14.1	12.1-16.1	723	17.3	15.5-19.1	159	5.9	04.5-07.3	91	4.0	02.8-05.2	15	0.7	00.3-01.1
Native	74	7,615	20	21.5	06.6-36.4	5	5.0	00.0-11.1	9	17.1	03.0-31.2	8	3.7	00.6-06.8	31	47.6	29.6-65.6	1	5.0	00.0-14.4
Non-Native	2772	236,348	1372	59.4	56.7-62.1	485	14.4	12.4-16.4	694	17.1	15.3-18.9	149	5.9	04.5-07.3	58	2.6	01.6-03.6	14	0.6	00.2-01.0
18-24	133	34,283	70	57.0	46.4-67.6	44	27.1	17.7-36.5	4	5.0	00.1-09.9	4	5.0	00.1-09.9	10	5.7	00.4-11.0	1	0.3	00.0-00.9
25-34	266	45,943	203	77.7	71.2-84.2	35	8.5	04.8-12.2	6	3.4	00.3-06.5	16	8.4	03.7-13.1	6	2.0	00.0-04.0			
35-44	322	35,527	237	74.3	67.6-81.0	37	8.2	04.3-12.1	17	6.3	02.8-09.8	15	4.7	01.2-08.2	15	5.4	02.1-08.7	1	1.1	00.0-03.3
45-54	469	40,982	345	72.9	67.0-78.8	64	10.6	06.9-14.3	20	5.8	02.5-09.1	24	5.8	02.9-08.7	13	4.1	00.8-07.4	3	0.7	00.0-01.7
55-64	716	43,406	442	64.0	59.5-68.5	161	17.1	13.8-20.4	49	9.5	06.4-12.6	42	5.5	03.3-07.7	21	3.8	01.6-06.0	1	0.2	00.0-00.6
65+	974	47,079	105	9.4	07.2-11.6	156	15.1	12.2-18.0	623	64.6	60.5-68.7	56	5.5	03.7-07.3	25	3.7	01.3-06.1	9	1.8	00.0-03.6
Less Than H.S.	186	25,058	49	30.0	19.6-40.4	30	11.4	04.0-18.8	74	35.7	25.5-45.9	7	5.2	00.0-10.7	20	13.6	05.0-22.2	6	4.1	00.0-08.2
H.S. or G.E.D.	856	62,295	376	52.9	47.8-58.0	172	16.1	12.6-19.6	236	21.7	18.0-25.4	37	5.2	02.5-07.9	31	3.7	01.9-05.5	4	0.4	00.0-01.0
Some Post-H.S.	870	96,539	448	62.8	58.3-67.3	151	13.6	10.5-16.7	177	12.7	10.2-15.2	64	7.3	04.8-09.8	26	3.3	01.7-04.9	4	0.3	00.0-00.7
College Graduate	976	62,784	531	66.0	61.7-70.3	148	14.6	11.3-17.9	232	12.9	10.5-15.3	50	4.7	02.7-06.7	14	1.6	00.4-02.8	1	0.3	00.0-00.9
Less than \$15,000	126	13,834	11	21.0	06.9-35.1	15	12.0	03.8-20.2	71	43.9	30.4-57.4	11	3.5	01.0-06.0	13	16.1	03.4-28.8	5	3.5	00.0-07.8
\$15,000- 24,999	238	25,108	51	30.7	20.9-40.5	53	18.1	09.7-26.5	97	33.5	24.7-42.3	20	11.6	04.5-18.7	17	6.1	02.0-10.2			
\$25,000- 34,999	224	20,974	55	30.8	21.0-40.6	54	23.3	14.5-32.1	77	23.9	16.6-31.2	22	12.8	05.0-20.6	15	7.4	02.1-12.7	1	1.8	00.0-05.3
\$35,000- 49,999	375	33,146	150	57.5	49.9-65.1	72	15.1	09.4-20.8	126	19.6	14.7-24.5	17	5.2	01.5-08.9	10	2.5	00.1-04.9			
\$50,000- 74,999	501	43,739	277	66.2	60.3-72.1	64	10.9	07.0-14.8	116	14.0	10.5-17.5	33	7.8	04.3-11.3	9	0.8	00.2-01.4	2	0.4	00.0-01.0
\$75,000+	1171	88,145	761	75.5	72.4-78.6	176	11.6	09.2-14.0	170	7.6	06.0-09.2	43	3.2	01.8-04.6	17	1.7	00.7-02.7	4	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 6: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4186	255,335	1924	55.4	52.9-57.9	747	14.3	12.7-15.9	1274	22.6	20.6-24.6	89	2.6	01.8-03.4	135	4.7	03.3-06.1	17	0.4	00.0-00.8
Native	150	12,854	36	19.1	10.7-27.5	12	7.5	01.2-13.8	47	27.8	15.6-40.0				53	41.4	27.9-54.9	2	4.2	00.0-10.9
Non-Native	3991	239,358	1877	57.8	55.3-60.3	724	14.5	12.9-16.1	1208	22.2	20.2-24.2	87	2.6	01.8-03.4	80	2.7	01.7-03.7	15	0.2	00.0-00.4
18-24	128	33,005	79	60.4	49.8-71.0	27	17.8	10.2-25.4	9	10.0	02.9-17.1	1	1.3	00.0-03.8	10	8.9	02.0-15.8	2	1.6	00.0-04.3
25-34	302	40,823	225	73.7	66.4-81.0	27	4.4	01.7-07.1	26	13.5	07.4-19.6	8	2.5	00.1-04.9	16	6.0	02.1-09.9			
35-44	427	36,746	308	72.5	66.4-78.6	61	10.2	06.3-14.1	30	8.1	04.4-11.8	12	4.0	01.3-06.7	15	5.0	01.9-08.1	1	0.2	00.0-00.6
45-54	633	41,510	462	71.4	66.3-76.5	86	11.9	08.4-15.4	48	9.5	06.0-13.0	16	2.6	00.8-04.4	19	4.3	01.8-06.8	2	0.3	00.0-00.7
55-64	1012	43,040	646	63.4	59.3-67.5	210	17.6	14.7-20.5	89	12.0	08.9-15.1	29	3.3	01.9-04.7	35	3.6	02.0-05.2	3	0.1	00.1-00.1
65+	1636	57,620	182	11.4	09.2-13.6	326	20.8	18.1-23.5	1061	63.3	60.0-66.6	22	2.0	00.8-03.2	36	2.0	01.0-03.0	9	0.5	00.1-00.9
Less Than H.S.	195	15,366	31	21.2	12.4-30.0	61	27.6	19.6-35.6	95	46.5	36.9-56.1	2	0.9	00.0-02.1	3	2.7	00.0-06.4	3	1.1	00.0-02.5
H.S. or G.E.D.	1203	62,952	408	45.2	40.3-50.1	253	17.3	14.0-20.6	476	30.1	26.0-34.2	18	2.2	00.6-03.8	41	4.3	01.8-06.8	7	0.8	00.0-02.2
Some Post-H.S.	1410	102,666	644	54.0	49.7-58.3	244	13.0	10.5-15.5	424	22.4	19.1-25.7	39	3.7	02.1-05.3	56	6.6	04.1-09.1	3	0.3	00.0-00.7
College Graduate	1349	71,850	828	73.6	70.1-77.1	185	10.2	07.8-12.6	268	11.4	09.2-13.6	30	2.0	01.0-03.0	35	2.7	01.1-04.3	3	0.1	00.0-00.3
Less than \$15,000	262	22,513	23	20.9	10.5-31.3	40	8.8	04.5-13.1	177	56.7	45.7-67.7	3	2.5	00.0-06.4	19	11.0	03.9-18.1			
\$15,000- 24,999	509	30,960	93	24.7	17.6-31.8	106	19.6	14.3-24.9	269	43.5	36.2-50.8	11	1.9	00.5-03.3	29	10.0	04.3-15.7	1	0.2	00.0-00.6
\$25,000- 34,999	409	25,950	141	49.1	40.5-57.7	77	15.5	09.4-21.6	161	23.1	17.2-29.0	9	3.8	00.1-07.5	18	8.0	02.5-13.5	3	0.5	00.0-01.3
\$35,000- 49,999	535	28,963	249	58.5	52.0-65.0	102	19.1	14.0-24.2	158	17.4	13.5-21.3	8	1.8	00.2-03.4	18	3.2	00.5-05.9			
\$50,000- 74,999	638	37,830	379	71.5	66.2-76.8	88	11.3	07.6-15.0	136	12.0	09.1-14.9	16	2.6	00.8-04.4	17	2.6	00.2-05.0	2	0.1	00.0-00.3
\$75,000+	1204	72,534	841	79.3	76.2-82.4	175	9.4	07.2-11.6	135	6.5	04.9-08.1	33	3.6	02.0-05.2	15	0.9	00.3-01.5	5	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 7: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7649	565,175	45	0.6	00.4-00.8	531	6.2	05.4-07.0	135	2.0	01.4-02.6	52	1.1	00.7-01.5	315	4.9	04.1-05.7	6571	85.2	83.8-86.6
Male	3184	285,755	17	0.3	00.1-00.5	175	4.4	03.4-05.4	56	2.0	01.2-02.8	24	1.3	00.7-01.9	114	4.0	03.0-05.0	2798	88.0	86.2-89.8
Female	4465	279,420	28	0.8	00.4-01.2	356	8.1	06.7-09.5	79	2.0	01.2-02.8	28	0.9	00.3-01.5	201	5.8	04.4-07.2	3773	82.4	80.2-84.6
Native	241	23,677				34	8.6	04.3-12.9	16	10.3	03.2-17.4	3	0.4	00.0-00.8	39	23.4	13.4-33.4	149	57.2	46.4-68.0
Non-Native	7284	531,314	44	0.6	00.4-00.8	486	6.1	05.1-07.1	117	1.6	01.2-02.0	49	1.1	00.7-01.5	268	4.0	03.2-04.8	6320	86.5	85.1-87.9
18-24	339	86,440	3	0.9	00.0-02.1	22	4.9	02.0-07.8	7	2.1	00.1-04.1	5	1.5	00.0-03.1	25	7.8	03.9-11.7	277	82.8	77.5-88.1
25-34	639	99,407	5	0.3	00.0-00.7	52	7.0	04.3-09.7	15	2.3	00.7-03.9	7	1.8	00.2-03.4	23	4.2	02.0-06.4	537	84.4	80.5-88.3
35-44	819	79,795	6	0.6	00.2-01.0	82	10.2	07.3-13.1	25	3.8	01.8-05.8	14	1.7	00.3-03.1	29	3.5	01.7-05.3	663	80.2	76.3-84.1
45-54	1185	89,152	7	0.7	00.1-01.3	121	7.3	05.3-09.3	20	1.9	00.9-02.9	8	0.7	00.0-01.5	56	5.1	03.3-06.9	973	84.4	81.7-87.1
55-64	1841	93,416	10	0.5	00.1-00.9	135	6.1	04.7-07.5	27	1.2	00.6-01.8	7	0.6	00.0-01.2	64	3.8	02.6-05.0	1598	87.8	85.8-89.8
65+	2743	111,896	14	0.5	00.1-00.9	114	3.1	02.3-03.9	39	1.1	00.7-01.5	10	0.4	00.0-00.8	114	5.1	03.7-06.5	2452	89.8	88.0-91.6
Less Than H.S.	461	51,845	3	0.8	00.0-01.8	23	3.8	01.1-06.5	15	3.5	01.1-05.9	4	1.0	00.0-02.2	38	8.8	04.5-13.1	378	82.0	76.5-87.5
H.S. or G.E.D.	2295	149,209	16	0.8	00.2-01.4	150	5.8	04.4-07.2	40	2.4	01.2-03.6	9	0.9	00.0-01.9	87	6.1	04.1-08.1	1993	84.1	81.4-86.8
Some Post-H.S.	2432	217,565	14	0.3	00.1-00.5	189	6.9	05.3-08.5	47	1.9	01.1-02.7	23	1.3	00.5-02.1	113	4.4	03.2-05.6	2046	85.2	83.0-87.4
College Graduate	2409	140,765	10	0.3	00.1-00.5	165	6.6	05.0-08.2	32	1.3	00.5-02.1	16	1.0	00.2-01.8	74	2.9	01.9-03.9	2112	87.9	85.9-89.9
Less than \$15,000	450	42,873	3	0.5	00.0-01.3	26	6.1	02.2-10.0	17	3.2	00.7-05.7	4	1.7	00.0-04.2	68	13.9	09.4-18.4	332	74.5	68.0-81.0
\$15,000- 24,999	872	71,803	7	0.8	00.0-01.6	52	5.7	03.0-08.4	19	2.9	00.9-04.9	9	1.3	00.0-02.9	63	6.5	04.1-08.9	722	82.8	78.7-86.9
\$25,000- 34,999	690	54,210	2	0.2	00.0-00.6	47	7.4	04.3-10.5	12	2.6	00.4-04.8	4	0.6	00.0-01.4	31	4.9	02.0-07.8	594	84.2	79.7-88.7
\$35,000- 49,999	984	68,588	2	0.3	00.0-00.7	59	4.4	02.6-06.2	19	1.8	00.4-03.2	4	1.2	00.0-02.8	32	4.5	01.8-07.2	868	87.8	84.1-91.5
\$50,000- 74,999	1189	85,700	10	0.5	00.1-00.9	86	6.4	04.2-08.6	19	1.8	00.6-03.0	8	1.4	00.0-02.8	32	3.4	01.2-05.6	1034	86.6	83.3-89.9
\$75,000+	2447	167,904	12	0.4	00.2-00.6	206	6.8	05.4-08.2	31	1.5	00.7-02.3	16	0.9	00.3-01.5	42	1.7	00.7-02.7	2140	88.8	87.0-90.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 8: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3184	285,755	17	0.3	00.1-00.5	175	4.4	03.4-05.4	56	2.0	01.2-02.8	24	1.3	00.7-01.9	114	4.0	03.0-05.0	2798	88.0	86.2-89.8
Native	76	7,938				14	9.9	01.5-18.3	2	4.2	00.0-10.1	1	0.6	00.0-01.8	12	17.9	04.4-31.4	47	67.4	51.5-83.3
Non-Native	3037	271,188	16	0.3	00.1-00.5	155	4.2	03.2-05.2	52	2.0	01.2-02.8	23	1.3	00.5-02.1	99	3.5	02.5-04.5	2692	88.7	86.9-90.5
18-24	182	45,917				4	1.3	00.0-02.9	6	2.7	00.2-05.2	4	1.5	00.0-03.3	13	5.6	01.3-09.9	155	88.9	83.6-94.2
25-34	306	53,943	1	0.1	00.0-00.3	26	7.5	03.6-11.4	7	2.0	00.0-04.2	5	2.3	00.1-04.5	11	3.0	01.0-05.0	256	85.3	80.2-90.4
35-44	362	40,354	4	0.7	00.0-01.5	26	6.3	03.2-09.4	12	4.5	01.6-07.4	5	1.6	00.0-03.6	13	4.0	01.1-06.9	302	82.9	77.6-88.2
45-54	512	45,699	3	0.5	00.0-01.3	43	4.3	02.5-06.1	7	1.2	00.0-02.4	2	0.8	00.0-02.0	22	3.2	01.2-05.2	435	90.0	86.9-93.1
55-64	780	48,183	4	0.4	00.0-01.0	41	4.3	02.7-05.9	9	1.0	00.2-01.8	4	0.8	00.0-01.8	20	3.1	01.5-04.7	702	90.4	87.9-92.9
65+	1017	49,793	5	0.4	00.0-00.8	35	2.9	01.7-04.1	15	1.2	00.4-02.0	4	0.7	00.0-01.7	34	5.0	02.5-07.5	924	89.8	86.9-92.7
Less Than H.S.	222	31,184	1	0.5	00.0-01.5	12	3.9	00.0-08.0	8	4.0	00.7-07.3	3	1.6	00.0-03.6	15	6.1	01.8-10.4	183	83.9	77.0-90.8
H.S. or G.E.D.	976	78,002	5	0.2	00.0-00.4	50	3.7	02.1-05.3	16	2.1	00.5-03.7	4	0.7	00.0-01.7	35	6.2	03.3-09.1	866	87.1	83.6-90.6
Some Post-H.S.	952	107,486	6	0.3	00.1-00.5	63	4.9	03.1-06.7	19	2.1	00.7-03.5	9	1.4	00.2-02.6	34	2.7	01.5-03.9	821	88.8	86.1-91.5
College Graduate	1016	66,092	4	0.3	00.0-00.7	48	4.7	02.7-06.7	13	1.0	00.2-01.8	8	1.8	00.2-03.4	29	2.5	01.1-03.9	914	89.7	86.8-92.6
Less than \$15,000	154	18,059	2	0.9	00.0-02.7	8	1.2	00.0-02.4	4	1.6	00.0-03.4				27	17.1	08.9-25.3	113	79.2	70.6-87.8
\$15,000- 24,999	298	34,843	3	0.6	00.0-01.4	14	4.8	00.9-08.7	7	2.7	00.3-05.1	3	0.8	00.0-02.0	21	4.1	01.4-06.8	250	87.0	81.7-92.3
\$25,000- 34,999	259	25,139				15	8.6	02.9-14.3	8	4.2	00.0-08.5	1	0.7	00.0-02.1	11	4.5	01.0-08.0	224	82.1	74.7-89.5
\$35,000- 49,999	421	37,313	1	0.3	00.0-00.9	20	3.0	00.8-05.2	11	2.2	00.0-04.4	4	2.3	00.0-05.0	11	2.3	00.5-04.1	374	90.0	85.7-94.3
\$50,000- 74,999	531	46,974	2	0.1	00.0-00.3	20	2.9	01.1-04.7	6	1.1	00.0-02.3	3	1.4	00.0-03.2	11	3.5	00.2-06.8	489	90.9	86.6-95.2
\$75,000+	1215	92,838	7	0.3	00.1-00.5	87	5.1	03.7-06.5	16	1.8	00.4-03.2	10	1.5	00.3-02.7	22	1.9	00.5-03.3	1073	89.3	86.8-91.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 9: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4465	279,420	28	0.8	00.4-01.2	356	8.1	06.7-09.5	79	2.0	01.2-02.8	28	0.9	00.3-01.5	201	5.8	04.4-07.2	3773	82.4	80.2-84.6
Native	165	15,740				20	8.0	03.1-12.9	14	13.4	03.4-23.4	2	0.3	00.0-00.7	27	26.2	13.1-39.3	102	52.1	38.6-65.6
Non-Native	4247	260,126	28	0.9	00.5-01.3	331	8.1	06.5-09.7	65	1.3	00.9-01.7	26	1.0	00.4-01.6	169	4.6	03.4-05.8	3628	84.2	82.2-86.2
18-24	157	40,523	3	1.9	00.0-04.3	18	9.1	03.2-15.0	1	1.5	00.0-04.4	1	1.4	00.0-04.1	12	10.2	03.3-17.1	122	76.0	67.0-85.0
25-34	333	45,464	4	0.6	00.0-01.4	26	6.5	02.8-10.2	8	2.6	00.2-05.0	2	1.2	00.0-03.4	12	5.7	01.8-09.6	281	83.5	77.6-89.4
35-44	457	39,441	2	0.4	00.0-01.0	56	14.2	09.3-19.1	13	3.1	00.6-05.6	9	1.9	00.0-03.9	16	3.0	00.8-05.2	361	77.4	71.7-83.1
45-54	673	43,452	4	0.9	00.0-01.9	78	10.4	07.1-13.7	13	2.6	00.8-04.4	6	0.6	00.0-01.2	34	7.0	03.9-10.1	538	78.5	74.0-83.0
55-64	1061	45,233	6	0.7	00.1-01.3	94	8.1	05.7-10.5	18	1.4	00.6-02.2	3	0.3	00.0-00.7	44	4.4	02.6-06.2	896	85.1	82.2-88.0
65+	1726	62,104	9	0.6	00.0-01.2	79	3.3	02.3-04.3	24	1.0	00.4-01.6	6	0.2	00.0-00.4	80	5.1	03.7-06.5	1528	89.7	87.9-91.5
Less Than H.S.	239	20,661	2	1.2	00.0-03.0	11	3.7	01.0-06.4	7	2.9	00.0-06.4	1	0.1	00.0-00.3	23	13.0	04.6-21.4	195	79.1	70.1-88.1
H.S. or G.E.D.	1319	71,206	11	1.4	00.4-02.4	100	8.1	05.6-10.6	24	2.7	00.7-04.7	5	1.1	00.0-02.7	52	6.0	03.1-08.9	1127	80.8	76.5-85.1
Some Post-H.S.	1480	110,079	8	0.3	00.1-00.5	126	8.9	06.2-11.6	28	1.7	00.7-02.7	14	1.3	00.1-02.5	79	6.1	03.9-08.3	1225	81.7	78.2-85.2
College Graduate	1393	74,673	6	0.3	00.0-00.7	117	8.3	05.9-10.7	19	1.5	00.3-02.7	8	0.4	00.0-00.8	45	3.2	01.6-04.8	1198	86.3	83.4-89.2
Less than \$15,000	296	24,814	1	0.2	00.0-00.6	18	9.7	03.2-16.2	13	4.5	00.4-08.6	4	2.9	00.0-07.4	41	11.6	06.7-16.5	219	71.2	62.2-80.2
\$15,000- 24,999	574	36,960	4	0.8	00.0-02.0	38	6.6	03.1-10.1	12	3.1	00.0-06.4	6	1.8	00.0-04.5	42	8.8	04.9-12.7	472	78.8	72.7-84.9
\$25,000- 34,999	431	29,071	2	0.5	00.0-01.3	32	6.4	03.5-09.3	4	1.3	00.0-02.9	3	0.5	00.0-01.3	20	5.3	00.8-09.8	370	86.1	80.6-91.6
\$35,000- 49,999	563	31,275	1	0.2	00.0-00.6	39	6.0	02.9-09.1	8	1.5	00.0-03.1				21	7.1	01.6-12.6	494	85.3	79.2-91.4
\$50,000- 74,999	658	38,726	8	1.0	00.0-02.0	66	10.6	06.7-14.5	13	2.5	00.3-04.7	5	1.5	00.0-03.3	21	3.1	00.7-05.5	545	81.3	76.2-86.4
\$75,000+	1232	75,066	5	0.5	00.1-00.9	119	8.7	06.3-11.1	15	1.0	00.4-01.6	6	0.3	00.1-00.5	20	1.5	00.3-02.7	1067	88.0	85.3-90.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 10: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7244	514,501	315	6.1	05.1-07.1	6929	93.9	92.9-94.9
Male	2959	254,725	133	6.1	04.5-07.7	2826	93.9	92.3-95.5
Female	4285	259,776	182	6.1	04.7-07.5	4103	93.9	92.5-95.3
Native	227	20,296	37	18.5	10.9-26.1	190	81.5	73.9-89.1
Non-Native	6905	485,336	271	5.5	04.5-06.5	6634	94.5	93.5-95.5
18-24	272	69,809	27	7.2	03.1-11.3	245	92.8	88.7-96.9
25-34	570	86,983	62	10.6	07.3-13.9	508	89.4	86.1-92.7
35-44	753	72,598	54	6.9	04.5-09.3	699	93.1	90.7-95.5
45-54	1111	83,162	68	7.8	05.4-10.2	1043	92.2	89.8-94.6
55-64	1742	87,154	74	4.9	03.3-06.5	1668	95.1	93.5-96.7
65+	2719	110,086	29	1.1	00.7-01.5	2690	98.9	98.5-99.3
Less Than H.S.	409	42,227	31	12.0	06.1-17.9	378	88.0	82.1-93.9
H.S. or G.E.D.	2119	128,484	105	6.6	04.8-08.4	2014	93.4	91.6-95.2
Some Post-H.S.	2325	203,275	116	6.2	04.6-07.8	2209	93.8	92.2-95.4
College Graduate	2346	135,565	59	3.4	02.2-04.6	2287	96.6	95.4-97.8
Less than \$15,000	408	38,016	52	17.7	10.8-24.6	356	82.3	75.4-89.2
\$15,000- 24,999	779	58,981	61	12.0	08.1-15.9	718	88.0	84.1-91.9
\$25,000- 34,999	643	47,032	27	8.1	04.2-12.0	616	91.9	88.0-95.8
\$35,000- 49,999	922	62,701	48	5.8	03.4-08.2	874	94.2	91.8-96.6
\$50,000- 74,999	1151	82,042	25	2.1	01.1-03.1	1126	97.9	96.9-98.9
\$75,000+	2393	162,211	61	2.9	01.9-03.9	2332	97.1	96.1-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 11: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2959	254,725	133	6.1	04.5-07.7	2826	93.9	92.3-95.5
Native	74	7,505	8	9.6	01.6-17.6	66	90.4	82.4-98.4
Non-Native	2824	241,671	121	5.9	04.3-07.5	2703	94.1	92.5-95.7
18-24	143	36,988	15	9.0	02.3-15.7	128	91.0	84.3-97.7
25-34	267	46,086	29	10.3	05.8-14.8	238	89.7	85.2-94.2
35-44	324	35,695	21	6.2	03.1-09.3	303	93.8	90.7-96.9
45-54	474	41,519	29	6.8	03.9-09.7	445	93.2	90.3-96.1
55-64	723	43,783	33	5.1	02.7-07.5	690	94.9	92.5-97.3
65+	1004	48,836	6	0.2	00.0-00.4	998	99.8	99.6-100
Less Than H.S.	195	25,774	15	12.8	04.0-21.6	180	87.2	78.4-96.0
H.S. or G.E.D.	879	64,155	50	6.7	04.3-09.1	829	93.3	90.9-95.7
Some Post-H.S.	889	99,554	46	5.3	03.3-07.3	843	94.7	92.7-96.7
College Graduate	983	63,002	22	4.1	01.9-06.3	961	95.9	93.7-98.1
Less than \$15,000	132	14,969	16	21.3	07.4-35.2	116	78.7	64.8-92.6
\$15,000- 24,999	250	26,967	23	10.3	05.2-15.4	227	89.7	84.6-94.8
\$25,000- 34,999	225	20,708	9	6.9	01.2-12.6	216	93.1	87.4-98.8
\$35,000- 49,999	382	33,500	23	6.7	02.8-10.6	359	93.3	89.4-97.2
\$50,000- 74,999	505	44,013	11	2.2	00.6-03.8	494	97.8	96.2-99.4
\$75,000+	1184	89,442	38	3.5	01.9-05.1	1146	96.5	94.9-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 12: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4285	259,776	182	6.1	04.7-07.5	4103	93.9	92.5-95.3
Native	153	12,791	29	23.7	12.9-34.5	124	76.3	65.5-87.1
Non-Native	4081	243,666	150	5.1	03.9-06.3	3931	94.9	93.7-96.1
18-24	129	32,821	12	5.2	01.1-09.3	117	94.8	90.7-98.9
25-34	303	40,897	33	11.0	05.9-16.1	270	89.0	83.9-94.1
35-44	429	36,903	33	7.7	04.4-11.0	396	92.3	89.0-95.6
45-54	637	41,643	39	8.8	05.1-12.5	598	91.2	87.5-94.9
55-64	1019	43,372	41	4.7	02.7-06.7	978	95.3	93.3-97.3
65+	1715	61,251	23	1.8	01.0-02.6	1692	98.2	97.4-99.0
Less Than H.S.	214	16,453	16	10.8	04.9-16.7	198	89.2	83.3-95.1
H.S. or G.E.D.	1240	64,329	55	6.4	03.9-08.9	1185	93.6	91.1-96.1
Some Post-H.S.	1436	103,721	70	7.0	04.6-09.4	1366	93.0	90.6-95.4
College Graduate	1363	72,564	37	2.9	01.7-04.1	1326	97.1	95.9-98.3
Less than \$15,000	276	23,047	36	15.4	08.7-22.1	240	84.6	77.9-91.3
\$15,000- 24,999	529	32,015	38	13.4	07.5-19.3	491	86.6	80.7-92.5
\$25,000- 34,999	418	26,323	18	9.1	03.6-14.6	400	90.9	85.4-96.4
\$35,000- 49,999	540	29,201	25	4.7	02.0-07.4	515	95.3	92.6-98.0
\$50,000- 74,999	646	38,029	14	2.0	00.6-03.4	632	98.0	96.6-99.4
\$75,000+	1209	72,769	23	2.0	01.0-03.0	1186	98.0	97.0-99.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 13: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	407	49,272	80	22.0	15.7-28.3	42	14.0	08.1-19.9	77	16.7	11.6-21.8	142	31.0	24.5-37.5	66	16.3	10.2-22.4
Male	225	30,248	41	21.4	13.0-29.8	17	8.5	03.2-13.8	42	17.3	10.4-24.2	82	35.6	27.0-44.2	43	17.2	09.8-24.6
Female	182	19,023	39	22.9	13.1-32.7	25	22.8	10.6-35.0	35	15.7	07.9-23.5	60	23.6	14.4-32.8	23	15.0	05.0-25.0
Non-Native	376	43,853	79	24.6	17.7-31.5	38	12.0	06.7-17.3	69	15.9	10.8-21.0	132	31.5	24.6-38.4	58	16.0	09.7-22.3
18-24	51	12,865	15	31.2	14.3-48.1	12	29.8	12.2-47.4	8	10.2	00.6-19.8	7	10.7	00.3-21.1	9	18.0	01.7-34.3
25-34	69	13,033	13	20.9	08.0-33.8	9	9.6	01.0-18.2	17	19.7	07.7-31.7	22	36.3	21.6-51.0	8	13.6	02.4-24.8
35-44	73	8,513	15	19.9	06.4-33.4	5	9.0	00.0-18.8	16	21.7	08.6-34.8	30	37.4	22.1-52.7	7	11.9	00.5-23.3
45-54	81	6,525	14	10.1	02.8-17.4	11	13.0	02.6-23.4	15	20.1	08.9-31.3	30	44.4	29.5-59.3	11	12.4	03.4-21.4
55-64	96	6,008	15	18.2	07.4-29.0	3	1.1	00.0-02.5	13	10.4	00.8-20.0	46	43.9	30.0-57.8	19	26.4	11.9-40.9
H.S. or G.E.D.	167	19,370	29	17.2	09.0-25.4	20	14.5	05.5-23.5	25	15.8	07.4-24.2	59	35.5	24.9-46.1	34	17.1	09.5-24.7
Some Post-H.S.	115	14,105	19	27.9	14.0-41.8	10	9.5	00.9-18.1	28	15.6	08.0-23.2	41	27.5	15.9-39.1	17	19.5	06.0-33.0
College Graduate	71	5,975	23	35.9	18.7-53.1	5	7.0	00.0-14.3	14	21.5	08.0-35.0	24	31.2	16.7-45.7	5	4.4	00.3-08.5
\$15,000- 24,999	90	11,840	15	16.3	04.7-27.9	8	7.4	01.3-13.5	18	17.5	06.1-28.9	34	37.6	22.9-52.3	15	21.3	06.8-35.8
\$35,000- 49,999	61	5,867	8	12.2	00.4-24.0	7	18.3	00.0-38.3	13	19.6	07.3-31.9	27	41.2	22.8-59.6	6	8.7	00.0-19.3
\$75,000+	59	6,500	19	34.3	15.7-52.9	4	1.1	00.0-02.3	11	17.7	03.0-32.4	16	20.6	07.5-33.7	9	26.2	03.7-48.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 14: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	225	30,248	41	21.4	13.0-29.8	17	8.5	03.2-13.8	42	17.3	10.4-24.2	82	35.6	27.0-44.2	43	17.2	09.8-24.6
Non-Native	209	27,913	40	23.1	14.1-32.1	17	9.3	03.4-15.2	38	16.9	09.8-24.0	76	34.0	25.2-42.8	38	16.7	08.7-24.7
55-64	57	4,416	8	18.6	04.7-32.5	2	0.6	00.0-01.4	5	9.4	00.0-21.9	28	43.3	26.2-60.4	14	28.1	09.7-46.5
H.S. or G.E.D.	90	12,826	14	14.3	04.7-23.9	9	10.8	01.4-20.2	10	15.1	03.5-26.7	35	39.7	26.2-53.2	22	20.0	09.2-30.8
Some Post-H.S.	66	7,554	11	34.3	14.5-54.1	3	3.3	00.0-08.8	17	19.5	07.3-31.7	26	32.0	16.5-47.5	9	10.9	00.0-22.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 15: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	182	19,023	39	22.9	12.9-32.9	25	22.8	10.6-35.0	35	15.7	07.9-23.5	60	23.6	14.2-33.0	23	15.0	05.0-25.0
Non-Native	167	15,940	39	27.3	16.1-38.5	21	16.7	06.1-27.3	31	14.1	07.8-20.4	56	27.1	16.5-37.7	20	14.7	04.1-25.3
H.S. or G.E.D.	77	6,544	15	22.8	07.5-38.1	11	21.8	03.2-40.4	15	17.0	06.2-27.8	24	27.2	10.3-44.1	12	11.2	03.8-18.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 16: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7594	570,938	6367	80.9	79.3-82.5	245	3.4	0.2-0.4	50	0.5	0.0-0.7	37	0.7	0.0-0.1	11	0.3	0.0-0.5	884	14.4	13.0-15.8
Male	3194	292,155	2570	76.9	74.5-79.3	68	1.8	0.1-0.2	14	0.2	0.0-0.4	14	0.6	0.0-0.1	4	0.2	0.0-0.4	524	20.2	17.8-22.6
Female	4400	278,784	3797	85.0	83.2-86.8	177	5.0	0.3-0.6	36	0.8	0.0-0.1	23	0.7	0.0-0.1	7	0.4	0.0-0.8	360	8.3	0.6-0.9
Native	243	24,579	195	79.7	72.1-87.3	11	2.4	0.0-0.4	3	1.1	0.0-0.2	1	0.0	0.0-0.0	1	0.6	0.0-0.1	32	16.1	0.8-23.4
Non-Native	7226	535,725	6072	81.0	79.4-82.6	230	3.4	0.2-0.4	47	0.5	0.0-0.7	35	0.7	0.0-0.1	9	0.2	0.0-0.4	833	14.1	12.7-15.5
18-24	337	86,673	261	77.7	72.0-83.4	12	3.4	0.1-0.5	2	0.2	0.0-0.4	1	0.0	0.0-0.0	1	0.2	0.0-0.6	60	18.5	13.0-24.0
25-34	657	104,016	510	77.1	72.6-81.6	29	4.2	0.2-0.6	3	0.2	0.0-0.4	4	1.1	0.0-0.2	1	0.6	0.0-0.8	110	16.9	13.0-20.8
35-44	835	83,970	682	81.0	77.3-84.7	23	2.8	0.1-0.4	5	0.7	0.0-0.1	2	0.5	0.0-0.1	2	0.1	0.0-0.3	121	14.8	11.3-18.3
45-54	1193	89,763	969	78.7	75.4-82.0	33	2.9	0.1-0.4	11	0.8	0.0-0.1	5	0.4	0.0-0.1	2	0.2	0.0-0.4	173	17.0	13.9-20.1
55-64	1837	93,390	1535	82.9	80.5-85.3	54	2.8	0.1-0.3	17	0.9	0.0-0.1	16	1.1	0.0-0.1	2	0.3	0.0-0.7	213	12.0	0.9-14.2
65+	2658	108,594	2349	86.9	84.9-88.9	91	3.8	0.2-0.5	11	0.3	0.0-0.5	9	0.7	0.0-0.1	3	0.1	0.0-0.3	195	8.2	0.6-0.9
Less Than H.S.	446	51,203	357	74.5	67.8-81.2	13	2.4	0.0-0.4	1	0.1	0.0-0.3	5	2.0	0.0-0.4	1	0.0	0.0-0.0	69	20.9	14.4-27.4
H.S. or G.E.D.	2263	150,193	1899	82.0	79.5-84.5	68	3.4	0.2-0.4	7	0.3	0.0-0.5	12	0.6	0.0-0.1	2	0.2	0.0-0.4	275	13.5	11.1-15.9
Some Post-H.S.	2422	222,273	2010	80.4	77.7-83.1	79	3.5	0.2-0.4	19	0.6	0.0-0.1	10	0.5	0.0-0.9	4	0.4	0.0-0.1	300	14.7	12.3-17.1
College Graduate	2414	141,969	2062	82.6	80.2-85.0	83	3.4	0.2-0.4	22	0.8	0.0-0.1	10	0.6	0.0-0.1	4	0.2	0.0-0.4	233	12.4	10.2-14.6
Less than \$15,000	436	42,859	339	73.5	66.2-80.8	15	2.8	0.0-0.4	4	0.8	0.0-0.1	6	1.1	0.0-0.2	4	2.2	0.0-0.4	68	19.4	12.5-26.3
\$15,000- 24,999	858	72,272	693	75.6	70.5-80.7	48	7.0	0.4-0.9	9	0.9	0.0-0.1	6	1.6	0.0-0.3	2	0.2	0.0-0.4	100	14.8	10.5-19.1
\$25,000- 34,999	687	55,370	562	76.5	71.2-81.8	26	3.9	0.1-0.6	8	0.9	0.0-0.1	4	0.8	0.0-0.1				87	17.9	12.8-23.0
\$35,000- 49,999	972	68,562	824	83.3	79.4-87.2	26	1.8	0.0-0.3	4	0.2	0.0-0.4	6	0.9	0.0-0.1	1	0.0	0.0-0.0	111	13.8	10.1-17.5
\$50,000- 74,999	1193	86,638	995	80.3	76.6-84.0	44	4.4	0.2-0.6	7	0.3	0.0-0.5	7	1.0	0.0-0.2				140	14.1	10.8-17.4
\$75,000+	2474	174,383	2120	84.0	81.6-86.4	62	2.4	0.1-0.3	15	0.6	0.0-0.1	5	0.1	0.0-0.3	3	0.1	0.0-0.3	269	12.8	10.6-15.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 17: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3194	292,155	2570	76.9	74.5-79.3	68	1.8	0.1-0.2	14	0.2	0.0-0.0	14	0.6	0.0-0.1	4	0.2	0.0-0.0	524	20.2	17.8-22.6
Native	80	8,721	61	68.2	52.3-84.1	2	0.9	0.0-0.2							1	1.7	0.0-0.5	16	29.2	13.5-44.9
Non-Native	3039	276,028	2450	77.2	74.7-79.7	66	1.9	0.1-0.2	14	0.3	0.0-0.0	14	0.7	0.0-0.1	2	0.1	0.0-0.0	493	19.8	17.4-22.2
18-24	185	47,871	136	71.3	62.7-79.9	2	1.7	0.0-0.0										47	27.0	18.6-35.4
25-34	312	55,286	230	72.8	66.3-79.3	2	0.3	0.0-0.0	1	0.1	0.0-0.0	3	2.1	0.0-0.4				76	24.7	18.4-31.0
35-44	376	43,791	286	77.1	71.2-83.0	7	2.0	0.0-0.0	1	0.0	0.0-0.0							82	20.9	15.2-26.6
45-54	518	46,233	394	73.1	67.6-78.6	6	0.8	0.0-0.1	3	0.6	0.0-0.1	2	0.2	0.0-0.0	1	0.2	0.0-0.0	112	25.1	19.8-30.4
55-64	780	48,174	624	81.0	77.3-84.7	18	1.7	0.0-0.1	6	0.6	0.0-0.1	4	0.4	0.0-0.1	2	0.7	0.0-0.1	126	15.6	12.1-19.1
65+	1000	49,041	881	86.2	83.1-89.3	33	4.7	0.2-0.6	3	0.1	0.0-0.0	5	0.8	0.0-0.1	1	0.1	0.0-0.0	77	8.0	0.5-10.4
Less Than H.S.	217	31,000	163	68.4	58.6-78.2	6	2.1	0.0-0.1				3	2.6	0.0-0.6	1	0.1	0.0-0.0	44	26.8	17.2-36.4
H.S. or G.E.D.	973	79,468	780	78.8	74.9-82.7	15	1.9	0.0-0.3	4	0.3	0.0-0.0	8	1.0	0.0-0.2	1	0.2	0.0-0.0	165	17.8	14.1-21.5
Some Post-H.S.	964	111,620	759	75.4	71.1-79.7	17	1.7	0.0-0.3	6	0.2	0.0-0.0	1	0.1	0.0-0.0	2	0.2	0.0-0.0	179	22.4	18.3-26.5
College Graduate	1023	67,098	856	81.1	77.4-84.8	29	1.8	0.0-0.2	3	0.4	0.0-0.1	2	0.3	0.0-0.0				133	16.3	12.8-19.8
Less than \$15,000	152	18,436	113	68.0	55.8-80.2	2	0.7	0.0-0.1				2	0.2	0.0-0.0	2	1.8	0.0-0.4	33	29.3	17.1-41.5
\$15,000- 24,999	294	34,559	229	71.0	62.4-79.6	10	4.7	0.0-0.8	2	0.6	0.0-0.1	3	3.0	0.0-0.6				50	20.8	13.2-28.4
\$25,000- 34,999	261	26,826	199	67.6	58.6-76.6	4	1.5	0.0-0.3	3	0.5	0.0-0.1	4	1.6	0.0-0.3				51	28.8	19.8-37.8
\$35,000- 49,999	418	37,540	339	81.3	75.4-87.2	9	1.1	0.0-0.2	3	0.3	0.0-0.0	1	0.1	0.0-0.0				66	17.1	11.2-23.0
\$50,000- 74,999	532	47,044	435	79.0	73.5-84.5	14	2.6	0.0-0.4	2	0.2	0.0-0.0	2	0.5	0.0-0.1				79	17.6	12.3-22.9
\$75,000+	1232	97,061	1005	79.4	75.7-83.1	23	1.2	0.0-0.1	3	0.2	0.0-0.0	1	0.1	0.0-0.0	1	0.0	0.0-0.0	199	19.1	15.4-22.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 18: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4400	278,784	3797	85.0	83.2-86.8	177	5.0	03.8-06.2	36	0.8	00.4-01.2	23	0.7	00.3-01.1	7	0.4	00.0-00.8	360	8.3	06.9-09.7
Native	163	15,858	134	86.0	78.7-93.3	9	3.3	00.8-05.8	3	1.8	00.0-04.3	1	0.1	00.0-00.3				16	8.9	02.6-15.2
Non-Native	4187	259,697	3622	85.1	83.3-86.9	164	5.0	03.8-06.2	33	0.7	00.3-01.1	21	0.7	00.3-01.1	7	0.4	00.0-00.8	340	8.1	06.7-09.5
18-24	152	38,802	125	85.6	79.1-92.1	10	5.5	01.6-09.4	2	0.3	00.0-00.7	1	0.1	00.0-00.3	1	0.4	00.0-01.2	13	8.1	02.8-13.4
25-34	345	48,730	280	81.9	76.0-87.8	27	8.6	04.3-12.9	2	0.2	00.0-00.6	1	0.0	00.0-00.0	1	1.2	00.0-03.6	34	8.0	04.3-11.7
35-44	459	40,178	396	85.4	81.1-89.7	16	3.6	01.4-05.8	4	1.4	00.0-02.8	2	1.1	00.0-02.7	2	0.3	00.0-00.7	39	8.2	04.9-11.5
45-54	675	43,530	575	84.6	80.9-88.3	27	5.0	02.5-07.5	8	1.0	00.2-01.8	3	0.7	00.0-01.7	1	0.1	00.0-00.3	61	8.5	05.8-11.2
55-64	1057	45,215	911	84.9	81.8-88.0	36	4.0	02.2-05.8	11	1.3	00.1-02.5	12	1.8	00.4-03.2				87	8.1	05.9-10.3
65+	1658	59,553	1468	87.4	85.0-89.8	58	3.1	02.1-04.1	8	0.3	00.0-00.7	4	0.7	00.0-01.5	2	0.2	00.0-00.4	118	8.3	06.3-10.3
Less Than H.S.	229	20,203	194	83.8	77.5-90.1	7	3.0	00.1-05.9	1	0.3	00.0-00.9	2	0.9	00.0-02.3				25	11.9	06.4-17.4
H.S. or G.E.D.	1290	70,725	1119	85.6	82.3-88.9	53	5.2	03.0-07.4	3	0.2	00.0-00.6	4	0.2	00.0-00.4	1	0.1	00.0-00.3	110	8.7	06.2-11.2
Some Post-H.S.	1458	110,654	1251	85.4	82.5-88.3	62	5.3	03.3-07.3	13	1.0	00.2-01.8	9	0.9	00.1-01.7	2	0.6	00.0-01.6	121	6.9	04.9-08.9
College Graduate	1391	74,871	1206	84.0	80.9-87.1	54	4.9	03.1-06.7	19	1.1	00.5-01.7	8	0.9	00.0-01.9	4	0.4	00.0-00.8	100	8.8	06.3-11.3
Less than \$15,000	284	24,423	226	77.7	68.9-86.5	13	4.5	01.2-07.8	4	1.5	00.0-03.1	4	1.8	00.0-03.8	2	2.6	00.0-07.1	35	11.9	04.6-19.2
\$15,000- 24,999	564	37,713	464	79.7	74.2-85.2	38	9.2	05.1-13.3	7	1.1	00.0-02.5	3	0.3	00.0-00.7	2	0.3	00.0-00.7	50	9.3	05.4-13.2
\$25,000- 34,999	426	28,543	363	85.0	79.7-90.3	22	6.1	02.2-10.0	5	1.2	00.0-02.8							36	7.7	04.2-11.2
\$35,000- 49,999	554	31,022	485	85.6	80.7-90.5	17	2.5	00.3-04.7	1	0.1	00.0-00.3	5	1.8	00.0-03.8	1	0.1	00.0-00.3	45	9.8	05.7-13.9
\$50,000- 74,999	661	39,594	560	81.7	77.0-86.4	30	6.5	03.4-09.6	5	0.3	00.0-00.7	5	1.4	00.0-03.2				61	10.0	06.5-13.5
\$75,000+	1242	77,321	1115	89.7	87.0-92.4	39	4.0	01.8-06.2	12	1.1	00.3-01.9	4	0.1	00.0-00.3	2	0.3	00.0-00.7	70	4.8	03.2-06.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 19: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7706	568,962	260	4.8	04.0-05.6	6830	86.8	85.6-88.0	616	8.3	07.3-09.3
Male	3210	287,113	78	3.8	02.8-04.8	2811	85.6	83.6-87.6	321	10.7	08.9-12.5
Female	4496	281,849	182	5.9	04.5-07.3	4019	88.2	86.6-89.8	295	5.9	04.9-06.9
Native	243	24,101	10	5.5	00.4-10.6	216	88.2	81.5-94.9	17	6.3	01.8-10.8
Non-Native	7338	534,809	243	4.7	03.9-05.5	6509	86.9	85.5-88.3	586	8.4	07.4-09.4
18-24	340	86,297	11	4.5	01.8-07.2	302	88.9	84.4-93.4	27	6.6	02.9-10.3
25-34	643	100,564	25	5.6	02.9-08.3	539	82.8	78.9-86.7	79	11.6	08.5-14.7
35-44	827	80,688	42	6.4	03.9-08.9	716	85.7	82.4-89.0	69	7.9	05.4-10.4
45-54	1195	89,752	75	7.9	05.5-10.3	996	81.9	78.8-85.0	124	10.1	07.7-12.5
55-64	1851	93,725	55	3.7	02.5-04.9	1651	88.6	86.6-90.6	145	7.7	06.1-09.3
65+	2768	112,888	51	1.8	01.0-02.6	2555	92.2	90.8-93.6	162	6.0	04.8-07.2
Less Than H.S.	465	52,145	22	4.4	02.0-06.8	404	84.1	78.6-89.6	39	11.5	06.2-16.8
H.S. or G.E.D.	2310	149,870	81	5.6	03.8-07.4	2029	85.5	83.0-88.0	200	8.9	06.9-10.9
Some Post-H.S.	2452	219,381	94	5.8	04.2-07.4	2170	87.2	85.0-89.4	188	7.0	05.6-08.4
College Graduate	2428	141,795	56	2.3	01.5-03.1	2189	89.3	87.3-91.3	183	8.4	06.6-10.2
Less than \$15,000	455	44,055	37	11.1	06.0-16.2	374	80.4	74.1-86.7	44	8.5	04.0-13.0
\$15,000- 24,999	880	72,559	60	10.6	07.1-14.1	753	81.8	77.5-86.1	67	7.6	05.1-10.1
\$25,000- 34,999	696	54,685	26	6.6	03.3-09.9	627	86.0	81.5-90.5	43	7.4	04.3-10.5
\$35,000- 49,999	988	68,725	38	4.1	01.9-06.3	874	87.6	84.3-90.9	76	8.3	05.8-10.8
\$50,000- 74,999	1197	85,790	16	1.7	00.3-03.1	1085	88.9	85.8-92.0	96	9.5	06.6-12.4
\$75,000+	2462	168,647	47	2.3	01.3-03.3	2215	89.4	87.4-91.4	200	8.3	06.5-10.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 20: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3210	287,113	78	3.8	02.8-04.8	2811	85.6	83.6-87.6	321	10.7	08.9-12.5
Native	78	8,339	1	0.2	00.0-00.6	67	86.2	74.6-97.8	10	13.7	02.1-25.3
Non-Native	3061	272,297	73	3.6	02.4-04.8	2686	85.8	83.8-87.8	302	10.6	08.8-12.4
18-24	183	45,774	1	0.8	00.0-02.4	158	87.4	80.5-94.3	24	11.9	05.2-18.6
25-34	307	54,235	9	3.8	00.9-06.7	242	80.5	75.0-86.0	56	15.7	10.8-20.6
35-44	366	40,837	20	8.0	03.7-12.3	305	82.3	76.6-88.0	41	9.7	05.6-13.8
45-54	515	45,728	18	5.5	02.4-08.6	427	81.8	77.1-86.5	70	12.7	08.8-16.6
55-64	786	48,379	16	3.3	01.3-05.3	702	88.7	85.8-91.6	68	8.1	05.7-10.5
65+	1029	50,316	13	1.8	00.4-03.2	956	92.4	90.2-94.6	60	5.8	04.0-07.6
Less Than H.S.	223	31,158	13	5.7	01.8-09.6	187	80.1	71.5-88.7	23	14.2	06.0-22.4
H.S. or G.E.D.	982	78,092	27	5.2	02.7-07.7	838	82.4	78.5-86.3	117	12.4	09.1-15.7
Some Post-H.S.	962	108,186	24	3.6	01.8-05.4	843	87.7	84.8-90.6	95	8.7	06.3-11.1
College Graduate	1026	66,707	14	1.7	00.7-02.7	928	88.5	85.6-91.4	84	9.9	07.2-12.6
Less than \$15,000	156	18,499	12	7.7	02.2-13.2	122	76.6	66.0-87.2	22	15.7	05.9-25.5
\$15,000- 24,999	301	35,189	17	8.2	03.7-12.7	250	82.4	76.3-88.5	34	9.4	05.1-13.7
\$25,000- 34,999	261	25,560	10	6.7	01.8-11.6	225	82.4	75.3-89.5	26	10.9	05.2-16.6
\$35,000- 49,999	423	37,344	9	2.1	00.0-04.3	372	88.3	83.8-92.8	42	9.5	05.4-13.6
\$50,000- 74,999	534	46,592	3	1.8	00.0-04.2	484	86.3	81.2-91.4	47	11.9	07.2-16.6
\$75,000+	1222	93,222	20	2.6	01.2-04.0	1090	87.9	84.8-91.0	112	9.5	06.8-12.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 21: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4496	281,849	182	5.9	04.5-07.3	4019	88.2	86.6-89.8	295	5.9	04.9-06.9
Native	165	15,761	9	8.3	00.7-15.9	149	89.3	81.3-97.3	7	2.4	00.0-04.8
Non-Native	4277	262,512	170	5.8	04.4-07.2	3823	88.1	86.5-89.7	284	6.1	05.1-07.1
18-24	157	40,523	10	8.7	03.2-14.2	144	90.7	85.2-96.2	3	0.5	00.0-01.3
25-34	336	46,329	16	7.7	03.0-12.4	297	85.4	79.7-91.1	23	6.9	03.0-10.8
35-44	461	39,851	22	4.8	02.3-07.3	411	89.2	85.5-92.9	28	6.0	03.5-08.5
45-54	680	44,025	57	10.4	06.9-13.9	569	82.1	78.0-86.2	54	7.5	05.0-10.0
55-64	1065	45,346	39	4.2	02.6-05.8	949	88.4	85.7-91.1	77	7.4	05.2-09.6
65+	1739	62,573	38	1.9	01.1-02.7	1599	91.9	90.1-93.7	102	6.2	04.6-07.8
Less Than H.S.	242	20,987	9	2.5	00.3-04.7	217	90.0	85.3-94.7	16	7.5	03.4-11.6
H.S. or G.E.D.	1328	71,779	54	6.0	03.5-08.5	1191	89.0	86.1-91.9	83	5.0	03.4-06.6
Some Post-H.S.	1490	111,195	70	7.9	05.2-10.6	1327	86.8	83.9-89.7	93	5.3	03.7-06.9
College Graduate	1402	75,088	42	2.9	01.7-04.1	1261	90.0	87.5-92.5	99	7.1	04.9-09.3
Less than \$15,000	299	25,556	25	13.6	06.0-21.2	252	83.1	75.5-90.7	22	3.4	01.6-05.2
\$15,000- 24,999	579	37,370	43	13.0	07.5-18.5	503	81.2	75.3-87.1	33	5.8	03.1-08.5
\$25,000- 34,999	435	29,125	16	6.6	01.9-11.3	402	89.2	83.5-94.9	17	4.2	00.9-07.5
\$35,000- 49,999	565	31,382	29	6.5	02.8-10.2	502	86.7	82.0-91.4	34	6.8	03.7-09.9
\$50,000- 74,999	663	39,198	13	1.5	00.5-02.5	601	91.9	89.0-94.8	49	6.5	03.6-09.4
\$75,000+	1240	75,425	27	1.9	00.9-02.9	1125	91.3	89.1-93.5	88	6.8	04.8-08.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 22: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7606	563,973	5211	63.4	61.6-65.2	2102	31.5	29.7-33.3	173	3.4	02.6-04.2	120	1.7	01.1-02.3
Male	3158	284,617	2078	60.6	57.9-63.3	910	32.6	30.1-35.1	84	4.0	02.8-05.2	86	2.8	01.8-03.8
Female	4448	279,356	3133	66.3	63.9-68.7	1192	30.3	27.9-32.7	89	2.7	01.7-03.7	34	0.6	00.2-01.0
Native	242	24,077	111	42.6	32.0-53.2	112	47.6	36.8-58.4	18	9.6	01.8-17.4	1	0.1	00.0-00.3
Non-Native	7245	529,541	5030	64.5	62.7-66.3	1951	30.8	29.0-32.6	149	2.9	02.1-03.7	115	1.8	01.2-02.4
18-24	338	85,936	204	61.7	55.0-68.4	118	32.7	26.4-39.0	7	3.5	00.4-06.6	9	2.1	00.0-04.3
25-34	638	100,294	345	52.3	47.0-57.6	256	41.4	36.1-46.7	20	4.1	01.9-06.3	17	2.1	00.7-03.5
35-44	821	80,331	514	59.2	54.3-64.1	268	35.6	30.9-40.3	24	4.5	02.1-06.9	15	0.8	00.4-01.2
45-54	1185	89,531	755	62.9	59.0-66.8	360	30.0	26.3-33.7	43	4.1	02.5-05.7	27	3.1	01.7-04.5
55-64	1831	92,799	1272	66.9	64.0-69.8	480	27.9	25.2-30.6	51	3.5	02.1-04.9	28	1.7	00.9-02.5
65+	2713	110,073	2074	75.8	73.4-78.2	591	22.3	20.1-24.5	24	1.1	00.3-01.9	24	0.7	00.3-01.1
Less Than H.S.	446	50,961	293	63.3	56.0-70.6	127	25.6	19.5-31.7	17	8.2	02.9-13.5	9	2.9	00.0-06.2
H.S. or G.E.D.	2268	147,375	1486	58.2	54.9-61.5	679	36.4	33.1-39.7	65	3.5	02.3-04.7	38	1.8	00.8-02.8
Some Post-H.S.	2430	218,591	1653	64.3	61.2-67.4	689	31.4	28.3-34.5	53	2.7	01.5-03.9	35	1.5	00.9-02.1
College Graduate	2413	141,404	1749	68.3	65.4-71.2	593	28.3	25.4-31.2	33	1.9	00.9-02.9	38	1.5	00.7-02.3
Less than \$15,000	445	43,539	259	52.2	44.4-60.0	151	37.9	30.3-45.5	25	6.6	02.1-11.1	10	3.3	00.0-07.0
\$15,000- 24,999	860	70,858	561	59.6	54.1-65.1	262	34.7	29.2-40.2	26	4.0	01.6-06.4	11	1.6	00.4-02.8
\$25,000- 34,999	687	53,970	448	55.7	49.4-62.0	211	38.2	31.9-44.5	18	4.6	01.9-07.3	10	1.5	00.3-02.7
\$35,000- 49,999	979	68,292	660	62.3	57.2-67.4	275	31.9	27.0-36.8	26	3.4	01.4-05.4	18	2.4	00.8-04.0
\$50,000- 74,999	1186	85,684	825	65.4	61.1-69.7	325	31.0	26.7-35.3	18	2.5	00.7-04.3	18	1.1	00.5-01.7
\$75,000+	2450	168,411	1784	71.4	68.7-74.1	594	25.7	23.0-28.4	32	1.3	00.5-02.1	40	1.6	00.8-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 23: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3158	284,617	2078	60.6	57.9-63.3	910	32.6	30.1-35.1	84	4.0	02.8-05.2	86	2.8	01.8-03.8
Native	78	8,339	39	44.6	27.4-61.8	33	46.0	28.4-63.6	5	9.1	00.0-20.1	1	0.3	00.0-00.9
Non-Native	3012	269,405	2002	61.4	58.7-64.1	854	32.2	29.7-34.7	75	3.7	02.5-04.9	81	2.8	01.8-03.8
18-24	182	45,572	107	62.6	53.6-71.6	63	30.5	22.1-38.9	4	3.5	00.0-07.6	8	3.4	00.0-07.3
25-34	305	54,088	149	46.1	38.8-53.4	132	45.9	38.6-53.2	11	4.3	01.2-07.4	13	3.6	01.2-06.0
35-44	363	40,617	212	53.8	46.5-61.1	127	38.7	31.6-45.8	12	6.4	02.3-10.5	12	1.1	00.3-01.9
45-54	509	45,663	321	61.6	55.7-67.5	147	29.4	23.7-35.1	19	3.9	01.5-06.3	22	5.1	02.6-07.6
55-64	772	47,795	527	66.5	62.0-71.0	196	25.9	21.8-30.0	30	5.3	02.8-07.8	19	2.4	01.0-03.8
65+	1002	49,011	747	73.9	70.0-77.8	236	23.9	20.2-27.6	7	1.3	00.0-02.7	12	0.9	00.3-01.5
Less Than H.S.	217	31,117	132	60.1	50.1-70.1	65	25.8	17.4-34.2	12	9.7	02.8-16.6	8	4.4	00.0-09.7
H.S. or G.E.D.	957	76,400	589	55.3	50.4-60.2	304	37.2	32.3-42.1	36	4.6	02.4-06.8	28	3.0	01.4-04.6
Some Post-H.S.	951	107,742	618	61.7	57.0-66.4	287	32.8	28.3-37.3	21	2.9	01.1-04.7	25	2.5	01.1-03.9
College Graduate	1017	66,468	731	65.8	61.3-70.3	247	29.4	25.1-33.7	14	2.6	00.8-04.4	25	2.2	01.0-03.4
Less than \$15,000	151	18,205	80	43.0	31.2-54.8	54	39.8	27.6-52.0	12	10.6	01.2-20.0	5	6.5	00.0-15.3
\$15,000- 24,999	287	33,882	170	55.7	46.9-64.5	96	35.0	26.8-43.2	14	6.8	02.3-11.3	7	2.5	00.3-04.7
\$25,000- 34,999	258	25,142	157	54.5	45.3-63.7	84	38.2	29.0-47.4	10	5.3	01.4-09.2	7	2.0	00.2-03.8
\$35,000- 49,999	417	36,987	261	57.5	50.1-64.9	133	34.9	27.6-42.2	10	3.6	00.3-06.9	13	4.0	01.1-06.9
\$50,000- 74,999	528	46,846	366	63.6	57.1-70.1	144	31.8	25.5-38.1	10	3.5	00.6-06.4	8	1.1	00.1-02.1
\$75,000+	1213	93,194	859	68.9	64.8-73.0	302	26.8	22.9-30.7	17	1.6	00.4-02.8	35	2.7	01.5-03.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 24: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4448	279,356	3133	66.3	63.9-68.7	1192	30.3	27.9-32.7	89	2.7	01.7-03.7	34	0.6	00.2-01.0
Native	164	15,738	72	41.6	28.3-54.9	79	48.5	35.0-62.0	13	9.9	00.0-20.3			
Non-Native	4233	260,136	3028	67.8	65.4-70.2	1097	29.3	26.9-31.7	74	2.2	01.4-03.0	34	0.7	00.3-01.1
18-24	156	40,364	97	60.6	50.8-70.4	55	35.3	25.7-44.9	3	3.6	00.0-08.1	1	0.6	00.0-01.8
25-34	333	46,207	196	59.5	51.9-67.1	124	36.2	28.8-43.6	9	3.8	00.7-06.9	4	0.4	00.0-01.0
35-44	458	39,714	302	64.7	58.4-71.0	141	32.4	26.3-38.5	12	2.5	00.7-04.3	3	0.4	00.0-01.0
45-54	676	43,868	434	64.1	59.2-69.0	213	30.7	26.0-35.4	24	4.3	02.1-06.5	5	0.9	00.0-01.9
55-64	1059	45,004	745	67.4	63.5-71.3	284	30.1	26.2-34.0	21	1.6	00.8-02.4	9	1.0	00.2-01.8
65+	1711	61,063	1327	77.3	74.6-80.0	355	21.1	18.4-23.8	17	1.0	00.4-01.6	12	0.6	00.2-01.0
Less Than H.S.	229	19,844	161	68.3	58.7-77.9	62	25.4	17.6-33.2	5	5.9	00.0-13.9	1	0.4	00.0-01.2
H.S. or G.E.D.	1311	70,975	897	61.4	56.7-66.1	375	35.7	31.0-40.4	29	2.3	01.3-03.3	10	0.6	00.2-01.0
Some Post-H.S.	1479	110,849	1035	66.9	62.8-71.0	402	30.0	25.9-34.1	32	2.5	01.1-03.9	10	0.6	00.2-01.0
College Graduate	1396	74,937	1018	70.6	66.7-74.5	346	27.3	23.4-31.2	19	1.3	00.3-02.3	13	0.9	00.1-01.7
Less than \$15,000	294	25,334	179	58.7	48.7-68.7	97	36.6	26.6-46.6	13	3.7	00.6-06.8	5	0.9	00.0-01.9
\$15,000- 24,999	573	36,977	391	63.2	56.1-70.3	166	34.4	27.3-41.5	12	1.5	00.3-02.7	4	0.9	00.0-02.3
\$25,000- 34,999	429	28,829	291	56.7	48.1-65.3	127	38.2	29.8-46.6	8	4.0	00.1-07.9	3	1.0	00.0-02.6
\$35,000- 49,999	562	31,305	399	67.9	61.4-74.4	142	28.3	21.8-34.8	16	3.2	01.0-05.4	5	0.6	00.0-01.2
\$50,000- 74,999	658	38,838	459	67.5	61.6-73.4	181	30.0	24.3-35.7	8	1.3	00.1-02.5	10	1.2	00.2-02.2
\$75,000+	1237	75,216	925	74.4	70.7-78.1	292	24.4	20.7-28.1	15	1.0	00.4-01.6	5	0.2	00.0-00.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 25: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7676	564,786	1257	21.3	19.7-22.9	6419	78.7	77.1-80.3
Male	3198	285,280	453	17.9	15.7-20.1	2745	82.1	79.9-84.3
Female	4478	279,505	804	24.7	22.3-27.1	3674	75.3	72.9-77.7
Native	242	23,728	55	24.6	14.6-34.6	187	75.4	65.4-85.4
Non-Native	7307	530,489	1173	21.0	19.4-22.6	6134	79.0	77.4-80.6
18-24	330	83,472	73	22.2	16.5-27.9	257	77.8	72.1-83.5
25-34	638	100,091	185	29.7	24.8-34.6	453	70.3	65.4-75.2
35-44	825	80,552	234	29.2	24.7-33.7	591	70.8	66.3-75.3
45-54	1192	89,483	286	25.2	21.7-28.7	906	74.8	71.3-78.3
55-64	1847	93,772	299	18.6	16.1-21.1	1548	81.4	78.9-83.9
65+	2763	112,530	171	7.0	05.4-08.6	2592	93.0	91.4-94.6
Less Than H.S.	464	51,391	81	21.8	15.5-28.1	383	78.2	71.9-84.5
H.S. or G.E.D.	2298	148,797	405	23.1	20.2-26.0	1893	76.9	74.0-79.8
Some Post-H.S.	2443	217,494	430	22.9	20.2-25.6	2013	77.1	74.4-79.8
College Graduate	2419	141,313	329	16.1	13.7-18.5	2090	83.9	81.5-86.3
Less than \$15,000	453	44,074	110	28.3	21.2-35.4	343	71.7	64.6-78.8
\$15,000- 24,999	877	72,358	185	26.2	21.3-31.1	692	73.8	68.9-78.7
\$25,000- 34,999	693	53,773	120	26.0	20.3-31.7	573	74.0	68.3-79.7
\$35,000- 49,999	986	67,955	176	23.0	18.5-27.5	810	77.0	72.5-81.5
\$50,000- 74,999	1196	86,244	216	23.8	19.7-27.9	980	76.2	72.1-80.3
\$75,000+	2454	168,478	316	14.5	12.3-16.7	2138	85.5	83.3-87.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 26: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3198	285,280	453	17.9	15.7-20.1	2745	82.1	79.9-84.3
Native	77	7,960	15	22.0	07.1-36.9	62	78.0	63.1-92.9
Non-Native	3048	270,327	423	17.5	15.3-19.7	2625	82.5	80.3-84.7
18-24	177	44,142	27	14.5	07.8-21.2	150	85.5	78.8-92.2
25-34	304	53,962	61	22.0	15.7-28.3	243	78.0	71.7-84.3
35-44	365	40,846	99	27.2	20.9-33.5	266	72.8	66.5-79.1
45-54	512	45,608	92	19.8	14.9-24.7	420	80.2	75.3-85.1
55-64	784	48,466	117	18.2	14.3-22.1	667	81.8	77.9-85.7
65+	1030	50,363	54	7.3	04.6-10.0	976	92.7	90.0-95.4
Less Than H.S.	224	31,033	39	22.3	13.9-30.7	185	77.7	69.3-86.1
H.S. or G.E.D.	976	78,192	158	20.1	16.0-24.2	818	79.9	75.8-84.0
Some Post-H.S.	957	106,674	154	18.3	14.6-22.0	803	81.7	78.0-85.4
College Graduate	1023	66,391	97	11.8	08.7-14.9	926	88.2	85.1-91.3
Less than \$15,000	157	18,717	32	22.4	12.4-32.4	125	77.6	67.6-87.6
\$15,000- 24,999	300	35,051	61	23.4	16.1-30.7	239	76.6	69.3-83.9
\$25,000- 34,999	258	24,648	41	22.2	14.4-30.0	217	77.8	70.0-85.6
\$35,000- 49,999	420	36,559	67	20.7	14.4-27.0	353	79.3	73.0-85.6
\$50,000- 74,999	534	47,050	75	16.9	12.0-21.8	459	83.1	78.2-88.0
\$75,000+	1217	93,381	138	13.5	10.4-16.6	1079	86.5	83.4-89.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 27: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4478	279,505	804	24.7	22.3-27.1	3674	75.3	72.9-77.7
Native	165	15,768	40	25.9	12.8-39.0	125	74.1	61.0-87.2
Non-Native	4259	260,162	750	24.6	22.2-27.0	3509	75.4	73.0-77.8
18-24	153	39,330	46	30.8	21.4-40.2	107	69.2	59.8-78.6
25-34	334	46,129	124	38.8	31.2-46.4	210	61.2	53.6-68.8
35-44	460	39,706	135	31.2	24.9-37.5	325	68.8	62.5-75.1
45-54	680	43,875	194	30.8	25.9-35.7	486	69.2	64.3-74.1
55-64	1063	45,306	182	19.0	15.9-22.1	881	81.0	77.9-84.1
65+	1733	62,166	117	6.8	05.2-08.4	1616	93.2	91.6-94.8
Less Than H.S.	240	20,358	42	20.9	11.5-30.3	198	79.1	69.7-88.5
H.S. or G.E.D.	1322	70,605	247	26.4	22.1-30.7	1075	73.6	69.3-77.9
Some Post-H.S.	1486	110,820	276	27.3	23.2-31.4	1210	72.7	68.6-76.8
College Graduate	1396	74,922	232	20.0	16.5-23.5	1164	80.0	76.5-83.5
Less than \$15,000	296	25,358	78	32.7	23.1-42.3	218	67.3	57.7-76.9
\$15,000- 24,999	577	37,308	124	28.8	22.1-35.5	453	71.2	64.5-77.9
\$25,000- 34,999	435	29,125	79	29.3	21.1-37.5	356	70.7	62.5-78.9
\$35,000- 49,999	566	31,396	109	25.7	19.0-32.4	457	74.3	67.6-81.0
\$50,000- 74,999	662	39,194	141	32.2	25.7-38.7	521	67.8	61.3-74.3
\$75,000+	1237	75,098	178	15.8	12.9-18.7	1059	84.2	81.3-87.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)	
1	MALES AND FEMALES	71
2	MALES ONLY	72
3	FEMALES ONLY	73
	HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)	
4	MALES AND FEMALES	74
5	MALES ONLY	75
6	FEMALES ONLY	76
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)	
7	MALES AND FEMALES	77
8	MALES ONLY	78
9	FEMALES ONLY	79

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 1: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7251	522,217	3939	45.3	43.5-47.1	3312	54.7	52.9-56.5
Male	3025	266,376	1576	42.9	40.2-45.6	1449	57.1	54.4-59.8
Female	4226	255,841	2363	47.8	45.3-50.3	1863	52.2	49.7-54.7
Native	220	20,055	125	49.3	38.3-60.3	95	50.7	39.7-61.7
Non-Native	6920	492,949	3751	44.9	42.9-46.9	3169	55.1	53.1-57.1
18-24	322	80,218	77	23.9	18.0-29.8	245	76.1	70.2-82.0
25-34	609	92,136	186	30.3	25.4-35.2	423	69.7	64.8-74.6
35-44	776	74,940	269	35.1	30.2-40.0	507	64.9	60.0-69.8
45-54	1121	80,161	525	47.3	43.2-51.4	596	52.7	48.6-56.8
55-64	1751	86,741	1032	61.1	58.0-64.2	719	38.9	35.8-42.0
65+	2601	103,715	1811	67.4	64.9-69.9	790	32.6	30.1-35.1
Less Than H.S.	418	44,816	257	50.4	42.8-58.0	161	49.6	42.0-57.2
H.S. or G.E.D.	2151	135,566	1244	46.5	43.2-49.8	907	53.5	50.2-56.8
Some Post-H.S.	2328	204,812	1268	46.5	43.2-49.8	1060	53.5	50.2-56.8
College Graduate	2331	134,519	1156	40.6	37.7-43.5	1175	59.4	56.5-62.3
Less than \$15,000	424	40,884	280	48.0	40.0-56.0	144	52.0	44.0-60.0
\$15,000- 24,999	830	66,589	490	46.2	40.5-51.9	340	53.8	48.1-59.5
\$25,000- 34,999	662	50,226	417	51.5	45.0-58.0	245	48.5	42.0-55.0
\$35,000- 49,999	960	65,942	556	50.3	45.2-55.4	404	49.7	44.6-54.8
\$50,000- 74,999	1153	82,523	613	43.4	38.9-47.9	540	56.6	52.1-61.1
\$75,000+	2383	163,462	1090	40.1	37.2-43.0	1293	59.9	57.0-62.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 2: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3025	266,376	1576	42.9	40.2-45.6	1449	57.1	54.4-59.8
Native	71	7,585	40	44.4	26.6-62.2	31	55.6	37.8-73.4
Non-Native	2892	252,816	1503	42.4	39.7-45.1	1389	57.6	54.9-60.3
18-24	177	43,868	31	18.0	10.9-25.1	146	82.0	74.9-89.1
25-34	293	50,668	88	29.5	22.6-36.4	205	70.5	63.6-77.4
35-44	349	38,961	131	37.0	29.7-44.3	218	63.0	55.7-70.3
45-54	475	39,903	221	46.8	40.5-53.1	254	53.2	46.9-59.5
55-64	741	44,588	453	61.4	56.7-66.1	288	38.6	33.9-43.3
65+	969	46,742	643	64.9	60.6-69.2	326	35.1	30.8-39.4
Less Than H.S.	198	27,551	106	41.6	31.6-51.6	92	58.4	48.4-68.4
H.S. or G.E.D.	920	72,170	483	42.2	37.5-46.9	437	57.8	53.1-62.5
Some Post-H.S.	914	101,847	469	44.1	39.4-48.8	445	55.9	51.2-60.6
College Graduate	984	63,030	513	42.6	38.1-47.1	471	57.4	52.9-61.9
Less than \$15,000	148	17,352	83	35.7	25.1-46.3	65	64.3	53.7-74.9
\$15,000- 24,999	284	32,469	143	36.4	28.2-44.6	141	63.6	55.4-71.8
\$25,000- 34,999	246	23,715	140	44.9	35.7-54.1	106	55.1	45.9-64.3
\$35,000- 49,999	406	35,849	231	49.2	41.6-56.8	175	50.8	43.2-58.4
\$50,000- 74,999	518	45,191	286	46.6	40.1-53.1	232	53.4	46.9-59.9
\$75,000+	1181	90,798	570	42.7	38.4-47.0	611	57.3	53.0-61.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 3: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4226	255,841	2363	47.8	45.3-50.3	1863	52.2	49.7-54.7
Native	149	12,470	85	52.4	38.3-66.5	64	47.6	33.5-61.7
Non-Native	4028	240,132	2248	47.5	45.0-50.0	1780	52.5	50.0-55.0
18-24	145	36,350	46	31.1	21.5-40.7	99	68.9	59.3-78.5
25-34	316	41,468	98	31.2	23.9-38.5	218	68.8	61.5-76.1
35-44	427	35,979	138	33.1	26.6-39.6	289	66.9	60.4-73.4
45-54	646	40,258	304	47.8	42.7-52.9	342	52.2	47.1-57.3
55-64	1010	42,153	579	60.8	56.9-64.7	431	39.2	35.3-43.1
65+	1632	56,972	1168	69.5	66.4-72.6	464	30.5	27.4-33.6
Less Than H.S.	220	17,266	151	64.5	55.3-73.7	69	35.5	26.3-44.7
H.S. or G.E.D.	1231	63,396	761	51.3	46.6-56.0	470	48.7	44.0-53.4
Some Post-H.S.	1414	102,965	799	48.9	44.4-53.4	615	51.1	46.6-55.6
College Graduate	1347	71,490	643	38.8	34.7-42.9	704	61.2	57.1-65.3
Less than \$15,000	276	23,532	197	57.1	46.5-67.7	79	42.9	32.3-53.5
\$15,000- 24,999	546	34,120	347	55.6	48.2-63.0	199	44.4	37.0-51.8
\$25,000- 34,999	416	26,511	277	57.4	48.4-66.4	139	42.6	33.6-51.6
\$35,000- 49,999	554	30,094	325	51.5	44.6-58.4	229	48.5	41.6-55.4
\$50,000- 74,999	635	37,332	327	39.6	33.7-45.5	308	60.4	54.5-66.3
\$75,000+	1202	72,663	520	36.9	32.8-41.0	682	63.1	59.0-67.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 4: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3747	225,438	237	7.7	06.1-09.3	33	0.9	00.5-01.3	33	1.2	00.6-01.8	265	10.1	08.1-12.1	3179	80.1	77.7-82.5
Male	1499	108,978	84	6.3	04.5-08.1	16	0.9	00.3-01.5	12	0.8	00.0-01.6	102	11.1	08.2-14.0	1285	80.9	77.6-84.2
Female	2248	116,460	153	8.9	06.5-11.3	17	0.9	00.3-01.5	21	1.6	00.6-02.6	163	9.1	06.7-11.5	1894	79.4	76.3-82.5
Native	116	9,248	6	6.7	00.0-14.1	4	2.5	00.0-05.6	2	2.0	00.0-05.5	19	20.6	07.5-33.7	85	68.2	53.9-82.5
Non-Native	3572	210,962	230	7.8	06.2-09.4	28	0.7	00.3-01.1	31	1.2	00.6-01.8	242	9.6	07.6-11.6	3041	80.6	78.2-83.0
18-24	77	19,179	7	9.1	00.5-17.7	2	1.0	00.0-02.6	7	8.9	01.8-16.0	23	29.5	16.8-42.2	38	51.6	37.5-65.7
25-34	179	26,802	15	12.3	05.2-19.4	3	0.7	00.0-01.7	3	0.8	00.0-02.2	37	20.0	12.0-28.0	121	66.3	56.7-75.9
35-44	259	25,002	20	9.0	03.9-14.1	4	1.5	00.0-03.3	5	0.9	00.1-01.7	38	16.8	09.9-23.7	192	71.9	63.9-79.9
45-54	509	37,039	41	6.9	04.4-09.4	10	2.7	00.5-04.9	3	0.3	00.0-00.7	42	5.7	03.3-08.1	413	84.5	80.6-88.4
55-64	1003	50,980	58	6.9	04.5-09.3	3	0.2	00.0-00.4	8	0.6	00.2-01.0	53	6.3	03.9-08.7	881	85.9	82.8-89.0
65+	1684	64,361	94	5.7	04.1-07.3	11	0.4	00.2-00.6	5	0.3	00.0-00.7	70	3.2	02.2-04.2	1504	90.4	88.6-92.2
Less Than H.S.	233	20,475	22	8.7	04.4-13.0	2	0.2	00.0-00.4				21	14.8	07.7-21.9	188	76.3	68.7-83.9
H.S. or G.E.D.	1174	59,541	71	6.9	04.7-09.1	10	0.6	00.0-01.2	11	1.2	00.2-02.2	83	9.5	06.2-12.8	999	81.7	77.8-85.6
Some Post-H.S.	1209	91,585	71	6.8	04.1-09.5	10	1.3	00.3-02.3	13	1.7	00.3-03.1	84	10.2	06.9-13.5	1031	79.9	75.8-84.0
College Graduate	1122	53,297	72	9.3	06.2-12.4	11	0.9	00.1-01.7	9	1.0	00.2-01.8	77	8.8	05.9-11.7	953	80.0	75.9-84.1
Less than \$15,000	254	18,260	18	8.6	01.9-15.3	4	2.4	00.0-05.5	4	1.0	00.0-02.0	18	7.2	02.7-11.7	210	80.8	72.6-89.0
\$15,000- 24,999	462	28,961	33	11.4	05.1-17.7	4	0.4	00.0-00.8	4	1.6	00.0-04.5	29	10.7	04.8-16.6	392	75.8	67.8-83.8
\$25,000- 34,999	394	24,565	26	5.9	02.8-09.0	4	0.5	00.0-01.1	4	2.7	00.0-05.8	34	12.7	06.6-18.8	326	78.3	71.4-85.2
\$35,000- 49,999	534	31,844	30	6.2	03.1-09.3	3	0.5	00.0-01.3	2	0.1	00.0-00.3	32	8.2	03.5-12.9	467	85.1	79.6-90.6
\$50,000- 74,999	596	34,775	39	9.1	05.2-13.0	4	0.6	00.0-01.2	8	1.9	00.1-03.7	39	10.0	05.1-14.9	506	78.4	72.5-84.3
\$75,000+	1065	64,006	56	6.1	03.9-08.3	9	1.0	00.0-02.0	7	0.7	00.0-01.5	85	9.2	06.1-12.3	908	82.9	79.2-86.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 5: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1499	108,978	84	6.3	04.5-08.1	16	0.9	00.3-01.5	12	0.8	00.0-01.6	102	11.1	08.2-14.0	1285	80.9	77.6-84.2
Non-Native	1432	102,586	80	6.2	04.4-08.0	15	1.0	00.2-01.8	10	0.7	00.0-01.5	94	10.9	07.8-14.0	1233	81.2	77.7-84.7
25-34	84	14,385	9	12.3	03.5-21.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3	19	26.0	13.5-38.5	54	61.5	48.0-75.0
35-44	123	13,242	10	6.9	00.6-13.2	2	1.5	00.0-04.0	1	0.4	00.0-01.2	19	20.0	09.0-31.0	91	71.2	59.2-83.2
45-54	215	18,256	14	4.4	01.7-07.1	3	2.1	00.0-05.2	2	0.4	00.0-01.2	14	4.6	01.3-07.9	182	88.5	83.4-93.6
55-64	440	26,314	20	4.9	02.2-07.6	3	0.4	00.0-01.0	3	0.5	00.0-01.1	21	6.0	02.5-09.5	393	88.2	83.9-92.5
65+	597	28,380	28	5.3	02.9-07.7	6	0.4	00.0-00.8	1	0.2	00.0-00.6	21	3.0	01.2-04.8	541	90.9	88.0-93.8
Less Than H.S.	97	10,533	6	4.0	00.7-07.3							9	15.2	05.0-25.4	82	80.9	70.3-91.5
H.S. or G.E.D.	458	29,254	32	8.2	04.5-11.9	3	0.1	00.0-00.3	3	0.3	00.0-00.7	30	9.1	04.6-13.6	390	82.2	76.7-87.7
Some Post-H.S.	442	42,689	18	3.8	01.1-06.5	6	1.4	00.0-03.0	6	1.6	00.0-03.4	32	12.8	06.9-18.7	380	80.4	73.9-86.9
College Graduate	499	26,346	27	8.9	04.4-13.4	7	1.4	00.0-02.8	3	0.5	00.0-01.1	31	8.8	04.3-13.3	431	80.3	74.2-86.4
Less than \$15,000	74	5,678	6	5.6	00.3-10.9	1	0.1	00.0-00.3	1	0.7	00.0-02.3	6	9.9	00.5-19.3	60	83.6	73.0-94.2
\$15,000- 24,999	138	11,398	10	11.2	01.6-20.8	2	0.7	00.0-01.7	1	0.2	00.0-00.6	12	15.6	04.2-27.0	113	72.4	59.3-85.5
\$25,000- 34,999	127	9,816	8	8.2	02.1-14.3				1	3.6	00.0-10.5	11	12.7	02.9-22.5	107	75.5	63.5-87.5
\$35,000- 49,999	218	16,835	12	4.9	01.0-08.8	2	0.2	00.0-00.6				13	10.6	02.6-18.6	191	84.3	75.7-92.9
\$50,000- 74,999	279	20,616	15	8.2	02.7-13.7	2	0.4	00.0-01.0	3	1.4	00.0-03.2	17	12.9	05.1-20.7	242	77.1	68.3-85.9
\$75,000+	552	37,500	26	4.0	02.0-06.0	8	1.7	00.0-03.5	4	0.4	00.0-00.8	36	7.6	03.7-11.5	478	86.3	81.8-90.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 6: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2248	116,460	153	8.9	06.5-11.3	17	0.9	00.3-01.5	21	1.6	00.6-02.6	163	9.1	06.7-11.5	1894	79.4	76.3-82.5
Native	80	6,390	3	2.5	00.0-06.0	3	3.3	00.0-07.8				14	25.3	08.1-42.5	60	68.8	51.6-86.0
Non-Native	2140	108,376	150	9.4	07.0-11.8	13	0.6	00.2-01.0	21	1.7	00.5-02.9	148	8.3	06.1-10.5	1808	80.0	76.9-83.1
25-34	95	12,416	6	12.3	01.3-23.3	2	1.3	00.0-03.3	2	1.5	00.0-04.4	18	13.1	04.1-22.1	67	71.8	58.7-84.9
35-44	136	11,760	10	11.3	02.9-19.7	2	1.4	00.0-03.8	4	1.5	00.0-03.1	19	13.1	05.3-20.9	101	72.7	61.9-83.5
45-54	294	18,783	27	9.3	05.0-13.6	7	3.2	00.1-06.3	1	0.2	00.0-00.6	28	6.8	03.7-09.9	231	80.5	74.6-86.4
55-64	563	24,666	38	9.1	05.4-12.8				5	0.6	00.0-01.2	32	6.7	03.8-09.6	488	83.5	79.0-88.0
65+	1087	35,981	66	6.0	04.0-08.0	5	0.3	00.1-00.5	4	0.4	00.0-00.8	49	3.3	02.1-04.5	963	90.0	87.6-92.4
Less Than H.S.	136	9,942	16	13.8	06.2-21.4	2	0.4	00.0-01.0				12	14.4	05.0-23.8	106	71.4	60.6-82.2
H.S. or G.E.D.	716	30,286	39	5.7	03.2-08.2	7	1.1	00.1-02.1	8	2.0	00.0-04.0	53	9.9	05.0-14.8	609	81.3	75.8-86.8
Some Post-H.S.	767	48,897	53	9.5	05.2-13.8	4	1.2	00.0-02.6	7	1.8	00.0-03.8	52	7.9	04.4-11.4	651	79.6	74.1-85.1
College Graduate	623	26,951	45	9.8	05.5-14.1	4	0.4	00.0-00.8	6	1.4	00.0-03.0	46	8.7	05.0-12.4	522	79.7	74.2-85.2
Less than \$15,000	180	12,582	12	9.9	00.5-19.3	3	3.4	00.0-07.9	3	1.2	00.0-02.6	12	5.9	01.0-10.8	150	79.5	68.7-90.3
\$15,000- 24,999	324	17,563	23	11.6	03.2-20.0	2	0.2	00.0-00.6	3	2.6	00.0-07.3	17	7.6	01.5-13.7	279	78.0	68.0-88.0
\$25,000- 34,999	267	14,749	18	4.3	01.0-07.6	4	0.8	00.0-01.6	3	2.1	00.0-04.8	23	12.6	05.2-20.0	219	80.2	72.0-88.4
\$35,000- 49,999	316	15,009	18	7.5	02.4-12.6	1	0.8	00.0-02.4	2	0.2	00.0-00.6	19	5.5	02.0-09.0	276	86.0	79.7-92.3
\$50,000- 74,999	317	14,158	24	10.4	04.5-16.3	2	0.8	00.0-02.0	5	2.7	00.0-06.4	22	5.8	02.9-08.7	264	80.3	73.2-87.4
\$75,000+	513	26,506	30	9.1	04.6-13.6	1	0.1	00.0-00.3	3	1.2	00.0-02.8	49	11.6	06.5-16.7	430	77.9	71.6-84.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 7: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7243	521,214	1595	16.8	15.6-18.0	5648	83.2	82.0-84.4
Male	3016	265,136	678	16.8	15.0-18.6	2338	83.2	81.4-85.0
Female	4227	256,078	917	16.9	15.1-18.7	3310	83.1	81.3-84.9
Native	219	20,008	60	19.9	11.5-28.3	159	80.1	71.7-88.5
Non-Native	6916	492,550	1508	16.7	15.5-17.9	5408	83.3	82.1-84.5
18-24	321	79,773	16	5.0	02.1-07.9	305	95.0	92.1-97.9
25-34	606	91,936	49	8.0	04.9-11.1	557	92.0	88.9-95.1
35-44	776	74,947	85	10.8	07.7-13.9	691	89.2	86.1-92.3
45-54	1120	80,229	171	16.2	13.3-19.1	949	83.8	80.9-86.7
55-64	1751	86,766	407	24.9	22.2-27.6	1344	75.1	72.4-77.8
65+	2598	103,256	856	31.8	29.3-34.3	1742	68.2	65.7-70.7
Less Than H.S.	417	44,546	133	27.2	20.9-33.5	284	72.8	66.5-79.1
H.S. or G.E.D.	2144	135,007	526	18.9	16.5-21.3	1618	81.1	78.7-83.5
Some Post-H.S.	2330	204,687	509	15.8	13.8-17.8	1821	84.2	82.2-86.2
College Graduate	2329	134,471	422	12.9	11.1-14.7	1907	87.1	85.3-88.9
Less than \$15,000	422	40,451	133	24.0	18.1-29.9	289	76.0	70.1-81.9
\$15,000- 24,999	833	66,803	231	20.1	16.2-24.0	602	79.9	76.0-83.8
\$25,000- 34,999	660	50,424	181	18.7	14.4-23.0	479	81.3	77.0-85.6
\$35,000- 49,999	957	65,347	238	19.7	16.0-23.4	719	80.3	76.6-84.0
\$50,000- 74,999	1156	82,824	221	14.5	11.8-17.2	935	85.5	82.8-88.2
\$75,000+	2380	163,012	397	13.0	11.0-15.0	1983	87.0	85.0-89.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 8: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3016	265,136	678	16.8	15.0-18.6	2338	83.2	81.4-85.0
Native	71	7,585	18	9.8	02.7-16.9	53	90.2	83.1-97.3
Non-Native	2885	251,633	647	17.1	15.3-18.9	2238	82.9	81.1-84.7
18-24	177	43,868	7	5.1	00.6-09.6	170	94.9	90.4-99.4
25-34	291	50,015	22	5.7	02.4-09.0	269	94.3	91.0-97.6
35-44	347	38,771	43	11.0	06.5-15.5	304	89.0	84.5-93.5
45-54	474	39,849	94	19.0	14.3-23.7	380	81.0	76.3-85.7
55-64	739	44,603	212	30.2	25.7-34.7	527	69.8	65.3-74.3
65+	967	46,384	299	30.2	26.3-34.1	668	69.8	65.9-73.7
Less Than H.S.	199	27,410	59	23.6	15.2-32.0	140	76.4	68.0-84.8
H.S. or G.E.D.	917	72,075	204	17.2	13.9-20.5	713	82.8	79.5-86.1
Some Post-H.S.	910	100,946	211	15.9	13.0-18.8	699	84.1	81.2-87.0
College Graduate	981	62,927	201	15.0	12.1-17.9	780	85.0	82.1-87.9
Less than \$15,000	149	17,362	46	22.4	13.6-31.2	103	77.6	68.8-86.4
\$15,000- 24,999	283	32,461	64	16.5	10.8-22.2	219	83.5	77.8-89.2
\$25,000- 34,999	244	23,424	68	16.2	10.5-21.9	176	83.8	78.1-89.5
\$35,000- 49,999	403	35,253	97	18.6	13.3-23.9	306	81.4	76.1-86.7
\$50,000- 74,999	517	45,246	114	16.9	12.8-21.0	403	83.1	79.0-87.2
\$75,000+	1180	90,450	236	15.6	12.7-18.5	944	84.4	81.5-87.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 9: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4227	256,078	917	16.9	15.1-18.7	3310	83.1	81.3-84.9
Native	148	12,423	42	26.0	13.8-38.2	106	74.0	61.8-86.2
Non-Native	4031	240,917	861	16.3	14.7-17.9	3170	83.7	82.1-85.3
18-24	144	35,905	9	4.9	01.2-08.6	135	95.1	91.4-98.8
25-34	315	41,921	27	10.8	05.3-16.3	288	89.2	83.7-94.7
35-44	429	36,176	42	10.6	06.5-14.7	387	89.4	85.3-93.5
45-54	646	40,380	77	13.5	09.8-17.2	569	86.5	82.8-90.2
55-64	1012	42,163	195	19.2	15.9-22.5	817	80.8	77.5-84.1
65+	1631	56,872	557	33.1	30.0-36.2	1074	66.9	63.8-70.0
Less Than H.S.	218	17,136	74	33.0	24.0-42.0	144	67.0	58.0-76.0
H.S. or G.E.D.	1227	62,932	322	20.9	17.6-24.2	905	79.1	75.8-82.4
Some Post-H.S.	1420	103,740	298	15.8	13.1-18.5	1122	84.2	81.5-86.9
College Graduate	1348	71,544	221	11.1	08.9-13.3	1127	88.9	86.7-91.1
Less than \$15,000	273	23,089	87	25.1	17.1-33.1	186	74.9	66.9-82.9
\$15,000- 24,999	550	34,342	167	23.6	18.5-28.7	383	76.4	71.3-81.5
\$25,000- 34,999	416	27,001	113	20.9	14.6-27.2	303	79.1	72.8-85.4
\$35,000- 49,999	554	30,094	141	21.1	15.8-26.4	413	78.9	73.6-84.2
\$50,000- 74,999	639	37,579	107	11.6	08.1-15.1	532	88.4	84.9-91.9
\$75,000+	1200	72,561	161	9.8	07.6-12.0	1039	90.2	88.0-92.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

End of Module Data Report