

STEPS FOR YOUR HOME COVID-19 TEST

TEST IF YOU ARE SYMPTOMATIC OR
AT LEAST 5 DAYS AFTER CLOSE CONTACT EXPOSURE.
KEEP OUT OF REACH OF CHILDREN.


FOLLOW INSTRUCTIONS VERY CAREFULLY

There are different brands of at-home tests. Read the instructions that come with your test and follow them carefully. Celltrion tests are only authorized for people ages 14 and older. iHealth and FlowFlex tests are authorized for those age 2 and over. Tests must be at room temperature for two hours before use.



IF YOU TEST POSITIVE

Isolate yourself from others as much as possible and follow isolation guidelines. Tell your close contacts that they may have been exposed to COVID-19. You do not need to report your test to the ND Department of Health.



MONITOR YOUR SYMPTOMS

Contact your health care provider or go to the doctor if you develop 'emergency warning signs' such as trouble breathing, persistent pain or pressure in the chest, new confusion, the inability to wake or stay awake, or gray/blue-colored skin, lips or nails.



IF YOU TEST NEGATIVE

A negative test result means the virus that causes COVID-19 was not detected in this specimen, it does not rule out a COVID-19 infection.

If you are symptomatic, please stay home and retest after 24 hours or seek out PCR testing at your local provider or local public health testing site. If the subsequent test result is positive, follow isolation guidelines.



LEARN MORE



health.nd.gov
health.nd.gov/positivetest
health.nd.gov/covidtreatment
health.nd.gov/covidcalculator



If you need assistance, you can contact the COVID-19 hotline number at 1-866-207-2880



WWW.HEALTH.ND.GOV

PASOS A SEGUIR PARA SU PRUEBA DE COVID-19 CASERA

PRUEBE SI USTED ES SINTOMÁTICO O AL MENOS 5 DÍAS DESPUÉS DE LA EXPOSICIÓN POR CONTACTO CERCANO.
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.


SIGA LAS INSTRUCCIONES CON MUCHA ATENCIÓN

Hay diferentes marcas de pruebas caseras. Lea las instrucciones que vienen con su prueba y sígala detenidamente. Las pruebas de Celltrion están autorizadas solo para personas a partir de los 14 años de edad. Las pruebas de iHealth y FlowFlex están autorizadas para niños a partir de los 2 años de edad. Las pruebas deben estar a temperatura ambiente durante dos horas antes de su uso.



SI SU RESULTADO ES POSITIVO

Aíslese de los demás lo más posible y siga las pautas de aislamiento. Cuéntele a sus contactos cercanos que es posible que hayan estado expuestos a COVID-19. No es necesario que informe el resultado de su prueba al Departamento de Salud de ND.



CONTROLE SUS SÍNTOMAS

Comuníquese con su proveedor de atención médica o vaya al médico si desarrolla "signos de advertencia de emergencia", como dificultad para respirar, dolor o presión persistentes en el pecho, confusión, incapacidad de despertarse o mantenerse despierto o piel, labios o uñas de color gris o azul.



SI SU RESULTADO ES NEGATIVO

Un resultado de prueba negativo significa que no se detectó el virus que causa COVID-19 en esta muestra; no descarta que esté contagiado con COVID-19.



Si es asintomático, quédese en casa y vuelva a hacerse la prueba después de 24 horas o hágase una prueba de PCR en su proveedor o centro de testeo de salud pública locales. Si el siguiente resultado de prueba es positivo, siga las pautas de aislamiento


MÁS INFORMACIÓN



health.nd.gov
health.nd.gov/positivetest
health.nd.gov/covidtreatment
health.nd.gov/covidcalculator



Si necesita ayuda, puede comunicarse con la línea de atención por COVID-19 llamando al 1-866-207-2880.



WWW.HEALTH.ND.GOV