
Older Adult Oral Health

Figure 1.	Percentage of North Dakota Adults ages 65+ with Some Level of Tooth Loss
Figure 2.	North Dakota Adults ages 65+ in Nursing Home Settings: Oral Health of Dentate and Edentulous Participants, 2016
Figure 3.	North Dakota Adults ages 65+ in Nursing Home Settings: Prevalence of Edentulism (Total Tooth Loss), 2016
Figure 4.	North Dakota Adults ages 65+ in Nursing Home Settings: Prevalence of Untreated Decay among Dentate Participants, 2016
Figure 5.	North Dakota Adults ages 65+ in Nursing Home Settings: Prevalence of Severed Gingivitis among Dentate Participants, 2016
Figure 6.	North Dakota Adults ages 65+ in Nursing Home Settings: Percent Needing Periodontal Care among Dentate Participants, 2016
Figure 7.	North Dakota Adults ages 65+ in Nursing Home Settings: Percent Needing Early or Urgent Dental Care among Dentate Participants, 2016



Figure 1. Percentage of North Dakota Adults age 65+ with Some Level of Tooth Loss Due to Tooth Decay or Gum Disease



Data Source: Behavioral Risk Factor Surveillance System

Figure 2. North Dakota Adults ages 65+ in Nursing Home Settings: Oral Health of Dentate and Edentulous Participants, 2016






Figure 3. North Dakota Adults ages 65+ in Nursing Home Settings: Prevalence of Edentulism (Total Tooth Loss), 2016






Figure 4. North Dakota Adults ages 65+ in Nursing Home Settings: Prevalence of Untreated Decay among Dentate Participants, 2016






Figure 5. North Dakota Adults ages 65+ in Nursing Home Settings: Prevalence of Severed Gingivitis among Dentate Participants, 2016







Figure 6. North Dakota Adults ages 65+ in Nursing Home Settings: Percent Needing Periodontal Care among Dentate Participants, 2016



Data Source: North Dakota Basic Screening Survey, Department of Health



Figure 7. North Dakota Adults ages 65+ in Nursing Home Settings: Percent Needing Early or Urgent Dental Care among Dentate Participants, 2016

